

**Alcohol and Drug Services Study
(ADSS), 1996-1999: [United States]**

*United States Department of Health and
Human Services. Substance Abuse and
Mental Health Services Administration.
Office of Applied Studies*

Codebook for Part 2: Phase II Administrator
Interview

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

*****Processor Notes*****
ADSS 1996-1999

1. Published statistics, including a few variables in this codebook, may not be exactly reproducible from the data in the public use file due to the disclosure protection procedures that were implemented.
2. The Data File User's Manuals provided in the codebooks contain references to SAS transport databases originally created by the data producers. To provide the data to users in a format that is neither system nor platform specific, the data files are in ASCII text format with SAS and SPSS data definition statements. Additionally, the number of variables found in the data files differ from the original number of variables cited by the data producers. The unweighted frequencies provided in the codebooks correspond to the data files.
3. In the Client Abstract data files, for the variable A62, "TEST RESULTS", the abstractor's instructions were to code "1 = Positive (leave blank if negative or not applicable)". Accordingly, negative test results were combined with inapplicable responses that are coded as -9. Any analysis of this series will be affected by this combining of negative and inapplicable responses.
4. In the Client Abstract data files, a new variable was created for A65 by the data producers: "TREATMENT EPISODES IN THE LAST 12 MONTHS". Therefore the questionnaire and variable information do not match. The new variable provides the number of treatment episodes in the prior 12 months, rather than a dichotomous response to whether or not the respondent had any treatment during this timeframe.
5. Disclosure analysis was performed on the ADSS files by SAMHDA, resulting in modifications to the data. These are explained in the following section, "Confidentiality Protection".
6. The Phase I facility public use file includes 2394 of the original 2395 records. One facility's record was deleted due to the presence of outlying data that could potentially identify the facility.
7. The Stratified Jackknife Factor files for Phase I and Phase II/III list values for the jackknife replication factors for use with the SUDAAN and WesVar statistical software only. These files are not intended for use with other statistical packages.
8. The Stratified Jackknife Factor files are space-delimited ASCII data files containing 1 record each. A detailed description of the use of these files is included in this codebook.
9. The jackknife factors are in the order expected by WesVar. The first factor corresponds to the first replicate, the second corresponds to the second replicate, and so on to the 200th factor, which corresponds to the 200th replicate.
10. The Phase I Finite Population Correction file contains the finite population correction factors (FPC) for use with the WesVar and SUDAAN statistical software only. The space-delimited ASCII data file contains 200 records and 1 variable. This file is not intended for use with other statistical packages.
11. The FPCs are in the order expected by WesVar. The first FPC corresponds to replicate 1, the second FPC to replicate 2, and so on to the 200th FPC, which corresponds to the 200th replicate.

Confidentiality Protection

Disclosure analysis for the ADSS files was conducted by the Substance Abuse and Mental Health Data Archive (SAMHDA). Measures taken to protect the confidentiality of the ADSS facility and client records included (1) using microaggregation for problematic variables, (2) deleting direct identifier variables such as facility name, and (3) recoding variables. The disclosure protection procedures allow nearly all of the data to be publicly released, take into consideration the most likely analytic uses of the data, and ensure the confidentiality of both facilities and clients.

Microaggregation

Microaggregation as applied to ADSS involved identifying problematic variables, sorting records by the first problematic variable, grouping records into three based on their value for this variable, averaging the values for each grouping, and applying the average to the records in each group. This was repeated for each of the problematic variables, which included the client count and financial data found in the Phase I Facility File. Cells with values of zero were excluded from microaggregation.

Microaggregation is a recoding method in which each variable has a set of ranges defined for it. For each variable, the range replaces each true record value. Such ranges (recodes) are usually defined summarily, irrespective of the data; in microaggregation the data themselves determine the ranges. The values most impacted by this approach are likely to be outliers or the values at either tail of a distribution. In other types of disclosure procedures, however, those values would be suppressed or top- or bottom-coded, which typically distorts the data substantially more than microaggregation (e.g., \$500,000; \$678,000; and \$1,750,000 would become “\$500,000 or more”). Microaggregation was preferable to these other methods because it allows statistics such as measures of central tendency to be run (e.g., to obtain average client counts and revenues), which are likely to be of interest to researchers. Researchers may want to categorize the ADSS data in performing their own analyses. Microaggregation allows them to do this in whatever way works best for them, without attempting to pre-determine the categories that would work for the most analysts.

The steps involved in the microaggregation were to:

1. Identify the problematic variables.
2. Microaggregate the variables identified, excluding values of zero.
3. Recalculate variables as necessary, based on the variables that were microaggregated.

Two Phase I variables were microaggregated: total substance abuse treatment revenue (D7) and total clients in all types of care on October 1, 1996 (B1J2). The total treatment revenue (D7) was carried forward to two additional variables (D8TOT and D12D). All of these “total revenue” variables provided the same data and respondents were instructed to copy the D7 total to D8TOT and D12D. All three of these variables were treated as microaggregated variables in determining the impact to the data.

The microaggregated variables were included in tables in the facility questionnaire that specified breakdowns of total revenue and client counts (the B1, B2 and D8 tables). Therefore, it was necessary to address the problem of having columns within the tables add correctly. Each cell within these tables represents a different variable. The totals were microaggregated and the number in each cell was recalculated by applying the relative percentage of the total for each cell. Totals were microaggregated, rather than sub-parts of the tables because all records had totals but not all records had valid numbers in the other cells in the tables. The more records that are microaggregated, the more closely the records are likely to cluster and the less impact there is to the data. These tables included 191 variables.

The only change to the Phase II Administrator file was the carrying over of the total substance abuse treatment revenue value from Phase I. This is Q52 in the Phase II file. No changes were made to the client files, other than the deletion of administrative variables and variables such as date of birth.

The ADSS Cost Study included a computerized desk audit to check for consistency and accuracy of data previously collected in the Phase I Facility and Phase II Administrator files. Three post-audit Cost Study variables were microaggregated: NB12, ND7, and NQ52. Related variables were recalculated based on the microaggregated data.

Results of Microaggregation

In order to assess the impact to the data, for the microaggregated and recalculated variables, the cells that changed more than five percent in either direction were calculated as a percentage of valid cells (including zero) and as a percentage of total cells. Because a large number of valid values in the data are zero, we also calculated the cells that changed more than five percent as a percentage of non-missing and non-zero cells. We included all three revenue variables as microaggregated, though the original values for all three variables were the same. The results are provided in Table 1 and show that less than one percent of the non-missing and non-zero microaggregated variables changed more than five percent, while 3.6 percent of the recalculated variables changed more than five percent. Of all valid cells (including zero) for microaggregated variables, less than one percent changed more than five percent while fewer than two percent of the recalculated variables did so.

For the ADSS Cost Study, means by facility type were compared pre- and post-microaggregation. Change in means by facility type ranged from -2.9 percent to +2.1 percent. Overall changes in means were negligible, which is the intended result of micro-aggregation.

Table 1. Overall effects of microaggregation and recalculation.

PHASE I FACILITY FILE		
	Microaggregated	Recalculated
Number of Variables	4	191
Record Count	2,394	2,394
Cells w/valid data (non-missing, non-0)	9,546	92,544
Cells w/missing data	0	289,062
Cells w/ data value=0	30	75,648
Total cells	9576	457,254
Change of > +/- 5%	82	3,304
Percentage (non-missing/non-0 cells)	0.859%	3.570%
Percentage (valid cells, including 0)	0.856%	1.964%
Percentage (total cells)	0.856%	0.723%

We further examined the impact to the data by comparing pre- and post-microaggregation ratios and means and by running a regression model on the pre- and post-microaggregated data to determine if significance results were comparable between the files.

Means were obtained by type of care and facility ownership for the microaggregated variables. The percent change in the means of these variables by both type of care and facility ownership ranged from zero to .9 percent, as shown in Tables 2 and 3. For the three total revenue variables that were impacted by microaggregation, the results are exactly the same for each variable. Therefore, only the result for one of these variables (D7) result is reported.

Table 2. Pre- and Post-Microaggregation Means By Type of Care.

PHASE I FACILITY FILE							
TYPCARE5 Type of care		Valid N		Mean		Absolute Difference	Percent Diff.
		Before	After	Before	After		
1 Hospital Inpatient Only	D7 Total subs abuse trt revenue	203	203	2658584.5	2680711.7	22127.3	0.8%
	B1j2 Total clients all care 10/1	203	203	18.4	18.4	0.0	-0.1%
2 Non - Hospital Residential Only	D7 Total subs abuse trt revenue	428	428	1176859.6	1169983.6	-6876.0	-0.6%
	B1j2 Total clients all care 10/1	428	428	43.8	43.8	0.0	0.0%
3 Outpatient Methadone Only	D7 Total subs abuse trt revenue	324	324	924848.3	924933.8	85.5	0.0%
	B1j2 Total clients all care 10/1	324	324	251.8	251.9	0.1	0.0%
4 Outpatient Non -Methadone Only	D7 Total subs abuse trt revenue	1083	1083	424329.1	424517.7	188.6	0.0%
	B1j2 Total clients all care 10/1	1083	1083	148.3	148.8	0.6	0.4%
5 Combination Facilities	D7 Total subs abuse trt revenue	356	356	1885023.6	1880021.3	-5002.3	-0.3%
	B1j2 Total clients all care 10/1	356	356	188.1	186.4	-1.8	-0.9%

Table 3. Pre- and Post-Microaggregation Means By Type of Facility Ownership.

PHASE I FACILITY FILE							
A_6 A6. Type Of Ownership Of Facility		Valid N		Mean		Absolute Difference	Percent Difference
		Before	After	Before	After		
1 Private For-Profit Organization	D7 Total subs abuse trt revenue	498	498	833230.4	838088.3	4858.0	0.6%
	B1j2 Total clients all care 10/1	498	498	145.2	146.4	1.3	0.9%
2 Private Non-Profit Organization	D7 Total subs abuse trt revenue	1478	1478	1040034.7	1037923.1	-2111.5	-0.2%
	B1j2 Total clients all care 10/1	1478	1478	127.8	128.4	0.6	0.5%
3 City / County Government Agency	D7 Total subs abuse trt revenue	249	249	1023422.0	1026405.5	2983.5	0.3%
	B1j2 Total clients all care 10/1	249	249	183.9	178.0	-5.9	-3.2%
4 State Government Agency	D7 Total subs abuse trt revenue	95	95	1349593.9	1355634.6	6040.8	0.4%
	B1j2 Total clients all care 10/1	95	95	103.1	103.1	0.0	0.0%
5 Federal Government Agency	D7 Total subs abuse trt revenue	63	63	2056990.0	2046533.0	-10457.0	-0.5%
	B1j2 Total clients all care 10/1	63	63	224.1	223.3	-0.8	-0.4%
6 Tribal Government	D7 Total subs abuse trt revenue	11	11	809306.2	813274.0	3967.8	0.5%
	B1j2 Total clients all care 10/1	11	11	68.2	67.9	-0.3	-0.4%

The *regression* model used the revenue variable “Other government funds” (D8G) as the dependent variable. This is a limited dependent variable in that roughly 86 percent of the 2394 programs in the sample database have an actual or implied zero (0) value for the amount of government funding. Therefore, an ordinary linear regression analysis of the full data is not appropriate and four regression analyses were tested. All analyses were done in STATA and incorporate the global sample weight variable (PH1FW0); however, the analysis did not include design effects for stratification. The data set was prepared with replicate weights for Balanced Repeated Replication analysis of complex sample design standard errors. This would require the use of Wesvar PC 4.0, which does not permit estimation of one of the models evaluated. Estimated coefficients computed in weighted analysis using STATA will exactly match those from the full analysis based on the complex sample design; however, the standard errors of the coefficients (shown in Table 6) are likely to be slight underestimates of the standard errors that would be obtained in an analysis that also included the stratification and weighting effects for the sampling of programs.

Model 1: Ordinary least squares regression on only the cases that have a nonzero amount for the government revenue variable. There are n=322 cases in this analysis.

Model 2: Ordinary least squares regression on only the cases that have a nonzero amount for the government revenue variable. The dependent variable is the natural log of the original non-zero government revenue amount. There are n=322 cases in this analysis.

Model 3: A Logistic regression model to analyze the probability that a program receives government revenue for its services. There are n=2394 cases in this analysis.

Model 4: A Tobit regression model for the left-censored (zero) dependent variable. There are n=2394 cases in this analysis.

Table 4 presents the results comparing the fit of each of these four models to the data before and after the microaggregation disclosure protection, showing that the regression model coefficients and the interpretation of the significance of the associated effects are quite robust against the microaggregation “blurring” of the data.

Table 4. Regression Model Test of ADSS Microaggregation.

Independent	Model 1				Model 2			
	Ordinary Least Squares Regression ¹ (D8G > 0)				Ordinary Least Squares Regression ¹ of log(D8G) , (D8G > 0)			
	Before		After		Before		After	
	<u>Coefficient</u>	<u>Std. Err.</u> Sig.	<u>Coefficient</u>	<u>Std. Err.</u> Sig.	<u>Coefficient</u>	<u>Std. Err.</u> Sig.	<u>Coefficient</u>	<u>Std. Err.</u> Sig.
b1a2	31439.38	5053.35 ***	44674.75	5980.03 ***	0.035	0.012 **	0.050	0.013 ***
b1a2	3099.88	1736.91	3973.33	2092.24	0.019	0.004 ***	0.017	0.005 ***
b1h2	4025.55	785.49 ***	3957.97	794.05 ***	0.006	0.002 **	0.005	0.002 **
B1i2	613.88	333.15	804.65	375.48 *	0.001	0.001	0.003	0.001 ***
a_4a	138645.11	92014.76	137918.6	114406.31	1.368	0.226 ***	1.435	0.254 ***
a_4b	-228279.2	114701.11 *	-212349.1	123279.31	-1.889	0.281 ***	-1.834	0.273 ***
a_4c	5409.22	55629.13	25567.77	100308.21	0.245	0.136	0.151	0.222
a_61	-606374.9	1852.5.31 ***	-565913.7	192445.71 ***	-0.394	0.454	-0.425	0.426
a_62	-653998.5	132995.11 ***	-614072.1	14086.11 ***	-1.017	0.325 **	-0.909	0.311 **
cons	792361.51	226134.81 ***	671953.4	250034.61 ***	11.591	0.555 ***	11.512	0.554 ***

Note¹: (n = 322 cases)

Independent	Model 3				Model 4			
	Logistic Regression ² for Probability that D8G > 0 (reciency)				Model 4: Tobit Regression ² of D8G (left censored at 0)			
	Before		After		Before		After	
	<u>Coefficient</u>	<u>Std. Err.</u> Sig.	<u>Coefficient</u>	<u>Std. Err.</u> Sig.	<u>Coefficient</u>	<u>Std. Err.</u> Sig.	<u>Coefficient</u>	<u>Std. Err.</u> Sig.
b1a2	0.032	0.004 ***	0.026	0.004 ***	22977.19	4808.56 ***	24239.69	5458.15 ***
b1d2	-0.001	0.001	0.001	0.001	-474.53	957398	-717.39	1249.77
b1h2	-0.001	0.001	-0.001	0.001	-2677.04	656.78 ***	-2871.59	711.08 ***
b1i2	0.001	0.001 ***	0.001	0.001 *	196.36	273.47	8.01	306.83
a_4a	-0.277	0.045 ***	-0.502	0.062 ***	-196275	64173.82 **	-384277.9	99917.98 ***
a_4b	-0.001	0.061	-0.062	0.067	160943.2	90743.59	172378.9	108183.21
a_4c	0.125	0.051 *	0.353	0.057 ***	-28987.88	61549.37	83193.49	90762.26
a_61	-0.298	0.092 ***	-0.286	0.093 ***	-915518.5	152452.7 ***	-874209	164155.81 ***
a_62	-0.093	0.078	-0.104	0.079	-343161.6	104227.3 ***	-330899.4	114515.41 ***
cons	-1.567	0.127 ***	-1.519	0.156 ***	-925699.8	190982.8 ***	-943137	245463.31 ***

Note²: (n = 2394 cases)

*significant at the .05 level

**significant at the .01 level

***significant at the .001 level

Deletions

Any variables that could specifically identify a facility were removed from the file. These included variables such as facility name and address, facility director's name, name and address of parent organization, and National Master Facility Index (NMFI) identifiers. Also deleted were administrative variables such as interviewer initials and date and time of the interview and the "other, specify" variables that were provided as verbatim responses and had not been numerically coded. Client date of birth was also removed. One record was deleted from the Phase 1 facility file because it was either an extreme outlier or the revenue data had been coded or entered incorrectly.

Recodes

In addition to the variables that were recoded due to the microaggregation procedures, some variables were recoded to make them more analytically useful. For example, time intervals such as length of time for treatment, were recoded to a standard unit (e.g., a variable with responses of days, weeks, or months was recalculated to days). This was not possible for all time units because some variables had response options that could not be reduced to a standard unit such as *sessions*, days, weeks, etc. Also, records were randomized and facility and client identification numbers were removed and replaced with sequential IDs, retaining the linkages between the files.

The codes for substance abuse and mental health disorders based on the Diagnostic and Statistical Manual of Mental Disorders (DSM) criteria were recoded from the raw DSM codes into groups that made this variable more analytically useful. Table 7 shows the recoded diagnostic categories.

Table 7. Diagnosis recodes

<u>ORIGINAL CODES</u>	<u>RECODES</u>
0.00	0 No Diagnosis
291.00-291.99	1 Alcohol-induced Disorder
292.00-292.99	2 Substance-induced Disorder
303.00-303.89	3 Alcohol Intoxication
303.90-303.99	4 Alcohol Dependence
304.00-304.09	5 Opioid Dependence
304.20-304.29	6 Cocaine Dependence
304.30-304.39	7 Cannabis Dependence
304.10-304.19	8 Other Substance Dependence
304.40-304.99	
305.10-305.19	
305.00-305.09	9 Alcohol Abuse
305.20-305.29	10 Cannabis Abuse

(continued)

<u>ORIGINAL CODES</u>	<u>RECODES</u>
305.30-305.49 305.70-305.99	11 Other Substance Abuse
305.50-305.59	12 Opioid Abuse
305.60-305.69	13 Cocaine Abuse
293.89 300.00-300.02 300.21-300.23 300.29-300.39 308.30-308.39 309.81	14 Anxiety Disorders
296.20-296.39 300.40-300.49 311.00-311.09	15 Depressive Disorders
293.81-293.82 295.00-295.99 297.10-297.19 298.80-298.89 297.30-297.39 298.90-298.99	16 Schizophrenia/Other Psychotic Disorders
296.00-296.09 296.40-296.79 296.80, 296.89 301.13	17 Bipolar Disorders
312.80-312.81 312.90-312.99 313.81 314.00-314.01 314.90-314.99	18 Attention Deficit/Disruptive Behavior Disorders
All other codes	19 Other Mental Health Condition
.01-289.99 320-997.99 V- and E-codes	20 Other Condition
Missing	-9 Missing

ALCOHOL AND DRUG SERVICES STUDY (ADSS)

**USER'S MANUAL FOR THE
ADSS PHASE II DATA FILES**

Submitted to Brandeis University

by Westat

Under SAMHSA Prime Contract Number 283-92-8331

October 2000

Substance Abuse and Mental Health Services Administration

Office of Applied Studies

TABLE OF CONTENTS

<u>Chapter</u>		<u>Page</u>
1	INTRODUCTION.....	1-1
2	OVERVIEW OF THE ADSS PHASE II STUDY METHODOLOGY	2-1
	2.1 Sampling	2-2
	2.1.1 Facility Sampling.....	2-2
	2.2.1 Abstract Sample.....	2-3
	2.2 Instrument Development	2-5
	2.3 Data Preparation.....	2-6
	2.4 Weighting.....	2-6
	2.4.1 Facility Level Weights for the Phase II Administrator Interview File.....	2-6
	2.4.2 Weights for the Phase II Abstract Files	2-9
3	ADSS PHASE II SURVEY DATA FILES.....	3-1
	3.1 Phase II Administrator Interview	3-1
	3.2 Phase II Abstract Files.....	3-2
	3.3 Phase II Stratified Jackknife Factor (JKN).....	3-3
4	CALCULATING WEIGHTED ESTIMATES AND ACCOUNTING FOR THE ADSS PHASE II SAMPLE DESIGN IN VARIANCE ESTIMATION	4-1
	4.1 Background	4-3
	4.1.1 Calculating Weighted Totals	4-3
	4.1.2 Calculating Ratio Means and Proportions	4-3
	4.1.3 Regression	4-4
	4.1.4 Replication Theory	4-6
	4.1.5 Jackknife n (JKN).....	4-7
	4.2 About the Examples	4-8
	4.2.1 Creating the WesVar File	4-9
	4.2.2 Attach Factors.....	4-12
	4.2.3 Creating a Table.....	4-13
	4.2.4 Viewing the Output	4-14

TABLE OF CONTENTS (continued)

<u>Chapter</u>		<u>Page</u>
	4.2.5 Creating a Regression.....	4-15
	4.2.6 Comparing WesVar to SAS.....	4-17
4.3	Analysis Issues.....	4-18
4.4	Alternative Software for Analyzing Survey Data	4-19
	4.4.1 SUDAAN.....	4-19
	4.4.2 Stata	4-21
	4.4.3 Comparing WesVar, SUDAAN, and Stata.....	4-22
	APPENDIX A - REFERENCES	A-1

USER'S MANUAL FOR THE ADSS PHASE II DATA FILES

1. INTRODUCTION

The Alcohol and Drug Services Study (ADSS), sponsored by the Substance Abuse and Mental Health Services Administration (SAMHSA), was conducted by the Schneider Institute for Health Policy at Brandeis University in Waltham, Massachusetts and by Westat in Rockville, Maryland.

ADSS is a national survey of substance abuse treatment facilities and clients. The objective of ADSS was to collect detailed information on the characteristics of substance abuse treatment facilities and on clients discharged from those facilities. The data will be used to develop better estimates of client length of stay and the costs of treatment and to describe the post-treatment status of clients. ADSS is the continuation of the 1990 DSRS and SROS surveys and provides more detailed information on the organization of the national treatment system and the clients in treatment. ADSS consists of three phases: (1) a facility-based telephone interview with a representative sample of about 2,400 substance abuse treatment facilities; (2) a record-based survey of clients where client-level information was collected on a sample of over 5,000 clients discharged during a 6-month period; and (3) followup personal interviews with the sample of clients and a comparison group to determine post-treatment status in terms of substance use, economic status, criminal justice status, and further substance abuse treatment episodes. Urine testing was conducted to validate self-report of drug use.

This manual documents the Phase II data files and provides guidance on using the file to produce national estimates. For a discussion of the project methodology, refer to the **ADSS Methodology Report**.²

Phase I involved a telephone interview to collect data from a national sample of 2,395 substance abuse treatment facilities selected from SAMHSA's National Master Facility Inventory of known facilities. Phase I facility interviews were conducted from December 1996 through June 1997. The questionnaire included point-prevalence data from October 1, 1996 and annual data for the most recent 12-month period for which data were available. The questionnaire was mailed to the facilities about 2 weeks before they were contacted by telephone to collect the information, allowing the facility staff the time necessary to obtain answers to the questions before being asked to provide the answers over the telephone. See the **ADSS Methodology Report** for the survey methodology for Phase I.

² Alcohol and Drug Services Study (ADSS) Methodology Report. (2000). US DHHS Substance Abuse and Mental Health Services Administration (SAMHSA).

Phase II, which involved site visits to a sample of 280 of the facilities that participated in Phase I, was conducted from August 1997 through April 1999. The visit included an in-person interview with the facility director or administrator, compilation of a sampling frame and selection of a sample of client records, and collection of client-level data from the sample of client records at each facility. In total, client-level data were collected for 6,720 clients. These included 5,005 clients discharged from treatment between February 1997 and December 1998 and 925 in-treatment methadone clients who were enrolled at the facility on the day of the administrator interview. The remaining 790 abstracts were for an early dropout comparison group. See the **ADSS Methodology Report** for more detailed survey methodology for Phase II.

Phase III involved followup interviews with selected Phase II clients who could be located between February 1998 and May 1999.

This manual is organized into four chapters and seven appendixes. The first chapter is this introduction. The second chapter provides an overview of the study methodology. The third chapter provides a high-level description of the ADSS Phase II data files. The fourth chapter provides guidance on how to calculate estimates and associated variances using the sampling weights. Appendix A is a copy of the Phase II Administrator Interview Questionnaire. Appendix B is a detailed codebook that documents each variable in the ADSS Phase II Administrator Interview File and provides an unweighted frequency distribution for each variable. Appendix C is similar to Appendix B, but contains weighted frequency distributions. Appendix D is a copy of the Phase II Client Record Abstract Form. Appendixes E, F, and G are detailed codebooks with unweighted frequency distributions documenting Abstract Files for different groups of clients: Main/Incentive Study clients (Appendix E), In-Treatment Methadone clients (Appendix F) and Early Drop Outs (Appendix G).

2. OVERVIEW OF THE ADSS PHASE II STUDY METHODOLOGY

Phase II of ADSS had two major components: interviews with administrators of sampled facilities and abstraction of client records sampled from these facilities.

The ADSS Phase II facility sample is nationally representative of the major modalities and settings of substance abuse treatment in the nation, but hospital inpatient facilities and facilities that treat alcohol-only clients exclusively were excluded. Also, because of overlap with other studies, data collection issues, or a judgment that they were not a form of treatment, halfway houses without paid counselors, solo practitioners, jails/prisons, military/Department of Defense (DoD), Indian Health Service, and facilities that are intake and referral only were also excluded.

The ADSS Phase II abstract sample has four components: a main study, an incentive study, an in-treatment methadone study, and a comparison study of early dropout clients (EDO). Abstracts for the Main Study, Incentive Study, and early dropout study were selected from lists of clients discharged within the last 6 months prior to the Administrator Interview. Abstracts for the in-treatment methadone study were selected from lists of current clients on a point prevalence sample date. There were minor differences in information abstracted among the four components, (for example, in-treatment methadone abstractors did not have to complete information on discharge status or post-treatment referral), but for the most part, the abstraction procedures for all four components were the same.

Main Study. Data were collected from discharge abstracts to assess the treatment process and characteristics of discharged clients in nonhospital residential, outpatient methadone and outpatient nonmethadone treatment. In Phase III, Main Study clients were offered \$15 to complete the interview and \$10 to submit a urine sample. The outpatient nonmethadone Main Study clients later became the \$15/\$10 group for the Incentive Study.

Incentive Study. ADSS included an Incentive Study that was designed to evaluate the impact of different financial payments on client response rates, response bias, and sample bias in Phase III. The array of payment groups were (interview/urine): 0/0, 0/\$10, \$15/\$10 (Main Study), \$25/\$10. The Incentive Study collected data only for clients in outpatient nonmethadone treatment. As there were no sampling or operational differences between outpatient nonmethadone clients in the Main and Incentive Study components, data were combined for these clients for Phase II abstract analyses.

In-Treatment Methadone Client Study (ITMC). Records were abstracted for in-treatment methadone clients to analyze the treatment process in Phase II.

Comparison Study of Early Drop Out Clients (EDO). Discharge records were abstracted for outpatient nonmethadone clients who left treatment after no more than a single day or visit. The Main Study, Incentive Study, and in-treatment methadone study were based on probability samples while the EDO study was based on a nonprobability sample of client records.

2.1 Sampling

Phase II sampling consisted of three stages. First, the country was partitioned into approximately 400 geographical primary sampling units (PSUs) and a representative sample of 62 were selected on basis of demographic and economic characteristics. Within these 62 PSUs, a stratified subsample of 306 Phase I responding facilities was selected using a probability proportional to size (PPS) design. The last stage in Phase II consisted of random samples of discharges or methadone in-treatment clients being chosen from within the selected facilities.

2.1.1 Facility Sampling

The initial Phase II sampling frame consisted of the 2,395 eligible respondents to Phase I reduced by geographic subsampling and two exclusionary criteria.

The ADSS Phase II sample includes facilities from 62 geographic primary sampling units (PSUs). ADSS used an existing frame of all U.S. counties grouped into approximately 400 PSUs, stratified on the basis of demographic and economic characteristics. The ADSS 62 PSU sample consists of all 24 large metro PSUs, 26 other metro PSUs, and 12 nonmetro PSUs. The large metro PSUs represented the 24 largest metropolitan standard areas (MSA) in the country. These unique geographic areas were all included in the first stage of Phase II to ensure representativeness of the sample. The remaining ADSS PSUs were selected with probability proportionate to the population. Phase I respondents whose ZIP Code placed them outside the 62 PSUs were excluded from Phase II. This resulted in a clustered sample which improved the efficiency of onsite data collection activities at facilities.

The sampling strata for Phase I included facilities with hospital inpatient care (stratum 1); nonhospital residential facilities (stratum 2); all outpatient facilities for which the percent of methadone clients was greater than or equal to 60 percent (stratum 3); outpatient facilities for which the percent of alcohol-only clients was greater than or equal to 70 percent (stratum 4); all other outpatient facilities that did not fall into stratum 3 or stratum 4 (stratum 5); and all facilities that had any other combinations of types of care defined above, but not included in the previous strata (stratum 6).

The Phase II sampling frame excluded facilities in which 100 percent of the clients were treated for alcohol abuse, and all stratum 1, hospital inpatient facilities. After excluding facilities based on geographic subsampling and exclusionary criteria, there were 1,052 facilities eligible for Phase II. Since there was a time gap between the completion of the Phase I interview and Phase II data collection, some facilities that were functioning during Phase I operations closed by the time they were contacted for Phase II. Phase I facilities that closed before March 1, 1997 were considered ineligible for Phase II.

The Phase II sample consisted of 306 facilities. The Main Study sample consisted of 186 facilities from strata 2, 3, 4, 5, and 6. The incentive sample included 120 facilities from strata 4 and 5. The stratum 3 sampled facilities were the basis for the ITMC study. Large cooperative Phase II facilities from strata 4, 5, and 6 were used for the early dropout comparison study.

For each sampled Phase II facility, a shadow facility was also assigned. The shadow facility replaced its corresponding original sample facility if the original facility was eligible for the study but failed to cooperate or had closed. Shadows were assigned to originally selected facilities based on the approximate matches between the two on the following linking variables: analytic stratum, type of PSU, census region, type of ownership, and the Phase II overall probability of selection of the facility (a function of the number of clients). Sixty of 294 eligible facilities refused to participate in Phase II. Forty-six of the 60 shadows selected to replace these original refusals agreed to participate in the study.

2.2.1 Abstract Sample

Once facilities were selected for Phase II, the facility administrators were interviewed, client treatment episodes were listed and sampled, and the corresponding treatment records abstracted. A sample of all client discharges from the most recent 6-month period was randomly selected from each Main Study and Incentive Study facility, and clients' data were recorded on abstract forms. For stratum 3 facilities (treating primarily methadone clients), a sample of all currently in-treatment methadone clients

was also randomly selected for the ITMC Study. Within the comparison study facilities, a nonprobability sample of early dropout clients was selected.

The discharge events were sampled only after the facility completed the Phase II Administrator Interview. Every eligible discharge during the 6-month reference period was included on the list of discharges to be sampled. For the purposes of ADSS, a substance abuse treatment client was a person who was admitted to substance abuse treatment in the sample facility and the discharge date was at least one day after the admission date. For nonhospital residential clients, the person must have spent one night in treatment. For outpatient clients, the person must have made at least one visit to the treatment facility after the intake/admission process and must have received substance treatment as part of the sampled episode.

Persons whose treatment episode was clearly limited exclusively to mental health, family counseling, or other non-substance abuse services were not considered substance abuse treatment clients for purposes of ADSS, even though they may have had a previous history of substance abuse treatment. The client must have been the substance abuser himself or herself and not a family member or other person receiving services in relation to the substance abuser (a codependent or collateral). Discharged clients were substance abuse clients, as defined above, who ended treatment in some way during the facility's specified 6-month period, regardless of when they were admitted. This included substance abuse clients who:

- Were formally discharged upon completion of treatment;
- Dropped out of treatment or otherwise failed to return;
- Were terminated by the facility (for non-compliance with rules, lack of payment, termination of type of care, etc.);
- Were incarcerated and ended treatment;
- Died;
- Were transferred to another facility, thereby ending their treatment at the sampled facility; or
- Ended treatment in any other way at the sampled facility during the 6-month reference period.

The second sample group consisted of in-treatment methadone clients (ITMC) who were receiving treatment as of the day that the Administrator Interview (index day) occurred. The methadone clients were sampled from all outpatient methadone main study facilities. An in-treatment methadone client was eligible for the ADSS study if he or she was enrolled in an outpatient methadone program on

the index day, regardless of whether he or she actually appeared at the facility to get methadone or other treatment.

The third sample group, the comparison group clients, were early dropout (EDO) discharges. After the probability sample at these facilities was completed, a return visit was made to the facility to identify and abstract early dropout clients who had been discharged during the 6-month reference period prior to the return visit. Early dropout clients were defined as clients who had been through assessment or intake battery but completed no more than 1 day or one session of treatment (i.e., the person may never have shown up for any treatment).

The reference period for the discharge-sample group, a rolling sampling period, included the last full 6 months prior to the date of the facility administrator interview. The reference period for the early dropout comparison group was the comparable 6-month window prior to the date of the return visit to the facility for the purpose of drawing the comparison group sample.

2.2 Instrument Development

The data collection design for Phase II required the use of three principal data collection instruments: an Administrator Interview questionnaire, a Client Record Abstract form, and a Client Locator Module. Data from the first two of these instruments is reflected in the files documented in this manual. The design of these instruments is discussed in Section 3 of the ADSS Phase II Methodology Report.

2.3 Data Preparation

Survey data were recorded on paper forms by the interviewers and abstractors. The completed forms were double-key entered and verified. A detailed series of automated range and logic checks were performed to ensure that the data were internally consistent. Questionable values were checked against the hard-copy documents and corrected as necessary.

2.4 Weighting

Phase II weights, facility and abstract, were constructed for the entire Phase II sample based on type of care (residential, outpatient methadone, or outpatient nonmethadone), but without regard to Main Study/Incentive Study classification. Facility level weights are provided on the Phase II Administrator Interview File. Abstract level weights are provided on the Phase II main study abstract file and on the Phase II in-treatment methadone abstract file. The Phase II early dropout abstract file is not weighted.

2.4.1 Facility Level Weights for the Phase II Administrator Interview File

Facility level weights for the Administrator Interview File are processed in the following steps:

- Facility base weights;
- Raking procedure;
- Trimming procedure;
- Additional adjustment to the methadone domain; and
- Replication procedure (stratified jackknife) for variance estimation purposes.

2.4.1.1 Facility Base Weights

The Phase II facility sample consisted of two components: original facilities and shadows. Each shadow facility is assigned the base weight of the original facility it replaces. Original facility base weights are computed as the reciprocal of the probability of selection of the facility Phase II. A facility's probability of selection into Phase II is the product of its probability of selection into Phase I, the probability of selection of its PSU into the PSU sample used for Phase II, and the facility's conditional probability of selection into Phase II given its PSU and Phase I selections. As constructed, facility base weights account for nonsampled PSUs and for nonsampled facilities within sampled PSUs. Such weights are appropriate for providing estimates from probability samples via the standard Horvitz-Thompson estimation method (see Cochran, 1977).

2.4.1.2 Raking

A weight adjustment procedure called ‘raking’ was used to reduce both variability in resulting estimates and nonresponse bias. In raking, sampling weights are adjusted so that weighted totals within cells equal control totals based on some more reliable source, in this case the larger ADSS Phase I sample. The assumption is that forcing weighted totals to equal more reliable values at the cell level reduces variability and bias of other estimates which correlate with any of the factors used to define cells. Raking addresses nonresponse and removes the need for any other form of nonresponse adjustment.

In the raking adjustment done for ADSS Phase II, four factors were used to define cells:

- Urbanicity (metro, nonmetro);
- Type of ownership (private for profit, private nonprofit, public);
- Categorized number of clients (100 or less, more than 100) using the Phase I reported number of clients on October 1, 1996; and
- Type of treatment (based on Phase I)/certainty of PSU.

This last factor contains seven levels defined as:

- Offered residential only;
- Offered methadone only and was located in a certainty PSU;
- Offered methadone only and was located in a noncertainty PSU;
- Offered outpatient nonmethadone only;
- Offered a combination of treatment types, but did not offer methadone;
- Offered a combination of treatment types, including methadone, and was located in a certainty PSU; and
- Offered a combination of treatment types, including methadone, and was located in a noncertainty PSU.

The control totals used in raking were the number of facilities within defined cells as estimated in Phase I, after removing hospital inpatient facilities (analytic stratum 1) and facilities with 100 percent alcohol clients (as determined by the Phase I questionnaire). The raking process stopped when the specified number of iterations was reached or when a stopping rule based on absolute differences between iterations was satisfied. The absolute difference limit in order to stop was set at 1 for the full sample

weights and 10 for the replicate weights. Convergence was reached in six iterations for the full sample and four for the replicates.

2.4.1.3 Trimming Weights

Weight trimming is the pragmatic operation of reducing the disproportionately high weights of a few overly influential facilities. In moderation, trimming is an acceptable protection against a small set of facilities having too much impact on estimates in a study, but trimming does introduce bias into an analysis and should be held to a minimum.

In Phase II of ADSS, facility weights were trimmed if they contributed more than 10 percent of a trimming group's sum of weights, or more than 10 percent of a trimming group's sum of weighted number of discharges. The trimming groups were defined in this case by the types of care offered as recorded on the Phase II Administrator Interview. Using these criteria, two Phase II facilities had their weights trimmed. One facility offering outpatient nonmethadone care only had its facility weight reduced to 10 percent of the sum of weights for all outpatient nonmethadone-only facilities. The remaining weight was distributed among all outpatient nonmethadone-only facilities. In a second case, the single Phase II combination facility offering methadone treatment had its weight trimmed to equal the Phase I estimate of the country's total number of combination facilities offering methadone treatment. The remaining weight was distributed among other combination facilities.

2.4.1.4 Adjustment to Methadone Domain Weights

An additional adjustment to the weights was implemented on the set of facilities that offered methadone treatment only. It was necessary to trim a relatively large weight that resulted from the raking procedure. The weight was trimmed so that it would contribute less than 18 percent to the weighted sum across methadone-only facilities. The excess or trimmed-off weight was redistributed to the facilities of the same domain proportionate to their weights prior to this stage. The resulting trimming factor was computed as the ratio of the resulting weight after trimming to the weight before trimming (i.e., raked weight). For all other domains, the trimming factor is equal to one.

2.4.1.5 Final Facility Weights

The final facility weights are a product of the facility base weight and each of the adjustment factors. The final weight (F2FWA0) can be used to estimate means, totals, proportions of facility characteristics, client characteristics, and so forth.

2.4.2 Weights for the Phase II Abstract Files

The main and incentive discharge abstract (MIDA) data from the combined sample of facilities were analyzed together in Phase II. The ITMC abstract data were analyzed separately. Therefore, the estimation process for Phase II analyses of abstracts involved generating the following sets of sampling weights:

- Final abstract weights for the Phase II MIDA and
- Final abstract weights for the Phase II ITMC.

The general weighting process was similar for each sample. The following are the general stages of weighting the abstracts.

- Abstract base weights;
- Adjustment for noncompleted abstracts; and
- Trimming procedure.

The comparison group abstracts (i.e., early dropout discharges) were collected through a nonprobability-based sample and, therefore, sampling weights were not appropriate. See the **ADSS Methodology Report** for a discussion of the abstract weighting procedure.

2.4.2.6 Variance Estimation

Replicate Phase II facility weights were created to support a stratified jackknife approach for estimating the variances of facility level statistics. Replicate abstract weights were similarly constructed to support a jackknife approach for estimating abstract level variances. Construction of replicate weights began by first defining variance units and variance strata. A variance unit comprised a first-stage

sampling (FSS) unit or group of FSS units. A variance stratum was related to the sampling strata from which the FSS units were selected.

The facility level replicate weights were created by systematically dropping one variance unit from the full sample and reweighting the reduced sample within the variance stratum aligned with the dropped variance unit. Seventy-eight replicates were formed by systematically forming reduced samples and reweighting accordingly.

The replicate weights relating to the Phase II abstracts were constructed following the same steps implemented for the full sample abstract weights. That is, the replicate base weights for the abstracts were created as the product of the final facility replicate weights and the reciprocal of the within-facility abstract sampling rates. The process continued with adjusting each replicate base weight for noncompleted abstracts and, lastly, trimming. Chapter 4 describes how to use the replicate weights to compute appropriate variance estimates.

3. ADSS PHASE II SURVEY DATA FILES

The following data files contain the ADSS Phase II Questionnaire data and supplementary data useful in constructing national estimates from the questionnaire data:

- P2ADMIN.XPT: SAS transport data set containing the SAS file P2ADMIN (280 records), which contains the responses to the Phase II Administrator Questionnaire.
- P2ABSREV.XPT: SAS transport data set containing the three Phase II Abstract Files:
 - P2ABSTM: Phase II Discharge Abstracts (Main and Incentive Study) (5,005 records)
 - P2ABSTI: Phase II In-treatment Methadone Abstracts (925 records)
 - P2ABSTE1: Phase II Early Dropout Discharge Abstracts (790 records)
- JKN_FAC2.DAT: Stratified jackknife factors (JKN) (1 record, 78 values). It is formatted for used with the WesVar Complex Samples program.

Each of these files is described briefly below.

3.1 Phase II Administrator Interview

The Phase II Administrator Interview File is a SAS transport dataset named P2ADMIN.XPT. The internal SAS file name is P2ADMIN. It contains 280 records and has 559 variables. The file represents responses to the ADSS Phase II Administrator Interview, which is reproduced in Appendix A. Appendix B consists of a codebook fully documenting each variable. For each variable, it lists the variable's name, the valid range of values, the meaning for each categorical value, and the unweighted frequency distribution for the variable. Appendix C consists of a similar codebook, but with a weighted frequency distribution for the variable.

The unweighted frequencies are useful for quickly checking what values actually appear in the data from among the list of possible values. They can also be useful as a check that programs utilizing the file have read and processed it correctly. The unweighted frequencies, however, are not nationally representative. The weights need to be used by an analyst to obtain national representative data. Since the ADSS sample was complex, special care needs to be taken when computing variance estimates. Chapter 4 discusses how to calculate both weighted estimates and variances.

In general, the order of the variables at the beginning of the file is the same as the order of the corresponding questions in the questionnaire. These are followed by a number of variables used in the weighting process and the Phase II Facility Final Weight (F2FWA0) and the 78 replicate weights (F2FWA1 - F2FWA78). The replicate weights are followed by a number of additional variables that were used in the sampling stage. The Phase II Facility Final Weight (F2FWA0) should be used when making projections to national estimates.

The file is sorted by the variable FACID, the ADSS facility identifier. FACID can be used to link records in this file to records in other ADSS files.

3.2 Phase II Abstract Files

The Phase II Abstract Files are contained in a SAS transport dataset named P2ABSREV.XPT. The internal SAS file names, number of records, and number of variables for the three files contained in the transport dataset are summarized in Table 3-1.

Table 3-1. Abstract file names, descriptions, record counts, and variable counts

SAS file name	Description	Number of records	Number of variables
P2ABSTM	Discharge Abstracts (Main/Incentive Study)	5,005	414
P2ABSTI	In-treatment Methadone Abstracts	925	414
P2ABSTE1	Early Dropout Discharge Abstracts	790	321

These files represent the data collected on the Phase II Client Record Abstract Form for each sampled client. A copy of the form is included as Appendix D.

The Discharge Abstracts File and the In-treatment Methadone File have more variables because they are weighted, while the Early Dropout File is not weighted. Other than that, the layout of the three files is identical. In general, the order of the variables at the beginning of each file is the same as the order of the corresponding items in the abstract form. These are followed by a number of variables

used for sampling the abstracts and a small number of derived variables. The derived variables include:

- AGE_CALC – The calculated age at admission;
- LOS – The length of stay in days;
- TRT_DUR – The treatment duration in days;
- DRUG – Whether or not drug use was mentioned in the client record;
- ALCOHOL – Whether or not alcohol use was mentioned in the client record;
- DRUG_ALC – Whether the client was an alcohol client, a drug client, or both; and
- TXCARE – The type of care that the client received.

The weights and weighting variables come at the end of the two weighted files. For the Main Study and Incentive Study, the variable A2TWA0 is the abstract final full sample weight. It should be used to make estimates at the national level. There are 78 abstract replicate weights (A2TWA1 - A2TWA78). For the in-treatment methadone study, the variable A2TWT0 is the abstract final full sample weight. It should be used to make estimates at the national level. There are also 78 abstract replicate weights on this file. They are name A2TWT1 through A2TWT78.

The three files are sorted by CLIENTID, the client identifier. Since the first part of CLIENTID is also the facility identifier, the files are also sorted by FACID, the facility identifier. CLIENTID can be used to link records to the Phase III data files. FACID can be used to link records to the Phase I data files.

3.3 Phase II Stratified Jackknife Factor (JKN)

The Phase II Stratified Jackknife Factor file is a space-delimited ASCII file named JKN_FAC2.DAT. It lists values for the jackknife replication factors required for use of the jackknife procedure in Wesvar. See Chapter 4 for a detailed description of the use of this file.

The jackknife factors are in the order expected by WesVar. The first factor corresponds to the first replicate, the second corresponds to the second replicate, and so on to the 78th factor, which corresponds to the 78th replicate.

4. CALCULATING WEIGHTED ESTIMATES AND ACCOUNTING FOR THE ADSS PHASE II SAMPLE DESIGN IN VARIANCE ESTIMATION

The sample design for the Alcohol and Drug Services Study (ADSS) consisted of a multistage stratified design. The first stage (Phase I) was a stratified probability proportionate to size (PPS) sample of facilities. Phase II consisted of multiple stages of sampling, which involved the selection of a subset of Phase I responding facilities within 62 sampled primary sampling units (PSUs) and involved the selection of client records, for abstracting. Phase III consisted of followup interviews with eligible clients selected in Phase II.

The multistage sample design for ADSS Phase II was complex and involved clustering, stratification, unequal probabilities of selection, and systematic sampling. Before the Phase II sample selection of facilities, the Phase I responding facilities were restratified based on their responses to the Phase I questionnaire. Next, the responding facilities were subset to 62 randomly selected PSUs, comprising counties or groups of counties. Subsequently, the Phase II sample of 306 facilities was selected using a stratified PPS design. In Phase II, once the facilities were selected and the facility administrators interviewed, client records were listed, sampled, and abstracted. Within all Phase II interviewed facilities, a sample of client discharge records from the most recent 6-month period was randomly selected and the data were recorded on a Phase II client record abstract form.³ For predominantly methadone treatment facilities, an additional sample of in-treatment client records was also randomly selected for the In-Treatment Methadone Client (ITMC) study.

The primary objective of this chapter is to provide the reader with enough information to facilitate basic data analyses that account for the ADSS complex sample design and to use the sample weights appropriately. Two examples are provided to illustrate basic analyses using ADSS Phase II data; one is for a Table Request, and one is for a Regression Request. The examples provide the instructions needed for simple analyses for any Phase II file, excluding the data file of early dropout clients, for which no weights were created. The example of a Table Request uses P2ADMIN.XPT, the administrator interview data. The regression example uses P2ABSTM.XPT, the discharge client abstract data, which include both Main and Incentive Study discharge client abstract data. In addition, the examples instruct the analyst on how to import data files and view output. Because variance computation needs to incorporate the ADSS complex design into its calculations, standard software routines in SAS and SPSS should not be used for computing variances for ADSS.

³ Since the sample of discharge clients abstracted in Phase II was drawn from a 6-month period at each facility, estimated weighted national counts of discharges need to be multiplied by 2 to obtain annual estimates.

Replicate weights for ADSS Phase II were designed to capture the features of the ADSS sample design (e.g., effects from clustering, stratification, some effect from implicit stratification resulting from systematic sampling from a sorted list, and effects of PPS sampling),⁴ as well as capturing the weighting effects on variance (e.g., trimming and raking for facilities and nonresponse adjustment and trimming for abstracts). A discussion is provided on how to approximate the number of degrees of freedom associated with variance estimates. Attention should be given to degrees of freedom when analyzing subgroups in ADSS data.

WesVar⁵ is the recommended choice for calculating variance estimation in the ADSS data since the sample and replication scheme were designed with WesVar in mind. In this case, it is the recommended method for incorporating the effects of the ADSS sample design and weighting process of Phase II.

Software packages other than WesVar that provide reasonable estimates of sampling error under the ADSS complex survey design are discussed in Section 4.4. The two software packages discussed are SUDAAN⁶ (Software for the Statistical Analysis of Correlated Data) and Stata.⁷

WesVar can calculate estimates of statistics such as means and proportions, along with their variance estimates. Variance estimates can be computed for complex functions of estimates, including ratios, differences of ratios, and log-odds ratios. WesVar calculates standard errors, variances, and confidence intervals for the specified survey estimates and chi-square tests of independence for two-way tables of weighted frequencies. It also computes estimated coefficients for linear and logistic regression models and performs significance testing of a subset of linear combinations of variables. For further documentation on using WesVar, please refer to the WesVar Complex Samples User's Guide.

4.1 Background

Many types of statistics can be estimated in WesVar. This section describes how to estimate totals, ratios/proportions, and regression parameters. Creating estimates and their standard errors is controlled in WesVar largely by specifying Table Requests. A Table Request operates by calculating

⁴ Replicate weights were formed under the stratified jackknife procedure (JKN).

⁵ For more information on obtaining WesVar, contact the WesVar information line at (301) 517-2006 or send e-mail to wesvar@westat.com.

⁶ For more information on SUDAAN, call 919-541-6602, fax 919-541-7431, or e-mail sudaan@rti.org

⁷ For more information on Stata, call 800-782-8272, fax 979-696-4601, or e-mail stata@stata.com

weighted totals for the specified variables of interest. Additional variables can be created by manipulating these totals.

4.1.1 Calculating Weighted Totals

If there are n records in the file and the variable of interest is represented by y , the population total for y is estimated by the formula

$$\hat{Y} = \sum_{i=1}^n w_i y_i \quad (1)$$

where w_i is the full sample weight and y_i is the observed value of y for the i -th unit in the sample.

Totals can be estimated for domains by specifying variables from the source variables to define the table margins (on the tables panel).

4.1.2 Calculating Ratio Means and Proportions

With weighted data, the estimate of a population mean is usually found by estimating the population total and then dividing by the sum of the weights. If the mean of y in the population is represented by \bar{Y} , then the formula for the ratio estimate of this quantity is

$$\hat{\bar{Y}} = \frac{\sum_{i=1}^n w_i y_i}{\sum_{i=1}^n w_i} \quad (2)$$

If y_i is a variable with $y_i = 1$ or $y_i = 0$, then the resulting quantity is an estimate of a population proportion.

In a general ratio estimate, the denominator is the weighted total for some other variable, say x . For example, let y be the number of clients in a facility and let x be the number of full-time staff in the same facility. The population ratio of the total number of clients to the total number of full-time staff,

$$R = \frac{Y}{X}$$

can be estimated by

$$\hat{R} = \frac{\sum_{i=1}^n w_i y_i}{\sum_{i=1}^n w_i x_i} \quad (3)$$

This is accomplished in WesVar using a computed statistic defined as $RHAT=Y/X$. The standard error of $RHAT$, a function of estimated ratios, is then computed. Domain analyses can also be performed for this variable by specifying table variables.

4.1.3 Regression

Regression facilitates fitting both linear and logistic regression models to data from surveys employing complex sample designs. A Regression Request is used to define a particular regression model, to estimate the model parameters, to test the fit of the overall model, and to test the significance of linear combinations of the independent variables in the model. Linear or logistic models can be specified on the Options panel by clicking on **Options** in the workbook tree, and selecting the dependent and independent variables of the specific model on the Models panel.

The general linear model is as follows:

$$\mathbf{Y} = \mathbf{X}\boldsymbol{\beta} + \boldsymbol{\varepsilon}$$

where \mathbf{Y} is the vector of observations for the dependent variable

$$\mathbf{Y}' = [Y_1 Y_2 \dots Y_n]$$

$\boldsymbol{\beta}$ is the vector of regression parameters

$$\boldsymbol{\beta}' = [\beta_0 \beta_1 \dots \beta_p]$$

\mathbf{X} is the $n \times (p+1)$ design matrix

$$\mathbf{X} = \begin{bmatrix} 1 & X_{11} & \dots & X_{p1} \\ 1 & X_{12} & \dots & X_{p2} \\ \vdots & & & \vdots \\ 1 & X_{1n} & \dots & X_{pn} \end{bmatrix},$$

and $\boldsymbol{\varepsilon}$ is the vector of random errors.

$$\boldsymbol{\varepsilon}' = [\varepsilon_1 \varepsilon_2 \dots \varepsilon_n]$$

The weighted least squares estimate of $\boldsymbol{\beta}$ is given by

$$\mathbf{b} = (\mathbf{X}'\mathbf{W}\mathbf{X})^{-1}\mathbf{X}'\mathbf{W}\mathbf{Y}$$

where \mathbf{W} is the $n \times n$ diagonal matrix formed from the $n \times 1$ vector of full sample weights $\mathbf{w}' = [w_1 w_2 \dots w_n]$ associated with the n observations in the sample.

If the same weighted least squares estimation procedure is followed using the replicate weights (Section 4.1.4 for a discussion on replicate weights) instead of the full sample weights, then the corresponding replicate estimates of $\boldsymbol{\beta}$ (denoted by $\mathbf{b}_{(k)}$, $k = 1, 2, \dots, G$) are obtained. An estimate of the variance-covariance matrix of \mathbf{b} is given by

$$\hat{V}ar(\mathbf{b}) = c \sum_{k=1}^G (\mathbf{b}_{(k)} - \mathbf{b})(\mathbf{b}_{(k)} - \mathbf{b})' \quad (4)$$

where G is the number of replicates, and c is the constant that depends on the replication method described in Appendix A of the WesVar Complex Samples documentation.

For more, including formulae for calculating test statistics, see Appendix C of the WesVar Complex Samples documentation.

4.1.4 Replication Theory

The basic idea behind replication is to select subsamples repeatedly from the whole sample, calculate the statistic of interest for each subsample, and then use the variability among these subsample or replicate statistics to estimate the variance of the full sample statistic. Different ways of creating subsamples from the full sample result in different replication methods. The subsamples are called replicates and the statistics calculated from these replicates are called replicate estimates. WesVar supports both balanced repeated and jackknife approaches.

The ADSS uses the general stratified jackknife (JKN) method. For a more detailed discussion of replication, its advantages and disadvantages, see Appendix A of the WesVar Complex Samples documentation.

The idea behind replication methods is to calculate the estimate of interest from the full sample, as well as from each subsample or replicate. The variation between the replicate estimates and the full sample estimate is then used to estimate the variance for the full sample. The variance estimator, $v(\hat{\theta})$, generally takes the form

$$v(\hat{\theta}) = c \sum_{g=1}^G f_g k_g (\hat{\theta}_{(g)} - \hat{\theta})^2 \quad (5)$$

where

θ is an arbitrary parameter of interest

$\hat{\theta}$ is the estimate of θ based on the full sample

$\hat{\theta}_{(g)}$ is the g -th replicate estimate of θ based on the observations included in the g -th replicate

G is the total number of replicates formed

c is a constant that depends on the replication method ($c=1$ for Jkn method)

$v(\hat{\theta})$ is the estimated variance of $\hat{\theta}$

k_g are the JKN factors

f_g are the finite population correction factors.

The JKN factors are described below and are contained in the file JKN_FAC2.DAT. For ADSS, the file of JKN factors for Phase II and Phase III are different from JKN factors from Phase I. Contrary to Phase I, the finite population correction (FPC) factors are negligible in Phase II. The example that follows shows how the JKN factors are attached. The effect of ignoring these factors is to overstate the variance.

4.1.5 Jackknife n (JKN)

The jackknife n (JKN) method can be used when the number of variance units (referred to as VarUnits in WesVar) in a variance stratum (referred to as VarStrat in WesVar) is greater than or equal to 2. Therefore, the sample design for JKN is more general than for JK2 and Balanced Repeated Replication (BRR), which requires exactly two VarUnits per stratum. The number of replicates, G , is equal to

$$\sum_{h=1}^L n_h$$

where L is the number of VarStrat and n_h is the number of VarUnits in stratum h . The maximum number of degrees of freedom is $G-L$. For ADSS Phase II, 78 replicates were created.

The general computations involved in forming the replicate weights in JKN were as follows. For the first replicate weight, the full sample of observations in the first VarStrat and VarUnit were multiplied by 0 and the weights associated with the other VarUnits in the same VarStrat were adjusted by $n_h/(n_h - 1)$ to account for reducing the sample. The weights of the observations in other VarStrat were not changed. The remaining $G-1$ replicates were formed in the same manner by systematically dropping each of the remaining VarUnits and computing the replicate weights as described for the first replicate.

The procedure generated JKN factors (k_g as shown in equation 5) that should be applied to the squared deviation of replicate g from the full sample estimate. The JKN factors are computed as $k_g = (n_{h'} - 1)/n_{h'}$, where h' identifies the stratum that is aligned with replicate g . Therefore, the factor for the g -th replicate weight depends on the number of unique values of VarUnit in VarStrat g .

4.2 About the Examples

This document contains examples that are intended to illustrate how to compute weighted estimates and standard errors for ADSS data using WesVar.⁸ The examples are from the Phase II administrator interview data (P2ADMIN.XPT) and the Phase II discharge client abstract data (P2ABSTM.XPT). The first example uses the ADSS Phase II data from the SAS transport data set P2ADMIN.XPT and JKN factors from the file JKN_FAC2.DAT. The example illustrates how to create a WesVar data set from a SAS transport data set, the format in which ADSS files are delivered. Additionally, it shows how to create a WesVar workbook to estimate totals and their associated variances,

⁸ The examples in this section assume the use of WesVar Version 3.0, which can import data from files in the following formats: SAS version 6.04 (the default), SAS transport format, SPSS for Windows, ASCII, and WesVarPC Version 2.1. Files in SAS for Windows format (extension .sd2) need to be converted to SAS 6.04 format or SAS transport format. The following SAS code provides examples of how to convert among different SAS file formats using the ADSS Phase II Administrator Interview data file.

```
libname Phase2 'c:\ADSS\Phase2\';
libname ITMCxpt xport 'c:\ADSS\Phase2\p2admin.xpt'; /* delivery transport data set */
libname ITMCxpt2 xport 'c:\ADSS\Phase2\p2admin2.xpt'; /* new transport data set */
libname ITMCv604 v604 'c:\ADSS\Phase2\';

/**** Create SAS file in current version of SAS from SAS transport data set ****/
proc copy in = ITMCxpt out = Phase2 ;
  select p2admin ; /* select ITMC data file */
run ;

/**** Create transport file from SAS data set ****/
proc copy in = Phase2 out = ITMCxpt2 ;
  select p2admin ;
run ;

/**** Create SAS version 5 file from SAS data set ****/
proc copy in = Phase2 out = ITMCv604 ;
  select p2admin ;
run ;
```

and then how to view the output from a workbook. Furthermore, the WesVar variances are compared to variances from SAS PROC MEANS. Using the data file P2ABSTM.XPT, the second example shows how a regression and an analysis of variance is created using WesVar.

4.2.1 Creating the WesVar File

The first task in creating the WesVar file is to import the SAS File.

- Step 1** From WesVar's main screen, click the New WesVar Data File button or from the menu select **File New WesVar Data File**.
- Step 2** Select the file that you want to import and click **Open**. Defaults for the import data file directory and for the WesVar data file directory can be specified in WesVar's Preferences. Choose the data set P2ADMIN.XPT from the **Open** dialogue window. Browse for the folder containing the file and change the "Files of type:" to either *.xpt (transport files) or *.* (all files). Any SAS for Windows files (.sd2) must be converted to .ssd or Transport files (.xpt) before being imported. Converting to a .ssd file can be done in SAS using the libname statement: libname *libref* v604 <'SAS-data-library'>. Converting to a .xpt file can be done using the libname statement: libname *libref2* xport <'SAS-data-library'>; along with the PROC COPY procedure (PROC COPY in=*libref1* out=*libref2*; select P2ADMIN; run;).

Figure 4-1 shows the WesVar Data File screen displays.




Figure 4-1. WesVar Data File Screen

On this screen you can identify variables, replicate weights, the full sample weight, ID variables, and the replication method. An ID variable is used solely to identify the case or record. If you have an ID variable and designate it as such on the WesVar Data File screen, it cannot be used in any Table or Regression request. The ID variables are retained on the WesVar data file and can be extracted later.

The left-hand column lists the source variables that were on the imported file.

- Step 3** Click the appropriate box to identify variables, replicate weights, the full sample weight, or ID variables.
- Step 4** Move variables from the Source Variables list to the appropriate box by double-clicking the variable, using the arrow buttons, or dragging.

As you move the variables, they will disappear from the left-hand column and appear in the appropriate box. It may be easiest to move the ID, Full Sample, and Replicate weights first, and then move the remaining variables simultaneously to the Variables box using the double arrow button.



You do not have to move all of the source variables into the WesVar data file, but variables left in the Source Variables list cannot be added to the

Warning **WesVar data file after it is created.**

- Step 5** For ADSS data, choose the JKN replication method by clicking on **JKN** in the Method box.
- Step 6** When all variables have been selected and moved, save the imported file as a WesVar file. From the menu select **File Save**. The Save As dialog box displays.
- Step 7** To save the file, either click the **Save As** icon on the toolbar or select **File Save** from the menu. If you are saving the file for the first time, the Save As dialog box appears. Keep the default file name “P2ADMIN” or type in a new name for the file. WesVar will convert the file from an SAS transport *.xpt file format to a WesVar *.var file format.

The WesVar Data File screen in Figure 4-2 shows the variables that were identified and the new file name in the title bar on the screen.




Figure 4-2. WesVar Data File with Replicates

4.2.2 **Attach Factors**

The Attach Factors feature is an advanced way to attach FPC and JKN factors.

To attach factors:

- Step 1** Open a WesVar data file and from the menu select **Data Attach Factors**.
- Step 2** Open the external file that contains the JKN factors. Highlight the column for JKN factors, click **Open**, and select the file JKN_FAC2.DAT. The first factor in the file is linked to the first replicate, the second factor to the second replicate, etc. There are no FPC factors in Phase II.

After these factors are imported, the screen will look like Figure 4-3.




Figure 4-3. Attaching Factors

Step 3 When all factors have been set, click **OK** then **Save**.

Your WesVar data file has now been created. Exit from the data file screen by double-clicking on the WesVar icon in the top left corner, or by selecting **File Close**. To use this .var file, click on **New WesVar Workbook** or select **File New WesVar Workbook**. Find the .var file you have created and click **Open**.

4.2.3 Creating a Table

Click on **Table** on the right side of the screen. Edit the Table Request by clicking on it and changing the name on the right side of the screen. By clicking on **Generated Statistics** and **Output Control**, you may specify options for this Table Request. For global changes, type **Ctrl-P**. To create a frequency of a discrete variable, highlight **Table** on the left side of the screen, search for and double-click on the variable of interest under **Source Variables** on the right side. It will then become selected. Click on **Add as New Entry** to incorporate the Table Request.

Suppose you want to estimate the total number of facilities and the total number of clients by treatment type (*FACTYPE*). Since the total number of facilities is estimated by the sum of weights, select the **Value** box under **Sum of Weights**. For population estimates of the number of clients, use *QI* (Total Clients all Care) and select the **Value** box under **Analysis Variables**.

In addition to population totals, WesVar allows the option of returning percentages—overall, row, and column. This is done by checking the appropriate dialog boxes on the right side of the screen of Figure 4-4.




Figure 4-4. Example of Table Request

4.2.4 Viewing the Output

When you have enumerated the list of tables, run the request using the green triangle button on the menu bar. When WesVar has completed the table, the icon (an open book) for viewing the table turns from gray to white. Click on the open book icon to view the output. Expand the tree on the left side of the output screen and click on *FACTYPE* (Facility Type of Care). The table appears on the right side of the screen (see Figure 4-5). Errors, if any, appear as a red exclamation point next to the name of the table, and a message at the bottom right explains the problem.

The output gives estimates of the number of facilities by type of care and total number of clients by facility type of care. Marginal values are also given to estimate the entire population.

Other values such as standard error and sample size can be reported, but they must be specified under the **Generated Statistics Option** of the Table Request.

from the class variable list (variables are categorical) to create an ANOVA. Length of Stay is continuous and should be selected from the Source Variables list.




Figure 4-6. Incorporating the Regression Request

View the regression output in the same way as viewing the table output. Expand the menu on the left side and highlight **Estimated Coefficients** (see Figure 4-7). The regression output is typical, reporting estimates, standard errors, test statistics, p-values, and an R^2 value.

ESTIMATED FULL SAMPLE REGRESSION COEFFICIENTS				
PARAMETER	ESTIMATE	STANDARD ERROR OF ESTIMATE	TEST FOR H0: PARAMETER=0	PROB> T
INTERCEPT	132.36993	82.14695	1.61138	0.1111
TXCARE.1	465.60676	127.43194	3.65377	0.0005
TXCARE.2	95.36900	15.44340	6.17539	0.0000
DRUG_ALC.1	-76.28195	83.18558	-0.91701	0.3620
DRUG_ALC.2	-89.32687	81.34404	-1.09814	0.2755
DRUG_ALC.3	-98.68833	84.96359	-1.16154	0.2490
R_SQUARE VALUE =	0.13251			

Figure 4-7. Viewing the Regression Output

Highlight the **File** menu for printing and exporting the newly created table.

4.2.6 Comparing WesVar to SAS

It is of interest to compare the standard error given by WesVar (taking the complex sample design into account) to a simple random sample standard error. Table 4-1 provides the standard errors of the mean number of clients (*QI*) by facility type (*FACTYPE*). The SAS standard errors were found using PROC MEANS with the options VARDEF=WEIGHT and STD, the CLASS statement *FACTYPE*, and *F2FWA0* as the weight. The resulting standard deviations were then divided by \sqrt{n} to produce the numbers in Table 4-1.

Table 4-1. Standard errors produced by SAS and WesVar for the levels of FACTYPE

<i>FACTYPE</i>	SAS	WesVar
2	4.88154	5.25978
3	31.11636	54.36256
4	8.09414	8.59147
5	29.42605	23.03705
marginal	7.90215	6.09573

The difference between the standard errors from SAS and WesVar shows the effect that the ADSS Phase I and Phase II sampling and weighting procedures have on the variances.

4.3 Analysis Issues

The default degrees of freedom for WesVar tabular and regression analysis is the total number of replicates.⁹ This may be appropriate for large domains such as ADSS analytic strata, since the number of active replicates at each stratum level is relatively large. However, for small domains, the approximate degrees of freedom need to be specified. The degrees of freedom can be specified in the **Options** panel for tables and the **Models** panel for regression. To approximate the degrees of freedom in an analysis, use the variables for variance strata (VST_PSU) and variance unit (VUN_PSU). For the facilities (or abstracts) in the domain of interest, count the number of unique combinations of VST_PSU crossed with VUN_PSU (e.g., number of active replicates) and subtract the number of unique values of VST_PSU (number of variance strata). For instance, for an analysis involving all Phase II facilities in the combined sample, the number of active replicates is 76 and the number of variance strata is 6, so the approximate degrees of freedom is 70. In general, for any domain of interest in the Phase II analysis of facilities or abstracts, degrees of freedom should be computed.

Since the sample of discharge clients abstracted in Phase II was drawn from a 6-month period at each facility, estimated weighted national counts of discharges need to be multiplied by 2 to obtain annual estimates.

4.4 Alternative Software for Analyzing Survey Data

This section summarizes two alternative software packages, SUDAAN and Stata, that were developed for analyzing data from complex surveys. Both packages can be used with ADSS data.

⁹ The default degrees of freedom for tabular requests may be modified by the user on the **Tables(2)** tab under **File...Preferences**. The options are Infinite, Number of Replicates, and User Specified.

4.4.1 SUDAAN

The section is intended to help readers that are already somewhat familiar with SUDAAN, in their use of SUDAAN when analyzing ADSS Phase II data. SUDAAN requires the selection of a DESIGN option and the identification of variables in a number of required and optional command statements, such as the NEST command. The section describes the possible choices that are appropriate with ADSS data and indicates some of the strengths and weaknesses associated with them.

Choice of Design

In SUDAAN, three DESIGN options may seem appropriate for use with ADSS Phase II data, one taking a replication approach and the two others making use of the Taylor's series expansion method. These three options are discussed below:

DESIGN = JACKKNIFE

This option does not allow the current replicate weights on the file to be read in. Using DESIGN = JACKKNIFE (replication) is a reasonable option, but it should be used cautiously since the approach of replicating final full sample weights may cause serious overestimates of sampling error. Recent work by Brick, Morganstein, and Barrett (1999) has shown some serious overestimates of variance estimates for totals, and to a lesser extent for means and proportions, for three national surveys using this technique. Results depend on the correlation of the survey items with the weighting variables, levels of nonresponse, and effects of raking or poststratification. A possible correction would be to re-poststratify the resulting replicate weights. However, since one would not be able to read back into SUDAAN the re-poststratified replicate weights, DESIGN = JACKKNIFE may not be an appealing option. The use of variables *FTOTCNT* and *FSMPCNT* is omitted for the JACKKNIFE option (refer to the paragraph 'Population and Sample Size Variables' in this section for the definition of *FTOTCNT* and *FSMPCNT*). Therefore, the option JACKKNIFE will produce overestimates of variance where the sampling fraction is high in noncertainty strata. One can use the NEST command to give levels of the design (stratum and primary sampling unit (PSU)). A description of the use of the NEST command is provided in the paragraph 'The Nest Command' in this section. For DESIGN = JACKKNIFE, one can use the ADSS variables *VST_PSU* and *VUN_PSU*, which were used as stratum and PSU variables for producing stratified jackknife replicates for use in WesVar.

DESIGN = UNEQWOR

Another option is DESIGN=UNEQWOR, which uses Taylor's expansion for estimating variances. This option, however, may not be practical since the computation of joint probabilities under systematic sampling is very complex for analysts to incorporate. The FPC factor can be ignored in Phase II.

DESIGN = WR

The most reasonable SUDAAN option to use is DESIGN = WR (Taylor's expansion). *FTOTCNT* and *FSMPCNT* are omitted for the WR option. Therefore, the option WR will produce overestimates of variance where the sampling fraction is high in noncertainty strata. However, in Phase II, the sampling fractions were low. One can use the NEST statement to give levels of the design (stratum and PSU).

The Nest Command

To analyze ADSS Phase II data, the required NEST command can specify VST_PSU and VUN_PSU as the variables designating stratum and PSU, respectively. If desired by a user, ADSS variables *PAIR90*, *FIELDPSU*, and *QFSTRAT* can be employed to derive alternative stratum and PSU variables. In interpreting *PAIR90*, it should be noted that a 1st character = A identifies certainty geographic regions, a 1st character = B identifies non-certainty metro geographic regions, and a 1st character = C identifies noncertainty non-metro geographic regions. A user who defines his or her own strata and PSU variables for SUDAAN should also take note that in addition to the cluster sampling of geographic regions, Phase II facilities were selected from Phase I facilities through stratified PPS sampling with strata identified by the *QFSTRAT* variable.

Population and Sample Size Variables

Construction of ADSS facility weights included raking to control totals based on Phase I facility estimates. There was no raking or poststratification for the abstract weights. The variable *FTOTCNT* contains the estimated population of eligible facilities within each stratum (*QFSTRAT*) based

on Phase I weights and sample. The variable *FSMPCNT* contains the number of respondent facilities within each stratum (*QFSTRAT*).

These totals are appropriate with the *DESIGN=WR* specification in SUDAAN together with the *POSTVAR* option in order to capture the effects of poststratification. Use of the *POSTVAR* option was investigated by Flores-Cervantes, Brick, and DiGaetano (1999) for the 1997 National Survey of America's Families (NSAF) for the Urban Institute, where it was credited with bringing overestimated *DESIGN=WR* variances back in line with *WesVar* estimates. For this reason the *POSTVAR* option is recommended for use with ADSS Phase II facility data as well.

4.4.2 Stata

In the Stata software, the Taylor's expansion methods are used to estimate variances. The software offers several *svy* statements to cover several different types of analyses, including means, totals, and ratios. The stratum population sizes are needed if the *fpc* factors are to be incorporated. The function *svyset* sets up the sampling strata and the PSU identifiers. Since raking or poststratification may have a significant effect on the variance, and since Stata does not incorporate such an effect into the variance estimates, results from Stata should be interpreted cautiously. Flores-Cervantes et al. (1999) also mention that Stata does not have the poststratification option, so it was not as useful for their purposes. In addition, as in SUDAAN, the variance estimates do not reflect the effects of nonresponse weighting adjustments and weight trimming. Variance estimates are generally higher than those from *WesVar* and SUDAAN (if the *POSTVAR* option is used).

4.4.3 Comparing WesVar, SUDAAN, and Stata

Resulting variances are different depending on the software package being used. The magnitude of the differences among results depends on several factors, including type of analysis, impact of systematic sampling, and impact of weighting procedures. It is important for the user to understand how the standard errors were computed. Furthermore, users are encouraged to consult the software developers of *WesVar*, SUDAAN, and Stata. *WesVar* is the recommended choice for analyzing ADSS data since the sample and replication scheme were designed with *WesVar* in mind.

Broene and Rust (1998) prepared a report for the National Center for Education Statistics (NCES) documenting their evaluation of statistical software packages for NCES data sets. At the time of

the evaluation, both SUDAAN and Stata used a linearization approach to variance estimation, SUDAAN's latest version includes replication methods. Broene and Rust's paper mentions that SUDAAN is probably the most powerful of the three packages, but may be the most difficult to learn. They conclude that WesVarPC (soon to be WesVar 4.0) was both easy to learn and powerful but lacks some of the model fitting capabilities that SUDAAN has. Furthermore, they mention that Stata is more limited in its survey data analysis capabilities and can be slower to run. Nevertheless, it does enable one to easily plot and examine predicted values and residuals when model-fitting. They mention that all three packages compute standard errors for proportions and for continuous statistics such as means, totals, ratios, and differences in these quantities. For categorical analysis, SUDAAN and WesVar were recommended.

Since the time of the Broene and Rust report, several enhancements were made to each software package. Table 4-2 compares some current features of each package (WesVar 4.0, SUDAAN 7.5, and Stata 6.0). Note that Stata is fully programmable, meaning that, if Stata does not already have a specific function, a program may be created to satisfy individual needs.

Table 4-2. Analysis capabilities for WesVar, SUDAAN, and Stata

	WesVar 4.0	SUDAAN 7.5	Stata 6.0
Standard errors and design effects for means, totals, proportions, ratios	X	X	X
Standard errors for Quantiles	X	X	X
Finite population correction factor:			
1 st stage only, equal probabilities of selection	X	X	X
1 st stage only, unequal probabilities of selection		X	
Linear regression	X	X	X
Logistic regression:			
Dichotomous	X	X	X
Polychotomous	X	X	X
Probit models			X
Loglinear models		X	X
Tests of independence in tables	X	X	X
Linear contrasts, differences	X	X	X
Survival analysis		X	X
Graphics			X
Batch processing available	X	X	X
Output useful for importing into spreadsheets	X	X	X
Estimates and confidence Intervals for odds ratios in logistic regression	X	X	X
Tests in logistic regression models	X		X
Adjust replicate weights for nonresponse	X		
Correlation matrices (in addition to covariance matrices)	X		X
Design effects	X	X	X

FREQUENCIES

IDENTIFICATION

CASEID	CASE IDENTIFICATION NUMBER
---------------	-----------------------------------

280 cases (Range of valid codes: 7003-9390)

Data type: numeric
Columns: 1-4

FACID	NEW FACILITY ID
--------------	------------------------

280 cases (Range of valid codes: 3-2390)

Data type: numeric
Columns: 5-8

Q2B	Q2B. OFFER NON-HOSPITAL RESIDENTIAL TX
------------	---

Does this facility currently offer the following types of substance abuse treatment?

Non-hospital residential treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	18.2	51	1	YES
81.8	81.8	229	2	NO
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 15-16

Q2C	Q2C. OFFER OUTPATIENT METHADONE TX
------------	---

Does this facility currently offer the following types of substance abuse treatment?

Outpatient methadone treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.8	47	1	YES
83.2	83.2	233	2	NO
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 17-18

Q2D**Q2D. OFFER OUTPATIENT NON-METHADONE TX**

Does this facility currently offer the following types of substance abuse treatment?

Outpatient non-methadone treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	80.0	224	1	YES
20.0	20.0	56	2	NO
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 19-20

Q3A**Q3A. HOW MANY HOSPITAL INPATIENT CLIENTS**

How many substance abuse clients are currently in that type of treatment?

Hospital inpatient treatment

Min	=	2	Mean	=	17.538
Max	=	40	Std Dev	=	11.949
Median	=	18	Variance	=	142.769

(Based on 13 valid cases)

Data type: numeric
 Missing-data codes: *--6
 Columns: 21-22

Q3B**Q3B. HOW MANY NON-HOSPITAL CLIENTS**

How many substance abuse clients are currently in that type of treatment?

Non-hospital residential treatment

Min	=	1	Mean	=	48.706
Max	=	250	Std Dev	=	52.095
Median	=	33	Variance	=	2,713.852

(Based on 51 valid cases)

Data type: numeric
 Missing-data codes: *--6
 Columns: 23-25

Q3C**Q3C. HOW MANY OUTPATIENT METHADONE CLIENTS**

How many substance abuse clients are currently in that type of treatment?

Outpatient methadone treatment

Min	=	0	Mean	=	292.915
Max	=	838	Std Dev	=	196.183
Median	=	293	Variance	=	38,487.862

(Based on 47 valid cases)

Data type: numeric
 Missing-data codes: *--6
 Columns: 26-28

Q3D**Q3D. HOW MANY OUTPATIENT CLIENTS**

How many substance abuse clients are currently in that type of treatment?

Outpatient non-methadone treatment

Min	=	2	Mean	=	179.106
Max	=	1,600	Std Dev	=	216.867
Median	=	114	Variance	=	47,031.179

(Based on 217 valid cases)

Data type: numeric
 Missing-data codes: *--6
 Columns: 29-32

Q3TOT**Q3TOT. TOTAL NUMBER OF CLIENTS**

How many substance abuse clients are currently in treatment?

Min	=	3	Mean	=	203.546
Max	=	1,600	Std Dev	=	228.701
Median	=	125	Variance	=	52,304.183

(Based on 273 valid cases)

Data type: numeric
 Missing-data codes: *--6
 Columns: 33-36

Q4A Q4A. COPY AUDITED FINANCIAL STATEMENTS (MOST CURRENT)

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . audited financial statements (most current)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	30.0	84	0	NOT APPLICABLE (DO NOT HAVE)
61.6	48.2	135	1	YES (COPY OBTAINED)
	17.1	48	-8	REFUSED
	4.3	12	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 37-38

Q4B Q4B. DETAILED ORGANIZATIONAL CHART

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . detailed organizational chart?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	12.9	36	0	NOT APPLICABLE (DO NOT HAVE)
85.4	75.0	210	1	YES (COPY OBTAINED)
	6.4	18	-8	REFUSED
	5.4	15	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 39-40

Q4C**Q4C. ANNUAL STATISTICAL REPORT**

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . annual statistical chart?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	39.3	110	0	NOT APPLICABLE (DO NOT HAVE)
51.3	41.4	116	1	YES (COPY OBTAINED)
	12.9	36	-8	REFUSED
	6.1	17	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 41-42

Q4D**Q4D. YEAR-END G/L SUMMARY REPORT**

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . year-end G/L Summary Report (most current)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	38.6	108	0	NOT APPLICABLE (DO NOT HAVE)
49.1	37.1	104	1	YES (COPY OBTAINED)
	16.4	46	-8	REFUSED
	7.1	20	-7	NOT ASCERTAINED
	0.7	2	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 43-44

Q4E. METHADONE ANNUAL DISPENSING

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . Methadone Annual Dispensing Summary?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	85.7	240	0	NOT APPLICABLE (DO NOT HAVE)
8.0	7.5	21	1	YES (COPY OBTAINED)
	3.9	11	-8	REFUSED
	2.9	8	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 45-46

Q4F. PERSONNEL LISTING, INCLUDING

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . personnel listing, including staff name, position, and degree (for counselors)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	9.6	27	0	NOT APPLICABLE (DO NOT HAVE)
88.7	75.7	212	1	YES (COPY OBTAINED)
	8.6	24	-8	REFUSED
	5.7	16	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 47-48

Q4G**Q4G. FACILITY AND/OR PROGRAM**

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . facility and/or program brochures?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	12.1	34	0	NOT APPLICABLE (DO NOT HAVE)
86.5	77.9	218	1	YES (COPY OBTAINED)
	5.4	15	-8	REFUSED
	4.3	12	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 49-50

Q4H**Q4H. COPY OF DISCHARGE POLICY**

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . discharge policy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	13.2	37	0	NOT APPLICABLE (DO NOT HAVE)
85.1	75.4	211	1	YES (COPY OBTAINED)
	5.0	14	-8	REFUSED
	6.1	17	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 51-52

Q4I **Q4I. BLANK CLIENT ADMISSION FORM**

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . blank client admission form?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	3.9	11	0	NOT APPLICABLE (DO NOT HAVE)
95.6	85.7	240	1	YES (COPY OBTAINED)
	3.9	11	-8	REFUSED
	6.1	17	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 53-54

Q4J **Q4J. BLANK CLIENT DISCHARGE FORM**

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . blank client discharge form?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	8.2	23	0	NOT APPLICABLE (DO NOT HAVE)
90.8	80.7	226	1	YES (COPY OBTAINED)
	5.4	15	-8	REFUSED
	5.4	15	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 55-56

Q4K	Q4K. CLIENT BILL WITH CLIENT
------------	-------------------------------------

Below is a list of materials about your facility we would like to obtain. We would greatly appreciate it if you would provide us with copies. May we have a copy of . . .

. . . client bill with client identifiers removed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	38.2	107	0	NOT APPLICABLE (DO NOT HAVE)
54.9	46.4	130	1	YES (COPY OBTAINED)
	10.0	28	-8	REFUSED
	5.0	14	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 57-58

CLIENT ADMISSIONS

Hospital Inpatient

BOX A. IF HOSPITAL INPATIENT NOT OFFERED

IF HOSPITAL INPATIENT SUBSTANCE ABUSE CARE IS NOT OFFERED AT THIS FACILITY Q2A = 2, CHECK HERE _____ AND GO TO BOX B, PAGE 6. OTHERWISE, CONTINUE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	95.4	267	1	BOX CHECKED
4.6	4.6	13	2	BOX NOT CHECKED
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 59-60

Q5A	Q5A. HOW MANY HOSPITAL INPATIENT BEDS
------------	--

Now, I'm going to ask you a series of questions about clients receiving hospital inpatient substance abuse care at this facility. This includes clients in hospital inpatient detoxification and hospital inpatient rehabilitation treatment.

How many hospital inpatient beds for substance abuse treatment does this facility have?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.4	1	3	
7.7	0.4	1	4	
7.7	0.4	1	14	
7.7	0.4	1	15	
7.7	0.4	1	16	
7.7	0.4	1	18	
7.7	0.4	1	21	
7.7	0.4	1	28	
7.7	0.4	1	29	
15.4	0.7	2	30	
7.7	0.4	1	40	
7.7	0.4	1	43	
0.0	0.0	0	9995	9995 OR MORE BEDS
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 67-68

Q5B	Q5B. HOW MANY OF THOSE ARE FOR INPATIENT DETOX
-----	--

How many of those are for inpatient detoxification?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.4	1	0	
7.7	0.4	1	3	
7.7	0.4	1	4	
7.7	0.4	1	5	
7.7	0.4	1	6	
7.7	0.4	1	14	
7.7	0.4	1	16	
7.7	0.4	1	20	
7.7	0.4	1	21	
7.7	0.4	1	29	
15.4	0.7	2	30	
7.7	0.4	1	43	
0.0	0.0	0	9995	9995 OR MORE BEDS
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 69-70

Q5C. HOW MANY OF THOSE ARE FOR INPATIENT REHAB

How many of those are for inpatient rehabilitation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	2.5	7	0	
7.7	0.4	1	13	
7.7	0.4	1	15	
7.7	0.4	1	20	
7.7	0.4	1	22	
7.7	0.4	1	29	
7.7	0.4	1	43	
0.0	0.0	0	9995	9995 OR MORE BEDS
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 71-72

Q6B	Q6B. HOW MANY OF THESE WERE FOR INPATIENT DETOX
------------	--

How many of these were for inpatient detoxification?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.4	1	0	
9.1	0.4	1	224	
9.1	0.4	1	248	
9.1	0.4	1	255	
9.1	0.4	1	336	
9.1	0.4	1	371	
9.1	0.4	1	400	
9.1	0.4	1	620	
9.1	0.4	1	700	
9.1	0.4	1	794	
9.1	0.4	1	1080	
0.0	0.0	0	9995	9995 OR MORE ADMISSIONS
	95.4	267	-9	INAPPLICABLE
	0.7	2	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 77-80

Q6C	Q6C. HOW MANY OF THESE WERE FOR INPATIENT REHAB
------------	--

How many of these were for inpatient rehabilitation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	2.5	7	0	
8.3	0.4	1	171	
8.3	0.4	1	248	
8.3	0.4	1	283	
8.3	0.4	1	362	
8.3	0.4	1	620	
0.0	0.0	0	9995	9995 OR MORE ADMISSIONS
	95.4	267	-9	INAPPLICABLE
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 81-83

Q7AU

Q7A. UNIT OF TIME FOR DETOX AVERAGE

During the 12-month period, what was the average length of stay in the hospital for the inpatient detoxification clients at this facility? Do not include leave days or aftercare treatment as part of the average stay.

Time period referenced

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.3	12	1	DAYS
0.0	0.0	0	2	WEEKS
0.0	0.0	0	3	MONTHS
	95.7	268	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 86-87

Q7B

Q7B. DURING THAT PERIOD, AVG. LOS FOR INP. REHAB

During that period, what was the average length of stay in the hospital for the inpatient rehabilitation clients at this facility? Do not include leave days or aftercare treatment as part of the average day.

_____ Number

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.4	1	8.0	
16.7	0.4	1	12.0	
33.3	0.7	2	18.0	
16.7	0.4	1	18.5	
16.7	0.4	1	20.0	
	97.9	274	-9.0	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 88-91

Q7CU **Q7C. UNIT OF TIME FOR AVERAGE STAY NUMBER**

IF RESPONDENT IS UNABLE TO GIVE AVERAGE FOR DETOXIFICATION AND REHABILITATION SEPARATELY, ASK:

During that period, what was the average length of stay in the hospital for all hospital inpatient substance abuse clients?

Time period referenced

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	3	1	DAYS
0.0	0.0	0	2	WEEKS
0.0	0.0	0	3	MONTHS
	98.9	277	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 96-97

Q8FMM **Q8. FROM: MONTH**

What was the 12-month period used for the hospital inpatient information?

Beginning month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	1.1	3	1	
15.4	0.7	2	9	
53.8	2.5	7	10	
7.7	0.4	1	12	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 98-99

Q8FDD**Q8. FROM: DAY**

What was the 12-month period used for the hospital inpatient information?

Beginning day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	3.9	11	1	
7.7	0.4	1	9	
7.7	0.4	1	30	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 100-101

Q8FYY**Q8. FROM: YEAR**

What was the 12-month period used for the hospital inpatient information?

Beginning year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.4	1	1995	
76.9	3.6	10	1996	
15.4	0.7	2	1997	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 102-105

Q8TMM **Q8. THROUGH: MONTH**

What was the 12-month period used for the hospital inpatient information?

Ending month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	2.5	7	9	
15.4	0.7	2	10	
7.7	0.4	1	11	
23.1	1.1	3	12	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 106-107

Q8TDD **Q8. THROUGH: DAY**

What was the 12-month period used for the hospital inpatient information?

Ending day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	1.1	3	1	
7.7	0.4	1	9	
53.8	2.5	7	30	
15.4	0.7	2	31	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 108-109

Q8TYY**Q8. THROUGH: YEAR**

What was the 12-month period used for the hospital inpatient information?

Ending year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.7	2	1996	
84.6	3.9	11	1997	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 110-113

Q9A**Q9A. # INDIV. COUNSELING SESSIONS PER WK-INP. DETOX**

During the same period, on average, how many individual counseling sessions did the hospital inpatient detoxification clients attend each week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.4	1	0	
30.8	1.4	4	1	
15.4	0.7	2	2	
23.1	1.1	3	3	
7.7	0.4	1	6	
7.7	0.4	1	12	
7.7	0.4	1	30	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 114-115

Q9B. # INDIV. COUNSELING SESSIONS PER WK-INP. REHAB

During the same period, on average, how many individual counseling sessions did the hospital inpatient rehabilitation clients attend each week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	2.5	7	0	
15.4	0.7	2	1	
7.7	0.4	1	2	
15.4	0.7	2	3	
7.7	0.4	1	30	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 116-117

Q9C. # GROUP COUNSELING SESSIONS PER WK-INP. DETOX

During the same period, on average, how many group counseling sessions did the hospital inpatient detoxification clients attend each week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	1.4	4	0	
7.7	0.4	1	1	
7.7	0.4	1	7	
7.7	0.4	1	10	
7.7	0.4	1	12	
15.4	0.7	2	14	
7.7	0.4	1	15	
7.7	0.4	1	17	
7.7	0.4	1	25	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 118-119

Q9D. # INDIV. COUNSELING SESSIONS PER WK-INP. REHAB

During the same period, on average, how many group counseling sessions did the hospital inpatient rehabilitation clients attend each week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	2.5	7	0	
7.7	0.4	1	4	
7.7	0.4	1	6	
7.7	0.4	1	10	
7.7	0.4	1	12	
7.7	0.4	1	25	
7.7	0.4	1	28	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 120-121

Q10A. DO YOU PROVIDE GROUP THERAPY SESSIONS

What types of group counseling sessions are currently provided to hospital inpatients (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . group therapy sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	4.3	12	1	YES
7.7	0.4	1	2	NO
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 122-123

Q10B. DO YOU PROVIDE GROUP EDUCATIONAL SESSIONS

What types of group counseling sessions are currently provided to hospital inpatients (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . group educational sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	13	1	YES
0.0	0.0	0	2	NO
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 126-127

Q10C. DO YOU PROVIDE SELF-HELP GROUP MEETINGS

What types of group counseling sessions are currently provided to hospital inpatients (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . self-help group meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	13	1	YES
0.0	0.0	0	2	NO
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 130-131

Q10D	Q10D.DO YOU PROVIDE COMMUNITY OR GOVERNING SESSIONS
-------------	--

What types of group counseling sessions are currently provided to hospital inpatients (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . community or governing sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	3.2	9	1	YES
30.8	1.4	4	2	NO
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 134-135

Q10E	Q10E. DO YOU PROVIDE OTHER SESSIONS
-------------	--

What types of group counseling sessions are currently provided to hospital inpatients (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . other sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	1.8	5	1	YES
61.5	2.9	8	2	NO
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 138-139

Q10ES	Q10E. OTHER TYPE OF SESSION SPECIFIED
--------------	--

What types of other group counseling sessions are currently provided to hospital inpatients (either detoxification or rehabilitation) in substance abuse treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	5	96	SPECIFIC SESSION CONTENT REPORTED
	98.2	275	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 140-141

Q11B. HOW MANY IN A TYPICAL GROUP EDUCATIONAL SESSION

IF YES IN Q10B: How many hospital inpatients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.7	2	5	
7.7	0.4	1	6	
15.4	0.7	2	8	
30.8	1.4	4	12	
15.4	0.7	2	20	
7.7	0.4	1	25	
7.7	0.4	1	30	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 128-129

Q11C. HOW MANY IN A TYPICAL SELF-HELP GROUP MEETING

IF YES IN Q10C: How many hospital inpatients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.4	1	4	
7.7	0.4	1	5	
7.7	0.4	1	8	
7.7	0.4	1	10	
23.1	1.1	3	12	
7.7	0.4	1	15	
23.1	1.1	3	20	
15.4	0.7	2	30	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 132-133

Q11D	Q11D. HOW MANY IN A TYPICAL COMMUNITY OR GOVERNING
-------------	---

IF YES IN Q10D: How many hospital inpatients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.7	2	4	
22.2	0.7	2	12	
11.1	0.4	1	15	
11.1	0.4	1	20	
11.1	0.4	1	25	
11.1	0.4	1	30	
11.1	0.4	1	40	
	96.8	271	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 136-137

Q11E	Q11E. HOW MANY IN A TYPICAL OTHER SESSION
-------------	--

IF YES IN Q10E: How many hospital inpatients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.4	1	4	
25.0	0.4	1	5	
25.0	0.4	1	10	
25.0	0.4	1	12	
	98.2	275	-9	INAPPLICABLE
	0.4	1	-1	DIFFERENT GROUPS, NUMBERS IN EACH GROUP
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 142-143

Q12A**Q12A. HOW MANY NON-HOSPITAL RESIDENTIAL BEDS**

Now I'm going to ask you a series of questions about clients receiving non-hospital residential substance abuse care at this facility. This includes clients in residential detoxification and residential rehabilitation.

How many non-hospital residential beds for substance abuse treatment does this facility have?

Min	=	0	Mean	=	54.725
Max	=	260	Std Dev	=	52.252
Median	=	38	Variance	=	2,730.243

(Based on 51 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 144-146

Q12B**Q12B. HOW MANY OF THOSE ARE FOR RES DETOX**

How many of those are for residential detoxification?

Min	=	0	Mean	=	5.800
Max	=	79	Std Dev	=	13.525
Median	=	0	Variance	=	182.939

(Based on 50 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 147-148

Q12C**Q12C. HOW MANY OF THOSE ARE FOR RES REHAB**

How many of those are for residential rehabilitation?

Min	=	0	Mean	=	51.449
Max	=	238	Std Dev	=	50.215
Median	=	37	Variance	=	2,521.503

(Based on 49 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 149-151

Q13A**Q13A. HOW MANY NON-HOSPITAL S.A. TX ADM (12 MOS)**

How many non-hospital residential admissions for substance abuse treatment were there during the most recent 12-month period for which you have data?

"Admissions" refers to the count of persons entering or re-entering treatment at this facility. This includes all those starting a treatment program, whether or not the program is completed. Be sure to count each admission for clients entering treatment more than once or entering more than one type of care during the 12-month period.

Min	=	4	Mean	=	453.880
Max	=	2,200	Std Dev	=	519.637
Median	=	278	Variance	=	270,022.638

(Based on 50 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 152-155

Q13B**Q13B. HOW MANY OF THESE WERE FOR RES DETOX**

How many of these are for residential detoxification?

Min	=	0	Mean	=	117.292
Max	=	1,500	Std Dev	=	297.834
Median	=	0	Variance	=	88,704.977

(Based on 48 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 156-159

Q13C	Q13C. HOW MANY OF THESE WERE FOR RES REHAB
-------------	---

How many of these are for residential rehabilitation?

Min	=	4	Mean	=	334.609
Max	=	1,207	Std Dev	=	309.490
Median	=	213.5	Variance	=	95,784.332

(Based on 46 valid cases)

Data type: numeric
 Missing-data codes: *--6
 Columns: 160-163

Q14	Q14. IS THIS A THERAPEUTIC COMMUNITY
------------	---

Is this non-hospital residential facility a therapeutic community?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	12.5	35	1	YES
31.4	5.7	16	2	NO
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 164-165

Q15A	Q15A. AVG. LOS FOR RES DETOX (DURING 12 MOS)
------	--

During the 12-month period, what was the average length of stay in the facility for these residential detoxification clients at this facility? Do not include leave days or aftercare treatment as part of the average stay.

_____	Number			
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	1.4	4	2	
21.4	1.1	3	3	
14.3	0.7	2	4	
21.4	1.1	3	5	
14.3	0.7	2	6	
	94.6	265	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 166-167

Q15C	Q15C. AVG. LOS FOR ALL NON-HOSP RES SUB ABUSE CLIENTS
-------------	--

IF RESPONDENT IS UNABLE TO GIVE AVERAGE FOR DETOXIFICATION AND REHABILITATION SEPARATELY, ASK:

During that period, what was the average length of stay in the facility for all non-hospital residential substance abuse clients?

_____ Number

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.4	1	1	
25.0	0.4	1	8	
25.0	0.4	1	10	
25.0	0.4	1	146	
	97.9	274	-9	INAPPLICABLE, Q15A AND Q15B ANSWERED
	0.4	1	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 175-177

Q16FMM**Q16. FROM: MONTH**

What was the 12 month period used for the non-hospital residential information?

Beginning month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	3.2	9	1	
3.9	0.7	2	6	
35.3	6.4	18	7	
3.9	0.7	2	8	
7.8	1.4	4	9	
25.5	4.6	13	10	
3.9	0.7	2	11	
2.0	0.4	1	12	
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 180-181

Q16FDD**Q16. FROM: DAY**

What was the 12 month period used for the non-hospital residential information?

Beginning day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	14.6	41	1	
2.3	0.4	1	8	
2.3	0.4	1	16	
2.3	0.4	1	30	
	81.8	229	-9	INAPPLICABLE
	2.5	7	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 182-183

Q16FYY **Q16. FROM: YEAR**

What was the 12 month period used for the non-hospital residential information?

Beginning year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	1.4	4	1995	
74.5	13.6	38	1996	
17.6	3.2	9	1997	
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 184-187

Q16TMM **Q16. THROUGH: MONTH**

What was the 12 month period used for the non-hospital residential information?

Ending month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	6.4	18	6	
3.9	0.7	2	7	
5.9	1.1	3	8	
21.6	3.9	11	9	
7.8	1.4	4	10	
5.9	1.1	3	11	
19.6	3.6	10	12	
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 188-189

Q16TDD**Q16. THROUGH: DAY**

What was the 12 month period used for the non-hospital residential information?

Ending day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	1.1	3	1	
2.3	0.4	1	8	
2.3	0.4	1	16	
61.4	9.6	27	30	
27.3	4.3	12	31	
	81.8	229	-9	INAPPLICABLE
	2.5	7	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 190-191

Q16TYT**Q16. THROUGH: YEAR**

What was the 12 month period used for the non-hospital residential information?

Ending year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	3.2	9	1996	
76.5	13.9	39	1997	
5.9	1.1	3	1998	
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 192-195

Q17A	Q17A. # INDIV. COUNSELING SESSIONS PER WK-RES DETOX
-------------	--

During the same period, on average, how many individual counseling sessions did the non-hospital residential detoxification clients attend each week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	11.8	33	0	
6.5	1.1	3	1	
8.7	1.4	4	2	
6.5	1.1	3	3	
4.3	0.7	2	5	
2.2	0.4	1	7	
	81.8	229	-9	INAPPLICABLE
	1.1	3	-7	NOT ASCERTAINED
	0.7	2	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 196-197

Q17B	Q17B. # INDIV. COUNSELING SESSIONS PER WK-RES REHAB
-------------	--

During the same period, on average, how many individual counseling sessions did the non-hospital residential rehabilitation clients attend each week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.7	2	0	
44.7	7.5	21	1	
25.5	4.3	12	2	
14.9	2.5	7	3	
6.4	1.1	3	5	
2.1	0.4	1	10	
2.1	0.4	1	25	
	81.8	229	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
	0.7	2	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 198-199

Q17C	Q17C. # GROUP COUNSELING SESSIONS PER WK-RES DETOX
------	--

During the same period, on average, how many group counseling sessions did the non-hospital residential detoxification clients attend each week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	12.1	34	0.0	
2.1	0.4	1	2.0	
2.1	0.4	1	3.0	
2.1	0.4	1	4.5	
2.1	0.4	1	5.0	
6.4	1.1	3	7.0	
2.1	0.4	1	10.0	
2.1	0.4	1	13.0	
2.1	0.4	1	15.0	
2.1	0.4	1	18.0	
2.1	0.4	1	30.0	
2.1	0.4	1	35.0	
	81.8	229	-9.0	INAPPLICABLE
	0.7	2	-7.0	NOT ASCERTAINED
	0.7	2	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 200-203

Q17D	Q17D. # GROUP COUNSELING SESSIONS PER WK-RES REHAB
------	--

During the same period, on average, how many group counseling sessions did the non-hospital residential rehabilitation clients attend each week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.7	2	1.0	
2.1	0.4	1	1.5	
8.3	1.4	4	3.0	
6.2	1.1	3	4.0	
4.2	0.7	2	5.0	
4.2	0.7	2	6.0	
6.2	1.1	3	7.0	
2.1	0.4	1	9.0	
10.4	1.8	5	10.0	
2.1	0.4	1	11.0	
8.3	1.4	4	13.0	
6.2	1.1	3	15.0	
4.2	0.7	2	17.0	
6.2	1.1	3	18.0	
4.2	0.7	2	20.0	
2.1	0.4	1	21.0	
2.1	0.4	1	23.0	
4.2	0.7	2	25.0	
2.1	0.4	1	27.0	
2.1	0.4	1	35.0	
2.1	0.4	1	36.5	
2.1	0.4	1	38.0	
2.1	0.4	1	42.0	
2.1	0.4	1	56.0	
	81.8	229	-9.0	INAPPLICABLE
	0.4	1	-7.0	NOT ASCERTAINED
	0.7	2	-6.0	DON'T KNOW
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 204-207

Q18A	Q18A. GROUP THERAPY SESSIONS
-------------	-------------------------------------

What types of group counseling sessions are currently provided to non-hospital residential (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . group therapy sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	17.5	49	1	YES
3.9	0.7	2	2	NO
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 208-209

Q18B	Q18B. GROUP EDUCATIONAL SESSIONS
-------------	---

What types of group counseling sessions are currently provided to non-hospital residential (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . group educational sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	17.9	50	1	YES
2.0	0.4	1	2	NO
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 212-213

Q18C**Q18C. SELF-HELP GROUP MEETINGS**

What types of group counseling sessions are currently provided to non-hospital residential (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . self-help group meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	17.5	49	1	YES
3.9	0.7	2	2	NO
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 218-219

Q18D**Q18D. COMMUNITY OR GOVERNING SESSIONS**

What types of group counseling sessions are currently provided to non-hospital residential (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . community or governing sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.2	16.4	46	1	YES
9.8	1.8	5	2	NO
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 223-224

Q18E **Q18E. OTHER SESSIONS**

What types of group counseling sessions are currently provided to non-hospital residential (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . other sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	8.9	25	1	YES
51.0	9.3	26	2	NO
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 228-229

Q18ES **Q18E. OTHER TYPE OF SESSION SPECIFIED**

What types of group counseling sessions are currently provided to non-hospital residential (either detoxification or rehabilitation) in substance abuse treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.6	24	96	SPECIFIC SESSION CONTENT REPORTED
	91.1	255	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 230-231

Q19A	Q19A. HOW MANY IN A TYPICAL GROUP THERAPY SESSION
-------------	--

IF YES IN Q18A: How many non-hospital residential clients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.4	1	4	
2.0	0.4	1	5	
4.1	0.7	2	6	
2.0	0.4	1	7	
14.3	2.5	7	8	
2.0	0.4	1	9	
22.4	3.9	11	10	
2.0	0.4	1	11	
14.3	2.5	7	12	
4.1	0.7	2	13	
2.0	0.4	1	14	
8.2	1.4	4	15	
2.0	0.4	1	17	
10.2	1.8	5	20	
2.0	0.4	1	23	
2.0	0.4	1	40	
2.0	0.4	1	45	
2.0	0.4	1	46	
	82.5	231	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 210-211

Q19B	Q19B. HOW MANY IN A TYPICAL GROUP EDUCATIONAL SESSION
-------------	--

IF YES IN Q18B: How many non-hospital residential clients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.4	1	2.0	
2.0	0.4	1	4.0	
2.0	0.4	1	6.0	
2.0	0.4	1	7.0	
8.0	1.4	4	8.0	
2.0	0.4	1	8.5	
4.0	0.7	2	10.0	
2.0	0.4	1	11.0	
6.0	1.1	3	12.0	
2.0	0.4	1	13.0	
2.0	0.4	1	14.0	
6.0	1.1	3	15.0	
4.0	0.7	2	16.0	
2.0	0.4	1	17.0	
2.0	0.4	1	18.0	
24.0	4.3	12	20.0	
4.0	0.7	2	23.0	
2.0	0.4	1	24.0	
2.0	0.4	1	25.0	
2.0	0.4	1	26.0	
8.0	1.4	4	30.0	
2.0	0.4	1	35.0	
6.0	1.1	3	40.0	
2.0	0.4	1	55.0	
	82.1	230	-9.0	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 214-217

Q19C	Q19C. HOW MANY IN A TYPICAL SELF-HELP GROUP MEETING
-------------	--

IF YES IN Q18C: How many non-hospital residential clients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.4	1	4	
4.3	0.7	2	7	
6.4	1.1	3	10	
2.1	0.4	1	11	
4.3	0.7	2	12	
2.1	0.4	1	14	
8.5	1.4	4	15	
6.4	1.1	3	16	
2.1	0.4	1	17	
4.3	0.7	2	18	
12.8	2.1	6	20	
4.3	0.7	2	23	
2.1	0.4	1	25	
2.1	0.4	1	26	
14.9	2.5	7	30	
4.3	0.7	2	35	
2.1	0.4	1	38	
2.1	0.4	1	43	
4.3	0.7	2	45	
4.3	0.7	2	55	
2.1	0.4	1	87	
2.1	0.4	1	115	
	82.5	231	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 220-222

Q19E	Q19E. HOW MANY IN A TYPICAL OTHER SESSION
-------------	--

IF YES IN Q18E: How many non-hospital residential clients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.4	1	6.0	
4.0	0.4	1	7.0	
4.0	0.4	1	8.0	
16.0	1.4	4	10.0	
4.0	0.4	1	11.6	
4.0	0.4	1	12.0	
4.0	0.4	1	12.5	
16.0	1.4	4	16.0	
4.0	0.4	1	17.0	
8.0	0.7	2	20.0	
4.0	0.4	1	23.0	
8.0	0.7	2	25.0	
4.0	0.4	1	26.0	
8.0	0.7	2	35.0	
4.0	0.4	1	90.0	
4.0	0.4	1	100.0	
	91.1	255	-9.0	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 232-236

Q21	Q21. AVG LOS FOR OP METH CLIENTS (DURING 12 MOS)
------------	---

During that same period, what was the average length of stay in treatment for outpatient methadone clients? This means the average stay from first visit to last visit. Do not include any aftercare period after discharge.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	1.4	4	1.0	
4.9	0.7	2	2.0	
12.2	1.8	5	3.0	
2.4	0.4	1	4.5	
9.8	1.4	4	5.0	
4.9	0.7	2	6.0	
4.9	0.7	2	8.0	
4.9	0.7	2	9.0	
2.4	0.4	1	10.0	
4.9	0.7	2	11.0	
4.9	0.7	2	15.0	
4.9	0.7	2	16.0	
2.4	0.4	1	18.0	
2.4	0.4	1	24.0	
2.4	0.4	1	28.0	
2.4	0.4	1	41.0	
2.4	0.4	1	135.0	
2.4	0.4	1	217.0	
2.4	0.4	1	270.0	
2.4	0.4	1	279.0	
2.4	0.4	1	300.0	
2.4	0.4	1	814.0	
2.4	0.4	1	852.0	
2.4	0.4	1	1663.0	
	83.2	233	-9.0	INAPPLICABLE
	1.1	3	-7.0	NOT ASCERTAINED
	0.7	2	-6.0	DON'T KNOW
	0.4	1	-1.0	MAJORITY OF CLIENTS STAY RANGES FROM 3 M
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: lowest thru -1.0
 Columns: 241-246

Q21U	Q21. UNIT OF TIME FOR AVERAGE STAY
------	---

During that same period, what was the average length of stay in treatment for outpatient methadone clients? This means the average stay from first visit to last visit. Do not include any aftercare period after discharge.

Time period referenced

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	2.9	8	1	DAYS
0.0	0.0	0	2	WEEKS
41.5	6.1	17	3	MONTHS
39.0	5.7	16	4	YEARS
	83.2	233	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
	0.7	2	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 247-248

Q22FMM

Q22. FROM: MONTH

What is the 12-month period used for these methadone data?

Beginning month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	2.5	7	1	
6.4	1.1	3	4	
2.1	0.4	1	6	
23.4	3.9	11	7	
4.3	0.7	2	8	
14.9	2.5	7	9	
27.7	4.6	13	10	
4.3	0.7	2	11	
2.1	0.4	1	12	
	83.2	233	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 249-250

Q22FDD

Q22. FROM: DAY

What is the 12-month period used for these methadone data?

Beginning day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	15.0	42	1	
2.2	0.4	1	14	
2.2	0.4	1	20	
2.2	0.4	1	30	
2.2	0.4	1	31	
	83.2	233	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 251-252

Q22FY	Q22. FROM: YEAR
--------------	------------------------

What is the 12-month period used for these methadone data?

Beginning year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.7	2	1995	
78.7	13.2	37	1996	
12.8	2.1	6	1997	
4.3	0.7	2	1998	
	83.2	233	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 253-256

Q22TMM	Q22. THROUGH: MONTH
---------------	----------------------------

What is the 12-month period used for these methadone data?

Ending month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.7	2	1	
6.4	1.1	3	3	
19.1	3.2	9	6	
6.4	1.1	3	7	
14.9	2.5	7	8	
29.8	5.0	14	9	
6.4	1.1	3	10	
2.1	0.4	1	11	
10.6	1.8	5	12	
	83.2	233	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 257-258

Q22TDD**Q22. THROUGH: DAY**

What is the 12-month period used for these methadone data?

Ending day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	1.8	5	1	
2.2	0.4	1	14	
2.2	0.4	1	20	
52.2	8.6	24	30	
32.6	5.4	15	31	
	83.2	233	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 259-260

Q22TTY**Q22. THROUGH: YEAR**

What is the 12-month period used for these methadone data?

Ending year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	1.4	4	1996	
76.6	12.9	36	1997	
14.9	2.5	7	1998	
	83.2	233	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 261-264

Q23B	Q23B. # GROUP COUNSELING SESSIONS PER WK-OP METH
-------------	---

During that same period, on average, how many individual counseling sessions and how many group counseling sessions did outpatient methadone clients attend each week?

_____ Number of group sessions

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	1.8	5	0.00	
7.7	1.1	3	0.50	
46.2	6.4	18	1.00	
2.6	0.4	1	1.40	
2.6	0.4	1	1.50	
2.6	0.4	1	1.75	
15.4	2.1	6	2.00	
2.6	0.4	1	3.00	
2.6	0.4	1	4.00	
5.1	0.7	2	7.00	
	83.2	233	-9.00	INAPPLICABLE
	1.4	4	-7.00	NOT ASCERTAINED
	1.4	4	-6.00	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 270-274

Q24A **Q24A. DO YOU PROVIDE GROUP THERAPY SESSIONS**

What types of group counseling sessions are currently provided to outpatient methadone clients (either detoxification or maintenance) in substance abuse treatment?

Do you provide . . . group therapy sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	13.2	37	1	YES
19.6	3.2	9	2	NO
	83.2	233	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 275-276

Q24B **Q24B. DO YOU PROVIDE GROUP EDUCATIONAL SESSIONS**

What types of group counseling sessions are currently provided to outpatient methadone clients (either detoxification or maintenance) in substance abuse treatment?

Do you provide . . . group educational sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	12.9	36	1	YES
21.7	3.6	10	2	NO
	83.2	233	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 281-282

Q24C**Q24C. DO YOU PROVIDE SELF-HELP GROUP MEETINGS**

What types of group counseling sessions are currently provided to outpatient methadone clients (either detoxification or maintenance) in substance abuse treatment?

Do you provide . . . self-help group meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	8.9	25	1	YES
45.7	7.5	21	2	NO
	83.2	233	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 287-288

Q24D**Q24D. DO YOU PROVIDE COMMUNITY OR GOVERNING SESSIONS**

What types of group counseling sessions are currently provided to outpatient methadone clients (either detoxification or maintenance) in substance abuse treatment?

Do you provide . . . community or governing sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	3.9	11	1	YES
76.1	12.5	35	2	NO
	83.2	233	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 293-294

Q24E **Q24E. DO YOU PROVIDE OTHER SESSIONS**

What types of group counseling sessions are currently provided to outpatient methadone clients (either detoxification or maintenance) in substance abuse treatment?

Do you provide . . . other sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	8.6	24	1	YES
46.7	7.5	21	2	NO
	83.2	233	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 299-300

Q24ES **Q24E. OTHER TYPE OF SESSION SPECIFIED**

What types of group counseling sessions are currently provided to outpatient methadone clients (either detoxification or maintenance) in substance abuse treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.9	22	96	SPECIFIC SESSION CONTENT REPORTED
	91.4	256	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 301-302

Q25A	Q25A. HOW MANY IN A TYPICAL GROUP THERAPY SESSION
-------------	--

IF YES IN Q24A: How many methadone clients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.4	1	2.0	
2.8	0.4	1	3.0	
2.8	0.4	1	4.0	
2.8	0.4	1	5.0	
5.6	0.7	2	6.0	
5.6	0.7	2	7.0	
13.9	1.8	5	8.0	
8.3	1.1	3	9.0	
16.7	2.1	6	10.0	
2.8	0.4	1	11.0	
13.9	1.8	5	12.0	
2.8	0.4	1	12.5	
8.3	1.1	3	15.0	
2.8	0.4	1	18.0	
5.6	0.7	2	20.0	
2.8	0.4	1	30.0	
	86.8	243	-9.0	INAPPLICABLE
	0.4	1	-6.0	DON'T KNOW
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 277-280

Q25B	Q25B. HOW MANY IN A TYPICAL GROUP EDUCATIONAL SESSION
-------------	--

IF YES IN Q24B: How many methadone clients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.4	1	3.0	
8.6	1.1	3	4.0	
5.7	0.7	2	5.0	
2.9	0.4	1	6.0	
5.7	0.7	2	7.0	
8.6	1.1	3	8.0	
14.3	1.8	5	10.0	
5.7	0.7	2	12.0	
8.6	1.1	3	12.5	
2.9	0.4	1	14.0	
17.1	2.1	6	15.0	
2.9	0.4	1	18.0	
8.6	1.1	3	20.0	
2.9	0.4	1	25.0	
2.9	0.4	1	30.0	
	87.1	244	-9.0	INAPPLICABLE
	0.4	1	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 283-286

Q25C	Q25C. HOW MANY IN A TYPICAL SELF-HELP GROUP MEETING
-------------	--

IF YES IN Q24C: How many methadone clients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.7	2	3.0	
4.2	0.4	1	4.0	
4.2	0.4	1	6.0	
12.5	1.1	3	7.0	
4.2	0.4	1	8.0	
20.8	1.8	5	10.0	
4.2	0.4	1	11.0	
8.3	0.7	2	12.0	
4.2	0.4	1	12.5	
4.2	0.4	1	14.0	
4.2	0.4	1	15.0	
4.2	0.4	1	17.0	
4.2	0.4	1	20.0	
4.2	0.4	1	25.0	
8.3	0.7	2	30.0	
	91.1	255	-9.0	INAPPLICABLE
	0.4	1	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 289-292

Q25D	Q25D. HOW MANY IN A TYPICAL COMM OR GOV SESSION
-------------	--

IF YES IN Q24D: How many methadone clients are in a typical session?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.7	2	4.0	
10.0	0.4	1	5.0	
10.0	0.4	1	6.0	
20.0	0.7	2	7.0	
10.0	0.4	1	10.0	
10.0	0.4	1	12.0	
20.0	0.7	2	12.5	
	96.1	269	-9.0	INAPPLICABLE
	0.4	1	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 295-298

Q26	Q26. AVG DAILY DOSAGE (MG)-CLIENTS ON LEVEL METH DOSAGE
------------	--

For clients on a level methadone dosage for at least 2 weeks, what is the average daily dosage (in milligrams)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.7	2	30.0	
2.6	0.4	1	40.0	
2.6	0.4	1	45.0	
10.5	1.4	4	50.0	
2.6	0.4	1	55.0	
21.1	2.9	8	60.0	
2.6	0.4	1	62.0	
2.6	0.4	1	62.5	
10.5	1.4	4	65.0	
2.6	0.4	1	67.0	
2.6	0.4	1	67.5	
2.6	0.4	1	68.0	
21.1	2.9	8	70.0	
7.9	1.1	3	75.0	
2.6	0.4	1	83.0	
	83.2	233	-9.0	INAPPLICABLE
	2.5	7	-7.0	NOT ASCERTAINED
	0.7	2	-6.0	DON'T KNOW
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 308-311

Outpatient Non-Methadone

BOXD

BOX D. IF OUTPATIENT NON-METHADONE NOT OFFERED

IF OUTPATIENT NON-METHADONE CARE IS NOT OFFERED, Q2D = 2,
CHECK HERE _____ AND GO TO Q38, PAGE 13. OTHERWISE, CONTINUE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	20.0	56	1	BOX CHECKED
80.0	80.0	224	2	BOX NOT CHECKED
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric

Missing-data codes: *--6

Columns: 65-66

Q27**Q27. HOW MANY ADMISSIONS TO OP NON-METH TX (12 MOS)**

Now I'm going to ask you a series of questions about clients receiving outpatient non-methadone substance abuse care at this facility. This includes clients in outpatient non-methadone detoxification and outpatient non-methadone rehabilitation.

How many admissions were there to outpatient non-methadone treatment during the most recent 12-month period for which you have counts?

"Admissions" refers to the count of persons entering or re-entering treatment at this facility. This includes all those starting a treatment program, whether or not the program is completed. Be sure to count each admission for clients entering treatment more than once or entering more than one type of care during the 12-month period.

Min	=	4	Mean	=	399.849
Max	=	3,195	Std Dev	=	471.056
Median	=	276	Variance	=	221,893.482

(Based on 205 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 312-315

Q28**Q28. AVG LOS FOR OP NON-METH CLIENTS (DURING 12 MOS)**

During that same period, what was the average length of stay in treatment for outpatient non-methadone clients? This means the average stay from first visit to last visit. Do not include any aftercare period after discharge.

_____ Number

280 cases (Range of valid codes: 1.00-159.00)

Data type: numeric
Decimals: 2
Missing-data codes: lowest thru -1.00
Columns: 316-321

Q28U**Q28. UNIT OF TIME FOR AVERAGE STAY**

During that same period, what was the average length of stay in treatment for outpatient non-methadone clients? This means the average stay from first visit to last visit. Do not include any aftercare period after discharge.

Time period referenced

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	12.9	36	1	DAYS
21.4	15.4	43	2	WEEKS
54.2	38.9	109	3	MONTHS
5.0	3.6	10	4	YEARS
1.5	1.1	3	5	SESSIONS
	20.0	56	-9	INAPPLICABLE
	0.4	1	-8	REFUSED
	4.6	13	-7	NOT ASCERTAINED
	3.2	9	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 322-323

Q29**Q29. DOES THIS FACILITY PROVIDE OP DETOX**

Does this facility provide outpatient detoxification?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	6.8	19	1	YES
91.5	72.9	204	2	NO
	20.0	56	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 324-325

Q30	Q30. ABOUT WHAT % OF ADM FOR DETOX ONLY (DURING 12 MOS)
-----	--

About what percentage of the admissions in the 12-month period were for detoxification only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	2.1	6	1	
11.8	0.7	2	2	
5.9	0.4	1	8	
11.8	0.7	2	10	
17.6	1.1	3	30	
5.9	0.4	1	44	
5.9	0.4	1	60	
5.9	0.4	1	90	
	93.2	261	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 326-327

Q31	Q31. AVG LOS FOR DETOX-ONLY CLIENTS (DURING 12 MOS)
-----	---

On average how long did the detoxification-only patients stay in treatment at this facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO PATIENTS STAYED FOR DETOX
6.2	0.4	1	1	
12.5	0.7	2	2	
12.5	0.7	2	3	
6.2	0.4	1	4	
12.5	0.7	2	7	
25.0	1.4	4	10	
6.2	0.4	1	12	
6.2	0.4	1	21	
6.2	0.4	1	30	
6.2	0.4	1	180	
	93.2	261	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
	0.7	2	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 328-330

Q32FMM	Q32. FROM: MONTH
---------------	-------------------------

What is the 12-month period used for these outpatient non-methadone data?

Beginning month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	16.4	46	1	
0.5	0.4	1	2	
0.5	0.4	1	3	
1.4	1.1	3	4	
4.1	3.2	9	6	
37.4	29.3	82	7	
2.7	2.1	6	8	
11.0	8.6	24	9	
16.9	13.2	37	10	
3.7	2.9	8	11	
0.9	0.7	2	12	
	20.0	56	-9	INAPPLICABLE
	1.8	5	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 333-334

Q32FDD **Q32. FROM: DAY**

What is the 12-month period used for these outpatient non-methadone data?

Beginning day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	67.9	190	1	
1.0	0.7	2	3	
1.0	0.7	2	4	
0.5	0.4	1	8	
0.5	0.4	1	9	
0.5	0.4	1	10	
0.5	0.4	1	11	
4.3	3.2	9	30	
1.4	1.1	3	31	
	20.0	56	-9	INAPPLICABLE
	5.0	14	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 335-336

Q32FYY **Q32. FROM: YEAR**

What is the 12-month period used for these outpatient non-methadone data?

Beginning year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	5.0	14	1995	
73.5	57.5	161	1996	
18.7	14.6	41	1997	
1.4	1.1	3	1998	
	20.0	56	-9	INAPPLICABLE
	1.8	5	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 337-340

Q32TMM **Q32. THROUGH: MONTH**

What is the 12-month period used for these outpatient non-methadone data?

Ending month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.7	2	1	
1.4	1.1	3	3	
1.8	1.4	4	5	
37.4	29.3	82	6	
3.2	2.5	7	7	
6.8	5.4	15	8	
16.0	12.5	35	9	
7.8	6.1	17	10	
3.7	2.9	8	11	
21.0	16.4	46	12	
	20.0	56	-9	INAPPLICABLE
	1.8	5	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 341-342

Q32TDD	Q32. THROUGH: DAY
---------------	--------------------------

What is the 12-month period used for these outpatient non-methadone data?

Ending day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	8.6	24	1	
0.9	0.7	2	3	
0.5	0.4	1	8	
0.5	0.4	1	9	
0.5	0.4	1	10	
0.5	0.4	1	17	
52.8	40.0	112	30	
33.0	25.0	70	31	
	20.0	56	-9	INAPPLICABLE
	4.3	12	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 343-344

Q32TYT	Q32. THROUGH: YEAR
---------------	---------------------------

What is the 12-month period used for these outpatient non-methadone data?

Ending year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	13.2	37	1996	
72.6	56.8	159	1997	
10.5	8.2	23	1998	
	20.0	56	-9	INAPPLICABLE
	1.8	5	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 345-348

Q33A**Q33A. # INDIV. COUNSELING SESSIONS PER WK-OP NON-METH**

During that same period, on average, how many individual counseling sessions and how many group counseling sessions did outpatient non-methadone clients attend each week?

_____ Number of individual sessions

Min	=	.00	Mean	=	6.425
Max	=	250.00	Std Dev	=	28.480
Median	=	1.00	Variance	=	811.133

(Based on 193 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 349-354

Q33B**Q33B. # GROUP COUNSELING SESSIONS PER WK-OP NON-METH**

During that same period, on average, how many individual counseling sessions and how many group counseling sessions did outpatient non-methadone clients attend each week?

_____ Number of group sessions

Min	=	.00	Mean	=	8.575
Max	=	268.00	Std Dev	=	32.265
Median	=	2.00	Variance	=	1,041.030

(Based on 200 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 355-360

Q34A **Q34A. DO YOU PROVIDE GROUP THERAPY SESSIONS**

What types of group counseling sessions are currently provided to outpatient non-methadone clients (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . group therapy sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.9	73.2	205	1	YES
8.1	6.4	18	2	NO
	20.0	56	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 361-362

Q34B **Q34B. DO YOU PROVIDE GROUP EDUCATIONAL SESSIONS**

What types of group counseling sessions are currently provided to outpatient non-methadone clients (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . group educational sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	68.6	192	1	YES
13.9	11.1	31	2	NO
	20.0	56	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 367-368

Q34C**Q34C. DO YOU PROVIDE SELF-HELP GROUP MEETINGS**

What types of group counseling sessions are currently provided to outpatient non-methadone clients (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . self-help group meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	33.9	95	1	YES
57.2	45.4	127	2	NO
	20.0	56	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 373-374

Q34D**Q34D. DO YOU PROVIDE COMMUNITY OR GOVERNING SESSIONS**

What types of group counseling sessions are currently provided to outpatient non-methadone clients (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . community or governing sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	18.2	51	1	YES
77.0	61.1	171	2	NO
	20.0	56	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 380-381

Q34E **Q34E. DO YOU PROVIDE OTHER SESSIONS**

What types of group counseling sessions are currently provided to outpatient non-methadone clients (either detoxification or rehabilitation) in substance abuse treatment?

Do you provide . . . other sessions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.4	29.6	83	1	YES
62.6	49.6	139	2	NO
	20.0	56	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 384-385

Q34ES **Q34E. OTHER TYPE OF SESSION SPECIFIED**

What types of group counseling sessions are currently provided to outpatient non-methadone clients (either detoxification or rehabilitation) in substance abuse treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	27.9	78	96	SPECIFIC SESSION CONTENT REPORTED
	70.4	197	-9	INAPPLICABLE
	1.8	5	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 386-387

Q35A	Q35A. HOW MANY IN A TYPICAL GROUP THERAPY SESSION
-------------	--

IF YES IN Q34A: How many non-methadone clients are in a typical session?

Min	=	.0	Mean	=	10.621
Max	=	65.0	Std Dev	=	6.426
Median	=	10.0	Variance	=	41.290

(Based on 198 valid cases)

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 363-366

Q35B	Q35B. HOW MANY IN A TYPICAL GROUP EDUCATIONAL SESSION
-------------	--

IF YES IN Q34B: How many non-methadone clients are in a typical session?

Min	=	.0	Mean	=	13.207
Max	=	50.0	Std Dev	=	7.290
Median	=	11.0	Variance	=	53.145

(Based on 186 valid cases)

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 369-372

Q35C	Q35C. HOW MANY IN A TYPICAL SELF-HELP GROUP MEETING
-------------	--

IF YES IN Q34C: How many non-methadone clients are in a typical session?

Min	=	.0	Mean	=	16.286
Max	=	100.0	Std Dev	=	13.063
Median	=	13.0	Variance	=	170.645

(Based on 91 valid cases)

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 375-379

Q37**Q37. AVG HRS PER WK-IOP CLIENTS ATTEND PROGRAM**

On average, how many hours per week do intensive outpatient clients attend the program?

Min	=	1.0	Mean	=	11.168
Max	=	80.0	Std Dev	=	9.265
Median	=	9.0	Variance	=	85.843

(Based on 125 valid cases)

Data type: numeric
Decimals: 1
Missing-data codes: *--6.0
Columns: 395-398

Q40A**Q40A. OFFER OUTPATIENT COUNSELING-AFTERCARE**

Does this substance abuse treatment facility offer the following types of aftercare services at this location for clients who have been discharged from treatment for . . .

. . . outpatient counseling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.1	64.6	181	1	YES
34.9	34.6	97	2	NO
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 411-412

Q40B**Q40B. OFFER SELF-HELP GROUPS-AFTERCARE**

Does this substance abuse treatment facility offer the following types of aftercare services at this location for clients who have been discharged from treatment for . . .

. . . self-help groups?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	41.1	115	1	YES
58.6	58.2	163	2	NO
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 413-414

Q40C	Q40C. OFFER ALUMNI GROUPS-AFTERCARE
-------------	--

Does this substance abuse treatment facility offer the following types of aftercare services at this location for clients who have been discharged from treatment for . . .

. . . alumni groups?

VALID	PCT	PCT	N	VALUE	LABEL
	32.7	32.5	91	1	YES
	67.3	66.8	187	2	NO
		0.7	2	-7	NOT ASCERTAINED
-----	-----	-----	---		
100.0	100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 415-416

Client Records

Q41	Q41. FACILITY MAINTAINS ANY COMPUTERIZED TX CLIENT INFO
------------	--

Does this facility maintain any computerized information on individual substance abuse treatment clients?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.0	80.7	226	1	YES
19.0	18.9	53	2	NO
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 417-418

Q42A	Q42A. CLIENT DESCRIPTIVE INFORMATION-COMPUTERIZED INFO
-------------	---

Does the computerized information contain any of the following?

Client descriptive information, such as age and sex

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	73.2	205	1	YES
9.3	7.5	21	2	NO
	19.3	54	-9	INAPPLICABLE, CODED NO IN Q41
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 419-420

Q42B **Q42B. DRUGS OF ABUSE-COMPUTERIZED INFO**

Does the computerized information contain any of the following?

Drugs of abuse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	58.2	163	1	YES
27.6	22.1	62	2	NO
	19.3	54	-9	INAPPLICABLE, CODED NO IN Q41
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 421-422

Q42C **Q42C. CLIENT TREATMENT HISTORY-COMPUTERIZED INFO**

Does the computerized information contain any of the following?

Client treatment history

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	45.0	126	1	YES
44.2	35.7	100	2	NO
	19.3	54	-9	INAPPLICABLE, CODED NO IN Q41
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 423-424

Q42D**Q42D. DIAGNOSIS-COMPUTERIZED INFO**

Does the computerized information contain any of the following?

Diagnosis

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	56.8	159	1	YES
29.6	23.9	67	2	NO
	19.3	54	-9	INAPPLICABLE, CODED NO IN Q41
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 425-426

Q42E**Q42E. SERVICES RECEIVED-COMPUTERIZED INFO**

Does the computerized information contain any of the following?

Services received, such as individual or group therapy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	59.6	167	1	YES
26.1	21.1	59	2	NO
	19.3	54	-9	INAPPLICABLE, CODED NO IN Q41
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 427-428

Q42F **Q42F. # INPAT. BED DAYS -COMPUTERIZED INFO**

Does the computerized information contain any of the following?

Number of beds for inpatients

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	13.2	37	1	YES
83.6	67.1	188	2	NO
	19.3	54	-9	INAPPLICABLE, CODED NO IN Q41
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 429-430

Q42G **Q42G. # OP VISITS OR ENCOUNTERS-COMPUTERIZED INFO**

Does the computerized information contain any of the following?

Number of visits or encounters for outpatients

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.2	57.5	161	1	YES
28.8	23.2	65	2	NO
	19.3	54	-9	INAPPLICABLE, CODED NO IN Q41
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 431-432

Q42H**Q42H. REASONS FOR DISCHARGE-COMPUTERIZED INFO**

Does the computerized information contain any of the following?

Reasons for discharge

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	54.3	152	1	YES
32.1	25.7	72	2	NO
	19.3	54	-9	INAPPLICABLE, CODED NO IN Q41
	0.7	2	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 433-434

Q42I**Q42I. SOURCE OF PAYMENT-COMPUTERIZED INFO**

Does the computerized information contain any of the following?

Source of payment for that client

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.6	63.9	179	1	YES
20.4	16.4	46	2	NO
	19.3	54	-9	INAPPLICABLE
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 435-436

Q42J **Q42J.BILLING INFORMATION-COMPUTERIZED INFO**

Does the computerized information contain any of the following?

Billing information

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	60.4	169	1	YES
25.2	20.4	57	2	NO
	19.3	54	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 437-438

Q43 **Q43. COMPUTERIZED CLIENT & BILLING RECORDS LINKABLE?**

Can computerized client records on services received during a visit, such as individual therapy or group therapy, be linked to computerized records on billing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	42.5	119	1	YES
46.9	37.5	105	2	NO
	19.3	54	-9	INAPPLICABLE
	0.7	2	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 439-440

Administrative & Financial Issues
--

Q44

Q44. ANNUAL AUDITED FINANCIAL STATEMENTS PREPARED

The next several questions deal with administrative and financial issues for all types of care.

Are annual audited financial statements prepared for this substance abuse treatment facility?

If No -> Go to Q46

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	81.4	228	1	YES
16.8	16.4	46	2	NO
	0.4	1	-8	REFUSED
	0.7	2	-7	NOT ASCERTAINED
	1.1	3	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 441-442

Q45

Q45. IS FINANCIAL STATEMENT FOR THIS FACILITY ONLY

Is this financial statement only for this substance abuse treatment facility, or does it include information about other entities?

If 1 -> Go to Q46

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	32.9	92	1	THIS FACILITY ONLY
59.5	48.2	135	2	INCLUDES OTHER ENTITIES
	18.6	52	-9	INAPPLICABLE
	0.4	1	-8	REFUSED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 443-444

Q45B	Q45B. HOW MANY OTHER ENTITIES-FINANCIAL STATEMENT
-------------	--

How many other entities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	8.2	23	1	
17.4	7.5	21	2	
9.9	4.3	12	3	
9.1	3.9	11	4	
7.4	3.2	9	5	
5.0	2.1	6	6	
2.5	1.1	3	7	
0.8	0.4	1	8	
3.3	1.4	4	10	
0.8	0.4	1	11	
3.3	1.4	4	12	
0.8	0.4	1	13	
1.7	0.7	2	14	
3.3	1.4	4	15	
0.8	0.4	1	18	
0.8	0.4	1	20	
0.8	0.4	1	29	
0.8	0.4	1	30	
0.8	0.4	1	31	
1.7	0.7	2	39	
0.8	0.4	1	40	
1.7	0.7	2	50	
0.8	0.4	1	51	
3.3	1.4	4	52	
0.8	0.4	1	60	
0.8	0.4	1	100	
1.7	0.7	2	300	
	51.8	145	-9	INAPPLICABLE
	1.1	3	-7	NOT ASCERTAINED
	3.9	11	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 445-447

Q45C	Q45C. HOW MANY OF THESE PROVIDE S.A. TX-FINANCIAL STATEMENT
-------------	--

How many of these provide substance abuse treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	5.0	14	0	
23.5	11.1	31	1	
19.7	9.3	26	2	
12.9	6.1	17	3	
10.6	5.0	14	4	
3.8	1.8	5	5	
4.5	2.1	6	6	
2.3	1.1	3	7	
3.0	1.4	4	9	
0.8	0.4	1	10	
0.8	0.4	1	11	
0.8	0.4	1	12	
4.5	2.1	6	15	
0.8	0.4	1	20	
0.8	0.4	1	25	
0.8	0.4	1	36	
	51.8	145	-9	INAPPLICABLE
	1.1	3	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 448-449

Q46

Q46. FACILITY RECEIVES IN-KIND CONTRIBUTIONS

Does this substance abuse treatment facility receive any in-kind contributions? Here are some examples: furniture, equipment, food, bedding, clothing, space, tax relief, discounted facility rental rates, volunteer services.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	45.0	126	1	YES
54.7	54.3	152	2	NO
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 450-451

Q46OTH1	Q46. FIRST OTHER IN-KIND CONTRIBUTION SPECIFIED
---------	---

Does this substance abuse treatment facility receive any in-kind contributions? Here are some examples: furniture, equipment, food, bedding, clothing, space, tax relief, discounted facility rental rates, volunteer services.

First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	11.4	32	1	FURNITURE/FURNISHINGS
5.7	2.5	7	2	EQUIPMENT
8.2	3.6	10	3	FOOD
0.0	0.0	0	4	BEDDING
8.2	3.6	10	5	CLOTHING
4.9	2.1	6	6	SPACE/UTILITIES
6.6	2.9	8	7	TAX RELIEF/TAX -EXEMPT STATUS
2.5	1.1	3	8	DISCOUNTED FACILITY RENTAL
30.3	13.2	37	9	VOLUNTEER SERVICES (NON-PROFESSIONAL, UN
2.5	1.1	3	10	PROFESSIONAL SERVICES
1.6	0.7	2	11	SUPPLIES (OFFICE, CLINICAL, EDUCATIONAL,
0.8	0.4	1	12	PATIENT GIFTS & ENTERTAINMENT
2.5	1.1	3	96	MISCELLANEOUS
	55.0	154	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 452-453

Q46OTH2

Q46. SECOND OTHER IN-KIND CONTRIBUTION SPECIFIED

Does this substance abuse treatment facility receive any in-kind contributions? Here are some examples: furniture, equipment, food, bedding, clothing, space, tax relief, discounted facility rental rates, volunteer services.

Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	2.9	8	1	FURNITURE/FURNISHINGS
16.7	4.6	13	2	EQUIPMENT
14.1	3.9	11	3	FOOD
1.3	0.4	1	4	BEDDING
10.3	2.9	8	5	CLOTHING
3.8	1.1	3	6	SPACE/UTILITIES
5.1	1.4	4	7	TAX RELIEF/TAX -EXEMPT STATUS
2.6	0.7	2	8	DISCOUNTED FACILITY RENTAL
20.5	5.7	16	9	VOLUNTEER SERVICES (NON-PROFESSIONAL, UN
3.8	1.1	3	10	PROFESSIONAL SERVICES
7.7	2.1	6	11	SUPPLIES (OFFICE, CLINICAL, EDUCATIONAL,
2.6	0.7	2	12	PATIENT GIFTS & ENTERTAINMENT
1.3	0.4	1	96	MISCELLANEOUS
	72.1	202	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric

Missing-data codes: *--6

Columns: 454-455

Q46OTH3 Q46. THIRD OTHER IN-KIND CONTRIBUTION SPECIFIED

Does this substance abuse treatment facility receive any in-kind contributions? Here are some examples: furniture, equipment, food, bedding, clothing, space, tax relief, discounted facility rental rates, volunteer services.

Third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	1.4	4	1	FURNITURE/FURNISHINGS
4.7	0.7	2	2	EQUIPMENT
30.2	4.6	13	3	FOOD
9.3	1.4	4	4	BEDDING
9.3	1.4	4	5	CLOTHING
2.3	0.4	1	6	SPACE/UTILITIES
2.3	0.4	1	7	TAX RELIEF/TAX -EXEMPT STATUS
2.3	0.4	1	8	DISCOUNTED FACILITY RENTAL
20.9	3.2	9	9	VOLUNTEER SERVICES (NON-PROFESSIONAL, UN
0.0	0.0	0	10	PROFESSIONAL SERVICES
2.3	0.4	1	11	SUPPLIES (OFFICE, CLINICAL, EDUCATIONAL,
0.0	0.0	0	12	PATIENT GIFTS & ENTERTAINMENT
7.0	1.1	3	96	MISCELLANEOUS
	84.6	237	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 456-457

Staffing

Q47BOX CAN ONLY REPORT STAFF NUMBERS AS FTEs

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

If you can only report staff numbers in terms of full-time equivalents (FTE), check this box and record the number of FTE's in column 1.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	9	1	BOX IS CHECKED
96.8	96.8	271	2	BOX IS NOT CHECKED
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 458-459

R9A1**R9A1. NO. F/T PHYSICIANS (MD/DO, PSYCHIATRISTS)**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Full-Time Staff on Payroll:
Physicians (MD/DO; Psychiatrists)

Min	=	.00	Mean	=	.270
Max	=	5.00	Std Dev	=	.676
Median	=	.00	Variance	=	.457

(Based on 274 valid cases)

Data type: numeric
Decimals: 2
Missing-data codes: *--6.00
Columns: 460-464

R9B1**R9B1. NO. REGISTERED NURSES (RN)**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Full-Time Staff on Payroll:
Registered Nurses (RN)

Min	=	.0	Mean	=	.873
Max	=	39.0	Std Dev	=	3.114
Median	=	.0	Variance	=	9.700

(Based on 274 valid cases)

Data type: numeric
Decimals: 1
Missing-data codes: *--6.0
Columns: 465-468

R9C1**R9C1. NO. OTHER MEDICAL (LPN, PA, ETC)**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Full-Time Staff on Payroll:
Other Medical Personnel (LPN, PA, etc.)

Min	=	.0	Mean	=	.670
Max	=	11.0	Std Dev	=	1.622
Median	=	.0	Variance	=	2.632

(Based on 274 valid cases)

Data type: numeric
Decimals: 1
Missing-data codes: *--6.0
Columns: 469-472

R9D1**R9D1. NO. F/T DOCTORAL LEVEL COUNSELORS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Full-Time Staff on Payroll:
Doctoral Level Counselors (Psychologists, etc.)

Min	=	.00	Mean	=	.220
Max	=	7.00	Std Dev	=	.738
Median	=	.00	Variance	=	.545

(Based on 274 valid cases)

Data type: numeric
Decimals: 2
Missing-data codes: *--6.00
Columns: 473-477

R9E1**R9E1. NO. F/T MASTERS LEVEL COUNSELORS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Full-Time Staff on Payroll:
Masters Level Counselors (MSW, etc.)

Min	=	.00	Mean	=	2.417
Max	=	14.00	Std Dev	=	2.948
Median	=	1.00	Variance	=	8.690

(Based on 274 valid cases)

Data type: numeric
Decimals: 2
Missing-data codes: *--6.00
Columns: 478-482

R9F1**R9F1. NO. F/T OTHER DEGREED COUNSELORS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Full-Time Staff on Payroll:
Other degreed counselors (BA, BS)

Min	=	.00	Mean	=	2.233
Max	=	16.00	Std Dev	=	2.891
Median	=	1.00	Variance	=	8.356

(Based on 274 valid cases)

Data type: numeric
Decimals: 2
Missing-data codes: *--6.00
Columns: 483-487

R9G1**R9G1. NO. F/T NON-DEGREED COUNSELORS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Full-Time Staff on Payroll:
Non-Degreed Counselors

Min	=	.0	Mean	=	1.755
Max	=	25.0	Std Dev	=	2.692
Median	=	1.0	Variance	=	7.246

(Based on 274 valid cases)

Data type: numeric
Decimals: 1
Missing-data codes: *--6.0
Columns: 488-491

R9H1**R9H1. NO. F/T ALL OTHER STAFF**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Full-Time Staff on Payroll:

All Other Staff, including Administrative Staff

Min	=	.00	Mean	=	4.397
Max	=	54.00	Std Dev	=	6.831
Median	=	3.00	Variance	=	46.664

(Based on 273 valid cases)

Data type: numeric

Decimals: 2

Missing-data codes: *--6.00

Columns: 492-496

R9I1**R9I1. TOTAL NUMBER OF FULL-TIME STAFF**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Total Number of Full-Time Staff on Payroll:

Min	=	.00	Mean	=	12.828
Max	=	100.00	Std Dev	=	14.099
Median	=	9.00	Variance	=	198.770

(Based on 273 valid cases)

Data type: numeric
Decimals: 2
Missing-data codes: *--6.00
Columns: 497-502

R9A2**R9A2. NO. P/T PHYSICIANS (MD/DO, PSYCHIATRISTS)**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Part-Time Staff on Payroll:
Physicians (MD/DO; Psychiatrists)

Min	= 0	Mean	= .392
Max	= 6	Std Dev	= .819
Median	= 0	Variance	= .671

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 503-504

R9B2**R9B2. NO. P/T REGISTERED NURSES (RN)**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Part-Time Staff on Payroll:
Registered Nurses (RN)

Min	=	0	Mean	=	.426
Max	=	15	Std Dev	=	1.529
Median	=	0	Variance	=	2.336

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 505-506

R9C2**R9C2. NO. P/T OTHER MEDICAL (LPN, PA, ETC)**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Part-Time Staff on Payroll:
Other Medical Personnel (LPN, PA, etc.)

Min	= 0	Mean	= .200
Max	= 7	Std Dev	= .745
Median	= 0	Variance	= .555

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 507-508

R9D2**R9D2. NO. P/T DOCTORAL LEVEL COUNSELORS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Part-Time Staff on Payroll:
Doctoral Level Counselors (Psychologists, etc.)

Min	= 0	Mean	= .136
Max	= 3	Std Dev	= .404
Median	= 0	Variance	= .163

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 509-510

R9E2**R9E2. NO. P/T MASTERS LEVEL COUNSELORS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Part-Time Staff on Payroll:
Masters Level Counselors (MSW, etc.)

Min	=	.0	Mean	=	.695
Max	=	11.0	Std Dev	=	1.557
Median	=	.0	Variance	=	2.425

(Based on 265 valid cases)

Data type: numeric
Decimals: 1
Missing-data codes: *--6.0
Columns: 511-514

R9F2**R9F2. NO. P/T OTHER DEGREED COUNSELORS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Part-Time Staff on Payroll:
Other degreed counselors (BA, BS)

Min	=	0	Mean	=	.491
Max	=	13	Std Dev	=	1.265
Median	=	0	Variance	=	1.599

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 515-516

R9G2**R9G2. NO. P/T NON-DEGREED COUNSELORS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Part-Time Staff on Payroll:
Non-Degreed Counselors

Min	=	0	Mean	=	.558
Max	=	18	Std Dev	=	1.852
Median	=	0	Variance	=	3.429

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 517-518

R9H2

R9H2. NO. P/T ALL OTHER STAFF

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Part-Time Staff on Payroll:

All Other Staff, including Administrative Staff

Min	=	0	Mean	=	1.337
Max	=	32	Std Dev	=	3.164
Median	=	0	Variance	=	10.011

(Based on 264 valid cases)

Data type: numeric

Missing-data codes: *--6

Columns: 519-520

R9I2**R9I2. TOTAL NUMBER OF PART-TIME STAFF**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Total Number of Part-Time Staff on Payroll:

Min	=	.0	Mean	=	4.231
Max	=	39.0	Std Dev	=	5.830
Median	=	2.0	Variance	=	33.985

(Based on 264 valid cases)

Data type: numeric
Decimals: 1
Missing-data codes: *--6.0
Columns: 521-524

R9A3**R9A3. NO. CONTRACT PHYSICIANS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Contract Staff and Consultants:
Physicians (MD/DO; Psychiatrists)

Min	= 0	Mean	= .566
Max	= 8	Std Dev	= 1.028
Median	= 0	Variance	= 1.057

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 525-526

R9B3**R9B3. NO. CONTRACT RNS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Contract Staff and Consultants:
Registered Nurses (RN)

Min	= 0	Mean	= .075
Max	= 3	Std Dev	= .329
Median	= 0	Variance	= .108

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 527-528

R9C3**R9C3. NO. CONTRACT OTHER MED(LPN,PA,ETC)**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Contract Staff and Consultants:
Other Medical Personnel (LPN, PA, etc.)

Min	=	0	Mean	=	.094
Max	=	10	Std Dev	=	.703
Median	=	0	Variance	=	.495

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 529-530

R9D3**R9D3. NO. CONTRACT DOC LVL COUNSELORS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Contract Staff and Consultants:
Doctoral Level Counselors (Psychologists, etc.)

Min	= 0	Mean	= .166
Max	= 3	Std Dev	= .472
Median	= 0	Variance	= .222

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 531-532

R9E3**R9E3. NO. CONTRACT MA LVL COUNSELORS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Contract Staff and Consultants:
Masters Level Counselors (MSW, etc.)

Min	=	0	Mean	=	.551
Max	=	26	Std Dev	=	2.609
Median	=	0	Variance	=	6.809

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 533-534

R9F3**R9F3. NO. CONTRACT OTHER DEGREED COUNSLR**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Contract Staff and Consultants:

Other degreed counselors (BA, BS)

Min	= 0	Mean	= .079
Max	= 6	Std Dev	= .541
Median	= 0	Variance	= .293

(Based on 265 valid cases)

Data type: numeric

Missing-data codes: *--6

Columns: 535-536

R9G3**R9G3. NO. CONTRACT NON-DEGREED COUNSLR**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Contract Staff and Consultants:
Non-Degreed Counselors

Min	= 0	Mean	= .087
Max	= 9	Std Dev	= .612
Median	= 0	Variance	= .375

(Based on 265 valid cases)

Data type: numeric
Missing-data codes: *--6
Columns: 537-538

R9H3**R9H3. NO. CONTRACT ALL OTHER STAFF**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Number of Contract Staff and Consultants:
All Other Staff, including Administrative Staff

Min	=	.0	Mean	=	.130
Max	=	5.0	Std Dev	=	.546
Median	=	.0	Variance	=	.298

(Based on 265 valid cases)

Data type: numeric
Decimals: 1
Missing-data codes: *--6.0
Columns: 539-542

R9I3**R9I3. TOTAL NO. CONTRACT/CONSULTANT STAF**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

Total Number of Contract Staff and Consultants:

Min	=	.0	Mean	=	1.749
Max	=	31.0	Std Dev	=	3.502
Median	=	1.0	Variance	=	12.267

(Based on 265 valid cases)

Data type: numeric
Decimals: 1
Missing-data codes: *--6.0
Columns: 543-546

Q47AW**Q47AW. ONE -WEEK STAFF HOURS: PHYSICIANS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

In column 4, indicate the total number of hours worked by all full-time and part-time staff on payroll, contract staff, and consultants at this facility during the last 7-day period for which you have records.

1-week Staff Hours:

Physicians (MD/DO; Psychiatrists)

Min	=	.00	Mean	=	14.731
Max	=	175.00	Std Dev	=	25.921
Median	=	3.00	Variance	=	671.885

(Based on 266 valid cases)

Data type: numeric

Decimals: 2

Missing-data codes: *--6.00

Columns: 547-552

Q47BW

Q47BW. ONE-WEEK STAFF HOURS: RN'S

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

In column 4, indicate the total number of hours worked by all full-time and part-time staff on payroll, contract staff, and consultants at this facility during the last 7-day period for which you have records.

1-week Staff Hours:
Registered Nurses (RN)

Min	=	.00	Mean	=	35.365
Max	=	1,570.00	Std Dev	=	123.363
Median	=	.00	Variance	=	15,218.535

(Based on 268 valid cases)

Data type: numeric
Decimals: 2
Missing-data codes: *--6.00
Columns: 553-559

Q47CW

Q47CW. ONE-WEEK STAFF HOURS: OTHER

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

In column 4, indicate the total number of hours worked by all full-time and part-time staff on payroll, contract staff, and consultants at this facility during the last 7-day period for which you have records.

1-week Staff Hours:

Other Medical Personnel (LPN, PA, etc.)

Min	=	.0	Mean	=	32.210
Max	=	1,160.0	Std Dev	=	96.067
Median	=	.0	Variance	=	9,228.886

(Based on 267 valid cases)

Data type: numeric

Decimals: 1

Missing-data codes: *--6.0

Columns: 560-565

Q47DW

Q47DW. ONE-WEEK STAFF HOURS: DOCTORAL

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

In column 4, indicate the total number of hours worked by all full-time and part-time staff on payroll, contract staff, and consultants at this facility during the last 7-day period for which you have records.

1-week Staff Hours:

Doctoral Level Counselors (Psychologists, etc.)

Min	=	.0	Mean	=	9.376
Max	=	312.0	Std Dev	=	28.999
Median	=	.0	Variance	=	840.958

(Based on 266 valid cases)

Data type: numeric

Decimals: 1

Missing-data codes: *--6.0

Columns: 566-570

Q47EW**Q47EW. ONE-WEEK STAFF HOURS: MASTERS**

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

In column 4, indicate the total number of hours worked by all full-time and part-time staff on payroll, contract staff, and consultants at this facility during the last 7-day period for which you have records.

1-week Staff Hours:

Masters Level Counselors (MSW, etc.)

Min	=	.00	Mean	=	99.953
Max	=	840.00	Std Dev	=	130.895
Median	=	53.00	Variance	=	17,133.579

(Based on 265 valid cases)

Data type: numeric

Decimals: 2

Missing-data codes: *--6.00

Columns: 571-576

Q47FW

Q47FW. ONE-WEEK STAFF HOURS: OTHER

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

In column 4, indicate the total number of hours worked by all full-time and part-time staff on payroll, contract staff, and consultants at this facility during the last 7-day period for which you have records.

1-week Staff Hours:

Other degreed counselors (BA, BS)

Min	=	.0	Mean	=	87.599
Max	=	675.0	Std Dev	=	111.539
Median	=	40.0	Variance	=	12,441.014

(Based on 267 valid cases)

Data type: numeric

Decimals: 1

Missing-data codes: *--6.0

Columns: 577-581

Q47GW

Q47GW. ONE -WEEK STAFF HOURS: NON-DEGREED COUSELORS

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

In column 4, indicate the total number of hours worked by all full-time and part-time staff on payroll, contract staff, and consultants at this facility during the last 7-day period for which you have records.

1-week Staff Hours:
Non-Degreed Counselors

Min	=	.0	Mean	=	73.047
Max	=	1,040.0	Std Dev	=	109.900
Median	=	37.5	Variance	=	12,077.914

(Based on 268 valid cases)

Data type: numeric
Decimals: 1
Missing-data codes: *--6.0
Columns: 582-587

Q47HW

Q47HW. ONE-WEEK STAFF HOURS: ALL

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

In column 4, indicate the total number of hours worked by all full-time and part-time staff on payroll, contract staff, and consultants at this facility during the last 7-day period for which you have records.

1-week Staff Hours:

All Other Staff, including Administrative Staff

Min	=	.0	Mean	=	183.568
Max	=	2,544.0	Std Dev	=	300.144
Median	=	100.0	Variance	=	90,086.469

(Based on 263 valid cases)

Data type: numeric

Decimals: 1

Missing-data codes: *--6.0

Columns: 588-593

Q47IW

Q47IW. TOTAL ONE-WEEK STAFF HOURS

In Columns 1-3, please indicate the number of full-time and part-time staff members involved in substance abuse treatment. Count staff on the payroll, contract staff, and consultants currently providing substance abuse treatment at this facility in each of the following staff categories. (Full-time staff are those working 35 or more hours per week. Part-time staff are those working on a regular basis but fewer than 35 hours per week.) If any staff worked in more than one staff category listed, please put them in the one category in which they worked the most, i.e., spent the most time, during the past week.

In column 4, indicate the total number of hours worked by all full-time and part-time staff on payroll, contract staff, and consultants at this facility during the last 7-day period for which you have records.

Total 1-week Staff Hours:

Min	=	.00	Mean	=	538.589
Max	=	5,122.00	Std Dev	=	618.243
Median	=	335.75	Variance	=	382,224.066

(Based on 264 valid cases)

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 594-600

BOXE

CHECK Q2 ON PAGE 2, IF ONLY ONE TYPE OF CARE = YES

CHECK Q2 ON PAGE 2, IF ONLY ONE TYPE OF CARE = YES, SKIP TO Q49.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	85.7	240	1	ONLY ONE TYPE OF CARE OFFERED
14.3	14.3	40	2	MORE THAN ONE TYPE OF CARE OFFERED
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 601-602

Q48A	Q48A.PCT STAFF TIME FOR WEEK-HOSP INPATIENT TX
-------------	---

Combining full-time, part-time, contract staff and consultants: What percentage of total staff time for a week was spent in . . .

. . . hospital inpatient treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.4	1	5	
16.7	0.7	2	10	
8.3	0.4	1	15	
8.3	0.4	1	20	
8.3	0.4	1	27	
8.3	0.4	1	30	
8.3	0.4	1	50	
25.0	1.1	3	60	
8.3	0.4	1	75	
	95.7	268	-9	INAPPLICABLE, BOX E CODED 1
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 603-604

Q48D	Q48D.PCT STAFF TIME FOR WEEK-OP METHADONE
-------------	--

Combining full-time, part-time, contract staff and consultants: What percentage of total staff time for a week was spent in . . .

. . . outpatient methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.4	1	0	
5.6	0.4	1	2	
5.6	0.4	1	3	
5.6	0.4	1	5	
11.1	0.7	2	10	
5.6	0.4	1	12	
5.6	0.4	1	20	
5.6	0.4	1	30	
11.1	0.7	2	35	
5.6	0.4	1	55	
5.6	0.4	1	64	
5.6	0.4	1	67	
5.6	0.4	1	78	
11.1	0.7	2	85	
5.6	0.4	1	95	
	93.2	261	-9	INAPPLICABLE, BOX E CODED 1
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 610-611

Q48E **Q48E.PCT STAFF TIME FOR WEEK-OP NON-METHADONE**

Combining full-time, part-time, contract staff and consultants: What percentage of total staff time for a week was spent in . . .

. . . outpatient non-methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.4	1	1	
5.4	0.7	2	4	
2.7	0.4	1	5	
2.7	0.4	1	8	
2.7	0.4	1	10	
8.1	1.1	3	15	
10.8	1.4	4	20	
2.7	0.4	1	22	
8.1	1.1	3	25	
2.7	0.4	1	33	
2.7	0.4	1	35	
10.8	1.4	4	40	
2.7	0.4	1	45	
5.4	0.7	2	50	
2.7	0.4	1	54	
2.7	0.4	1	65	
2.7	0.4	1	66	
2.7	0.4	1	68	
2.7	0.4	1	78	
2.7	0.4	1	80	
2.7	0.4	1	85	
2.7	0.4	1	90	
2.7	0.4	1	95	
2.7	0.4	1	97	
2.7	0.4	1	100	
	86.1	241	-9	INAPPLICABLE, BOX E CODED 1
	0.7	2	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 612-614

Q50A	Q50A. AVG FRINGE BENEFIT RATE-PHYSICIANS
-------------	---

What is the average fringe benefit rate for . . . physicians
(MDs, DOs; Psychiatrists)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	20.4	57	0	
0.7	0.4	1	3	
2.2	1.1	3	5	
0.7	0.4	1	7	
2.2	1.1	3	10	
2.2	1.1	3	12	
2.2	1.1	3	15	
1.4	0.7	2	16	
2.2	1.1	3	18	
1.4	0.7	2	19	
5.8	2.9	8	20	
1.4	0.7	2	21	
1.4	0.7	2	22	
2.2	1.1	3	23	
2.9	1.4	4	24	
8.6	4.3	12	25	
2.9	1.4	4	27	
3.6	1.8	5	28	
1.4	0.7	2	29	
2.9	1.4	4	30	
3.6	1.8	5	31	
0.7	0.4	1	32	
0.7	0.4	1	33	
0.7	0.4	1	34	
1.4	0.7	2	42	
0.7	0.4	1	63	
2.9	1.4	4	95	
	35.4	99	-9	INAPPLICABLE
	0.4	1	-8	REFUSED
	8.2	23	-7	NOT ASCERTAINED
	6.4	18	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 626-627

Q50B	Q50B. AVG FRINGE BENEFIT RATE-RNS
------	-----------------------------------

What is the average fringe benefit rate for . . . registered nurses (RN)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	3.9	11	0.00	
1.1	0.4	1	3.00	
1.1	0.4	1	12.00	
2.3	0.7	2	15.00	
1.1	0.4	1	16.00	
3.4	1.1	3	19.00	
10.2	3.2	9	20.00	
2.3	0.7	2	21.00	
2.3	0.7	2	22.00	
5.7	1.8	5	23.00	
5.7	1.8	5	24.00	
15.9	5.0	14	25.00	
1.1	0.4	1	26.00	
4.5	1.4	4	27.00	
6.8	2.1	6	28.00	
1.1	0.4	1	29.00	
5.7	1.8	5	30.00	
5.7	1.8	5	31.00	
2.3	0.7	2	33.00	
1.1	0.4	1	35.00	
1.1	0.4	1	36.00	
1.1	0.4	1	42.00	
1.1	0.4	1	60.00	
4.5	1.4	4	95.00	
	60.4	169	-9.00	INAPPLICABLE
	5.0	14	-7.00	NOT ASCERTAINED
	3.2	9	-6.00	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 644-651

Q49C	Q49C. AVG SALARY-OTHER MEDICAL PERSONNEL
-------------	---

What is the average salary paid by this substance abuse treatment facility for . . . other medical personnel (LPN, PA, etc.)?

LEAVE ROW BLANK IF STAFF TYPE IS NOT APPLICABLE AND SKIP Q50.

280 cases (Range of valid codes: 8.00-64080.00)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 652-659

Q49CU	Q49C. UNIT FOR SALARY
--------------	------------------------------

Is that by the hour or per year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	11.8	33	1.00	PER HOUR
52.9	13.2	37	4.00	PER YEAR
	71.1	199	-9.00	INAPPLICABLE
	2.1	6	-7.00	NOT ASCERTAINED
	1.8	5	-6.00	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 660-667

Q50C	Q50C. AVG FRINGE BENEFIT RATE-OTHER MEDICAL PERSONNEL
------	---

What is the average fringe benefit rate for . . . other medical personnel (LPN, PA, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	1.4	4	0.00	
1.7	0.4	1	3.00	
1.7	0.4	1	16.00	
3.4	0.7	2	19.00	
11.9	2.5	7	20.00	
1.7	0.4	1	21.00	
3.4	0.7	2	22.00	
5.1	1.1	3	23.00	
5.1	1.1	3	24.00	
18.6	3.9	11	25.00	
5.1	1.1	3	27.00	
6.8	1.4	4	28.00	
6.8	1.4	4	30.00	
6.8	1.4	4	31.00	
1.7	0.4	1	32.00	
3.4	0.7	2	33.00	
1.7	0.4	1	35.00	
1.7	0.4	1	36.00	
1.7	0.4	1	42.00	
5.1	1.1	3	95.00	
	70.7	198	-9.00	INAPPLICABLE
	3.9	11	-7.00	NOT ASCERTAINED
	4.3	12	-6.00	DON'T KNOW
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 668-675

Q50D	Q50D. AVG FRINGE BENEFIT RATE-DOCTORAL LEVEL COUNSELORS
------	---

What is the average fringe benefit rate for . . . Doctoral level counselors (Psychologists, etc.)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	7.9	22	0.00	
2.7	0.7	2	2.00	
4.0	1.1	3	5.00	
4.0	1.1	3	10.00	
4.0	1.1	3	12.00	
1.3	0.4	1	14.00	
1.3	0.4	1	15.00	
1.3	0.4	1	18.00	
1.3	0.4	1	19.00	
6.7	1.8	5	20.00	
2.7	0.7	2	21.00	
1.3	0.4	1	22.00	
2.7	0.7	2	23.00	
1.3	0.4	1	24.00	
8.0	2.1	6	25.00	
4.0	1.1	3	27.00	
2.7	0.7	2	28.00	
1.3	0.4	1	29.00	
5.3	1.4	4	30.00	
4.0	1.1	3	32.00	
1.3	0.4	1	34.00	
1.3	0.4	1	35.00	
1.3	0.4	1	36.00	
1.3	0.4	1	40.00	
1.3	0.4	1	42.00	
4.0	1.1	3	95.00	
	66.8	187	-9.00	INAPPLICABLE
	0.4	1	-8.00	REFUSED
	3.9	11	-7.00	NOT ASCERTAINED
	2.1	6	-6.00	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 692-699

Q49FU

Q49F. UNIT FOR SALARY

Is that by the hour or per year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	30.7	86	1.00	PER HOUR
56.6	40.0	112	4.00	PER YEAR
	23.9	67	-9.00	INAPPLICABLE
	0.4	1	-8.00	REFUSED
	3.9	11	-7.00	NOT ASCERTAINED
	1.1	3	-6.00	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Decimals: 2

Missing-data codes: *--6.00

Columns: 732-739

Q50F. AVG FRINGE BENEFIT RATE-OTHER DEGREED COUNSELORS

What is the average fringe benefit rate for . . . other degreed counselors (BA, BS)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	6.1	17	0.00	
0.6	0.4	1	1.00	
0.6	0.4	1	2.00	
0.6	0.4	1	3.00	
0.6	0.4	1	4.00	
0.6	0.4	1	5.00	
1.2	0.7	2	9.00	
1.8	1.1	3	10.00	
0.6	0.4	1	11.00	
1.8	1.1	3	12.00	
2.4	1.4	4	15.00	
1.2	0.7	2	16.00	
1.2	0.7	2	17.00	
1.8	1.1	3	18.00	
3.0	1.8	5	19.00	
8.9	5.4	15	20.00	
3.0	1.8	5	21.00	
5.9	3.6	10	22.00	
4.1	2.5	7	23.00	
5.9	3.6	10	24.00	
10.1	6.1	17	25.00	
1.2	0.7	2	26.00	
3.6	2.1	6	27.00	
4.1	2.5	7	28.00	
1.8	1.1	3	29.00	
4.7	2.9	8	30.00	
3.6	2.1	6	31.00	
2.4	1.4	4	32.00	
1.2	0.7	2	33.00	
1.8	1.1	3	35.00	
0.6	0.4	1	36.00	
0.6	0.4	1	40.00	
0.6	0.4	1	41.00	
1.2	0.7	2	42.00	
0.6	0.4	1	60.00	
6.5	3.9	11	95.00	
	23.9	67	-9.00	INAPPLICABLE
	0.4	1	-8.00	REFUSED
	7.5	21	-7.00	NOT ASCERTAINED
	7.9	22	-6.00	DON'T KNOW
-----	-----	----		

100.0 100.0 280 cases

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 740-747

Q49G	Q49G. AVG SALARY-NON-DEGREED COUNSELORS
-------------	--

What is the average salary paid by this substance abuse treatment facility for . . . non-degreed counselors?

LEAVE ROW BLANK IF STAFF TYPE IS NOT APPLICABLE AND SKIP Q50.

280 cases (Range of valid codes: 6.00-60000.00)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 748-755

Q49GU	Q49G. UNIT FOR SALARY
--------------	------------------------------

Is that by the hour or per year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	24.3	68	1.00	PER HOUR
57.2	32.5	91	4.00	PER YEAR
	40.0	112	-9.00	INAPPLICABLE
	0.4	1	-8.00	REFUSED
	2.1	6	-7.00	NOT ASCERTAINED
	0.7	2	-6.00	DON'T KNOW

 100.0 100.0 280 cases

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 756-763

Q50H

Q50H. AVG FRINGE BENEFIT RATE-ALL OTHER STAFF

What is the average fringe benefit rate for . . . all other staff, including administrative staff?

280 cases (Range of valid codes: 0-95)

Data type: numeric

Missing-data codes: *--6

Columns: 782-783

Services Offered

Q51A Q51A. OFFERED COMPREHENSIVE ASSESSMENT/DIAGNOSIS

Does this substance abuse treatment facility offer any of the following services to any substance abuse clients?

Comprehensive assessment / diagnosis

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	93.2	261	1	YES
6.1	6.1	17	2	NO
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 784-785

Q51APC	Q51A.PCT CLIENTS REC'D ASSESSMENT/DIAGNOSIS
--------	---

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Comprehensive assessment / diagnosis

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	1	1	
0.4	0.4	1	3	
1.2	1.1	3	10	
0.8	0.7	2	12	
0.4	0.4	1	15	
0.8	0.7	2	20	
0.8	0.7	2	50	
0.4	0.4	1	60	
0.4	0.4	1	75	
0.8	0.7	2	80	
0.8	0.7	2	85	
0.8	0.7	2	90	
0.8	0.7	2	98	
91.4	83.9	235	100	
	6.8	19	-9	INAPPLICABLE
	1.1	3	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 786-788

Q51B	Q51B. OFFERED CHILD CARE
-------------	---------------------------------

Does this substance abuse treatment facility offer any of the following services to any substance abuse clients?

Child care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.3	40	1	YES
85.6	85.0	238	2	NO
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 789-790

Q51BPC	Q51B.PCT CLIENTS REC'D CHILD CARE
--------	-----------------------------------

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Child care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	1.1	3	1	
5.3	0.7	2	2	
21.1	2.9	8	5	
2.6	0.4	1	8	
21.1	2.9	8	10	
2.6	0.4	1	15	
15.8	2.1	6	20	
5.3	0.7	2	25	
2.6	0.4	1	30	
2.6	0.4	1	35	
13.2	1.8	5	100	
	85.7	240	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 791-793

Q51CPC	Q51C.PCT CLIENTS REC'D TRANSPORTATION
--------	---------------------------------------

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Transportation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.4	1	0.6	
4.3	1.8	5	1.0	
4.3	1.8	5	2.0	
0.9	0.4	1	3.0	
1.7	0.7	2	4.0	
14.8	6.1	17	5.0	
0.9	0.4	1	8.0	
16.5	6.8	19	10.0	
4.3	1.8	5	15.0	
4.3	1.8	5	20.0	
1.7	0.7	2	25.0	
1.7	0.7	2	30.0	
0.9	0.4	1	33.0	
3.5	1.4	4	40.0	
6.1	2.5	7	50.0	
4.3	1.8	5	60.0	
0.9	0.4	1	65.0	
0.9	0.4	1	70.0	
1.7	0.7	2	75.0	
2.6	1.1	3	80.0	
0.9	0.4	1	85.0	
0.9	0.4	1	96.0	
20.9	8.6	24	100.0	
	56.8	159	-9.0	INAPPLICABLE
	1.4	4	-7.0	NOT ASCERTAINED
	0.7	2	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 796-800

Q51DPC

Q51D.PCT CLIENTS REC'D SELF- OR MUTUAL-HELP GROUPS

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Self-help or mutual help groups

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.7	2	1	
0.7	0.4	1	2	
3.4	1.8	5	5	
4.0	2.1	6	10	
2.7	1.4	4	15	
3.4	1.8	5	20	
4.0	2.1	6	25	
3.4	1.8	5	30	
2.0	1.1	3	40	
5.4	2.9	8	50	
2.0	1.1	3	60	
3.4	1.8	5	70	
2.7	1.4	4	75	
4.0	2.1	6	80	
0.7	0.4	1	85	
2.0	1.1	3	90	
1.3	0.7	2	95	
53.7	28.6	80	100	
	43.9	123	-9	INAPPLICABLE
	1.8	5	-7	NOT ASCERTAINED
	1.1	3	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 803-805

Q51EPC	Q51E.PCT CLIENTS REC'D INDIVIDUAL THERAPY
---------------	--

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Individual therapy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	1	1.00	
0.4	0.4	1	5.00	
1.2	1.1	3	10.00	
0.8	0.7	2	15.00	
2.3	2.1	6	20.00	
1.6	1.4	4	25.00	
1.6	1.4	4	30.00	
0.4	0.4	1	33.33	
0.8	0.7	2	35.00	
0.8	0.7	2	40.00	
0.4	0.4	1	45.00	
2.3	2.1	6	50.00	
0.4	0.4	1	55.00	
2.3	2.1	6	60.00	
1.2	1.1	3	70.00	
1.9	1.8	5	75.00	
2.7	2.5	7	80.00	
0.8	0.7	2	85.00	
0.4	0.4	1	88.00	
0.4	0.4	1	89.00	
3.5	3.2	9	90.00	
0.4	0.4	1	94.00	
2.7	2.5	7	95.00	
0.8	0.7	2	98.00	
69.6	63.9	179	100.00	
	5.4	15	-9.00	INAPPLICABLE
	2.1	6	-7.00	NOT ASCERTAINED
	0.7	2	-6.00	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 808-813

Q51FPC Q51F.PCT CLIENTS REC'D GROUP THERAPY

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Group therapy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	1	0.00	
0.4	0.4	1	1.00	
1.2	1.1	3	4.00	
0.8	0.7	2	5.00	
0.4	0.4	1	6.00	
0.4	0.4	1	7.50	
1.2	1.1	3	10.00	
0.8	0.7	2	15.00	
1.6	1.4	4	20.00	
0.4	0.4	1	23.00	
0.4	0.4	1	25.00	
4.3	3.9	11	30.00	
0.4	0.4	1	33.33	
1.6	1.4	4	40.00	
0.4	0.4	1	45.00	
3.1	2.9	8	50.00	
0.8	0.7	2	55.00	
0.8	0.7	2	60.00	
0.4	0.4	1	65.00	
0.4	0.4	1	68.00	
2.4	2.1	6	70.00	
2.8	2.5	7	75.00	
2.4	2.1	6	80.00	
0.4	0.4	1	82.00	
1.2	1.1	3	85.00	
6.7	6.1	17	90.00	
0.4	0.4	1	92.00	
3.1	2.9	8	95.00	
0.4	0.4	1	97.00	
2.0	1.8	5	98.00	
0.4	0.4	1	98.70	
57.9	52.5	147	100.00	
	6.1	17	-9.00	INAPPLICABLE
	2.1	6	-7.00	NOT ASCERTAINED
	1.1	3	-6.00	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 816-821

Q51GPC	Q51G.PCT CLIENTS REC'D RELAPSE PREVENTION GROUPS
--------	--

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Relapse prevention groups

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.4	1	1.47	
1.5	1.1	3	2.00	
1.0	0.7	2	3.00	
3.4	2.5	7	5.00	
1.0	0.7	2	6.00	
0.5	0.4	1	7.00	
5.4	3.9	11	10.00	
3.4	2.5	7	15.00	
0.5	0.4	1	18.00	
3.9	2.9	8	20.00	
5.9	4.3	12	25.00	
1.5	1.1	3	30.00	
0.5	0.4	1	33.00	
0.5	0.4	1	35.00	
2.5	1.8	5	40.00	
0.5	0.4	1	45.00	
5.4	3.9	11	50.00	
0.5	0.4	1	55.00	
1.0	0.7	2	60.00	
0.5	0.4	1	65.00	
3.0	2.1	6	70.00	
1.5	1.1	3	75.00	
3.0	2.1	6	80.00	
0.5	0.4	1	82.00	
0.5	0.4	1	85.00	
0.5	0.4	1	89.00	
2.0	1.4	4	90.00	
1.5	1.1	3	95.00	
47.8	34.6	97	100.00	
	25.0	70	-9.00	INAPPLICABLE
	1.4	4	-7.00	NOT ASCERTAINED
	1.1	3	-6.00	DON'T KNOW
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 824-829

Q51H	Q51H. OFFERED FAMILY COUNSELING
-------------	--

Does this substance abuse treatment facility offer any of the following services to any substance abuse clients?

Family counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	82.1	230	1	YES
17.3	17.1	48	2	NO
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 830-831

Q51HPC	Q51H.PCT CLIENTS REC'D FAMILY COUNSELING
--------	--

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Family counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.1	3	0.00	
0.5	0.4	1	0.02	
3.2	2.5	7	1.00	
2.8	2.1	6	2.00	
1.4	1.1	3	3.00	
0.9	0.7	2	4.00	
11.6	8.9	25	5.00	
0.5	0.4	1	6.00	
0.5	0.4	1	7.00	
0.9	0.7	2	8.00	
0.5	0.4	1	9.00	
14.8	11.4	32	10.00	
0.5	0.4	1	12.00	
0.5	0.4	1	13.00	
5.1	3.9	11	15.00	
0.5	0.4	1	18.00	
6.0	4.6	13	20.00	
6.5	5.0	14	25.00	
0.5	0.4	1	27.50	
3.7	2.9	8	30.00	
0.5	0.4	1	33.33	
5.1	3.9	11	40.00	
8.3	6.4	18	50.00	
1.4	1.1	3	60.00	
0.5	0.4	1	65.00	
1.4	1.1	3	70.00	
1.9	1.4	4	75.00	
1.4	1.1	3	80.00	
0.9	0.7	2	85.00	
1.4	1.1	3	90.00	
0.5	0.4	1	95.00	
14.8	11.4	32	100.00	
	17.9	50	-9.00	INAPPLICABLE
	2.9	8	-7.00	NOT ASCERTAINED
	2.1	6	-6.00	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 2
 Missing-data codes: *--6.00
 Columns: 832-837

Q51IPC	Q51I.PCT CLIENTS REC'D COUNSELING/TRAINING
--------	--

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Employment counseling / training

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.7	2	0.0	
2.5	1.1	3	1.0	
4.2	1.8	5	2.0	
0.8	0.4	1	3.0	
0.8	0.4	1	4.0	
3.4	1.4	4	5.0	
0.8	0.4	1	6.0	
5.9	2.5	7	10.0	
0.8	0.4	1	12.5	
3.4	1.4	4	15.0	
10.2	4.3	12	20.0	
3.4	1.4	4	25.0	
0.8	0.4	1	25.6	
0.8	0.4	1	27.0	
0.8	0.4	1	29.0	
7.6	3.2	9	30.0	
1.7	0.7	2	33.0	
0.8	0.4	1	35.0	
5.1	2.1	6	40.0	
6.8	2.9	8	50.0	
2.5	1.1	3	60.0	
0.8	0.4	1	65.0	
0.8	0.4	1	70.0	
0.8	0.4	1	75.0	
0.8	0.4	1	80.0	
0.8	0.4	1	90.0	
30.5	12.9	36	100.0	
	54.3	152	-9.0	INAPPLICABLE
	2.9	8	-7.0	NOT ASCERTAINED
	0.7	2	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 840-844

Q51JPC	Q51J.PCT CLIENTS REC'D ACADEMIC EDUCATION/GED CLASSE
--------	--

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Academic education / GED classes

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.4	1	0	
4.9	0.7	2	1	
2.4	0.4	1	3	
4.9	0.7	2	5	
2.4	0.4	1	6	
9.8	1.4	4	10	
7.3	1.1	3	15	
4.9	0.7	2	20	
4.9	0.7	2	30	
2.4	0.4	1	33	
4.9	0.7	2	35	
4.9	0.7	2	40	
2.4	0.4	1	45	
7.3	1.1	3	50	
2.4	0.4	1	60	
2.4	0.4	1	90	
29.3	4.3	12	100	
	84.6	237	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 847-849

Q51K. OFFERED HIV/AIDS EDUCATION/COUNSELING/SUPPORT

Does this substance abuse treatment facility offer any of the following services to any substance abuse clients?

HIV/AIDS education / counseling / support

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	89.6	251	1	YES
9.4	9.3	26	2	NO
	1.1	3	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 850-851

Q51KPC	Q51K.PCT CLIENTS REC'D HIV/AIDS ED/COUNSELING/SUPPORT
--------	---

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

HIV/AIDS education / counseling / support

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	1	0.0	
0.4	0.4	1	1.0	
0.4	0.4	1	1.5	
1.2	1.1	3	2.0	
1.6	1.4	4	5.0	
1.2	1.1	3	10.0	
0.4	0.4	1	12.0	
1.6	1.4	4	15.0	
0.4	0.4	1	16.0	
2.4	2.1	6	20.0	
2.4	2.1	6	25.0	
1.2	1.1	3	30.0	
0.4	0.4	1	33.0	
0.4	0.4	1	35.0	
0.8	0.7	2	40.0	
0.4	0.4	1	45.0	
2.4	2.1	6	50.0	
0.4	0.4	1	60.0	
0.4	0.4	1	65.0	
0.4	0.4	1	70.0	
0.8	0.7	2	75.0	
0.8	0.7	2	85.0	
1.2	1.1	3	90.0	
1.2	1.1	3	95.0	
76.4	67.1	188	100.0	
	10.4	29	-9.0	INAPPLICABLE
	1.4	4	-7.0	NOT ASCERTAINED
	0.4	1	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 852-856

Q51L. OFFERED COMBINED SUB ABUSE & MENTAL HEALTH TX

Does this substance abuse treatment facility offer any of the following services to any substance abuse clients?

Combined substance abuse and mental health treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	73.6	206	1	YES
25.9	25.7	72	2	NO
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 857-858

Q51LPC	Q51L.PCT CLIENTS REC'D COMBINED SUB ABUSE & MH TX
--------	---

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Combined substance abuse and mental health treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.7	2	1.0	
1.5	1.1	3	2.0	
0.5	0.4	1	2.5	
1.5	1.1	3	3.0	
0.5	0.4	1	4.0	
5.1	3.6	10	5.0	
1.0	0.7	2	8.0	
11.7	8.2	23	10.0	
0.5	0.4	1	11.0	
2.0	1.4	4	15.0	
9.7	6.8	19	20.0	
5.1	3.6	10	25.0	
7.7	5.4	15	30.0	
4.1	2.9	8	35.0	
6.1	4.3	12	40.0	
0.5	0.4	1	44.0	
1.5	1.1	3	45.0	
4.6	3.2	9	50.0	
1.5	1.1	3	55.0	
1.0	0.7	2	60.0	
0.5	0.4	1	66.0	
1.5	1.1	3	70.0	
5.6	3.9	11	75.0	
1.0	0.7	2	80.0	
0.5	0.4	1	95.0	
0.5	0.4	1	99.0	
23.0	16.1	45	100.0	
	26.4	74	-9.0	INAPPLICABLE
	2.5	7	-7.0	NOT ASCERTAINED
	1.1	3	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 859-863

Q51M	Q51M. OFFERED TB SCREENING
-------------	-----------------------------------

Does this substance abuse treatment facility offer any of the following services to any substance abuse clients?

TB screening

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	56.1	157	1	YES
43.5	43.2	121	2	NO
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 864-865

Q51MPC	Q51M.PCT CLIENTS REC'D TB SCREENING
--------	-------------------------------------

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

TB screening

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.4	1	0.1	
1.3	0.7	2	1.0	
1.9	1.1	3	5.0	
2.6	1.4	4	10.0	
0.6	0.4	1	15.0	
1.9	1.1	3	20.0	
0.6	0.4	1	25.0	
1.3	0.7	2	30.0	
1.3	0.7	2	35.0	
1.3	0.7	2	40.0	
0.6	0.4	1	50.0	
1.3	0.7	2	60.0	
0.6	0.4	1	65.0	
1.9	1.1	3	70.0	
1.3	0.7	2	75.0	
0.6	0.4	1	80.0	
0.6	0.4	1	85.0	
79.2	43.6	122	100.0	
	43.9	123	-9.0	INAPPLICABLE
	0.7	2	-7.0	NOT ASCERTAINED
	0.4	1	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 866-870

Q51N	Q51N. OFFERED PRENATAL CARE
-------------	------------------------------------

Does this substance abuse treatment facility offer any of the following services to any substance abuse clients?

Prenatal care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	12.9	36	1	YES
87.0	86.1	241	2	NO
	1.1	3	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 871-872

Q51NPC	Q51N.PCT CLIENTS REC'D PRENATAL CARE
---------------	---

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Prenatal care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.4	1	0.1	
11.8	1.4	4	1.0	
20.6	2.5	7	2.0	
2.9	0.4	1	4.0	
8.8	1.1	3	5.0	
2.9	0.4	1	7.0	
20.6	2.5	7	10.0	
5.9	0.7	2	20.0	
2.9	0.4	1	30.0	
2.9	0.4	1	40.0	
2.9	0.4	1	70.0	
2.9	0.4	1	75.0	
11.8	1.4	4	100.0	
	87.1	244	-9.0	INAPPLICABLE
	0.4	1	-7.0	NOT ASCERTAINED
	0.4	1	-6.0	DON'T KNOW
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 873-877

Q510PC

Q510.PCT CLIENTS REC'D SMOKING CESSATION

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Smoking cessation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	1.4	4	0.0	
7.4	1.8	5	1.0	
2.9	0.7	2	2.0	
1.5	0.4	1	3.0	
1.5	0.4	1	4.0	
10.3	2.5	7	5.0	
14.7	3.6	10	10.0	
2.9	0.7	2	15.0	
8.8	2.1	6	20.0	
1.5	0.4	1	25.0	
1.5	0.4	1	27.5	
2.9	0.7	2	30.0	
4.4	1.1	3	50.0	
4.4	1.1	3	75.0	
29.4	7.1	20	100.0	
	72.9	204	-9.0	INAPPLICABLE
	1.4	4	-7.0	NOT ASCERTAINED
	1.4	4	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Decimals: 1

Missing-data codes: *--6.0

Columns: 880-884

Q51P	Q51P. OFFERED ACUPUNCTURE
-------------	----------------------------------

Does this substance abuse treatment facility offer any of the following services to any substance abuse clients?

Acupuncture

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	8.2	23	1	YES
91.7	91.1	255	2	NO
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 885-886

Q51PPC	Q51P.PCT CLIENTS REC'D ACUPUNCTURE
---------------	---

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Acupuncture

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	1.1	3	2	
9.5	0.7	2	5	
14.3	1.1	3	10	
4.8	0.4	1	20	
9.5	0.7	2	25	
14.3	1.1	3	30	
4.8	0.4	1	40	
4.8	0.4	1	54	
4.8	0.4	1	60	
4.8	0.4	1	75	
4.8	0.4	1	85	
4.8	0.4	1	90	
4.8	0.4	1	100	
	91.8	257	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 887-889

Q51QPC	Q51Q.PCT CLIENTS REC'D AFTERCARE
---------------	---

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Aftercare

PCT VALID	PCT ALL	N	VALUE	LABEL
1.1	0.7	2	0.5	
2.2	1.4	4	1.0	
3.2	2.1	6	2.0	
2.2	1.4	4	3.0	
5.4	3.6	10	5.0	
1.1	0.7	2	8.0	
5.4	3.6	10	10.0	
0.5	0.4	1	12.0	
4.3	2.9	8	15.0	
9.7	6.4	18	20.0	
0.5	0.4	1	22.0	
4.3	2.9	8	25.0	
0.5	0.4	1	27.5	
2.2	1.4	4	30.0	
0.5	0.4	1	33.0	
0.5	0.4	1	35.0	
3.8	2.5	7	40.0	
7.6	5.0	14	50.0	
2.7	1.8	5	60.0	
0.5	0.4	1	65.0	
2.2	1.4	4	70.0	
4.3	2.9	8	75.0	
1.6	1.1	3	80.0	
1.6	1.1	3	85.0	
1.1	0.7	2	95.0	
30.8	20.4	57	100.0	
	31.8	89	-9.0	INAPPLICABLE
	0.7	2	-7.0	NOT ASCERTAINED
	1.4	4	-6.0	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 1
 Missing-data codes: *--6.0
 Columns: 892-896

Q51R	Q51R. OFFERED OUTCOME FOLLOWUP
-------------	---------------------------------------

Does this substance abuse treatment facility offer any of the following services to any substance abuse clients?

Outcome followup

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	49.3	138	1	YES
50.2	49.6	139	2	NO
	1.1	3	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 897-898

Q51RPC	Q51R.PCT CLIENTS REC'D OUTCOME FOLLOWUP
--------	---

Please indicate the percentage of your substance abuse clients who received this service over the past 12 months.

Outcome followup

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.4	1	2	
3.0	1.4	4	5	
0.8	0.4	1	6	
12.1	5.7	16	10	
1.5	0.7	2	15	
5.3	2.5	7	20	
4.5	2.1	6	25	
0.8	0.4	1	30	
0.8	0.4	1	35	
0.8	0.4	1	38	
3.8	1.8	5	40	
6.8	3.2	9	50	
1.5	0.7	2	55	
3.0	1.4	4	60	
0.8	0.4	1	65	
0.8	0.4	1	70	
2.3	1.1	3	75	
0.8	0.4	1	80	
1.5	0.7	2	90	
1.5	0.7	2	95	
1.5	0.7	2	98	
45.5	21.4	60	100	
	50.7	142	-9	INAPPLICABLE
	1.8	5	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 899-901

Facility Revenue/Funding**Q52****Q52. 12-MONTH SA TX REVENUE**

What is the 12-month substance abuse treatment revenue or funding for this facility? Include all sources such as client payments, insurance, contracts, grants, government funds, budget allocations, and donations. If possible, count only income related to substance abuse treatment.

Min	=	14,486	Mean	=	921,068.693
Max	=	11,560,055	Std Dev	=	1,225,887.623
Median	=	447,903.5	Variance	=	1,502,800,465,293.604

(Based on 280 valid cases)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 902-909

Q53FMM

Q53. FROM: MONTH

What is the 12-month time period to which the revenue or funding refers?

Beginning month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	19.3	54	1	
0.4	0.4	1	3	
0.8	0.7	2	4	
2.5	2.1	6	6	
52.5	45.0	126	7	
3.3	2.9	8	8	
5.8	5.0	14	9	
11.7	10.0	28	10	
0.4	0.4	1	12	
	0.7	2	-8	REFUSED
	12.1	34	-7	NOT ASCERTAINED
	1.4	4	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 910-911

Q53FDD **Q53. FROM: DAY**

What is the 12-month time period to which the revenue or funding refers?

Beginning day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	78.9	221	1	
0.8	0.7	2	3	
0.4	0.4	1	14	
4.2	3.6	10	30	
2.1	1.8	5	31	
	0.7	2	-8	REFUSED
	12.5	35	-7	NOT ASCERTAINED
	1.4	4	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 912-913

Q53FYY **Q53. FROM: YEAR**

What is the 12-month time period to which the revenue or funding refers?

Beginning year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	2	1994	
8.3	7.1	20	1995	
70.5	60.7	170	1996	
19.1	16.4	46	1997	
1.2	1.1	3	1998	
	0.7	2	-8	REFUSED
	11.8	33	-7	NOT ASCERTAINED
	1.4	4	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 914-917

Q53TMM **Q53. THROUGH: MONTH**

What is the 12-month time period to which the revenue or funding refers?

Ending month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.1	3	1	
0.4	0.4	1	2	
0.8	0.7	2	3	
52.5	45.0	126	6	
2.9	2.5	7	7	
7.1	6.1	17	8	
9.2	7.9	22	9	
2.9	2.5	7	10	
1.7	1.4	4	11	
21.2	18.2	51	12	
	0.7	2	-8	REFUSED
	12.1	34	-7	NOT ASCERTAINED
	1.4	4	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 918-919

Q53TDD **Q53. THROUGH: DAY**

What is the 12-month time period to which the revenue or funding refers?

Ending day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.1	17	1	
0.4	0.4	1	14	
0.4	0.4	1	28	
63.2	53.9	151	30	
28.9	24.6	69	31	
	0.7	2	-8	REFUSED
	12.5	35	-7	NOT ASCERTAINED
	1.4	4	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 920-921

Q53TYT **Q53. THROUGH: YEAR**

What is the 12-month time period to which the revenue or funding refers?

Ending year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	1	1995	
21.2	18.2	51	1996	
65.6	56.4	158	1997	
12.9	11.1	31	1998	
	0.7	2	-8	REFUSED
	11.8	33	-7	NOT ASCERTAINED
	1.4	4	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 922-925

Q55 **Q55. WHAT ARE THE 12-MONTH TOTAL SUB ABUSE TX COSTS**

What are the 12-month total substance abuse treatment costs for this facility? If these data are obtained from a financial report in thousands of dollars, add three zeros to convert to dollars. Count only costs related to substance abuse treatment.

Min	=	8,000	Mean	=	2,122,679.210
Max	=	189,325,660	Std Dev	=	13,827,388.839
Median	=	480,530	Variance	=	191,196,682,091,123.656

(Based on 195 valid cases)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 930-938

Q56BOX **Q56 BOX. IF RESPONDENT IS UNABLE TO REPORT COSTS**

IF RESPONDENT IS UNABLE TO REPORT COSTS IN Q55 FOR SUBSTANCE ABUSE TREATMENT ONLY, CHECK BOX HERE AND ASK Q56PC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.4	18	1	BOX IS CHECKED
93.6	93.6	262	2	BOX IS NOT CHECKED
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 939-940

Q56PC	Q56PC. ESTIMATED % TOT COSTS RELATED TO SUB ABUSE TX
-------	--

What percentage of the total costs you reported would you estimate are related to substance abuse treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.4	1	4	
23.1	1.1	3	5	
15.4	0.7	2	20	
15.4	0.7	2	25	
15.4	0.7	2	30	
7.7	0.4	1	60	
7.7	0.4	1	70	
7.7	0.4	1	75	
	93.6	262	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
	1.4	4	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 941-942

12-MONTH PERIOD REPORTING

Hospital Inpatient

Q57FMM Q57. FROM: MONTH

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Beginning month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	1.1	3	1	
15.4	0.7	2	9	
53.8	2.5	7	10	
7.7	0.4	1	12	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 949-950

Q57FDD**Q57. FROM: DAY**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Beginning day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	3.9	11	1	
7.7	0.4	1	9	
7.7	0.4	1	30	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 951-952

Q57FYY**Q57. FROM: YEAR**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Beginning year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.4	1	1995	
76.9	3.6	10	1996	
15.4	0.7	2	1997	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 953-956

Q57TMM **Q57. THROUGH: MONTH**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Ending month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	2.5	7	9	
15.4	0.7	2	10	
7.7	0.4	1	11	
23.1	1.1	3	12	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 957-958

Q57TDD **Q57. THROUGH: DAY**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Ending day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	1.1	3	1	
7.7	0.4	1	9	
53.8	2.5	7	30	
15.4	0.7	2	31	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 959-960

Q57TTY**Q57. THROUGH: YEAR**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Ending year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.7	2	1996	
84.6	3.9	11	1997	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 961-964

Q57A01**Q57A_1. HOSP INPAT PRIM PAY: CLIENT SELF PAYMENT**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Client self payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	2.9	8	1	YES
27.3	1.1	3	2	NO
	95.4	267	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 965-966

Q57B01N Q57B_1N. # ADM-PRIMARYLY CLIENT SELF PAYMENT

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Client self payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	280	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 967-968

Q57B01P Q57B_1P. % ADM-PRIMARYLY CLIENT SELF PAYMENT

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Client self payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.7	2	1	
25.0	0.7	2	4	
12.5	0.4	1	5	
37.5	1.1	3	10	
	97.1	272	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 969-970

Q57A02

Q57A_2. HOSP INPAT PRIM PAY: PRIV INS, FEE-FOR-SERVICE

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Private health insurance, fee-for-service

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	2.9	8	1	YES
27.3	1.1	3	2	NO
	95.4	267	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 971-972

Q57B02N

Q57B_2N. # ADM-PRIMARILY PRIV INS, FEE-FOR-SERVICE

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Private health insurance, fee-for-service

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	14	
	99.6	279	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 973-974

Q57B02P Q57B_2P. % ADM-PRIMARYLY PRIV INS, FEE-FOR-SERVICE

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Private health insurance, fee-for-service

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.4	1	1	
14.3	0.4	1	10	
14.3	0.4	1	16	
14.3	0.4	1	30	
14.3	0.4	1	34	
14.3	0.4	1	45	
14.3	0.4	1	60	
	97.5	273	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 975-976

Q57A03 Q57A_3. HOSP INPAT PRIM PAY: HMO/PPO/MGD CARE

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Private health insurance, HMO/PPO/Managed Care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	2.1	6	1	YES
45.5	1.8	5	2	NO
	95.4	267	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 977-978

Q57B03N

Q57B_3N. # ADM-PRIMARYLY THIS HMO/PPO/MGD CARE

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Private health insurance, HMO/PPO/Managed Care

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	15	
	99.6	279	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 979-980

Q57B03P

Q57B_3P. % ADM-PRIMARYLY THIS HMO/PPO/MGD CARE

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS

Private health insurance, HMO/PPO/Managed Care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.4	1	5	
40.0	0.7	2	40	
20.0	0.4	1	41	
20.0	0.4	1	70	
	98.2	275	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 981-982

Q57A04 Q57A_4. HOSP INPAT PRIM PAY: CRIMINAL JUSTICE SYSTEM

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Criminal justice system, federal, state, or local

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.7	2	1	YES
81.8	3.2	9	2	NO
	95.4	267	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 983-984

Q57B04N Q57B_4N. # ADM-PRIMARILY CRIMINAL JUSTICE SYSTEM

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
 Criminal justice system, federal, state, or local

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	280	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 985-986

Q57B05N Q57B_5N. # ADM-PRIMARYLY MEDICAID

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Medicaid

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	280	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 991-992

Q57B05P Q57B_5P. % ADM-PRIMARYLY MEDICAID

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Medicaid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.4	1	9	
20.0	0.4	1	10	
40.0	0.7	2	15	
20.0	0.4	1	20	
	97.9	274	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 993-994

Q57A06

Q57A_6. HOSP INPAT PRIM PAY: MEDICARE

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Medicare

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	2.9	8	1	YES
27.3	1.1	3	2	NO
	95.4	267	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 995-996

Q57B06N

Q57B_6N. # ADM-PRIMARILY MEDICARE

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Medicare

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	30	
	99.6	279	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 997-998

Q57B06P Q57B_6P. % ADM-PRIMARYLY MEDICARE

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Medicare

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.4	1	1	
14.3	0.4	1	4	
14.3	0.4	1	5	
14.3	0.4	1	9	
14.3	0.4	1	10	
14.3	0.4	1	15	
14.3	0.4	1	25	
	97.5	273	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 999-1000

Q57A07 Q57A_7. HOSP INPAT PRIM PAY: OTHER PUBLIC PAYMENT

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Other public payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	1.4	4	1	YES
63.6	2.5	7	2	NO
	95.4	267	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1001-1002

Q57B07N

Q57B_7N. # ADM-PRIMARILY OTHER PUBLIC PAYMENT

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Other public payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	624	
	99.6	279	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1003-1005

Q57B07P

Q57B_7P. % ADM-PRIMARILY OTHER PUBLIC PAYMENT

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Other public payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	1	1	
33.3	0.4	1	98	
33.3	0.4	1	100	
	98.9	277	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1006-1008

Q57B08P**Q57B_8P. % ADM-PRIMARILY NO PAYMENT**

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS

No payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.4	1	3	
25.0	0.4	1	7	
25.0	0.4	1	10	
25.0	0.4	1	100	
	98.6	276	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1013-1015

Q57A09**Q57A_9. HOSP INPAT PRIM PAY: OTHER/SPECIFY LARGEST TYPE**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Other / specify largest type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.7	2	1	YES
81.8	3.2	9	2	NO
	95.4	267	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1016-1017

Q57A09S

Q57A_9S. OTHER PRIMARY PAYMENT TYPE SPECIFIED

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide hospital inpatient services to clients through the following payment mechanisms?

Other / specify largest type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	SPECIFIC NAMED SOURCE
0.0	0.0	0	2	GENERIC SOURCE
100.0	0.4	1	3	CHARITY/CONTRIBUTIONS/FUNDRAISING
0.0	0.0	0	4	GRANTS
0.0	0.0	0	5	INSURANCE - NOT FURTHER CLASSIFIED
0.0	0.0	0	96	MISCELLANEOUS
	99.3	278	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 1018-1019

Q57B09N

Q57B_9N. # ADM-PRIMARILY OTHER/SPECIFY LARGEST TYPE

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
 Other / specify largest type

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	280	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 1020-1021

Q57B10N Q57B_10N. # ADM-PRIMARYLY UNKNOWN

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Unknown

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	280	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1026-1027

Q57B10P Q57B_10P. % ADM-PRIMARYLY UNKNOWN

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Unknown

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	280	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1028-1029

Q57BTN

Q57B_TN. TOTAL NUMBER OF ADMISSIONS (COPIED FROM Q6A)

Approximately how many hospital inpatient admissions were primarily paid by (CATEGORY) during that 12-month period?

TOTAL ADMISSIONS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.4	1	171	
8.3	0.4	1	224	
8.3	0.4	1	248	
8.3	0.4	1	255	
8.3	0.4	1	336	
8.3	0.4	1	362	
8.3	0.4	1	371	
8.3	0.4	1	683	
8.3	0.4	1	700	
8.3	0.4	1	794	
8.3	0.4	1	1080	
8.3	0.4	1	1240	
	95.4	267	-9	INAPPLICABLE
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1030-1033

Non-Hospital Residential

Q58FMM Q58. FROM: MONTH

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Beginning month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	3.2	9	1	
3.9	0.7	2	6	
35.3	6.4	18	7	
3.9	0.7	2	8	
7.8	1.4	4	9	
25.5	4.6	13	10	
3.9	0.7	2	11	
2.0	0.4	1	12	
	81.8	229	-9	INAPPLICABLE
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1034-1035

Q58FDD**Q58. FROM: DAY**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Beginning day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	15.4	43	1	
2.2	0.4	1	8	
2.2	0.4	1	16	
2.2	0.4	1	30	
	81.8	229	-9	INAPPLICABLE
	1.8	5	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1036-1037

Q58FYY**Q58. FROM: YEAR**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Beginning year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	1.4	4	1995	
74.5	13.6	38	1996	
17.6	3.2	9	1997	
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1038-1041

Q58TMM	Q58. THROUGH: MONTH
---------------	----------------------------

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Ending month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	6.4	18	6	
3.9	0.7	2	7	
5.9	1.1	3	8	
21.6	3.9	11	9	
7.8	1.4	4	10	
5.9	1.1	3	11	
19.6	3.6	10	12	
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1042-1043

Q58TDD**Q58. THROUGH: DAY**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Ending day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	1.1	3	1	
2.2	0.4	1	8	
2.2	0.4	1	16	
60.9	10.0	28	30	
28.3	4.6	13	31	
	81.8	229	-9	INAPPLICABLE
	1.8	5	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1044-1045

Q58TTY**Q58. THROUGH: YEAR**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Ending year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	3.2	9	1996	
76.5	13.9	39	1997	
5.9	1.1	3	1998	
	81.8	229	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1046-1049

Q58A01 **Q58A_1. NON-HOSP RES PRIM PAY: CLIENT SELF PAYMENT**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Client self-payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	8.2	23	1	YES
54.0	9.6	27	2	NO
	81.8	229	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1050-1051

Q58B01N

Q58B_1N. # ADM-PRIMARYLY CLIENT SELF PAYMENT

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Client self-payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	1	14	
50.0	0.4	1	407	
	98.2	275	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1052-1054

Q58B01P	Q58B_1P. % ADM-PRIMARYLY CLIENT SELF PAYMENT
---------	--

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Client self-payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.7	2	1	
11.1	0.7	2	2	
5.6	0.4	1	4	
22.2	1.4	4	5	
5.6	0.4	1	8	
11.1	0.7	2	10	
5.6	0.4	1	15	
5.6	0.4	1	20	
5.6	0.4	1	38	
5.6	0.4	1	40	
5.6	0.4	1	48	
5.6	0.4	1	80	
	93.6	262	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1055-1056

Q58A02	Q58A_2. NON-HOSP RES PRIM PAY: PRIV INS, FEE-FOR-SERVICE
---------------	---

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Private health insurance, fee-for-service

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	5.4	15	1	YES
70.0	12.5	35	2	NO
	81.8	229	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1057-1058

Q58B02N	Q58B_2N. # ADM-PRIMARILY PRIV INS, FEE-FOR-SERVICE
----------------	---

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Private health insurance, fee-for-service

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	1	12	
50.0	0.4	1	14	
	98.9	277	-9	INAPPLICABLE
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1059-1060

Q58B02P Q58B_2P. % ADM-PRIMARYLY PRIV INS, FEE-FOR-SERVICE

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Private health insurance, fee-for-service

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	1.1	3	1	
8.3	0.4	1	2	
8.3	0.4	1	3	
8.3	0.4	1	5	
16.7	0.7	2	8	
8.3	0.4	1	10	
16.7	0.7	2	30	
8.3	0.4	1	40	
	95.7	268	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1061-1062

Q58A03

Q58A_3. NON-HOSP RES PRIM PAY: HMO/PPO/MGD CARE

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Private health insurance, HMO/PPO/Managed Care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	5.0	14	1	YES
72.0	12.9	36	2	NO
	81.8	229	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric

Missing-data codes: *--6

Columns: 1063-1064

Q58B03N

Q58B_3N. # ADM-PRIMARILY THIS HMO/PPO/MGD CARE

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Private health insurance, HMO/PPO/Managed Care

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	1	10	
50.0	0.4	1	14	
	98.9	277	-9	INAPPLICABLE
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric

Missing-data codes: *--6

Columns: 1065-1066

Q58B03P Q58B_3P. % ADM-PRIMARYLY THIS HMO/PPO/MGD CARE

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Private health insurance, HMO/PPO/Managed Care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.7	2	1	
9.1	0.4	1	3	
18.2	0.7	2	5	
9.1	0.4	1	8	
9.1	0.4	1	10	
9.1	0.4	1	15	
9.1	0.4	1	38	
9.1	0.4	1	40	
9.1	0.4	1	60	
	96.1	269	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1067-1068

Q58A04

Q58A_4. NON-HOSP RES PRIM PAY: CRIMINAL JUSTICE SYSTEM

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Criminal justice system, federal, state or local

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	7.1	20	1	YES
60.0	10.7	30	2	NO
	81.8	229	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1069-1070

Q58B04N Q58B_4N. # ADM-PRIMARYLY CRIMINAL JUSTICE SYSTEM

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Criminal justice system, federal, state or local

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.4	1	24	
16.7	0.4	1	70	
16.7	0.4	1	155	
16.7	0.4	1	175	
16.7	0.4	1	217	
16.7	0.4	1	450	
	97.1	272	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1071-1073

Q58B04P	Q58B_4P. % ADM-PRIMARYLY CRIMINAL JUSTICE SYSTEM
---------	--

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Criminal justice system, federal, state or local

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.4	1	2	
8.3	0.4	1	3	
16.7	0.7	2	5	
8.3	0.4	1	11	
8.3	0.4	1	15	
8.3	0.4	1	41	
8.3	0.4	1	60	
8.3	0.4	1	97	
25.0	1.1	3	100	
	95.7	268	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1074-1076

Q58A05 **Q58A_5. NON-HOSP RES PRIM PAY: MEDICAID**

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Medicaid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	4.6	13	1	YES
74.0	13.2	37	2	NO
	81.8	229	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1077-1078

Q58B05N

Q58B_5N. # ADM-PRIMARYLY MEDICAID

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Medicaid

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	1	20	
50.0	0.4	1	225	
	98.6	276	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1079-1081

Q58B05P Q58B_5P. % ADM-PRIMARYLY MEDICAID

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Medicaid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.4	1	2	
11.1	0.4	1	4	
11.1	0.4	1	6	
11.1	0.4	1	10	
11.1	0.4	1	15	
11.1	0.4	1	19	
11.1	0.4	1	20	
11.1	0.4	1	27	
11.1	0.4	1	40	
	96.8	271	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1082-1083

Q58A06

Q58A_6. NON-HOSP RES PRIM PAY: MEDICARE

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Medicare

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	2.5	7	1	YES
86.0	15.4	43	2	NO
	81.8	229	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1084-1085

Q58B06N

Q58B_6N. # ADM-PRIMARILY MEDICARE

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Medicare

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	25	
	99.6	279	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1086-1087

Q58B06P Q58B_6P. % ADM-PRIMARYLY MEDICARE

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Medicare

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.7	2	4	
16.7	0.4	1	7	
16.7	0.4	1	10	
16.7	0.4	1	15	
16.7	0.4	1	37	
	97.9	274	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1088-1089

Q58A07 Q58A_7. NON-HOSP RES PRIM PAY: OTHER PUBLIC PAYMENT

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Other public payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	11.4	32	1	YES
36.0	6.4	18	2	NO
	81.8	229	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1090-1091

Q58B07N Q58B_7N. # ADM-PRIMARYLY OTHER PUBLIC PAYMENT

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Other public payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.4	1	10	
20.0	0.4	1	18	
20.0	0.4	1	50	
20.0	0.4	1	75	
20.0	0.4	1	207	
	97.5	273	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1092-1094

Q58B07P	Q58B_7P. % ADM-PRIMARYLY OTHER PUBLIC PAYMENT
---------	---

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Other public payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.4	1	1	
8.0	0.7	2	5	
4.0	0.4	1	20	
4.0	0.4	1	40	
4.0	0.4	1	46	
4.0	0.4	1	54	
4.0	0.4	1	60	
4.0	0.4	1	68	
4.0	0.4	1	69	
4.0	0.4	1	70	
4.0	0.4	1	80	
4.0	0.4	1	85	
4.0	0.4	1	92	
4.0	0.4	1	97	
12.0	1.1	3	98	
4.0	0.4	1	99	
24.0	2.1	6	100	
	91.1	255	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1095-1097

Q58A08

Q58A_8. NON-HOSP RES PRIM PAY: NO PAYMENT

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

No payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.0	6.8	19	1	YES
62.0	11.1	31	2	NO
	81.8	229	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1098-1099

Q58B08N

Q58B_8N. # ADM-PRIMARILY NO PAYMENT

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

No payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	5	
	98.9	277	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1100-1101

Q58B08P Q58B_8P. % ADM-PRIMARYLY NO PAYMENT

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
No payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.7	2	1	
12.5	0.7	2	2	
6.2	0.4	1	3	
6.2	0.4	1	7	
6.2	0.4	1	8	
18.8	1.1	3	10	
6.2	0.4	1	15	
6.2	0.4	1	40	
6.2	0.4	1	53	
6.2	0.4	1	95	
12.5	0.7	2	100	
	94.3	264	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1102-1104

Q58A09	Q58A_9. NON-HOSP RES PRIM PAY: OTHER/SPECIFY LARGEST TYPE
---------------	--

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Other / Specify largest type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	2.5	7	1	YES
86.0	15.4	43	2	NO
	81.8	229	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1105-1106

Q58A09S	Q58A_9S. OTHER PRIMARY PAYMENT TYPE SPECIFIED
----------------	--

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Other / Specify largest type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.4	1	1	SPECIFIC NAMED SOURCE
0.0	0.0	0	2	GENERIC SOURCE
50.0	1.1	3	3	CHARITY/CONTRIBUTIONS/FUNDRAISING
16.7	0.4	1	4	GRANTS
16.7	0.4	1	5	INSURANCE - NOT FURTHER CLASSIFIED
0.0	0.0	0	96	MISCELLANEOUS
	97.5	273	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1107-1108

Q58B09N Q58B_9N. # ADM-PRIMARYLY OTHER/SPECIFY LARGEST TYPE

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Other / Specify largest type

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	20	
	99.6	279	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1109-1110

Q58B09P

Q58B_9P. % ADM-PRIMARYLY OTHER/SPECIFY LARGEST TYPE

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS

Other / Specify largest type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.4	1	5	
16.7	0.4	1	6	
16.7	0.4	1	13	
16.7	0.4	1	15	
16.7	0.4	1	32	
16.7	0.4	1	100	
	97.9	274	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1111-1113

Q58A10

Q58A_10. NON-HOSP RES PRIM PAY: UNKNOWN

During the 12-month period, from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide non-hospital residential services to clients through the following payment mechanisms?

Unknown

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	1.1	3	1	YES
94.0	16.8	47	2	NO
	81.8	229	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1114-1115

Q58B10N Q58B_10N. # ADM-PRIMARYLY UNKNOWN

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Unknown

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	280	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1116-1117

Q58B10P Q58B_10P. % ADM-PRIMARYLY UNKNOWN

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Unknown

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	1	6	
33.3	0.4	1	16	
33.3	0.4	1	22	
	98.9	277	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1118-1119

Q58BTN	Q58B_TN. TOTAL NUMBER OF ADMISSIONS (COPIED FROM Q13A)
---------------	---

Approximately how many non-hospital residential admissions were primarily paid by (CATEGORY) during that 12-month period?

TOTAL ADMISSIONS

280 cases (Range of valid codes: 4-2,200)

Data type: numeric

Missing-data codes: *--6

Columns: 1120-1123

Outpatient Methadone

Q59FMM **Q59. FROM: MONTH**

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Beginning month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	2.5	7	1	
6.4	1.1	3	4	
2.1	0.4	1	6	
23.4	3.9	11	7	
4.3	0.7	2	8	
14.9	2.5	7	9	
27.7	4.6	13	10	
4.3	0.7	2	11	
2.1	0.4	1	12	
	83.2	233	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1124-1125

Q59FDD**Q59. FROM: DAY**

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Beginning day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	15.0	42	1	
2.2	0.4	1	14	
2.2	0.4	1	20	
2.2	0.4	1	30	
2.2	0.4	1	31	
	83.2	233	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1126-1127

Q59FYY**Q59. FROM: YEAR**

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Beginning year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.7	2	1995	
78.7	13.2	37	1996	
12.8	2.1	6	1997	
4.3	0.7	2	1998	
	83.2	233	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1128-1131

Q59TMM	Q59. THROUGH: MONTH
---------------	----------------------------

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Ending month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.7	2	1	
6.4	1.1	3	3	
19.1	3.2	9	6	
6.4	1.1	3	7	
14.9	2.5	7	8	
29.8	5.0	14	9	
6.4	1.1	3	10	
2.1	0.4	1	11	
10.6	1.8	5	12	
	83.2	233	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1132-1133

Q59TDD**Q59. THROUGH: DAY**

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Ending day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	1.8	5	1	
2.2	0.4	1	14	
2.2	0.4	1	20	
52.2	8.6	24	30	
32.6	5.4	15	31	
	83.2	233	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1134-1135

Q59TTY**Q59. THROUGH: YEAR**

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Ending year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	1.4	4	1996	
76.6	12.9	36	1997	
14.9	2.5	7	1998	
	83.2	233	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1136-1139

Q59A01 **Q59A_1. OP METH PRIM PAY: CLIENT SELF PAYMENT**

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Client self-payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	12.5	35	1	YES
16.7	2.5	7	2	NO
	83.2	233	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 1140-1141

Q59B01N

Q59B_1N. # ADM-PRIMARYLY CLIENT SELF PAYMENT

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Client self-payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.4	1	1	
20.0	0.4	1	2	
20.0	0.4	1	20	
20.0	0.4	1	88	
20.0	0.4	1	180	
	97.5	273	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1142-1144

Q59B01P Q59B_1P. % ADM-PRIMARYLY CLIENT SELF PAYMENT

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Client self-payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	1.1	3	1	
3.6	0.4	1	2	
7.1	0.7	2	5	
3.6	0.4	1	7	
3.6	0.4	1	10	
3.6	0.4	1	14	
10.7	1.1	3	15	
3.6	0.4	1	19	
3.6	0.4	1	20	
3.6	0.4	1	23	
3.6	0.4	1	28	
7.1	0.7	2	30	
3.6	0.4	1	33	
7.1	0.7	2	40	
3.6	0.4	1	50	
3.6	0.4	1	55	
7.1	0.7	2	75	
3.6	0.4	1	91	
3.6	0.4	1	99	
3.6	0.4	1	100	
	90.0	252	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1145-1147

Q59A02

Q59A_2. OP METH PRIM PAY: PRIV INS, FEE-FOR-SERVICE

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Private health insurance, fee-for-service

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	3.6	10	1	YES
76.2	11.4	32	2	NO
	83.2	233	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1148-1149

Q59B02N

Q59B_2N. # ADM-PRIMARILY PRIV INS, FEE-FOR-SERVICE

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Private health insurance, fee-for-service

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	4	
	99.3	278	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1150-1151

Q59B02P Q59B_2P. % ADM-PRIMARILY PRIV INS, FEE-FOR-SERVICE

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS

Private health insurance, fee-for-service

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.4	1	1	
25.0	0.7	2	2	
12.5	0.4	1	3	
25.0	0.7	2	5	
12.5	0.4	1	10	
12.5	0.4	1	12	
	97.1	272	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1152-1153

Q59A03 Q59A_3. OP METH PRIM PAY: HMO/PPO/MGD CARE

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Private health insurance, HMO/PPO/Managed care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	4.3	12	1	YES
71.4	10.7	30	2	NO
	83.2	233	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1154-1155

Q59B03N	Q59B_3N. # ADM-PRIMARYLY THIS HMO/PPO/MGD CARE
---------	--

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Private health insurance, HMO/PPO/Managed care

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	1	1	
33.3	0.4	1	8	
33.3	0.4	1	23	
	98.2	275	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1156-1157

Q59B04N

Q59B_4N. # ADM-PRIMARYLY CRIMINAL JUSTICE SYSTEM

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Criminal justice system, federal, state, or local

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	308	
	99.6	279	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1162-1164

Q59B04P

Q59B_4P. % ADM-PRIMARYLY CRIMINAL JUSTICE SYSTEM

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS

Criminal justice system, federal, state, or local

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	1	1	
33.3	0.4	1	2	
33.3	0.4	1	80	
	98.9	277	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1165-1166

Q59A05 **Q59A_5. OP METH PRIM PAY: MEDICAID**

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Medicaid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	11.4	32	1	YES
23.8	3.6	10	2	NO
	83.2	233	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1167-1168

Q59B05N

Q59B_5N. # ADM-PRIMARYLY MEDICAID

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Medicaid

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.4	1	4	
20.0	0.4	1	8	
20.0	0.4	1	80	
20.0	0.4	1	114	
20.0	0.4	1	150	
	97.5	273	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1169-1171

Q59B05P	Q59B_5P. % ADM-PRIMARYLY MEDICAID
---------	-----------------------------------

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
 Medicaid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.4	1	2	
4.0	0.4	1	4	
4.0	0.4	1	8	
4.0	0.4	1	10	
4.0	0.4	1	12	
4.0	0.4	1	24	
4.0	0.4	1	25	
4.0	0.4	1	35	
4.0	0.4	1	38	
12.0	1.1	3	40	
4.0	0.4	1	59	
4.0	0.4	1	60	
4.0	0.4	1	70	
4.0	0.4	1	75	
4.0	0.4	1	77	
4.0	0.4	1	80	
16.0	1.4	4	85	
4.0	0.4	1	90	
4.0	0.4	1	95	
4.0	0.4	1	99	
	91.1	255	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1172-1173

Q59A06

Q59A_6. OP METH PRIM PAY: MEDICARE

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Medicare

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	3.2	9	1	YES
78.0	11.4	32	2	NO
	83.2	233	-9	INAPPLICABLE
	1.8	5	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1174-1175

Q59B06N

Q59B_6N. # ADM-PRIMARYLY MEDICARE

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Medicare

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	1	
	99.3	278	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1176-1177

Q59B06P Q59B_6P. % ADM-PRIMARYLY MEDICARE

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Medicare

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.7	2	1	
14.3	0.4	1	3	
14.3	0.4	1	5	
14.3	0.4	1	10	
14.3	0.4	1	15	
14.3	0.4	1	20	
	97.5	273	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1178-1179

Q59A07 Q59A_7. OP METH PRIM PAY: OTHER PUBLIC PAYMENT

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Other public payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	7.5	21	1	YES
50.0	7.5	21	2	NO
	83.2	233	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1180-1181

Q59B07N

Q59B_7N. # ADM-PRIMARILY OTHER PUBLIC PAYMENT

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Other public payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.4	1	1	
33.3	0.7	2	15	
16.7	0.4	1	16	
16.7	0.4	1	60	
16.7	0.4	1	160	
	97.1	272	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1182-1184

Q59B07P	Q59B_7P. % ADM-PRIMARYLY OTHER PUBLIC PAYMENT
---------	---

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Other public payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.4	1	6	
7.7	0.4	1	10	
7.7	0.4	1	12	
7.7	0.4	1	16	
7.7	0.4	1	22	
7.7	0.4	1	30	
7.7	0.4	1	50	
7.7	0.4	1	68	
7.7	0.4	1	83	
7.7	0.4	1	98	
15.4	0.7	2	99	
7.7	0.4	1	100	
	95.4	267	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1185-1187

Q59A08

Q59A_8. OP METH PRIM PAY: NO PAYMENT

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

No payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	3.9	11	1	YES
73.8	11.1	31	2	NO
	83.2	233	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1188-1189

Q59B08N

Q59B_8N. # ADM-PRIMARILY NO PAYMENT

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

No payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	1	2	
50.0	0.4	1	60	
	98.2	275	-9	INAPPLICABLE
	1.1	3	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1190-1191

Q59B08P Q59B_8P. % ADM-PRIMARILY NO PAYMENT

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
No payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	1.4	4	1	
33.3	0.7	2	5	
	97.9	274	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
Missing-data codes: *--6
Columns: 1192-1193

Q59A09 Q59A_9. OP METH PRIM PAY: OTHER/SPECIFY LARGEST TYPE

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Other / Specify largest type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	1.1	3	1	YES
92.9	13.9	39	2	NO
	83.2	233	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
Missing-data codes: *--6
Columns: 1194-1195

Q59A09S

Q59A_9S. OTHER PRIMARY PAYMENT TYPE SPECIFIED

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient methadone services to clients through the following payment mechanisms?

Other / Specify largest type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	SPECIFIC NAMED SOURCE
0.0	0.0	0	2	GENERIC SOURCE
0.0	0.0	0	3	CHARITY/CONTRIBUTIONS/FUNDRAISING
33.3	0.4	1	4	GRANTS
66.7	0.7	2	5	INSURANCE - NOT FURTHER CLASSIFIED
0.0	0.0	0	96	MISCELLANEOUS
	98.9	277	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 1196-1197

Q59B09N

Q59B_9N. # ADM-PRIMARILY OTHER/SPECIFY LARGEST TYPE

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
 Other / Specify largest type

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	280	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 1198-1199

Q59B10N**Q59B_10N. # ADM-PRIMARYLY UNKNOWN**

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Unknown

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.6	279	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1204-1205

Q59B10P**Q59B_10P. % ADM-PRIMARYLY UNKNOWN**

Approximately how many outpatient methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Unknown

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	280	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1206-1207

Outpatient Non-Methadone

Q61FMM Q61. FROM: MONTH

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Beginning month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	17.1	48	1	
0.5	0.4	1	2	
0.5	0.4	1	3	
1.4	1.1	3	4	
4.1	3.2	9	6	
36.8	28.9	81	7	
2.7	2.1	6	8	
10.9	8.6	24	9	
16.8	13.2	37	10	
3.6	2.9	8	11	
0.9	0.7	2	12	
	20.0	56	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1218-1219

Q61FDD	Q61. FROM: DAY
---------------	-----------------------

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Beginning day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	68.9	193	1	
0.9	0.7	2	3	
0.9	0.7	2	4	
0.5	0.4	1	8	
0.5	0.4	1	9	
0.5	0.4	1	10	
0.5	0.4	1	11	
4.2	3.2	9	30	
1.4	1.1	3	31	
	20.0	56	-9	INAPPLICABLE
	3.9	11	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1220-1221

Q61FYY

Q61. FROM: YEAR

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Beginning year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	5.0	14	1995	
73.6	57.9	162	1996	
18.6	14.6	41	1997	
1.4	1.1	3	1998	
	20.0	56	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1222-1225

Q61TMM **Q61. THROUGH: MONTH**

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Ending month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.7	2	1	
1.4	1.1	3	3	
1.8	1.4	4	5	
36.8	28.9	81	6	
3.2	2.5	7	7	
6.8	5.4	15	8	
15.9	12.5	35	9	
7.7	6.1	17	10	
3.6	2.9	8	11	
21.8	17.1	48	12	
	20.0	56	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1226-1227

Q61TDD **Q61. THROUGH: DAY**

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Ending day

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	8.6	24	1	
0.9	0.7	2	3	
0.5	0.4	1	8	
0.5	0.4	1	9	
0.5	0.4	1	10	
0.5	0.4	1	17	
52.1	40.0	112	30	
34.0	26.1	73	31	
	20.0	56	-9	INAPPLICABLE
	3.2	9	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1228-1229

Q61TTY Q61. THROUGH: YEAR

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Ending year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	13.9	39	1996	
71.8	56.4	158	1997	
10.5	8.2	23	1998	
	20.0	56	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1230-1233

Q61A01 Q61A_1. OP NON-METH PRIM PAY: CLIENT SELF PAYMENT

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Client self-payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	62.9	176	1	YES
18.9	14.6	41	2	NO
	20.0	56	-9	INAPPLICABLE
	2.1	6	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1234-1235

Q61B01N Q61B_1N. # ADM-PRIMARYLY CLIENT SELF PAYMENT

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Client self-payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.4	1	2	
4.5	0.4	1	3	
9.1	0.7	2	4	
4.5	0.4	1	5	
4.5	0.4	1	7	
4.5	0.4	1	8	
4.5	0.4	1	14	
4.5	0.4	1	50	
4.5	0.4	1	68	
4.5	0.4	1	92	
4.5	0.4	1	114	
4.5	0.4	1	165	
4.5	0.4	1	166	
4.5	0.4	1	250	
4.5	0.4	1	322	
4.5	0.4	1	343	
4.5	0.4	1	390	
4.5	0.4	1	400	
4.5	0.4	1	464	
4.5	0.4	1	737	
4.5	0.4	1	999	
	88.6	248	-9	INAPPLICABLE
	0.4	1	-8	REFUSED
	2.9	8	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1236-1238

Q61B01P

Q61B_1P. % ADM-PRIMARYLY CLIENT SELF PAYMENT

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Client self-payment

280 cases (Range of valid codes: 1-100)

Data type: numeric
Missing-data codes: *--6
Columns: 1239-1241

Q61A02

Q61A_2. OP NON-METH PRIM PAY: PRIV INS, FEE-FOR-SERVICE

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Private health insurance, fee-for-service

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	41.4	116	1	YES
46.5	36.1	101	2	NO
	20.0	56	-9	INAPPLICABLE
	2.1	6	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1242-1243

Q61B02N Q61B_2N. # ADM-PRIMARYLY PRIV INS, FEE-FOR-SERVICE

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Private health insurance, fee-for-service

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.4	1	1	
33.3	1.1	3	5	
11.1	0.4	1	16	
11.1	0.4	1	20	
11.1	0.4	1	32	
11.1	0.4	1	65	
11.1	0.4	1	174	
	93.2	261	-9	INAPPLICABLE
	0.4	1	-8	REFUSED
	2.9	8	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1244-1246

Q61B02P	Q61B_2P. % ADM-PRIMARYLY PRIV INS, FEE-FOR-SERVICE
---------	--

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Private health insurance, fee-for-service

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	2.1	6	1	
10.4	3.6	10	2	
5.2	1.8	5	3	
4.2	1.4	4	4	
18.8	6.4	18	5	
3.1	1.1	3	6	
3.1	1.1	3	7	
3.1	1.1	3	8	
14.6	5.0	14	10	
2.1	0.7	2	11	
1.0	0.4	1	13	
1.0	0.4	1	14	
2.1	0.7	2	15	
1.0	0.4	1	17	
1.0	0.4	1	19	
5.2	1.8	5	20	
1.0	0.4	1	23	
1.0	0.4	1	24	
1.0	0.4	1	25	
4.2	1.4	4	30	
1.0	0.4	1	32	
1.0	0.4	1	35	
2.1	0.7	2	40	
1.0	0.4	1	54	
1.0	0.4	1	57	
1.0	0.4	1	60	
1.0	0.4	1	70	
1.0	0.4	1	75	
1.0	0.4	1	80	
	65.4	183	-9	INAPPLICABLE
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1247-1248

Q61A03

Q61A_3. OP NON-METH PRIM PAY: HMO/PPO/MGD CARE

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Private health insurance, HMO/PPO/Managed Care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	35.4	99	1	YES
54.2	41.8	117	2	NO
	20.0	56	-9	INAPPLICABLE
	2.5	7	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric

Missing-data codes: *--6

Columns: 1249-1250

Q61B03N Q61B_3N. # ADM-PRIMARYLY THIS HMO/PPO/MGD CARE

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Private health insurance, HMO/PPO/Managed Care

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.4	1	5	
11.1	0.4	1	6	
11.1	0.4	1	10	
11.1	0.4	1	24	
11.1	0.4	1	44	
11.1	0.4	1	58	
11.1	0.4	1	79	
11.1	0.4	1	100	
11.1	0.4	1	114	
	93.2	261	-9	INAPPLICABLE
	0.4	1	-8	REFUSED
	3.2	9	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1251-1253

Q61B03P	Q61B_3P. % ADM-PRIMARYLY THIS HMO/PPO/MGD CARE
---------	--

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Private health insurance, HMO/PPO/Managed Care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	2.9	8	1	
12.5	3.6	10	2	
2.5	0.7	2	3	
5.0	1.4	4	4	
11.2	3.2	9	5	
2.5	0.7	2	6	
3.8	1.1	3	7	
2.5	0.7	2	8	
1.2	0.4	1	10	
1.2	0.4	1	11	
1.2	0.4	1	12	
1.2	0.4	1	14	
7.5	2.1	6	15	
1.2	0.4	1	19	
6.2	1.8	5	20	
1.2	0.4	1	24	
2.5	0.7	2	25	
1.2	0.4	1	26	
1.2	0.4	1	27	
1.2	0.4	1	30	
1.2	0.4	1	35	
1.2	0.4	1	38	
8.8	2.5	7	40	
1.2	0.4	1	44	
1.2	0.4	1	46	
2.5	0.7	2	60	
2.5	0.7	2	65	
1.2	0.4	1	70	
1.2	0.4	1	84	
1.2	0.4	1	100	
	71.4	200	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1254-1256

Q61A04

Q61A_4. OP NON-METH PRIM PAY: CRIMINAL JUSTICE SYSTEM

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Criminal justice system, federal, state, or local

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	21.4	60	1	YES
72.0	55.0	154	2	NO
	20.0	56	-9	INAPPLICABLE
	2.5	7	-7	NOT ASCERTAINED
	1.1	3	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
Missing-data codes: *--6
Columns: 1257-1258

Q61B04N

Q61B_4N. # ADM-PRIMARYLY CRIMINAL JUSTICE SYSTEM

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Criminal justice system, federal, state, or local

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.4	1	6	
20.0	0.4	1	15	
20.0	0.4	1	24	
20.0	0.4	1	125	
20.0	0.4	1	278	
	96.4	270	-9	INAPPLICABLE
	1.4	4	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1259-1261

Q61B04P	Q61B_4P. % ADM-PRIMARYLY CRIMINAL JUSTICE SYSTEM
---------	--

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Criminal justice system, federal, state, or local

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	2.9	8	1	
14.0	2.5	7	3	
2.0	0.4	1	4	
16.0	2.9	8	5	
2.0	0.4	1	6	
4.0	0.7	2	7	
4.0	0.7	2	10	
2.0	0.4	1	15	
2.0	0.4	1	17	
8.0	1.4	4	20	
2.0	0.4	1	25	
2.0	0.4	1	27	
4.0	0.7	2	30	
2.0	0.4	1	75	
2.0	0.4	1	80	
2.0	0.4	1	84	
2.0	0.4	1	85	
2.0	0.4	1	90	
4.0	0.7	2	98	
2.0	0.4	1	99	
6.0	1.1	3	100	
	82.1	230	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1262-1264

Q61A05

Q61A_5. OP NON-METH PRIM PAY: MEDICAID

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Medicaid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	37.5	105	1	YES
51.4	39.6	111	2	NO
	20.0	56	-9	INAPPLICABLE
	2.5	7	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric

Missing-data codes: *--6

Columns: 1265-1266

Q61B05N Q61B_5N. # ADM-PRIMARYLY MEDICAID

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Medicaid

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.4	1	3	
18.2	0.7	2	4	
9.1	0.4	1	7	
9.1	0.4	1	12	
9.1	0.4	1	16	
9.1	0.4	1	20	
9.1	0.4	1	40	
9.1	0.4	1	98	
9.1	0.4	1	135	
9.1	0.4	1	233	
	92.5	259	-9	INAPPLICABLE
	0.4	1	-8	REFUSED
	2.9	8	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1267-1269

Q61B05P Q61B_5P. % ADM-PRIMARYLY MEDICAID

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Medicaid

280 cases (Range of valid codes: 1-100)

Data type: numeric
Missing-data codes: *--6
Columns: 1270-1272

Q61A06 Q61A_6. OP NON-METH PRIM PAY: MEDICARE

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Medicare

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	22.1	62	1	YES
71.3	55.0	154	2	NO
	20.0	56	-9	INAPPLICABLE
	2.5	7	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1273-1274

Q61B06N Q61B_6N. # ADM-PRIMARYLY MEDICARE

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Medicare

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.4	1	1	
25.0	0.4	1	3	
25.0	0.4	1	7	
25.0	0.4	1	8	
	95.4	267	-9	INAPPLICABLE
	0.4	1	-8	REFUSED
	2.9	8	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1275-1276

Q61B06P	Q61B_6P. % ADM-PRIMARYLY MEDICARE
----------------	--

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Medicare

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	2.5	7	1	
10.2	1.8	5	2	
12.2	2.1	6	3	
16.3	2.9	8	4	
14.3	2.5	7	5	
2.0	0.4	1	6	
2.0	0.4	1	7	
6.1	1.1	3	9	
4.1	0.7	2	10	
2.0	0.4	1	11	
2.0	0.4	1	12	
8.2	1.4	4	15	
6.1	1.1	3	20	
	82.5	231	-9	INAPPLICABLE
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1277-1278

Q61B07N	Q61B_7N. # ADM-PRIMARYLY OTHER PUBLIC PAYMENT
---------	---

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Other public payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.4	1	1	
11.1	0.4	1	3	
11.1	0.4	1	4	
11.1	0.4	1	7	
11.1	0.4	1	23	
11.1	0.4	1	58	
11.1	0.4	1	80	
11.1	0.4	1	125	
11.1	0.4	1	146	
	95.7	268	-9	INAPPLICABLE
	0.7	2	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1281-1283

Q61B07P Q61B_7P. % ADM-PRIMARILY OTHER PUBLIC PAYMENT

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Other public payment

280 cases (Range of valid codes: 1-100)

Data type: numeric
Missing-data codes: *--6
Columns: 1284-1286

Q61A08 Q61A_8. OP NON-METH PRIM PAY: NO PAYMENT

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

No payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	28.6	80	1	YES
63.0	48.6	136	2	NO
	20.0	56	-9	INAPPLICABLE
	2.5	7	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1287-1288

Q61B08N	Q61B_8N. # ADM-PRIMARYLY NO PAYMENT
---------	-------------------------------------

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
No payment

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	1	2	
50.0	0.4	1	15	
	96.1	269	-9	INAPPLICABLE
	3.2	9	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1289-1290

Q61B08P	Q61B_8P. % ADM-PRIMARYLY NO PAYMENT
---------	-------------------------------------

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
No payment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	3.2	9	1	
11.6	2.9	8	2	
8.7	2.1	6	3	
4.3	1.1	3	4	
20.3	5.0	14	5	
1.4	0.4	1	6	
1.4	0.4	1	7	
2.9	0.7	2	8	
11.6	2.9	8	10	
1.4	0.4	1	12	
1.4	0.4	1	14	
4.3	1.1	3	15	
2.9	0.7	2	16	
1.4	0.4	1	20	
1.4	0.4	1	23	
1.4	0.4	1	28	
1.4	0.4	1	30	
1.4	0.4	1	33	
1.4	0.4	1	78	
1.4	0.4	1	95	
4.3	1.1	3	100	
	75.4	211	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1291-1293

Q61A09

Q61A_9. OP NON-METH PRIM PAY: OTHER/SPECIFY LARGEST TYPE

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Other / Specify largest type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	8.2	23	1	YES
89.4	69.3	194	2	NO
	20.0	56	-9	INAPPLICABLE
	2.1	6	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric

Missing-data codes: *--6

Columns: 1294-1295

Q61A09S Q61A_9S. OTHER PRIMARY PAYMENT TYPE SPECIFIED

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Other / Specify largest type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.7	2	1	SPECIFIC NAMED SOURCE
4.5	0.4	1	2	GENERIC SOURCE
54.5	4.3	12	3	CHARITY/CONTRIBUTIONS/FUNDRAISING
4.5	0.4	1	4	GRANTS
27.3	2.1	6	5	INSURANCE - NOT FURTHER CLASSIFIED
0.0	0.0	0	96	MISCELLANEOUS
	91.8	257	-9	INAPPLICABLE
	0.4	1	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1296-1297

Q61B09N Q61B_9N. # ADM-PRIMARYLY OTHER/SPECIFY LARGEST TYPE

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS
Other / Specify largest type

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	1	3	
50.0	0.4	1	9	
	98.6	276	-9	INAPPLICABLE
	0.4	1	-8	REFUSED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1298-1299

Q61B09P	Q61B_9P. % ADM-PRIMARYLY OTHER/SPECIFY LARGEST TYPE
---------	---

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

PERCENTAGE OF ADMISSIONS
Other / Specify largest type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.4	1	1	
10.5	0.7	2	2	
10.5	0.7	2	3	
5.3	0.4	1	5	
5.3	0.4	1	8	
5.3	0.4	1	9	
5.3	0.4	1	10	
5.3	0.4	1	11	
5.3	0.4	1	13	
5.3	0.4	1	15	
5.3	0.4	1	16	
5.3	0.4	1	19	
5.3	0.4	1	20	
5.3	0.4	1	25	
5.3	0.4	1	52	
5.3	0.4	1	64	
5.3	0.4	1	91	
	93.2	261	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
Missing-data codes: *--6
Columns: 1300-1301

Q61A10

Q61A_10. OP NON-METH PRIM PAY: UNKNOWN

During the 12-month period from [MONTH / DAY / YEAR] through [MONTH / DAY / YEAR], did this facility provide outpatient non-methadone services to clients through the following payment mechanisms?

Unknown

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	2.5	7	1	YES
96.8	74.6	209	2	NO
	20.0	56	-9	INAPPLICABLE
	2.5	7	-7	NOT ASCERTAINED
	0.4	1	-6	DON'T KNOW
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1302-1303

Q61B10N

Q61B_10N. # ADM-PRIMARYLY UNKNOWN

Approximately how many outpatient non-methadone admissions were primarily paid by (CATEGORY) during that 12-month period?

NUMBER OF ADMISSIONS

Unknown

(If you cannot give the number of admissions by payment type, please estimate the percentage of admissions for each payment type.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	1	303	
	99.6	279	-9	INAPPLICABLE
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 1304-1306

SURVEY ADMINISTRATION

TMEH

TIME ENDED: HOUR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	7.5	21	1	
12.6	11.4	32	2	
6.3	5.7	16	3	
2.8	2.5	7	4	
1.2	1.1	3	5	
0.8	0.7	2	8	
7.1	6.4	18	9	
22.9	20.7	58	10	
22.1	20.0	56	11	
11.5	10.4	29	12	
4.3	3.9	11	95	MULTIPLE SESSIONS TO COMPLETE
	9.6	27	-7	NOT ASCERTAINED
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 943-944

TMEM	TIME ENDED: MINUTE			
-------------	---------------------------	--	--	--

PCT VALID	PCT ALL	N	VALUE	LABEL
8.3	7.5	21	0	
0.4	0.4	1	2	
0.8	0.7	2	3	
0.8	0.7	2	4	
5.1	4.6	13	5	
0.8	0.7	2	6	
8.7	7.9	22	10	
0.8	0.7	2	12	
5.5	5.0	14	15	
0.4	0.4	1	16	
0.4	0.4	1	18	
3.6	3.2	9	20	
0.4	0.4	1	21	
1.6	1.4	4	22	
0.4	0.4	1	24	
3.2	2.9	8	25	
0.4	0.4	1	27	
0.8	0.7	2	28	
13.4	12.1	34	30	
1.2	1.1	3	32	
0.4	0.4	1	34	
6.7	6.1	17	35	
0.4	0.4	1	36	
0.4	0.4	1	37	
0.8	0.7	2	39	
4.3	3.9	11	40	
0.4	0.4	1	43	
8.7	7.9	22	45	
0.4	0.4	1	46	
0.4	0.4	1	47	
0.4	0.4	1	48	
0.4	0.4	1	49	
9.1	8.2	23	50	
0.4	0.4	1	52	
4.7	4.3	12	55	
0.8	0.7	2	58	
4.3	3.9	11	95	MULTIPLE SESSIONS TO COMPLETE
	9.6	27	-7	NOT ASCERTAINED
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 945-946

TMEAP	TIME ENDED: AM OR PM
--------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	47.1	132	1	AM
43.5	39.3	110	2	PM
4.3	3.9	11	5	MULTIPLE SESSIONS
	9.6	27	-7	NOT ASCERTAINED
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric

Missing-data codes: *--6

Columns: 947-948

SAMPLING VARIABLES**BIG_N** **FINAL FRAME SIZE FOR DISCHARGES**

280 cases (Range of valid codes: 0-1,716)

Data type: numeric

Missing-data codes: *--6

Columns: 1313-1316

SMALL_N **FINAL SAMPLE SIZE FOR DISCHARGES**

280 cases (Range of valid codes: 0-45)

Data type: numeric

Missing-data codes: *--6

Columns: 1317-1318

BIGNT	FINAL FRAME SIZE FOR ITMC
--------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.4	1	102	
3.2	0.4	1	112	
3.2	0.4	1	167	
6.5	0.7	2	189	
3.2	0.4	1	192	
3.2	0.4	1	203	
3.2	0.4	1	211	
3.2	0.4	1	222	
3.2	0.4	1	225	
3.2	0.4	1	227	
6.5	0.7	2	308	
3.2	0.4	1	313	
3.2	0.4	1	318	
3.2	0.4	1	370	
3.2	0.4	1	383	
3.2	0.4	1	414	
3.2	0.4	1	418	
3.2	0.4	1	431	
3.2	0.4	1	435	
3.2	0.4	1	445	
3.2	0.4	1	503	
3.2	0.4	1	522	
3.2	0.4	1	528	
3.2	0.4	1	531	
3.2	0.4	1	551	
3.2	0.4	1	614	
3.2	0.4	1	619	
3.2	0.4	1	639	
3.2	0.4	1	838	
	88.9	249	-9	MISSING
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1319-1321

SMALLNT	FINAL SAMPLE SIZE FOR ITMC
----------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.4	1	22	
3.2	0.4	1	23	
6.5	0.7	2	26	
3.2	0.4	1	27	
48.4	5.4	15	30	
3.2	0.4	1	33	
6.5	0.7	2	34	
6.5	0.7	2	35	
6.5	0.7	2	37	
3.2	0.4	1	38	
3.2	0.4	1	39	
6.5	0.7	2	45	
	88.9	249	-9	MISSING
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1322-1323

PSUTYPE2	CENSUS CLASSIFICATION FOR PSUs
-----------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	52.1	146	1	METRO CERTAINTY
45.0	45.0	126	2	METRO NONCERTAINTY
2.9	2.9	8	3	NONMETRO NONCERTAINTY
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1324-1325

COMPWT62

PSU WEIGHT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	49.3	138	1.0000	
2.1	2.1	6	2.0337	
5.7	5.7	16	2.5733	
2.1	2.1	6	2.6375	
2.9	2.9	8	2.8645	
2.1	2.1	6	3.2247	
2.1	2.1	6	3.4013	
4.3	4.3	12	3.6101	
2.5	2.5	7	4.0608	
3.9	3.9	11	4.7861	
0.4	0.4	1	4.9933	
2.9	2.9	8	5.0478	
1.1	1.1	3	6.0576	
2.1	2.1	6	6.8205	
1.8	1.8	5	7.0271	
1.8	1.8	5	7.7442	
0.4	0.4	1	8.3309	
1.1	1.1	3	10.9279	
1.1	1.1	3	11.2459	
1.4	1.4	4	13.1773	
1.8	1.8	5	13.5846	
0.4	0.4	1	17.1372	
1.8	1.8	5	18.5940	
0.7	0.7	2	22.2923	
1.1	1.1	3	22.7499	
0.4	0.4	1	45.3371	
0.7	0.7	2	52.0965	
0.4	0.4	1	57.9450	
0.4	0.4	1	58.3643	
0.4	0.4	1	64.5592	
0.4	0.4	1	99.4484	
0.7	0.7	2	111.4268	
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1326-1333

CENREG	CENSUS REGION
---------------	----------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.1	32.1	90	1	NORTHEAST
18.6	18.6	52	2	MIDWEST
23.2	23.2	65	3	SOUTH
26.1	26.1	73	4	WEST
-----	-----	----		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 1334-1335

PAIR90	PSU STRATUM
---------------	--------------------

280 cases (Range of valid codes: 1-41)

Data type: numeric
 Columns: 1343-1344

VST_PSU	PHASE II VARIANCE STRATA
----------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	16	2	
8.2	8.2	23	3	
5.4	5.4	15	4	
26.8	26.8	75	5	
3.2	3.2	9	6	
50.7	50.7	142	7	
-----	-----	----		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 1360-1361

VUN_PSU	PHASE II VARIANCE UNIT			
---------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.5	21	1	
7.1	7.1	20	2	
4.6	4.6	13	3	
6.8	6.8	19	4	
5.7	5.7	16	5	
6.1	6.1	17	6	
6.4	6.4	18	7	
3.9	3.9	11	8	
5.0	5.0	14	9	
5.4	5.4	15	10	
4.3	4.3	12	11	
2.5	2.5	7	12	
3.9	3.9	11	13	
2.1	2.1	6	14	
2.1	2.1	6	16	
1.1	1.1	3	17	
3.9	3.9	11	18	
0.4	0.4	1	19	
0.4	0.4	1	20	
1.1	1.1	3	21	
1.8	1.8	5	23	
0.7	0.7	2	24	
0.4	0.4	1	25	
1.1	1.1	3	26	
5.7	5.7	16	27	
4.3	4.3	12	28	
0.7	0.7	2	29	
0.7	0.7	2	30	
2.9	2.9	8	31	
1.1	1.1	3	32	
0.4	0.4	1	33	
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1362-1363

CTCLIENT	CATEGORIZED P1 CLIENTS (B1J2)
-----------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.4	15	1	NUMBER OF CLIENTS BETWEEN 0 AND 16
15.7	15.7	44	2	NUMBER OF CLIENTS BETWEEN 17 AND 40
22.5	22.5	63	3	NUMBER OF CLIENTS BETWEEN 41 AND 100
22.9	22.9	64	4	NUMBER OF CLIENTS BETWEEN 101 AND 225
33.6	33.6	94	5	NUMBER OF CLIENTS OVER 225
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 1364-1365

FACTYPE	PHASE II: FACILITY TREATMENT TYPE
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	11.1	31	2	FACILITY OFFERS RESIDENTIAL TREATMENT ON
9.3	9.3	26	3	FACILITY OFFERS OUTPATIENT METHADONE TRE
65.7	65.7	184	4	FACILITY OFFERS OUTPATIENT NON-METHADONE
13.9	13.9	39	5	FACILITY OFFERS MORE THAN ONE TYPE OF TR
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 1366-1367

TRIMFAC0	PHASE II FACILITY TRIMMING FACTOR			
-----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	1	0.0281	
0.4	0.4	1	0.3333	
0.4	0.4	1	0.3448	
0.4	0.4	1	0.4053	
0.4	0.4	1	0.4361	
0.4	0.4	1	0.5115	
0.4	0.4	1	0.6538	
0.4	0.4	1	0.7004	
0.4	0.4	1	0.7478	
0.4	0.4	1	0.8200	
0.4	0.4	1	0.8755	
0.4	0.4	1	0.9656	
0.4	0.4	1	0.9849	
95.4	95.4	267	1.0000	
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 4
 Missing-data codes: *--6.0000
 Columns: 1368-1373

CTRLCAT2	PHASE II TREATMENT/PSU TYPE FOR RAKING			
-----------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	11.1	31	1	
7.1	7.1	20	2	
2.1	2.1	6	3	
65.4	65.4	183	4	
8.2	8.2	23	5	
2.9	2.9	8	6	
3.2	3.2	9	7	
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1374-1375

FTOTCNT	PHASE I ESTIMATED NUMBER OF FACILITIES
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	11.1	31	566	
11.4	11.4	32	1127	
10.4	10.4	29	1718	
11.1	11.1	31	2101	
56.1	56.1	157	6234	
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1376-1379

FSMPCNT	PHASE I NUMBER OF RESPONDING FACILITIES
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.4	29	29	
22.1	22.1	62	31	
11.4	11.4	32	32	
56.1	56.1	157	157	
-----	-----	---		
100.0	100.0	280	cases	

Data type: numeric
 Missing-data codes: *--6
 Columns: 1380-1382

PSF	PHASE II FACILITY RAKING FACTOR
------------	--

280 cases (Range of valid codes: 0.4540-3.2400)

Data type: numeric
 Decimals: 4
 Missing-data codes: *--6.0000
 Columns: 1383-1388

TFACRAKE	PHASE II FACILITY TRIM FCTR AFTER RAKING				
----------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	1	0.7142	
90.7	90.7	254	1.0000	
8.9	8.9	25	1.0850	
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Decimals: 4
 Columns: 2022-2027

QFSTRAT	TREATMENT TYPE STRATUM INDICATOR				
---------	----------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	11.1	31	2	STRATUM 2 RESIDENTIAL
11.1	11.1	31	3	STRATUM 3 PREDOMINANTLY OUTPATIENT METHA
11.4	11.4	32	4	STRATUM 4 OP NON-METH PREDOMINANTLY ALC
56.1	56.1	157	5	STRATUM 5 OP NON-METH - NOT IN STRATUM
10.4	10.4	29	6	STRATUM 6 COMBINATION
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Columns: 2028-2029

STUDYIND	STUDY INDICATOR				
----------	-----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.3	39.3	110	0	INCENTIVE STUDY FACILITY
60.7	60.7	170	1	MAIN STUDY FACILITY
-----	-----	----		
100.0	100.0	280	cases	

Data type: numeric
 Columns: 2030-2031

FIELDPSU	PSU NUMBER
-----------------	-------------------

280 cases (Range of valid codes: 101-420)

Data type: numeric
 Columns: 2032-2034

OWN	TYPE OF OWNERSHIP
------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	20.7	58	1	PRIVATE FOR PROFIT
63.9	63.9	179	2	PRIVATE NONPROFIT
15.4	15.4	43	3	PUBLIC
-----	-----	---		
100.0	100.0	280		cases

Data type: numeric
 Missing-data codes: *--6
 Columns: 2035-2036

WEIGHT VARIABLES**F2BWA0 PHASE II FACILITY BASE WEIGHT**

280 cases (Range of valid codes: 1.2123-665.2729)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1352-1359

PH2CFW PHASE II FACILITY WEIGHT, CONDITIONAL

280 cases (Range of valid codes: 1.0000-67.4426)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1345-1351

PH1FW0 PHASE I FACILITY FINAL WEIGHT

280 cases (Range of valid codes: 1.0000-60.2826)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1336-1342

F2FWA1 FACILITY FINAL REPLICATE WT 1

280 cases (Range of valid codes: 0.0000-576.7792)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1389-1397

F2FWA2 FACILITY FINAL REPLICATE WT 2

280 cases (Range of valid codes: 0.0000-581.9759)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1398-1405

F2FWA3 FACILITY FINAL REPLICATE WT 3

280 cases (Range of valid codes: 0.0000-581.9055)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1406-1413

F2FWA4 FACILITY FINAL REPLICATE WT 4

280 cases (Range of valid codes: 0.0000-583.4725)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1414-1421

F2FWA5 FACILITY FINAL REPLICATE WT 5

280 cases (Range of valid codes: 0.0000-580.4715)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1422-1429

F2FWA6 FACILITY FINAL REPLICATE WT 6

280 cases (Range of valid codes: 0.0000-579.0854)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1430-1437

F2FWA7 FACILITY FINAL REPLICATE WT 7

280 cases (Range of valid codes: 0.0000-579.6786)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1438-1445

F2FWA8 FACILITY FINAL REPLICATE WT 8

280 cases (Range of valid codes: 0.0000-576.1273)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1446-1453

F2FWA9 FACILITY FINAL REPLICATE WT 9

280 cases (Range of valid codes: 0.0000-578.7017)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1454-1461

F2FWA10 FACILITY FINAL REPLICATE WT 10

280 cases (Range of valid codes: 0.0000-579.1875)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1462-1469

F2FWA11 FACILITY FINAL REPLICATE WT 11

280 cases (Range of valid codes: 0.0000-581.1515)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1470-1477

F2FWA12 FACILITY FINAL REPLICATE WT 12

280 cases (Range of valid codes: 0.0000-580.5705)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1478-1485

F2FWA13 FACILITY FINAL REPLICATE WT 13

280 cases (Range of valid codes: 0.0000-579.4647)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1486-1493

F2FWA14 FACILITY FINAL REPLICATE WT 14

280 cases (Range of valid codes: 0.0000-578.5244)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1494-1501

F2FWA15 FACILITY FINAL REPLICATE WT 15

280 cases (Range of valid codes: 0.0000-579.1782)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1502-1509

F2FWA16 FACILITY FINAL REPLICATE WT 16

280 cases (Range of valid codes: 0.0000-579.5336)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1510-1517

F2FWA17 FACILITY FINAL REPLICATE WT 17

280 cases (Range of valid codes: 0.0000-578.5785)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1518-1525

F2FWA18 FACILITY FINAL REPLICATE WT 18

280 cases (Range of valid codes: 0.0000-583.0709)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1526-1533

F2FWA19 FACILITY FINAL REPLICATE WT 19

280 cases (Range of valid codes: 0.0000-581.6407)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1534-1541

F2FWA20 FACILITY FINAL REPLICATE WT 20

280 cases (Range of valid codes: 0.0000-578.6050)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1542-1549

F2FWA21 FACILITY FINAL REPLICATE WT 21

280 cases (Range of valid codes: 0.0000-580.5782)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1550-1557

F2FWA22 FACILITY FINAL REPLICATE WT 22

280 cases (Range of valid codes: 0.0000-578.7154)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1558-1565

F2FWA23 FACILITY FINAL REPLICATE WT 23

280 cases (Range of valid codes: 0.0000-579.0943)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1566-1573

F2FWA24 FACILITY FINAL REPLICATE WT 24

280 cases (Range of valid codes: 0.0000-578.5718)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1574-1581

F2FWA25 FACILITY FINAL REPLICATE WT 25

280 cases (Range of valid codes: 0.0000-580.5183)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1582-1589

F2FWA26 FACILITY FINAL REPLICATE WT 26

280 cases (Range of valid codes: 0.0000-584.0541)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1590-1597

F2FWA27 FACILITY FINAL REPLICATE WT 27

280 cases (Range of valid codes: 0.0000-573.5682)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1598-1605

F2FWA28 FACILITY FINAL REPLICATE WT 28

280 cases (Range of valid codes: 0.0000-572.5048)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1606-1613

F2FWA29 FACILITY FINAL REPLICATE WT 29

280 cases (Range of valid codes: 0.0000-572.5246)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1614-1621

F2FWA30 FACILITY FINAL REPLICATE WT 30

280 cases (Range of valid codes: 0.0000-575.1361)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1622-1629

F2FWA31 FACILITY FINAL REPLICATE WT 31

280 cases (Range of valid codes: 0.0000-574.6243)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1630-1637

F2FWA32 FACILITY FINAL REPLICATE WT 32

280 cases (Range of valid codes: 0.0000-586.0368)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1638-1645

F2FWA33 FACILITY FINAL REPLICATE WT 33

280 cases (Range of valid codes: 0.0000-581.6495)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1646-1653

F2FWA34 FACILITY FINAL REPLICATE WT 34

280 cases (Range of valid codes: 0.0000-623.5890)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1654-1661

F2FWA35 FACILITY FINAL REPLICATE WT 35

280 cases (Range of valid codes: 0.0000-590.3846)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1662-1669

F2FWA36 FACILITY FINAL REPLICATE WT 36

280 cases (Range of valid codes: 0.0000-570.9707)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1670-1677

F2FWA37 FACILITY FINAL REPLICATE WT 37

280 cases (Range of valid codes: 0.0000-573.8553)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1678-1685

F2FWA38 FACILITY FINAL REPLICATE WT 38

280 cases (Range of valid codes: 0.0000-571.1905)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1686-1693

F2FWA39 FACILITY FINAL REPLICATE WT 39

280 cases (Range of valid codes: 0.0000-591.8085)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1694-1701

F2FWA40 FACILITY FINAL REPLICATE WT 40

280 cases (Range of valid codes: 0.0000-570.0584)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1702-1709

F2FWA41 FACILITY FINAL REPLICATE WT 41

280 cases (Range of valid codes: 0.0000-571.4468)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1710-1717

F2FWA42 FACILITY FINAL REPLICATE WT 42

280 cases (Range of valid codes: 0.0000-582.7288)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1718-1725

F2FWA43 FACILITY FINAL REPLICATE WT 43

280 cases (Range of valid codes: 0.0000-579.0498)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1726-1733

F2FWA44 FACILITY FINAL REPLICATE WT 44

280 cases (Range of valid codes: 0.0000-581.1335)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1734-1741

F2FWA45 FACILITY FINAL REPLICATE WT 45

280 cases (Range of valid codes: 0.0000-584.8146)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1742-1749

F2FWA46 FACILITY FINAL REPLICATE WT 46

280 cases (Range of valid codes: 0.0000-601.0430)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1750-1757

F2FWA47 FACILITY FINAL REPLICATE WT 47

280 cases (Range of valid codes: 0.0000-585.0975)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1758-1765

F2FWA48 FACILITY FINAL REPLICATE WT 48

280 cases (Range of valid codes: 0.0000-579.9011)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1766-1773

F2FWA49 FACILITY FINAL REPLICATE WT 49

280 cases (Range of valid codes: 0.0000-595.3602)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1774-1781

F2FWA50 FACILITY FINAL REPLICATE WT 50

280 cases (Range of valid codes: 0.0000-592.6089)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1782-1789

F2FWA51 FACILITY FINAL REPLICATE WT 51

280 cases (Range of valid codes: 0.0000-713.3108)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1790-1797

F2FWA52 FACILITY FINAL REPLICATE WT 52

280 cases (Range of valid codes: 0.0000-589.6417)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1798-1805

F2FWA53 FACILITY FINAL REPLICATE WT 53

280 cases (Range of valid codes: 0.0000-579.1570)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1806-1813

F2FWA54 FACILITY FINAL REPLICATE WT 54

280 cases (Range of valid codes: 0.0000-580.3893)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1814-1821

F2FWA55 FACILITY FINAL REPLICATE WT 55

280 cases (Range of valid codes: 0.0000-587.9219)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1822-1829

F2FWA56 FACILITY FINAL REPLICATE WT 56

280 cases (Range of valid codes: 0.0000-606.0236)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1830-1837

F2FWA57 FACILITY FINAL REPLICATE WT 57

280 cases (Range of valid codes: 0.0000-579.0479)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1838-1845

F2FWA58 FACILITY FINAL REPLICATE WT 58

280 cases (Range of valid codes: 0.0000-486.3328)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1846-1853

F2FWA59 FACILITY FINAL REPLICATE WT 59

280 cases (Range of valid codes: 0.0000-573.5716)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1854-1861

F2FWA60 FACILITY FINAL REPLICATE WT 60

280 cases (Range of valid codes: 0.9983-580.0793)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1862-1869

F2FWA61 FACILITY FINAL REPLICATE WT 61

280 cases (Range of valid codes: 0.0000-610.9463)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1870-1877

F2FWA62 FACILITY FINAL REPLICATE WT 62

280 cases (Range of valid codes: 0.0000-580.5532)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1878-1885

F2FWA63 FACILITY FINAL REPLICATE WT 63

280 cases (Range of valid codes: 0.0000-604.2962)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1886-1893

F2FWA64 FACILITY FINAL REPLICATE WT 64

280 cases (Range of valid codes: 0.0000-584.8789)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1894-1901

F2FWA65 FACILITY FINAL REPLICATE WT 65

280 cases (Range of valid codes: 0.0000-578.7867)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1902-1909

F2FWA66 FACILITY FINAL REPLICATE WT 66

280 cases (Range of valid codes: 0.0000-592.5592)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1910-1917

F2FWA67 FACILITY FINAL REPLICATE WT 67

280 cases (Range of valid codes: 0.9983-580.0793)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1918-1925

F2FWA68 FACILITY FINAL REPLICATE WT 68

280 cases (Range of valid codes: 0.0000-600.2632)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1926-1933

F2FWA69 FACILITY FINAL REPLICATE WT 69

280 cases (Range of valid codes: 0.0000-574.1590)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1934-1941

F2FWA70 FACILITY FINAL REPLICATE WT 70

280 cases (Range of valid codes: 0.0000-583.2292)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1942-1949

F2FWA71 FACILITY FINAL REPLICATE WT 71

280 cases (Range of valid codes: 0.0000-641.2322)

Data type: numeric
Decimals: 4
Missing-data codes: *--6.0000
Columns: 1950-1957

F2FWA72 FACILITY FINAL REPLICATE WT 72

280 cases (Range of valid codes: 0.0000-631.2406)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1958-1965

F2FWA73 FACILITY FINAL REPLICATE WT 73

280 cases (Range of valid codes: 0.0000-594.6366)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1966-1973

F2FWA74 FACILITY FINAL REPLICATE WT 74

280 cases (Range of valid codes: 0.0000-575.6759)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1974-1981

F2FWA75 FACILITY FINAL REPLICATE WT 75

280 cases (Range of valid codes: 0.0000-607.4978)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1982-1989

F2FWA76 FACILITY FINAL REPLICATE WT 76

280 cases (Range of valid codes: 0.0000-589.7153)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1990-1997

F2FWA77 **FACILITY FINAL REPLICATE WT 77**

280 cases (Range of valid codes: 0.0000-587.7429)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 1998-2005

F2FWA78 **FACILITY FINAL REPLICATE WT 78**

280 cases (Range of valid codes: 0.0000-587.8756)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 2006-2013

F2FWA0 **PHASE II FACILITY FINAL WEIGHT**

280 cases (Range of valid codes: 1.0000-580.5590)

Data type: numeric

Decimals: 4

Missing-data codes: *--6.0000

Columns: 2014-2021

APPENDIX A –**REFERENCES**

- Batten, Helen L. et al. (1992). *Drug Services Research Study: Final Report Phase II*, U.S. Department of Health and Human Services.
- Brick, J.M. and Morganstein, D.R. (1996). WesVarPC: Software for computing variance estimates from complex designs. *Proceedings of the Bureau of the Census 1996 Annual Research Conference*.
- Brick, J.M., Morganstein, D.R., and Barrett, B. (1999, November). Variance estimation: Estimating the effects of weight adjustments. Presented at the Washington Statistical Society Seminar.
- Broene, P. and Rust, K. (1998). Strengths and limitations of using SUDAAN, STATA, and WesVarPC for computing variances from National Center for Education Statistics data sets. *Westat report prepared under contract for NCES*.
- Flores-Cervantes, I., Brick, J.M. and DiGaetano, R. (1999). 1997 NSAF variance estimation. Report No. 4, *NSAF Methodology Reports: Assessing the New Federalism*, The Urban Institute, Washington, DC.
- Kalton and Kish, L. (1984). Some efficient random imputation methods. *Communications in Statistics*, 13(16), pp. 1919-1939.
- Alcohol and Drug Services Study (ADSS) Methodology Report. (2000). US DHHS Substance Abuse and Mental Health Services Administration (SAMHSA).
- Montaquila, J. and Jernigan, R. (1997). Variance estimation in the presence of imputed data. *American Statistical Association's 1997 Proceedings of the Section on Survey Research Methods*, pp. 273-278.
- Montaquila, J. and Ponikowski, C. (1995). An evaluation of alternative imputation methods. *American Statistical Association's 1997 Proceedings of the Section on Survey Research Methods*, pp. 281-286.
- Westat (1998). *WesVar Complex Samples User's Guide*. Chicago: SPSS, Inc.

