

**Drug Abuse Treatment Outcome
Study (DATOS), 1991-1994: [United
States]**

*United States Department of Health and
Human Services. National Institute on
Drug Abuse*

Codebook for Intake 1 Data

TABLE OF CONTENTS

INTRODUCTION	1
A. Background	1
B. Research Design	1
C. Program Sample	2
D. Instrumentation	3
E. Data Collection Procedures	3
F. Status of DATOS Study and Future Directions	4
G. SAMHDA Data Cleaning and Processing	5
H. User Responsibility	7
I. Processor Notes	7
FREQUENCIES	8
IDENTIFICATION	9
INTERVIEW INFORMATION	10
RECODED VARIABLES: CLIENT CHARACTERISTICS	11
RECODED VARIABLES: SUBSTANCE USE	16
RECODED VARIABLES: TREATMENT	23
INTERVIEW INFORMATION	24
DEMOGRAPHICS AND BACKGROUND	25
EDUCATION AND TRAINING	39
ADMISSION	61
ALCOHOL AND TOBACCO USE	84
DRUG USE	112
MENTAL HEALTH STATUS	267
ILLEGAL INVOLVEMENT	308
EMPLOYMENT/SUPPORT STATUS	355
INCOME AND EXPENDITURES	406
DRUG AND ALCOHOL DEPENDENCE	425
INTERVIEWER OBSERVATIONS	588
MINIMENTAL STATUS EXAM	604
APPENDIX A: Publications	614

DRUG ABUSE TREATMENT OUTCOME STUDY-ADULT STUDY

INTRODUCTION

A. Background

The Drug Abuse Treatment Outcome Study (DATOS) is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The DATOS family of studies consists of DATOS-adult, DATOS-adolescent, and the Cocaine Treatment Outcome Study (CTOS). DATOS-adult is viewed as a focal point of a comprehensive, systematic DATOS-based research program and family of studies to investigate treatment outcomes.

The major objectives of DATOS are to (1) develop current and more comprehensive information about drug abuse treatment effectiveness; (2) describe the characteristics of clients entering treatment and the treatment they receive in typical and stable community-based settings; (3) assess the contributions to client outcomes of program type, client characteristics, and treatment received; (4) assess the cost-effectiveness of drug abuse treatment across the major types of programs; and (5) compare the changes in clients, treatment, and treatment outcome findings from earlier multi-site studies. DATOS-adult is a comprehensive, multi-site prospective cohort study of clients entering treatment from 1991 to 1993. Approximately 10,000 clients from 96 programs in 11 cities were assessed at intake. Re-interviews were completed at 1 and 3 months during treatment with clients who continued their treatment. Follow-up samples of about 4,500 clients (12-months after treatment) and about 2,300 (at 60-months after treatment) were selected for locating and interviewing in the community.

B. Research Design

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. The prospective cohort design used in DATOS is the most appropriate design to study the interactions among client characteristics and treatment elements (Cook & Campbell, 1979; Singer, 1986). Both detailed measurement, fundamental to clinical epidemiological research, and multiple comparison groups available in prospective cohort studies, are utilized in DATOS. Although a principal goal of the study was to provide descriptive information on the characteristics of clients entering selected drug abuse treatment programs and their behaviors before, during, and after treatment, the design provides strong support for evaluative and causal inferences.

C. Program Sample

DATOS studies the effectiveness of treatment provided by typical and stable community-based organizations. Programs that provide such treatment were selected to develop samples of clients and treatment approaches to understand program effectiveness and to examine the factors contributing to positive outcomes. The programs involved in DATOS reflected approaches to treatment, and their client populations exhibited the major behavior patterns of clients receiving treatment for drug abuse between 1991 and 1993. As a study of treatment effectiveness, DATOS purposively sampled programs reflecting a full continuum of typical clinical approaches. In most of the communities, all programs were involved. Once the programs were selected, all clients who were admitted to treatment within the time frame were contacted and scheduled to be interviewed. This provided a pool of clients from which the samples for analysis could be developed. Most programs differed in their admission and intake criteria. DATOS was not designed to provide prevalence estimates or program evaluation. Neither the sample of programs nor clients was a statistically representative sample. The aim of the DATOS was to develop a pool of clients who differed in their exposure to various treatments in order to examine key relationships among client characteristics, treatment and outcomes. The changes in the treatment system raise many important issues surrounding who can be defined as a client and when they qualify. This re-definition is a major research issue in itself and was beyond the scope of DATOS. Consequently, it was virtually impossible to develop a consistent strategy to list clients who were eligible. Thus, a traditional response rate for intake and in-treatment interviews is difficult to conceptualize, and if one or many were to be calculated it would be specific to a modality or program type and the analysis sample of interest. Without a firm denominator, "response rates" cannot be consistently calculated across programs.

Geographic location, the type of program, and the representativeness of the program and its clients were considered in the selection of cities, programs, and clients for DATOS. Since the intense data collection efforts required for DATOS precluded wide geographic dispersion of programs, a limited number of candidate cities were chosen to reflect treatment approaches and clients in different sections of the United States. Cities considered were medium to large metropolitan areas with established treatment systems that included programs from each of four traditional modalities. Programs within each of the four major modalities of treatment varied in funding mechanism and philosophy

Eleven cities were selected as sites for the DATOS-adult study. Initial training of interviewers in five cities was conducted in November 1991, and data collection began during late November 1991. In May 1992, a second training session for interviewers for the other sites was held, and data collection began in those four cities in early summer 1992. A third training session was held in August 1992, and programs in the two remaining areas were added to implement the full complement of 11 cities and 120 programs in DATOS-adult. A number of the programs never produced any interviews due to inadequate client flow, and several closed before data collection began. In the end, 96 programs produced interviews, but only 81 programs yielded 20 or more intake-1 interviews. (Some earlier papers and reports counted 99 DATOS-adult programs, but subsequently it was determined that a few programs had merged or changed administrative structure and the final count was 96 programs.) The greatest number of clients with the fewest programs was short-term inpatient due to the rapid turnover of client beds. In contrast, methadone programs, whose clients stayed over a year in many cases, required more than double the numbers of programs to yield fewer than half the number of clients.

D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires. In addition, program level data were collected utilizing questionnaires administered to treatment program directors and counselors.

Intake 1. The Intake 1 Questionnaire obtained baseline data and took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment, and Income and expenditures.

Intake 2. The Intake 2 Questionnaire, which also required approximately 90 minutes to complete, was administered approximately one week after the Intake 1 Questionnaire. It contained sections on Health, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

In-treatment. Client data were collected primarily through client in-treatment interviews (also called "During-treatment interviews") administered at 1, 3, and 6-months after admission. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

Follow-up. Interviews were administered at 12-months after treatment termination. For long-term methadone clients whose treatment lasted more than 12 months, the follow-up interview was instead scheduled at 24 months after admission. The follow-up interview replicated much of the Intake interviews and focused on key behaviors during the year prior to the follow-up interview.

E. Data Collection Procedures

Interviewers were well-trained and closely supervised. Approximately 70 interviewers recruited, trained, and supervised by the Research Triangle Institute (RTI) were directly responsible for the data collection at all the treatment programs. Intake and in-treatment data were collected within a program's physical facilities by the on-site program researcher (PR) trained and monitored by RTI staff. Clients were compensated \$10 for each Intake and In-treatment interview, and \$15 for a Follow-up interview. Seven-day training sessions for the interviewers were conducted which included both the details of the administration of the various instruments and experience in working with the programs. Staff providing the training were experienced in drug abuse and treatment studies and had extensive experience in the training on the Diagnostic Interview Schedule (DIS) and other components of the assessment battery used in DATOS.

To ensure data quality for DATOS, weekly phone reports from each PR were required and a quarterly site visit was made to each program to monitor the data collection. In addition, two randomly selected interviews completed by all active PRs were reviewed monthly. Quality control procedures were instituted at each step of data management, data receipt and edit, data entry, and document control.

F. Status of DATOS Study and Future Directions

Upon completion of the 12-month post-treatment follow-up phase of adults, DATOS-adult began the next cycle which involves a Cooperative Agreement among NIDA, the Institute for Community-Based Research (ICBR) of the National Development and Research Institutes, Inc. (Raleigh, NC), the Institute for Behavioral Research (IBR) at Texas Christian University (Fort Worth, TX) and the Drug Abuse Research Center (DARC) at the University of California at Los Angeles.

The Cooperative DATOS is an important NIDA-sponsored effort designed to collaboratively analyze data obtained under the DATOS family of studies, to examine key questions, and provide answers and new knowledge about drug abuse treatment as it has been and is being provided under contemporary conditions. Several research themes are being explored within the Cooperative:

- Studies of contemporary treatment outcomes, especially long-term outcomes and how they relate to phases of addiction and treatment
- Examination of the evolving drug abuse treatment system, including delivery and utilization of primary and ancillary services
- Research on the components of effective treatment, including the identification of factors that engage and retain clients in programs

Four variable domains, selected in accord with their significance for the drug abuse field, are being emphasized within the contexts of each set of studies. The domains include cocaine use, HIV risk behaviors, psychiatric co-morbidity, and criminal justice status.

An extended follow-up was in progress as of December 2002 to gather data on clients over a 4-year follow-up period. The added data will allow for a more in-depth examination of treatment and the long-term history of a contemporary sample of drug abuse clients.

For a more complete discussion of the DATOS methodology, see

Flynn, PF, Craddock, SG, Hubbard, RL, Anderson, J., and Etheridge, RM. (1997). Methodological Overview and Research Design for the Drug Abuse Treatment Outcome Study (DATOS), Psychology of Addictive Behavior, 11 (4).

For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>

G. SAMHDA Data Cleaning and Processing

This documents the steps taken to clean and process the Drug Abuse Treatment Outcome Study (DATOS) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS variables included city, treatment program, and date of birth. The data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

City and program names: The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-10,010.

Date of birth: Date of birth (DOB) was deleted from the files; age at time of interview was also on the files and was preserved and top-coded at 55 and over.

Age at time of ... : Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

Age at time of ... was also top-coded at 55 and over. In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

Legal status (criminal involvement) at time of admission, "Other; specify": The details provided in "specify" were deleted; value coded as "Circled."

Have other health plan: Plans offered in a limited geographic area were coded as "Other."

Occupation: Highly detailed occupation codes were combined into larger categories.

Race: These codes were re-coded as "White," "Black," "Hispanic," and "Other."

Ethnicity: Detailed ethnicity codes and variables were collapsed or deleted.

Description of ethnic/cultural background (Hispanic): Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

What other languages do you speak: Coded as "German," "Spanish," "French," all others coded or re-coded as "Other."

Length of marital status in weeks: Re-coded to years; top-coded as 21 or more.

Length of time since divorce in months: Re-coded to years; top-coded as 21 or more.

Highest grade completed: Top-coded as 21 or more.

Type of school/training program attended: Job corps and special education (very low frequencies) coded as "Other."

Number of children: Top-coded based on frequencies as "6 or more" (e.g., your own children) and "7 or more" (e.g., children to whom you gave birth or fathered) and "8 or more" (e.g., your own children and those raised as your own).

Date of admission: The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

Date of interview: This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

ICD-9/DSM diagnosis codes: These were re-coded as "substance-related condition," "mental health condition," and "all other conditions."

Number of months currently pregnant: Re-coded by trimester.

Reason felt worthless/sinful/guilty: This variable was not numerically-coded on the original files (i.e., the verbatim responses were provided); this variable was therefore deleted.

Presence of a specific physical handicap: Variables related to a specific physical handicap (e.g., blindness) were deleted from the files. This involved three variables with fewer than five cases each.

Problems related to getting a job: Variables that were potentially identifying with very low frequencies (fewer than five), such as immigration status, were deleted.

Questions respondent did not understand: These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

Administrative variables: “Batch,” time checkpoints, and other variables related to questionnaire administration were deleted from the files.

Other variables: Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. “Program type” was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

H. User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

I. Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

FREQUENCIES

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

10,010 cases (Range of valid codes: 1-10010)

Data type: numeric

Columns: 1-5

MODALITY DATOS TX MODALITY

PCT VALID	PCT ALL	N	VALUE	LABEL
27.7	27.7	2,774	1	RESIDENTIAL
31.2	31.2	3,120	2	SHORT-TERM INPATIENT
15.4	15.4	1,542	3	METHADONE MAINTENANCE
25.7	25.7	2,574	4	OUTPATIENT DRUG FREE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Column: 6

INTERVIEW INFORMATION

FORM	VERSION OF QUESTIONNAIRE ANSWERED
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	35.7	3,570	1	NOV91
64.3	64.3	6,440	2	OCT92
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
Column: 7

ADC1	DATE COMPLETED: MONTH
-------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	28.2	2,819	1	JAN.-MARCH
25.9	25.9	2,597	2	APR.-JUNE
24.5	24.5	2,455	3	JULY-SEPT.
21.4	21.4	2,138	4	OCT.-DEC.
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 8-9

ADC3	DATE COMPLETED: YR
-------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	208	91	
56.3	56.3	5,632	92	
41.6	41.6	4,164	93	
	0.1	6	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 10-11

RACE	RACE/ETHNICITY RECODE			
------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	38.3	3,831	1	CAUCASIAN/WHITE
46.6	46.6	4,664	2	AFRO-AMERICAN/BLACK
12.5	12.5	1,250	3	HISPANIC
2.6	2.6	265	4	OTHER
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
Column: 2840

RACESEX	RACE/GENDER COMBINATION			
---------	-------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	25.8	2,580	1	CAUCASIAN/WHITE MALE
30.1	30.1	3,018	2	AFRO-AMERICAN/BLACK MALE
8.3	8.3	830	3	HISPANIC MALE
1.7	1.7	174	4	OTHER MALE
12.5	12.5	1,251	5	CAUCASIAN/WHITE FEMALE
16.4	16.4	1,646	6	AFRO-AMERICAN/BLACK FEMALE
4.2	4.2	420	7	HISPANIC FEMALE
0.9	0.9	91	8	OTHER FEMALE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
Column: 2841

MSTAT	MARITAL STATUS AT INTAKE			
-------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	19.5	1,949	1	MARRIED
7.4	7.3	734	2	SEPARATED
13.9	13.9	1,387	3	DIVORCED
1.6	1.6	157	4	WIDOWED
12.3	12.2	1,225	5	LIVING AS MARRIED
45.4	45.3	4,531	6	NEVER MARRIED
	0.3	27	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2842-2843

FTWORK	WKS FULL TIME WORK PAST YR
---------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	47.6	4,766	0	NONE
12.7	12.4	1,243	1	1-13 WKS
17.3	16.9	1,696	2	14-39 WKS
21.2	20.7	2,076	3	40-52 WKS
	2.3	229	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2844-2845

EDLEV	EDUCATIONAL LEVEL
--------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
4.5	4.5	448	1	GRADE SCHOOL OR LESS
32.5	32.5	3,249	2	HIGH SCHOOL
37.6	37.6	3,764	3	HIGH SCHOOL DEGREE
16.8	16.8	1,684	4	SOME COLLEGE
4.2	4.2	416	5	JR COLLEGE/ASSOCIATE DEGREE
3.6	3.6	364	6	COLLEGE DEGREE
0.7	0.7	73	7	ADVANCED DEGREE
	0.1	12	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2846-2847

HLTHINS	HEALTH INSURANCE
----------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	47.8	4,784	0	NONE
19.7	19.4	1,941	1	PRIV/OTHER
31.6	31.1	3,114	2	PUB
	1.7	171	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2848-2849

MAJSRC	MAJOR SOURCE OF INCOME			
--------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.5	451	0	NO INCOME
44.5	41.9	4,195	1	LEGAL WORK
21.8	20.5	2,052	2	PUB ASSISTANCE
4.8	4.5	452	3	SOCIAL SECURITY
7.1	6.7	673	4	FAMILY, FRIENDS
15.5	14.6	1,458	5	ILLEGAL SOURCES
1.6	1.5	151	6	OTHER SOURCES
	5.8	578	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2850-2851

REFER	REFERRAL SOURCE			
-------	-----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	33.5	3,356	0	SELF-REFERRAL
3.1	3.1	307	1	MEDICAL SERVICE
6.4	6.4	640	10	COMMUNITY AGENCY
5.7	5.7	569	20	LEGAL SYSTEM (NOT PROBAT/PAROLE)
15.4	15.4	1,539	30	PROBATION/PAROLE
0.6	0.6	63	40	PRISON SYSTEM
31.4	31.3	3,136	50	FAMILY OR FRIENDS
0.7	0.6	65	60	SCHOOL
2.3	2.3	227	70	EMPLOYER
0.2	0.2	23	80	VETERAN
0.6	0.6	57	90	OTHER
	0.3	28	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2852-2853

CJ_STAT	CRIMINAL JUSTICE STATUS
----------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	55.5	5,557	0	NO LEGAL STATUS
6.8	6.7	675	1	IN JAIL/DETENTION
22.2	22.1	2,212	2	PROBATION
8.8	8.8	881	3	PAROLE
6.5	6.5	650	4	CASE PENDING
	0.3	35	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2854-2855

RESTRICT	WKS RESTRICTED PAST YR, BRACKETED
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	43.7	4,372	0	NO WKS RESTRICTED
20.5	19.7	1,967	1	1-4 WKS RESTRICTED
11.6	11.1	1,115	2	5-13 WKS RESTRICTED
9.6	9.2	922	3	14-26 WKS RESTRICTED
5.5	5.2	525	4	27-39 WKS RESTRICTED
2.9	2.8	279	5	40-50 WKS RESTRICTED
4.4	4.2	423	6	51-52 WKS RESTRICTED
	4.1	407	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2856-2857

RECODED VARIABLES: SUBSTANCE USE

PDRUG	PRIMARY DRUG PROB RECODE			
-------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.0	597	0	NO FAVORITE DRUG
12.5	12.2	1,226	10	ALCOHOL
3.0	3.0	297	20	MARIJUANA
1.6	1.5	152	30	HALLUCINOGEN
52.2	51.0	5,101	40	COCAINE/CRACK
18.7	18.3	1,827	50	HEROIN
2.2	2.2	218	60	NARCOTICS/OTHER OPIATES
0.9	0.8	84	70	SEDATIVES
2.5	2.5	246	80	AMPHETAMINES
0.2	0.2	16	90	OTHER
0.1	0.1	7	91	INHALANTS
	2.4	239	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2858-2859

PDRUGFRQ	FREQ OF PRIMARY DRUG USE			
----------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	4.7	475	0	NO USE
3.7	3.3	335	1	LESS THAN ONCE/WEEK
7.1	6.5	652	2	1-3 TIMES/MONTH
12.1	11.1	1,107	3	1-2 TIMES/WEEK
13.2	12.1	1,210	4	3-4 TIMES/WEEK
5.5	5.1	508	5	5-6 TIMES/WEEK
25.4	23.3	2,329	6	DAILY OR ALMOST EVERY DAY
8.4	7.7	772	7	2-3 TIMES/DAY
19.5	17.9	1,790	8	4+ TIMES/DAY
	6.0	597	-9	NO PRIMARY DRUG DENOTED
	2.3	235	-8	
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2860-2861

FAVDRUG	FAVORITE DRUG PROB RECODE
----------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	492	0	NO FAVORITE DRUG
12.3	12.1	1,216	10	ALCOHOL
8.0	7.9	792	20	MARIJUANA
1.5	1.4	144	30	HALLUCINOGEN
45.9	45.2	4,527	40	COCAINE/CRACK
21.1	20.8	2,083	50	HEROIN
2.6	2.5	255	60	NARCOTICS/OTHER OPIATES
0.9	0.8	85	70	SEDATIVES
2.4	2.4	238	80	AMPHETAMINES
0.2	0.2	17	90	OTHER
0.1	0.1	6	91	INHALANTS
	1.5	155	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2862-2863

HVY_ALC	HEAVY ALCOHOL USER PAST YR
----------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	63.2	6,324	0	NOT A HEAVY USER
36.5	36.3	3,632	1	HEAVY ALCOHOL USER
	0.5	54	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2864-2865

DRUGPAT	DRUG USE PATTERN FOR DATOS				
---------	----------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	13.1	1,314	1	HEROIN/NARCOTIC/NO COKE
13.4	13.4	1,340	2	COKE W/HEROIN OR NARCOTICS
12.4	12.4	1,239	3	COKE ONLY
16.5	16.5	1,654	4	COKE AND ALCOHOL
13.7	13.7	1,376	5	COKE PLUS OTHER DRUGS
17.5	17.5	1,754	6	MARIJUANA AND/OR ALCOHOL
13.3	13.3	1,333	7	RESIDUAL
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
Column: 2866

TOPS_PAT	TOPS DRUG USE PATTERN				
----------	-----------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	422	1	HEROIN
17.7	17.7	1,772	2	HEROIN AND OPIOIDS
4.6	4.6	460	3	OTHER OPIOIDS
2.4	2.4	245	4	MULTIPLE NON-OPIOIDS
43.6	43.6	4,368	5	SINGLE NON-OPIOIDS
15.1	15.1	1,512	6	MARIJUANA AND/OR ALCOHOL
12.3	12.3	1,231	7	RESIDUAL/MINIMAL USE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
Column: 2867

ALCWK	ALCOHOL-WEEKLY USE IN PAST YR				
-------	-------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	47.5	4,751	0	LESS THAN WEEKLY USE
52.3	52.1	5,218	1	WEEKLY OR MORE USE
	0.4	41	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2868-2869

MRJWK MARIJUANA-WEEKLY USE IN PAST YR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	72.8	7,284	0	LESS THAN WEEKLY USE
27.0	26.9	2,691	1	WEEKLY OR MORE USE
	0.3	35	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2870-2871

COCWK COCAINE-WEEKLY USE IN PAST YR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	43.6	4,362	0	LESS THAN WEEKLY USE
56.3	56.0	5,609	1	WEEKLY OR MORE USE
	0.4	39	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2872-2873

CRKWK CRACK-WEEKLY USE IN PAST YR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.7	59.2	5,926	0	LESS THAN WEEKLY USE
40.3	40.0	4,006	1	WEEKLY OR MORE USE
	0.8	78	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2874-2875

HERWK	HEROIN-WEEKLY USE IN PAST YR				
-------	------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.0	77.7	7,776	0	LESS THAN WEEKLY USE
22.0	21.9	2,194	1	WEEKLY OR MORE USE
	0.4	40	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2876-2877

NARWK	NARCOTICS-WEEKLY USE IN PAST YR				
-------	---------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	90.5	9,060	0	LESS THAN WEEKLY USE
8.9	8.8	882	1	WEEKLY OR MORE USE
	0.7	68	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2878-2879

SEDWK	SEDATIVES-WEEKLY USE IN PAST YR				
-------	---------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	92.6	9,267	0	LESS THAN WEEKLY USE
6.8	6.7	672	1	WEEKLY OR MORE USE
	0.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2880-2881

NDRUGS		NUMBER DRUGS USED WEEKLY		
--------	--	--------------------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	12.0	1,206	0	
29.3	29.3	2,936	1	
34.8	34.8	3,480	2	
17.1	17.1	1,707	3	
4.7	4.7	468	4	
1.5	1.5	151	5	
0.4	0.4	40	6	
0.2	0.2	19	7	
0.0	0.0	3	8	
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
Column: 2888

HERHX		HISTORY OF HEROIN USE		
-------	--	-----------------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	54.1	5,415	0	NEVER USED
11.2	11.1	1,113	1	USED 1-5 TIMES ONLY
5.5	5.5	551	2	USED SPORADICALLY OR MONTHLY
1.5	1.5	147	3	USED MORE THAN 4 WKS ON WEEKLY BASIS
27.5	27.4	2,744	4	USED MORE THAN 4 WKS ON DAILY BASIS
	0.4	40	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2889-2890

COCHX		HISTORY OF COCAINE USE		
-------	--	------------------------	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.4	541	0	NEVER USED
6.8	6.8	676	1	1-5 TIMES ONLY
12.5	12.4	1,246	2	SPORADICALLY/MONTHLY
20.7	20.6	2,062	3	>4 WKS ON WEEKLY BASIS
54.6	54.4	5,448	4	>4 WKS ON DAILY BASIS
	0.4	37	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2891-2892

RECODED VARIABLES: TREATMENT**DRUGTX** **NUMBER OF PRIOR DRUG TXS**

10,010 cases (Range of valid codes: 0-106)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2893-2895

DRGTXAGE **AGE AT 1ST DRUG TX**

10,010 cases (Range of valid codes: 5-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2896-2897

INTERVIEW INFORMATION

ATLI **TOTAL LENGTH OF INTERVIEW: MINUTES**

10,010 cases (Range of valid codes: 0-960)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 12-14

AA4

HISPANIC OR SPANISH ORIGIN OR DESCENT

Are you of Hispanic or Spanish origin or descent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.4	1,246	1	YES
87.5	87.0	8,707	2	NO
	0.5	51	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 19-20

AA4A

DESCRIPTION OF ETHNIC/CULTURAL BACKGROUN

Please tell me which group best describes your ethnic or cultural background.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	5.0	502	1	PUERTO RICAN
28.7	3.7	368	2	MEXICAN
8.6	1.1	111	3	CUBAN
19.6	2.5	252	7	OTHER
4.0	0.5	51	15	MIXED
	86.2	8,633	-9	LEGITIMATE SKIP
	0.9	88	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 21-22

AA4B	BEST DESCRIPTION OF GROUP NAME
-------------	---------------------------------------

Please tell me the name of the group that best describes you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	47.8	4,784	4	BLACK OR AFRICAN AMERICAN
46.3	45.7	4,570	5	WHITE OR CAUCASIAN
3.4	3.3	331	6	OTHER
1.9	1.8	184	7	HISPANIC
	1.3	127	-8	BLANK
	0.0	4	-7	REFUSAL
	0.1	8	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 23-24

AA8	LANG OTHER THAN ENGLISH SPOKEN IN HOME
------------	---

What languages other than English were spoken in your home while you were growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.7	78.0	7,812	1	ONLY ENGLISH
17.1	17.0	1,700	2	ENGLISH AND OTHER LANGUAGE(S)
4.1	4.1	411	3	ONLY OTHER LANGUAGE(S)
	0.7	75	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	9	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 25-26

AA9

SPEAK ANY LANGUAGE OTHER THAN ENGLISH

Do you speak any languages other than English?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	20.1	2,011	1	YES
79.8	79.2	7,932	2	NO
	0.6	65	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 27-28

AA9A

WHAT OTHER LANGUAGES DO YOU SPEAK?

What other languages do you speak?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	14.7	1,469	1	SPANISH
6.7	1.3	135	2	FRENCH
4.8	1.0	96	3	GERMAN
15.1	3.0	303	4	OTHER
	79.2	7,927	-9	LEGITIMATE SKIP
	0.8	76	-8	BLANK
	0.0	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 29-30

AA9B **PREFERRED LANGUAGE TO SPEAK**

What language do you prefer to speak most of the time? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.8	85	1	ONLY (OTH. LANG. FROM A9A)
6.7	1.3	130	2	MOSTLY (OTH. LANG. FROM A9A)
38.6	7.5	746	3	ONLY ENGLISH
38.5	7.4	744	4	MOSTLY ENGLISH
11.7	2.3	226	5	(OTH. LANG. FROM A9A) & ENGLISH
	79.1	7,915	-9	LEGITIMATE SKIP
	1.6	160	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 31-32

AA10 **MARITAL STATUS AT TIME ADM TO PROG**

At the time you were admitted to this program, were you married, legally separated, divorced, widowed, living with someone as married (but not legally married), or had you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	19.5	1,949	1	MARRIED
7.4	7.3	735	2	LEGALLY SEPARATED
13.9	13.8	1,386	3	DIVORCED
1.6	1.6	157	4	WIDOWED
12.3	12.2	1,226	5	LIVING W/SOMEONE AS MARRIED
45.4	45.3	4,530	6	NEVER MARRIED
	0.2	20	-8	BLANK
	0.1	7	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 33-34

AA10B

SPOUSE/PARTNER HISPANIC/SPANISH ORIGIN

Is your (husband/ wife/ partner) of Hispanic or Spanish origin or descent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	5.0	499	1	YES
84.1	26.4	2,639	2	NO
	67.6	6,765	-9	LEGITIMATE SKIP
	1.0	103	-8	BLANK
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 35-36

AA11_3	LENGTH OF MARITAL STATUS IN WKS
--------	--

How long had you been (REPEAT STATUS GIVEN IN A10)?

_____ WEEKS

PCT VALID	PCT ALL	N	VALUE	LABEL
17.5	9.5	954	1	0-52 WKS
11.4	6.2	618	2	53-104 WKS
9.9	5.4	540	3	105-156 WKS
7.3	4.0	397	4	157-208 WKS
7.6	4.2	416	5	209-260 WKS
5.3	2.9	291	6	261-312 WKS
5.4	2.9	294	7	313-364 WKS
4.6	2.5	248	8	365-416 WKS
3.5	1.9	190	9	417-468 WKS
5.8	3.1	313	10	469-520 WKS
2.5	1.4	136	11	521-572 WKS
3.0	1.6	161	12	573-624 WKS
2.6	1.4	143	13	625-676 WKS
1.8	1.0	97	14	677-728 WKS
2.4	1.3	129	15	729-780 WKS
1.3	0.7	69	16	781-832 WKS
1.7	0.9	90	17	833-884 WKS
1.2	0.6	64	18	885-936 WKS
0.8	0.4	41	19	937-988 WKS
1.6	0.9	89	20	989-1040 WKS
3.0	1.6	162	21	1041+ WKS
	45.2	4,525	-9	LEGITIMATE SKIP
	0.4	40	-8	BLANK
	0.0	3	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 37-38

AA12

TYPE OF RESIDENCE WHEN ENTERED PROG

Please tell me what type of residence or other place you lived in when you entered this program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	43.9	4,390	1	ONE-FAMILY HOUSE/DUPLEX/CONDO
2.1	2.1	206	2	MOBILE HOME/TRAILER
34.9	34.7	3,478	3	APARTMENT BLDG/MULTIPLE DWELLING
1.9	1.9	194	4	HOTEL/ROOMING HOUSE/BOARDING HOUSE
0.4	0.4	41	5	HOSPITAL OR MED INSTITUTION
7.1	7.1	710	6	IN JAIL/PRISON/JUVENILE DETENTION
1.2	1.2	117	7	RES DRUG TX CENTER
2.9	2.9	294	8	OTHER GROUP RESIDENCE/HALFWAY HOUSE
2.2	2.2	220	9	IN HOMELESS SHELTER
2.2	2.2	220	10	ON STREET (NO REGULAR PLACE)
1.0	1.0	99	11	(IF VOL. :) OTHER
	0.3	26	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	14	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 39-40

AA13	WHO LIVED WITH WHEN ENTERED PROG-CIRCLE1
-------------	---

Who did you live with when you entered this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	15.2	1,521	1	W/SPOUSE OR SEXUAL PARTNER/CHILDREN
11.3	9.4	943	2	W/SPOUSE OR SEXUAL PARTNER ONLY
4.9	4.1	408	3	W/CHILDREN ONLY
9.2	7.7	770	4	W/BOTH PARENTS
4.7	3.9	390	5	W/MOTHER ONLY
0.9	0.8	78	6	W/FATHER ONLY
1.7	1.4	138	7	W/PARENT(S) AND OWN CHILDREN
23.2	19.3	1,935	8	W/OTHER FAMILY ONLY/COMBINATION 1-7
0.2	0.1	13	9	W/FOSTER PARENTS
3.1	2.6	258	10	W/FAMILY/FRIENDS/BOARDERS/ROOMMATE
7.0	5.8	582	11	W/FRIENDS OR ROOMMATE ONLY
14.6	12.1	1,213	12	ALONE
0.4	0.4	37	13	INSTITUTION OR CLOSED FACILITY
0.3	0.2	22	14	NO STABLE ARRANGEMENT
0.3	0.3	26	15	OTHER
	16.1	1,611	-9	LEGITIMATE SKIP
	0.4	39	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	25	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 41-42

AA14_1	RESPONDENT MAKES HOUSEHOLD DECISIONS
---------------	---

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Respondent.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	34.0	3,408	1	CIRCLED
	33.9	3,395	-9	LEGITIMATE SKIP
	32.0	3,204	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 43-44

AA14_2

SPOUSE/PARTNER MAKES HOUSEHOLD DECISIONS

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Spouse or Partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.6	2,059	2	CIRCLED
	34.7	3,469	-9	LEGITIMATE SKIP
	44.7	4,479	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 45-46

AA14_3

PARENT MAKES HOUSEHOLD DECISIONS

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Parent.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.8	2,186	3	CIRCLED
	34.8	3,480	-9	LEGITIMATE SKIP
	43.4	4,341	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 47-48

AA14_4

OTHER FAMILY MAKES HOUSEHOLD DECISIONS

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Other family or relatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.3	831	4	CIRCLED
	34.7	3,478	-9	LEGITIMATE SKIP
	56.9	5,698	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 49-50

AA14_5

FRIEND MAKES HOUSEHOLD DECISIONS

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Friend.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	107	5	CIRCLED
	34.3	3,433	-9	LEGITIMATE SKIP
	64.6	6,467	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 51-52

AA14_6

OTHERS MAKE HOUSEHOLD DECISIONS

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	122	6	CIRCLED
	34.8	3,480	-9	LEGITIMATE SKIP
	64.0	6,405	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 53-54

AA15

SPOKE LANGUAGE OTHER THAN ENGLISH

When you lived with these people, did they speak any language other than English?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	8.2	822	1	YES
81.8	36.8	3,683	2	NO
	33.7	3,373	-9	LEGITIMATE SKIP
	21.3	2,132	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 55-56

AA17_3

WKS OF RESTRICTED MOVEMENT PAST 12 MOS

In the past 12 months, how long did you live in places where you could not come and go as you pleased, such as a jail, juvenile detention center, hospital, or therapeutic community?

_____ WEEKS

10,010 cases (Range of valid codes: 0-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 61-62

AB1A	DID YOU COMPLETE THAT (GRADE/YR)?
-------------	--

Did you complete that (grade/ year)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	65.5	6,552	1	YES
34.4	34.3	3,431	2	NO
	0.2	20	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 65-66

AB1B	GRADE/YR COMPLETED
-------------	---------------------------

Are you currently in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	2.2	217	1	YES
95.6	47.3	4,733	2	NO
	14.9	1,492	-8	BLANK
	35.6	3,568	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 67-68

AB1C	TYPE SCHOOL/TRAINING PROG ATTENDED
-------------	---

What kind of school or training program are you attending?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.0	3	1	MIDDLE SCHOOL (JUNIOR HIGH)
5.1	0.1	12	2	HIGH SCHOOL
13.7	0.3	32	3	JUNIOR (2-YR) COLLEGE
11.5	0.3	27	4	4-YR COLLEGE OR UNIVERSITY
16.2	0.4	38	5	TECHNICAL/TRADE/VOCATIONAL
0.0	0.0	0	6	JOB CORPS PROG
0.0	0.0	0	7	SPECIAL EDUCATION PROG
52.1	1.2	122	8	OTHER
	47.1	4,717	-9	LEGITIMATE SKIP
	14.9	1,489	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	35.6	3,568	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 69-70

AB2	HIGH SCHOOL DIPLOMA/GED PRIOR TO PROG
------------	--

Prior to your admission to this program, did you get a high school diploma or pass a high school equivalency (GED) test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.7	62.3	6,239	1	YES
36.3	35.5	3,549	2	NO
	0.1	12	-9	LEGITIMATE SKIP
	2.1	210	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 71-72

AB2A	WHICH ONE DID YOU GET?
-------------	-------------------------------

Which one did you get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	42.9	4,294	1	DIPLOMA
30.9	19.2	1,924	2	GED
	35.4	3,540	-9	LEGITIMATE SKIP
	2.3	235	-8	BLANK
	0.2	17	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 73-74

AB3_1	NO OTHER DIPLOMAS RECEIVED
--------------	-----------------------------------

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

None.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	61.7	6,181	0	CIRCLED
	0.1	13	-9	LEGITIMATE SKIP
	38.1	3,813	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 75-76

AB3_2	JUNIOR COLLEGE/ASSOCIATE DEGREE RECEIVED
--------------	---

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

Junior college degree or associate's degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.5	449	1	CIRCLED
	0.1	15	-9	LEGITIMATE SKIP
	95.3	9,543	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 77-78

AB3_3	BACHELOR DEGREE RECEIVED
--------------	---------------------------------

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

Bachelor's degree.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	403	2	CIRCLED
	0.1	14	-9	LEGITIMATE SKIP
	95.8	9,590	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 79-80

AB3_4

ADVANCED COLLEGE DEGREE RECEIVED

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

Advanced college degree (Master's or Ph.D.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	76	3	CIRCLED
	0.1	15	-9	LEGITIMATE SKIP
	99.1	9,916	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 81-82

AB3_5

VOC/TRADE SCHOOL CERTIFICATE REC'D

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received? Certificate from a vocational or trade school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.1	2,011	4	CIRCLED
	0.1	14	-9	LEGITIMATE SKIP
	79.7	7,982	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 83-84

AB3_6 LICENSE TO PRACTICE TRADE RECEIVED

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

License to practice a trade (specify).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.3	733	5	CIRCLED
	0.1	15	-9	LEGITIMATE SKIP
	92.5	9,259	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 85-86

AB3_7 OTHER DEGREE/LICENSE RECEIVED

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

Other degree, license, etc. (specify).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.5	446	6	CIRCLED
	0.1	15	-9	LEGITIMATE SKIP
	95.4	9,546	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 87-88

AB4**HOW WERE YOUR GRADES IN SCHOOL**

How (were/ are) your grades in school - better than average, average, or not so good?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	23.2	2,319	1	BETTER THAN AVERAGE
58.1	57.9	5,791	2	AVERAGE
18.7	18.6	1,861	3	NOT SO GOOD
	0.3	29	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 89-90

AB4A**TEACHERS THOUGHTS ON INITIATIVE**

Did your teachers think you did about as well as you could, or did they think you had the ability to do much better?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	3.8	383	1	DID AS WELL AS COULD
81.9	17.3	1,732	2	COULD HAVE DONE BETTER
	78.0	7,806	-9	LEGITIMATE SKIP
	0.4	40	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	4	-5	BAD DATA
	0.4	41	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 91-92

AB4B	AGE WHEN TEACHERS 1ST FELT THAT WAY
-------------	--

How old were you when your teachers first felt that way?

IF DK, ASK: Do you think it was before you were 15 or was it later than that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	6	2	
0.1	0.0	1	3	
0.2	0.0	3	4	
0.7	0.1	13	5	
3.4	0.6	60	6	
4.3	0.8	76	7	
6.0	1.1	106	8	
5.4	0.9	94	9	
9.9	1.7	174	10	
5.7	1.0	100	11	
12.9	2.3	226	12	
11.4	2.0	200	13	
10.6	1.8	185	14	
10.4	1.8	183	15	
7.2	1.3	127	16	
2.3	0.4	40	17	
0.5	0.1	8	18	
0.1	0.0	1	19	
0.1	0.0	1	20	
0.1	0.0	1	21	
0.1	0.0	1	22	
0.1	0.0	1	23	
0.1	0.0	1	27	
0.1	0.0	1	30	
0.0	0.0	0	55	55 OR OLDER
7.3	1.3	128	94	1 OR DK, BUT < 15
0.9	0.2	16	95	DK, BUT 15 OR OLDER
	81.6	8,172	-9	LEGITIMATE SKIP
	0.7	73	-8	BLANK
	0.1	11	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 93-94

AB5 **DID YOU EVER REPEAT A GRADE?**

Did you ever repeat a grade?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	28.4	2,847	1	YES
71.5	71.3	7,139	2	NO
	0.2	20	-8	BLANK
	0.0	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 95-96

AB5A **HOW MANY TIMES DID YOU GET HELD BACK?**

How many times did you get held back?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	14	0	
77.3	22.1	2,213	1	
16.9	4.8	485	2	
3.8	1.1	109	3	
1.5	0.4	43	4	4+
	71.1	7,119	-9	LEGITIMATE SKIP
	0.2	20	-8	BLANK
	0.1	7	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 97-98

AB6	FREQUENTLY GET INTO TROUBLE IN SCHOOL
------------	--

Did you frequently get into trouble with the teacher or principal for misbehaving in school (elementary, junior high, or high school)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.4	37.3	3,732	1	YES
62.6	62.5	6,257	2	NO
	0.2	19	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 99-100

AB6A

AGE WHEN GOT INTO 1ST TROUBLE IN SCHOOL

How old were you when you first got into trouble for misbehaving in school?

IF DK, ASK: Do you think it was before you were 15 or was it later than that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	2	0	
0.2	0.1	7	2	
0.1	0.0	2	3	
0.4	0.1	15	4	
4.0	1.5	148	5	
7.9	2.9	294	6	
6.7	2.5	249	7	
8.1	3.0	304	8	
7.0	2.6	261	9	
10.2	3.8	380	10	
5.8	2.2	216	11	
12.1	4.5	450	12	
10.3	3.8	383	13	
7.1	2.7	266	14	
6.6	2.5	248	15	
4.2	1.6	158	16	
1.3	0.5	50	17	
0.3	0.1	10	18	
0.1	0.0	4	19	
0.0	0.0	1	20	
0.0	0.0	1	40	
0.0	0.0	0	55	55 OR OLDER
6.9	2.6	257	94	1 OR DK, BUT < 15
0.7	0.3	27	95	DK, BUT 15 OR OLDER
	62.4	6,246	-9	LEGITIMATE SKIP
	0.2	24	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 101-102

AB7	WERE YOU EXPELLED/SUSPENDED FROM SCHOOL?
------------	---

Were you ever expelled or suspended from school (elementary, junior high, or high school)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	56.5	5,655	1	YES
43.3	43.2	4,325	2	NO
	0.3	27	-8	BLANK
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 103-104

AB7A**AGE WHEN EXPELLED/SUSPENDED FROM SCHOOL**

How old were you when you were first expelled or suspended?
 AGE IF DK, ASK: Do you think it was before you were 15 or was
 it later than that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	4	2	
0.0	0.0	2	3	
0.1	0.0	3	4	
0.4	0.2	24	5	
0.9	0.5	49	6	
1.3	0.7	73	7	
2.3	1.3	132	8	
3.2	1.8	181	9	
5.2	2.9	294	10	
5.4	3.1	306	11	
11.1	6.3	629	12	
14.6	8.3	828	13	
14.5	8.2	822	14	
14.6	8.2	823	15	
13.0	7.3	734	16	
5.5	3.1	309	17	
1.2	0.6	65	18	
0.1	0.0	5	19	
0.1	0.0	4	20	
0.0	0.0	1	22	
0.0	0.0	0	55	55 OR OLDER
5.2	2.9	292	94	1 OR DK, BUT < 15
1.3	0.7	72	95	DK, BUT 15 OR OLDER
	43.1	4,319	-9	LEGITIMATE SKIP
	0.2	21	-8	BLANK
	0.1	9	-5	BAD DATA
	0.1	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 105-106

AB7B**NUMBER OF TIMES SUSPENDED FROM SCHOOL**

How many times were you suspended from school?

10,010 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 107-108

AB7C LAST TIME SUSPENDED FROM SCHOOL

When was the last time you were suspended from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	WITHIN MONTH BEF ADM
0.7	0.2	25	2	WITHIN PAST 12 MOS
99.2	33.4	3,344	3	MORE THAN 1 YR AGO
	43.9	4,395	-9	LEGITIMATE SKIP
	0.4	41	-8	BLANK
	0.0	1	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
	21.9	2,196	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 109-110

AB7C_M MOS AGO LAST SUSPENDED FROM SCHOOL

(When was the last time you were suspended from school?)

How many months ago?

10,010 cases (Range of valid codes: 0-602)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 111-113

AB7D

OF TIMES EXPELLED FROM SCHOOL

How many times were you expelled from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.5	23.2	2,318	0	
23.2	8.1	809	1	
5.0	1.7	174	2	
2.0	0.7	69	3	
1.1	0.4	38	4	
0.5	0.2	18	5	
0.6	0.2	20	6	
0.2	0.1	7	7	
0.1	0.0	3	8	
0.0	0.0	1	9	
0.2	0.1	7	10	
0.1	0.0	2	12	
0.2	0.1	6	14	
0.1	0.0	2	15	
0.0	0.0	1	16	
0.1	0.0	2	20	
0.0	0.0	1	21	
0.0	0.0	1	22	
0.1	0.0	2	25	
0.0	0.0	1	30	
0.1	0.0	2	40	
0.0	0.0	1	50	
0.1	0.0	3	99	99 OR MORE
	42.8	4,280	-9	LEGITIMATE SKIP
	0.3	34	-8	BLANK
	0.1	11	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	21.9	2,196	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 114-115

AB7E LAST TIME EXPELLED FROM SCHOOL

When was the last time you were expelled from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	2	1	WITHIN MONTH BEF ADM
1.7	0.2	20	2	WITHIN PAST 12 MOS
98.1	11.6	1,160	3	MORE THAN 1 YR AGO
	65.8	6,583	-9	LEGITIMATE SKIP
	0.4	43	-8	BLANK
	0.1	6	-4	DON'T KNOW
	21.9	2,196	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 116-117

AB7E_M MOS AGO LAST EXPELLED FROM SCHOOL

When was the last time you were expelled from school?

How many months ago?

10,010 cases (Range of valid codes: 0-574)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 118-120

AB8 SKIP SCHOOL AT LEAST TWICE IN 1 YR

Did you ever skip school or play hooky at least twice in 1 year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.0	80.8	8,085	1	YES
19.0	18.9	1,892	2	NO
	0.3	32	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 121-122

AB8A**SKIPPED SCHOOL LAST YR OR BEFORE THAT**

Was that only in your last year in school or before that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	12.6	1,266	1	LAST YR ONLY
84.4	68.2	6,827	2	BEFORE LAST YR
	18.7	1,874	-9	LEGITIMATE SKIP
	0.4	39	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 123-124

AB8B**SKIPPED 5 DYS A YR IN 2 SCHOOL YRS**

Did you skip school or play hooky as much as 5 days a year in at least 2 school years, not counting your last year in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	55.2	5,524	1	YES
20.0	13.8	1,381	2	NO
	30.4	3,040	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
	0.1	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 125-126

AB8C	AGE WHEN YOU 1ST SKIPPED SCHOOL
-------------	--

How old were you when you first skipped school?

IF DK, ASK: Do you think it was before you were 15 or was it later than that?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	3	0	
0.0	0.0	3	2	
0.0	0.0	1	4	
0.3	0.2	22	5	
0.7	0.4	45	6	
1.3	0.9	88	7	
2.1	1.4	145	8	
2.3	1.5	154	9	
4.2	2.9	289	10	
4.6	3.2	317	11	
11.9	8.1	811	12	
17.0	11.6	1,160	13	
18.1	12.3	1,233	14	
16.6	11.3	1,134	15	
11.0	7.5	753	16	
3.0	2.0	202	17	
0.4	0.3	30	18	
0.0	0.0	3	19	
0.0	0.0	2	20	
0.0	0.0	1	22	
0.0	0.0	0	55	55 OR OLDER
4.9	3.4	337	94	1 OR DK, BUT < 15
1.3	0.9	92	95	DK, BUT 15 OR OLDER
	30.5	3,057	-9	LEGITIMATE SKIP
	1.1	110	-8	BLANK
	0.0	4	-5	BAD DATA
	0.1	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 127-128

AB9

12 MOS BEFORE PROG ENROLLED TEC/VOC SCH

In the 12 months before admission to this program, were you enrolled in any vocational or technical schools, colleges, or other schools, or were you receiving any job training or skills development?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	14.4	1,444	1	YES
85.5	85.2	8,525	2	NO
	0.4	37	-8	BLANK
	0.0	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 129-130

AB10

HAVE YOU EVER HAD A DRIVER'S LICENSE

Have you ever had a driver's license?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.2	73.1	7,316	1	YES
26.8	26.8	2,681	2	NO
	0.1	12	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 131-132

AB10A AT ADM WAS DRIVER'S LICENSE VALID

At the time you were admitted, was your driver's license valid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	37.8	3,785	1	YES
47.9	34.7	3,474	2	NO
	26.6	2,658	-9	LEGITIMATE SKIP
	0.8	84	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 133-134

AB10B AT ADM WAS DRIVER LICENSE...

At the time you were admitted, was your driver's license . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	12.0	1,202	1	EXPIRED
52.0	18.3	1,833	2	SUSPENDED
13.9	4.9	492	3	REVOKED
	63.8	6,388	-9	LEGITIMATE SKIP
	0.4	45	-8	BLANK
	0.0	1	-7	REFUSAL
	0.3	32	-6	MULTIPLE RESPONSE
	0.1	7	-5	BAD DATA
	0.1	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 135-136

AB11

AT ADM WAS VEHICLE AVAILABLE TO YOU

At the time you were admitted to this program, was there a dependable vehicle, such as a car, truck, or motorcycle, available for you to use . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	54.8	5,484	0	NONE
13.0	13.0	1,297	1	SOME
32.0	31.9	3,194	2	ALL OF THE TIME
	0.3	29	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 137-138

AC1A3	YR APPLIED FOR CURRENT ADM
--------------	-----------------------------------

When did you first apply for admission to this program (this time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	19	89	1980-1989
0.2	0.2	22	90	
4.9	4.8	481	91	
59.7	58.8	5,890	92	
35.0	34.4	3,447	93	
	0.6	60	-8	BLANK
	0.4	39	-5	BAD DATA
	0.5	51	-4	DON'T KNOW
	0.0	1	-2	ILLEGIBLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 143-144

AC1B1	MONTH BEGAN RECEIVING CURRENT TX
--------------	---

When did you start receiving treatment at this program (this time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	28.4	2,847	1	JAN.-MARCH
25.5	25.3	2,535	2	APR.-JUNE
24.1	23.9	2,397	3	JULY-SEPT.
21.9	21.8	2,179	4	OCT.-DEC.
	0.4	41	-8	BLANK
	0.1	6	-5	BAD DATA
	0.0	5	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 145-146

AC1B3 **YR BEGAN RECEIVING CURRENT TX**

When did you start receiving treatment at this program (this time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	6	90	
2.6	2.5	254	91	
58.3	57.9	5,797	92	
39.0	38.7	3,878	93	
	0.4	44	-8	BLANK
	0.3	27	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 147-148

AC2_1 **MOST IMPORTANT REASON ENROLLED-CODE**

What was the most important reason you enrolled in treatment at this time?

10,010 cases (Range of valid codes: 1-91)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 149-150

AC2A1 **1ST OTH REASON ENROLLED IN TX-CODE**

What other reasons did you have for enrolling in treatment at this time? (1st mention)

10,010 cases (Range of valid codes: 1-91)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 151-152

AC2A2	2ND OTH REASON ENROLLED IN TX-CODE
--------------	---

What other reasons did you have for enrolling in treatment at this time? (2nd mention)

10,010 cases (Range of valid codes: 3-91)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 153-154

AC2A3	3RD OTH REASON ENROLLED IN TX-CODE
--------------	---

What other reasons did you have for enrolling in treatment at this time? (3rd mention)

10,010 cases (Range of valid codes: 1-91)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 155-156

AC3	TX YOUR IDEA OR SOMEONE ELSE'S
------------	---------------------------------------

Was coming to treatment your own idea or someone else's idea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	73.6	7,369	1	YOUR OWN IDEA
26.2	26.1	2,611	2	SOMEONE ELSE'S IDEA
	0.2	22	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 157-158

AC3A	WHO MOST IMPORTANT GET YOU IN TX-CODE
-------------	--

Who was most important in getting you to come to treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	2.3	227	0	SELF-REFERRAL
4.2	1.2	123	1	MEDICAL SERVICE
9.2	2.7	267	10	COMMUNITY AGENCY
11.7	3.4	340	20	LEGAL SYSTEM (NOT PROBATION OR PAROLE)
37.5	10.9	1,087	30	PROBATION AND PAROLE
1.3	0.4	37	40	PRISON SYSTEM
22.2	6.4	643	50	FAMILY OR FRIENDS
0.9	0.3	27	60	SCHOOL
4.3	1.2	125	70	EMPLOYER
0.1	0.0	3	80	VETERAN
0.6	0.2	17	90	OTHER
	70.6	7,066	-9	LEGITIMATE SKIP
	0.5	47	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 159-160

AC4	SOMEONE ELSE SUGGEST TX
------------	--------------------------------

Did anyone (else) tell you or suggest that you come to treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	49.3	4,936	1	YES
49.5	48.3	4,834	2	NO
	2.4	238	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 161-162

AC4A1

WHO ELSE SUGGESTED IT-2ND SOURCE CODE

Who (else) suggested it? Second source.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.3	28	0	SELF-REFERRAL
4.7	2.4	238	1	MEDICAL SERVICE
9.6	4.9	491	10	COMMUNITY AGENCY
6.0	3.1	307	20	LEGAL SYSTEM (NOT PROBATION OR PAROLE)
12.7	6.5	649	30	PROBATION AND PAROLE
0.7	0.3	35	40	PRISON SYSTEM
61.0	31.2	3,119	50	FAMILY OR FRIENDS
0.9	0.5	46	60	SCHOOL
2.6	1.3	133	70	EMPLOYER
0.4	0.2	23	80	VETERAN
0.9	0.5	47	90	OTHER
	48.1	4,818	-9	LEGITIMATE SKIP
	0.7	74	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 163-164

AC4A2 WHO ELSE SUGGESTED IT-3RD SOURCE CODE

Who (else) suggested it? Third source.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.6	65	0	SELF-REFERRAL
3.9	0.6	57	1	MEDICAL SERVICE
6.0	0.9	88	10	COMMUNITY AGENCY
3.5	0.5	51	20	LEGAL SYSTEM (NOT PROBATION OR PAROLE)
8.3	1.2	123	30	PROBATION AND PAROLE
0.3	0.0	4	40	PRISON SYSTEM
70.8	10.4	1,043	50	FAMILY OR FRIENDS
0.6	0.1	9	60	SCHOOL
1.6	0.2	24	70	EMPLOYER
0.1	0.0	1	80	VETERAN
0.6	0.1	9	90	OTHER
	48.2	4,822	-9	LEGITIMATE SKIP
	36.9	3,692	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	21	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 165-166

AC5 YOU/SOMEONE ELSE ARRANGE THIS ADM

Did you arrange for admission to this program yourself, or did someone else arrange for your admission to this program (this time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.7	58.4	5,846	1	SELF
41.3	41.1	4,118	2	SOMEONE ELSE
	0.4	36	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 167-168

AC7 **HAVE HEALTH PLAN OR HEALTH INSURANCE**

Do you belong to a health plan or have any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	50.7	5,073	1	YES
48.7	48.1	4,818	2	NO
	1.1	113	-8	BLANK
	0.0	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 173-174

AC7A_1 **HAVE BLUE/CROSS SHIELD**

What type of health plan or insurance do you have?

Blue Cross/Blue Shield.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.8	483	1	CIRCLED
	48.1	4,818	-9	LEGITIMATE SKIP
	46.8	4,681	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	23	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 175-176

AC7A_2**HAVE OTHER PRIV INSURANCE**

What type of health plan or insurance do you have?

Other Private Insurance.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.4	845	2	CIRCLED
	48.1	4,816	-9	LEGITIMATE SKIP
	43.2	4,329	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	16	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 177-178

AC7A_3**HAVE HEALTH PLAN (HMO, PPO)**

What type of health plan or insurance do you have?

Health plan (HMO, PPO).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.6	564	3	CIRCLED
	48.1	4,817	-9	LEGITIMATE SKIP
	46.0	4,609	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	16	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 179-180

AC7A_4	HAVE MEDICAID OR MEDICAL ASSISTANCE
---------------	--

What type of health plan or insurance do you have?

Medicaid or medical assistance.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	28.6	2,866	4	CIRCLED
	47.9	4,797	-9	LEGITIMATE SKIP
	23.2	2,326	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.2	16	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 181-182

AC7A_5	HAVE MEDICARE
---------------	----------------------

What type of health plan or insurance do you have?

Medicare.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	292	5	CIRCLED
	48.1	4,814	-9	LEGITIMATE SKIP
	48.8	4,884	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	16	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 183-184

AC7A_6**HAVE CHAMPUS/CHAMPVA, VA/MILITARY CARE**

What type of health plan or insurance do you have?

CHAMPUS, or CHAMPVA, The VA, or military health care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	53	6	CIRCLED
	48.1	4,818	-9	LEGITIMATE SKIP
	51.1	5,119	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	16	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 185-186

AC7A_7**HAVE OTHER HEALTH PLAN**

What type of health plan or insurance do you have?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	8	8	STATE
0.0	0.0	0	9	UCARE
0.9	0.0	2	10	WORKERS COMPENSATION
0.0	0.0	0	11	MAXICARE
0.0	0.0	0	12	KAISER
95.4	2.1	206	13	OTHER
	48.1	4,813	-9	LEGITIMATE SKIP
	49.5	4,956	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	21	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 187-188

AC7B PLAN IN YOUR NAME OR OTHER FAMILY MEMBER

Is the coverage in your own name or in the name of some other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	45.9	4,598	1	OWN NAME
10.9	5.6	560	2	OTHER FAMILY MEMBER
	47.8	4,787	-9	LEGITIMATE SKIP
	0.5	49	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	14	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 189-190

AC7C ARE COSTS COVERED BY INSURANCE/PLAN

Are any costs of drug treatment covered by this health plan or insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	42.3	4,237	1	YES
15.7	7.9	793	2	NO
0.6	0.3	29	3	PROG CHARGES NO FEE
	47.8	4,789	-9	LEGITIMATE SKIP
	0.4	40	-8	BLANK
	1.2	120	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 191-192

AC7D**COST OF TX INSURANCE WILL COVER**

About how much of the costs of your drug treatment will your health plan or insurance cover?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.3	35	0	NONE
1.4	0.6	59	1	LESS THAN HALF
15.0	6.2	620	2	HALF OR MORE
82.5	34.1	3,418	3	ALL
0.3	0.1	11	4	(IF VOL:) PROG CHARGES NO FEES
	55.8	5,585	-9	LEGITIMATE SKIP
	1.3	129	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	1.5	149	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 193-194

AC7E**EXCL. INS., PRIMARY TX FUNDS**

(Excluding your health plan or insurance coverage), what will be your primary source of funds to pay for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	18.3	1,830	1	SELF PAY (YOUR MONEY)
4.1	2.5	254	2	FAMILY, RELATIVES
0.2	0.1	10	3	WORKERS COMPENSATION
66.5	41.5	4,156	4	OTHER (SPECIFY)
	34.3	3,436	-9	LEGITIMATE SKIP
	0.7	75	-8	BLANK
	0.0	1	-7	REFUSAL
	0.3	30	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	2.2	216	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 195-196

AC8_0 **WHEN ADM, NO CRIMINAL STATUS**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

No.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	55.6	5,564	0	CIRCLED
	44.4	4,441	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 197-198

AC8_1 **WHEN ADM, ON PROBATION**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Probation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	25.4	2,538	1	CIRCLED
	55.6	5,563	-9	LEGITIMATE SKIP
	19.0	1,906	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 199-200

AC8_2**WHEN ADM, ON PAROLE**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.5	949	2	CIRCLED
	55.6	5,564	-9	LEGITIMATE SKIP
	34.9	3,494	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 201-202

AC8_3**WHEN ADM, AWAITING TRIAL**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	147	3	CIRCLED
	55.6	5,563	-9	LEGITIMATE SKIP
	42.9	4,297	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 203-204

AC8_6

WHEN ADM, ON BAIL AWAITING TRIAL

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - on bail awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	232	6	CIRCLED
	55.6	5,564	-9	LEGITIMATE SKIP
	42.1	4,211	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 209-210

AC8_7

WHEN ADM, ON BAIL AWAITING SENTENCING

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - on bail awaiting sentencing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	85	7	CIRCLED
	55.6	5,564	-9	LEGITIMATE SKIP
	43.5	4,358	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 211-212

AC8_8 **WHEN ADM, RELEASED/CASE PENDING**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - released on own recognizance.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	457	8	CIRCLED
	55.6	5,561	-9	LEGITIMATE SKIP
	39.9	3,989	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 213-214

AC8_9 **WHEN ADM, ON OTHER STATUS**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - other status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	193	9	CIRCLED
	55.6	5,563	-9	LEGITIMATE SKIP
	42.4	4,248	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 215-216

AC9**AUTHORITIES AWARE OF YOUR DRUG PROB**

Were any criminal (juvenile) justice authorities, such as a judge, a probation officer, or a parole officer, aware of your drug problem before you entered this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	35.7	3,571	1	YES
18.6	8.3	828	2	NO
1.0	0.5	46	3	UNCERTAIN
	55.3	5,535	-9	LEGITIMATE SKIP
	0.3	28	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 217-218

AC9A**ADM REQUIRED/SUGGESTED BY JUSTICE SYSTEM**

Was your admission to this program actually required or suggested by the criminal (juvenile) justice system (i. e., courts or correctional authorities)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	25.3	2,530	1	YES
29.3	10.5	1,047	2	NO
	63.9	6,395	-9	LEGITIMATE SKIP
	0.4	37	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 219-220

AC9B	WAS IT REQUIRED OR SUGGESTED?
-------------	--------------------------------------

Was it required or suggested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	18.6	1,857	1	REQUIRED, STIPULATED
27.0	6.9	686	2	SUGGESTED, ENCOURAGED
	74.3	7,439	-9	LEGITIMATE SKIP
	0.3	27	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 221-222

AC9C	ENTERED DRUG TX W/OUT PRESSURE
-------------	---------------------------------------

Do you think you would have entered drug treatment at this time, without pressure from the criminal (juvenile) justice authorities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	12.2	1,220	1	YES
51.6	13.0	1,303	2	NO
	74.2	7,432	-9	LEGITIMATE SKIP
	0.3	31	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	21	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 223-224

AC9D DRUG TESTING BY CRIMINAL JUSTICE SYSTEM

Will anyone from the criminal (juvenile) justice system be testing you for drug use or reviewing the results from drug tests that you may have?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	24.6	2,466	1	YES
28.9	10.0	1,001	2	NO
	63.9	6,396	-9	LEGITIMATE SKIP
	0.4	38	-8	BLANK
	0.0	1	-7	REFUSAL
	1.1	108	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 225-226

AC9E RESULT IF TESTS SHOW DRUG USE

What will happen if your tests show drug use?

[CIRCLE THE ONE MOST SERIOUS CONSEQUENCE.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	1.6	162	1	NOTHING/ILL BE GIVEN ANOTHER CHANCE
13.9	3.3	326	2	GIVEN A TECHNICAL VIOLATION
3.7	0.9	87	3	INCREASED SUPERVISION OR MONITORING
65.7	15.4	1,544	4	RETURNED TO (JAIL/PRISON)
9.9	2.3	232	5	OTHER (SPECIFY)
	73.8	7,388	-9	LEGITIMATE SKIP
	0.7	74	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	10	-6	MULTIPLE RESPONSE
	1.8	184	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 227-228

AC10 METHOD OF GETTING TO TX PROG

How do you plan to get to this treatment program for counseling?

[CLARIFY AND CIRCLE THE MOST FREQUENT METHOD.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	33.6	3,361	0	LIVING AT THE TX FACILITY
5.9	5.8	584	1	WALK
14.1	13.9	1,396	2	DRIVE
21.1	20.9	2,089	3	PUB TRANSPORTATION
4.1	4.1	408	4	RIDE FROM FAMILY/FRIEND
0.1	0.1	12	5	TAXI CAB
1.9	1.9	191	6	PROG WILL PROVIDE TRANSPORTATION
18.7	18.5	1,847	7	OTHER (SPECIFY)
	0.8	81	-8	BLANK
	0.4	39	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 229-230

AC11 CHANCES TO REDUCE/QUIT DRUG USE

What do you think your chances are of greatly reducing or quitting your use of drugs because of this treatment? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	127	1	POOR
8.5	8.4	836	2	FAIR
30.8	30.1	3,016	3	GOOD
59.4	58.2	5,822	4	VERY GOOD
	1.2	121	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.1	7	-5	BAD DATA
	0.5	46	-4	DON'T KNOW
	0.3	28	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 231-232

AD3	5+ DRINKS 1 DAY/WEEK FOR 2 MOS/MORE
------------	--

Has there ever been a couple of months or more when at least 1 day a week you drank 5 or more drinks, bottles of beer, or glasses of wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	59.9	5,998	1	YES
27.0	22.2	2,219	2	NO
	16.5	1,647	-9	LEGITIMATE SKIP
	1.4	143	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 247-248

AD3A	AGE WHEN 1ST DRANK THAT MUCH
-------------	-------------------------------------

How old were you when you first drank that much?

10,010 cases (Range of valid codes: 1-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 249-250

AD3B	WHEN DRANK 5+ DRINKS ONCE/WK
-------------	-------------------------------------

When did you last drink 5 or more drinks at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	26.3	2,628	1	WITHIN MONTH BEF ADM
23.9	14.3	1,428	2	WITH THE PAST YR
32.1	19.2	1,918	3	MORE THAN 1 YR AGO
	38.4	3,848	-9	LEGITIMATE SKIP
	1.8	180	-8	BLANK
	0.0	2	-5	BAD DATA
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 251-252

AD4B**LAST PERIOD WHEN DRANK AT LEAST THAT MUC**

When did you last have a period when you drank at least that much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	16.3	1,633	1	WITHIN MONTH BEF ADM
23.4	9.5	954	2	WITHIN PAST 12 MOS
36.6	14.9	1,496	3	MORE THAN 1 YR AGO
	57.4	5,748	-9	LEGITIMATE SKIP
	1.8	177	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 260-261

AD4B_M**MOS AGO LAST DRANK 5 DRINKS DAY/2 WKS**

How many months ago?

10,010 cases (Range of valid codes: 0-633)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 262-264

AD5**HAVE YOU EVER BEEN DRUNK?**

Have you ever been drunk?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	88.1	8,821	1	YES
5.6	5.3	528	2	NO
	5.3	527	-9	LEGITIMATE SKIP
	1.3	134	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 265-266

AD8

FREQ DRANK ALCOHOL 12 MOS BEFORE ADM

In the 12 months before admission, (on the average) how often did you drink any alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	15.9	1,596	0	DID NOT DRINK BEER/WINE OR LIQUOR
13.7	12.8	1,280	1	LESS THAN 1 DAY A MONTH
13.3	12.4	1,240	2	1-3 DAYS/MONTH
16.2	15.1	1,515	3	1-2 DAYS/WEEK
13.3	12.4	1,244	4	3-4 DAYS/WEEK
4.3	4.1	406	5	5-6 DAYS/WEEK
15.1	14.1	1,411	6	DAILY OR ALMOST EVERY DAY
2.1	1.9	194	7	2-3 TIMES/DAY
4.8	4.5	449	8	4+ TIMES/DAY
	6.3	634	-9	LEGITIMATE SKIP
	0.4	36	-8	BLANK
	0.0	4	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 274-275

AD8A

AVERAGE # OF DRINKS IN 24 HRS PAST YR

On days when you drank alcohol in the past year, about how many drinks did you usually have in a single day? Please count drinks as shown on this card. [SHOW CARD 6]

10,010 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 276-277

AD9 **TIME LAST DRANK ALCOHOL BEFORE ADM**

When did you last drink any alcohol before you were admitted to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	54.8	5,484	1	WITHIN MONTH BEF ADM
27.4	21.2	2,124	2	WITHIN PAST 12 MOS
1.9	1.4	145	3	MORE THAN 1 YR AGO
	20.9	2,091	-9	LEGITIMATE SKIP
	1.6	162	-8	BLANK
	0.0	3	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 278-279

AD9_M **MOS AGO LAST DRANK ANY ALCOHOL**

How many months ago?

10,010 cases (Range of valid codes: 0-369)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 280-282

AD9A

HOW OFTEN DID YOU DRINK BEER?

Around that time, how often did you drink beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	10.6	1,065	0	NEVER
14.1	10.9	1,093	1	LESS THAN 1 DAY A MONTH
13.6	10.5	1,055	2	1-3 DAYS/MONTH
18.4	14.3	1,430	3	1-2 DAYS/WEEK
12.2	9.5	949	4	3-4 DAYS/WEEK
4.3	3.3	332	5	5-6 DAYS/WEEK
17.9	13.9	1,388	6	DAILY OR ALMOST EVERY DAY
1.9	1.4	144	7	2-3 TIMES/DAY
4.0	3.1	309	8	4+ TIMES/DAY
	20.9	2,092	-9	LEGITIMATE SKIP
	1.5	148	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 283-284

AD9B

OF DRINKS OF BEER ON AVERAGE DAY

About how much beer did you drink on an average day?

10,010 cases (Range of valid codes: 0-192)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 285-287

AD9C	HOW OFTEN DID YOU DRINK WINE?
-------------	--------------------------------------

Around that time, how often did you drink wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.2	51.1	5,116	0	NEVER
11.0	8.5	848	1	LESS THAN 1 DAY A MONTH
7.5	5.8	583	2	1-3 DAYS/MONTH
6.4	4.9	492	3	1-2 DAYS/WEEK
2.7	2.1	212	4	3-4 DAYS/WEEK
0.8	0.6	61	5	5-6 DAYS/WEEK
4.1	3.2	318	6	DAILY OR ALMOST EVERY DAY
0.5	0.4	36	7	2-3 TIMES/DAY
0.8	0.6	58	8	4+ TIMES/DAY
	20.9	2,092	-9	LEGITIMATE SKIP
	1.9	191	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 288-289

AD9D

OF DRINKS OF WINE ON AVERAGE DAY

About how much wine did you drink on an average day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	4.0	401	0	
20.1	5.8	580	1	
14.6	4.2	423	2	
9.3	2.7	270	3	
4.3	1.2	125	4	
2.2	0.6	65	5	
17.5	5.1	507	6	
0.4	0.1	11	7	
1.1	0.3	31	8	
0.4	0.1	13	9	
1.4	0.4	41	10	
7.2	2.1	209	12	
0.1	0.0	2	13	
0.0	0.0	1	14	
0.5	0.1	15	15	
0.1	0.0	4	16	
1.3	0.4	37	18	
2.1	0.6	60	20	
1.5	0.4	43	24	
0.1	0.0	3	25	
0.0	0.0	1	26	
0.3	0.1	8	30	
0.4	0.1	12	36	
0.4	0.1	12	40	
0.2	0.1	6	48	
0.1	0.0	2	50	
0.2	0.0	5	60	
0.0	0.0	1	72	
0.1	0.0	3	100	
0.0	0.0	1	181	
	69.2	6,929	-9	LEGITIMATE SKIP
	1.8	183	-8	BLANK
	0.0	3	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 290-292

AD10

PERIOD DRANK MORE THAN 12 MOS BEF ADM

Has there ever been a period in your life when you drank more than you did during the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	54.3	5,432	1	YES
41.7	38.8	3,884	2	NO
	5.3	529	-9	LEGITIMATE SKIP
	1.6	164	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 298-299

AD10A

FREQ OF DRINKING WHEN DRINKING MOST

Think about the period of time when you were drinking most (heaviest), how frequently did you drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	1.7	170	1	LESS THAN 1 DAY A MONTH
4.7	2.5	252	2	1-3 DAYS/MONTH
13.5	7.3	730	3	1-2 DAYS/WEEK
14.1	7.6	762	4	3-4 DAYS/WEEK
6.7	3.6	362	5	5-6 DAYS/WEEK
37.1	20.0	2,004	6	DAILY OR ALMOST EVERY DAY
5.1	2.7	274	7	2-3 TIMES/DAY
15.8	8.5	852	8	4+ TIMES/DAY
	43.9	4,399	-9	LEGITIMATE SKIP
	2.0	202	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 300-301

AD10B PERIOD OF MOST DRINKING # DRINKS A DAY

During that period when you were drinking the most, about how many drinks would you usually have in a single day?

10,010 cases (Range of valid codes: 0-301)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 302-304

AD10C AGE WHEN 1ST DRANK THAT # DRINKS IN 1 DA

How old were you when you first drank that many drinks in a single day?

10,010 cases (Range of valid codes: 1-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 305-306

AD10D LAST TIME DRANK THAT MANY DRINKS IN 1 DA

When did you last drink that many drinks in a single day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	9.9	992	1	WITHIN MONTH BEF ADM
17.3	9.4	940	2	WITHIN PAST 12 MOS
64.5	35.0	3,505	3	MORE THAN 1 YR AGO
	43.9	4,395	-9	LEGITIMATE SKIP
	1.7	168	-8	BLANK
	0.1	10	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 307-308

AD10D_M MOS AGO LAST DRANK HEAVIEST

How many months ago?

10,010 cases (Range of valid codes: 0-537)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 309-311

AD11	12 MOS BEF ADM BOTHERED BY ALC PROB
-------------	--

How troubled or bothered were you in the 12 months before admission by any alcohol problem you may have had? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	54.6	5,466	0	NOT AT ALL
18.6	17.3	1,730	1	SOMEWHAT
22.6	21.0	2,099	2	VERY MUCH
	5.3	528	-9	LEGITIMATE SKIP
	1.8	181	-8	BLANK
	0.0	5	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 312-313

AD12	IMPORTANCE OF TX FOR ALCOHOL PROB
-------------	--

How important to you now is treatment or counseling for your alcohol problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	37.4	3,747	0	NOT AT ALL
13.3	12.4	1,240	1	SOMEWHAT
46.6	43.4	4,344	2	VERY MUCH
	5.3	528	-9	LEGITIMATE SKIP
	1.5	146	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 314-315

AD14A

#TIMES AT SHORT-TERM INPATIENT TX UNIT

How many times have you been admitted for treatment primarily for alcohol problems at a 28-day or other short term inpatient treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	3.9	389	0	
42.4	5.7	573	1	
13.2	1.8	178	2	
6.7	0.9	91	3	
3.2	0.4	43	4	
1.5	0.2	20	5	
1.6	0.2	21	6	
0.7	0.1	10	7	
0.3	0.0	4	8	
0.1	0.0	2	9	
0.8	0.1	11	10	
0.1	0.0	1	11	
0.1	0.0	1	12	
0.1	0.0	2	14	
0.1	0.0	2	15	
0.1	0.0	1	19	
0.1	0.0	1	20	
0.1	0.0	1	23	
0.1	0.0	1	28	
0.1	0.0	1	30	
	82.8	8,293	-9	LEGITIMATE SKIP
	3.6	364	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 320-321

AD14B	#TIMES AT LONG-TERM INPATIENT TX UNIT
-------	--

How many times have you been admitted for treatment primarily for alcohol problems at a therapeutic community or other long-term residential treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	8.7	870	0	
20.4	2.5	249	1	
4.8	0.6	59	2	
1.6	0.2	19	3	
0.3	0.0	4	4	
0.2	0.0	2	5	
0.2	0.0	3	6	
0.1	0.0	1	7	
0.1	0.0	1	8	
0.2	0.0	2	9	
0.2	0.0	3	10	
0.1	0.0	1	12	
0.1	0.0	1	17	
0.1	0.0	1	20	
0.1	0.0	1	22	
0.1	0.0	1	45	
0.1	0.0	1	60	
	82.9	8,295	-9	LEGITIMATE SKIP
	5.0	496	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 322-323

AD14C

#TIMES AT A HALFWAY HOUSE

How many times have you been admitted for treatment primarily for alcohol problems at a half-way house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	9.6	958	0	
10.9	1.2	125	1	
3.1	0.3	35	2	
1.4	0.2	16	3	
0.2	0.0	2	4	
0.2	0.0	2	5	
0.2	0.0	2	6	
0.2	0.0	2	8	
0.1	0.0	1	9	
0.1	0.0	1	10	
	82.9	8,296	-9	LEGITIMATE SKIP
	5.7	570	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 324-325

AD14D	#TIMES AT OUTPATIENT TX UNIT
-------	-------------------------------------

How many times have you been admitted for treatment primarily for alcohol problems at an outpatient alcohol treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	7.0	703	0	
30.3	3.8	377	1	
7.6	0.9	95	2	
2.1	0.3	26	3	
0.8	0.1	10	4	
0.6	0.1	8	5	
0.6	0.1	8	6	
0.1	0.0	1	9	
0.2	0.0	2	10	
0.1	0.0	1	12	
0.1	0.0	1	13	
0.1	0.0	1	15	
0.1	0.0	1	18	
0.2	0.0	3	20	
0.1	0.0	1	21	
0.1	0.0	1	30	
0.1	0.0	1	36	
0.1	0.0	1	60	
0.2	0.0	2	99	99 OR MORE
	82.9	8,295	-9	LEGITIMATE SKIP
	4.7	472	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 326-327

AD14E	#TIMES AT OTHER TYPE OF ALCOHOL TX
--------------	---

How many times have you been admitted for treatment primarily for alcohol problems from any other type of alcohol treatment, excluding AA?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	9.2	921	0	
13.9	1.7	169	1	
4.2	0.5	51	2	
1.2	0.1	15	3	
0.5	0.1	6	4	
1.1	0.1	13	5	
0.5	0.1	6	6	
0.4	0.0	5	7	
0.2	0.0	3	8	
0.1	0.0	1	9	
0.2	0.0	2	10	
0.3	0.0	4	12	
0.1	0.0	1	13	
0.1	0.0	1	15	
0.1	0.0	1	16	
0.1	0.0	1	18	
0.1	0.0	1	20	
0.2	0.0	2	30	
0.1	0.0	1	32	
0.1	0.0	1	36	
0.1	0.0	1	38	
0.2	0.0	2	50	
0.2	0.0	3	52	
0.2	0.0	3	99	99 OR MORE
	82.9	8,294	-9	LEGITIMATE SKIP
	5.0	502	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 328-329

AD15	#WKS SPENT IN ALCOHOL TX IN LIFE
-------------	---

Altogether, in your life, how many weeks have you spent in treatment primarily for alcohol problems?

10,010 cases (Range of valid codes: 0-379)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 330-332

AD15A #WKS TREATED IN 12 MOS BEFORE ADM

How many weeks were you treated in the 12 months before admission to this program?

10,010 cases (Range of valid codes: 0-52)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 333-334

AD16 LAST TIME TREATED FOR ALCOHOL PROBS

When was the last time you were treated for alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	2.0	205	1	WITHIN MONTH BEF ADM
20.5	3.2	324	2	WITHIN PAST 12 MOS
66.5	10.5	1,049	3	MORE THAN 1 YR AGO
	82.8	8,289	-9	LEGITIMATE SKIP
	1.4	141	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 335-336

AD16_M MOS AGO LAST TREATED ALC PROBS

How many months ago?

10,010 cases (Range of valid codes: 0-455)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 337-339

AD16A	WHAT TYPE OF PROG WAS THAT?
--------------	------------------------------------

What type of program was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	7.5	751	1	SHORT-TERM INPATIENT
14.0	2.1	215	2	LONG-TERM RESIDENTIAL
2.7	0.4	41	3	HALFWAY HOUSE
21.2	3.3	327	4	OUTPATIENT
13.3	2.0	205	5	OTHER
	82.8	8,292	-9	LEGITIMATE SKIP
	1.7	173	-8	BLANK
	0.1	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 340-341

AD17	HAVE YOU EVER ATTENDED AA MEETINGS?
-------------	--

Have you ever attended Alcoholics Anonymous or AA meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.2	58.0	5,803	1	YES
37.8	35.2	3,520	2	NO
	5.3	527	-9	LEGITIMATE SKIP
	1.6	159	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 342-343

AD17A **WHEN WAS THE LAST TIME YOU ATTENDED?**

When was the last time you attended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	23.3	2,328	1	WITHIN MONTH BEF ADM
28.0	16.0	1,604	2	WITHIN PAST 12 MOS
31.3	17.9	1,795	3	MORE THAN 1 YR AGO
	40.3	4,039	-9	LEGITIMATE SKIP
	2.1	212	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.3	27	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 344-345

AD17A_M **MOS AGO LAST ATTEND AA MEETINGS**

How many months ago?

10,010 cases (Range of valid codes: 0-448)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 346-348

AD17B3 **TIME PERIOD ATTENDED AA MEETINGS-WKS**

What was the longest period of time you attended AA meetings?

_____ WEEKS

10,010 cases (Range of valid codes: 0-1,344)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 349-352

AD18	ANTABUSE PRESCRIBED FOR ALCOHOL PROB
-------------	---

At any time before admission, did a doctor or program ever prescribe Antabuse for an alcohol problem you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.2	725	1	YES
92.2	85.8	8,587	2	NO
	5.3	528	-9	LEGITIMATE SKIP
	1.7	170	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 353-354

AD18A	LAST TIME ANTABUSE PRESCRIBED FOR YOU
--------------	--

When was the last time Antabuse was prescribed for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	1.2	119	1	WITHIN MONTH BEF ADM
20.2	1.5	148	2	WITHIN PAST 12 MOS
63.5	4.6	464	3	MORE THAN 1 YR AGO
	91.0	9,106	-9	LEGITIMATE SKIP
	1.7	173	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 355-356

AD18A_M	MOS AGO ANTABUSE LAST PRESCRIBED
----------------	---

How many months ago?

10,010 cases (Range of valid codes: 0-447)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 357-359

AD19 DO YOU CURRENTLY SMOKE CIGARETTES?

Now, I'd like to ask you about your use of tobacco. Do you currently smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	78.1	7,813	1	YES
18.3	17.5	1,752	2	NO
	4.4	445	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 360-361

AD19A HOW MANY CIGARETTES DO YOU SMOKE PER DAY

About how many cigarettes do you smoke per day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	12.2	1,221	1	1-5 CIGARETTES
30.9	24.2	2,424	2	6-15 CIGARETTES
37.1	29.1	2,908	3	16-25 CIGARETTES
8.0	6.2	624	4	26-35 CIGARETTES
8.4	6.6	660	5	OVER 35 CIGARETTES
	17.4	1,738	-9	LEGITIMATE SKIP
	4.3	434	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 362-363

AD20_0

NOT USE CIGAR/PIPE/SMOKELESS TOBACCO

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

None.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	88.7	8,875	0	CIRCLED
	11.3	1,135	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 364-365

AD20_1

DO YOU SMOKE CIGARS?

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Cigars.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	414	1	CIRCLED
	95.9	9,596	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 366-367

AD20_2	DO YOU SMOKE A PIPE?
---------------	-----------------------------

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Pipe.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	74	2	CIRCLED
	99.3	9,936	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 368-369

AD20_3	DO YOU USE SMOKELESS TOBACCO?
---------------	--------------------------------------

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Smokeless tobacco or snuff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	181	3	CIRCLED
	98.2	9,829	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 370-371

DRUG USE

AE1 # TIMES IN LIFE USED MARIJUANA/HASH/THC

In this section, I'd like to ask about your use of drugs other than alcohol. About how many times in your life have you used marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.4	442	0	NEVER
4.7	4.7	471	1	1 OR 2 TIMES
5.2	5.2	518	2	3-5 TIMES
3.0	3.0	301	3	6-10 TIMES
6.4	6.3	635	4	11-49 TIMES
6.0	6.0	598	5	50-99 TIMES
6.7	6.7	672	6	100-199 TIMES
63.5	63.3	6,336	7	200+ TIMES
	0.4	36	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 372-373

AE1A AGE 1ST TIME USED MARIJUANA/HASH/THC

About how old were you the first time you used it?

10,010 cases (Range of valid codes: 5-52)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 374-375

AE1B	12 MO AVERAGE USE OF MARIJUANA/HASH/THC
-------------	--

On the average, how often did you use marijuana, hashish, or THC in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	31.9	3,190	0	NOT USED AT ALL OVER THE PERIOD
18.8	16.0	1,605	1	LESS THAN ONCE/MONTH
12.5	10.6	1,066	2	1-3 TIMES/MONTH
7.4	6.3	632	3	1-2 TIMES/WEEK
6.6	5.6	565	4	3-4 TIMES/WEEK
2.2	1.9	188	5	5-6 TIMES/WEEK
8.3	7.1	713	6	DAILY OR ALMOST EVERY DAY
2.7	2.3	232	7	2-3 TIMES/DAY
4.2	3.6	362	8	4+ TIMES/DAY
	14.2	1,422	-9	LEGITIMATE SKIP
	0.3	26	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 376-377

AE1C	FREQ OF HEAVIEST MARIJUANA/HASH USE
-------------	--

Think about the time when you were using it the most (heaviest). About how often were you using it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.0	302	1	LESS THAN ONCE/MONTH
5.9	4.5	446	2	1-3 TIMES/MONTH
8.3	6.2	624	3	1-2 TIMES/WEEK
9.4	7.1	710	4	3-4 TIMES/WEEK
5.2	3.9	395	5	5-6 TIMES/WEEK
34.8	26.2	2,618	6	DAILY OR ALMOST EVERY DAY
10.9	8.2	819	7	2-3 TIMES/DAY
21.5	16.2	1,619	8	4+ TIMES/DAY
	24.4	2,439	-9	LEGITIMATE SKIP
	0.3	34	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 378-379

AE1D**AGE WHEN 1ST USED IT REGULARLY**

How old were you the first time you used it regularly (at least once a week)?

10,010 cases (Range of valid codes: 5-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 380-381

AE1E**LAST TIME YOU USED IT REGULARLY**

When was the last time you used it regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	17.1	1,708	1	WITHIN MONTH BEFORE ADM
13.1	10.3	1,030	2	WITHIN PAST 12 MOS
65.1	50.9	5,098	3	MORE THAN 1 YR AGO
	21.1	2,108	-9	LEGITIMATE SKIP
	0.6	63	-8	BLANK
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 382-383

AE1E_M**MOS AGO LAST USED MARIJ REGULARLY**

How many months ago?

10,010 cases (Range of valid codes: 0-746)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 384-386

AE1F	MOST RECENT TIME USED MARIJUANA
-------------	--

When was the most recent time you used marijuana?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	18.6	1,857	1	WITHIN MONTH BEFORE ADM
28.2	20.4	2,047	2	WITHIN PAST 12 MOS
46.3	33.6	3,366	3	MORE THAN 1 YR AGO
	26.4	2,640	-9	LEGITIMATE SKIP
	0.8	85	-8	BLANK
	0.0	4	-5	BAD DATA
	0.1	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 387-388

AE1F_M	MOS AGO LAST USED MARIJUANA
---------------	------------------------------------

How many months ago?

10,010 cases (Range of valid codes: 0-569)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 389-391

AE1G**FREQ OF USE AROUND THAT TIME**

About how often did you use it around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	25.4	2,543	1	LESS THAN ONCE/MONTH
17.1	14.6	1,457	2	1-3 TIMES/MONTH
15.1	12.8	1,285	3	1-2 TIMES/WEEK
8.3	7.1	710	4	3-4 TIMES/WEEK
2.4	2.1	206	5	5-6 TIMES/WEEK
15.2	12.9	1,294	6	DAILY OR ALMOST EVERY DAY
5.0	4.3	430	7	2-3 TIMES/DAY
7.0	5.9	593	8	4+ TIMES/DAY
	14.2	1,422	-9	LEGITIMATE SKIP
	0.6	61	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 392-393

AE2**# TIMES IN LIFE USED COCAINE IN ANY FORM**

About how many times in your life have you used cocaine in any form such as powder, "crack," free base, and coca paste?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.4	541	0	NEVER USED
3.5	3.5	350	1	1 OR 2 TIMES
3.3	3.3	326	2	3-5 TIMES
2.2	2.2	222	3	6-10 TIMES
6.7	6.7	668	4	11-49 TIMES
6.9	6.9	687	5	50-99 TIMES
8.0	8.0	797	6	100-199 TIMES
64.0	63.8	6,387	7	200+ TIMES
	0.3	29	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 394-395

AE2A	AGE 1ST TIME USED COCAINE
-------------	----------------------------------

About how old were you the first time you used cocaine?

10,010 cases (Range of valid codes: 6-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 396-397

AE2B	AVERAGE USE COCAINE 12 MOS PRIOR TO ADM
-------------	--

On the average, how often did you use cocaine in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	14.4	1,446	0	NOT USED AT ALL OVER THE PERIOD
9.1	8.0	800	1	LESS THAN ONCE/MONHT
10.4	9.1	915	2	1-3 TIMES/MONTH
13.0	11.4	1,142	3	1-2 TIMES/WEEK
12.3	10.8	1,079	4	3-4 TIMES/WEEK
4.7	4.1	412	5	5-6 TIMES/WEEK
15.8	13.9	1,390	6	DAILY OR ALMOST EVERY DAY
3.9	3.4	345	7	2-3 TIMES/DAY
14.2	12.4	1,241	8	4+ TIMES/DAY
	12.0	1,201	-9	LEGITIMATE SKIP
	0.4	37	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 398-399

AE2C**FREQ OF HEAVIEST COCAINE USE**

Think about the time when you were using cocaine the most (heaviest). About how often were you using it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	2.8	278	1	LESS THAN ONCE/MONTH
7.6	4.8	484	2	1-3 TIMES/MONTH
12.5	8.0	798	3	1-2 TIMES/WEEK
16.0	10.2	1,022	4	3-4 TIMES/WEEK
7.3	4.7	470	5	5-6 TIMES/WEEK
25.5	16.3	1,633	6	DAILY OR ALMOST EVERY DAY
6.0	3.8	383	7	2-3 TIMES/DAY
20.8	13.3	1,333	8	4+ TIMES/DAY
	35.7	3,575	-9	LEGITIMATE SKIP
	0.3	31	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 400-401

AE2D**AGE WHEN 1ST USED COCAINE DAILY**

How old were you the first time you used cocaine daily?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 402-403

AE2E**AGE WHEN 1ST USED COCAINE REGULARLY**

How old were you when you started using cocaine regularly (at least once a week)?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 404-405

AE2I # TIMES STOPPED USING COKE 30+ DAYS

Since you started using cocaine regularly (at least once a week), how many times did you stop using cocaine for 30 days or more?

10,010 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 416-417

AE2J3 LONGEST TIME WENT W/OUT COCAINE IN WKS

Since you started using cocaine regularly, what is the longest time you went without using cocaine?

_____ WEEKS

10,010 cases (Range of valid codes: 0-2,640)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 418-421

AE2K REASON STOPPED USING COCAINE

At that time, were you in a treatment program; in jail, prison, or juvenile detention; or did you stop on your own?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.6	13.9	1,396	1	IN A TX PROG
19.8	12.8	1,281	2	IN JAIL/PRISON/JUVENILE DETENTION
55.2	35.6	3,565	3	STOPPED ON OWN
3.4	2.2	220	4	OTHER
	34.0	3,407	-9	LEGITIMATE SKIP
	0.5	51	-8	BLANK
	0.8	82	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 422-423

AE2N**MOST RECENT TIME USED COCAINE IN ANY FOR**

When was the most recent time that you used cocaine in any form?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	21.5	2,151	1	WITHIN MONTH BEF ADM
36.4	21.2	2,123	2	WITHIN PAST 12 MOS
26.7	15.5	1,556	3	MORE THAN 1 YR AGO
	41.0	4,102	-9	LEGITIMATE SKIP
	0.7	71	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 431-432

AE2N_M**MOS AGO LAST USED ANY TYPE COCAINE**

How many months ago?

10,010 cases (Range of valid codes: 0-361)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 433-435

AE20	FREQ OF COCAINE USE AROUND THAT TIME
-------------	---

About how often did you use it around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	11.7	1,172	1	LESS THAN ONCE/MONTH
11.9	10.4	1,046	2	1-3 TIMES/MONTH
15.8	13.8	1,384	3	1-2 TIMES/WEEK
12.3	10.7	1,076	4	3-4 TIMES/WEEK
3.6	3.1	314	5	5-6 TIMES/WEEK
20.8	18.2	1,821	6	DAILY OR ALMOST EVERY DAY
5.8	5.0	504	7	2-3 TIMES/DAY
16.4	14.4	1,440	8	4+ TIMES/DAY
	12.0	1,203	-9	LEGITIMATE SKIP
	0.5	47	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 436-437

AE2P**HOW DID YOU USUALLY TAKE COCAINE?**

How did you usually take it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	20	1	BY MOUTH (EAT,CHEW)
52.0	44.6	4,464	2	BY SMOKING IT (CRACK)
22.0	18.8	1,884	3	BY INHALING, SNORTING OR SNIFFING IT
18.6	15.9	1,592	4	BY INJECTING IT INTO A VEIN
0.5	0.5	47	5	BY INJECTING IT SOMEWHERE ELSE
6.1	5.2	524	6	FREEBASING
0.2	0.2	19	7	SOME OTHER WAY (SPECIFY)
0.0	0.0	1	8	USED ONCE
0.1	0.1	12	9	LACED WITH MARIJUANA
0.0	0.0	1	10	PUSHES
0.2	0.2	17	11	OTHER
	12.0	1,203	-9	LEGITIMATE SKIP
	0.4	45	-8	BLANK
	0.0	1	-7	REFUSAL
	1.8	176	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 438-439

AE2Q**AGE WHEN 1ST USED CRACK COCAINE**

How old were you when you first used the form of cocaine known as crack?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 440-441

AE2R	MOST RECENT TIME USED CRACK COCAINE
-------------	--

When was the most recent time you used crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.3	36.9	3,689	1	WITHIN MONTH BEF ADM
23.3	15.0	1,500	2	WITHIN PAST 12 MOS
19.5	12.5	1,253	3	MORE THAN 1 YR AGO
	35.0	3,501	-9	LEGITIMATE SKIP
	0.6	62	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 442-443

AE2R_M	MOS AGO LAST USED CRACK
---------------	--------------------------------

How many months ago?

10,010 cases (Range of valid codes: 0-463)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 444-446

AE2S**FREQ OF CRACK USE AROUND THAT TIME**

About how often did you use crack around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	10.5	1,050	1	LESS THAN ONCE/MONTH
11.4	7.4	737	2	1-3 TIMES/MONTH
15.2	9.8	981	3	1-2 TIMES/WEEK
12.4	8.0	798	4	3-4 TIMES/WEEK
3.8	2.4	242	5	5-6 TIMES/WEEK
19.7	12.7	1,268	6	DAILY OR ALMOST EVERY DAY
4.9	3.1	314	7	2-3 TIMES/DAY
16.3	10.5	1,047	8	4+ TIMES/DAY
	35.0	3,501	-9	LEGITIMATE SKIP
	0.6	65	-8	BLANK
	0.0	4	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 447-448

AE3**#TIMES IN LIFE USED HEROIN ALONE/COMBINE**

About how many times in your life have you used heroin either alone or combined with another drug (speedball)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	54.1	5,417	0	NEVER USED
7.7	7.6	765	1	1 OR 2 TIMES
3.5	3.5	348	2	3-5 TIMES
1.4	1.4	144	3	6-10 TIMES
2.7	2.7	267	4	11-49 TIMES
1.5	1.5	152	5	50-99 TIMES
1.9	1.9	194	6	100-199 TIMES
26.9	26.8	2,686	7	200+ TIMES
	0.3	35	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 449-450

AE3A	AGE 1ST TIME USED HEROIN
-------------	---------------------------------

About how old were you the first time you used heroin?

10,010 cases (Range of valid codes: 7-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 451-452

AE3B	AVERAGE USE HEROIN 12 MOS PRIOR TO ADM
-------------	---

On the average, how often did you use heroin in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	8.8	883	0	NOT USED AT ALL OVER THE PERIOD
6.6	2.3	228	1	LESS THAN ONCE/MONTH
4.2	1.4	145	2	1-3 TIMES/MONTH
4.4	1.5	150	3	1-2 TIMES/WEEK
3.8	1.3	130	4	3-4 TIMES/WEEK
2.3	0.8	78	5	5-6 TIMES/WEEK
23.2	8.0	799	6	DAILY OR ALMOST EVERY DAY
14.3	4.9	493	7	2-3 TIMES/DAY
15.7	5.4	542	8	4+ TIMES/DAY
	65.2	6,522	-9	LEGITIMATE SKIP
	0.4	39	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 453-454

AE3C	FREQ OF HEAVIEST HEROIN USE
-------------	------------------------------------

Think about the time when you were using heroin the most (heaviest). About how often were you using it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	1.3	128	1	LESS THAN ONCE/MONTH
5.9	1.2	119	2	1-3 TIMES/MONTH
7.8	1.6	157	3	1-2 TIMES/WEEK
6.9	1.4	139	4	3-4 TIMES/WEEK
3.5	0.7	71	5	5-6 TIMES/WEEK
27.9	5.6	560	6	DAILY OR ALMOST EVERY DAY
16.6	3.3	333	7	2-3 TIMES/DAY
24.8	5.0	498	8	4+ TIMES/DAY
	79.6	7,967	-9	LEGITIMATE SKIP
	0.4	36	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 455-456

AE3D	AGE WHEN 1ST USED HEROIN DAILY
-------------	---------------------------------------

How old were you when you began using heroin daily?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 457-458

AE3E	AGE WHEN 1ST USED HEROIN REGULARLY
-------------	---

How old were you when you began using heroin regularly (at least once a week)?

10,010 cases (Range of valid codes: 7-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 459-460

AE3I	# TIMES STOPPED USING HEROIN 30+ DAYS
-------------	--

Since you started using heroin regularly (at least once a week), how many times did you stop using heroin for a period of 30 days or more?

10,010 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 471-472

AE3J3	LONGEST TIME WENT W/OUT HEROIN IN WKS
--------------	--

Since you started using heroin regularly, what is the longest period of time you did not use heroin?

_____ WEEKS

10,010 cases (Range of valid codes: 0-1,968)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 473-476

AE3K	REASON STOPPED USING HEROIN
-------------	------------------------------------

At that time were you in a treatment program; in jail, prison, or juvenile detention; or did you stop on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	6.8	676	1	IN A TX PROG
25.9	6.6	658	2	IN JAIL
43.9	11.1	1,115	3	STOPPED ON YOUR OWN
3.5	0.9	88	4	OTHER
	73.8	7,383	-9	LEGITIMATE SKIP
	0.5	46	-8	BLANK
	0.4	42	-6	MULTIPLE RESPONSE
	0.0	2	-3	NOT APPLICABLE

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 477-478

AE3N	MOST RECENT TIME USED HEROIN IN ANY FORM
-------------	---

When was the most recent time you used heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	6.4	640	1	WITHIN MONTH BEF ADM
27.5	6.0	601	2	WITHIN PAST 12 MOS
43.2	9.4	945	3	MORE THAN 1 YR AGO
	77.6	7,765	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
	0.0	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 486-487

AE3N_M	MOS AGO LAST USED HEROIN
---------------	---------------------------------

How many months ago?

10,010 cases (Range of valid codes: 0-481)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 488-490

AE3O	FREQ OF HEROIN USE AROUND THAT TIME
-------------	--

About how often did you use it around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	3.6	365	1	LESS THAN ONCE/MONTH
7.1	2.4	244	2	1-3 TIMES/MONTH
7.9	2.7	273	3	1-2 TIMES/WEEK
5.2	1.8	179	4	3-4 TIMES/WEEK
1.9	0.7	66	5	5-6 TIMES/WEEK
30.6	10.5	1,054	6	DAILY OR ALMOST EVERY DAY
18.2	6.3	626	7	2-3 TIMES/DAY
18.4	6.3	633	8	4+ TIMES/DAY
	65.2	6,522	-9	LEGITIMATE SKIP
	0.5	47	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 491-492

AE3P	HOW DID YOU USUALLY TAKE HEROIN?
-------------	---

How did you usually use heroin around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	2	1	BY MOUTH (EAT,CHEW)
1.7	0.6	58	2	BY SMOKING IT (CRACK)
28.1	9.5	955	3	BY INHALING, SNORTING OR SNIFFING IT
69.0	23.4	2,345	4	BY INJECTING IT INTO A VEIN
1.1	0.4	38	5	BY INJECTING IT SOMEWHERE ELSE
0.1	0.0	3	6	FREEBASING
0.0	0.0	0	7	SOME OTHER WAY (SPECIFY)
	65.2	6,522	-9	LEGITIMATE SKIP
	0.4	45	-8	BLANK
	0.0	1	-7	REFUSAL
	0.4	40	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 493-494

AE3Q	AGE WHEN 1ST USED HEROIN/COCAINE TOGETHE
-------------	---

How old were you when you first used heroin and cocaine together (speedball)?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 495-496

AE3R**MOST RECENT TIME USED HEROIN/COKE TOGETH**

When was the most recent time you used heroin and cocaine together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	9.0	902	1	WITHIN MONTH BEF ADM
21.0	5.5	550	2	WITHIN PAST 12 MOS
44.5	11.6	1,162	3	MORE THAN 1 YR AGO
	73.3	7,339	-9	LEGITIMATE SKIP
	0.5	50	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 497-498

AE3R_M**MOS AGO LAST USED HEROIN+COCAINE**

How many months ago?

10,010 cases (Range of valid codes: 0-573)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 499-501

AE4

NARC/OPIATE ANALGESICS PRESCRIBED

Now, I'd like to ask you about some drugs that can be legally prescribed. Has a doctor ever prescribed any narcotic or opiate analgesics for you for a physical or medical problem or condition in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	23.3	2,334	1	YES
76.4	75.7	7,573	2	NO
	1.0	98	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 506-507

AE4A1	1ST NARC/OPIATE PRESCRIBED/12 MOS
--------------	--

Which narcotics or opiates were prescribed in these 12 months? (1st mention)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.2	24	0	NONE
8.2	1.9	188	1	DARVON
0.4	0.1	9	2	DOLENE
1.0	0.2	22	3	SK-65
0.8	0.2	18	4	WYGESIC
0.2	0.0	5	5	LEVO-DROMORAN
17.2	3.9	395	6	PERCODAN
3.3	0.8	76	7	DEMEROL
1.1	0.3	26	8	DILAUDID
52.4	12.0	1,206	9	TYLENOL with CODEINE
1.5	0.3	35	10	PHENAPHEN with CODEINE
0.3	0.1	6	11	TALWIN
0.7	0.2	16	12	TALWIN NX
0.3	0.1	8	13	TALACEN
0.3	0.1	6	14	PROPOXYPHENE
3.4	0.8	78	15	CODEINE
0.0	0.0	1	16	ANILERIDINE
0.7	0.1	15	17	MORPHINE
2.6	0.6	61	18	METHADONE
0.0	0.0	1	19	STADOL
2.3	0.5	52	20	DARVOCET
0.1	0.0	3	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
2.2	0.5	51	92	OTHER
	75.5	7,562	-9	LEGITIMATE SKIP
	1.2	121	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	15	-5	BAD DATA
	0.1	8	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 508-509

AE4A2

2ND NARC/OPIATE PRESCRIBED/12 MOS

Which narcotics or opiates were prescribed in these 12 months? (2nd mention)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	1.6	165	0	NONE
7.9	0.7	72	1	DARVON
0.8	0.1	7	2	DOLENE
0.3	0.0	3	3	SK-65
1.2	0.1	11	4	WYGESIC
0.1	0.0	1	5	LEVO-DROMORAN
17.2	1.6	157	6	PERCODAN
8.9	0.8	81	7	DEMEROL
1.9	0.2	17	8	DILAUDID
25.2	2.3	230	9	TYLENOL with CODEINE
2.5	0.2	23	10	PHENAPHEN with CODEINE
0.9	0.1	8	11	TALWIN
1.2	0.1	11	12	TALWIN NX
0.8	0.1	7	13	TALACEN
0.3	0.0	3	14	PROPOXYPHENE
2.1	0.2	19	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
2.0	0.2	18	17	MORPHINE
3.1	0.3	28	18	METHADONE
0.1	0.0	1	19	STADOL
4.1	0.4	37	20	DARVOCET
0.5	0.0	5	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
0.8	0.1	7	92	OTHER
	75.6	7,567	-9	LEGITIMATE SKIP
	15.1	1,515	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	11	-5	BAD DATA
	0.0	4	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 510-511

AE4A3 3RD NARC/OPIATE PRESCRIBED/12 MOS

Which narcotics or opiates were prescribed in these 12 months? (3rd mention)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	2.2	217	0	NONE
5.2	0.3	30	1	DARVON
0.5	0.0	3	2	DOLENE
0.2	0.0	1	3	SK-65
0.3	0.0	2	4	WYGESIC
0.5	0.0	3	5	LEVO-DROMORAN
8.3	0.5	48	6	PERCODAN
6.9	0.4	40	7	DEMEROL
3.1	0.2	18	8	DILAUDID
16.1	0.9	93	9	TYLENOL with CODEINE
2.8	0.2	16	10	PHENAPHEN with CODEINE
1.6	0.1	9	11	TALWIN
1.4	0.1	8	12	TALWIN NX
0.7	0.0	4	13	TALACEN
0.2	0.0	1	14	PROPOXYPHENE
5.4	0.3	31	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
2.1	0.1	12	17	MORPHINE
1.2	0.1	7	18	METHADONE
0.2	0.0	1	19	STADOL
4.0	0.2	23	20	DARVOCET
0.7	0.0	4	21	LOMOTIL
0.3	0.0	2	22	PAREGORIC
0.5	0.0	3	92	OTHER
	75.6	7,569	-9	LEGITIMATE SKIP
	18.5	1,850	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	10	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 512-513

AE4B IN 12 MOS # WKS USED NARC/OPIATES

In these 12 months, about how many weeks did you use narcotics or opiates as prescribed?

10,010 cases (Range of valid codes: 0-52)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 514-515

AE5**#TIMES USED NARC/OPIATES W/OUT PRESCRPTN**

About how many times in your life have you used narcotics or opiates on your own, without a prescription from a doctor, more than prescribed, or for any other reasons such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	62.3	6,232	0	NEVER USED NONMEDICALLY
4.5	4.5	451	1	1 OR 2 TIMES
5.2	5.2	516	2	3-5 TIMES
2.2	2.2	220	3	6-10 TIMES
4.4	4.4	436	4	11-49 TIMES
3.1	3.1	306	5	50-99 TIMES
3.1	3.1	310	6	100-199 TIMES
14.8	14.7	1,473	7	200+ TIMES
	0.6	58	-8	BLANK
	0.0	5	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 516-517

AE5A**AGE 1ST TIME USED OPIATES/NARCOTICS**

About how old were you the first time you actually used opiates or narcotics on your own?

10,010 cases (Range of valid codes: 6-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 518-519

AE5I**REASON STOPPED USING NARC/OPIATES**

At that time, were you in a treatment program; in jail,
prison, or juvenile detention; or did you stop on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	3.2	324	1	IN A TX PROG
12.5	2.7	267	2	IN JAIL
65.5	14.0	1,397	3	STOPPED ON YOUR OWN
6.8	1.4	145	4	OTHER
	71.9	7,193	-9	LEGITIMATE SKIP
	6.2	616	-8	BLANK
	0.2	16	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.5	48	-3	NOT APPLICABLE

100.0 100.0 10,010 cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 538-539

AE5J**HOW OLD WERE YOU AT THIS TIME?**

How old were you at that time?

10,010 cases (Range of valid codes: 9-59)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 540-541

AE5K LAST TIME USED NARC/OPIATES REGULARLY

When was the last time you used narcotics or opiates regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	6.3	634	1	WITHIN MONTH BEFORE ADM
15.1	3.4	340	2	WITHIN PAST 12 MOS
56.8	12.8	1,282	3	MORE THAN 1 YR AGO
	71.9	7,193	-9	LEGITIMATE SKIP
	5.6	558	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 542-543

AE5K_M MOS AGO LAST USED NARCOTICS REGULARLY

How many months ago?

10,010 cases (Range of valid codes: 0-509)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 544-546

AE5L MOST RECENT TIME USED NARC/OPIATES

When was the most recent time you used any narcotics or opiates on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	4.1	408	1	WITHIN MONTH BEFORE ADM
25.2	5.7	570	2	WITHIN PAST 12 MOS
56.8	12.8	1,285	3	MORE THAN 1 YR AGO
	76.5	7,658	-9	LEGITIMATE SKIP
	0.9	86	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 547-548

AE5L_M**MOS AGO LAST USED ANY NARCOTICS**

How many months ago?

10,010 cases (Range of valid codes: 0-482)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 549-551

AE5M**FREQ NARC/OPIATES USE AT THAT TIME**

About how often did you use narcotics or opiates around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	5.5	547	1	LESS THAN ONCE/MONTH
16.0	4.4	438	2	1-3 TIMES/MONTH
16.0	4.4	437	3	1-2 TIMES/WEEK
8.9	2.4	244	4	3-4 TIMES/WEEK
2.4	0.7	66	5	5-6 TIMES/WEEK
22.1	6.0	605	6	DAILY OR ALMOST EVERY DAY
6.3	1.7	173	7	2-3 TIMES/DAY
8.3	2.3	227	8	4+ TIMES/DAY
	71.8	7,186	-9	LEGITIMATE SKIP
	0.8	84	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 552-553

AE5P**MOST RECENT TIME USED ILLEGAL METHADONE**

When was the most recent time you used illegal or street methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	2.5	246	1	WITHIN MONTH BEF ADM
19.5	1.8	180	2	WITHIN PAST 12 MOS
53.9	5.0	498	3	MORE THAN 1 YR AGO
	89.8	8,993	-9	LEGITIMATE SKIP
	0.9	91	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 558-559

AE5P_M**MOS AGO LAST USED ILLEG METHADONE**

When was the most recent time you used illegal or street methadone? How many months ago?

10,010 cases (Range of valid codes: 0-398)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 560-562

AE5Q	FREQ USE ILLEGAL METHADONE AT THAT TIME
-------------	--

About how often did you use illegal or street methadone around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.9	3.7	366	1	LESS THAN ONCE/MONTH
20.7	1.9	190	2	1-3 TIMES/MONTH
16.9	1.5	155	3	1-2 TIMES/WEEK
6.7	0.6	61	4	3-4 TIMES/WEEK
1.0	0.1	9	5	5-6 TIMES/WEEK
12.9	1.2	118	6	DAILY OR ALMOST EVERY DAY
1.3	0.1	12	7	2-3 TIMES/DAY
0.7	0.1	6	8	4+ TIMES/DAY
	89.9	8,998	-9	LEGITIMATE SKIP
	0.9	92	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 563-564

AE6	SED/TRANQS PRESCRIBED
------------	------------------------------

Has a doctor ever legitimately prescribed any sedatives or tranquilizers for you for a physical or emotional problem or condition in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	15.4	1,539	1	YES
84.5	83.6	8,372	2	NO
	0.9	94	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 565-566

AE6A #PRESCRIPTIONS FOR SED/TRANQS

How many prescriptions for sedatives or tranquilizers did you get in the 12 months before admission?

10,010 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 567-568

AE6BS1 1ST SEDATIVE PRESCRIBED

Which sedatives and tranquilizers were prescribed?

Sedatives 1st mention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	1.0	101	0	NONE
5.3	0.3	30	1	BUTISOL
1.9	0.1	11	2	BUTICAPS
0.7	0.0	4	3	AMYTAL
0.4	0.0	2	4	MEBARAL
4.2	0.2	24	5	PLACIDYL
2.5	0.1	14	6	DORIDEN
1.4	0.1	8	7	NOLUDAR
2.5	0.1	14	8	NEMBUTAL
9.7	0.5	55	9	SECONAL
4.6	0.3	26	10	TUINAL
11.1	0.6	63	11	DALMANE
11.3	0.6	64	12	RESTORIL
16.4	0.9	93	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
3.4	0.2	19	15	PHENOBARBITAL
1.1	0.1	6	16	METHAQUALONE (incl.SOPR,QUAALUDE)
1.4	0.1	8	17	CHLORAL HYDRATE
0.7	0.0	4	18	PENTOBARBITAL
0.2	0.0	1	19	SECOBARBITAL
0.5	0.0	3	20	FLURAZEPAN
0.2	0.0	1	21	NOCTEC
2.7	0.1	15	92	OTHER
	83.6	8,371	-9	LEGITIMATE SKIP
	10.4	1,037	-8	BLANK
	0.1	10	-5	BAD DATA
	0.1	13	-4	DON'T KNOW
	0.1	13	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 569-570

AE6BS2	2ND SEDATIVE PRESCRIBED
---------------	--------------------------------

Which sedatives and tranquilizers were prescribed?

Sedatives 2nd mention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.7	1.3	126	0	NONE
1.1	0.0	3	1	BUTISOL
0.4	0.0	1	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.4	0.0	1	4	MEBARAL
0.7	0.0	2	5	PLACIDYL
2.5	0.1	7	6	DORIDEN
0.4	0.0	1	7	NOLUDAR
2.1	0.1	6	8	NEMBUTAL
7.4	0.2	21	9	SECONAL
8.2	0.2	23	10	TUINAL
11.7	0.3	33	11	DALMANE
5.7	0.2	16	12	RESTORIL
9.6	0.3	27	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
1.8	0.0	5	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (incl.SOPR,QUAALUDE)
1.8	0.0	5	17	CHLORAL HYDRATE
1.1	0.0	3	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.4	0.0	1	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
0.4	0.0	1	92	OTHER
	83.6	8,371	-9	LEGITIMATE SKIP
	13.3	1,328	-8	BLANK
	0.1	9	-5	BAD DATA
	0.1	8	-4	DON'T KNOW
	0.1	12	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 571-572

AE6BS3

3RD SEDATIVE PRESCRIBED

Which sedatives and tranquilizers were prescribed?

Sedatives 3rd mention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	1.4	137	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
1.0	0.0	2	4	MEBARAL
3.0	0.1	6	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.5	0.0	1	7	NOLUDAR
1.0	0.0	2	8	NEMBUTAL
4.0	0.1	8	9	SECONAL
4.5	0.1	9	10	TUINAL
2.0	0.0	4	11	DALMANE
3.0	0.1	6	12	RESTORIL
7.4	0.1	15	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
1.5	0.0	3	15	PHENOBARBITAL
1.0	0.0	2	16	METHAQUALONE (incl.SOPR,QUAALUDE)
1.5	0.0	3	17	CHLORAL HYDRATE
0.5	0.0	1	18	PENTOBARBITAL
0.5	0.0	1	19	SECOBARBITAL
0.5	0.0	1	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
0.5	0.0	1	92	OTHER
	83.6	8,371	-9	LEGITIMATE SKIP
	14.0	1,405	-8	BLANK
	0.1	9	-5	BAD DATA
	0.1	10	-4	DON'T KNOW
	0.1	13	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 573-574

AE6BT1	1ST TRANQUILIZER PRESCRIBED
---------------	------------------------------------

Which sedatives and tranquilizers were prescribed?

Tranquilizers 1st mention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.3	26	0	NONE
37.0	4.4	444	1	VALIUM
17.5	2.1	210	2	LIBRIUM
0.7	0.1	8	3	LIMBITROL
0.1	0.0	1	4	MENRIUM
0.8	0.1	10	5	SERAX
1.3	0.2	16	6	TRANXENE
8.0	1.0	96	7	ATIVAN
0.4	0.0	5	8	CENTRAX
14.5	1.7	174	9	XANAX
0.6	0.1	7	10	PAXIPAM
3.8	0.4	45	11	BUSPAR
0.4	0.0	5	12	MILTOWN
0.3	0.0	3	13	EQUANIL
0.2	0.0	2	14	DEPROL
4.6	0.5	55	15	VISARIL
1.2	0.1	14	16	ATARAX
0.0	0.0	0	17	DURRAX
0.9	0.1	11	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.2	0.0	2	20	MEPROBAMATE
0.3	0.0	4	21	HYDROXYZINE
0.0	0.0	0	22	BENADRYL
0.2	0.0	2	23	CLONAZEPAM
1.6	0.2	19	24	KLONOPIN
3.3	0.4	40	92	OTHER
	83.6	8,369	-9	LEGITIMATE SKIP
	4.1	414	-8	BLANK
	0.1	8	-5	BAD DATA
	0.1	9	-4	DON'T KNOW
	0.1	11	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 575-576

AE6BT2	2ND TRANQUILIZER PRESCRIBED
---------------	------------------------------------

Which sedatives and tranquilizers were prescribed?

Tranquilizers 2nd mention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	1.0	97	0	NONE
7.1	0.4	37	1	VALIUM
18.4	1.0	96	2	LIBRIUM
0.8	0.0	4	3	LIMBITROL
0.2	0.0	1	4	MENRIUM
1.3	0.1	7	5	SERAX
4.2	0.2	22	6	TRANXENE
9.8	0.5	51	7	ATIVAN
1.1	0.1	6	8	CENTRAX
18.7	1.0	98	9	XANAX
0.4	0.0	2	10	PAXIPAM
5.0	0.3	26	11	BUSPAR
0.8	0.0	4	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.4	0.0	2	14	DEPROL
5.0	0.3	26	15	VISARIL
2.1	0.1	11	16	ATARAX
0.0	0.0	0	17	DURRAX
1.0	0.0	5	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.2	0.0	1	20	MEPROBAMATE
0.2	0.0	1	21	HYDROXYZINE
0.0	0.0	0	22	BENADRYL
0.2	0.0	1	23	CLONAZEPAM
1.9	0.1	10	24	KLONOPIN
2.9	0.1	15	92	OTHER
	83.6	8,369	-9	LEGITIMATE SKIP
	10.9	1,095	-8	BLANK
	0.1	6	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
	0.1	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 577-578

AE6BT3	3RD TRANQUILIZER PRESCRIBED
---------------	------------------------------------

Which sedatives and tranquilizers were prescribed?

Tranquilizers 3rd mention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	1.2	117	0	
4.3	0.1	13	1	VALIUM
5.6	0.2	17	2	LIBRIUM
1.0	0.0	3	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
2.3	0.1	7	5	SERAX
3.0	0.1	9	6	TRANXENE
6.9	0.2	21	7	ATIVAN
2.0	0.1	6	8	CENTRAX
11.9	0.4	36	9	XANAX
0.3	0.0	1	10	PAXIPAM
4.6	0.1	14	11	BUSPAR
1.0	0.0	3	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
8.3	0.2	25	15	VISARIL
2.3	0.1	7	16	ATARAX
0.3	0.0	1	17	DURRAX
1.0	0.0	3	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.3	0.0	1	21	HYDROXYZINE
2.3	0.1	7	22	BENADRYL
0.7	0.0	2	23	CLONAZEPAM
3.3	0.1	10	24	KLONOPIN
	83.6	8,370	-9	LEGITIMATE SKIP
	13.1	1,314	-8	BLANK
	0.1	6	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
	0.1	10	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 579-580

AE6C**#WKS USED SED/TRANQS IN 12 MOS**

In these 12 months, about how many weeks did you use sedatives or tranquilizers as prescribed?

10,010 cases (Range of valid codes: 0-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 581-582

AE7**#TIMES USED SED/TRANQS W/OUT PRSCR**

About how many times in your life have you used sedatives or tranquilizers on your own, without a prescription from a doctor, more than prescribed, or for any nonmedical reason such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	57.6	5,770	0	NEVER USED
6.0	6.0	599	1	1 OR 2 TIMES
6.9	6.9	687	2	3-5 TIMES
2.7	2.7	271	3	6-10 TIMES
5.5	5.5	548	4	11-49 TIMES
4.2	4.1	413	5	50-99 TIMES
3.3	3.2	325	6	100-199 TIMES
13.3	13.2	1,326	7	200+ TIMES
	0.7	68	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 583-584

AE7A**AGE 1ST USED SED/TRANQS**

About how old were you the first time you used sedatives or tranquilizers on your own?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 585-586

AE7B	AVG USE SED/TRANQS 12 MOS PRIOR TO ADM
-------------	---

On the average, how often did you use sedatives or tranquilizers on your own in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	14.5	1,447	0	NOT USED AT ALL OVER THE PERIOD
14.8	4.3	428	1	LESS THAN ONCE/MONTH
12.0	3.5	348	2	1-3 TIMES PER MONTH
7.3	2.1	210	3	1-2 TIMES PER WEEK
5.1	1.5	147	4	3-4 TIMES PER WEEK
1.2	0.3	35	5	5-6 TIMES/WEEK
6.0	1.7	174	6	DAILY OR ALMOST EVERY DAY
1.6	0.5	46	7	2-3 TIMES/DAY
2.1	0.6	61	8	4+ TIMES/DAY
	70.4	7,043	-9	LEGITIMATE SKIP
	0.7	68	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 587-588

AE7C	FREQ OF HEAVIEST SED/TRANQS USE
-------------	--

Think about the time when you were using sedatives or tranquilizers the most (heaviest) on your own. About how often were you using them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	2.6	262	1	LESS THAN ONCE/MONTH
15.4	4.1	415	2	1-3 TIMES/MONTH
18.7	5.0	502	3	1-2 TIMES/WEEK
13.9	3.7	373	4	3-4 TIMES/WEEK
3.4	0.9	91	5	5-6 TIMES/WEEK
26.1	7.0	701	6	DAILY OR ALMOST EVERY DAY
5.2	1.4	141	7	2-3 TIMES/DAY
7.5	2.0	202	8	4+ TIMES/DAY
	72.4	7,252	-9	LEGITIMATE SKIP
	0.7	70	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 589-590

AE7I**REASON STOPPED USING SED/TRANQS**

At that time, were you in a treatment program; in jail,
prison, or juvenile detention; or did you stop on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	2.3	226	1	IN A TX PROG
8.8	1.9	191	2	IN JAIL
76.0	16.5	1,647	3	STOPPED ON YOUR OWN
4.8	1.0	104	4	OTHER
	76.7	7,673	-9	LEGITIMATE SKIP
	1.1	109	-8	BLANK
	0.0	2	-7	REFUSAL
	0.2	19	-6	MULTIPLE RESPONSE
	0.1	8	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.3	29	-3	NOT APPLICABLE

100.0 100.0 10,010 cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 605-606

AE7J**HOW OLD WERE YOU AT THIS TIME?**

How old were you at that time?

10,010 cases (Range of valid codes: 0-64)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 607-608

AE7K LAST TIME USED SED/TRANQS REGULARLY

When was the last time you used sedatives or tranquilizers regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	4.6	464	1	WITHIN MONTH BEF ADM
12.8	2.9	290	2	WITHIN PAST 12 MOS
66.6	15.0	1,503	3	MORE THAN 1 YR AGO
	76.6	7,664	-9	LEGITIMATE SKIP
	0.8	84	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 609-610

AE7K_M MOS AGO LAST USED SEDATIVES REGULARLY

How many months ago?

10,010 cases (Range of valid codes: 0-543)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 611-613

AE7L MOST RECENT TIME USED SED/TRANQS

When was the most recent time you used sedatives or tranquilizers on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	3.7	374	1	WITHIN MONTH BEF ADM
22.5	5.7	570	2	WITHIN PAST 12 MOS
62.7	15.9	1,587	3	MORE THAN 1 YR AGO
	73.8	7,383	-9	LEGITIMATE SKIP
	0.9	88	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 614-615

AE7L_M	MOS AGO LAST USED SEDATIVES
---------------	------------------------------------

How many months ago?

10,010 cases (Range of valid codes: 0-543)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 616-618

AE7M	FREQ SED/TRANQS USE AT THAT TIME
-------------	---

About how often did you use sedatives or tranquilizers around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	7.0	703	1	LESS THAN ONCE/MONTH
17.9	5.1	515	2	1-3 TIMES/MONTH
18.6	5.3	535	3	1-2 TIMES/WEEK
10.4	3.0	300	4	3-4 TIMES/WEEK
1.7	0.5	50	5	5-6 TIMES/WEEK
18.5	5.3	532	6	DAILY OR ALMOST EVERY DAY
3.7	1.1	107	7	2-3 TIMES/DAY
4.5	1.3	130	8	4+ TIMES/DAY
	70.4	7,044	-9	LEGITIMATE SKIP
	0.8	84	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 619-620

AE7072**TAKING BARBITURATES**

What types of sedatives and tranquilizers were you taking around that time?

Barbiturates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	374	72	CIRCLED
	70.5	7,055	-9	LEGITIMATE SKIP
	25.7	2,573	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 625-626

AE7073**TAKING BENZODIAZAPENES**

What types of sedatives and tranquilizers were you taking around that time?

Benzodiazapenes, such as Xanax, Valium, or Librium.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.3	2,136	73	CIRCLED
	70.4	7,046	-9	LEGITIMATE SKIP
	8.2	820	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 627-628

AE8	ANY STIMULANTS PRESCRIBED
------------	----------------------------------

Has a doctor ever legitimately prescribed any stimulants for you for a physical or emotional problem or condition in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	314	1	YES
96.8	94.9	9,503	2	NO
	1.9	191	-8	BLANK
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 633-634

AE8A	# OF PRESCRIPTIONS FOR STIMULANTS
-------------	--

How many prescriptions for stimulants did you get in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	2.0	203	0	
10.4	0.3	33	1	
7.6	0.2	24	2	
3.5	0.1	11	3	
3.2	0.1	10	4	
0.6	0.0	2	5	
1.3	0.0	4	6	
0.6	0.0	2	7	
0.9	0.0	3	8	
0.3	0.0	1	9	
0.6	0.0	2	10	
4.7	0.1	15	12	
0.3	0.0	1	15	
0.3	0.0	1	16	
0.6	0.0	2	20	
0.3	0.0	1	24	
0.3	0.0	1	30	
	94.9	9,496	-9	LEGITIMATE SKIP
	2.0	196	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 635-636

AE8B2

2ND STIMULANT PRESCRIBED IN 12 MOS

Which stimulants were prescribed in these 12 months?

2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	0.6	58	0	NONE
6.7	0.1	7	1	DEXEDRINE
1.9	0.0	2	2	DEXAMYL
1.9	0.0	2	3	ESKATROL
3.8	0.0	4	4	BENZEDRINE
2.9	0.0	3	5	BIPHETAMINE
3.8	0.0	4	6	DESOXYN
1.0	0.0	1	7	TENUATE
0.0	0.0	0	8	TEPANIL
3.8	0.0	4	9	DIDREX
0.0	0.0	0	10	PLEGINE
2.9	0.0	3	11	PRELUDIN
2.9	0.0	3	12	IONAMIN
6.7	0.1	7	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
1.0	0.0	1	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
1.0	0.0	1	19	CYLERT
1.0	0.0	1	20	DEXTROAMPHETAMINE
1.9	0.0	2	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (speed or crank)
1.0	0.0	1	23	OBEDRIN-L.A.
	94.9	9,502	-9	LEGITIMATE SKIP
	3.9	391	-8	BLANK
	0.0	2	-5	BAD DATA
	0.1	11	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 639-640

AE8B3	3RD STIMULANT PRESCRIBED IN 12 MOS
-------	------------------------------------

Which stimulants were prescribed in these 12 months?

3rd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	0.6	62	0	NONE
0.0	0.0	0	1	DEXEDRINE
1.3	0.0	1	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
3.8	0.0	3	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
1.3	0.0	1	6	DESOXYN
1.3	0.0	1	7	TENUATE
0.0	0.0	0	8	TEPANIL
1.3	0.0	1	9	DIDREX
0.0	0.0	0	10	PLEGINE
5.1	0.0	4	11	PRELUDIN
1.3	0.0	1	12	IONAMIN
2.6	0.0	2	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
1.3	0.0	1	18	RITALIN
0.0	0.0	0	19	CYLERT
1.3	0.0	1	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (speed or crank)
0.0	0.0	0	23	OBEDRIN-L.A.
	94.9	9,500	-9	LEGITIMATE SKIP
	4.2	419	-8	BLANK
	0.0	2	-5	BAD DATA
	0.1	11	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 641-642

AE8C

WKS USED STIMULANTS IN 12 MOS

In these 12 months, about how many weeks did you use
stimulants as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	1.2	117	0	
4.4	0.1	9	1	
4.4	0.1	9	2	
1.0	0.0	2	3	
5.4	0.1	11	4	
0.5	0.0	1	5	
2.0	0.0	4	6	
0.5	0.0	1	7	
3.4	0.1	7	8	
0.5	0.0	1	9	
0.5	0.0	1	10	
0.5	0.0	1	11	
3.4	0.1	7	12	
0.5	0.0	1	13	
1.5	0.0	3	16	
2.0	0.0	4	20	
0.5	0.0	1	24	
1.5	0.0	3	26	
0.5	0.0	1	30	
0.5	0.0	1	40	
0.5	0.0	1	44	
0.5	0.0	1	45	
0.5	0.0	1	48	
8.3	0.2	17	52	
	94.8	9,492	-9	LEGITIMATE SKIP
	3.0	296	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.1	13	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 643-644

AE9	#TIMES USED AMPHET/STIM NONMED REASON
------------	--

About how many times in your life have you used amphetamines or other stimulants for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	60.4	6,044	0	NEVER USED NONMEDICALLY
4.8	4.8	481	1	1 OR 2 TIMES
5.2	5.2	518	2	3-5 TIMES
2.0	2.0	197	3	6-10 TIMES
4.5	4.5	449	4	11-49 TIMES
3.8	3.8	377	5	50-99 TIMES
3.4	3.4	340	6	100-199 TIMES
15.3	15.2	1,523	7	200+ TIMES
	0.7	74	-8	BLANK
	0.1	6	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 645-646

AE9A	AGE 1ST USED AMPHET/STIM
-------------	---------------------------------

About how old were you the first time you actually used amphetamines or stimulants for nonmedical reasons?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 647-648

AE9B**AVG USE AMPHET/STIM 12 MOS PRIOR TO**

On the average, how often did you use amphetamines or other stimulants in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	20.3	2,032	0	NOT USED AT ALL OVER THE PERIOD
8.3	2.4	241	1	LESS THAN ONCE/MONTH
4.3	1.3	126	2	1-3 TIMES PER MONTH
4.4	1.3	129	3	1-2 TIMES PER WEEK
2.6	0.8	76	4	3-4 TIMES PER WEEK
1.2	0.3	35	5	5-6 TIMES/WEEK
4.7	1.4	136	6	DAILY OR ALMOST EVERY DAY
1.4	0.4	40	7	2-3 TIMES/DAY
3.1	0.9	89	8	4+ TIMES/DAY
	70.2	7,031	-9	LEGITIMATE SKIP
	0.7	74	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 649-650

AE9C**FREQ OF HEAVIEST AMPHET/STIM USE**

Think about the time when you were using amphetamines or stimulants the most (heaviest). About how often were you using them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	1.6	164	1	LESS THAN ONCE/MONTH
11.2	3.0	304	2	1-3 TIMES/MONTH
16.3	4.4	441	3	1-2 TIMES/WEEK
13.6	3.7	369	4	3-4 TIMES/WEEK
4.1	1.1	112	5	5-6 TIMES/WEEK
29.8	8.1	806	6	DAILY OR ALMOST EVERY DAY
7.8	2.1	210	7	2-3 TIMES/DAY
11.2	3.0	303	8	4+ TIMES/DAY
	72.2	7,226	-9	LEGITIMATE SKIP
	0.7	74	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 651-652

AE9G**HOW AMPHET/STIM USED DURING THIS TIME**

How did you usually use amphetamines and stimulants during this period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	14.2	1,425	1	BY MOUTH (EAT,CHEW)
1.3	0.3	31	2	SMOKING
14.5	3.5	349	3	INHALING, SNORTING OR SNIFFING
24.6	5.9	591	4	INJECTING INTO VEIN
0.2	0.1	6	5	INJECTING SOMEWHERE ELSE
0.0	0.0	0	6	FREEBASING
0.1	0.0	3	7	SOME OTHER WAY (SPECIFY)
	74.7	7,474	-9	LEGITIMATE SKIP
	0.8	79	-8	BLANK
	0.5	51	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 661-662

AE9H3**LNGST TIME W/OUT AMPHET/STIM IN WKS**

Since you started using amphetamines or stimulants regularly (at least once a week), what is the longest period of time you did not use amphetamines or stimulants on your own?

_____ WEEKS

10,010 cases (Range of valid codes: 0-1,808)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 663-666

AE9I REASON STOPPED USING AMPHET/STIM

At that time, were you in a treatment program; in jail, prison, or juvenile detention; or did you stop on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	1.4	142	1	IN A TX PROG
9.4	2.2	225	2	IN JAIL
80.1	19.0	1,906	3	STOPPED ON YOUR OWN
4.5	1.1	108	4	OTHER
	74.7	7,475	-9	LEGITIMATE SKIP
	1.1	113	-8	BLANK
	0.2	21	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.2	18	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 667-668

AE9J HOW OLD WERE YOU AT THIS TIME?

How old were you at that time?

10,010 cases (Range of valid codes: 0-58)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 669-670

AE9K**LAST TIME USED AMPHET/STIM REGULARLY**

When was the last time you used amphetamines or stimulants regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	2.2	219	1	WITHIN MONTH BEF ADM
9.6	2.3	235	2	WITHIN PAST 12 MOS
81.5	20.0	2,001	3	MORE THAN 1 YR AGO
	74.6	7,470	-9	LEGITIMATE SKIP
	0.8	79	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 671-672

AE9K_M**MOS AGO LAST USED AMPHETS REGULARLY**

How many months ago?

10,010 cases (Range of valid codes: 0-494)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 673-675

AE9L MOST RECENT TIME USED AMPHET/STIM

When was the most recent time you used amphetamines or stimulants on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	1.7	175	1	WITHIN MONTH BEF ADM
14.7	4.0	402	2	WITHIN PAST 12 MOS
79.0	21.6	2,165	3	MORE THAN 1 YR AGO
	71.7	7,179	-9	LEGITIMATE SKIP
	0.8	85	-8	BLANK
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 676-677

AE9L_M MOS AGO LAST USED AMPHETAMINES

How many months ago?

10,010 cases (Range of valid codes: 0-421)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 678-680

AE9M**FREQ AMPHET/STIM USE AT THAT TIME**

About how often did you use amphetamines or stimulants around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	5.7	568	1	LESS THAN ONCE/MONTH
15.1	4.4	436	2	1-3 TIMES/MONTH
17.8	5.1	515	3	1-2 TIMES/WEEK
10.1	2.9	293	4	3-4 TIMES/WEEK
2.8	0.8	81	5	5-6 TIMES/WEEK
21.6	6.2	623	6	DAILY OR ALMOST EVERY DAY
5.0	1.4	144	7	2-3 TIMES/DAY
7.9	2.3	227	8	4+ TIMES/DAY
	70.3	7,034	-9	LEGITIMATE SKIP
	0.9	86	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 681-682

AE9N**HOW AMPHET/STIM USUALLY USED**

How did you usually use amphetamines or stimulants around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	17.1	1,716	1	BY MOUTH (EAT, CHEW)
1.5	0.4	43	2	SMOKING
14.8	4.2	421	3	INHALING, SNORTING OR SNIFFING
23.1	6.6	659	4	INJECTING INTO VEIN
0.4	0.1	10	5	INJECTING SOMEWHERE ELSE
0.0	0.0	0	6	FREEBASING
0.1	0.0	4	7	SOME OTHER WAY (SPECIFY)
	70.3	7,034	-9	LEGITIMATE SKIP
	0.8	85	-8	BLANK
	0.4	36	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 683-684

AE90 **AGE WHEN 1ST USED METHAMPHETAMINE**

How old were you when you first used methamphetamine or ice?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 685-686

AE9P **MOST RECENT TIME USED METHAMPHETAMINE**

When was the most recent time you used methamphetamine or ice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	1.9	195	1	WITHIN MONTH BEF ADM
22.4	3.1	306	2	WITHIN PAST 12 MOS
63.4	8.7	866	3	MORE THAN 1 YR AGO
	85.4	8,544	-9	LEGITIMATE SKIP
	1.0	98	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 687-688

AE9P_M **MOS AGO LAST USED METH/ICE**

How many months ago?

10,010 cases (Range of valid codes: 0-404)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 689-691

AE9Q**FREQ METHAMPHETAMINE USE AT THAT TIME**

About how often did you use methamphetamine or ice around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	4.4	439	1	LESS THAN ONCE/MONTH
14.8	2.0	202	2	1-3 TIMES/MONTH
14.5	2.0	197	3	1-2 TIMES/WEEK
7.0	0.9	95	4	3-4 TIMES/WEEK
2.3	0.3	31	5	5-6 TIMES/WEEK
16.8	2.3	229	6	DAILY OR ALMOST EVERY DAY
4.0	0.5	55	7	2-3 TIMES/DAY
8.4	1.1	114	8	4+ TIMES/DAY
	85.4	8,544	-9	LEGITIMATE SKIP
	1.0	100	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 692-693

AE9R**HOW METHAMPHETAMINE USUALLY USED**

How did you use methamphetamine or ice around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	1.4	141	1	BY MOUTH (EAT,CHEW)
6.6	0.9	88	2	SMOKING
42.6	5.7	572	3	INHALING, SNORTING OR SNIFFING
39.8	5.3	534	4	INJECTING INTO VEIN
0.4	0.0	5	5	INJECTING SOMEWHERE ELSE
0.0	0.0	0	6	FREEBASING
0.2	0.0	3	7	SOME OTHER WAY (SPECIFY)
	85.4	8,544	-9	LEGITIMATE SKIP
	1.0	101	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	21	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 694-695

AE10 MAJOR TRANQ/ANTIDEPRESS PRESCRIBED BY DR

Has a doctor ever prescribed major tranquilizers such as Thorazine, Stelazine, or Lithium or major antidepressants such as Elavil or Prozac?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	80.1	8,021	0	NEITHER
3.8	3.6	363	1	MAJOR TRANQUILIZERS
8.6	8.1	813	2	MAJOR ANTIDEPRESSANTS
2.7	2.6	259	3	BOTH
	5.2	525	-8	BLANK
	0.0	2	-7	REFUSAL
	0.2	19	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.1	6	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 696-697

AE10A USE TRANQ/ANTIDEPRESS IN 12 MOS

Did you use either major tranquilizers or major antidepressants in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	8.2	819	0	NEITHER
9.5	1.5	148	1	MAJOR TRANQUILIZERS
30.9	4.8	483	2	MAJOR ANTIDEPRESSANTS
7.3	1.1	115	3	BOTH
	79.1	7,919	-9	LEGITIMATE SKIP
	5.2	521	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 698-699

AE11**#TIMES USED HALLUCINOGENS OR PSYCHEDELIC**

About how many times in your life have you used LSD, PCP, or any other hallucinogen or psychedelic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	46.9	4,696	0	NEVER USED
11.7	11.6	1,163	1	1 OR 2 TIMES
8.6	8.5	851	2	3-5 TIMES
4.8	4.8	476	3	6-10 TIMES
8.5	8.5	847	4	11-49 TIMES
4.4	4.4	436	5	50-99 TIMES
4.0	4.0	396	6	100-199 TIMES
10.6	10.5	1,051	7	200+ TIMES
	0.9	87	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 700-701

AE11A**AGE 1ST USED HALLUCINOGENS/PSYCHEDELICS**

About how old were you the first time you actually used hallucinogens or psychedelics?

10,010 cases (Range of valid codes: 0-47)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 702-703

AE11B	AVG USE HALLUCINOGENS 12 MOS PRIOR TO AD
--------------	---

On the average, how often did you use hallucinogens in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	25.1	2,508	0	NOT USED AT ALL OVER THE PERIOD
10.7	3.5	346	1	LESS THAN ONCE/MONTH
4.3	1.4	138	2	1-3 TIMES PER MONTH
3.3	1.0	105	3	1-2 TIMES PER WEEK
1.7	0.5	54	4	3-4 TIMES PER WEEK
0.3	0.1	9	5	5-6 TIMES/WEEK
1.4	0.4	45	6	DAILY OR ALMOST EVERY DAY
0.2	0.0	5	7	2-3 TIMES/DAY
0.4	0.1	14	8	4+ TIMES/DAY
	66.8	6,691	-9	LEGITIMATE SKIP
	0.9	94	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 704-705

AE11C	FREQ OF HEAVIEST HALLUCINOGENS USE
--------------	---

Think about the time when you were using hallucinogens the most (heaviest). About how often were you using them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	5.6	557	1	LESS THAN ONCE/MONTH
21.5	6.8	684	2	1-3 TIMES/MONTH
26.7	8.5	847	3	1-2 TIMES/WEEK
12.1	3.8	385	4	3-4 TIMES/WEEK
2.2	0.7	69	5	5-6 TIMES/WEEK
14.9	4.7	472	6	DAILY OR ALMOST EVERY DAY
2.4	0.8	77	7	2-3 TIMES/DAY
2.7	0.9	87	8	4+ TIMES/DAY
	67.3	6,734	-9	LEGITIMATE SKIP
	1.0	96	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 706-707

AE11D AGE WHEN 1ST USED HALLUCINOGENS DAILY

How old were you when you began using hallucinogens daily?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 708-709

AE11E AGE WHEN 1ST USED HALLUCINOGENS REGULARL

How old were you when you began using hallucinogens regularly?

10,010 cases (Range of valid codes: 0-42)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 710-711

AE11F3 LONGEST PERIOD USE HALLUCINOGENS ONCE/WK

How long was the longest period of time when you used hallucinogens at least once a week?

_____ WEEKS

10,010 cases (Range of valid codes: 0-1,392)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 712-715

AE11G	HOW HALLUCINOGENS USED DURING THIS TIME
--------------	--

How did you usually use hallucinogens during this period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	15.7	1,574	1	BY MOUTH (EAT,CHEW)
18.5	3.7	371	2	SMOKING
2.1	0.4	42	3	INHALING, SNORTING OR SNIFFING
0.7	0.1	14	4	INJECTING INTO VEIN
0.0	0.0	1	5	INJECTING SOMEWHERE ELSE
0.0	0.0	0	6	FREEBASING
0.3	0.1	6	7	SOME OTHER WAY (SPECIFY)
	78.5	7,861	-9	LEGITIMATE SKIP
	1.0	99	-8	BLANK
	0.0	2	-7	REFUSAL
	0.4	40	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 716-717

AE11H	LAST TIME USED HALLUCINOGENS REGULARLY
--------------	---

When was the last time you used hallucinogens regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.9	92	1	WITHIN MONTH BEF ADM
7.6	1.5	155	2	WITHIN PAST 12 MOS
87.9	18.0	1,802	3	MORE THAN 1 YR AGO
	78.5	7,854	-9	LEGITIMATE SKIP
	1.0	103	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 718-719

AE11H_M MOS AGO LAST USED HALLUCINOGENS REG

How many months ago?

10,010 cases (Range of valid codes: 0-506)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 720-722

AE11I MOST RECENT TIME USED HALLUCINOGENS

When was the most recent time you used any hallucinogens?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	1.1	114	1	WITHIN MONTH BEF ADM
13.0	4.0	396	2	WITHIN PAST 12 MOS
83.2	25.3	2,534	3	MORE THAN 1 YR AGO
	66.8	6,691	-9	LEGITIMATE SKIP
	2.7	272	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 723-724

AE11I_M MOS AGO LAST USED ANY HALLUCINOGENS

How many months ago?

10,010 cases (Range of valid codes: 0-553)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 725-727

AE11J	FREQ HALLUCINOGENS USE AT THAT TIME
--------------	--

About how often did you use hallucinogens around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	12.5	1,251	1	LESS THAN ONCE/MONTH
18.9	5.9	590	2	1-3 TIMES/MONTH
20.3	6.3	633	3	1-2 TIMES/WEEK
7.0	2.2	219	4	3-4 TIMES/WEEK
1.7	0.5	54	5	5-6 TIMES/WEEK
9.0	2.8	281	6	DAILY OR ALMOST EVERY DAY
1.5	0.5	46	7	2-3 TIMES/DAY
1.6	0.5	49	8	4+ TIMES/DAY
	66.8	6,688	-9	LEGITIMATE SKIP
	1.9	193	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 728-729

AE11K	HOW HALLUCINOGENS USUALLY USED
--------------	---------------------------------------

How did you usually use hallucinogens around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.6	25.3	2,528	1	BY MOUTH (EAT,CHEW)
15.6	4.8	482	2	SMOKING
1.7	0.5	52	3	INHALING, SNORTING OR SNIFFING
0.7	0.2	23	4	INJECTING INTO VEIN
0.0	0.0	0	5	INJECTING SOMEWHERE ELSE
0.3	0.1	8	6	FREEBASING
0.1	0.0	4	7	SOME OTHER WAY (SPECIFY)
	66.8	6,690	-9	LEGITIMATE SKIP
	2.0	198	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	22	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 730-731

AE11L	AGE WHEN 1ST USED PCP
--------------	------------------------------

How old were you when you first used PCP?

10,010 cases (Range of valid codes: 1-47)

Data type: numeric
 Missing-data codes: *-0
 Columns: 732-733

AE11M	MOST RECENT TIME USED PCP
--------------	----------------------------------

When was the most recent time you used PCP?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	0.8	84	1	WITHIN MONTH BEF ADM
8.6	1.6	156	2	WITHIN PAST 12 MOS
86.8	15.7	1,575	3	MORE THAN 1 YR AGO
	80.8	8,085	-9	LEGITIMATE SKIP
	1.0	105	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 734-735

AE11M_M	MOS AGO LAST USED PCP
----------------	------------------------------

How many months ago?

10,010 cases (Range of valid codes: 0-392)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 736-738

AE11N	FREQ OF PCP USE AT THAT TIME
--------------	-------------------------------------

About how often did you use PCP around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	8.8	883	1	LESS THAN ONCE/MONTH
15.1	2.7	273	2	1-3 TIMES/MONTH
14.3	2.6	260	3	1-2 TIMES/WEEK
6.2	1.1	112	4	3-4 TIMES/WEEK
1.5	0.3	28	5	5-6 TIMES/WEEK
10.4	1.9	189	6	DAILY OR ALMOST EVERY DAY
1.6	0.3	29	7	2-3 TIMES/DAY
2.1	0.4	38	8	4+ TIMES/DAY
	80.8	8,085	-9	LEGITIMATE SKIP
	1.1	109	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 739-740

AE11O	HOW PCP USUALLY USED
--------------	-----------------------------

How did you usually use PCP?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	2.6	261	1	BY MOUTH (EAT,CHEW)
69.4	12.4	1,243	2	SMOKING
12.8	2.3	229	3	INHALING, SNORTING OR SNIFFING
3.0	0.5	53	4	INJECTING INTO VEIN
0.1	0.0	1	5	INJECTING SOMEWHERE ELSE
0.0	0.0	0	6	FREEBASING
0.2	0.0	4	7	SOME OTHER WAY (SPECIFY)
	80.7	8,082	-9	LEGITIMATE SKIP
	1.2	117	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	18	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 741-742

AE12	# OF TIMES USED INHALANTS
-------------	----------------------------------

About how many times in your life have you used inhalants or things you sniff such as glue, gasoline, paint thinner, or aerosol sprays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	80.3	8,041	0	NEVER
7.3	7.2	724	1	1 OR 2 TIMES
3.8	3.8	379	2	3-5 TIMES
1.6	1.6	163	3	6-10 TIMES
2.6	2.6	258	4	11-49 TIMES
1.2	1.2	123	5	50-99 TIMES
1.0	1.0	97	6	100-199 TIMES
1.7	1.7	171	7	200+ TIMES
	0.5	51	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 743-744

AE12A	AGE 1ST TIME USED INHALANTS
--------------	------------------------------------

About how old were you the first time you used inhalants?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 745-746

AE12B AVERAGE USE INHALANTS 12 MOS PRIOR TO AD

On the average, how often did you use inhalants in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	7.5	754	0	NOT USED AT ALL OVER THE PERIOD
2.9	0.2	24	1	LESS THAN ONCE/MONTH
1.4	0.1	12	2	1-3 TIMES PER MONTH
1.7	0.1	14	3	1-2 TIMES PER WEEK
0.7	0.1	6	4	3-4 TIMES PER WEEK
0.0	0.0	0	5	5-6 TIMES/WEEK
1.2	0.1	10	6	DAILY OR ALMOST EVERY DAY
0.2	0.0	2	7	2-3 TIMES/DAY
0.7	0.1	6	8	4+ TIMES/DAY
	91.2	9,129	-9	LEGITIMATE SKIP
	0.5	52	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 747-748

AE12C FREQ OF HEAVEST INHALANTS USE

Think about the time when you were using them the most (heaviest). About how often were you using them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	1.1	112	1	LESS THAN ONCE/MONTH
13.8	1.1	113	2	1-3 TIMES/MONTH
22.8	1.9	186	3	1-2 TIMES/WEEK
11.4	0.9	93	4	3-4 TIMES/WEEK
2.2	0.2	18	5	5-6 TIMES/WEEK
25.5	2.1	208	6	DAILY OR ALMOST EVERY DAY
4.3	0.3	35	7	2-3 TIMES/DAY
6.2	0.5	51	8	4+ TIMES/DAY
	91.3	9,142	-9	LEGITIMATE SKIP
	0.5	52	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 749-750

AE12D	AGE WHEN 1ST USED INHALANTS REGULARLY
--------------	--

How old were you the first time you used inhalants regularly
(at least once a week)?

10,010 cases (Range of valid codes: 0-40)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 751-752

AE12E	LAST TIME USED INHALANTS REGULARLY
--------------	---

When was the last time you used inhalants regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.1	13	1	WITHIN MONTH BEF ADM
2.6	0.2	16	2	WITHIN PAST 12 MOS
95.3	5.9	591	3	MORE THAN 1 YR AGO
	93.2	9,332	-9	LEGITIMATE SKIP
	0.6	57	-8	BLANK
	0.0	1	-4	DON'T KNOW

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 753-754

AE12E_M	MOS AGO LAST INHALANTS REGULARLY
----------------	---

How many months ago?

10,010 cases (Range of valid codes: 0-441)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 755-757

AE12F MOST RECENT TIME USED INHALANTS

When was the most recent time you used inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	10	1	WITHIN MONTH BEF ADM
4.7	0.4	38	2	WITHIN PAST 12 MOS
94.1	7.7	767	3	MORE THAN 1 YR AGO
	91.3	9,137	-9	LEGITIMATE SKIP
	0.6	56	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 758-759

AE12F_M MOS AGO LAST USED INHALANTS

How many months ago?

10,010 cases (Range of valid codes: 0-439)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 760-762

AE12G

FREQ OF INHALANTS USE AT THAT TIME

About how often did you use inhalants around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	1.7	173	1	LESS THAN ONCE/MONTH
14.4	1.2	119	2	1-3 TIMES/MONTH
22.9	1.9	189	3	1-2 TIMES/WEEK
10.8	0.9	89	4	3-4 TIMES/WEEK
2.7	0.2	22	5	5-6 TIMES/WEEK
20.2	1.7	167	6	DAILY OR ALMOST EVERY DAY
3.1	0.3	26	7	2-3 TIMES/DAY
5.1	0.4	42	8	4+ TIMES/DAY
	91.2	9,127	-9	LEGITIMATE SKIP
	0.5	55	-8	BLANK
	0.0	1	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 763-764

AE13	DRUG OF CHOICE 12 MOS BEFORE ADM
-------------	---

During the 12 months before admission, what type of drug that you used would you say was your favorite drug for taking regularly? Some people call this their "drug of choice."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.9	492	0	NO FAVORITE DRUG
12.3	12.1	1,216	10	ALCOHOL
8.1	8.0	800	20	MARIJUANA, HASHISH, THC
1.5	1.4	144	30	HALLUCINOGENS OR PSYCHEDELICS, SUCH AS L
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
18.0	17.8	1,777	40	COCAINE IN ANY FORM
27.9	27.5	2,751	41	CRACK
17.8	17.5	1,754	50	HEROIN ALONE AND WITH OTHER DRUGS
3.3	3.3	328	51	HEROIN AND COCAINE TOGETHER AT THE SAME
2.4	2.3	232	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.2	0.2	23	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
0.9	0.8	85	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS, SUCH AS DOR
0.0	0.0	0	72	BARBITURATES, SUCH AS NUMBUTAL, SECONAL,
0.0	0.0	0	73	BENZODIAZAPENES, SUCH AS VALIUM, LIBRIUM
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.5	0.5	47	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
1.9	1.9	191	81	METHAMPHETAMINES OR ICE
0.2	0.2	17	90	ANY OTHER DRUGS
0.1	0.1	6	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
0.0	0.0	0	92	ANOTHER DRUG
	1.0	102	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	42	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 765-766

AE14

PRIMARY PROB DRUG 12 MOS BEF ADM

During the 12 months before admission, what type of drug that you used caused you the most serious problems, such as problems with family, friends, or the law; problems feeling dependent on the drug; or health or emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.0	597	0	DRUG USE DIDNT CAUSE PROB
12.5	12.2	1,226	10	ALCOHOL
3.0	3.0	297	20	MARIJUANA, HASHISH, THC
1.6	1.5	152	30	HALLUCINOGENS OR PSYCHEDELICS, SUCH AS L
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
19.9	19.4	1,944	40	COCAINE IN ANY FORM
32.3	31.5	3,158	41	CRACK
16.0	15.6	1,560	50	HEROIN ALONE AND WITH OTHER DRUGS
2.7	2.7	266	51	HEROIN AND COCAINE TOGETHER AT THE SAME
2.1	2.0	203	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.2	0.1	15	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
0.9	0.8	84	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS, SUCH AS DOR
0.0	0.0	0	72	BARBITURATES, SUCH AS NUMBUTAL, SECONAL,
0.0	0.0	0	73	BENZODIAZAPENES, SUCH AS VALIUM, LIBRIUM
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.5	0.5	46	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
2.0	2.0	200	81	METHAMPHETAMINES OR ICE
0.2	0.2	16	90	ANY OTHER DRUGS
0.1	0.1	7	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
0.0	0.0	0	92	ANOTHER DRUG
	1.9	193	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
	0.4	41	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 767-768

AE14A # TIMES USED PRIMARY PROB DRUG

How many times have you used (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
1.1	0.1	8	1	1 OR 2 TIMES
0.6	0.0	4	2	3-5 TIMES
0.4	0.0	3	3	6-10 TIMES
1.9	0.1	14	4	11-49 TIMES
1.8	0.1	13	5	50-99 TIMES
4.3	0.3	31	6	100-199 TIMES
89.9	6.5	647	7	200+ TIMES
	90.6	9,070	-9	LEGITIMATE SKIP
	2.2	219	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 769-770

AE14B AGE 1ST TIME USED PRIMARY PROB DRUG

How old were you the first time you used (PRIMARY PROBLEM DRUG)?

10,010 cases (Range of valid codes: 6-53)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 771-772

AE14C AGE BEGAN USING PRIMARY DRUG REGULARLY

How old were you when you began using it regularly (once a week or more often)?

10,010 cases (Range of valid codes: 3-53)

Data type: numeric
 Missing-data codes: *-0
 Columns: 773-774

AE14D	HOW DID YOU USUALLY TAKE PRIMARY DRUG?
--------------	---

Thinking of the whole period since you started using it regularly, how did you take it most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	1.4	136	1	BY MOUTH (EAT,CHEW)
32.7	2.3	226	2	SMOKING (CRACK)
22.3	1.5	154	3	INHALING, SNORTING OR SNIFFING
21.8	1.5	151	4	INJECTING INTO VEIN
0.6	0.0	4	5	INJECTING SOMEWHERE ELSE
2.7	0.2	19	6	FREEBASING
0.3	0.0	2	7	SOME OTHER WAY (SPECIFY)
	90.9	9,098	-9	LEGITIMATE SKIP
	2.2	220	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 775-776

AE14E	LAST TIME USED PRIMARY DRUG
--------------	------------------------------------

When did you last use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	4.6	464	1	WITHIN MONTH BEF ADM
27.3	2.0	199	2	WITHIN PAST 12 MOS
9.2	0.7	67	3	MORE THAN 1 YR AGO
	90.5	9,060	-9	LEGITIMATE SKIP
	2.2	220	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 777-778

AE14E_M	MOS AGO LAST USED PRIMARY PROB DRUG
----------------	--

How many months ago?

10,010 cases (Range of valid codes: 0-295)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 779-781

AE14F	FREQ PRIMARY DRUG USE AT THAT TIME
--------------	---

How often did you use it at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	0.4	44	1	LESS THAN ONCE/MONTH
5.2	0.4	38	2	1-3 TIMES/MONTH
11.9	0.9	87	3	1-2 TIMES/WEEK
8.9	0.6	65	4	3-4 TIMES/WEEK
3.4	0.2	25	5	5-6 TIMES/WEEK
32.9	2.4	240	6	DAILY OR ALMOST EVERY DAY
11.0	0.8	80	7	2-3 TIMES/DAY
20.6	1.5	150	8	4+ TIMES/DAY
	90.5	9,061	-9	LEGITIMATE SKIP
	2.2	220	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 782-783

AE14G	HOW PRIMARY DRUG USUALLY TAKEN
--------------	---------------------------------------

During the most recent period when you used it, how did you usually take it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	1.4	141	1	BY MOUTH (EAT,CHEW)
34.5	2.4	245	2	SMOKING
21.2	1.5	151	3	INHALING, SNORTING OR SNIFFING
21.5	1.5	153	4	INJECTING INTO VEIN
0.3	0.0	2	5	INJECTING SOMEWHERE ELSE
2.1	0.1	15	6	FREEBASING
0.6	0.0	4	7	SOME OTHER WAY (SPECIFY)
	90.7	9,079	-9	LEGITIMATE SKIP
	2.2	220	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 784-785

AE14H**AVG USE PRIMARY DRUG 12 MOS PRIOR TO ADM**

On the average, how often did you use (PRIMARY PROBLEM DRUG) in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	0.6	56	0	NOT USED AT ALL OVER THE PERIOD
5.3	0.4	39	1	LESS THAN ONCE/MONTH
5.1	0.4	38	2	1-3 TIMES PER MONTH
10.2	0.7	75	3	1-2 TIMES PER WEEK
9.9	0.7	73	4	3-4 TIMES PER WEEK
3.1	0.2	23	5	5-6 TIMES/WEEK
30.1	2.2	222	6	DAILY OR ALMOST EVERY DAY
10.8	0.8	80	7	2-3 TIMES/DAY
17.9	1.3	132	8	4+ TIMES/DAY
	90.4	9,053	-9	LEGITIMATE SKIP
	2.2	219	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 786-787

AE15**DID OTHER DRUG CAUSE PROB PAST 12 MO**

You said that (PRIMARY PROBLEM DRUG) caused you the most serious problems. During the past 12 months, did using any other drug cause you to have problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	24.8	2,486	1	YES
73.5	68.7	6,881	2	NO
	4.5	455	-9	LEGITIMATE SKIP
	1.9	188	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 788-789

AE15A	WHICH DRUG CAUSED YOU THESE PROBS?
--------------	---

Which drug caused you these problems? [SECOND PROBLEM DRUG]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	8	0	NONE
38.1	9.6	956	10	ALCOHOL
9.8	2.5	246	20	MARIJUANA, HASHISH, THC
2.3	0.6	58	30	HALLUCINOGENS OR PSYCHEDELICS, SUCH AS L
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
20.8	5.2	522	40	COCAINE IN ANY FORM
8.5	2.1	212	41	CRACK
6.5	1.6	162	50	HEROIN ALONE AND WITH OTHER DRUGS
1.5	0.4	38	51	HEROIN AND COCAINE TOGETHER AT THE SAME
3.7	0.9	94	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.5	0.1	12	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
4.4	1.1	111	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS, SUCH AS DOR
0.0	0.0	0	72	BARBITURATES, SUCH AS NUMBUTAL, SECONAL,
0.0	0.0	0	73	BENZODIAZAPENES, SUCH AS VALIUM, LIBRIUM
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.7	0.2	17	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
2.2	0.6	56	81	METHAMPHETAMINES OR ICE
0.4	0.1	11	90	ANY OTHER DRUGS
0.2	0.0	4	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
0.0	0.0	0	92	ANOTHER DRUG
	73.1	7,315	-9	LEGITIMATE SKIP
	1.7	174	-8	BLANK
	0.1	14	-5	BAD DATA

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 790-791

AE15B	# TIMES USED 2ND PROB DRUG
--------------	-----------------------------------

How many times have you used (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
2.3	0.1	6	1	1-2 TIMES
0.4	0.0	1	2	3-5 TIMES
2.7	0.1	7	3	6-10 TIMES
2.3	0.1	6	4	11-49 TIMES
4.2	0.1	11	5	50-99 TIMES
7.3	0.2	19	6	100-199 TIMES
80.8	2.1	211	7	200+ TIMES
	95.5	9,563	-9	LEGITIMATE SKIP
	1.9	186	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 792-793

AE15C	AGE 1ST TIME USED 2ND PROB DRUG
--------------	--

How old were you the first time you used (SECOND PROBLEM DRUG)?

10,010 cases (Range of valid codes: 1-48)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 794-795

AE15D	AGE BEGAN USING 2ND DRUG REGULARLY
--------------	---

How old were you when you began using it regularly (once a week or more often)?

10,010 cases (Range of valid codes: 0-48)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 796-797

AE15E LAST TIME USED SECONDARY DRUG

When did you last use (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	1.7	174	1	WITHIN MONTH BEF ADM
25.0	0.7	67	2	WITHIN PAST 12 MOS
10.1	0.3	27	3	MORE THAN 1 YR AGO
	95.5	9,557	-9	LEGITIMATE SKIP
	1.8	185	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 798-799

AE15E_M MOS AGO LAST USED 2ND PROB DRUG

How many months ago?

10,010 cases (Range of valid codes: 0-362)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 800-802

AE15F FREQ SECONDARY DRUG USE AT THAT TIME

How often did you use it at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.2	18	1	LESS THAN ONCE/MONTH
9.2	0.2	24	2	1-3 TIMES/MONTH
11.5	0.3	30	3	1-2 TIMES/WEEK
12.2	0.3	32	4	3-4 TIMES/WEEK
3.8	0.1	10	5	5-6 TIMES/WEEK
30.5	0.8	80	6	DAILY OR ALMOST EVERY DAY
8.4	0.2	22	7	2-3 TIMES/DAY
17.6	0.5	46	8	4+ TIMES/DAY
	95.5	9,562	-9	LEGITIMATE SKIP
	1.9	186	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 803-804

AE15G	HOW SECONDARY DRUG USUALLY TAKEN
--------------	---

During the most recent period when you used it, how did you usually take it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	1.1	110	1	BY MOUTH (EAT,CHEW)
24.1	0.6	62	2	SMOKING
13.2	0.3	34	3	INHALING, SNORTING OR SNIFFING
17.1	0.4	44	4	INJECTING INTO VEIN
0.4	0.0	1	5	INJECTING SOMEWHERE ELSE
1.6	0.0	4	6	FREEBASING
0.8	0.0	2	7	SOME OTHER WAY (SPECIFY)
	95.6	9,567	-9	LEGITIMATE SKIP
	1.9	186	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 805-806

AE15H	AVG USE 2ND DRUG 12 MOS PRIOR TO ADM
--------------	---

On the average how often did you use (SECOND PROBLEM DRUG) in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.2	17	0	NOT USED AT ALL OVER THE PERIOD
5.3	0.1	14	1	LESS THAN ONCE/MONTH
9.9	0.3	26	2	1-3 TIMES PER MONTH
11.1	0.3	29	3	1-2 TIMES PER WEEK
11.5	0.3	30	4	3-4 TIMES PER WEEK
4.6	0.1	12	5	5-6 TIMES/WEEK
25.6	0.7	67	6	DAILY OR ALMOST EVERY DAY
9.2	0.2	24	7	2-3 TIMES/DAY
16.4	0.4	43	8	4+ TIMES/DAY
	95.5	9,562	-9	LEGITIMATE SKIP
	1.9	186	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 807-808

AE16	DID OTHER DRUG CAUSE PROB PAST 12 MO
-------------	---

Did any other drugs cause you problems during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	4.4	443	1	YES
82.8	21.4	2,138	2	NO
	72.0	7,210	-9	LEGITIMATE SKIP
	2.2	219	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 809-810

AE16A

WHICH DRUG CAUSED YOU THESE PROBS?

Which drug caused you the next most serious problems during
the past 12 months? [THIRD PROBLEM DRUG]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	1.2	119	10	ALCOHOL
18.7	0.8	84	20	MARIJUANA, HASHISH, THC
3.3	0.1	15	30	HALLUCINOGENS OR PSYCHEDELICS, SUCH AS L
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
11.8	0.5	53	40	COCAINE IN ANY FORM
4.9	0.2	22	41	CRACK
5.1	0.2	23	50	HEROIN ALONE AND WITH OTHER DRUGS
2.0	0.1	9	51	HEROIN AND COCAINE TOGETHER AT THE SAME
7.6	0.3	34	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.7	0.0	3	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
11.8	0.5	53	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS, SUCH AS DOR
0.0	0.0	0	72	BARBITURATES, SUCH AS NUMBUTAL, SECONAL,
0.0	0.0	0	73	BENZODIAZAPENES, SUCH AS VALIUM, LIBRIUM
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
1.1	0.0	5	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
4.7	0.2	21	81	METHAMPHETAMINES OR ICE
1.3	0.1	6	90	ANY OTHER DRUGS
0.4	0.0	2	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
0.0	0.0	0	92	ANOTHER DRUG
	93.4	9,348	-9	LEGITIMATE SKIP
	2.0	203	-8	BLANK
	0.1	9	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 811-812

AE16B	# TIMES USED 3RD PROB DRUG
--------------	-----------------------------------

How many times have you used (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	1 OR 2 TIMES
3.6	0.0	2	2	3-5 TIMES
1.8	0.0	1	3	6-10 TIMES
7.3	0.0	4	4	11-49 TIMES
5.5	0.0	3	5	50-99 TIMES
7.3	0.0	4	6	100-199 TIMES
74.5	0.4	41	7	200+ TIMES
	97.2	9,725	-9	LEGITIMATE SKIP
	2.3	230	-8	BLANK

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 813-814

AE16C

AGE 1ST TIME USED 3RD PROB DRUG

How old were you the first time you used (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.0	1	7	
1.9	0.0	1	9	
1.9	0.0	1	10	
5.8	0.0	3	11	
3.8	0.0	2	12	
9.6	0.0	5	13	
11.5	0.1	6	14	
5.8	0.0	3	15	
3.8	0.0	2	16	
11.5	0.1	6	17	
9.6	0.0	5	18	
1.9	0.0	1	21	
3.8	0.0	2	22	
1.9	0.0	1	23	
3.8	0.0	2	24	
1.9	0.0	1	25	
1.9	0.0	1	26	
1.9	0.0	1	27	
1.9	0.0	1	28	
1.9	0.0	1	33	
1.9	0.0	1	35	
1.9	0.0	1	37	
1.9	0.0	1	38	
1.9	0.0	1	43	
1.9	0.0	1	44	
1.9	0.0	1	46	
0.0	0.0	0	55	55 OR OLDER
0.0	0.0	0	94	1 OR DK, BUT < 15
0.0	0.0	0	95	DK, BUT 15 OR OLDER
	97.2	9,727	-9	LEGITIMATE SKIP
	2.3	231	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 815-816

AE16D	AGE BEGAN USING 3RD DRUG REGULARLY
--------------	---

How old were you when you began using it regularly (once a week or more often)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.0	1	0	
2.0	0.0	1	9	
3.9	0.0	2	10	
7.8	0.0	4	13	
5.9	0.0	3	14	
13.7	0.1	7	15	
2.0	0.0	1	16	
9.8	0.0	5	17	
9.8	0.0	5	18	
3.9	0.0	2	19	
3.9	0.0	2	21	
2.0	0.0	1	22	
3.9	0.0	2	23	
5.9	0.0	3	24	
3.9	0.0	2	25	
2.0	0.0	1	26	
2.0	0.0	1	27	
2.0	0.0	1	28	
2.0	0.0	1	29	
2.0	0.0	1	30	
2.0	0.0	1	33	
2.0	0.0	1	35	
2.0	0.0	1	38	
2.0	0.0	1	43	
2.0	0.0	1	46	
0.0	0.0	0	55	55 OR OLDER
0.0	0.0	0	94	1 OR DK, BUT < 15
0.0	0.0	0	95	DK, BUT 15 OR OLDER
	97.2	9,728	-9	LEGITIMATE SKIP
	2.3	231	-8	BLANK

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 817-818

AE16E	LAST TIME USED 3RD DRUG
--------------	--------------------------------

When did you last use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	0.2	23	1	WITHIN MONTH BEF ADM
47.2	0.2	25	2	WITHIN PAST 12 MOS
9.4	0.0	5	3	MORE THAN 1 YR AGO
	97.2	9,726	-9	LEGITIMATE SKIP
	2.3	231	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 819-820

AE16E_M	MOS AGO LAST USED 3RD PROB DRUG
----------------	--

How many months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	0.2	23	0	
1.9	0.0	1	1	
15.4	0.1	8	2	
9.6	0.0	5	3	
5.8	0.0	3	4	
3.8	0.0	2	6	
1.9	0.0	1	7	
1.9	0.0	1	8	
3.8	0.0	2	9	
1.9	0.0	1	10	
1.9	0.0	1	11	
1.9	0.0	1	12	
1.9	0.0	1	23	
1.9	0.0	1	103	
1.9	0.0	1	301	
	97.2	9,726	-9	LEGITIMATE SKIP
	2.3	232	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 821-823

AE16H	AVG USE 3RD DRUG 12 MOS PRIOR TO ADM
--------------	---

On the average, how often did you use (THIRD PROBLEM DRUG) in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.0	4	0	NOT USED AT ALL OVER THE PERIOD
1.9	0.0	1	1	LESS THAN ONCE/MONTH
13.5	0.1	7	2	1-3 TIMES PER MONTH
11.5	0.1	6	3	1-2 TIMES PER WEEK
15.4	0.1	8	4	3-4 TIMES PER WEEK
1.9	0.0	1	5	5-6 TIMES/WEEK
28.8	0.1	15	6	DAILY OR ALMOST EVERY DAY
3.8	0.0	2	7	2-3 TIMES/DAY
15.4	0.1	8	8	4+ TIMES/DAY
	97.2	9,727	-9	LEGITIMATE SKIP
	2.3	231	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 828-829

AE17	WITH WHOM DRUGS TAKEN
-------------	------------------------------

When you were using drugs, did you generally take them . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	35.1	3,517	1	BY YOURSELF
53.8	52.7	5,272	2	WITH 1 OR 2 OTHER PEOPLE
10.4	10.2	1,017	3	IN A GROUP
	0.5	54	-8	BLANK
	0.0	1	-7	REFUSAL
	1.3	126	-6	MULTIPLE RESPONSE
	0.1	10	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.1	11	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 830-831

AE18 WHERE DID YOU USUALLY TAKE DRUGS?

Where did you usually take drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	46.5	4,650	1	AT HOME
29.5	28.1	2,816	2	AT FRIENDS OR RELATIVES HOME
1.8	1.7	168	3	AT SHOOTING GALLERY
7.9	7.5	755	4	ON THE STREET
4.5	4.3	432	5	IN A MOTOR VEHICLE
7.6	7.3	730	6	SOME OTHER PLACE
	0.6	63	-8	BLANK
	0.0	4	-7	REFUSAL
	3.7	366	-6	MULTIPLE RESPONSE
	0.1	11	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.1	11	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 832-833

AE19 HAVE YOU EVER OVERDOSED ON DRUGS?

Have you ever overdosed on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	21.8	2,181	1	YES
78.1	77.6	7,764	2	NO
	0.6	62	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 834-835

AE19A	NUMBER OF TIMES OVERDOSED
--------------	----------------------------------

How many times have you ever OD'd?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	6	0	
41.0	8.9	895	1	
23.9	5.2	522	2	
14.3	3.1	312	3	
6.1	1.3	134	4	
4.8	1.0	104	5	
2.5	0.5	54	6	
0.9	0.2	20	7	
0.6	0.1	14	8	
0.1	0.0	3	9	
1.7	0.4	38	10	
0.1	0.0	3	11	
0.9	0.2	20	12	
0.0	0.0	1	13	
0.1	0.0	2	14	
0.5	0.1	11	15	
0.0	0.0	1	19	
0.8	0.2	18	20	
0.0	0.0	1	21	
0.0	0.0	1	24	
0.0	0.0	1	25	
0.0	0.0	1	29	
0.3	0.1	6	30	
0.0	0.0	1	40	
0.2	0.0	5	50	
0.0	0.0	1	60	
0.4	0.1	8	99	99 OR MORE
	77.5	7,756	-9	LEGITIMATE SKIP
	0.6	64	-8	BLANK
	0.1	7	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 836-837

AE19C1

1ST DRUG OVERDOSE IN 12 MOS

On which drugs did you OD in those 12 months? First drug.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.1	14	0	NONE
5.1	0.4	39	10	ALCOHOL
0.1	0.0	1	20	MARIJUANA, HASHISH, THC
5.1	0.4	39	30	HALLUCINOGENS/PSYCHEDELICS
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
23.4	1.8	178	40	COCAINE IN ANY FORM
11.7	0.9	89	41	CRACK
29.0	2.2	221	50	HEROIN ALONE, WITH OTHER DRUGS
5.3	0.4	40	51	HEROIN/COCAINE TOGETHER AT SAME TIME
2.8	0.2	21	60	NARCOTICS/OPIATES
0.8	0.1	6	61	STREET/ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
9.9	0.7	75	70	DOWNERS/DEPRESSANTS
0.0	0.0	0	71	SEDATIVES/SLEEPING PILLS
0.0	0.0	0	72	BARBITURATES
0.0	0.0	0	73	BENZODIAZAPENES
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.4	0.0	3	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
1.8	0.1	14	81	METHAMPHETAMINES/ICE
2.8	0.2	21	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
0.0	0.0	0	92	ANOTHER DRUG
	91.3	9,139	-9	LEGITIMATE SKIP
	0.8	77	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	25	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 840-841

AE19C2	2ND DRUG OVERDOSE IN 12 MOS
--------	-----------------------------

On which drugs did you OD in those 12 months? Second drug.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	0.7	72	0	NONE
10.7	0.2	23	10	ALCOHOL
1.4	0.0	3	20	MARIJUANA, HASHISH, THC
4.7	0.1	10	30	HALLUCINOGENS/PSYCHEDELICS
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
12.6	0.3	27	40	COCAINE IN ANY FORM
4.7	0.1	10	41	CRACK
8.4	0.2	18	50	HEROIN ALONE, WITH OTHER DRUGS
3.3	0.1	7	51	HEROIN/COCAINE TOGETHER AT SAME TIME
4.2	0.1	9	60	NARCOTICS/OPIATES
0.9	0.0	2	61	STREET/ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
10.3	0.2	22	70	DOWNERS/DEPRESSANTS
0.0	0.0	0	71	SEDATIVES/SLEEPING PILLS
0.0	0.0	0	72	BARBITURATES
0.0	0.0	0	73	BENZODIAZAPENES
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.9	0.0	2	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
1.4	0.0	3	81	METHAMPHETAMINES/ICE
2.8	0.1	6	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
0.0	0.0	0	92	ANOTHER DRUG
	92.9	9,304	-9	LEGITIMATE SKIP
	4.8	478	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-5	BAD DATA
	0.0	5	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 842-843

AE19C3**3RD DRUG OVERDOSE IN 12 MOS**

On which drugs did you OD in those 12 months? Third drug.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	0.8	80	0	NONE
7.0	0.1	8	10	ALCOHOL
0.0	0.0	0	20	MARIJUANA, HASHISH, THC
1.7	0.0	2	30	HALLUCINOGENS/PSYCHEDELICS
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
1.7	0.0	2	40	COCAINE IN ANY FORM
1.7	0.0	2	41	CRACK
1.7	0.0	2	50	HEROIN ALONE, WITH OTHER DRUGS
0.9	0.0	1	51	HEROIN/COCAINE TOGETHER AT SAME TIME
3.5	0.0	4	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
7.8	0.1	9	70	DOWNERS/DEPRESSANTS
0.0	0.0	0	71	SEDATIVES/SLEEPING PILLS
0.0	0.0	0	72	BARBITURATES
0.0	0.0	0	73	BENZODIAZAPENES
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.9	0.0	1	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
3.5	0.0	4	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
0.0	0.0	0	92	ANOTHER DRUG
	93.2	9,327	-9	LEGITIMATE SKIP
	5.6	559	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	5	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 844-845

AE20**AMOUNT SPENT ON DRUGS EXCLUDING ALCOHOL**

In the 12 months before admission, how much would you say you spent on drugs for your own nonmedical use, excluding alcohol?

10,010 cases (Range of valid codes: 0-750000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 846-851

AE21 12 MOS BEF ADM USED DRUGS W/OUT PAYING

In the 12 months before admission, did you use any drugs that you did not pay for with money, such as drugs given to you by friends, drugs you got for free because you were selling them, or drugs that were given to you in exchange for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.7	62.4	6,246	1	YES
36.3	35.5	3,553	2	NO
	2.0	205	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 852-853

AE21A COST OF FREE DRUGS RECEIVED

If you had paid for the drugs you got for free in the 12 months before admission, about how much would they have cost you?

10,010 cases (Range of valid codes: 0-600000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 854-859

AE22 DRUGS USED WITH NEEDLE/SYRINGE/WORKS

In the 12 months before admission to this program, did you ever use drugs with a needle, syringe, or "works"?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	25.2	2,524	1	YES
74.5	73.7	7,378	2	NO
	1.0	105	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 860-861

AE22A

USED PREVIOUSLY USED NEEDLE/SHOOT DRUGS

In the 12 months before admission, did you ever use a needle, syringe, or "works" to shoot up drugs after anyone else had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	9.8	979	1	YES
61.8	15.8	1,586	2	NO
	73.5	7,353	-9	LEGITIMATE SKIP
	0.8	83	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 862-863

AE22B1	# TIMES USED WORKS AFTR SEX PARTNER/SPOU
--------	--

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after your regular sexual partner or spouse had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	5.1	506	0	
5.4	0.5	52	1	
5.1	0.5	49	2	
2.5	0.2	24	3	
1.3	0.1	12	4	
2.8	0.3	27	5	
0.7	0.1	7	6	
0.2	0.0	2	7	
0.4	0.0	4	8	
4.6	0.4	44	10	
0.9	0.1	9	12	
0.1	0.0	1	14	
0.4	0.0	4	15	
2.6	0.2	25	20	
0.7	0.1	7	25	
2.0	0.2	19	30	
0.3	0.0	3	35	
0.5	0.0	5	40	
0.1	0.0	1	45	
0.1	0.0	1	48	
0.2	0.0	2	49	
3.4	0.3	33	50	
0.2	0.0	2	52	
0.7	0.1	7	60	
0.1	0.0	1	80	
0.3	0.0	3	90	
0.4	0.0	4	93	
10.8	1.0	103	99	99 OR MORE
	89.2	8,925	-9	LEGITIMATE SKIP
	1.1	111	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.1	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 864-865

AE22B2

TIMES USED WORKS AFTR STRNGR HAD SEX W

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after anyone you had sex with but hadn't known very long had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	7.8	781	0	
3.6	0.3	34	1	
3.4	0.3	32	2	
2.8	0.3	26	3	
0.6	0.1	6	4	
1.0	0.1	9	5	
0.5	0.0	5	6	
0.1	0.0	1	8	
1.7	0.2	16	10	
0.1	0.0	1	12	
0.1	0.0	1	14	
0.3	0.0	3	15	
0.7	0.1	7	20	
0.4	0.0	4	30	
0.2	0.0	2	40	
0.1	0.0	1	48	
0.7	0.1	7	50	
0.1	0.0	1	60	
0.2	0.0	2	90	
0.4	0.0	4	99	99 OR MORE
	89.2	8,926	-9	LEGITIMATE SKIP
	1.3	134	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 866-867

AE22B3 # TIMES USED WORKS AFTR A PROSTITUTE

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after a prostitute had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	8.3	833	0	
3.3	0.3	31	1	
1.6	0.1	15	2	
1.3	0.1	12	3	
0.4	0.0	4	4	
0.7	0.1	7	5	
0.2	0.0	2	6	
0.9	0.1	8	10	
0.2	0.0	2	12	
0.3	0.0	3	15	
0.7	0.1	7	20	
0.1	0.0	1	25	
0.2	0.0	2	30	
0.1	0.0	1	35	
0.2	0.0	2	40	
0.5	0.0	5	50	
0.5	0.0	5	99	99 OR MORE
	89.2	8,928	-9	LEGITIMATE SKIP
	1.3	133	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 868-869

AE22B4

TIMES USED WORKS AFTR SOMEONE W/AIDS

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after someone you thought had AIDS or had a positive HIV test had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	9.0	898	0	
2.3	0.2	22	1	
0.8	0.1	8	2	
0.3	0.0	3	3	
0.2	0.0	2	4	
0.5	0.0	5	5	
0.1	0.0	1	8	
0.3	0.0	3	10	
0.1	0.0	1	12	
0.2	0.0	2	20	
0.1	0.0	1	50	
0.1	0.0	1	99	99 OR MORE
	89.2	8,927	-9	LEGITIMATE SKIP
	1.3	130	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 870-871

AE22B5	# TIMES USED WORKS AFTR HOMOSEXUAL/BISEX
--------	---

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after a man you know or thought was homosexual or bisexual had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	8.8	885	0	
2.3	0.2	22	1	
0.8	0.1	8	2	
0.6	0.1	6	3	
0.3	0.0	3	4	
0.3	0.0	3	5	
0.6	0.1	6	10	
0.1	0.0	1	18	
0.2	0.0	2	20	
0.3	0.0	3	30	
0.3	0.0	3	50	
0.1	0.0	1	96	
0.2	0.0	2	99	99 OR MORE
	89.2	8,929	-9	LEGITIMATE SKIP
	1.3	131	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 872-873

AE22B6

TIMES USED WORKS AFTER STRANGERS

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after people you didn't know very long or were strangers had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	6.1	612	0	
7.0	0.7	66	1	
7.5	0.7	71	2	
3.3	0.3	31	3	
1.5	0.1	14	4	
3.4	0.3	32	5	
1.5	0.1	14	6	
0.2	0.0	2	7	
0.4	0.0	4	8	
3.4	0.3	32	10	
0.6	0.1	6	12	
0.7	0.1	7	15	
1.4	0.1	13	20	
0.3	0.0	3	24	
0.6	0.1	6	25	
1.0	0.1	9	30	
0.1	0.0	1	40	
0.1	0.0	1	45	
0.1	0.0	1	48	
0.6	0.1	6	50	
0.1	0.0	1	60	
0.1	0.0	1	75	
1.5	0.1	14	99	99 OR MORE
	89.2	8,930	-9	LEGITIMATE SKIP
	1.2	125	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 874-875

AE23 CLEANED NEEDLES OTHERS USED BEFORE USING

In the 12 months before admission, did you try to clean the needles and syringes other people had used before you used them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	8.6	858	1	YES
14.3	1.4	143	2	NO
	89.2	8,928	-9	LEGITIMATE SKIP
	0.8	81	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 876-877

AE24A CLEAN NEEDLES W/ALCOHOL & RINSE W/WATER

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you use alcohol and rinse with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	4.5	455	0	NEVER
7.5	0.6	61	1	RARELY
11.1	0.9	90	2	SOMETIMES
10.1	0.8	82	3	OFTEN
14.9	1.2	120	4	ALWAYS
	90.5	9,062	-9	LEGITIMATE SKIP
	1.4	139	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 878-879

AE24B**CLEAN NEEDLES W/BLEACH/CLOROX & RINSE W/WA**

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you use bleach or Clorox and rinse with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	1.5	146	0	NEVER
6.4	0.5	54	1	RARELY
15.2	1.3	128	2	SOMETIMES
18.5	1.6	156	3	OFTEN
42.6	3.6	359	4	ALWAYS
	90.6	9,066	-9	LEGITIMATE SKIP
	1.0	100	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 880-881

AE24C**CLEAN NEEDLES BY BOILING IN WATER ONLY**

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you boil them in water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	6.8	684	0	NEVER
4.7	0.4	37	1	RARELY
5.1	0.4	40	2	SOMETIMES
2.0	0.2	16	3	OFTEN
1.1	0.1	9	4	ALWAYS
	90.6	9,068	-9	LEGITIMATE SKIP
	1.5	155	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 882-883

AE24D RINSE IN PREVIOUSLY USED WATR FOR NEEDLE

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you rinse them in water that someone else had used to clean needles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	5.5	551	0	NEVER
7.2	0.6	56	1	RARELY
11.6	0.9	91	2	SOMETIMES
6.6	0.5	52	3	OFTEN
4.2	0.3	33	4	ALWAYS
	90.6	9,069	-9	LEGITIMATE SKIP
	1.5	155	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 884-885

AE24E RINSE NEEDLES IN CLEAN WATER ONLY

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you rinse them in clean water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	3.7	375	0	NEVER
7.2	0.6	58	1	RARELY
15.1	1.2	121	2	SOMETIMES
12.9	1.0	103	3	OFTEN
18.0	1.4	144	4	ALWAYS
	90.6	9,068	-9	LEGITIMATE SKIP
	1.4	140	-8	BLANK
	0.0	1	-7	REFUSAL

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 886-887

AE24F**CLEAN NEEDLES BY SOME OTHER METHOD**

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you use some other method?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	7.2	721	0	NEVER
2.1	0.2	16	1	RARELY
1.2	0.1	9	2	SOMETIMES
1.0	0.1	8	3	OFTEN
1.0	0.1	8	4	ALWAYS
	90.6	9,069	-9	LEGITIMATE SKIP
	1.8	177	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 888-889

AE25**REC'D OTHER TX FOR DRUG ABUSE/ADDICTION**

Excluding your treatment here (this time), had you ever received any treatment that was primarily for the abuse or addiction of drugs other than alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.1	53.6	5,366	1	YES
45.9	45.5	4,552	2	NO
	0.9	87	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 890-891

AE26AB	# ADMS AT 28-DAY TX PROG
---------------	---------------------------------

How many different times were you admitted to a 28-day or other short-term inpatient, or chemical dependency treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	3	0	
61.9	15.5	1,556	1	
20.1	5.1	506	2	
9.1	2.3	228	3	
3.6	0.9	91	4	
2.2	0.5	55	5	
0.9	0.2	22	6	
0.6	0.1	14	7	
0.4	0.1	11	8	
0.1	0.0	3	9	
0.4	0.1	9	10	
0.0	0.0	1	11	
0.2	0.0	4	12	
0.0	0.0	1	13	
0.0	0.0	1	14	
0.1	0.0	2	15	
0.1	0.0	2	20	
0.0	0.0	1	25	
0.0	0.0	1	30	
0.0	0.0	1	36	
0.0	0.0	1	99	99 OR MORE
	70.4	7,046	-9	LEGITIMATE SKIP
	4.5	448	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 898-899

AE26AC	# WKS IN 28-DAY TX PROG
---------------	--------------------------------

Altogether, how many weeks have you spent at a 28-day or other short-term inpatient, or chemical dependency treatment program??

10,010 cases (Range of valid codes: 0-280)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 900-902

AE26AD1 **MO OF LAST DISCHARGE IN 28-DAY PROG**

What was the date of your last discharge from drug treatment at a 28-day or other short-term inpatient, or chemical dependency treatment program??

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	5.4	537	1	JAN.-MARCH
26.9	5.7	572	2	APR.-JUNE
24.5	5.2	522	3	JULY-SEPT.
23.4	5.0	497	4	OCT.-DEC.
	70.5	7,054	-9	LEGITIMATE SKIP
	5.0	500	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	34	-5	BAD DATA
	2.9	291	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 903-904

AE26AD2 **YR OF LAST DISCHARGE IN 28-DAY PROG**

What was the date of your last discharge from drug treatment at a 28-day or other short-term inpatient, or chemical dependency treatment program??

10,010 cases (Range of valid codes: 27-93)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 905-906

AE26AE**REASON FOR DISCHARGE IN 28-DAY PROG**

What was the reason for your last discharge from drug treatment at a 28-day or other short-term inpatient, or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	17.9	1,795	1	COMPLETED TX
0.9	0.2	22	2	DISCHARGED BY STAFF
4.3	1.1	107	3	TRANSFERRED TO COMPONENT OF SAME PROG
0.2	0.0	5	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
7.2	1.8	181	5	INVOLUNTARILY DISCHARGED
9.8	2.5	246	6	VOLUNTARILY DROPPED OUT
3.0	0.7	74	7	QUIT BECAUSE OF DISSATISFACTION
2.7	0.7	68	8	OTHER
	70.4	7,050	-9	LEGITIMATE SKIP
	4.6	457	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 907-908

AE26B**TREATED AT RESIDENTIAL TX PROG**

Have you ever been treated primarily for drug problems at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	17.0	1,703	1	YES
66.0	33.0	3,301	2	NO
	45.3	4,533	-9	LEGITIMATE SKIP
	4.7	470	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 909-910

AE26BC	# WKS IN RESIDENTIAL TX PROG
---------------	-------------------------------------

Altogether, how many weeks have you spent at a therapeutic community or other long-term residential treatment program?

10,010 cases (Range of valid codes: 0-832)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 915-917

AE26BD1	MO OF LAST DISCHARGE IN RESIDENTIAL PROG
----------------	---

What was the date of your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	3.6	357	1	JAN.-MARCH
25.0	3.4	345	2	APR.-JUNE
24.7	3.4	341	3	JULY-SEPT.
24.3	3.3	335	4	OCT.-DEC.
	78.3	7,833	-9	LEGITIMATE SKIP
	5.3	530	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.5	55	-5	BAD DATA
	2.1	212	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 918-919

AE26BD2	YR OF LAST DISCHARGE IN RESIDENTIAL PROG
---------	--

What was the date of your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	59	
0.2	0.0	3	60	
0.1	0.0	2	66	
0.1	0.0	1	67	
0.2	0.0	3	69	
0.5	0.1	8	70	
0.5	0.1	8	71	
0.5	0.1	9	72	
0.7	0.1	11	73	
0.7	0.1	12	74	
0.9	0.1	15	75	
1.0	0.2	17	76	
1.0	0.2	17	77	
1.2	0.2	20	78	
1.3	0.2	22	79	
1.5	0.2	24	80	
1.5	0.2	24	81	
1.3	0.2	21	82	
1.8	0.3	30	83	
2.3	0.4	38	84	
2.6	0.4	43	85	
3.9	0.6	64	86	
4.7	0.8	78	87	
5.1	0.8	84	88	
9.6	1.6	158	89	
10.7	1.8	177	90	
16.4	2.7	270	91	
23.2	3.8	382	92	
6.5	1.1	108	93	
	78.2	7,832	-9	LEGITIMATE SKIP
	4.8	480	-8	BLANK
	0.0	1	-7	REFUSAL
	0.3	27	-5	BAD DATA
	0.2	20	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 920-921

AE26BE**REASON FOR DISCHARGE IN RESIDENTIAL PROG**

What was the reason for your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	7.2	725	1	COMPLETED TX
2.7	0.5	46	2	DISCHARGED BY STAFF
4.9	0.8	83	3	TRANSFERRED TO COMPONENT OF SAME PROG
0.7	0.1	12	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
13.8	2.3	232	5	INVOLUNTARILY DISCHARGED
22.5	3.8	378	6	VOLUNTARILY DROPPED OUT
8.0	1.3	135	7	QUIT BECAUSE OF DISSATISFACTION
4.3	0.7	72	8	OTHER
	78.2	7,832	-9	LEGITIMATE SKIP
	4.8	484	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 922-923

AE26C**TREATED AT METHADONE TX PROG**

Have you ever been treated primarily for drug problems at a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	11.2	1,122	1	YES
77.0	37.4	3,748	2	NO
	45.3	4,536	-9	LEGITIMATE SKIP
	6.0	603	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 924-925

AE26CA AGE 1ST TX AT METHADONE TX PROG

How old were you when you first received treatment that was primarily for drug problems at a methadone program?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 926-927

AE26CB # ADMS AT METHADONE TX PROG

How many different times were you admitted to a methadone program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	2	0	
50.4	5.7	569	1	
19.6	2.2	221	2	
12.7	1.4	143	3	
7.3	0.8	82	4	
4.4	0.5	50	5	
1.7	0.2	19	6	
1.3	0.1	15	7	
1.2	0.1	13	8	
0.3	0.0	3	9	
0.4	0.0	5	10	
0.3	0.0	3	12	
0.1	0.0	1	15	
0.1	0.0	1	17	
0.1	0.0	1	20	
0.1	0.0	1	30	
	82.7	8,277	-9	LEGITIMATE SKIP
	6.0	601	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 928-929

AE26CC	# WKS IN METHADONE TX PROG
---------------	-----------------------------------

Altogether, how many weeks have you spent at a methadone program?

10,010 cases (Range of valid codes: 0-999)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 930-932

AE26CD1	MO OF LAST DISCHARGE IN METHADONE PROG
----------------	---

What was the date of your last discharge from drug treatment at a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	1.9	187	1	JAN.-MARCH
27.5	2.3	234	2	APR.-JUNE
25.9	2.2	220	3	JULY-SEPT.
24.7	2.1	210	4	OCT.-DEC.
	82.7	8,283	-9	LEGITIMATE SKIP
	6.4	643	-8	BLANK
	0.0	1	-7	REFUSAL
	0.4	40	-5	BAD DATA
	1.9	191	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 933-934

AE26CD2	YR OF LAST DISCHARGE IN METHADONE PROG
---------	--

What was the date of your last discharge from drug treatment at a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	60	
0.1	0.0	1	62	
0.1	0.0	1	64	
0.1	0.0	1	65	
0.2	0.0	2	67	
0.4	0.0	4	68	
0.2	0.0	2	69	
0.4	0.0	4	70	
1.4	0.1	15	71	
1.0	0.1	11	72	
0.6	0.1	7	73	
0.8	0.1	9	74	
0.5	0.0	5	75	
1.3	0.1	14	76	
1.5	0.2	16	77	
1.3	0.1	14	78	
1.1	0.1	12	79	
1.5	0.2	16	80	
2.4	0.3	26	81	
1.7	0.2	18	82	
1.3	0.1	14	83	
1.4	0.1	15	84	
3.5	0.4	38	85	
2.8	0.3	30	86	
3.2	0.3	35	87	
4.4	0.5	47	88	
7.5	0.8	81	89	
8.7	0.9	94	90	
15.0	1.6	162	91	
26.2	2.8	283	92	
9.4	1.0	101	93	
	82.7	8,278	-9	LEGITIMATE SKIP
	6.1	611	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	20	-5	BAD DATA
	0.2	21	-4	DON'T KNOW

100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 935-936

AE26CE**REASON FOR DISCHARGE IN METHADONE PROG**

What was the reason for your last discharge from drug treatment at a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	2.1	208	1	COMPLETED TX
11.9	1.3	132	2	DISCHARGED BY STAFF
12.4	1.4	137	3	TRANSFERRED TO COMPONENT OF SAME PROG
0.8	0.1	9	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
14.5	1.6	160	5	INVOLUNTARILY DISCHARGED
28.2	3.1	312	6	VOLUNTARILY DROPPED OUT
6.0	0.7	66	7	QUIT BECAUSE OF DISSATISFACTION
7.4	0.8	82	8	OTHER
	82.7	8,279	-9	LEGITIMATE SKIP
	6.1	615	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 937-938

AE26D**TREATED AT OUTPATIENT TX PROG**

Have you ever been treated primarily for drug problems at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	16.5	1,655	1	YES
66.2	32.3	3,235	2	NO
	45.3	4,532	-9	LEGITIMATE SKIP
	5.9	587	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 939-940

AE26DA AGE 1ST TX AT OUTPATNT TX PROG

How old were you when you first received treatment that was primarily for drug problems at an outpatient drug treatment program?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 941-942

AE26DB # ADMS AT OUTPATIENT TX PROG

How many different times were you admitted to an outpatient drug treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	6	0	
74.0	12.2	1,224	1	
17.3	2.9	286	2	
4.2	0.7	69	3	
2.1	0.3	34	4	
0.7	0.1	11	5	
0.4	0.1	7	6	
0.2	0.0	3	7	
0.1	0.0	2	8	
0.3	0.0	5	10	
0.1	0.0	1	19	
0.1	0.0	1	20	
0.1	0.0	1	26	
0.1	0.0	1	32	
0.1	0.0	1	50	
0.1	0.0	1	92	
	77.5	7,761	-9	LEGITIMATE SKIP
	5.9	589	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-5	BAD DATA
	0.0	3	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 943-944

AE26DC	# WKS IN OUTPATIENT TX PROG
---------------	------------------------------------

Altogether, how many weeks have you spent at an outpatient drug treatment program?

10,010 cases (Range of valid codes: 0-936)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 945-947

AE26DD1	MO OF LAST DISCHARGE IN OUTPATIENT PROG
----------------	--

What was the date of your last discharge from drug treatment at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	3.2	324	1	JAN.-MARCH
28.5	3.7	370	2	APR.-JUNE
23.8	3.1	309	3	JULY-SEPT.
22.7	2.9	294	4	OCT.-DEC.
	77.6	7,769	-9	LEGITIMATE SKIP
	6.4	640	-8	BLANK
	0.0	1	-7	REFUSAL
	0.6	62	-5	BAD DATA
	2.4	239	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 948-949

AE26DD2	YR OF LAST DISCHARGE IN OUTPATIENT PROG
---------	---

What was the date of your last discharge from drug treatment at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	61	
0.1	0.0	1	67	
0.1	0.0	1	68	
0.1	0.0	2	69	
0.1	0.0	1	70	
0.1	0.0	2	71	
0.1	0.0	2	72	
0.3	0.0	5	73	
0.3	0.0	4	74	
0.2	0.0	3	75	
0.2	0.0	3	76	
0.6	0.1	10	77	
0.2	0.0	3	78	
0.4	0.1	6	79	
0.7	0.1	11	80	
0.8	0.1	12	81	
0.8	0.1	12	82	
1.0	0.2	16	83	
1.0	0.2	16	84	
2.6	0.4	41	85	
2.7	0.4	43	86	
3.9	0.6	61	87	
4.7	0.7	74	88	
7.5	1.2	119	89	
10.2	1.6	162	90	
18.7	2.9	295	91	
31.8	5.0	502	92	
10.9	1.7	172	93	
0.1	0.0	1	96	
	77.6	7,764	-9	LEGITIMATE SKIP
	6.1	609	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	23	-5	BAD DATA
	0.3	30	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 950-951

AE26DE**REASON FOR DISCHARGE IN OUTPATIENT PROG**

What was the reason for your last discharge from drug treatment at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	4.7	468	1	COMPLETED TX
3.0	0.5	49	2	DISCHARGED BY STAFF
17.6	2.9	288	3	TRANSFERRED TO COMPONENT OF SAME PROG
1.8	0.3	29	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
10.3	1.7	169	5	INVOLUNTARILY DISCHARGED
24.9	4.1	407	6	VOLUNTARILY DROPPED OUT
7.8	1.3	128	7	QUIT BECAUSE OF DISSATISFACTION
6.0	1.0	98	8	OTHER
	77.6	7,765	-9	LEGITIMATE SKIP
	6.0	597	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 952-953

AE26E**TREATED AT OTHER TYPE TX PROG**

Have you ever been treated primarily for drug problems at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	5.9	594	1	YES
87.6	42.0	4,209	2	NO
	45.3	4,535	-9	LEGITIMATE SKIP
	6.7	671	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 954-955

AE26EA AGE 1ST TX AT OTHR TYPE TX PROG

How old were you when you first received treatment that was primarily for drug problems at any other type of drug treatment such as a halfway house?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 956-957

AE26EB # ADMS AT OTHER TYPE TX PROG

How many different times were you admitted to any other type of drug treatment such as a halfway house primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	6	0	
75.3	4.5	450	1	
14.2	0.8	85	2	
7.2	0.4	43	3	
0.8	0.0	5	4	
0.5	0.0	3	5	
0.2	0.0	1	6	
0.3	0.0	2	7	
0.2	0.0	1	10	
0.2	0.0	1	15	
0.2	0.0	1	26	
	87.3	8,735	-9	LEGITIMATE SKIP
	6.7	675	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 958-959

AE26EC # WKS IN OTHER TYPE TX PROG

Altogether, how many weeks have you spent at any other type of drug treatment such as a halfway house?

10,010 cases (Range of valid codes: 0-520)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 960-962

AE26ED1

MO OF LAST DISCHARGE IN OTHER TYPE PROG

What was the date of your last discharge from drug treatment at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	1.2	122	1	JAN.-MARCH
25.5	1.2	123	2	APR.-JUNE
24.5	1.2	118	3	JULY-SEPT.
24.7	1.2	119	4	OCT.-DEC.
	87.3	8,738	-9	LEGITIMATE SKIP
	7.0	696	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	13	-5	BAD DATA
	0.8	79	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 963-964

AE26ED2	YR OF LAST DISCHARGE IN OTHER TYPE PROG
---------	---

What was the date of your last discharge from drug treatment at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	71	
0.9	0.0	5	74	
1.0	0.1	6	75	
0.9	0.0	5	76	
0.3	0.0	2	77	
1.0	0.1	6	78	
1.0	0.1	6	79	
0.5	0.0	3	80	
0.9	0.0	5	81	
1.9	0.1	11	82	
1.2	0.1	7	83	
2.6	0.1	15	84	
2.4	0.1	14	85	
3.1	0.2	18	86	
4.7	0.3	27	87	
5.7	0.3	33	88	
9.6	0.5	55	89	
9.9	0.6	57	90	
19.3	1.1	111	91	
26.4	1.5	152	92	
6.1	0.3	35	93	
0.2	0.0	1	96	
	87.3	8,735	-9	LEGITIMATE SKIP
	6.8	681	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	9	-5	BAD DATA
	0.1	8	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 965-966

AE26EE**REASON FOR DISCHARGE IN OTHER TYPE PROG**

What was the reason for your last discharge from drug treatment at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	2.3	227	1	COMPLETED TX
1.4	0.1	8	2	DISCHARGED BY STAFF
6.2	0.4	36	3	TRANSFERRED TO COMPONENT OF SAME PROG
0.5	0.0	3	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
18.2	1.1	106	5	INVOLUNTARILY DISCHARGED
23.0	1.3	134	6	VOLUNTARILY DROPPED OUT
7.5	0.4	44	7	QUIT BECAUSE OF DISSATISFACTION
4.3	0.2	25	8	OTHER
	87.3	8,737	-9	LEGITIMATE SKIP
	6.9	686	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 967-968

AE26F**TREATED AT SHORT-TERM DETOX TX PROG**

Have you ever been treated primarily for drug problems at a short term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	19.1	1,914	1	YES
60.8	29.7	2,969	2	NO
	45.3	4,533	-9	LEGITIMATE SKIP
	5.9	589	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 969-970

AE26FA**AGE 1ST TX AT SHORT-TERM DETOX TX PROG**

How old were you when you first received treatment that was primarily for drug problems at a short term (21 days or less) detoxification program?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 971-972

AE26FB

ADMS AT SHORT-TERM DETOX TX PROG

How many different times were you admitted to a short term (21 days or less) detoxification program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	4	0	
50.0	9.7	967	1	
21.4	4.1	414	2	
9.8	1.9	189	3	
5.3	1.0	102	4	
3.3	0.6	63	5	
2.6	0.5	51	6	
1.4	0.3	28	7	
1.0	0.2	20	8	
0.4	0.1	8	9	
1.3	0.3	26	10	
0.2	0.0	3	11	
0.4	0.1	7	12	
0.2	0.0	3	13	
0.1	0.0	2	14	
0.6	0.1	12	15	
0.1	0.0	1	16	
0.1	0.0	1	17	
0.1	0.0	1	19	
0.7	0.1	13	20	
0.2	0.0	4	25	
0.1	0.0	1	29	
0.3	0.0	5	30	
0.1	0.0	2	33	
0.1	0.0	1	35	
0.1	0.0	2	40	
0.2	0.0	3	50	
0.1	0.0	1	58	
0.1	0.0	1	99	99 OR MORE
	74.8	7,489	-9	LEGITIMATE SKIP
	5.8	579	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 973-974

AE26FC # WKS IN SHORT-TERM DETOX TX PROG

Altogether, how many weeks have you spent at a short term (21 days or less) detoxification program?

10,010 cases (Range of valid codes: 0-416)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 975-977

AE26FD1 MO OF LAST DISCHARGE IN SHORT-TERM DETOX

What was the date of your last discharge from drug treatment at a short term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	4.3	431	1	JAN.-MARCH
26.6	4.4	438	2	APR.-JUNE
24.6	4.0	404	3	JULY-SEPT.
22.6	3.7	372	4	OCT.-DEC.
	74.9	7,495	-9	LEGITIMATE SKIP
	6.3	628	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	25	-5	BAD DATA
	2.2	216	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 978-979

AE26FD2 YR OF LAST DISCHARGE IN SHORT-TERM DETOX

What was the date of your last discharge from drug treatment at a short term (21 days or less) detoxification program?

10,010 cases (Range of valid codes: 39-96)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 980-981

AE26FE	REASON FOR DISCHRG IN SHORT-TERM DETOX
---------------	---

What was the reason for your last discharge from drug treatment at a short term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	14.0	1,398	1	COMPLETED TX
0.5	0.1	9	2	DISCHARGED BY STAFF
15.7	3.0	301	3	TRANSFERRED TO COMPONENT OF SAME PROG
0.8	0.1	15	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
2.0	0.4	39	5	INVOLUNTARILY DISCHARGED
5.4	1.0	103	6	VOLUNTARILY DROPPED OUT
1.8	0.3	35	7	QUIT BECAUSE OF DISSATISFACTION
1.1	0.2	21	8	OTHER
	74.8	7,492	-9	LEGITIMATE SKIP
	5.9	591	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 982-983

AE27_3	# OF WKS IN DRUG TX PROG
---------------	---------------------------------

What is the longest time you ever stayed in a drug treatment program (excluding AA, NA, or CA, any 12- step program, or private physician)?

_____ WEEKS

10,010 cases (Range of valid codes: 0-1,456)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 984-987

AE28	WHAT TYPE OF PROG WAS IT?
-------------	----------------------------------

What type of program was it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	14.8	1,484	1	SHORT-TERM INPATIENT
26.7	14.3	1,433	2	LONG-TERM RESIDENTIAL COMMUNITY
15.6	8.4	837	3	METHADONE
16.9	9.1	907	4	OUTPATIENT
4.0	2.1	214	5	OTHER (SPECIFY)
9.0	4.8	483	6	DETOXIFICATION
0.1	0.1	7	7	STILL IN LONG-TERM MAINTENANCE
	45.3	4,532	-9	LEGITIMATE SKIP
	0.9	91	-8	BLANK
	0.2	19	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 988-989

AE29	WHY DID YOU LEAVE?
-------------	---------------------------

Why did you leave?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	27.5	2,751	1	COMPLETED TX
3.5	1.9	188	2	DISCHARGED BY STAFF
8.8	4.7	471	3	TRANSFERRED TO COMPONENT OF SAME PROG
0.9	0.5	47	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
9.8	5.2	523	5	INVOLUNTARILY DISCHARGED
15.9	8.5	850	6	VOLUNTARILY DROPPED OUT
4.9	2.6	264	7	QUIT BECAUSE OF DISSATISFACTION
4.9	2.6	265	8	OTHER (SPECIFY)
	45.3	4,538	-9	LEGITIMATE SKIP
	0.9	95	-8	BLANK
	0.1	13	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 990-991

AE30**WHEN DID YOU LEAVE?**

When did you leave?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	7.8	785	1	WITHIN MONTH BEF ADM
22.0	11.7	1,171	2	WITHIN PAST 12 MOS
63.3	33.7	3,372	3	MORE THAN 1 YR AGO
	45.3	4,532	-9	LEGITIMATE SKIP
	1.2	120	-8	BLANK
	0.1	10	-5	BAD DATA
	0.1	10	-4	DON'T KNOW
	0.1	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 992-993

AE30_M**MOS AGO LEFT LONGEST DRUG TX**

How many months ago?

10,010 cases (Range of valid codes: 0-429)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 994-996

AE31**REC'D DRUG PROB HELP/PRIV SOURCE**

Have you ever received help primarily for drug problems from a private physician, psychiatrist, psychologist, or counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	9.1	910	1	YES
87.2	61.8	6,182	2	NO
	16.5	1,655	-9	LEGITIMATE SKIP
	12.6	1,262	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 997-998

AE31A **LAST RECEIVED DRUG PROB TX**

When did you last receive any treatment for drug problems from one of these professionals?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	1.7	174	1	WITHIN MONTH BEF ADM
24.2	2.2	223	2	WITHIN PAST 12 MOS
56.8	5.2	523	3	MORE THAN 1 YR AGO
	61.6	6,164	-9	LEGITIMATE SKIP
	29.2	2,924	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 999-1000

AE31A_M **MOS AGO LAST REC'D HELP FOR DRUG PROB**

How many months ago?

10,010 cases (Range of valid codes: 0-544)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1001-1003

AE32 **EVER ATTENDED NARCOTICS/COCAINE ANONYMOU**

Before this admission, did you ever attend Narcotics Anonymous (NA) or Cocaine Anonymous (CA)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	52.8	5,283	1	YES
46.5	45.9	4,590	2	NO
	1.4	137	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1004-1005

AE32A3	# WKS ATTENDED NARCOTCS/COCAINE ANONYMOU
---------------	---

What was the longest single period that you attended NA or CA?

_____ WEEKS

10,010 cases (Range of valid codes: 0-1,040)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1006-1009

AE32B	LAST TIME ATTENDED NA/CA MEETINGS
--------------	--

When was the last time you attended one of these meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.6	20.9	2,091	1	WITHIN MONTH BEF ADM
27.8	14.6	1,464	2	WITHIN PAST 12 MOS
32.6	17.2	1,719	3	MORE THAN 1 YR AGO
	45.7	4,573	-9	LEGITIMATE SKIP
	1.4	144	-8	BLANK
	0.2	18	-5	BAD DATA
	0.0	1	-4	DON'T KNOW

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1010-1011

AE32B_M	MOS AGO LAST ATTENDED NA MEETING
----------------	---

How many months ago?

10,010 cases (Range of valid codes: 0-386)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1012-1014

AE33 RELATIVES WITH DRUG/ALCOHOL PROB

Have any of your relatives, including parents, grandparents, aunts, uncles, brothers, and sisters, ever had a problem with drugs or alcohol? Just include those who are related to you by blood.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	63.1	6,312	1	YES
34.4	33.0	3,304	2	NO
	3.5	348	-8	BLANK
	0.1	12	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.3	32	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1015-1016

AE33AA DID MOTHER HAVE PROB?

Please tell me who had such a problem. Your mother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	16.7	1,667	1	YES
	33.0	3,300	-9	LEGITIMATE SKIP
	50.2	5,023	-8	BLANK
	0.2	17	-7	REFUSAL
	0.0	3	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1017-1018

AE33BA	TYPE OF MOTHER'S PROB
---------------	------------------------------

Was your mother's problem with alcohol, drugs, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	10.3	1,030	1	ALCOHOL
13.7	2.3	228	2	DRUG
24.4	4.1	406	3	BOTH
	33.0	3,299	-9	LEGITIMATE SKIP
	50.3	5,034	-8	BLANK
	0.1	10	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1019-1020

AE33CA	DID MOTHER RECEIVE TX?
---------------	-------------------------------

Did your mother ever receive professional treatment for the (alcohol/ drugs/ alcohol or drugs) problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	3.7	372	1	YES
76.5	12.1	1,211	2	NO
	33.0	3,299	-9	LEGITIMATE SKIP
	50.4	5,047	-8	BLANK
	0.1	10	-7	REFUSAL
	0.7	71	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1021-1022

AE33AB DID FATHER HAVE PROB?

Please tell me who had such a problem. Your father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	29.1	2,912	1	YES
	32.9	3,298	-9	LEGITIMATE SKIP
	37.6	3,762	-8	BLANK
	0.2	17	-7	REFUSAL
	0.2	21	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1023-1024

AE33BB TYPE OF FATHER'S PROB

Was your father's problem with alcohol, drugs, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	22.4	2,246	1	ALCOHOL
6.3	1.8	185	2	DRUG
16.8	4.9	491	3	BOTH
	32.9	3,296	-9	LEGITIMATE SKIP
	37.6	3,768	-8	BLANK
	0.1	10	-7	REFUSAL
	0.1	9	-6	MULTIPLE RESPONSE
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1025-1026

AE33CB	DID FATHER RECEIVE TX?
---------------	-------------------------------

Did your father ever receive professional treatment for the
(alcohol/ drugs/ alcohol or drugs) problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	6.3	632	1	YES
76.8	20.9	2,092	2	NO
	32.9	3,296	-9	LEGITIMATE SKIP
	38.2	3,825	-8	BLANK
	0.1	10	-7	REFUSAL
	1.5	155	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1027-1028

AE33AC	MOTHER'S MOTHER/FATHER/BROTHER/SISTER PR
---------------	---

Please tell me who had such a problem. Your mother's mother,
father, brother, or sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.6	2,062	1	YES
	33.0	3,301	-9	LEGITIMATE SKIP
	45.9	4,596	-8	BLANK
	0.2	17	-7	REFUSAL
	0.3	34	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1029-1030

AE33BC **TYPE MOTHER'S MOTHER/FATHER/BROTHER/SIST**

Was your mother's mother, father, brother, or sister problem with alcohol, drugs, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	13.6	1,359	1	ALCOHOL
10.5	2.2	218	2	DRUG
23.9	4.9	495	3	BOTH
	33.0	3,300	-9	LEGITIMATE SKIP
	46.1	4,612	-8	BLANK
	0.1	10	-7	REFUSAL
	0.1	8	-6	MULTIPLE RESPONSE
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1031-1032

AE33CC **DID MOTHER'S MOTHER/FATHER/BROTHER/SISTE**

Did your mother's mother, father, brother, or sister ever receive professional treatment for the (alcohol/ drugs/ alcohol or drugs) problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	4.7	466	1	YES
75.1	14.0	1,405	2	NO
	33.0	3,300	-9	LEGITIMATE SKIP
	46.4	4,642	-8	BLANK
	0.1	11	-7	REFUSAL
	0.1	6	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	1.8	177	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1033-1034

AE33AD**FATHER'S MOTHER/FATHER/BROTHER/SISTER PR**

Please tell me who had such a problem. Your father's mother, father, brother, or sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.9	1,489	1	YES
	33.0	3,299	-9	LEGITIMATE SKIP
	51.3	5,135	-8	BLANK
	0.2	17	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.7	69	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1035-1036

AE33BD**TYPE FATHERS MOTHER/FATHER/BROTHER/SISTE**

Was your father's mother, father, brother, or sister problem with alcohol, drugs, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	10.4	1,038	1	ALCOHOL
6.7	1.0	99	2	DRUG
23.5	3.5	350	3	BOTH
	32.9	3,298	-9	LEGITIMATE SKIP
	51.9	5,192	-8	BLANK
	0.1	10	-7	REFUSAL
	0.0	5	-6	MULTIPLE RESPONSE
	0.2	18	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1037-1038

AE33CD DID FATHERS MOTHER/FATHER/BROTHER/SISTER

Did your father's mother, father, brother, or sister ever receive professional treatment for the (alcohol/ drugs/ alcohol or drugs) problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	2.7	267	1	YES
79.6	10.4	1,041	2	NO
	32.9	3,298	-9	LEGITIMATE SKIP
	52.2	5,227	-8	BLANK
	0.1	10	-7	REFUSAL
	0.1	7	-6	MULTIPLE RESPONSE
	1.6	159	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1039-1040

AE33AE DID BROTHER/SISTER HAVE PROB?

Please tell me who had such a problem. Your brother, or sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	39.2	3,920	1	YES
	32.9	3,295	-9	LEGITIMATE SKIP
	27.7	2,772	-8	BLANK
	0.2	17	-7	REFUSAL
	0.1	6	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1041-1042

AE33BE	TYPE OF BROTHER/SISTER'S PROB
---------------	--------------------------------------

Was your brother's, or sister's problem with alcohol, drugs, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	6.5	655	1	ALCOHOL
31.0	12.1	1,215	2	DRUG
52.3	20.5	2,049	3	BOTH
	32.9	3,293	-9	LEGITIMATE SKIP
	27.4	2,743	-8	BLANK
	0.1	11	-7	REFUSAL
	0.4	38	-6	MULTIPLE RESPONSE
	0.0	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1043-1044

AE33CE	DID BROTHER/SISTER RECEIVE TX?
---------------	---------------------------------------

Did your brother, or sister ever receive professional treatment for the (alcohol/ drugs/ alcohol or drugs) problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	18.5	1,852	1	YES
51.5	19.7	1,967	2	NO
	32.9	3,295	-9	LEGITIMATE SKIP
	27.5	2,757	-8	BLANK
	0.1	11	-7	REFUSAL
	0.2	22	-6	MULTIPLE RESPONSE
	1.0	103	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1045-1046

AF1B	PERIOD RESULT OF ALCOHOL/DRUG USE
-------------	--

Was this period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	13.4	1,338	1	YES
28.9	5.4	544	2	NO
	79.9	7,993	-9	LEGITIMATE SKIP
	1.3	129	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1051-1052

AF1C	ALL/SOME/NONE PERIODS RESULT OF ALC/DRUG
-------------	---

Were all, some, or none of these periods a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	6.7	669	1	ALL
30.9	3.8	381	2	SOME
14.9	1.8	184	3	NONE
	86.9	8,697	-9	LEGITIMATE SKIP
	0.7	71	-8	BLANK
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1053-1054

AF1D	AGE WHEN 1ST FELT ANXIOUS/NOT DRUG RELAT
-------------	---

How old were you when you first felt very anxious or tense and it was not a result of drugs or alcohol?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1055-1056

AF1E LAST FELT ANXIOUS/NOT RESULT OF DRUGS

How long has it been since you (last) felt very anxious or tense and it was not as a result of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	5.2	524	1	WITHIN MONTH BEF ADM
17.9	1.9	193	2	WITHIN PAST 12 MOS
33.4	3.6	360	3	MORE THAN 1 YR AGO
	88.3	8,843	-9	LEGITIMATE SKIP
	0.8	78	-8	BLANK
	0.0	5	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1057-1058

AF1E_M MOS AGO LAST FELT ANXIOUS

How many months ago?

10,010 cases (Range of valid codes: 0-395)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1059-1061

AF2 DURING LIFE 2 WKS FELT VERY DEPRESSED

In your lifetime, have you had at least 2 weeks during which you felt very sad, blue, depressed, or you lost interest and pleasure in things you usually cared about or enjoyed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	62.1	6,220	1	YES
37.5	37.2	3,728	2	NO
	0.6	60	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1062-1063

AF2A HAVE OTHER PROBS AT SAME TIME

Did you have other problems at the same time, for example, difficulty sleeping, loss of appetite, feeling hopeless or guilty, or having thoughts of ending your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	54.3	5,437	1	YES
12.6	7.8	784	2	NO
	37.1	3,717	-9	LEGITIMATE SKIP
	0.7	69	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1064-1065

AF2B PERIODS 2+ WKS FELT DEPRESSED W/OTH PROB

How many periods of 2 weeks or more have you had when you felt very sad, blue, depressed, or lost interest in things and also had some of these other problems at the same time?

10,010 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1066-1067

AF2C WAS PERIOD RESULT OF ALCOHOL/DRUG USE

Was this period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.6	22.1	2,209	1	YES
33.4	11.1	1,107	2	NO
	54.6	5,466	-9	LEGITIMATE SKIP
	12.2	1,219	-8	BLANK
	0.1	7	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1068-1069

AF2D ALL/SOME/NONE PERIODS RESULT OF ALC/DRUG

Were all, some, or none of these periods a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	12.8	1,282	1	ALL
36.6	9.4	940	2	SOME
13.5	3.5	346	3	NONE
	73.4	7,348	-9	LEGITIMATE SKIP
	0.8	83	-8	BLANK
	0.1	9	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1070-1071

AF2E AGE WHEN 1ST FELT DEPRESSED/NOT DRUG REL

How old were you when you first felt very sad, blue, or depressed for 2 weeks or more and had some of these other problems when it was not the direct result of drugs or alcohol?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1072-1073

AF2F WAS IT AFTER SOMEONE CLOSE TO YOU DIED?

Was it right after someone close to you died?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	8.1	806	1	YES
65.7	15.4	1,543	2	NO
	75.7	7,576	-9	LEGITIMATE SKIP
	0.8	79	-8	BLANK
	0.0	4	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1074-1075

AF2G	WAS IT ALWAYS RESULT OF PHYSICAL ILLNESS
-------------	---

(Was it/ Were they) always the result of a physical illness?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	1.4	145	1	YES
90.7	14.1	1,416	2	NO
	83.5	8,356	-9	LEGITIMATE SKIP
	0.8	85	-8	BLANK
	0.1	6	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1076-1077

AF2H	LAST DEPRESSED NOT DUE TO ALCOHOL/DRUGS
-------------	--

When was the last time you felt very sad, blue, or depressed and it was not a result of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	4.2	418	1	WITHIN MONTH BEF ADM
20.0	2.0	197	2	WITHIN PAST 12 MOS
37.4	3.7	368	3	MORE THAN 1 YR AGO
	49.8	4,981	-9	LEGITIMATE SKIP
	4.6	458	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	5	-5	BAD DATA
	0.1	13	-4	DON'T KNOW
	35.7	3,569	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1078-1079

AF2H_M	MOS AGO LAST FELT SAD/BLUE/DEPRESSED
---------------	---

How many months ago?

10,010 cases (Range of valid codes: 0-556)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1080-1082

AF3 **EVER THINK A LOT ABOUT COMMITTING SUICID**

In your lifetime, have you ever thought a lot about ending your life or committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	34.1	3,415	1	YES
65.6	65.1	6,518	2	NO
	0.7	75	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1083-1084

AF3A **LAST TIME THOUGHT ABOUT COMMITTING SUICI**

When was the last time you thought about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	13.3	1,332	1	WITHIN MONTH BEF ADM
25.6	8.5	855	2	WITHIN PAST 12 MOS
34.4	11.5	1,147	3	MORE THAN 1 YR AGO
	65.0	6,509	-9	LEGITIMATE SKIP
	1.6	159	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1085-1086

AF3A_M **MOS AGO LAST THOUGHT ABOUT SUICIDE**

How many months ago?

10,010 cases (Range of valid codes: 0-463)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1087-1089

AF3B**SUICIDE THOUGHTS RESULT OF DRUGS/ALCOHOL**

Have your thoughts of suicide always been the direct result of the effects of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	17.1	1,715	1	YES
42.9	12.9	1,291	2	NO
	64.7	6,478	-9	LEGITIMATE SKIP
	5.2	516	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1090-1091

AF4**DID YOU EVER ATTEMPT SUICIDE?**

In your lifetime, have you ever attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	20.4	2,044	1	YES
79.3	78.1	7,821	2	NO
	1.4	142	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1092-1093

AF4A	# TIMES ATTEMPTED SUICIDE
-------------	----------------------------------

How many times have you ever attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	10.3	1,027	1	
24.7	5.0	505	2	
11.0	2.2	225	3	
5.2	1.1	106	4	
2.4	0.5	50	5	
1.6	0.3	32	6	
0.7	0.1	15	7	
1.0	0.2	20	8	
0.2	0.0	4	9	
1.0	0.2	21	10	
0.0	0.0	1	11	
0.3	0.1	7	12	
0.0	0.0	1	14	
0.3	0.1	6	15	
0.0	0.0	1	18	
0.3	0.1	7	20	
0.0	0.0	1	21	
0.0	0.0	1	24	
0.0	0.0	1	25	
0.0	0.0	1	29	
0.1	0.0	2	30	
0.0	0.0	1	32	
0.0	0.0	1	40	
0.1	0.0	2	50	
0.2	0.0	5	99	99 OR MORE
	78.0	7,812	-9	LEGITIMATE SKIP
	1.5	150	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1094-1095

AF4B	WHEN WAS LAST TIME ATTEMPTED SUICIDE
-------------	---

When was the last time you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	2.5	253	1	WITHIN MONTH BEF ADM
20.1	4.1	410	2	WITHIN PAST 12 MOS
67.5	13.7	1,374	3	MORE THAN 1 YR AGO
	78.1	7,814	-9	LEGITIMATE SKIP
	1.6	156	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1096-1097

AF4B_M	MOS AGO LAST ATTEMPTED SUICIDE
---------------	---------------------------------------

How many months ago?

10,010 cases (Range of valid codes: 0-734)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1098-1100

AF4C	SUICIDE ATTEMPTS RESULT OF DRUGS/ALCOHOL
-------------	---

Have your attempts always been the direct result of the effects of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	11.3	1,128	1	YES
43.8	8.8	878	2	NO
	78.0	7,808	-9	LEGITIMATE SKIP
	1.9	189	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1101-1102

AF5 **EVER HAD TROUBLE CONTROLLING YOUR TEMPER**

In your lifetime, have you ever had trouble controlling your temper or violent behavior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	55.5	5,552	1	YES
44.1	43.8	4,383	2	NO
	0.7	74	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1103-1104

AF5A **TEMPER OUTBURSTS RESULT OF DRUGS/ALCOHOL**

Were all, some, or none of your temper outbursts or violent behavior the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	22.4	2,243	1	ALL
42.5	23.5	2,353	2	SOME
17.1	9.5	946	3	NONE
	43.7	4,371	-9	LEGITIMATE SKIP
	0.9	91	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1105-1106

AF5B**LAST TIME HAD TEMPER OUTBURSTS**

When was the last time you had trouble with your temper outbursts or violent behavior and it was not the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	12.7	1,271	1	WITHIN MONTH BEF ADM
28.1	9.2	925	2	WITHIN PAST 12 MOS
33.3	10.9	1,096	3	MORE THAN 1 YR AGO
	65.7	6,576	-9	LEGITIMATE SKIP
	1.1	109	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.1	11	-5	BAD DATA
	0.2	19	-4	DON'T KNOW

100.0 100.0 10,010 cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1107-1108

AF5B_M**MOS AGO LAST HAD TEMPER OUTBURSTS**

How many months ago?

10,010 cases (Range of valid codes: 0-542)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1109-1111

AF6**EVER FELT SUSPICIOUS OF OTHER PEOPLE**

In your lifetime, have you ever felt very suspicious of other people or what they might be up to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	64.8	6,482	1	YES
34.8	34.5	3,456	2	NO
	0.7	71	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE

100.0 100.0 10,010 cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1112-1113

AF6A FEELINGS RESULT OF ALCOHOL/DRUG USE

Was this feeling always the direct result of the effects of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	36.4	3,647	1	YES
43.6	28.2	2,824	2	NO
	34.3	3,438	-9	LEGITIMATE SKIP
	0.8	82	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	18	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1114-1115

AF6B SUSPICIOUSNESS DUE TO ILLEGAL ACTIVITIES

When this suspiciousness was not the result of the effects of drugs or alcohol, was it always because you were involved in illegal activities and were afraid of the police or others who were involved in illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	12.5	1,252	1	YES
56.3	16.1	1,612	2	NO
	70.3	7,036	-9	LEGITIMATE SKIP
	1.0	100	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1116-1117

AF6C**SUSPICION NOT DUE TO ILLEGAL ACTIVITIES**

When was the last time you felt very suspicious of other people and it was not the result of drugs, alcohol, or being worried about your illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	8.4	842	1	WITHIN MONTH BEF ADM
25.3	4.1	412	2	WITHIN PAST 12 MOS
23.0	3.7	375	3	MORE THAN 1 YR AGO
	82.3	8,242	-9	LEGITIMATE SKIP
	1.1	109	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-5	BAD DATA
	0.2	21	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1118-1119

AF6C_M**MOS AGO LAST SUSPICIOUS OF PEOPLE**

When was the last time you felt very suspicious of other people and it was not the result of drugs, alcohol, or being worried about your illegal activities? How many months ago?

10,010 cases (Range of valid codes: 0-380)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1120-1122

AF7 **EVER HAD HALLUCINATIONS**

In your lifetime, have you ever thought someone could control your thoughts or had hallucinations, that is, you saw or heard things that no one else could see or hear?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	26.9	2,695	1	YES
72.9	72.3	7,235	2	NO
	0.8	78	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1123-1124

AF7A **HALLUCINATIONS DUE TO ALCOHOL/DRUG USE**

Were all, some, or none of these hallucinations a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.6	21.4	2,142	1	ALL
13.2	3.5	355	2	SOME
7.2	1.9	195	3	NONE
	72.3	7,233	-9	LEGITIMATE SKIP
	0.8	80	-8	BLANK
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1125-1126

AF7B**LAST TIME HALLUCINATNS NOT DUE ALC/DRUGS**

When was the last time you had hallucinations, that is, you saw or heard things no one else could see or hear, when it was not the result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	2.1	209	1	WITHIN MONTH BEF ADM
27.5	1.6	157	2	WITHIN PAST 12 MOS
35.9	2.0	205	3	MORE THAN 1 YR AGO
	93.3	9,343	-9	LEGITIMATE SKIP
	0.8	83	-8	BLANK
	0.0	3	-5	BAD DATA
	0.1	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1127-1128

AF7B_M**MOS AGO LAST HAD HALLUCINATIONS**

When was the last time you had hallucinations, that is, you saw or heard things no one else could see or hear, when it was not the result of your drug or alcohol use? How many months ago?

10,010 cases (Range of valid codes: 0-382)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1129-1131

AF8**TROUBLE UNDERSTANDNG/CONCENTRTNG/REMEMBR**

Have you ever had trouble understanding, concentrating, or remembering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	57.5	5,760	1	YES
42.0	41.7	4,179	2	NO
	0.7	70	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1132-1133

AF8A DIRECT RESULT OF ALCOHOL OR DRUG USE

Was this always a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.4	43.0	4,304	1	YES
24.6	14.0	1,401	2	NO
	41.6	4,166	-9	LEGITIMATE SKIP
	0.8	80	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-5	BAD DATA
	0.5	55	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1134-1135

AF9 REC'D PAYMNTS FOR PSYCHIATRIC DISABILITY

Have you ever received any disability payments, benefits, or a pension for a psychiatric disability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.1	511	1	YES
94.8	93.9	9,401	2	NO
	0.9	94	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1136-1137

AF10**REGULAR MEDICATION FOR EMOTIONAL PROBS**

During the 12 months before admission, did you take any prescribed medication on a regular basis for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	11.2	1,118	1	YES
88.7	88.1	8,816	2	NO
	0.7	75	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1138-1139

AF11**TAKING MEDICATION FOR EMOTIONAL PROBS**

Are you currently taking any medication prescribed by a doctor for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.5	955	1	YES
90.4	89.8	8,990	2	NO
	0.6	63	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1140-1141

AF12 OVERNIGHT TX FOR EMOTIONAL PROB

Have you ever stayed overnight anywhere for treatment of emotional or mental health problems other than problems associated with drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	11.3	1,129	1	YES
88.6	88.0	8,807	2	NO
	0.7	72	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1142-1143

AF12A AGE 1ST ADM FOR MENTAL HEALTH PROB

How old were you the first time you were admitted or stayed overnight somewhere for treatment of a mental health problem?

10,010 cases (Range of valid codes: 0-54)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1144-1145

AF13A

TIMES:COMMUNITY MENTAL HEALTH CENTER

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at a community mental health center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	7.1	706	0	
8.3	0.7	70	1	
3.1	0.3	26	2	
1.4	0.1	12	3	
0.5	0.0	4	4	
0.6	0.0	5	5	
0.8	0.1	7	6	
0.1	0.0	1	7	
0.1	0.0	1	8	
0.1	0.0	1	9	
0.2	0.0	2	13	
0.2	0.0	2	15	
0.1	0.0	1	17	
0.1	0.0	1	20	
0.1	0.0	1	22	
0.1	0.0	1	25	
0.1	0.0	1	30	
0.1	0.0	1	61	
0.1	0.0	1	99	99 OR MORE
	87.9	8,797	-9	LEGITIMATE SKIP
	3.7	367	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1146-1147

AF13B	# TIMES:PRIV PSYCH HOSP
--------------	--------------------------------

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at a private psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	5.7	574	0	
20.7	1.8	184	1	
6.3	0.6	56	2	
2.8	0.2	25	3	
1.7	0.1	15	4	
0.7	0.1	6	5	
0.6	0.0	5	6	
0.9	0.1	8	7	
0.1	0.0	1	8	
0.8	0.1	7	10	
0.1	0.0	1	15	
0.1	0.0	1	18	
0.5	0.0	4	20	
0.1	0.0	1	30	
	87.9	8,802	-9	LEGITIMATE SKIP
	3.2	318	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1148-1149

AF13C

TIMES:PUB/STATE PSYCH HOSP

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at a public or State psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	4.2	420	0	
31.4	3.0	296	1	
11.5	1.1	109	2	
5.0	0.5	47	3	
2.5	0.2	24	4	
1.1	0.1	10	5	
0.7	0.1	7	6	
0.4	0.0	4	7	
1.1	0.1	10	8	
0.1	0.0	1	9	
0.6	0.1	6	10	
0.1	0.0	1	11	
0.2	0.0	2	12	
0.1	0.0	1	15	
0.2	0.0	2	20	
0.1	0.0	1	26	
0.1	0.0	1	30	
0.1	0.0	1	35	
0.1	0.0	1	50	
	87.9	8,801	-9	LEGITIMATE SKIP
	2.6	263	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1150-1151

AF13D	# TIMES:ANY OTHER HOSPITAL
--------------	-----------------------------------

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at any other hospital, including any general or VA hospital?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.4	5.8	583	0	
20.0	1.8	178	1	
6.1	0.5	54	2	
3.8	0.3	34	3	
1.2	0.1	11	4	
1.0	0.1	9	5	
0.6	0.0	5	6	
0.7	0.1	6	7	
0.4	0.0	4	8	
0.1	0.0	1	10	
0.3	0.0	3	15	
0.1	0.0	1	17	
0.1	0.0	1	20	
0.1	0.0	1	99	99 OR MORE
	87.9	8,802	-9	LEGITIMATE SKIP
	3.1	314	-8	BLANK
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1152-1153

AF13E # TIMES:EMERGENCY ROOM/CRISIS CENTER

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at an emergency room or crisis center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	7.0	699	0	
7.7	0.6	64	1	
2.5	0.2	21	2	
2.1	0.2	17	3	
1.2	0.1	10	4	
0.4	0.0	3	5	
0.4	0.0	3	6	
0.1	0.0	1	7	
0.2	0.0	2	9	
0.2	0.0	2	10	
0.1	0.0	1	11	
0.1	0.0	1	20	
0.1	0.0	1	50	
0.1	0.0	1	99	99 OR MORE
	87.9	8,803	-9	LEGITIMATE SKIP
	3.8	378	-8	BLANK
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1154-1155

AF13F # TIMES:ANY OTHER PLACE

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at any other place for emotional or mental health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	7.7	771	0	
3.7	0.3	30	1	
1.2	0.1	10	2	
0.1	0.0	1	3	
	87.9	8,803	-9	LEGITIMATE SKIP
	3.9	393	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1156-1157

AF14 #DAYS OVERNIGHT FOR TX MENTAL HEALTH

Altogether in your lifetime, what is the total number of days you have stayed overnight for treatment primarily for emotions, nerves, or mental health?

10,010 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1158-1160

AF14A #DAYS OVERNIGHT 12 MOS BEF ADM

How many days have you stayed overnight for treatment primarily for emotions, nerves, or mental health in the 12 months before admission to this program?

10,010 cases (Range of valid codes: 0-365)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1161-1163

AF15 LAST TIME OVERNIGHT FOR TX MENTAL HLTH

When was the last time you stayed overnight for treatment of emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	1.7	173	1	WITHIN MONTH BEF ADM
22.8	2.6	257	2	WITHIN PAST 12 MOS
61.8	7.0	697	3	MORE THAN 1 YR AGO
	87.9	8,798	-9	LEGITIMATE SKIP
	0.8	83	-8	BLANK
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1164-1165

AF15_M	MOS AGO LAST OVERNIGHT MH TX
---------------	-------------------------------------

When was the last time you stayed overnight for treatment of emotions, nerves, or mental health? How many months ago?

10,010 cases (Range of valid codes: 0-416)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1166-1168

AF15A	WHAT TYPE OF PROG WAS THAT?
--------------	------------------------------------

What type of program was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.7	66	1	COMMUNITY MENTAL HEALTH CENTER
21.7	2.4	243	2	PRIV PSYCHIATRIC HOSPITAL
39.8	4.5	446	3	PUB/STATE PSYCHIATRIC HOSPITAL
24.8	2.8	278	4	ANY OTHER HOSPITAL
4.5	0.5	51	5	EMERGENCY ROOM OR CRISIS CENTER
3.3	0.4	37	6	ANY OTHER PLACE FOR EMOTIONAL PROBS
	87.8	8,791	-9	LEGITIMATE SKIP
	0.9	95	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1169-1170

AF16	EVER HAD OUTPATIENT TX/COUNSELING
-------------	--

Have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.0	1,104	1	YES
88.0	80.9	8,094	2	NO
	8.1	808	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1171-1172

AF17A # TIMES: COMM MENTAL HEALTH CENTER

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use at a community mental health center?

10,010 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1173-1174

AF17B # TIMES: PRIV THERAPIST/PSYCHITRIST

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use from a private therapist, psychiatrist, psychologist, social worker, or counselor?

10,010 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1175-1176

AF17C

TIMES: FAM PHYSICIAN/MEDICAL DOCTOR

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use from a family physician or other medical doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	11.0	1,100	0	
3.0	0.4	36	1	
0.9	0.1	11	2	
0.9	0.1	11	3	
0.3	0.0	3	4	
0.8	0.1	9	5	
0.1	0.0	1	6	
0.2	0.0	2	7	
0.2	0.0	2	8	
0.3	0.0	4	10	
0.1	0.0	1	20	
0.1	0.0	1	24	
0.1	0.0	1	36	
0.1	0.0	1	40	
0.1	0.0	1	50	
0.1	0.0	1	52	
0.1	0.0	1	60	
0.3	0.0	3	99	99 OR MORE
	80.7	8,082	-9	LEGITIMATE SKIP
	7.3	729	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1177-1178

AF17F # TIMES: OTHER HOSPITALS/GENERAL/VA

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use at any other hospital, including any general or VA hospital?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	11.2	1,124	0	
2.5	0.3	30	1	
1.0	0.1	12	2	
0.6	0.1	7	3	
0.4	0.0	5	4	
0.2	0.0	2	5	
0.3	0.0	3	6	
0.1	0.0	1	7	
0.1	0.0	1	8	
0.2	0.0	2	10	
0.2	0.0	2	12	
0.1	0.0	1	20	
0.1	0.0	1	25	
0.1	0.0	1	35	
0.1	0.0	1	52	
0.2	0.0	2	99	99 OR MORE
	80.7	8,082	-9	LEGITIMATE SKIP
	7.2	721	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1183-1184

AF17G	# TIMES: TX ANYWHERE ELSE
--------------	----------------------------------

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use from anywhere else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	11.1	1,115	0	
3.1	0.4	37	1	
0.8	0.1	9	2	
0.5	0.1	6	3	
0.3	0.0	3	4	
0.1	0.0	1	5	
0.2	0.0	2	6	
0.1	0.0	1	7	
0.1	0.0	1	8	
0.1	0.0	1	16	
0.1	0.0	1	20	
0.1	0.0	1	25	
0.1	0.0	1	32	
0.2	0.0	2	50	
0.2	0.0	2	52	
0.4	0.0	5	99	99 OR MORE
	80.7	8,082	-9	LEGITIMATE SKIP
	7.3	730	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1185-1186

AF18	# OUTPATIENT VISITS FOR MENTAL HEALTH
-------------	--

Altogether in your lifetime, approximately how many outpatient visits have you had for treatment for nerves, emotions, or mental health?

10,010 cases (Range of valid codes: 0-999)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1187-1189

AF18A # VISITS IN 12 MOS BEFORE ADM

How many of these visits were in the 12 months before admission to this program?

10,010 cases (Range of valid codes: 0-365)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1190-1192

AF19 LAST REC'D OUTPT TX MENTAL HEALTH

When was the last time you received outpatient treatment for nerves, emotions, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	2.9	290	1	WITHIN MONTH BEF ADM
21.5	2.6	257	2	WITHIN PAST 12 MOS
54.3	6.5	651	3	MORE THAN 1 YR AGO
	84.6	8,467	-9	LEGITIMATE SKIP
	3.3	334	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1193-1194

AF19_M MOS AGO LAST OUTPT MH TX

When was the last time you received outpatient treatment for nerves, emotions, or mental health? How many months ago?

10,010 cases (Range of valid codes: 0-379)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1195-1197

AF20

WHAT TYPE OF PROG WAS THAT?

What type of program was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	3.0	297	1	COMMUNITY MENTAL HEALTH CENTER
41.0	4.9	486	2	PRIV THERAPIST
2.1	0.2	25	3	FAMILY PHYSICIAN OR OTHER DOCTOR
8.5	1.0	101	4	PRIV PSYCHIATRIC HOSPITAL
14.0	1.7	166	5	PUB/STATE PSYCHIATRIC HOSPITAL
4.9	0.6	58	6	ANY OTHER HOSPITAL
4.4	0.5	52	7	ANYWHERE ELSE
	80.8	8,085	-9	LEGITIMATE SKIP
	4.9	489	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	12	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
	2.3	234	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1198-1199

AF21

HOW TROUBLED BY EMOTIONAL PROBS

How troubled or distressed (bothered) are you now by emotional or psychological problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	45.5	4,551	0	NOT AT ALL
41.2	40.5	4,052	1	SOMEWHAT
12.6	12.4	1,238	2	VERY TROUBLED
	1.5	153	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-6	MULTIPLE RESPONSE
	0.1	7	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1200-1201

AF22 **MENTAL HEALTH PROBS DUE ALC/DRUG USE**

In the 12 months before admission to this program, did you have any mental health or emotional problems because of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	41.3	4,137	1	YES
58.1	57.2	5,730	2	NO
	1.2	124	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	16	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1202-1203

AF22A **HOW SERIOUS PROBS DUE ALC/DRUG USE**

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	1.9	189	1	NOT AT ALL
50.6	21.1	2,117	2	SOMEWHAT
44.8	18.7	1,875	3	VERY SERIOUS
	56.8	5,686	-9	LEGITIMATE SKIP
	1.3	128	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	6	-6	MULTIPLE RESPONSE
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1204-1205

AF23**AMOUNT TX NEEDED FOR MNTL HLTH PROB**

How important to you now is treatment or counseling for emotional, nervous, or mental health problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	36.0	3,600	0	NOT AT ALL
26.0	25.5	2,555	1	SOMEWHAT
37.3	36.5	3,655	2	VERY TROUBLED
	1.7	173	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.2	22	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1206-1207

AF24**RELATIVES W/MENTAL HEALTH PROBS**

Have any of your relatives ever had any mental health or emotional problems? Just include those who are related to you by blood.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	26.0	2,607	1	YES
73.3	71.5	7,158	2	NO
	1.5	149	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.9	91	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1208-1209

AF24AA	DID MOTHER HAVE PROB?
---------------	------------------------------

Please tell me who had such a problem. Mother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.5	1,052	1	YES
	71.5	7,156	-9	LEGITIMATE SKIP
	17.8	1,784	-8	BLANK
	0.1	6	-7	REFUSAL
	0.1	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1210-1211

AF24BA	WAS MOTHER HOSPITALIZED?
---------------	---------------------------------

Was your mother ever hospitalized for the problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	5.7	569	1	YES
44.4	4.5	455	2	NO
	71.5	7,156	-9	LEGITIMATE SKIP
	18.0	1,797	-8	BLANK
	0.0	4	-7	REFUSAL
	0.3	29	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1212-1213

AF24AB**DID FATHER HAVE PROB?**

Please tell me who had such a problem. Father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	462	1	YES
	71.5	7,157	-9	LEGITIMATE SKIP
	23.6	2,366	-8	BLANK
	0.1	6	-7	REFUSAL
	0.2	19	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1214-1215

AF24BB**WAS FATHER HOSPITALIZED?**

Was your father ever hospitalized for the problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	2.0	199	1	YES
54.9	2.4	242	2	NO
	71.5	7,156	-9	LEGITIMATE SKIP
	23.8	2,381	-8	BLANK
	0.0	4	-7	REFUSAL
	0.3	28	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1216-1217

AF24AC **MOTHR'S MOTHR/FATHR/BROTHR/SISTR PROB**

Please tell me who had such a problem. Mother's mother, father, brother, or sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.2	724	1	YES
	71.5	7,158	-9	LEGITIMATE SKIP
	21.0	2,104	-8	BLANK
	0.0	5	-7	REFUSAL
	0.2	19	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1218-1219

AF24BC **MTHRS MOTHR/FTHR/BRTHR/SISTR HOSPITALIZD**

Was your mother's mother, father, brother, or sister ever hospitalized for the problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.1	5.0	501	1	YES
26.9	1.8	184	2	NO
	71.5	7,158	-9	LEGITIMATE SKIP
	21.1	2,117	-8	BLANK
	0.0	3	-7	REFUSAL
	0.5	47	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1220-1221

AF24AD**FATHR'S MOTHR/FATHR/BROTHR/SISTR PROB**

Please tell me who had such a problem. Father's mother, father, brother, or sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.2	324	1	YES
	71.5	7,158	-9	LEGITIMATE SKIP
	25.0	2,498	-8	BLANK
	0.1	6	-7	REFUSAL
	0.2	24	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1222-1223

AF24BD**FTHRS MOTHR/FTHR/BRTHR/SISTR HOSPITALIZD**

Was your father's mother, father, brother, or sister ever hospitalized for the problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	2.0	202	1	YES
35.5	1.1	111	2	NO
	71.5	7,158	-9	LEGITIMATE SKIP
	25.1	2,513	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.2	21	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1224-1225

AF24AE DID BROTHER/SISTER HAVE PROB?

Please tell me who had such a problem. Brother or sister?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.8	1,085	1	YES
	71.5	7,154	-9	LEGITIMATE SKIP
	17.5	1,753	-8	BLANK
	0.1	6	-7	REFUSAL
	0.1	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1226-1227

AF24BE WAS BROTHER/SISTER HOSPITALIZED?

Was your brother, or sister ever hospitalized for the problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	6.8	680	1	YES
35.7	3.8	378	2	NO
	71.5	7,154	-9	LEGITIMATE SKIP
	17.6	1,761	-8	BLANK
	0.0	4	-7	REFUSAL
	0.1	6	-6	MULTIPLE RESPONSE
	0.3	27	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1228-1229

ILLEGAL INVOLVEMENT

AG1 # OF TRAFFIC TICKETS EVER RECEIVED

Now, I'd like to ask about your involvement with the police, courts, and illegal activities. Let me remind you that this information will remain confidential. How many traffic tickets have you received in your lifetime for moving violations, such as speeding, running a light, or causing an accident? [DO NOT COUNT DWI OR DUI.]

PCT VALID	PCT ALL	N	VALUE	LABEL
33.7	33.3	3,337	0	NONE
31.4	31.1	3,116	1	1-3 TICKETS
10.5	10.4	1,044	2	4-5 TICKETS
11.6	11.5	1,149	3	6-10 TICKETS
10.4	10.3	1,032	4	11-49 TICKETS
1.6	1.6	156	5	50-99 TICKETS
0.5	0.5	47	6	100-199 TICKETS
0.3	0.3	32	7	200 OR MORE
	0.6	63	-8	BLANK
	0.3	26	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1230-1231

AG1A AGE WHEN GIVEN 1ST TRAFFIC TICKET

How old were you the first time you were given a traffic ticket?

10,010 cases (Range of valid codes: 10-52)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1232-1233

AG1B LAST TIME GIVEN TRAFFIC TICKET

When was the last time you were given a traffic ticket?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	2.9	287	1	WITHIN MONTH BEF ADM
23.9	8.6	860	2	WITHIN PAST 12 MOS
68.1	24.5	2,450	3	MORE THAN 1 YR AGO
	62.9	6,292	-9	LEGITIMATE SKIP
	0.9	94	-8	BLANK
	0.1	14	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.1	11	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1234-1235

AG1B_M MOS AGO LAST TRAFFIC TICKET

When was the last time you were given a traffic ticket? How many months ago?

10,010 cases (Range of valid codes: 0-391)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1236-1238

AG1C

TIMES ARRESTED FOR DRIVING INTOXICATED

How many times have you ever been arrested for driving while intoxicated or driving under the influence?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.7	75.5	7,556	0	NONE
17.4	17.1	1,713	1	1-2 TIMES
4.8	4.7	470	2	3-5 TIMES
0.9	0.8	84	3	6-10 TIMES
0.2	0.2	21	4	11-49 TIMES
0.0	0.0	2	5	50-99 TIMES
0.0	0.0	0	6	100-199 TIMES
0.0	0.0	1	7	200+ TIMES
	1.5	146	-8	BLANK
	0.2	17	-7	REFUSAL

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1239-1240

AG1D	# TIMES ARRSTD FOR DWI/DUI 12MOS BEF ADM
------	--

How many times were you arrested for DWI or DUI in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	17.1	1,710	0	
19.8	4.6	459	1	
3.9	0.9	91	2	
0.6	0.1	15	3	
0.5	0.1	11	4	
0.0	0.0	1	6	
0.1	0.0	2	8	
0.0	0.0	1	17	
0.0	0.0	1	18	
0.1	0.0	2	20	
0.0	0.0	1	23	
0.0	0.0	1	24	
0.2	0.0	4	25	
0.1	0.0	2	26	
0.1	0.0	3	27	
0.1	0.0	2	28	
0.0	0.0	1	29	
0.0	0.0	1	30	
0.0	0.0	1	31	
0.0	0.0	1	32	
0.0	0.0	1	33	
0.0	0.0	1	36	
0.0	0.0	1	41	
0.0	0.0	1	60	
	75.0	7,509	-9	LEGITIMATE SKIP
	1.7	172	-8	BLANK
	0.1	15	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1241-1242

AG2

#TIMES ARRESTED/BOOKD NONTRAFFIC VIOLATN

In your lifetime, how many times had you ever been arrested and booked (including fingerprinting) for something other than a traffic violation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	21.4	2,147	0	NONE
28.2	27.8	2,780	1	1-2 TIMES
21.1	20.7	2,073	2	3-5 TIMES
12.6	12.4	1,237	3	6-10 TIMES
13.6	13.3	1,336	4	11-49 TIMES
1.7	1.7	168	5	50-99 TIMES
0.6	0.6	63	6	100-199 TIMES
0.4	0.4	41	7	200+ TIMES
	1.2	119	-8	BLANK
	0.4	42	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1243-1244

AG3

AGE WHEN 1ST ARRESTED/SENT JUVENILE CRT

How old were you the first time you were (arrested/ sent to juvenile court)? If DK, ASK: Do you think it was before you were 15 or was it later than that?

10,010 cases (Range of valid codes: 5-95)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1245-1246

AG4 **EVER ARRESTED BEFORE AGE 18**

Had you ever been arrested before age 18 (not including traffic violations)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	16.2	1,625	1	
72.6	42.9	4,297	2	
0.0	0.0	0	55	55 OR OLDER
0.0	0.0	0	94	1 OR DK, BUT < 15
0.0	0.0	0	95	DK, BUT 15 OR OLDER
	38.7	3,874	-9	LEGITIMATE SKIP
	1.8	185	-8	BLANK
	0.3	27	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1247-1248

AG4A **EVER BEEN SENT TO JUVENILE COURT**

Have you ever been sent to juvenile court?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	5.4	542	1	YES
88.5	41.6	4,168	2	NO
	50.3	5,037	-9	LEGITIMATE SKIP
	2.4	240	-8	BLANK
	0.2	23	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1249-1250

AG5

TIMES ARRESTED BY AGE 18

How many times were you arrested or sent to juvenile court before age 18?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	3.8	379	0	
55.1	20.6	2,062	1	
18.0	6.7	675	2	
9.0	3.4	338	3	
6.8	2.6	256	4	
0.7	0.2	25	5	
0.1	0.0	5	6	
0.1	0.0	5	7	
0.0	0.0	0	55	55 OR OLDER
0.0	0.0	0	94	1 OR DK, BUT < 15
0.0	0.0	0	95	DK, BUT 15 OR OLDER
	61.1	6,114	-9	LEGITIMATE SKIP
	1.2	118	-8	BLANK
	0.3	31	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1251-1252

AG6 # TIMES ARRESTD SINCE 18/NOT TRAFFC VIOL

How many times have you been arrested since age 18 for anything besides a traffic violation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	3.3	330	0	NEVER
36.1	27.9	2,794	1	1 OR 2 TIMES
26.8	20.7	2,072	2	3-5 TIMES
14.8	11.4	1,146	3	6-10 TIMES
15.6	12.0	1,204	4	11-49 TIMES
1.6	1.2	121	5	50-99 TIMES
0.6	0.4	45	6	100-199 TIMES
0.3	0.2	24	7	200+ TIMES
	21.1	2,109	-9	LEGITIMATE SKIP
	1.1	106	-8	BLANK
	0.5	47	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.1	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1253-1254

AG6A AGE 1ST ARRSTD SINCE 18/NOT TRAFFC VIOLT

How old were you the first time you were arrested since you were 18 years old for anything besides a traffic violation?

10,010 cases (Range of valid codes: 18-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1255-1256

AG6B LAST TIME ARRSTD FOR ANYTHING/NOT TRAFFI

When was the last time you were arrested for anything besides a traffic violation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	6.2	624	1	WITHIN MONTH BEF ADM
33.4	24.7	2,470	2	WITHIN PAST 12 MOS
58.1	42.9	4,298	3	MORE THAN 1 YR AGO
	24.2	2,426	-9	LEGITIMATE SKIP
	1.6	159	-8	BLANK
	0.3	28	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1257-1258

AG6B_M MOS AGO LAST ARRESTED

When was the last time you were arrested for anything besides a traffic violation? How many months ago?

10,010 cases (Range of valid codes: 0-482)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1259-1261

AG7_1 **EVER ARRESTED: USE/POSSESSION DRUGS**

Have you ever been arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	43.9	4,391	1	YES
42.3	32.2	3,222	2	NO
	21.0	2,106	-9	LEGITIMATE SKIP
	2.4	239	-8	BLANK
	0.5	50	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1262-1263

AG8_1 **# ARRESTS: USE/POSSESSION DRUGS**

How many times had you ever been arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

10,010 cases (Range of valid codes: 0-500)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1264-1266

AG9_1

#ARRSTS 12MOS BEF: USE/POSSESSN DRUGS

How many times were you arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
65.1	26.9	2,688	0	
26.7	11.0	1,103	1	
4.7	2.0	196	2	
1.6	0.6	64	3	
0.7	0.3	27	4	
0.4	0.1	15	5	
0.1	0.1	6	6	
0.1	0.0	3	7	
0.1	0.0	4	8	
0.1	0.0	3	9	
0.2	0.1	8	10	
0.0	0.0	2	11	
0.0	0.0	2	12	
0.0	0.0	1	15	
0.0	0.0	1	27	
0.0	0.0	1	30	
0.0	0.0	1	33	
0.0	0.0	1	38	
0.0	0.0	1	60	
	53.2	5,326	-9	LEGITIMATE SKIP
	5.3	527	-8	BLANK
	0.3	27	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1267-1268

AG7_2	EVER ARRESTED: SALE/MANUFACTURE NARCOTICS
--------------	--

Have you ever been arrested or sent to juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	16.4	1,643	1	YES
78.1	58.5	5,855	2	NO
	21.0	2,106	-9	LEGITIMATE SKIP
	3.6	356	-8	BLANK
	0.5	49	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1269-1270

AG8_2	# ARRESTS: SALE/MANUFACTURE NARCOTICS
-------	--

How many times had you ever been arrested or sent to juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	8	0	
62.8	10.3	1,029	1	
18.9	3.1	310	2	
7.3	1.2	120	3	
3.4	0.6	56	4	
2.1	0.3	34	5	
0.8	0.1	13	6	
0.4	0.1	7	7	
0.6	0.1	10	8	
1.0	0.2	16	10	
0.1	0.0	2	11	
0.4	0.1	6	12	
0.5	0.1	8	15	
0.1	0.0	1	16	
0.1	0.0	2	18	
0.2	0.0	4	20	
0.1	0.0	1	21	
0.1	0.0	2	22	
0.2	0.0	3	25	
0.1	0.0	1	30	
0.1	0.0	1	35	
0.1	0.0	1	40	
0.1	0.0	1	45	
0.1	0.0	1	801	
0.1	0.0	1	999	999 OR MORE
	79.5	7,954	-9	LEGITIMATE SKIP
	3.9	387	-8	BLANK
	0.3	26	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	4	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1271-1273

AG9_2 #ARRSTS 12MOS BEF:SALE/MNFCTURE NRCTCS

How many times were you arrested or sent to juvenile court for sale or manufacture of drugs in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	11.3	1,128	0	
21.6	3.3	327	1	
2.4	0.4	37	2	
0.5	0.1	8	3	
0.1	0.0	2	5	
0.1	0.0	2	6	
0.3	0.0	4	8	
0.1	0.0	1	9	
0.1	0.0	1	10	
0.1	0.0	2	12	
0.1	0.0	1	15	
0.1	0.0	1	92	
	79.5	7,960	-9	LEGITIMATE SKIP
	5.1	509	-8	BLANK
	0.3	26	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1274-1275

AG7_3 EVER ARRESTED: FORGERY/FRAUD

Have you ever been arrested or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks) buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	18.2	1,819	1	YES
75.7	56.7	5,672	2	NO
	21.0	2,107	-9	LEGITIMATE SKIP
	3.6	359	-8	BLANK
	0.5	51	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1276-1277

AG8_3

ARRESTS: FORGERY/FRAUD

How many times had you ever been arrested or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks) buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	4	0	
59.3	10.8	1,080	1	
17.9	3.3	326	2	
7.5	1.4	136	3	
4.8	0.9	87	4	
3.0	0.5	54	5	
1.6	0.3	30	6	
1.0	0.2	19	7	
0.5	0.1	9	8	
0.2	0.0	3	9	
1.2	0.2	22	10	
0.2	0.0	3	11	
0.5	0.1	9	12	
0.1	0.0	1	14	
0.5	0.1	9	15	
0.1	0.0	1	16	
0.6	0.1	11	20	
0.1	0.0	1	25	
0.1	0.0	1	26	
0.1	0.0	1	27	
0.3	0.0	5	30	
0.1	0.0	2	40	
0.1	0.0	1	45	
0.1	0.0	2	50	
0.1	0.0	2	100	
0.1	0.0	1	150	
0.1	0.0	1	200	
	77.6	7,771	-9	LEGITIMATE SKIP
	3.9	388	-8	BLANK
	0.2	24	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1278-1280

AG9_3 # ARRESTS 12 MOS BEF: FORGERY/FRAUD

How many times were you arrested or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks) buying, receiving, or possession of stolen property (including fencing) in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.9	13.2	1,325	0	
18.0	3.1	306	1	
2.0	0.3	34	2	
0.9	0.1	15	3	
0.5	0.1	9	4	
0.2	0.0	4	5	
0.2	0.0	4	6	
0.1	0.0	2	8	
0.1	0.0	1	10	
0.1	0.0	1	19	
	77.7	7,777	-9	LEGITIMATE SKIP
	5.0	504	-8	BLANK
	0.2	24	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1281-1282

AG7_4 EVER ARRESTED: BURGLARY

Have you ever been arrested or sent to juvenile court for burglary- breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	18.8	1,878	1	YES
74.9	56.1	5,611	2	NO
	21.0	2,107	-9	LEGITIMATE SKIP
	3.6	363	-8	BLANK
	0.5	51	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1283-1284

AG8_4	# ARRESTS: BURGLARY
--------------	----------------------------

How many times had you ever been arrested or sent to juvenile court for burglary- breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.0	3	0	
58.1	10.9	1,089	1	
17.1	3.2	321	2	
9.0	1.7	168	3	
4.3	0.8	81	4	
3.0	0.6	57	5	
2.1	0.4	40	6	
0.7	0.1	13	7	
0.6	0.1	11	8	
0.3	0.0	5	9	
1.4	0.3	26	10	
0.1	0.0	2	11	
0.4	0.1	7	12	
0.1	0.0	2	13	
0.6	0.1	11	15	
0.1	0.0	1	16	
0.1	0.0	2	17	
0.1	0.0	1	18	
0.1	0.0	1	19	
0.7	0.1	14	20	
0.1	0.0	2	25	
0.1	0.0	1	27	
0.1	0.0	2	30	
0.1	0.0	1	45	
0.3	0.1	6	50	
0.2	0.0	4	100	
0.1	0.0	1	150	
0.1	0.0	1	200	
0.1	0.0	1	300	
	77.0	7,710	-9	LEGITIMATE SKIP
	4.0	397	-8	BLANK
	0.2	25	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1285-1287

AG9_4 # ARRESTS 12 MOS BEFORE: BURGLARY

How many times were you arrested or sent to juvenile court for burglary- breaking and entering, unlawful entry, housebreaking, or safecracking in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	13.9	1,390	0	
16.2	2.8	279	1	
2.1	0.4	36	2	
0.6	0.1	10	3	
0.2	0.0	4	4	
0.1	0.0	2	5	
0.1	0.0	1	6	
0.1	0.0	1	11	
0.1	0.0	1	12	
0.1	0.0	2	21	
	77.1	7,716	-9	LEGITIMATE SKIP
	5.4	542	-8	BLANK
	0.2	25	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1288-1289

AG7_5 EVER ARRESTED: LARCENY

Have you ever been arrested or sent to juvenile court for larceny- theft such as pick pocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	27.3	2,728	1	YES
63.7	47.8	4,783	2	NO
	21.0	2,107	-9	LEGITIMATE SKIP
	3.4	341	-8	BLANK
	0.5	51	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1290-1291

AG8_5 # ARRESTS: LARCENY

How many times had you ever been arrested or sent to juvenile court for larceny- theft such as pick pocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

10,010 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1292-1294

AG9_5 # ARRESTS 12 MOS BEFORE: LARCENY

How many times were you arrested or sent to juvenile court for larceny- theft such as pick pocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
73.2	18.4	1,841	0	
19.1	4.8	479	1	
3.7	0.9	93	2	
1.6	0.4	40	3	
0.9	0.2	22	4	
0.3	0.1	7	5	
0.5	0.1	13	6	
0.1	0.0	3	7	
0.1	0.0	3	8	
0.1	0.0	3	9	
0.0	0.0	1	10	
0.0	0.0	1	12	
0.2	0.0	4	20	
0.0	0.0	1	24	
0.0	0.0	1	25	
0.0	0.0	1	30	
0.0	0.0	1	50	
	68.8	6,890	-9	LEGITIMATE SKIP
	5.8	578	-8	BLANK
	0.2	24	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
	0.0	1	-2	ILLEGIBLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1295-1296

AG7_6 **EVER ARRESTED:PIMPING/PROSTITUTION/VICE**

Have you ever been arrested or sent to juvenile court for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	5.9	587	1	YES
92.1	68.4	6,847	2	NO
	21.0	2,107	-9	LEGITIMATE SKIP
	4.2	419	-8	BLANK
	0.5	50	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1297-1298

AG8_6 **# ARRESTS: PIMPING/PROSTITUTION/VICE**

How many times had you ever been arrested or sent to juvenile court for pimping, prostitution, or commercialized vice?

10,010 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1299-1301

AG9_6

#ARRESTS 12MOS BEF:PMPNG/PROSTITTN/VICE

How many times were you arrested or sent to juvenile court for pimping, prostitution, or commercialized vice in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	4.0	401	0	
15.0	0.8	82	1	
5.0	0.3	27	2	
1.8	0.1	10	3	
0.9	0.0	5	4	
0.2	0.0	1	5	
1.1	0.1	6	6	
0.4	0.0	2	7	
0.2	0.0	1	8	
0.4	0.0	2	9	
0.2	0.0	1	11	
0.2	0.0	1	15	
0.2	0.0	1	18	
0.4	0.0	2	25	
0.2	0.0	1	50	
0.2	0.0	1	67	
0.2	0.0	1	80	
	89.5	8,954	-9	LEGITIMATE SKIP
	4.8	484	-8	BLANK
	0.2	25	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1302-1303

AG7_7	EVER ARRESTED: ROBBERY
--------------	-------------------------------

Have you ever been arrested or sent to juvenile court for robbery- bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	10.4	1,044	1	YES
86.0	64.0	6,409	2	NO
	21.0	2,107	-9	LEGITIMATE SKIP
	4.0	398	-8	BLANK
	0.5	51	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1304-1305

AG8_7

ARRESTS: ROBBERY

How many times had you ever been arrested or sent to juvenile court for robbery- bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	3	0	
69.0	7.1	713	1	
16.2	1.7	167	2	
6.2	0.6	64	3	
3.1	0.3	32	4	
1.8	0.2	19	5	
0.6	0.1	6	6	
0.7	0.1	7	7	
0.4	0.0	4	8	
0.1	0.0	1	9	
0.9	0.1	9	10	
0.1	0.0	1	12	
0.1	0.0	1	14	
0.2	0.0	2	15	
0.1	0.0	1	16	
0.1	0.0	1	20	
0.1	0.0	1	40	
0.1	0.0	1	43	
0.1	0.0	1	45	
	85.1	8,516	-9	LEGITIMATE SKIP
	4.3	434	-8	BLANK
	0.2	24	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1306-1307

AG9_7 # ARRESTS 12 MOS BEFORE: ROBBERY

How many times were you arrested or sent to juvenile court for robbery- bank, mugging, armed robbery, or purse snatching with force in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	8.4	840	0	
10.1	0.9	95	1	
0.2	0.0	2	2	
0.1	0.0	1	8	
0.1	0.0	1	9	
0.3	0.0	3	10	
0.1	0.0	1	19	
	85.1	8,516	-9	LEGITIMATE SKIP
	5.3	526	-8	BLANK
	0.2	24	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1308-1309

AG7_8 EVER ARRESTED: ATTACKS OF PERSONS

Have you ever been arrested or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	12.9	1,293	1	YES
82.7	61.6	6,170	2	NO
	21.0	2,107	-9	LEGITIMATE SKIP
	3.9	389	-8	BLANK
	0.5	51	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1310-1311

AG9_8

#ARRSTS 12MOS BEF: ATTACKS ON PERSONS

How many times were you arrested or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.7	9.6	956	0	
16.6	2.0	196	1	
1.6	0.2	19	2	
0.3	0.0	3	3	
0.3	0.0	3	5	
0.2	0.0	2	6	
0.1	0.0	1	7	
0.2	0.0	2	15	
0.1	0.0	1	18	
0.1	0.0	1	49	
	82.7	8,277	-9	LEGITIMATE SKIP
	5.2	523	-8	BLANK
	0.2	25	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1315-1316

AG7_9

EVER ARRESTED: OTHER PEOPLE OFFENSES

Have you ever been arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	13.9	1,394	1	YES
81.3	60.6	6,065	2	NO
	21.0	2,107	-9	LEGITIMATE SKIP
	3.9	392	-8	BLANK
	0.5	49	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1317-1318

AG8_9	# ARRESTS: OTHER PEOPLE OFFENSES
--------------	---

How many times had you ever been arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.1	10	0	
57.2	7.9	787	1	
19.5	2.7	269	2	
6.3	0.9	87	3	
4.5	0.6	62	4	
3.1	0.4	43	5	
1.6	0.2	22	6	
0.9	0.1	13	7	
1.1	0.1	15	8	
0.4	0.0	5	9	
2.0	0.3	27	10	
0.1	0.0	2	11	
0.3	0.0	4	12	
0.2	0.0	3	13	
0.1	0.0	1	14	
0.4	0.0	5	15	
0.1	0.0	1	18	
1.0	0.1	14	20	
0.1	0.0	1	25	
0.1	0.0	2	30	
0.1	0.0	1	31	
0.1	0.0	1	40	
0.1	0.0	1	100	
0.1	0.0	1	200	
	81.6	8,169	-9	LEGITIMATE SKIP
	4.3	435	-8	BLANK
	0.2	24	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1319-1321

AG9_9

#ARRSTS 12MOS BEF:OTHR PEOPLE OFFENSES

How many times were you arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	9.4	942	0	
20.9	2.7	266	1	
3.3	0.4	42	2	
0.6	0.1	7	3	
0.2	0.0	3	4	
0.2	0.0	3	5	
0.2	0.0	3	6	
0.2	0.0	2	8	
0.2	0.0	2	10	
0.1	0.0	1	14	
0.1	0.0	1	28	
	81.6	8,172	-9	LEGITIMATE SKIP
	5.4	540	-8	BLANK
	0.2	24	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1322-1323

AG7_10

EVER ARRESTED: STATUS OFFENSES

Have you ever been arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	5.2	525	1	YES
88.7	41.3	4,136	2	NO
	21.2	2,119	-9	LEGITIMATE SKIP
	3.0	303	-8	BLANK
	0.4	36	-7	REFUSAL
	28.9	2,891	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1324-1325

AG8_10	# ARRESTS: STATUS OFFENSES
---------------	-----------------------------------

How many times had you ever been arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	2	0	
37.2	1.9	193	1	
19.3	1.0	100	2	
11.8	0.6	61	3	
4.4	0.2	23	4	
6.6	0.3	34	5	
3.3	0.2	17	6	
0.6	0.0	3	7	
0.8	0.0	4	8	
0.4	0.0	2	9	
5.4	0.3	28	10	
1.0	0.0	5	12	
0.2	0.0	1	13	
0.4	0.0	2	14	
1.2	0.1	6	15	
0.2	0.0	1	16	
0.2	0.0	1	17	
0.2	0.0	1	18	
0.2	0.0	1	19	
2.7	0.1	14	20	
0.4	0.0	2	24	
0.2	0.0	1	25	
1.3	0.1	7	30	
0.2	0.0	1	36	
0.8	0.0	4	40	
0.2	0.0	1	50	
0.2	0.0	1	93	
0.6	0.0	3	100	
	62.5	6,254	-9	LEGITIMATE SKIP
	3.3	329	-8	BLANK
	0.1	13	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	28.9	2,891	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1326-1328

AG9_10 # ARRESTS 12 MOS BEFORE:STATUS OFFENSES

How many times were you arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	4.5	455	0	
3.3	0.2	16	1	
1.2	0.1	6	2	
0.2	0.0	1	3	
0.2	0.0	1	4	
0.2	0.0	1	5	
0.2	0.0	1	8	
0.2	0.0	1	10	
	62.5	6,255	-9	LEGITIMATE SKIP
	3.7	368	-8	BLANK
	0.1	13	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	28.9	2,891	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1329-1330

AG7_11 EVER ARRESTED: OTHER OFFENSES

Have you ever been arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	36.6	3,667	1	YES
51.4	38.7	3,871	2	NO
	21.0	2,107	-9	LEGITIMATE SKIP
	3.1	312	-8	BLANK
	0.5	50	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1331-1332

AG8_11 # ARRESTS: OTHER OFFENSES

How many times had you ever been arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc.

10,010 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1333-1335

AG9_11 # ARRESTS 12 MOS BEFORE: OTHER OFFENSES

How many times were you arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc. in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
61.3	21.2	2,119	0	
30.6	10.6	1,059	1	
5.1	1.7	175	2	
1.6	0.5	55	3	
0.5	0.2	16	4	
0.3	0.1	10	5	
0.1	0.0	3	6	
0.2	0.1	6	7	
0.1	0.0	2	8	
0.1	0.0	2	9	
0.1	0.0	4	10	
0.0	0.0	1	12	
0.1	0.0	2	20	
0.0	0.0	1	30	
0.0	0.0	1	50	
0.0	0.0	1	90	
0.0	0.0	1	91	
	59.6	5,966	-9	LEGITIMATE SKIP
	5.6	558	-8	BLANK
	0.2	24	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1336-1337

AG10 # TIMES ARRESTED 12 MOS BEFORE ADM

In the 12 months before admission to this program, how many times were you arrested or sent to juvenile court regardless of the charge?

10,010 cases (Range of valid codes: 0-100)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1338-1340

AG11 INFLUENCE OF DRUGS LED TO ARREST(S)

Were you ever high or under the influence of drugs or alcohol at a time when you did things that led to your arrest(s) or being sent to juvenile court?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	55.6	5,569	1	YES
28.3	21.9	2,197	2	NO
	21.1	2,110	-9	LEGITIMATE SKIP
	1.0	98	-8	BLANK
	0.3	35	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1341-1342

AG12 # OR ARRESTS RESULTING IN CONVICTIONS

In your lifetime, how many of your arrests and charges resulted in convictions?

10,010 cases (Range of valid codes: 0-400)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1343-1345

AG13**EVER CONVICTED OF A FELONY?**

Now, I'm going to ask you about felony convictions. These include times that you may have been judged delinquent in juvenile court for a felony. Were you ever convicted of a felony?

PCT VALID	PCT ALL	N	VALUE	LABEL
55.7	43.1	4,314	1	YES
44.3	34.3	3,437	2	NO
	21.0	2,105	-9	LEGITIMATE SKIP
	1.0	97	-8	BLANK
	0.3	34	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.2	20	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1346-1347

AG13A**AGE WHEN 1ST CONVICTED OF A FELONY**

How old were you the first time you were convicted of a felony?

10,010 cases (Range of valid codes: 6-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1348-1349

AG13B LAST TIME CONVICTED OF A FELONY

When was the last time you were convicted of a felony?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	1.1	114	1	WITHIN MONTH BEF ADM
19.6	8.4	840	2	WITHIN PAST 12 MOS
77.7	33.3	3,329	3	MORE THAN 1 YR AGO
	55.2	5,529	-9	LEGITIMATE SKIP
	1.6	160	-8	BLANK
	0.3	30	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1350-1351

AG13B_M MOS AGO LAST CONVICTED OF FELONY

When was the last time you were convicted of a felony? How many months ago?

10,010 cases (Range of valid codes: 0-491)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1352-1354

AG14 EVER IN DETENTION, JAIL, PRISN, REFORMATRY

Have you ever spent time in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	62.3	6,233	1	YES
18.1	13.7	1,374	2	NO
	21.0	2,107	-9	LEGITIMATE SKIP
	2.6	260	-8	BLANK
	0.3	34	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1355-1356

AG14A3**WKS IN DETENTION, JAIL, PRISON, REFORMATORY**

Altogether, how much time did you ever spend in jail, prison, or a juvenile detention home before age 18?

_____ WEEKS

10,010 cases (Range of valid codes: 0-1,088)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1357-1360

AG14B3**WKS AFTR 18 DETNTN, JAIL, PRISN, REFORMATRY**

Since you were 18, how much time have you spent in jail, prison, or a juvenile detention home?

_____ WEEKS

10,010 cases (Range of valid codes: 0-1,808)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1361-1364

AG14C3**WKS-12MOS BFR ADM:DTNTN.JAL, PRSN, RFRMTRY**

How much time did you spend in jail, prison, or a juvenile detention home during the 12 months before admission to this program?

_____ WEEKS

10,010 cases (Range of valid codes: 0-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1365-1366

AG15 LAST DTNTN,JAIL,PRSN,RFRMTRY SENTENCE FO

What was your last jail, prison, or juvenile detention home sentence for? For multiple charges, what was the most severe charge?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.7	72	0	
24.6	15.6	1,559	1	USE/POSSESSION OF MARIJUANA
9.7	6.1	614	2	USE/POSSESSION OF NARCOTICS
7.0	4.4	442	3	SALE/MANUFACTURE OF NARCOTICS
8.0	5.0	505	4	FORGERY/FRAUD/EMBEZZLEMENT
11.1	7.0	704	5	BUYING/RECEIVING/POSSESSION OF STOLEN
1.8	1.2	116	6	GAMBLING (INCLUDING NUMBERS AND BOOKMAKI
5.1	3.2	321	7	PIMPING/PROSTITUTION/COMMERCIAL VICE
5.2	3.3	331	8	BURGLARY-B & E/UNLAWFUL ENTRY/HOUSEBR
4.8	3.0	303	9	LARCENY-THEFT
9.6	6.1	607	10	ROBBERY-BANK/MUGGING/ARMED ROBBERY
11.7	7.4	744	11	ATTACKS ON PERSONS SUCH AS HOMICIDES
0.1	0.0	5	12	OTHER OFFENSES WHERE PEOPLE MAY BE INJUR
0.0	0.0	2	13	WEAPONS OFFENSES
0.0	0.0	3	14	VAGRANCY/SUSPICION/DISORDERLY CONDUCT,
0.1	0.1	7	15	LIQUOR LAW VIOLATIONS/DRUNK & DISORDERL
0.0	0.0	2	16	PROBATION/PAROLE VIOLATIONS
0.0	0.0	0	17	CONTEMPT OF COURT
	34.1	3,412	-9	LEGITIMATE SKIP
	1.5	148	-8	BLANK
	0.5	50	-7	REFUSAL
	0.1	10	-6	MULTIPLE RESPONSE
	0.4	39	-5	BAD DATA
	0.1	10	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
	0.0	2	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1367-1368

AG15A3 WKS IN JAIL,DETENTION,PRISON,REFORMATORY

How long was your last stay in jail, prison, or juvenile detention home?

_____ WEEKS

10,010 cases (Range of valid codes: 0-944)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1369-1371

AG15B **LAST RLSD FRM DETENTN,JAIL,PRSN,REFORMTR**

When were you last released from jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	15.3	1,529	1	WITHIN MONTH BEF ADM
34.1	21.6	2,162	2	WITHIN PAST 12 MOS
41.8	26.5	2,653	3	MORE THAN 1 YR AGO
	34.2	3,427	-9	LEGITIMATE SKIP
	1.6	161	-8	BLANK
	0.3	30	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.3	32	-5	BAD DATA
	0.1	14	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1372-1373

AG15B_M **MOS AGO LAST RELEASED FROM PRISON**

When were you last released from jail, prison, or a juvenile detention home? How many months ago?

10,010 cases (Range of valid codes: 0-491)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1374-1376

AG15C	USE ILLEGAL DRUGS LAST STAY
--------------	------------------------------------

Did you use illegal drugs during your last stay in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	10.0	998	1	YES
84.3	53.6	5,367	2	NO
	34.2	3,419	-9	LEGITIMATE SKIP
	2.0	196	-8	BLANK
	0.3	29	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1377-1378

AG15D	RECEIVE DRUG TX DURING LAST STAY
--------------	---

Did you get any drug treatment during your last stay in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	11.8	1,183	1	YES
81.4	51.8	5,182	2	NO
	34.1	3,418	-9	LEGITIMATE SKIP
	2.0	196	-8	BLANK
	0.3	28	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1379-1380

AG16**12 MOS BEF ADM TROUBLED BY LEGAL PROBS**

In the 12 months before admission, how troubled were you by police or legal problems, excluding civil problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.0	60.1	6,017	0	NOT AT ALL
19.7	19.5	1,947	1	SOMEWHAT
19.2	19.0	1,898	2	VERY TROUBLED
	1.1	109	-8	BLANK
	0.3	30	-7	REFUSAL
	0.1	6	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1381-1382

AG17**IMPORTANCE OF COUNSELING FOR LEGL PROBS**

How important to you now is counseling or referral for legal problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.8	54.9	5,499	0	NOT AT ALL
12.1	11.1	1,111	1	SOMEWHAT
28.1	25.8	2,578	2	VERY IMPORTANT
	7.9	791	-8	BLANK
	0.3	28	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1383-1384

AG18 **12 MOS BEF ADM LEGAL PROBS DUE DRUGS/ALC**

In the 12 months before admission, did you have any police or legal problems because of using drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	28.6	2,865	1	YES
65.2	53.7	5,374	2	NO
	16.9	1,690	-8	BLANK
	0.2	17	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.6	63	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1385-1386

AG18A **HOW SERIOUS LEGAL PROBS DUE DRUGS/ALC**

How serious were the police or legal problems you had because of using drugs or alcohol? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	26.5	2,653	1	NOT AT ALL
20.8	12.5	1,255	2	SOMEWHAT
35.3	21.3	2,131	3	VERY SERIOUS
	31.4	3,140	-9	LEGITIMATE SKIP
	8.0	805	-8	BLANK
	0.2	23	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1387-1388

AG19	DO YOU HAVE LEGAL SERVICES (ATTORNEY)?
-------------	---

Do you have legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	24.0	2,404	1	YES
73.8	67.8	6,786	2	NO
	7.9	788	-8	BLANK
	0.3	29	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1389-1390

AG19A	DO YOU NEED LEGAL SERVICES (ATTORNEY)?
--------------	---

Do you need legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	7.3	732	1	YES
89.4	61.7	6,172	2	NO
	22.7	2,272	-9	LEGITIMATE SKIP
	8.0	802	-8	BLANK
	0.2	22	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1391-1392

AG20 SUPPORT SELF FROM ILLGL ACTIVITY AT LEAST

Did you ever support yourself mainly from illegal activity for at least 1 year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	36.5	3,652	1	YES
62.9	61.9	6,194	2	NO
	1.2	116	-8	BLANK
	0.4	44	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1393-1394

AG20A3 WKS SUPPORT YOURSELF W/ILLEGAL ACTIVITY

What is the longest time you supported yourself mainly with illegal activity?

_____ WEEKS

10,010 cases (Range of valid codes: 0-2,496)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1395-1398

AG20B1**SUPPORT SELF: VARIETY, NO SPECIFIC TYPE**

What kinds of things did you usually do to support yourself?

Dealing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	265	0	CIRCLED
	61.9	6,193	-9	LEGITIMATE SKIP
	35.0	3,504	-8	BLANK
	0.5	47	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1399-1400

AG20B2**SUPPORT SELF: DEALING**

What kinds of things did you usually do to support yourself?

Hustling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	23.2	2,325	1	CIRCLED
	61.7	6,181	-9	LEGITIMATE SKIP
	14.6	1,465	-8	BLANK
	0.4	38	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1401-1402

AG20B5

SUPPORT SELF: FORGERY, FRAUD, EMBEZZLEMENT

What kinds of things did you usually do to support yourself?

Pimping, Prostitution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.3	328	4	CIRCLED
	61.8	6,191	-9	LEGITIMATE SKIP
	34.5	3,452	-8	BLANK
	0.4	38	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1407-1408

AG20B6

SUPPORT SELF: PIMPING, PROSTITUTION

What kinds of things did you usually do to support yourself?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.1	512	5	CIRCLED
	61.8	6,191	-9	LEGITIMATE SKIP
	32.6	3,268	-8	BLANK
	0.4	38	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1409-1410

AG20B7 SUPPORT SELF: OTHER (SPECIFY)

What kinds of things did you usually do to support yourself?
 Variety, no specific type?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.3	330	6	CIRCLED
	61.8	6,188	-9	LEGITIMATE SKIP
	34.5	3,452	-8	BLANK
	0.4	39	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1411-1412

AG20C LAST TIME SUPPORT SELF W/ILLEGAL ACTIVIT

When was the last time you supported yourself mainly from
 illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	8.9	892	1	WITHIN MONTH BEF ADM
23.4	8.5	849	2	WITHIN PAST 12 MOS
52.1	18.9	1,894	3	MORE THAN 1 YR AGO
	61.6	6,170	-9	LEGITIMATE SKIP
	1.6	161	-8	BLANK
	0.4	41	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1413-1414

AG20C_M MOS AGO LAST SUPPORTED SELF ILLEGAL ACTS

When was the last time you supported yourself mainly from
 illegal activities? How many months ago?

10,010 cases (Range of valid codes: 0-446)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1415-1417

AG21

CRIM ACTIVITY FOR DRUG MONEY 12MOS BEF A

In the 12 months before admission, how often were you involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	58.8	5,883	0	NONE
6.6	6.5	646	1	LESS THAN ONCE/MONHT
5.8	5.7	567	2	1-3 TIMES/MONTH
4.8	4.7	471	3	1-2 TIMES/WEEK
4.2	4.1	408	4	3-4 TIMES/WEEK
1.8	1.8	180	5	5-6 TIMES/WEEK
12.1	11.9	1,189	6	DAILY OR ALMOST EVERY DAY
1.4	1.4	141	7	2-3 TIMES/DAY
3.2	3.1	310	8	4+ TIMES/DAY
	1.5	149	-8	BLANK
	0.5	54	-7	REFUSAL
	0.1	7	-6	MULTIPLE RESPONSE
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1418-1419

AH2A	WEEK BEFORE ADM EARN MONEY LEGALLY
-------------	---

In the week before admission, did you earn any money legally?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	67.5	6,760	1	DID NOT EARN MONEY LEGALLY
5.3	3.8	376	2	DID EARN MONEY LEGALLY
	27.6	2,762	-9	LEGITIMATE SKIP
	1.1	106	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1424-1425

AH2B	DID YOU TAKE TIME OFF FOR ANY REASON
-------------	---

Did you lose any time or take any time off for any reason that week such as for an illness, a vacation, or slack work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	8.5	846	1	YES
72.9	22.7	2,272	2	NO
	66.0	6,604	-9	LEGITIMATE SKIP
	2.8	285	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1426-1427

AH2C	HOW MANY HRS DID YOU MISS?
-------------	-----------------------------------

How many hours did you miss?

10,010 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1428-1429

AH2D WK BEF ADM #HRS WORKED FOR LEGAL PAY

In the week before admission, how many hours did you actually work for pay at jobs or tasks that did not involve illegal activities?

10,010 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1430-1431

AH2E WHY WORK <35 HRS WEEK BEF ADM

What is the main reason you worked less than 35 hours or lost or took time from work the week before your admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	2.9	292	1	SLACK WORK, LAYOFFS, STRIKE
2.0	0.3	34	2	SEASONAL WORKER
1.1	0.2	19	3	JOB TERMINATED DURING WEEK
0.4	0.1	6	4	NEW JOB STARTED DURING WEEK
7.9	1.3	134	5	COULD ONLY FIND PART-TIME WORK
19.8	3.3	335	6	DRUG OR ALCOHOL PROB
7.0	1.2	118	7	ILLNESS
3.7	0.6	62	8	VACATION
4.4	0.7	74	9	BUSY W/OTHER ACTIVITIES
3.8	0.6	65	10	DIDNT WANT/NEED FULL-TIME WORK
6.8	1.1	115	11	WORK WEEK USUALLY UNDER 35 HRS
2.3	0.4	39	12	UNABLE TO WORK
0.2	0.0	3	13	RETIRED
7.0	1.2	119	14	IN JAIL, RESIDENTIAL TX PROG
1.3	0.2	22	15	INVOLVED IN ILLEGAL ACTIVITIES
15.3	2.6	259	16	OTHER (SPECIFY)
	80.9	8,095	-9	LEGITIMATE SKIP
	1.8	182	-8	BLANK
	0.0	1	-7	REFUSAL
	0.3	31	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1432-1433

AH2F **USUALLY WORK 35+ HRS/WK JOB NOT INVLVNG**

Did you usually work 35 hours or more a week at a paid job that did not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	22.8	2,286	1	YES
54.7	27.6	2,761	2	NO
	14.6	1,463	-9	LEGITIMATE SKIP
	34.9	3,497	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1434-1435

AH2G **WHY DID YOU WORK <35 HRS/WK**

Why did you usually work less than 35 hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	1.9	192	1	SLACK WORK, LAYOFFS, STRIKE
1.0	0.3	26	2	SEASONAL WORKER
0.3	0.1	9	3	JOB TERMINATED DURING WEEK
0.1	0.0	3	4	NEW JOB STARTED DURING WEEK
5.3	1.4	139	5	COULD ONLY FIND PART-TIME WORK
20.2	5.3	533	6	DRUG OR ALCOHOL PROB
3.1	0.8	83	7	ILLNESS
0.1	0.0	3	8	VACATION
13.0	3.4	343	9	BUSY W/OTHER ACTIVITIES
5.1	1.4	136	10	DIDNT WANT/NEED FULL-TIME WORK
3.7	1.0	99	11	WORK WEEK USUALLY UNDER 35 HRS
8.5	2.2	225	12	UNABLE TO WORK
0.5	0.1	13	13	RETIRED
15.8	4.2	419	14	IN JAIL, RESIDENTIAL TX PROG
7.0	1.8	184	15	INVOLVED IN ILLEGAL ACTIVITIES
9.0	2.4	238	16	OTHER (SPECIFY)
	37.1	3,716	-9	LEGITIMATE SKIP
	34.9	3,493	-8	BLANK
	1.5	153	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1436-1437

AH3 LOOK FOR WORK/DIFFERENT JOB 12MOS BEF AD

Did you (look for work/ look for a different job) at all during the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	39.0	3,908	1	YES
60.5	59.9	5,991	2	NO
	1.1	108	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1438-1439

AH3_01 NO METHOD USED TO FIND WORK

What did you do during those 12 months to find work?

No methods used.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	33	1	CIRCLED
	59.8	5,985	-9	LEGITIMATE SKIP
	39.9	3,990	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1440-1441

AH3_02

PUB EMPLOYMNT AGENCY USED TO FIND WORK

What did you do during those 12 months to find work?

Public employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.6	963	2	CIRCLED
	59.9	5,991	-9	LEGITIMATE SKIP
	30.5	3,054	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1442-1443

AH3_03

PRIV EMPLOYMNT AGENCY USED TO FIND WORK

What did you do during those 12 months to find work?

Private employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	364	3	CIRCLED
	59.9	5,991	-9	LEGITIMATE SKIP
	36.5	3,653	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1444-1445

AH3_04	EMPLOYERS DIRCTLY APPROACHD TO FIND WORK
---------------	---

What did you do during those 12 months to find work?

Employers directly approached.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.1	2,208	4	CIRCLED
	59.8	5,987	-9	LEGITIMATE SKIP
	18.1	1,813	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1446-1447

AH3_05	TALKED W/FRIENDS/RELATIVES TO FIND WORK
---------------	--

What did you do during those 12 months to find work?

Talked with friends or relatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.3	1,230	5	CIRCLED
	59.9	5,991	-9	LEGITIMATE SKIP
	27.8	2,787	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1448-1449

AH3_06

PLACED OR ANSWERED ADS TO FIND WORK

What did you do during those 12 months to find work?

Placed or answered adds.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.2	2,021	6	CIRCLED
	59.8	5,987	-9	LEGITIMATE SKIP
	20.0	2,000	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1450-1451

AH3_07

USED OTHER METHODS TO FIND WORK

What did you do during those 12 months to find work?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	339	7	CIRCLED
	59.8	5,989	-9	LEGITIMATE SKIP
	36.8	3,680	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1452-1453

AH3B TROUBLE/PROBS FINDING WORK AT THIS TIME

Did you have trouble or problems finding (work/ a different job) during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	24.7	2,470	1	YES
37.7	15.0	1,497	2	NO
	59.2	5,930	-9	LEGITIMATE SKIP
	1.1	112	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1454-1455

AH3C1 PROBS: NO JOBS AVAILABLE

Why do you think you had problems finding (a job/ a different job)?

No jobs available.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.8	1,279	1	CIRCLED
	74.2	7,427	-9	LEGITIMATE SKIP
	12.8	1,285	-8	BLANK
	0.2	18	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1456-1457

AH3C2**PROBS: LACK EDUCATION/SKILLS/EXPRNCE**

Why do you think you had problems finding (a job/ a different job)?

Lack of education, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	436	2	CIRCLED
	74.3	7,437	-9	LEGITIMATE SKIP
	21.2	2,119	-8	BLANK
	0.2	17	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1458-1459

AH3C4**PROBS: TOO YOUNG OR TOO OLD**

Why do you think you had problems finding (a job/ a different job)?

Too young or too old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	33	4	CIRCLED
	99.5	9,959	-8	BLANK
	0.2	17	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1460-1461

AH3C7**PROBS: OTHER PERSONAL HANDICAPS**

Why do you think you had problems finding (a job/ a different job)?

Other personal handicaps.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	33	7	CIRCLED
	74.3	7,439	-9	LEGITIMATE SKIP
	25.2	2,520	-8	BLANK
	0.2	17	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1466-1467

AH3C8**PROBS: ILL HEALTH**

Why do you think you had problems finding (a job/ a different job)?

Ill health.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	63	8	CIRCLED
	74.3	7,436	-9	LEGITIMATE SKIP
	24.9	2,493	-8	BLANK
	0.2	17	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1468-1469

AH3C10 PROBS: PERCEIVED DISCRIMINATION

Why do you think you had problems finding (a job/ a different job)?

Perceived discrimination.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	58	10	CIRCLED
	74.3	7,439	-9	LEGITIMATE SKIP
	24.9	2,495	-8	BLANK
	0.2	17	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1470-1471

AH3C11 PROBS: OTHER

Why do you think you had problems finding (a job/ a different job)?

Other?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.2	622	11	CIRCLED
	74.2	7,431	-9	LEGITIMATE SKIP
	19.3	1,936	-8	BLANK
	0.2	20	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1472-1473

AH3D1**REASON: NO REASONS**

What were your reasons for not looking for (work/ a different job)?

No reasons.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	296	0	CIRCLED
	14.9	1,496	-9	LEGITIMATE SKIP
	82.1	8,216	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1474-1475

AH3D2**REASON: SATISFIED W/PRESENT JOB**

What were your reasons for not looking for (work/ a different job)?

Satisfied with present job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.4	2,144	1	CIRCLED
	78.6	7,863	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1476-1477

AH3D3 REASON: NO JOBS AVAILABLE IN LINE OF WOR

What were your reasons for not looking for (work/ a different job)?

Believes no job available in line of work or area.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	75	2	CIRCLED
	14.9	1,496	-9	LEGITIMATE SKIP
	84.3	8,437	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1478-1479

AH3D4 REASON: COULD NOT FIND ANY WORK

What were your reasons for not looking for (work/ a different job)?

Couldn't find any work.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	58	3	CIRCLED
	73.9	7,393	-9	LEGITIMATE SKIP
	25.6	2,558	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1480-1481

AH3D5**REASON: LACKS NECESSARY SCHOOLING**

What were your reasons for not looking for (work/ a different job)?

Lacks necessary schooling, training, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	81	4	CIRCLED
	15.0	1,497	-9	LEGITIMATE SKIP
	84.2	8,430	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1482-1483

AH3D6**REASON: EMPLOYERS THINK TOO YOUNG/OLD**

What were your reasons for not looking for (work/ a different job)?

Employers think too young/old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	5	CIRCLED
	15.0	1,497	-9	LEGITIMATE SKIP
	85.0	8,509	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1484-1485

AH3D7 REASON: OTHER PERSONAL HANDICAP

What were your reasons for not looking for (work/ a different job)?

Other personal handicap including drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	171	6	CIRCLED
	14.9	1,495	-9	LEGITIMATE SKIP
	83.3	8,342	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1486-1487

AH3D8 REASON: FAMILY RESPONSIBILITIES

What were your reasons for not looking for (work/ a different job)?

Family responsibilities, child care problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	438	7	CIRCLED
	14.9	1,494	-9	LEGITIMATE SKIP
	80.7	8,076	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1488-1489

AH3D9**REASON: IN SCHOOL OR OTHER TRAINING**

What were your reasons for not looking for (work/ a different job)?

In school or other training.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	89	8	CIRCLED
	14.9	1,496	-9	LEGITIMATE SKIP
	84.1	8,423	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1490-1491

AH3D10**REASON: ILL HEALTH/PHYSICAL DISABILITY**

What were your reasons for not looking for (work/ a different job)?

Ill health or physical disability other than drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.8	577	9	CIRCLED
	14.9	1,495	-9	LEGITIMATE SKIP
	79.3	7,936	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1492-1493

AH3D11 REASON: IN JAIL OR OTHER INSTITUTION

What were your reasons for not looking for (work/ a different job)?

In jail or other institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.8	782	10	CIRCLED
	14.9	1,489	-9	LEGITIMATE SKIP
	77.3	7,737	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1494-1495

AH3D12 REASON: DRUG ACTIVITIES/DRUG EFFECTS

What were your reasons for not looking for (work/ a different job)?

Drug activities or drug effects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.0	1,199	11	CIRCLED
	14.9	1,494	-9	LEGITIMATE SKIP
	73.1	7,315	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1496-1497

AH3D13**REASON: ILLEGAL ACTIVITIES**

What were your reasons for not looking for (work/ a different job)?

Illegal activities such as hustling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.9	392	12	CIRCLED
	14.9	1,495	-9	LEGITIMATE SKIP
	81.1	8,121	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1498-1499

AH3D14**REASON: SUPPORTED BY OTHER PROGRAM**

What were your reasons for not looking for (work/ a different job)?

Supported by other program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	78	13	CIRCLED
	15.0	1,497	-9	LEGITIMATE SKIP
	84.2	8,433	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1500-1501

AH3D15 REASON: LANGUAGE PROB

What were your reasons for not looking for (work/ a different job)?

Language problem (trouble speaking english).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	14	CIRCLED
	15.0	1,497	-9	LEGITIMATE SKIP
	85.0	8,511	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1502-1503

AH3D16 REASON: CONCERN ABOUT IMMIGRATION STATUS

What were your reasons for not looking for (work/ a different job)?

Concern about immigration status in U.S. (I.E. has a job without papers and making switch would be risky).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	15	CIRCLED
	15.0	1,497	-9	LEGITIMATE SKIP
	85.0	8,511	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1504-1505

AH3D17**REASON: OTHER**

What were your reasons for not looking for (work/ a different job)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.0	499	16	CIRCLED
	14.9	1,495	-9	LEGITIMATE SKIP
	80.1	8,014	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1506-1507

AH4**DISABILITY THAT INTERFERES W/WORK**

Do you have any disability that would interfere with your working?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	17.9	1,788	1	YES
81.9	81.0	8,112	2	NO
	1.0	105	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1508-1509

AH4A1 **1ST TYPE DISABILITY-RECODED**

What kind of disability is that? (1st mention)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
6.2	1.1	110	1	SUBSTANCE-RELATED CONDITIONS
15.4	2.7	275	2	MENTAL HEALTH CONDITIONS
78.4	13.9	1,396	3	ALL OTHER CONDITIONS
	80.9	8,101	-9	LEGITIMATE SKIP
	1.2	119	-8	BLANK
	0.1	6	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1510-1511

AH4A2 **2ND TYPE DISABILITY-RECODED**

What kind of disability is that? (2nd mention)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
7.9	0.4	41	1	SUBSTANCE-RELATED CONDITIONS
14.0	0.7	73	2	MENTAL HEALTH CONDITIONS
78.1	4.1	407	3	ALL OTHER CONDITIONS
	81.0	8,110	-9	LEGITIMATE SKIP
	13.7	1,376	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1512-1513

AH4A3**3RD TYPE DISABILITY-RECODED**

What kind of disability is that? (3rd mention)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
9.1	0.1	15	1	SUBSTANCE-RELATED CONDITIONS
12.8	0.2	21	2	MENTAL HEALTH CONDITIONS
78.0	1.3	128	3	ALL OTHER CONDITIONS
	81.0	8,111	-9	LEGITIMATE SKIP
	17.3	1,732	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1514-1515

AH4B**HOW SEVERELY DO YOU THINK YOU ARE DISABL**

Overall, how severely disabled do you think you are? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	3.6	364	1	SLIGHTLY
33.9	6.1	606	2	MODERATELY
31.6	5.6	565	3	SEVERELY
14.1	2.5	251	4	VERY SEVERELY
	80.9	8,100	-9	LEGITIMATE SKIP
	1.1	115	-8	BLANK
	0.0	2	-5	BAD DATA
	0.1	6	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1516-1517

AH5

DIFF LEGITIMATE JOBS 12 MOS BEF ADM

In the 12 months before admission, for how many different employers or businesses did you work legitimate jobs? If you worked for yourself, such as doing in-home child care or odd jobs and yard work, count this as one employer.

PCT VALID	PCT ALL	N	VALUE	LABEL
39.8	39.4	3,945	0	
37.3	37.0	3,703	1	
13.3	13.1	1,316	2	
5.8	5.7	571	3	
2.0	1.9	194	4	
0.8	0.8	84	5	
0.4	0.3	35	6	
0.2	0.2	17	7	
0.1	0.1	9	8	
0.0	0.0	2	9	
0.1	0.1	14	10	
0.0	0.0	1	11	
0.1	0.0	5	12	
0.0	0.0	1	13	
0.0	0.0	2	14	
0.0	0.0	1	15	
0.0	0.0	1	18	
0.1	0.1	6	20	
0.0	0.0	1	25	
0.0	0.0	1	30	
0.0	0.0	1	44	
0.0	0.0	1	49	
0.0	0.0	1	50	
0.0	0.0	1	51	
0.0	0.0	2	52	
0.0	0.0	1	60	
0.0	0.0	1	67	
0.0	0.0	1	90	
	0.9	89	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1522-1523

AH6 #WKS FULL/PART TIME JOBS 12 MOS BEF ADM

In the 12 months before admission, how many weeks were you employed in either full- or part- time jobs?

10,010 cases (Range of valid codes: 0-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1524-1525

AH7 #WKS WORKED 35+ HRS WK 12 MOS BEF ADM

In the 12 months before admission, how many weeks did you work 35 or more hours a week?

10,010 cases (Range of valid codes: 0-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1526-1527

AH8 #WKS WORKED FULL-TIME JOB 12 MOS BEF ADM

For how many weeks did you hold any one full-time job (35 hours or more a week) in the 12 months before admission?

10,010 cases (Range of valid codes: 0-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1528-1529

AH9

WHAT TYPE OF JOB OR OCCUPATION WAS THIS?

What type of job was this or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	2.9	292	1	PROFESSIONAL AND TECHNICAL
5.7	2.8	282	2	MANAGER AND ADMINISTRATOR
7.8	3.9	386	3	SALES
7.6	3.8	378	4	CLERICAL OR OFFICE WORKER
15.5	7.6	765	5	CRAFT AND KINDRED
8.8	4.3	435	6	OPERATIVES
4.8	2.4	238	7	TRANSPORTATION EQUIPMENT OPERATIVES
16.6	8.2	821	8	LABORERS (FARM & NONFARM)
24.6	12.2	1,218	10	SERVICE WORKER
2.6	1.3	129	86	OTHER
	47.2	4,725	-9	LEGITIMATE SKIP
	3.3	333	-8	BLANK
	0.1	7	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1530-1531

AH9A	WHAT TYPE OF BUSINESS/INDUSTRY WAS THIS?
-------------	---

What type of business or industry was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	1.5	155	1	AGRICULTURE/FORESTRY/FISHERIES
14.7	7.3	726	2	CONSTRUCTION
13.5	6.7	667	3	MANUFACTURING
8.6	4.2	424	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
3.3	1.6	162	5	WHOLESALE TRADE
21.2	10.4	1,045	6	RETAIL TRADE
3.7	1.8	184	7	FINANCE/INSUR./REAL ESTATE
10.9	5.4	536	8	BUSINESS/REPAIR SERVICES
4.4	2.2	218	9	PERSONAL SERVICES
1.5	0.7	74	10	ENTERTAINMENT/REC. SVCS
11.4	5.6	560	11	PROF./RELATED SVCS
3.0	1.5	147	12	PUB ADMIN.
0.6	0.3	28	13	INDUSTRY NOT REPORTED
	47.3	4,730	-9	LEGITIMATE SKIP
	3.4	337	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	14	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1532-1533

AH9B**WAS THIS YOUR USUAL OCCUPATION?**

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	36.2	3,619	1	YES
25.6	12.4	1,245	2	NO
0.0	0.0	0	4	NO-USUALLY CLERICAL
0.0	0.0	0	5	NO-USUALLY CRAFT/KINDRED
0.0	0.0	0	10	NO-USUALLY SVC WKR
	47.3	4,732	-9	LEGITIMATE SKIP
	4.0	403	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	6	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1534-1535

AH9B1**OCCUPATION CODE FOR USUAL OCCUPATION**

What is your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.5	55	1	PROFESSIONAL AND TECHNICAL
5.5	0.4	39	2	MANAGER AND ADMINISTRATOR
7.3	0.5	52	3	SALES
10.0	0.7	71	4	CLERICAL OR OFFICE WORKER
17.7	1.3	126	5	CRAFT AND KINDRED
6.9	0.5	49	6	OPERATIVES
5.8	0.4	41	7	TRANSPORTATION EQUIPMENT OPERATIVES
16.8	1.2	119	8	LABORERS (FARM & NONFARM)
17.0	1.2	121	10	SERVICE WORKER
5.2	0.4	37	86	OTHER
	22.6	2,267	-9	LEGITIMATE SKIP
	34.5	3,452	-8	BLANK
	0.0	3	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.1	6	-3	NOT APPLICABLE
	35.7	3,570	-1	VARIABLE NOT ON FORM

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1536-1537

AH9C1 RATE OF PAY BEFORE TAXES

What was your wage, salary, or rate of pay before taxes?

10,010 cases (Range of valid codes: 0.00-620000.00)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 1538-1546

AH9C2 CODE FOR THE RATE GIVEN

How frequently were you paid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	27.5	2,754	1	HOUR
20.5	9.6	965	2	WEEK
2.8	1.3	130	3	2 WKS
4.6	2.1	215	4	MONTH
11.1	5.2	521	5	YR
2.4	1.1	112	6	OTHER
	47.3	4,736	-9	LEGITIMATE SKIP
	5.3	535	-8	BLANK
	0.2	24	-7	REFUSAL
	0.1	7	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1547-1548

AH9D3 NUMBER OF WKS HELD THAT JOB

How long had you held that job?

_____ WEEKS

10,010 cases (Range of valid codes: 0-3,120)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1549-1552

AH9E**IS THIS THE LONGEST YOU EVER HELD A JOB?**

Is this the longest you ever held a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	18.2	1,817	1	YES
63.2	31.2	3,122	2	NO
	47.2	4,729	-9	LEGITIMATE SKIP
	3.4	337	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1553-1554

AH10**LAST WORKED AT LEGITIMATE FULL-TIME JOB**

When did you last work at a legitimate full-time job (35 hours or more per week)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	7.1	714	0	NEVER HAD A FULL TIME JOB
3.8	1.9	192	1	WITHIN MONTH BEF ADM
5.3	2.7	268	2	WITHIN PAST 12 MOS
76.9	39.1	3,918	3	MORE THAN 1 YR AGO
	48.0	4,802	-9	LEGITIMATE SKIP
	1.1	106	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	3	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1555-1556

AH10_M	MOS AGO LAST WORKED F/T LEGIT JOB
---------------	--

When did you last work at a legitimate full-time job (35 hours or more per week)? How many months ago?

10,010 cases (Range of valid codes: 0-401)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1557-1559

AH10A	WHAT TYPE OF JOB/OCCUPATION WAS THIS?
--------------	--

What type of job was this, or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	1.6	165	1	PROFESSIONAL AND TECHNICAL
3.7	1.6	163	2	MANAGER AND ADMINISTRATOR
8.9	3.9	390	3	SALES
11.2	4.9	488	4	CLERICAL OR OFFICE WORKER
9.8	4.3	427	5	CRAFT AND KINDRED
10.0	4.4	436	6	OPERATIVES
4.4	1.9	194	7	TRANSPORTATION EQUIPMENT OPERATIVES
15.1	6.6	660	8	LABORERS (FARM & NONFARM)
29.8	13.0	1,304	10	SERVICE WORKER
3.3	1.4	144	86	OTHER
	55.1	5,517	-9	LEGITIMATE SKIP
	1.1	115	-8	BLANK
	0.1	6	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1560-1561

AH10B**WHAT TYPE OF INDUSTRY WAS THIS?**

What type of industry was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.8	83	1	AGRICULTURE/FORESTRY/FISHERIES
10.8	4.7	469	2	CONSTRUCTION
14.3	6.2	621	3	MANUFACTURING
7.7	3.3	333	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
2.4	1.0	103	5	WHOLESALE TRADE
25.1	10.9	1,089	6	RETAIL TRADE
3.8	1.6	164	7	FINANCE/INSUR./REAL ESTATE
8.9	3.8	385	8	BUSINESS/REPAIR SERVICES
5.8	2.5	254	9	PERSONAL SERVICES
1.8	0.8	80	10	ENTERTAINMENT/REC. SVCS
14.3	6.2	622	11	PROF./RELATED SVCS
2.6	1.1	112	12	PUB ADMIN.
0.7	0.3	31	13	INDUSTRY NOT REPORTED
	55.2	5,521	-9	LEGITIMATE SKIP
	1.3	128	-8	BLANK
	0.1	6	-7	REFUSAL
	0.1	8	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1562-1563

AH10C1**RATE OF PAY BEFORE TAXES**

What was your wage, salary, or rate of pay at that job before taxes?

10,010 cases (Range of valid codes: 0.00-425000.00)

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 1564-1572

AH10C2	CODE FOR THE RATE GIVEN
---------------	--------------------------------

How frequently were you paid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	28.5	2,848	1	HOUR
18.7	7.8	784	2	WEEK
3.0	1.2	125	3	2 WKS
3.4	1.4	142	4	MONTH
5.0	2.1	211	5	YR
2.1	0.9	89	6	OTHER
	55.1	5,519	-9	LEGITIMATE SKIP
	2.3	227	-8	BLANK
	0.1	6	-7	REFUSAL
	0.1	13	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.4	43	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1573-1574

AH10D3	NUMBER OF WKS HELD THAT JOB
---------------	------------------------------------

How long did you hold that job?

_____ WEEKS

10,010 cases (Range of valid codes: 0-2,432)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1575-1578

AH10E

IS THIS THE LONGEST YOU EVER HELD A JOB?

Is this the longest you ever held a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.6	23.3	2,334	1	YES
46.4	20.2	2,020	2	NO
	55.1	5,511	-9	LEGITIMATE SKIP
	1.3	135	-8	BLANK
	0.0	5	-7	REFUSAL
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1579-1580

AH11_3

WKS HELD LEGITIMATE FULL-TIME JOB

What was the longest you ever held any one legitimate, full-time job?

_____ WEEKS

10,010 cases (Range of valid codes: 0-1,968)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1581-1584

AH11A **WHEN LAST WORKED ON THAT FULL-TIME JOB**

When did you last work on that full-time job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.5	54	1	WITHIN MONTH BEF ADM
3.0	1.5	151	2	WITHIN PAST 12 MOS
95.9	48.3	4,837	3	MORE THAN 1 YR AGO
	48.0	4,800	-9	LEGITIMATE SKIP
	1.6	157	-8	BLANK
	0.1	6	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1585-1586

AH11A_M **MOS AGO LAST WORKED LONGEST F/T JOB**

When did you last work on that full-time job? How many months ago?

10,010 cases (Range of valid codes: 0-494)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1587-1589

AH11B

WHAT TYPE OF JOB/OCCUPATION WAS THIS?

What type of job or occupation was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	2.1	210	1	PROFESSIONAL AND TECHNICAL
6.0	3.0	303	2	MANAGER AND ADMINISTRATOR
7.8	3.9	393	3	SALES
10.2	5.2	516	4	CLERICAL OR OFFICE WORKER
14.3	7.3	726	5	CRAFT AND KINDRED
9.4	4.8	476	6	OPERATIVES
5.3	2.7	266	7	TRANSPORTATION EQUIPMENT OPERATIVES
14.0	7.1	708	8	LABORERS (FARM & NONFARM)
24.2	12.2	1,223	10	SERVICE WORKER
4.8	2.4	241	86	OTHER
	48.0	4,804	-9	LEGITIMATE SKIP
	1.3	126	-8	BLANK
	0.1	9	-7	REFUSAL
	0.0	3	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1590-1591

AH11C	WHAT TYPE OF INDUSTRY WAS THAT?
--------------	--

What type of industry was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	1.2	119	1	AGRICULTURE/FORESTRY/FISHERIES
11.1	5.6	557	2	CONSTRUCTION
17.3	8.6	864	3	MANUFACTURING
8.4	4.2	420	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
2.8	1.4	142	5	WHOLESALE TRADE
23.8	11.9	1,190	6	RETAIL TRADE
4.2	2.1	210	7	FINANCE/INSUR./REAL ESTATE
7.6	3.8	381	8	BUSINESS/REPAIR SERVICES
4.3	2.1	214	9	PERSONAL SERVICES
1.6	0.8	81	10	ENTERTAINMENT/REC. SVCS
10.9	5.4	544	11	PROF./RELATED SVCS
4.8	2.4	241	12	PUB ADMIN.
0.9	0.4	43	13	INDUSTRY NOT REPORTED
	48.0	4,805	-9	LEGITIMATE SKIP
	1.5	154	-8	BLANK
	0.1	8	-7	REFUSAL
	0.4	36	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1592-1593

AH11D1	HIGHEST RATE OF PAY BEFORE TAXES
---------------	---

What was your highest wage, salary, or rate of pay at that job before taxes?

10,010 cases (Range of valid codes: 0.0000-550000.0000)

Data type: numeric
 Decimals: 4
 Missing-data codes: lowest thru -1.0000
 Columns: 1594-1604

AH11D2	CODE FOR THE RATE GIVEN
---------------	--------------------------------

How frequently were you paid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	30.4	3,041	1	HOUR
18.3	8.9	892	2	WEEK
2.4	1.2	117	3	2 WKS
6.3	3.1	306	4	MONTH
9.4	4.6	457	5	YR
1.4	0.7	68	6	OTHER
	47.9	4,793	-9	LEGITIMATE SKIP
	2.7	267	-8	BLANK
	0.1	14	-7	REFUSAL
	0.1	7	-6	MULTIPLE RESPONSE
	0.5	48	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1605-1606

AH12	HOW WELL GOT ALONG W/SUPERVISOR AT WORK
-------------	--

How well did you usually get along with your supervisors at work? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	129	1	VERY POORLY
1.9	1.7	172	2	SOMEWHAT POORLY
7.0	6.3	634	3	A LITTLE LESS THAN AVERAGE
89.7	81.6	8,170	4	WELL OR VERY WELL
	7.0	705	-9	LEGITIMATE SKIP
	1.3	134	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	3	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
	0.5	54	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1607-1608

AH14A	HAD 3+ JOBS IN LAST 5 YRS
--------------	----------------------------------

Have you had 3 or more jobs in the last 5 years?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	29.5	2,954	1	YES
39.1	18.9	1,893	2	NO
	49.2	4,928	-9	LEGITIMATE SKIP
	2.3	231	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1613-1614

AH15	EVER BEEN FIRED FROM MORE THAN 1 JOB
-------------	---

Have you (ever) been fired from more than 1 job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	24.0	2,403	1	YES
75.2	72.6	7,268	2	NO
	1.9	190	-9	LEGITIMATE SKIP
	1.5	146	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1615-1616

AH15A	AGE WHEN 1ST FIRED
--------------	---------------------------

How old were you the first time that you were fired?

10,010 cases (Range of valid codes: 11-54)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1617-1618

AH15B WHEN WAS THE LAST TIME?

When was the last time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	1.3	132	1	WITHIN MONTH BEF ADM
18.1	4.4	437	2	WITHIN PAST 12 MOS
76.4	18.4	1,843	3	MORE THAN 1 YR AGO
	74.3	7,433	-9	LEGITIMATE SKIP
	1.6	158	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1619-1620

AH15B_M MOS AGO LAST TIME FIRED FROM JOB

When was the last time? How many months ago?

10,010 cases (Range of valid codes: 0-475)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1621-1623

AH16 SINCE 18 QUIT 3 JOBS BEF HAD ANOTHER JOB

Since you were 18, have you quit a job 3 times or more before you already had another job lined up? (Do not include times when you quit to return to school, due to illness or maternity, the transfer of your spouse, and/or becoming a full-time homemaker).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	26.4	2,646	1	YES
72.6	69.9	6,997	2	NO
	1.9	193	-9	LEGITIMATE SKIP
	1.7	173	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1624-1625

AH16A	AGE 1ST QUIT JOB BEF HAD ANOTHER JOB
--------------	---

How old were you the first time you quit a job without another lined up?

10,010 cases (Range of valid codes: 11-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1626-1627

AH16B	WHEN WAS THE LAST TIME?
--------------	--------------------------------

When was the last time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	1.7	166	1	WITHIN MONTH BEF ADM
17.3	4.5	454	2	WITHIN PAST 12 MOS
76.4	20.1	2,010	3	MORE THAN 1 YR AGO
	71.8	7,184	-9	LEGITIMATE SKIP
	1.8	185	-8	BLANK
	0.1	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1628-1629

AH16B_M	MOS AGO LAST QUIT JOB
----------------	------------------------------

When was the last time? How many months ago?

10,010 cases (Range of valid codes: 0-418)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1630-1632

AH17 **SINCE 18 LATE/ABSENT 3+ DAYS/MO**

On any job you have had since you were 18, were you late or absent an average of 3 days a month or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	35.7	3,571	1	YES
63.2	61.3	6,135	2	NO
	1.9	192	-9	LEGITIMATE SKIP
	1.1	109	-8	BLANK
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1633-1634

AH17A **TELL DR ABOUT FREQUENT WORK ABSENCES**

Did you tell a doctor about frequently being late or absent from work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	4.7	470	1	YES
86.9	31.1	3,112	2	NO
	63.1	6,313	-9	LEGITIMATE SKIP
	1.1	113	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1635-1636

AH17B	WHAT WAS DR'S DIAGNOSIS?
--------------	---------------------------------

When you told the doctor, what was the diagnosis? (What did he or she say was causing this missing or being absent from work?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	2.7	271	1	PHYSICAL ILLNESS/INJURY
17.3	0.8	82	2	MEDICATION/DRUG/ALCOHOL
10.1	0.5	48	3	NERVES, ANXIETY, STRESS, DEPRESSION
15.6	0.7	74	4	NO DEFINITE DIAGNOSIS
	94.0	9,414	-9	LEGITIMATE SKIP
	1.2	118	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1637-1638

AH17C	ABNORMAL FINDING FROM EXAM/TESTS/X-RAYS
--------------	--

Did the doctor find anything abnormal when he examined you or took tests or X- rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	0.3	28	1	YES
75.7	0.9	87	2	NO
	97.6	9,774	-9	LEGITIMATE SKIP
	1.2	119	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1639-1640

AH17D **MISS/LATE FOR WORK RESLT OF ILLNSS/INJUR**

Was your missing work or being late for work ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	8.8	883	1	YES
71.8	22.5	2,252	2	NO
	67.4	6,742	-9	LEGITIMATE SKIP
	1.3	130	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1641-1642

AH17E **MISSING WORK ALWAYS RESLT OF ILLNESS/INJ**

Was your frequently missing work or being late for work always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	3.7	369	1	YES
69.2	8.3	829	2	NO
	86.7	8,675	-9	LEGITIMATE SKIP
	1.4	136	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1643-1644

AH18 **LAST 5 YRS # MOS WITHOUT JOB**

During the last 5 years, how many months have you been without a job?

10,010 cases (Range of valid codes: 0-60)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1645-1646

AH18A	OUT JOB MARKET BECAUSE RETIRED/SCHOOL/IL
--------------	---

During any of those (MONTHS IN H18) months when you were not working in the last 5 years, were you out of the job market because you were retired, in school full-time, (a full-time homemaker), or too physically ill to work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	25.8	2,584	1	YES
64.8	47.5	4,753	2	NO
	25.1	2,510	-9	LEGITIMATE SKIP
	1.6	163	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1647-1648

AH18B3	WKS OUT MARKET BECAUSE RETIRED/SCHOOL/IL
---------------	---

Altogether, how long were you out of the job market because you were retired, in school full-time, (a full-time homemaker), or too physically ill to work?

_____ WEEKS

10,010 cases (Range of valid codes: 0-3,376)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1649-1652

AH19	H18 MINUS H18B = 6 MOS OR MORE?
-------------	--

DOES H18 MINUS H18B = 6 MONTHS OR MORE?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	13.3	1,332	1	NO, LESS THAN 6 MOS
82.2	61.2	6,131	2	YES, 6 MOS OR MORE
	24.1	2,410	-9	LEGITIMATE SKIP
	1.3	135	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1653-1654

AH20**TROUBLES HOLDING JOB 12 MOS BEF ADM**

In the 12 months before admission, how troubled were you by problems getting, holding, or working a job? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	51.9	5,193	0	NOT AT ALL
23.4	23.1	2,312	1	SOMEWHAT
23.9	23.6	2,359	2	VERY MUCH
	1.4	138	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1660-1661

AH21**IMPORTANCE REFERRAL EMPLOYMENT/TRAINING**

How important to you now is help or referral for employment, training, or vocational counseling? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	30.7	3,075	0	NOT AT ALL
15.7	15.5	1,549	1	SOMEWHAT
53.2	52.5	5,259	2	VERY MUCH
	1.2	122	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1662-1663

AH22 PROBS DUE DRUGS GETTING/HLDDING/WRKNG JOB

Did you experience any problems getting, holding, or working a job because of drug or alcohol use in the 12 months before ADMISSION?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.3	37.8	3,781	1	YES
61.7	60.8	6,091	2	NO
	1.3	133	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1664-1665

AH22A HOW SERIOUS JOB PROBS DUE DRUGS/ALC

How serious were the job problems you had because of using drugs or alcohol? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	1.1	113	1	NOT AT ALL
29.6	11.2	1,125	2	SOMEWHAT
67.4	25.6	2,562	3	VERY MUCH
	60.6	6,064	-9	LEGITIMATE SKIP
	1.4	142	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1666-1667

INCOME AND EXPENDITURES

AJ1A

INCOME SOURCE:WORK/NO ILLEGAL ACTIVITIES

In this section, I'd like some information on your sources of income and expenses. In the 12 months before your admission to this program, did you receive any income from work that did not include illegal activities, including jobs paid "off the books" or "under the table" [INCLUDES ODD JOBS, IN- HOME WORK, ETC.]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	57.8	5,782	1	YES
40.4	39.1	3,913	2	NO
	2.1	206	-8	BLANK
	0.7	74	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	4	-5	BAD DATA
	0.3	26	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1668-1669

AJ2A

AMOUNT: WORK/NO ILLEGAL ACTIVITIES

In the 12 months before admission, how much income did you personally receive before taxes from work that did not include illegal activities, including jobs paid "off the books" or "under the table" [INCLUDES ODD JOBS, IN- HOME WORK, ETC.]?

10,010 cases (Range of valid codes: 2-620000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1670-1675

AJ1B INCOME SOURCE: SSI BECAUSE OF LOW INCOME

In this section, I'd like some information on your sources of income and expenses. In the 12 months before your admission to this program, did you receive any income from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	36.8	3,684	1	YES
61.8	59.4	5,950	2	NO
	2.7	272	-8	BLANK
	0.7	73	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	4	-5	BAD DATA
	0.2	21	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1676-1677

AJ2B AMOUNT: SSI BECAUSE OF LOW INCOME

In the 12 months before admission, how much income did you personally receive before taxes from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

10,010 cases (Range of valid codes: 2-52400)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1678-1682

AJ1C INCOME SOURCE: EARNED SOC SEC BENEFITS

In this section, I'd like some information on your sources of income and expenses. In the 12 months before your admission to this program, did you receive any income from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.0	1,005	1	YES
89.6	86.1	8,623	2	NO
	2.8	283	-8	BLANK
	0.7	74	-7	REFUSAL
	0.0	4	-5	BAD DATA
	0.2	17	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1683-1684

AJ2C AMOUNT: EARNED SOC SEC BENEFITS

In the 12 months before admission, how much income did you personally receive before taxes from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

10,010 cases (Range of valid codes: 2-75000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1685-1689

AJ1D INCOME SOURCE: SPOUSE/FAMILY/FRIENDS

In this section, I'd like some information on your sources of income and expenses. In the 12 months before your admission to this program, did you receive any income from a spouse, family members, or friends, including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	23.7	2,368	1	YES
75.4	72.4	7,246	2	NO
	2.9	292	-8	BLANK
	0.8	78	-7	REFUSAL
	0.0	4	-5	BAD DATA
	0.2	18	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1690-1691

AJ2D AMOUNT: SPOUSE/FAMILY/FRIENDS

In the 12 months before admission, how much income did you personally receive before taxes from a spouse, family members, or friends, including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments?

10,010 cases (Range of valid codes: 2-300,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1692-1697

AJ1E**INCOME SOURCE: (POSSIBLY) ILLEGAL SOURCES**

In this section, I'd like some information on your sources of income and expenses. In the 12 months before your admission to this program, did you receive any income from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	25.8	2,582	1	YES
72.8	68.9	6,897	2	NO
	3.9	387	-8	BLANK
	1.1	115	-7	REFUSAL
	0.0	4	-5	BAD DATA
	0.2	21	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1698-1699

AJ2E**AMOUNT: (POSSIBLY) ILLEGAL SOURCES**

In the 12 months before admission, how much income did you personally receive before taxes from illegal or possibly illegal sources such as hustling or dealing?

10,010 cases (Range of valid codes: 1-500,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1700-1705

AJ1F INCOME SOURCE: ANY OTHER SOURCES

In this section, I'd like some information on your sources of income and expenses. In the 12 months before your admission to this program, did you receive any income from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you (SPECIFY)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.1	314	1	YES
96.6	90.3	9,036	2	NO
	5.6	557	-8	BLANK
	0.8	78	-7	REFUSAL
	0.0	4	-5	BAD DATA
	0.2	17	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1706-1707

AJ2F AMOUNT: ANY OTHER SOURCES

In the 12 months before admission, how much income did you personally receive before taxes from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you (SPECIFY)?

10,010 cases (Range of valid codes: 2-200,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1708-1713

AJ2_TOT TOTAL OF COLUMN J2

During the 12 months before admission, which code on this card best indicates your own total dollar income before taxes from all sources?

10,010 cases (Range of valid codes: 0-999999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1714-1719

AJ3

TOTAL INCOME BEF TAXES 12 MOS BEF ADM

During the 12 months before admission, which code on this card best indicates your own total dollar income before taxes from all sources?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.5	548	0	NO INCOME
11.7	11.0	1,100	1	\$1-1,999
5.1	4.8	479	2	2,000-2,999
4.9	4.6	461	3	3,000-3,999
4.5	4.2	421	4	4,000-4,999
6.1	5.8	576	5	5,000-5,999
5.1	4.8	481	6	6,000-6,999
4.3	4.0	404	7	7,000-7,999
3.7	3.5	353	8	8,000-8,999
3.1	2.9	293	9	9,000-9,999
6.4	6.0	598	10	10,000-11,999
4.5	4.2	424	12	12,000-13,999
4.2	4.0	399	14	14,000-15,999
3.0	2.8	281	16	16,000-17,999
2.8	2.6	262	18	18,000-19,999
5.4	5.0	505	20	20,000-23,999
5.2	4.9	488	24	24,000-29,999
5.8	5.5	547	30	30,000-39,999
2.8	2.6	263	40	40,000-49,999
3.7	3.5	346	50	50,000-99,999
2.0	1.8	185	100	100,000 or more
	2.2	223	-8	BLANK
	1.5	149	-7	REFUSAL
	0.1	13	-5	BAD DATA
	2.0	205	-4	DON'T KNOW
	0.1	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1720-1722

AJ4	AT TIME ADM WERE YOU LIVING ALONE?
------------	---

At the time you were admitted, were you living alone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	23.3	2,337	1	YES
76.2	74.8	7,483	2	NO
	1.4	143	-8	BLANK
	0.2	24	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.1	6	-5	BAD DATA
	0.1	15	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1723-1724

AJ5	SHARING INCOME/EXPENSES W/PEOPLE LIVED W
------------	---

Were you sharing your income and expenses with any of the people you lived with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	43.5	4,358	1	YES
43.3	33.3	3,334	2	NO
	21.0	2,106	-9	LEGITIMATE SKIP
	1.7	168	-8	BLANK
	0.2	23	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.2	18	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1725-1726

AJ5A

PEOPLE SHARED INCOME/EXPENSES WITH

How many of these people did you share your income and expenses with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.2	19	0	
47.2	20.8	2,082	1	
22.6	10.0	996	2	
15.0	6.6	661	3	
7.7	3.4	339	4	
4.0	1.8	178	5	
1.7	0.7	74	6	
0.6	0.3	26	7	
0.4	0.2	17	8	
0.0	0.0	2	9	
0.2	0.1	9	10	
0.1	0.0	4	12	
0.0	0.0	1	14	
0.0	0.0	1	18	
0.0	0.0	1	19	
0.0	0.0	1	21	
0.0	0.0	1	25	
0.0	0.0	1	32	
0.0	0.0	1	40	
0.0	0.0	1	50	
	54.0	5,402	-9	LEGITIMATE SKIP
	1.5	155	-8	BLANK
	0.2	18	-7	REFUSAL
	0.0	3	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.2	16	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1727-1728

AJ6	TOTAL INCOME BEF TAXES OF YOU/THESE PEOP
------------	---

Please look at this card. Which code shows the amount that is closest to the total combined dollar income before taxes of you and these (NUMBER FROM J5a) people in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.9	88	0	NO INCOME
2.7	0.9	95	1	\$1-1,999
2.0	0.7	69	2	2,000-2,999
1.8	0.6	65	3	3,000-3,999
2.4	0.8	83	4	4,000-4,999
3.3	1.2	116	5	5,000-5,999
3.2	1.1	114	6	6,000-6,999
2.9	1.0	101	7	7,000-7,999
2.7	1.0	96	8	8,000-8,999
2.3	0.8	82	9	9,000-9,999
5.0	1.8	177	10	10,000-11,999
4.5	1.6	158	12	12,000-13,999
4.4	1.5	154	14	14,000-15,999
3.8	1.3	135	16	16,000-17,999
3.4	1.2	121	18	18,000-19,999
7.1	2.5	248	20	20,000-23,999
7.6	2.7	267	24	24,000-29,999
11.6	4.1	409	30	30,000-39,999
9.8	3.4	344	40	40,000-49,999
12.3	4.3	434	50	50,000-99,999
4.6	1.6	160	100	100,000 or more
	53.7	5,372	-9	LEGITIMATE SKIP
	1.9	192	-8	BLANK
	0.9	90	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	9	-5	BAD DATA
	8.2	816	-4	DON'T KNOW
	0.1	14	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1729-1731

AJ7A1 SPENDING FOR HOUSING 12 MOS BEFORE ADM

In the 12 months before admission to this program, please tell me about how much (you/ you and these (NUMBER FROM J5a) members of the household together) spent for housing, including rent or mortgage payments and utilities?

10,010 cases (Range of valid codes: 0-84800)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1732-1736

AJ7A2 MONTH OR YR FOR HOUSING

Was that for a month or year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	62.6	6,267	1	MONTH
25.9	21.9	2,190	2	YR
	10.5	1,048	-8	BLANK
	0.5	49	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	11	-5	BAD DATA
	4.1	412	-4	DON'T KNOW
	0.3	32	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1737-1738

AJ7B1 SPENDING MED EXPENSES 12 MOS BEFORE ADM

In the 12 months before admission to this program, please tell me about how much (you/ you and these (NUMBER FROM J5a) members of the household together) spent for medical expenses, including prescriptions, health insurance, and payments for HMO costs (in the 12 months before admission)?

10,010 cases (Range of valid codes: 0-99,999)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1739-1743

AJ7B2	MONTH OR YR FOR MEDICAL EXPENSES
--------------	---

Was that for a month or year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	26.5	2,656	1	MONTH
69.4	60.2	6,030	2	YR
	7.5	750	-8	BLANK
	0.4	39	-7	REFUSAL
	0.3	33	-5	BAD DATA
	4.8	477	-4	DON'T KNOW
	0.2	25	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1744-1745

AJ7C1	SPENDING FOOD/CLOTHNG 12 MOS BEFORE ADM
--------------	--

In the 12 months before admission to this program, please tell me about how much (you/ you and these (NUMBER FROM J5a) members of the household together) spent for food, clothing, and living expenses?

10,010 cases (Range of valid codes: 0-60000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1746-1750

AJ7C2**MONTH OR YR FOR FOOD/CLOTHING EXPENSES**

Was that for a month or year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	63.6	6,371	1	MONTH
22.8	18.8	1,885	2	YR
	12.5	1,249	-8	BLANK
	0.4	45	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	6	-5	BAD DATA
	4.3	431	-4	DON'T KNOW
	0.2	22	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1751-1752

AJ7D1**OTHER SPENDING 12 MOS BEFORE ADM**

In the 12 months before admission to this program, please tell me about how much (you/ you and these (NUMBER FROM J5a) members of the household together) spent for other expenses, including things like gifts, loans, entertainment, and other debts?

10,010 cases (Range of valid codes: 0-90,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1753-1757

AJ7D2	MONTH OR YR FOR OTHER SPENDING
--------------	---------------------------------------

Was that for a month or year?

PCT VALID	PCT ALL	N	VALUE	LABEL
49.7	41.7	4,171	1	MONTH
50.3	42.2	4,229	2	YR
	10.7	1,074	-8	BLANK
	0.4	45	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	12	-5	BAD DATA
	4.6	456	-4	DON'T KNOW
	0.2	22	-3	NOT APPLICABLE

100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1758-1759

AJ8	#MOS NOT ABLE TO PAY BILLS 12 MOS BEF AD
------------	---

In the 12 months before admission, how many months, if any, did you not have enough money to pay your bills?

PCT VALID	PCT ALL	N	VALUE	LABEL
51.5	50.2	5,027	0	
3.3	3.2	322	1	
7.8	7.6	762	2	
5.6	5.5	548	3	
4.1	4.0	397	4	
2.2	2.1	214	5	
4.3	4.2	418	6	
0.8	0.8	83	7	
1.2	1.1	114	8	
0.5	0.4	44	9	
0.9	0.8	84	10	
0.2	0.2	21	11	
17.8	17.3	1,736	12	
	1.3	134	-8	BLANK
	0.2	24	-7	REFUSAL
	0.0	5	-5	BAD DATA
	0.6	60	-4	DON'T KNOW
	0.2	16	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE

100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1760-1761

AJ9**BOTHERD BY MONEY PROBS 12MOS BEFORE ADM**

How troubled or bothered were you in the 12 months before admission by any financial or money problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	29.5	2,952	0	NOT AT ALL
27.7	27.3	2,729	1	SOMEWHAT
42.4	41.8	4,187	2	VERY MUCH
	1.2	116	-8	BLANK
	0.2	17	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1762-1763

AJ10**MONEY PROBS BECAUSE OF ALCOHOL/DRUGS**

Did you have any financial or money problems because of your alcohol or drug use in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	60.1	6,012	1	YES
39.2	38.7	3,875	2	NO
	1.0	105	-8	BLANK
	0.1	13	-7	REFUSAL
	0.0	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1764-1765

AJ12	MOVED TO AVOID RENT/MADE NO PAYMENTS
-------------	---

Have you ever moved to avoid paying rent or borrowed money without making any payments on it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	25.0	2,500	1	YES
74.7	73.9	7,395	2	NO
	1.0	104	-8	BLANK
	0.1	9	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1770-1771

AJ12A	LAST TIME DID EITHER OF THESE THINGS
--------------	---

When was the last time you did either of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	4.0	400	1	WITHIN MONTH BEF ADM
34.3	8.3	831	2	WITHIN PAST 12 MOS
49.1	11.9	1,189	3	MORE THAN 1 YR AGO
	73.8	7,384	-9	LEGITIMATE SKIP
	1.9	190	-8	BLANK
	0.1	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1772-1773

AJ12A_M	MOS AGO LAST MOVED TO AVOID PAYING RENT
----------------	--

When was the last time you did either of these things? How many months ago?

10,010 cases (Range of valid codes: 0-390)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1774-1776

AJ12B DOING THIS WAS OK BECAUSE MISTREATED

Did you feel that doing that was okay because you had been mistreated or the person deserved it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	5.7	574	1	YES
71.0	17.2	1,720	2	NO
5.3	1.3	128	3	FELT BAD ABOUT SOME, NOT OTHERS
	73.7	7,382	-9	LEGITIMATE SKIP
	1.9	191	-8	BLANK
	0.1	7	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	6	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1777-1778

AJ13 SUED FOR BAD DEBT/THINGS TAKEN BACK

Have you ever been sued for a bad debt or had things you bought taken back because you didn't meet the payments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	16.1	1,616	1	YES
83.6	82.5	8,259	2	NO
	1.2	123	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1779-1780

AJ14	AGE WHEN 1ST DID ANY OF THESE THINGS
-------------	---

You have mentioned during this interview that you have [READ ALL CHECKED ITEMS ON TALLY SHEET Y]. How old were you the first time you did any of these things?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1781-1782

AJ14A	AGE LAST TIME DID ANY OF THESE THINGS
--------------	--

How old were you the last time you did any of these things?

10,010 cases (Range of valid codes: 0-90)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1783-1784

AJ14B	DID ANY OF THESE THINGS BETW 18-25
--------------	---

Did you do any of these things between the ages of 18 and 25?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	65.5	6,554	1	YES
21.2	17.6	1,758	2	NO
	10.4	1,038	-9	LEGITIMATE SKIP
	5.9	587	-8	BLANK
	0.1	6	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	12	-4	DON'T KNOW
	0.5	53	-3	NOT APPLICABLE

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1785-1786

AK12A1	ALCOHOL:LONGER/LARGER AMOUNTS
---------------	--------------------------------------

Which of these have you often used in larger amounts than you intended to? Which of these have you used for a longer period of time than had intended to?

Alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	47.6	4,764	1	YES
32.8	23.2	2,323	2	NO
	21.4	2,144	-9	LEGITIMATE SKIP
	7.8	776	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1791-1792

AK12B1	ALCOHOL:RECENCY
---------------	------------------------

When was the last time you used alcohol in larger amounts than you intended? When was the last time you used alcohol for a longer period of time than you intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	34.0	3,407	2	WITHIN PAST 12 MOS
28.7	13.7	1,370	3	MORE THAN 1 YR AGO
	44.4	4,444	-9	LEGITIMATE SKIP
	7.8	784	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1793-1794

AK12B1_M MOS AGO USED MORE/LONGER: ALC

When was the last time you used alcohol in larger amounts than you intended? When was the last time you used alcohol for a longer period of time than you intended? How many months ago?

10,010 cases (Range of valid codes: 0-648)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1795-1797

AK12A2 MARIJUANA/HASH/THC:LONGER/LARGER AMOUNTS

Which of these have you often used in larger amounts than you intended to? Which of these have you used for a longer period of time than had intended to?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	27.4	2,744	1	YES
61.6	43.9	4,397	2	NO
	18.8	1,886	-9	LEGITIMATE SKIP
	9.8	983	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1798-1799

AK12B2**MARIJUANA/HASH/THC:RECENCY**

When was the last time you used marijuana, hashish, or THC in larger amounts than you intended? When was the last time you used marijuana, hashish, or THC for a longer period of time than you had intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.4	12.5	1,252	2	WITHIN PAST 12 MOS
54.6	15.1	1,507	3	MORE THAN 1 YR AGO
	62.5	6,257	-9	LEGITIMATE SKIP
	9.9	991	-8	BLANK
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1800-1801

AK12B2_M**MOS AGO USED MORE/LONGER: MARIJ**

When was the last time you used marijuana, hashish, or THC in larger amounts than you intended? When was the last time you used marijuana, hashish, or THC for a longer period of time than you had intended? How many months ago?

10,010 cases (Range of valid codes: 0-385)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1802-1804

AK12A4

COCAINE/CRACK:LONGER/LARGER AMOUNTS

Which of these have you often used in larger amounts than you intended to? Which of these have you used for a longer period of time than had intended to?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	66.6	6,665	1	YES
13.4	10.3	1,028	2	NO
	16.3	1,629	-9	LEGITIMATE SKIP
	6.8	685	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1805-1806

AK12B4

COCAINE/CRACK:RECENCY

When was the last time you used cocaine or crack in larger amounts than you intended? When was the last time you used cocaine or crack for a longer period of time than you had intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	52.2	5,223	2	WITHIN PAST 12 MOS
21.6	14.4	1,442	3	MORE THAN 1 YR AGO
	26.3	2,636	-9	LEGITIMATE SKIP
	7.1	708	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1807-1808

AK12B4_M MOS AGO USED MORE/LONGER: COKE

When was the last time you used cocaine or crack in larger amounts than you intended? When was the last time you used cocaine or crack for a longer period of time than you had intended? How many months ago?

10,010 cases (Range of valid codes: 0-408)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1809-1811

AK12A5 HEROIN:LONGER/LARGER AMOUNTS

Which of these have you often used in larger amounts than you intended to? Which of these have you used for a longer period of time than had intended to?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	24.7	2,474	1	YES
26.1	8.8	876	2	NO
	63.5	6,355	-9	LEGITIMATE SKIP
	3.0	304	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1812-1813

AK12B5 HEROIN:REGENCY

When was the last time you used heroin in larger amounts than you intended? When was the last time you used heroin for a longer period of time than you intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	17.2	1,725	2	WITHIN PAST 12 MOS
30.1	7.4	742	3	MORE THAN 1 YR AGO
	72.1	7,218	-9	LEGITIMATE SKIP
	3.2	325	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1814-1815

AK12B5_M MOS AGO USED MORE/LONGER: HER

When was the last time you used heroin in larger amounts than you intended? When was the last time you used heroin for a longer period of time than you intended? How many months ago?

10,010 cases (Range of valid codes: 0-406)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1816-1818

AK12A6 NARC/OPIATES:LONGER/LARGER AMOUNTS

Which of these have you often used in larger amounts than you intended to? Which of these have you used for a longer period of time than had intended to?

Narcotics or opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	11.6	1,158	1	YES
57.5	15.6	1,565	2	NO
	68.5	6,857	-9	LEGITIMATE SKIP
	4.3	430	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1819-1820

AK12B6**NARC/OPIATES : RECENCY**

When was the last time you used narcotics or opiates in larger amounts than you intended? When was the last time you used narcotics or opiates for a longer period of time than you intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	6.0	596	2	WITHIN PAST 12 MOS
48.6	5.6	563	3	MORE THAN 1 YR AGO
	84.0	8,413	-9	LEGITIMATE SKIP
	4.4	437	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1821-1822

AK12B6_M**MOS AGO USED MORE/LONGER: NARC**

When was the last time you used narcotics or opiates in larger amounts than you intended? When was the last time you used narcotics or opiates for a longer period of time than you intended? How many months ago?

10,010 cases (Range of valid codes: 0-367)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1823-1825

AK12A7 SED/TRANQS:LONGER/LARGER AMOUNTS

Which of these have you often used in larger amounts than you intended to? Which of these have you used for a longer period of time than had intended to?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	10.0	1,006	1	YES
64.3	18.1	1,808	2	NO
	67.1	6,712	-9	LEGITIMATE SKIP
	4.8	484	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1826-1827

AK12B7 SED/TRANQS:RECENCY

When was the last time you used sedatives or tranquilizers in larger amounts than you intended? When was the last time you used sedatives or tranquilizers for a longer period of time than you intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	4.3	427	2	WITHIN PAST 12 MOS
57.6	5.8	580	3	MORE THAN 1 YR AGO
	85.1	8,514	-9	LEGITIMATE SKIP
	4.9	488	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1828-1829

AK12B7_M	MOS AGO USED MORE/LONGER: SED
-----------------	--------------------------------------

When was the last time you used sedatives or tranquilizers in larger amounts than you intended? When was the last time you used sedatives or tranquilizers for a longer period of time than you intended? How many months ago?

10,010 cases (Range of valid codes: 0-419)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1830-1832

AK12A8	AMPHET/STIM:LONGR/LARGR AMOUNTS
---------------	--

Which of these have you often used in larger amounts than you intended to? Which of these have you used for a longer period of time than had intended to?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	12.0	1,202	1	YES
56.3	15.4	1,546	2	NO
	67.4	6,746	-9	LEGITIMATE SKIP
	5.2	516	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1833-1834

AK3**ALC/DRUGS USED UNTIL INTOXICATED**

Have you often started using alcohol or (this drug/ any of these drugs) and found it difficult to stop before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	75.2	7,523	1	YES
19.2	17.9	1,793	2	NO
	6.7	674	-8	BLANK
	0.0	5	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	6	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
	0.0	2	-2	ILLEGIBLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1840-1841

AK3A1**ALCOHOL:USED UNTIL INTOXICATED**

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.4	39.8	3,985	1	YES
37.6	24.0	2,401	2	NO
	29.5	2,949	-9	LEGITIMATE SKIP
	6.7	672	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1842-1843

AK3B1 ALCOHOL:RECENCY

When was the last time you found it difficult to stop using alcohol before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	29.8	2,981	2	WITHIN PAST 12 MOS
24.9	9.9	987	3	MORE THAN 1 YR AGO
	53.4	5,345	-9	LEGITIMATE SKIP
	6.9	695	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1844-1845

AK3B1_M MOS AGO COULDN'T STOP USING ALCOHOL

When was the last time you found it difficult to stop using alcohol before you became completely intoxicated or high?
 How many months ago?

10,010 cases (Range of valid codes: 0-410)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1846-1848

AK3A2 MARIJUANA/HASH/THC:USED UNTIL INTOXICATE

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	17.5	1,748	1	YES
72.5	46.1	4,611	2	NO
	27.5	2,748	-9	LEGITIMATE SKIP
	9.0	903	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1849-1850

AK3B2 MARIJUANA/HASH/THC:RECENCY

When was the last time you found it difficult to stop using marijuana, hashish, or THC before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	9.4	944	2	WITHIN PAST 12 MOS
46.2	8.1	810	3	MORE THAN 1 YR AGO
	73.3	7,341	-9	LEGITIMATE SKIP
	9.1	915	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1851-1852

AK3B2_M MOS AGO COULDN'T STOP USING MARIJUANA

When was the last time you found it difficult to stop using marijuana, hashish, or THC before you became completely intoxicated or high? How many months ago?

10,010 cases (Range of valid codes: 0-476)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1853-1855

AK3A4 COCAINE/CRACK:USED UNTIL INTOXICATED

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	59.3	5,938	1	YES
14.5	10.1	1,007	2	NO
	24.4	2,443	-9	LEGITIMATE SKIP
	6.2	621	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1856-1857

AK3B4 COCAINE/CRACK:RECENCY

When was the last time you found it difficult to stop using cocaine or crack before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	48.4	4,847	2	WITHIN PAST 12 MOS
18.1	10.7	1,068	3	MORE THAN 1 YR AGO
	34.4	3,441	-9	LEGITIMATE SKIP
	6.5	653	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1858-1859

AK3B4_M MOS AGO COULDN'T STOP USING COCAINE

When was the last time you found it difficult to stop using cocaine or crack before you became completely intoxicated or high? How many months ago?

10,010 cases (Range of valid codes: 0-465)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1860-1862

AK3A5 HEROIN:USED UNTIL INTOXICATED

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	20.8	2,082	1	YES
29.7	8.8	879	2	NO
	67.8	6,788	-9	LEGITIMATE SKIP
	2.6	261	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1863-1864

AK3B5**HEROIN:RECENCY**

When was the last time you found it difficult to stop using heroin before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	15.1	1,513	2	WITHIN PAST 12 MOS
27.3	5.7	567	3	MORE THAN 1 YR AGO
	76.5	7,655	-9	LEGITIMATE SKIP
	2.7	275	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1865-1866

AK3B5_M**MOS AGO COULDN'T STOP USING HEROIN**

When was the last time you found it difficult to stop using heroin before you became completely intoxicated or high?
 How many months ago?

10,010 cases (Range of valid codes: 0-452)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1867-1869

AK3A6**NARC/OPIATES:USED UNTIL INTOXICATED**

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Narcotics or opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	8.7	872	1	YES
64.3	15.7	1,574	2	NO
	71.6	7,166	-9	LEGITIMATE SKIP
	4.0	398	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1870-1871

AK3B6 NARC/OPIATES:RECENCY

When was the last time you found it difficult to stop using narcotics or opiates before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	4.7	472	2	WITHIN PAST 12 MOS
45.6	3.9	395	3	MORE THAN 1 YR AGO
	87.3	8,736	-9	LEGITIMATE SKIP
	4.1	407	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1872-1873

AK3B6_M MOS AGO COULDN'T STOP USING NARCOTICS

When was the last time you found it difficult to stop using narcotics or opiates before you became completely intoxicated or high? How many months ago?

10,010 cases (Range of valid codes: 0-372)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1874-1876

AK3A7 SED/TRANQS:USED UNTIL INTOXICATED

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	7.2	719	1	YES
71.8	18.3	1,834	2	NO
	70.0	7,006	-9	LEGITIMATE SKIP
	4.5	451	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1877-1878

AK3B7

SED/TRANQS:RECENCY

When was the last time you found it difficult to stop using sedatives or tranquilizers before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	3.2	319	2	WITHIN PAST 12 MOS
55.4	4.0	396	3	MORE THAN 1 YR AGO
	88.3	8,834	-9	LEGITIMATE SKIP
	4.6	460	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1879-1880

AK3B7_M

MOS AGO COULDN'T STOP USING SEDATIVES

When was the last time you found it difficult to stop using sedatives or tranquilizers before you became completely intoxicated or high? How many months ago?

10,010 cases (Range of valid codes: 0-419)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1881-1883

AK3A8

AMPHET/STIM:USED UNTIL INTOXICATED

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	8.5	850	1	YES
65.5	16.1	1,616	2	NO
	70.4	7,052	-9	LEGITIMATE SKIP
	4.9	491	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1884-1885

AK3B8 **AMPHET/STIM:RECENCY**

When was the last time you found it difficult to stop using amphetamines or other stimulants before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	2.9	295	2	WITHIN PAST 12 MOS
65.2	5.5	553	3	MORE THAN 1 YR AGO
	86.6	8,664	-9	LEGITIMATE SKIP
	5.0	498	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1886-1887

AK3B8_M **MOS AGO COULDN'T STOP USING AMPHETAMINES**

When was the last time you found it difficult to stop using amphetamines or other stimulants before you became completely intoxicated or high? How many months ago?

10,010 cases (Range of valid codes: 0-372)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1888-1890

AK4 **COULD NOT STOP/CUT DOWN ALC/DRUG USE**

Have you ever wanted or tried to stop or cut down on alcohol or (this drug/ any of these drugs), but found that you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	77.5	7,754	1	YES
15.5	14.2	1,421	2	NO
	8.3	827	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1891-1892

AK4A1 ALCOHOL:COULD NOT STOP/CUT DOWN USE

Which of these have you tried to cut down on or stop taking more than once?

Alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	32.1	3,217	1	YES
50.1	32.2	3,224	2	NO
	27.5	2,748	-9	LEGITIMATE SKIP
	8.2	820	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1893-1894

AK4B1 ALCOHOL:RECENCY

When was the last time you tried to cut down on or stop taking alcohol when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	25.7	2,576	2	WITHIN PAST 12 MOS
19.8	6.4	636	3	MORE THAN 1 YR AGO
	59.6	5,962	-9	LEGITIMATE SKIP
	8.3	835	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1895-1896

AK4B1_M MOS AGO COULDN'T STOP USING ALCOHOL

When was the last time you tried to cut down on or stop taking alcohol when you were taking it on your own? How many months ago?

10,010 cases (Range of valid codes: 0-494)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1897-1899

AK4A2 MARIJ/HASH/THC:COULD NOT STOP/CUT USE

Which of these have you tried to cut down on or stop taking more than once?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	14.1	1,407	1	YES
78.4	51.1	5,113	2	NO
	24.7	2,473	-9	LEGITIMATE SKIP
	10.2	1,017	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1900-1901

AK4B2 MARIJUANA/HASH/THC:RECENCY

When was the last time you tried to cut down on or stop taking marijuana, hashish, or THC when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	8.7	874	2	WITHIN PAST 12 MOS
38.3	5.4	543	3	MORE THAN 1 YR AGO
	75.6	7,570	-9	LEGITIMATE SKIP
	10.2	1,023	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1902-1903

AK4B2_M MOS AGO COULDN'T STOP USING MARIJUANA

When was the last time you tried to cut down on or stop taking marijuana, hashish, or THC when you were taking it on your own? How many months ago?

10,010 cases (Range of valid codes: 0-350)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1904-1906

AK4A4 COCAINE/CRACK:COULD NOT STOP/CUT USE

Which of these have you tried to cut down on or stop taking more than once?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.1	57.0	5,710	1	YES
19.9	14.2	1,418	2	NO
	21.7	2,170	-9	LEGITIMATE SKIP
	7.1	711	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1907-1908

AK4B4 COCAINE/CRACK:RECENCY

When was the last time you tried to cut down on or stop taking cocaine or crack when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	47.7	4,775	2	WITHIN PAST 12 MOS
16.2	9.3	926	3	MORE THAN 1 YR AGO
	35.7	3,574	-9	LEGITIMATE SKIP
	7.3	734	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1909-1910

AK4B4_M MOS AGO COULDN'T STOP USING COCAINE

When was the last time you tried to cut down on or stop taking cocaine or crack when you were taking it on your own?
How many months ago?

10,010 cases (Range of valid codes: 0-295)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1911-1913

AK4A5 HEROIN:COULD NOT STOP/CUT DOWN USE

Which of these have you tried to cut down on or stop taking more than once?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.1	23.4	2,345	1	YES
26.9	8.6	862	2	NO
	65.2	6,528	-9	LEGITIMATE SKIP
	2.7	274	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1914-1915

AK4B5 HEROIN:REGENCY

When was the last time you tried to cut down on or stop taking heroin when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	17.8	1,786	2	WITHIN PAST 12 MOS
23.7	5.5	555	3	MORE THAN 1 YR AGO
	73.8	7,384	-9	LEGITIMATE SKIP
	2.8	285	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1916-1917

AK4B5_M MOS AGO COULDN'T STOP USING HEROIN

When was the last time you tried to cut down on or stop taking heroin when you were taking it on your own? How many months ago?

10,010 cases (Range of valid codes: 0-443)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1918-1920

AK4A6 NARC/OPIATES:COULD NOT STOP/CUT USE

Which of these have you tried to cut down on or stop taking more than once?

Narcotics or opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	6.9	686	1	YES
72.6	18.1	1,816	2	NO
	70.7	7,075	-9	LEGITIMATE SKIP
	4.3	432	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1921-1922

AK4B6 NARC/OPIATES:RECENCY

When was the last time you tried to cut down on or stop taking narcotics or opiates when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.1	4.4	439	2	WITHIN PAST 12 MOS
36.9	2.6	257	3	MORE THAN 1 YR AGO
	88.7	8,881	-9	LEGITIMATE SKIP
	4.3	432	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1923-1924

AK4B6_M MOS AGO COULDN'T STOP USING NARCOTICS

When was the last time you tried to cut down on or stop taking narcotics or opiates when you were taking it on your own? How many months ago?

10,010 cases (Range of valid codes: 0-372)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1925-1927

AK4A7 SED/TRANQS:NOT STOP/CUT USE

Which of these have you tried to cut down on or stop taking more than once?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	4.9	492	1	YES
81.0	21.0	2,101	2	NO
	69.2	6,930	-9	LEGITIMATE SKIP
	4.9	487	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1928-1929

AK4B7 SED/TRANQS:RECENCY

When was the last time you tried to cut down on or stop taking sedatives or tranquilizers when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	2.7	274	2	WITHIN PAST 12 MOS
44.0	2.1	215	3	MORE THAN 1 YR AGO
	90.2	9,025	-9	LEGITIMATE SKIP
	5.0	496	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1930-1931

AK4B7_M MOS AGO COULDN'T STOP USING SEDATIVES

When was the last time you tried to cut down on or stop taking sedatives or tranquilizers when you were taking it on your own? How many months ago?

10,010 cases (Range of valid codes: 0-276)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1932-1934

AK4A8 AMPHET/STIM:NOT STOP/CUT USE

Which of these have you tried to cut down on or stop taking more than once?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	6.2	623	1	YES
74.8	18.5	1,848	2	NO
	70.1	7,020	-9	LEGITIMATE SKIP
	5.2	519	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1935-1936

AK4B8 AMPHET/STIM:RECENCY

When was the last time you tried to cut down on or stop taking amphetamines or other stimulants when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	2.7	275	2	WITHIN PAST 12 MOS
56.1	3.5	352	3	MORE THAN 1 YR AGO
	88.5	8,861	-9	LEGITIMATE SKIP
	5.2	522	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1937-1938

AK4B8_M MOS AGO COULDN'T STOP USING AMPHETAMINES

When was the last time you tried to cut down on or stop taking amphetamines or other stimulants when you were taking it on your own? How many months ago?

10,010 cases (Range of valid codes: 0-310)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1939-1941

AK5 DESIRE FOR ALC/DRUGS IRRESISTIBLE

Have you ever felt such a strong desire or urge to use alcohol or (this drug/ any of these drugs) that you could not resist it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	78.8	7,883	1	YES
16.5	15.6	1,557	2	NO
	5.6	559	-8	BLANK
	0.1	6	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1942-1943

AK6 NEED FOR ALC/DRUGS ALL COULD THINK OF

Did you ever need alcohol or (this drug/ any of these drugs) so badly that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	3.9	388	1	YES
76.3	12.5	1,251	2	NO
	76.3	7,635	-9	LEGITIMATE SKIP
	7.3	730	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	2	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1944-1945

AK56A1**ALCOHOL:DESIRE/NEED IRRESISTIBLE**

Which of these caused you to feel such a strong desire or urge? Which of these did you need so badly that you couldn't think of anything else?

Alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	30.2	3,021	1	YES
53.7	35.0	3,507	2	NO
	25.7	2,574	-9	LEGITIMATE SKIP
	9.1	907	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1946-1947

AK56B1**ALCOHOL:RECENCY**

When was the las time you had such a strong desire for alcohol? When was the last time you had such a need for alcohol that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	25.3	2,535	2	WITHIN PAST 12 MOS
15.8	4.8	477	3	MORE THAN 1 YR AGO
	60.6	6,067	-9	LEGITIMATE SKIP
	9.3	930	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1948-1949

AK56B1_M MOS AGO NOT RESIST DESIRE TO USE ALCOHL

When was the las time you had such a strong desire for alcohol? When was the last time you had such a need for alcohol that you couldn't think of anything else? How many months ago?

10,010 cases (Range of valid codes: 0-494)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1950-1952

AK56A2 MARIJ/HASH/THC:DESIRE/NEED IRRESISTIBLE

Which of these caused you to feel such a strong desire or urge? Which of these did you need so badly that you couldn't think of anything else?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	13.9	1,393	1	YES
79.0	52.3	5,232	2	NO
	22.8	2,281	-9	LEGITIMATE SKIP
	11.0	1,104	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1953-1954

AK56B2**MARIJ/HASH/THC:RECENCY**

When was the last time you had such a strong desire for marijuana, hashish, or THC? When was the last time you had such a need for marijuana, hashish, or THC that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	9.2	924	2	WITHIN PAST 12 MOS
34.3	4.8	483	3	MORE THAN 1 YR AGO
	74.9	7,493	-9	LEGITIMATE SKIP
	11.1	1,110	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1955-1956

AK56B2_M**MOS AGO NOT RESIST DESIRE TO USE MARIJ**

When was the last time you had such a strong desire for marijuana, hashish, or THC? When was the last time you had such a need for marijuana, hashish, or THC that you couldn't think of anything else? How many months ago?

10,010 cases (Range of valid codes: 0-583)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1957-1959

AK56A4 COCAINE/CRACK:DESIRE/NEED IRRESISTIBLE

Which of these did you need so badly that you couldn't think of anything else?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	58.0	5,803	1	YES
19.8	14.3	1,429	2	NO
	20.2	2,018	-9	LEGITIMATE SKIP
	7.6	757	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1960-1961

AK56B4 COCAINE/CRACK:RECENCY

When was the last time you had such a strong desire for cocaine or crack? When was the last time you had such a need for cocaine or crack that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	49.6	4,965	2	WITHIN PAST 12 MOS
14.3	8.3	827	3	MORE THAN 1 YR AGO
	20.9	2,092	-9	LEGITIMATE SKIP
	21.2	2,125	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1962-1963

AK56B4_M	MOS AGO NOT RESIST DESIRE TO USE COKE
-----------------	--

When was the last time you had such a strong desire for cocaine or crack? When was the last time you had such a need for cocaine or crack that you couldn't think of anything else? How many months ago?

10,010 cases (Range of valid codes: 0-353)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1964-1966

AK56A5	HEROIN:DESIRE/NEED IRRESISTIBLE
---------------	--

Which of these caused you to feel such a strong desire or urge? Which of these did you need so badly that you couldn't think of anything else?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	24.2	2,423	1	YES
26.2	8.6	860	2	NO
	64.2	6,425	-9	LEGITIMATE SKIP
	3.0	302	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1967-1968

AK56B5	HEROIN:RECENCY
---------------	-----------------------

When was the last time you had such a strong desire for heroin? When was the last time you had such a need for heroin that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	18.7	1,874	2	WITHIN PAST 12 MOS
22.2	5.4	536	3	MORE THAN 1 YR AGO
	72.7	7,281	-9	LEGITIMATE SKIP
	3.2	319	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1969-1970

AK56B5_M MOS AGO NOT RESIST DESIRE TO USE HEROIN

When was the last time you had such a strong desire for heroin? When was the last time you had such a need for heroin that you couldn't think of anything else? How many months ago?

10,010 cases (Range of valid codes: 0-452)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1971-1973

AK56A6 NARC/OPIATES:DESIRE/NEED IRRESISTBLE

Which of these caused you to feel such a strong desire or urge? Which of these did you need so badly that you couldn't think of anything else?

Narcotics or opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	6.9	695	1	YES
73.2	19.0	1,897	2	NO
	69.5	6,960	-9	LEGITIMATE SKIP
	4.6	458	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1974-1975

AK56B6**NARC/OPIATES : RECENCY**

When was the last time you had such a strong desire for narcotics or opiates? When was the last time you had such a need for narcotics or opiates that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.9	4.6	458	2	WITHIN PAST 12 MOS
34.1	2.4	237	3	MORE THAN 1 YR AGO
	88.4	8,853	-9	LEGITIMATE SKIP
	4.6	462	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1976-1977

AK56B6_M**MOS AGO NOT RESIST DESIRE TO USE NARC**

When was the last time you had such a strong desire for narcotics or opiates? When was the last time you had such a need for narcotics or opiates that you couldn't think of anything else?

10,010 cases (Range of valid codes: 0-308)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1978-1980

AK56A7 SED/TRANQS:DESIRE/NEEDS IRRESISTIBLE

Which of these caused you to feel such a strong desire or urge? Which of these did you need so badly that you couldn't think of anything else?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	4.9	491	1	YES
81.7	21.9	2,197	2	NO
	68.2	6,831	-9	LEGITIMATE SKIP
	4.9	491	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1981-1982

AK56B7 SED/TRANQS:REGENCY

When was the last time you had such a strong desire for sedatives or tranquilizers? When was the last time you had such a need for sedatives or tranquilizers that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	2.8	283	2	WITHIN PAST 12 MOS
42.1	2.1	206	3	MORE THAN 1 YR AGO
	90.2	9,027	-9	LEGITIMATE SKIP
	4.9	494	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1983-1984

AK56B7_M**MOS AGO NOT RESIST DESIRE TO USE SEDS**

When was the last time you had such a strong desire for sedatives or tranquilizers? When was the last time you had such a need for sedatives or tranquilizers that you couldn't think of anything else? How many months ago?

10,010 cases (Range of valid codes: 0-419)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1985-1987

AK56A8**AMPHET/STIM:DESIRE/NEED IRRESISTIBLE**

Which of these caused you to feel such a strong desire or urge? Which of these did you need so badly that you couldn't think of anything else?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	6.7	670	1	YES
73.8	18.9	1,890	2	NO
	68.9	6,896	-9	LEGITIMATE SKIP
	5.5	554	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1988-1989

AK56B8 **AMPHET/STIM:RECENCY**

When was the last time you had such a strong desire for amphetamines or other stimulants? When was the last time you had such a need for amphetamines or other stimulants that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	3.0	300	2	WITHIN PAST 12 MOS
55.0	3.7	366	3	MORE THAN 1 YR AGO
	87.8	8,785	-9	LEGITIMATE SKIP
	5.6	559	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1990-1991

AK56B8_M **MOS AGO NOT RESIST DESIRE TO USE AMP**

When was the last time you had such a strong desire for amphetamines or other stimulants? When was the last time you had such a need for amphetamines or other stimulants that you couldn't think of anything else? How many months ago?

10,010 cases (Range of valid codes: 0-337)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1992-1994

AK7**NEED MORE ALCOHOL/DRUGS FOR SAME EFFECT**

Did you ever find that you began to need much more alcohol or (this drug/ any of these drugs) than usual to get the same effect?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	74.5	7,455	1	YES
20.9	19.6	1,965	2	NO
	5.8	580	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1995-1996

AK8**SAME AMOUNT ALCOHL/DRUGS HAD LESS EFFECT**

Did you ever find that the same amount of alcohol or (this drug/ any of these drugs) had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	6.2	622	1	YES
69.6	14.2	1,423	2	NO
	72.0	7,206	-9	LEGITIMATE SKIP
	7.5	753	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1997-1998

AK78A1 ALCOHOL:NEED MORE/LESS EFFECT

Which of these did you need much more of to get the same effect? Which of these gave you less effect after using the same amount as before?

Alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	33.0	3,305	1	YES
48.3	30.9	3,091	2	NO
	27.1	2,715	-9	LEGITIMATE SKIP
	9.0	898	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1999-2000

AK78B1 ALCOHOL:RECENCY

When was the last time you had to use much more alcohol to get the same effect? When was the last time you found that the same amount of alcohol had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	24.7	2,475	2	WITHIN PAST 12 MOS
24.9	8.2	821	3	MORE THAN 1 YR AGO
	57.8	5,789	-9	LEGITIMATE SKIP
	9.2	922	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2001-2002

AK78B2 **MARIJUANA/HASH/THC:RECENCY**

When was the last time you had to use much more marijuana, hashish, or THC to get the same effect? When was the last time you found that the same amount of marijuana, hashish, or THC had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	8.6	856	2	WITHIN PAST 12 MOS
44.7	6.9	692	3	MORE THAN 1 YR AGO
	73.4	7,348	-9	LEGITIMATE SKIP
	11.1	1,114	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2008-2009

AK78B2_M **MOS AGO NEEDED MORE MARIJ TO GET EFFECT**

When was the last time you had to use much more marijuana, hashish, or THC to get the same effect? When was the last time you found that the same amount of marijuana, hashish, or THC had less effect on you than before? How many months ago?

10,010 cases (Range of valid codes: 0-508)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2010-2012

AK78A4**COCAINE/CRACK:NEED MORE/LESS EFFECT**

Which of these did you need much more of to get the same effect? Which of these gave you less effect after using the same amount as before?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	54.0	5,404	1	YES
22.8	16.0	1,600	2	NO
	22.1	2,217	-9	LEGITIMATE SKIP
	7.9	789	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2013-2014

AK78B4**COCAINE/CRACK:RECENCY**

When was the last time you had to use much more cocaine or crack to get the same effect? When was the last time you found that the same amount of cocaine or crack had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	44.3	4,437	2	WITHIN PAST 12 MOS
17.7	9.5	954	3	MORE THAN 1 YR AGO
	38.0	3,799	-9	LEGITIMATE SKIP
	8.2	820	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2015-2016

AK78B4_M MOS AGO NEEDED MORE COCAINE TO GET EFFEC

When was the last time you had to use much more cocaine or crack to get the same effect? When was the last time you found that the same amount of cocaine or crack had less effect on you than before? How many months ago?

10,010 cases (Range of valid codes: 0-345)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2017-2019

AK78A5 HEROIN:NEED MORE/LESS EFFECT

Which of these did you need much more of to get the same effect? Which of these gave you less effect after using the same amount as before?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	23.5	2,357	1	YES
26.5	8.5	849	2	NO
	65.1	6,516	-9	LEGITIMATE SKIP
	2.9	288	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2020-2021

AK78B5 HEROIN:RECENCY

When was the last time you had to use much more heroin to get the same effect? When was the last time you found that the same amount of heroin had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	17.2	1,721	2	WITHIN PAST 12 MOS
26.7	6.3	627	3	MORE THAN 1 YR AGO
	73.5	7,360	-9	LEGITIMATE SKIP
	3.0	302	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2022-2023

AK78A7**SED/TRANQS:NEED MORE/LESS EFFECT**

Which of these did you need much more of to get the same effect? Which of these gave you less effect after using the same amount as before?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	5.3	535	1	YES
79.7	20.9	2,094	2	NO
	68.7	6,880	-9	LEGITIMATE SKIP
	5.0	501	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2034-2035

AK78B7**SED/TRANQS:RECENCY**

When was the last time you had to use much more sedatives or tranquilizers to get the same effect? When was the last time you found that the same amount of sedatives or tranquilizers had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	2.7	273	2	WITHIN PAST 12 MOS
48.9	2.6	261	3	MORE THAN 1 YR AGO
	89.7	8,974	-9	LEGITIMATE SKIP
	5.0	502	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2036-2037

AK78B7_M MOS AGO NEEDED MORE SEDS TO GET EFFECT

When was the last time you had to use much more sedatives or tranquilizers to get the same effect? When was the last time you found that the same amount of sedatives or tranquilizers had less effect on you than before? How many months ago?

10,010 cases (Range of valid codes: 0-462)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2038-2040

AK78A8 AMPHET/STIM:NEED MORE/LESS EFFECT

Which of these did you need much more of to get the same effect? Which of these gave you less effect after using the same amount as before?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	7.1	712	1	YES
71.9	18.2	1,818	2	NO
	69.3	6,933	-9	LEGITIMATE SKIP
	5.5	547	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2041-2042

AK78B8**AMPHET/STIM:RECENCY**

When was the last time you had to use much more amphetamines or other stimulants to get the same effect? When was the last time you found that the same amount of amphetamines or other stimulants had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	2.9	291	2	WITHIN PAST 12 MOS
59.0	4.2	419	3	MORE THAN 1 YR AGO
	87.4	8,751	-9	LEGITIMATE SKIP
	5.5	549	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2043-2044

AK78B8_M**MOS AGO NEEDED MORE AMPHET TO GET EFFECT**

When was the last time you had to use much more amphetamines or other stimulants to get the same effect? When was the last time you found that the same amount of amphetamines or other stimulants had less effect on you than before? How many months ago?

10,010 cases (Range of valid codes: 0-403)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2045-2047

AK9 ALCOHL/DRUGS INCREASE CHANCE OF INJURY

Have you often been under the effects of alcohol or (this drug/ any of these drugs) or feeling (its/ their) aftereffects in a situation that increased your chances of getting hurt - like driving a car or boat; using knives, machinery, or guns; crossing against heavy traffic; or climbing or swimming?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	51.1	5,117	1	YES
44.8	41.5	4,150	2	NO
	7.3	732	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2048-2049

AK9A1 ALCOHOL: INCREASE CHANCE OF INJURY

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	35.5	3,556	1	YES
24.9	11.7	1,176	2	NO
	46.9	4,698	-9	LEGITIMATE SKIP
	5.8	578	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2050-2051

AK9B1**ALCOHOL:RECENCY**

When was the last time you used alcohol in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.3	24.1	2,415	2	WITHIN PAST 12 MOS
31.7	11.2	1,121	3	MORE THAN 1 YR AGO
	58.7	5,873	-9	LEGITIMATE SKIP
	6.0	598	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2052-2053

AK9B1_M**MOS AGO INCR CHANCES INJURY DUE TO ALC**

When was the last time you used alcohol in any of these situations? How many months ago?

10,010 cases (Range of valid codes: 0-397)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2054-2056

AK9A2**MARIJ/HASH/THC:INCREASE CHANCE/INJ**

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	13.4	1,339	1	YES
70.5	32.0	3,201	2	NO
	46.8	4,683	-9	LEGITIMATE SKIP
	7.9	787	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2057-2058

AK9B2 **MARIJ/HASH/THC:RECENCY**

When was the last time you used marijuana, hashish, or THC in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	6.9	694	2	WITHIN PAST 12 MOS
48.3	6.5	649	3	MORE THAN 1 YR AGO
	78.7	7,875	-9	LEGITIMATE SKIP
	7.9	792	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2059-2060

AK9B2_M **MOS AGO INCR CHANCES INJURY DUE TO MARIJ**

When was the last time you used marijuana, hashish, or THC in any of these situations? How many months ago?

10,010 cases (Range of valid codes: 0-520)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2061-2063

AK9A4 **COCAINE/CRACK:INCREASE CHANCE OF INJURY**

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	33.3	3,335	1	YES
29.2	13.7	1,375	2	NO
	46.6	4,665	-9	LEGITIMATE SKIP
	6.3	635	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2064-2065

AK9B4 **COCAINE/CRACK:RECENCY**

When was the last time you used cocaine or crack in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	26.7	2,673	2	WITHIN PAST 12 MOS
19.7	6.5	655	3	MORE THAN 1 YR AGO
	60.3	6,035	-9	LEGITIMATE SKIP
	6.5	646	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2066-2067

AK9B4_M **MOS AGO INCR CHANCES INJURY DUE TO COKE**

When was the last time you used cocaine or crack in any of these situations? How many months ago?

10,010 cases (Range of valid codes: 0-327)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2068-2070

AK9A5 **HEROIN:INCREASE CHANCE OF INJURY**

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	13.6	1,357	1	YES
34.8	7.2	725	2	NO
	76.7	7,673	-9	LEGITIMATE SKIP
	2.5	254	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2071-2072

AK9B5 HEROIN:RECENCY

When was the last time you used heroin in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	9.3	935	2	WITHIN PAST 12 MOS
31.0	4.2	421	3	MORE THAN 1 YR AGO
	83.9	8,395	-9	LEGITIMATE SKIP
	2.6	259	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2073-2074

AK9B5_M MOS AGO INCR CHANCES INJURY DUE TO HER

When was the last time you used heroin in any of these situations? How many months ago?

10,010 cases (Range of valid codes: 0-383)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2075-2077

AK9A6 NARC/OPIATES:INCREASE CHANCE INJURY

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Narcotics or opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	6.4	638	1	YES
67.8	13.4	1,341	2	NO
	76.5	7,655	-9	LEGITIMATE SKIP
	3.8	376	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2078-2079

AK9B6**NARC/OPIATES : RECENCY**

When was the last time you used narcotics or opiates in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	3.3	330	2	WITHIN PAST 12 MOS
48.0	3.0	305	3	MORE THAN 1 YR AGO
	89.9	8,994	-9	LEGITIMATE SKIP
	3.8	380	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2080-2081

AK9B6_M**MOS AGO INCR CHANCES INJURY DUE TO NARC**

When was the last time you used narcotics or opiates in any of these situations? How many months ago?

10,010 cases (Range of valid codes: 0-308)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2082-2084

AK9A7**SED/TRANQS : INCREASE CHANCE INJURY**

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	5.9	591	1	YES
71.4	14.8	1,477	2	NO
	75.2	7,526	-9	LEGITIMATE SKIP
	4.2	416	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2085-2086

AK9B7 SED/TRANQS:REGENCY

When was the last time you used sedatives or tranquilizers in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	2.5	246	2	WITHIN PAST 12 MOS
57.9	3.4	339	3	MORE THAN 1 YR AGO
	89.9	9,002	-9	LEGITIMATE SKIP
	4.2	423	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2087-2088

AK9B7_M MOS AGO INCR CHANCES INJURY DUE TO SED

When was the last time you used sedatives or tranquilizers in any of these situations? How many months ago?

10,010 cases (Range of valid codes: 0-419)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2089-2091

AK9A8 AMPHET/STIM:INCREAS CHANCE INJURY

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	6.1	609	1	YES
69.2	13.7	1,369	2	NO
	75.5	7,558	-9	LEGITIMATE SKIP
	4.7	474	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2092-2093

AK9B8**AMPHET/STIM:RECENCY**

When was the last time you used amphetamines or other stimulants in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	2.2	218	2	WITHIN PAST 12 MOS
63.8	3.8	385	3	MORE THAN 1 YR AGO
	89.2	8,926	-9	LEGITIMATE SKIP
	4.8	480	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2094-2095

AK9B8_M**MOS AGO INCR CHANCES INJURY DUE TO AMP**

When was the last time you used amphetamines or other stimulants in any of these situations? How many months ago?

10,010 cases (Range of valid codes: 0-337)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2096-2098

AK10**DRINKING CAUSE SEVERAL HEATH PROBS**

Several health problems can result from drinking alcohol. Because of drinking, did you ever have liver disease or yellow jaundice; stomach disease or vomit blood; have your feet tingle or feel numb; have memory problems even when you weren't drinking; or have pancreatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	16.0	1,602	1	YES
83.0	78.1	7,815	2	NO
	1.3	135	-9	LEGITIMATE SKIP
	4.5	453	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2099-2100

AK10A CONTINUE DRINKING AFTER AWARE HLTH PROBS

Did you continue to drink after you realized that it was causing you any of these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.4	13.7	1,371	1	YES
14.6	2.3	235	2	NO
	79.3	7,934	-9	LEGITIMATE SKIP
	4.6	465	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2101-2102

AK10B DRNK > ONCE WHEN AWARE OF HLTH PROBS

Did you drink alcohol on more than one occasion after you realized it was causing you these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	13.4	1,345	1	YES
2.7	0.4	38	2	NO
	81.5	8,157	-9	LEGITIMATE SKIP
	4.7	466	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2103-2104

AK10C**LAST TIME HAD HLTH PROBS DUE TO DRINKNG**

When was the last time you had health problems as a result of drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	10.1	1,011	2	WITH THE PAST YR
35.9	5.7	567	3	MORE THAN 1 YR AGO
	78.0	7,810	-9	LEGITIMATE SKIP
	5.9	586	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	4	-5	BAD DATA
	0.1	8	-4	DON'T KNOW
	0.2	20	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2105-2106

AK10C_M**MOS AGO HAD HEALTH PROB DUE TO ALCOHL**

When was the last time you had health problems as a result of drinking? How many months ago?

10,010 cases (Range of valid codes: 0-385)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2107-2109

AK13**HEALTH PROBS RESULTING FROM DRUG USE**

Have you ever had any health problems like an accidental overdose, a persistent cough, a seizure (fit), an infection, hepatitis, abscesses, a cut, sprain, or other injury, or AIDS as a result of using (this drug/ any of these drugs) (excluding alcohol)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	25.8	2,585	1	YES
72.7	68.6	6,868	2	NO
	5.4	540	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
	0.1	6	-3	NOT APPLICABLE
	0.0	2	-2	ILLEGIBLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2114-2115

AK13_1A**MARIJUANA/HASH/THC:CAUSED HEALTH PROBS**

Which of these drugs caused you any health problems?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	2.4	239	1	YES
89.0	19.4	1,938	2	NO
	71.4	7,147	-9	LEGITIMATE SKIP
	6.8	684	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2116-2117

AK13_3B COCAINE/CRACK:REALIZED CAUSE HLTH PROB

Did you continue to use cocaine or crack after you realized it was causing you any of these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	14.1	1,416	1	YES
6.7	1.0	102	2	NO
	78.7	7,881	-9	LEGITIMATE SKIP
	6.1	610	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2129-2130

AK13_3C COCAINE/CRACK:USE >1/REALIZED HLTH PROB

Did you use cocaine or crack on more than one occasion after you realized it was causing you any health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	14.0	1,404	1	YES
4.8	0.7	71	2	NO
	79.1	7,918	-9	LEGITIMATE SKIP
	6.2	617	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2131-2132

AK13_3D	COCAINE/CRACK:LAST TIME HAD HLTH PROB
----------------	--

When was the last time you had health problems as a result of using cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	9.4	939	2	WITHIN PAST 12 MOS
37.3	5.6	559	3	MORE THAN 1 YR
	78.9	7,902	-9	LEGITIMATE SKIP
	6.1	608	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2133-2134

AK13_3DR	MOS AGO HAD HEALTH PROB DUE TO COCAINE
-----------------	---

When was the last time you had health problems as a result of using cocaine or crack? How many months ago?

10,010 cases (Range of valid codes: 0-365)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2135-2137

AK13_4A	HEROIN:CAUSED HEALTH PROBS
----------------	-----------------------------------

Which of these drugs caused you any health problems?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.7	11.7	1,172	1	YES
25.3	4.0	396	2	NO
	82.1	8,221	-9	LEGITIMATE SKIP
	2.2	221	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2138-2139

AK13_4D	HEROIN:LAST TIME HAD HEALTH PROBS
----------------	--

When was the last time you had health problems as a result of using heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	5.4	536	2	WITHIN PAST 12 MOS
53.9	6.3	626	3	MORE THAN 1 YR
	86.1	8,614	-9	LEGITIMATE SKIP
	2.3	234	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2144-2145

AK13_4DR	MOS AGO HAD HEALTH PROB DUE TO HEROIN
-----------------	--

When was the last time you had health problems as a result of using heroin? How many months ago?

10,010 cases (Range of valid codes: 0-466)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2146-2148

AK13_5A	NARC/OPIATES:CAUSED HEALTH PROBS
----------------	---

Which of these drugs caused you any health problems?

Other narcotics or opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	2.3	234	1	YES
81.2	10.1	1,011	2	NO
	84.0	8,411	-9	LEGITIMATE SKIP
	3.5	353	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2149-2150

AK13_5B **NARC/OPIATES:REALIZED CAUSE HLTH PROB**

Did you continue to use other narcotics or opiates after you realized it was causing you any of these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	2.0	205	1	YES
19.6	0.5	50	2	NO
	93.8	9,389	-9	LEGITIMATE SKIP
	3.7	366	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2151-2152

AK13_5C **NARC/OPIATES:USE >1/REALIZED PROB**

Did you use other narcotics or opiates on more than one occasion after you realized it was causing you any health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.2	2.0	203	1	YES
17.8	0.4	44	2	NO
	93.9	9,399	-9	LEGITIMATE SKIP
	3.6	364	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2153-2154

AK13_5D	NARC/OPIATES:LAST TIME HLTH PROB
----------------	---

When was the last time you had health problems as a result of using other narcotics or opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.7	1.1	106	2	WITHIN PAST 12 MOS
54.3	1.3	126	3	MORE THAN 1 YR
	94.1	9,422	-9	LEGITIMATE SKIP
	3.6	356	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2155-2156

AK13_5DR	MOS AGO HAD HEALTH PROB DUE TO NARCOTICS
-----------------	---

When was the last time you had health problems as a result of using other narcotics or opiates? How many months ago?

10,010 cases (Range of valid codes: 0-296)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2157-2159

AK13_6A	SED/TRANQS:CAUSED HEALTH PROBS
----------------	---------------------------------------

Which of these drugs caused you any health problems?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	2.2	224	1	YES
82.2	10.3	1,032	2	NO
	83.6	8,373	-9	LEGITIMATE SKIP
	3.8	380	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2160-2161

AK13_6B SED/TRANQS:REALIZED CAUSE HLTH PROB

Did you continue to use sedatives or tranquilizers after you realized it was causing you any of these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	1.7	174	1	YES
29.0	0.7	71	2	NO
	93.7	9,377	-9	LEGITIMATE SKIP
	3.9	387	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2162-2163

AK13_6C SED/TRANQS:USE >1/REALIZED PROB

Did you use sedatives or tranquilizers on more than one occasion after you realized it was causing you any health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	1.7	172	1	YES
25.9	0.6	60	2	NO
	93.8	9,392	-9	LEGITIMATE SKIP
	3.9	386	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2164-2165

AK13_6D

SED/TRANQS:LAST TIME HLTH PROB

When was the last time you had health problems as a result of using sedatives or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	0.8	81	2	WITHIN PAST 12 MOS
62.3	1.3	134	3	MORE THAN 1 YR
	94.0	9,406	-9	LEGITIMATE SKIP
	3.9	389	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2166-2167

AK13_6DR

MOS AGO HAD HEALTH PROB DUE TO SEDATIVES

When was the last time you had health problems as a result of using sedatives or tranquilizers? How many months ago?

10,010 cases (Range of valid codes: 0-293)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2168-2170

AK13_7A

AMPHET/STIM:CAUSED HEALTH PROBS

Which of these drugs caused you any health problems?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	2.2	225	1	YES
80.4	9.2	924	2	NO
	84.7	8,476	-9	LEGITIMATE SKIP
	3.8	383	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2171-2172

AK13_7B **AMPHET/STIM:REALZD CAUSE HLTH PROB**

Did you continue to use amphetamines or other stimulants after you realized it was causing you any of these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.3	1.9	187	1	YES
22.7	0.5	55	2	NO
	93.7	9,376	-9	LEGITIMATE SKIP
	3.9	392	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2173-2174

AK13_7C **AMPHET/STIM:USE >1/REALIZED PROB**

Did you use amphetamines or other stimulants on more than one occasion after you realized it was causing you any health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	1.9	187	1	YES
18.3	0.4	42	2	NO
	93.8	9,387	-9	LEGITIMATE SKIP
	3.9	394	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2175-2176

AK13_7D	AMPHET/STIM:LAST TIME HLTH PROB
----------------	--

When was the last time you had health problems as a result of using amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.1	0.7	71	2	WITHIN PAST 12 MOS
67.9	1.5	150	3	MORE THAN 1 YR
	93.9	9,399	-9	LEGITIMATE SKIP
	3.9	389	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2177-2178

AK13_7DR	MOS AGO HAD HEALTH PROB DUE TO AMPHETS
-----------------	---

When was the last time you had health problems as a result of using amphetamines or other stimulants? How many months ago?

10,010 cases (Range of valid codes: 0-312)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2179-2181

AK14	ALCHL/DRUG USE CAUSE FAMLY/POLICE PROBS
-------------	--

Did alcohol or (this drug/ any of these drugs) ever cause you considerable problems with your family or friends, at work, at school, or with the police?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	79.6	7,970	1	YES
14.8	13.8	1,383	2	NO
	6.5	649	-8	BLANK
	0.0	5	-7	REFUSAL
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2182-2183

AK14_1C

ALCOHOL:LAST TIME CAUSED FAMILY PROBS

When was the last time alcohol caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.5	28.1	2,810	2	WITHIN PAST 12 MOS
27.5	10.7	1,067	3	MORE THAN 1 YR AGO
	53.3	5,340	-9	LEGITIMATE SKIP
	7.9	789	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2188-2189

AK14_1CR

MOS AGO HAD PROBS W/OTHERS DUE TO ALCOHL

When was the last time alcohol caused considerable problems like these? How many months ago?

10,010 cases (Range of valid codes: 0-494)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2190-2192

AK14_2A

MARJUNA/HASH/THC:CAUSED PROBS W/FAMILY

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	16.2	1,621	1	YES
75.6	50.0	5,009	2	NO
	23.8	2,378	-9	LEGITIMATE SKIP
	10.0	1,001	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2193-2194

AK14_2B

MARIJUN/HASH/THC:REALZD CAUSED FMLY PROB

Did you continue to use marijuana, hashish, or THC after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	14.3	1,432	1	YES
11.2	1.8	180	2	NO
	73.0	7,310	-9	LEGITIMATE SKIP
	10.9	1,087	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2195-2196

AK14_2C MARIJUANA/HASH/THC:LST CAUSE FMLY PROB

When was the last time marijuana, hashish, or THC caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	8.0	796	2	WITHIN PAST 12 MOS
50.7	8.2	817	3	MORE THAN 1 YR AGO
	73.6	7,372	-9	LEGITIMATE SKIP
	10.2	1,023	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2197-2198

AK14_2CR MOS AGO HAD PROBS W/OTHERS DUE TO MARIJ

When was the last time marijuana, hashish, or THC caused considerable problems like these? How many months ago?

10,010 cases (Range of valid codes: 0-423)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2199-2201

AK14_4A COCAINE/CRACK:CAUSED PROBS W/FAMILY

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	58.9	5,894	1	YES
18.1	13.0	1,300	2	NO
	21.6	2,161	-9	LEGITIMATE SKIP
	6.5	654	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2202-2203

AK14_4B COCAINE/CRACK:REALIZED CAUSED FMLY PROB

Did you continue to use cocaine or crack after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	52.5	5,256	1	YES
4.6	2.5	251	2	NO
	34.3	3,434	-9	LEGITIMATE SKIP
	10.7	1,067	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2204-2205

AK14_4C COCAINE/CRACK:LAST CAUSE FAMILY PROBS

When was the last time cocaine or crack caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	46.9	4,697	2	WITHIN PAST 12 MOS
19.8	11.6	1,159	3	MORE THAN 1 YR AGO
	34.5	3,450	-9	LEGITIMATE SKIP
	7.0	702	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2206-2207

AK14_4CR MOS AGO HAD PROBS W/OTHERS DUE TO COKE

When was the last time cocaine or crack caused considerable problems like these? How many months ago?

10,010 cases (Range of valid codes: 0-374)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2208-2210

AK14_5A

HEROIN:CAUSED PROBS W/FAMILY/POLICE

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	22.1	2,217	1	YES
28.0	8.6	864	2	NO
	66.7	6,672	-9	LEGITIMATE SKIP
	2.6	257	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2211-2212

AK14_5B

HEROIN:REALIZED CAUSED FAMILY PROBS

Did you continue to use heroin after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	19.8	1,983	1	YES
3.4	0.7	70	2	NO
	75.0	7,507	-9	LEGITIMATE SKIP
	4.5	449	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2213-2214

AK14_6B	NARC/OPIATES:REALZD CAUSED FMLY PROB
----------------	---

Did you continue to use narcotics or opiates after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	6.1	610	1	YES
14.1	1.0	100	2	NO
	88.1	8,814	-9	LEGITIMATE SKIP
	4.8	484	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2222-2223

AK14_6C	NARC/OPIATES:LAST CAUSE FMLY PROBS
----------------	---

When was the last time narcotics or opiates caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	3.9	390	2	WITHIN PAST 12 MOS
43.6	3.0	301	3	MORE THAN 1 YR AGO
	88.5	8,861	-9	LEGITIMATE SKIP
	4.6	457	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2224-2225

AK14_6CR	MOS AGO HAD PROBS W/OTHERS DUE TO NARCS
-----------------	--

When was the last time narcotics or opiates caused considerable problems like these? How many months ago?

10,010 cases (Range of valid codes: 0-306)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2226-2228

AK14_7A

SED/TRANQS:CAUSED PROBS W/FMLY

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	5.2	518	1	YES
80.0	20.7	2,072	2	NO
	69.1	6,915	-9	LEGITIMATE SKIP
	5.0	504	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2229-2230

AK14_7B

SED/TRANQS:REALZD CAUSED FMLY PROB

Did you continue to use sedatives or tranquilizers after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	4.4	442	1	YES
18.6	1.0	101	2	NO
	89.2	8,931	-9	LEGITIMATE SKIP
	5.4	536	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2231-2232

AK14_7C

SED/TRANQS:LST CAUSE FMLY PROB

When was the last time sedatives or tranquilizers caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	2.4	236	2	WITHIN PAST 12 MOS
54.2	2.8	279	3	MORE THAN 1 YR AGO
	89.7	8,982	-9	LEGITIMATE SKIP
	5.1	512	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2233-2234

AK14_7CR

MOS AGO HAD PROBS W/OTHERS DUE TO SEDS

When was the last time sedatives or tranquilizers caused considerable problems like these? How many months ago?

10,010 cases (Range of valid codes: 0-419)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2235-2237

AK14_8A

AMPHET/STIM:CAUSED PROBS W/FMLY

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	7.5	754	1	YES
70.4	17.9	1,791	2	NO
	69.2	6,926	-9	LEGITIMATE SKIP
	5.4	538	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2238-2239

AK15

EMOT PROBS RESULTING FROM ALC/DRUGS

Have you ever had any emotional or psychological problems from using alcohol or (this drug/ any of these drugs) - such as feeling uninterested in things, feeling depressed, suspicious of people, paranoid, or having strange ideas?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.3	59.6	5,970	1	YES
36.7	34.5	3,455	2	NO
	5.7	572	-8	BLANK
	0.0	5	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	4	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2247-2248

AK15_1A

ALCOHOL:CAUSED EMOTIONAL PROBS

Which of these have caused you emotional or psychological problems?

Alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	24.3	2,435	1	YES
51.3	25.6	2,563	2	NO
	43.5	4,354	-9	LEGITIMATE SKIP
	6.6	656	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2249-2250

AK15_1B ALCOHOL:REALIZD CAUSED EMOTIONAL PROBS

Did you continue to use alcohol after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	23.2	2,321	1	YES
4.0	1.0	96	2	NO
	68.7	6,880	-9	LEGITIMATE SKIP
	7.1	711	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2251-2252

AK15_1C ALCHL:USE >1/REALIZD CAUSED EMOT PROBS

Did you use alcohol on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	22.9	2,291	1	YES
3.0	0.7	72	2	NO
	69.2	6,923	-9	LEGITIMATE SKIP
	7.2	722	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2253-2254

AK15_1D

ALCOHOL:LAST TIME HAD EMOTIONAL PROBS

When was the last time alcohol caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	19.4	1,946	2	WITHIN PAST 12 MOS
19.1	4.6	460	3	MORE THAN 1 YR
	69.0	6,911	-9	LEGITIMATE SKIP
	6.9	690	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2255-2256

AK15_1DR

MOS AGO HAD PSYCH PROBS DUE TO ALCOHL

When was the last time alcohol caused you any emotional or psychological problems? How many months ago?

10,010 cases (Range of valid codes: 0-413)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2257-2259

AK15_2A

MARIJUANA/HASH/THC:CAUSED EMOT PROBS

Which of these have caused you emotional or psychological problems?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	10.4	1,039	1	YES
79.0	39.2	3,919	2	NO
	41.8	4,188	-9	LEGITIMATE SKIP
	8.6	861	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2260-2261

AK15_2B

MRJUAN/HASH/THC:REALZD CAUSE EMOT PROB

Did you continue to use marijuana, hashish, or THC after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	9.6	963	1	YES
11.3	1.2	123	2	NO
	80.4	8,048	-9	LEGITIMATE SKIP
	8.7	873	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2262-2263

AK15_2C	MARIJUANA/HASH/THC:USE >1/REALIZED PROB
----------------	---

Did you use marijuana, hashish, or THC on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	9.4	945	1	YES
8.3	0.9	86	2	NO
	80.8	8,093	-9	LEGITIMATE SKIP
	8.8	884	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2264-2265

AK15_2D	MARIJUANA/HASH/THC:LAST TIME EMOT PROB
----------------	---

When was the last time marijuana, hashish, or THC caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	5.6	564	2	WITHIN THE PAST 12 MNTHS
44.8	4.6	457	3	MORE THAN 1 YR
	80.9	8,094	-9	LEGITIMATE SKIP
	8.9	893	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2266-2267

AK15_2DR	MOS AGO HAD PSYCH PROBS DUE TO MARIJ
-----------------	---

When was the last time marijuana, hashish, or THC caused you any emotional or psychological problems? How many months ago?

10,010 cases (Range of valid codes: 0-325)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2268-2270

AK15_4A COCAINE/CRACK:CAUSED EMOTIONAL PROBS

Which of these have caused you emotional or psychological problems?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.6	46.7	4,673	1	YES
14.4	7.8	785	2	NO
	39.8	3,982	-9	LEGITIMATE SKIP
	5.7	566	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2271-2272

AK15_4B COCAINE/CRACK:REALIZED CAUSE EMOT PROB

Did you continue to use cocaine or crack after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	44.5	4,452	1	YES
3.2	1.5	149	2	NO
	47.4	4,745	-9	LEGITIMATE SKIP
	6.6	662	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2273-2274

AK15_4C	COCAINE/CRACK:USE >1/REALIZD EMOT PROB
----------------	--

Did you use cocaine or crack on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	43.9	4,390	1	YES
2.7	1.2	120	2	NO
	48.1	4,814	-9	LEGITIMATE SKIP
	6.8	682	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2275-2276

AK15_4D	COCAINE/CRACK:LAST TIME HAD EMOT PROB
----------------	--

When was the last time cocaine or crack caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	38.9	3,898	2	WITHIN PAST 12 MOS
16.0	7.4	742	3	MORE THAN 1 YR
	47.5	4,753	-9	LEGITIMATE SKIP
	6.1	614	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2277-2278

AK15_4DR	MOS AGO HAD PSYCH PROBS DUE TO COCAINE
-----------------	---

When was the last time cocaine or crack caused you any emotional or psychological problems? How many months ago?

10,010 cases (Range of valid codes: 0-295)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2279-2281

AK15_5C

HEROIN:USE >1/REALIZD CAUSED EMOT PROBS

Did you use heroin on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.7	11.5	1,155	1	YES
3.3	0.4	39	2	NO
	85.0	8,507	-9	LEGITIMATE SKIP
	3.1	308	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2286-2287

AK15_5D

HEROIN:LAST TIME HAD EMOTIONAL PROBS

When was the last time heroin caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	9.1	912	2	WITHIN PAST 12 MOS
24.7	3.0	299	3	MORE THAN 1 YR
	85.2	8,527	-9	LEGITIMATE SKIP
	2.7	272	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2288-2289

AK15_5DR

MOS AGO HAD PSYCH PROBS DUE TO HEROIN

When was the last time heroin caused you any emotional or psychological problems? How many months ago?

10,010 cases (Range of valid codes: 0-473)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2290-2292

AK15_6A **NARC/OPIATES:CAUSED EMOTIONL PROBS**

Which of these have caused you emotional or psychological problems?

Narcotics or opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	4.3	435	1	YES
77.5	15.0	1,499	2	NO
	76.9	7,693	-9	LEGITIMATE SKIP
	3.8	382	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2293-2294

AK15_6B **NARC/OPIATES:REALZD CAUSE EMOT PROB**

Did you continue to use narcotics or opiates after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	4.1	408	1	YES
12.1	0.6	56	2	NO
	91.4	9,154	-9	LEGITIMATE SKIP
	3.9	391	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2295-2296

AK15_6C	NARC/OPIATES:USE >1/REALIZED PROB
----------------	---

Did you use narcotics or opiates on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	4.0	403	1	YES
10.0	0.4	45	2	NO
	91.6	9,168	-9	LEGITIMATE SKIP
	3.9	393	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2297-2298

AK15_6D	NARC/OPIATES:LAST TIME EMOTIONL PROB
----------------	---

When was the last time narcotics or opiates caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.2	2.6	265	2	WITHIN PAST 12 MOS
37.8	1.6	161	3	MORE THAN 1 YR
	91.8	9,190	-9	LEGITIMATE SKIP
	3.9	393	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2299-2300

AK15_6DR	MOS AGO HAD PSYCH PROBS DUE TO NARCOTCS
-----------------	--

When was the last time narcotics or opiates caused you any emotional or psychological problems? How many months ago?

10,010 cases (Range of valid codes: 0-293)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2301-2303

AK15_7A **SED/TRANQS:CAUSED EMOT PROBS**

Which of these have caused you emotional or psychological problems?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	3.7	370	1	YES
82.1	17.0	1,697	2	NO
	75.0	7,509	-9	LEGITIMATE SKIP
	4.3	434	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2304-2305

AK15_7B **SED/TRANQS:REALZD CAUSE EMNTL PROB**

Did you continue to use sedatives or tranquilizers after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	3.5	348	1	YES
15.5	0.6	64	2	NO
	91.5	9,162	-9	LEGITIMATE SKIP
	4.4	436	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2306-2307

AK15_7C	SED/TRANQS:USE >1/REALIZED PROB
----------------	---

Did you use sedatives or tranquilizers on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	3.5	349	1	YES
11.2	0.4	44	2	NO
	91.7	9,180	-9	LEGITIMATE SKIP
	4.4	437	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2308-2309

AK15_7D	SED/TRANQS:LAST TIME EMOT PROB
----------------	---------------------------------------

When was the last time sedatives or tranquilizers caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.7	2.0	197	2	WITHIN PAST 12 MOS
45.3	1.6	163	3	MORE THAN 1 YR
	91.9	9,203	-9	LEGITIMATE SKIP
	4.5	447	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2310-2311

AK15_7DR	MOS AGO HAD PSYCH PROBS DUE TO SEDS
-----------------	--

When was the last time sedatives or tranquilizers caused you any emotional or psychological problems? How many months ago?

10,010 cases (Range of valid codes: 0-281)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2312-2314

AK15_8A AMPHET/STIM:CAUSED EMOT PROBS

Which of these have caused you emotional or psychological problems?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	5.7	574	1	YES
71.1	14.1	1,411	2	NO
	75.7	7,580	-9	LEGITIMATE SKIP
	4.4	445	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2315-2316

AK15_8B AMPHET/STIM:RELZD CAUSE EMOT PROB

Did you continue to use amphetamines or other stimulants after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	5.2	516	1	YES
11.6	0.7	68	2	NO
	78.1	7,814	-9	LEGITIMATE SKIP
	16.1	1,612	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2317-2318

AK15_8C	AMPHET/STIM:USE >1/REALIZED PROB
----------------	--

Did you use amphetamines or other stimulants on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	5.2	516	1	YES
8.3	0.5	47	2	NO
	78.1	7,813	-9	LEGITIMATE SKIP
	16.3	1,634	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2319-2320

AK15_8D	AMPHET/STIM:LAST TIME EMOT PROB
----------------	--

When was the last time amphetamines or other stimulants caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	2.3	231	2	WITHIN PAST 12 MOS
58.8	3.3	329	3	MORE THAN 1 YR
	78.1	7,822	-9	LEGITIMATE SKIP
	16.3	1,628	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2321-2322

AK15_8DR	MOS AGO HAD PSYCH PROBS DUE TO AMPHETS
-----------------	---

When was the last time amphetamines or other stimulants caused you any emotional or psychological problems? How many months ago?

10,010 cases (Range of valid codes: 0-316)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2323-2325

AK16B1**ALCOHOL:RECENCY**

When was the last time you were high on alcohol or suffering from the aftereffects while working, going to school, or taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.5	18.4	1,846	2	WITHIN PAST 12 MOS
32.5	8.9	889	3	MORE THAN 1 YR AGO
	66.5	6,652	-9	LEGITIMATE SKIP
	6.2	621	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2330-2331

AK16B1_M**MOS AGO WAS HIGH ON ALCOHOL AT WORK, ETC**

When was the last time you were high on alcohol or suffering from the aftereffects while working, going to school, or taking care of children? How many months ago?

10,010 cases (Range of valid codes: 0-443)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2332-2334

AK16A2 MARIJUANA/HASH/THC: UNDER INFLUENCE

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	17.4	1,738	1	YES
60.6	26.7	2,669	2	NO
	48.4	4,842	-9	LEGITIMATE SKIP
	7.6	761	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2335-2336

AK16B2 MARIJUANA/HASH/THC: RECENCY

When was the last time you were high on marijuana, hashish, or THC or suffering from the aftereffects while working, going to school, or taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	8.3	827	2	WITHIN PAST 12 MOS
52.1	9.0	901	3	MORE THAN 1 YR AGO
	75.0	7,505	-9	LEGITIMATE SKIP
	7.8	777	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2337-2338

AK16B2_M MOS AGO WAS HIGH ON MARIJUAN AT WORK, ETC

When was the last time you were high on marijuana, hashish, or THC or suffering from the aftereffects while working, going to school, or taking care of children? How many months ago?

10,010 cases (Range of valid codes: 0-443)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2339-2341

AK16A4**COCAINE/CRACK:UNDER INFLUENCE**

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.8	33.1	3,318	1	YES
28.2	13.0	1,300	2	NO
	47.7	4,778	-9	LEGITIMATE SKIP
	6.1	613	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2342-2343

AK16B4**COCAINE/CRACK:RECENCY**

When was the last time you were high on cocaine or crack or suffering from the aftereffects while working, going to school, or taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	24.9	2,493	2	WITHIN PAST 12 MOS
24.9	8.3	826	3	MORE THAN 1 YR AGO
	60.6	6,068	-9	LEGITIMATE SKIP
	6.2	622	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2344-2345

AK16B4_M MOS AGO WAS HIGH ON COCAINE AT WORK,ETC

When was the last time you were high on cocaine or crack or suffering from the aftereffects while working, going to school, or taking care of children? How many months ago?

10,010 cases (Range of valid codes: 0-312)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2346-2348

AK16A5 HEROIN:UNDER INFLUENCE

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	13.9	1,390	1	YES
32.2	6.6	659	2	NO
	77.2	7,732	-9	LEGITIMATE SKIP
	2.3	228	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2349-2350

AK16B5**HEROIN:RECENCY**

When was the last time you were high on heroin or suffering from the aftereffects while working, going to school, or taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.1	9.3	931	2	WITHIN PAST 12 MOS
32.9	4.6	456	3	MORE THAN 1 YR AGO
	83.8	8,388	-9	LEGITIMATE SKIP
	2.3	234	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2351-2352

AK16B5_M**MOS AGO WAS HIGH ON HEROIN AT WORK,ETC**

When was the last time you were high on heroin or suffering from the aftereffects while working, going to school, or taking care of children? How many months ago?

10,010 cases (Range of valid codes: 0-368)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2353-2355

AK16A6**NARC/OPIATES:UNDER INFLUENCE**

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Narcotics or opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	5.9	593	1	YES
68.6	12.9	1,296	2	NO
	77.4	7,748	-9	LEGITIMATE SKIP
	3.7	373	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2356-2357

AK16B6 **NARC/OPIATES:RECENCY**

When was the last time you were high on narcotics or opiates or suffering from the aftereffects while working, going to school, or taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	3.1	311	2	WITHIN PAST 12 MOS
47.1	2.8	277	3	MORE THAN 1 YR AGO
	90.3	9,043	-9	LEGITIMATE SKIP
	3.8	379	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2358-2359

AK16A7 **SED/TRANQS:UNDER INFLUENCE**

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	4.6	464	1	YES
76.2	14.8	1,485	2	NO
	76.4	7,644	-9	LEGITIMATE SKIP
	4.2	417	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2360-2361

AK16B7**SED/TRANQS:RECENCY**

When was the last time you were high on sedatives or tranquilizers or suffering from the aftereffects while working, going to school, or taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	2.0	203	2	WITHIN PAST 12 MOS
55.7	2.5	255	3	MORE THAN 1 YR AGO
	91.2	9,128	-9	LEGITIMATE SKIP
	4.2	424	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2362-2363

AK16B7_M**MOS AGO WAS HIGH ON SEDS AT WORK,ETC**

When was the last time you were high on sedatives or tranquilizers or suffering from the aftereffects while working, going to school, or taking care of children?
 How many months ago?

10,010 cases (Range of valid codes: 0-431)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2364-2366

AK16A8**AMPHET/STIM:UNDER INFLUENCE**

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	6.8	678	1	YES
65.3	12.8	1,278	2	NO
	75.9	7,601	-9	LEGITIMATE SKIP
	4.5	453	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2367-2368

AK17**USE OF ALCOHOL/DRUGS SAME AT ALL TIMES**

Did your use of alcohol or (this drug/ any of these drugs) ever become so regular that you would not change when or how much you took (it/ them) no matter what you were doing or where you were?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	50.0	5,004	1	YES
46.2	42.9	4,295	2	NO
	7.0	701	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2374-2375

AK17A1**ALCOHOL:USE SAME AT ALL TIMES**

Which of these have you used regularly?

Alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.9	20.4	2,044	1	YES
51.1	21.3	2,136	2	NO
	50.6	5,061	-9	LEGITIMATE SKIP
	7.7	766	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2376-2377

AK17B1 ALCOHOL:RECENCY

When was the last time you used alcohol regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	16.4	1,637	2	WITHIN PAST 12 MOS
19.6	4.0	400	3	MORE THAN 1 YR AGO
	71.8	7,191	-9	LEGITIMATE SKIP
	7.8	780	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2378-2379

AK17B1_M MOS AGO USED ALCOHOL VERY REGULARLY

When was the last time you used alcohol regularly? How many months ago?

10,010 cases (Range of valid codes: 0-402)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2380-2382

AK17A2 MARIJUANA/HASH/THC:SAME AT ALL TIMES

Which of these have you used regularly?

Marijuana, hasish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	9.6	962	1	YES
77.2	32.5	3,258	2	NO
	49.0	4,905	-9	LEGITIMATE SKIP
	8.8	885	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2383-2384

AK17B2	MARIJUANA/HASH/THC: RECENCY
---------------	------------------------------------

When was the last time you used marijuana, hasish, or THC regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.4	5.9	591	2	WITHIN PAST 12 MOS
38.6	3.7	371	3	MORE THAN 1 YR AGO
	81.5	8,157	-9	LEGITIMATE SKIP
	8.9	891	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2385-2386

AK17B2_M	MOS AGO USED MARIJUANA VERY REGULARLY
-----------------	--

When was the last time you used marijuana, hasish, or THC regularly? How many months ago?

10,010 cases (Range of valid codes: 0-471)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2387-2389

AK17A4	COCAINE/CRACK:USE SAME AT ALL TIMES
---------------	--

Which of these have you used regularly?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	33.8	3,380	1	YES
25.8	11.7	1,173	2	NO
	47.5	4,758	-9	LEGITIMATE SKIP
	7.0	699	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2390-2391

AK17B4 COCAINE/CRACK:RECENCY

When was the last time you used cocaine or crack regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	28.2	2,824	2	WITHIN PAST 12 MOS
16.3	5.5	549	3	MORE THAN 1 YR AGO
	59.2	5,924	-9	LEGITIMATE SKIP
	7.1	713	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2392-2393

AK17B4_M MOS AGO USED COCAINE VERY REGULARLY

When was the last time you used cocaine or crack regularly?
 How many months ago?

10,010 cases (Range of valid codes: 0-249)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2394-2396

AK17A5 HEROIN:USE SAME AT ALL TIMES

Which of these have you used regularly?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	16.5	1,655	1	YES
26.1	5.8	585	2	NO
	75.0	7,504	-9	LEGITIMATE SKIP
	2.7	266	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2397-2398

AK17B5**HEROIN:RECENCY**

When was the last time you used heroin regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	12.7	1,269	2	WITHIN PAST 12 MOS
23.0	3.8	379	3	MORE THAN 1 YR AGO
	80.8	8,087	-9	LEGITIMATE SKIP
	2.7	275	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2399-2400

AK17B5_M**MOS AGO USED HEROIN VERY REGULARLY**

When was the last time you used heroin regularly?
How many months ago?

10,010 cases (Range of valid codes: 0-419)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2401-2403

AK17A6**NARC/OPIATES:USE SAME AT ALL TIMES**

Which of these have you used regularly?

Narcotics or opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	4.8	477	1	YES
73.8	13.4	1,341	2	NO
	77.9	7,799	-9	LEGITIMATE SKIP
	3.9	393	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2404-2405

AK17B6 NARC/OPIATES:RECENCY

When was the last time you used narcotics or opiates regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	3.0	296	2	WITHIN PAST 12 MOS
37.7	1.8	179	3	MORE THAN 1 YR AGO
	91.3	9,139	-9	LEGITIMATE SKIP
	4.0	396	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2406-2407

AK17B6_M MOS AGO USED NARCOTICS VERY REGULARLY

When was the last time you used narcotics or opiates regularly? How many months ago?

10,010 cases (Range of valid codes: 0-281)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2408-2410

AK17A7 SED/TRANQS:USE SAME AT ALL TIMES

Which of these have you used regularly?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	3.3	328	1	YES
82.4	15.4	1,538	2	NO
	77.0	7,709	-9	LEGITIMATE SKIP
	4.3	435	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2411-2412

AK17B7**SED/TRANQS:REGENCY**

When was the last time you used sedatives or tranquilizers regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	1.8	184	2	WITHIN PAST 12 MOS
43.4	1.4	141	3	MORE THAN 1 YR AGO
	92.4	9,246	-9	LEGITIMATE SKIP
	4.4	439	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2413-2414

AK17B7_M**MOS AGO USED SEDS VERY REGULARLY**

When was the last time you used sedatives or tranquilizers regularly? How many months ago?

10,010 cases (Range of valid codes: 0-281)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2415-2417

AK17A8**AMPHET/STIM:USE SAME AT ALL TMS**

Which of these have you used regularly?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	4.5	447	1	YES
74.8	13.2	1,325	2	NO
	77.6	7,772	-9	LEGITIMATE SKIP
	4.7	466	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2418-2419

AK17B8 AMPHET/STIM:RECENCY

When was the last time you used amphetamines or other stimulants regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	2.0	198	2	WITHIN PAST 12 MOS
55.4	2.5	246	3	MORE THAN 1 YR AGO
	90.9	9,096	-9	LEGITIMATE SKIP
	4.7	470	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2420-2421

AK17B8_M MOS AGO USED AMPHETS VERY REGULARLY

When was the last time you used amphetamines or other stimulants regularly? How many months ago?

10,010 cases (Range of valid codes: 1-310)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2422-2424

AK18 STOP DRINKING SYMPTOMS SUCH AS SHAKES

Did stopping or cutting down on drinking alcohol ever cause you problems such as the shakes (hands tremble), being unable to sleep, feeling anxious or depressed, sweating, your heart beating faster, stomach aches, headaches, weakness, seeing or hearing things that weren't really there, fits or seizures after stopping or cutting down on drinking, or the d. t. 's (delirium tremens)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	22.0	2,200	1	YES
76.7	72.5	7,261	2	NO
	1.3	129	-9	LEGITIMATE SKIP
	4.2	417	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2425-2426

AK18A **AGE WHEN SYMPTOMS LAST OCCURRED**

When was the last time stopping or cutting down on your drinking caused you any of these problems?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2427-2428

AK18B **HAD THESE PROBS MORE THAN ONCE**

Have you had problems like these several times when you stopped or cut down on your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	17.1	1,711	1	YES
22.5	5.0	497	2	NO
	73.7	7,375	-9	LEGITIMATE SKIP
	4.2	423	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2429-2430

AK18C **DRANK TO KEEP FROM HAVING THESE PROBS**

Did you ever take a drink to keep from having problems like these or to make them go away?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.4	18.2	1,821	1	YES
17.6	3.9	390	2	NO
	73.7	7,375	-9	LEGITIMATE SKIP
	4.2	421	-8	BLANK
	0.0	3	-7	REFUSAL

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2431-2432

AK19 STOP DRUG USE CAUSES W/DRAWAL PROBS

Did stopping or cutting down on (this drug/ any of these drugs) (excluding alcohol) make you sick or cause withdrawal problems like being unable to sleep, feeling anxious or depressed, sweating, feeling sick, or your heart beating fast?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	52.8	5,288	1	YES
43.5	40.6	4,065	2	NO
	6.4	643	-8	BLANK
	0.1	6	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
	0.0	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2433-2434

AK19_1A MARIJUANA/HASH/THC:PROBS WHEN STOPPED

Which of these drugs have caused any of these problems when you stopped or cut down on them?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	4.3	428	1	YES
90.2	39.3	3,933	2	NO
	47.5	4,756	-9	LEGITIMATE SKIP
	8.9	891	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2435-2436

AK19_1B

MRJUAN/HASH/THC:PROBS WHEN STOPPED >ONCE

Have you had problems like these several times when you stopped or cut down on marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	3.7	374	1	YES
25.5	1.3	128	2	NO
	86.0	8,607	-9	LEGITIMATE SKIP
	9.0	901	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2437-2438

AK19_1C

MARIJUANA/HASH/THC:MAKE W/DRAWAL GO AWAY

Did you use marijuana, hashish, or THC to make these withdrawal symptoms go away or to keep from having them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	3.6	362	1	YES
23.8	1.1	113	2	NO
	86.2	8,631	-9	LEGITIMATE SKIP
	9.0	904	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2439-2440

AK19_1D MARIJUANA/HASH/THC:LAST TIME CAUSED PROB

When was the last time stopping or cutting down on marijuana, hashish, or THC caused you any of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.0	2.8	278	2	WITHIN THE PAST 12 MNTHS
34.0	1.4	143	3	MORE THAN 1 YR
	86.7	8,675	-9	LEGITIMATE SKIP
	9.1	914	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2441-2442

AK19_1DR MOS AGO HAD W/DRAWAL SYMPTOMS: MARIJ

When was the last time stopping or cutting down on marijuana, hashish, or THC caused you any of these problems? How many months ago?

10,010 cases (Range of valid codes: 0-442)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2443-2445

AK19_3A COCAINE/CRACK:PROBS WHEN STOPPED

Which of these drugs have caused any of these problems when you stopped or cut down on them?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	33.1	3,318	1	YES
31.6	15.3	1,531	2	NO
	45.2	4,523	-9	LEGITIMATE SKIP
	6.3	635	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2446-2447

AK19_3B

COCAINE/CRACK:PROBS WHEN STOPPED >ONCE

Have you had problems like these several times when you stopped or cut down on cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	30.0	3,005	1	YES
9.6	3.2	319	2	NO
	59.9	6,000	-9	LEGITIMATE SKIP
	6.8	682	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2448-2449

AK19_3C

COCAINE/CRACK:MAKE W/DRAWAL GO AWAY

Did you use cocaine or crack to make these withdrawal symptoms go away or to keep from having them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	27.7	2,777	1	YES
15.1	4.9	493	2	NO
	60.0	6,006	-9	LEGITIMATE SKIP
	7.3	730	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2450-2451

AK19_3D COCAINE/CRACK:LAST TIME CAUSED PROBS

When was the last time stopping or cutting down on cocaine or crack caused you any of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	27.2	2,723	2	WITHIN PAST 12 MOS
16.3	5.3	529	3	MORE THAN 1 YR
	60.4	6,045	-9	LEGITIMATE SKIP
	7.1	712	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2452-2453

AK19_3DR MOS AGO HAD W/DRAWAL SYMPTOMS: COCAINE

When was the last time stopping or cutting down on cocaine or crack caused you any of these problems? How many months ago?

10,010 cases (Range of valid codes: 0-273)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2454-2456

AK19_4A HEROIN:PROBS WHEN STOPPED

Which of these drugs have caused any of these problems when you stopped or cut down on them?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	23.9	2,397	1	YES
15.8	4.5	451	2	NO
	69.4	6,942	-9	LEGITIMATE SKIP
	2.2	219	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2457-2458

AK19_4B

HEROIN:PROBS WHEN STOPPED > ONCE

Have you had problems like these several times when you stopped or cut down on heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	22.1	2,208	1	YES
4.8	1.1	112	2	NO
	73.7	7,379	-9	LEGITIMATE SKIP
	3.1	307	-8	BLANK
	0.0	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2459-2460

AK19_4C

HEROIN:MAKE W/DRAWAL SYMPTOMS GO AWAY

Did you use heroin to make these withdrawal symptoms go away or to keep from having them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	21.9	2,196	1	YES
4.1	0.9	93	2	NO
	73.9	7,401	-9	LEGITIMATE SKIP
	3.2	320	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2461-2462

AK19_5B

NARC/OPIATES:PROBS WHEN STOPPD >ONCE

Have you had problems like these several times when you stopped or cut down on narcotics or opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.1	4.9	494	1	YES
12.9	0.7	73	2	NO
	90.1	9,016	-9	LEGITIMATE SKIP
	4.2	424	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2470-2471

AK19_5C

NARC/OPIATES:MAKE W/DRAWAL GO AWAY

Did you use narcotics or opiates to make these withdrawal symptoms go away or to keep from having them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	4.9	489	1	YES
11.9	0.7	66	2	NO
	90.2	9,029	-9	LEGITIMATE SKIP
	4.2	425	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2472-2473

AK19_5D NARC/OPIATES:LAST TIME CAUSED PROBS

When was the last time stopping or cutting down on narcotics or opiates caused you any of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	3.5	347	2	WITHIN PAST 12 MOS
35.0	1.9	187	3	MORE THAN 1 YR
	90.4	9,054	-9	LEGITIMATE SKIP
	4.2	422	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2474-2475

AK19_5DR MOS AGO HAD W/DRAWAL SYMPTOMS: NARCS

When was the last time stopping or cutting down on narcotics or opiates caused you any of these problems? How many months ago?

10,010 cases (Range of valid codes: 0-507)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2476-2478

AK19_6A SED/TRANQS:PROBS WHEN STOPPD

Which of these drugs have caused any of these problems when you stopped or cut down on them?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	3.3	327	1	YES
83.7	16.8	1,680	2	NO
	75.5	7,554	-9	LEGITIMATE SKIP
	4.5	449	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2479-2480

AK19_6B

SED/TRANQS:PROBS WHEN STOPPD >ONCE

Have you had problems like these several times when you stopped or cut down on sedatives or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	3.0	301	1	YES
17.3	0.6	63	2	NO
	91.8	9,192	-9	LEGITIMATE SKIP
	4.5	452	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2481-2482

AK19_6C

SED/TRANQS:MAKE W/DRAWAL GO AWAY

Did you use sedatives or tranquilizers to make these withdrawal symptoms go away or to keep from having them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	2.8	285	1	YES
17.9	0.6	62	2	NO
	92.0	9,205	-9	LEGITIMATE SKIP
	4.6	457	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2483-2484

AK19_6D SED/TRANQS:LAST TIME CAUSED PROBS

When was the last time stopping or cutting down on sedatives or tranquilizers caused you any of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	2.0	197	2	WITHIN PAST 12 MOS
37.3	1.2	117	3	MORE THAN 1 YR
	92.2	9,232	-9	LEGITIMATE SKIP
	4.6	464	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2485-2486

AK19_6DR MOS AGO HAD W/DRAWAL SYMPTOMS: SEDS

When was the last time stopping or cutting down on sedatives or tranquilizers caused you any of these problems? How many months ago?

10,010 cases (Range of valid codes: 0-306)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2487-2489

AK19_7A AMPHET/STIM:PROBS WHEN STOPPD

Which of these drugs have caused any of these problems when you stopped or cut down on them?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	4.7	466	1	YES
75.1	14.0	1,406	2	NO
	76.8	7,685	-9	LEGITIMATE SKIP
	4.5	453	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2490-2491

AK19_7B

AMPHET/STIM:PROBS WHEN STOPPD >ONCE

Have you had problems like these several times when you stopped or cut down on amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	4.0	402	1	YES
16.9	0.8	82	2	NO
	90.5	9,057	-9	LEGITIMATE SKIP
	4.7	469	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2492-2493

AK19_7C

AMPHET/STIM:MAKE W/DRAWAL GO AWAY

Did you use amphetamines or other stimulants to make these withdrawal symptoms go away or to keep from having them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.7	3.6	359	1	YES
23.3	1.1	109	2	NO
	90.6	9,070	-9	LEGITIMATE SKIP
	4.7	472	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2494-2495

AK20

LONG TIME PERIOD USING ALCOHOL OR DRUGS

I have just a few more questions to ask about problems you may have had with alcohol or (this kind of drug/ any of these drugs). Has there been a period when you spent a great deal of time using alcohol or (this drug/ any of these drugs), getting them, or getting over (its/ their) effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	64.1	6,413	1	YES
31.6	29.7	2,968	2	NO
	6.1	613	-8	BLANK
	0.0	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	8	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2501-2502

AK20_1A

ALCOHOL:LONG TIME USING

Which of these have you spent a great deal of time using or getting over the effects?

Alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	25.7	2,571	1	YES
51.6	27.4	2,738	2	NO
	39.4	3,947	-9	LEGITIMATE SKIP
	7.5	753	-8	BLANK
	0.0	1	-7	REFUSAL

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2503-2504

AK20_1B ALCOHOL:TIME USING AT LEAST 1 MONTH

Did this period of spending a lot of time using or getting over the effects of alcohol last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	19.9	1,988	1	YES
20.2	5.0	504	2	NO
	66.3	6,638	-9	LEGITIMATE SKIP
	8.8	878	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2505-2506

AK20_1C ALCOHOL:LAST TIME USING LONG PERIOD

When was the last time you spent a lot of time using or getting over the effects of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	19.3	1,927	2	WITHIN PAST 12 MOS
22.6	5.6	564	3	MORE THAN 1 YR AGO
	66.7	6,679	-9	LEGITIMATE SKIP
	8.4	836	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2507-2508

AK20_1CR MOS AGO USED ALCOHOL A GREAT DEAL

When was the last time you spent a lot of time using or getting over the effects of alcohol? How many months ago?

10,010 cases (Range of valid codes: 0-471)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2509-2511

AK20_2A

MARJUNA/HASH/THC:LONG TIME USING

Which of these have you spent a great deal of time using or getting over the effects?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	11.1	1,111	1	YES
79.1	42.0	4,204	2	NO
	37.7	3,776	-9	LEGITIMATE SKIP
	9.2	918	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2512-2513

AK20_2B

MARIJ/HASH/THC:TIME USING AT LEAST 1 MO

Did this period of spending a lot of time using or getting over the effects of marijuana, hashish, or THC last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	9.1	910	1	YES
19.5	2.2	220	2	NO
	79.1	7,916	-9	LEGITIMATE SKIP
	9.6	964	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2514-2515

AK20_4B

COCAINE/CRACK:TIME USING AT LEAST 1 MONT

Did this period of spending a lot of time using or getting over the effects of cocaine or crack last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	37.5	3,755	1	YES
14.0	6.1	611	2	NO
	47.8	4,783	-9	LEGITIMATE SKIP
	8.6	858	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2523-2524

AK20_4C

COCAINE/CRACK:LAST TIME USING LONG PERIO

When was the last time you spent a lot of time using or getting over the effects of cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.6	36.9	3,694	2	WITHIN PAST 12 MOS
17.4	7.8	779	3	MORE THAN 1 YR AGO
	48.1	4,817	-9	LEGITIMATE SKIP
	7.2	717	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2525-2526

AK20_4CR

MOS AGO USED COCAINE A GREAT DEAL

When was the last time you spent a lot of time using or getting over the effects of cocaine or crack? How many months ago?

10,010 cases (Range of valid codes: 0-339)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2527-2529

AK20_5C	HEROIN:LAST TIME USING FOR LONG PERIOD
----------------	---

When was the last time you spent a lot of time using or getting over the effects of heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	15.6	1,565	2	WITHIN PAST 12 MOS
24.8	5.2	517	3	MORE THAN 1 YR AGO
	76.3	7,635	-9	LEGITIMATE SKIP
	2.9	293	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2534-2535

AK20_5CR	MOS AGO USED HEROIN A GREAT DEAL
-----------------	---

When was the last time you spent a lot of time using or getting over the effects of heroin? How many months ago?

10,010 cases (Range of valid codes: 0-419)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2536-2538

AK20_6A	NARC/OPIATES:LONG TIME USING
----------------	-------------------------------------

Which of these have you spent a great deal of time using or getting over the effects?

Narcotics or other opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	5.6	565	1	YES
74.8	16.7	1,673	2	NO
	73.3	7,342	-9	LEGITIMATE SKIP
	4.3	430	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2539-2540

AK20_7A

SED/TRANQS:LONG TIME USING

Which of these have you spent a great deal of time using or getting over the effects?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	4.0	405	1	YES
82.3	18.8	1,877	2	NO
	72.4	7,247	-9	LEGITIMATE SKIP
	4.8	480	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2548-2549

AK20_7B

SED/TRANQS:TIME USNG AT LEAST 1 MO

Did this period of spending a lot of time using or getting over the effects of sedatives or tranquilizers last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.7	3.3	328	1	YES
21.3	0.9	89	2	NO
	90.7	9,079	-9	LEGITIMATE SKIP
	5.1	512	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2550-2551

AK20_7C SED/TRANQS:LAST TIME USING

When was the last time you spent a lot of time using or getting over the effects of sedatives or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	2.0	204	2	WITHIN PAST 12 MOS
46.5	1.8	177	3	MORE THAN 1 YR AGO
	91.1	9,122	-9	LEGITIMATE SKIP
	5.1	507	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2552-2553

AK20_7CR MOS AGO USED SEDATIVES A GREAT DEAL

When was the last time you spent a lot of time using or getting over the effects of sedatives or tranquilizers?
 How many months ago?

10,010 cases (Range of valid codes: 0-294)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2554-2556

AK20_8A AMPHET/STIM:LONG TIME USING

Which of these have you spent a great deal of time using or getting over the effects?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	6.1	606	1	YES
72.8	16.2	1,620	2	NO
	73.0	7,307	-9	LEGITIMATE SKIP
	4.8	476	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2557-2558

AK20_8B	AMPHET/STIM:TIME USING AT LEAST 1MO
----------------	--

Did this period of spending a lot of time using or getting over the effects of amphetamines or other stimulants last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	4.9	495	1	YES
18.5	1.1	112	2	NO
	88.8	8,890	-9	LEGITIMATE SKIP
	5.1	513	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2559-2560

AK20_8C	AMPHET/STIM:LAST TIME USNG LONG PERIOD
----------------	---

When was the last time you spent a lot of time using or getting over the effects of amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.5	2.5	251	2	WITHIN PAST 12 MOS
57.5	3.4	340	3	MORE THAN 1 YR AGO
	89.2	8,925	-9	LEGITIMATE SKIP
	4.9	494	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2561-2562

AK20_8CR	MOS AGO USED AMPHETAMINES A GREAT DEAL
-----------------	---

When was the last time you spent a lot of time using or getting over the effects of amphetamines or other stimulants?
 How many months ago?

10,010 cases (Range of valid codes: 0-372)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2563-2565

AK21	PERIOD OF 1+ MOS MADE SURE HAD ALC/DRUGS
-------------	---

Did you ever have a period of a month or more when most days you spent a lot of time doing things to make sure you had alcohol or (this drug/ any of these drugs)? For example, did you ever have a period of a month or more when most days you spent a lot of time hiding bottles of alcohol, stealing money, or panhandling money to buy alcohol or (this drug/ any of these drugs)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.4	43.2	4,322	1	YES
53.6	49.8	4,987	2	NO
	6.9	691	-8	BLANK
	0.0	5	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2566-2567

AK21_1A	ALCOHOL:MADE SURE HAD 1+ MONTH
----------------	---------------------------------------

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	15.1	1,514	1	YES
58.9	21.7	2,169	2	NO
	56.5	5,657	-9	LEGITIMATE SKIP
	6.7	669	-8	BLANK
	0.0	1	-7	REFUSAL

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2568-2569

AK21_1B3	ALCOHOL:DURATION - WKS
-----------------	-------------------------------

How long did your longest period of making sure you had alcohol available last?

10,010 cases (Range of valid codes: 0-1,920)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2570-2573

AK21_1C	ALCOHOL:LAST TIME 1+ MOS MADE SURE HAD
----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	11.5	1,153	2	WITHIN PAST 12 MOS
23.1	3.5	346	3	MORE THAN 1 YR AGO
	78.1	7,822	-9	LEGITIMATE SKIP
	6.9	688	-8	BLANK
	0.0	1	-7	REFUSAL

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2574-2575

AK21_1CR	MOS AGO SPENT TIME MAKING SURE HAD ALC
-----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had alcohol?
How many months ago?

10,010 cases (Range of valid codes: 0-365)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2576-2578

AK21_2A **MARJUNA/HASH/THC:MADE SURE HAD 1+ MOS**

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Marijuana, hasish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	6.3	635	1	YES
83.0	31.0	3,104	2	NO
	54.8	5,490	-9	LEGITIMATE SKIP
	7.8	780	-8	BLANK
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2579-2580

AK212B3 **MARIJUANA/HASH/THC:DURATION - WKS**

How long did your longest period of making sure you had marijuana, hasish, or THC available last?

10,010 cases (Range of valid codes: 0-1,552)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2581-2584

AK21_2C **MARIJUANA/HASH/THC:LONGEST TIME 1+ MOS**

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had marijuana, hasish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	3.9	394	2	WITHIN PAST 12 MOS
38.8	2.5	250	3	MORE THAN 1 YR AGO
	85.7	8,574	-9	LEGITIMATE SKIP
	7.9	792	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2585-2586

AK21_2CR	MOS AGO SPENT TIME MAKING SURE HAD MARIJ
-----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had marijuana, hashish, or THC? How many months ago?

10,010 cases (Range of valid codes: 0-417)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2587-2589

AK21_4A	COCAINE/CRACK:MADE SURE HAD 1+ MOS
----------------	---

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Cocaine or crack.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	30.9	3,090	1	YES
24.7	10.1	1,013	2	NO
	53.2	5,330	-9	LEGITIMATE SKIP
	5.8	576	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2590-2591

AK21_4B3	COCAINE/CRACK:DURATION - WKS
-----------------	-------------------------------------

How long did your longest period of making sure you had cocaine or crack available last?

10,010 cases (Range of valid codes: 0-1,808)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2592-2595

AK21_4C COCAINE/CRACK:LAST TIME 1+ MOS SURE HAD

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	24.5	2,452	2	WITHIN PAST 12 MOS
20.0	6.1	614	3	MORE THAN 1 YR AGO
	63.2	6,328	-9	LEGITIMATE SKIP
	6.2	616	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2596-2597

AK21_4CR MOS AGO SPENT TIME MAKING SURE HAD COKE

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had cocaine or crack? How many months ago?

10,010 cases (Range of valid codes: 0-374)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2598-2600

AK21_5A HEROIN: MADE SURE HAD 1+ MOS

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	15.1	1,508	1	YES
25.7	5.2	521	2	NO
	77.3	7,736	-9	LEGITIMATE SKIP
	2.4	243	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2601-2602

AK21_5B3	HEROIN:DURATION - WKS
-----------------	------------------------------

How long did your longest period of making sure you had heroin available last?

10,010 cases (Range of valid codes: 0-1,920)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2603-2606

AK21_5C	HEROIN:LAST TIME 1+ MOS MADE SURE HAD
----------------	--

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.4	10.9	1,096	2	WITHIN PAST 12 MOS
26.6	4.0	398	3	MORE THAN 1 YR AGO
	82.4	8,251	-9	LEGITIMATE SKIP
	2.6	265	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2607-2608

AK21_5CR	MOS AGO SPENT TIME MAKING SURE HAD HER
-----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had heroin?
How many months ago?

10,010 cases (Range of valid codes: 0-498)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2609-2611

AK21_6A **NARC/OPIATES:MADE SURE HAD 1+ MOS**

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Narcotics or opiates.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	3.1	314	1	YES
79.9	12.5	1,250	2	NO
	80.5	8,061	-9	LEGITIMATE SKIP
	3.8	385	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2612-2613

AK21_6B3 **NARC/OPIATES:DURATION - WKS**

How long did your longest period of making sure you had narcotics or opiates available last?

10,010 cases (Range of valid codes: 0-1,552)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2614-2617

AK21_6C **NARC/OPIATES:LAST TIME 1+ MOS SURE HAD**

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had narcotics or opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	1.9	192	2	WITHIN PAST 12 MOS
38.1	1.2	118	3	MORE THAN 1 YR AGO
	93.0	9,308	-9	LEGITIMATE SKIP
	3.9	392	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2618-2619

AK21_6CR	MOS AGO SPENT TIME MAKING SURE HAD NARCS
-----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had narcotics or opiates? How many months ago?

10,010 cases (Range of valid codes: 0-330)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2620-2622

AK21_7A	SED/TRANQS:MADE SURE HAD 1+ MOS
----------------	--

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	1.8	183	1	YES
88.8	14.4	1,446	2	NO
	79.5	7,958	-9	LEGITIMATE SKIP
	4.2	423	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2623-2624

AK21_7B3	SED/TRANQS:DURATION - WKS
-----------------	----------------------------------

How long did your longest period of making sure you had sedatives or tranquilizers available last?

10,010 cases (Range of valid codes: 0-1,552)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2625-2628

AK21_7C SED/TRANQS:LAST TIME 1+ MOS SURE HAD

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had sedatives or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	1.0	105	2	WITHIN PAST 12 MOS
42.9	0.8	79	3	MORE THAN 1 YR AGO
	93.9	9,401	-9	LEGITIMATE SKIP
	4.2	425	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2629-2630

AK21_7CR MOS AGO SPENT TIME MAKING SURE HAD SEDS

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had sedatives or tranquilizers? How many months ago?

10,010 cases (Range of valid codes: 0-330)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2631-2633

AK21_8A AMPHET/STIM:MADE SURE HAS 1+ MOS

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	2.9	293	1	YES
80.9	12.4	1,244	2	NO
	80.6	8,066	-9	LEGITIMATE SKIP
	4.1	406	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2634-2635

AK21_8B3	AMPHET/STIM:DURATION - WKS
-----------------	-----------------------------------

How long did your longest period of making sure you had amphetamines or other stimulants available last?

10,010 cases (Range of valid codes: 0-1,392)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2636-2639

AK21_8C	AMPHET/STIM:LAST TIME 1+ MOS HAD
----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	1.3	130	2	WITHIN PAST 12 MOS
56.4	1.7	168	3	MORE THAN 1 YR AGO
	93.0	9,305	-9	LEGITIMATE SKIP
	4.1	407	-8	BLANK

100.0 100.0 10,010 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2640-2641

AK21_8CR	MOS AGO SPENT TIME MAKING SURE HAD AMP
-----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had amphetamines or other stimulants? How many months ago?

10,010 cases (Range of valid codes: 1-309)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2642-2644

AK22_1B

ALCOHOL:ACTIVITIES GIVEN UP AT LEAST 1 M

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	21.6	2,158	1	YES
8.7	2.0	205	2	NO
	67.5	6,753	-9	LEGITIMATE SKIP
	8.9	893	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2649-2650

AK22_1C

ALCOHOL:LAST TIME ACTIVITIES GIVEN UP

When was the last time you gave up these activities because of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	18.6	1,863	2	WITHIN PAST 12 MOS
21.6	5.1	513	3	MORE THAN 1 YR AGO
	67.9	6,797	-9	LEGITIMATE SKIP
	8.3	834	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2651-2652

AK22_1CR

MOS AGO GAVE UP ACTIVITIES TO USE ALCOHL

When was the last time you gave up these activities because of alcohol? How many months ago?

10,010 cases (Range of valid codes: 0-391)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2653-2655

AK22_2A **MARJUNA/HASH/THC:ACTIVITIES GIVEN UP**

Which of these have you given up or greatly reduced important activities for?

Marijuana, hashish, or THC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	9.9	987	1	YES
82.2	45.4	4,547	2	NO
	35.3	3,530	-9	LEGITIMATE SKIP
	9.5	946	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2656-2657

AK22_2B **MARJN/HASH/THC:ACTVTS GIVEN UP AT LEAST**

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	8.8	878	1	YES
14.1	1.4	144	2	NO
	80.0	8,007	-9	LEGITIMATE SKIP
	9.8	981	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2658-2659

AK22_2C	MARIJUANA/HASH/THC:LAST TIME ACTIVS GIVE
----------------	---

When was the last time you gave up these activities because of marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.2	5.8	583	2	WITHIN PAST 12 MOS
39.8	3.9	386	3	MORE THAN 1 YR AGO
	80.6	8,069	-9	LEGITIMATE SKIP
	9.7	970	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2660-2661

AK22_2CR	MOS AGO GAVE UP ACTIVITIES TO USE MARIJ
-----------------	--

When was the last time you gave up these activities because of marijuana, hashish, or THC? How many months ago?

10,010 cases (Range of valid codes: 0-398)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2662-2664

AK22_4A	COCAINE/CRACK:ACTIVITIES GIVEN UP
----------------	--

Which of these have you given up or greatly reduced important activities for?

Cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	49.2	4,923	1	YES
19.6	12.0	1,203	2	NO
	32.6	3,260	-9	LEGITIMATE SKIP
	6.2	622	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2665-2666

AK22_4B **COCANE/CRCK:ACTIVITS GIVEN UP AT LEAST 1**

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	44.9	4,497	1	YES
5.0	2.4	237	2	NO
	44.2	4,428	-9	LEGITIMATE SKIP
	8.4	844	-8	BLANK
	0.0	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2667-2668

AK22_4C **COCAINE/CRACK:LAST TIME ACTIVITS GIVEN U**

When was the last time you gave up these activities because of cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	40.0	3,999	2	WITHIN PAST 12 MOS
17.9	8.7	871	3	MORE THAN 1 YR AGO
	44.5	4,456	-9	LEGITIMATE SKIP
	6.8	684	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2669-2670

AK22_4CR **MOS AGO GAVE UP ACTIVITIES TO USE COCAIN**

When was the last time you gave up these activities because of cocaine or crack? How many months ago?

10,010 cases (Range of valid codes: 0-269)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2671-2673

AK22_5A

HEROIN:ACTIVITIES GIVEN UP

Which of these have you given up or greatly reduced important activities for?

Heroin.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.2	19.9	1,996	1	YES
26.8	7.3	731	2	NO
	70.3	7,035	-9	LEGITIMATE SKIP
	2.5	247	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2674-2675

AK22_5B

HEROIN:ACTIVITIES GIVEN UP AT LEAST 1 MO

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	18.1	1,813	1	YES
4.1	0.8	77	2	NO
	77.3	7,736	-9	LEGITIMATE SKIP
	3.8	383	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2676-2677

AK22_6B

NARC/OPIATES:ACTVTS GIVEN UP AT LEAST 1

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of narcotics or other opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	4.5	451	1	YES
14.9	0.8	79	2	NO
	90.0	9,010	-9	LEGITIMATE SKIP
	4.7	470	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2685-2686

AK22_6C

NARC/OPIATES:LAST TIME ACTIVITIES GIVEN U

When was the last time you gave up these activities because of narcotics or other opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	3.0	298	2	WITHIN PAST 12 MOS
39.9	2.0	198	3	MORE THAN 1 YR AGO
	90.5	9,055	-9	LEGITIMATE SKIP
	4.6	459	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2687-2688

AK22_6CR

MOS AGO GAVE UP ACTIVITIES TO USE NARCS

When was the last time you gave up these activities because of narcotics or other opiates? How many months ago?

10,010 cases (Range of valid codes: 0-380)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2689-2691

AK22_7A SED/TRANQS:ACTIVITIES GIVEN UP

Which of these have you given up or greatly reduced important activities for?

Sedatives or tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	3.4	341	1	YES
84.7	18.8	1,881	2	NO
	72.9	7,299	-9	LEGITIMATE SKIP
	4.9	489	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2692-2693

AK22_7B SED/TRANQS:ACTVTS GIVEN UP AT LEAST 1 MO

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of sedatives or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	2.8	277	1	YES
22.6	0.8	81	2	NO
	91.2	9,132	-9	LEGITIMATE SKIP
	5.2	520	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2694-2695

AK22_7C	SED/TRANQS:LAST TIME ACTVTS GIVEN UP
----------------	---

When was the last time you gave up these activities because of sedatives or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	1.8	176	2	WITHIN PAST 12 MOS
43.6	1.4	136	3	MORE THAN 1 YR AGO
	91.7	9,182	-9	LEGITIMATE SKIP
	5.2	516	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2696-2697

AK22_7CR	MOS AGO GAVE UP ACTIVITIES TO USE SEDS
-----------------	---

When was the last time you gave up these activities because of sedatives or tranquilizers? How many months ago?

10,010 cases (Range of valid codes: 0-294)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2698-2700

AK22_8A	AMPHET/STIM:ACTIVITIES GIVEN UP
----------------	--

Which of these have you given up or greatly reduced important activities for?

Amphetamines or other stimulants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	5.0	498	1	YES
76.8	16.5	1,652	2	NO
	73.6	7,363	-9	LEGITIMATE SKIP
	5.0	496	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2701-2702

AK22_8B AMPHET/STIM:ACTIVTS GIVEN UP 1+ MOS

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.2	4.4	438	1	YES
13.8	0.7	70	2	NO
	89.6	8,972	-9	LEGITIMATE SKIP
	5.3	530	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2703-2704

AK22_8C AMPHET/STIM:LAST TIME ACTIVTS GIVEN UP

When was the last time you gave up these activities because of amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	2.2	221	2	WITHIN PAST 12 MOS
55.0	2.7	270	3	MORE THAN 1 YR AGO
	90.0	9,014	-9	LEGITIMATE SKIP
	5.0	505	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2705-2706

AK22_8CR MOS AGO GAVE UP ACTIVITIES TO USE AMPHET

When was the last time you gave up these activities because of amphetamines or other stimulants? How many months ago?

10,010 cases (Range of valid codes: 0-309)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2707-2709

AK23_A **AGE HAD PROBS DUE TO ALCOHOL**

You said you have had some of the problems we just discussed due to alcohol. How old were you the first time you had any of the problems due to alcohol?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2710-2711

AK23_B **AGE HAD PROBS DUE TO MARIJUANA**

You said you have had some of the problems we just discussed due to marijuana, hashish, or THC. How old were you the first time you had any of the problems due to marijuana, hashish, or THC?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2712-2713

AK23_C **AGE HAD PROBS DUE TO COCAINE/CRACK**

You said you have had some of the problems we just discussed due to cocaine or crack. How old were you the first time you had any of the problems due to cocaine or crack?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2714-2715

AK23_D **AGE HAD PROBS DUE TO HEROIN**

You said you have had some of the problems we just discussed due to heroin. How old were you the first time you had any of the problems due to heroin?

10,010 cases (Range of valid codes: 0-87)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2716-2717

AK23_E**AGE HAD PROBS DUE TO NARC/OPIATES**

You said you have had some of the problems we just discussed due to narcotics or opiates. How old were you the first time you had any of the problems due to narcotics or opiates?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2718-2719

AK23_F**AGE HAD PROBS DUE SED/TRANQS**

You said you have had some of the problems we just discussed due to sedatives or tranquilizers. How old were you the first time you had any of the problems due to sedatives or tranquilizers?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2720-2721

AK23_G**AGE HAD PROBS DUE AMPHET/STIM**

You said you have had some of the problems we just discussed due to amphetamines or other stimulants. How old were you the first time you had any of the problems due to amphetamines or other stimulants?

10,010 cases (Range of valid codes: 0-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2722-2723

INTERVIEWER OBSERVATIONS

AL1	WERE ALL APPLICABLE QUESTIONS ANSWERED?
------------	--

DID THE RESPONDENT ANSWER ALL APPLICABLE QUESTIONS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	91.9	9,199	1	YES
5.8	5.7	566	2	NO
	2.4	242	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2724-2725

AL2	RESPONDENT UNDERSTOOD ALL QUESTION ASKED
------------	---

DID THE RESPONDENT UNDERSTAND ALL OF THE QUESTIONS THAT WERE ASKED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	94.9	9,495	1	YES
2.6	2.5	251	2	NO
	2.6	258	-8	BLANK
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2726-2727

AL2A	# OF QUES RESPONDENT DIDN'T UNDERSTAND
------	--

HOW MANY QUESTIONS DID THE RESPONDENT NOT UNDERSTAND?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.1	9	0	
41.7	0.7	75	1	
10.6	0.2	19	2	
10.0	0.2	18	3	
8.3	0.1	15	4	
4.4	0.1	8	5	
3.9	0.1	7	6	
3.9	0.1	7	7	
1.1	0.0	2	8	
1.1	0.0	2	9	
0.6	0.0	1	10	
0.6	0.0	1	11	
0.6	0.0	1	14	
0.6	0.0	1	16	
0.6	0.0	1	17	
0.6	0.0	1	18	
1.1	0.0	2	19	
1.7	0.0	3	20	
0.6	0.0	1	24	
0.6	0.0	1	26	
0.6	0.0	1	27	
0.6	0.0	1	30	
0.6	0.0	1	50	
0.6	0.0	1	100	
0.6	0.0	1	999	999 OR MORE
	94.6	9,474	-9	LEGITIMATE SKIP
	3.4	337	-8	BLANK
	0.2	16	-5	BAD DATA
	0.0	3	-4	DON'T KNOW

 100.0 100.0 10,010 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2728-2730

AL3_1_1

NOT UNDERSTOOD: INTELLECTUALLY UNABLE

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

INTELLECTUALLY UNABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	108	1	CIRCLED
	94.8	9,489	-9	LEGITIMATE SKIP
	4.1	412	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2731-2732

AL3_1_2

SEVERITY OF INTELLECTUAL DIFFICULTY

HOW SEVERE WOULD YOU SAY THE INTELLECTUAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	0.6	62	1	MILD
39.3	0.5	46	2	MODERATE
7.7	0.1	9	3	EXTREME
	94.8	9,488	-9	LEGITIMATE SKIP
	4.0	404	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2733-2734

AL3_2_1 NOT UNDERSTOOD: LANGUAGE BARRIER

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

LANGUAGE BARRIER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	12	2	CIRCLED
	94.8	9,494	-9	LEGITIMATE SKIP
	5.0	503	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2735-2736

AL3_2_2 SEVERITY OF LANGUAGE BARRIER

HOW SEVERE WOULD YOU SAY THE LANGUAGE BARRIER WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	0.1	10	1	MILD
44.4	0.1	8	2	MODERATE
0.0	0.0	0	3	EXTREME
	94.8	9,492	-9	LEGITIMATE SKIP
	5.0	499	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2737-2738

AL3_3_1

NOT UNDERSTOOD: PHYSICALLY UNABLE

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

PHYSICALLY UNABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	94.9	9,495	-9	LEGITIMATE SKIP
	5.1	513	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2739-2740

AL3_3_2

SEVERITY OF PHYSICAL DIFFICULTY

HOW SEVERE WOULD YOU SAY THE PHYSICAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.0	2	1	MILD
33.3	0.0	1	2	MODERATE
0.0	0.0	0	3	EXTREME
	94.9	9,495	-9	LEGITIMATE SKIP
	5.1	510	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2741-2742

AL3_4_1 NOT UNDERSTOOD: OTHER

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

OTHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	81	4	CIRCLED
	94.8	9,489	-9	LEGITIMATE SKIP
	4.4	439	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2743-2744

AL3_4_2 SEVERITY OF OTHER PROB

HOW SEVERE WOULD YOU SAY THIS DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	0.4	39	1	MILD
30.0	0.2	24	2	MODERATE
21.2	0.2	17	3	EXTREME
	94.8	9,489	-9	LEGITIMATE SKIP
	4.4	440	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2745-2746

AL4**WAS THE INTERVIEW A BREAK-OFF?**

WAS THE INTERVIEW A BREAK- OFF?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.7	470	1	YES
95.2	92.2	9,233	2	NO
	3.1	306	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2747-2748

AL4A1**BREAK-OFF: INTERVIEWER EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK- OFF?

INTERVIEWER EMERGENCY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	10	1	CIRCLED
	92.2	9,231	-9	LEGITIMATE SKIP
	7.7	768	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2749-2750

AL4A2 **BREAK-OFF: RESPONDENT EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK- OFF?

RESPONDENT EMERGENCY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	56	2	CIRCLED
	92.2	9,227	-9	LEGITIMATE SKIP
	7.3	726	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2751-2752

AL4A3 **BREAK-OFF: RESPONDENT TIRED, BORED**

WHAT WAS THE REASON FOR THE BREAK- OFF?

RESPONDENT TIRED, BORED.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	26	3	CIRCLED
	92.2	9,233	-9	LEGITIMATE SKIP
	7.5	750	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2753-2754

AL4A4**BREAK-OFF:RESPONDENT ANGRY ABOUT QUES**

WHAT WAS THE REASON FOR THE BREAK- OFF?

RESPONDENT ANGRY ABOUT QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	5	4	CIRCLED
	92.2	9,233	-9	LEGITIMATE SKIP
	7.7	771	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2755-2756

AL4A5**BREAK-OFF:RESPONDENT UPSET ABOUT QUES**

WHAT WAS THE REASON FOR THE BREAK- OFF?

RESPONDENT UPSET ABOUT QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	13	5	CIRCLED
	92.2	9,233	-9	LEGITIMATE SKIP
	7.6	763	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2757-2758

AL4A6 **BREAK-OFF: OTHER REASON**

WHAT WAS THE REASON FOR THE BREAK- OFF?

OTHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	362	6	CIRCLED
	92.2	9,230	-9	LEGITIMATE SKIP
	4.2	417	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2759-2760

AL5 **RESPONSE TO POSSIBLE FUTURE INTERVIEW**

WHAT WAS THE RESPONDENT'S RESPONSE TO A POSSIBLE FUTURE INTERVIEW?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	26.0	2,601	1	EAGER
64.3	61.8	6,184	2	RECEPTIVE
6.4	6.1	613	3	NO REACTION
1.3	1.2	123	4	RELUCTANT
0.3	0.3	26	5	REFUSED
0.7	0.7	66	6	NOT DISCUSSED
	3.8	376	-8	BLANK
	0.2	20	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2761-2762

AL6	WAS INTERVIEW GIVEN IN >1 SESSION
------------	---

WAS THE INTERVIEW GIVEN IN MORE THAN 1 SESSION?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.6	1,162	1	YES
88.0	84.8	8,484	2	NO
	3.6	363	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2763-2764

AL6A1	HRS OF INTERVIEW BEF INTERRPTD 1ST TIME
--------------	--

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED THE FIRST TIME? HOURS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	6.4	638	0	
38.2	4.2	419	1	
3.3	0.4	36	2	
0.1	0.0	1	10	
0.1	0.0	1	12	
0.1	0.0	1	13	
0.1	0.0	1	24	
0.1	0.0	1	48	
	84.5	8,456	-9	LEGITIMATE SKIP
	4.5	450	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2765-2766

AL6A2**MINUTS OF INTERVW BEF INTERRPTD 1ST TIME**

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED
THE FIRST TIME? MINUTES.

10,010 cases (Range of valid codes: 0-96)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2767-2768

MINIMENTAL STATUS EXAM

AM1	EVER TALKED TO DOCTOR/MEMORY PROB?
------------	---

Now, I'd like to ask about your memory. Have you ever had occasion to talk to a doctor about problems with your memory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	10	1	YES
60.0	0.1	15	2	NO
	99.8	9,985	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2769-2770

AM2	WHAT IS THE YR?
------------	------------------------

What is the year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	0.2	20	1	CORRECT
13.0	0.0	3	5	ERROR/CANT DO/REFUSE
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2771-2772

AM3 **WHAT SEASON OF THE YR?**

What season of the year is it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	0.1	15	1	CORRECT
31.8	0.1	7	5	ERROR/CANT DO/REFUSE
	99.8	9,988	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2773-2774

AM4 **WHAT IS THE DATE?**

What is the date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	16	1	CORRECT
33.3	0.1	8	5	ERROR/CANT DO/REFUSE
	99.8	9,986	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2775-2776

AM5 **WHAT IS THE DAY OF THE WEEK?**

What is the day of the week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.3	0.2	17	1	CORRECT
22.7	0.0	5	5	ERROR/CANT DO/REFUSE
	99.8	9,988	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2777-2778

AM6 WHAT IS THE MONTH?

What is the month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	0.2	18	1	CORRECT
18.2	0.0	4	5	ERROR/CANT DO/REFUSE
	99.8	9,988	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2779-2780

AM7 CAN YOU TELL WHERE WE ARE NOW?

Can you tell me where we are right now? For instance, what (state) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	0.2	21	1	CORRECT
4.5	0.0	1	5	ERROR/CANT DO/REFUSE
	99.8	9,988	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2781-2782

AM8 WHAT COUNTY ARE WE IN?

What (county/parish) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	0.1	12	1	CORRECT
47.8	0.1	11	5	ERROR/CANT DO/REFUSE
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2783-2784

AM9 **WHAT CITY/TOWN ARE WE IN?**

What (city/town) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	0.2	18	1	CORRECT
18.2	0.0	4	5	ERROR/CANT DO/REFUSE
	99.8	9,988	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2785-2786

AM10A **WHAT FLOOR OF BUILDING ARE WE ON?**

What floor of the building are we on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	0.2	19	1	CORRECT
13.6	0.0	3	5	ERROR/CANT DO/REFUSE
	99.8	9,988	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2787-2788

AM10B **WHAT IS THE NAME OF THIS PLACE?**

What is this address (IF INSTITUTIONALIZED) or name of this place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	0.1	13	1	CORRECT
43.5	0.1	10	5	ERROR/CANT DO/REFUSE
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2789-2790

AM11A**APPLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are ... "Apple" "Table" "Penny" Could you repeat the 3 items for me?

APPLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	24	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.8	9,986	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2791-2792

AM11B**TABLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are ... "Apple" "Table" "Penny" Could you repeat the 3 items for me?

TABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	0.2	21	1	CORRECT
12.5	0.0	3	5	ERROR/CANT DO/REFUSE
	99.8	9,986	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2793-2794

AM11C **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are ... "Apple" "Table" "Penny" Could you repeat the 3 items for me?

PENNY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	0.2	22	1	CORRECT
8.3	0.0	2	5	ERROR/CANT DO/REFUSE
	99.8	9,986	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2795-2796

AM12A **WOULD YOU SUBTRACT 7 FROM 100**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

93

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	0.1	12	1	CORRECT
19.0	0.0	4	5	ERROR
23.8	0.0	5	7	SAYS CANT DO
	99.8	9,986	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2797-2798

AM12B	WOULD YOU SUBTRACT 7 FROM 93
--------------	-------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

86

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	5	1	CORRECT
45.0	0.1	9	5	ERROR
30.0	0.1	6	7	SAYS CANT DO
	99.8	9,988	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2799-2800

AM12C	WOULD YOU SUBTRACT 7 FROM 86
--------------	-------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

79

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	0.1	7	1	CORRECT
27.8	0.0	5	5	ERROR
33.3	0.1	6	7	SAYS CANT DO
	99.8	9,990	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2801-2802

AM13**CIRCLE NUMBER OF ERRORS/REFUSED**

Now, I am going to spell a word forwards and I want you to spell it backwards. The word is "WORLD," W- O- R- L- D. Spell "world" backwards.

		NUMBER OF ERRORS		
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	4	0	NO ERROR
18.8	0.0	3	1	1 ERROR
12.5	0.0	2	2	2 ERRORS
25.0	0.0	4	3	3 ERRORS
18.8	0.0	3	4	4 ERRORS
0.0	0.0	0	5	5 ERRORS
	99.8	9,990	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2807-2808

AM14A**APPLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember? Apple.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	0.2	18	1	CORRECT
21.7	0.0	5	5	ERROR/CANT DO/REFUSE
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2809-2810

AM14B **TABLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember? Table.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	0.2	16	1	CORRECT
30.4	0.1	7	5	ERROR/CANT DO/REFUSE
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2811-2812

AM14C **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember? Penny.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	0.1	13	1	CORRECT
43.5	0.1	10	5	ERROR/CANT DO/REFUSE
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2813-2814

AM15A **SHOW WRIST WATCH/ASK/WHAT IS THIS?**

[SHOW WRIST WATCH] What is this called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	23	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2815-2816

AM15B**SHOW PENCIL/ASK/WHAT IS THIS?**

[SHOW PENCIL] What is this called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	0.2	22	1	CORRECT
4.3	0.0	1	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2817-2818

AM16**REPEAT A PHRASE AFTER ME**

I'd like you to repeat a phrase after me. The phrase is ...
 "No if's, and's or but's"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	0.1	9	1	CORRECT
60.9	0.1	14	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2819-2820

AM17 **HAND 'CLOSE YOUR EYES' CARD TO RESPON**

Read the words on this page and then do what it says.
 [HAND "CLOSE YOUR EYES" CARD TO THE RESPONDENT.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	0.2	20	1	CORRECT
4.3	0.0	1	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
8.7	0.0	2	7	CANT READ ENGLISH
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2821-2822

AM18A **TAKE PAPER IN YOUR RIGHT HAND**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

TAKE PAPER IN RIGHT HAND

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	0.2	20	1	CORRECT
13.0	0.0	3	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2823-2824

AM18B**FOLD PAPER IN HALF**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

FOLDS PAPER IN HALF

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	0.2	17	1	CORRECT
26.1	0.1	6	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2825-2826

AM18C**PUT PAPER DOWN ON YOUR LAP**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

PUTS PAPER DOWN ON LAP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	0.2	18	1	CORRECT
21.7	0.0	5	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.8	9,987	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2827-2828

AM19 WRITE COMPLETE SENTENCE ON PAPER

Write any complete sentence on that piece of paper for me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	0.2	16	1	CORRECT
22.7	0.0	5	5	ERROR/CANT DO
0.0	0.0	0	6	HANDICAP
4.5	0.0	1	7	CANT WRITE (ENGLISH)
	99.8	9,987	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2829-2830

AM20 COPY THE DRAWING ON SAME PAPER

Here's a drawing. Please copy the drawing on the same paper.
 [HAND RESPONDENT "PENTAGONS" CARD]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.2	16	1	CORRECT
20.0	0.0	4	5	ERROR/CANT DO
0.0	0.0	0	6	HANDICAP
	99.8	9,990	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2831-2832

AM21 12+ 05'S CODED IN M2-M11/M14-M20?

ARE 12 OR MORE "05's" CODED IN M2- M11 AND M14- M20?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	0.0	2	1	YES
88.2	0.1	15	2	NO
	99.8	9,993	-8	BLANK
-----	-----	-----		
100.0	100.0	10,010	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2833-2834

APPENDIX A: Publications

1999 Publications

- Broome, K. M., Flynn, P. M., & Simpson, D. D. (1999). Psychiatric comorbidity measures as predictors of retention in drug abuse treatment programs. *Health Services Research*, 34(3), 791-806.
- Broome, K. M., Joe, G. W., & Simpson, D. D. (1999). HIV risk reduction in outpatient drug abuse treatment: Individual and geographic differences. *AIDS Education and Prevention*, 11(4), 293-306.
- Broome, K. M., Simpson, D. D., & Joe, G. W. (1999). Patient and program attributes related to treatment process indicators in DATOS. *Drug and Alcohol Dependence*, 57, 127-135.
- Etheridge, R. M., Craddock, S. G., Hubbard, R. L., Rounds-Bryant, J. L. (1999). The relationship of treatment and self-help participation to patient outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 99-112.
- Fletcher, B. W., & Battjes, R. J. (1999). Introduction to the special issue: Treatment process in DATOS. *Drug and Alcohol Dependence*, 57, 81-87.
- Flynn, P. M., Kristiansen, P. L., Porto, J. V., & Hubbard, R. L. (1999). Costs and benefits of treatment for cocaine addiction in DATOS. *Drug and Alcohol Dependence*, 57, 167-174.
- Gossop, M., Marsden, J., Stewart, D., & Rolfe, A. (1999). Treatment retention and 1 year outcomes for residential programmes in England. *Drug and Alcohol Dependence*, 57, 89-98.
- Grella, C. E., Hser, Y., Joshi, V., & Anglin, M. D. (1999). Patient histories, retention, and outcome models for younger and older adults in DATOS. *Drug and Alcohol Dependence*, 57, 151-166.
- Grella, C. E., and Joshi, V. (1999). Gender differences in drug treatment careers among clients in the national Drug Abuse Treatment Outcome Study. *American Journal of Drug and Alcohol Abuse*, 25(3), 385-406.
- Hser, Y., Grella, C. E., Hsieh, S., Anglin, M. D., & Brown, B. S. (1999). Prior treatment experience related to process and outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 137-150.
- Hser, Y.I., Joshi, V., Anglin, M.D., and Fletcher, B. (1999). Predicting post-treatment cocaine abstinence: What works for first-time admissions and treatment repeaters. *American Journal of Public Health*, 89(5), 666-671.

- Joe, G. W., Simpson, D. D., & Broome, K. M. (1999). Retention and patient engagement models for different treatment modalities in DATOS. *Drug and Alcohol Dependence*, 57, 113-125.
- Rounds-Bryant, J. L., Kristiansen, P. L., & Hubbard, R. L. (1999). Drug Abuse Treatment Outcome Study of adolescents: A comparison of client characteristics and pretreatment behaviors in three treatment modalities. *American Journal of Drug and Alcohol Abuse*, 25(4), 573-591.
- Simpson, D. D., Joe, G. W., Fletcher, B. W., Hubbard, R. L., & Anglin, M. D. *Archives of General Psychiatry*, 56, 507-514.
- Simpson, D. D. & Brown, B. (Eds.) (December, 1999). Special issue on treatment process and outcome studies from DATOS. *Drug and Alcohol Dependence*.

1999 "In Press"

- Grella, C. E., Etheridge, R. M., Joshi, V., & Anglin, M. D. (in press). Delivery of HIV risk reduction services in drug treatment programs. *Journal of Substance Abuse Treatment*.
- Grella, C. E., Joshi, V., & Anglin, M. D. (in press). Gender differences Outcome Study. *Journal of Maintenance in the Addictions*.
- Hser, Y., Shen, H., Grella, C., & Anglin, M. D. (in press). Lifetime severity index for cocaine use disorder (LSI-Cocaine): A predictor of treatment outcomes. *Journal of Nervous and Mental Disease*.
- Knight, K., Hiller, M. L., Broome, K. M., & Simpson, D. D. (in press). Legal pressure, treatment readiness, and engagement in long-term residential programs. *Journal of Offender Rehabilitation*.
- Melnick, G., De Leon, G., Hiller, M. L., & Knight, K. (in press). Therapeutic communities: Diversity in treatment elements. *Substance Use & Misuse*.
- Rounds-Bryant, J. (in press). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*.
- Rowan-Szal, G. A., Joe, G. W., & Simpson, D. D. (in press). Treatment retention of crack and cocaine users in a national sample of long term residential clients. *Addiction Research*.

1998 Publications

- Hiller, M. L., Knight, K., Broome, K. M., & Simpson, D. D. (1998). Legal pressure and treatment retention in a national sample of long-term residential programs. *Criminal Justice and Behavior*, 25(4), 463-481.
- Hser, Y. I., Anglin, M. D., & Fletcher, B. W. (1998). Comparative treatment effectiveness: Effects of program modality and client drug dependence history on drug use reduction. *Journal of Substance Abuse Treatment*, 15(6), 513-523.
- Hser, Y. I., Grella, C. E., Chou, C. P., & Anglin, M. D. (1998). Relationships between drug treatment careers and outcomes: Findings from the national Drug Abuse Treatment Outcome Study. *Evaluation Review*, 22(4), 496-519.
- Joe, G. W., Simpson, D. D., & Broome, K. M. (1998). Effects of readiness for drug abuse treatment on client retention and assessment of process. *Addiction*, 93(8), 1177-1190.
- Longshore, D. & Hsieh, S. (1998). Drug abuse treatment and risky sex: Evidence for a cumulative treatment effect? *American Journal of Drug and Alcohol Abuse*, 24(3), 439-451.

1997 Publications

- Anglin, M. D., Hser, Y. I., & Grella, C. E. (1997). Drug addiction and treatment careers among clients in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 308-323.
- Craddock, S. G., Rounds-Bryant, J. L., Flynn, P. M., & Hubbard, R. L. (1997). Characteristics and pretreatment behaviors of clients entering drug abuse treatment: 1969 to 1993. *American Journal of Drug and Alcohol Abuse*, 23(1), 43-59.
- Etheridge, R. M., Hubbard, R. L., Anderson, J., Craddock, S. G., & Flynn, P. M. (1997). Treatment structure and program services in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 244-260.
- Fletcher, B. W., Tims, F. M., & Brown, B. S. (1997). The Drug Abuse Treatment Outcome Study (DATOS): Treatment evaluation research in the United States. *Psychology of Addictive Behaviors*, 11(4), 216-229.
- Flynn, P. M., Craddock, S. G., Hubbard, R. L., Anderson, J., & Etheridge, R. M. (1997). Methodological overview and research design for the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 230-243.
- Hubbard, R. L., Craddock, S. G., Flynn, P. M., Anderson, J., & Etheridge, R. M. (1997). Overview of 1-year follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 261-278.

- Leshner, A. I. (1997). Introduction to the Special Issue: the National Institute on Drug Abuse's (NIDA's) Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 211-215.
- Rounds-Bryant, J. L., Flynn, P. M., & Craighead, L. W. (1997). Relationship between self-efficacy perceptions and in-treatment drug use among regular cocaine users. *American Journal of Drug and Alcohol Abuse*, 23(3), 383-395.
- Simpson, D. D., & Curry, S. J. (Eds.) (1997). Special Issue: Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4).
- Simpson, D. D., Joe, G. W., Broome, K. M., Hiller, M. L., Knight, K., & Rowan-Szal, G. A. (1997). Program diversity and treatment retention rates in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 279-293.
- Simpson, D. D., Joe, G. W., & Brown, B. S. (1997). Treatment retention and follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 294-307.

1995-1996 Publications

- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1995). Assessing consistency of response to questions on cocaine use. *Addiction*, 90(11), 1497-1502.
- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1996). Quality of treatment data: Reliability over time of self-reports given by clients in treatment for substance abuse. *Journal of Substance Abuse Treatment*, 13, 145-149.
- Etheridge, R. M., Craddock, S. G., Dunteman, G. H., & Hubbard, R. L. (1995). Treatment services in two national studies of community-based drug abuse treatment programs. *Journal of Substance Abuse*, 7(1), 9-26.
- Flynn, P. M., Craddock, S. G., Luckey, J. W., Hubbard, R. L., & Dunteman, G. H. (1996). Comorbidity of antisocial personality and mood disorders among psychoactive substance-dependent treatment clients. *Journal of Personality Disorders*, 10(1), 56-67.
- Poole, W. K., Flynn, P. M., Rao, A. V., & Cooley, P. C. (1996). Estimating prevalence of drug use from self-report measures in a cohort for which biological measures are available for a subsample. *American Journal of Epidemiology*, 144, 4, 413-420.
- Turner, C. F. & Hubbard, R. L. (1995). Quality of alcohol histories collected at intake to substance users treatment. *International Journal of the Addictions*, 30 (8), 963-989.