

**Drug Abuse Treatment Outcome
Study (DATOS), 1991-1994: [United
States]**

*United States Department of Health and
Human Services. National Institute on
Drug Abuse*

Codebook for 1-Month Intreatment Data

TABLE OF CONTENTS

INTRODUCTION	1
A. Background	1
B. Research Design	1
C. Program Sample	2
D. Instrumentation	3
E. Data Collection Procedures	3
F. Status of DATOS Study and Future Directions	4
G. SAMHDA Data Cleaning and Processing	5
H. User Responsibility	7
I. Processor Notes	7
FREQUENCIES	8
IDENTIFICATION	9
INTERVIEW INFORMATION	10
RECODED VARIABLES: CLIENT CHARACTERISTICS	11
RECODED VARIABLES: SUBSTANCE USE	16
RECODED VARIABLES: TREATMENT	23
INTERVIEW INFORMATION	24
DEMOGRAPHICS AND BACKGROUND	25
EDUCATION AND TRAINING	54
TREATMENT ACCESS	69
PSYCHOLOGICAL FUNCTIONING	83
TOBACCO, ALCOHOL, AND DRUG USE	103
SEXUAL EXPERIENCES	205
HEALTH	226
ILLEGAL INVOLVEMENT	251
EMPLOYMENT/SUPPORT STATUS	269
INCOME AND EXPENDITURES	300
INTREATMENT EXPERIENCE	310
MINIMENTAL STATUS EXAM	829
INTERVIEWER OBSERVATIONS	845
RECODED RESPONDENT CHARACTERISTICS	855
APPENDIX A: Publications	861

DRUG ABUSE TREATMENT OUTCOME STUDY-ADULT STUDY

INTRODUCTION

A. Background

The Drug Abuse Treatment Outcome Study (DATOS) is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The DATOS family of studies consists of DATOS-adult, DATOS-adolescent, and the Cocaine Treatment Outcome Study (CTOS). DATOS-adult is viewed as a focal point of a comprehensive, systematic DATOS-based research program and family of studies to investigate treatment outcomes.

The major objectives of DATOS are to (1) develop current and more comprehensive information about drug abuse treatment effectiveness; (2) describe the characteristics of clients entering treatment and the treatment they receive in typical and stable community-based settings; (3) assess the contributions to client outcomes of program type, client characteristics, and treatment received; (4) assess the cost-effectiveness of drug abuse treatment across the major types of programs; and (5) compare the changes in clients, treatment, and treatment outcome findings from earlier multi-site studies. DATOS-adult is a comprehensive, multi-site prospective cohort study of clients entering treatment from 1991 to 1993. Approximately 10,000 clients from 96 programs in 11 cities were assessed at intake. Re-interviews were completed at 1 and 3 months during treatment with clients who continued their treatment. Follow-up samples of about 4,500 clients (12-months after treatment) and about 2,300 (at 60-months after treatment) were selected for locating and interviewing in the community.

B. Research Design

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. The prospective cohort design used in DATOS is the most appropriate design to study the interactions among client characteristics and treatment elements (Cook & Campbell, 1979; Singer, 1986). Both detailed measurement, fundamental to clinical epidemiological research, and multiple comparison groups available in prospective cohort studies, are utilized in DATOS. Although a principal goal of the study was to provide descriptive information on the characteristics of clients entering selected drug abuse treatment programs and their behaviors before, during, and after treatment, the design provides strong support for evaluative and causal inferences.

C. Program Sample

DATOS studies the effectiveness of treatment provided by typical and stable community-based organizations. Programs that provide such treatment were selected to develop samples of clients and treatment approaches to understand program effectiveness and to examine the factors contributing to positive outcomes. The programs involved in DATOS reflected approaches to treatment, and their client populations exhibited the major behavior patterns of clients receiving treatment for drug abuse between 1991 and 1993. As a study of treatment effectiveness, DATOS purposively sampled programs reflecting a full continuum of typical clinical approaches. In most of the communities, all programs were involved. Once the programs were selected, all clients who were admitted to treatment within the time frame were contacted and scheduled to be interviewed. This provided a pool of clients from which the samples for analysis could be developed. Most programs differed in their admission and intake criteria. DATOS was not designed to provide prevalence estimates or program evaluation. Neither the sample of programs nor clients was a statistically representative sample. The aim of the DATOS was to develop a pool of clients who differed in their exposure to various treatments in order to examine key relationships among client characteristics, treatment and outcomes. The changes in the treatment system raise many important issues surrounding who can be defined as a client and when they qualify. This re-definition is a major research issue in itself and was beyond the scope of DATOS. Consequently, it was virtually impossible to develop a consistent strategy to list clients who were eligible. Thus, a traditional response rate for intake and in-treatment interviews is difficult to conceptualize, and if one or many were to be calculated it would be specific to a modality or program type and the analysis sample of interest. Without a firm denominator, "response rates" cannot be consistently calculated across programs.

Geographic location, the type of program, and the representativeness of the program and its clients were considered in the selection of cities, programs, and clients for DATOS. Since the intense data collection efforts required for DATOS precluded wide geographic dispersion of programs, a limited number of candidate cities were chosen to reflect treatment approaches and clients in different sections of the United States. Cities considered were medium to large metropolitan areas with established treatment systems that included programs from each of four traditional modalities. Programs within each of the four major modalities of treatment varied in funding mechanism and philosophy

Eleven cities were selected as sites for the DATOS-adult study. Initial training of interviewers in five cities was conducted in November 1991, and data collection began during late November 1991. In May 1992, a second training session for interviewers for the other sites was held, and data collection began in those four cities in early summer 1992. A third training session was held in August 1992, and programs in the two remaining areas were added to implement the full complement of 11 cities and 120 programs in DATOS-adult. A number of the programs never produced any interviews due to inadequate client flow, and several closed before data collection began. In the end, 96 programs produced interviews, but only 81 programs yielded 20 or more intake-1 interviews. (Some earlier papers and reports counted 99 DATOS-adult programs, but subsequently it was determined that a few programs had merged or changed administrative structure and the final count was 96 programs.) The greatest number of clients with the fewest programs was short-term inpatient due to the rapid turnover of client beds. In contrast, methadone programs, whose clients stayed over a year in many cases, required more than double the numbers of programs to yield fewer than half the number of clients.

D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires. In addition, program level data were collected utilizing questionnaires administered to treatment program directors and counselors.

Intake 1. The Intake 1 Questionnaire obtained baseline data and took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment, and Income and expenditures.

Intake 2. The Intake 2 Questionnaire, which also required approximately 90 minutes to complete, was administered approximately one week after the Intake 1 Questionnaire. It contained sections on Health, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

In-treatment. Client data were collected primarily through client in-treatment interviews (also called "During-treatment interviews") administered at 1, 3, and 6-months after admission. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

Follow-up. Interviews were administered at 12-months after treatment termination. For long-term methadone clients whose treatment lasted more than 12 months, the follow-up interview was instead scheduled at 24 months after admission. The follow-up interview replicated much of the Intake interviews and focused on key behaviors during the year prior to the follow-up interview.

E. Data Collection Procedures

Interviewers were well-trained and closely supervised. Approximately 70 interviewers recruited, trained, and supervised by the Research Triangle Institute (RTI) were directly responsible for the data collection at all the treatment programs. Intake and in-treatment data were collected within a program's physical facilities by the on-site program researcher (PR) trained and monitored by RTI staff. Clients were compensated \$10 for each Intake and In-treatment interview, and \$15 for a Follow-up interview. Seven-day training sessions for the interviewers were conducted which included both the details of the administration of the various instruments and experience in working with the programs. Staff providing the training were experienced in drug abuse and treatment studies and had extensive experience in the training on the Diagnostic Interview Schedule (DIS) and other components of the assessment battery used in DATOS.

To ensure data quality for DATOS, weekly phone reports from each PR were required and a quarterly site visit was made to each program to monitor the data collection. In addition, two randomly selected interviews completed by all active PRs were reviewed monthly. Quality control procedures were instituted at each step of data management, data receipt and edit, data entry, and document control.

F. Status of DATOS Study and Future Directions

Upon completion of the 12-month post-treatment follow-up phase of adults, DATOS-adult began the next cycle which involves a Cooperative Agreement among NIDA, the Institute for Community-Based Research (ICBR) of the National Development and Research Institutes, Inc. (Raleigh, NC), the Institute for Behavioral Research (IBR) at Texas Christian University (Fort Worth, TX) and the Drug Abuse Research Center (DARC) at the University of California at Los Angeles.

The Cooperative DATOS is an important NIDA-sponsored effort designed to collaboratively analyze data obtained under the DATOS family of studies, to examine key questions, and provide answers and new knowledge about drug abuse treatment as it has been and is being provided under contemporary conditions. Several research themes are being explored within the Cooperative:

- Studies of contemporary treatment outcomes, especially long-term outcomes and how they relate to phases of addiction and treatment
- Examination of the evolving drug abuse treatment system, including delivery and utilization of primary and ancillary services
- Research on the components of effective treatment, including the identification of factors that engage and retain clients in programs

Four variable domains, selected in accord with their significance for the drug abuse field, are being emphasized within the contexts of each set of studies. The domains include cocaine use, HIV risk behaviors, psychiatric co-morbidity, and criminal justice status.

An extended follow-up was in progress as of December 2002 to gather data on clients over a 4-year follow-up period. The added data will allow for a more in-depth examination of treatment and the long-term history of a contemporary sample of drug abuse clients.

For a more complete discussion of the DATOS methodology, see

Flynn, PF, Craddock, SG, Hubbard, RL, Anderson, J., and Etheridge, RM. (1997). Methodological Overview and Research Design for the Drug Abuse Treatment Outcome Study (DATOS), Psychology of Addictive Behavior, 11 (4).

For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>

G. SAMHDA Data Cleaning and Processing

This documents the steps taken to clean and process the Drug Abuse Treatment Outcome Study (DATOS) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS variables included city, treatment program, and date of birth. The data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

City and program names: The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-10,010.

Date of birth: Date of birth (DOB) was deleted from the files; age at time of interview was also on the files and was preserved and top-coded at 55 and over.

Age at time of ... : Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

Age at time of ... was also top-coded at 55 and over. In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

Legal status (criminal involvement) at time of admission, "Other; specify": The details provided in "specify" were deleted; value coded as "Circled."

Have other health plan: Plans offered in a limited geographic area were coded as "Other."

Occupation: Highly detailed occupation codes were combined into larger categories.

Race: These codes were re-coded as "White," "Black," "Hispanic," and "Other."

Ethnicity: Detailed ethnicity codes and variables were collapsed or deleted.

Description of ethnic/cultural background (Hispanic): Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

What other languages do you speak: Coded as "German," "Spanish," "French," all others coded or re-coded as "Other."

Length of marital status in weeks: Re-coded to years; top-coded as 21 or more.

Length of time since divorce in months: Re-coded to years; top-coded as 21 or more.

Highest grade completed: Top-coded as 21 or more.

Type of school/training program attended: Job corps and special education (very low frequencies) coded as "Other."

Number of children: Top-coded based on frequencies as "6 or more" (e.g., your own children) and "7 or more" (e.g., children to whom you gave birth or fathered) and "8 or more" (e.g., your own children and those raised as your own).

Date of admission: The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

Date of interview: This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

ICD-9/DSM diagnosis codes: These were re-coded as "substance-related condition," "mental health condition," and "all other conditions."

Number of months currently pregnant: Re-coded by trimester.

Reason felt worthless/sinful/guilty: This variable was not numerically-coded on the original files (i.e., the verbatim responses were provided); this variable was therefore deleted.

Presence of a specific physical handicap: Variables related to a specific physical handicap (e.g., blindness) were deleted from the files. This involved three variables with fewer than five cases each.

Problems related to getting a job: Variables that were potentially identifying with very low frequencies (fewer than five), such as immigration status, were deleted.

Questions respondent did not understand: These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

Administrative variables: “Batch,” time checkpoints, and other variables related to questionnaire administration were deleted from the files.

Other variables: Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. “Program type” was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

H. User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

I. Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

FREQUENCIES

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

6,148 cases (Range of valid codes: 1-10004)

Data type: numeric

Columns: 1-5

MODALITY DATOS TREATMENT MODALITY

PCT VALID	PCT ALL	N	VALUE	LABEL
31.8	31.8	1,955	1	RESIDENTIAL
23.0	23.0	1,415	2	SHORT-TERM INPATIENT
18.4	18.4	1,129	3	METHADONE MAINTENANCE
26.8	26.8	1,649	4	OUTPATIENT DRUG FREE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Column: 6

INTERVIEW INFORMATION

FORM	VERSION OF QUESTIONNAIRE
-------------	---------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	34.3	2,106	1	NOV 91
65.7	65.7	4,042	2	OCT 92
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Column: 7

RACE	RACE/ETHNICITY RECODE			
------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	39.1	2,405	1	CAUCASIAN/WHITE
45.0	45.0	2,767	2	AFRO-AMERICAN/BLACK
13.4	13.4	823	3	HISPANIC
2.5	2.5	153	4	OTHER
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
Column: 3274

RACESEX	RACE/GENDER COMBINATION			
---------	-------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	26.4	1,625	1	CAUCASIAN/WHITE MALE
29.3	29.3	1,804	2	AFRO-AMERICAN/BLACK MALE
9.0	9.0	556	3	HISPANIC MALE
1.7	1.7	102	4	OTHER MALE
12.7	12.7	780	5	CAUCASIAN/WHITE FEMALE
15.7	15.7	963	6	AFRO-AMERICAN/BLACK FEMALE
4.3	4.3	267	7	HISPANIC FEMALE
0.8	0.8	51	8	OTHER FEMALE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
Column: 3275

MSTAT	MARITAL STATUS AT INTAKE			
-------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	18.1	1,113	1	LEGALLY MARRIED
7.8	7.8	478	2	SEPARATED
14.3	14.3	879	3	DIVORCED
1.3	1.3	82	4	WIDOWED
12.2	12.2	747	5	LIVING AS MARRIED
46.2	46.1	2,835	6	NEVER MARRIED
	0.2	14	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3276-3277

FTWORK	WEEKS FULL TIME WORK PAST YEAR
---------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.2	49.3	3,034	0	NONE
12.9	12.7	781	1	1 TO 13 WEEKS
17.7	17.4	1,070	2	14 TO 39 WEEKS
19.1	18.8	1,157	3	40 TO 52 WEEKS
	1.7	106	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3278-3279

EDLEV	EDUCATIONAL LEVEL
--------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
4.3	4.3	262	1	GRADE SCHOOL OR LESS
32.5	32.5	1,999	2	HIGH SCHOOL
37.6	37.6	2,309	3	HIGH SCHOOL DEGREE
16.8	16.8	1,034	4	SOME COLLEGE
4.3	4.3	266	5	JR COLLEGE/ASSOCIATE DEGREE
3.8	3.8	235	6	COLLEGE DEGREE
0.7	0.7	41	7	ADVANCED DEGREE
	0.0	2	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3280-3281

HLTHINS	HEALTH INSURANCE
----------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	50.1	3,082	0	NONE
16.9	16.6	1,023	1	PRIVATE /OTHER
32.0	31.4	1,931	2	PUBLIC
	1.8	112	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3282-3283

MAJSRC	MAJOR SOURCE OF INCOME			
--------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.8	295	0	NO INCOME
42.9	40.6	2,499	1	LEGAL WORK
22.2	21.0	1,290	2	PUBLIC ASSISTANCE
5.0	4.7	292	3	SOCIAL SECURITY
7.2	6.9	422	4	FAMILY, FRIENDS
15.9	15.0	924	5	ILLEGAL SOURCES
1.7	1.6	100	6	OTHER SOURCES
	5.3	326	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3284-3285

REFER	REFERRAL SOURCE			
-------	-----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	33.5	2,060	0	SELF (ONLY IF NO OTHER PRIMARY OR SECOND
2.8	2.8	171	1	MEDICAL SERVICE
6.4	6.4	392	10	COMMUNITY AGENCY
6.0	6.0	368	20	LEGAL SYSTEM
17.7	17.6	1,083	30	PROBATION & PAROLE
0.6	0.6	39	40	PRISON SYSTEM
29.5	29.4	1,809	50	FAMILY OR FRIENDS
0.7	0.7	45	60	SCHOOL
2.0	2.0	123	70	EMPLOYER
0.2	0.2	12	80	VETERAN
0.5	0.5	32	90	OTHER
	0.2	14	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3286-3287

CJ_STAT	CRIMINAL JUSTICE STATUS
----------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	52.0	3,196	0	NO LEGAL STATUS
8.1	8.1	498	1	IN JAIL/DETENTION
23.8	23.8	1,462	2	PROBATION
9.3	9.3	570	3	PAROLE
6.7	6.7	409	4	CASE PENDING
	0.2	13	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3290-3291

RESTRICT	WEEKS RESTRICTED PAST YEAR, BRACKETED
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	40.6	2,495	0	NO WEEKS RESTRICTED
19.8	19.0	1,169	1	1 TO 4 WEEKS RESTRICTED
11.9	11.4	699	2	5 TO 13 WEEKS RESTRICTED
10.7	10.2	630	3	14 TO 26 WEEKS RESTRICTED
6.4	6.1	375	4	27 TO 39 WEEKS RESTRICTED
3.5	3.4	209	5	40 TO 50 WEEKS RESTRICTED
5.4	5.2	321	6	51 TO 52 WEEKS RESTRICTED
	4.1	250	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3288-3289

RECODED VARIABLES: SUBSTANCE USE

PDRUG	PRIMARY DRUG RECODE			
-------	---------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.6	408	0	NO FAVORITE DRUG
11.9	11.7	717	10	ALCOHOL
3.2	3.1	190	20	MARIJUANA
1.6	1.6	98	30	HALLUCINOGEN
49.2	48.1	2,960	40	COCAINE/CRACK
21.8	21.4	1,315	50	HEROIN
2.3	2.2	136	60	NARCOTICS/OTHER OPIATES
0.8	0.8	47	70	SEDATIVES
2.2	2.2	134	80	AMPHETAMINES
0.1	0.1	9	90	OTHER
0.1	0.1	6	91	INHALANTS
	2.1	128	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3315-3316

PDRUGFRQ	FREQUENCY OF USE PRIMARY DRUG			
----------	-------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.2	321	0	NO USE
3.8	3.4	211	1	LESS THAN ONCE A MONTH
7.1	6.5	398	2	1 TO 3 TIMES A MONTH
11.4	10.4	641	3	1 TO 2 TIMES A WEEK
12.5	11.4	699	4	3 TO 4 TIMES A WEEK
5.1	4.7	289	5	5 TO 6 TIMES A WEEK
25.0	22.9	1,406	6	DAILY OR ALMOST EVERY DAY
9.1	8.3	512	7	2 TO 3 TIMES A DAY
20.3	18.5	1,137	8	4 OR MORE TIMES A DAY
	6.6	408	-9	= NO PRIMARY DRUG DENOTED
	2.0	126	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3317-3318

FAVDRUG	FAVORITE DRUG RECODE			
---------	----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.5	339	0	NO FAVORITE DRUG
11.5	11.4	699	10	ALCOHOL
8.1	8.0	494	20	MARIJUANA
1.6	1.6	97	30	HALLUCINOGEN
43.1	42.6	2,619	40	COCAINE/CRACK
24.5	24.2	1,488	50	HEROIN
2.6	2.5	156	60	NARCOTICS/OTHER OPIATES
0.7	0.7	42	70	SEDATIVES
2.2	2.2	135	80	AMPHETAMINES
0.1	0.1	6	90	OTHER
0.1	0.1	5	91	INHALANTS
	1.1	68	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3319-3320

NDRUGS	NUMBER DRUGS USED WEEKLY			
--------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	13.3	819	0	
28.4	28.4	1,746	1	
33.8	33.8	2,077	2	
17.5	17.5	1,074	3	
4.8	4.8	294	4	
1.5	1.5	95	5	
0.5	0.5	28	6	
0.2	0.2	12	7	
0.0	0.0	3	8	
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Column: 3348

HVY_ALC	HEAVY ALCOHOL USER PAST YEAR
----------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	64.3	3,952	0	NOT A HEAVY USER
35.4	35.3	2,169	1	HEAVY ALCOHOL USER
	0.4	27	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3321-3322

DRUGPAT	DRUG USE PATTERN FOR DATOS
----------------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	14.5	894	1	HEROIN/NARCOTIC/NO COKE
15.1	15.1	926	2	COKE W/HEROIN OR NARCOTICS
11.4	11.4	698	3	COKE ONLY
15.3	15.3	942	4	COKE AND ALCOHOL
12.9	12.9	792	5	COKE PLUS OTHER DRUGS
16.4	16.4	1,006	6	MARIJUANA AND/OR ALCOHOL
14.5	14.5	890	7	RESIDUAL
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
Column: 3323

TOPS_PAT	TOPS DRUG USE PATTERN
-----------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.9	300	1	HEROIN
20.6	20.6	1,266	2	HEROIN AND OPIOIDS
4.1	4.1	254	3	OTHER OPIOIDS
2.2	2.2	133	4	MULTIPLE NON-OPIOID
40.5	40.5	2,487	5	SINGLE NON-OPIOID
14.2	14.2	874	6	MARIJUANA AND/OR ALCOHOL
13.6	13.6	834	7	RESIDUAL/MINIMAL USE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
Column: 3349

CRKWK	CRACK - WEEKLY USE IN PAST YEAR			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	61.7	3,792	0	LESS THAN WEEKLY USE
38.0	37.8	2,326	1	WEEKLY OR MORE USE
	0.5	30	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3330-3331

HERWK	HEROIN - WEEKLY USE IN PAST YEAR			
--------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	74.3	4,571	0	LESS THAN WEEKLY USE
25.5	25.5	1,566	1	WEEKLY OR MORE USE
	0.2	11	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3332-3333

NARWK	NARCOTICS - WEEKLY USE IN PAST YEAR			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	90.6	5,570	0	LESS THAN WEEKLY USE
9.0	9.0	554	1	WEEKLY OR MORE USE
	0.4	24	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3334-3335

INHWK	INHALANTS - WEEKLY USE IN PAST YEAR
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.6	99.4	6,114	0	LESS THAN WEEKLY USE
0.4	0.4	24	1	WEEKLY OR MORE USE
	0.2	10	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3342-3343

HERHX	HISTORY OF HEROIN USE
--------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	50.2	3,089	0	NEVER USED
11.0	11.0	676	1	USED 1 - 5 TIMES ONLY
5.5	5.5	336	2	USED SPORADICALLY OR MONTHLY
1.6	1.6	98	3	USED MORE THAN 4 WKS ON WEEKLY BASIS
31.6	31.5	1,939	4	USED MORE THAN 4 WEEKS ON DAILY BASIS
	0.2	10	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3346-3347

COCHX	HISTORY OF COCAINE USE
--------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	5.3	328	0	NEVER USED
6.8	6.8	417	1	USED 1 - 5 TIMES ONLY
12.6	12.6	773	2	USED SPORADICALLY OR MONTHLY
20.0	20.0	1,231	3	USED MORE THAN 4 WEEKS ON WKLY BASIS
55.2	55.2	3,391	4	USED MORE THAN 4 WEEKS ON DAILY BASIS
	0.1	8	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3344-3345

RECODED VARIABLES: TREATMENT**DRUGTX NUMBER OF PRIOR DRUG TREATMENTS**

6,148 cases (Range of valid codes: 0-106)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3350-3352

DRGTXAGE AGE AT FIRST DRUG TREATMENT

6,148 cases (Range of valid codes: 8-55)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3353-3354

INTERVIEW INFORMATION

EDC_M	MONTH/DATE COMPLETED			
-------	----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	27.9	1,713	1	JAN.-MARCH
26.8	26.8	1,649	2	APR.-JUNE
24.4	24.3	1,497	3	JULY-SEPT.
20.9	20.9	1,287	4	OCT.-DEC.
	0.0	2	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 8-9

EDC_Y	YEAR/DATE COMPLETED			
-------	---------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	41	91	
51.4	51.3	3,153	92	
47.9	47.8	2,938	93	
	0.3	16	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 10-11

ET_L_I	MINUTES/TOTAL LENGTH OF INTERVIEW			
--------	-----------------------------------	--	--	--

6,148 cases (Range of valid codes: 0-960)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 12-14

EA3_B**NAME OF GROUP/BEST DESCRIBES YOU**

Please tell me the name of the group that best describes you.
Would you say you are . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALASKAN NATIVE
0.0	0.0	0	2	AMERICAN INDIAN
0.0	0.0	0	3	ASIAN/PACIFIC ISLANDER
13.8	1.9	117	4	BLACK/AFRICAN AMERICAN
54.2	7.5	460	5	WHITE/CAUCASIAN
32.0	4.4	271	6	OTHER
	83.9	5,158	-9	LEGITIMATE SKIP
	2.3	142	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 19-20

EA4**NAME OF GROUP/BEST DESCRIBES YOU**

Please tell me the name of the group that best describes you.
Would you say you are . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALASKAN NATIVE
0.0	0.0	0	2	AMERICAN INDIAN
0.0	0.0	0	3	ASIAN/PACIFIC ISLANDER
51.7	44.4	2,732	4	BLACK/AFRICAN AMERICAN
45.6	39.2	2,410	5	WHITE/CAUCASIAN
2.7	2.3	142	6	OTHER
	14.0	861	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 21-22

EA5 **RESIDENT/PLACE YOU USUALLY LIVED IN**

Next, I will ask about where you have lived, the relationships that you might have had with family and friends, and how your life has been going since you were admitted to this program. Since your admission, what type of residence or place have you usually lived in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	23.6	1,454	1	ONE FAMILY HOUSE/DUPLEX/CONDO
0.7	0.7	45	2	MOBILE HOME/TRAILER
21.8	21.6	1,326	3	APARTMENT/MULTIPLE FAMILY BUILDING
1.4	1.4	84	4	HOTEL/ROOMING HOUSE/BOARDING HOUSE
0.2	0.2	13	5	HOSPITAL/MED INST
1.1	1.0	64	6	JAIL/PRISON/JUV DET HOME
43.5	43.0	2,646	7	RES DRUG TX CTR
5.5	5.4	333	8	OTHER GROUP RES/HALFWAY HOUSE
1.0	1.0	59	9	HOMELESS SHELTER
0.3	0.3	19	10	ON STREET/NO REGULAR PLACE
0.6	0.6	37	11	OTHER
	1.0	64	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 23-24

EA6 **#WEEK/YOU LIVED IN PLACE/JAIL/HOSPITAL**

Since your admission, how long have you lived in a place where you could not come and go as you pleased, such as a jail, a hospital, a therapeutic community, or a juvenile detention home?

6,148 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 25-26

EA7**YOUR MARITAL STATUS**

Are you now married, separated, divorced, widowed, living with someone as married, or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	16.0	982	1	MARRIED
9.9	9.9	608	2	SEPARATED
14.5	14.5	889	3	DIVORCED
1.5	1.5	92	4	WIDOWED
10.5	10.4	641	5	LIVE/W/SOMEONE AS MARRIED
47.6	47.4	2,912	6	NEVER MARRIED
	0.3	18	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 27-28

EA8**HOW HUSBAND/WIFE FELT/YOUR USE OF DRUG**

In general, since your admission how has your (husband/wife/partner) felt about your use of drugs? Would you say that (he/she) . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	18.6	1,143	1	HAS BEEN VERY MUCH OPPOSED
14.7	3.9	242	2	HAS BEEN SOMEWHAT OPPOSED
5.4	1.4	89	3	HAS NOT CARED ONE WAY/OTHER
4.4	1.2	73	4	APPROVED OF YOUR USE OF DRUGS
3.6	1.0	60	5	HAS NOT AWARE OF YOUR DRUG USE
2.5	0.7	42	6	NOT IN CONTACT WITH PARTNER
	72.5	4,455	-9	LEGITIMATE SKIP
	0.5	30	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
	0.1	7	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 29-30

EA8_A	HOW IMP/WAY S/HE FELT/YOUR DRUG USE
--------------	--

How important to you was the way (he/she) felt about your drug use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	1.8	112	1	NOT AT ALL
19.5	4.9	303	2	SOMEWHAT
73.3	18.6	1,142	3	VERY IMPORTANT
	74.1	4,555	-9	LEGITIMATE SKIP
	0.5	31	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 31-32

EA8_B	SERIOUS PROB W/HUS/WIFE/YOUR DRUG USE
--------------	--

Have you had any serious problems with your (husband/wife/partner) because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.2	15.2	935	1	YES
39.8	10.0	617	2	NO
	74.1	4,556	-9	LEGITIMATE SKIP
	0.5	32	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 33-34

EA8_C**HUS/WIFE PRESSURE YOU/STAY IN DRUG TREAT**

Has your (husband/wife/partner) pressured you to stay in treatment for drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	10.1	621	1	YES
60.0	15.1	930	2	NO
	74.1	4,557	-9	LEGITIMATE SKIP
	0.5	33	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 35-36

EA8_D**HE/SHE/BEEN ABUSING DRUG/NOT ALCO**

Has (he/she) been abusing drugs since your admission? Do not count alcohol abuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	3.9	237	1	YES
84.6	21.1	1,300	2	NO
	74.1	4,556	-9	LEGITIMATE SKIP
	0.6	34	-8	BLANK
	0.0	1	-7	REFUSAL
	0.3	16	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 37-38

EA8_E	WAS THIS PERSON IN DRUG TREATMENT
--------------	--

Has this person been in drug treatment at any time since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	5.0	308	1	YES
80.1	20.1	1,237	2	NO
	74.1	4,556	-9	LEGITIMATE SKIP
	0.6	36	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 39-40

EA9	HUSBAND/WIFE/HOW CONCERNED OF YOU
------------	--

Since your admission, how much would you say your (husband/wife/partner) has been concerned, helpful, or supportive of you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	1.6	96	0	NOT AT ALL
19.6	5.1	314	1	SOMEWHAT
74.3	19.3	1,188	2	VERY MUCH
	73.2	4,499	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 41-42

EA10**WITH WHOM YOU LIVED MOST OF TIME**

Who have you lived with most of the time since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.2	567	1	SPOUSE/SEX PARTNER/CHILDREN
5.7	5.6	344	2	SPOUSE/SEX PARTNER ONLY
2.8	2.8	170	3	CHILDREN ONLY
3.5	3.5	215	4	BOTH PARENTS
2.4	2.4	146	5	MOTHER ONLY
0.4	0.4	24	6	FATHER ONLY
0.7	0.7	44	7	PARENT(S)& OWN CHILDREN
8.2	8.1	500	8	OTHER FAMILY/ANY COMB 1-7
0.0	0.0	0	9	FOSTER PARENTS
1.6	1.6	98	10	FAM/FRIENDS/BOARDERS/ROOMMATES
4.0	4.0	244	11	FRIENDS/ROOMMATES ONLY
8.6	8.5	520	12	ALONE
47.3	46.7	2,872	13	INSTIT/CLOSED FACILITY/HOSP
0.4	0.4	23	14	NO STABLE ARRANGEMENTS
5.1	5.0	307	15	OTHER
	0.9	58	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	15	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 43-44

EA11**HOW SATISFIED LIVING W/THESE PEOPLE?**

How satisfied have you been living (alone/with this person/with these people)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	2.3	139	1	VERY DISSATISFIED
8.4	4.4	273	2	SOMEWHAT DISSATISFIED
30.2	16.0	986	3	SOMEWHAT SATISFIED
57.2	30.4	1,868	4	VERY SATISFIED
	45.9	2,822	-9	LEGITIMATE SKIP
	0.9	57	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 45-46

EA12	#CHILDREN <18 YR OLD/YOU WERE RAISING
-------------	---

Since your admission, how many children, either your own or those you have been raising as your own, were younger than 18 years old?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	46.6	2,864	0	
19.3	19.2	1,183	1	
15.6	15.5	956	2	
10.1	10.1	621	3	
4.8	4.7	292	4	
2.2	2.2	134	5	
1.5	1.5	92	6	6+
	0.0	3	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 47-48

EA13	# <18 CHILDREN LIVED W/YOU SINCE ADMISSN
-------------	--

(Has your child/How many of your children) under 18 lived with you most of the time since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	22.0	1,351	0	
15.1	5.2	318	1	
10.7	3.7	225	2	
6.1	2.1	128	3	
2.0	0.7	43	4	
1.0	0.3	21	5	
0.7	0.2	14	6	6+
	46.0	2,829	-9	LEGITIMATE SKIP
	0.4	23	-8	BLANK
	19.5	1,196	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 49-50

EA13A_02**<18 YR OLD/LIVED W/SPOUSE/SEXUAL PARTNER**

Who did your (child/(other) children) under 18 live with most of the time since your admission?

With spouse or sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.6	652	2	CIRCLED
	56.3	3,459	-9	LEGITIMATE SKIP
	33.1	2,034	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 51-52

EA13A_03**<18 YR OLD/LIVD W/EX-SPOUSE/EX-SEX PRTR**

Who did your (child/(other) children) under 18 live with most of the time since your admission?

With ex-spouse or ex-sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	17.1	1,054	3	CIRCLED
	56.3	3,460	-9	LEGITIMATE SKIP
	26.5	1,631	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 53-54

EA13A_04 **<18 YR OLD/LIVED W/OTHER RELATIVE(S)**

Who did your (child/(other) children) under 18 live with most of the time since your admission?

With other relative(s).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.8	728	4	CIRCLED
	56.4	3,469	-9	LEGITIMATE SKIP
	31.7	1,948	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 55-56

EA13A_05 **<18 YR OLD/LIVED WITH NON RELATIVE(S)**

Who did your (child/(other) children) under 18 live with most of the time since your admission?

With nonrelative(s) such as foster parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	157	5	CIRCLED
	56.6	3,482	-9	LEGITIMATE SKIP
	40.8	2,506	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 57-58

EA13A_06	<18 YR OLD/LIVED IN AN INSTITUTION
-----------------	--

Who did your (child/(other) children) under 18 live with most of the time since your admission?

In an institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	52	6	CIRCLED
	56.7	3,484	-9	LEGITIMATE SKIP
	42.4	2,609	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 59-60

EA14	# CHILDREN HAVE LEGAL CUSTODY OF
-------------	---

Currently, (do you have legal custody of your child/how many of your children do you have legal custody of)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	16.4	1,007	0	
21.0	7.1	436	1	
15.8	5.4	329	2	
8.9	3.0	185	3	
3.3	1.1	69	4	
1.7	0.6	35	5	
0.8	0.3	16	6	6+
	46.1	2,837	-9	LEGITIMATE SKIP
	0.6	38	-8	BLANK
	19.5	1,196	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 61-62

EA14A_02	LEGAL CUSTODY/CHILD/SPOUSE/SEX PARTNER
-----------------	---

Who has legal custody of your (child/(other) children)?

Spouse or sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.3	573	2	CIRCLED
	60.8	3,735	-9	LEGITIMATE SKIP
	29.8	1,834	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 63-64

EA14A_03	LEGAL CUSTODY/CHILD/EX-SPOUSE/SEX PARTNR
-----------------	---

Who has legal custody of your (child/(other) children)?

Ex-spouse or ex-sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	16.0	982	3	CIRCLED
	60.7	3,734	-9	LEGITIMATE SKIP
	23.2	1,426	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 65-66

EA14A_04**LEGAL CUSTODY OF CHILD/OTHER RELATIVES**

Who has legal custody of your (child/(other) children)?

Other relative(s).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.9	424	4	CIRCLED
	60.9	3,745	-9	LEGITIMATE SKIP
	32.1	1,973	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 67-68

EA14A_05**LEGAL CUSTODY OF CHILD/NONRELATIVES**

Who has legal custody of your (child/(other) children)?

Nonrelative(s) such as foster parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	109	5	CIRCLED
	61.0	3,752	-9	LEGITIMATE SKIP
	37.1	2,281	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 69-70

EA14A_06	LEGAL CUSTODY/CHILD/INSTITUT/GOVT AGENCY
-----------------	---

Who has legal custody of your (child/(other) children)?

An institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	76	6	CIRCLED
	61.0	3,753	-9	LEGITIMATE SKIP
	37.6	2,313	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 71-72

EA15_00	HOW OFTEN SEE YOUR CHILD/NOT AT ALL
----------------	--

Since your admission, how often have you seen (your child/any of your children who did not live with you)? Would you say ...

Not at all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	16.0	985	0	CIRCLED
	46.5	2,859	-9	LEGITIMATE SKIP
	37.3	2,295	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 73-74

EA15_01

HOW OFTEN SEE YOUR CHILD/> ONCE A WEEK

Since your admission, how often have you seen (your child/any of your children who did not live with you)? Would you say ...

Less than once a week.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.0	556	1	CIRCLED
	46.6	2,862	-9	LEGITIMATE SKIP
	44.3	2,722	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 75-76

EA15_02

HOW OFTEN SEE CHILD/AT LEAST ONCE A WK

Since your admission, how often have you seen (your child/any of your children who did not live with you)? Would you say ...

At least once a week.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.4	699	2	CIRCLED
	46.5	2,858	-9	LEGITIMATE SKIP
	42.0	2,583	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 77-78

EA17**HOW WELL YOU WERE AS A PARENT/GUARDIAN**

Since your admission, how well have you been doing as a (parent/guardian)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	8.3	512	1	POOR
35.0	18.1	1,115	2	FAIR
48.9	25.3	1,556	3	WELL
	46.3	2,844	-9	LEGITIMATE SKIP
	0.8	49	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.2	13	-4	DON'T KNOW
	0.9	56	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 83-84

EA18**HOW DIFFICULT FOR YOU TO FIND CHILD CARE**

Since your admission, how difficult has it been for you to go places or do things because of problems in finding someone to take care of your child(ren) or the child(ren) living with you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	43.3	2,663	0	NOT AT ALL
8.8	4.4	269	1	SOMEWHAT
4.4	2.2	134	2	VERY DIFFICULT
	46.1	2,833	-9	LEGITIMATE SKIP
	0.9	53	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	3.1	192	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 85-86

EA19_A

#PEOPLE/YOU HAD RELATIONSHIP WITH

With how many people during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	3	0	
47.6	23.2	1,424	1	
15.9	7.7	475	2	
10.7	5.2	320	3	
6.6	3.2	198	4	
6.0	2.9	179	5	
2.9	1.4	87	6	
1.3	0.6	38	7	
1.2	0.6	37	8	
0.4	0.2	12	9	
3.0	1.4	89	10	
0.1	0.0	2	11	
1.0	0.5	30	12	
0.1	0.1	4	13	
0.6	0.3	19	15	
0.1	0.0	2	18	
1.3	0.7	40	20	
0.0	0.0	1	22	
0.0	0.0	1	24	
0.3	0.1	9	25	
0.2	0.1	6	30	
0.1	0.0	3	35	
0.1	0.0	3	40	
0.2	0.1	5	50	
0.1	0.0	2	60	
0.0	0.0	1	61	
0.0	0.0	1	99	99 OR MORE
	49.7	3,056	-9	LEGITIMATE SKIP
	1.2	73	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.4	26	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 89-90

EA19_B	SERIOUS PROB GET ALONG W/FAMILY/FRIEND
---------------	---

Since your admission, have you had serious problems getting along with family members or close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	6.3	387	1	YES
86.9	41.6	2,556	2	NO
	49.6	3,051	-9	LEGITIMATE SKIP
	2.1	128	-8	BLANK
	0.0	1	-7	REFUSAL
	0.4	25	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 91-92

EA20	HOW IMP/COUNSELING/GET ALONG PROB W/FAM
-------------	--

How important to you now is counseling or professional help for problems getting along with family members and close friends? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	25.5	1,567	0	NOT AT ALL
21.9	21.8	1,341	1	SOMEWHAT
52.5	52.3	3,218	2	VERY IMPORTANT
	0.3	19	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 93-94

EA21**HOW MUCH CONTACT W/FAMILY/FRIENDS**

Since your admission, altogether how much contact (mail, telephone, or in person) have you had with any family members or close friends? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.6	468	0	NONE
45.0	44.6	2,739	1	SOME
47.1	46.7	2,869	2	A LOT
0.2	0.2	11	93	IF VOL: NO FAMILY/FRIENDS
	0.2	13	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.7	44	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 95-96

EA22**HOW YOU DOING AS A FAMILY MEMBER/FRIEND**

Since your admission, how have you been doing as a family member or friend? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.1	378	1	POOR
38.8	37.5	2,306	2	FAIR
54.9	53.1	3,265	3	WELL
	0.2	10	-9	LEGITIMATE SKIP
	1.7	104	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
	1.3	79	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 97-98

EA23_A DO PHYSICAL EXERCISE/IN A TYPICAL WEEK

Next, I will ask about the way you have spent your time since your admission. Since your admission, in a typical week, how often have you done physical exercise (played ball, done aerobics, danced, jogged, or lifted weights)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	20.4	1,256	1	NOT AT ALL
9.7	9.7	598	2	LESS ONCE A WEEK
24.7	24.7	1,517	3	AT LEAST ONCE A WEEK
45.1	45.0	2,766	4	ALMOST DAILY
	0.1	8	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 99-100

EA23_B READ/DO HOBBIES/IN A TYPICAL WEEK

Next, I will ask about the way you have spent your time since your admission. Since your admission, in a typical week, how often have you read or done hobbies (fished, collected things, done crafts, or made things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	15.6	959	1	NOT AT ALL
8.3	8.3	510	2	LESS ONCE A WEEK
20.6	20.5	1,263	3	AT LEAST ONCE A WEEK
55.4	55.2	3,396	4	ALMOST DAILY
	0.3	16	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 101-102

EA23_C**ATTEND MEETING OF CLUB/IN A TYPICAL WEEK**

Next, I will ask about the way you have spent your time since your admission. Since your admission, in a typical week, how often have you attended meetings or programs of groups, clubs, or organizations that you belonged to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	25.4	1,562	1	NOT AT ALL
3.9	3.8	236	2	LESS ONCE A WEEK
18.1	17.9	1,099	3	AT LEAST ONCE A WEEK
52.2	51.4	3,162	4	ALMOST DAILY
	0.4	22	-8	BLANK
	0.0	1	-7	REFUSAL
	1.1	66	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 103-104

EA24_A**ANY CLOSE PEOPLE USED DRUG/NOT IN TREAT**

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to used heroin, crack, cocaine, or other drugs for nonmedical purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	42.1	2,587	1	NONE
35.5	34.8	2,141	2	ONE OR A FEW
21.7	21.3	1,307	3	MANY
	0.3	16	-8	BLANK
	0.0	1	-7	REFUSAL
	0.6	36	-4	DON'T KNOW
	1.0	60	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 105-106

EA24_B

CLOSE PEOPLE DRANK HEAVY/NOT IN TREAT

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to drank alcohol heavily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	40.8	2,509	1	NONE
35.4	34.8	2,137	2	ONE OR A FEW
23.0	22.6	1,388	3	MANY
	0.3	16	-8	BLANK
	0.0	1	-7	REFUSAL
	0.6	37	-4	DON'T KNOW
	1.0	60	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 107-108

EA24_C

CLOSE PEOPLE GOT ARRESTED/NOT IN TREAT

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to got arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.6	65.0	3,998	1	NONE
23.4	22.9	1,407	2	ONE OR A FEW
9.9	9.7	597	3	MANY
	0.3	20	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	1.0	64	-4	DON'T KNOW
	1.0	60	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 109-110

EA24_D**CLOSE PEOPLE ENTERED JAIL/NOT IN TREAT**

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to entered jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	68.3	4,199	1	NONE
22.5	21.9	1,349	2	ONE OR A FEW
7.6	7.4	458	3	MANY
	0.3	18	-8	BLANK
	0.0	1	-7	REFUSAL
	1.0	63	-4	DON'T KNOW
	1.0	60	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 111-112

EA24_E**ANY CLOSE PEOPLE ENTERED DRUG TREAT**

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to entered treatment for drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	69.0	4,245	1	NONE
24.4	23.9	1,468	2	ONE OR A FEW
5.1	5.0	306	3	MANY
	0.2	14	-8	BLANK
	0.0	1	-7	REFUSAL
	0.9	54	-4	DON'T KNOW
	1.0	60	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 113-114

EA26**THINGS BETTER/WORSE THAN A YEAR BEFORE**

Would you say things are better or worse than they were a year before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.7	658	1	WORSE
89.2	88.5	5,444	2	BETTER
	0.3	21	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	14	-5	BAD DATA
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 119-120

EA27**PROBLEMS W/FAMILY/FRIENDS DUE DRUG USE**

Since your admission, have you had any problems with family members or close friends because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	5.8	356	1	YES
88.4	44.0	2,704	2	NO
	15.9	975	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	6	-3	NOT APPLICABLE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 121-122

EA27A	HOW SERIOUS PROBLEMS DUE DRUGS/ALCOHOL
--------------	---

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.2	15	1	NOT AT ALL
53.3	3.2	195	2	SOMEWHAT
42.6	2.5	156	3	VERY SERIOUS
	43.8	2,695	-9	LEGITIMATE SKIP
	15.9	975	-8	BLANK
	0.1	6	-3	NOT APPLICABLE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 123-124

EDUCATION AND TRAINING

EB1	HIGHEST GRADE/SCHOOL YEAR ATTENDED
-----	------------------------------------

Another area I'd like to ask about is your education and training. What is the highest grade or year of school you have attended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	2	0	
0.0	0.0	1	1	
0.0	0.0	1	2	
0.1	0.1	8	3	
0.1	0.1	9	4	
0.2	0.2	13	5	
0.4	0.4	23	6	
1.0	1.0	62	7	
3.6	3.6	220	8	
7.2	7.2	444	9	
12.9	12.9	792	10	
17.6	17.6	1,082	11	
30.9	30.9	1,898	12	
6.7	6.7	412	13	
10.1	10.1	621	14	
3.1	3.1	189	15	
4.0	4.0	243	16	
0.7	0.7	44	17	
0.6	0.6	39	18	
0.2	0.2	13	19	
0.1	0.1	8	20	
0.2	0.2	14	21	21+
	0.1	8	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 125-126

EB1_A	DID YOU COMPLETE GRADE/YEAR
--------------	------------------------------------

Did you complete that (grade/year)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	67.8	4,171	1	YES
31.9	31.8	1,955	2	NO
	0.3	18	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 127-128

EB1_B	ARE YOU CURRENTLY IN SCHOOL?
--------------	-------------------------------------

Are you currently in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	4.6	285	1	YES
91.1	47.4	2,913	2	NO
	13.7	843	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 129-130

EB1_C**KIND SCHOOL/TRAINING PROGRAM ATTENDING**

What kind of school or training program are you attending?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MIDDLE SCHOOL (JUNIOR HIGH)
2.8	0.1	8	2	HIGH SCHOOL
6.2	0.3	18	3	JUNIOR (2-YEAR) COLLEGE
5.2	0.2	15	4	4-YEAR COLLEGE OR UNIVERSITY
12.4	0.6	36	5	TECHNICAL/TRADE/VOCATIONAL SCHOOL
0.0	0.0	0	6	JOB CORPS PROGRAM
0.0	0.0	0	7	SPECIAL EDUCATION PROGRAM
73.4	3.5	213	8	OTHER
	47.3	2,906	-9	LEGITIMATE SKIP
	13.7	844	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 131-132

EB1_D**SINCE ADMISSION HOW HAVE GRADES BEEN**

Since your admission to treatment, how have your grades been in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	1.3	82	1	BETTER THAN AVERAGE
61.9	2.7	167	2	AVERAGE
7.8	0.3	21	3	NOT SO GOOD
	47.3	2,906	-9	LEGITIMATE SKIP
	13.8	850	-8	BLANK
	0.1	6	-4	DON'T KNOW
	0.2	10	-3	NOT APPLICABLE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 133-134

EB1_E **TEACHER THOUGHT YOU DID AS WELL AS COULD**

Did your teachers think you did as well as you could, or did they think you had the ability to do better?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	0.5	31	1	DID AS WELL AS COULD
53.7	0.6	36	2	COULD HAVE DONE MUCH BETTER
	50.8	3,122	-9	LEGITIMATE SKIP
	13.7	842	-8	BLANK
	0.1	5	-4	DON'T KNOW
	0.1	6	-3	NOT APPLICABLE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 135-136

EB1_F **FREQUENTLY IN TROUBLE W/TEACHRS/PRINCIPL**

Since your admission, have you frequently gotten into trouble with your teachers or principal for misbehaving in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.1	6	1	YES
97.9	4.6	280	2	NO
	47.2	2,903	-9	LEGITIMATE SKIP
	13.8	848	-8	BLANK
	0.1	5	-3	NOT APPLICABLE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 137-138

EB1_G	# OF DAYS SKIPPED SCHOOL
-------	--------------------------

Since your admission, how many days did you skip school or play hooky?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	3.6	221	0	
4.5	0.2	13	1	
6.6	0.3	19	2	
3.5	0.2	10	3	
1.7	0.1	5	4	
1.7	0.1	5	5	
0.3	0.0	1	6	
0.3	0.0	1	7	
0.3	0.0	1	9	
0.3	0.0	1	10	
1.0	0.0	3	14	
1.0	0.0	3	15	
0.3	0.0	1	21	
0.3	0.0	1	24	
0.3	0.0	1	30	
0.3	0.0	1	60	
	47.2	2,902	-9	LEGITIMATE SKIP
	13.8	848	-8	BLANK
	0.0	1	-5	BAD DATA
	0.1	4	-3	NOT APPLICABLE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 139-140

EB2	RECEIVED A HIGH SCHOOL DIPLOMA/GED
------------	---

Since your admission, have you received a high school diploma or passed a high school equivalency (GED) test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.9	423	1	YES
92.9	89.4	5,496	2	NO
	3.7	226	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 141-142

EB2_A	DID YOU GET A DIPLOMA/GED
--------------	----------------------------------

Which one did you get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	4.3	266	1	DIPLOMA
38.3	2.7	165	2	GED
	89.2	5,487	-9	LEGITIMATE SKIP
	3.7	225	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 143-144

EB3_0	RECEIVED NO DEGREE
--------------	---------------------------

(Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

None.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	88.3	5,429	0	CIRCLED
	11.7	717	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 145-146

EB3_1	RECEIVED/JR COLLEGE/ASSOCIATE DEGREE
--------------	---

(Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

Junior college degree or associate degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	87	1	CIRCLED
	98.6	6,059	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 147-148

EB3_2 RECEIVED/BACHELOR'S DEGREE

(Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

Bachelor's degree.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	57	2	CIRCLED
	99.0	6,089	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 149-150

EB3_3 RECEIVED/MASTER'S/PH.D.

(Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

Advanced college degree (Master's or Ph.D.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	10	3	CIRCLED
	99.8	6,136	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 151-152

EB3_4**RECEIVED/CERTIFICATE FROM VOCA/TRADE SCH**

(Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

Certificate from a vocational or trade school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	226	4	CIRCLED
	96.3	5,920	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 153-154

EB3_5**RECEIVED/LICENSE TO PRACTICE A TRADE**

(Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

License to practice a trade.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	113	5	CIRCLED
	98.1	6,033	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 155-156

EB3_6 RECEIVED/OTHER DEGREE/LICENSE, ETC.

(Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

Other degree, license, etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	70	6	CIRCLED
	98.8	6,076	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 157-158

EB4 YOU HAVE CURRENT VALID DRIVER'S LICENSE

Do you have a current, valid driver's license?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	38.0	2,339	1	YES
61.8	61.7	3,791	2	NO
	0.2	14	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 159-160

EB4_A**STATUS OF YOUR DRIVER'S LICENSE**

Was your driver's license . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	12.4	760	1	EXPIRED
32.4	19.3	1,188	2	SUSPENDED
10.6	6.3	388	3	REVOKED
36.2	21.6	1,328	4	IF VOL: NEVER HAD ONE
	37.0	2,275	-9	LEGITIMATE SKIP
	3.1	188	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	9	-6	MULTIPLE RESPONSE
	0.1	6	-5	BAD DATA
	0.1	5	-4	DON'T KNOW

 100.0 100.0 6,148 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 161-162

EB5**A DEPENDABLE VEHICLE FOR YOU TO USE?**

Since your admission, has there been a dependable vehicle,
 such as a car, truck, or motorcycle, available for you to use
 . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	67.2	4,134	0	NONE OF THE TIME
10.3	10.1	621	1	SOME OF THE TIME
21.2	20.8	1,278	2	ALL OF THE TIME
	0.6	36	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	1.2	73	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 163-164

TREATMENT ACCESS

EC1 DO YOU HAVE ANY HEALTH INSURANCE/PLAN

Next, I'd like to ask about your current contacts with this program. Do you belong to a health plan or have any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	52.0	3,197	1	YES
47.4	46.8	2,879	2	NO
	1.1	70	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 165-166

EC1_A_01 TYPE OF INSURANCE/B. CROSS B. SHIELD

What type of health plan or insurance do you have? Any others?

Blue Cross / Blue Shield.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	261	1	CIRCLED
	46.8	2,879	-9	LEGITIMATE SKIP
	48.8	2,999	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 167-168

EC1_A_02	TYPE OF INSURANCE/OTHER PRIVATE INS
-----------------	--

What type of health plan or insurance do you have? Any others?

Other private insurance.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.3	386	2	CIRCLED
	46.8	2,879	-9	LEGITIMATE SKIP
	46.8	2,875	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 169-170

EC1_A_03	TYPE OF INSURANCE/HEALTH PLAN/HMO/PPO
-----------------	--

What type of health plan or insurance do you have? Any others?

Health plan (HMO, PPO).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	281	3	CIRCLED
	46.8	2,878	-9	LEGITIMATE SKIP
	48.5	2,981	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 171-172

EC1_A_04 TYPE OF INSURANCE/MEDICAID

What type of health plan or insurance do you have? Any others?

Medicaid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	26.5	1,629	4	CIRCLED
	46.6	2,868	-9	LEGITIMATE SKIP
	26.7	1,642	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 173-174

EC1_A_05 TYPE OF INSURANCE/MEDICARE

What type of health plan or insurance do you have? Any others?

Medicare.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	181	5	CIRCLED
	46.8	2,879	-9	LEGITIMATE SKIP
	50.1	3,080	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 175-176

EC1_A_06**TYPE OF INSURANCE/CHAMPUS/CHAMPVA**

What type of health plan or insurance do you have? Any others?

CHAMPUS or CHAMPVA, The VA, or Military health care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	32	6	CIRCLED
	46.8	2,879	-9	LEGITIMATE SKIP
	52.5	3,229	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 177-178

EC1_A_07**TYPE OF INSURANCE/OTHER**

What type of health plan or insurance do you have? Any others?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.2	567	7	CIRCLED
	46.7	2,874	-9	LEGITIMATE SKIP
	43.9	2,697	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 179-180

EC1_B	HEALTH PLAN IN YOUR NAME/FAMILY MEMBER
--------------	---

Is the coverage in your own name or in the name of some other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	47.8	2,937	1	OWN NAME
9.2	4.8	296	2	OTHER FAMILY MEMBER
	46.5	2,861	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	9	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 181-182

EC1_C	COST/DRUG TREAT COVERED BY THIS PLAN
--------------	---

Are any costs of drug treatment covered by this health plan or insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	41.5	2,551	1	YES
20.1	10.5	646	2	NO
0.4	0.2	13	3	PROGRAM CHARGES NO FEES
	46.5	2,860	-9	LEGITIMATE SKIP
	0.7	46	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.5	29	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 183-184

EC1_D**COST COVER BY INSURANCE/FOR DRUG TREAT**

About how much of the costs of your drug treatment will your health plan or insurance cover?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.2	14	0	NONE
1.5	0.6	39	1	LESS THAN HALF
14.3	5.9	361	2	HALF OR MORE
83.5	34.3	2,108	3	ALL
0.1	0.0	2	4	PROG CHARGES NO FEES
	57.1	3,512	-9	LEGITIMATE SKIP
	0.9	58	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.8	50	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 185-186

EC1_E**PRIMARY FUNDS FOR TREATMENT/EXCLU INS**

(Excluding your health plan or insurance coverage), what will be your primary source of funds to pay for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	17.9	1,102	1	SELF PAY
3.1	2.0	121	2	FAMILY/RELATIVES
0.2	0.1	7	3	WORKERS COMPENSATION
68.6	43.8	2,692	4	OTHER
	34.3	2,107	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	5	-6	MULTIPLE RESPONSE
	1.1	70	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 187-188

EC3_A	HAS IT BEEN SOMEWHAT EASY/VERY EASY
--------------	--

Has it been somewhat easy or very easy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	18.6	1,144	1	SOMEWHAT EASY
69.1	41.6	2,558	2	VERY EASY
	38.5	2,370	-9	LEGITIMATE SKIP
	1.1	69	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 193-194

EC3_B	HAS IT BEEN SOMEWHAT/VERY DIFFICULT
--------------	--

Has it been somewhat difficult or very difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	6.1	375	1	SOMEWHAT DIFFICULT
29.0	2.5	153	2	VERY DIFFICULT
	90.3	5,551	-9	LEGITIMATE SKIP
	1.0	64	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 195-196

EC4_00 **CRIMINAL CHARGE/NONE**

Since your admission, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

No. -> Go To Section D

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	57.5	3,537	0	CIRCLED
	42.4	2,609	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 197-198

EC4_01 **CRIMINAL CHARGE/PROBATION**

Since your admission, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Probation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	27.5	1,689	1	CIRCLED
	57.5	3,537	-9	LEGITIMATE SKIP
	15.0	920	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 199-200

EC4_02**CRIMINAL CHARGE/PAROLE**

Since your admission, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	579	2	CIRCLED
	57.5	3,537	-9	LEGITIMATE SKIP
	33.0	2,030	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 201-202

EC4_03**CRIMINAL CHARGE/AWAITING TRIAL IN JAIL**

Since your admission, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	48	3	CIRCLED
	57.5	3,537	-9	LEGITIMATE SKIP
	41.7	2,561	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 203-204

EC4_06**CRIMINAL CHARGE/ON BAIL AWAITING TRIAL**

Since your admission, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

On bail awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	106	6	CIRCLED
	57.5	3,537	-9	LEGITIMATE SKIP
	40.7	2,503	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 209-210

EC4_07**CRIMINAL CHARGE/ON BAIL AWAIT SENTENCE**

Since your admission, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

On bail awaiting sentencing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	43	7	CIRCLED
	57.5	3,537	-9	LEGITIMATE SKIP
	41.7	2,566	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 211-212

EC4_08 CRIMINAL CHARGE/RELEASE OWN RECOGNIZANCE

Since your admission, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Released on own recognizance, case pending.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	155	8	CIRCLED
	57.5	3,537	-9	LEGITIMATE SKIP
	39.9	2,454	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 213-214

EC4_09 CRIMINAL CHARGE/OTHER STATUS

Since your admission, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Other status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	162	9	CIRCLED
	57.5	3,535	-9	LEGITIMATE SKIP
	39.8	2,449	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 215-216

EC5**CRIMINAL JUSTICE AWARE OF DRUG TREAT**

Have any criminal justice (juvenile justice) authorities, such as a judge, a probation officer, or a parole officer, been aware of your drug problem or your treatment at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	37.5	2,308	1	YES
11.5	4.9	301	2	NO
0.6	0.2	15	3	UNCERTAIN
	57.0	3,504	-9	LEGITIMATE SKIP
	0.3	18	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 217-218

EC5_A**FELT PRESSURE DRUG TREAT/AUTHORITY AWARE**

Since these authorities have been aware of your drug problem, have you felt any pressure to stay in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	15.6	960	1	YES
58.1	21.6	1,329	2	NO
	62.1	3,817	-9	LEGITIMATE SKIP
	0.6	38	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 219-220

EC6 **CRIMINAL JUSTICE SUGGEST/REQ DRUG TREAT**

Has your participation in this program actually been required or suggested by the criminal (juvenile) justice system (i.e., courts or correctional authorities)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	15.1	926	1	YES
8.4	1.4	85	2	NO
	83.2	5,115	-9	LEGITIMATE SKIP
	0.3	20	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 221-222

EC6_A **PROGRAM REQUIRED/SUGGESTED**

Has it been required or suggested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	12.8	785	1	REQUIRED, STIPULATED
15.2	2.3	141	2	SUGGESTED, ENCOURAGED
	84.6	5,201	-9	LEGITIMATE SKIP
	0.3	18	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 223-224

EC7**CRIMINAL JUSTICE TESTED YOU FOR DRUG USE**

Since your admission, has anyone from the criminal (juvenile) justice system tested you for drug use or reviewed the results from drug tests that you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	8.3	510	1	YES
45.5	6.9	425	2	NO
	84.3	5,185	-9	LEGITIMATE SKIP
	0.3	18	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 225-226

EC7_A**YOU BEEN CHECKED FOR DRUG/WHAT BASIS**

Have you been checked for drugs on a regular schedule, on a random basis, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	2.3	140	1	REGULAR
57.9	4.8	294	2	RANDOM
14.6	1.2	74	3	BOTH
	91.2	5,610	-9	LEGITIMATE SKIP
	0.3	21	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 227-228

EC7_B_1	#TIMES TESTS DONE/SINCE ADM
---------	-----------------------------

How often have the tests been done since your admission.

Number of times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.4	23	0	
44.9	3.8	232	1	
25.3	2.1	131	2	
10.3	0.9	53	3	
5.0	0.4	26	4	
3.5	0.3	18	5	
2.5	0.2	13	6	
1.2	0.1	6	7	
0.8	0.1	4	8	
0.4	0.0	2	9	
0.6	0.0	3	12	
0.4	0.0	2	16	
0.2	0.0	1	21	
0.2	0.0	1	22	
0.4	0.0	2	30	
	91.2	5,605	-9	LEGITIMATE SKIP
	0.3	20	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 229-230

EC7_B_2

HOW OFTEN TESTS DONE/SINCE ADMISSION

How often have the tests been done since your admission?

Frequency of tests.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	1.9	114	1	PER WEEK
74.1	5.3	326	3	TOTAL/ALTOGETHER
	91.3	5,614	-9	LEGITIMATE SKIP
	1.4	89	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 231-232

ED2**YOU FELT SAD/BLUE/DEPRESSED FOR 2 WEEKS**

Since your admission, have you had at least 2 weeks during which you felt very sad, blue, depressed, or you lost interest and pleasure in things you usually cared about or enjoyed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	18.6	1,146	1	YES
81.2	80.4	4,941	2	NO
	1.0	61	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 237-238

ED2_A**YOU HAD ANY OTHER PROBLEMS AT SAME TIME**

Did you have other problems at the same time, for example, difficulty sleeping, loss of appetite, feeling hopeless or guilty, or having thoughts of ending your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	12.9	796	1	YES
32.6	6.3	385	2	NO
	80.1	4,926	-9	LEGITIMATE SKIP
	0.7	41	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 239-240

ED2_B	#PERIODS OF 2 WK/MORE/FELT SAD/BLUE
--------------	--

Since your admission, how many periods of 2 weeks or more have you had when you felt very sad, blue, depressed, or lost interest in things and also had some of these other problems at the same time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	5	0	
68.8	8.9	548	1	
21.2	2.7	169	2	
4.8	0.6	38	3	
2.4	0.3	19	4	
0.9	0.1	7	5	
0.1	0.0	1	6	
0.3	0.0	2	7	
0.1	0.0	1	8	
0.3	0.0	2	10	
0.1	0.0	1	14	
0.1	0.0	1	16	
0.1	0.0	1	20	
0.1	0.0	1	22	
	86.3	5,306	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 241-242

ED2_C_1	WHEN LAST PERIOD ENDED/FELT BLUE
----------------	---

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	1.5	93	1	LESS THAN ONE WEEK AFTER ADMISSION
86.1	9.4	577	2	AT LEAST ONE WEEK AFTER ADMISSION
	86.3	5,307	-9	LEGITIMATE SKIP
	2.1	128	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.5	28	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.2	12	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 243-244

ED2_C_2	#WEEKS AFTER ADMISSION
----------------	-------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	7	0	
10.7	1.0	63	1	
29.5	2.8	173	2	
23.9	2.3	140	3	
21.5	2.0	126	4	
4.4	0.4	26	5	
3.4	0.3	20	6	
0.9	0.1	5	7	
1.5	0.1	9	8	
0.9	0.1	5	9	
1.0	0.1	6	10	
0.3	0.0	2	11	
0.7	0.1	4	12	
0.2	0.0	1	15	
	86.3	5,307	-9	LEGITIMATE SKIP
	3.5	213	-8	BLANK
	0.6	35	-5	BAD DATA
	0.1	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 245-246

ED2_D	THAT PERIOD A DIRECT RESULT OF ALCO/DRUG
--------------	---

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.4	5.8	359	1	YES
54.6	7.0	431	2	NO
	86.3	5,306	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 247-248

ED3 **YOU THOUGHT A LOT ABOUT ENDING YOUR LIFE**

Since your admission, have you thought about ending your life or committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	4.0	247	1	YES
96.0	95.5	5,870	2	NO
	0.5	31	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 249-250

ED3_A **THOUGHTS OF SUICIDE RESULT OF ALC/DRUG**

Since your admission, have your thoughts of suicide always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	1.2	71	1	YES
73.1	3.1	193	2	NO
	95.3	5,856	-9	LEGITIMATE SKIP
	0.5	28	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 251-252

ED4 **DID YOU ATTEMPT SUICIDE**

Since your admission, have you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	27	1	YES
99.6	99.0	6,087	2	NO
	0.6	34	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 253-254

ED4_A**SUICIDE ATTEMPT RESULT OF ALC/DRUG USE**

Since your admission, have your attempts always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	0.2	12	1	YES
77.4	0.7	41	2	NO
	98.8	6,074	-9	LEGITIMATE SKIP
	0.3	21	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 255-256

ED5**HAD TROUBLE CONTROLLING TEMPER**

Since your admission, have you had trouble controlling your temper or violent behavior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	16.7	1,027	1	YES
83.2	82.7	5,087	2	NO
	0.5	33	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 257-258

ED5_A_1

WHEN LAST PERIOD ENDED/TEMPER PROBLEM

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	2.4	150	1	LESS THAN ONE WEEK AFTER ADMISSION
83.7	12.5	771	2	AT LEAST ONE WEEK AFTER ADMISSION
	82.7	5,085	-9	LEGITIMATE SKIP
	1.8	113	-8	BLANK
	0.4	23	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 259-260

ED5_A_2**#WEEKS AFTER ADMISSION**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	1.6	100	1	
20.7	2.7	165	2	
24.3	3.2	194	3	
24.4	3.2	195	4	
6.5	0.8	52	5	
4.0	0.5	32	6	
1.8	0.2	14	7	
2.0	0.3	16	8	
0.9	0.1	7	9	
0.5	0.1	4	10	
0.5	0.1	4	11	
0.8	0.1	6	12	
0.3	0.0	2	13	
0.4	0.0	3	14	
0.1	0.0	1	18	
0.3	0.0	2	20	
0.1	0.0	1	22	
	82.6	5,081	-9	LEGITIMATE SKIP
	3.8	235	-8	BLANK
	0.5	30	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 261-262

ED5_B**TEMPER PROBLEM RESULT OF ALC/DRUG**

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	4.6	281	1	YES
72.4	12.0	737	2	NO
	82.7	5,083	-9	LEGITIMATE SKIP
	0.6	39	-8	BLANK
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 263-264

ED6 **YOU FELT VERY SUSPICIOUS OF PEOPLE**

Since your admission, have you felt very suspicious of other people or what they might be up to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	22.6	1,389	1	YES
77.4	77.3	4,752	2	NO
	0.1	6	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 265-266

ED6_A_1 **WHEN LAST PERIOD ENDED/SUSPI OF PEOPLE**

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.3	3.5	215	1	LESS THAN ONE WEEK AFTER ADMISSION
81.7	15.6	960	2	AT LEAST ONE WEEK AFTER ADMISSION
	77.2	4,746	-9	LEGITIMATE SKIP
	2.1	127	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	1.1	70	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.4	26	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 267-268

ED6_A_2

#WEEKS AFTER ADMISSION

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	6	0	
11.6	1.9	115	1	
22.8	3.7	227	2	
21.6	3.5	215	3	
28.0	4.5	278	4	
5.2	0.8	52	5	
2.7	0.4	27	6	
1.7	0.3	17	7	
2.5	0.4	25	8	
0.5	0.1	5	9	
0.7	0.1	7	10	
0.3	0.0	3	11	
0.9	0.1	9	12	
0.2	0.0	2	14	
0.1	0.0	1	15	
0.2	0.0	2	16	
0.1	0.0	1	18	
0.1	0.0	1	20	
0.1	0.0	1	23	
	77.0	4,737	-9	LEGITIMATE SKIP
	5.5	339	-8	BLANK
	1.1	67	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.2	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 269-270

ED6_B	SUSPICIOUS OF PEOPLE RESULT OF ALC/DRUG
--------------	--

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	6.1	377	1	YES
72.2	15.9	978	2	NO
	77.1	4,741	-9	LEGITIMATE SKIP
	0.6	39	-8	BLANK
	0.0	1	-5	BAD DATA
	0.2	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 271-272

ED7	YOU HAD HALLUCINATIONS
------------	-------------------------------

Since your admission, have you thought someone could control your thoughts or had hallucinations, that is, you saw or heard things that no one else could see or hear?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	171	1	YES
97.2	96.8	5,952	2	NO
	0.4	24	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 273-274

ED7_A_1	WHEN LAST PERIOD ENDED/HALLUCINATION
----------------	---

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	0.7	40	1	LESS THAN ONE WEEK AFTER ADMISSION
74.0	1.9	114	2	AT LEAST ONE WEEK AFTER ADMISSION
	96.8	5,951	-9	LEGITIMATE SKIP
	0.6	36	-8	BLANK
	0.1	7	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 275-276

ED7_A_2	#WEEKS AFTER ADMISSION
----------------	-------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	0.2	11	1	
20.7	0.4	24	2	
29.3	0.6	34	3	
19.8	0.4	23	4	
8.6	0.2	10	5	
2.6	0.0	3	6	
1.7	0.0	2	7	
4.3	0.1	5	8	
0.9	0.0	1	10	
0.9	0.0	1	12	
0.9	0.0	1	13	
0.9	0.0	1	14	
	96.8	5,951	-9	LEGITIMATE SKIP
	1.2	75	-8	BLANK
	0.1	6	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 277-278

ED7_B	HALLUCINATION/RESULT OF ALC/DRUG USE
--------------	---

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	1.5	94	1	YES
44.0	1.2	74	2	NO
	96.8	5,950	-9	LEGITIMATE SKIP
	0.5	29	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 279-280

ED8	HAD TROUBLE CONCENTRATING/REMEMBERING
------------	--

Since your admission, have you had trouble understanding, concentrating, or remembering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	24.5	1,508	1	YES
75.4	75.3	4,629	2	NO
	0.2	10	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 281-282

ED8_A**TROUBLE CONCENTRATE/RESULT OF DRUG/ALC**

Has that always been a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	15.3	941	1	YES
36.8	8.9	547	2	NO
	75.1	4,620	-9	LEGITIMATE SKIP
	0.2	13	-8	BLANK
	0.4	27	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 283-284

ED9**RECEIVED PAYMENT FOR PSYCH DISABILITY**

Since your admission, have you received any disability payments, benefits, or a pension for a psychiatric disability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	178	1	YES
97.1	96.6	5,941	2	NO
	0.5	29	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 285-286

ED10 **TOOK PRESC MED FOR MENTAL PROB**

Since your admission, have you taken any prescribed medication on a regular basis for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	10.2	626	1	YES
89.8	89.5	5,502	2	NO
	0.3	20	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 287-288

ED10_A **CURRENTLY TAKING MED FOR MENTAL PROB**

Are you currently taking any medications prescribed by a doctor for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	9.6	588	1	YES
30.7	4.2	261	2	NO
	85.9	5,279	-9	LEGITIMATE SKIP
	0.3	20	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 289-290

ED11**HAD MENTAL PROB BECAUSE OF DRUG/ALC USE**

Since your admission, have you had any mental health or emotional problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.8	600	1	YES
90.2	89.5	5,502	2	NO
	0.7	44	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 291-292

ED11_A**HOW SERIOUS PROB/BECAUSE OF DRUG/ALC USE**

How serious were any problems you have had since your admission because of your drug or alcohol use? Would you say

. . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	1.4	85	1	NOT AT ALL
58.4	6.3	385	2	SOMEWHAT
28.7	3.1	189	3	VERY SERIOUS
	88.8	5,458	-9	LEGITIMATE SKIP
	0.5	30	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 293-294

ED12	HOW TROUBLED ARE YOU NOW/EMOTIONAL PROB
-------------	--

How troubled or distressed (bothered) are you now by any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	60.4	3,716	0	NOT AT ALL
32.0	31.5	1,936	1	SOMEWHAT
6.5	6.4	393	2	VERY TROUBLED
	1.6	100	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 295-296

ED13	I AM SATISFIED WITH MYSELF
-------------	-----------------------------------

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I'm satisfied with myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	5.0	305	1	STRONGLY DISAGREE
12.7	12.7	780	2	SOMEWHAT DISAGREE
44.1	44.0	2,706	3	SOMEWHAT AGREE
38.2	38.2	2,346	4	STRONGLY AGREE
	0.2	10	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 297-298

ED14**AT TIMES I THINK I AM NO GOOD AT ALL**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

At times I think I'm no good at all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.6	50.5	3,103	1	STRONGLY DISAGREE
21.4	21.4	1,314	2	SOMEWHAT DISAGREE
24.1	24.1	1,480	3	SOMEWHAT AGREE
3.8	3.8	232	4	STRONGLY AGREE
	0.2	13	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 299-300

ED15**I FEEL I HAVE A LOT OF GOOD QUALITIES**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I have a lot of good qualities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	46	1	STRONGLY DISAGREE
1.9	1.9	119	2	SOMEWHAT DISAGREE
30.8	30.7	1,890	3	SOMEWHAT AGREE
66.5	66.3	4,075	4	STRONGLY AGREE
	0.2	10	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 301-302

ED16 I FEEL USELESS AT TIMES

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel useless at times.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.2	42.0	2,584	1	STRONGLY DISAGREE
19.9	19.8	1,216	2	SOMEWHAT DISAGREE
32.7	32.6	2,002	3	SOMEWHAT AGREE
5.3	5.3	323	4	STRONGLY AGREE
	0.4	22	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 303-304

ED17 I WISH I COULD HAVE > RESPECT FOR MYSELF

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I wish I could have more respect for myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	27.1	1,664	1	STRONGLY DISAGREE
13.3	13.3	817	2	SOMEWHAT DISAGREE
37.1	37.0	2,275	3	SOMEWHAT AGREE
22.5	22.4	1,377	4	STRONGLY AGREE
	0.2	12	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 305-306

ED18**I FEEL THAT I AM A FAILURE**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I feel that I'm a failure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.4	63.2	3,888	1	STRONGLY DISAGREE
19.3	19.3	1,185	2	SOMEWHAT DISAGREE
14.1	14.1	865	3	SOMEWHAT AGREE
3.2	3.2	194	4	STRONGLY AGREE
	0.2	10	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW

 100.0 100.0 6,148 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 307-308

ED19**IMPORTANCE OF MENTAL HEALTH TREATMENT**

How important to you now is treatment or counseling for emotional, nervous, or mental health problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	15.6	960	0	NOT AT ALL
22.8	11.4	700	1	SOMEWHAT
45.9	23.0	1,411	2	VERY IMPORTANT
	15.8	970	-8	BLANK
	0.0	1	-4	DON'T KNOW
	34.3	2,106	-1	VARIABLE NOT ON FORM

 100.0 100.0 6,148 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 309-310

TOBACCO, ALCOHOL, AND DRUG USE**EE1****#DAYS YOU DRANK ANY ALCOHOL**

Now, I'd like to ask about any alcohol, tobacco, and drugs you may have used since your admission. Alcoholic beverages include beer, wine, and hard liquor, such as whiskey and mixed drinks. Since your admission, on how many days have you drunk any alcohol?

6,148 cases (Range of valid codes: 0-90)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 311-312

EE2

#ALCOHOLIC DRINKS YOU HAVE ON EACH DAY

Since your admission, about how many alcoholic drinks have you usually had on each day you drank?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.2	11	0	
20.4	3.4	211	1	
29.2	4.9	302	2	
15.6	2.6	162	3	
9.5	1.6	98	4	
4.2	0.7	44	5	
8.6	1.4	89	6	
0.6	0.1	6	7	
1.4	0.2	15	8	
0.6	0.1	6	9	
2.5	0.4	26	10	
2.8	0.5	29	12	
0.3	0.0	3	14	
0.3	0.0	3	15	
0.3	0.0	3	18	
1.1	0.2	11	20	
1.2	0.2	12	24	
0.1	0.0	1	25	
0.1	0.0	1	30	
0.1	0.0	1	32	
0.2	0.0	2	50	
	82.9	5,095	-9	LEGITIMATE SKIP
	0.2	14	-8	BLANK
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 313-314

EE3 **YOU DRANK SEVERAL DAYS IN A ROW/SINCE AD**

Since your admission, have you ever been drunk for several days in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.5	32	1	YES
96.9	16.0	986	2	NO
	82.9	5,095	-9	LEGITIMATE SKIP
	0.6	35	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 315-316

EE4 **#DAYS YOU BEEN DRUNK/SINCE ADMISSION**

On how many days have you been drunk since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	12.8	788	0	
9.9	1.7	102	1	
5.9	1.0	61	2	
2.9	0.5	30	3	
1.0	0.2	10	4	
1.3	0.2	13	5	
0.6	0.1	6	6	
0.3	0.0	3	7	
0.3	0.0	3	8	
0.7	0.1	7	10	
0.1	0.0	1	12	
0.5	0.1	5	20	
0.1	0.0	1	21	
0.1	0.0	1	30	
0.1	0.0	1	60	
	82.8	5,091	-9	LEGITIMATE SKIP
	0.4	25	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 317-318

EE5**YOU HAD ALCOHOL DELIRIUM TREMENS**

Since your admission, have you had alcohol d.t.'s (or Delirium Tremens) at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.2	13	1	YES
98.8	16.9	1,039	2	NO
	82.7	5,083	-9	LEGITIMATE SKIP
	0.2	13	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 319-320

EE6**EVER HAD ANY PROB BECAUSE OF DRINKING**

Alcohol can sometimes cause problems for people. Have you ever had any problems because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	5.9	363	1	YES
65.2	11.1	681	2	NO
	82.8	5,090	-9	LEGITIMATE SKIP
	0.2	14	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 321-322

EE9**YOUR CHANCES OF NEVER DRINKING ALC AGAIN**

What do you think your chances are of never drinking alcohol again? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	1.9	118	1	VERY POOR
45.8	2.7	168	2	FAIR
22.1	1.3	81	3	VERY GOOD
	93.8	5,765	-9	LEGITIMATE SKIP
	0.2	13	-8	BLANK
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 327-328

EE10**HOW DIFFICULT/STOP DRINK ALCO COMPLETELY**

How difficult do you think it would be for you to stop drinking alcohol completely for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	1.5	91	0	NOT AT ALL
42.5	2.6	157	1	SOMEWHAT
32.8	2.0	121	2	VERY DIFFICULT
	93.8	5,765	-9	LEGITIMATE SKIP
	0.2	13	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 329-330

EE12_A**HOW MUCH CURRENTLY SMOKE CIGARETTES**

About how many cigarettes do you smoke per day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	12.2	751	1	LESS THAN 1/2 PACK A DAY
33.4	26.9	1,651	2	ABOUT 1/2 PACK A DY
36.3	29.2	1,795	3	ABOUT A PACK A DAY
8.3	6.7	412	4	ABOUT 1-1/2 PACKS A DAY
6.8	5.5	338	5	ABOUT 2 PACKS OR MORE A DAY
	19.0	1,171	-9	LEGITIMATE SKIP
	0.5	28	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 335-336

EE13**SMOKE CIGARS/PIPE/SMOKELESS TOBACCO?**

Do you currently smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	231	1	YES
96.2	94.3	5,799	2	NO
	1.9	118	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 337-338

EE13_A_1 DO YOU SMOKE CIGARS

Which do you use? Cigars?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	155	1	CIRCLED
	94.3	5,799	-9	LEGITIMATE SKIP
	3.2	194	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 339-340

EE13_A_2 DO YOU SMOKE PIPE

Which do you use? Pipe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	25	2	CIRCLED
	94.3	5,799	-9	LEGITIMATE SKIP
	5.3	324	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 341-342

EE13_A_3 DO YOU USE SMOKELESS TOBACCO/SNUFF

Which do you use? Smokeless tobacco or snuff?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	74	3	CIRCLED
	94.3	5,799	-9	LEGITIMATE SKIP
	4.5	275	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 343-344

EE14	HAVE YOU USED MARIJUANA/HASHISH/THC
-------------	--

Next, I'd like to ask about your use of drugs other than alcohol. Since your admission, have you used marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.8	417	1	YES
93.2	93.1	5,722	2	NO
	0.1	9	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 345-346

EE14_A_1	HOW LONG AFTER TREATMENT FIRST USE DRUG
-----------------	--

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	2.9	177	1	LESS THAN ONE WEEK AFTER ADMISSION
56.8	3.8	233	2	AT LEAST ONE WEEK AFTER ADMISSION
	93.0	5,719	-9	LEGITIMATE SKIP
	0.3	18	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 347-348

EE14_A_2	#WEEKS AFTER ADMISSION USED DRUGS
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	1.0	62	1	
36.5	1.4	88	2	
16.6	0.7	40	3	
14.9	0.6	36	4	
1.7	0.1	4	5	
1.2	0.0	3	6	
0.4	0.0	1	7	
1.2	0.0	3	8	
0.4	0.0	1	9	
0.4	0.0	1	10	
0.8	0.0	2	12	
	93.1	5,722	-9	LEGITIMATE SKIP
	3.0	185	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 349-350

EE14_B_1	WHEN DID YOU LAST USE DRUGS
-----------------	------------------------------------

When did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	3.1	191	1	MORE THAN ONE WEEK AGO
52.1	3.4	208	2	WITHIN THE LAST WEEK
	93.1	5,722	-9	LEGITIMATE SKIP
	0.4	26	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 351-352

EE14_B_2**#WEEKS AGO USE DRUGS**

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	0	
12.5	0.4	26	1	
38.0	1.3	79	2	
22.1	0.7	46	3	
16.8	0.6	35	4	
2.9	0.1	6	5	
2.4	0.1	5	6	
0.5	0.0	1	7	
2.9	0.1	6	8	
0.5	0.0	1	9	
0.5	0.0	1	10	
0.5	0.0	1	12	
	93.1	5,722	-9	LEGITIMATE SKIP
	3.5	218	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 353-354

EE14_C**HOW OFTEN USED DRUGS SINCE ADMISSION**

How often have you used it since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	2.2	133	1	LESS THAN ONCE PER MONTH
33.4	2.3	140	2	1 TO 3 TIMES A MONTH
14.1	1.0	59	3	1 TO 2 TIMES A WEEK
7.6	0.5	32	4	3 TO 4 TIMES A WEEK
2.6	0.2	11	5	5 TO 6 TIMES A WEEK
7.2	0.5	30	6	DAILY OR ALMOST EVERY DAY
2.4	0.2	10	7	2 OR 3 TIMES A DAY
1.0	0.1	4	8	4 OR MORE TIMES A DAY
	93.1	5,721	-9	LEGITIMATE SKIP
	0.1	8	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 355-356

EE15 **HAVE YOU USED COCAINE IN ANY FORM**

Since your admission, have you used cocaine, in any form, such as powder, "crack", free base, and cocoa paste?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.5	585	1	YES
90.5	90.3	5,553	2	NO
	0.2	10	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 357-358

EE15_A_1 **HOW LONG AFTER TREAT FIRST USED COCAINE**

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	4.3	264	1	LESS THAN ONE WEEK AFTER ADMISSION
53.4	4.9	302	2	AT LEAST ONE WEEK AFTER ADMISSION
	90.3	5,550	-9	LEGITIMATE SKIP
	0.5	31	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 359-360

EE15_A_2	#WEEKS AFTER ADMISSION USED COCAINE
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
25.5	1.3	82	1	
36.6	1.9	118	2	
19.3	1.0	62	3	
12.7	0.7	41	4	
0.9	0.0	3	5	
1.6	0.1	5	6	
0.3	0.0	1	7	
1.6	0.1	5	8	
0.6	0.0	2	9	
0.3	0.0	1	10	
0.3	0.0	1	12	
	90.3	5,551	-9	LEGITIMATE SKIP
	4.5	275	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 361-362

EE15_B_1	HOW LONG AGO DID YOU LAST USE COCAINE
-----------------	--

How long ago did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.9	5.2	317	1	MORE THAN ONE WEEK AGO
43.1	3.9	240	2	WITHIN THE LAST WEEK
	90.3	5,551	-9	LEGITIMATE SKIP
	0.6	39	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 363-364

EE15_B_2	HOW MANY WEEKS AGO USE COCAINE
-----------------	---------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
11.6	0.6	39	1	
39.2	2.1	132	2	
25.2	1.4	85	3	
12.8	0.7	43	4	
2.4	0.1	8	5	
3.6	0.2	12	6	
1.8	0.1	6	7	
0.9	0.0	3	8	
0.3	0.0	1	9	
0.6	0.0	2	10	
1.2	0.1	4	12	
0.3	0.0	1	15	
	90.3	5,552	-9	LEGITIMATE SKIP
	4.2	259	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 365-366

EE15_C	HOW HAVE YOU USUALLY TAKEN COCAINE
---------------	---

How have you usually taken it since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	3	1	BY MOUTH (EAT, CHEW)
41.0	3.9	238	2	BY SMOKING IT
18.6	1.8	108	3	BY INHALING/SNORTING/SNIFFING IT
37.5	3.5	218	4	BY INJECTING IT INTO A VEIN
0.2	0.0	1	5	BY INJECTING IT SOMEWHERE ELSE
2.1	0.2	12	6	BY FREEBASING
0.2	0.0	1	7	SOME OTHER WAY
	90.3	5,551	-9	LEGITIMATE SKIP
	0.2	13	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 367-368

EE15_D**HOW OFTEN USED COCAINE SINCE ADMISSION**

How often have you used it since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	3.0	182	1	LESS THAN ONCE PER MONTH
37.5	3.6	219	2	1 TO 3 TIMES A MONTH
16.3	1.5	95	3	1 TO 2 TIMES A WEEK
7.9	0.7	46	4	3 TO 4 TIMES A WEEK
2.2	0.2	13	5	5 TO 6 TIMES A WEEK
3.3	0.3	19	6	DAILY OR ALMOST EVERY DAY
1.0	0.1	6	7	2 OR 3 TIMES A DAY
0.7	0.1	4	8	4 OR MORE TIMES A DAY
	90.3	5,551	-9	LEGITIMATE SKIP
	0.2	13	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 369-370

EE15_E**HOW OFTEN USED CRACK SINCE ADMISSION**

How often have you used crack since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	5.2	318	0	NOT USED
15.9	1.5	93	1	LESS THAN ONCE PER MONTH
15.5	1.5	91	2	1 TO 3 TIMES A MONTH
6.8	0.7	40	3	1 TO 2 TIMES A WEEK
3.2	0.3	19	4	3 TO 4 TIMES A WEEK
1.4	0.1	8	5	5 TO 6 TIMES A WEEK
1.9	0.2	11	6	DAILY OR ALMOST EVERY DAY
0.5	0.0	3	7	2 OR 3 TIMES A DAY
0.5	0.0	3	8	4 OR MORE TIMES A DAY
	90.2	5,548	-9	LEGITIMATE SKIP
	0.2	14	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 371-372

EE16 **HAVE YOU USED HEROIN/ALONE/COMBINED**

Since your admission, have you used heroin either alone or combined with another drug (speedball)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.5	523	1	YES
91.5	91.1	5,599	2	NO
	0.4	25	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 373-374

EE16_A_1 **HOW LONG AFTER TREAT FIRST USED HEROIN**

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	5.3	326	1	LESS THAN ONE WEEK AFTER ADMISSION
36.0	3.0	183	2	AT LEAST ONE WEEK AFTER ADMISSION
	91.1	5,598	-9	LEGITIMATE SKIP
	0.7	41	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 375-376

EE16_A_2	#WEEKS AFTER ADMISSION USED HEROIN
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	0.9	56	1	
37.6	1.2	74	2	
18.3	0.6	36	3	
9.1	0.3	18	4	
1.0	0.0	2	5	
2.5	0.1	5	6	
2.0	0.1	4	8	
0.5	0.0	1	9	
0.5	0.0	1	10	
	91.1	5,598	-9	LEGITIMATE SKIP
	5.7	353	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 377-378

EE16_B_1	HOW LONG AGO DID YOU LAST USE HEROIN
-----------------	---

How long ago did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	4.6	285	1	MORE THAN ONE WEEK AGO
42.3	3.4	209	2	WITHIN THE LAST WEEK
	91.1	5,598	-9	LEGITIMATE SKIP
	0.9	55	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 379-380

EE16_B_2	HOW MANY WEEKS AGO USE HEROIN
-----------------	--------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	0.5	32	1	
39.5	2.0	122	2	
27.8	1.4	86	3	
12.9	0.7	40	4	
3.9	0.2	12	5	
2.6	0.1	8	6	
0.6	0.0	2	8	
0.6	0.0	2	9	
1.0	0.0	3	10	
0.6	0.0	2	12	
	91.1	5,598	-9	LEGITIMATE SKIP
	3.9	241	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 381-382

EE16_C	HOW DID YOU USUALLY TAKEN HEROIN
---------------	---

How have you usually taken it since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	1	BY MOUTH (EAT, CHEW)
0.4	0.0	2	2	BY SMOKING IT
22.6	1.9	117	3	BY INHALING/SNORTING/SNIFFING IT
75.1	6.3	389	4	BY INJECTING IT INTO A VEIN
1.7	0.1	9	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	91.1	5,598	-9	LEGITIMATE SKIP
	0.5	28	-8	BLANK
	0.1	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 383-384

EE16_D**HOW OFTEN USED HEROIN SINCE ADMISSION**

How many times have you used it since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	2.0	122	1	LESS THAN ONCE PER MONTH
38.5	3.3	200	2	1-3 TIMES/MONTH
21.7	1.8	113	3	1-2 TIMES/WK
6.9	0.6	36	4	3-4 TIMES/WK
2.5	0.2	13	5	5-6 TIMES/WK
5.8	0.5	30	6	DAILY OR ALMOST EVERY DAY
0.6	0.0	3	7	2 OR 3 TIMES/DAY
0.6	0.0	3	8	4+ TIMES/DAY
	91.1	5,598	-9	LEGITIMATE SKIP
	0.5	30	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 385-386

EE16_E**HOW OFTEN USED HEROIN/COCAINE TOGETHER**

How often have you used heroin and cocaine together since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	5.0	310	0	NOT USED
10.4	0.9	57	1	LESS THAN ONCE PER MONTH
20.9	1.9	115	2	1 TO 3 TIMES A MONTH
6.5	0.6	36	3	1 TO 2 TIMES A WEEK
3.3	0.3	18	4	3 TO 4 TIMES A WEEK
0.5	0.0	3	5	5 TO 6 TIMES A WEEK
1.6	0.1	9	6	DAILY OR ALMOST EVERY DAY
0.2	0.0	1	7	2 OR 3 TIMES A DAY
0.2	0.0	1	8	4 OR MORE TIMES A DAY
	90.6	5,570	-9	LEGITIMATE SKIP
	0.5	28	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 387-388

EE16_F	HOW DID YOU USUALLY TAKE HEROIN/COCAINE
---------------	--

How have you usually taken them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	1	BY MOUTH (EAT, CHEW)
1.8	0.1	4	2	BY SMOKING IT
11.1	0.4	25	3	BY INHALING/SNORTING/SNIFFING IT
85.8	3.1	193	4	BY INJECTING IT INTO A VEIN
0.4	0.0	1	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.4	0.0	1	7	SOME OTHER WAY
	91.0	5,597	-9	LEGITIMATE SKIP
	4.4	268	-8	BLANK
	0.1	7	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.8	50	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 389-390

EE17	DR.PRESCRIBE NARCOTICS FOR MEDICAL PROB
-------------	--

Now, I'd like to ask about some drugs that can be legally prescribed. Since your admission, has a doctor prescribed any narcotic or opiate analgesics for you for a physical or medical problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	214	1	YES
96.5	96.2	5,916	2	NO
	0.3	17	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 391-392

EE17_A

#PRESCRIPTIONS FOR NARCOTICS

How many prescriptions for narcotics or opiates did you get since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.0	2	0	
71.1	2.2	133	1	
18.2	0.6	34	2	
3.7	0.1	7	3	
1.1	0.0	2	4	
0.5	0.0	1	5	
0.5	0.0	1	6	
0.5	0.0	1	7	
0.5	0.0	1	10	
0.5	0.0	1	11	
0.5	0.0	1	27	
0.5	0.0	1	60	
0.5	0.0	1	72	
0.5	0.0	1	94	
	96.2	5,913	-9	LEGITIMATE SKIP
	0.4	22	-8	BLANK
	0.0	1	-5	BAD DATA
	0.4	25	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 393-394

EE17_B_1	CODE/PRESCRIBED NARCOTICS
-----------------	----------------------------------

Which narcotics or opiates have been prescribed since your admission? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.2	11	0	NONE
4.3	0.1	8	1	DARVON
0.5	0.0	1	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
0.5	0.0	1	5	LEVO-DROMORAN
10.2	0.3	19	6	PERCODAN
2.7	0.1	5	7	DEMEROL
1.1	0.0	2	8	DILAUDID
31.6	1.0	59	9	TYLENOL WITH CODEINE
1.1	0.0	2	10	PHENAPHEN WITH CODEINE
0.5	0.0	1	11	TALWIN
0.5	0.0	1	12	TALWIN NX
1.6	0.0	3	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
1.1	0.0	2	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.0	0.0	0	17	MORPHINE
34.8	1.1	65	18	METHADONE
0.0	0.0	0	19	STADOL
3.2	0.1	6	20	DARVOCET
0.5	0.0	1	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	96.2	5,915	-9	LEGITIMATE SKIP
	0.6	36	-8	BLANK
	0.2	10	-5	BAD DATA

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 395-396

EE17_B_2

CODE/PRESCRIBED NARCOTICS

Which narcotics or opiates have been prescribed since your admission? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.4	24	0	NONE
3.1	0.0	1	1	DARVON
3.1	0.0	1	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
3.1	0.0	1	5	LEVO-DROMORAN
3.1	0.0	1	6	PERCODAN
0.0	0.0	0	7	DEMEROL
3.1	0.0	1	8	DILAUDID
0.0	0.0	0	9	TYLENOL WITH CODEINE
0.0	0.0	0	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
0.0	0.0	0	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.0	0.0	0	17	MORPHINE
3.1	0.0	1	18	METHADONE
0.0	0.0	0	19	STADOL
6.2	0.0	2	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	96.2	5,916	-9	LEGITIMATE SKIP
	3.2	198	-8	BLANK
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 397-398

EE17_B_3	CODE/PRESCRIBED NARCOTICS
-----------------	----------------------------------

Which narcotics or opiates have been prescribed since your admission? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.7	0.3	17	0	NONE
3.6	0.0	1	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
0.0	0.0	0	6	PERCODAN
0.0	0.0	0	7	DEMEROL
0.0	0.0	0	8	DILAUDID
7.1	0.0	2	9	TYLENOL WITH CODEINE
0.0	0.0	0	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
28.6	0.1	8	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.0	0.0	0	17	MORPHINE
0.0	0.0	0	18	METHADONE
0.0	0.0	0	19	STADOL
0.0	0.0	0	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	96.2	5,916	-9	LEGITIMATE SKIP
	3.3	203	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 399-400

EE17_C**#WEEKS USED PRESCRIBE NARCOTICS**

Since your admission, about how many weeks have you used narcotics or opiates as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	0.4	25	0	
40.9	1.4	83	1	
18.2	0.6	37	2	
6.4	0.2	13	3	
11.3	0.4	23	4	
1.0	0.0	2	5	
3.4	0.1	7	6	
3.4	0.1	7	8	
0.5	0.0	1	9	
1.5	0.0	3	10	
0.5	0.0	1	11	
0.5	0.0	1	12	
	96.2	5,914	-9	LEGITIMATE SKIP
	0.4	27	-8	BLANK
	0.1	4	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 401-402

EE18**HAVE YOU USED NARCOTICS W/OUT PRESCRIBE**

Since your admission, have you used narcotics or opiates or street methadone on your own without a prescription from a doctor, more than prescribed, or for any other reasons such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	84	1	YES
98.6	98.5	6,053	2	NO
	0.2	11	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 403-404

EE18_A_1	HOW LONG AFTER TREAT FIRST USE NARCOTICS
-----------------	---

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.5	30	1	LESS THAN ONE WEEK AFTER ADMISSION
62.5	0.8	50	2	AT LEAST ONE WEEK AFTER ADMISSION
	98.5	6,053	-9	LEGITIMATE SKIP
	0.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 405-406

EE18_A_2	#WEEKS AFTER ADMISSION USED NARCOTICS
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	0.1	6	1	
29.4	0.2	15	2	
29.4	0.2	15	3	
19.6	0.2	10	4	
2.0	0.0	1	5	
2.0	0.0	1	6	
3.9	0.0	2	7	
2.0	0.0	1	9	
	98.5	6,053	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 407-408

EE18_B_1	HOW LONG AGO DID YOU LAST USE NARCOTICS
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	0.7	42	1	MORE THAN ONE WEEK AGO
46.2	0.6	36	2	WITHIN THE LAST WEEK
	98.5	6,053	-9	LEGITIMATE SKIP
	0.3	17	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 409-410

EE18_B_2	HOW MANY WEEKS AGO USED NARCOTICS
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	0.1	4	1	
28.9	0.2	13	2	
31.1	0.2	14	3	
26.7	0.2	12	4	
2.2	0.0	1	6	
2.2	0.0	1	9	
	98.5	6,053	-9	LEGITIMATE SKIP
	0.8	50	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 411-412

EE18_C	HOW DID YOU USUALLY TAKE NARCOTICS
---------------	---

How have you usually taken them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	1.0	64	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
1.2	0.0	1	3	BY INHALING/SNORTING/SNIFFING IT
18.8	0.2	15	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	98.5	6,053	-9	LEGITIMATE SKIP
	0.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 413-414

EE18_D	HOW OFTEN USED NARCOTICS SINCE ADMISSION
---------------	---

How often have you used them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	0.5	30	1	LESS THAN ONCE PER MONTH
35.8	0.5	29	2	1-3 TIMES/MONTH
9.9	0.1	8	3	1-2 TIMES/WK
3.7	0.0	3	4	3-4 TIMES/WK
2.5	0.0	2	5	5-6 TIMES/WK
8.6	0.1	7	6	DAILY OR ALMOST EVERY DAY
2.5	0.0	2	7	2 OR 3 TIMES/DAY
0.0	0.0	0	8	4+ TIMES/DAY
	98.5	6,053	-9	LEGITIMATE SKIP
	0.2	14	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 415-416

EE18_E**HOW OFTEN USED ILLEGAL METHADONE**

How often have you used street or illegal methadone since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	1.2	76	0	NOT USED
2.5	0.0	2	1	LESS THAN ONCE PER MONTH
1.2	0.0	1	2	1-3 TIMES/MONTH
0.0	0.0	0	3	1-2 TIMES/WK
1.2	0.0	1	4	3-4 TIMES/WK
0.0	0.0	0	5	5-6 TIMES/WK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
1.2	0.0	1	7	2 OR 3 TIMES/DAY
0.0	0.0	0	8	4+ TIMES/DAY
	98.5	6,053	-9	LEGITIMATE SKIP
	0.2	14	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 417-418

EE19**DR. PRESC SEDATIVE/TRANQUI FOR MEDI PROB**

Since your admission, has a doctor legitimately prescribed any of these sedatives or tranquilizers for you for a physical or medical problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	178	1	YES
97.1	96.8	5,952	2	NO
	0.3	17	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 419-420

EE19_A	#PRESCRIPTIONS GOT FOR SEDATIVES
---------------	---

How many prescriptions for sedatives or tranquilizers have you gotten since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.0	3	0	
69.5	1.9	114	1	
19.5	0.5	32	2	
4.3	0.1	7	3	
1.8	0.0	3	4	
0.6	0.0	1	6	
1.2	0.0	2	7	
0.6	0.0	1	10	
0.6	0.0	1	74	
	96.7	5,947	-9	LEGITIMATE SKIP
	0.4	23	-8	BLANK
	0.0	1	-5	BAD DATA
	0.2	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 421-422

EE19B1_1	CODE/PRESCRIBED SEDATIVES
----------	---------------------------

Which sedatives have been prescribed since your admission?
First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	0.2	11	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
7.0	0.0	3	3	AMYTAL
4.7	0.0	2	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
2.3	0.0	1	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
2.3	0.0	1	8	NEMBUTAL
7.0	0.0	3	9	SECONAL
2.3	0.0	1	10	TUINAL
2.3	0.0	1	11	DALMANE
2.3	0.0	1	12	RESTORIL
7.0	0.0	3	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
37.2	0.3	16	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	96.8	5,951	-9	LEGITIMATE SKIP
	2.3	143	-8	BLANK
	0.1	8	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 423-424

EE19B1_2	CODE/PRESCRIBED SEDATIVES
-----------------	----------------------------------

Which sedatives have been prescribed since your admission?
 Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.2	12	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
7.1	0.0	1	9	SECONAL
0.0	0.0	0	10	TUINAL
0.0	0.0	0	11	DALMANE
0.0	0.0	0	12	RESTORIL
7.1	0.0	1	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
0.0	0.0	0	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	96.8	5,952	-9	LEGITIMATE SKIP
	2.8	175	-8	BLANK
	0.1	4	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 425-426

EE19B2_1	CODE/PRESCRIBED TRANQUILIZERS
----------	-------------------------------

Which tranquilizers have been prescribed since your admission?
First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	4	0	NONE
18.5	0.4	23	1	VALIUM
9.7	0.2	12	2	LIBRIUM
0.8	0.0	1	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
3.2	0.1	4	5	SERAX
1.6	0.0	2	6	TRANXENE
17.7	0.4	22	7	ATIVAN
0.8	0.0	1	8	CENTRAX
12.9	0.3	16	9	XANAX
0.8	0.0	1	10	PAXIPAM
7.3	0.1	9	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.8	0.0	1	13	EQUANIL
0.0	0.0	0	14	DEPROL
3.2	0.1	4	15	VISARIL
3.2	0.1	4	16	ATARAX
0.0	0.0	0	17	DURRAX
0.8	0.0	1	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.8	0.0	1	21	HYDROXYZINE
6.5	0.1	8	22	BENADRYL
1.6	0.0	2	23	CLONAZEPAM
6.5	0.1	8	24	KLONOPIN
	96.8	5,950	-9	LEGITIMATE SKIP
	1.1	70	-8	BLANK
	0.1	4	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 427-428

EE19B2_2	CODE/PRESCRIBED TRANQUILIZERS
----------	-------------------------------

Which tranquilizers have been prescribed since your admission?
 Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	0.2	10	0	NONE
8.3	0.0	2	1	VALIUM
4.2	0.0	1	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
0.0	0.0	0	5	SERAX
4.2	0.0	1	6	TRANXENE
8.3	0.0	2	7	ATIVAN
0.0	0.0	0	8	CENTRAX
4.2	0.0	1	9	XANAX
0.0	0.0	0	10	PAXIPAM
4.2	0.0	1	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
12.5	0.0	3	15	VISARIL
0.0	0.0	0	16	ATARAX
0.0	0.0	0	17	DURRAX
0.0	0.0	0	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
4.2	0.0	1	21	HYDROXYZINE
4.2	0.0	1	22	BENADRYL
0.0	0.0	0	23	CLONAZEPAM
4.2	0.0	1	24	KLONOPIN
	96.8	5,952	-9	LEGITIMATE SKIP
	2.7	169	-8	BLANK
	0.0	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 429-430

EE19_C**#WEEKS USED PRESC SEDATIVE/TRANQUILIZER**

Since your admission, about how many weeks have you used sedatives or tranquilizers as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	0.2	12	0	
32.4	0.9	57	1	
19.9	0.6	35	2	
12.5	0.4	22	3	
18.2	0.5	32	4	
4.5	0.1	8	5	
4.0	0.1	7	6	
0.6	0.0	1	9	
0.6	0.0	1	12	
0.6	0.0	1	13	
	96.6	5,942	-9	LEGITIMATE SKIP
	0.5	29	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 431-432

EE20**USED SEDATIVE/TRANQUILIZER WITHOUT PRESC**

Since your admission, have you used sedatives or tranquilizers on your own without a prescription from a doctor, more than prescribed, or for any nonmedical reason such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	88	1	YES
98.6	98.2	6,035	2	NO
	0.4	25	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 433-434

EE20_A_1	HOW LONG AFTER TREAT FIRST USED SEDATIVE
-----------------	---

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	0.4	25	1	LESS THAN ONE WEEK AFTER ADMISSION
70.9	1.0	61	2	AT LEAST ONE WEEK AFTER ADMISSION
	98.1	6,034	-9	LEGITIMATE SKIP
	0.5	28	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 435-436

EE20_A_2	#WEEKS AFTER ADMISSION USED SEDATIVES
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	0.1	9	1	
31.7	0.3	19	2	
28.3	0.3	17	3	
15.0	0.1	9	4	
3.3	0.0	2	5	
3.3	0.0	2	6	
1.7	0.0	1	8	
1.7	0.0	1	12	
	98.2	6,035	-9	LEGITIMATE SKIP
	0.9	53	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 437-438

EE20_B_1	HOW LONG AGO DID YOU LAST USE SEDATIVES
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	0.7	41	1	MORE THAN ONE WEEK AGO
48.1	0.6	38	2	WITHIN THE LAST WEEK
	98.2	6,035	-9	LEGITIMATE SKIP
	0.6	34	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 439-440

EE20_B_2	HOW MANY WEEKS AGO USED SEDATIVES
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.1	4	1	
39.1	0.3	18	2	
34.8	0.3	16	3	
6.5	0.0	3	4	
4.3	0.0	2	5	
2.2	0.0	1	7	
2.2	0.0	1	9	
2.2	0.0	1	11	
	98.2	6,035	-9	LEGITIMATE SKIP
	1.1	67	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 441-442

EE20_C	HOW DID YOU USUALLY TAKE SEDATIVES
---------------	---

How have you usually taken them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	86	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	98.2	6,035	-9	LEGITIMATE SKIP
	0.4	27	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 443-444

EE20_D	HOW OFTEN USED SEDATIVES SINCE ADMISSION
---------------	---

How often have you used them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	0.4	27	1	LESS THAN ONCE PER MONTH
31.8	0.4	27	2	1-3 TIMES/MONTH
17.6	0.2	15	3	1-2 TIMES/WK
8.2	0.1	7	4	3-4 TIMES/WK
4.7	0.1	4	5	5-6 TIMES/WK
4.7	0.1	4	6	DAILY OR ALMOST EVERY DAY
1.2	0.0	1	7	2 OR 3 TIMES/DAY
0.0	0.0	0	8	4+ TIMES/DAY
	98.2	6,035	-9	LEGITIMATE SKIP
	0.4	27	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 445-446

EE20_E_1	TYPE SEDAT/TRANQ/SEDA/SLEEPING PILL
-----------------	--

What types of sedatives and tranquilizers have you been taking since your admission? Were they sedatives and sleeping pills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	15	1	CIRCLED
	98.2	6,035	-9	LEGITIMATE SKIP
	1.6	98	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 447-448

EE20_E_2	TYPE SEDAT/TRANQ/BARBITURATES
-----------------	--------------------------------------

What types of sedatives and tranquilizers have you been taking since your admission? Were they barbiturates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	98.2	6,035	-9	LEGITIMATE SKIP
	1.8	112	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 449-450

EE20_E_3	TYPE SEDAT/TRANQ/BENZODIAZAPINES
-----------------	---

What types of sedatives and tranquilizers have you been taking since your admission? Were they benzodiazepines, such as Xanax, Valium, or Librium?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	54	3	CIRCLED
	98.2	6,035	-9	LEGITIMATE SKIP
	1.0	59	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 451-452

EE20_E_4 **TYPE SEDAT/TRANQ/OTHER TRANQUILIZER**

What types of sedatives and tranquilizers have you been taking since your admission? Were they other tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	24	4	CIRCLED
	98.2	6,035	-9	LEGITIMATE SKIP
	1.4	89	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 453-454

EE20_F **TYPE SEDATIVE USED MOST/CODE FROM E20e**

Which type have you used most often since your admission for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.1	5	1	SEDATIVES/SLEEPING PILLS
0.0	0.0	0	2	BARBITURATES
42.9	0.1	6	3	BENZODIAZEPINES
21.4	0.0	3	4	OTHER TRANQUILIZERS
	99.7	6,130	-9	LEGITIMATE SKIP
	0.1	4	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 455-456

EE21**DR. PRESCRIBED STIMULANTS FOR MEDI PROB**

Since your admission, has a doctor legitimately prescribed any of these stimulants for you for a physical or emotional problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	12	1	YES
99.8	99.6	6,122	2	NO
	0.2	14	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 457-458

EE21_A**#PRESCRIPTIONS GOT FOR STIMULANTS**

How many prescriptions for stimulants did you get since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	1	
	99.6	6,122	-9	LEGITIMATE SKIP
	0.3	16	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 459-460

EE21_B_1	CODE/PRESCRIBED STIMULANTS
-----------------	-----------------------------------

Which stimulants have been prescribed since your admission?
First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
16.7	0.0	1	4	BENZEDRINE
33.3	0.0	2	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
16.7	0.0	1	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
16.7	0.0	1	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
16.7	0.0	1	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (SPEED OR CRANK)
0.0	0.0	0	23	OBEDRIN-L.A.
	99.6	6,122	-9	LEGITIMATE SKIP
	0.3	19	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 461-462

EE21_B_2	CODE/PRESCRIBED STIMULANTS
----------	----------------------------

Which stimulants have been prescribed since your admission?
Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	0	NONE
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (SPEED OR CRANK)
0.0	0.0	0	23	OBEDRIN-L.A.
	99.6	6,122	-9	LEGITIMATE SKIP
	0.4	23	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 463-464

EE21_B_3	CODE/PRESCRIBED STIMULANTS
-----------------	-----------------------------------

Which stimulants have been prescribed since your admission?
Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	0	NONE
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (SPEED OR CRANK)
0.0	0.0	0	23	OBEDRIN-L.A.
	99.6	6,122	-9	LEGITIMATE SKIP
	0.4	22	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 465-466

EE21_C	#WEEKS USED PRESCRIBED STIMULANTS
---------------	--

Since your admission, about how many weeks have you used stimulants as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.0	2	1	
38.5	0.1	5	2	
15.4	0.0	2	3	
15.4	0.0	2	4	
7.7	0.0	1	6	
7.7	0.0	1	11	
	99.5	6,118	-9	LEGITIMATE SKIP
	0.3	17	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 467-468

EE22	USED AMPHETAMINES W/OUT PRESCRIPTION
-------------	---

Since your admission, have you used amphetamines or other stimulants for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	20	1	YES
99.7	99.4	6,109	2	NO
	0.3	19	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 469-470

EE22_A_1	HOW LONG AFTER TREAT USED AMPHETAMINE
-----------------	--

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	0.1	9	1	LESS THAN ONE WEEK AFTER ADMISSION
59.1	0.2	13	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.4	6,109	-9	LEGITIMATE SKIP
	0.3	17	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 471-472

EE22_A_2	#WEEK AFTER ADMISSION USE AMPHETAMINE
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.0	1	1	
36.4	0.1	4	2	
36.4	0.1	4	3	
9.1	0.0	1	4	
9.1	0.0	1	8	
	99.4	6,109	-9	LEGITIMATE SKIP
	0.5	28	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 473-474

EE22_B_1	HOW LONG AGO YOU LAST USED AMPHETAMINES
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	12	1	MORE THAN ONE WEEK AGO
25.0	0.1	4	2	WITHIN THE LAST WEEK
	99.4	6,109	-9	LEGITIMATE SKIP
	0.4	23	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 475-476

EE22_B_2	HOW MANY WEEKS AGO USE AMPHETAMINES
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.0	1	1	
23.1	0.0	3	2	
38.5	0.1	5	3	
30.8	0.1	4	4	
	99.4	6,109	-9	LEGITIMATE SKIP
	0.4	26	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 477-478

EE22_C	HOW DID YOU USUALLY TAKE AMPHETAMINES
---------------	--

How have you usually taken them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	0.1	4	1	BY MOUTH (EAT, CHEW)
5.3	0.0	1	2	BY SMOKING IT
57.9	0.2	11	3	BY INHALING/SNORTING/SNIFFING IT
15.8	0.0	3	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.4	6,109	-9	LEGITIMATE SKIP
	0.3	20	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 479-480

EE22_D	HOW OFTEN USE AMPHETAMINES SINCE ADMIS
---------------	---

How often have you used them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	0.1	7	1	LESS THAN ONCE PER MONTH
42.1	0.1	8	2	1-3 TIMES/MONTH
0.0	0.0	0	3	1-2 TIMES/WK
10.5	0.0	2	4	3-4 TIMES/WK
0.0	0.0	0	5	5-6 TIMES/WK
10.5	0.0	2	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES/DAY
0.0	0.0	0	8	4+ TIMES/DAY
	99.4	6,109	-9	LEGITIMATE SKIP
	0.3	20	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 481-482

EE22_E**HOW OFTEN YOU USE METHAMPHETAMINES**

How often have you used methamphetamines or ice since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	0.1	7	0	NOT USED
30.0	0.1	6	1	LESS THAN ONCE PER MONTH
20.0	0.1	4	2	1-3 TIMES/MONTH
0.0	0.0	0	3	1-2 TIMES/WK
10.0	0.0	2	4	3-4 TIMES/WK
0.0	0.0	0	5	5-6 TIMES/WK
5.0	0.0	1	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES/DAY
0.0	0.0	0	8	4+ TIMES/DAY
	99.3	6,108	-9	LEGITIMATE SKIP
	0.3	20	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 483-484

EE23**DR. EVER PRESC MAJOR TRANQ/ANTIDEPRESS**

Has a doctor ever prescribed major tranquilizers such as Thorazine, Stelazine, or Lithium or major antidepressants such as Elavil or Prozac?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	86.0	5,285	0	NEITHER
3.4	3.3	205	1	MAJOR TRANQUILIZERS
7.9	7.8	481	2	MAJOR ANTIDEPRESSANTS
1.7	1.6	101	3	BOTH
	1.0	63	-8	BLANK
	0.1	7	-6	MULTIPLE RESPONSE
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 485-486

EE23_A **USED MAJOR TRANQUILIZER/ANTIDEPRESSANTS**

Have you used either major tranquilizers or major antidepressants since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	7.8	482	0	NEITHER
11.3	1.6	97	1	MAJOR TRANQUILIZERS
29.5	4.1	253	2	MAJOR ANTIDEPRESSANTS
2.9	0.4	25	3	BOTH
	84.2	5,174	-9	LEGITIMATE SKIP
	1.9	115	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 487-488

EE24 **HAVE YOU USED LSD/PCP/HALLUCINOGEN**

Since your admission, have you used LSD, PCP, or any other hallucinogen or psychedelic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	10	1	YES
99.8	99.5	6,117	2	NO
	0.3	21	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 489-490

EE24_A_1	HOW LONG AFTER TREAT USED LSD/PCP/HALLUC
-----------------	---

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	6	1	LESS THAN ONE WEEK AFTER ADMISSION
25.0	0.0	2	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.5	6,117	-9	LEGITIMATE SKIP
	0.4	23	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 491-492

EE24_A_2	#WKS AFTER ADM USE LSD/PCP/HALLUC
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.0	2	2	
33.3	0.0	1	8	
	99.5	6,117	-9	LEGITIMATE SKIP
	0.5	28	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 493-494

EE24_B_1	HOW LONG AGO YOU LAST USE LSD/PCP
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	6	1	MORE THAN ONE WEEK AGO
33.3	0.0	3	2	WITHIN THE LAST WEEK
	99.5	6,117	-9	LEGITIMATE SKIP
	0.4	22	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 495-496

EE24_B_2 HOW MANY WEEKS AGO USE LSD/PCP/HALLUC

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	0	
33.3	0.0	2	2	
16.7	0.0	1	3	
16.7	0.0	1	7	
16.7	0.0	1	8	
	99.5	6,117	-9	LEGITIMATE SKIP
	0.4	25	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 497-498

EE24_C HOW DID YOU TAKE LSD/PCP/HALLUCINOGEN

How have you usually taken them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.0	2	1	BY MOUTH (EAT, CHEW)
77.8	0.1	7	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.5	6,117	-9	LEGITIMATE SKIP
	0.4	22	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 499-500

EE24_D**HOW OFTEN YOU USED LSD/PCP/HALLUCINOGEN**

How often have you used them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	0.1	4	1	LESS THAN ONCE PER MONTH
33.3	0.0	3	2	1 TO 3 TIMES A MONTH
11.1	0.0	1	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
11.1	0.0	1	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.5	6,117	-9	LEGITIMATE SKIP
	0.4	22	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 501-502

EE24_E**HOW OFTEN USED PCP SINCE ADMISSION**

How often have you used PCP since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	0.1	4	0	NOT USED
22.2	0.0	2	1	LESS THAN ONCE PER MONTH
22.2	0.0	2	2	1 TO 3 TIMES A MONTH
11.1	0.0	1	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.5	6,117	-9	LEGITIMATE SKIP
	0.4	22	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 503-504

EE25 **HAVE YOU USED INHALANTS SINCE ADMISSION**

Since your admission, have you used inhalants or things you sniff, such as glue, gasoline, paint thinner, or aerosol sprays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	5	1	YES
99.9	99.6	6,123	2	NO
	0.3	20	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 505-506

EE25_A_1 **HOW LONG AFTER TREAT USE INHALANTS**

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADMISSION
100.0	0.0	2	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.6	6,123	-9	LEGITIMATE SKIP
	0.4	23	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 507-508

EE25_A_2 **#WEEKS AFTER ADMISSION USE INHALANTS**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	2	
50.0	0.0	1	8	
	99.6	6,123	-9	LEGITIMATE SKIP
	0.4	23	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 509-510

EE25_B_1	HOW LONG AGO YOU LAST USED INHALANTS
-----------------	---

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MORE THAN ONE WEEK AGO
100.0	0.0	1	2	WITHIN THE LAST WEEK
	99.6	6,123	-9	LEGITIMATE SKIP
	0.4	24	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 511-512

EE25_B_2	HOW MANY WEEKS AGO USE INHALANTS
-----------------	---

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	
	99.6	6,123	-9	LEGITIMATE SKIP
	0.4	24	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 513-514

EE25_C	HOW OFTEN USE INHALANTS SINCE ADMISSION
---------------	--

How often have you used them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.6	6,123	-9	LEGITIMATE SKIP
	0.4	24	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 515-516

EE26

WHICH DRUG CAUSED YOU MOST SERIOUS PROB

Since your admission, what type of drug that you used has caused you the most serious problems, such as problems with family, friends, or the law; problems feeling dependent on the drug; or health or emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	80.2	4,930	0	DRUG USE DIDNT CAUSE PROBLEM
2.1	2.1	129	10	ALCOHOL
0.6	0.6	34	20	MARIJUANA, HASHISH, THC
0.1	0.1	9	30	HALLUCINOGENS OR PSYCHEDELICS, SUCH AS L
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
4.2	4.1	254	40	COCAINE IN ANY FORM
5.2	5.1	315	41	CRACK
4.6	4.6	281	50	HEROIN
0.8	0.8	48	51	HEROIN AND COCAINE TOGETHER AT THE SAME
0.3	0.3	19	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.0	0.0	1	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
0.3	0.3	16	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS, SUCH AS DOR
0.0	0.0	0	72	BARBITURATES, SUCH AS NEMBUTAL, SECONAL,
0.0	0.0	0	73	BENZODIAZAPENES, SUCH AS VALIUM, LIBRIUM
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.0	0.0	3	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
0.4	0.4	23	81	METHAMPHETAMINES OR ICE
0.1	0.1	4	90	ANY OTHER DRUGS
0.0	0.0	1	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
0.0	0.0	0	92	ANOTHER DRUG
	1.0	60	-8	BLANK
	0.3	21	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 517-518

EE26_A_1	HOW LONG AFTER TREAT USED PRIMARY DRUG
-----------------	---

How long after you entered treatment did you first use
(PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	0.6	39	1	LESS THAN ONE WEEK AFTER ADMISSION
58.9	0.9	56	2	AT LEAST ONE WEEK AFTER ADMISSION
	98.4	6,052	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 519-520

EE26_A_2	#WEEK AFTER ADMISSION USE PRIMARY DRUG
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	0.2	12	1	
43.1	0.5	28	2	
20.0	0.2	13	3	
15.4	0.2	10	4	
1.5	0.0	1	6	
1.5	0.0	1	10	
	98.9	6,080	-9	LEGITIMATE SKIP
	0.0	3	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 521-522

EE26_B_1	HOW LONG AGO YOU LAST USE PRIMARY DRUG
-----------------	---

How long ago did you last use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	0.8	51	1	MORE THAN ONE WEEK AGO
48.0	0.8	47	2	WITHIN THE LAST WEEK
	98.4	6,049	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 523-524

EE26_B_2	HOW MANY WEEKS AGO USE PRIMARY DRUG
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	0.2	10	1	
38.6	0.4	22	2	
24.6	0.2	14	3	
14.0	0.1	8	4	
1.8	0.0	1	6	
1.8	0.0	1	7	
1.8	0.0	1	8	
	99.0	6,088	-9	LEGITIMATE SKIP
	0.0	3	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 525-526

EE26_C

HOW DID YOU TAKE PRIMARY DRUG

How have you usually taken (PRIMARY PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	0.2	11	1	BY MOUTH (EAT, CHEW)
33.0	0.6	34	2	BY SMOKING IT
24.3	0.4	25	3	BY INHALING/SNORTING/SNIFFING IT
27.2	0.5	28	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
2.9	0.0	3	6	BY FREEBASING
1.9	0.0	2	7	SOME OTHER WAY
	98.3	6,044	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 527-528

EE26_D

HOW OFTEN YOU USED PRIMARY DRUG

How often have you used (PRIMARY PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.1	0.5	31	1	LESS THAN ONCE PER MONTH
28.2	0.5	29	2	1-3 TIMES/MONTH
23.3	0.4	24	3	1-2 TIMES/WK
7.8	0.1	8	4	3-4 TIMES/WK
2.9	0.0	3	5	5-6 TIMES/WK
6.8	0.1	7	6	DAILY OR ALMOST EVERY DAY
1.0	0.0	1	7	2 OR 3 TIMES/DAY
0.0	0.0	0	8	4+ TIMES/DAY
	98.3	6,044	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 529-530

EE27

DRUG OTHER THAN PRIMARY CAUSE PROBLEMS

You said that (PRIMARY PROBLEM DRUG) had caused you the most serious problems. Since your admission, has using any other drug caused you to have problems (such as problems with family, friends, or the law; problems feeling dependent on the drug; or emotional problems)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	1.2	72	1	YES
84.3	6.3	386	2	NO
	92.5	5,689	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 531-532

EE27_A	SECOND PROBLEM DRUG
---------------	----------------------------

Which drug caused you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.0	2	0	NONE
42.1	0.5	32	10	ALCOHOL
6.6	0.1	5	20	MARIJUANA, HASHISH, THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS, SUCH AS L
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
14.5	0.2	11	40	COCAINE IN ANY FORM
7.9	0.1	6	41	CRACK
7.9	0.1	6	50	HEROIN
6.6	0.1	5	51	HEROIN AND COCAINE TOGETHER AT THE SAME
5.3	0.1	4	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
3.9	0.0	3	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS, SUCH AS DOR
0.0	0.0	0	72	BARBITURATES, SUCH AS NEMBUTAL, SECONAL,
0.0	0.0	0	73	BENZODIAZAPENES, SUCH AS VALIUM, LIBRIUM
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
1.3	0.0	1	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
1.3	0.0	1	81	METHAMPHETAMINES OR ICE
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
0.0	0.0	0	92	ANOTHER DRUG
	98.7	6,071	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 533-534

EE27_B_1	HOW LONG AFTER TREAT USED SECOND DRUG
-----------------	--

How long after you entered treatment did you first use
(SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	6	1	LESS THAN ONE WEEK AFTER ADMISSION
33.3	0.0	3	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.8	6,138	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 535-536

EE27_B_2	#WEEK AFTER ADMISSION USE SECOND DRUG
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	2	1	
50.0	0.0	2	2	
	99.9	6,143	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 537-538

EE27_C_1	HOW LONG AGO YOU LAST USE SECOND DRUG
-----------------	--

How long ago did you last use (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	6	1	MORE THAN ONE WEEK AGO
33.3	0.0	3	2	WITHIN THE LAST WEEK
	99.8	6,138	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 539-540

EE27_C_2	HOW MANY WEEKS AGO USE SECOND DRUG
-----------------	---

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.0	2	1	
42.9	0.0	3	2	
28.6	0.0	2	3	
	99.9	6,140	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 541-542

EE27_D	HOW DID YOU TAKE SECOND DRUG
---------------	-------------------------------------

How have you usually taken (SECOND PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	6	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
11.1	0.0	1	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
11.1	0.0	1	6	BY FREEBASING
11.1	0.0	1	7	SOME OTHER WAY
	99.8	6,138	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 543-544

EE27_E**HOW OFTEN YOU USED SECOND DRUG**

How often have you used (SECOND PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	0.1	4	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1-3 TIMES/MONTH
11.1	0.0	1	3	1-2 TIMES/WK
11.1	0.0	1	4	3-4 TIMES/WK
0.0	0.0	0	5	5-6 TIMES/WK
22.2	0.0	2	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES/DAY
11.1	0.0	1	8	4+ TIMES/DAY
	99.8	6,138	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 545-546

EE28**DRUG OTH THAN PRIM/SECOND CAUSED PROBS**

Besides (PRIMARY PROBLEM DRUG) and (SECOND PROBLEM DRUG), did any other drugs cause you problems since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.0	2	1	YES
91.7	0.4	22	2	NO
	99.6	6,123	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 547-548

EE28_A	THIRD PROBLEM DRUG
--------	--------------------

Which drug caused you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	0.2	10	0	NONE
5.3	0.0	1	10	ALCOHOL
10.5	0.0	2	20	MARIJUANA, HASHISH, THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS, SUCH AS L
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
5.3	0.0	1	40	COCAINE IN ANY FORM
0.0	0.0	0	41	CRACK
5.3	0.0	1	50	HEROIN
10.5	0.0	2	51	HEROIN AND COCAINE TOGETHER AT THE SAME
0.0	0.0	0	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
5.3	0.0	1	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS, SUCH AS DOR
0.0	0.0	0	72	BARBITURATES, SUCH AS NEMBUTAL, SECONAL,
0.0	0.0	0	73	BENZODIAZAPENES, SUCH AS VALIUM, LIBRIUM
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.0	0.0	0	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
5.3	0.0	1	81	METHAMPHETAMINES OR ICE
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
0.0	0.0	0	92	ANOTHER DRUG
	99.7	6,128	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 549-550

EE28_B_1	HOW LONG AFTER TREAT USED THIRD DRUG
-----------------	---

How long after you entered treatment did you first use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	LESS THAN ONE WEEK AFTER ADMISSION
0.0	0.0	0	2	AT LEAST ONE WEEK AFTER ADMISSION
	100.0	6,146	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 551-552

EE28_B_2	#WEEK AFTER ADMISSION USE THIRD DRUG
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	6,147	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 553-554

EE28_C_1	HOW LONG AGO YOU LAST USE THIRD DRUG
-----------------	---

How long ago did you last use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	100.0	6,146	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 555-556

EE28_C_2	HOW MANY WEEKS AGO USE THIRD DRUG
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	
	100.0	6,146	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 557-558

EE28_D	HOW DID YOU TAKE THIRD DRUG
---------------	------------------------------------

How have you usually taken (THIRD PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
100.0	0.0	1	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	100.0	6,146	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 559-560

EE28_E**HOW OFTEN YOU USED THIRD DRUG**

How often have you used (THIRD PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	100.0	6,146	-9	LEGITIMATE SKIP
	0.0	1	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 561-562

EE29**#DOLLARS SPENT ON DRUGS FOR OWN USE**

Since your admission, how much would you say you have spent on drugs for your own nonmedical use, excluding alcohol?

Dollars.

6,148 cases (Range of valid codes: 0-901,400)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 563-568

EE30 HAVE YOU OVERDOSED ON DRUGS

Since your admission, have you OD'd on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	6	1	YES
99.9	99.2	6,096	2	NO
	0.7	45	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 569-570

EE30_A #TIMES YOU OVERDOSED ON DRUGS

How many times have you OD'd since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	0.3	21	0	
18.8	0.1	6	1	
15.6	0.1	5	2	
	98.9	6,081	-9	LEGITIMATE SKIP
	0.6	35	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 571-572

EE31 DID YOU USE DRUG WITH A NEEDLE/SYRINGE

Since your admission, have you used drugs with a needle, syringe, or "works" to shoot up drugs after anyone else had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	272	1	YES
95.5	95.0	5,838	2	NO
	0.6	38	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 573-574

EE31A_1	FREQ USE W/NEEDLE AFTER/REG SEX PARTNER
----------------	--

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after your regular sexual partner or spouse had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	1.4	87	0	
8.1	0.2	10	1	
8.1	0.2	10	2	
3.3	0.1	4	3	
0.8	0.0	1	4	
0.8	0.0	1	5	
1.6	0.0	2	6	
0.8	0.0	1	10	
0.8	0.0	1	12	
1.6	0.0	2	14	
0.8	0.0	1	15	
1.6	0.0	2	20	
0.8	0.0	1	30	
	94.8	5,828	-9	LEGITIMATE SKIP
	3.2	196	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 575-576

EE31A_2	FREQ USE W/NEEDLE AFTER/UNKNOWN PARTNER
----------------	--

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after anyone you had had sex with but hadn't known very long had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	1.9	119	0	
0.8	0.0	1	3	
	94.8	5,828	-9	LEGITIMATE SKIP
	3.3	200	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 577-578

EE31A_3 FREQ USE W/NEEDLE AFTER/A PROSTITUTE

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after a prostitute had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	133	0	
	94.8	5,828	-9	LEGITIMATE SKIP
	3.0	186	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 579-580

EE31A_4 FREQ USE W/NEEDLE AFTER/AIDS/HIV +

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after someone you know or thought had AIDS or had a positive HIV test had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	2.1	130	0	
1.5	0.0	2	1	
0.8	0.0	1	2	
	94.8	5,828	-9	LEGITIMATE SKIP
	3.0	187	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 581-582

EE31A_5**FREQ USE W/NEEDLE AFTER/HOMO/BI/SEXUAL M**

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after a man you know or thought was homosexual or bisexual had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	134	0	
	94.8	5,828	-9	LEGITIMATE SKIP
	3.0	186	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 583-584

EE31A_6**FREQ USE W/NEEDLE AFTER/STRANGER**

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after people you didn't know very long or strangers had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	2.0	125	0	
3.7	0.1	5	1	
1.5	0.0	2	2	
1.5	0.0	2	3	
0.7	0.0	1	5	
	94.8	5,828	-9	LEGITIMATE SKIP
	3.0	185	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 585-586

EE32 CLEAN NEEDLE BEFORE USE/AFTER PEOPLE

Since your admission, have you tried to clean the needles and syringes other people had used before you used them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	1.0	62	1	YES
64.0	1.8	110	2	NO
	97.2	5,975	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 587-588

EE33_A CLEAN NEEDLE AFTER/W/ALCOHOL/WATER

Since your admission, when you cleaned needles and syringes after others had used them, how often have you used alcohol and rinsed with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	0.8	47	0	NEVER
3.3	0.0	2	1	RARELY
3.3	0.0	2	2	SOMETIMES
5.0	0.0	3	3	OFTEN
10.0	0.1	6	4	ALWAYS
	1.6	101	-9	LEGITIMATE SKIP
	97.4	5,987	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 589-590

EE33_B**CLEAN NEEDLE AFTER/W/BLEACH & WATER**

Since your admission, when you cleaned needles and syringes after others had used them, how often have you used bleach or Clorox and rinsed with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	0.3	17	0	NEVER
6.3	0.1	4	1	RARELY
7.9	0.1	5	2	SOMETIMES
7.9	0.1	5	3	OFTEN
50.8	0.5	32	4	ALWAYS
	1.6	101	-9	LEGITIMATE SKIP
	97.3	5,984	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 591-592

EE33_C**CLEAN NEEDLE AFTER/W/BOIL IN WATER**

Since your admission, when you cleaned needles and syringes after others had used them, how often have you boiled them in water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	0.9	54	0	NEVER
5.0	0.0	3	1	RARELY
1.7	0.0	1	2	SOMETIMES
0.0	0.0	0	3	OFTEN
3.3	0.0	2	4	ALWAYS
	1.6	101	-9	LEGITIMATE SKIP
	97.4	5,987	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 593-594

EE33_D

CLEAN NEEDLE AFTER/W/WATER/ONE CLEANED

Since your admission, when you cleaned needles and syringes after others had used them, how often have you rinsed them in water that someone had used to clean needles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	0.8	52	0	NEVER
3.3	0.0	2	1	RARELY
6.6	0.1	4	2	SOMETIMES
0.0	0.0	0	3	OFTEN
4.9	0.0	3	4	ALWAYS
	1.6	101	-9	LEGITIMATE SKIP
	97.4	5,986	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 595-596

EE33_E

CLEAN NEEDLE AFTER/W/RINSE CLEAN WATER

Since your admission, when you cleaned needles and syringes after others had used them, how often have you rinsed them in clean water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	0.6	35	0	NEVER
4.9	0.0	3	1	RARELY
3.3	0.0	2	2	SOMETIMES
4.9	0.0	3	3	OFTEN
29.5	0.3	18	4	ALWAYS
	1.6	101	-9	LEGITIMATE SKIP
	97.4	5,986	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 597-598

EE33_F**CLEAN NEEDLE AFTER/W/SOME OTHER METHOD**

Since your admission, when you cleaned needles and syringes after others had used them, how often have you used some other method?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	56	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	1.6	101	-9	LEGITIMATE SKIP
	97.4	5,991	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 599-600

EE34**HOW TROUBLED W/YOUR DRUG PROB**

Since your admission, how troubled or bothered have you been by your drug problem? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	42.8	2,629	0	NOT AT ALL
36.9	36.7	2,258	1	SOMEWHAT
20.1	20.0	1,229	2	VERY MUCH
	0.3	17	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	13	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 601-602

EE37**YOUR DRUG PROB CAUSED BY OTHER PROBLEMS**

In your opinion, since your admission to what extent have your problems with drugs been caused by other problems in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.9	55.8	3,430	0	NOT AT ALL
22.8	22.3	1,373	1	A LITTLE
20.3	19.9	1,222	2	A LOT
	0.3	19	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	9	-4	DON'T KNOW
	1.5	91	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 607-608

EE38**HOW TEMPTED ARE YOU TO USE DRUGS NOW**

Overall, how tempted are you to use drugs now? Would you say
 . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	56.4	3,469	0	NOT AT ALL
36.9	36.8	2,262	1	SOMEWHAT
6.6	6.5	402	2	VERY TEMPTED
	0.2	13	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 609-610

EE39_A

KEEP FR USE DRUG/PEOPLE MADE YOU TENSE

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if other people around you made you tense or nervous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.3	389	0	NOT AT ALL CONFIDENT/SURE
33.9	33.8	2,077	1	SOMEWHAT CONFIDENT/SURE
59.8	59.6	3,666	2	VERY CONFIDENT/SURE
	0.2	12	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 611-612

EE39_B

KEEP FROM USE DRUG/REMEMBERED FEELING

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you remembered how it makes you feel?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.5	586	0	NOT AT ALL CONFIDENT/SURE
36.3	36.2	2,225	1	SOMEWHAT CONFIDENT/SURE
54.2	54.1	3,324	2	VERY CONFIDENT/SURE
	0.2	11	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 613-614

EE39_C**KEEP FR USE DRUG/YOU FELT RELAXED/SURE**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt relaxed and sure of yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.7	288	0	NOT AT ALL CONFIDENT/SURE
20.9	20.9	1,284	1	SOMEWHAT CONFIDENT/SURE
74.4	74.1	4,557	2	VERY CONFIDENT/SURE
	0.2	13	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 615-616

EE39_D**KEEP FR USE DRUG/FELT DROWSY/WANT AWAKE**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt drowsy but wanted to stay awake?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	311	0	NOT AT ALL CONFIDENT/SURE
18.4	18.3	1,128	1	SOMEWHAT CONFIDENT/SURE
76.5	76.2	4,684	2	VERY CONFIDENT/SURE
	0.4	22	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 617-618

EE39_E

KEEP FR USE DRUG/FOUND SUPPLY OF DRUGS

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you unexpectedly found a supply of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	27.8	1,710	0	NOT AT ALL CONFIDENT/SURE
34.0	33.9	2,085	1	SOMEWHAT CONFIDENT/SURE
38.0	37.9	2,329	2	VERY CONFIDENT/SURE
	0.2	12	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 619-620

EE39_F

KEEP FR USE DRUG/PEOPLE DIDN'T LIKE YOU

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt that other people didn't like you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	282	0	NOT AT ALL CONFIDENT/SURE
18.3	18.2	1,121	1	SOMEWHAT CONFIDENT/SURE
77.1	76.9	4,727	2	VERY CONFIDENT/SURE
	0.3	16	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 621-622

EE39_G**KEEP FR USE DRUG/NOT ABLE TO GET SLEEP**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were not able to get to sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.5	399	0	NOT AT ALL CONFIDENT/SURE
19.3	19.2	1,183	1	SOMEWHAT CONFIDENT/SURE
74.2	74.0	4,547	2	VERY CONFIDENT/SURE
	0.3	17	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 623-624

EE39_H**KEEP FR USE DRUG/FELT NAUSEOUS**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt nauseated or sick to your stomach?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.6	344	0	NOT AT ALL CONFIDENT/SURE
14.2	14.2	873	1	SOMEWHAT CONFIDENT/SURE
80.2	80.0	4,917	2	VERY CONFIDENT/SURE
	0.2	12	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 625-626

EE39_I

KEEP FR USE DRUG/PLACE/PEOPLE USE DRUG

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were at a party or some place where other people were using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	21.2	1,306	0	NOT AT ALL CONFIDENT/SURE
38.4	38.2	2,350	1	SOMEWHAT CONFIDENT/SURE
40.3	40.2	2,471	2	VERY CONFIDENT/SURE
	0.2	12	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.1	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 627-628

EE39_J

KEEP FR USE DRUG/FELT HAPPY W/SOMETHING

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt satisfied or happy with something you had done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	257	0	NOT AT ALL CONFIDENT/SURE
16.8	16.8	1,032	1	SOMEWHAT CONFIDENT/SURE
79.0	78.7	4,841	2	VERY CONFIDENT/SURE
	0.2	15	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 629-630

EE39_K**KEEP FR USE DRUG/FELT ANGRY ABOUT THING**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt angry about something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.3	636	0	NOT AT ALL CONFIDENT/SURE
35.9	35.8	2,199	1	SOMEWHAT CONFIDENT/SURE
53.7	53.5	3,291	2	VERY CONFIDENT/SURE
	0.3	20	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 631-632

EE39_L**KEEP FR USE DRUG/THINK USE JUST ONE TIME**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you started to think that using drugs just one time would not be a problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	20.0	1,231	0	NOT AT ALL CONFIDENT/SURE
26.7	26.6	1,637	1	SOMEWHAT CONFIDENT/SURE
53.2	53.0	3,259	2	VERY CONFIDENT/SURE
	0.2	15	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 633-634

EE39_M

KEEP FR USE DRUG/FELT CONFUSED

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt confused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	429	0	NOT AT ALL CONFIDENT/SURE
29.2	29.2	1,793	1	SOMEWHAT CONFIDENT/SURE
63.8	63.6	3,908	2	VERY CONFIDENT/SURE
	0.2	14	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 635-636

EE39_N

KEEP FR USE DRUG/FELT SAD/DEPRESSED

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt sad or depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	13.7	841	0	NOT AT ALL CONFIDENT/SURE
35.7	35.6	2,189	1	SOMEWHAT CONFIDENT/SURE
50.6	50.5	3,105	2	VERY CONFIDENT/SURE
	0.2	11	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 637-638

EE39_O**KEEP FR USE DRUG/ENCOURAGED TO USE IT**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were with someone who encouraged you to use drugs or suggested that you use drugs together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	17.9	1,103	0	NOT AT ALL CONFIDENT/SURE
31.8	31.7	1,947	1	SOMEWHAT CONFIDENT/SURE
50.2	50.1	3,080	2	VERY CONFIDENT/SURE
	0.2	14	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 639-640

EE39_P**KEEP FR USE DRUG/USE IT A FEW TIMES**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you wanted to prove to yourself that you could use drugs a few times without losing control?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	20.3	1,248	0	NOT AT ALL CONFIDENT/SURE
22.0	21.9	1,347	1	SOMEWHAT CONFIDENT/SURE
57.7	57.5	3,535	2	VERY CONFIDENT/SURE
	0.3	17	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 641-642

EE39_Q

KEEP FR USE DRUG/PROB W/PEOPLE AT WORK

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if there were problems with people at work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.5	339	0	NOT AT ALL CONFIDENT/SURE
19.9	19.6	1,206	1	SOMEWHAT CONFIDENT/SURE
74.5	73.3	4,507	2	VERY CONFIDENT/SURE
	0.3	19	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-4	DON'T KNOW
	1.1	68	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 643-644

EE39_R

KEEP FR USE DRUG/PROB W/FAMILY/FRIENDS

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were having problems with your family or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.5	522	0	NOT AT ALL CONFIDENT/SURE
31.7	31.6	1,943	1	SOMEWHAT CONFIDENT/SURE
59.8	59.5	3,661	2	VERY CONFIDENT/SURE
	0.3	17	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 645-646

EE39_S**KEEP FR USE DRUG/BORED/NOTHING TO DO**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were bored or had nothing to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	11.1	682	0	NOT AT ALL CONFIDENT/SURE
30.0	29.9	1,836	1	SOMEWHAT CONFIDENT/SURE
58.9	58.7	3,607	2	VERY CONFIDENT/SURE
	0.3	20	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 647-648

EE39_T**KEEP FR USE DRUG/IN PHYSICAL PAIN**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were in pain physically?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	18.7	1,147	0	NOT AT ALL CONFIDENT/SURE
27.1	27.0	1,660	1	SOMEWHAT CONFIDENT/SURE
54.2	54.0	3,318	2	VERY CONFIDENT/SURE
	0.3	19	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 649-650

EE40 **OTHER TIME/TEMPTED TO USE DRUGS**

Are there any other times when you might be tempted to use drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.6	711	1	YES
88.3	87.2	5,358	2	NO
	1.2	74	-8	BLANK
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 651-652

EE40_B_1 **CONFIDENCE WHEN TEMPTED TO USE DRUGS/1ST**

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED)? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	7.0	429	0	NOT AT ALL CONFIDENT/SURE
37.4	4.5	277	1	SOMEWHAT CONFIDENT/SURE
4.7	0.6	35	2	VERY CONFIDENT/SURE
	87.1	5,354	-9	LEGITIMATE SKIP
	0.9	53	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 653-654

EE40_B_2**CONFIDENCE WHEN TEMPTED TO USE DRUGS/2ND**

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED)? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.7	1.5	91	0	NOT AT ALL CONFIDENT/SURE
34.8	0.9	54	1	SOMEWHAT CONFIDENT/SURE
6.5	0.2	10	2	VERY CONFIDENT/SURE
	87.1	5,356	-9	LEGITIMATE SKIP
	10.4	637	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 655-656

EE40_B_3**CONFIDENCE WHEN TEMPTED TO USE DRUGS/3RD**

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED)? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	0.5	31	0	NOT AT ALL CONFIDENT/SURE
34.0	0.3	17	1	SOMEWHAT CONFIDENT/SURE
4.0	0.0	2	2	VERY CONFIDENT/SURE
	87.1	5,356	-9	LEGITIMATE SKIP
	12.1	742	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 657-658

EE41_A	HOW SURE/KEEP FR USE DRUG/IN TREATMENT
---------------	---

Overall, how confident or sure are you of your ability to keep from using drugs while you are in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	137	0	NOT AT ALL CONFIDENT/SURE
15.7	15.7	965	1	SOMEWHAT CONFIDENT/SURE
82.0	81.7	5,025	2	VERY CONFIDENT/SURE
	0.3	17	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 659-660

EE41_B	HOW SURE/KEEP FR USE DRUG/FINISH TREAT
---------------	---

Overall, how confident or sure are you of your ability to keep from using drugs after you finish treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.8	355	0	NOT AT ALL CONFIDENT/SURE
36.7	36.2	2,224	1	SOMEWHAT CONFIDENT/SURE
57.4	56.5	3,474	2	VERY CONFIDENT/SURE
	0.4	23	-8	BLANK
	0.0	1	-7	REFUSAL
	1.2	71	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 661-662

EE42**HOW DIFFICULT/STOP DRUG/REST OF LIFE**

How difficult do you think it would be for you to stop using drugs completely for the rest of your life? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	23.1	1,422	0	NOT AT ALL
47.3	46.9	2,883	1	SOMEWHAT
29.4	29.2	1,796	2	VERY DIFFICULT
	0.3	16	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	5	-5	BAD DATA
	0.4	24	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 663-664

EE43**CHANCES/QUIT DRUGS/REST OF YOUR LIFE**

What do you think your chances are of quitting completely for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	334	1	VERY POOR
40.8	40.5	2,492	2	FAIR
53.8	53.5	3,288	3	VERY GOOD
	0.2	14	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.2	15	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 665-666

EE44 TREATMENT HELP/QUIT DRUGS/REST OF LIFE

How much do you think the treatment you have received here will help you do this? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	221	0	NOT AT ALL
24.5	24.4	1,502	1	SOMEWHAT
71.8	71.5	4,396	2	VERY MUCH
	0.2	13	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	10	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 667-668

EE45 HOW DIFFICULT/CUT DOWN/REST OF LIFE

How difficult do you think it would be for you to cut down on drugs for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.0	40.9	2,514	0	NOT AT ALL
32.6	31.7	1,950	1	SOMEWHAT
25.5	24.8	1,526	2	VERY DIFFICULT
	0.3	20	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.2	11	-5	BAD DATA
	0.4	23	-4	DON'T KNOW
	1.6	101	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 669-670

EE46**CHANCES ARE OF CUTTING DOWN USE OF DRUG**

What do you think your chances are of cutting down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	8.3	513	1	VERY POOR
23.5	15.7	963	2	FAIR
64.0	42.7	2,628	3	VERY GOOD
	32.1	1,971	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	5	-5	BAD DATA
	0.2	11	-4	DON'T KNOW
	0.9	55	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 671-672

EE47**HOW MUCH/DRUG TREATMENT HELP/CUT DOWN**

How much do you think your treatment here will help you do this? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.5	523	0	NOT AT ALL
20.1	19.5	1,200	1	SOMEWHAT
71.2	69.3	4,261	2	VERY MUCH
	0.5	30	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.3	20	-4	DON'T KNOW
	1.8	108	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 673-674

EE48_A

I AM DOING SOMETHING ABOUT MY PROB

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I am doing something about the problems that have been bothering me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	65	1	STRONGLY DISAGREE
2.1	2.1	128	2	SOMEWHAT DISAGREE
22.7	22.6	1,391	3	SOMEWHAT AGREE
74.2	74.1	4,556	4	STRONGLY AGREE
	0.1	7	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 675-676

EE48_B

HAVE DIFFICULT PROBLEMS/WORKING ON THEM

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

At times my problems are difficult, but I'm working on them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	70	1	STRONGLY DISAGREE
1.3	1.3	77	2	SOMEWHAT DISAGREE
24.6	24.5	1,509	3	SOMEWHAT AGREE
73.0	72.9	4,484	4	STRONGLY AGREE
	0.1	7	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 677-678

EE48_C**BEING HERE/WASTE OF TIME/I AM NOT CAUSE**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Being here is a waste of time because I am not the cause of my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	84.9	5,219	1	STRONGLY DISAGREE
9.6	9.6	590	2	SOMEWHAT DISAGREE
3.1	3.1	189	3	SOMEWHAT AGREE
2.2	2.2	135	4	STRONGLY AGREE
	0.1	9	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 679-680

EE48_D**I AM WORKING ON MY PROBLEMS**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Even though I'm not always successful in changing, I am at least working on my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	70	1	STRONGLY DISAGREE
1.2	1.2	76	2	SOMEWHAT DISAGREE
22.2	22.2	1,362	3	SOMEWHAT AGREE
75.4	75.3	4,630	4	STRONGLY AGREE
	0.1	7	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 681-682

EE48_E

STRUGGLE W/PROBLEM/THOUGHT TAKEN CARE

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Sometimes I still find myself struggling with problems that I thought I had taken care of once and for all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.7	410	1	STRONGLY DISAGREE
6.7	6.7	413	2	SOMEWHAT DISAGREE
38.7	38.6	2,375	3	SOMEWHAT AGREE
47.9	47.8	2,941	4	STRONGLY AGREE
	0.1	7	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 683-684

EE48_F

WISH HAD IDEAS/HOW TO SOLVE MY PROBLEM

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I wish I had more ideas on how to solve my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.2	321	1	STRONGLY DISAGREE
5.1	5.1	313	2	SOMEWHAT DISAGREE
30.5	30.4	1,871	3	SOMEWHAT AGREE
59.2	59.1	3,636	4	STRONGLY AGREE
	0.1	7	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 685-686

EE48_G**MAYBE THIS PLACE WILL HELP ME**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Maybe this place will be able to help me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	97	1	STRONGLY DISAGREE
1.9	1.9	117	2	SOMEWHAT DISAGREE
19.9	19.8	1,219	3	SOMEWHAT AGREE
76.7	76.6	4,707	4	STRONGLY AGREE
	0.1	7	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 687-688

EE48_H**DOING SOMETHING ABOUT CHANGING MYSELF**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Anyone can talk about changing, but I'm actually doing something about it.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	39	1	STRONGLY DISAGREE
1.1	1.1	65	2	SOMEWHAT DISAGREE
20.5	20.4	1,257	3	SOMEWHAT AGREE
77.8	77.7	4,777	4	STRONGLY AGREE
	0.1	9	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 689-690

EE48_I BORING TO TALK ABOUT MY PROBLEMS

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

It's boring to spend time talking about my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	53.0	3,256	1	STRONGLY DISAGREE
19.2	19.2	1,180	2	SOMEWHAT DISAGREE
18.6	18.5	1,138	3	SOMEWHAT AGREE
9.1	9.0	556	4	STRONGLY AGREE
	0.2	15	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 691-692

EE48_J DOES NOT DO GOOD TO THINK ABOUT PROB

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

It doesn't do any good to spend time thinking about my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	48.7	2,993	1	STRONGLY DISAGREE
21.4	21.3	1,312	2	SOMEWHAT DISAGREE
16.0	16.0	982	3	SOMEWHAT AGREE
13.7	13.7	840	4	STRONGLY AGREE
	0.3	18	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 693-694

EE48_K**LIVE W/MY FAULTS/THAN TRY TO CHANGE**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I would rather live with my faults the way they are than try to change them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	82.6	5,076	1	STRONGLY DISAGREE
10.7	10.7	659	2	SOMEWHAT DISAGREE
3.4	3.4	211	3	SOMEWHAT AGREE
3.1	3.1	193	4	STRONGLY AGREE
	0.1	8	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 695-696

EE48_L**TRY TO CHANGE MY PROB/THEY COME BACK**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

After all I have done to try to change my problems, every now and then they come back to haunt me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.6	712	1	STRONGLY DISAGREE
8.5	8.4	519	2	SOMEWHAT DISAGREE
45.6	45.5	2,799	3	SOMEWHAT AGREE
34.3	34.3	2,106	4	STRONGLY AGREE
	0.1	8	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 697-698

EF1_A**USED CONDOM/VAGINAL INTERCOURSE W/WOMEN**

Since your admission, about how often have you used a condom or "rubber" when you have vaginal intercourse with the (woman/women)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	13.3	819	1	NEVER
13.8	3.2	199	2	SOMETIMES
5.3	1.3	77	3	USUALLY
24.0	5.6	346	4	EVERY TIME
	75.7	4,654	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
	0.2	11	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 701-702

EF2**#OF DIFF WOMEN W/HAD ANAL INTERCOURSE**

Since your admission, about how many different women have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	63.3	3,892	1	NONE
3.7	2.5	151	2	1 WOMAN
0.3	0.2	12	3	2-4 WOMEN
0.0	0.0	1	4	5-9 WOMEN
0.0	0.0	0	5	10-20 WOMEN
0.0	0.0	0	6	21-99 WOMEN
0.0	0.0	0	7	100+ WOMEN
	32.9	2,020	-9	LEGITIMATE SKIP
	0.9	58	-8	BLANK
	0.2	10	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 703-704

EF2_A **USED CONDOM/ANAL INTERCOURSE W/WOMEN**

Since your admission, about how often have you used a condom or "rubber" when you had anal intercourse with the (woman/women)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	1.4	88	1	NEVER
14.2	0.4	23	2	SOMETIMES
5.6	0.1	9	3	USUALLY
25.9	0.7	42	4	EVERY TIME
	96.0	5,904	-9	LEGITIMATE SKIP
	1.2	73	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 705-706

EF3 **INTERCOURSE W/WOMEN/TOOK \$/DRUG FOR SEX**

To the best of your knowledge, had any woman you had (vaginal/anal) intercourse with since your admission ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	1.8	108	1	YES
92.7	22.3	1,373	2	NO
	73.6	4,525	-9	LEGITIMATE SKIP
	2.1	128	-8	BLANK
	0.1	9	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 707-708

EF4**INTERCOURSE W/WOMAN/SHOOT UP DRUG**

To the best of your knowledge, had any woman you had (vaginal/anal) intercourse with since your admission ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	2.7	167	1	YES
88.6	21.2	1,302	2	NO
	73.7	4,530	-9	LEGITIMATE SKIP
	2.1	129	-8	BLANK
	0.1	8	-7	REFUSAL
	0.2	11	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 709-710

EF5**#OF DIFF MEN W/YOU HAD ANAL INTERCOURSE**

Now, I want to ask you about your sexual experiences with men since your admission. Since your admission, about how many different men have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	39.4	2,424	0	NEVER HAD SEX WITH A MAN
39.9	26.5	1,629	1	NONE
0.6	0.4	23	2	1 MAN
0.1	0.0	3	3	2-4 MEN
0.0	0.0	0	4	5-9 MEN
0.0	0.0	0	5	10-20 MEN
0.0	0.0	0	6	21-99 MEN
0.0	0.0	0	7	100+ MEN
	32.8	2,015	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 711-712

EF5_A **USED CONDOM/ANAL INTERCOURSE W/MEN**

Since your admission, about how often have you used a condom or "rubber" when you had anal intercourse with the (man/men)?
Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	0.2	15	1	NEVER
7.4	0.0	2	2	SOMETIMES
14.8	0.1	4	3	USUALLY
22.2	0.1	6	4	EVERY TIME
	98.7	6,066	-9	LEGITIMATE SKIP
	0.7	46	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 713-714

EF6 **INTERCOURSE W/MAN/TOOK \$/DRUG FOR SEX**

To the best of your knowledge, had any man you had anal intercourse with since your admission ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.0	3	1	YES
88.9	0.4	24	2	NO
	98.7	6,066	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 715-716

EF7**HAD INTERCOURSE W/MAN/SHOOT UP DRUG**

To the best of your knowledge, had any man you had anal intercourse with since your admission ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	0.1	7	1	YES
74.1	0.3	20	2	NO
	98.7	6,066	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 717-718

EF8**ONE GAVE MONEY/DRUG/FOR INTERCOURSE**

At any time since your admission, has anyone given you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.4	25	1	YES
99.2	50.7	3,115	2	NO
	32.9	2,025	-9	LEGITIMATE SKIP
	15.8	969	-8	BLANK
	0.1	8	-7	REFUSAL
	0.1	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 719-720

EF9 **TESTED+/HAD AIDS**

At any time since your admission, have you had intercourse with anyone who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.4	25	1	YES
99.4	65.6	4,035	2	NO
	32.7	2,012	-9	LEGITIMATE SKIP
	0.8	51	-8	BLANK
	0.1	8	-7	REFUSAL
	0.3	17	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 721-722

EF9_A **INTERCOURSE W/#PEOPLE/WHO TEST+/AIDS**

During that period, how many people have you had intercourse with who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	0.4	22	1	1 PERSON
15.4	0.1	4	2	2-4 PEOPLE
0.0	0.0	0	3	5+ PEOPLE
	98.3	6,045	-9	LEGITIMATE SKIP
	1.0	62	-8	BLANK
	0.1	7	-7	REFUSAL
	0.1	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 723-724

EF10

#OF DIFF MEN/YOU HAD VAGINAL INTERCO W/

I want to ask you about your sexual experiences with men since your admission. In that time, about how many different men have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.4	26	0	NEVER HAD VAGINAL INTERCOURSE W/MAN
61.1	19.7	1,214	1	NONE
32.9	10.6	654	2	1 MAN
4.1	1.3	82	3	2-4 MEN
0.2	0.1	4	4	5-9 MEN
0.3	0.1	5	5	10-20 MEN
0.1	0.0	1	6	21-99 MEN
0.1	0.0	1	7	100+ MEN
	66.1	4,061	-9	LEGITIMATE SKIP
	1.4	84	-8	BLANK
	0.2	14	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 725-726

EF10_A

USED CONDOM/VAGINAL INTERCOURSE W/MEN

Since your admission, about how often did the (man/men) you had intercourse with use a condom or "rubber" while you were having vaginal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	7.9	483	1	NEVER
9.2	1.1	69	2	SOMETIMES
4.6	0.6	34	3	USUALLY
21.6	2.6	161	4	EVERY TIME
	86.1	5,296	-9	LEGITIMATE SKIP
	1.5	93	-8	BLANK
	0.2	12	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 727-728

EF11 #OF DIFF MEN/YOU HAD ANAL INTERCOURSE W/

Since your admission, about how many different men have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	4.1	252	0	NEVER HAD ANAL SEX WITH A MAN
85.0	27.7	1,702	1	NONE
2.1	0.7	43	2	1 MAN
0.1	0.0	3	3	2-4 MEN
0.1	0.0	2	4	5-9 MEN
0.0	0.0	0	5	10-20 MEN
0.0	0.0	0	6	21-99 MEN
0.0	0.0	0	7	100+ MEN
	66.0	4,059	-9	LEGITIMATE SKIP
	1.2	73	-8	BLANK
	0.2	11	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 729-730

EF11_A USED CONDOM/ANAL INTERCOURSE W/MEN

Since your admission, about how often did the (man/men) you had intercourse with use a condom or "rubber" while you were having anal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	0.6	34	1	NEVER
4.4	0.0	2	2	SOMETIMES
0.0	0.0	0	3	USUALLY
20.0	0.1	9	4	EVERY TIME
	97.8	6,011	-9	LEGITIMATE SKIP
	1.3	82	-8	BLANK
	0.2	10	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 731-732

EF12**SEX PARTNER HAD INTERCOURSE W/BOTH SEX**

Since your admission, have you had (vaginal/anal) intercourse with a man who you think has had intercourse with both men and women?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.2	14	1	YES
98.2	12.2	751	2	NO
	85.2	5,237	-9	LEGITIMATE SKIP
	2.2	136	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 733-734

EF13**MAN SEX PARTNER TOOK MONEY/DRUG FOR SEX**

To the best of your knowledge, had any man you had (vaginal/anal) intercourse with since your admission ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.3	21	1	YES
97.2	12.0	738	2	NO
	85.2	5,239	-9	LEGITIMATE SKIP
	2.2	136	-8	BLANK
	0.1	9	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 735-736

EF14 ANY MAN GAVE MONEY/DRUGS FOR INTERCOURSE

At any time since your admission, has any man given you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	0.8	48	1	YES
93.7	11.7	717	2	NO
	85.2	5,239	-9	LEGITIMATE SKIP
	2.2	136	-8	BLANK
	0.1	8	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 737-738

EF15 MAN SEX PARTNER EVER SHOOT UP DRUGS

To the best of your knowledge, has any man you had (vaginal/anal) intercourse with since your admission ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	2.9	176	1	YES
77.0	9.6	590	2	NO
	85.1	5,232	-9	LEGITIMATE SKIP
	2.3	139	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 739-740

EF16**MAN SEX PARTNER/TESTED +/-HAD AIDS**

At any time since your admission, have you had (vaginal/anal) intercourse with any man who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.2	11	1	YES
98.6	12.3	757	2	NO
	85.0	5,228	-9	LEGITIMATE SKIP
	2.3	141	-8	BLANK
	0.1	8	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 741-742

EF16_A**#MEN TEST+/HAD AIDS/YOU HAD INTERCO W/**

Since your admission, how many men have you had (vaginal/anal) intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	0.2	14	1	1 MAN
12.5	0.0	2	2	2-4 MEN
0.0	0.0	0	3	5+ MEN
	97.3	5,982	-9	LEGITIMATE SKIP
	2.3	142	-8	BLANK
	0.1	8	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 743-744

EF17 SERVICES/ABOUT HIV INFECTION/AIDS

Since your admission, have you received any scheduled services about HIV infection, AIDS, or how to reduce the risk of spreading AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	55.4	3,409	1	YES
44.3	44.1	2,712	2	NO
	0.3	21	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 745-746

EF17_A_1 SERVICES/ABOUT REDUCE RISK/NEEDLE USE

What types of services or help have you received?

Reduce risk of needle use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	24.1	1,482	1	CIRCLED
	44.2	2,720	-9	LEGITIMATE SKIP
	31.6	1,940	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 747-748

EF17_A_2	SERVICES/REDUCE RISK/SEXUAL TRANSMIS
-----------------	---

What types of services or help have you received?

Reduce risk of sexual transmission.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	28.2	1,734	2	CIRCLED
	44.2	2,718	-9	LEGITIMATE SKIP
	27.5	1,691	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 749-750

EF17_A_3	SERVICES/ABOUT HEALTH CARE OPTION/AIDS
-----------------	---

What types of services or help have you received?

Health care option for AIDS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.3	1,370	3	CIRCLED
	44.2	2,720	-9	LEGITIMATE SKIP
	33.4	2,053	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 751-752

EF17_A_4 SERVICES/KNOWLEDGE/HIV INFECTION/AIDS

What types of services or help have you received?

General knowledge about HIV infection and AIDS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	49.6	3,047	4	CIRCLED
	44.1	2,714	-9	LEGITIMATE SKIP
	6.2	382	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 753-754

EF17_B SERVICES/PROGRAM/OTHER PLACE/BOTH

Did you get these services at this program, at some other place, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.8	46.0	2,827	1	AT THIS PROGRAM
8.8	4.8	296	2	SOME OTHER PLACE
7.4	4.1	250	3	BOTH
	44.1	2,712	-9	LEGITIMATE SKIP
	0.9	56	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 755-756

EF17_C

#MEETINGS/FOR SERVICES

How many times have you met with anyone specifically for this kind of service at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	1.4	86	0	
53.6	27.2	1,670	1	
19.9	10.1	622	2	
8.2	4.1	255	3	
7.2	3.6	223	4	
2.8	1.4	87	5	
2.1	1.1	66	6	
0.8	0.4	24	7	
0.5	0.3	17	8	
0.2	0.1	5	9	
0.5	0.2	15	10	
0.1	0.1	4	11	
0.4	0.2	11	12	
0.1	0.0	2	14	
0.1	0.1	4	15	
0.3	0.1	8	16	
0.1	0.0	3	20	
0.0	0.0	1	22	
0.0	0.0	1	23	
0.1	0.0	3	24	
0.0	0.0	1	25	
0.1	0.0	2	26	
0.0	0.0	1	30	
0.0	0.0	1	31	
0.0	0.0	1	32	
0.0	0.0	1	36	
0.0	0.0	1	45	
0.0	0.0	1	50	
0.0	0.0	1	63	
0.0	0.0	1	99	99 OR MORE
	48.4	2,974	-9	LEGITIMATE SKIP
	0.8	49	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 757-758

EF17D_01	TALKED TO/PRIMARY/REGULAR COUNSELOR
-----------------	--

Who have you seen or talked to for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.0	552	1	CIRCLED
	48.7	2,994	-9	LEGITIMATE SKIP
	42.0	2,580	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	13	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 759-760

EF17D_02	TALKED TO/CASE MANAGER
-----------------	-------------------------------

Who have you seen or talked to for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	64	2	CIRCLED
	49.0	3,014	-9	LEGITIMATE SKIP
	49.7	3,056	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	7	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 761-762

EF17D_14	TALKED TO/OTHER PROGRAM STAFF
-----------------	--------------------------------------

Who have you seen or talked to for these services?

Other program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.3	758	14	CIRCLED
	48.9	3,005	-9	LEGITIMATE SKIP
	38.6	2,371	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	7	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 763-764

EF17D_23	TALKED TO/NURSE
-----------------	------------------------

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.5	768	23	CIRCLED
	48.1	2,957	-9	LEGITIMATE SKIP
	39.2	2,409	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	7	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 765-766

EF17D_24 TALKED TO/PHYSICIAN

Who have you seen or talked to for these services?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.1	188	24	CIRCLED
	48.2	2,962	-9	LEGITIMATE SKIP
	48.5	2,984	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	7	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 767-768

EF17D_61 TALKED TO/PUBLIC HEALTH AGENCY

Who have you seen or talked to for these services?

Public health agency staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.1	497	61	CIRCLED
	47.8	2,937	-9	LEGITIMATE SKIP
	43.9	2,700	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	7	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 769-770

EF17D_62**TALKED TO/AIDS OUTREACH WORKER**

Who have you seen or talked to for these services?

AIDS outreach worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.4	703	62	CIRCLED
	48.3	2,972	-9	LEGITIMATE SKIP
	40.0	2,459	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	7	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 771-772

EF17D_91**TALKED TO/OTHER**

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.9	364	91	CIRCLED
	48.3	2,969	-9	LEGITIMATE SKIP
	45.5	2,800	-8	BLANK
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	8	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 773-774

EF17_E	HOW HELPFUL WAS SERVICE
---------------	--------------------------------

How helpful was this service? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	2.3	140	0	NOT AT ALL
21.2	11.6	716	1	SOMEWHAT
74.7	41.0	2,522	2	VERY HELPFUL
	44.2	2,718	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
	0.1	4	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 775-776

EF18	BLOOD TEST FOR AIDS VIRUS
-------------	----------------------------------

Have you ever had a blood test for HIV infection (the AIDS virus)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.8	75.8	4,662	1	YES
23.2	22.9	1,405	2	NO
	1.1	66	-8	BLANK
	0.1	4	-7	REFUSAL
	0.2	11	-4	DON'T KNOW

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 777-778

HEALTH

EG1	YOUR HEALTH NOW
------------	------------------------

In this section, I want to ask some questions about your physical health. Would you say that your health now is ...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	24.8	1,525	1	EXCELLENT
49.0	49.0	3,010	2	GOOD
22.9	22.9	1,406	3	FAIR
3.2	3.2	196	4	POOR
	0.2	11	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 779-780

EG2	HEALTH/COMPARE TO YOUR AGE PEOPLE
------------	--

Comparing your general health now to the health of other people your age, would you say your health is . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	17.1	1,050	1	MUCH BETTER
33.6	33.4	2,055	2	BETTER
37.2	36.9	2,271	3	THE SAME
10.8	10.7	658	4	WORSE
1.2	1.2	76	5	MUCH WORSE
	0.2	12	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
	0.4	23	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 781-782

EG3 **YOUR HEALTH/COMPARE TO AT ADMISSION**

Would you say your health now is [READ CHOICES] than it was at admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	26.9	1,656	1	MUCH BETTER
42.0	41.9	2,578	2	BETTER
28.1	28.1	1,726	3	THE SAME
2.6	2.6	159	4	WORSE
0.2	0.2	15	5	MUCH WORSE
	0.2	10	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 783-784

EG4 **ARE YOU PREGNANT**

Are you pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	1.6	101	1	YES
95.0	31.5	1,936	2	NO
	66.1	4,065	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 785-786

EG4_A	PREGNANCY HAS BEEN VERIFIED
--------------	------------------------------------

Has this been verified?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	1.6	98	1	YES
4.9	0.1	5	2	NO
	97.6	6,000	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 787-788

EG4_B_1	PREGNANCY VERIFIED BY/DOCTOR
----------------	-------------------------------------

How was it verified - by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Doctor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	83	1	CIRCLED
	97.7	6,006	-9	LEGITIMATE SKIP
	1.0	59	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 789-790

EG4_B_2	PREGNANCY VERIFIED BY/PREGNANCY TEST
----------------	---

How was it verified - by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Pregnancy test at a hospital, clinic, or doctor's office.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	33	2	CIRCLED
	97.7	6,006	-9	LEGITIMATE SKIP
	1.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 791-792

EG4_B_3	PREGNANCY VERIFIED/HOME PREGNANCY TEST
----------------	---

How was it verified - by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Home pregnancy test.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	3	CIRCLED
	97.7	6,006	-9	LEGITIMATE SKIP
	2.3	139	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 793-794

EG4_B_4	PREGNANCY VERIFIED BY/OTHER
----------------	------------------------------------

How was it verified - by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	4	CIRCLED
	97.7	6,005	-9	LEGITIMATE SKIP
	2.3	139	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 795-796

EG4_C	# OF MONTHS PREGNANT
--------------	-----------------------------

How many months pregnant are you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	0.5	28	3	1-3
37.0	0.6	37	6	4-6
35.0	0.6	35	9	7-9
	97.6	6,001	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 797-798

EG4_D	PHYSICAL DISCOMFORT DURING PREGNANCY
--------------	---

During your pregnancy, would you say that your physical or bodily discomfort has been . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	0.1	7	0	NONE
18.3	0.2	13	1	VERY MILD
29.6	0.3	21	2	MILD
32.4	0.4	23	3	MODERATE
9.9	0.1	7	4	SEVERE
	97.6	6,001	-9	LEGITIMATE SKIP
	0.5	31	-8	BLANK
	0.7	45	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 799-800

EG4_E	PREGNANCY AFFECT/ENTER DRUG TREATMENT
--------------	--

Did being pregnant affect your decision to enter drug treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	0.8	52	1	YES
49.0	0.8	50	2	NO
	97.6	6,001	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 801-802

EG4F_1**PREGNANCY/EFFECT OF DRUGS ON BABY**

What about being pregnant affected your decision to enter drug treatment?

Concerned about effect of drugs on baby.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	48	1	CIRCLED
	98.4	6,051	-9	LEGITIMATE SKIP
	0.8	49	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 803-804

EG4F_2**PREGNANCY/CONCERN ABOUT OWN HEALTH**

What about being pregnant affected your decision to enter drug treatment?

Concerned about own health.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	12	2	CIRCLED
	98.4	6,051	-9	LEGITIMATE SKIP
	1.4	85	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 805-806

EG4F_3 PREGNANCY/COST OF DRUGS

What about being pregnant affected your decision to enter drug treatment?

Cost of drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	CIRCLED
	98.4	6,051	-9	LEGITIMATE SKIP
	1.6	96	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 807-808

EG4F_4 PREGNANCY/PRESSURE FROM OTHERS

What about being pregnant affected your decision to enter drug treatment?

Pressure from others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	4	CIRCLED
	98.4	6,051	-9	LEGITIMATE SKIP
	1.5	94	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 809-810

EG4F_5**PREGNANCY/AFFECT CHILD CUSTODY**

What about being pregnant affected your decision to enter drug treatment?

Afraid would lose custody of baby.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	5	CIRCLED
	98.4	6,051	-9	LEGITIMATE SKIP
	1.5	92	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 811-812

EG4F_6**PREGNANCY/OTHER**

What about being pregnant affected your decision to enter drug treatment?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	6	CIRCLED
	98.4	6,051	-9	LEGITIMATE SKIP
	1.5	91	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 813-814

EG4G	#TIMES SAW DOCTOR ABOUT PREGNANCY
-------------	--

Since you became pregnant (this time), how many times have you seen a doctor or other health professional about your pregnancy or problems with your pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	0.1	6	0	
9.3	0.1	8	1	
11.6	0.2	10	2	
7.0	0.1	6	3	
16.3	0.2	14	4	
3.5	0.0	3	5	
9.3	0.1	8	6	
2.3	0.0	2	7	
5.8	0.1	5	8	
5.8	0.1	5	9	
2.3	0.0	2	10	
7.0	0.1	6	12	
1.2	0.0	1	14	
1.2	0.0	1	15	
5.8	0.1	5	20	
1.2	0.0	1	24	
1.2	0.0	1	25	
2.3	0.0	2	40	
	97.6	6,001	-9	LEGITIMATE SKIP
	1.0	61	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 815-816

EG5_A	LIMIT VIGOROUS ACTIVITY
--------------	--------------------------------

Since your admission, has your health limited the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	19.5	1,197	1	YES
80.4	80.1	4,922	2	NO
	0.5	28	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 817-818

EG6_A**LIMIT VIGOROUS ACTIVITY/FOR 3 MON/MORE**

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	7.1	434	1	LESS THAN 3 MONTHS
63.6	12.3	758	2	3 MONTHS OR MORE
	79.8	4,905	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.1	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 819-820

EG5_B**LIMIT MODERATE ACTIVITY**

Since your admission, has your health limited the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing housework?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.8	477	1	YES
92.2	91.7	5,637	2	NO
	0.6	34	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 821-822

EG6_B	LIMIT MODERATE ACTIVITY/FOR 3 MON/MORE
--------------	---

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	2.8	174	1	LESS THAN 3 MONTHS
62.9	4.8	295	2	3 MONTHS OR MORE
	91.5	5,627	-9	LEGITIMATE SKIP
	0.8	50	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 823-824

EG5_C	LIMIT WALK UP HILL/CLIMB STAIRS
--------------	--

Since your admission, has your health limited your ability to walk uphill or to climb a few flights of stairs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.1	495	1	YES
91.9	91.4	5,618	2	NO
	0.6	35	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 825-826

EG6_C**LIMIT WALK UP HILL/STAIRS/FOR 3 MON/MORE**

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	2.9	180	1	LESS THAN 3 MONTHS
63.3	5.0	310	2	3 MONTHS OR MORE
	91.2	5,609	-9	LEGITIMATE SKIP
	0.8	47	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 827-828

EG5_D**PREVENT YOU FROM BENDING/LIFTING**

Since your admission, has your health prevented you from bending, lifting, or stooping.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	8.1	500	1	YES
91.8	91.2	5,608	2	NO
	0.7	40	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 829-830

EG6_D	PREVENT YOU FROM BEND/LIFT/3 MON/MORE
--------------	--

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	2.5	152	1	LESS THAN 3 MONTHS
68.7	5.4	333	2	3 MONTHS OR MORE
	91.1	5,603	-9	LEGITIMATE SKIP
	1.0	59	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 831-832

EG5_E	LIMIT YOU TO WALK 1 BLOCK
--------------	----------------------------------

Since your admission, has your health limited your ability to walk 1 block?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	125	1	YES
98.0	97.4	5,986	2	NO
	0.6	37	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 833-834

EG6_E**LIMIT YOU TO WALK 1 BLOCK/FOR 3 MON/MORE**

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	0.7	41	1	LESS THAN 3 MONTHS
65.3	1.3	77	2	3 MONTHS OR MORE
	97.3	5,982	-9	LEGITIMATE SKIP
	0.8	48	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 835-836

EG5_F**LIMIT YOU TO EAT/DRESS**

Since your admission, has your health limited your ability to eat, dress, or bathe, or use the toilet?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	74	1	YES
98.8	98.1	6,032	2	NO
	0.7	41	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 837-838

EG6_F **LIMIT YOU TO EAT/DRESS/FOR 3 MON/MORE**

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	0.5	31	1	LESS THAN 3 MONTHS
56.3	0.7	40	2	3 MONTHS OR MORE
	98.0	6,022	-9	LEGITIMATE SKIP
	0.9	54	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 839-840

EG7 **HEALTH KEPT YOU FROM WORK/SCHOOL**

Since your admission, have there been any days that your health kept you from working at a job, working around the house, or going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.5	828	1	YES
86.5	86.1	5,295	2	NO
	0.4	23	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 841-842

EG7_A **#DAYS/HEALTH KEPT YOU FROM WORK/SCHOOL**

Since your admission, how many days has your health kept you from working at a job, working around the house, or going to school?

6,148 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 843-844

EG8**STAY OVERNIGHT IN HOSPITAL/HEALTH PROB**

Since your admission, have you stayed overnight in a hospital for any physical health problem not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.0	126	1	YES
97.9	97.7	6,005	2	NO
	0.3	17	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 845-846

EG9**#HOSPITALIZATION/PHYS HEA PROB/NOT DRUG**

Since your admission, how many of your hospitalizations have been for physical health problems not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	0.6	35	0	
60.5	1.5	92	1	
7.9	0.2	12	2	
3.9	0.1	6	3	
1.3	0.0	2	4	
0.7	0.0	1	6	
2.0	0.0	3	7	
0.7	0.0	1	21	
	97.3	5,979	-9	LEGITIMATE SKIP
	0.3	17	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 847-848

EG10	#DAY HOSPI FOR PHY HEALTH PROB/NOT DRUG
-------------	--

Since your admission, how many of the days you were hospitalized have been for a physical health problem not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	2.2	137	0	
12.4	0.5	31	1	
7.6	0.3	19	2	
5.6	0.2	14	3	
4.4	0.2	11	4	
2.0	0.1	5	5	
1.2	0.0	3	6	
4.4	0.2	11	7	
0.4	0.0	1	8	
0.8	0.0	2	9	
0.8	0.0	2	10	
0.4	0.0	1	12	
2.0	0.1	5	14	
0.4	0.0	1	16	
0.8	0.0	2	21	
0.4	0.0	1	30	
0.4	0.0	1	35	
0.4	0.0	1	50	
0.8	0.0	2	99	99 OR MORE
	95.6	5,879	-9	LEGITIMATE SKIP
	0.3	19	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 849-850

EG11

#DAY/INJ/ILL KEPT YOU IN BED FOR ALL DAY

Since your admission, how many days has an injury or physical illness kept you in bed for most or all of the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.3	83.9	5,159	0	
5.5	5.5	339	1	
4.1	4.1	250	2	
2.0	2.0	124	3	
1.0	1.0	61	4	
0.7	0.7	45	5	
0.2	0.2	15	6	
0.5	0.5	32	7	
0.1	0.1	9	8	
0.0	0.0	3	9	
0.4	0.4	24	10	
0.1	0.1	4	11	
0.1	0.1	4	12	
0.0	0.0	1	13	
0.4	0.4	23	14	
0.1	0.1	6	15	
0.0	0.0	1	16	
0.0	0.0	3	20	
0.0	0.0	3	21	
0.0	0.0	2	22	
0.0	0.0	1	28	
0.1	0.1	5	30	
0.0	0.0	2	33	
0.0	0.0	3	40	
0.0	0.0	1	42	
0.0	0.0	1	90	
	0.4	26	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 851-852

EG12A_2	TYPE OF PENSION/SSI
----------------	----------------------------

What kind of a pension was that?

SSI (Supplemental Security Income).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.2	199	2	CIRCLED
	92.0	5,655	-9	LEGITIMATE SKIP
	4.8	294	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 857-858

EG12A_3	TYPE OF PENSION/WORKER'S COMP
----------------	--------------------------------------

What kind of a pension was that?

Worker's comp.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	3	CIRCLED
	92.0	5,657	-9	LEGITIMATE SKIP
	7.7	475	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 859-860

EG12A_4	TYPE OF PENSION/OTHER
----------------	------------------------------

What kind of a pension was that?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	83	4	CIRCLED
	92.0	5,656	-9	LEGITIMATE SKIP
	6.7	409	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 861-862

EG12B_1	1ST CONDITION FOR DISABILITY-RECODED
----------------	---

For what condition have you been receiving this disability pension? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
24.0	1.5	95	1	SUBSTANCE-RELATED DISORDERS
8.1	0.5	32	2	MENTAL DISORDERS
67.9	4.4	269	3	ALL OTHER DISORDERS
	92.0	5,656	-9	LEGITIMATE SKIP
	1.4	88	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 863-864

EG12B_2**2ND CONDITION FOR DISABILITY-RECODED**

For what condition have you been receiving this disability pension? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
31.4	0.5	32	1	SUBSTANCE-RELATED DISORDERS
10.8	0.2	11	2	MENTAL DISORDERS
57.8	1.0	59	3	ALL OTHER DISORDERS
	92.0	5,657	-9	LEGITIMATE SKIP
	6.3	389	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 865-866

EG12B_3**3RD CONDITION FOR DISABILITY-RECODED**

For what condition have you been receiving this disability pension? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
25.0	0.1	7	1	SUBSTANCE-RELATED DISORDERS
7.1	0.0	2	2	MENTAL DISORDERS
67.9	0.3	19	3	ALL OTHER DISORDERS
	92.0	5,657	-9	LEGITIMATE SKIP
	7.5	463	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 867-868

EG15**HAD PHY PROB BECAUSE OF DRUG/ALCOHOL USE**

Since your admission, have you had any physical health problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	4.4	272	1	YES
91.2	45.7	2,810	2	NO
	15.6	957	-8	BLANK
	0.0	3	-4	DON'T KNOW
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 873-874

EG15_A**HOW SERIOUS PROBLEMS DUE DRUG/ALCOHL USE**

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.0	29.0	1,783	1	NOT AT ALL
26.5	14.2	875	2	SOMEWHAT
19.6	10.5	646	3	VERY SERIOUS
	45.5	2,800	-9	LEGITIMATE SKIP
	0.6	35	-8	BLANK
	0.1	5	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 875-876

ILLEGAL INVOLVEMENT

EH1 **SPENT TIME IN DETENTION/JAIL/PRISON**

In this section, I'd like to ask about any experiences you might have had with the police or courts since your admission. Let me remind you that this information will remain confidential. Since your admission, have you spent time in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	114	1	YES
98.1	97.7	6,004	2	NO
	0.4	26	-8	BLANK
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 877-878

EH1_A

#WEEKS/SPENT IN DETENTION/JAIL/PRISON

Since your admission, how much time have you spent in jail,
prison, or a juvenile detention home?

Number of weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	1.1	70	0	
14.1	0.3	21	1	
4.7	0.1	7	2	
1.3	0.0	2	3	
8.1	0.2	12	4	
5.4	0.1	8	5	
3.4	0.1	5	6	
2.7	0.1	4	7	
4.0	0.1	6	8	
2.0	0.0	3	9	
1.3	0.0	2	10	
1.3	0.0	2	11	
2.0	0.0	3	12	
0.7	0.0	1	13	
0.7	0.0	1	17	
0.7	0.0	1	38	
0.7	0.0	1	52	
	96.9	5,960	-9	LEGITIMATE SKIP
	0.6	35	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 879-880

EH2_A **ARRESTED/USE OF MARIJUANA/NARCOTICS**

Since your admission, have you been arrested and booked for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	14	1	YES
99.8	99.0	6,089	2	NO
	0.7	42	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 881-882

EH3_A **#ARRESTS/USE OF MARIJUANA/NARCOTICS**

Since your admission, how many times have you been arrested for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	0.2	11	0	
44.0	0.2	11	1	
12.0	0.0	3	2	
	98.9	6,078	-9	LEGITIMATE SKIP
	0.7	43	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 883-884

EH2_B**ARRESTED FOR/SALE/MANUF OF DRUGS**

Since your admission, have you been arrested and booked for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	3	1	YES
100.0	99.2	6,097	2	NO
	0.7	46	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 885-886

EH3_B**#ARRESTS/SALE/MANUF OF DRUGS**

Since your admission, how many times have you been arrested for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.2	10	0	
9.1	0.0	1	1	
	99.0	6,089	-9	LEGITIMATE SKIP
	0.8	47	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 887-888

EH2_C **ARRESTED FOR/FORGERY/FRAUD**

Since your admission, have you been arrested and booked for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	7	1	YES
99.9	99.1	6,094	2	NO
	0.7	45	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 889-890

EH3_C **#ARRESTS/FORGERY/FRAUD**

Since your admission, how many times have you been arrested for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.2	10	0	
37.5	0.1	6	1	
	99.0	6,086	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 891-892

EH2_D**ARRESTED FOR/BURGLARY/BREAKING**

Since your admission, have you been arrested and booked for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	2	1	YES
100.0	99.2	6,099	2	NO
	0.7	45	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 893-894

EH3_D**#ARRESTS/BURGLARY/BREAKING**

Since your admission, how many times have you been arrested for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.2	10	0	
9.1	0.0	1	2	
	99.1	6,091	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 895-896

EH2_E

ARRESTED FOR/LARCENY-THEFT

Since your admission, have you been arrested and booked for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	13	1	YES
99.8	99.0	6,088	2	NO
	0.7	45	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 897-898

EH3_E

#ARRESTS/LARCENY-THEFT

Since your admission, how many times have you been arrested for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	0.1	9	0	
30.0	0.1	6	1	
10.0	0.0	2	2	
10.0	0.0	2	3	
5.0	0.0	1	600	
	98.9	6,081	-9	LEGITIMATE SKIP
	0.7	46	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 899-901

EH2_F**ARRESTED FOR/PIMPING/PROSTITUTION**

Since your admission, have you been arrested and booked for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	5	1	YES
99.9	99.2	6,096	2	NO
	0.7	45	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 902-903

EH3_F**#ARRESTS/PIMPING/PROSTITUTION**

Since your admission, how many times have you been arrested for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	0.1	9	0	
30.8	0.1	4	1	
	99.0	6,089	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 904-905

EH2_G **ARRESTED FOR/ROBBERY-BANK/MUGGING**

Since your admission, have you been arrested and booked for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	2	1	YES
100.0	99.2	6,099	2	NO
	0.7	45	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 906-907

EH3_G **#ARRESTS/ROBBERY-BANK/MUGGING**

Since your admission, how many times have you been arrested for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	0.1	9	0	
10.0	0.0	1	1	
	99.1	6,092	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 908-909

EH2_H**ARRESTED FOR/ATTACKS ON PERSONS/KIDNAP**

Since your admission, have you been arrested and booked for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	6	1	YES
99.9	99.1	6,095	2	NO
	0.7	45	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 910-911

EH3_H**#ARRESTS/ATTACKS ON PERSONS/KIDNAPPING**

Since your admission, how many times have you been arrested for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	0.1	9	0	
35.7	0.1	5	1	
	99.0	6,088	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 912-913

EH2_I	ARRESTED FOR/OTHER OFFENSE/SIMPLE ASSAUL
--------------	---

Since your admission, have you been arrested and booked for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	12	1	YES
99.8	99.1	6,090	2	NO
	0.7	44	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 914-915

EH3_I	#ARRESTS/OTHER OFFENSES/SIMPLE ASSAULT
--------------	---

Since your admission, how many times have you been arrested for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	9	0	
50.0	0.1	9	1	
	98.9	6,083	-9	LEGITIMATE SKIP
	0.7	46	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 916-917

EH2_J**ARRESTED FOR/DRIVING UNDER INFLUENCE**

Since your admission, have you been arrested and booked for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	3	1	YES
100.0	99.2	6,098	2	NO
	0.7	45	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 918-919

EH3_J**#ARRESTS/DRIVING UNDER THE INFLUENCE**

Since your admission, how many times have you been arrested for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	0.1	9	0	
18.2	0.0	2	1	
	99.1	6,091	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 920-921

EH2_K ARRESTED FOR/STATUS OFFENSES

Since your admission, have you been arrested and booked for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	2	1	YES
100.0	65.3	4,013	2	NO
	0.4	26	-8	BLANK
	0.0	1	-7	REFUSAL
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 922-923

EH3_K #ARRESTS/STATUS OFFENSES

Since your admission, how many times have you been arrested for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.0	3	0	
25.0	0.0	1	1	
	65.2	4,010	-9	LEGITIMATE SKIP
	0.5	28	-8	BLANK
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 924-925

EH2_L**ARRESTED FOR/OTHER OFFENSES/GAMBLING**

Since your admission, have you been arrested and booked for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation / parole violations, contempt of court, vagrancy, suspicion, disorderly conduct or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	33	1	YES
99.5	97.2	5,977	2	NO
	2.2	136	-8	BLANK
	0.0	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 926-927

EH3_L**#ARRESTS/OTHER OFFENSES/GAMBLING**

Since your admission, how many times have you been arrested for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation / parole violations, contempt of court, vagrancy, suspicion, disorderly conduct or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	0.1	9	0	
67.6	0.4	23	1	
5.9	0.0	2	2	
	97.1	5,970	-9	LEGITIMATE SKIP
	2.3	143	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 928-929

EH4 #TIMES YOU BEEN CONVICTED

Since your admission, how many of your arrests and charges resulted in convictions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	95.4	5,865	0	
0.8	0.8	49	1	
0.2	0.2	13	2	
0.0	0.0	1	3	
0.0	0.0	2	6	
0.0	0.0	1	8	
	1.9	116	-8	BLANK
	0.0	3	-7	REFUSAL
	1.6	98	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 930-931

EH5 HOW OFTEN/INVOLVED IN ILLEGAL ACTIVITY

How often since your admission have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	96.5	5,931	0	NEVER
1.1	1.1	65	1	1 OR 2 TIMES
0.5	0.5	33	2	3 TO 5 TIMES
0.2	0.2	11	3	6 TO 10 TIMES
0.2	0.2	14	4	11 TO 49 TIMES
0.0	0.0	3	5	50 OR MORE TIMES
	0.4	22	-8	BLANK
	0.1	6	-7	REFUSAL
	0.1	5	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.9	55	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 932-933

EH6**HAD POLICE/LEGAL PROBLEMS DUE DRUGS/ALC**

Since your admission, have you had any police or legal problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	2.6	161	1	YES
96.0	62.6	3,851	2	NO
	0.3	16	-8	BLANK
	0.0	2	-7	REFUSAL
	0.2	10	-3	NOT APPLICABLE
	0.0	2	-2	ILLEGIBLE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 934-935

EH6_A**HOW SERIOUS/LEGAL PROBLEM/USING DRUGS**

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	32.8	2,016	1	NOT AT ALL
6.8	2.5	155	2	SOMEWHAT
4.9	1.8	113	3	VERY SERIOUS
	61.1	3,755	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	7	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	1.0	59	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 936-937

EH7 **HOW TROUBLD/LEGAL PROBLEM/NOT CIVIL PROB**

Since your admission, how troubled have you been by any police or legal problems, excluding civil problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	88.4	5,432	0	NOT AT ALL
6.9	6.8	417	1	SOMEWHAT
3.3	3.2	198	2	VERY TROUBLED
	0.7	42	-8	BLANK
	0.0	3	-7	REFUSAL
	0.9	56	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 938-939

EH8 **DO YOU HAVE LEGAL SERVICES**

Do you have legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	22.6	1,391	1	YES
77.0	75.9	4,668	2	NO
	0.5	29	-8	BLANK
	0.0	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.9	56	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 940-941

EH8_A	DO YOU NEED LEGAL SERVICES
--------------	-----------------------------------

Do you need legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	5.4	334	1	YES
92.9	70.6	4,342	2	NO
	22.0	1,355	-9	LEGITIMATE SKIP
	0.9	57	-8	BLANK
	0.0	3	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
	0.8	52	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 942-943

EH9	IMPORTANCE/COUNSELING FOR LEGAL PROBLEM
------------	--

How important to you now is counseling or referral for legal problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	33.3	2,045	0	NOT AT ALL
12.9	6.4	393	1	SOMEWHAT
20.2	10.0	616	2	VERY TROUBLED
	15.9	978	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.1	9	-3	NOT APPLICABLE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 944-945

EJ2	WORKED FOR PAY/NO ILLEGAL ACTIVITIES
------------	---

Did you work for pay at all that week at any job or task that did not involve illegal activities (including working for yourself)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.2	199	1	YES
96.2	82.3	5,058	2	NO
	13.9	853	-9	LEGITIMATE SKIP
	0.6	35	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 948-949

EJ2_A	DID YOU EARN ANY MONEY LEGALLY
--------------	---------------------------------------

In that week, did you earn any money legally?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	80.2	4,930	1	DID NOT EARN MONEY LEGALLY
3.0	2.5	155	2	DID EARN MONEY LEGALLY
	16.1	991	-9	LEGITIMATE SKIP
	1.1	68	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 950-951

EJ2_B **LOST/TOOK OFF TIME FOR ANY REASON**

Did you lose any time or take any time off for any reason that week such as for an illness, a vacation, or slack work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.7	3.9	241	1	YES
80.3	16.0	983	2	NO
	78.6	4,830	-9	LEGITIMATE SKIP
	1.5	91	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 952-953

EJ2_C **#HOURS MISSED AT WORK**

How many hours did you miss?

6,148 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 954-955

EJ2_D **#HOURS WORKED FOR PAY/NO ILLEGAL ACTI**

During that week, how many hours did you actually work for pay at jobs or tasks that did not involve illegal activities?

6,148 cases (Range of valid codes: 0-98)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 956-957

EJ2_E**REASON WORKED LESS THAN 35 HRS THAT WEEK**

What is the main reason that you worked less than 35 hours or lost or took time from work during that week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	1.8	109	1	SLACK WORK, LAYOFFS, STRIKE
1.8	0.2	11	2	SEASONAL WORKER
0.3	0.0	2	3	JOB TERMINATED
1.0	0.1	6	4	NEW JOB STARTED DURING WEEK
12.4	1.3	77	5	COULD ONLY FINE PART-TIME WORK
4.2	0.4	26	6	DRUG OR ALCOHOL PROBLEM
2.9	0.3	18	7	ILLNESS
4.0	0.4	25	8	VACATION
4.5	0.5	28	9	BUSY WITH OTHER ACTIVITIES
2.1	0.2	13	10	DID NOT WANT/NEED FULL-TIME WORK
9.3	0.9	58	11	WORKWEEK USUALLY UNDER 35 HOURS
2.6	0.3	16	12	UNABLE TO WORK
0.3	0.0	2	13	RETIRED
22.7	2.3	141	14	IN JAIL, RESIDENTIAL TREATMNT PROGRM
0.2	0.0	1	15	INVOLVED IN ILLEGAL ACTIVITIES
14.2	1.4	88	16	OTHERS
	88.0	5,409	-9	LEGITIMATE SKIP
	1.8	112	-8	BLANK
	0.1	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 958-959

EJ2_F**REASON 35+/PAID JOB/NO ILLEGAL ACTIVITIE**

Prior to that week, did you usually work 35 hours or more a week at a paid job that did not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	10.4	639	1	YES
88.4	78.9	4,853	2	NO
	9.2	568	-9	LEGITIMATE SKIP
	1.4	85	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 960-961

EJ2_G	REASON WORKED <35 HRS/ WK
--------------	-------------------------------------

Why did you usually work less than 35 hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	4.3	267	1	SLACK WORK, LAYOFFS, STRIKE
1.4	1.0	64	2	SEASONAL WORKER
0.2	0.1	8	3	JOB TERMINATED
0.1	0.1	5	4	NEW JOB STARTED DURING WEEK
1.6	1.2	76	5	COULD ONLY FINE PART-TIME WORK
6.9	5.2	321	6	DRUG OR ALCOHOL PROBLEM
2.5	1.9	114	7	ILLNESS
0.1	0.0	3	8	VACATION
9.1	6.9	423	9	BUSY WITH OTHER ACTIVITIES
2.2	1.7	103	10	DID NOT WANT/NEED FULL-TIME WORK
1.7	1.3	77	11	WORKWEEK USUALLY UNDER 35 HOURS
5.6	4.2	258	12	UNABLE TO WORK
0.3	0.2	14	13	RETIRED
53.1	40.0	2,459	14	IN JAIL, RESIDENTIAL TREATMNT PROGRAM
0.6	0.5	30	15	INVOLVED IN ILLEGAL ACTIVITIES
8.9	6.7	410	16	OTHERS
	19.3	1,187	-9	LEGITIMATE SKIP
	4.5	276	-8	BLANK
	0.9	53	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 962-963

EJ3	DID YOU LOOK FOR WORK
------------	------------------------------

Did you (look for work/look for a different job) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	15.8	971	1	YES
84.1	83.7	5,146	2	NO
	0.5	28	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 964-965

EJ3_A_1	TO FIND WORK/NO METHODS USED
----------------	-------------------------------------

What did you do since your admission to find work?

No methods used.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	1	CIRCLED
	83.7	5,145	-9	LEGITIMATE SKIP
	16.1	991	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 966-967

EJ3_A_2	TO FIND WORK/PUB EMPLOYMENT AGCY
----------------	---

What did you do since your admission to find work?

Public employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.8	232	2	CIRCLED
	83.7	5,144	-9	LEGITIMATE SKIP
	12.5	769	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 968-969

EJ3_A_3 TO FIND WORK/PRIVATE EMPLOY AGCY

What did you do since your admission to find work?

Private employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	51	3	CIRCLED
	83.7	5,146	-9	LEGITIMATE SKIP
	15.4	948	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 970-971

EJ3_A_4 TO FIND WORK/EMPLOYERS APPROACHED

What did you do since your admission to find work?

Employers directly approached.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.3	508	4	CIRCLED
	83.7	5,145	-9	LEGITIMATE SKIP
	8.0	492	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 972-973

EJ3_A_5**TO FIND WORK/TALK W/FRIEND/RELATIVE**

What did you do since your admission to find work?

Talked with friends or relatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.5	341	5	CIRCLED
	83.7	5,145	-9	LEGITIMATE SKIP
	10.7	659	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 974-975

EJ3_A_6**TO FIND WORK/PLACED ADS**

What did you do since your admission to find work?

Placed or answered ads.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.3	513	6	CIRCLED
	83.7	5,144	-9	LEGITIMATE SKIP
	7.9	488	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 976-977

EJ3_A_7	TO FIND WORK/OTHER
----------------	---------------------------

What did you do since your admission to find work?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	92	7	CIRCLED
	83.7	5,146	-9	LEGITIMATE SKIP
	14.8	907	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 978-979

EJ3_B	PROBLEMS FINDING WORK
--------------	------------------------------

Did you have trouble or problems finding (work/a different job) during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	12.0	735	1	YES
24.7	3.9	241	2	NO
	83.6	5,138	-9	LEGITIMATE SKIP
	0.5	31	-8	BLANK
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 980-981

EJ3_C_1**PROBLEM FIND JOB/NO JOBS AVAILABLE**

Why do you think you had problems (finding a job/a different job)?

No jobs available.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.7	533	1	CIRCLED
	87.4	5,375	-9	LEGITIMATE SKIP
	3.8	233	-8	BLANK
	0.1	4	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 982-983

EJ3_C_2**PROBLEM FIND JOB/LACK OF EDUC/SKILL/EXPE**

Why do you think you had problems (finding a job/a different job)?

Lack of education, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	95	2	CIRCLED
	87.5	5,381	-9	LEGITIMATE SKIP
	10.8	667	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 984-985

EJ3_C_4	PROBLEM FIND JOB/TOO YOUNG/TOO OLD
----------------	---

Why do you think you had problems (finding a job/a different job)?

Too young or too old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	4	CIRCLED
	87.5	5,381	-9	LEGITIMATE SKIP
	12.2	750	-8	BLANK
	0.0	3	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 986-987

EJ3_C_5	PROBLEM FIND JOB/ARREST RECORD
----------------	---------------------------------------

Why do you think you had problems (finding a job/a different job)?

Arrest record.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	94	5	CIRCLED
	87.5	5,381	-9	LEGITIMATE SKIP
	10.9	668	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 988-989

EJ3_C_6**PROBLEM FIND JOB/DRUG HISTORY**

Why do you think you had problems (finding a job/a different job)?

Drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	60	6	CIRCLED
	87.5	5,380	-9	LEGITIMATE SKIP
	11.4	703	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 990-991

EJ3_C_8**PROBLEM FIND JOB/ILL HEALTH**

Why do you think you had problems (finding a job/a different job)?

Ill health.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	22	8	CIRCLED
	87.5	5,377	-9	LEGITIMATE SKIP
	12.1	744	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 992-993

EJ3_C_10	PROB FIND JOB/PERCEIVED DISCRIMINATION
-----------------	---

Why do you think you had problems (finding a job/a different job)?

Perceived discrimination.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	17	10	CIRCLED
	87.4	5,374	-9	LEGITIMATE SKIP
	12.2	752	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 994-995

EJ3_C_11	PROBLEM FIND JOB/OTHER
-----------------	-------------------------------

Why do you think you had problems (finding a job/a different job)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	117	11	CIRCLED
	87.5	5,377	-9	LEGITIMATE SKIP
	10.6	649	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 996-997

EJ4_0

NOT LOOK FOR WORK/NO REASONS

What were your reasons for not looking for (work/a different job)?

No reasons.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	206	0	CIRCLED
	15.7	965	-9	LEGITIMATE SKIP
	80.9	4,976	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 998-999

EJ4_1

NOT LOOK FOR WORK/SATISFIED W/JOB

What were your reasons for not looking for (work/a different job)?

Satisfied with present job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.7	905	1	CIRCLED
	15.8	969	-9	LEGITIMATE SKIP
	69.5	4,273	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1000-1001

EJ4_2 NOT LOOK FOR WORK/BELIEVE NO JOB AVAIL

What were your reasons for not looking for (work/a different job)?

Believes no jobs available in line of work or area.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	55	2	CIRCLED
	15.8	970	-9	LEGITIMATE SKIP
	83.3	5,122	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1002-1003

EJ4_3 NOT LOOK FOR WORK/COULD NOT FIND WORK

What were your reasons for not looking for (work/a different job)?

Couldn't find any work.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	19	3	CIRCLED
	15.8	969	-9	LEGITIMATE SKIP
	83.9	5,159	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1004-1005

EJ4_4

NOT LOOK FOR WORK/LACK SKILL/TRAINING

What were your reasons for not looking for (work/a different job)?

Lacks necessary schooling, training, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	52	4	CIRCLED
	15.8	970	-9	LEGITIMATE SKIP
	83.4	5,125	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1006-1007

EJ4_5

NOT LOOK FOR WORK/TOO OLD/YOUNG

What were your reasons for not looking for (work/a different job)?

Employers think too young / old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	5	CIRCLED
	15.8	971	-9	LEGITIMATE SKIP
	84.1	5,172	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1008-1009

EJ4_6	NOT LOOK FOR WORK/PERSONAL HANDICAP
--------------	--

What were your reasons for not looking for (work/a different job)?

Other personal handicap including drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	118	6	CIRCLED
	15.8	971	-9	LEGITIMATE SKIP
	82.3	5,058	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1010-1011

EJ4_7	NOT LOOK FOR WORK/FAMILY RESPONSIBILITY
--------------	--

What were your reasons for not looking for (work/a different job)?

Family responsibilities, child care problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.7	286	7	CIRCLED
	15.8	970	-9	LEGITIMATE SKIP
	79.6	4,891	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1012-1013

EJ4_8

NOT LOOK FOR WORK/IN SCHOOL/TRAINING

What were your reasons for not looking for (work/a different job)?

In school or other training.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	77	8	CIRCLED
	15.8	971	-9	LEGITIMATE SKIP
	82.9	5,099	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1014-1015

EJ4_9

NOT LOOK FOR WORK/ILL HEALTH

What were your reasons for not looking for (work/a different job)?

Ill health or physical disability other than drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.7	411	9	CIRCLED
	15.8	970	-9	LEGITIMATE SKIP
	77.5	4,766	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1016-1017

EJ4_10	NOT LOOK FOR WORK/IN JAIL/INSTITUTION
---------------	--

What were your reasons for not looking for (work/a different job)?

In jail or other institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	39.4	2,421	10	CIRCLED
	15.8	970	-9	LEGITIMATE SKIP
	44.8	2,756	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1018-1019

EJ4_11	NOT LOOK FOR WORK/DRUG ACTIVITY
---------------	--

What were your reasons for not looking for (work/a different job)?

Drug activities or drug effects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	184	11	CIRCLED
	15.8	971	-9	LEGITIMATE SKIP
	81.2	4,992	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1020-1021

EJ4_12**NOT LOOK FOR WORK/ILLEGAL ACTIVITY**

What were your reasons for not looking for (work/a different job)?

Illegal activities such as hustling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	12	CIRCLED
	15.8	971	-9	LEGITIMATE SKIP
	83.9	5,160	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1022-1023

EJ4_13**NOT LOOK FOR WORK/BEING SUPPORTED**

What were your reasons for not looking for (work/a different job)?

Supported by other person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	21	13	CIRCLED
	15.8	971	-9	LEGITIMATE SKIP
	83.8	5,155	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1024-1025

EJ4_15 NOT LOOK FOR WORK/IMMIGRATION STATUS

What were your reasons for not looking for (work/a different job)?

Concern about immigration status in U.S. (i.e., has a job without papers and making switch would be risky).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	15	CIRCLED
	15.8	971	-9	LEGITIMATE SKIP
	84.2	5,176	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1026-1027

EJ4_16 NOT LOOK FOR WORK/OTHER

What were your reasons for not looking for (work/a different job)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.2	629	16	CIRCLED
	15.8	969	-9	LEGITIMATE SKIP
	74.0	4,549	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1028-1029

EJ5

#OF DIFFERENT JOBS/EMPLOYERS WORKED

Since your admission, for how many different employers or businesses have you worked legitimate jobs? If you worked for yourself, such as doing in-home child care or odd jobs and yard work, count this as one employer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	78.8	4,847	0	
18.9	18.9	1,159	1	
1.5	1.5	90	2	
0.3	0.3	16	3	
0.0	0.0	3	4	
0.1	0.1	4	5	
0.0	0.0	2	6	
0.0	0.0	1	7	
0.0	0.0	1	8	
0.0	0.0	1	10	
0.0	0.0	1	20	
0.0	0.0	1	29	
0.0	0.0	1	60	
	0.3	20	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1030-1031

EJ6	#WEEKS WORK/FULL OR PART TIME
------------	--------------------------------------

Since your admission, how many weeks have you been employed in either full- or part-time jobs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	4.0	246	0	LESS THAN 1 WK
5.6	1.2	72	1	
7.7	1.6	98	2	
9.3	1.9	119	3	
27.2	5.7	348	4	
6.3	1.3	81	5	
8.1	1.7	104	6	
3.1	0.6	39	7	
4.9	1.0	63	8	
1.7	0.4	22	9	
1.5	0.3	19	10	
0.5	0.1	7	11	
1.6	0.3	21	12	
0.2	0.0	3	13	
0.5	0.1	6	14	
0.2	0.0	2	15	
0.4	0.1	5	16	
0.1	0.0	1	17	
0.1	0.0	1	19	
0.1	0.0	1	20	
0.1	0.0	1	24	
0.1	0.0	1	26	
0.2	0.0	2	28	
0.1	0.0	1	30	
0.1	0.0	1	32	
0.1	0.0	1	36	
0.1	0.0	1	48	
0.1	0.0	1	50	
0.8	0.2	10	52	
0.1	0.0	1	99	99 OR MORE
	77.9	4,792	-9	LEGITIMATE SKIP
	1.2	76	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1032-1033

EJ7

#WEEKS WORK/35 OR MORE HOURS

Since your admission, how many weeks have you worked 35 or more hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	5.6	343	0	
4.6	0.8	50	1	
6.2	1.1	67	2	
9.4	1.7	102	3	
20.0	3.5	216	4	
5.6	1.0	61	5	
7.4	1.3	80	6	
3.5	0.6	38	7	
3.9	0.7	42	8	
1.5	0.3	16	9	
1.0	0.2	11	10	
0.4	0.1	4	11	
1.8	0.3	20	12	
0.2	0.0	2	13	
0.5	0.1	5	14	
0.2	0.0	2	15	
0.4	0.1	4	16	
0.1	0.0	1	17	
0.1	0.0	1	19	
0.1	0.0	1	20	
0.1	0.0	1	24	
0.1	0.0	1	26	
0.1	0.0	1	27	
0.2	0.0	2	28	
0.1	0.0	1	32	
0.5	0.1	5	40	
0.1	0.0	1	48	
0.1	0.0	1	50	
0.3	0.0	3	52	
	81.2	4,993	-9	LEGITIMATE SKIP
	1.2	72	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1034-1035

EJ8	#WEEKS WORKED/35 OR MORE HOURS
------------	---------------------------------------

What has been the longest period you have worked any one full-time job (35 hours or more a week) since your admission?

Number of weeks?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.6	1.0	60	0	
4.5	0.6	35	1	
7.8	1.0	61	2	
11.6	1.5	91	3	
30.1	3.8	236	4	
7.5	1.0	59	5	
9.9	1.3	78	6	
4.6	0.6	36	7	
6.1	0.8	48	8	
2.4	0.3	19	9	
1.8	0.2	14	10	
0.6	0.1	5	11	
2.3	0.3	18	12	
0.3	0.0	2	13	
0.6	0.1	5	14	
0.3	0.0	2	15	
0.1	0.0	1	16	
0.1	0.0	1	17	
0.1	0.0	1	19	
0.1	0.0	1	24	
0.1	0.0	1	26	
0.3	0.0	2	28	
0.1	0.0	1	32	
0.1	0.0	1	50	
0.1	0.0	1	52	
0.1	0.0	1	63	
0.1	0.0	1	78	
0.1	0.0	1	88	
0.1	0.0	1	96	
0.3	0.0	2	99	99 OR MORE
	85.9	5,284	-9	LEGITIMATE SKIP
	1.2	75	-8	BLANK
	0.0	3	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1036-1037

EJ9

CODE LIST-OCCUPATION/TYPE OF YOUR JOB

What type of job was this or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	0.8	50	1	PROFESSIONAL AND TECHNICAL
8.0	1.0	59	2	MANAGER AND ADMINISTRATOR
7.7	0.9	57	3	SALES
7.1	0.8	52	4	CLERICAL OR OFFICE WORKER
18.9	2.3	139	5	CRAFT AND KINDRED
7.2	0.9	53	6	OPERATIVES
3.9	0.5	29	7	TRANSPORTATION EQUIPMENT OPERATIVES
14.7	1.8	108	8	LABORERS (FARM & NONFARM)
22.3	2.7	164	10	SERVICE WORKER
3.4	0.4	25	86	OTHER
	86.5	5,319	-9	LEGITIMATE SKIP
	1.5	90	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1038-1039

EJ9_A	BUSINESS OR INDUSTRY CODE
--------------	----------------------------------

What type of business or industry was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.3	17	1	AGRICULTURE/FORESTRY/FISHERIES
14.2	1.6	101	2	CONSTRUCTION
13.0	1.5	93	3	MANUFACTURING
7.4	0.9	53	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
4.6	0.5	33	5	WHOLESALE TRADE
24.7	2.9	176	6	RETAIL TRADE
3.2	0.4	23	7	FINANCE/INSUR./REAL ESTATE
10.4	1.2	74	8	BUSINESS/REPAIR SERVICES
4.9	0.6	35	9	PERSONAL SERVICES
1.3	0.1	9	10	ENTERTAINMENT/REC. SVCS
11.6	1.4	83	11	PROF./RELATED SVCS
1.7	0.2	12	12	PUBLIC ADMIN.
0.6	0.1	4	13	INDUSTRY NOT REPORTED
	86.6	5,322	-9	LEGITIMATE SKIP
	1.7	102	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-5	BAD DATA
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1040-1041

EJ9_B	WAS THIS YOUR USUAL OCCUPATION
--------------	---------------------------------------

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	9.1	559	1	YES
23.1	2.7	168	2	NO
	86.6	5,323	-9	LEGITIMATE SKIP
	1.6	96	-8	BLANK
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1042-1043

EJ9B_OC	OCCUPATION CODE - FOR USUAL OCCUPATION
----------------	---

What is your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	0.2	11	1	PROFESSIONAL AND TECHNICAL
5.1	0.1	5	2	MANAGER AND ADMINISTRATOR
6.1	0.1	6	3	SALES
12.2	0.2	12	4	CLERICAL OR OFFICE WORKER
22.4	0.4	22	5	CRAFT AND KINDRED
2.0	0.0	2	6	OPERATIVES
5.1	0.1	5	7	TRANSPORTATION EQUIPMENT OPERATIVES
14.3	0.2	14	8	LABORERS (FARM & NONFARM)
14.3	0.2	14	10	SERVICE WORKER
7.1	0.1	7	86	OTHER
	87.1	5,354	-9	LEGITIMATE SKIP
	6.8	420	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
	4.5	275	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1044-1045

EJ9_C	DOLLARS/SALARY/RATE OF PAY/BEFORE TAXES
--------------	--

What was your wage, salary, or rate of pay before taxes in your current or most recent job?

Dollar amount?

6,148 cases (Range of valid codes: 0.00-430000.00)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 1046-1054

EJ9_COD	CODE FOR THE RATE
----------------	--------------------------

What was your wage, salary, or rate of pay before taxes in your current or most recent job?

Frequency of pay.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	6.3	386	1	HOUR
23.1	2.6	160	2	WEEK
2.7	0.3	19	3	2 WEEKS
7.5	0.8	52	4	MONTH
8.2	0.9	57	5	YEAR
2.7	0.3	19	6	OTHER
	86.5	5,321	-9	LEGITIMATE SKIP
	1.9	118	-8	BLANK
	0.1	9	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1055-1056

EJ10	HOW TROUBLED/PROBLEM GET/HOLD JOB
-------------	--

Since your admission, how troubled have you been by problems getting, holding, or working a job? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.5	76.8	4,724	0	NOT AT ALL
11.3	11.0	677	1	SOMEWHAT
10.2	10.0	616	2	VERY MUCH
	0.9	56	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	1.2	73	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1057-1058

EJ11**HOW IMPORTANT/COUNSELING FOR JOB PROB**

How important to you now is help or referral for employment, training, or vocational counseling? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	37.9	2,332	0	NOT AT ALL
18.4	18.2	1,119	1	SOMEWHAT
43.2	42.6	2,620	2	VERY IMPORTANT
	1.2	75	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1059-1060

EJ12**JOB PROBLEM/BECAUSE OF DRUG/ALC USE**

Have you experienced any problems getting, holding, or working a job because of drug or alcohol use since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	199	1	YES
96.7	94.4	5,803	2	NO
	1.3	79	-8	BLANK
	1.1	67	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1061-1062

EJ12_A	HOW SERIOUS PROBLMS FOR DRUG/ALCOHOL USE
---------------	---

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	0.3	17	1	NOT AT ALL
43.8	0.9	57	2	SOMEWHAT
43.1	0.9	56	3	VERY SERIOUS
	94.0	5,780	-9	LEGITIMATE SKIP
	2.0	122	-8	BLANK
	0.2	12	-3	NOT APPLICABLE
	1.7	104	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1063-1064

INCOME AND EXPENDITURES

EK1_A	INCOME SOURCE/ODD JOBS/NOT ILLEGAL ACTI
-------	---

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from work that did not include illegal activities, including jobs paid "off the books" or "under the table" [INCLUDE ODD JOBS, IN-HOME WORK, ETC.]?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.9	19.3	1,187	1	YES
80.1	77.8	4,782	2	NO
	1.5	92	-8	BLANK
	0.3	21	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
	1.0	61	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1065-1066

EK2_A	WORK DOLLARS/RECEIVED BEFORE TAXES
-------	------------------------------------

Since your admission, how much income have you personally received before taxes from work that did not include illegal activities, including jobs paid "off the books" or "under the table" [INCLUDE ODD JOBS, IN-HOME WORK, ETC.]?

6,148 cases (Range of valid codes: 0-55000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1067-1071

EK1_B	INCOME SOURCE/SSI
--------------	--------------------------

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	31.9	1,964	1	YES
67.1	65.2	4,009	2	NO
	1.4	87	-8	BLANK
	0.3	20	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	1.0	61	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1072-1073

EK2_B	SSI DOLLARS/RECEIVED BEFORE TAXES
--------------	--

Since your admission, how much income have you personally received before taxes from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

6,148 cases (Range of valid codes: 0-44500)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1074-1078

EK1_C**INCOME SOURCE/SOCIAL SECURITY BENEFITS**

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, worker's compensation from injuries at work, or military or private pensions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.5	338	1	YES
94.3	91.1	5,600	2	NO
	2.1	127	-8	BLANK
	0.3	21	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	1.0	61	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1079-1080

EK2_C**SOC SEC DOLLARS/RECEIVED BEFORE TAXES**

Since your admission, how much income have you personally received before taxes from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, worker's compensation from injuries at work, or military or private pensions?

6,148 cases (Range of valid codes: 0-25,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1081-1085

EK1_D	INCOME SOURCE/SPOUSE/FAMILY/ALIMONY
--------------	--

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from a spouse, family members, or friends, including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	23.6	1,450	1	YES
75.5	72.9	4,480	2	NO
	2.2	134	-8	BLANK
	0.4	22	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	1.0	61	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1086-1087

EK2_D	FAM/FRIENDS \$/RECEIVED BEFORE TAXES
--------------	---

Since your admission, how much income have you personally received before taxes from a spouse, family members, or friends, including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments?

6,148 cases (Range of valid codes: 0-70,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1088-1092

EK1_E**INCOME SOURCE/POSSIBLY ILLEGAL**

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.8	113	1	YES
98.1	93.9	5,776	2	NO
	2.9	176	-8	BLANK
	0.3	21	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	1.0	61	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1093-1094

EK2_E**ILLEGAL DOLLARS/RECEIVED BEFORE TAXES**

Since your admission, how much income have you personally received before taxes from illegal or possibly illegal sources such as hustling or dealing?

6,148 cases (Range of valid codes: 0-15,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1095-1099

EK1_F INCOME SOURCE/ANY OTHER SOURCE

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	19.7	1,212	1	YES
79.4	75.9	4,667	2	NO
	3.0	185	-8	BLANK
	0.3	21	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	1.0	61	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1100-1101

EK2_F OTHER DOLLARS/RECEIVED BEFORE TAXES

Since your admission, how much income have you personally received before taxes from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

6,148 cases (Range of valid codes: 0-12,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1102-1106

EK3 TOTAL DOLLARS/COL 2 IN CHART 3

Since your admission, how much income have you personally received before taxes? (TOTAL FROM K2_A THROUGH K2_F)

6,148 cases (Range of valid codes: 0-70000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1107-1111

EK4**SHARE INCOME/EXPENSES WITH ONE LIVE WITH**

Were you sharing your income and expenses with any of the people you lived with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	27.7	1,703	1	YES
68.7	60.9	3,746	2	NO
	5.3	327	-9	LEGITIMATE SKIP
	4.6	285	-8	BLANK
	0.1	7	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	1.3	78	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1112-1113

EK5**#PEOPLE YOU SHARE INCOME/EXPENSES W/**

How many of these people did you share your income and expenses with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.4	22	0	
45.8	13.0	797	1	
22.9	6.5	398	2	
14.8	4.2	258	3	
8.9	2.5	155	4	
3.2	0.9	55	5	
1.7	0.5	30	6	
0.7	0.2	13	7	
0.2	0.0	3	8	
0.2	0.0	3	9	
0.2	0.0	3	10	
0.1	0.0	1	14	
0.1	0.0	1	42	
	65.7	4,039	-9	LEGITIMATE SKIP
	4.7	291	-8	BLANK
	0.1	6	-7	REFUSAL
	1.2	73	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1114-1115

EK6_A **DOLLARS SPENT/HOUSING**

Since your admission, please tell me about how much (you/you and these (NUMBER FROM K5) members of the household together) spent each month for housing, including rent or mortgage payments and utilities?

6,148 cases (Range of valid codes: 0-18003)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1116-1120

EK6_B **DOLLARS SPENT/MEDICAL EXPENSES**

Since your admission, please tell me about how much (you/you and these (NUMBER FROM K5) members of the household together) spent each month for medical expenses, including prescriptions, health insurance, and payments for HMO costs?

6,148 cases (Range of valid codes: 0-12,000)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1121-1125

EK6_C **DOLLARS SPENT/FOOD/CLOTHING**

Since your admission, please tell me about how much (you/you and these (NUMBER FROM K5) members of the household together) spent each month for food, clothing, and living expenses?

6,148 cases (Range of valid codes: 0-8500)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1126-1129

EK6_D **DOLLARS SPENT/OTHER EXPENSES**

Since your admission, please tell me about how much (you/you and these (NUMBER FROM K5) members of the household together) spent each month for other expenses, including things like gifts, loans, entertainment, and other debts.

6,148 cases (Range of valid codes: 0-9,000)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1130-1133

EK7**MONEY PROBLEM/BECAUSE ALCO/DRUG USE**

Have you had any financial or money problems because of your drug or alcohol use since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.0	735	1	YES
87.9	86.5	5,317	2	NO
	0.5	29	-8	BLANK
	0.1	9	-7	REFUSAL
	0.9	58	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1134-1135

EK7_A**HOW SERIOUS PROBLMS FOR DRUG/ALCOHOL USE**

How serious were these problems you had because of using drugs or alcohol? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	3.4	207	1	NOT AT ALL
28.3	4.5	277	2	SOMEWHAT
50.6	8.1	496	3	VERY SERIOUS
	82.6	5,079	-9	LEGITIMATE SKIP
	0.4	26	-8	BLANK
	0.1	6	-7	REFUSAL
	0.9	57	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1136-1137

EK8 **HOW TROUBLED BY MONEY PROBLEM**

How troubled or bothered have you been since your admission by any financial or money problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	30.4	1,871	0	NOT AT ALL
33.8	23.5	1,445	1	SOMEWHAT
22.5	15.6	961	2	VERY MUCH
	29.4	1,805	-8	BLANK
	0.1	7	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.9	58	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1138-1139

EK9 **HOW IMPORTANT/COUNSELING FOR MONEY PROB**

How important to you now is counseling for financial or money problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	45.7	2,810	0	NOT AT ALL
22.2	21.6	1,327	1	SOMEWHAT
30.6	29.7	1,828	2	VERY IMPORTANT
	2.6	161	-8	BLANK
	0.1	7	-7	REFUSAL
	0.2	15	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1140-1141

EL2_A	#DAYS MISSED SCHEDULED APPOINTMENT
--------------	---

Since your admission, on how many days have you missed any scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	5	0	
46.4	10.1	620	1	
25.4	5.5	339	2	
12.0	2.6	160	3	
4.9	1.1	66	4	
2.9	0.6	39	5	
2.1	0.5	28	6	
1.0	0.2	13	7	
1.5	0.3	20	8	
0.3	0.1	4	9	
0.9	0.2	12	10	
0.2	0.0	3	11	
0.3	0.1	4	12	
0.4	0.1	5	14	
0.1	0.0	2	15	
0.1	0.0	1	18	
0.3	0.1	4	20	
0.4	0.1	5	21	
0.1	0.0	1	22	
0.1	0.0	1	25	
0.1	0.0	1	35	
0.1	0.0	1	39	
0.1	0.0	1	40	
0.1	0.0	2	50	
	75.3	4,630	-9	LEGITIMATE SKIP
	2.9	181	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1148-1149

EL2_B	CODE/MOST IMP REASON/MISS APPO
--------------	---------------------------------------

What is the most important reason why you did not come to 1 or more of your scheduled appointments?

6,148 cases (Range of valid codes: 0-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1150-1151

EL2_C	ANY REASON/MISS SCHEDULED APPOINTMENT
--------------	--

Is there any other reason why you did not come to 1 or more of your scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	3.2	194	1	YES
84.7	17.4	1,072	2	NO
	75.4	4,634	-9	LEGITIMATE SKIP
	4.0	248	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1152-1153

EL2_D	CODE FROM CHART/SECOND IMP REASON
--------------	--

What is the second most important reason?

6,148 cases (Range of valid codes: 1-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1154-1155

EL2_E	OTHER REASON/MISS SCHEDULED APPOINTMENT
--------------	--

Is there any other reason why you missed 1 or more of your scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	0.3	21	1	YES
90.8	3.4	207	2	NO
	92.7	5,698	-9	LEGITIMATE SKIP
	3.6	222	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1156-1157

EL2_F_1 **CODE FROM CHART/OTHER REASON**

What other reasons did you have? Third most important reason.

6,148 cases (Range of valid codes: 1-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1158-1159

EL2_F_2 **CODE FROM CHART/OTHER REASON**

What other reasons did you have? Fourth most important reason.

6,148 cases (Range of valid codes: nan--2,147,483,648)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1160-1161

EL2_F_3 **CODE FROM CHART/OTHER REASON**

What other reasons did you have? Fifth most important reason.

6,148 cases (Range of valid codes: 2-2)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1162-1163

EL3 **DROP OUT/DISCHARGED FROM THIS PROGRAM**

Since your admission, have you dropped out of or been discharged from this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	51	1	YES
99.2	98.9	6,079	2	NO
	0.3	17	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1164-1165

EL3_A	#DAYS OUT OF THIS PROGRAM
--------------	----------------------------------

Since your admission, how many days were you out of this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	0.2	15	0	
28.4	0.3	19	1	
10.4	0.1	7	2	
6.0	0.1	4	3	
9.0	0.1	6	4	
3.0	0.0	2	6	
3.0	0.0	2	7	
1.5	0.0	1	11	
3.0	0.0	2	14	
1.5	0.0	1	20	
6.0	0.1	4	21	
4.5	0.0	3	30	
1.5	0.0	1	60	
	98.6	6,061	-9	LEGITIMATE SKIP
	0.3	20	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1166-1167

EL4	RECEIVED TREATMENT FOR ALC PROB
------------	--

Since your admission, have you received treatment for an alcohol problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	35.2	2,163	1	YES
64.7	64.5	3,965	2	NO
	0.3	20	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1168-1169

EL5 RECEIVED THESE SERVICES AT PROGRAM

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	34.9	2,147	1	YES
2.0	0.7	43	2	NO
	63.9	3,926	-9	LEGITIMATE SKIP
	0.5	32	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1170-1171

EL5_A_1 SERVICES RECEIVED/INDIVIDUAL COUNSEL

What kinds of services have you received here?

Individual counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.7	1,270	1	CIRCLED
	64.6	3,974	-9	LEGITIMATE SKIP
	14.7	904	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1172-1173

EL5_A_2 SERVICES RECEIVED/GROUP COUNSELING

What kinds of services have you received here?

Group counseling (not 12-step).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	28.6	1,760	2	CIRCLED
	64.5	3,968	-9	LEGITIMATE SKIP
	6.8	420	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1174-1175

EL5_A_3**SERVICES RECEIVED/AA/12 STEP/SELF HELP**

What kinds of services have you received here?

AA or other 12-step / self-help.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	27.7	1,705	3	CIRCLED
	64.7	3,975	-9	LEGITIMATE SKIP
	7.6	468	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1176-1177

EL5_A_4**SERVICES RECEIVED/OTHER**

What kinds of services have you received here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	173	4	CIRCLED
	64.8	3,986	-9	LEGITIMATE SKIP
	32.4	1,989	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1178-1179

EL5_B_1	TALKED TO/PRIMARY/REG COUNSELOR
----------------	--

Who have you talked to or seen for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	26.5	1,628	1	CIRCLED
	64.5	3,967	-9	LEGITIMATE SKIP
	9.0	551	-8	BLANK
	0.0	2	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1180-1181

EL5_B_2	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you talked to or seen for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	55	2	CIRCLED
	64.8	3,986	-9	LEGITIMATE SKIP
	34.3	2,107	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1182-1183

EL5_B_11	TALKED TO/OTHER COUNSELOR
-----------------	----------------------------------

Who have you talked to or seen for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.4	765	11	CIRCLED
	64.8	3,981	-9	LEGITIMATE SKIP
	22.8	1,402	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1184-1185

EL5_B_12	TALKED TO/OTHER CASE MANAGER
-----------------	-------------------------------------

Who have you talked to or seen for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	12	CIRCLED
	64.9	3,987	-9	LEGITIMATE SKIP
	34.9	2,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1186-1187

EL5_B_13	TALKED TO/SOCIAL WORKER
-----------------	--------------------------------

Who have you talked to or seen for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	27	13	CIRCLED
	64.9	3,987	-9	LEGITIMATE SKIP
	34.7	2,134	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1188-1189

EL5_B_21	TALKED TO/PSYCHOLOGIST
-----------------	-------------------------------

Who have you talked to or seen for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	36	21	CIRCLED
	64.9	3,987	-9	LEGITIMATE SKIP
	34.6	2,125	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1190-1191

EL5_B_22	TALKED TO/PSYCHIATRIST
-----------------	-------------------------------

Who have you talked to or seen for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	70	22	CIRCLED
	64.9	3,987	-9	LEGITIMATE SKIP
	34.0	2,091	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1192-1193

EL5_B_23	TALKED TO/NURSE
-----------------	------------------------

Who have you talked to or seen for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	127	23	CIRCLED
	64.8	3,985	-9	LEGITIMATE SKIP
	33.1	2,036	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1194-1195

EL5_B_31	TALKED TO/GROUP - NO LEADER
-----------------	------------------------------------

Who have you talked to or seen for these services?

Group - no leader (e.g., 12-step).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	17.3	1,062	31	CIRCLED
	64.8	3,983	-9	LEGITIMATE SKIP
	17.9	1,103	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1196-1197

EL5_B_71	TALKED TO/STAFF FROM ANOTHER AGENCY
-----------------	--

Who have you talked to or seen for these services?

Staff from another agency who provide services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	151	71	CIRCLED
	64.9	3,987	-9	LEGITIMATE SKIP
	32.7	2,010	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1198-1199

EL5_B_91	TALKED TO/OTHER
-----------------	------------------------

Who have you talked to or seen for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.3	388	91	CIRCLED
	64.8	3,983	-9	LEGITIMATE SKIP
	28.9	1,777	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1200-1201

EL5_C	#DAYS/RECEIVED SERVICES FOR ALC PROB
--------------	---

Since your admission, on how many days have you received services for an alcohol problem at this program?

6,148 cases (Range of valid codes: 0-91)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1202-1203

EL5_D	HOW HELPFUL THE SERVICES
--------------	---------------------------------

Overall, how helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.9	56	0	NOT AT ALL
19.5	6.8	420	1	SOMEWHAT
77.9	27.2	1,675	2	VERY MUCH
	64.5	3,964	-9	LEGITIMATE SKIP
	0.5	31	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1204-1205

EL6 RECEIVED SERVICES AT OTHER PLACE

Have you received services for an alcohol problem at some other place (do not include services from AA, NA, or CA, or other 12-step group)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	1.4	86	1	YES
96.2	35.3	2,171	2	NO
	62.9	3,868	-9	LEGITIMATE SKIP
	0.4	23	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1206-1207

EL6_A_A SERVICE:COMMUNITY MENTAL HEALTH PROG

Where have you received these services?

Community mental health center outpatient program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	1	CIRCLED
	98.2	6,039	-9	LEGITIMATE SKIP
	1.5	92	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1208-1209

EL6_A_B	SERVICE:ALC REHABILITATION CENTER
----------------	--

Where have you received these services?

Alcoholic rehabilitation center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	2	CIRCLED
	98.2	6,039	-9	LEGITIMATE SKIP
	1.6	96	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1210-1211

EL6_A_C	SERVICE:28-DAY/OTHER SHORT TERM TREATMNT
----------------	---

Where have you received these services?

28-day or other short-term inpatient treatment unit.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	8	3	CIRCLED
	98.2	6,038	-9	LEGITIMATE SKIP
	1.7	102	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1212-1213

EL6_A_F**SERVICE:DETOXIFICATION TREATMENT UNIT**

Where have you received these services?

Detoxification treatment unit.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	6	CIRCLED
	98.2	6,039	-9	LEGITIMATE SKIP
	1.7	103	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1218-1219

EL6_A_G**SERVICE:EMERGENCY ROOM/CRISIS CENTER**

Where have you received these services?

Emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	7	CIRCLED
	98.2	6,039	-9	LEGITIMATE SKIP
	1.8	108	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1220-1221

EL6_A_H SERVICE:PRIVATE THERAPIST

Where have you received these services?

Private therapist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	8	CIRCLED
	98.2	6,039	-9	LEGITIMATE SKIP
	1.7	104	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1222-1223

EL6_A_I SERVICE:OTHER OUTPATIENT TREATMENT

Where have you received these services?

Other outpatient treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	26	9	CIRCLED
	98.2	6,036	-9	LEGITIMATE SKIP
	1.4	86	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1224-1225

EL6_A_J**SERVICE:OTHER INPATIENT TREATMENT**

Where have you received these services?

Other inpatient treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	8	10	CIRCLED
	98.2	6,038	-9	LEGITIMATE SKIP
	1.7	102	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1226-1227

EL6_B_1**FIRST TREATMENT LOCATION**

Where have you received these services? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	0.3	16	1	COMMUNITY MENTAL HEALTH PROG
15.2	0.2	12	2	ALC REHABILITATION CENTER
5.1	0.1	4	3	28-DAY/OTHER SHORT TERM TRTMNT
8.9	0.1	7	4	THREAPEUTIC COMMUNITY
3.8	0.0	3	5	HALFWAY HOUSE
6.3	0.1	5	6	DETOXIFICATION TREATMENT UNIT
2.5	0.0	2	7	EMERGENCY ROOM/CRISIS CENTER
3.8	0.0	3	8	PRIVATE THERAPIST
30.4	0.4	24	9	OTHER OUTPATIENT TREATMENT
3.8	0.0	3	10	OTHER INPATIENT TREATMENT
	98.2	6,037	-9	LEGITIMATE SKIP
	0.5	31	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1228-1229

EL6_C_1	#DAYS SERVICES RECEIVD/TREAT/LOCATION #1
---------	--

Since your admission, on how many days have you received services at (TREATMENT LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	0.1	4	0	
28.2	0.4	22	1	
10.3	0.1	8	2	
9.0	0.1	7	3	
3.8	0.0	3	4	
3.8	0.0	3	5	
3.8	0.0	3	6	
5.1	0.1	4	7	
2.6	0.0	2	8	
7.7	0.1	6	10	
1.3	0.0	1	11	
3.8	0.0	3	12	
1.3	0.0	1	13	
2.6	0.0	2	14	
1.3	0.0	1	15	
1.3	0.0	1	21	
1.3	0.0	1	25	
1.3	0.0	1	28	
3.8	0.0	3	30	
1.3	0.0	1	35	
1.3	0.0	1	45	
	98.2	6,038	-9	LEGITIMATE SKIP
	0.5	32	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1230-1231

EL6_D_1**WHO REFERRD YOU TO TREATMNT/LOCATION #1**

Who referred you to (TREATMENT LOCATION - 1st mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	0.7	46	1	PROGRAM
20.5	0.2	15	2	OUTSIDE SOURCE
16.4	0.2	12	3	SELF
	98.2	6,038	-9	LEGITIMATE SKIP
	0.6	35	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1232-1233

EL6_E_1**HOW HELPFUL THESE SERVICES A/LOCATION #1**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.0	2	0	NOT AT ALL
21.3	0.3	16	1	SOMEWHAT
76.0	0.9	57	2	VERY HELPFUL
	98.2	6,038	-9	LEGITIMATE SKIP
	0.6	35	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1234-1235

EL6_B_2	SECOND TREATMENT LOCATION
----------------	----------------------------------

Where have you received these services? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	2	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
16.7	0.0	1	3	28-DAY/OTHER SHORT TERM TRTMNT
0.0	0.0	0	4	THREAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIVATE THERAPIST
50.0	0.0	3	9	OTHER OUTPATIENT TREATMENT
0.0	0.0	0	10	OTHER INPATIENT TREATMENT
	98.2	6,039	-9	LEGITIMATE SKIP
	1.7	103	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1236-1237

EL6_C_2	#DAYS SERVICES RECEIVD/TREAT/LOCATION #2
----------------	---

Since your admission, on how many days have you received services at (TREATMENT LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	0	
20.0	0.0	1	1	
20.0	0.0	1	2	
20.0	0.0	1	20	
20.0	0.0	1	21	
	98.2	6,039	-9	LEGITIMATE SKIP
	1.7	104	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1238-1239

EL6_D_2**WHO REFERRD YOU TO TREATMNT/LOCATION #2**

Who referred you to (TREATMENT LOCATION - 2nd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.0	3	1	PROGRAM
25.0	0.0	1	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	98.2	6,039	-9	LEGITIMATE SKIP
	1.7	104	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1240-1241

EL6_E_2**HOW HELPFUL THESE SERVICES A/LOCATION #2**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	4	2	VERY HELPFUL
	98.2	6,039	-9	LEGITIMATE SKIP
	1.7	105	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1242-1243

EL6_B_3	THIRD TREATMENT LOCATION
----------------	---------------------------------

Where have you received these services? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TRTMNT
0.0	0.0	0	4	THREAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
50.0	0.0	1	8	PRIVATE THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TREATMENT
50.0	0.0	1	10	OTHER INPATIENT TREATMENT
	98.2	6,039	-9	LEGITIMATE SKIP
	1.7	107	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1244-1245

EL6_C_3	#DAYS SERVICES RECEIVD/TREAT/LOCATION #3
----------------	---

Since your admission, on how many days have you received services at (TREATMENT LOCATION - 3rd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	0	
50.0	0.0	1	1	
	98.2	6,039	-9	LEGITIMATE SKIP
	1.7	107	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1246-1247

EL6_D_3**WHO REFERRD YOU TO TREATMNT/LOCATION #3**

Who referred you to (TREATMENT LOCATION - 3rd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	98.2	6,039	-9	LEGITIMATE SKIP
	1.7	107	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1248-1249

EL6_E_3**HOW HELPFUL THESE SERVICES A/LOCATION #3**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.0	1	2	VERY HELPFUL
	98.2	6,039	-9	LEGITIMATE SKIP
	1.8	108	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1250-1251

EL6_B_4	FOURTH TREATMENT LOCATION
----------------	----------------------------------

Where have you received these services? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TRTMNT
0.0	0.0	0	4	THREAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIVATE THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TREATMENT
0.0	0.0	0	10	OTHER INPATIENT TREATMENT
	98.2	6,039	-9	LEGITIMATE SKIP
	1.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1252-1253

EL6_C_4	#DAYS SERVICES RECEIVD/TREAT/LOCATION #4
----------------	---

Since your admission, on how many days have you received services at (TREATMENT LOCATION - 4th mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.2	6,039	-9	LEGITIMATE SKIP
	1.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1254-1255

EL6_D_4**WHO REFERRD YOU TO TREATMNT/LOCATION #4**

Who referred you to (TREATMENT LOCATION - 4th mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	98.2	6,039	-9	LEGITIMATE SKIP
	1.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1256-1257

EL6_E_4**HOW HELPFUL THESE SERVICES A/LOCATION #4**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	98.2	6,039	-9	LEGITIMATE SKIP
	1.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1258-1259

EL7 RECEIVED SERVICES FOR DRUG ABUSE

Since your admission, have you received services for drug abuse at some other program (do not include services from AA, NA, or CA, or other 12-step group)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	180	1	YES
97.1	96.4	5,927	2	NO
	0.7	41	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1260-1261

EL7_A_A SERVICES:PRIVATE PHYSICIAN/PSYCHI/PSYCH

Since your admission, where have you received these services?

Private physician, psychiatrist, or psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	1	CIRCLED
	96.4	5,925	-9	LEGITIMATE SKIP
	3.5	217	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1262-1263

EL7_A_B**SERVICES:28-DAY/OTHER SHORT TERM TRTMNT**

Since your admission, where have you received these services?

28-day or other short-term inpatient treatment unit.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	17	2	CIRCLED
	96.4	5,927	-9	LEGITIMATE SKIP
	3.3	204	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1264-1265

EL7_A_C**SERVICES:THERAPEUTIC COMMUNITY**

Since your admission, where have you received these services?

Therapeutic community or other long-term residential treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	26	3	CIRCLED
	96.4	5,927	-9	LEGITIMATE SKIP
	3.2	195	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1266-1267

EL7_A_D	SERVICES:HALFWAY HOUSE
----------------	-------------------------------

Since your admission, where have you received these services?

Halfway house.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	4	CIRCLED
	96.4	5,927	-9	LEGITIMATE SKIP
	3.5	215	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1268-1269

EL7_A_E	SERVICES:METHADONE TREAT PROG
----------------	--------------------------------------

Since your admission, where have you received these services?

Methadone or other maintenance treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	5	CIRCLED
	96.4	5,927	-9	LEGITIMATE SKIP
	3.5	214	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1270-1271

EL7_A_F**SERVICES:INTENSIVE OUTPT (NON-METHADONE)**

Since your admission, where have you received these services?

Intensive outpatient drug treatment program (non-methadone).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	6	CIRCLED
	96.4	5,927	-9	LEGITIMATE SKIP
	3.5	218	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1272-1273

EL7_A_G**SERVICES:DETOXIFICATION TREATMENT UNIT**

Since your admission, where have you received these services?

Other drug detoxification treatment unit (methadone or other).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	7	CIRCLED
	96.4	5,927	-9	LEGITIMATE SKIP
	3.5	216	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1274-1275

EL7_A_H SERVICES:OTHER OUTPATIENT DRUG TREATMNT

Since your admission, where have you received these services?

Other outpatient drug treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	100	8	CIRCLED
	96.4	5,925	-9	LEGITIMATE SKIP
	2.0	123	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1276-1277

EL7_A_I SERVICES:OTHER INPATIENT DRUG TREATMENT

Since your admission, where have you received these services?

Other inpatient drug treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	12	9	CIRCLED
	96.4	5,927	-9	LEGITIMATE SKIP
	3.4	209	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1278-1279

EL7_B_1**FIRST TREATMENT LOCATION**

Since your admission, where have you received these services?
First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.1	6	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
6.4	0.2	11	2	28-DAY/OTHER SHORT TERM TREATMENT
14.5	0.4	25	3	THERAPEUTIC COMMUNITY
3.5	0.1	6	4	HALFWAY HOUSE
4.6	0.1	8	5	METHADONE TREAT PROG
1.7	0.0	3	6	INTENSIVE OUTPT (NON-METHADONE)
2.3	0.1	4	7	DETOXIFICATION TREATMENT UNIT
55.5	1.6	96	8	OTHER OUTPATIENT DRUG TREATMENT
8.1	0.2	14	9	OTHER INPATIENT DRUG TREATMENT
	96.4	5,925	-9	LEGITIMATE SKIP
	0.8	49	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1280-1281

EL7_C_1**#DAYS SERVICES RECEIVED/TREAT/LOCATION #1**

Since your admission, how many days have you received
services at (TREATMENT LOCATION - 1st mention)?

6,148 cases (Range of valid codes: 1-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1282-1283

EL7_D_1	WHO REFERRD YOU TO TREATMENT/LOCATION #1
----------------	---

Who referred you to (TREATMENT LOCATION - 2nd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	1.7	106	1	PROGRAM
20.5	0.6	35	2	OUTSIDE SOURCE
17.5	0.5	30	3	SELF
	96.4	5,926	-9	LEGITIMATE SKIP
	0.8	50	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1284-1285

EL7_E_1	HOW HELPFUL THESE SERVICES A/LOCATION #1
----------------	---

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.0	2	0	NOT AT ALL
12.7	0.4	22	1	SOMEWHAT
86.1	2.4	149	2	VERY HELPFUL
	96.4	5,925	-9	LEGITIMATE SKIP
	0.8	50	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1286-1287

EL7_B_2

SECOND TREATMENT LOCATION

Since your admission, where have you received these services?
Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
15.4	0.0	2	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
84.6	0.2	11	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	96.4	5,927	-9	LEGITIMATE SKIP
	3.4	207	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1288-1289

EL7_C_2

#DAYS SERVICES RECEIVED/TREAT/LOCATION #2

Since your admission, how many days have you received
services at (TREATMENT LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.0	2	1	
18.8	0.0	3	4	
6.2	0.0	1	6	
6.2	0.0	1	7	
6.2	0.0	1	9	
12.5	0.0	2	12	
6.2	0.0	1	17	
6.2	0.0	1	21	
6.2	0.0	1	23	
6.2	0.0	1	24	
6.2	0.0	1	56	
6.2	0.0	1	94	
	96.4	5,927	-9	LEGITIMATE SKIP
	3.3	205	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1290-1291

EL7_D_2 **WHO REFERRD YOU TO TREATMENT/LOCATION #2**

Who referred you to (TREATMENT LOCATION - 2nd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	0.2	11	1	PROGRAM
6.7	0.0	1	2	OUTSIDE SOURCE
20.0	0.0	3	3	SELF
	96.4	5,927	-9	LEGITIMATE SKIP
	3.4	206	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1292-1293

EL7_E_2 **HOW HELPFUL THESE SERVICES A/LOCATION #2**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
20.0	0.0	3	1	SOMEWHAT
80.0	0.2	12	2	VERY HELPFUL
	96.4	5,927	-9	LEGITIMATE SKIP
	3.4	206	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1294-1295

EL7_B_3**THIRD TREATMENT LOCATION**

Since your admission, where have you received these services?
Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
66.7	0.0	2	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	96.4	5,927	-9	LEGITIMATE SKIP
	3.5	218	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1296-1297

EL7_C_3**#DAYS SERVICES RECEIVED/TREAT/LOCATION #3**

Since your admission, how many days have you received
services at (TREATMENT LOCATION - 3rd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	
33.3	0.0	1	3	
33.3	0.0	1	4	
	96.4	5,927	-9	LEGITIMATE SKIP
	3.5	218	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1298-1299

EL7_D_3

WHO REFERRD YOU TO TREATMENT/LOCATION #3

Who referred you to (TREATMENT LOCATION - 3rd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.0	2	1	PROGRAM
33.3	0.0	1	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	96.4	5,927	-9	LEGITIMATE SKIP
	3.5	218	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1300-1301

EL7_E_3

HOW HELPFUL THESE SERVICES A/LOCATION #3

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.0	3	2	VERY HELPFUL
	96.4	5,927	-9	LEGITIMATE SKIP
	3.5	218	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1302-1303

EL7_B_4**FOURTH TREATMENT LOCATION**

Since your admission, where have you received these services?
Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	96.4	5,927	-9	LEGITIMATE SKIP
	3.6	221	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1304-1305

EL7_C_4**#DAYS SERVICES RECEIVED/TREAT/LOCATION #4**

Since your admission, how many days have you received
services at (TREATMENT LOCATION - 4th mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	96.4	5,927	-9	LEGITIMATE SKIP
	3.6	221	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1306-1307

EL7_D_4

WHO REFERRD YOU TO TREATMENT/LOCATION #4

Who referred you to (TREATMENT LOCATION - 4th mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	96.4	5,927	-9	LEGITIMATE SKIP
	3.6	221	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1308-1309

EL7_E_4

HOW HELPFUL THESE SERVICES A/LOCATION #4

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	96.4	5,927	-9	LEGITIMATE SKIP
	3.6	221	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1310-1311

EL8_0

INDIVIDUAL SERVICES/NO ONE

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

No one.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.8	851	0	CIRCLED
	51.6	3,172	-8	BLANK
	0.0	1	-5	BAD DATA
	0.3	18	-3	NOT APPLICABLE
	34.3	2,106	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1312-1313

EL8_2

INDIVIDUAL SERVICES/CASE MANAGER

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	142	2	CIRCLED
	13.8	851	-9	LEGITIMATE SKIP
	81.0	4,977	-8	BLANK
	0.2	11	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.7	166	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1316-1317

EL8_11	INDIVIDUAL SERVICES/OTHER COUNSELOR
---------------	--

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.2	322	11	CIRCLED
	13.8	851	-9	LEGITIMATE SKIP
	78.0	4,797	-8	BLANK
	0.2	11	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.7	166	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1318-1319

EL8_12

INDIV SERVICES/OTHER CASE MANAGER

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	12	CIRCLED
	13.8	851	-9	LEGITIMATE SKIP
	83.1	5,106	-8	BLANK
	0.2	11	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.7	166	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1320-1321

EL8_21

INDIVIDUAL SERVICES/PSYCHOLOGIST

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	27	21	CIRCLED
	13.8	851	-9	LEGITIMATE SKIP
	82.8	5,092	-8	BLANK
	0.2	11	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.7	166	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1324-1325

EL8_71

INDIV SERVICES/STAFF FR OTHER AGENCY

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Staff from another agency who provide services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	71	CIRCLED
	13.8	851	-9	LEGITIMATE SKIP
	83.1	5,106	-8	BLANK
	0.2	11	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.7	166	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1328-1329

EL8_91	INDIVIDUAL SERVICES/OTHER
---------------	----------------------------------

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	134	91	CIRCLED
	13.8	851	-9	LEGITIMATE SKIP
	81.1	4,985	-8	BLANK
	0.2	11	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.7	166	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1330-1331

EL8_A_1	TALKED TO MOST OFTEN/PROVIDER #1
---------	----------------------------------

Which 2 do you talk to or see most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	4	0	NO ONE
92.9	74.1	4,557	1	PRIMARY/REG COUNSELOR
2.0	1.6	98	2	CASE MANAGER
2.7	2.1	130	11	OTHER COUNSELOR
0.0	0.0	2	12	OTHER CASE MANAGER
0.1	0.1	5	13	SOCIAL WORKER
0.2	0.2	11	21	PSYCHOLOGIST
0.6	0.5	31	22	PSYCHIATRIST
0.1	0.1	4	71	STAFF FROM ANOTHER AGENCY
1.2	1.0	61	91	OTHER
	13.7	840	-9	LEGITIMATE SKIP
	3.9	238	-8	BLANK
	0.1	7	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.6	159	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1332-1333

EL8_A_2 TALKED TO MOST OFTEN/PROVIDER #2

Which 2 do you talk to or see most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.1	9	0	NO ONE
12.3	0.8	50	1	PRIMARY/REG COUNSELOR
9.9	0.7	40	2	CASE MANAGER
43.0	2.8	174	11	OTHER COUNSELOR
1.2	0.1	5	12	OTHER CASE MANAGER
3.7	0.2	15	13	SOCIAL WORKER
3.2	0.2	13	21	PSYCHOLOGIST
6.2	0.4	25	22	PSYCHIATRIST
1.2	0.1	5	71	STAFF FROM ANOTHER AGENCY
17.0	1.1	69	91	OTHER
	13.8	850	-9	LEGITIMATE SKIP
	77.0	4,735	-8	BLANK
	0.1	5	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.5	152	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1334-1335

EL9 #TIMES/GOT INDIVIDUAL SERVICES(PRO #1)

Since your admission, how many times have you received scheduled individual services from your (PROVIDER #1 FROM L8a)?

6,148 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1336-1337

EL9_A #MINUTES/INDIVIDUAL SESSION LAST(PRO #1)

How long did (this session last/your individual sessions usually last) with your (PROVIDER #1 FROM L8a)?

Number of minutes?

6,148 cases (Range of valid codes: 0-340)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1338-1340

EL10**CASELOAD ASSIGN TO THE PERSON (PRO #1)**

Is your (PROVIDER #1 FROM L8a) the person whose caseload you are assigned to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	78.4	4,821	1	YES
4.1	3.4	206	2	NO
	13.7	843	-9	LEGITIMATE SKIP
	1.4	87	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	15	-4	DON'T KNOW
	2.8	174	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1341-1342

EL11**HOW YOU FEEL/PRO #1 UNDERSTANDS YOU**

Overall, how well do you feel your (PROVIDER #1 FROM L8a) understands you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.3	265	0	NOT AT ALL
36.2	29.5	1,811	1	SOMEWHAT
58.5	47.6	2,924	2	A LOT
	13.7	841	-9	LEGITIMATE SKIP
	1.6	101	-8	BLANK
	0.0	1	-5	BAD DATA
	0.4	22	-4	DON'T KNOW
	3.0	183	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1343-1344

EL12 YOUR RELATIONSHIP W/ PROVIDER #1

Overall, how would you rate your relationship with your (PROVIDER # 1 FROM L8a)? Is it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.0	184	1	POOR
22.3	18.1	1,114	2	FAIR
47.9	39.0	2,395	3	GOOD
26.2	21.3	1,309	4	EXCELLENT
	13.7	840	-9	LEGITIMATE SKIP
	1.7	105	-8	BLANK
	0.0	1	-5	BAD DATA
	0.4	22	-4	DON'T KNOW
	2.9	178	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1345-1346

EL13_A HOW OFTEN TALK/USE OF ALCOHOL/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	26.3	1,615	0	NEVER
30.5	24.7	1,521	1	SOME SESSIONS
14.1	11.4	702	2	MOST SESSIONS
23.0	18.7	1,147	3	EVERY SESSION
	13.7	842	-9	LEGITIMATE SKIP
	2.1	132	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	3.0	182	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1347-1348

EL13_B

HOW OFTEN TALK/DRUG/CAUSE PROB/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	7.5	461	0	NEVER
25.3	20.5	1,260	1	SOME SESSIONS
22.8	18.5	1,137	2	MOST SESSIONS
42.7	34.6	2,128	3	EVERY SESSION
	13.7	842	-9	LEGITIMATE SKIP
	2.1	128	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	3.0	182	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1349-1350

EL13_C	HOW OFTEN TALK/EMOTIONAL HEALTH/PRO #1
--------	--

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	12.2	749	0	NEVER
24.7	20.0	1,230	1	SOME SESSIONS
20.1	16.3	1,004	2	MOST SESSIONS
40.2	32.6	2,004	3	EVERY SESSION
	13.7	842	-9	LEGITIMATE SKIP
	2.1	128	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	3.0	182	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1351-1352

EL13_D

HOW OFTEN TALK/RELATION W/FAMILY/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	12.6	777	0	NEVER
30.8	25.0	1,538	1	SOME SESSIONS
20.1	16.3	1,004	2	MOST SESSIONS
33.4	27.1	1,667	3	EVERY SESSION
	13.7	842	-9	LEGITIMATE SKIP
	2.1	129	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	3.0	182	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1353-1354

EL13_E	HOW OFTEN TALK/YOUR PHYS HEALTH/PRO #1
---------------	---

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	31.1	1,915	0	NEVER
34.9	28.3	1,738	1	SOME SESSIONS
10.8	8.8	540	2	MOST SESSIONS
15.8	12.8	786	3	EVERY SESSION
	13.7	842	-9	LEGITIMATE SKIP
	2.2	137	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	3.0	182	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1355-1356

EL13_F

HOW OFTEN TALK/YOUR EDUC/TRAINING/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.5	33.6	2,066	0	NEVER
38.5	31.2	1,918	1	SOME SESSIONS
9.5	7.7	472	2	MOST SESSIONS
10.6	8.6	526	3	EVERY SESSION
	13.7	842	-9	LEGITIMATE SKIP
	2.2	133	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
	3.0	182	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1357-1358

EL13_H**HOW OFTEN TALK/YOUR JOB/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.2	40.6	2,497	0	NEVER
31.6	25.6	1,575	1	SOME SESSIONS
8.6	6.9	427	2	MOST SESSIONS
9.6	7.8	479	3	EVERY SESSION
	13.7	842	-9	LEGITIMATE SKIP
	2.2	138	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	3.0	183	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1361-1362

EL13_I**HOW OFTEN TALK/LIVING EXPENSES/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	48.1	2,956	0	NEVER
26.9	21.8	1,338	1	SOME SESSIONS
6.7	5.4	333	2	MOST SESSIONS
7.0	5.7	349	3	EVERY SESSION
	13.7	842	-9	LEGITIMATE SKIP
	2.3	140	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
	3.0	182	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1363-1364

EL13_K_1	HOW OFTEN TALK/SPECIFY 1ST ISSUE/PRO #1
-----------------	--

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	8	0	NEVER
31.0	2.8	172	1	SOME SESSIONS
19.1	1.7	106	2	MOST SESSIONS
48.5	4.4	269	3	EVERY SESSION
	84.2	5,177	-9	LEGITIMATE SKIP
	4.6	282	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.1	130	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1369-1370

EL13_K_2	HOW OFTEN TALK/SPECIFY 2ND ISSUE/PRO #1
-----------------	--

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.0	3	0	NEVER
37.8	0.9	54	1	SOME SESSIONS
23.1	0.5	33	2	MOST SESSIONS
37.1	0.9	53	3	EVERY SESSION
	84.3	5,182	-9	LEGITIMATE SKIP
	11.2	690	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.1	129	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1371-1372

EL13_K_3 HOW OFTEN TALK/SPECIFY 3RD ISSUE/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.0	3	0	NEVER
34.7	0.3	17	1	SOME SESSIONS
26.5	0.2	13	2	MOST SESSIONS
32.7	0.3	16	3	EVERY SESSION
	84.3	5,183	-9	LEGITIMATE SKIP
	12.7	783	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.1	129	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1373-1374

EL13_K_4 HOW OFTEN TALK/SPECIFY 4TH ISSUE/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.0	3	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
31.6	0.1	6	2	MOST SESSIONS
52.6	0.2	10	3	EVERY SESSION
	84.3	5,184	-9	LEGITIMATE SKIP
	13.2	812	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	2.1	129	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1375-1376

EL14_A**SESSIONS HELPED/STOP USE OF DRUG/PRO #1**

How much have your sessions with your (PROVIDER #1 FROM L8a) helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	12.6	773	0	NOT AT ALL
31.9	25.4	1,560	1	SOMEWHAT
52.3	41.6	2,556	2	VERY MUCH
	13.7	843	-9	LEGITIMATE SKIP
	2.4	146	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	7	-4	DON'T KNOW
	4.2	260	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1377-1378

EL14_B**SESSIONS HELPED/OTHER PROBLEM/PRO #1**

How much have your sessions with your (PROVIDER #1 FROM L8a) helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	12.0	739	0	NOT AT ALL
40.0	32.3	1,983	1	SOMEWHAT
45.0	36.3	2,230	2	VERY MUCH
	13.7	842	-9	LEGITIMATE SKIP
	2.5	151	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-4	DON'T KNOW
	3.2	195	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1379-1380

EL15_M	MONTH/LAST SAW/PRO #1/INDIVIDUAL SERVICE
---------------	---

When did you last see your (PROVIDER #1 FROM L8a) for individual services? Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	6.6	408	1	
8.5	6.8	416	2	
11.2	9.0	551	3	
9.9	7.9	487	4	
8.9	7.1	436	5	
7.3	5.8	359	6	
9.9	8.0	489	7	
7.4	5.9	363	8	
6.3	5.0	310	9	
7.9	6.3	387	10	
6.9	5.5	340	11	
7.6	6.1	376	12	
	13.7	842	-9	LEGITIMATE SKIP
	2.8	171	-8	BLANK
	0.0	1	-7	REFUSAL
	0.4	24	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
	2.9	181	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1381-1382

EL15_D	DAY/LAST SAW/PRO #1/INDIVIDUAL SERVICE
---------------	---

When did you last see your (PROVIDER #1 FROM L8a) for individual services? Day.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	2.9	181	1	
3.9	3.1	188	2	
2.9	2.3	142	3	
3.4	2.7	164	4	
3.2	2.5	154	5	
3.0	2.3	144	6	
3.6	2.8	173	7	
3.0	2.4	146	8	
3.1	2.5	151	9	
3.5	2.8	171	10	
2.9	2.3	143	11	
3.7	2.9	181	12	
3.4	2.7	164	13	
3.4	2.7	165	14	
3.1	2.4	150	15	
4.2	3.4	206	16	
3.4	2.7	163	17	
3.2	2.5	156	18	
3.2	2.6	158	19	
3.5	2.7	168	20	
3.2	2.5	154	21	
3.2	2.5	156	22	
3.9	3.1	188	23	
2.7	2.1	129	24	
2.8	2.2	137	25	
3.2	2.6	158	26	
3.0	2.4	145	27	
3.3	2.6	159	28	
2.9	2.3	142	29	
3.1	2.5	153	30	
1.5	1.2	74	31	
	13.7	843	-9	LEGITIMATE SKIP
	3.1	193	-8	BLANK
	0.0	1	-7	REFUSAL
	0.4	25	-5	BAD DATA
	0.7	45	-4	DON'T KNOW
	2.9	178	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1383-1384

EL15_Y	YEAR/LAST SAW/PRO #1/INDIVIDUAL SERVICE
---------------	--

When did you last see your (PROVIDER #1 FROM L8a) for individual services? Year.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	73	
0.0	0.0	1	89	
0.1	0.0	3	90	
1.2	0.9	57	91	
55.8	44.6	2,742	92	
42.9	34.3	2,106	93	
	13.7	842	-9	LEGITIMATE SKIP
	2.6	162	-8	BLANK
	0.0	1	-7	REFUSAL
	0.7	41	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
	3.0	185	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1385-1386

EL16

#TIMES/GOT INDIVIDUAL SERVICES(PRO #2)

These next questions are about the times you and your (PROVIDER #2 FROM L8a) have met for scheduled individual sessions. Since your admission, how many times have you had scheduled individual sessions with your (PROVIDER #2 FROM L8a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	5	0	
28.2	1.7	103	1	
24.9	1.5	91	2	
13.7	0.8	50	3	
11.0	0.7	40	4	
4.4	0.3	16	5	
4.7	0.3	17	6	
1.6	0.1	6	7	
1.1	0.1	4	8	
2.7	0.2	10	10	
1.6	0.1	6	12	
0.5	0.0	2	14	
0.8	0.0	3	15	
0.5	0.0	2	16	
0.3	0.0	1	18	
0.3	0.0	1	19	
0.3	0.0	1	20	
0.8	0.0	3	21	
0.5	0.0	2	28	
0.3	0.0	1	50	
0.3	0.0	1	70	
	14.7	901	-9	LEGITIMATE SKIP
	78.2	4,807	-8	BLANK
	1.2	75	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1387-1388

EL16_A	#MINUTES/INDIVIDUAL SESSION LAST(PRO #2)
---------------	---

How long did (this session last/your individual sessions usually last) with your (PROVIDER #2 FROM L8a)?

Number of minutes?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.8	0.0	3	0	
0.3	0.0	1	2	
2.5	0.1	9	5	
6.8	0.4	25	10	
9.6	0.6	35	15	
11.0	0.7	40	20	
0.8	0.0	3	25	
24.1	1.4	88	30	
0.3	0.0	1	35	
1.9	0.1	7	40	
8.8	0.5	32	45	
1.1	0.1	4	50	
19.5	1.2	71	60	
0.3	0.0	1	65	
0.5	0.0	2	75	
4.9	0.3	18	90	
0.3	0.0	1	105	
4.4	0.3	16	120	
0.8	0.0	3	150	
0.5	0.0	2	180	
0.3	0.0	1	210	
0.3	0.0	1	240	
0.3	0.0	1	360	
	14.6	898	-9	LEGITIMATE SKIP
	78.2	4,810	-8	BLANK
	1.2	75	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1389-1391

EL17**CASELOAD ASSIGN TO THE PERSON (PRO #2)**

Is your (PROVIDER #2 FROM L8a) the person whose caseload you are assigned to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	2.3	139	1	YES
62.7	3.8	234	2	NO
	14.4	886	-9	LEGITIMATE SKIP
	78.2	4,810	-8	BLANK
	0.1	4	-4	DON'T KNOW
	1.2	75	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1392-1393

EL18**DO YOU FEEL/PRO #2 UNDERSTANDS YOU**

Overall, how well do you feel your (PROVIDER #2 FROM L8a) understands you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	NOT AT ALL
40.4	2.4	146	1	SOMEWHAT
59.3	3.5	214	2	A LOT
	14.7	901	-9	LEGITIMATE SKIP
	78.3	4,811	-8	BLANK
	1.2	75	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1394-1395

EL20_B**HOW OFTEN TALK/DRUG/CAUSE PROB/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	NEVER
31.6	1.6	101	1	SOME SESSIONS
20.3	1.1	65	2	MOST SESSIONS
47.8	2.5	153	3	EVERY SESSION
	15.4	944	-9	LEGITIMATE SKIP
	78.1	4,804	-8	BLANK
	1.3	80	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1400-1401

EL20_C**HOW OFTEN TALK/EMOTIONAL HEALTH/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.0	3	0	NEVER
26.5	1.4	87	1	SOME SESSIONS
20.7	1.1	68	2	MOST SESSIONS
51.8	2.8	170	3	EVERY SESSION
	15.2	936	-9	LEGITIMATE SKIP
	78.1	4,804	-8	BLANK
	1.3	80	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1402-1403

EL20_D

HOW OFTEN TALK/RELATION W/FAMILY/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.1	8	0	NEVER
28.6	1.3	82	1	SOME SESSIONS
19.9	0.9	57	2	MOST SESSIONS
48.8	2.3	140	3	EVERY SESSION
	15.9	977	-9	LEGITIMATE SKIP
	78.1	4,804	-8	BLANK
	1.3	80	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1404-1405

EL20_E

HOW OFTEN TALK/YOUR PHYS HEALTH/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.1	8	0	NEVER
46.6	1.6	97	1	SOME SESSIONS
13.0	0.4	27	2	MOST SESSIONS
36.5	1.2	76	3	EVERY SESSION
	17.2	1,056	-9	LEGITIMATE SKIP
	78.1	4,804	-8	BLANK
	1.3	80	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1406-1407

EL20_F**HOW OFTEN TALK/YOUR EDUC/TRAINING/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.2	11	0	NEVER
52.8	1.5	95	1	SOME SESSIONS
12.8	0.4	23	2	MOST SESSIONS
28.3	0.8	51	3	EVERY SESSION
	17.6	1,084	-9	LEGITIMATE SKIP
	78.1	4,804	-8	BLANK
	1.3	80	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1408-1409

EL20_G**HOW OFTEN TALK/INVOLVE W/COURT/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	0.2	13	0	NEVER
52.8	1.2	75	1	SOME SESSIONS
12.0	0.3	17	2	MOST SESSIONS
26.1	0.6	37	3	EVERY SESSION
	18.2	1,122	-9	LEGITIMATE SKIP
	78.1	4,804	-8	BLANK
	1.3	80	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1410-1411

EL20_J**HOW OFTEN TALK/REDUCE RISK/AIDS/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	0.2	14	0	NEVER
45.5	0.8	50	1	SOME SESSIONS
18.2	0.3	20	2	MOST SESSIONS
23.6	0.4	26	3	EVERY SESSION
	18.8	1,153	-9	LEGITIMATE SKIP
	78.2	4,805	-8	BLANK
	1.3	80	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1416-1417

EL20_K**TALK/OTHER IMPORTANT ISSUES/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	1.1	68	1	YES
81.2	4.8	293	2	NO
	14.7	902	-9	LEGITIMATE SKIP
	78.2	4,805	-8	BLANK
	1.3	80	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1418-1419

EL20_K_1 HOW OFTEN TALK/SPECIFY 1ST ISSUE/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
21.4	0.2	15	1	SOME SESSIONS
5.7	0.1	4	2	MOST SESSIONS
72.9	0.8	51	3	EVERY SESSION
	19.4	1,192	-9	LEGITIMATE SKIP
	78.5	4,828	-8	BLANK
	0.9	58	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1420-1421

EL20_K_2 HOW OFTEN TALK/SPECIFY 2ND ISSUE/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
20.0	0.0	3	1	SOME SESSIONS
13.3	0.0	2	2	MOST SESSIONS
66.7	0.2	10	3	EVERY SESSION
	20.2	1,244	-9	LEGITIMATE SKIP
	78.6	4,831	-8	BLANK
	0.9	58	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1422-1423

EL20_K_3**HOW OFTEN TALK/SPECIFY 3RD ISSUE/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
100.0	0.0	3	3	EVERY SESSION
	20.4	1,256	-9	LEGITIMATE SKIP
	78.6	4,831	-8	BLANK
	0.9	58	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1424-1425

EL20_K_4**HOW OFTEN TALK/SPECIFY 4TH ISSUE/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	20.5	1,259	-9	LEGITIMATE SKIP
	78.6	4,831	-8	BLANK
	0.9	58	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1426-1427

EL22_M**MONTH/LAST SAW PRO #2/INDIVIDUAL SERVICE**

When did you last see your (PROVIDER #2 FROM L8a) for individual services? Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	1.7	106	1	JAN.-MARCH
19.1	1.2	72	2	APR.-JUNE
25.5	1.6	96	3	JULY-SEPT.
27.1	1.7	102	4	OCT.-DEC.
	14.5	891	-9	LEGITIMATE SKIP
	78.4	4,817	-8	BLANK
	1.0	64	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1432-1433

EL22_Y**YEAR/LAST SAW PRO #2/INDIVIDUAL SERVICE**

When did you last see your (PROVIDER #2 FROM L8a) for individual services? Year.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.1	4	91	
63.7	3.9	239	92	
35.2	2.1	132	93	
	14.5	891	-9	LEGITIMATE SKIP
	78.3	4,812	-8	BLANK
	0.0	2	-5	BAD DATA
	1.1	68	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1434-1435

EL23 **PERSON YOU SAW MOST/PRO #1/INDIV SERVICE**

Now, please think about the one person at this program you have seen the most often for individual services since your admission. Since your admission, is your (PROVIDER #1 FROM L8a) the person you have seen most often at this program for individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	77.2	4,748	1	YES
4.9	4.0	245	2	NO
	13.7	841	-9	LEGITIMATE SKIP
	2.3	143	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	2.7	165	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1436-1437

EL24 **PERSON YOU SAW MOST/PRO #2/INDIV SERVICE**

Since your admission, is your (PROVIDER #2 FROM L8a) the person you have seen most often at this program for individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	1.7	105	1	YES
22.8	0.5	31	2	NO
	90.5	5,567	-9	LEGITIMATE SKIP
	5.9	361	-8	BLANK
	1.4	84	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1438-1439

EL25**SAW MOST OFTEN AT PROG/FOR INDIV COUNSEL**

Since your admission, who have you seen or talked with most often at this program for individual counseling, treatment, or other individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	1.1	70	1	PRIMARY/REGULAR COUNSELOR
5.7	0.2	11	2	CASE MANAGER
28.6	0.9	55	11	OTHER COUNSELOR
1.0	0.0	2	12	OTHER CASE MANAGER
0.5	0.0	1	13	SOCIAL WORKER
0.5	0.0	1	21	PSYCHOLOGIST
1.6	0.0	3	22	PSYCHIATRIST
13.5	0.4	26	23	NURSE
1.0	0.0	2	71	STAFF FROM OTHER AGENCY
10.9	0.3	21	91	OTHER
	91.6	5,629	-9	LEGITIMATE SKIP
	3.8	232	-8	BLANK
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	1.5	90	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1440-1441

EL26_M**MONTH/LAST SAW PRO L25/INDIV SERVICE**

When did you last see your (PROVIDER FROM L25) for individual services? Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	0.7	42	1	JAN.-MARCH
24.6	0.7	44	2	APR.-JUNE
20.7	0.6	37	3	JULY-SEPT.
31.3	0.9	56	4	OCT.-DEC.
	91.7	5,640	-9	LEGITIMATE SKIP
	4.0	244	-8	BLANK
	0.0	3	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	1.3	81	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1442-1443

EL28**DO YOU KNOW WHO PREPARED TREATMENT PLAN**

Do you know who prepared this treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	39.1	2,404	1	YES
3.7	1.5	92	2	NO
	58.3	3,585	-9	LEGITIMATE SKIP
	1.1	66	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1448-1449

EL28A_00**PREPARED PLAN/SELF**

Who prepared it?

Self.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.0	430	0	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	33.1	2,037	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1450-1451

EL28A_01	PREPARED PLAN/REGULAR COUNSELOR
-----------------	--

Who prepared it?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	29.0	1,781	1	CIRCLED
	59.8	3,675	-9	LEGITIMATE SKIP
	11.2	689	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.0	2	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1452-1453

EL28A_02	PREPARED PLAN/CASE MANAGER
-----------------	-----------------------------------

Who prepared it?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	52	2	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	39.3	2,416	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1454-1455

EL28A_11	PREPARED PLAN/OTHER COUNSELOR
-----------------	--------------------------------------

Who prepared it?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.6	404	11	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	33.6	2,064	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1456-1457

EL28A_12	PREPARED PLAN/OTHER CASE MANAGER
-----------------	---

Who prepared it?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	12	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	40.0	2,459	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1458-1459

EL28A_13 PREPARED PLAN/SOCIAL WORKER

Who prepared it?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	13	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	40.0	2,459	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1460-1461

EL28A_21 PREPARED PLAN/PSYCHOLOGIST

Who prepared it?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	21	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	40.1	2,466	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1462-1463

EL28A_22	PREPARED PLAN/PSYCHIATRIST
-----------------	-----------------------------------

Who prepared it?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	45	22	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	39.4	2,423	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1464-1465

EL28A_23	PREPARED PLAN/NURSE
-----------------	----------------------------

Who prepared it?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	20	23	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	39.8	2,448	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1466-1467

EL28A_24	PREPARED PLAN/VOCATIONAL COUNSELOR
-----------------	---

Who prepared it?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	24	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	40.1	2,467	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1468-1469

EL28A_25	PREPARED PLAN/PHYSICIAN
-----------------	--------------------------------

Who prepared it?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	15	25	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	39.9	2,453	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1470-1471

EL28A_26 **PREPARED PLAN/PHYSICIAN'S ASSISTANT**

Who prepared it?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	26	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	40.1	2,467	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1472-1473

EL28A_71 **PREPARED PLAN/STAFF FR OTHER AGENCY**

Who prepared it?

Staff from another agency who visited the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	71	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	40.1	2,464	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1474-1475

EL28A_91 PREPARED PLAN/OTHER

Who prepared it?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	55	91	CIRCLED
	59.8	3,679	-9	LEGITIMATE SKIP
	39.2	2,413	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1476-1477

EL28B PERSON MOST RESPONSIBLE FOR PREPARING PL

Who was the person most responsible for preparing the plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	0.7	43	0	SELF
63.2	2.1	127	1	PRIMARY/REGULAR COUNSELOR
2.0	0.1	4	2	CASE MANAGER
9.5	0.3	19	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
1.0	0.0	2	22	PSYCHIATRIST
1.0	0.0	2	23	NURSE
0.0	0.0	0	24	VOCATIONAL COUNSELOR
0.0	0.0	0	25	PHYSICIAN
0.0	0.0	0	26	PHYSICIANS ASSISTANT
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
2.0	0.1	4	91	OTHER
	59.8	3,678	-9	LEGITIMATE SKIP
	21.1	1,296	-8	BLANK
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	15.8	970	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1478-1479

EL29**MET W/ANYONE TO TALK/YOUR TREAT PLAN**

Have you met with anyone to talk about your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	33.9	2,087	1	YES
17.5	7.2	442	2	NO
	58.3	3,582	-9	LEGITIMATE SKIP
	0.6	37	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1480-1481

EL29_A**DO YOU KNOW GOALS IN TREATMENT PLAN**

Do you know what the goals in your treatment plan are?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	32.7	2,013	1	YES
3.0	1.0	63	2	NO
	65.2	4,011	-9	LEGITIMATE SKIP
	1.0	61	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1482-1483

EL29_B_A **GOAL PLAN/YOUR USE OF ALCOHOL**

Does your plan include any goals for your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	23.3	1,431	1	YES
29.4	9.7	595	2	NO
	66.2	4,071	-9	LEGITIMATE SKIP
	0.8	47	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1484-1485

EL29_B_B **GOAL PLAN/DRUG/CAUSED PROBLEM**

Does your plan include any goals for your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	30.8	1,895	1	YES
6.9	2.3	140	2	NO
	66.2	4,071	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1486-1487

EL29_B_C**GOAL PLAN/EMOTIONAL HEALTH**

Does your plan include any goals for your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	24.9	1,533	1	YES
24.2	8.0	489	2	NO
	66.2	4,071	-9	LEGITIMATE SKIP
	0.7	41	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	10	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1488-1489

EL29_B_D**GOAL PLAN/RELATIONSHIP W/FAMILY**

Does your plan include any goals for your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.0	26.0	1,600	1	YES
21.0	6.9	425	2	NO
	66.2	4,071	-9	LEGITIMATE SKIP
	0.7	41	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	9	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1490-1491

EL29_B_E **GOAL PLAN/YOUR PHYSICAL HEALTH**

Does your plan include any goals for your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.1	17.8	1,097	1	YES
45.9	15.2	932	2	NO
	66.2	4,070	-9	LEGITIMATE SKIP
	0.7	41	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1492-1493

EL29_B_F **GOAL PLAN/YOUR EDUCATION/TRAINING**

Does your plan include any goals for your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	15.3	943	1	YES
53.5	17.6	1,085	2	NO
	66.2	4,071	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1494-1495

EL29_B_G	GOAL PLAN/INVOLVEMENT W/COURT
-----------------	--------------------------------------

Does your plan include any goals for involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	9.8	602	1	YES
70.3	23.2	1,425	2	NO
	66.2	4,071	-9	LEGITIMATE SKIP
	0.7	43	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1496-1497

EL29_B_H	GOAL PLAN/YOUR JOB
-----------------	---------------------------

Does your plan include any goals for your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	14.3	881	1	YES
56.5	18.6	1,144	2	NO
	66.2	4,071	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	3	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1498-1499

EL29_B_I	GOAL PLAN/LIVING EXPENSES
-----------------	----------------------------------

Does your plan include any goals for housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	11.5	708	1	YES
65.0	21.4	1,315	2	NO
	66.2	4,071	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1500-1501

EL29_B_J	GOAL PLAN/REDUCE RISK FOR GETTING AIDS
-----------------	---

Does your plan include any goals for reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	10.9	669	1	YES
66.9	22.0	1,354	2	NO
	66.2	4,072	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1502-1503

EL29_B_K	GOAL PLAN/OTHER IMPORTANT ISSUES
-----------------	---

Does your plan include any goals for any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	3.2	196	1	YES
90.1	29.1	1,787	2	NO
	66.2	4,072	-9	LEGITIMATE SKIP
	1.5	92	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1504-1505

EL29BK_1	OTHER IMPORTANT ISSUES-SPECIFY 1
-----------------	---

Does your plan include any goals for any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	1.7	106	1	YES
3.6	0.1	4	2	NO
	95.2	5,855	-9	LEGITIMATE SKIP
	1.1	69	-8	BLANK
	1.9	114	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1506-1507

EL29BK_2 OTHER IMPORTANT ISSUES-SPECIFY 2

Does your plan include any goals for any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	40	1	YES
0.0	0.0	0	2	NO
	95.3	5,859	-9	LEGITIMATE SKIP
	2.2	135	-8	BLANK
	1.9	114	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1508-1509

EL29BK_3 OTHER IMPORTANT ISSUES-SPECIFY 3

Does your plan include any goals for any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	12	1	YES
0.0	0.0	0	2	NO
	95.3	5,860	-9	LEGITIMATE SKIP
	2.6	162	-8	BLANK
	1.9	114	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1510-1511

EL29BK_4	OTHER IMPORTANT ISSUES-SPECIFY 4
-----------------	---

Does your plan include any goals for any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.2	10	1	YES
9.1	0.0	1	2	NO
	95.3	5,857	-9	LEGITIMATE SKIP
	2.7	166	-8	BLANK
	1.9	114	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1512-1513

EL29_C	AGREE WITH GOALS IN TREATMENT PLAN
---------------	---

Do you agree with the goals in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	32.1	1,973	1	YES
2.8	0.9	56	2	NO
	66.1	4,066	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
	0.1	9	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1514-1515

EL30**ANY CHANGES IN TREATMENT PLAN**

Since your admission, have there been any changes in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	3.7	227	1	YES
91.0	37.4	2,298	2	NO
	58.2	3,577	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1520-1521

EL30_A**#TIMES PLAN HAS BEEN CHANGED**

Since your admission, how many times has it been changed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.0	2	0	
73.4	2.7	168	1	
17.0	0.6	39	2	
6.1	0.2	14	3	
1.7	0.1	4	4	
0.4	0.0	1	10	
0.4	0.0	1	70	
	95.5	5,870	-9	LEGITIMATE SKIP
	0.8	48	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1522-1523

EL30_B_M	MONTH/PLAN MOST RECENTLY CHANGED
----------	----------------------------------

When was this plan most recently changed? Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	0.4	24	1	
9.0	0.3	20	2	
12.7	0.5	28	3	
7.7	0.3	17	4	
12.2	0.4	27	5	
5.4	0.2	12	6	
10.9	0.4	24	7	
7.7	0.3	17	8	
5.4	0.2	12	9	
10.9	0.4	24	10	
3.6	0.1	8	11	
3.6	0.1	8	12	
	95.6	5,875	-9	LEGITIMATE SKIP
	0.8	49	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1524-1525

EL30_B_D

DAY/PLAN MOST RECENTLY CHANGED

When was this plan most recently changed? Day.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	7	1	
3.7	0.1	8	2	
4.1	0.1	9	3	
3.2	0.1	7	4	
2.8	0.1	6	5	
4.6	0.2	10	6	
5.1	0.2	11	7	
1.4	0.0	3	8	
3.2	0.1	7	9	
3.7	0.1	8	10	
4.1	0.1	9	11	
3.7	0.1	8	12	
3.2	0.1	7	13	
5.1	0.2	11	14	
1.8	0.1	4	15	
2.3	0.1	5	16	
2.8	0.1	6	17	
4.1	0.1	9	18	
3.7	0.1	8	19	
5.5	0.2	12	20	
1.8	0.1	4	21	
1.8	0.1	4	22	
4.1	0.1	9	23	
3.2	0.1	7	24	
3.2	0.1	7	25	
0.9	0.0	2	26	
4.6	0.2	10	27	
1.4	0.0	3	28	
2.3	0.1	5	29	
2.8	0.1	6	30	
2.3	0.1	5	31	
	95.6	5,875	-9	LEGITIMATE SKIP
	0.8	50	-8	BLANK
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1526-1527

EL30C_00	WHO CHANGED PLAN/SELF
-----------------	------------------------------

Who changed it?

Self.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	77	0	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	3.2	196	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1528-1529

EL30C_01	WHO CHANGED PLAN/REGULAR COUNSELOR
-----------------	---

Who changed it?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	139	1	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	2.2	134	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1530-1531

EL30C_02	WHO CHANGED PLAN/CASE MANAGER
-----------------	--------------------------------------

Who changed it?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	2	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.2	260	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1532-1533

EL30C_11	WHO CHANGED PLAN/OTHER COUNSELOR
-----------------	---

Who changed it?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	15	11	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.2	258	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1534-1535

EL30C_12	WHO CHANGED PLAN/OTHER CASE MANAGER
-----------------	--

Who changed it?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.4	273	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1536-1537

EL30C_13	WHO CHANGED PLAN/SOCIAL WORKER
-----------------	---------------------------------------

Who changed it?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.4	273	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1538-1539

EL30C_21	WHO CHANGED PLAN/PSYCHOLOGIST
-----------------	--------------------------------------

Who changed it?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.4	273	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1540-1541

EL30C_22	WHO CHANGED PLAN/PSYCHIATRIST
-----------------	--------------------------------------

Who changed it?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	22	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.3	264	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1542-1543

EL30C_23	WHO CHANGED PLAN/NURSE
-----------------	-------------------------------

Who changed it?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	23	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.4	271	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1544-1545

EL30C_24	WHO CHANGED PLAN/PHYSICIAN
-----------------	-----------------------------------

Who changed it?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	24	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.4	270	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1546-1547

EL30C_25

WHO CHANGED PLAN/PHYSICIAN'S ASSISTANT

Who changed it?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.4	273	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1548-1549

EL30C_26

WHO CHANGED PLAN/DENTIST

Who changed it?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.4	273	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1550-1551

EL30C_27	WHO CHANGED PLAN/VOCATIONAL COUNSELOR
-----------------	--

Who changed it?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.4	273	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1552-1553

EL30C_71	WHO CHANGED PLAN/STAFF FR OTHER AGENCY
-----------------	---

Who changed it?

Staff from another agency who visited the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.4	273	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1554-1555

EL30C_91	WHO CHANGED PLAN/OTHER
-----------------	-------------------------------

Who changed it?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	91	CIRCLED
	95.6	5,875	-9	LEGITIMATE SKIP
	4.3	262	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1556-1557

EL30_D	HOW MUCH SAY-SO YOU HAD IN CHANGING PLAN
---------------	---

How much say-so do you feel you had in changing your treatment plan? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	0.9	55	0	NONE
19.3	0.7	43	1	A LITTLE
56.1	2.0	125	2	A LOT
	95.5	5,874	-9	LEGITIMATE SKIP
	0.8	51	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1558-1559

EL31 PLAN INCLUDE GOALS AFTER TREATMENT

Does your treatment plan include any goals or plans for you after you leave treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	27.4	1,685	1	YES
30.3	12.4	761	2	NO
2.5	1.0	63	3	UNCERTAIN (NOV91 VER ONLY)
	58.2	3,579	-9	LEGITIMATE SKIP
	0.8	48	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.2	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1560-1561

EL32 STAFF PERSON AGREE ON DRUG TREAT GOALS

Think again about the staff person you have been seeing most regularly since your admission. How much do you and this person agree on the goals for your drug treatment? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.6	404	0	NOT AT ALL
32.4	30.7	1,886	1	SOMEWHAT
60.7	57.5	3,533	2	VERY MUCH
	1.0	59	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	6	-5	BAD DATA
	2.4	149	-4	DON'T KNOW
	1.8	109	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1562-1563

EL33**EASY/DIFFICULT TO DO/STAFF EXPECTATION**

Since your admission, has it been difficult or easy for you to do what the staff in this program expect of you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	22.8	1,403	1	DIFFICULT
76.9	76.2	4,682	2	EASY
	0.7	45	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	8	-4	DON'T KNOW
	0.1	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1564-1565

EL33_A**HAS BEEN VERY/SOMEWHAT DIFFICULT**

Has it been very difficult or somewhat difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	5.7	352	1	VERY DIFFICULT
75.4	17.5	1,078	2	SOMEWHAT DIFFICULT
	75.7	4,654	-9	LEGITIMATE SKIP
	0.9	58	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1566-1567

EL33_B	HAS BEEN VERY/SOMEWHAT EASY
---------------	------------------------------------

Has it been very easy or somewhat easy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.4	40.6	2,497	1	VERY EASY
46.6	35.4	2,178	2	SOMEWHAT EASY
	23.1	1,418	-9	LEGITIMATE SKIP
	0.8	50	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1568-1569

EL34	HAVE YOU FOLLOWED INSTRUCTION OF STAFF
-------------	---

Since your admission, would you say you have followed the instructions and suggestions of staff here . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	62	0	NOT AT ALL
30.2	29.8	1,830	1	SOMEWHAT
68.8	67.9	4,176	2	VERY CLOSELY
	1.1	70	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.1	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1570-1571

EL35

WHAT DRUG CAUSED MOST SERIOUS PROBLEMS

Now, I'd like to ask some questions about any personal goals that you may have regarding your use of drugs. Please include drugs taken without a doctor's prescription or not according to the prescription, as well as any illegal drugs. First, when you were admitted to this program, what drug caused you the most serious problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	327	0	NO PROBLEM DRUG
10.3	10.2	629	10	ALCOHOL
3.8	3.7	229	20	MARIJUANA, HASHISH, THC
1.8	1.8	110	30	HALLUCINOGENS OR PSYCHEDELICS, SUCH AS L
0.0	0.0	0	31	PCP
0.0	0.0	0	32	HALLUCINOGENS OTHER THAN PCP
22.5	22.3	1,373	40	COCAINE IN ANY FORM
26.9	26.7	1,639	41	CRACK
20.9	20.7	1,274	50	HEROIN
3.0	3.0	185	51	HEROIN AND COCAINE TOGETHER AT THE SAME
1.9	1.9	118	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.2	0.2	10	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	NARCOTICS OTHER THAN METHADONE
0.7	0.7	42	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS, SUCH AS DOR
0.0	0.0	0	72	BARBITURATES, SUCH AS NEMBUTAL, SECONAL,
0.0	0.0	0	73	BENZODIAZAPENES, SUCH AS VALIUM, LIBRIUM
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.5	0.5	30	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
1.9	1.9	117	81	METHAMPHETAMINES OR ICE
0.1	0.1	8	90	ANY OTHER DRUGS
0.1	0.1	4	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
0.0	0.0	0	92	ANOTHER DRUG
	0.4	27	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	24	-5	BAD DATA
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1572-1573

EL35_A ANY PERSONAL TREATMENT GOALS/TYPE L35

Do you have any personal treatment goals or plans regarding the use of (DRUG TYPE FROM L35)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	76.8	4,723	1	YES
11.4	9.9	607	2	NO
	5.2	320	-9	LEGITIMATE SKIP
	8.1	495	-8	BLANK
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1574-1575

EL36 PERSONAL TREATMENT GOALS

Please tell me what your personal treatment goals or plans are. Would you say . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	75.8	4,660	1	ABSTAIN/NEVER USE AGAIN
2.2	1.8	108	2	REDUCE YOUR LEVEL OF USE
0.4	0.3	21	3	QUIT FOR A WHILE BUT USE LATER
0.0	0.0	0	4	CONTINUE TO USE/BEFORE ENTER PROG
0.2	0.2	11	5	IF VOL: OTHER
	14.9	913	-9	LEGITIMATE SKIP
	6.9	427	-8	BLANK
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	0.0	2	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1576-1577

EL37**HOW MUCH PROGRAM TREATMENT WILL HELP YOU**

How much do you think your treatment in this program will help you do this? Do you think it will help . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.4	88	0	NOT AT ALL
10.8	8.4	515	1	A LITTLE
87.4	67.8	4,168	2	A LOT
	14.9	913	-9	LEGITIMATE SKIP
	7.4	456	-8	BLANK
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1578-1579

EL38**GOALS REGARDING DRUG USE/SAME/DIFFERENT**

Are your goals or plans regarding the use of other drugs the same or are they different? Do not include goals that you may have regarding the use of alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	75.0	4,614	1	SAME
3.5	2.7	167	2	DIFFERENT
	14.8	910	-9	LEGITIMATE SKIP
	7.1	439	-8	BLANK
	0.1	8	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.1	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1580-1581

EL39 TREATMENT GOALS/REGARDING ALCOHOL USE

These next few questions are about goals that you might have regarding alcohol use. Do you have any treatment goals regarding alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	49.3	3,032	1	YES
50.3	50.0	3,074	2	NO
	0.6	34	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1582-1583

EL39_A GOALS WRITTEN IN TREATMENT PLAN

Are these goals written in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	28.0	1,724	1	YES
36.8	16.4	1,006	2	NO
	50.0	3,072	-9	LEGITIMATE SKIP
	0.9	57	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	4.3	265	-4	DON'T KNOW
	0.4	22	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1584-1585

EL39_B**YOU/STAFF AGREE ON TREAT GOALS/ALC USE**

How much do you and the staff in this program agree on your treatment goals regarding alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	1.4	87	1	NOT AT ALL
16.3	7.6	469	2	SOMEWHAT
80.7	37.9	2,328	3	VERY MUCH
	50.0	3,071	-9	LEGITIMATE SKIP
	1.2	76	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-5	BAD DATA
	1.5	93	-4	DON'T KNOW
	0.3	19	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1586-1587

EL40**YOUR FUTURE PLAN ABOUT DRINKING**

Which do you think is closest to your plan for the future? Do you plan to . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	40.4	2,483	1	NEVER DRINK
9.0	4.0	245	2	DRINK OCCASIONALLY
0.2	0.1	6	3	DRINK REGULARLY
	55.5	3,411	-9	LEGITIMATE SKIP
	0.0	3	-8	BLANK

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1588-1589

EL41	PLAN TO CONTINUE TO DRINK ALCO IN FUTURE
-------------	---

Do you plan to continue to drink alcohol in the future?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	1.9	114	1	YES
67.6	3.9	238	2	NO
	93.5	5,747	-9	LEGITIMATE SKIP
	0.8	48	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1590-1591

EL41_A	YOUR FUTURE PLAN ABOUT DRINKING
---------------	--

Which is closest to your plan for the future? Do you plan to
 . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.2	10	1	QUIT FOR A WHILE/START LATER
21.0	0.8	52	2	QUIT/EVEN THOUGH YOU SLIP FEW TIME
75.0	3.0	186	3	QUIT/NEVER DRINK ALC AGAIN
	95.1	5,848	-9	LEGITIMATE SKIP
	0.8	51	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1592-1593

EL42**YOUR FUTURE PLAN FOR ALCOHOL USE**

Which of the following best describes your plans for alcohol use? Would you say you plan to . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.1	4	1	CONTINUE TO DRINK LIKE BEFORE
1.6	0.0	2	2	DRINK MORE ALC THAN BEFORE
84.4	1.8	108	3	CUT BACK ON DRINKING/>CONTROLLED
4.7	0.1	6	4	QUIT FOR A WHILE/START LATER
6.2	0.1	8	5	IF VOL: OTHER
	97.1	5,972	-9	LEGITIMATE SKIP
	0.8	48	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1594-1595

EL43**HOW MUCH PROGRAM TREATMENT WILL HELP**

How much do you think your treatment in this program will help you do this? Do you think it will help . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	1.4	83	0	NOT AT ALL
10.6	5.2	319	1	A LITTLE
86.6	42.2	2,597	2	A LOT
	49.9	3,070	-9	LEGITIMATE SKIP
	1.3	78	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1596-1597

EL44_A

REASON/ABUSE DRUGS/DEPRESS/UNHAPPY

People have different beliefs about drug abuse and drug dependence. I'd like to know how much you agree or disagree with each of the following statements about why people have problems with drugs.

The reason people abuse drugs is that they are depressed and unhappy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	7.1	435	1	STRONGLY DISAGREE
5.7	5.6	347	2	SOMEWHAT DISAGREE
35.0	34.8	2,141	3	SOMEWHAT AGREE
52.2	51.9	3,188	4	STRONGLY AGREE
	0.4	23	-8	BLANK
	0.2	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1598-1599

EL44_B

REASON/ABUSE DRUGS/FAMI PROB/GROWING UP

People have different beliefs about drug abuse and drug dependence. I'd like to know how much you agree or disagree with each of the following statements about why people have problems with drugs.

The reason people abuse drugs is that they had family problems at home while they were growing up.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.5	397	1	STRONGLY DISAGREE
6.2	6.1	378	2	SOMEWHAT DISAGREE
39.0	38.7	2,382	3	SOMEWHAT AGREE
48.3	48.0	2,952	4	STRONGLY AGREE
	0.4	27	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1600-1601

EL45_A**AGREE/DISAGREE/CAUSED PROB THEMSELVES**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that they have caused their drug problems themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.9	300	1	STRONGLY DISAGREE
4.4	4.4	272	2	SOMEWHAT DISAGREE
22.0	21.9	1,348	3	SOMEWHAT AGREE
68.7	68.4	4,206	4	STRONGLY AGREE
	0.3	19	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1602-1603

EL45_B**AGREE/DISAGREE/USE IN CONTROLLED WAY**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that they can learn how to use drugs in a controlled way.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.5	76.1	4,679	1	STRONGLY DISAGREE
10.3	10.3	633	2	SOMEWHAT DISAGREE
6.8	6.8	415	3	SOMEWHAT AGREE
6.4	6.4	393	4	STRONGLY AGREE
	0.4	24	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1604-1605

EL45_D**AGREE/DISAGREE/FACE/CONFRONT DENIAL**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that they have to face and confront their own denial of their drug problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	39	1	STRONGLY DISAGREE
0.6	0.6	36	2	SOMEWHAT DISAGREE
8.5	8.5	522	3	SOMEWHAT AGREE
90.3	89.9	5,527	4	STRONGLY AGREE
	0.3	21	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1608-1609

EL45_E**AGREE/DISAGREE/TURN OVER TO GOD**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that they have to turn themselves over to God or a higher power.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.7	225	1	STRONGLY DISAGREE
4.8	4.8	293	2	SOMEWHAT DISAGREE
20.0	19.9	1,225	3	SOMEWHAT AGREE
71.5	71.1	4,371	4	STRONGLY AGREE
	0.3	18	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.2	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1610-1611

EL45_F

AGREE/DISAGREE/GET HELP FROM AA/NA/CA

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that they will need to get help for their drug problem from AA, NA, CA, or another 12-step program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	181	1	STRONGLY DISAGREE
4.8	4.8	294	2	SOMEWHAT DISAGREE
24.3	24.1	1,484	3	SOMEWHAT AGREE
68.0	67.7	4,160	4	STRONGLY AGREE
	0.3	20	-8	BLANK
	0.1	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1612-1613

EL45_G

AGREE/DISAGREE/NEVER USE DRUGS AGAIN

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that they can never use drugs again, not even just once.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	141	1	STRONGLY DISAGREE
3.7	3.7	227	2	SOMEWHAT DISAGREE
11.0	11.0	674	3	SOMEWHAT AGREE
83.0	82.5	5,074	4	STRONGLY AGREE
	0.4	26	-8	BLANK
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1614-1615

EL45_H

AGREE/DISAGREE/HELP FROM PROFESSIONAL

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that they will need to get help for their drug problems from a professional who is trained to treat drug abuse problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	217	1	STRONGLY DISAGREE
5.4	5.4	333	2	SOMEWHAT DISAGREE
25.0	24.9	1,531	3	SOMEWHAT AGREE
66.0	65.7	4,038	4	STRONGLY AGREE
	0.4	22	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1616-1617

EL45_I

AGREE/DISAGREE/PAST CAUSED DRUG PROB

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that they need to talk to a professional about how their past helped to cause their drug problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	177	1	STRONGLY DISAGREE
4.2	4.2	258	2	SOMEWHAT DISAGREE
26.5	26.4	1,622	3	SOMEWHAT AGREE
66.4	66.1	4,061	4	STRONGLY AGREE
	0.4	26	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1618-1619

EL45_J

AGREE/DISAGREE/NO CONTROL OVER DRUGS

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that they have no control over their drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.8	662	1	STRONGLY DISAGREE
6.6	6.6	406	2	SOMEWHAT DISAGREE
14.0	13.9	856	3	SOMEWHAT AGREE
68.5	68.1	4,187	4	STRONGLY AGREE
	0.6	34	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1620-1621

EL45_K**AGREE/DISAGREE/AVOID PEOPLE/ABUSE DRUG**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that they have to avoid spending time with friends or other people who abuse drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	104	1	STRONGLY DISAGREE
2.3	2.3	139	2	SOMEWHAT DISAGREE
13.2	13.2	811	3	SOMEWHAT AGREE
82.8	82.5	5,071	4	STRONGLY AGREE
	0.3	20	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1622-1623

EL45_L**AGREE/DISAGREE/DRUG ABUSE IS A DISEASE**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped.

In order to be helped with their drug problems, people must realize that drug abuse is a disease.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	73	1	STRONGLY DISAGREE
1.6	1.6	99	2	SOMEWHAT DISAGREE
8.5	8.5	521	3	SOMEWHAT AGREE
88.7	88.2	5,421	4	STRONGLY AGREE
	0.4	25	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1624-1625

EL46

ATTENDED A REGULAR TREATMENT GROUP

Next, I'll ask about a group that is sometimes called a "regular treatment group" or simply "group." This kind of group meets often and deals with a variety of subjects related to addiction, such as drug or alcohol dependence, and other problems caused by addiction. (This is not your AA, NA, CA, or other 12-step group.) Since your admission, have you attended a group like this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	74.9	4,603	1	YES
24.9	24.8	1,525	2	NO
	0.3	18	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1626-1627

EL47_01

WHO LED MEETINGS/PRIMARY/REG COUNSELOR

Who has usually led these meetings?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	45.1	2,774	1	CIRCLED
	24.7	1,519	-9	LEGITIMATE SKIP
	30.1	1,850	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.0	3	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1628-1629

EL47_02

WHO LED MEETINGS/CASE MANAGER

Who has usually led these meetings?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	55	2	CIRCLED
	24.8	1,525	-9	LEGITIMATE SKIP
	74.3	4,568	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1630-1631

EL47_11

WHO LED MEETINGS/OTHER COUNSELOR

Who has usually led these meetings?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	31.6	1,945	11	CIRCLED
	24.8	1,523	-9	LEGITIMATE SKIP
	43.6	2,680	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1632-1633

EL47_12 **WHO LED MEETINGS/OTHER CASE MANAGER**

Who has usually led these meetings?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	19	12	CIRCLED
	24.8	1,525	-9	LEGITIMATE SKIP
	74.9	4,604	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1634-1635

EL47_13 **WHO LED MEETINGS/SOCIAL WORKER**

Who has usually led these meetings?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	13	CIRCLED
	24.8	1,525	-9	LEGITIMATE SKIP
	75.0	4,610	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1636-1637

EL47_21	WHO LED MEETINGS/PSYCHOLOGIST
----------------	--------------------------------------

Who has usually led these meetings?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	21	CIRCLED
	24.8	1,525	-9	LEGITIMATE SKIP
	75.0	4,612	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1638-1639

EL47_22	WHO LED MEETINGS/PSYCHIATRIST
----------------	--------------------------------------

Who has usually led these meetings?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	22	CIRCLED
	24.8	1,525	-9	LEGITIMATE SKIP
	75.1	4,620	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1640-1641

EL47_23	WHO LED MEETINGS/NURSE
----------------	-------------------------------

Who has usually led these meetings?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	14	23	CIRCLED
	24.8	1,525	-9	LEGITIMATE SKIP
	75.0	4,609	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1642-1643

EL47_71	WHO LED MEETINGS/STAFF FR OTHER AGENCY
----------------	---

Who has usually led these meetings?

Staff from another agency who visited the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	34	71	CIRCLED
	24.8	1,525	-9	LEGITIMATE SKIP
	74.6	4,589	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1644-1645

EL47_91

WHO LED MEETINGS/OTHER

Who has usually led these meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.2	504	91	CIRCLED
	24.8	1,525	-9	LEGITIMATE SKIP
	67.0	4,119	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1646-1647

EL48_A

HOW OFTEN DEALT W/USE OF ALCOHOL

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	16.2	993	0	NEVER
32.3	24.2	1,486	1	SOME SESSIONS
19.1	14.3	879	2	MOST SESSIONS
26.9	20.1	1,237	3	EVERY SESSION
	24.7	1,519	-9	LEGITIMATE SKIP
	0.5	31	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1648-1649

EL48_B

HOW OFTEN DEALT W/DRUG/CAUSED PROB

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	4.0	243	0	NEVER
25.0	18.7	1,151	1	SOME SESSIONS
26.0	19.4	1,195	2	MOST SESSIONS
43.7	32.6	2,006	3	EVERY SESSION
	24.7	1,519	-9	LEGITIMATE SKIP
	0.5	29	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1650-1651

EL48_C

HOW OFTEN DEALT W/EMOTIONAL HEALTH

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	6.5	397	0	NEVER
30.2	22.6	1,389	1	SOME SESSIONS
26.7	19.9	1,225	2	MOST SESSIONS
34.5	25.8	1,585	3	EVERY SESSION
	24.7	1,519	-9	LEGITIMATE SKIP
	0.5	30	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1652-1653

EL48_D**HOW OFTEN DEALT W/RELATION W/FAMILY**

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	10.4	641	0	NEVER
41.2	30.8	1,893	1	SOME SESSIONS
22.9	17.1	1,052	2	MOST SESSIONS
21.9	16.3	1,005	3	EVERY SESSION
	24.7	1,519	-9	LEGITIMATE SKIP
	0.5	32	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1654-1655

EL48_E**HOW OFTEN DEALT W/YOUR PHYS HEALTH**

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.0	29.1	1,789	0	NEVER
38.8	29.0	1,783	1	SOME SESSIONS
9.9	7.4	454	2	MOST SESSIONS
12.3	9.2	564	3	EVERY SESSION
	24.7	1,519	-9	LEGITIMATE SKIP
	0.5	33	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1656-1657

EL48_H**HOW OFTEN DEALT W/YOUR JOB**

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	35.2	2,162	0	NEVER
37.2	27.7	1,704	1	SOME SESSIONS
7.4	5.5	339	2	MOST SESSIONS
8.3	6.2	379	3	EVERY SESSION
	24.7	1,519	-9	LEGITIMATE SKIP
	0.6	38	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	3	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1662-1663

EL48_I**HOW OFTEN DEALT W/LIVING EXPENSES**

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	41.6	2,560	0	NEVER
30.7	22.9	1,406	1	SOME SESSIONS
6.5	4.8	296	2	MOST SESSIONS
7.0	5.2	322	3	EVERY SESSION
	24.7	1,519	-9	LEGITIMATE SKIP
	0.6	38	-8	BLANK
	0.0	2	-7	REFUSAL
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1664-1665

EL48_J

HOW OFTEN DEALT W/REDUCE RISK/AIDS

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	34.6	2,125	0	NEVER
36.6	27.3	1,680	1	SOME SESSIONS
8.4	6.3	385	2	MOST SESSIONS
8.7	6.5	400	3	EVERY SESSION
	24.7	1,519	-9	LEGITIMATE SKIP
	0.6	35	-8	BLANK
	0.0	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1666-1667

EL48_K

HOW OFTEN DEALT W/OTHER IMPORTANT ISSUES

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	6.0	370	1	YES
91.8	67.1	4,127	2	NO
	24.7	1,519	-9	LEGITIMATE SKIP
	2.1	130	-8	BLANK
	0.0	2	-7	REFUSAL

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1668-1669

EL48_K_1	HOW OFTEN DEALT W/SPECIFY 1ST ISSUE
-----------------	--

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.1	7	0	NEVER
41.1	2.6	160	1	SOME SESSIONS
27.2	1.7	106	2	MOST SESSIONS
29.8	1.9	116	3	EVERY SESSION
	91.8	5,641	-9	LEGITIMATE SKIP
	1.9	115	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1670-1671

EL48_K_2	HOW OFTEN DEALT W/SPECIFY 2ND ISSUE
-----------------	--

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.0	1	0	NEVER
43.8	0.7	46	1	SOME SESSIONS
24.8	0.4	26	2	MOST SESSIONS
30.5	0.5	32	3	EVERY SESSION
	91.8	5,644	-9	LEGITIMATE SKIP
	6.4	396	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1672-1673

EL48_K_3 HOW OFTEN DEALT W/SPECIFY 3RD ISSUE

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.0	1	0	NEVER
40.0	0.3	18	1	SOME SESSIONS
20.0	0.1	9	2	MOST SESSIONS
37.8	0.3	17	3	EVERY SESSION
	91.9	5,647	-9	LEGITIMATE SKIP
	7.4	453	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1674-1675

EL48_K_4 HOW OFTEN DEALT W/SPECIFY 4TH ISSUE

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.0	1	0	NEVER
28.6	0.1	6	1	SOME SESSIONS
19.0	0.1	4	2	MOST SESSIONS
47.6	0.2	10	3	EVERY SESSION
	91.8	5,645	-9	LEGITIMATE SKIP
	7.8	479	-8	BLANK
	0.0	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1676-1677

EL49_A**GROUP SESSIONS HELP/STOP USE OF DRUG**

How much have your sessions with this group helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	5.2	322	0	NOT AT ALL
28.6	21.1	1,295	1	SOMEWHAT
64.3	47.3	2,907	2	VERY MUCH
	24.7	1,521	-9	LEGITIMATE SKIP
	0.6	39	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-4	DON'T KNOW
	1.0	60	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1678-1679

EL49_B**GROUP SESSIONS HELP/OTHER PROBLEM**

How much have your sessions with this group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	6.0	369	0	NOT AT ALL
39.1	29.0	1,785	1	SOMEWHAT
52.9	39.3	2,417	2	VERY MUCH
	24.7	1,520	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.2	15	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1680-1681

EL50 #TIMES ATTENDED GROUPS AT PROGRAM

Since your admission, how many times have you attended groups like this at this program?

6,148 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1682-1683

EL50_A #MINUTES/MEETINGS W/GROUP LAST

How long did (this meeting last/your meetings usually last) with this group?

Number of minutes?

6,148 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1684-1686

EL51 HOW YOU FEEL/GROUP UNDERSTANDS YOU

Overall, how well do you feel the members of this group understand you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	4.2	258	0	NOT AT ALL
41.6	31.0	1,908	1	A LITTLE
52.8	39.4	2,424	2	A LOT
	24.7	1,518	-9	LEGITIMATE SKIP
	0.5	28	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	8	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1687-1688

EL52	YOUR RELATIONSHIP W/ GROUP
-------------	-----------------------------------

Overall, how would you rate your relationship with this group? Is it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	2.3	141	1	POOR
26.0	19.4	1,194	2	FAIR
49.9	37.3	2,294	3	GOOD
21.0	15.7	966	4	EXCELLENT
	24.7	1,518	-9	LEGITIMATE SKIP
	0.4	26	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
	0.0	2	-3	NOT APPLICABLE

100.0 100.0 6,148 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1689-1690

EL55	ATTENDED TALKS/FILMS/PART OF TREATMENT
-------------	---

Now, I will ask about other services that you may have received. First, I want to ask about any lectures or films that you may have attended, not counting any that took place during a 12-step, self-help, or regular addiction group meeting. Since your admission, have you attended any other scheduled talks, lectures, or films as a part of your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.6	42.3	2,598	1	YES
57.4	56.9	3,497	2	NO
	0.8	52	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE

100.0 100.0 6,148 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1691-1692

EL56	#DAYS/ATTEND TALKS/FILM/PART OF TREAT
-------------	--

Since your admission, on how many days did you attend such lectures or films as part of your treatment?

6,148 cases (Range of valid codes: 0-90)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1693-1694

EL57	HOW HELPFUL THE SERVICES
-------------	---------------------------------

In general, how helpful (was this/have these been)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	1.4	85	0	NOT AT ALL HELPFUL
30.8	13.0	802	1	SOMEWHAT HELPFUL
66.0	28.0	1,720	2	VERY HELPFUL
	56.7	3,485	-9	LEGITIMATE SKIP
	0.9	54	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1695-1696

EL58**ATTEND 12-STEP/SELF-HELP GROUP**

Now, I'd like to ask some questions about self-help groups and 12-step programs for drug or alcohol problems that you may have attended since your admission. These include groups such as Alcoholics Anonymous (AA), Narcotics Anonymous (NA), and Cocaine Anonymous (CA). Since your admission, have you attended this kind of 12-step or self-help group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	69.1	4,251	1	YES
30.1	29.7	1,827	2	NO
	1.1	69	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1697-1698

EL58_A_1**GROUP ATTEND/ALCO ANONYMOUS**

Which groups have you attended?

Alcoholics Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	57.4	3,531	1	CIRCLED
	29.6	1,817	-9	LEGITIMATE SKIP
	13.0	799	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1699-1700

EL58_A_2 **GROUP ATTEND/NARCOTICS ANONYMOUS**

Which groups have you attended?

Narcotics Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	53.0	3,258	2	CIRCLED
	29.6	1,818	-9	LEGITIMATE SKIP
	17.4	1,072	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1701-1702

EL58_A_3 **GROUP ATTEND/COCAINE ANONYMOUS**

Which groups have you attended?

Cocaine Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	17.8	1,096	3	CIRCLED
	29.6	1,822	-9	LEGITIMATE SKIP
	52.5	3,230	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1703-1704

EL58_A_4**GROUP ATTEND/OTHER**

Which groups have you attended?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.3	512	4	CIRCLED
	29.7	1,827	-9	LEGITIMATE SKIP
	62.0	3,809	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1705-1706

EL58_B**#TIMES/ATTEND THIS GROUP**

Since your admission, how many times have you attended (this group/any of these groups)?

6,148 cases (Range of valid codes: 0-188)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1707-1709

EL58_C_M	MONTH/LAST ATTENDED THIS GROUP
-----------------	---------------------------------------

When did you last attend (this group/any of these groups)?
 Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	5.9	365	1	
8.9	6.2	384	2	
10.7	7.5	459	3	
9.5	6.7	410	4	
10.0	7.0	429	5	
7.7	5.4	331	6	
9.0	6.3	388	7	
8.9	6.2	382	8	
6.2	4.3	267	9	
6.8	4.7	291	10	
7.1	5.0	306	11	
6.6	4.6	285	12	
	29.5	1,814	-9	LEGITIMATE SKIP
	0.5	32	-8	BLANK
	0.0	2	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1710-1711

EL58_C_D	DAY/LAST ATTENDED THIS GROUP
----------	------------------------------

When did you last attend (this group/any of these groups)?
Day.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	2.5	154	1	
3.9	2.7	164	2	
3.4	2.3	144	3	
2.7	1.8	113	4	
3.2	2.2	134	5	
2.9	2.0	122	6	
4.0	2.8	170	7	
3.3	2.3	141	8	
3.4	2.4	146	9	
3.2	2.2	137	10	
3.2	2.2	136	11	
2.8	1.9	119	12	
3.5	2.4	150	13	
3.3	2.3	139	14	
2.9	2.0	123	15	
3.4	2.4	146	16	
3.3	2.3	142	17	
3.2	2.2	137	18	
3.7	2.6	158	19	
3.9	2.7	167	20	
3.5	2.4	149	21	
3.0	2.0	126	22	
3.9	2.7	164	23	
2.8	2.0	120	24	
3.0	2.1	127	25	
2.8	1.9	119	26	
3.1	2.1	130	27	
3.6	2.5	152	28	
2.6	1.8	109	29	
3.2	2.2	136	30	
1.6	1.1	67	31	
	29.5	1,814	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
	0.6	37	-5	BAD DATA
	0.2	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1712-1713

EL58_D	HAVE YOU ATTENDED THIS GROUP
---------------	-------------------------------------

Have you attended (this group/these groups) . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	35.8	2,202	1	AT THIS PROGRAM
25.7	17.9	1,100	2	AT SOME OTHER PLACE
22.9	15.9	978	3	BOTH
	29.5	1,816	-9	LEGITIMATE SKIP
	0.8	49	-8	BLANK
	0.0	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1714-1715

EL59_A	GROUP MEETING HELP/STOP USE OF DRUG
---------------	--

In general, how much has meeting with this kind of group helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	3.8	236	0	NOT AT ALL
27.2	18.9	1,163	1	SOMEWHAT
67.3	46.8	2,880	2	VERY MUCH
	29.5	1,814	-9	LEGITIMATE SKIP
	0.4	27	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	5	-4	DON'T KNOW
	0.4	22	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1716-1717

EL59_B**MEETINGS W/GROUP HELPED/OTHER PROBLEM**

In general, how much has meeting with this kind of group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	8.0	491	0	NOT AT ALL
37.9	26.5	1,627	1	SOMEWHAT
50.6	35.3	2,172	2	VERY MUCH
	29.5	1,814	-9	LEGITIMATE SKIP
	0.5	33	-8	BLANK
	0.0	3	-4	DON'T KNOW
	0.1	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1718-1719

EL60**FEEL YOU NEEDED THIS KIND OF GROUP**

In general, do you feel you have needed this kind of group . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	3.5	215	0	NOT AT ALL
22.7	15.8	973	1	SOMEWHAT
72.3	50.5	3,103	2	VERY MUCH
	29.5	1,814	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1720-1721

EL63 RECEIVED SERVICES/MENTAL HEALTH PROBLEM

Next, I'd like to ask some questions about other scheduled individual or group services that you may have received since your admission. These services may be any counseling, treatment, or other help that you have received from a professional (such as a medical doctor, psychiatrist, or case manager). Do not include any services that we have already talked about or that you have received on an unscheduled basis. Since your admission, have you received any scheduled individual or group services for emotional or mental health problems other than the services that I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.1	374	1	YES
93.9	93.6	5,756	2	NO
	0.3	17	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1722-1723

EL64 RECEIVED SERVICES AT THIS PROG

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	3.9	238	1	YES
35.5	2.1	131	2	NO
	93.6	5,757	-9	LEGITIMATE SKIP
	0.3	21	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1724-1725

EL65_01	TALKED TO/REGULAR COUNSELOR
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	34	1	CIRCLED
	95.8	5,887	-9	LEGITIMATE SKIP
	3.7	226	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1726-1727

EL65_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	2	CIRCLED
	95.8	5,888	-9	LEGITIMATE SKIP
	4.2	256	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1728-1729

EL65_11 TALKED TO/OTHER COUNSELOR

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	15	11	CIRCLED
	95.8	5,888	-9	LEGITIMATE SKIP
	4.0	244	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1730-1731

EL65_12 TALKED TO/OTHER CASE MANAGER

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	95.8	5,888	-9	LEGITIMATE SKIP
	4.2	259	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1732-1733

EL65_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	13	CIRCLED
	95.8	5,888	-9	LEGITIMATE SKIP
	4.0	248	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1734-1735

EL65_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	52	21	CIRCLED
	95.7	5,884	-9	LEGITIMATE SKIP
	3.4	211	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1736-1737

EL65_22 TALKED TO/PSYCHIATRIST

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	143	22	CIRCLED
	95.6	5,879	-9	LEGITIMATE SKIP
	2.0	125	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1738-1739

EL65_23 TALKED TO/NURSE

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	23	CIRCLED
	95.8	5,888	-9	LEGITIMATE SKIP
	4.1	252	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1740-1741

EL65_28**TALKED TO/CERTI FAMILY COUNSELOR**

Who have you seen or talked to for these services here?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	28	CIRCLED
	95.8	5,888	-9	LEGITIMATE SKIP
	4.2	258	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1742-1743

EL65_71**TALKED TO/STAFF FR OTHER AGENCY**

Who have you seen or talked to for these services here?

Staff from another agency who provide services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	71	CIRCLED
	95.8	5,888	-9	LEGITIMATE SKIP
	4.1	254	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1744-1745

EL65_91 **TALKED TO/OTHER**

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	91	CIRCLED
	95.8	5,888	-9	LEGITIMATE SKIP
	4.0	243	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1746-1747

EL65_A_1 **TALKED TO MOST OFTEN/PROVIDER #1**

Which 2 have you seen or talked to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	0.5	30	1	PRIMARY/REGULAR COUNSELOR
0.8	0.0	2	2	CASE MANAGER
5.0	0.2	12	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
3.7	0.1	9	13	SOCIAL WORKER
19.5	0.8	47	21	PSYCHOLOGIST
51.9	2.0	125	22	PSYCHIATRIST
1.7	0.1	4	23	NURSE
0.4	0.0	1	28	CERTIFIED FAMILY COUNSELOR
0.8	0.0	2	71	STAFF FROM ANOTHER AGENCY
3.7	0.1	9	91	OTHER
	95.6	5,877	-9	LEGITIMATE SKIP
	0.5	29	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1748-1749

EL65_A_2

TALKED TO MOST OFTEN/PROVIDER #2

Which 2 have you seen or talked to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.0	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
10.0	0.0	3	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
3.3	0.0	1	13	SOCIAL WORKER
13.3	0.1	4	21	PSYCHOLOGIST
46.7	0.2	14	22	PSYCHIATRIST
10.0	0.0	3	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
13.3	0.1	4	91	OTHER
	95.7	5,885	-9	LEGITIMATE SKIP
	3.8	232	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1750-1751

EL66

KIND OF SESSIONS W/PSYCH PRO #1

Have the sessions with your (PROVIDER #1 FROM L65a) been individual sessions, group sessions, or have you had both (individual and group sessions)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.3	3.5	214	1	INDIVIDUAL
9.2	0.4	23	2	GROUP
5.6	0.2	14	3	BOTH
	95.5	5,874	-9	LEGITIMATE SKIP
	0.3	20	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1752-1753

EL66_A	#TIMES/MET INDIVIDUALLY W/PRO #1
---------------	---

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	1.6	100	1	
19.5	0.7	45	2	
11.3	0.4	26	3	
9.1	0.3	21	4	
3.5	0.1	8	5	
4.8	0.2	11	6	
2.2	0.1	5	8	
2.2	0.1	5	10	
0.4	0.0	1	11	
0.4	0.0	1	12	
0.4	0.0	1	14	
0.9	0.0	2	15	
0.4	0.0	1	16	
0.4	0.0	1	17	
0.4	0.0	1	22	
0.4	0.0	1	30	
0.4	0.0	1	40	
	95.9	5,895	-9	LEGITIMATE SKIP
		0.3	21	BLANK
		0.0	1	-3 NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1754-1755

EL66_B

#MINUTES/THIS SESSION LAST

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	0	
0.4	0.0	1	3	
2.6	0.1	6	5	
5.2	0.2	12	10	
10.4	0.4	24	15	
10.0	0.4	23	20	
1.3	0.0	3	25	
21.6	0.8	50	30	
1.3	0.0	3	35	
1.7	0.1	4	40	
5.2	0.2	12	45	
33.3	1.3	77	60	
0.4	0.0	1	75	
2.2	0.1	5	90	
3.0	0.1	7	120	
0.4	0.0	1	240	
0.4	0.0	1	360	
	95.9	5,895	-9	LEGITIMATE SKIP
	0.3	21	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1756-1758

EL66_C_1 **DEALT W/DRUG USE/CAUSED PROB/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	88	1	CIRCLED
	96.0	5,905	-9	LEGITIMATE SKIP
	2.5	153	-8	BLANK
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1759-1760

EL66_C_2 **DEALT W/ALCOHOL USE/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	45	2	CIRCLED
	96.1	5,907	-9	LEGITIMATE SKIP
	3.2	195	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1761-1762

EL66_C_3**DEALT W/EMOTIONAL HEALTH/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	163	3	CIRCLED
	95.9	5,897	-9	LEGITIMATE SKIP
	1.4	87	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1763-1764

EL66_C_4**DEALT W/REALATIONSHIP W/ SPOUSE/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	85	4	CIRCLED
	96.0	5,905	-9	LEGITIMATE SKIP
	2.6	157	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1765-1766

EL66_C_5 **DEALT W/OTHER RELATIONSHIP PROB/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	36	5	CIRCLED
	96.1	5,906	-9	LEGITIMATE SKIP
	3.3	205	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1767-1768

EL66_C_6 **DEALT W/PSYCHOLOGICAL TEST/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	27	6	CIRCLED
	96.1	5,907	-9	LEGITIMATE SKIP
	3.5	213	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1769-1770

EL66_C_7**DEALT W/MEDICATION/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	47	7	CIRCLED
	96.0	5,901	-9	LEGITIMATE SKIP
	3.2	199	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1771-1772

EL66_C_8**DEALT W/REFERRAL/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	8	CIRCLED
	96.1	5,908	-9	LEGITIMATE SKIP
	3.8	232	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1773-1774

EL66_C_9 **DEALT W/OTHER/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	32	9	CIRCLED
	96.1	5,907	-9	LEGITIMATE SKIP
	3.4	208	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1775-1776

EL66_D **HOW HELPFUL THE SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.3	19	0	NOT AT ALL HELPFUL
30.0	1.1	69	1	SOMEWHAT
61.7	2.3	142	2	VERY HELPFUL
	95.9	5,895	-9	LEGITIMATE SKIP
	0.3	21	-8	BLANK
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1777-1778

EL66_E

#TIMES YOU MET IN GROUP W/ PRO #1

How many times have you met in the group with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.0	1	0	
13.9	0.1	5	1	
16.7	0.1	6	2	
13.9	0.1	5	3	
16.7	0.1	6	4	
11.1	0.1	4	5	
2.8	0.0	1	7	
2.8	0.0	1	8	
5.6	0.0	2	10	
2.8	0.0	1	12	
2.8	0.0	1	16	
5.6	0.0	2	20	
2.8	0.0	1	150	
	99.0	6,085	-9	LEGITIMATE SKIP
	0.4	26	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1779-1781

EL66_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.0	1	0	
2.8	0.0	1	15	
19.4	0.1	7	30	
5.6	0.0	2	45	
30.6	0.2	11	60	
16.7	0.1	6	90	
19.4	0.1	7	120	
2.8	0.0	1	150	
	99.0	6,085	-9	LEGITIMATE SKIP
	0.4	26	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1782-1784

EL66_G_1	WHO ATTEND MEETING/SPOUSE/PARTNER/PRO #1
-----------------	---

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.1	6,092	-9	LEGITIMATE SKIP
	0.9	55	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1785-1786

EL66_G_2**WHO ATTEND MEETING/FAMILY MEMBER/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	99.1	6,092	-9	LEGITIMATE SKIP
	0.9	54	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1787-1788

EL66_G_3**WHO ATTEND MEETING/OTHER IN TREAT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	26	3	CIRCLED
	99.0	6,089	-9	LEGITIMATE SKIP
	0.5	32	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1789-1790

EL66_G_4 **MEETING/OTHER FAMI MEM IN TREAT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	4	CIRCLED
	99.1	6,091	-9	LEGITIMATE SKIP
	0.9	54	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1791-1792

EL66_G_5 **WHO ATTEND MEETING/OTHERS/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	5	CIRCLED
	99.1	6,091	-9	LEGITIMATE SKIP
	0.8	51	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1793-1794

EL66_H_1	TALKED/DRUG USE/CAUSED PROB/PRO #1
-----------------	---

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	1	CIRCLED
	99.0	6,088	-9	LEGITIMATE SKIP
	0.7	43	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1795-1796

EL66_H_2	TALKED/ALCOHOL USE/PRO #1
-----------------	----------------------------------

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	2	CIRCLED
	99.1	6,091	-9	LEGITIMATE SKIP
	0.8	50	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1797-1798

EL66_H_3 **TALKED/EMOTIONAL HEALTH/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	22	3	CIRCLED
	99.0	6,088	-9	LEGITIMATE SKIP
	0.6	37	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1799-1800

EL66_H_4 **TALKED/RELATIONSHIP W/ SPOUSE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	4	CIRCLED
	99.1	6,090	-9	LEGITIMATE SKIP
	0.8	51	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1801-1802

EL66_H_5**TALKED/OTHER RELATIONSHIP PROB/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	5	CIRCLED
	99.1	6,092	-9	LEGITIMATE SKIP
	0.8	52	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1803-1804

EL66_H_6**TALKED/PSYCHOLOGICAL TEST/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.1	6,092	-9	LEGITIMATE SKIP
	0.9	55	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1805-1806

EL66_H_7 **TALKED/MEDICATION/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	7	CIRCLED
	99.1	6,092	-9	LEGITIMATE SKIP
	0.9	53	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1807-1808

EL66_H_8 **TALKED/REFERRAL/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	8	CIRCLED
	99.1	6,091	-9	LEGITIMATE SKIP
	0.9	55	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1809-1810

EL66_H_9**TALKED/OTHER/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	9	CIRCLED
	99.1	6,090	-9	LEGITIMATE SKIP
	0.7	46	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1811-1812

EL66_I**HOW HELPFUL SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
31.4	0.2	11	1	SOMEWHAT HELPFUL
68.6	0.4	24	2	VERY HELPFUL
	99.0	6,085	-9	LEGITIMATE SKIP
	0.4	27	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1813-1814

EL67 **KIND OF SESSIONS W/PSYCH PRO #2**

Have the sessions with your (PROVIDER #2 FROM L65a) been individual sessions, group sessions, or have you had both (individual and group sessions)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	0.4	25	1	INDIVIDUAL
3.6	0.0	1	2	GROUP
7.1	0.0	2	3	BOTH
	95.7	5,885	-9	LEGITIMATE SKIP
	3.8	234	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1815-1816

EL67_A **#TIMES/MET INDIVIDUALLY W/PRO #2**

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	0.2	13	1	
20.7	0.1	6	2	
10.3	0.0	3	3	
13.8	0.1	4	5	
3.4	0.0	1	6	
6.9	0.0	2	10	
	95.7	5,886	-9	LEGITIMATE SKIP
	3.8	232	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1817-1818

EL67_B**#MINUTES/THIS SESSION LAST**

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.0	2	5	
17.2	0.1	5	15	
13.8	0.1	4	20	
3.4	0.0	1	25	
24.1	0.1	7	30	
6.9	0.0	2	45	
27.6	0.1	8	60	
	95.7	5,886	-9	LEGITIMATE SKIP
	3.8	232	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1819-1820

EL67_C_1**DEALT W/DRUG USE/CAUSED PROB/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	1	CIRCLED
	95.8	5,889	-9	LEGITIMATE SKIP
	4.1	249	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1821-1822

EL67_C_2	DEALT W/ALCOHOL USE/PRO #2
-----------------	-----------------------------------

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	2	CIRCLED
	95.8	5,889	-9	LEGITIMATE SKIP
	4.2	256	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1823-1824

EL67_C_3	DEALT W/EMOTIONAL HEALTH/PRO #2
-----------------	--

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	3	CIRCLED
	95.8	5,888	-9	LEGITIMATE SKIP
	4.0	243	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1825-1826

EL67_C_4**DEALT W/REALATIONSHIP W/ SPOUSE/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	4	CIRCLED
	95.8	5,889	-9	LEGITIMATE SKIP
	4.1	252	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1827-1828

EL67_C_5**DEALT W/OTHER RELATIONSHIP PROB/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	5	CIRCLED
	95.8	5,889	-9	LEGITIMATE SKIP
	4.1	254	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1829-1830

EL67_C_6 **DEALT W/PSYCHOLOGICAL TEST/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	6	CIRCLED
	95.8	5,889	-9	LEGITIMATE SKIP
	4.1	254	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1831-1832

EL67_C_7 **DEALT W/MEDICATION/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	7	CIRCLED
	95.8	5,888	-9	LEGITIMATE SKIP
	4.1	255	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1833-1834

EL67_C_8**DEALT W/REFERRAL/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	8	CIRCLED
	95.8	5,889	-9	LEGITIMATE SKIP
	4.1	255	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1835-1836

EL67_C_9**DEALT W/OTHER/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	9	CIRCLED
	95.8	5,889	-9	LEGITIMATE SKIP
	4.1	251	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1837-1838

EL67_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.0	2	0	
20.0	0.0	1	60	
20.0	0.0	1	90	
20.0	0.0	1	360	
	96.1	5,908	-9	LEGITIMATE SKIP
	3.8	234	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1843-1845

EL67_G_1	WHO ATTEND MEETING/SPOUSE/PARTNER/PRO #2
-----------------	---

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	96.1	5,910	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1846-1847

EL67_G_2 **WHO ATTEND MEETING/FAMILY MEMBER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.1	5,910	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1848-1849

EL67_G_3 **WHO ATTEND MEETING/OTHER IN TREAT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	3	CIRCLED
	96.1	5,909	-9	LEGITIMATE SKIP
	3.8	235	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1850-1851

EL67_G_4**MEETING/OTHER FAMI MEM IN TREAT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	96.1	5,910	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1852-1853

EL67_G_5**WHO ATTEND MEETING/OTHERS/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	96.1	5,910	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1854-1855

EL67_H_1 TALKED/DRUG USE/CAUSED PROB/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CIRCLED
	96.1	5,910	-9	LEGITIMATE SKIP
	3.8	235	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1856-1857

EL67_H_2 TALKED/ALCOHOL USE/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	96.1	5,909	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1858-1859

EL67_H_3**TALKED/EMOTIONAL HEALTH/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your emotional or mental health, including, feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	3	CIRCLED
	96.1	5,909	-9	LEGITIMATE SKIP
	3.8	236	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1860-1861

EL67_H_4**TALKED/REALATIONSHIP W/ SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	96.1	5,909	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1862-1863

EL67_H_5 **TALKED/OTHER RELATIONSHIP PROB/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	96.1	5,909	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1864-1865

EL67_H_6 **TALKED/PSYCHOLOGICAL TEST/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	96.1	5,910	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1866-1867

EL67_H_7**TALKED/MEDICATION/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	7	CIRCLED
	96.1	5,909	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1868-1869

EL67_H_8**TALKED/REFERRAL/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	96.1	5,910	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1870-1871

EL67_H_9 **TALKED/OTHER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	96.1	5,910	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1872-1873

EL67_I **HOW HELPFUL SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	0	NOT AT ALL
66.7	0.0	2	1	SOMEWHAT
0.0	0.0	0	2	VERY
	96.1	5,909	-9	LEGITIMATE SKIP
	3.8	235	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1874-1875

EL68

RECEIVED SERVICES FOR EMOTIONAL PROB

Since your admission, have you received any scheduled individual or group services for emotional or mental health problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	2.0	124	1	YES
70.5	4.8	296	2	NO
	92.7	5,702	-9	LEGITIMATE SKIP
	0.4	25	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1876-1877

EL68A_1

RECEIVE SERVICE/COMMU MENTAL HEALTH CTR

Where have you received these services?

A community mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	51	1	CIRCLED
	97.5	5,997	-9	LEGITIMATE SKIP
	1.6	99	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1878-1879

EL68A_2 RECEIVE SERVICE/PRIVATE PSYCHIATRIC HOSP

Where have you received these services?

A private psychiatric hospital or facility.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	2	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.2	133	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1880-1881

EL68A_3 RECEIVE SERVICE/OTHER HOSPITAL

Where have you received these services?

Any other hospital or facility (State VA, psychiatric, or mental hospital).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	23	3	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.0	126	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1882-1883

EL68A_4**RECEIVE SERVICE/EMERGENCY ROOM**

Where have you received these services?

An emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	4	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	146	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1884-1885

EL68A_5**RECEIVE SERVICE/PRIVATE THERAPIST**

Where have you received these services?

Private therapist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	20	5	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.1	129	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1886-1887

EL68A_6 **RECEIVE SERVICE/OTHER**

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	14	6	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.2	135	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1888-1889

EL68B_1 **PSYCHOLOGICAL OTHER PLACE/LOCATION #1**

Which 2 places did you receive service at most often?
 First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	0.8	50	1	A COMMUNITY MENTAL HEALTH SERVICE
15.1	0.3	19	2	A PRIVATE PSYCHIATRIC HOSPITAL
18.3	0.4	23	3	ANY OTHER HOSPITAL OR FACILITY
2.4	0.0	3	4	AN EMERGENCY ROOM OR CRISIS CENTER
16.7	0.3	21	5	PRIVATE THERAPIST
7.9	0.2	10	6	OTHER
	97.5	5,996	-9	LEGITIMATE SKIP
	0.4	25	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1890-1891

EL68C_1

WHO REFERRED YOU TO LOCATION #1

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	0.7	44	1	PROGRAM
36.0	0.7	45	2	SOMEONE ELSE
28.8	0.6	36	3	SELF
	97.5	5,996	-9	LEGITIMATE SKIP
	0.4	26	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1892-1893

EL68D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
---------	------------------------------------

On how many days have you received these services at
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	0.7	44	1	
22.6	0.5	28	2	
10.5	0.2	13	3	
9.7	0.2	12	4	
2.4	0.0	3	5	
4.0	0.1	5	6	
3.2	0.1	4	7	
1.6	0.0	2	8	
1.6	0.0	2	10	
1.6	0.0	2	12	
0.8	0.0	1	16	
0.8	0.0	1	18	
0.8	0.0	1	21	
0.8	0.0	1	24	
0.8	0.0	1	28	
0.8	0.0	1	35	
0.8	0.0	1	40	
0.8	0.0	1	70	
0.8	0.0	1	80	
	97.5	5,997	-9	LEGITIMATE SKIP
	0.4	26	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1894-1895

EL68E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.1	8	0	NOT AT ALL
33.3	0.7	41	1	SOMEWHAT
60.2	1.2	74	2	VERY HELPFUL
	97.5	5,997	-9	LEGITIMATE SKIP
	0.4	27	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1896-1897

EL68F1_1	TALKED TO/REGULAR COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	148	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1898-1899

EL68F1_2 TALKED TO/CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	148	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1900-1901

EL68F111 TALKED TO/OTHER COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	11	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.3	142	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1902-1903

EL68F112	TALKED TO/OTHER CASE MANAGER/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	149	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1904-1905

EL68F113	TALKED TO/SOCIAL WORKER/LOC #1
-----------------	---------------------------------------

Who have you talked to or seen for these services at
(LOCATION)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	13	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1906-1907

EL68F121 **TALKED TO/PSYCHOLOGIST/LOC #1**

Who have you talked to or seen for these services at (LOCATION)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	29	21	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.0	120	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1908-1909

EL68F122 **TALKED TO/PSYCHIATRIST/LOC #1**

Who have you talked to or seen for these services at (LOCATION)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	83	22	CIRCLED
	97.5	5,997	-9	LEGITIMATE SKIP
	1.1	67	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1910-1911

EL68F123	TALKED TO/NURSE/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	23	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	145	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1912-1913

EL68F128	TALKED TO/CERTI FAMI COUNSELOR/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	28	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	147	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1914-1915

EL68F171 **TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at (LOCATION)?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	71	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	147	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1916-1917

EL68F191 **TALKED TO/OTHER/LOC #1**

Who have you talked to or seen for these services at (LOCATION)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	8	91	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.3	141	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1918-1919

EL68G_1

TALKED TO FOR SERVICES/LOCATION #1

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
4.2	0.1	5	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
1.7	0.0	2	13	SOCIAL WORKER
22.0	0.4	26	21	PSYCHOLOGIST
62.7	1.2	74	22	PSYCHIATRIST
1.7	0.0	2	23	NURSE
1.7	0.0	2	28	CERTIFIED FAMILY COUNSELOR
0.8	0.0	1	71	STAFF FROM ANOTHER AGENCY
4.2	0.1	5	91	OTHER
	97.5	5,997	-9	LEGITIMATE SKIP
	0.5	32	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1920-1921

EL68B_2

PSYCHOLOGICAL OTHER PLACE/LOCATION #2

Which 2 places did you receive service at most often?
Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	2	1	A COMMUNITY MENTAL HEALTH SERVICE
0.0	0.0	0	2	A PRIVATE PSYCHIATRIC HOSPITAL
20.0	0.0	2	3	ANY OTHER HOSPITAL OR FACILITY
0.0	0.0	0	4	AN EMERGENCY ROOM OR CRISIS CENTER
20.0	0.0	2	5	PRIVATE THERAPIST
40.0	0.1	4	6	OTHER
	97.6	5,998	-9	LEGITIMATE SKIP
	2.3	140	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1922-1923

EL68C_2 **WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	4	1	PROGRAM
50.0	0.1	5	2	SOMEONE ELSE
10.0	0.0	1	3	SELF
	97.6	5,998	-9	LEGITIMATE SKIP
	2.3	140	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1924-1925

EL68D_2 **#DAYS YOU RECEIVED SERVICES/LOC #2**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.0	1	1	
33.3	0.0	3	2	
22.2	0.0	2	3	
11.1	0.0	1	4	
11.1	0.0	1	16	
11.1	0.0	1	32	
	97.6	5,998	-9	LEGITIMATE SKIP
	2.3	141	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1926-1927

EL68E_2**HOW HELPFUL THE SERVICES/LOCATION #2**

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
40.0	0.1	4	1	SOMEWHAT
60.0	0.1	6	2	VERY HELPFUL
	97.6	5,998	-9	LEGITIMATE SKIP
	2.3	140	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1928-1929

EL68F2_1**TALKED TO/REGULAR COUNSELOR/LOC #2**

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	150	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1930-1931

EL68F2_2 **TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	149	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1932-1933

EL68F211 **TALKED TO/OTHER COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	11	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	149	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1934-1935

EL68F212	TALKED TO/OTHER CASE MANAGER/LOC #2
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	150	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1936-1937

EL68F213	TALKED TO/SOCIAL WORKER/LOC #2
-----------------	---------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	150	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1938-1939

EL68F221 **TALKED TO/PSYCHOLOGIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	21	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	147	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1940-1941

EL68F222 **TALKED TO/PSYCHIATRIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	22	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.3	143	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1942-1943

EL68F223	TALKED TO/NURSE/LOC #2
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	150	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1944-1945

EL68F228	TALKED TO/CERTI FAMI COUNSELOR/LOC #2
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	150	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1946-1947

EL68F271 **TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at
the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	150	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1948-1949

EL68F291 **TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	97.6	5,998	-9	LEGITIMATE SKIP
	2.4	150	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1950-1951

EL68G_2

TALKED TO FOR SERVICES/LOCATION #2

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
12.5	0.0	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
87.5	0.1	7	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	97.6	5,998	-9	LEGITIMATE SKIP
	2.3	141	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1952-1953

EL69

STAYED OVERNIGHT/EMOTIONAL PROBLEM

Since your admission, have you stayed overnight anywhere for treatment of emotional or mental health problems other than for problems associated with drugs or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	16	1	YES
99.7	99.2	6,097	2	NO
	0.6	35	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1954-1955

EL69_A_1 **FACILITY STAYED/COMMU MENTAL HEALTH CTR**

Where have you stayed since your admission for this kind of treatment?

A community mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.2	6,097	-9	LEGITIMATE SKIP
	0.8	51	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1956-1957

EL69_B_1 **#NIGHTS STAYED/COMMU MENTAL HEALTH CTR**

How many nights have you stayed at a community mental health center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	0	
	99.2	6,097	-9	LEGITIMATE SKIP
	0.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1958-1959

EL69_A_2**FACILITY STAYED/PRIVATE PSYCHIATRIC HOSP**

Where have you stayed since your admission for this kind of treatment?

A private psychiatric hospital or facility.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	2	CIRCLED
	99.2	6,097	-9	LEGITIMATE SKIP
	0.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1960-1961

EL69_B_2**#NIGHTS STAYED/PRIVATE PSYCHIATRIC HOSP**

How many nights have you stayed at a private psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.0	3	0	
28.6	0.0	2	4	
14.3	0.0	1	7	
14.3	0.0	1	11	
	99.2	6,097	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1962-1963

EL69_A_3 FACILITY STAYED/ANY OTHER HOSPITAL

Where have you stayed since your admission for this kind of treatment?

Any other hospital or facility (State VA, psychiatric, or mental hospital).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	3	CIRCLED
	99.2	6,097	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1964-1965

EL69_B_3 #NIGHTS STAYED/ANY OTHER HOSPITAL

How many nights have you stayed at any other hospital or facility (State VA, psychiatric, or mental hospital)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.0	2	0	
7.1	0.0	1	1	
28.6	0.1	4	2	
7.1	0.0	1	3	
7.1	0.0	1	4	
14.3	0.0	2	6	
7.1	0.0	1	8	
7.1	0.0	1	21	
7.1	0.0	1	31	
	99.1	6,094	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1966-1967

EL69_A_4**FACILITY STAYED/EMERGENCY ROOM**

Where have you stayed since your admission for this kind of treatment?

An emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.2	6,097	-9	LEGITIMATE SKIP
	0.8	51	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1968-1969

EL69_B_4**#NIGHTS STAYED/EMERGENCY ROOM**

How many nights have you stayed at an emergency room or crisis center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	0	
	99.2	6,097	-9	LEGITIMATE SKIP
	0.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1970-1971

EL69_A_5 FACILITY STAYED/ANY OTHER PLACE

Where have you stayed since your admission for this kind of treatment?

Any other place.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	5	CIRCLED
	99.2	6,097	-9	LEGITIMATE SKIP
	0.8	49	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1972-1973

EL69_B_5 #NIGHTS STAYED/ANY OTHER PLACE

How many nights have you stayed at any other place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	0.1	5	0	
11.1	0.0	1	1	
11.1	0.0	1	2	
11.1	0.0	1	5	
11.1	0.0	1	21	
	99.1	6,095	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1974-1975

EL70	HAD CHECK-UP FOR MEDICAL PROB
-------------	--------------------------------------

Since your admission, have you had a checkup or have you received any scheduled individual services for medical problems other than those I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	34.8	2,138	1	YES
65.0	64.7	3,976	2	NO
	0.6	34	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1976-1977

EL71	RECEIVED SERVICES AT THIS PROGRAM
-------------	--

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	18.5	1,136	1	YES
46.3	15.9	980	2	NO
	64.8	3,985	-9	LEGITIMATE SKIP
	0.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1978-1979

EL72_01	TALKED TO/REGULAR COUNSELOR
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	1	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	19.0	1,169	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1980-1981

EL72_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	2	CIRCLED
	80.8	4,965	-9	LEGITIMATE SKIP
	19.2	1,181	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1982-1983

EL72_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	25	22	CIRCLED
	80.8	4,965	-9	LEGITIMATE SKIP
	18.8	1,158	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1984-1985

EL72_23**TALKED TO/NURSE**

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.8	298	23	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	14.4	884	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1986-1987

EL72_24**TALKED TO/PHYSICIAN**

Who have you seen or talked to for these services here?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.1	927	24	CIRCLED
	80.6	4,955	-9	LEGITIMATE SKIP
	4.3	266	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1988-1989

EL72_25	TALKED TO/PHYSICIAN'S ASSISTANT
----------------	--

Who have you seen or talked to for these services here?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	30	25	CIRCLED
	80.7	4,964	-9	LEGITIMATE SKIP
	18.8	1,154	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1990-1991

EL72_26	TALKED TO/DENTIST
----------------	--------------------------

Who have you seen or talked to for these services here?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	23	26	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	18.9	1,159	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1992-1993

EL72_71**TALKED TO/STAFF FROM OTHER AGENCY**

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	79	71	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	17.9	1,103	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1994-1995

EL72_91**TALKED TO/OTHER**

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	25	91	CIRCLED
	80.8	4,965	-9	LEGITIMATE SKIP
	18.8	1,158	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1996-1997

EL72_A1	TALKED TO MOST OFTEN - PROVIDER #1
----------------	---

Which 2 have you seen or talked to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.2	11	1	PRIMARY/REGULAR COUNSELOR
0.2	0.0	2	2	CASE MANAGER
1.3	0.2	14	22	PSYCHIATRIST
21.8	4.0	243	23	NURSE
70.7	12.8	790	24	PHYSICIAN
2.1	0.4	23	25	PHYSICIANS ASSISTANT
0.8	0.1	9	26	DENTIST
0.9	0.2	10	71	STAFF FROM ANOTHER AGENCY
1.3	0.2	15	91	OTHER
	80.6	4,954	-9	LEGITIMATE SKIP
	1.2	76	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1998-1999

EL72_A2	TALKED TO MOST OFTEN - PROVIDER #2
----------------	---

Which 2 have you seen or talked to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.1	4	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.8	0.0	2	22	PSYCHIATRIST
18.8	0.8	49	23	NURSE
43.3	1.8	113	24	PHYSICIAN
2.3	0.1	6	25	PHYSICIANS ASSISTANT
5.4	0.2	14	26	DENTIST
24.9	1.1	65	71	STAFF FROM ANOTHER AGENCY
3.1	0.1	8	91	OTHER
	80.8	4,965	-9	LEGITIMATE SKIP
	15.0	922	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2000-2001

EL73	#TIMES/MET W/ PRO #1
-------------	-----------------------------

How many times have you met with your (PROVIDER #1 FROM L72a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	2	0	
54.1	10.2	625	1	
19.0	3.6	219	2	
10.1	1.9	117	3	
6.9	1.3	80	4	
3.3	0.6	38	5	
1.6	0.3	18	6	
1.0	0.2	11	7	
0.4	0.1	5	8	
0.2	0.0	2	9	
0.6	0.1	7	10	
0.3	0.1	4	12	
0.1	0.0	1	13	
0.2	0.0	2	14	
0.3	0.0	3	15	
0.1	0.0	1	16	
0.2	0.0	2	17	
0.4	0.1	5	20	
0.3	0.0	3	21	
0.2	0.0	2	28	
0.1	0.0	1	30	
0.1	0.0	1	35	
0.1	0.0	1	36	
0.1	0.0	1	40	
0.1	0.0	1	45	
0.1	0.0	1	50	
0.1	0.0	1	99	
0.1	0.0	1	201	
	80.5	4,951	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
	0.0	2	-4	DON'T KNOW

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2002-2004

EL73_A	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.2	0.2	14	1	
1.6	0.3	19	2	
1.5	0.3	17	3	
0.2	0.0	2	4	
11.7	2.2	135	5	
0.2	0.0	2	6	
0.2	0.0	2	7	
0.3	0.0	3	8	
19.4	3.6	224	10	
0.1	0.0	1	12	
0.1	0.0	1	14	
21.3	4.0	246	15	
14.1	2.7	163	20	
0.8	0.1	9	25	
17.0	3.2	196	30	
0.4	0.1	5	35	
0.4	0.1	5	40	
2.0	0.4	23	45	
0.2	0.0	2	50	
5.2	1.0	60	60	
0.7	0.1	8	90	
0.1	0.0	1	95	
0.1	0.0	1	103	
0.6	0.1	7	120	
0.1	0.0	1	151	
0.2	0.0	2	180	
0.1	0.0	1	200	
0.1	0.0	1	210	
0.1	0.0	1	220	
0.2	0.0	2	300	
	80.5	4,952	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2005-2007

EL73_B01	DEALT W/PHYSICAL/DENTAL EXAM/PRO #1
-----------------	--

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Physical or dental exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.4	765	1	CIRCLED
	80.7	4,963	-9	LEGITIMATE SKIP
	6.8	420	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2008-2009

EL73_B02	DEALT W/MEDICAL/DENTAL CARE TREAT/PRO #1
-----------------	---

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Medical or dental care / treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.9	242	2	CIRCLED
	80.7	4,961	-9	LEGITIMATE SKIP
	15.4	945	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2010-2011

EL73_B03 **DEALT W/GLASSES/HEARING AIDS/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Glasses or hearing aids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	3	CIRCLED
	80.8	4,965	-9	LEGITIMATE SKIP
	19.1	1,174	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2012-2013

EL73_B04 **DEALT W/ADMISSION TO HOSP/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Admission to hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	14	4	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	19.0	1,168	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2014-2015

EL73_B05	DEALT W/MEDICATION/PRO #1
-----------------	----------------------------------

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	131	5	CIRCLED
	80.8	4,965	-9	LEGITIMATE SKIP
	17.1	1,052	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2016-2017

EL73_B06	DEALT W/DIET/PRO #1
-----------------	----------------------------

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Diet or nutritional advice.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	27	6	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	18.8	1,155	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2018-2019

EL73_B07 **DEALT W/EXERCISE/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Exercise or physical fitness protocol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	7	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	19.0	1,169	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2020-2021

EL73_B08 **DEALT W/PRENATAL CARE/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Prenatal care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	8	CIRCLED
	80.7	4,964	-9	LEGITIMATE SKIP
	19.1	1,175	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2022-2023

EL73_B09**DEALT W/OTHER/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	129	9	CIRCLED
	80.8	4,965	-9	LEGITIMATE SKIP
	17.1	1,054	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2024-2025

EL73_C**HOW HELPFUL SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L72a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	2.4	149	0	NOT AT ALL
29.3	5.5	336	1	SOMEWHAT
57.6	10.7	660	2	VERY HELPFUL
	80.6	4,953	-9	LEGITIMATE SKIP
	0.8	50	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2026-2027

EL74	#TIMES/MET WITH PRO #2
-------------	-------------------------------

How many times have you met with your (PROVIDER #2 FROM L72a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	2	0	
57.3	2.4	145	1	
21.7	0.9	55	2	
7.9	0.3	20	3	
3.6	0.1	9	4	
2.4	0.1	6	5	
2.0	0.1	5	6	
0.4	0.0	1	7	
0.4	0.0	1	8	
0.4	0.0	1	10	
0.8	0.0	2	14	
0.4	0.0	1	15	
0.4	0.0	1	16	
0.4	0.0	1	17	
0.4	0.0	1	24	
0.4	0.0	1	40	
0.4	0.0	1	57	
	80.8	4,965	-9	LEGITIMATE SKIP
	15.1	930	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2028-2029

EL74_A

#MINUTES/SESSIONS LAST

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	0	
0.8	0.0	2	1	
1.2	0.0	3	2	
2.0	0.1	5	3	
0.4	0.0	1	4	
24.7	1.0	62	5	
0.4	0.0	1	6	
1.2	0.0	3	8	
25.5	1.0	64	10	
13.1	0.5	33	15	
8.8	0.4	22	20	
1.2	0.0	3	25	
12.4	0.5	31	30	
0.4	0.0	1	45	
4.8	0.2	12	60	
0.4	0.0	1	75	
0.8	0.0	2	90	
0.4	0.0	1	120	
0.4	0.0	1	180	
0.4	0.0	1	240	
0.4	0.0	1	360	
	80.8	4,965	-9	LEGITIMATE SKIP
	15.2	932	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2030-2032

EL74_B01 **DEALT W/PHYSICAL/DENTAL EXAM/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Physical or dental exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	165	1	CIRCLED
	80.8	4,965	-9	LEGITIMATE SKIP
	16.6	1,018	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2033-2034

EL74_B02 **DEALT W/MEDICAL/DENTAL CARE TREAT/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Medical or dental care / treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	54	2	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	18.3	1,128	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2035-2036

EL74_B03**DEALT W/GLASSES/HEARING AIDS/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Glasses or hearing aids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	3	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	19.2	1,179	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2037-2038

EL74_B04**DEALT W/ADMISSION TO HOSP/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Admission to hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	19.2	1,181	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2039-2040

EL74_B05 **DEALT W/MEDICATION/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	41	5	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	18.6	1,141	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2041-2042

EL74_B06 **DEALT W/DIET/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Diet or nutritional advice.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	6	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	19.2	1,178	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2043-2044

EL74_B07**DEALT W/EXERCISE/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Exercise or physical fitness protocol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	7	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	19.2	1,178	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2045-2046

EL74_B08**DEALT W/PRENATAL CRE/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Prenatal care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	8	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	19.1	1,177	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2047-2048

EL74_B09 **DEALT W/OTHER/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	25	9	CIRCLED
	80.8	4,966	-9	LEGITIMATE SKIP
	18.8	1,157	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2049-2050

EL74_C **HOW HELPFUL THE SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L72a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	0.9	55	0	NOT AT ALL HELPFUL
27.5	1.1	69	1	SOMEWHAT HELPFUL
50.6	2.1	127	2	VERY HELPFUL
	80.8	4,965	-9	LEGITIMATE SKIP
	15.2	932	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2051-2052

EL75**RECEIVED SERVICES/MEDICAL PROBLEMS**

Since your admission, have you had a checkup or have you received any scheduled services for medical problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.6	21.9	1,344	1	YES
37.4	13.1	804	2	NO
	64.2	3,948	-9	LEGITIMATE SKIP
	0.8	52	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2053-2054

EL75_A_1**RECEIVE SERVICE/PRIVATE PHYSICIAN/DENTIS**

Where have you received these services?

Private physician or dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	162	1	CIRCLED
	77.5	4,767	-9	LEGITIMATE SKIP
	19.8	1,219	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2055-2056

EL75_A_2 **RECEIVE SERVICE/HOSP/PUB HEALTH CLINIC**

Where have you received these services?

Hospital or public health clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.2	872	2	CIRCLED
	77.3	4,755	-9	LEGITIMATE SKIP
	8.5	521	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2057-2058

EL75_A_3 **RECEIVE SERVICE/MILITARY/VA HOSPITAL**

Where have you received these services?

Military or VA hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	15	3	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	22.2	1,365	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2059-2060

EL75_A_4	RECEIVE SERVICE/HEALTH COOPERATIVE
-----------------	---

Where have you received these services?

Health cooperative, neighborhood clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	154	4	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	19.9	1,226	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2061-2062

EL75_A_5	RECEIVE SERVICE/OTHER MEDICAL
-----------------	--------------------------------------

Where have you received these services?

Other medical.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	164	5	CIRCLED
	77.5	4,762	-9	LEGITIMATE SKIP
	19.9	1,222	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2063-2064

EL75_A_6 **RECEIVE SERVICE/OTHER**

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	39	6	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	21.8	1,341	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2065-2066

EL75B_1 **MEDICAL OTHER PLACE/LOCATION #1**

Which 2 locations have you received services at most often?
 First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	2.3	143	1	PRIVATE PHYSICIAN OR DENTIST
64.6	14.3	877	2	HOSPITAL OR PUBLIC HEALTH CLINIC
1.2	0.3	16	3	MILITARY OR VA HOSPITAL OR CLINIC
9.2	2.0	125	4	HEALTH COOPERATIVE
12.2	2.7	165	5	OTHER MEDICAL
2.4	0.5	32	6	OTHER
	77.2	4,747	-9	LEGITIMATE SKIP
	0.7	41	-8	BLANK
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2067-2068

EL75C_1

WHO REFERRED YOU TO LOCATION #1

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	15.7	965	1	PROGRAM
7.5	1.6	101	2	SOMEONE ELSE
20.6	4.5	276	3	SELF
	77.2	4,749	-9	LEGITIMATE SKIP
	0.9	55	-8	BLANK
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2069-2070

EL75D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
---------	------------------------------------

On how many days have you received these services at
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
60.2	13.3	816	1	
22.2	4.9	301	2	
6.6	1.5	90	3	
3.8	0.8	52	4	
1.7	0.4	23	5	
1.7	0.4	23	6	
0.4	0.1	6	7	
0.6	0.1	8	8	
0.2	0.0	3	9	
0.5	0.1	7	10	
0.1	0.0	2	11	
0.1	0.0	2	12	
0.1	0.0	1	13	
0.4	0.1	5	14	
0.1	0.0	2	15	
0.4	0.1	6	20	
0.1	0.0	2	21	
0.1	0.0	2	35	
0.1	0.0	1	40	
0.1	0.0	2	50	
	77.2	4,748	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2071-2072

EL75E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	1.8	113	0	NOT AT ALL
23.6	5.2	317	1	SOMEWHAT
67.9	14.8	911	2	VERY HELPFUL
	77.2	4,748	-9	LEGITIMATE SKIP
	0.9	56	-8	BLANK
	0.0	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2073-2074

EL75F101	TALKED TO/REGULAR COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	1	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	22.3	1,373	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2075-2076

EL75F102 TALKED TO/CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	2	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	22.4	1,377	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2077-2078

EL75F122 TALKED TO/PSYCHIATRIST/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	22	CIRCLED
	77.5	4,767	-9	LEGITIMATE SKIP
	22.3	1,372	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2079-2080

EL75F123**TALKED TO/NURSE/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.9	361	23	CIRCLED
	77.4	4,761	-9	LEGITIMATE SKIP
	16.7	1,026	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2081-2082

EL75F124**TALKED TO/PHYSICIAN/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	18.2	1,122	24	CIRCLED
	77.3	4,753	-9	LEGITIMATE SKIP
	4.4	273	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2083-2084

EL75F125 TALKED TO/PHYSICIAN'S ASSISTANT/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	41	25	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	21.8	1,339	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2085-2086

EL75F126 TALKED TO/DENTIST/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	56	26	CIRCLED
	77.5	4,767	-9	LEGITIMATE SKIP
	21.6	1,325	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2087-2088

EL75F171 **TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	101	71	CIRCLED
	77.5	4,767	-9	LEGITIMATE SKIP
	20.8	1,280	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2089-2090

EL75F191 **TALKED TO/OTHER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	99	91	CIRCLED
	77.5	4,766	-9	LEGITIMATE SKIP
	20.9	1,283	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2091-2092

EL75G_1	TALKED TO FOR SERVICES/LOCATION #1
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	8	1	PRIMARY/REGULAR COUNSELOR
0.5	0.1	7	2	CASE MANAGER
0.3	0.1	4	22	PSYCHIATRIST
6.9	1.4	88	23	NURSE
79.3	16.5	1,014	24	PHYSICIAN
1.6	0.3	20	25	PHYSICIANS ASSISTANT
3.5	0.7	45	26	DENTIST
4.7	1.0	60	71	STAFF FROM ANOTHER AGENCY
2.5	0.5	32	91	OTHER
	77.2	4,748	-9	LEGITIMATE SKIP
	1.9	119	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2093-2094

EL75B_2	MEDICAL OTHER PLACE/LOCATION #2
----------------	--

Which 2 locations have you received services at most often?
 Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	0.4	25	1	PRIVATE PHYSICIAN OR DENTIST
68.8	2.7	163	2	HOSPITAL OR PUBLIC HEALTH CLINIC
0.4	0.0	1	3	MILITARY OR VA HOSPITAL OR CLINIC
13.9	0.5	33	4	HEALTH COOPERATIVE
4.2	0.2	10	5	OTHER MEDICAL
2.1	0.1	5	6	OTHER
	77.5	4,766	-9	LEGITIMATE SKIP
	18.6	1,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2095-2096

EL75C_2 **WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	2.8	173	1	PROGRAM
9.3	0.3	21	2	SOMEONE ELSE
14.5	0.5	33	3	SELF
	77.5	4,767	-9	LEGITIMATE SKIP
	18.8	1,154	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2097-2098

EL75D_2 **#DAYS YOU RECEIVED SERVICES/LOC #2**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	2.1	127	1	
32.2	1.3	77	2	
8.4	0.3	20	3	
2.1	0.1	5	4	
0.4	0.0	1	5	
0.8	0.0	2	6	
0.4	0.0	1	7	
0.4	0.0	1	8	
0.4	0.0	1	14	
0.4	0.0	1	15	
0.4	0.0	1	20	
0.4	0.0	1	35	
0.4	0.0	1	80	
	77.5	4,766	-9	LEGITIMATE SKIP
	18.6	1,143	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2099-2100

EL75E_2 HOW HELPFUL SERVICES/LOCATION #2

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.2	13	0	NOT AT ALL
23.1	0.9	54	1	SOMEWHAT
71.4	2.7	167	2	VERY HELPFUL
	77.5	4,766	-9	LEGITIMATE SKIP
	18.7	1,147	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2101-2102

EL75F201 TALKED TO/REGULAR COUNSELOR/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	22.4	1,378	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2103-2104

EL75F202	TALKED TO/CASE MANAGER/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	22.4	1,379	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2105-2106

EL75F222	TALKED TO/PSYCHIATRIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	22	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	22.4	1,378	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2107-2108

EL75F223 TALKED TO/NURSE/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	43	23	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	21.7	1,337	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2109-2110

EL75F224 TALKED TO/PHYSICIAN/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	125	24	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	20.4	1,255	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2111-2112

EL75F225**TALKED TO/PHYSICIAN'S ASSISTANT/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	25	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	22.3	1,374	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2113-2114

EL75F226**TALKED TO/DENTIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	29	26	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	22.0	1,351	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2115-2116

EL75F271 TALKED TO/STAFF FR OTHER AGENCY/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	50	71	CIRCLED
	77.5	4,766	-9	LEGITIMATE SKIP
	21.7	1,332	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2117-2118

EL75F291 TALKED TO/OTHER/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	26	91	CIRCLED
	77.6	4,768	-9	LEGITIMATE SKIP
	22.0	1,354	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2119-2120

EL75G_2

TALKED TO FOR SERVICES/LOCATION #2

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.5	0.0	1	22	PSYCHIATRIST
8.1	0.3	18	23	NURSE
49.5	1.8	110	24	PHYSICIAN
0.9	0.0	2	25	PHYSICIANS ASSISTANT
12.2	0.4	27	26	DENTIST
21.6	0.8	48	71	STAFF FROM ANOTHER AGENCY
7.2	0.3	16	91	OTHER
	77.5	4,766	-9	LEGITIMATE SKIP
	18.9	1,159	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2121-2122

EL76

DR. PRESC METHADONE/TRANQ/FOR DRUG PROB

Since your admission, has a doctor prescribed methadone, Naltrexone, tranquilizers, or Antabuse for you because of drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	18.5	1,138	1	YES
81.4	81.1	4,984	2	NO
	0.4	25	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2123-2124

EL76_A_1 **MEDICINE DR. PRESCRIBED/METHADONE**

Which of these has the doctor prescribed for you?

Methadone.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.8	909	1	CIRCLED
	81.0	4,978	-9	LEGITIMATE SKIP
	4.2	257	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2125-2126

EL76_A_2 **MEDICINE DR. PRESCRIBED/NALTREXONE**

Which of these has the doctor prescribed for you?

Naltrexone (Trexan).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	77	2	CIRCLED
	80.1	4,922	-9	LEGITIMATE SKIP
	18.6	1,145	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2127-2128

EL76_A_3**MEDICINE DR. PRESCRIBED/TRANQUILIZERS**

Which of these has the doctor prescribed for you?

Tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	96	3	CIRCLED
	81.0	4,981	-9	LEGITIMATE SKIP
	17.4	1,067	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2129-2130

EL76_A_4**MEDICINE DR. PRESCRIBED/ANTABUSE**

Which of these has the doctor prescribed for you?

Antabuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	156	4	CIRCLED
	81.1	4,984	-9	LEGITIMATE SKIP
	16.3	1,004	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2131-2132

EL77 **HAD ANY CONCERN ABOUT PRESCRIBED MEDICIN**

Since your admission, have you had any concerns or complaints about any medication that was prescribed for you (including methadone, Naltrexone, tranquilizers, Antabuse, and any other medication)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.9	486	1	YES
91.9	89.7	5,513	2	NO
	2.4	149	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2133-2134

EL77_A **HAD ANY SERVICES W/ONE ABOUT CONCERNS**

Since your admission, have you had any scheduled services or talks with anyone in this program about these concerns or complaints?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	6.1	378	1	YES
29.3	2.6	157	2	NO
	88.9	5,465	-9	LEGITIMATE SKIP
	2.4	148	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2135-2136

EL77B_01	TALKED WITH REGULAR COUNSELOR
-----------------	--------------------------------------

Who have you talked with?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	152	1	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	6.1	373	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2137-2138

EL77B_02	TALKED WITH CASE MANAGER
-----------------	---------------------------------

Who have you talked with?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	2	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.4	516	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2139-2140

EL77B_11	TALKED WITH OTHER COUNSELOR
-----------------	------------------------------------

Who have you talked with?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	11	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.3	509	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2141-2142

EL77B_12	TALKED WITH OTHER CASE MANAGER
-----------------	---------------------------------------

Who have you talked with?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.5	524	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2143-2144

EL77B_13	TALKED WITH SOCIAL WORKER
-----------------	----------------------------------

Who have you talked with?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	13	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.5	522	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2145-2146

EL77B_21	TALKED WITH PSYCHOLOGIST
-----------------	---------------------------------

Who have you talked with?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.5	525	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2147-2148

EL77B_22	TALKED WITH PSYCHIATRIST
-----------------	---------------------------------

Who have you talked with?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	39	22	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	7.9	486	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2149-2150

EL77B_23	TALKED WITH NURSE
-----------------	--------------------------

Who have you talked with?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	134	23	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	6.4	391	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2151-2152

EL77B_24	TALKED WITH PHYSICIAN
-----------------	------------------------------

Who have you talked with?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	117	24	CIRCLED
	91.4	5,622	-9	LEGITIMATE SKIP
	6.7	409	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2153-2154

EL77B_25	TALKED WITH PHYSICIAN'S ASSISTANT
-----------------	--

Who have you talked with?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	12	25	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.3	513	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2155-2156

EL77B_26 **TALKED WITH DENTIST**

Who have you talked with?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.5	525	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2157-2158

EL77B_27 **TALKED WITH VOCATIONAL COUNSELOR**

Who have you talked with?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.5	525	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2159-2160

EL77B_28**TALKED WITH CERTI FAMI COUNSELOR**

Who have you talked with?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.5	525	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2161-2162

EL77B_71**TALKED WITH STAFF FR OTHER AGENCY**

Who have you talked with?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	71	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.5	524	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2163-2164

EL77B_91	TALKED WITH OTHER
-----------------	--------------------------

Who have you talked with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	14	91	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.3	511	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2165-2166

EL77_C_1	CONCERNS/MEDICINE/DOSAGE TOO SMALL
-----------------	---

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Dosage too small.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	145	1	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	6.2	380	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2167-2168

EL77_C_2**CONCERNS/MEDICINE/DOSAGE TOO LARGE**

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Dosage too large.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	50	2	CIRCLED
	91.4	5,622	-9	LEGITIMATE SKIP
	7.7	476	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2169-2170

EL77_C_3**CONCERNS/MEDICINE/PHYSICAL SYMPTOMS**

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Physical symptoms (such as nausea, vomiting, headaches, dizziness, shaking).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	130	3	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	6.4	395	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2171-2172

EL77_C_6**CONCERNS/MEDICINE/DRUG COST TOO MUCH**

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Drug cost too much - not affordable.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	6	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.5	523	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2177-2178

EL77_C_7**CONCERNS/MEDICINE/DEPRESSION**

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Depression.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	10	7	CIRCLED
	91.5	5,623	-9	LEGITIMATE SKIP
	8.4	515	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2179-2180

EL77_C_8 **CONCERNS/MEDICINE/OTHER**

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	89	8	CIRCLED
	91.4	5,622	-9	LEGITIMATE SKIP
	7.1	437	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2181-2182

EL78 **RECEIVE SERVICE/RELATIONSHIP PROBLEM**

Since your admission, have you received any scheduled individual or group services for family or relationship problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.2	14.1	866	1	YES
85.8	85.4	5,252	2	NO
	0.5	30	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2183-2184

EL79**RECEIVED SERVICES AT THIS PROGRAM**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	12.9	796	1	YES
7.4	1.0	64	2	NO
	85.4	5,250	-9	LEGITIMATE SKIP
	0.6	38	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2185-2186

EL80_01**TALKED TO/REGULAR COUNSELOR**

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.9	299	1	CIRCLED
	86.5	5,315	-9	LEGITIMATE SKIP
	8.7	533	-8	BLANK
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2187-2188

EL80_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	2	CIRCLED
	86.5	5,317	-9	LEGITIMATE SKIP
	13.3	818	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2189-2190

EL80_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	183	11	CIRCLED
	86.5	5,315	-9	LEGITIMATE SKIP
	10.6	650	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2191-2192

EL80_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	86.5	5,317	-9	LEGITIMATE SKIP
	13.5	830	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2193-2194

EL80_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	13	CIRCLED
	86.5	5,317	-9	LEGITIMATE SKIP
	13.4	824	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2195-2196

EL80_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	21	CIRCLED
	86.5	5,317	-9	LEGITIMATE SKIP
	13.5	830	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2197-2198

EL80_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	21	22	CIRCLED
	86.5	5,317	-9	LEGITIMATE SKIP
	13.2	810	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2199-2200

EL80_23**TALKED TO/NURSE**

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	23	CIRCLED
	86.5	5,317	-9	LEGITIMATE SKIP
	13.4	826	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2201-2202

EL80_28**TALKED TO/CERTI FAMI COUNSELOR**

Who have you seen or talked to for these services here?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.3	267	28	CIRCLED
	86.5	5,316	-9	LEGITIMATE SKIP
	9.2	565	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2203-2204

EL80_A1	TALKED TO MOST OFTEN - PROVIDER #1
----------------	---

Which 2 have you seen or talked to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	4.3	265	1	PRIMARY/REGULAR COUNSELOR
1.2	0.1	9	2	CASE MANAGER
19.0	2.3	139	11	OTHER COUSELOR
0.1	0.0	1	12	OTHER CASE MANAGER
0.7	0.1	5	13	SOCIAL WORKER
0.1	0.0	1	21	PSYCHOLOGIST
1.6	0.2	12	22	PSYCHIATRIST
0.1	0.0	1	23	NURSE
30.6	3.6	224	28	CERTIFIED FAMILY COUNSELOR
6.0	0.7	44	71	STAFF FROM ANOTHER AGENCY
4.4	0.5	32	91	OTHER
	86.4	5,311	-9	LEGITIMATE SKIP
	1.7	102	-8	BLANK
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2209-2210

EL80_A2	TALKED TO MOST OFTEN - PROVIDER #2
----------------	---

Which 2 have you seen or talked to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	0.4	23	1	PRIMARY/REGULAR COUNSELOR
1.6	0.0	2	2	CASE MANAGER
34.1	0.7	42	11	OTHER COUSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.8	0.0	1	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
5.7	0.1	7	22	PSYCHIATRIST
3.3	0.1	4	23	NURSE
21.1	0.4	26	28	CERTIFIED FAMILY COUNSELOR
6.5	0.1	8	71	STAFF FROM ANOTHER AGENCY
8.1	0.2	10	91	OTHER
	86.5	5,317	-9	LEGITIMATE SKIP
	11.5	708	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2211-2212

EL81_01 SESSIONS W/INDIVIDUAL/PRO #1

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Individual. -> Ask L81a-d

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	220	1	CIRCLED
	86.5	5,316	-9	LEGITIMATE SKIP
	10.0	612	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2213-2214

EL81_02 SESSIONS W/FAMILY/PRO #1

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Family. -> Ask L81e-i

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	206	2	CIRCLED
	86.5	5,315	-9	LEGITIMATE SKIP
	10.2	627	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2215-2216

EL81_03	SESSIONS W/GROUP/PRO #1
----------------	--------------------------------

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Group. -> Ask L81j-m

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.3	512	3	CIRCLED
	86.4	5,314	-9	LEGITIMATE SKIP
	5.2	322	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2217-2218

EL81_A	#TIMES/MET INDIVIDUALLY WITH PRO #1
---------------	--

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.0	3	0	
53.8	2.3	140	1	
21.9	0.9	57	2	
8.8	0.4	23	3	
7.3	0.3	19	4	
3.1	0.1	8	5	
0.8	0.0	2	6	
0.8	0.0	2	7	
0.8	0.0	2	8	
0.4	0.0	1	9	
0.4	0.0	1	10	
0.4	0.0	1	16	
0.4	0.0	1	20	
	95.2	5,850	-9	LEGITIMATE SKIP
	0.6	38	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2219-2220

EL81_B	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	0	
1.6	0.1	4	5	
0.4	0.0	1	8	
7.4	0.3	19	10	
5.1	0.2	13	15	
9.3	0.4	24	20	
0.4	0.0	1	25	
19.1	0.8	49	30	
0.4	0.0	1	35	
9.3	0.4	24	45	
0.4	0.0	1	50	
33.9	1.4	87	60	
0.4	0.0	1	70	
6.2	0.3	16	90	
0.4	0.0	1	105	
4.7	0.2	12	120	
0.4	0.0	1	180	
0.4	0.0	1	240	
	95.2	5,852	-9	LEGITIMATE SKIP
	0.6	39	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2221-2223

EL81_C_1	INDI DEAL W/COUNSEL/PROB W/SPOUSE/PRO #1
-----------------	---

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	88	1	CIRCLED
	96.5	5,933	-9	LEGITIMATE SKIP
	2.1	127	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2224-2225

EL81_C_2**INDI DEAL W/PARENTING/CHILD CARE/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	67	2	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.3	142	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2226-2227

EL81_C_3**INDI DEAL W/COUNSEL/PROB W/PARENT/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	89	3	CIRCLED
	96.4	5,928	-9	LEGITIMATE SKIP
	2.1	131	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2228-2229

EL81_C_4 INDIVIDUALLY DEAL W/SEX EDUCATION/PRO #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	8	4	CIRCLED
	97.1	5,971	-9	LEGITIMATE SKIP
	2.7	169	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2230-2231

EL81_C_5 INDIVI DEAL W/DEATH/BEREAVEMENT/PRO #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	5	CIRCLED
	97.1	5,970	-9	LEGITIMATE SKIP
	2.8	171	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2232-2233

EL81_C_6	INDIVIDUALLY DEAL W/OTHER/PRO #1
-----------------	---

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	118	6	CIRCLED
	96.3	5,922	-9	LEGITIMATE SKIP
	1.8	108	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2234-2235

EL81_D	HOW HELPFUL THE SERVICES/PRO #1
---------------	--

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	0.2	14	0	NOT AT ALL
21.9	0.9	56	1	SOMEWHAT
72.7	3.0	186	2	VERY HELPFUL
	95.2	5,852	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2236-2237

EL81_E	#TIMES/MET AS A FAMILY WITH PRO #1
---------------	---

How many times have you met as a family with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.0	2	0	
66.5	2.3	139	1	
19.6	0.7	41	2	
4.8	0.2	10	3	
7.2	0.2	15	4	
0.5	0.0	1	5	
0.5	0.0	1	6	
	95.7	5,886	-9	LEGITIMATE SKIP
	0.9	53	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2238-2239

EL81_F

#MINUTES/SESSIONS LAST

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	6	
1.0	0.0	2	10	
3.4	0.1	7	15	
2.9	0.1	6	20	
19.8	0.7	41	30	
0.5	0.0	1	35	
0.5	0.0	1	40	
6.8	0.2	14	45	
0.5	0.0	1	50	
37.2	1.3	77	60	
0.5	0.0	1	75	
13.5	0.5	28	90	
7.7	0.3	16	120	
0.5	0.0	1	150	
1.0	0.0	2	160	
1.4	0.0	3	180	
0.5	0.0	1	210	
1.4	0.0	3	240	
0.5	0.0	1	601	
	95.8	5,887	-9	LEGITIMATE SKIP
	0.9	54	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2240-2242

EL81_G_1 ATTEND MEETING/SPOUSE/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	104	1	CIRCLED
	96.5	5,935	-9	LEGITIMATE SKIP
	1.8	108	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2243-2244

EL81_G_2 ATTEND MEETING/OTHER FAMILY MEM/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	127	2	CIRCLED
	96.3	5,921	-9	LEGITIMATE SKIP
	1.6	99	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2245-2246

EL81_G_3**ATTEND MEETING/OTHERS IN TREAT/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	22	3	CIRCLED
	97.0	5,964	-9	LEGITIMATE SKIP
	2.6	161	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2247-2248

EL81_G_4**ATTEND MEETING/FAMI MEM OF OTHERS/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	4	CIRCLED
	97.0	5,965	-9	LEGITIMATE SKIP
	2.7	166	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2249-2250

EL81_G_5 ATTEND MEETING/OTHER/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	17	5	CIRCLED
	97.1	5,967	-9	LEGITIMATE SKIP
	2.7	163	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2251-2252

EL81_H_1 INDI MET/COUNSEL/PROB W/SPOUSE/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	78	1	CIRCLED
	96.7	5,947	-9	LEGITIMATE SKIP
	2.0	122	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2253-2254

EL81_H_2	INDI MET/PARENTING/CHILD CARE/PRO #1
-----------------	---

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	46	2	CIRCLED
	96.9	5,960	-9	LEGITIMATE SKIP
	2.3	141	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2255-2256

EL81_H_3	INDI MET/COUNSEL/PROB W/PARENT/PRO #1
-----------------	--

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	62	3	CIRCLED
	96.7	5,943	-9	LEGITIMATE SKIP
	2.3	142	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2257-2258

EL81_H_4 INDIVIDUALLY MET/SEX EDUCATION/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	4	CIRCLED
	97.1	5,971	-9	LEGITIMATE SKIP
	2.8	171	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2259-2260

EL81_H_5 INDIVI MET/DEATH/BEREAVEMENT/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	5	CIRCLED
	97.1	5,971	-9	LEGITIMATE SKIP
	2.8	173	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2261-2262

EL81_H_6	INDIVIDUALLY MET/OTHER/PRO #1
-----------------	--------------------------------------

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	96	6	CIRCLED
	96.5	5,931	-9	LEGITIMATE SKIP
	2.0	120	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2263-2264

EL81_I	HOW HELPFUL THE SERVICES/PRO #1
---------------	--

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.1	9	0	NOT AT ALL
17.5	0.6	36	1	SOMEWHAT
78.2	2.6	161	2	VERY HELPFUL
	95.8	5,888	-9	LEGITIMATE SKIP
	0.9	54	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2265-2266

EL81_J	#TIMES/MET IN GROUP WITH PRO #1
--------	---------------------------------

How many times have you met in the group with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	2	0	
27.5	2.3	144	1	
26.9	2.3	141	2	
13.0	1.1	68	3	
15.1	1.3	79	4	
5.5	0.5	29	5	
2.9	0.2	15	6	
0.8	0.1	4	7	
3.1	0.3	16	8	
0.2	0.0	1	9	
1.5	0.1	8	10	
0.8	0.1	4	12	
0.2	0.0	1	14	
0.2	0.0	1	15	
0.4	0.0	2	19	
0.2	0.0	1	25	
0.2	0.0	1	27	
0.2	0.0	1	28	
0.4	0.0	2	30	
0.2	0.0	1	50	
0.4	0.0	2	60	
0.2	0.0	1	240	
	90.6	5,570	-9	LEGITIMATE SKIP
	0.9	53	-8	BLANK
	0.0	1	-3	NOT APPLICABLE

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2267-2269

EL81_K_1	ATTEND MEETING/SPOUSE/PRO #1
-----------------	-------------------------------------

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	148	1	CIRCLED
	91.9	5,647	-9	LEGITIMATE SKIP
	5.7	352	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2270-2271

EL81_K_2	ATTEND MEETING/CHILDREN/PRO #1
-----------------	---------------------------------------

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	77	2	CIRCLED
	92.4	5,679	-9	LEGITIMATE SKIP
	6.4	391	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2272-2273

EL81_K_3 ATTEND MEETING/OTHER FAMILY MEM/PRO #1

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other members of client's family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	247	3	CIRCLED
	91.7	5,637	-9	LEGITIMATE SKIP
	4.3	263	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2274-2275

EL81_K_4 ATTEND MEETING/OTHER CLIENTS/PRO #1

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.1	439	4	CIRCLED
	91.0	5,593	-9	LEGITIMATE SKIP
	1.9	115	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2276-2277

EL81_K_5**MEETING/OTHER CLIENT'S SPOUSE/PRO #1**

When you have met in this group with (PROVIDER #1 FROM L80a),
who has attended the meetings?

Spouses / partners of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	228	5	CIRCLED
	91.6	5,630	-9	LEGITIMATE SKIP
	4.7	289	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2278-2279

EL81_K_6**MEETING/OTHER CLIENT'S CHILDREN/PRO #1**

When you have met in this group with (PROVIDER #1 FROM L80a),
who has attended the meetings?

Children of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	144	6	CIRCLED
	91.9	5,653	-9	LEGITIMATE SKIP
	5.7	350	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2280-2281

EL81_K_7 MEETING/OTHER CLIENT'S FAMI MEM/PRO #1

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other members of other clients' families.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	248	7	CIRCLED
	91.6	5,634	-9	LEGITIMATE SKIP
	4.3	265	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2282-2283

EL81_K_8 ATTEND MEETING/OTHERS/PRO #1

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	53	8	CIRCLED
	92.6	5,696	-9	LEGITIMATE SKIP
	6.5	398	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2284-2285

EL81_L_1**GROUP MET/COUNSEL/PROB W/SPOUSE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	135	1	CIRCLED
	92.2	5,667	-9	LEGITIMATE SKIP
	5.6	345	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2286-2287

EL81_L_2**GROUP MET/PARENTING/CHILD CARE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	117	2	CIRCLED
	92.5	5,684	-9	LEGITIMATE SKIP
	5.6	346	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2288-2289

EL81_L_3 **GROUP MET/COUNSEL/PROB W/PARENT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	135	3	CIRCLED
	92.3	5,674	-9	LEGITIMATE SKIP
	5.5	338	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2290-2291

EL81_L_4 **GROUP MET/SEX EDUCATION/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	4	CIRCLED
	92.7	5,700	-9	LEGITIMATE SKIP
	7.1	438	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2292-2293

EL81_L_5	GROUP MET/DEATH/BEREAVEMENT/PRO #1
-----------------	---

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	14	5	CIRCLED
	92.7	5,697	-9	LEGITIMATE SKIP
	7.1	436	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2294-2295

EL81_L_6	GROUP MET/OTHER/PRO #1
-----------------	-------------------------------

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.1	312	6	CIRCLED
	91.4	5,618	-9	LEGITIMATE SKIP
	3.5	217	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2296-2297

EL82_02**SESSIONS W/PRO #2/FAMILY**

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Family. -> Ask L82e-i

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	12	2	CIRCLED
	86.5	5,317	-9	LEGITIMATE SKIP
	13.3	819	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2302-2303

EL82_03**SESSIONS W/PRO #2/GROUP**

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Group. -> Ask L82j-m

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	83	3	CIRCLED
	86.5	5,317	-9	LEGITIMATE SKIP
	12.2	748	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2304-2305

EL82_A	#TIMES/MET INDIVIDUALLY W/PRO #2
---------------	---

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.0	3	0	
40.0	0.2	12	1	
26.7	0.1	8	2	
10.0	0.0	3	3	
6.7	0.0	2	4	
6.7	0.0	2	10	
	86.6	5,327	-9	LEGITIMATE SKIP
	12.9	791	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2306-2307

EL82_B	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.0	1	3	
14.8	0.1	4	5	
14.8	0.1	4	10	
11.1	0.0	3	15	
11.1	0.0	3	20	
18.5	0.1	5	30	
7.4	0.0	2	45	
11.1	0.0	3	60	
7.4	0.0	2	90	
	86.6	5,327	-9	LEGITIMATE SKIP
	12.9	793	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2308-2309

EL82_C_1**DEALT W/COUNSELING SPOUSE PROB/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	1	CIRCLED
	86.7	5,329	-9	LEGITIMATE SKIP
	13.2	812	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2310-2311

EL82_C_2**DEALT W/PARENTING/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	2	CIRCLED
	86.7	5,329	-9	LEGITIMATE SKIP
	13.2	812	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2312-2313

EL82_C_3 **DEALT W/COUNSELING PARENTS PROB/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	3	CIRCLED
	86.7	5,328	-9	LEGITIMATE SKIP
	13.2	814	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2314-2315

EL82_C_4 **DEALT W/SEX EDUCATION/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	86.7	5,329	-9	LEGITIMATE SKIP
	13.3	818	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2316-2317

EL82_C_5**DEALT W/DEATH/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	86.7	5,329	-9	LEGITIMATE SKIP
	13.3	818	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2318-2319

EL82_C_6**DEALT W/OTHER/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	19	6	CIRCLED
	86.6	5,327	-9	LEGITIMATE SKIP
	13.0	801	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2320-2321

EL82_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.0	1	20	
16.7	0.0	2	30	
8.3	0.0	1	60	
50.0	0.1	6	90	
16.7	0.0	2	180	
	86.9	5,342	-9	LEGITIMATE SKIP
	12.9	794	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2326-2328

EL82_G_1	ATTEND MEETING/SPOUSE/PRO #2
-----------------	-------------------------------------

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	1	CIRCLED
	86.9	5,343	-9	LEGITIMATE SKIP
	13.0	800	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2329-2330

EL82_G_2 MEETING/OTHER FAMI MEM OF CLIENT/PRO #2

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	8	2	CIRCLED
	86.9	5,342	-9	LEGITIMATE SKIP
	13.0	798	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2331-2332

EL82_G_3 ATTEND MEETING/OTHERS IN TREAT/PRO #2

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	3	CIRCLED
	86.9	5,344	-9	LEGITIMATE SKIP
	13.0	799	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2333-2334

EL82_G_4**ATTEND MEETING/FAMILY MEM OF OTHER/PR #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	4	CIRCLED
	86.9	5,344	-9	LEGITIMATE SKIP
	13.0	800	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2335-2336

EL82_G_5**ATTEND MEETING/OTHERS/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	5	CIRCLED
	86.9	5,344	-9	LEGITIMATE SKIP
	13.0	800	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2337-2338

EL82_H_1 **FAMI MET/COUNSEL/PROB W/SPOUSE/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CIRCLED
	86.9	5,344	-9	LEGITIMATE SKIP
	13.0	802	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2339-2340

EL82_H_2 **FAMI MET/PARENTING/CHILD CARE/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	2	CIRCLED
	86.9	5,344	-9	LEGITIMATE SKIP
	13.0	800	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2341-2342

EL82_H_3**FAMI MET/COUNSEL/PROB W/PARENT/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	3	CIRCLED
	86.9	5,344	-9	LEGITIMATE SKIP
	13.0	800	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2343-2344

EL82_H_4**FAMI MET/SEX EDUCATION/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	86.9	5,344	-9	LEGITIMATE SKIP
	13.1	803	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2345-2346

EL82_H_5 **FAMI MET/DEATH/BEREAVEMENT/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	86.9	5,344	-9	LEGITIMATE SKIP
	13.1	804	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2347-2348

EL82_H_6 **FAMI MET/OTHER/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	6	CIRCLED
	86.9	5,342	-9	LEGITIMATE SKIP
	13.0	797	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2349-2350

EL82_I	HOW HELPFUL THE SERVICES/PRO #2
---------------	--

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
25.0	0.0	3	1	SOMEWHAT
75.0	0.1	9	2	VERY HELPFUL
	86.9	5,341	-9	LEGITIMATE SKIP
	12.9	795	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2351-2352

EL82_J	#TIMES/MET IN GROUP WITH PRO #2
---------------	--

How many times have you met in the group with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.5	32	1	
29.5	0.4	26	2	
12.5	0.2	11	3	
9.1	0.1	8	4	
1.1	0.0	1	5	
3.4	0.0	3	6	
1.1	0.0	1	7	
1.1	0.0	1	8	
3.4	0.0	3	12	
1.1	0.0	1	23	
1.1	0.0	1	27	
	86.8	5,336	-9	LEGITIMATE SKIP
	11.8	724	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2353-2354

EL82_K_1 **ATTEND MEETING/SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	31	1	CIRCLED
	86.9	5,345	-9	LEGITIMATE SKIP
	12.6	772	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2355-2356

EL82_K_2 **ATTEND MEETING/CHILDREN/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	16	2	CIRCLED
	87.0	5,349	-9	LEGITIMATE SKIP
	12.7	783	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2357-2358

EL82_K_3**ATTEND MEETING/OTHER FAMILY MEM/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other members of client's family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	37	3	CIRCLED
	87.0	5,346	-9	LEGITIMATE SKIP
	12.4	765	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2359-2360

EL82_K_4**ATTEND MEETING/OTHER CLIENTS/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	79	4	CIRCLED
	86.9	5,341	-9	LEGITIMATE SKIP
	11.8	728	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2361-2362

EL82_K_5 **MEETING/OTHER CLIENT'S SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouses / partners of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	29	5	CIRCLED
	87.0	5,348	-9	LEGITIMATE SKIP
	12.5	771	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2363-2364

EL82_K_6 **MEETING/OTHER CLIENT'S CHILDREN/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Children of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	18	6	CIRCLED
	87.0	5,350	-9	LEGITIMATE SKIP
	12.7	780	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2365-2366

EL82_K_7**MEETING/OTHER CLIENT'S FAMI MEM/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other members of other client's families.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	34	7	CIRCLED
	87.0	5,346	-9	LEGITIMATE SKIP
	12.5	768	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2367-2368

EL82_K_8**ATTEND MEETING/OTHERS/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	8	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.8	790	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2369-2370

EL82_L_1 **GROUP MET/COUNSEL/PROB W/SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	29	1	CIRCLED
	87.0	5,349	-9	LEGITIMATE SKIP
	12.5	770	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2371-2372

EL82_L_2 **GROUP MET/PARENTING/CHILD CARE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	19	2	CIRCLED
	87.0	5,349	-9	LEGITIMATE SKIP
	12.7	780	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2373-2374

EL82_L_3**GROUP MET/COUNSEL/PROB W/PARENT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	23	3	CIRCLED
	87.0	5,349	-9	LEGITIMATE SKIP
	12.6	776	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2375-2376

EL82_L_4**GROUP MET/SEX EDUCATION/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.9	795	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2377-2378

EL82_L_5 **GROUP MET/DEATH/BEREAVEMENT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	5	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.9	793	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2379-2380

EL82_L_6 **GROUP MET/OTHER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	57	6	CIRCLED
	86.9	5,341	-9	LEGITIMATE SKIP
	12.2	750	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2381-2382

EL82_M**HOW HELPFUL THE SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
16.3	0.2	14	1	SOMEWHAT
83.7	1.2	72	2	VERY HELPFUL
	86.8	5,337	-9	LEGITIMATE SKIP
	11.8	725	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2383-2384

EL83**RECEIVED SERVICES/RELATIONSHIP PROB**

Since your admission, have you received any scheduled individual or group services for family or relationship problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	1.1	68	1	YES
92.3	13.2	814	2	NO
	84.9	5,222	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2385-2386

EL83A_1	RECEIVE SERVICE/SOCIAL SERVICES
----------------	--

Where have you received these services?

Social services or family services program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	50	1	CIRCLED
	98.2	6,036	-9	LEGITIMATE SKIP
	1.0	62	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2387-2388

EL83A_2	RECEIVE SERVICE/MENTAL HEALTH CENTER
----------------	---

Where have you received these services?

Mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	2	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.7	106	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2389-2390

EL83A_3**RECEIVE SERVICE/CHURCH ORGANIZATION**

Where have you received these services?

Church or religious organization.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	3	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.7	106	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2391-2392

EL83A_4**RECEIVE SERVICE/PRIVATE FAMI COUNSELOR**

Where have you received these services?

Private marital or family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	4	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2393-2394

EL83A_5 RECEIVE SERVICE/OTHER

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	8	5	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.7	103	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2395-2396

EL83B_1 FAMILY/RELATIONSHIP OTHER PLACE/LOC #1

Which 2 places did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	0.8	50	1	SOCIAL SERVICES OR FAMILY SERVICES
4.4	0.0	3	2	MENTAL HEALTH CENTER
7.4	0.1	5	3	CHURCH OF RELIGIOUS ORGANIZATION
2.9	0.0	2	4	PRIVATE MARITAL OR FAMILY COUNSELR
11.8	0.1	8	5	OTHER
	98.2	6,036	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2397-2398

EL83C_1	WHO REFERRED YOU TO THIS LOCATION
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	0.6	38	1	PROGRAM
32.4	0.4	22	2	SOMEONE ELSE
11.8	0.1	8	3	SELF
	98.2	6,036	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2399-2400

EL83D_1	#DAYS RECEIVED SERVICES
----------------	--------------------------------

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	0.2	15	1	
11.8	0.1	8	2	
22.1	0.2	15	3	
22.1	0.2	15	4	
4.4	0.0	3	5	
4.4	0.0	3	6	
2.9	0.0	2	7	
2.9	0.0	2	8	
1.5	0.0	1	11	
2.9	0.0	2	12	
1.5	0.0	1	16	
1.5	0.0	1	20	
	98.2	6,036	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2401-2402

EL83E_1 HOW HELPFUL SERVICES/LOCATION #1

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.0	2	0	NOT AT ALL
27.3	0.3	18	1	SOMEWHAT
69.7	0.7	46	2	VERY HELPFUL
	98.2	6,036	-9	LEGITIMATE SKIP
	0.7	45	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2403-2404

EL83F1_1 TALKED TO/REGULAR COUNSELOR/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	108	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2405-2406

EL83F1_2	TALKED TO/CASE MANAGER/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	2	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2407-2408

EL83F111	TALKED TO/OTHER COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	11	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.7	105	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2409-2410

EL83F112 **TALKED TO/OTHER CASE MANAGER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2411-2412

EL83F113 **TALKED TO/SOCIAL WORKER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	13	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.7	104	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2413-2414

EL83F121	TALKED TO/PSYCHOLOGIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	21	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.7	106	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2415-2416

EL83F122	TALKED TO/PSYCHIATRIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	22	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2417-2418

EL83F123 TALKED TO/NURSE/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	23	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	108	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2419-2420

EL83F128 TALKED TO/CERTIFIED FAMILY COUNSELOR

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	28	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	0.8	49	-8	BLANK
	0.8	51	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2421-2422

EL83F171	TALKED TO/STAFF FR OTHER AGENCY/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	20	71	CIRCLED
	98.2	6,036	-9	LEGITIMATE SKIP
	1.5	92	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2423-2424

EL83F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	14	91	CIRCLED
	98.2	6,036	-9	LEGITIMATE SKIP
	1.6	98	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2425-2426

EL83G_1	TALKED TO FOR SERVICES/LOCATION #1
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.0	2	1	PRIMARY/REGULAR COUNSELOR
5.2	0.0	3	2	CASE MANAGER
6.9	0.1	4	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
8.6	0.1	5	13	SOCIAL WORKER
6.9	0.1	4	21	PSYCHOLOGIST
1.7	0.0	1	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
19.0	0.2	11	28	CERTIFIED FAMILY COUNSELOR
36.2	0.3	21	71	STAFF FROM ANOTHER AGENCY
12.1	0.1	7	91	OTHER
	98.2	6,036	-9	LEGITIMATE SKIP
	0.8	52	-8	BLANK
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2427-2428

EL83B_2	FAMILY/RELATIONSHIP OTHER PLACE/LOC #2
----------------	---

Which 2 places did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	SOCIAL SERVICES OR FAMILY SERVICES
100.0	0.0	1	2	MENTAL HEALTH CENTER
0.0	0.0	0	3	CHURCH OF RELIGIOUS ORGANIZATION
0.0	0.0	0	4	PRIVATE MARITAL OR FAMILY COUNSELOR
0.0	0.0	0	5	OTHER
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	110	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2429-2430

EL83C_2	WHO REFERRED YOU TO THIS LOCATION
----------------	--

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2431-2432

EL83D_2	#DAYS RECEIVED SERVICES
----------------	--------------------------------

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2433-2434

EL83E_2 HOW HELPFUL SERVICES/LOCATION #2

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2435-2436

EL83F2_1 TALKED TO/REGULAR COUNSELOR/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2437-2438

EL83F2_2	TALKED TO/CASE MANAGER/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2439-2440

EL83F211	TALKED TO/OTHER COUNSELOR/LOC #2
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2441-2442

EL83F212 **TALKED TO/OTHER CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2443-2444

EL83F213 **TALKED TO/SOCIAL WORKER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2445-2446

EL83F221	TALKED TO/PSYCHOLOGIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2447-2448

EL83F222	TALKED TO/PSYCHIATRIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2449-2450

EL83F223 TALKED TO/NURSE/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2451-2452

EL83F228 TALKED TO/CERTIFIED FAMILY COUNSELOR

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.0	60	-8	BLANK
	0.8	51	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2453-2454

EL83F271**TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2455-2456

EL83F291**TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2457-2458

EL83G_2	TALKED TO FOR SERVICES/LOCATION #2
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	98.2	6,037	-9	LEGITIMATE SKIP
	1.8	111	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2459-2460

EL84	RECEIVED SERVICES/JOB TRAINING/FIND JOB
-------------	--

Since your admission, have you received any scheduled services to train you for a specific job, to help you find a job, or something else like counseling or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.6	162	1	YES
97.3	96.8	5,951	2	NO
	0.6	35	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2461-2462

EL85	RECEIVED SERVICES AT THIS PROGRAM
-------------	--

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	1.8	112	1	YES
31.3	0.8	51	2	NO
	96.8	5,949	-9	LEGITIMATE SKIP
	0.6	36	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2463-2464

EL86_01	TALKED TO/REGULAR COUNSELOR
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	10	1	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.2	137	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2465-2466

EL86_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.4	146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2467-2468

EL86_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	11	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.2	134	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2469-2470

EL86_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.4	146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2471-2472

EL86_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	13	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.4	146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2473-2474

EL86_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.4	147	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2475-2476

EL86_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.4	147	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2477-2478

EL86_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.4	147	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2479-2480

EL86_27**TALKED TO/VOCATIONAL COUNSELOR**

Who have you seen or talked to for these services here?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	28	27	CIRCLED
	97.6	6,000	-9	LEGITIMATE SKIP
	2.0	120	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2481-2482

EL86_29**TALKED TO/TEACHER**

Who have you seen or talked to for these services here?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	TEACHER
	97.6	6,001	-9	LEGITIMATE SKIP
	2.1	128	-8	BLANK
	0.3	19	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2483-2484

EL86_A1

TALKED TO MOST/PROVIDER #1

Which 2 have you seen or talked to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	0.2	11	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
10.6	0.2	11	11	OTHER COUNSELOR
1.0	0.0	1	12	OTHER CASE MANAGER
1.0	0.0	1	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
24.0	0.4	25	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
1.9	0.0	2	71	STAFF FROM ANOTHER AGENCY
51.0	0.9	53	91	OTHER
	97.6	6,000	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2489-2490

EL86_A2

TALKED TO MOST/PROVIDER #2

Which 2 have you seen or talked to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
20.0	0.0	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
20.0	0.0	1	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
60.0	0.0	3	91	OTHER
	97.6	6,001	-9	LEGITIMATE SKIP
	2.3	142	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2491-2492

EL87_01	DEALT W/TRAINING/SPECIFIC JOB/PRO #1
----------------	---

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with training for a specific job? (Ask L87a-f)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	76	1	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	1.1	70	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2493-2494

EL87_02	DEALT W/HELP FIND A JOB/PRO #1
----------------	---------------------------------------

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with help finding a job? (Ask L87g-k)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	2	CIRCLED
	97.6	6,000	-9	LEGITIMATE SKIP
	2.2	138	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2495-2496

EL87_03**DEALT W/SOMETHING ELSE/COUNSELING/PRO #1**

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with something else like counseling or vocational testing? (Ask L871-p)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	28	3	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	1.9	118	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2497-2498

EL87_B**CURRENTLY ENROLLED IN THIS TRAINING**

Are you currently enrolled in this training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	0.7	40	1	YES
48.7	0.6	38	2	NO
	98.1	6,033	-9	LEGITIMATE SKIP
	0.6	37	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2499-2500

EL87_C	RECEIVE A DEGREE/DIPLOMA/CERTI
---------------	---------------------------------------

If you successfully complete this training, will you receive a degree, diploma, or certificate?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	5	1	YES
87.5	0.6	35	2	NO
	98.7	6,071	-9	LEGITIMATE SKIP
	0.6	37	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2501-2502

EL87_D	WHICH WILL YOU RECEIVE
---------------	-------------------------------

Which of these will you receive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEGREE
0.0	0.0	0	2	DIPLOMA
80.0	0.1	4	3	CERTIFICATE
20.0	0.0	1	4	OTHER
	99.3	6,106	-9	LEGITIMATE SKIP
	0.6	37	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2503-2504

EL87_E	#TIMES/ATTEND TRAINING W/PRO #1
---------------	--

How many times have you attended training with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.1	6	0	
50.0	0.6	39	1	
12.8	0.2	10	2	
6.4	0.1	5	3	
2.6	0.0	2	4	
1.3	0.0	1	5	
2.6	0.0	2	10	
1.3	0.0	1	11	
2.6	0.0	2	14	
3.8	0.0	3	15	
3.8	0.0	3	17	
1.3	0.0	1	19	
1.3	0.0	1	21	
1.3	0.0	1	25	
1.3	0.0	1	31	
	98.1	6,033	-9	LEGITIMATE SKIP
	0.6	37	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2505-2506

EL87_F	HOW HELPFUL TRAINING/PRO #1
---------------	------------------------------------

How helpful was this training from your (PROVIDER #1 FROM L86a)? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	0.4	23	0	NOT AT ALL
28.0	0.3	21	1	SOMEWHAT
41.3	0.5	31	2	VERY HELPFUL
	98.1	6,034	-9	LEGITIMATE SKIP
	0.6	37	-8	BLANK
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2507-2508

EL87_G_1 **HELP FIND JOB/JOB SEARCH WORKSHOP/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Job search workshop / counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	1	CIRCLED
	99.3	6,103	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2509-2510

EL87_G_2 **HELP FIND JOB/RESUME WRITING/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Resume writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	2	CIRCLED
	99.3	6,103	-9	LEGITIMATE SKIP
	0.7	41	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2511-2512

EL87_G_3**HELP FIND JOB/INTERVIEW SKILLS/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Interviewing skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	3	CIRCLED
	99.3	6,103	-9	LEGITIMATE SKIP
	0.7	43	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2513-2514

EL87_G_4**HELP FIND JOB/JOB REFERRAL/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Job referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	4	CIRCLED
	99.3	6,104	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2515-2516

EL87_G_5 **HELP FIND JOB/REFERRAL PUB AGCY/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Referral to public agency for help in finding a job (DVR, JTPA, DES).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	5	CIRCLED
	99.3	6,104	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2517-2518

EL87_G_6 **HELP FIND JOB/REFERRAL PRIV AGCY/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Referral to a private agency for help in finding a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.3	6,104	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2519-2520

EL87_G_7**HELP FIND JOB/PLACEMENT IN A JOB/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Placement in a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	99.3	6,104	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2521-2522

EL87_G_8**HELP FIND JOB/OTHER/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	99.3	6,104	-9	LEGITIMATE SKIP
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2523-2524

EL87_H #TIMES/MET W/PRO #1/TO FIND A JOB

How many times have you met with your (PROVIDER #1 FROM L86a) to help you find a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	3	2	
11.1	0.0	1	4	
22.2	0.0	2	5	
11.1	0.0	1	10	
11.1	0.0	1	15	
11.1	0.0	1	20	
	99.2	6,101	-9	LEGITIMATE SKIP
	0.6	38	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2525-2526

EL87_I #MINUTES/MEETINGS LAST

How long did (this meeting last/these meetings usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.0	1	5	
22.2	0.0	2	20	
55.6	0.1	5	60	
11.1	0.0	1	120	
	99.2	6,101	-9	LEGITIMATE SKIP
	0.6	38	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2527-2529

EL87_J	HOW HELPFUL SERVICES/PRO #1
---------------	------------------------------------

How helpful was the service from your (PROVIDER #1 FROM L86a)? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	9	2	VERY HELPFUL
	99.2	6,101	-9	LEGITIMATE SKIP
	0.6	38	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2530-2531

EL87_K	DID YOU FIND A JOB
---------------	---------------------------

Have you found a job as a result of this service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.0	2	1	YES
77.8	0.1	7	2	NO
	99.2	6,101	-9	LEGITIMATE SKIP
	0.6	38	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2532-2533

EL87_L_1 **TYPE HELP/VOCATIONAL TEST ASSES/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Vocational or employment testing assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	1	CIRCLED
	98.9	6,082	-9	LEGITIMATE SKIP
	0.9	56	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2534-2535

EL87_L_2 **TYPE HELP/VOCATIONAL COUNSELING/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Vocational or employment counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	2	CIRCLED
	98.9	6,083	-9	LEGITIMATE SKIP
	0.9	57	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2536-2537

EL87_L_3	TYPE HELP/PUB AGCY VOCA ASSES/PRO #1
-----------------	---

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a public agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	3	CIRCLED
	98.9	6,083	-9	LEGITIMATE SKIP
	1.0	61	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2538-2539

EL87_L_4	TYPE HELP/PRIV AGCY VOCA ASSES/PRO #1
-----------------	--

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a private agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.0	6,084	-9	LEGITIMATE SKIP
	1.0	63	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2540-2541

EL87_L_5 **TYPE HELP/PUB/PRIV AGCY VOC ASSES/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a public or private agency for vocational counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.0	6,084	-9	LEGITIMATE SKIP
	1.0	63	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2542-2543

EL87_L_6 **TYPE HELP/OTHER/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	6	CIRCLED
	99.0	6,084	-9	LEGITIMATE SKIP
	0.9	57	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2544-2545

EL87_M**SESSIONS W/PRO #1**

Have these sessions with your (PROVIDER #1 FROM L86a) been for you alone or were they for groups or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	0.2	15	1	ALL INDIVIDUAL
13.6	0.0	3	2	ALL GROUP
18.2	0.1	4	3	BOTH INDIVIDUAL/GROUP
	98.9	6,082	-9	LEGITIMATE SKIP
	0.7	43	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2546-2547

EL87_N**#TIMES/MET FOR HELP/PRO #1**

How many times have you met with your (PROVIDER #1 FROM L86a) for this kind of help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	0.2	12	1	
31.8	0.1	7	2	
4.5	0.0	1	3	
9.1	0.0	2	4	
	98.9	6,082	-9	LEGITIMATE SKIP
	0.7	43	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2548-2549

EL87_O	#MINUTES/MEETINGS LAST
---------------	-------------------------------

How long did (this meeting last/these meetings usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.0	1	3	
9.1	0.0	2	10	
4.5	0.0	1	15	
4.5	0.0	1	20	
50.0	0.2	11	30	
18.2	0.1	4	60	
4.5	0.0	1	120	
4.5	0.0	1	480	
	98.9	6,082	-9	LEGITIMATE SKIP
	0.7	43	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2550-2552

EL87_P	HOW HELPFUL SERVICES/PRO #1
---------------	------------------------------------

How helpful was this service from your (PROVIDER #1 FROM L86a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.0	1	0	NOT AT ALL
23.1	0.1	6	1	SOMEWHAT
73.1	0.3	19	2	VERY HELPFUL
	98.9	6,082	-9	LEGITIMATE SKIP
	0.6	39	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2553-2554

EL88_01	DEALT W/TRAIN FOR SPECIFIC JOB/PRO #2
----------------	--

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with training for a specific job? (Ask L88a-f)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.4	145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2555-2556

EL88_02	DEALT W/HELP FIND A JOB/PRO #2
----------------	---------------------------------------

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with finding a job? (Ask L88g-k)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.4	147	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2557-2558

EL88_03	DEALT W/SOMETHING ELSE/COUNSELING/PRO #2
----------------	---

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with something else like counseling or vocational testing? (Ask L88l-p)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	CIRCLED
	97.6	6,001	-9	LEGITIMATE SKIP
	2.4	146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2559-2560

EL88_B	CURRENTLY ENROLLED IN THIS TRAINING
---------------	--

Are you currently enrolled in this training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	YES
0.0	0.0	0	2	NO
	97.6	6,002	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2561-2562

EL88_C	RECEIVE A DEGREE/DIPLOMA/CERTI
---------------	---------------------------------------

If you successfully complete this training, will you receive a degree, diploma, or certificate?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	2	2	NO
	97.6	6,002	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2563-2564

EL88_D	WHICH WILL YOU RECEIVE
---------------	-------------------------------

Which of these will you receive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEGREE
0.0	0.0	0	2	DIPLOMA
0.0	0.0	0	3	CERTIFICATE
0.0	0.0	0	4	OTHER
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2565-2566

EL88_E	#TIMES/ATTEND TRAINING W/PRO #2
---------------	--

How many times have you attended training with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	2	
	97.6	6,002	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2567-2568

EL88_F **HOW HELPFUL TRAINING/PRO #2**

How helpful was this training from your (PROVIDER #2 FROM L86a)? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.0	2	2	VERY HELPFUL
	97.6	6,002	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2569-2570

EL88_G_1 **HELP FIND JOB/JOB SEARCH WORKSHOP/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Job search workshop / counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2571-2572

EL88_G_2**HELP FIND JOB/RESUME WRITING/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Resume writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2573-2574

EL88_G_3**HELP FIND JOB/INTERVIEW SKILLS/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Interviewing skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2575-2576

EL88_G_4 **HELP FIND JOB/JOB REFERRAL/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Job referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2577-2578

EL88_G_5 **HELP FIND JOB/REFERRAL PUB AGCY/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Referral to public agency for help in finding a job (DVR, JTPA, DES).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2579-2580

EL88_G_6**HELP FIND JOB/REFERRAL PRIV AGCY/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Referral to a private agency for help in finding a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2581-2582

EL88_G_7**HELP FIND JOB/PLACEMENT IN A JOB/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Placement in a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2583-2584

EL88_G_8 HELP FIND JOB/OTHER/PRO #2

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2585-2586

EL88_H #TIMES/MET W/PRO #2/TO FIND A JOB

How many times have you met with your (PROVIDER #2 FROM L86a) to help you find a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2587-2588

EL88_I #MINUTES/MEETINGS LAST

How long did (this meeting last/these meetings usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2589-2590

EL88_J**HOW HELPFUL SERVICES/PRO #2**

How helpful was the service from your (PROVIDER #2 FROM L86a)? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2591-2592

EL88_K**DID YOU FIND A JOB**

Have you found a job as a result of this service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	97.7	6,004	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2593-2594

EL88_L_1 **TYPE HELP/VOCATIONAL TEST ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Vocational or employment testing assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.6	6,003	-9	LEGITIMATE SKIP
	2.4	145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2595-2596

EL88_L_2 **TYPE HELP/VOCATIONAL COUNSELING/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Vocational or employment counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.6	6,003	-9	LEGITIMATE SKIP
	2.4	145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2597-2598

EL88_L_3	TYPE HELP/PUB AGCY VOCA ASSES/PRO #2
-----------------	---

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to a public agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	97.6	6,003	-9	LEGITIMATE SKIP
	2.4	145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2599-2600

EL88_L_4	TYPE HELP/PRIV AGCY VOCA ASSES/PRO #2
-----------------	--

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to a private agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.6	6,003	-9	LEGITIMATE SKIP
	2.4	145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2601-2602

EL88_L_5 **TYPE HELP/PUB/PRIV AGCY VOC ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to public or private agency for vocational counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	97.6	6,003	-9	LEGITIMATE SKIP
	2.4	145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2603-2604

EL88_L_6 **TYPE HELP/OTHER/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	CIRCLED
	97.6	6,003	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2605-2606

EL88_M**SESSIONS W/PRO #2**

Have the sessions with your (PROVIDER #2 FROM L86a) been for you alone or were they for groups or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALL INDIVIDUAL
0.0	0.0	0	2	ALL GROUP
100.0	0.0	1	3	BOTH INDIVIDUAL/GROUP
	97.6	6,003	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2607-2608

EL88_N**#TIMES/MET FOR HELP/PRO #2**

How many times have you met with your (PROVIDER #2 FROM L86a) for this kind of help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	
	97.6	6,003	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2609-2610

EL88_O	#MINUTES/MEETINGS LAST
---------------	-------------------------------

How long did (this meeting last/these meetings usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	30	
	97.6	6,003	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2611-2612

EL88_P	HOW HELPFUL SERVICES/PRO #2
---------------	------------------------------------

How helpful was this service from your (PROVIDER #2 FROM L86a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.0	1	2	VERY HELPFUL
	97.6	6,003	-9	LEGITIMATE SKIP
	2.3	144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2613-2614

EL89**RECEIVE SERVICES/GET TRAINING FOR JOB**

Since your admission, have you received any scheduled services to help you get training for a job, to help you find a job, or to get vocational assessment or counseling at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	0.7	41	1	YES
82.8	3.2	197	2	NO
	95.5	5,871	-9	LEGITIMATE SKIP
	0.6	39	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2615-2616

EL89_A_1**RECEIVE SERVICE/EMPLOYMENT STATE OFFICE**

Where have you received these services?

State office of employment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	1	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.2	73	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2617-2618

EL89_A_2	RECEIVE SERVICE/DVR/OVR/VESID
-----------------	--------------------------------------

Where have you received these services?

DVR / OVR/ VESID.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	2	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	77	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2619-2620

EL89_A_3	RECEIVE SERVICE/JTPA/PIC
-----------------	---------------------------------

Where have you received these services?

JTPA / PIC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	3	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	77	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2621-2622

EL89_A_4**RECEIVE SERVICE/PUB EMPLOYMENT AGENCY**

Where have you received these services?

Public employment or training agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	4	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.1	70	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2623-2624

EL89_A_5**RECEIVE SERVICE/PRIV EMPLOYMENT AGENCY**

Where have you received these services?

Private employment or training agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	78	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2625-2626

EL89_A_6	RECEIVE SERVICE/BUSINESS ORGANIZATION
-----------------	--

Where have you received these services?

Business organization (Chamber of Commerce, Urban League, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2627-2628

EL89_A_7	RECEIVE SERVICE/TECH SCH/COMMU COLLEGE
-----------------	---

Where have you received these services?

Vocational / Technical school / community college.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	7	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.2	72	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2629-2630

EL89_A_8**RECEIVE SERVICE/CHARITABLE AGENCIES**

Where have you received these services?

Charitable agencies (Catholic Charities, Jewish Family Services).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	8	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.2	75	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2631-2632

EL89_A_9**RECEIVE SERVICE/OTHER**

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	12	9	CIRCLED
	98.7	6,068	-9	LEGITIMATE SKIP
	1.1	68	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2633-2634

EL89B_1	VOCATIONAL OTHER PLACE/LOCATION #1
----------------	---

Which 2 locations did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	5	1	STATE OFFICE OF EMPLOYMENT
5.0	0.0	2	2	DVR/OVR/VESID
5.0	0.0	2	3	JTPA/PIC
22.5	0.1	9	4	PUBLIC EMPLOYMENT/TRAINING AGENCIES
2.5	0.0	1	5	PRIVATE EMLPLMENT/TRAINING AGENCIES
0.0	0.0	0	6	BUSINESS ORGANIZATIONS
17.5	0.1	7	7	VOCATIONAL/TECHNICAL/CMMNTY COLLEGE
7.5	0.0	3	8	CHARITABLE AGENCIES
27.5	0.2	11	9	OTHER
	98.7	6,068	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2635-2636

EL89C_1	WHO REFERRED YOU TO LOCATION #1
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	0.0	3	1	PROGRAM
52.5	0.3	21	2	SOMEONE ELSE
40.0	0.3	16	3	SELF
	98.7	6,068	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2637-2638

EL89D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	0.1	7	1	
10.0	0.1	4	2	
10.0	0.1	4	3	
12.5	0.1	5	5	
5.0	0.0	2	6	
2.5	0.0	1	9	
5.0	0.0	2	10	
5.0	0.0	2	12	
2.5	0.0	1	14	
7.5	0.0	3	15	
5.0	0.0	2	20	
7.5	0.0	3	30	
2.5	0.0	1	50	
2.5	0.0	1	56	
2.5	0.0	1	60	
2.5	0.0	1	99	
	98.7	6,068	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2639-2640

EL89E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at
(LOCATION - 1st mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	0.0	3	0	NOT AT ALL
22.5	0.1	9	1	SOMEWHAT
70.0	0.5	28	2	VERY HELPFUL
	98.7	6,068	-9	LEGITIMATE SKIP
	0.7	40	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2641-2642

EL89F1_1 TALKED TO/REGULAR COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	77	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2643-2644

EL89F1_2 TALKED TO/CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	2	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	77	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2645-2646

EL89F111	TALKED TO/OTHER COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	11	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.2	72	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2647-2648

EL89F112	TALKED TO/OTHER CASE MANAGER/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	78	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2649-2650

EL89F113 **TALKED TO/SOCIAL WORKER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2651-2652

EL89F121 **TALKED TO/PSYCHOLOGIST/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2653-2654

EL89F122	TALKED TO/PSYCHIATRIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2655-2656

EL89F123	TALKED TO/NURSE/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2657-2658

EL89F127 TALKED TO/VOCATIONAL COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	27	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.1	66	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2659-2660

EL89F129 TALKED TO/TEACHER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	29	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	0.8	51	-8	BLANK
	0.4	25	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2661-2662

EL89F171	TALKED TO/STAFF FR OTHER AGENCY/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	71	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.2	75	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2663-2664

EL89F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	91	CIRCLED
	98.7	6,068	-9	LEGITIMATE SKIP
	1.1	69	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2665-2666

EL89G_1	TALKED TO FOR SERVICES/LOCATION #1
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.0	1	1	PRIMARY/REGULAR COUNSELOR
5.4	0.0	2	2	CASE MANAGER
18.9	0.1	7	11	OTHER COUNSELOR
2.7	0.0	1	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
29.7	0.2	11	27	VOCATIONAL COUNSELOR
5.4	0.0	2	29	TEACHER
10.8	0.1	4	71	STAFF FROM ANOTHER AGENCY
24.3	0.1	9	91	OTHER
	98.7	6,068	-9	LEGITIMATE SKIP
	0.7	42	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2667-2668

EL89B_2	VOCATIONAL OTHER PLACE/LOCATION #2
----------------	---

Which 2 locations did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	STATE OFFICE OF EMPLOYMENT
0.0	0.0	0	2	DVR/OVR/VESID
0.0	0.0	0	3	JTPA/PIC
0.0	0.0	0	4	PUBLIC EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	5	PRIVATE EMLPLMENT/TRAINING AGENCIES
0.0	0.0	0	6	BUSINESS ORGANIZATIONS
0.0	0.0	0	7	VOCATIONAL/TECHNICAL/CMMNTY COLLEGE
25.0	0.0	1	8	CHARITABLE AGENCIES
50.0	0.0	2	9	OTHER
	98.7	6,069	-9	LEGITIMATE SKIP
	1.2	75	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2669-2670

EL89C_2**WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
75.0	0.0	3	2	SOMEONE ELSE
25.0	0.0	1	3	SELF
	98.7	6,069	-9	LEGITIMATE SKIP
	1.2	75	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2671-2672

EL89D_2**#DAYS YOU RECEIVED SERVICES/LOC #2**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	2	1	
25.0	0.0	1	2	
25.0	0.0	1	10	
	98.7	6,069	-9	LEGITIMATE SKIP
	1.2	75	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2673-2674

EL89F2_2**TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	78	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2679-2680

EL89F211**TALKED TO/OTHER COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	11	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	78	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2681-2682

EL89F212 **TALKED TO/OTHER CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2683-2684

EL89F213 **TALKED TO/SOCIAL WORKER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	13	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	77	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2685-2686

EL89F221	TALKED TO/PSYCHOLOGIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2687-2688

EL89F222	TALKED TO/PSYCHIATRIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2689-2690

EL89F223 **TALKED TO/NURSE/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2691-2692

EL89F227 **TALKED TO/VOCATIONAL COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	27	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	78	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2693-2694

EL89F229**TALKED TO/TEACHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	0.9	54	-8	BLANK
	0.4	25	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2695-2696

EL89F271**TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2697-2698

EL89F291 **TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	98.7	6,069	-9	LEGITIMATE SKIP
	1.3	79	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2699-2700

EL89G_2 **TALKED TO FOR SERVICES/LOCATION #2**

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
25.0	0.0	1	2	CASE MANAGER
25.0	0.0	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
50.0	0.0	2	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	98.7	6,069	-9	LEGITIMATE SKIP
	1.2	75	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2701-2702

EL90	RECEIVED COUNSELING/IMPROVE EDUCATION
-------------	--

Since your admission, have you received any scheduled classes, counseling, or help specifically to improve your education or your reading and writing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.7	533	1	YES
91.3	90.9	5,589	2	NO
	0.4	26	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2703-2704

EL91	RECEIVED SERVICES AT THIS PROGRAM
-------------	--

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	7.2	442	1	YES
16.4	1.4	87	2	NO
	90.9	5,587	-9	LEGITIMATE SKIP
	0.5	32	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2705-2706

EL92_01	TALKED TO/PRIMARY/REGULAR COUNSELOR
----------------	--

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	37	1	CIRCLED
	92.3	5,676	-9	LEGITIMATE SKIP
	7.1	435	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2707-2708

EL92_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	2	CIRCLED
	92.3	5,677	-9	LEGITIMATE SKIP
	7.6	469	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2709-2710

EL92_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	14	11	CIRCLED
	92.3	5,677	-9	LEGITIMATE SKIP
	7.4	457	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2711-2712

EL92_12**TALKED TO/OTHER CASE MANAGER**

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	4.7	289	-8	BLANK
	2.9	181	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2713-2714

EL92_13**TALKED TO/SOCIAL WORKER**

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	4.7	289	-8	BLANK
	2.9	181	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2715-2716

EL92_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	4.7	289	-8	BLANK
	2.9	181	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2717-2718

EL92_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	4.7	289	-8	BLANK
	2.9	181	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2719-2720

EL92_23**TALKED TO/NURSE**

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	4.7	289	-8	BLANK
	2.9	181	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2721-2722

EL92_27**TALKED TO/VOCATIONAL COUNSELOR**

Who have you seen or talked to for these services here?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	29	27	CIRCLED
	92.3	5,677	-9	LEGITIMATE SKIP
	7.2	442	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2723-2724

EL92_29	TALKED TO/TEACHER
----------------	--------------------------

Who have you seen or talked to for these services here?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	259	29	CIRCLED
	92.3	5,676	-9	LEGITIMATE SKIP
	3.5	213	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2725-2726

EL92_71	TALKED TO/STAFF FROM OTHER AGENCY
----------------	--

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	102	71	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	6.0	368	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2727-2728

EL92_91**TALKED TO/OTHER**

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	18	91	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	4.4	271	-8	BLANK
	2.9	181	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2729-2730

EL92A_1**TALKED TO FOR SERVICES/PROVIDER #1**

Which 2 have you seen or talked to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	0.6	38	1	PRIMARY/REGULAR COUNSELOR
19.5	1.1	67	2	CASE MANAGER
0.9	0.0	3	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
4.4	0.2	15	27	VOCATIONAL COUNSELOR
52.6	2.9	181	29	TEACHER
7.6	0.4	26	71	STAFF FROM ANOTHER AGENCY
4.1	0.2	14	91	OTHER
	92.3	5,672	-9	LEGITIMATE SKIP
	0.6	37	-8	BLANK
	1.5	95	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2731-2732

EL92A_2	TALKED TO FOR SERVICES/PROVIDER #2
----------------	---

Which 2 have you seen or talked to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
13.3	0.0	2	2	CASE MANAGER
6.7	0.0	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
6.7	0.0	1	27	VOCATIONAL COUNSELOR
60.0	0.1	9	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
13.3	0.0	2	91	OTHER
	92.4	5,678	-9	LEGITIMATE SKIP
	7.3	448	-8	BLANK
	0.1	7	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2733-2734

EL93	#TIMES YOU MET W/ YOUR PRO #1
-------------	--------------------------------------

How many times have you met with your (PROVIDER #1 FROM L92a)?

6,148 cases (Range of valid codes: 1-102)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2735-2737

EL93_A

#MINUTES SESSIONS LAST/PRO #1

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	1	
0.2	0.0	1	3	
1.1	0.1	5	5	
1.8	0.1	8	10	
3.8	0.3	17	15	
1.8	0.1	8	20	
0.2	0.0	1	25	
5.2	0.4	23	30	
0.7	0.0	3	35	
0.4	0.0	2	40	
1.8	0.1	8	45	
12.8	0.9	57	60	
7.0	0.5	31	90	
0.4	0.0	2	95	
0.2	0.0	1	98	
12.8	0.9	57	105	
8.3	0.6	37	120	
0.2	0.0	1	129	
0.4	0.0	2	145	
20.0	1.4	89	150	
0.9	0.1	4	160	
0.2	0.0	1	165	
14.3	1.0	64	180	
0.7	0.0	3	210	
2.7	0.2	12	240	
0.4	0.0	2	260	
1.1	0.1	5	300	
0.2	0.0	1	320	
	92.3	5,672	-9	LEGITIMATE SKIP
	0.5	30	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2738-2740

EL93_B_1 **DEALT W/EDUC NEEDS ASSESSMENT/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Educational needs assessment or testing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	171	1	CIRCLED
	92.3	5,675	-9	LEGITIMATE SKIP
	4.9	302	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2741-2742

EL93_B_2 **DEALT W/ADULT BASIC EDUCATION/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Adult basic education in reading and writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	54	2	CIRCLED
	92.3	5,677	-9	LEGITIMATE SKIP
	6.8	417	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2743-2744

EL93_B_3**DEALT W/PREPARATION FOR GED/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Preparation for GED or high school equivalency exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	122	3	CIRCLED
	92.3	5,677	-9	LEGITIMATE SKIP
	5.7	349	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2745-2746

EL93_B_4**DEALT W/GED CLASSES/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

GED classes or other education courses.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.2	197	4	CIRCLED
	92.3	5,677	-9	LEGITIMATE SKIP
	4.5	274	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2747-2748

EL93_B_5 **DEALT W/TUTORING IN BASIC SKILLS/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Tutoring in reading, writing, math, or other basic skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	87	5	CIRCLED
	92.3	5,676	-9	LEGITIMATE SKIP
	6.3	385	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2749-2750

EL93_B_6 **DEALT W/REFERRAL TO SCHOOLS/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Referral to schools, training, or vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	6	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.5	461	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2751-2752

EL93_B_7**DEALT W/GEN COUNSELING ABOUT EDUC/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

General counseling about education plans and opportunities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	24	7	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.3	446	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2753-2754

EL93_B_8**DEALT W/OTHER/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	18	8	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.4	452	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2755-2756

EL94_A	#MINUTES SESSIONS LAST/PRO #1
---------------	--------------------------------------

How long did (this session last/these sessions usually last)?

Number of minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.0	1	5	
15.0	0.0	3	20	
20.0	0.1	4	30	
5.0	0.0	1	45	
35.0	0.1	7	60	
20.0	0.1	4	120	
	92.4	5,678	-9	LEGITIMATE SKIP
	7.3	450	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2761-2763

EL94_B_1	DEALT W/EDUC NEEDS ASSESSMENT/PRO #2
-----------------	---

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Educational needs assessment or testing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	1	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.5	464	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2764-2765

EL94_B_2 **DEALT W/ADULT BASIC EDUCATION/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Adult basic education in reading and writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.6	469	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2766-2767

EL94_B_3 **DEALT W/PREPARATION FOR GED/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Preparation for GED or high school equivalency exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	8	3	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.5	462	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2768-2769

EL94_B_4	DEALT W/GED CLASSES/PRO #2
-----------------	-----------------------------------

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

GED classes or other education courses.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	4	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.5	464	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2770-2771

EL94_B_5	DEALT W/TUTORING IN BASIC SKILLS/PRO #2
-----------------	--

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Tutoring in reading, writing, math, or other basic skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	5	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.5	463	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2772-2773

EL94_B_6 **DEALT W/REFERRAL TO SCHOOLS/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Referral to schools, training, or vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	6	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.6	465	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2774-2775

EL94_B_7 **DEALT W/GEN COUNSELING ABOUT EDUC/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

General counseling about education plans and opportunities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	7	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.6	467	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2776-2777

EL94_B_8**DEALT W/OTHER/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	8	CIRCLED
	92.4	5,678	-9	LEGITIMATE SKIP
	7.6	468	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2778-2779

EL94_C**HOW HELPFUL SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L92a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.3	20	2	VERY HELPFUL
	92.4	5,678	-9	LEGITIMATE SKIP
	7.3	450	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2780-2781

EL95 RECEIVED HELP IMPROVE EDUC/OTHER PLACE

Since your admission, have you received any scheduled classes, counseling, or help to improve your education or your reading and writing at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	1.4	87	1	YES
85.5	8.4	515	2	NO
	89.7	5,516	-9	LEGITIMATE SKIP
	0.5	30	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2782-2783

EL95_A_1 RECEIVED SERVICE/PUBLIC SCHOOL SYSTEM

Where (else) have you received these services?

Public school system.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	1	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.8	112	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2784-2785

EL95_A_2	RECEIVED SERVICE/JR. COMMU COLLEGE
-----------------	---

Where (else) have you received these services?

Junior community college.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	2	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.7	104	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2786-2787

EL95_A_3	RECEIVED SERVICE/FOUR-YEAR COLLEGE PROG
-----------------	--

Where (else) have you received these services?

Four-year college or graduate program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	3	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	115	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2788-2789

EL95_A_4 RECEIVED SERVICE/PRIVATE EDUC PROGRAM

Where (else) have you received these services?

Private education program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	4	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	115	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2790-2791

EL95_A_5 RECEIVED SERVICE/PUBLIC AGENCIES

Where (else) have you received these services?

Public agencies (vocational, rehabilitation, employment service).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	36	5	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.3	81	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2792-2793

EL95_A_6	RECEIVED SERVICE/OTHER
-----------------	-------------------------------

Where (else) have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	27	6	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.5	90	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2794-2795

EL95B_1	EDUCATION OTHER PLACE/LOCATION #1
----------------	--

Which 2 locations did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	0.1	5	1	PUBLIC SCHOOL SYSTEM
12.6	0.2	11	2	JUNIOR COMMUNITY COLLEGE
3.4	0.0	3	3	FOUR YEAR COLLEGE/GRADUATE PROGRAM
3.4	0.0	3	4	PRIVATE EDUCATION PROGRAM
43.7	0.6	38	5	PUBLIC AGENCIES
31.0	0.4	27	6	OTHER
	98.1	6,031	-9	LEGITIMATE SKIP
	0.5	30	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2796-2797

EL95C_1	WHO REFERRED YOU TO LOCATION #1
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	0.6	36	1	PROGRAM
23.9	0.3	21	2	SOMEONE ELSE
35.2	0.5	31	3	SELF
	98.1	6,031	-9	LEGITIMATE SKIP
	0.5	29	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2798-2799

EL95D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
---------	------------------------------------

On how many days have you received these services at
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.0	1	0	
20.0	0.3	17	1	
3.5	0.0	3	2	
10.6	0.1	9	3	
3.5	0.0	3	4	
9.4	0.1	8	5	
4.7	0.1	4	6	
1.2	0.0	1	7	
3.5	0.0	3	8	
8.2	0.1	7	10	
1.2	0.0	1	11	
4.7	0.1	4	12	
1.2	0.0	1	15	
4.7	0.1	4	16	
8.2	0.1	7	20	
1.2	0.0	1	24	
1.2	0.0	1	26	
4.7	0.1	4	30	
1.2	0.0	1	34	
1.2	0.0	1	45	
1.2	0.0	1	50	
2.4	0.0	2	90	
1.2	0.0	1	99	99 OR MORE
	98.1	6,031	-9	LEGITIMATE SKIP
	0.5	32	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2800-2801

EL95E_1 HOW HELPFUL THE SERVICES/LOCATION #1

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	0.1	5	0	NOT AT ALL
14.9	0.2	13	1	SOMEWHAT
79.3	1.1	69	2	VERY HELPFUL
	98.1	6,031	-9	LEGITIMATE SKIP
	0.5	30	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2802-2803

EL95F1_1 TALKED TO/REGULAR COUNSELOR/LOC #1

Who have you talked to or seen for these services at (LOCATION)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	115	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2804-2805

EL95F1_2	TALKED TO/CASE MANAGER/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	2	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.8	112	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2806-2807

EL95F127	TALKED TO/VOCATIONAL COUNSELOR/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION)?

Vocational specialist / counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	27	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.7	103	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2808-2809

EL95F129 TALKED TO/TEACHERS IN PROG/LOC #1

Who have you talked to or seen for these services at (LOCATION)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	55	29	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.0	61	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2810-2811

EL95F171 TALKED TO/STAFF FR OTHER AGENCY/LOC #1

Who have you talked to or seen for these services at (LOCATION)?

Staff from school or other agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	12	71	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.7	104	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2812-2813

EL95F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at (LOCATION)?

Other program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	91	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.8	112	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2814-2815

EL95G_1	MOST FREQUENT PROVIDER/LOCATION #1
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.0	1	1	PRIMARY/REGULAR COUNSELOR
2.4	0.0	2	2	CASE MANAGER
15.3	0.2	13	27	PROG VOCATIONAL COUNSELOR
20.0	0.3	17	28	TEACHERS IN THE PROGRAM
43.5	0.6	37	29	TEACHER
12.9	0.2	11	71	STAFF FROM ANOTHER AGENCY
4.7	0.1	4	91	OTHER PROGRAM STAFF
	98.1	6,031	-9	LEGITIMATE SKIP
	0.5	30	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2816-2817

EL95D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
----------------	---

On how many days have you received these services at
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	116	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2822-2823

EL95E_2	HOW HELPFUL THE SERVICES/LOCATION #2
----------------	---

Overall, how helpful were these services you received at
(LOCATION - 2nd mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.0	1	2	VERY HELPFUL
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	116	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2824-2825

EL95F2_1 TALKED TO/REGULAR COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	117	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2826-2827

EL95F2_2 TALKED TO/CASE MANAGER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	117	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2828-2829

EL95F227**TALKED TO/VOCATIONAL COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Vocational specialist / counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	117	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2830-2831

EL95F229**TALKED TO/TEACHERS IN PROG/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	29	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	116	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2832-2833

EL95F271 **TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from school or other agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	117	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2834-2835

EL95F291 **TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	117	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2836-2837

EL95G_2**MOST FREQUENT PROVIDER/LOCATION #2**

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	27	PROG VOCATIONAL COUNSELOR
100.0	0.0	1	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER PROGRAM STAFF
	98.1	6,031	-9	LEGITIMATE SKIP
	1.9	116	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2838-2839

EL96**RECEIVED SERVICE/HELP W/LEGAL PROB**

Since your admission, have you received any scheduled services to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.5	278	1	YES
95.5	95.0	5,843	2	NO
	0.4	27	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2840-2841

EL97	DID YOU GET SERVICES AT THIS PROG
-------------	--

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	2.9	177	1	YES
35.6	1.6	98	2	NO
	95.0	5,840	-9	LEGITIMATE SKIP
	0.5	33	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2842-2843

EL98_01	TALKED TO/PRIMARY/REGULAR COUNSELOR
----------------	--

Who have you seen or talked to for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	20	1	CIRCLED
	96.6	5,938	-9	LEGITIMATE SKIP
	2.0	124	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2844-2845

EL98_02**TALKED TO/CASE MANAGER**

Who have you seen or talked to for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	2	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.3	141	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2846-2847

EL98_11**TALKED TO/OTHER COUNSELOR**

Who have you seen or talked to for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	11	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.2	136	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2848-2849

EL98_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.3	142	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2850-2851

EL98_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	13	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.2	138	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2852-2853

EL98_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.3	143	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2854-2855

EL98_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.3	143	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2856-2857

EL98_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.3	143	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2858-2859

EL98_27	TALKED TO/VOCATIONAL COUNSELOR
----------------	---------------------------------------

Who have you seen or talked to for these services?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.3	143	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2860-2861

EL98_28**TALKED TO/CERTIFIED FAMILY COUNSELOR**

Who have you seen or talked to for these services?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.3	143	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2862-2863

EL98_29**TALKED TO/TEACHER**

Who have you seen or talked to for these services?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.3	143	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2864-2865

EL98_71 **TALKED TO/STAFF FROM OTHER AGENCY**

Who have you seen or talked to for these services?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	21	71	CIRCLED
	96.6	5,938	-9	LEGITIMATE SKIP
	2.0	123	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2866-2867

EL98_91 **TALKED TO/OTHER**

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	77	91	CIRCLED
	96.6	5,938	-9	LEGITIMATE SKIP
	1.1	67	-8	BLANK
	1.1	66	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2868-2869

EL98A_1

TALKED TO FOR SERVICES/PROVIDER #1

Which 2 did you see most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	0.3	17	1	PRIMARY/REGULAR COUNSELOR
1.1	0.0	2	2	CASE MANAGER
2.8	0.1	5	11	OTHER COUNSELOR
0.6	0.0	1	12	OTHER CASE MANAGER
2.8	0.1	5	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
11.2	0.3	20	71	STAFF FROM ANOTHER AGENCY
40.4	1.2	72	91	OTHER
20.2	0.6	36	92	TASC PROG STAFF
3.4	0.1	6	93	PAROLE OR PROBATION OFFICER
0.0	0.0	0	94	PRIVATE LAWYER
0.6	0.0	1	95	LEGAL AID
0.6	0.0	1	96	PUB DEFENDER/CT APPTD COUNSEL
6.7	0.2	12	97	OTHER LEGAL
	96.6	5,937	-9	LEGITIMATE SKIP
	0.5	33	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2870-2871

EL98A_2	TALKED TO FOR SERVICES/PROVIDER #2
---------	------------------------------------

Which 2 did you see most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
22.2	0.0	2	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
55.6	0.1	5	91	OTHER
0.0	0.0	0	92	TASC PROG STAFF
0.0	0.0	0	93	PAROLE OR PROBATION OFFICER
0.0	0.0	0	94	PRIVATE LAWYER
0.0	0.0	0	95	LEGAL AID
0.0	0.0	0	96	PUB DEFENDER/CT APPTD COUNSEL
22.2	0.0	2	97	OTHER LEGAL
	96.6	5,939	-9	LEGITIMATE SKIP
	3.3	200	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2872-2873

EL99 **#TIMES YOU MET W/PRO #1**

How many times have you met with your (PROVIDER #1 FROM L98a) for help with a legal problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	1.3	82	1	
23.8	0.7	43	2	
11.6	0.3	21	3	
8.3	0.2	15	4	
1.7	0.0	3	5	
3.9	0.1	7	6	
1.7	0.0	3	7	
0.6	0.0	1	8	
1.7	0.0	3	10	
1.1	0.0	2	12	
0.6	0.0	1	14	
	96.6	5,936	-9	LEGITIMATE SKIP
	0.5	31	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2874-2875

EL99_A_1 **SERVICE RECEIVE/REPRESENT IN CIVIL CASE**

What types of services or help have you received?
 Representation in civil case (divorce, custody, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	31	1	CIRCLED
	96.6	5,938	-9	LEGITIMATE SKIP
	2.9	179	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2876-2877

EL99_A_2	SERVICE RECEIVE/REPRESENT/CRIMINAL CASE
-----------------	--

What types of services or help have you received?

Representation in criminal case.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	38	2	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.8	171	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2878-2879

EL99_A_3	SERVICE RECEIVE/ASSISTANCE W/PROBATION
-----------------	---

What types of services or help have you received?

Assistance with probation / parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	85	3	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.0	124	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2880-2881

EL99_A_4**SERVICE RECEIVE/ASSIST W/NONCOURT LEGAL**

What types of services or help have you received?

Assistance with non-court legal matters (will, deed, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	4	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	3.3	203	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2882-2883

EL99_A_5**SERVICE RECEIVE/REFERRAL TO LAWYER AID**

What types of services or help have you received?

Referral to lawyer or legal aid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	5	CIRCLED
	96.6	5,938	-9	LEGITIMATE SKIP
	3.3	205	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2884-2885

EL99_A_6	SERVICE RECEIVE/OTHER
-----------------	------------------------------

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	43	6	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	2.7	166	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2886-2887

EL99_B	HOW HELPFUL THE SERVICES
---------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	0.2	13	0	NOT AT ALL
21.7	0.6	39	1	SOMEWHAT
71.1	2.1	128	2	VERY HELPFUL
	96.6	5,936	-9	LEGITIMATE SKIP
	0.5	31	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2888-2889

EL100	#TIMES YOU MET W/PRO #2
--------------	--------------------------------

How many times have you met with your (PROVIDER #2 FROM L98a)
for help with a legal problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	0.1	4	1	
33.3	0.0	3	2	
11.1	0.0	1	3	
11.1	0.0	1	5	
	96.6	5,939	-9	LEGITIMATE SKIP
	3.3	200	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2890-2891

EL100A_1	SERVICE RECEIVE/REPRESENT IN CIVIL CASE
-----------------	--

What types of services or help have you received?

Representation in civil case (divorce, custody, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	3.4	208	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2892-2893

EL100A_2	SERVICE RECEIVE/REPRESENT/CRIMINAL CASE
-----------------	--

What types of services or help have you received?

Representation in criminal case.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	2	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	3.4	206	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2894-2895

EL100A_3	SERVICE RECEIVE/ASSISTANCE W/PROBATION
-----------------	---

What types of services or help have you received?

Assistance with probation / parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	3.4	209	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2896-2897

EL100A_4	SERVICE RECEIVE/ASSIST W/NONCOURT LEGAL
-----------------	--

What types of services or help have you received?

Assistance with non-court legal matters (will, deed, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	4	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	3.4	207	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2898-2899

EL100A_5	SERVICE RECEIVE/REFERRAL TO LAWYER AID
-----------------	---

What types of services or help have you received?

Referral to lawyer or legal aid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	3.4	209	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2900-2901

EL100A_6	SERVICE RECEIVE/OTHER
-----------------	------------------------------

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	6	CIRCLED
	96.6	5,939	-9	LEGITIMATE SKIP
	3.3	205	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2902-2903

EL100_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.0	1	0	NOT AT ALL
30.0	0.0	3	1	SOMEWHAT
60.0	0.1	6	2	VERY HELPFUL
	96.6	5,938	-9	LEGITIMATE SKIP
	3.3	200	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2904-2905

EL101**RECEIVED SERVICE/OTHER PLACE/LEGAL PROB**

Since your admission, have you received any scheduled services at some place other than this program specifically to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	1.6	98	1	YES
69.8	3.7	226	2	NO
	94.2	5,792	-9	LEGITIMATE SKIP
	0.5	32	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2906-2907

EL101A_1**TALKED TO/TASC PROGRAM STAFF**

Who have you talked to or seen for these services?

TASC program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	97.9	6,019	-9	LEGITIMATE SKIP
	2.1	128	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2908-2909

EL101A_2	TALKED TO/PAROLE/PROBATION OFFICER
-----------------	---

Who have you talked to or seen for these services?

Parole or probation officer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	2	CIRCLED
	97.9	6,019	-9	LEGITIMATE SKIP
	1.9	116	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2910-2911

EL101A_3	TALKED TO/PRIVATE LAWYER
-----------------	---------------------------------

Who have you talked to or seen for these services?

Private lawyer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	34	3	CIRCLED
	97.9	6,019	-9	LEGITIMATE SKIP
	1.5	95	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2912-2913

EL101A_4**TALKED TO/LEGAL AID**

Who have you talked to or seen for these services?

Legal aid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	10	4	CIRCLED
	97.9	6,019	-9	LEGITIMATE SKIP
	1.9	119	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2914-2915

EL101A_5**TALKED TO/PUBLIC DEFENDER**

Who have you talked to or seen for these services?

Public defender or court-appointed counsel.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	38	5	CIRCLED
	97.9	6,018	-9	LEGITIMATE SKIP
	1.5	92	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2916-2917

EL101A_6 TALKED TO/OTHER LEGAL

Who have you talked to or seen for these services?

Other legal.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	6	CIRCLED
	97.9	6,019	-9	LEGITIMATE SKIP
	1.9	118	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2918-2919

EL101B_1 LEGAL OTHER PLACE - PROVIDER #1

Which 2 did you talk to or see most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.0	1	1	TASC PROGRAM STAFF
8.2	0.1	8	2	PAROLE OR PROBATION OFFICER
34.0	0.5	33	3	PRIVATE LAWYER
9.3	0.1	9	4	LEGAL AID
37.1	0.6	36	5	PUBLIC DEFENDR/COURT APPOINTD COULSL
10.3	0.2	10	6	OTHER LEGAL
	97.9	6,018	-9	LEGITIMATE SKIP
	0.5	33	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2920-2921

EL101C_1	WHO REFERRED YOU TO PROVIDER #1
-----------------	--

Who referred you to the (PROVIDER - 1st mention)? Was it a staff member in this program, someone else, or did you go to the (PROVIDER) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	0.1	7	1	PROGRAM
56.7	0.9	55	2	SOMEONE ELSE
36.1	0.6	35	3	SELF
	97.9	6,018	-9	LEGITIMATE SKIP
	0.5	33	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2922-2923

EL101D_1	#DAYS YOU RECEIVED SERVICES/PRO #1
-----------------	---

On how many days have you received these services from the (PROVIDER - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.0	1	0	
51.5	0.8	50	1	
28.9	0.5	28	2	
4.1	0.1	4	3	
5.2	0.1	5	4	
5.2	0.1	5	5	
3.1	0.0	3	8	
1.0	0.0	1	45	
	97.9	6,018	-9	LEGITIMATE SKIP
	0.5	33	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2924-2925

EL101E_1 HOW HELPFUL THE SERVICES/PRO #1

Overall, how helpful were these services you received from (PROVIDER - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	0.2	10	0	NOT AT ALL
30.2	0.5	29	1	SOMEWHAT
59.4	0.9	57	2	VERY
	97.9	6,018	-9	LEGITIMATE SKIP
	0.5	33	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2926-2927

EL101B_2 LEGAL OTHER PLACE - PROVIDER #2

Which 2 did you talk to or see most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	TASC PROGRAM STAFF
45.5	0.1	5	2	PAROLE OR PROBATION OFFICER
9.1	0.0	1	3	PRIVATE LAWYER
9.1	0.0	1	4	LEGAL AID
27.3	0.0	3	5	PUBLIC DEFENDR/COURT APPOINTD COULSL
9.1	0.0	1	6	OTHER LEGAL
	97.9	6,019	-9	LEGITIMATE SKIP
	1.9	118	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2928-2929

EL101C_2	WHO REFERRED YOU TO PROVIDER #2
-----------------	--

Who referred you to the (PROVIDER - 2nd mention)? Was it a staff member in this program, someone else, or did you go to the (PROVIDER) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
72.7	0.1	8	2	SOMEONE ELSE
27.3	0.0	3	3	SELF
	97.9	6,019	-9	LEGITIMATE SKIP
	1.9	118	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2930-2931

EL101D_2	#DAYS YOU RECEIVED SERVICES/PRO #2
-----------------	---

On how many days have you received these services from the (PROVIDER - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	6	1	
25.0	0.0	3	2	
16.7	0.0	2	3	
8.3	0.0	1	4	
	97.9	6,018	-9	LEGITIMATE SKIP
	1.9	118	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2932-2933

EL101E_2 HOW HELPFUL THE SERVICES/PRO #2

Overall, how helpful were these services you received from (PROVIDER - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.0	1	0	NOT AT ALL
16.7	0.0	2	1	SOMEWHAT
75.0	0.1	9	2	VERY HELPFUL
	97.9	6,018	-9	LEGITIMATE SKIP
	1.9	118	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2934-2935

EL102 RECEIVED SERVICE/HELP FINANCIAL PROB

Since your admission, have you received any scheduled services to help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.7	537	1	YES
91.2	90.9	5,589	2	NO
	0.4	22	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2936-2937

EL103**DID YOU GET SERVICES AT PROGRAM**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	4.6	282	1	YES
44.0	3.6	222	2	NO
	90.8	5,582	-9	LEGITIMATE SKIP
	1.0	62	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2938-2939

EL104_01**TALKED TO/PRIMARY/REGULAR COUNSELOR**

Who have you seen or talked to for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	15	1	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.1	188	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2940-2941

EL104_02	TALKED TO/CASE MANAGER
-----------------	-------------------------------

Who have you seen or talked to for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.3	203	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2942-2943

EL104_11	TALKED TO/OTHER COUNSELOR
-----------------	----------------------------------

Who have you seen or talked to for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	11	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.1	192	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2944-2945

EL104_12	TALKED TO/OTHER CASE MANAGER
-----------------	-------------------------------------

Who have you seen or talked to for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.3	203	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2946-2947

EL104_13	TALKED TO/SOCIAL WORKER
-----------------	--------------------------------

Who have you seen or talked to for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	13	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.1	192	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2948-2949

EL104_21	TALKED TO/PSYCHOLOGIST
-----------------	-------------------------------

Who have you seen or talked to for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	21	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.3	202	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2950-2951

EL104_22	TALKED TO/PSYCHIATRIST
-----------------	-------------------------------

Who have you seen or talked to for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.3	203	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2952-2953

EL104_23**TALKED TO/NURSE**

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.3	203	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2954-2955

EL104_27**TALKED TO/VOCATIONAL COUNSELOR**

Who have you seen or talked to for these services?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.3	203	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2956-2957

EL104_28 TALKED TO/CERTIFIED FAMILY COUNSELOR

Who have you seen or talked to for these services?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.3	203	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2958-2959

EL104_29 TALKED TO/TEACHER

Who have you seen or talked to for these services?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.3	203	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2960-2961

EL104_71	TALKED TO/STAFF FROM OTHER AGENCY
-----------------	--

Who have you seen or talked to for these services?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	8	71	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.2	195	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2962-2963

EL104_91	TALKED TO/OTHER
-----------------	------------------------

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	150	91	CIRCLED
	94.4	5,801	-9	LEGITIMATE SKIP
	0.9	56	-8	BLANK
	2.3	141	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2964-2965

EL104A_1	TALKED TO MOST OFTEN/PROVIDER #1
----------	----------------------------------

Which 2 did you see or talk to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.2	12	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
3.2	0.2	10	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
3.2	0.2	10	13	SOCIAL WORKER
0.3	0.0	1	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
1.3	0.1	4	51	SOCIAL SERVICES
2.5	0.1	8	71	STAFF FROM ANOTHER AGENCY
85.7	4.4	270	91	OTHER
	94.3	5,800	-9	LEGITIMATE SKIP
	0.5	33	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2966-2967

EL104A_2

TALKED TO MOST OFTEN/PROVIDER #2

Which 2 did you see or talk to most often? Seond mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.0	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
12.5	0.0	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
12.5	0.0	1	51	SOCIAL SERVICES
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
37.5	0.0	3	91	OTHER
	94.4	5,804	-9	LEGITIMATE SKIP
	5.5	336	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2968-2969

EL105 #TIMES MET W/YOUR PRO #1

How many times have you met with your (PROVIDER #1 FROM L104a) for help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.0	2	0	
61.7	3.3	200	1	
22.2	1.2	72	2	
7.4	0.4	24	3	
3.7	0.2	12	4	
1.5	0.1	5	5	
0.9	0.0	3	6	
0.9	0.0	3	16	
0.3	0.0	1	20	
0.3	0.0	1	22	
0.3	0.0	1	60	
	94.3	5,799	-9	LEGITIMATE SKIP
	0.4	25	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2970-2971

EL105A_1 SERVICE RECEIVED/COUNSELING

What types of services or help have you received?

Counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	14	1	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	5.4	330	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2972-2973

EL105A_2	SERVICE RECEIVED/ASSIST W/BUDGET
-----------------	---

What types of services or help have you received?

Assistance with budgeting and money management.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	28	2	CIRCLED
	94.4	5,802	-9	LEGITIMATE SKIP
	5.2	318	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2974-2975

EL105A_3	SERVICE RECEIVED/REFERRAL TO AGENCY
-----------------	--

What types of services or help have you received?

Referral to outside agency (Social Services, Social Security, Veterans Affairs, private charitable organization).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	181	3	CIRCLED
	94.4	5,802	-9	LEGITIMATE SKIP
	2.7	165	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2976-2977

EL105A_4	SERVICE RECEIVED/EMERGENCY FUNDS
-----------------	---

What types of services or help have you received?

Emergency or other special purpose funds.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	7	4	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	5.5	337	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2978-2979

EL105A_5	SERVICE RECEIVED/CONCRETE SERVICES
-----------------	---

What types of services or help have you received?

Concrete services (food, clothing, bus ticket, eyeglasses, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	11	5	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	5.4	333	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2980-2981

EL105A_6	SERVICE RECEIVED/OTHER
-----------------	-------------------------------

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	107	6	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	3.9	237	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2982-2983

EL105_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	0.7	42	0	NOT AT ALL
22.7	1.1	70	1	SOMEWHAT
63.6	3.2	196	2	VERY HELPFUL
	94.3	5,798	-9	LEGITIMATE SKIP
	0.6	34	-8	BLANK
	0.1	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2984-2985

EL106 #TIMES YOU MET W/PRO #2

How many times have you met with your (PROVIDER #2 FROM L104a) for help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.0	2	0	
44.4	0.1	4	1	
22.2	0.0	2	2	
11.1	0.0	1	3	
	94.4	5,801	-9	LEGITIMATE SKIP
	5.5	338	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2986-2987

EL106A_1 SERVICE RECEIVED/COUNSELING

What types of services or help have you received?

Counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	5.6	342	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2988-2989

EL106A_2	SERVICE RECEIVED/ASSIST W/BUDGET
-----------------	---

What types of services or help have you received?

Assistance with budgeting and money management.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	2	CIRCLED
	94.4	5,803	-9	LEGITIMATE SKIP
	5.6	343	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2990-2991

EL106A_3	SERVICE RECEIVED/REFERRAL TO AGENCY
-----------------	--

What types of services or help have you received?

Referral to outside agency (Social Services, Social Security, Veterans Affairs, private charitable organization).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	3	CIRCLED
	94.4	5,803	-9	LEGITIMATE SKIP
	5.6	343	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2992-2993

EL106A_4	SERVICE RECEIVED/EMERGENCY FUNDS
-----------------	---

What types of services or help have you received?

Emergency or other special purpose funds.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	5.6	344	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2994-2995

EL106A_5	SERVICE RECEIVED/CONCRETE SERVICES
-----------------	---

What types of services or help have you received?

Concrete services (food, clothing, bus ticket, eyeglasses, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	5.6	344	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2996-2997

EL106A_6	SERVICE RECEIVED/OTHER
-----------------	-------------------------------

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	6	CIRCLED
	94.4	5,804	-9	LEGITIMATE SKIP
	5.5	340	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2998-2999

EL106_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
12.5	0.0	1	1	SOMEWHAT
87.5	0.1	7	2	VERY HELPFUL
	94.4	5,802	-9	LEGITIMATE SKIP
	5.5	338	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3000-3001

EL107 RECEIVED SERVICES AT OTHER PLACE

Since your admission, have you received any scheduled services at some place other than this program to help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	5.8	358	1	YES
42.5	4.3	265	2	NO
	89.4	5,496	-9	LEGITIMATE SKIP
	0.5	29	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3002-3003

EL107A51 RECEIVE SERVICE/SOCIAL SERVICES

Where have you received these services?

Social Services.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	253	51	CIRCLED
	93.7	5,762	-9	LEGITIMATE SKIP
	2.2	133	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3004-3005

EL107A52	RECEIVE SERVICE/VOCATIONAL REHABILIT
-----------------	---

Where have you received these services?

Vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	52	CIRCLED
	93.8	5,766	-9	LEGITIMATE SKIP
	6.2	382	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3006-3007

EL107A53	RECEIVE SERVICE/VETERANS AFFAIRS
-----------------	---

Where have you received these services?

Veterans Affairs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	53	CIRCLED
	93.8	5,766	-9	LEGITIMATE SKIP
	6.2	380	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3008-3009

EL107A54	RECEIVE SERVICE/SOCIAL SECURITY
-----------------	--

Where have you received these services?

Social Security.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	93	54	CIRCLED
	93.8	5,764	-9	LEGITIMATE SKIP
	4.7	291	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3010-3011

EL107A91	RECEIVE SERVICE/OTHER
-----------------	------------------------------

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	18	91	CIRCLED
	93.8	5,766	-9	LEGITIMATE SKIP
	5.9	364	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3012-3013

EL107B_1	FINANCIAL OTHER PLACE/LOCATION #1
-----------------	--

Which 2 places did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	4.1	251	51	SOCIAL SERVICES
0.3	0.0	1	52	VOCATIONAL REHABILITATION
0.0	0.0	0	53	VETERANS AFFAIRS
24.9	1.4	89	54	SOCIAL SECURITY
4.7	0.3	17	91	OTHER
	93.7	5,760	-9	LEGITIMATE SKIP
	0.5	29	-8	BLANK
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3014-3015

EL107C_1	WHO REFERRED YOU TO LOCATION #1
-----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	4.8	295	1	PROGRAM
4.1	0.2	14	2	SOMEONE ELSE
9.6	0.5	33	3	SELF
	93.7	5,759	-9	LEGITIMATE SKIP
	0.7	46	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3016-3017

EL107D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
-----------------	---

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	5.1	311	1	
10.0	0.6	36	2	
1.1	0.1	4	3	
0.8	0.0	3	4	
0.3	0.0	1	6	
0.3	0.0	1	7	
0.3	0.0	1	20	
0.6	0.0	2	35	
0.3	0.0	1	50	
	93.7	5,760	-9	LEGITIMATE SKIP
	0.5	28	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3018-3019

EL107E_1	HOW HELPFUL THE SERVICES/LOCATION #1
-----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	0.3	20	0	NOT AT ALL
20.7	1.2	73	1	SOMEWHAT
73.7	4.2	260	2	VERY HELPFUL
	93.7	5,759	-9	LEGITIMATE SKIP
	0.6	35	-8	BLANK
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3020-3021

EL107B_2	FINANCIAL OTHER PLACE/LOCATION #2
-----------------	--

Which 2 places did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.1	7	51	SOCIAL SERVICES
0.0	0.0	0	52	VOCATIONAL REHABILITATION
11.8	0.0	2	53	VETERANS AFFAIRS
35.3	0.1	6	54	SOCIAL SECURITY
11.8	0.0	2	91	OTHER
	93.8	5,765	-9	LEGITIMATE SKIP
	6.0	366	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3022-3023

EL107C_2	WHO REFERRED YOU TO LOCATION #2
-----------------	--

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	0.1	5	1	PROGRAM
18.8	0.0	3	2	SOMEONE ELSE
50.0	0.1	8	3	SELF
	93.8	5,764	-9	LEGITIMATE SKIP
	6.0	368	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3024-3025

EL107D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
-----------------	---

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	0.1	9	1	
25.0	0.1	4	2	
6.2	0.0	1	3	
12.5	0.0	2	4	
	93.8	5,765	-9	LEGITIMATE SKIP
	6.0	367	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3026-3027

EL107E_2	HOW HELPFUL SERVICES/LOCATION #2
-----------------	---

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	0.0	2	0	NOT AT ALL
23.5	0.1	4	1	SOMEWHAT
64.7	0.2	11	2	VERY HELPFUL
	93.8	5,764	-9	LEGITIMATE SKIP
	6.0	367	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3028-3029

EL108	HAD ANY COUNSELING BECAUSE OF CRISIS
--------------	---

Since your admission, have you had any counseling sessions with your counselor or any other professional because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.9	365	1	YES
94.0	93.7	5,759	2	NO
	0.4	24	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3030-3031

EL108_A	#SESSIONS YOU HAD BECAUSE OF CRISES
----------------	--

Since your admission, how many counseling sessions have you had because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
58.6	3.5	215	1	
25.3	1.5	93	2	
10.6	0.6	39	3	
1.9	0.1	7	4	
1.9	0.1	7	5	
0.3	0.0	1	6	
0.8	0.0	3	8	
0.3	0.0	1	20	
	93.6	5,756	-9	LEGITIMATE SKIP
	0.4	25	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3032-3033

EL108_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	0.4	23	0	NOT AT ALL
20.4	1.2	75	1	SOMEWHAT
73.3	4.4	269	2	VERY HELPFUL
	93.6	5,754	-9	LEGITIMATE SKIP
	0.4	27	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3034-3035

EL109	RECEIVED UNSCHEDULED HELP AT THIS PROG
--------------	---

Since your admission, have you received any unscheduled help from anyone at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.5	706	1	YES
88.4	87.8	5,398	2	NO
	0.7	44	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3036-3037

EL110**RECEIVED UNSCHEDULED HELP/REFERRED TO**

Since your admission, have you received any unscheduled help from anyone at a place you've been referred to by this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	94	1	YES
98.5	97.6	6,000	2	NO
	0.9	53	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3038-3039

EL111_A**UNSCHEDULED HELP/STOP ON USE OF DRUGS**

How much has the unscheduled assistance that you received helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	1.8	108	0	NOT AT ALL
25.8	3.0	184	1	SOMEWHAT
59.0	6.8	420	2	VERY MUCH
	86.9	5,344	-9	LEGITIMATE SKIP
	1.3	77	-8	BLANK
	0.0	1	-4	DON'T KNOW
	0.2	14	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3040-3041

EL113_02**RECEIVED HELP FROM/CASE MANAGER**

Since your admission, who have you received this kind of help from?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	24	2	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.5	771	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3046-3047

EL113_11**RECEIVED HELP FROM/OTHER COUNSELOR**

Since your admission, who have you received this kind of help from?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	219	11	CIRCLED
	87.0	5,351	-9	LEGITIMATE SKIP
	9.4	578	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3048-3049

EL113_12 RECEIVED HELP FROM/OTHER CASE MANAGER

Since your admission, who have you received this kind of help from?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	6	12	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.8	789	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3050-3051

EL113_13 RECEIVED HELP FROM/SOCIAL WORKER

Since your admission, who have you received this kind of help from?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	9	13	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.8	786	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3052-3053

EL113_21	RECEIVED HELP FROM/PSYCHOLOGIST
-----------------	--

Since your admission, who have you received this kind of help from?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	21	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.9	793	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3054-3055

EL113_22	RECEIVED HELP FROM/PSYCHIATRIST
-----------------	--

Since your admission, who have you received this kind of help from?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	22	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.9	793	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3056-3057

EL113_23 RECEIVED HELP FROM/NURSE

Since your admission, who have you received this kind of help from?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	127	23	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	10.9	668	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3058-3059

EL113_24 RECEIVED HELP FROM/PHYSICIAN

Since your admission, who have you received this kind of help from?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	24	24	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.5	771	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3060-3061

EL113_25**RECEIVED HELP FROM/PHYSICIAN'S ASSIST**

Since your admission, who have you received this kind of help from?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	25	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.9	791	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3062-3063

EL113_26**RECEIVED HELP FROM/DENTIST**

Since your admission, who have you received this kind of help from?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	3	26	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.9	792	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3064-3065

EL113_27 RECEIVED HELP FROM/VOCATIONAL COUNSELOR

Since your admission, who have you received this kind of help from?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	9.7	596	-8	BLANK
	3.2	199	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3066-3067

EL113_28 RECEIVED HELP FROM/CERTIFIED COUNSELOR

Since your admission, who have you received this kind of help from?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	13	28	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.7	782	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3068-3069

EL113_29**RECEIVED HELP FROM/TEACHER**

Since your admission, who have you received this kind of help from?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	9.7	596	-8	BLANK
	3.2	199	-1	VARIABLE NOT ON FORM
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3070-3071

EL113_71**RECEIVED HELP FROM/STAFF FR OTHER AGENCY**

Since your admission, who have you received this kind of help from?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	17	71	CIRCLED
	87.1	5,353	-9	LEGITIMATE SKIP
	12.7	778	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3072-3073

EL113_91 RECEIVED HELP FROM/OTHER

Since your admission, who have you received this kind of help from?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.0	307	91	CIRCLED
	87.0	5,351	-9	LEGITIMATE SKIP
	8.0	490	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3074-3075

EL114_A HOW OFTEN RECEIVE HELP/USE OF ALCOHOL

Since your admission, how often have you received this kind of help for your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.4	5.4	333	0	NEVER
22.0	2.6	158	1	SOME SESSIONS
11.4	1.3	82	2	MOST SESSIONS
20.2	2.4	145	3	EVERY SESSION
	86.8	5,338	-9	LEGITIMATE SKIP
	1.5	91	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3076-3077

EL114_B**HOW OFTEN RECEIVE HELP/DRUG/CAUSE PROB**

Since your admission, how often have you received this kind of help for your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.5	3.4	211	0	NEVER
24.6	2.9	176	1	SOME SESSIONS
17.6	2.0	126	2	MOST SESSIONS
28.3	3.3	202	3	EVERY SESSION
	86.9	5,340	-9	LEGITIMATE SKIP
	1.5	91	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3078-3079

EL114_C**HOW OFTEN RECEIVE HELP/EMOTIONAL HEALTH**

Since your admission, how often have you received this kind of help for your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.3	2.4	146	0	NEVER
25.5	3.0	183	1	SOME SESSIONS
18.5	2.2	133	2	MOST SESSIONS
35.7	4.2	257	3	EVERY SESSION
	86.8	5,339	-9	LEGITIMATE SKIP
	1.4	88	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3080-3081

EL114_F**HOW OFTEN RECEIVE HELP/EDUC/TRAINING**

Since your admission, how often have you received this kind of help for your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	8.4	514	0	NEVER
21.1	2.5	152	1	SOME SESSIONS
3.8	0.4	27	2	MOST SESSIONS
3.8	0.4	27	3	EVERY SESSION
	86.8	5,339	-9	LEGITIMATE SKIP
	1.4	88	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3086-3087

EL114_G**HOW OFTEN RECEIVE HELP/INVOLVE W/COURT**

Since your admission, how often have you received this kind of help for involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	8.2	504	0	NEVER
20.3	2.4	146	1	SOME SESSIONS
5.1	0.6	37	2	MOST SESSIONS
4.5	0.5	32	3	EVERY SESSION
	86.8	5,339	-9	LEGITIMATE SKIP
	1.4	89	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3088-3089

EL114_J

HOW OFTEN RECEIVE HELP/REDUCE RISK/AIDS

Since your admission, how often have you received this kind of help for reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	8.6	529	0	NEVER
19.5	2.3	140	1	SOME SESSIONS
3.3	0.4	24	2	MOST SESSIONS
3.6	0.4	26	3	EVERY SESSION
	86.8	5,339	-9	LEGITIMATE SKIP
	1.4	89	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3094-3095

EL114_K

HOW OFTEN RECEIVE HELP/OTHER IMP ISSUES

Since your admission, how often have you received this kind of help for any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	1.4	84	1	YES
87.8	9.9	607	2	NO
	86.9	5,341	-9	LEGITIMATE SKIP
	1.9	115	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3096-3097

EL114K_1 HOW OFTEN RECEIVE HELP/FIRST SPECIFY

Since your admission, how often have you received this kind of help for any other imporant issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.0	2	0	NEVER
32.6	0.5	29	1	SOME SESSIONS
24.7	0.4	22	2	MOST SESSIONS
40.4	0.6	36	3	EVERY SESSION
	96.7	5,946	-9	LEGITIMATE SKIP
	1.8	113	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3098-3099

EL114K_2 HOW OFTEN RECEIVE HELP/SECOND SPECIFY

Since your admission, how often have you received this kind of help for any other imporant issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.0	1	0	NEVER
33.3	0.1	4	1	SOME SESSIONS
41.7	0.1	5	2	MOST SESSIONS
16.7	0.0	2	3	EVERY SESSION
	96.7	5,948	-9	LEGITIMATE SKIP
	3.1	188	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3100-3101

EL114K_3

HOW OFTEN RECEIVE HELP/THIRD SPECIFY

Since your admission, how often have you received this kind of help for any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.0	1	0	NEVER
42.9	0.0	3	1	SOME SESSIONS
14.3	0.0	1	2	MOST SESSIONS
28.6	0.0	2	3	EVERY SESSION
	96.7	5,948	-9	LEGITIMATE SKIP
	3.1	193	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3102-3103

EL114K_4

HOW OFTEN RECEIVE HELP/FOURTH SPECIFY

Since your admission, how often have you received this kind of help for any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	0	NEVER
33.3	0.0	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
33.3	0.0	1	3	EVERY SESSION
	96.7	5,948	-9	LEGITIMATE SKIP
	3.2	197	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3104-3105

EL115

THE SERVICE MOST HELPFUL TO YOU

Since your admission, which of the services you have received has been most helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	157	0	NO SERVICES
32.3	32.0	1,967	1	REGULAR ADDICTION GROUP
7.6	7.5	462	2	OTHER GROUP COUNSELING
21.6	21.4	1,313	3	INDIVIDUAL COUNSELING
9.8	9.8	600	4	12-STEP/SELF-HELP GROUP
0.1	0.1	9	5	CRISIS COUNSELING
0.7	0.7	44	6	UNSCHEDULED HELP
1.7	1.7	105	7	TALKS/FILMS/DISCUSSIONS
2.0	2.0	122	8	DRUG COUNSELING
0.3	0.3	18	9	ALCOHOL COUNSELING
0.2	0.2	14	10	DRUG TESTING
0.4	0.4	27	11	PSYCHOLOGICAL/MENTAL HEALTH
1.1	1.0	64	12	FAMILY RELATIONSHIP COUNSELING
13.9	13.7	844	13	MEDICATION
0.9	0.9	54	14	MEDICAL
0.2	0.2	15	15	LEGAL
0.6	0.6	39	16	EDUCATION/JOB TRAINING
0.0	0.0	3	17	HELP FINDING A JOB
0.0	0.0	0	18	OTHER JOB ASSISTANCE
0.2	0.2	14	19	FINANCIAL ASSISTANCE
3.6	3.6	221	91	OTHER
	0.6	34	-8	BLANK
	0.2	14	-6	MULTIPLE RESPONSE
	0.0	3	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3106-3107

EL116

THE SERVICE LEAST HELPFUL TO YOU

Since your admission, which of the services you have received has been least helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.6	48.9	3,007	0	NO SERVICES
3.9	3.8	234	1	REGULAR ADDICTION GROUP
6.7	6.5	397	2	OTHER GROUP COUNSELLING
6.0	5.8	354	3	INDIVIDUAL COUNSELING
4.7	4.6	282	4	12-STEP/SELF-HELP GROUP
0.3	0.3	16	5	CRISIS COUNSELING
0.4	0.3	21	6	UNSCHEDULED HELP
5.4	5.2	321	7	TALKS/FILMS/DISCUSSIONS
0.5	0.5	29	8	DRUG COUNSELING
0.8	0.8	50	9	ALCOHOL COUNSELING
2.3	2.2	135	10	DRUG TESTING
0.5	0.5	30	11	PSYCHOLOGICAL/MENTAL HEALTH
1.0	0.9	57	12	FAMILY RELATIONSHIP COUNSELING
0.4	0.4	26	13	MEDICATION
1.8	1.7	107	14	MEDICAL
0.9	0.9	55	15	LEGAL
0.6	0.5	33	16	EDUCATION/JOB TRAINING
0.7	0.7	43	17	HELP FINDING A JOB
0.3	0.3	16	18	OTHER JOB ASSISTANCE
1.3	1.2	75	19	FINANCIAL ASSISTANCE
10.9	10.6	649	91	OTHER
	2.0	124	-8	BLANK
	0.0	2	-7	REFUSAL
	0.2	10	-5	BAD DATA
	1.2	72	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3108-3109

EL117 NOTICED CHANGES IN YOUR THOUGHTS/FEELING

Since your admission, have you noticed changes in your thoughts, feelings, or relationships?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	80.2	4,929	1	YES
18.7	18.5	1,137	2	NO
	1.3	79	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3110-3111

EL117_B1 FIRST CAUSE FOR CHANGE

You mentioned a change in (CHANGE)? What do you think caused this change? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	24.3	1,495	1	SELF
5.7	4.5	276	2	COUNSELOR OR CASE MANAGER
0.4	0.3	20	3	ANOTHER STAFF MEMBER
2.6	2.1	129	4	ANOTHER CLIENT/RESIDENT/PATIENT
50.3	39.9	2,455	5	THE PROGRAM OVERALL
1.1	0.9	54	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
9.2	7.3	448	7	OTHER
	18.3	1,124	-9	LEGITIMATE SKIP
	1.9	116	-8	BLANK
	0.0	1	-7	REFUSAL
	0.4	24	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3112-3113

EL117_B2	SECOND CAUSE FOR CHANGE
-----------------	--------------------------------

You mentioned a change in (CHANGE)? What do you think caused this change? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	15.0	922	1	SELF
6.9	4.0	244	2	COUNSELOR OR CASE MANAGER
0.7	0.4	25	3	ANOTHER STAFF MEMBER
3.3	1.9	118	4	ANOTHER CLIENT/RESIDENT/PATIENT
52.8	30.2	1,859	5	THE PROGRAM OVERALL
1.4	0.8	51	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
8.7	5.0	305	7	OTHER
	18.3	1,128	-9	LEGITIMATE SKIP
	24.0	1,473	-8	BLANK
	0.0	1	-7	REFUSAL
	0.3	18	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	0.0	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3114-3115

EL117_B3	THIRD CAUSE FOR CHANGE
-----------------	-------------------------------

You mentioned a change in (CHANGE)? What do you think caused this change? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	9.5	586	1	SELF
7.0	2.6	160	2	COUNSELOR OR CASE MANAGER
1.1	0.4	24	3	ANOTHER STAFF MEMBER
3.4	1.3	77	4	ANOTHER CLIENT/RESIDENT/PATIENT
52.1	19.2	1,183	5	THE PROGRAM OVERALL
1.5	0.6	34	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
9.1	3.4	206	7	OTHER
	18.4	1,131	-9	LEGITIMATE SKIP
	44.5	2,734	-8	BLANK
	0.0	1	-7	REFUSAL
	0.2	11	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3116-3117

EL117_B4 **FOURTH CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	4.5	279	1	SELF
6.9	1.3	78	2	COUNSELOR OR CASE MANAGER
0.5	0.1	6	3	ANOTHER STAFF MEMBER
3.3	0.6	37	4	ANOTHER CLIENT/RESIDENT/PATIENT
52.8	9.7	597	5	THE PROGRAM OVERALL
1.1	0.2	12	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
10.7	2.0	121	7	OTHER
	18.5	1,135	-9	LEGITIMATE SKIP
	63.0	3,876	-8	BLANK
	0.0	1	-7	REFUSAL
	0.1	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3118-3119

EL117_B5 **FIFTH CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change? Fifth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	2.1	132	1	SELF
8.5	0.7	45	2	COUNSELOR OR CASE MANAGER
0.4	0.0	2	3	ANOTHER STAFF MEMBER
4.7	0.4	25	4	ANOTHER CLIENT/RESIDENT/PATIENT
50.8	4.4	268	5	THE PROGRAM OVERALL
0.9	0.1	5	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
9.7	0.8	51	7	OTHER
	18.5	1,135	-9	LEGITIMATE SKIP
	72.9	4,482	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3120-3121

EL118**PROG TREATMENT HELP STOP YOUR DRUG USE**

Now, please think about all the treatment you have received in this program since your admission. Has this treatment helped you stop or cut down on your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	92.3	5,672	1	YES
6.7	6.6	406	2	NO
	0.9	53	-8	BLANK
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
	0.2	11	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3122-3123

EL118_A**HOW MUCH TREATMENT HAS HELPED YOU**

Would you say it has helped . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.1	621	1	A LITTLE
89.1	82.4	5,063	2	A LOT
	6.4	392	-9	LEGITIMATE SKIP
	1.0	60	-8	BLANK
	0.0	1	-7	REFUSAL
	0.0	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	7	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3124-3125

EL121_A	PRESSURE TO STAY IN PROG/YOURSELF
----------------	--

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. Since your admission, how much pressure have you felt from yourself to stay in this program until you complete your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	29.7	1,826	0	NONE
20.5	20.4	1,253	1	A LITTLE
49.7	49.5	3,043	2	A LOT
	0.3	21	-8	BLANK
	0.0	2	-4	DON'T KNOW
	0.0	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3130-3131

EL121_B	PRESSURE TO STAY IN PROG/HUSBAND/WIFE
----------------	--

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. Since your admission, how much pressure have you felt from your (husband / wife / partner)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	55.5	3,413	0	NONE
14.1	11.5	709	1	A LITTLE
18.0	14.7	904	2	A LOT
	1.0	64	-8	BLANK
	0.1	4	-6	MULTIPLE RESPONSE
	0.1	9	-4	DON'T KNOW
	17.0	1,044	-3	NOT APPLICABLE
	0.0	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3132-3133

EL121_E	PRESSURE TO STAY IN PROG/FRIENDS
----------------	---

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. Since your admission, how much pressure have you felt from friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.1	67.7	4,163	0	NONE
15.2	14.9	919	1	A LITTLE
15.7	15.4	946	2	A LOT
	0.6	34	-8	BLANK
	1.4	86	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3138-3139

EL121_F	PRESSURE TO STAY IN PROG/ANYONE ELSE
----------------	---

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. Since your admission, how much pressure have you felt from anyone else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.1	71.7	4,411	0	NONE
3.4	2.9	176	1	A LITTLE
11.5	9.7	594	2	A LOT
	5.2	322	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-4	DON'T KNOW
	10.4	642	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3140-3141

EL124**HOW MUCH/COUNSELOR AGREES W/YOU/GOALS**

How much do you feel your current counselor agrees with you about what would be useful goals for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	6.7	409	0	NOT AT ALL
25.9	24.7	1,521	1	A LITTLE BIT
67.1	64.1	3,943	2	VERY MUCH
	0.7	41	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	2	-5	BAD DATA
	2.4	148	-4	DON'T KNOW
	1.4	83	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3148-3149

EL125**HOW MUCH/COUNSELOR UNDERSTANDS/YOU/PROB**

How much does your counselor show a sincere desire to understand you and your problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.3	265	0	NOT AT ALL
17.3	16.9	1,037	1	A LITTLE BIT
78.3	76.5	4,705	2	VERY MUCH
	0.6	37	-8	BLANK
	0.1	4	-5	BAD DATA
	0.5	31	-4	DON'T KNOW
	1.1	69	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3150-3151

EL126 **HOW MUCH/COUNSELOR & YOU WORK TOGETHER**

How much do you feel that you are working together with your counselor, that the two of you are joined in a struggle to overcome your problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.3	447	0	NOT AT ALL
25.2	24.5	1,507	1	A LITTLE BIT
67.3	65.5	4,029	2	VERY MUCH
	0.9	53	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	3	-5	BAD DATA
	0.6	34	-4	DON'T KNOW
	1.2	74	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3152-3153

EL127 **HOW MUCH/YOU FEEL SATISFIED W/TREATMENT**

How satisfied do you feel with treatment so far?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.6	220	0	NOT AT ALL
20.5	20.3	1,249	1	A LITTLE BIT
75.9	75.4	4,637	2	VERY MUCH
	0.5	28	-8	BLANK
	0.0	3	-5	BAD DATA
	0.0	3	-4	DON'T KNOW
	0.1	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3154-3155

EL128

HOW MUCH/PROG TREAT MATCH W/YOUR IDEAS

How much has the treatment you have received in this program so far matched with your ideas about what helps people in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	7.0	432	0	NOT AT ALL
29.3	28.9	1,775	1	A LITTLE BIT
63.6	62.8	3,859	2	VERY MUCH
	0.6	39	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
	0.5	31	-4	DON'T KNOW
	0.2	11	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3156-3157

MINIMENTAL STATUS EXAM

EM1 **EVER TALKED TO DOCTOR/MEMORY PROBLEM?**

Now, I'd like to ask about your memory. Have you ever had occasion to talk to a doctor about problems with your memory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	2	1	YES
50.0	0.0	2	2	NO
	99.9	6,144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3158-3159

EM2 **WHAT IS THE YEAR?**

Let me ask you a few questions to check your concentration and memory.

What is the year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	CORRECT
66.7	0.0	2	5	ERROR/CANT DO/REFUSE
	100.0	6,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3160-3161

EM3	WHAT SEASON OF THE YEAR?
------------	---------------------------------

Let me ask you a few questions to check your concentration and memory.

What season of the year is it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	CORRECT
66.7	0.0	2	5	ERROR/CANT DO/REFUSE
	100.0	6,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3162-3163

EM4	WHAT IS THE DATE?
------------	--------------------------

Let me ask you a few questions to check your concentration and memory.

What is the date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.0	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
	100.0	6,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3164-3165

EM5	WHAT IS THE DAY OF THE WEEK?
------------	-------------------------------------

Let me ask you a few questions to check your concentration and memory.

What is the day of the week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.0	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
	100.0	6,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3166-3167

EM6	WHAT IS THE MONTH?
------------	---------------------------

Let me ask you a few questions to check your concentration and memory.

What is the month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.0	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
	100.0	6,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3168-3169

EM7**CAN YOU TELL WHERE WE ARE NOW?**

Let me ask you a few questions to check your concentration and memory.

Can you tell me where we are right now? For instance, what State are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.0	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
	100.0	6,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3170-3171

EM8**WHAT COUNTY ARE WE IN?**

Let me ask you a few questions to check your concentration and memory.

What (county/parish) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.0	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
	100.0	6,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3172-3173

EM9	WHAT CITY/TOWN ARE WE IN?
------------	----------------------------------

Let me ask you a few questions to check your concentration and memory.

What (city/town) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	CORRECT
50.0	0.0	1	5	ERROR/CANT DO/REFUSE
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3174-3175

EM10A	WHAT FLOOR OF BUILDING ARE WE ON?
--------------	--

Let me ask you a few questions to check your concentration and memory.

What floor of the building are we on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.0	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
	100.0	6,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3176-3177

EM10B**WHAT IS THE NAME OF THIS PLACE?**

Let me ask you a few questions to check your concentration and memory.

What is this address (IF INSTITUTIONALIZED) or name of this place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	CORRECT
66.7	0.0	2	5	ERROR/CANT DO/REFUSE
	100.0	6,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3178-3179

EM11A**APPLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . APPLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.0	3	1	CORRECT
25.0	0.0	1	5	ERROR/CANT DO/REFUSE
	99.9	6,144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3180-3181

EM11B **TABLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . TABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.0	3	1	CORRECT
25.0	0.0	1	5	ERROR/CANT DO/REFUSE
	99.9	6,144	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3182-3183

EM11C **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . PENNY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.0	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
	100.0	6,145	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3184-3185

EM12A	WOULD YOU SUBTRACT 7 FROM 100
--------------	--------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

93.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	6,145	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3186-3187

EM12B	WOULD YOU SUBTRACT 7 FROM 93
--------------	-------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

86.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	6,145	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3188-3189

EM12E**WOULD YOU SUBTRACT 7 FROM 72**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

65.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
100.0	0.0	1	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	6,146	-8	BLANK
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3194-3195

EM13**CIRCLE NUMBER OF ERRORS/REFUSED**

Now, I am going to spell a word forwards and I want you to spell it backwards. The word is "WORLD," W-O-R-L-D. Spell "world" backwards.

Number of errors?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO ERROR
0.0	0.0	0	1	1 ERROR
0.0	0.0	0	2	2 ERRORS
0.0	0.0	0	3	3 ERRORS
0.0	0.0	0	4	4 ERRORS
0.0	0.0	0	5	5 ERRORS
	100.0	6,148	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3196-3197

EM14A **APPLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

APPLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	100.0	6,147	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3198-3199

EM14B **TABLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

TABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
100.0	0.0	1	5	ERROR/CANT DO/REFUSE
	100.0	6,147	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3200-3201

EM14C	PENNY/3 OBJECTS/ REMEMBER OBJECTS
--------------	--

Now, what were the 3 objects I asked you to remember?

PENNY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
100.0	0.0	2	5	ERROR/CANT DO/REFUSE
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3202-3203

EM15A	SHOW WRIST WATCH/ASK/WHAT IS THIS?
--------------	---

What is this called? WATCH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3204-3205

EM15B	SHOW PENCIL/ASK/WHAT IS THIS?
--------------	--------------------------------------

What is this called? PENCIL

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3206-3207

EM16 REPEAT A PHRASE AFTER ME

I'd like you to repeat a phrase after me.

The phrase is ... "No if's, and's, or but's."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	CORRECT
50.0	0.0	1	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3208-3209

EM17 HAND 'CLOSE YOUR EYES' CARD TO RESPON

Read the words on this page and then do what it says.

[HAND "CLOSE YOUR EYES" CARD TO RESPONDENT.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CANT READ ENGLISH
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3210-3211

EM18A	TAKE PAPER IN YOUR RIGHT HAND
--------------	--------------------------------------

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Takes paper in right hand.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3212-3213

EM18B	FOLD PAPER IN HALF
--------------	---------------------------

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Folds paper in half.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3214-3215

EM18C PUT PAPER DOWN ON YOUR LAP

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Puts paper down on lap.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3216-3217

EM19 WRITE COMPLETE SENTENCE ON PAPER

Write any complete sentence on that piece of paper for me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CANT WRITE (ENGLISH)
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3218-3219

EM20**COPY THE DRAWING ON SAME PAPER**

Here's a drawing. Please copy the drawing on the same paper.

[HAND RESPONDENT "PENTAGONS" CARD.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO
0.0	0.0	0	6	HANDICAP
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3220-3221

EM21**12/>12 05S CODED IN M2-M11/M14-M20?**

ARE 12 OR MORE "05's" CODED IN M2-M11 AND M14-M20?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	2	2	NO
	100.0	6,146	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3222-3223

INTERVIEWER OBSERVATIONS

EN1	WERE ALL APPLICABLE QUESTIONS ANSWERED?
------------	--

DID THE RESPONDENT ANSWER ALL APPLICABLE QUESTIONS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	91.5	5,626	1	YES
2.5	2.3	142	2	NO
	6.2	380	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3224-3225

EN2	RESPONDENT UNDERSTOOD ALL QUESTION ASKED
------------	---

DID THE RESPONDENT UNDERSTAND ALL OF THE QUESTION(S) THAT WERE ASKED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	92.3	5,677	1	YES
1.4	1.3	80	2	NO
	6.4	391	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3226-3227

EN2A	# OF QUESTNS RESPONDNT DIDN''T UNDERSTND
-------------	---

HOW MANY QUESTIONS DID THE RESPONDENT NOT UNDERSTAND?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.0	1	0	
41.4	0.4	24	1	
20.7	0.2	12	2	
6.9	0.1	4	3	
10.3	0.1	6	4	
3.4	0.0	2	6	
3.4	0.0	2	7	
1.7	0.0	1	13	
1.7	0.0	1	18	
1.7	0.0	1	25	
3.4	0.0	2	30	
1.7	0.0	1	40	
1.7	0.0	1	128	
	92.3	5,674	-9	LEGITIMATE SKIP
	6.7	409	-8	BLANK
	0.0	1	-5	BAD DATA
	0.1	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3228-3230

EN3_1_1	NOT UNDERSTOOD: INTELLECTUALLY UNABLE
----------------	--

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

INTELLECTUALLY UNABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	33	1	CIRLCED
	99.4	6,114	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3231-3232

EN3_1_2 SEVERITY OF INTELLECTUAL DIFFICULTY

HOW SEVERE WOULD YOU SAY THE INTELLECTUAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	0.2	13	1	MILD
50.0	0.3	16	2	MODERATE
9.4	0.0	3	3	EXTREME
	99.5	6,115	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3233-3234

EN3_2_1 NOT UNDERSTOOD: LANGUAGE BARRIER

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

LANGUAGE BARRIER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	8	2	CIRCLED
	99.9	6,139	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3235-3236

EN3_2_2**SEVERITY OF LANGUAGE BARRIER**

HOW SEVERE WOULD YOU SAY THE LANGUAGE BARRIER WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	6	1	MILD
11.1	0.0	1	2	MODERATE
22.2	0.0	2	3	EXTREME
	99.8	6,138	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3237-3238

EN3_3_1**NOT UNDERSTOOD: PHYSICALLY UNABLE**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

PHYSICALLY UNABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	CIRCLED
	100.0	6,146	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3239-3240

EN3_3_2	SEVERITY OF PYHSICAL DIFFICULTY
----------------	--

HOW SEVERE WOULD YOU SAY THE PHYSICAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	MILD
0.0	0.0	0	2	MODERATE
0.0	0.0	0	3	EXTREME
	100.0	6,146	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3241-3242

EN3_4_1	NOT UNDERSTOOD: OTHER
----------------	------------------------------

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

OTHER.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	26	4	CIRCLED
	99.6	6,121	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3243-3244

EN3_4_2**SEVERITY OF OTHER PROBLEM**

HOW SEVERE WOULD YOU SAY THIS DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.1	9	1	MILD
54.2	0.2	13	2	MODERATE
8.3	0.0	2	3	EXTREME
	99.6	6,123	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3245-3246

EN4**WAS THE INTERVIEW A BREAK-OFF?**

WAS THE INTERVIEW A BREAK-OFF?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	139	1	YES
97.6	91.2	5,607	2	NO
	6.5	401	-8	BLANK
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3247-3248

EN4A1**BREAK-OFF: INTERVIEWER EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

INTERVIEWER EMERGENCY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	12	1	CIRCLED
	91.1	5,601	-9	LEGITIMATE SKIP
	8.7	535	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3249-3250

EN4A2**BREAK-OFF: RESPONDENT EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT EMERGENCY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	26	2	CIRCLED
	91.1	5,598	-9	LEGITIMATE SKIP
	8.5	524	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3251-3252

EN4A3**BREAK-OFF: RESPONDENT TIRED, BORED**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT TIRED, BORED.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	3	CIRCLED
	91.2	5,607	-9	LEGITIMATE SKIP
	8.7	536	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3253-3254

EN4A4**BREAK-OFF:RESPONDENT ANGRY ABOUT QUESTNS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT ANGRY ABOUT QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	91.2	5,607	-9	LEGITIMATE SKIP
	8.8	541	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3255-3256

EN4A5**BREAK-OFF:RESPONDENT UPSET ABOUT QUESTNS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT UPSET ABOUT QUESTIONS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	2	5	CIRCLED
	91.2	5,607	-9	LEGITIMATE SKIP
	8.8	539	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3257-3258

EN4A6 **BREAK-OFF: OTHER REASON**

WHAT WAS THE REASON FOR THE BREAK-OFF?

OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	84	6	CIRCLED
	91.2	5,605	-9	LEGITIMATE SKIP
	7.5	459	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3259-3260

EN5 **RESPONSE TO POSSIBLE FUTURE INTERVIEW**

WHAT WAS THE RESPONDENT'S RESPONSE TO A POSSIBLE FUTURE INTERVIEW?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	27.8	1,708	1	EAGER
62.0	57.5	3,535	2	RECEPTIVE
5.4	5.0	307	3	NO REACTION
0.5	0.5	29	4	RELUCTANT
0.1	0.1	8	5	REFUSED
2.1	1.9	119	6	NOT DISCUSSED
	7.0	433	-8	BLANK
	0.1	7	-6	MULTIPLE RESPONSE
	0.0	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3261-3262

EN6	WAS INTERVIEW GIVEN IN MORE THAN 1 SESSN
------------	---

WAS THE INTERVIEW GIVEN IN MORE THAN 1 SESSION?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.1	255	1	YES
95.5	88.6	5,446	2	NO
	7.3	446	-8	BLANK
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3263-3264

EN6A1	HOURS OF INTERVW BEF INTERRPTD 1ST TME
--------------	---

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED
 THE FIRST TIME? HOURS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	2.8	173	0	
18.2	0.6	39	1	
0.5	0.0	1	2	
0.5	0.0	1	72	
	88.5	5,439	-9	LEGITIMATE SKIP
	8.1	495	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3265-3266

EN6A2	MINUTES OF INTERVW BEF INTERRPTD 1ST TME
--------------	---

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED
 THE FIRST TIME? MINUTES?

6,148 cases (Range of valid codes: 0-80)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3267-3268

RECODED RESPONDENT CHARACTERISTICS

SLFEFF1 SELF EFFICACY SCALE

6,148 cases (Range of valid codes: 0.0000-2.0000)

Data type: numeric
 Decimals: 4
 Missing-data codes: lowest thru -1.0000
 Columns: 3292-3298

SLFEST1 SELF-ESTEEM

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	28	5	
0.4	0.4	24	6	
0.9	0.9	56	7	
1.6	1.6	99	8	
2.6	2.6	157	9	
4.2	4.2	258	10	
7.0	7.0	430	11	
7.1	7.1	435	12	
7.5	7.5	461	13	
8.7	8.7	533	14	
8.5	8.4	519	15	
9.0	9.0	552	16	
11.3	11.2	691	17	
9.2	9.1	561	18	
7.8	7.8	477	19	
13.6	13.5	828	20	
	0.6	39	-8	BLANK

 100.0 100.0 6,148 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3299-3300

SCACT1	STG OF CHANGE/ACTION			
--------	----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	8	4	
0.0	0.0	1	5	
0.1	0.1	4	6	
0.1	0.1	8	7	
0.2	0.2	13	8	
0.3	0.3	21	9	
0.8	0.8	50	10	
1.3	1.3	79	11	
9.2	9.1	562	12	
8.0	8.0	490	13	
9.2	9.2	563	14	
15.0	15.0	921	15	
55.7	55.5	3,414	16	
	0.2	14	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3301-3302

SCPRES1	STG OF CHANGE/PRECONTEMPLATION			
---------	--------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	34.0	2,093	3	
11.6	11.6	712	4	
15.8	15.7	968	5	
16.2	16.1	990	6	
9.1	9.0	554	7	
5.7	5.7	351	8	
5.2	5.2	317	9	
0.8	0.8	52	10	
0.5	0.5	33	11	
0.8	0.8	48	12	
	0.5	30	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3303-3304

SCIDEA1	STG OF CHANGE/IDEATION
----------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	94	3	
0.4	0.4	27	4	
1.7	1.7	106	5	
3.4	3.4	211	6	
4.6	4.6	282	7	
7.9	7.9	483	8	
21.7	21.6	1,330	9	
18.8	18.8	1,153	10	
18.6	18.6	1,142	11	
21.3	21.3	1,307	12	
	0.2	13	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3305-3306

THALLY1	THERAPEUTIC ALLIANCE
----------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.8	51	0	
0.8	0.7	45	1	
1.4	1.3	79	2	
1.6	1.5	94	3	
2.6	2.4	149	4	
5.8	5.5	336	5	
6.5	6.1	377	6	
8.5	8.0	490	7	
12.2	11.5	705	8	
16.3	15.4	945	9	
43.5	40.9	2,517	10	
	5.9	360	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3307-3308

TP12ST1	TRTMT PHILOSPY: 12 STEP
---------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	7	4	
0.0	0.0	2	5	
0.2	0.2	10	6	
0.4	0.4	23	7	
0.4	0.4	26	8	
0.8	0.8	49	9	
2.1	2.0	125	10	
2.5	2.4	150	11	
5.5	5.5	336	12	
7.3	7.2	445	13	
10.8	10.7	655	14	
14.7	14.6	898	15	
55.2	54.7	3,365	16	
	0.9	57	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3309-3310

TPHELP1	TRTMT PHILOSPY: NEED PROF HELP
---------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	113	2	
0.7	0.7	43	3	
3.2	3.2	195	4	
4.4	4.3	267	5	
18.9	18.8	1,157	6	
11.7	11.7	717	7	
59.2	58.9	3,619	8	
	0.6	37	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3311-3312

TPSELF1	TRTMT PHILOSPY: DRG PRB OWN FAULT
---------	-----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	10	3	
0.0	0.0	1	4	
0.2	0.2	10	5	
0.7	0.7	42	6	
1.1	1.1	65	7	
2.7	2.6	162	8	
11.4	11.3	694	9	
9.9	9.8	605	10	
18.4	18.3	1,125	11	
55.6	55.2	3,396	12	
	0.6	38	-8	BLANK
-----	-----	-----		
100.0	100.0	6,148	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3313-3314

APPENDIX A: Publications

1999 Publications

- Broome, K. M., Flynn, P. M., & Simpson, D. D. (1999). Psychiatric comorbidity measures as predictors of retention in drug abuse treatment programs. *Health Services Research*, 34(3), 791-806.
- Broome, K. M., Joe, G. W., & Simpson, D. D. (1999). HIV risk reduction in outpatient drug abuse treatment: Individual and geographic differences. *AIDS Education and Prevention*, 11(4), 293-306.
- Broome, K. M., Simpson, D. D., & Joe, G. W. (1999). Patient and program attributes related to treatment process indicators in DATOS. *Drug and Alcohol Dependence*, 57, 127-135.
- Etheridge, R. M., Craddock, S. G., Hubbard, R. L., Rounds-Bryant, J. L. (1999). The relationship of treatment and self-help participation to patient outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 99-112.
- Fletcher, B. W., & Battjes, R. J. (1999). Introduction to the special issue: Treatment process in DATOS. *Drug and Alcohol Dependence*, 57, 81-87.
- Flynn, P. M., Kristiansen, P. L., Porto, J. V., & Hubbard, R. L. (1999). Costs and benefits of treatment for cocaine addiction in DATOS. *Drug and Alcohol Dependence*, 57, 167-174.
- Gossop, M., Marsden, J., Stewart, D., & Rolfe, A. (1999). Treatment retention and 1 year outcomes for residential programmes in England. *Drug and Alcohol Dependence*, 57, 89-98.
- Grella, C. E., Hser, Y., Joshi, V., & Anglin, M. D. (1999). Patient histories, retention, and outcome models for younger and older adults in DATOS. *Drug and Alcohol Dependence*, 57, 151-166.
- Grella, C. E., and Joshi, V. (1999). Gender differences in drug treatment careers among clients in the national Drug Abuse Treatment Outcome Study. *American Journal of Drug and Alcohol Abuse*, 25(3), 385-406.
- Hser, Y., Grella, C. E., Hsieh, S., Anglin, M. D., & Brown, B. S. (1999). Prior treatment experience related to process and outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 137-150.
- Hser, Y.I., Joshi, V., Anglin, M.D., and Fletcher, B. (1999). Predicting post-treatment cocaine abstinence: What works for first-time admissions and treatment repeaters. *American Journal of Public Health*, 89(5), 666-671.

- Joe, G. W., Simpson, D. D., & Broome, K. M. (1999). Retention and patient engagement models for different treatment modalities in DATOS. *Drug and Alcohol Dependence*, 57, 113-125.
- Rounds-Bryant, J. L., Kristiansen, P. L., & Hubbard, R. L. (1999). Drug Abuse Treatment Outcome Study of adolescents: A comparison of client characteristics and pretreatment behaviors in three treatment modalities. *American Journal of Drug and Alcohol Abuse*, 25(4), 573-591.
- Simpson, D. D., Joe, G. W., Fletcher, B. W., Hubbard, R. L., & Anglin, M. D. *Archives of General Psychiatry*, 56, 507-514.
- Simpson, D. D. & Brown, B. (Eds.) (December, 1999). Special issue on treatment process and outcome studies from DATOS. *Drug and Alcohol Dependence*.

1999 "In Press"

- Grella, C. E., Etheridge, R. M., Joshi, V., & Anglin, M. D. (in press). Delivery of HIV risk reduction services in drug treatment programs. *Journal of Substance Abuse Treatment*.
- Grella, C. E., Joshi, V., & Anglin, M. D. (in press). Gender differences Outcome Study. *Journal of Maintenance in the Addictions*.
- Hser, Y., Shen, H., Grella, C., & Anglin, M. D. (in press). Lifetime severity index for cocaine use disorder (LSI-Cocaine): A predictor of treatment outcomes. *Journal of Nervous and Mental Disease*.
- Knight, K., Hiller, M. L., Broome, K. M., & Simpson, D. D. (in press). Legal pressure, treatment readiness, and engagement in long-term residential programs. *Journal of Offender Rehabilitation*.
- Melnick, G., De Leon, G., Hiller, M. L., & Knight, K. (in press). Therapeutic communities: Diversity in treatment elements. *Substance Use & Misuse*.
- Rounds-Bryant, J. (in press). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*.
- Rowan-Szal, G. A., Joe, G. W., & Simpson, D. D. (in press). Treatment retention of crack and cocaine users in a national sample of long term residential clients. *Addiction Research*.

1998 Publications

- Hiller, M. L., Knight, K., Broome, K. M., & Simpson, D. D. (1998). Legal pressure and treatment retention in a national sample of long-term residential programs. *Criminal Justice and Behavior*, 25(4), 463-481.
- Hser, Y. I., Anglin, M. D., & Fletcher, B. W. (1998). Comparative treatment effectiveness: Effects of program modality and client drug dependence history on drug use reduction. *Journal of Substance Abuse Treatment*, 15(6), 513-523.
- Hser, Y. I., Grella, C. E., Chou, C. P., & Anglin, M. D. (1998). Relationships between drug treatment careers and outcomes: Findings from the national Drug Abuse Treatment Outcome Study. *Evaluation Review*, 22(4), 496-519.
- Joe, G. W., Simpson, D. D., & Broome, K. M. (1998). Effects of readiness for drug abuse treatment on client retention and assessment of process. *Addiction*, 93(8), 1177-1190.
- Longshore, D. & Hsieh, S. (1998). Drug abuse treatment and risky sex: Evidence for a cumulative treatment effect? *American Journal of Drug and Alcohol Abuse*, 24(3), 439-451.

1997 Publications

- Anglin, M. D., Hser, Y. I., & Grella, C. E. (1997). Drug addiction and treatment careers among clients in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 308-323.
- Craddock, S. G., Rounds-Bryant, J. L., Flynn, P. M., & Hubbard, R. L. (1997). Characteristics and pretreatment behaviors of clients entering drug abuse treatment: 1969 to 1993. *American Journal of Drug and Alcohol Abuse*, 23(1), 43-59.
- Etheridge, R. M., Hubbard, R. L., Anderson, J., Craddock, S. G., & Flynn, P. M. (1997). Treatment structure and program services in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 244-260.
- Fletcher, B. W., Tims, F. M., & Brown, B. S. (1997). The Drug Abuse Treatment Outcome Study (DATOS): Treatment evaluation research in the United States. *Psychology of Addictive Behaviors*, 11(4), 216-229.
- Flynn, P. M., Craddock, S. G., Hubbard, R. L., Anderson, J., & Etheridge, R. M. (1997). Methodological overview and research design for the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 230-243.
- Hubbard, R. L., Craddock, S. G., Flynn, P. M., Anderson, J., & Etheridge, R. M. (1997). Overview of 1-year follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 261-278.

- Leshner, A. I. (1997). Introduction to the Special Issue: the National Institute on Drug Abuse's (NIDA's) Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 211-215.
- Rounds-Bryant, J. L., Flynn, P. M., & Craighead, L. W. (1997). Relationship between self-efficacy perceptions and in-treatment drug use among regular cocaine users. *American Journal of Drug and Alcohol Abuse*, 23(3), 383-395.
- Simpson, D. D., & Curry, S. J. (Eds.) (1997). Special Issue: Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4).
- Simpson, D. D., Joe, G. W., Broome, K. M., Hiller, M. L., Knight, K., & Rowan-Szal, G. A. (1997). Program diversity and treatment retention rates in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 279-293.
- Simpson, D. D., Joe, G. W., & Brown, B. S. (1997). Treatment retention and follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 294-307.

1995-1996 Publications

- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1995). Assessing consistency of response to questions on cocaine use. *Addiction*, 90(11), 1497-1502.
- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1996). Quality of treatment data: Reliability over time of self-reports given by clients in treatment for substance abuse. *Journal of Substance Abuse Treatment*, 13, 145-149.
- Etheridge, R. M., Craddock, S. G., Dunteman, G. H., & Hubbard, R. L. (1995). Treatment services in two national studies of community-based drug abuse treatment programs. *Journal of Substance Abuse*, 7(1), 9-26.
- Flynn, P. M., Craddock, S. G., Luckey, J. W., Hubbard, R. L., & Dunteman, G. H. (1996). Comorbidity of antisocial personality and mood disorders among psychoactive substance-dependent treatment clients. *Journal of Personality Disorders*, 10(1), 56-67.
- Poole, W. K., Flynn, P. M., Rao, A. V., & Cooley, P. C. (1996). Estimating prevalence of drug use from self-report measures in a cohort for which biological measures are available for a subsample. *American Journal of Epidemiology*, 144, 4, 413-420.
- Turner, C. F. & Hubbard, R. L. (1995). Quality of alcohol histories collected at intake to substance users treatment. *International Journal of the Addictions*, 30 (8), 963-989.