Drug Abuse Treatment Outcome Study (DATOS), 1991-1994: [United States]

United States Department of Health and Human Services. National Institute on Drug Abuse

Codebook for 12-Month Follow-Up Data

TABLE OF CONTENTS

INTRODUCTION 1
A. Background 1
B. Research Design 1
C. Program Sample 2
D. Instrumentation 3
E. Data Collection Procedures 3
F. Status of DATOS Study and Future Directions 4
G. SAMHDA Data Cleaning and Processing 5
H. User Responsibility 7
I. Processor Notes 7
FREQUENCIES 8
IDENTIFICATION 9
RECODED VARIABLES: CLIENT CHARACTERISTICS 10
RECODED VARIABLES: SUBSTANCE USE 17
RECODED VARIABLES: TREATMENT 24
SURVEY ADMINISTRATION 26
SECTION A. DEMOGRAPHICS AND BACKGROUND 29
SECTION B. TREATMENT EXPERIENCE 58
SECTION C. PRETREATMENT STATUS 101
SECTION D. EDUCATION AND TRAINING 165
SECTION E. DRUGS, ALCOHOL, AND TOBACCO USE 179
SECTION F. PSYCHOLOGICAL FUNCTIONING 282
SECTION G. ILLEGAL INVOLVEMENT 307
SECTION H. EMPLOYMENT/SUPPORT STATUS 337
SECTION J. INCOME AND EXPENDITURES 371
SECTION K. HEALTH 386
SECTION L. SEXUAL RISK BEHAVIORS 407
SECTION M. POSTTREATMENT EXPERIENCE 427
SECTION N. INTERVIEWER OBSERVATIONS 508
SECTION P. MINIMENTAL STATUS EXAM 518
RECODED DEMOGRAPHICS AND CLIENT CHARACTERISTICS 536
RECODED DRUG AND ALCOHOL USE VARIABLES 546
APPENDIX A: Publications 556

DRUG ABUSE TREATMENT OUTCOME STUDY-ADULT STUDY

INTRODUCTION

A. Background

The Drug Abuse Treatment Outcome Study (DATOS) is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The DATOS family of studies consists of DATOS-adult, DATOS-adolescent, and the Cocaine Treatment Outcome Study (CTOS). DATOS-adult is viewed as a focal point of a comprehensive, systematic DATOS-based research program and family of studies to investigate treatment outcomes.

The major objectives of DATOS are to (1) develop current and more comprehensive information about drug abuse treatment effectiveness; (2) describe the characteristics of clients entering treatment and the treatment they receive in typical and stable community-based settings; (3) assess the contributions to client outcomes of program type, client characteristics, and treatment received; (4) assess the cost-effectiveness of drug abuse treatment across the major types of programs; and (5) compare the changes in clients, treatment, and treatment outcome findings from earlier multi-site studies. DATOS-adult is a comprehensive, multi-site prospective cohort study of clients entering treatment from 1991 to 1993. Approximately 10,000 clients from 96 programs in 11 cities were assessed at intake. Re-interviews were completed at 1 and 3 months during treatment with clients who continued their treatment. Follow-up samples of about 4,500 clients (12-months after treatment) and about 2,300 (at 60-months after treatment) were selected for locating and interviewing in the community.

B. Research Design

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. The prospective cohort design used in DATOS is the most appropriate design to study the interactions among client characteristics and treatment elements (Cook & Campbell, 1979; Singer, 1986). Both detailed measurement, fundamental to clinical epidemiological research, and multiple comparison groups available in prospective cohort studies, are utilized in DATOS. Although a principal goal of the study was to provide descriptive information on the characteristics of clients entering selected drug abuse treatment programs and their behaviors before, during, and after treatment, the design provides strong support for evaluative and causal inferences.

C. Program Sample

DATOS studies the effectiveness of treatment provided by typical and stable community-based organizations. Programs that provide such treatment were selected to develop samples of clients and treatment approaches to understand program effectiveness and to examine the factors contributing to positive outcomes. The programs involved in DATOS reflected approaches to treatment, and their client populations exhibited the major behavior patterns of clients receiving treatment for drug abuse between 1991 and 1993. As a study of treatment effectiveness, DATOS purposively sampled programs reflecting a full continuum of typical clinical approaches. In most of the communities, all programs were involved. Once the programs were selected, all clients who were admitted to treatment within the time frame were contacted and scheduled to be interviewed. This provided a pool of clients from which the samples for analysis could be developed. Most programs differed in their admission and intake criteria. DATOS was not designed to provide prevalence estimates or program evaluation. Neither the sample of programs nor clients was a statistically representative sample. The aim of the DATOS was to develop a pool of clients who differed in their exposure to various treatments in order to examine key relationships among client characteristics, treatment and outcomes. The changes in the treatment system raise many important issues surrounding who can be defined as a client and when they qualify. This re-definition is a major research issue in itself and was beyond the scope of DATOS. Consequently, it was virtually impossible to develop a consistent strategy to list clients who were eligible. Thus, a traditional response rate for intake and in-treatment interviews is difficult to conceptualize, and if one or many were to be calculated it would be specific to a modality or program type and the analysis sample of interest. Without a firm denominator, "response rates" cannot be consistently calculated across programs.

Geographic location, the type of program, and the representativeness of the program and its clients were considered in the selection of cities, programs, and clients for DATOS. Since the intense data collection efforts required for DATOS precluded wide geographic dispersion of programs, a limited number of candidate cities were chosen to reflect treatment approaches and clients in different sections of the United States. Cities considered were medium to large metropolitan areas with established treatment systems that included programs from each of four traditional modalities. Programs within each of the four major modalities of treatment varied in funding mechanism and philosophy

Eleven cities were selected as sites for the DATOS-adult study. Initial training of interviewers in five cities was conducted in November 1991, and data collection began during late November 1991. In May 1992, a second training session for interviewers for the other sites was held, and data collection began in those four cities in early summer 1992. A third training session was held in August 1992, and programs in the two remaining areas were added to implement the full complement of 11 cities and 120 programs in DATOS-adult. A number of the programs never produced any interviews due to inadequate client flow, and several closed before data collection began. In the end, 96 programs produced interviews, but only 81 programs yielded 20 or more intake-1 interviews. (Some earlier papers and reports counted 99 DATOS-adult programs, but subsequently it was determined that a few programs had merged or changed administrative structure and the final count was 96 programs.) The greatest number of clients with the fewest programs was short-term inpatient due to the rapid turnover of client beds. In contrast, methadone programs, whose clients stayed over a year in many cases, required more than double the numbers of programs to yield fewer than half the number of clients.

D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires. In addition, program level data were collected utilizing questionnaires administered to treatment program directors and counselors.

Intake 1. The Intake 1 Questionnaire obtained baseline data and took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment, and Income and expenditures.

Intake 2. The Intake 2 Questionnaire, which also required approximately 90 minutes to complete, was administered approximately one week after the Intake 1 Questionnaire. It contained sections on Health, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

In-treatment. Client data were collected primarily through client in-treatment interviews (also called "During-treatment interviews") administered at 1, 3, and 6-months after admission. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

Follow-up. Interviews were administered at 12-months after treatment termination. For long-term methadone clients whose treatment lasted more than 12 months, the follow-up interview was instead scheduled at 24 months after admission. The follow-up interview replicated much of the Intake interviews and focused on key behaviors during the year prior to the follow-up interview.

E. Data Collection Procedures

Interviewers were well-trained and closely supervised. Approximately 70 interviewers recruited, trained, and supervised by the Research Triangle Institute (RTI) were directly responsible for the data collection at all the treatment programs. Intake and in-treatment data were collected within a program's physical facilities by the on-site program researcher (PR) trained and monitored by RTI staff. Clients were compensated $10 for each Intake and In-treatment interview, and $15 for a Follow-up interview. Seven-day training sessions for the interviewers were conducted which included both the details of the administration of the various instruments and experience in working with the programs. Staff providing the training were experienced in drug abuse and treatment studies and had extensive experience in the training on the Diagnostic Interview Schedule (DIS) and other components of the assessment battery used in DATOS.

To ensure data quality for DATOS, weekly phone reports from each PR were required and a quarterly site visit was made to each program to monitor the data collection. In addition, two randomly selected interviews completed by all active PRs were reviewed monthly. Quality control procedures were instituted at each step of data management, data receipt and edit, data entry, and document control.

F. Status of DATOS Study and Future Directions

Upon completion of the 12-month post-treatment follow-up phase of adults, DATOS-adult began the next cycle which involves a Cooperative Agreement among NIDA, the Institute for Community-Based Research (ICBR) of the National Development and Research Institutes, Inc. (Raleigh, NC), the Institute for Behavioral Research (IBR) at Texas Christian University (Fort Worth, TX) and the Drug Abuse Research Center (DARC) at the University of California at Los Angeles.

The Cooperative DATOS is an important NIDA-sponsored effort designed to collaboratively analyze data obtained under the DATOS family of studies, to examine key questions, and provide answers and new knowledge about drug abuse treatment as it has been and is being provided under contemporary conditions. Several research themes are being explored within the Cooperative:

- Studies of contemporary treatment outcomes, especially long-term outcomes and how they relate to phases of addiction and treatment
- Examination of the evolving drug abuse treatment system, including delivery and utilization of primary and ancillary services
- Research on the components of effective treatment, including the identification of factors that engage and retain clients in programs

Four variable domains, selected in accord with their significance for the drug abuse field, are being emphasized within the contexts of each set of studies. The domains include cocaine use, HIV risk behaviors, psychiatric co-morbidity, and criminal justice status.

An extended follow-up was in progress as of December 2002 to gather data on clients over a 4-year follow-up period. The added data will allow for a more in-depth examination of treatment and the long-term history of a contemporary sample of drug abuse clients.

For a more complete discussion of the DATOS methodology, see

Flynn, PF, Craddock, SG, Hubbard, RL, Anderson, J., and Etheridge, RM. (1997). Methodological Overview and Research Design for the Drug Abuse Treatment Outcome Study (DATOS), Psychology of Addictive Behavior, 11 (4).

For a list of DATOS publications please refer to Appendix A or the DATOS web page at **http://www.datos.org/publications.html**

G. SAMHDA Data Cleaning and Processing

This documents the steps taken to clean and process the Drug Abuse Treatment Outcome Study (DATOS) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.

2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).

3. Checking for undocumented codes.

4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS variables included city, treatment program, and date of birth. The data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

City and program names: The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-10,010.

Date of birth: Date of birth (DOB) was deleted from the files; age at time of interview was also on the files and was preserved and top-coded at 55 and over.

Age at time of ... : Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

Age at time of ... was also top-coded at 55 and over. In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

Legal status (criminal involvement) at time of admission, "Other; specify": The details provided in "specify" were deleted; value coded as "Circled."

Have other health plan: Plans offered in a limited geographic area were coded as "Other."

Occupation: Highly detailed occupation codes were combined into larger categories.

Race: These codes were re-coded as "White," "Black," "Hispanic,"and "Other."

Ethnicity: Detailed ethnicity codes and variables were collapsed or deleted.

Description of ethnic/cultural background (Hispanic): Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

What other languages do you speak: Coded as "German," "Spanish," "French," all others coded or re-coded as "Other."

Length of marital status in weeks: Re-coded to years; top-coded as 21 or more.

Length of time since divorce in months: Re-coded to years; top-coded as 21 or more.

Highest grade completed: Top-coded as 21 or more.

Type of school/training program attended: Job corps and special education (very low frequencies) coded as "Other."

Number of children: Top-coded based on frequencies as "6 or more" (e.g., your own children) and "7 or more" (e.g., children to whom you gave birth or fathered) and "8 or more" (e.g., your own children and those raised as your own).

Date of admission: The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

Date of interview: This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

ICD-9/DSM diagnosis codes: These were re-coded as "substance-related condition," "mental health condition," and "all other conditions."

Number of months currently pregnant: Re-coded by trimester.

Reason felt worthless/sinful/guilty: This variable was not numerically-coded on the original files (i.e., the verbatim responses were provided); this variable was therefore deleted.

Presence of a specific physical handicap: Variables related to a specific physical handicap (e.g., blindness) were deleted from the files. This involved three variables with fewer than five cases each.

Problems related to getting a job: Variables that were potentially identifying with very low frequencies (fewer than five), such as immigration status, were deleted.

Questions respondent did not understand: These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

Administrative variables: "Batch," time checkpoints, and other variables related to questionnaire administration were deleted from the files.

Other variables: Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. "Program type" was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

H. User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

I. Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.

2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

FREQUENCIES

IDENTIFICATION

CASEID **CASE IDENTIFICATION NUMBER**

2,966 cases (Range of valid codes: 1-9988)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1-4

MODALITY **DATOS TX MODALITY**

PCT VALID	PCT ALL	N	VALUE	LABEL
22.8	22.8	676	1	Long-term Residential
26.9	26.9	799	2	Short-term Inpatient
24.5	24.5	727	3	Outpatient Methadone
25.8	25.8	764	4	Outpatient Drug Free
100.0	100.0	2,966 cases		

Data type: numeric
Column: 1972

RECODED VARIABLES: CLIENT CHARACTERISTICS

SEX **CLIENT GENDER**

PCT VALID	PCT ALL	N	VALUE	LABEL
64.4	64.4	1,909	1	Male
35.6	35.6	1,057	2	Female
100.0	100.0	2,966	cases	

Data type: numeric
Column: 1985

AGE **CLIENT AGE AT ADMISSION**

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	1	17	
0.4	0.4	12	18	
0.7	0.7	22	19	
1.1	1.1	34	20	
1.4	1.4	43	21	
1.9	1.9	56	22	
2.5	2.5	74	23	
2.8	2.8	83	24	
2.8	2.8	82	25	
3.3	3.3	99	26	
4.0	4.0	119	27	
4.6	4.6	137	28	
5.1	5.1	151	29	
4.8	4.8	141	30	
6.3	6.3	187	31	
5.2	5.2	155	32	
4.9	4.9	145	33	
5.8	5.8	172	34	
4.9	4.9	144	35	
4.1	4.1	122	36	
5.2	5.2	155	37	
4.3	4.3	129	38	
3.0	3.0	89	39	
3.0	3.0	90	40	
2.6	2.6	77	41	
3.1	3.1	91	42	
2.7	2.7	79	43	
1.8	1.8	52	44	
1.4	1.4	42	45	
0.9	0.9	28	46	
0.7	0.7	22	47	
0.8	0.8	25	48	
0.8	0.8	25	49	
0.6	0.6	17	50	
0.2	0.2	6	51	
0.4	0.4	12	52	
0.2	0.2	6	53	
0.2	0.2	7	54	
1.2	1.2	35	55	55+
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1986-1987

AGEGRP **CLIENT AGE AT ADMISSION**

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	1	1	Under 18
2.3	2.3	68	2	18 - 20
11.4	11.4	338	3	21 - 25
21.8	21.8	647	4	26 - 30
27.1	27.1	803	5	31 - 35
29.8	29.8	884	6	36 - 44
7.6	7.6	225	7	Over 44
100.0	100.0	2,966 cases		

Data type: numeric
Column: 1988

RACE **RACE/ETHNICITY RECODE**

PCT VALID	PCT ALL	N	VALUE	LABEL
40.5	40.5	1,202	1	Caucasian/White
46.8	46.8	1,389	2	Afro-American/Black
10.5	10.5	310	3	Hispanic
2.2	2.2	65	4	Other
100.0	100.0	2,966 cases		

Data type: numeric
Column: 1989

RACESEX **RACE/GENDER COMBINATION**

PCT VALID	PCT ALL	N	VALUE	LABEL
26.5	26.5	786	1	Caucasian/White Male
29.6	29.6	878	2	Afro-American/Black Male
6.9	6.9	206	3	Hispanic Male
1.3	1.3	39	4	Other Male
14.0	14.0	416	5	Caucasian/White Female
17.2	17.2	511	6	Afro-American/Black Female
3.5	3.5	104	7	Hispanic Female
0.9	0.9	26	8	Other Female
100.0	100.0	2,966 cases		

Data type: numeric
Column: 1991

MSTAT **MARITAL STATUS AT INTAKE**

PCT VALID	PCT ALL	N	VALUE	LABEL
20.0	20.0	592	1	Legally Married
8.3	8.3	245	2	Separated
14.9	14.9	442	3	Divorced
1.3	1.3	39	4	Widowed
13.0	13.0	385	5	Living as Married
42.5	42.4	1,258	6	Never married
	0.2	5	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 1984

FTWORK **WEEKS FULL TIME WORK PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
50.8	49.9	1,480	0	None
11.3	11.1	330	1	1 to 13 weeks
16.5	16.3	482	2	14 to 39 weeks
21.4	21.0	623	3	40 to 52 weeks
	1.7	51	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 1983

EDLEV **EDUCATIONAL LEVEL**

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	None
3.9	3.9	117	1	Grade School or less
28.8	28.8	854	2	High School
39.3	39.3	1,166	3	High School Degree
17.9	17.9	532	4	Some College
4.9	4.9	144	5	Jr College/Associate degree
4.4	4.3	129	6	College Degree
0.7	0.7	22	7	Advanced Degree
	0.1	2	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 1990

HLTHINS **HEALTH INSURANCE**

PCT VALID	PCT ALL	N	VALUE	LABEL
44.4	43.8	1,298	0	None
20.5	20.2	598	1	Private /other
35.1	34.6	1,027	2	Public
	1.4	43	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2019

MAJSRC **MAJOR SOURCE OF INCOME**

PCT VALID	PCT ALL	N	VALUE	LABEL
4.2	4.0	119	0	No income
42.0	40.3	1,195	1	Legal work
23.3	22.3	662	2	Public assistance
5.1	4.9	146	3	Social Security
7.5	7.2	214	4	Family,friends
15.8	15.2	451	5	Illegal sources
2.1	2.0	59	6	Other sources
	4.0	120	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2007

REFER **REFERRAL SOURCE**

PCT VALID	PCT ALL	N	VALUE	LABEL
35.0	34.9	1,036	0	Self (only if no other primary or
3.0	3.0	88	1	Medical Service
6.0	6.0	178	10	Community Agency
5.1	5.1	151	20	Legal system
15.7	15.7	465	30	Probation & parole
0.4	0.4	12	40	Prison system
30.3	30.3	899	50	Family or friends
0.8	0.8	25	60	School
2.7	2.7	81	70	Employer
0.5	0.5	14	80	Veteran
0.5	0.5	14	90	Other
	0.1	3	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2008-2009

CJ_STAT **CRIMINAL JUSTICE STATUS**

PCT VALID	PCT ALL	N	VALUE	LABEL
55.5	55.4	1,642	0	No legal status
6.1	6.1	180	1	In Jail/detention
23.4	23.4	693	2	Probation
8.8	8.8	260	3	Parole
6.3	6.3	186	4	Case Pending
	0.2	5	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2006

RESTRICT **WEEKS RESTRICTED PAST YEAR, BRACKETED**

PCT VALID	PCT ALL	N	VALUE	LABEL
47.4	45.3	1,345	0	No weeks restricted
21.0	20.1	595	1	1 to 4 weeks restricted
10.4	10.0	296	2	5 to 13 weeks restricted
9.4	9.0	268	3	14 to 26 weeks restricted
4.7	4.5	134	4	27 to 39 weeks restricted
2.7	2.6	78	5	40 to 50 weeks restricted
4.3	4.1	123	6	51 to 52 weeks restricted
	4.3	127	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2014

RECODED VARIABLES: SUBSTANCE USE

PDRUG **PRIMARY DRUG PROBLEM RECODE**

PCT VALID	PCT ALL	N	VALUE	LABEL
6.5	6.4	189	0	NO PRIMARY DRUG
9.9	9.6	286	10	ALCOHOL
3.4	3.3	97	20	MARIJUANA
1.2	1.1	34	30	HALLUCINOGEN
47.3	46.2	1,369	40	COCAINE/CRACK
25.8	25.2	748	50	HEROIN
2.8	2.8	82	60	NARCOTICS/OTHER OPIATES
0.9	0.9	26	70	SEDATIVES
1.9	1.8	54	80	AMPHETAMINES
0.2	0.2	7	90	OTHER
0.1	0.1	2	91	INHALANTS
	2.4	72	-8	BLANK/MISSING
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2086-2087

PDRUGFRQ **FREQ OF USE PRIMARY DRUG**

PCT VALID	PCT ALL	N	VALUE	LABEL
4.6	4.2	124	0	No use
3.2	3.0	88	1	Less than once a month
6.9	6.3	186	2	1 to 3 times a month
11.0	10.0	298	3	1 to 2 times a week
12.1	11.1	328	4	3 to 4 times a week
5.1	4.7	138	5	5 to 6 times a week
27.3	24.9	740	6	Daily or almost every day
10.2	9.3	275	7	2 to 3 times a day
19.6	17.9	531	8	4 or more times a day
	6.4	189	-9	No primary drug denoted
	2.3	69	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2010-2011

FAVDRUG **FAVORITE DRUG PROBLEM RECODE**

PCT VALID	PCT ALL	N	VALUE	LABEL
5.4	5.4	160	0	NO FAVORITE DRUG
10.2	10.1	301	10	ALCOHOL
7.4	7.3	217	20	MARIJUANA
1.3	1.2	37	30	HALLUCINOGEN
41.6	41.2	1,221	40	COCAINE/CRACK
28.0	27.7	822	50	HEROIN
3.1	3.0	90	60	NARCOTICS/OTHER OPIATES
1.0	0.9	28	70	SEDATIVES
2.0	2.0	58	80	AMPHETAMINES
0.1	0.1	3	90	OTHER
0.0	0.0	1	91	INHALANTS
	0.9	28	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2088-2089

NDRUGS **# DRUGS USED WEEKLY**

PCT VALID	PCT ALL	N	VALUE	LABEL
12.0	12.0	356	0	
29.1	29.1	863	1	
34.9	34.9	1,034	2	
17.0	17.0	504	3	
4.8	4.8	142	4	
1.7	1.7	51	5	
0.4	0.4	13	6	
0.1	0.1	2	7	
0.0	0.0	1	8	
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2004

HVY_ALC **HEAVY ALCOHOL USER PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
67.2	67.0	1,987	0	Not a heavy user
32.8	32.6	968	1	Heavy alcohol user
	0.4	11	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 1992

DRUGPAT **DRUG USE PATTERN FOR DATOS**

PCT VALID	PCT ALL	N	VALUE	LABEL
18.1	18.1	536	1	Heroin/Narcotic/no coke
15.9	15.9	471	2	Coke w/heroin or narcotics
11.8	11.8	349	3	Coke only
14.6	14.6	434	4	Coke and Alcohol
11.3	11.3	335	5	Coke plus other drugs
15.2	15.2	451	6	Marijuana and/or alcohol
13.1	13.1	390	7	Residual
100.0	100.0	2,966	cases	

Data type: numeric
Column: 1993

TOPS_PAT **TOPS DRUG USE PATTERN**

PCT VALID	PCT ALL	N	VALUE	LABEL
6.1	6.1	182	1	Heroin
23.4	23.4	693	2	Heroin and Opioids
4.5	4.5	132	3	Other Opioids
2.1	2.1	61	4	Multiple Non-opioid
38.7	38.7	1,147	5	Single Non-opioid
13.2	13.2	392	6	Marijuana and/or alcohol
12.1	12.1	359	7	Residual/Minimal Use
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2005

ALCWK **ALCOHOL - WEEKLY USE IN PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
51.3	51.1	1,517	0	Less than weekly use
48.7	48.6	1,440	1	Weekly or more use
	0.3	9	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 1994

MRJWK **MARIJUANA - WEEKLY USE IN PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
74.9	74.7	2,216	0	Less than weekly use
25.1	25.1	744	1	Weekly or more use
	0.2	6	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 1995

COCWK **COCAINE - WEEKLY USE IN PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
46.3	46.2	1,371	0	Less than weekly use
53.7	53.6	1,589	1	Weekly or more use
	0.2	6	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 1996

CRKWK **CRACK - WEEKLY USE IN PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
64.9	64.5	1,912	0	Less than weekly use
35.1	34.9	1,036	1	Weekly or more use
	0.6	18	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 1997

HERWK **HEROIN - WEEKLY USE IN PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
70.5	70.4	2,087	0	Less than weekly use
29.5	29.5	875	1	Weekly or more use
	0.1	4	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 1998

NARWK **NARCOTICS - WEEKLY USE IN PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
89.4	89.1	2,643	0	Less than weekly use
10.6	10.6	314	1	Weekly or more use
	0.3	9	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 1999

SEDWK **SEDATIVES - WEEKLY USE IN PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
93.0	92.8	2,751	0	Less than weekly use
7.0	7.0	207	1	Weekly or more use
	0.3	8	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2000

AMPWK **AMPHETAMINES - WEEKLY USE IN PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
95.4	94.7	2,809	0	Less than weekly use
4.6	4.6	136	1	Weekly or more use
	0.7	21	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2001

HALWK **HALLUCINOGENS - WEEKLY USE IN PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
98.3	97.8	2,901	0	Less than weekly use
1.7	1.7	50	1	Weekly or more use
	0.5	15	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2002

INHWK **INHALANTS - WEEKLY USE IN PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
99.6	99.3	2,945	0	Less than weekly use
0.4	0.4	11	1	Weekly or more use
	0.3	10	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2003

HERHX **HISTORY OF HEROIN USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
48.0	48.0	1,423	0	Never Used
9.7	9.7	287	1	Used 1 - 5 times only
5.4	5.4	159	2	Used sporatically or monthly
1.5	1.5	45	3	Used more than 4 wks on weekly basis
35.4	35.3	1,048	4	Used more than 4 weeks on daily basis
	0.1	4	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2012

COCHX **HISTORY OF COCAINE USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
4.9	4.9	146	0	Never Used
7.2	7.2	213	1	Used 1 - 5 times only
13.1	13.0	387	2	Used sporatically or monthly
20.8	20.7	615	3	Used more than 4 weeks on wkly basis
54.0	53.9	1,599	4	Used more than 4 weeks on daily basis
	0.2	6	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2013

RECODED VARIABLES: TREATMENT

DRUGTX # OF PRIOR DRUG TXS

PCT VALID	PCT ALL	N	VALUE	LABEL
42.7	42.6	1,264	0	
19.4	19.4	575	1	
12.6	12.5	372	2	
7.2	7.2	214	3	
4.6	4.6	136	4	
3.4	3.4	100	5	
2.7	2.7	81	6	
1.5	1.5	45	7	
1.5	1.4	43	8	
0.8	0.8	23	9	
0.5	0.5	15	10	
0.5	0.5	14	11	
0.4	0.4	12	12	
0.3	0.3	9	13	
0.4	0.4	11	14	
0.2	0.2	6	15	
0.2	0.2	6	16	
0.0	0.0	1	17	
0.1	0.1	3	18	
0.1	0.1	2	19	
0.1	0.1	3	20	
0.2	0.2	6	21	
0.1	0.1	3	22	
0.1	0.1	2	23	
0.0	0.0	1	24	
0.0	0.0	1	25	
0.0	0.0	1	27	
0.0	0.0	1	28	
0.0	0.0	1	29	
0.0	0.0	1	30	
0.0	0.0	1	33	
0.1	0.1	2	35	
0.0	0.0	1	42	
0.0	0.0	1	52	
0.0	0.0	1	63	
	0.3	8	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2015-2016

DRGTXAGE AGE AT FIRST DRUG TX

2,966 cases (Range of valid codes: 11-63)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2017-2018

SURVEY ADMINISTRATION

MDA_MO **DATE COMPLETED - MONTH**

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	-9	LEGITIMATE SKIP
0.0	0.0	0	-8	BLANK/MISSING
0.0	0.0	0	-7	REFUSAL
0.0	0.0	0	-6	MULTIPLE RESPONSE
0.0	0.0	0	-5	BAD DATA
0.0	0.0	0	-4	DONT KNOW
0.0	0.0	0	-3	NOT APPLICABLE
0.0	0.0	0	-2	RESPONSE ILLEGIBLE
0.0	0.0	0	0	STILL IN TX
28.6	28.6	847	1	JAN.-MARCH
19.7	19.7	584	2	APR.-JUNE
18.8	18.8	557	3	JULY-SEPT.
33.0	33.0	978	4	OCT.-DEC.
100.0	100.0	2,966	cases	

Data type: numeric
Column: 5

MDA_YR **DATE COMPLETED - YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	1	1992	
15.4	15.4	458	1993	
72.3	72.3	2,143	1994	
12.3	12.3	364	1995	
100.0	100.0	2,966	cases	

Data type: numeric
Columns: 6-9

MFIRE **FINAL RESULT CODE**

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	100.0	2,965	50	COMPLETED
0.0	0.0	0	51	PARTIAL
0.0	0.0	0	52	DECEASED
0.0	0.0	0	60	UNABLE TO LOCATE
0.0	0.0	0	70	REFUSAL
0.0	0.0	0	80	PHYSICALLY/MENTALLY
0.0	0.0	0	81	LANGUAGE BARRIER
0.0	0.0	0	82	INCARCERATED/ETC.
0.0	0.0	1	90	OTHER
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 10-11

MTOLE **TOTAL LENGTH OF INTERVIEW (MIN.)**

2,966 cases (Range of valid codes: 0-650)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 12-14

MTS_HH **TIME STARTED - HOURS**

PCT VALID	PCT ALL	N	VALUE	LABEL
12.7	12.7	376	1	
9.2	9.2	273	2	
8.2	8.2	243	3	
6.4	6.4	189	4	
5.7	5.7	169	5	
8.0	7.9	235	6	
5.0	5.0	149	7	
4.4	4.4	130	8	
7.5	7.5	222	9	
13.3	13.3	394	10	
10.5	10.4	309	11	
9.0	8.9	265	12	
	0.4	11	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 15-16

MTS_MM **TIME STARTED - MINUTES**

2,966 cases (Range of valid codes: 0-59)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 17-18

MTSAMPM **TIME RECORDED AS AM OR PM**

PCT VALID	PCT ALL	N	VALUE	LABEL
32.9	31.9	947	1	AM
67.1	65.2	1,935	2	PM
	2.8	84	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 19-20

CTOS **CTOS/DATOS CROSS-OVER CLIENT**

PCT VALID	PCT ALL	N	VALUE	LABEL
90.9	90.9	2,696	0	Not a CTOS case
9.1	9.1	270	1	Client also in CTOS
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2026

OP_TYP **OUTPATIENT TYPE (FOR SAMPLING)**

PCT VALID	PCT ALL	N	VALUE	LABEL
16.6	4.3	127	1	Hospital based program
43.5	11.2	332	2	Community based program
39.9	10.3	305	3	Therapeutic Community (TC)
	74.2	2,202	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2027

SECTION A: DEMOGRAPHICS AND BACKGROUND

MA1 RECORD SEX AS OBSERVED

I first need to ask you if you are male or female

PCT VALID	PCT ALL	N	VALUE	LABEL
64.2	63.7	1,888	1	MALE
35.8	35.6	1,055	2	FEMALE
	0.7	22	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 21-22

MA2 HOW OLD WERE YOU ON YOUR LAST BIRTHDAY?

How old were you on your last birthday?

2,966 cases (Range of valid codes: 19-75)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 23-24

MA5 TYPE RESIDENCE LIVED IN PAST 12 MOS

During the past 12 months, what type of residence or place have you usually lived in?

PCT VALID	PCT ALL	N	VALUE	LABEL
45.6	45.0	1,335	1	A ONE-FAMILY HOUSE/DUPLEX/CONDO
2.2	2.1	63	2	A MOBILE HOME OR TRAILER
38.5	38.0	1,127	3	APARTMENT/MULTIPLE FAMILY BUILDING
1.5	1.4	43	4	HOTEL/ROOMING/BOARDING HOUSE
0.1	0.1	2	5	A HOSPITAL/MEDICAL INSTITUTION
5.1	5.1	150	6	IN JAIL/PRISON/DETENTION HOME
3.1	3.0	90	7	RESIDENTIAL DRUG TX CENTER
2.1	2.1	61	8	SOME OTHER GROUP RESIDENCE
0.8	0.8	24	9	IN A HOMELESS SHELTER
0.9	0.9	26	10	ON THE STREET
0.3	0.3	9	11	OTHER
	0.2	6	-8	BLANK/MISSING
	1.0	30	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 25-26

MA6 # DAYS IN RESTRICTED PLACE LAST 12 MOS

In the past 12 months, how many days did you stay overnight in a place where you could not come and go as you please, such as a jail, a hospital, or a therapeutic community?

2,966 cases (Range of valid codes: 0-365)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 27-29

MA7 MARITAL STATUS

Are you now married, legally separated, divorces, widowed, living with someone as married (but not legally married), or have you never been married?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.8	19.7	583	1	MARRIED
7.3	7.2	214	2	LEGALLY SEPARATED
16.4	16.3	484	3	DIVORCED
1.6	1.6	47	4	WIDOWED
13.6	13.6	402	5	LIVING WITH SOMEONE AS MARRIED
41.3	41.1	1,219	6	NEVER MARRIED
	0.2	7	-8	BLANK/MISSING
	0.3	9	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 30-31

MA8 LIVED WITH MOST OF TIME PAST 12 MOS

During the past 12 months, who have you lived with most of the time?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.7	22.3	661	1	W/SPOUSE OR SEXUAL PARTNER/CHILDREN
12.5	12.3	364	2	WITH SPOUSE OR SEXUAL PARTNER ONLY
6.6	6.4	191	3	WITH CHILDREN ONLY
4.8	4.7	140	4	WITH BOTH PARENTS
7.1	6.9	205	5	WITH MOTHER ONLY
0.8	0.8	23	6	WITH FATHER ONLY
2.6	2.6	76	7	WITH PARENT(S) AND OWN CHILDREN
8.8	8.6	255	8	W/OTHER FAMILY ONLY/COMBINATION 01-07
0.0	0.0	1	9	WITH FOSTER PARENTS
3.0	2.9	87	10	W/FAMILY/FRIENDS/BOARDERS/ROOMMATE
5.0	4.9	146	11	WITH FRIENDS OR ROOMMATE ONLY
16.1	15.8	468	12	ALONE
8.3	8.1	241	13	INSTITUTION OR CLOSED FACILITY
0.4	0.4	12	14	NO STABLE ARRANGEMENTS
1.3	1.2	37	15	OTHER
	0.3	9	-8	BLANK/MISSING
	1.7	50	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 32-33

MA9_0 CURRENTLY LIVE ALONE

Who do you currently live with? Alone?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	19.2	569	0	CIRCLED
	75.9	2,251	-9	LEGITIMATE SKIP
	4.6	137	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 34-35

MA9_1 CURRENTLY LIVE W/SPOUSE/SEXUAL PARTNER

Who do you currently live with? Spouse / sexual partner?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	34.8	1,031	1	CIRCLED
	60.3	1,789	-9	LEGITIMATE SKIP
	4.7	140	-8	BLANK/MISSING
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 36-37

MA9A_1 HOW SUPPORTIVE SPOUSE/PRTNER PAST 30 DAY

During the past 30 days, how supportive your spouse / sexual partner of your being abstinent? Would you say not at all supportive, somewhat supportive, or very supportive?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.2	1.1	34	0	NOT AT ALL
10.7	3.8	113	1	SOMEWHAT
86.1	30.7	910	2	VERY
	64.2	1,903	-9	LEGITIMATE SKIP
	0.1	3	-8	BLANK/MISSING
	0.1	3	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 38-39

MA9B_1 SPOUSE HAVE ALCOHOL PROB PAST 30 DAYS

During the past 30 days, did spouse / sexual partner have any problems with alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.1	2.5	75	1	YES
92.9	33.0	980	2	NO
	64.2	1,904	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 40-41

MA9C_1 SPOUSE USE DRUGS PAST 30 DAYS

During the past 30 days, did spouse / sexual partner use drugs for nonmedical reason(s)?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.8	3.8	113	1	YES
89.2	31.6	938	2	NO
	64.2	1,904	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 42-43

MA9D_1 PAST 12 MOS/SPOUSE RECEIVED DRUG TX

During the past 12 months, has spouse / sexual partner received any treatment for drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.1	5.0	149	1	YES
85.9	30.5	905	2	NO
	64.2	1,904	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 44-45

MA9_2 CURRENTLY LIVE WITH CHILD(REN)

Who do you currently live with? Child(ren)?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	27.6	820	2	CIRCLED
	67.0	1,987	-9	LEGITIMATE SKIP
	4.6	137	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.7	21	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 46-47

MA9A_2 HOW SUPPORTIVE CHILDREN PAST 30 DAYS

During the past 30 days, how supportive (was/were) your child(ren) of your being abstinent? Would you say not at all supportive, somewhat supportive, or very supportive?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.1	0.8	24	0	NOT AT ALL
7.6	2.0	59	1	SOMEWHAT
89.3	23.4	693	2	VERY
	71.7	2,127	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.1	3	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	1.2	35	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 48-49

MA9B_2 CHILDRN HAVE ALCOHOL PROB PAST 30 DAYS

During the past 30 days, did child(ren) have any problems with alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.8	0.5	14	1	YES
98.2	25.9	768	2	NO
	71.7	2,127	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	1.2	35	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 50-51

MA9C_2 CHILDREN USE DRUGS PAST 30 DAYS

During the past 30 days, did child(ren) use drugs for nonmedical reason(s)?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.4	0.6	19	1	YES
97.6	25.6	760	2	NO
	71.7	2,128	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	1.2	35	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 52-53

MA9D_2 PAST 12 MOS/CHILDREN RECEIVED DRUG TX

During the past 12 months, has/have child(ren) received any treatment for drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.2	0.3	9	1	YES
98.8	25.9	769	2	NO
	71.8	2,129	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	1.2	35	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 54-55

MA9_3 CURRENTLY LIVE WITH PARENT(S)

Who do you currently live with? Parent(s)?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	19.8	587	3	CIRCLED
	75.3	2,232	-9	LEGITIMATE SKIP
	4.7	140	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 56-57

MA9A_3 HOW SUPPORTIVE PARENTS PAST 30 DAYS

During the past 30 days, how supportive (was/were) your parents of your being abstinent? Would you say not at all supportive, somewhat supportive, or very supportive?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.4	0.7	20	0	NOT AT ALL
9.2	1.8	54	1	SOMEWHAT
87.4	17.3	514	2	VERY
	79.9	2,371	-9	LEGITIMATE SKIP
	0.1	3	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 58-59

MA9B_3 PARENTS HAVE ALCOHOL PROB PAST 30 DAYS

During the past 30 days, did parents have any problems with alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	1.0	31	1	YES
94.7	18.8	558	2	NO
	79.9	2,371	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 60-61

MA9C_3 PARENTS USE DRUGS PAST 30 DAYS

During the past 30 days, did parents use drugs for nonmedical reason(s)?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.4	0.3	8	1	YES
98.6	19.4	575	2	NO
	79.9	2,371	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 62-63

MA9D_3 PAST 12 MOS/PARENTS RECEIVED DRUG TX

During the past 12 months, has/have parents received any treatment for drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	0.4	11	1	YES
98.1	19.5	577	2	NO
	79.9	2,371	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 64-65

MA9_4 CURRENTLY LIVE W/OTHER FAMILY MEMBER(S)

Who do you currently live with? Other family member(s)?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	10.8	321	4	CIRCLED
	84.3	2,499	-9	LEGITIMATE SKIP
	4.7	140	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 66-67

MA9A_4 HOW SUPPORTIVE OTHER FAMILY PAST 30 DAYS

During the past 30 days, how supportive (was/were) your other family member(s) of your being abstinent? Would you say not at all supportive, somewhat supportive, or very supportive?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.9	0.6	19	0	NOT AT ALL
13.1	1.4	42	1	SOMEWHAT
81.0	8.8	260	2	VERY
	88.9	2,636	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 68-69

MA9B_4 OTHER FAMILY HAVE ALC PROB PAST 30 DAYS

During the past 30 days, did other family member(s) have any problems with alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.3	1.3	40	1	YES
87.7	9.6	285	2	NO
	88.9	2,636	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 70-71

MA9C_4 OTHER FAMILY USE DRUGS PAST 30 DAYS

During the past 30 days, did other family member(s) use drugs for nonmedical reason(s)?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.8	1.3	38	1	YES
88.2	9.6	284	2	NO
	88.8	2,635	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 72-73

MA9D_4 PAST 12 MOS/OTHER FAMILY RECEIVED DRUG T

During the past 12 months, has/have other family member(s) received any treatment for drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.6	0.5	15	1	YES
95.4	10.4	309	2	NO
	88.8	2,635	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 74-75

MA9_5 CURRENTLY LIVE W/FRNDS/ROOMATES/BOARDERS

Who do you currently live with? Friend(s) / roommate(s) / boarder(s)?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	10.7	317	5	CIRCLED
	84.4	2,503	-9	LEGITIMATE SKIP
	4.7	140	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 76-77

MA9A_5 HOW SUPPORTIVE FRIENDS PAST 30 DAYS

During the past 30 days, how supportive (was/were) your friend(s) / roommate(s) / boarder(s) of your being abstinent? Would you say not at all supportive, somewhat supportive, or very supportive?

PCT VALID	PCT ALL	N	VALUE	LABEL
18.8	2.0	59	0	NOT AT ALL
18.5	2.0	58	1	SOMEWHAT
62.6	6.6	196	2	VERY
	89.1	2,643	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 78-79

MA9B_5 FRIENDS HAVE ALCOHOL PROB PAST 30 DAYS

During the past 30 days, did friend(s) / roommate(s) / boarder(s) have any problems with alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.7	2.1	62	1	YES
80.3	8.5	252	2	NO
	89.1	2,643	-9	LEGITIMATE SKIP
	0.1	4	-8	BLANK/MISSING
	0.1	4	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 80-81

MA9C_5 FRIENDS USE DRUGS PAST 30 DAYS

During the past 30 days, did friend(s) / roommate(s) / boarder(s) use drugs for nonmedical reason(s)?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.6	2.7	80	1	YES
74.4	7.8	232	2	NO
	89.1	2,643	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.1	3	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 82-83

MA9D_5 PAST 12 MOS/FRIENDS RECEIVED DRUG TX

During the past 12 months, has/have friend(s) / roommate(s) / boarder(s) received any treatment for drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
31.3	3.3	99	1	YES
68.7	7.3	217	2	NO
	89.1	2,642	-9	LEGITIMATE SKIP
	0.1	4	-8	BLANK/MISSING
	0.1	3	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 84-85

MA10 ATTENDED RELIGIOUS SERVICES PAST 12 MOS

During the past 12 months, how often have you attended religious services, not counting meetings like council meetings or choir practices?

PCT VALID	PCT ALL	N	VALUE	LABEL
37.8	37.6	1,116	0	NEVER
23.7	23.6	701	1	LESS THAN ONCE A MONTH
10.0	9.9	294	2	ABOUT ONCE A MONTH
11.2	11.2	331	3	2 TO 3 TIMES A MONTH
12.3	12.2	362	4	ONCE A MONTH
5.1	5.1	150	5	MORE THAN ONCE A WEEK
	0.3	10	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 86-87

MA11A **DONE PHYSICAL EXERCISE PAST 12 MOS**

During the past 12 months, in a typical week, how often have you done physical exercise (played ball, done aerobics, danced, jogged, or lifted weights)?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.7	22.6	671	1	NOT AT ALL
14.1	14.1	418	2	LESS THAN ONCE A WEEK
29.7	29.6	879	3	AT LEAST ONCE A WEEK
33.5	33.4	991	4	ALMOST DAILY
	0.2	6	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 88-89

MA11B **READ OR DONE HOBBIES PAST 12 MOS**

During the past 12 months, in a typical week, how often have you read or done hobbies (fished, collected things, done crafts, or made things)?

PCT VALID	PCT ALL	N	VALUE	LABEL
18.9	18.8	557	1	NOT AT ALL
13.9	13.8	410	2	LESS THAN ONCE A WEEK
27.0	26.8	796	3	AT LEAST ONCE A WEEK
40.3	40.1	1,190	4	ALMOST DAILY
	0.3	10	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 90-91

MA11C ATTENDED MEETINGS PAST 12 MOS

During the past 12 months, in a typical week, how often have you attended meetings or programs of groups, clubs, or organizations that you belonged to?

PCT VALID	PCT ALL	N	VALUE	LABEL
36.5	36.3	1,077	1	NOT AT ALL
15.9	15.8	470	2	LESS THAN ONCE A WEEK
30.8	30.6	909	3	AT LEAST ONCE A WEEK
16.7	16.7	494	4	ALMOST DAILY
	0.5	14	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 92-93

MA12A PAST 12 MOS FRIENDS USD DRUGS/NOT COCAIN

Now I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to used heroin, marijuana, or any other drugs except cocaine or crack for nonmedical purposes?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.3	49.5	1,468	0	NONE
35.9	35.4	1,049	1	ONE OR A FEW
13.8	13.6	402	2	MANY
	1.2	37	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	6	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 94-95

MA12B PAST 12 MOS FRIENDS USED CRACK/COCAINE

Now I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to used crack or cocaine?

PCT VALID	PCT ALL	N	VALUE	LABEL
58.3	57.3	1,699	0	NONE
29.8	29.3	870	1	ONE OR A FEW
11.9	11.7	346	2	MANY
	1.4	42	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.2	6	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 96-97

MA12C PAST 12 MOS FRIENDS DRANK ALCOHOL

Now I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to drank alcohol heavily?

PCT VALID	PCT ALL	N	VALUE	LABEL
44.2	43.5	1,290	0	NONE
39.0	38.4	1,138	1	ONE OR A FEW
16.8	16.5	489	2	MANY
	1.4	41	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 98-99

MA12D **PAST 12 MOS FRIENDS GOT ARRESTED**

Now I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to got arrested?

PCT VALID	PCT ALL	N	VALUE	LABEL
69.9	68.7	2,038	0	NONE
24.2	23.7	704	1	ONE OR A FEW
5.9	5.8	172	2	MANY
	1.3	40	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.2	7	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 100-101

MA12E **PAST 12 MOS FRIENDS ENTERED JAIL**

Now I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to entered jail, prison, or a juvenile detention home?

PCT VALID	PCT ALL	N	VALUE	LABEL
72.4	71.2	2,112	0	NONE
22.5	22.2	657	1	ONE OR A FEW
5.1	5.1	150	2	MANY
	1.3	39	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 102-103

MA12F **PAST 12 MOS FRIENDS ENTERED TX**

Now I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to entered treatment for drug or alcohol problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
67.6	66.6	1,976	0	NONE
28.1	27.6	820	1	ONE OR A FEW
4.3	4.2	125	2	MANY
	1.3	38	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 104-105

MA12G **PAST 12 MOS FRIENDS QUIT USING DRUGS**

Now I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment. In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to quit using heroin, crack, cocaine, or other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
66.0	64.7	1,920	0	NONE
28.8	28.3	838	1	ONE OR A FEW
5.3	5.2	153	2	MANY
	1.3	39	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	11	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 106-107

MA13 BELONG TO A HEALTH PLAN/HAVE INSURANCE

Do you belong to a health plan or have any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.2	62.0	1,840	1	YES
37.8	37.7	1,119	2	NO
	0.2	5	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 108-109

MA14_0 NOT ON PROBATION/PAROLE/IN JAIL

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

No -> Go to section B.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	64.1	1,901	0	CIRCLED
	35.6	1,056	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 110-111

MA14_1 ON PROBATION

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

Probation.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	20.8	617	1	CIRCLED
	78.9	2,341	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 112-113

MA14_2 ON PAROLE

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

Parole.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	7.1	210	2	CIRCLED
	92.6	2,747	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 114-115

MA14_3 AWAITING TRIAL

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

Awaiting trial.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.4	42	3	CIRCLED
	98.3	2,915	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 116-117

MA14_4 AWAITING SENTENCING

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

Awaiting sentencing.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.9	27	4	CIRCLED
	98.8	2,930	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 118-119

MA14_5 SERVING A SENTENCE

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

Serving a sentence.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	5.6	165	5	CIRCLED
	94.1	2,792	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 120-121

MA14_6 ON BAIL AWAITING TRIAL

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

On bail awaiting trial.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.3	39	6	CIRCLED
	98.4	2,918	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 122-123

MA14_7 ON BAIL AWAITING SENTENCING

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

On bail awaiting sentencing.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	6	7	CIRCLED
	99.5	2,951	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 124-125

MA14_8 RELEASED ON OWN RECOGNIZANCE

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

Released on own recognizance, case pending.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.8	53	8	CIRCLED
	97.9	2,904	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 126-127

MA14_9 OTHER STATUS

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you?

Other status.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.9	28	9	CIRCLED
	98.8	2,929	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 128-129

MA15 CURRENTLY UNDER TASC SUPERVISION

Are you currently under TASC supervision? [TASC stands for Treatment Alternatives to Street Crime. TASC refers people with drug problems from the criminal justice system to drug treatment programs.]

PCT VALID	PCT ALL	N	VALUE	LABEL
6.7	2.7	79	1	YES
93.3	36.9	1,095	2	NO
	59.8	1,774	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 130-131

MA15A **TYPE OF TASC SUPERVISION**

What kind of TASC supervision are you under?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.1	0.1	4	1	PRETRIAL DIVERSION
9.0	0.2	7	2	PRETRIAL INTERVENTION
1.3	0.0	1	3	PRESENTENCE REFERRAL
43.6	1.1	34	4	CONDITIONAL PROBATION
15.4	0.4	12	5	CONDITIONAL PAROLE
25.6	0.7	20	6	OTHER SUPERVISION
	96.7	2,868	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 132-133

SECTION B: TREATMENT EXPERIENCE

MB1 DATE OF ADMISSION CORRECT

Our records show that you began an episode of treatment at (NAME OF PROGRAM) on (DATE OF ADMISSION FROM TALLY SHEET B). Also, you last talked to someone at (NAME OF PROGRAM) and you last went to that program on (DATE OF DISCHARGE FROM TALLY SHEET B). As best as you can remember, is that correct?

PCT VALID	PCT ALL	N	VALUE	LABEL
89.0	81.3	2,412	1	DATE CORRECT
11.0	10.0	297	2	NO, DATE INCORRECT
	8.0	238	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	0.4	13	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 134-135

MB1A_MO MONTH OF LAST PHYSICAL CONTACT

When would you say was the last time you went there for treatment? Month?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	STILL IN TX
23.0	2.9	87	1	JAN.-MARCH
25.1	3.2	95	2	APR.-JUNE
25.3	3.2	96	3	JULY-SEPT.
26.6	3.4	101	4	OCT.-DEC.
	79.3	2,351	-9	LEGITIMATE SKIP
	7.3	218	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	0.5	14	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 136-137

MB1A_YR YEAR OF LAST PHYSICAL CONTACT

When would you say was the last time you went there for treatment? Year?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.0	1	1991	
40.1	5.1	152	1992	
37.5	4.8	142	1993	
21.1	2.7	80	1994	
1.1	0.1	4	1995	
	79.3	2,351	-9	LEGITIMATE SKIP
	7.3	218	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	0.5	14	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 138-141

MB1A_DTM DISCHARGE MONTH FROM CLIENT

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	-9	LEGITIMATE SKIP
0.0	0.0	0	-8	BLANK/MISSING
0.0	0.0	0	-7	REFUSAL
0.0	0.0	0	-6	MULTIPLE RESPONSE
0.0	0.0	0	-5	BAD DATA
0.0	0.0	0	-4	DONT KNOW
0.0	0.0	0	-3	NOT APPLICABLE
0.0	0.0	0	-2	RESPONSE ILLEGIBLE
0.0	0.0	0	0	STILL IN TX
22.9	2.7	81	1	JAN.-MARCH
25.4	3.0	90	2	APR.-JUNE
25.4	3.0	90	3	JULY-SEPT.
26.3	3.1	93	4	OCT.-DEC.
	88.1	2,612	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2021

MB1A_DTY DISCHARGE YEAR FROM CLIENT

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.0	1	1991	
41.0	4.9	145	1992	
37.0	4.4	131	1993	
20.6	2.5	73	1994	
1.1	0.1	4	1995	
	88.1	2,612	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Columns: 2022-2025

MB2 DID YOU COMPLETE TX

Did you complete treatment at the (NAME OF PROGRAM), or did you leave before you completed treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.1	13.0	386	0	STILL IN TREATMENT
54.1	53.9	1,598	1	COMPLETED
32.8	32.7	970	2	LEFT BEFORE COMPLETION
	0.2	7	-8	BLANK/MISSING
	0.2	5	-6	MULTIPLE RESPONSE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 142-143

MB2A **MAIN REASON LEFT PROGRAM**

What was the main reason you left (NAME OF PROGRAM)?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.9	2.6	78	1	WENT TO JAIL OR PRISON
0.6	0.2	6	2	WENT INTO HOSPITAL
18.1	6.0	179	3	NONCOMPLIANCE WITH RULES
0.9	0.3	9	4	POOR PERFORMANCE
5.3	1.8	52	9	OTHER DISCHARGE REASON
4.1	1.4	41	11	TRANSFERRED TO ANOTHER PROGRAM
0.2	0.1	2	12	TRANSFERRED TO ANOTHER AGENCY
0.6	0.2	6	19	OTHER TRANSFER REASON
1.0	0.3	10	21	MOVED FROM SERVICE AREA
0.1	0.0	1	22	CRIMINAL JUSTICE PRESSURE CEASED
1.9	0.6	19	23	COULD CONTROL DRUG USE MYSELF
0.1	0.0	1	24	DRUGS BECAME AVAILABLE ON STREET
3.6	1.2	36	25	STARTED USING COCAINE AGAIN
1.8	0.6	18	26	STARTD USINGOTHER DRUGS/NOT COCAINE
1.3	0.4	13	27	DIFFICULTIES WITH TRANSPORTATION
1.2	0.4	12	28	DIFFICULTIES WITH CHILD CARE
12.6	4.2	125	29	OTHER PERSONAL REASON
1.1	0.4	11	31	INSURANCE COVERAGE RAN OUT
1.2	0.4	12	32	UNABLE TO PAY FOR TX
2.0	0.7	20	33	NEEDED TO GET BACK TO WORK
0.7	0.2	7	39	OTHER FINANCIAL REASON
4.9	1.6	48	41	PROGRAM NOT HELPFUL
1.9	0.6	19	42	INADEQUATE SERVICES
6.9	2.3	68	43	CONFLICT WITH STAFF
1.1	0.4	11	44	PROGRAM WAS GOING TO TERMINATE CLIENT
0.1	0.0	1	45	INTAKE INTERVWS WERE TOO BURDENSOME
7.4	2.5	73	49	OTHER PROGRAM DISSATISFACTION
11.2	3.7	111	59	OTHER REASON
	53.4	1,584	-9	LEGITIMATE SKIP
	13.1	390	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 144-145

MB2B **7 DAYS BETWEEN FIRST AND LAST CONTACT**

WERE THERE 7 OR MORE DAYS BETWEEN THE DATE OF THE FIRST PHYSICAL CONTACT AND THE DAY OF THE LAST PHYSICAL CONTACT (ON TALLY SHEET B)?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.9	32.1	952	1	YES
3.1	1.0	30	2	NO
	52.2	1,547	-9	LEGITIMATE SKIP
	14.6	433	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 146-147

MB2C **RECEIVE TX DURING THAT ADMISSION**

Did you receive any treatment or services provided by the (NAME OF PROGRAM) staff during that admission? That is, did you receive any kind of help, such as alcohol or drug abuse counseling, medical treatment, counseling for an emotional or mental health problem, employment, vocational, or education counseling, or any other service?

PCT VALID	PCT ALL	N	VALUE	LABEL
81.1	3.0	90	1	YES
18.9	0.7	21	2	NO
	82.3	2,440	-9	LEGITIMATE SKIP
	14.0	414	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 148-149

MB3 DISCUSS CONTINUING CARE AFTER TX

Did you meet with anyone on the staff to talk about your continuing care or aftercare or about discharge plans for when you left treatment? That is, did you meet with anyone on the staff to talk about continuing care or help for when you left (NAME OF PROGRAM)?

PCT VALID	PCT ALL	N	VALUE	LABEL
63.0	56.7	1,682	1	YES
36.7	33.0	979	2	NO
0.3	0.3	9	3	DONT KNOW
	0.4	12	-9	LEGITIMATE SKIP
	9.4	278	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 150-151

MB3A PLAN INCLUDE 12-STEP/OTHER SUPPORT GROUP

Did this plan include going to 12-step or other support groups such as AA, NA, or CA?

PCT VALID	PCT ALL	N	VALUE	LABEL
89.4	50.5	1,498	1	YES
10.6	6.0	178	2	NO
	33.4	992	-9	LEGITIMATE SKIP
	9.9	294	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 152-153

MB3B **PLAN INVOLVED REFERRAL TO OTHER SERVICES**

Did this plan involve referral to other services?

PCT VALID	PCT ALL	N	VALUE	LABEL
49.1	27.2	808	1	YES
50.9	28.3	839	2	NO
	33.5	994	-9	LEGITIMATE SKIP
	10.9	323	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 154-155

MB3C_1 **REFERRED TO DRUG TX**

Which services were you referred to?

Drug treatment.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	16.5	490	1	CIRCLED
	73.2	2,172	-9	LEGITIMATE SKIP
	10.1	301	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 156-157

MB3C_2 REFERRED TO ALCOHOL TX

Which services were you referred to?

Alcohol treatment.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	5.7	169	2	CIRCLED
	84.1	2,493	-9	LEGITIMATE SKIP
	10.2	302	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 158-159

MB3C_3 REFERRED TO MENTAL HEALTH CENTER

Which services were you referred to?

Mental health center / private practioner.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	4.1	122	3	CIRCLED
	85.6	2,540	-9	LEGITIMATE SKIP
	10.2	302	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 160-161

MB3C_4 REFERRED TO MEDICAL SERVICES

Which services were you referred to?

Medical services.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.8	54	4	CIRCLED
	87.9	2,608	-9	LEGITIMATE SKIP
	10.2	302	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 162-163

MB3C_5 REFERRED TO VOCATIONAL SERVICES

Which services were you referred to?

Vocational services.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.7	81	5	CIRCLED
	87.0	2,581	-9	LEGITIMATE SKIP
	10.2	302	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 164-165

MB3C_6 REFERRED TO SOCIAL SERVICES

Which services were you referred to?

Social services.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.8	83	6	CIRCLED
	87.0	2,579	-9	LEGITIMATE SKIP
	10.2	302	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 166-167

MB3C_7 REFERRED TO LEGAL SERVICES

Which services were you referred to?

Legal services.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.7	21	7	CIRCLED
	89.0	2,641	-9	LEGITIMATE SKIP
	10.2	302	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 168-169

MB3C_8 REFERRED TO OTHER SERVICES

Which services were you referred to?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	7.6	225	8	CIRCLED
	82.2	2,437	-9	LEGITIMATE SKIP
	10.1	301	-8	BLANK/MISSING
	0.1	3	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 170-171

MB4_0 LAST CONTACT NOT ON PROBATION/PAROLE/JAI

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, or did you have any pending criminal charges against you?

No.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	60.9	1,805	0	CIRCLED
	38.2	1,132	-9	LEGITIMATE SKIP
	0.9	26	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 172-173

MB4_1 LAST CONTACT ON PROBATION

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, or did you have any pending criminal charges against you?

Probation.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	25.6	758	1	CIRCLED
	73.5	2,179	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 174-175

MB4_2 LAST CONTACT ON PAROLE

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, or did you have any pending criminal charges against you?

Parole.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	8.4	250	2	CIRCLED
	90.6	2,687	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 176-177

MB4_3 LAST CONTACT AWAITING TRIAL

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, or did you have any pending criminal charges against you?

Awaiting trial.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.7	22	3	CIRCLED
	98.3	2,915	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 178-179

MB4_4 LAST CONTACT AWAITING SENTENCING

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, or did you have any pending criminal charges against you?

Awaiting sentencing.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.7	22	4	CIRCLED
	98.3	2,915	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 180-181

MB4_5 LAST CONTACT SERVING A SENTENCE

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, or did you have any pending criminal charges against you?

Serving a sentence.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.1	32	5	CIRCLED
	97.9	2,905	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 182-183

MB4_6 LAST CONTACT ON BAIL AWAITING TRIAL

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, or did you have any pending criminal charges against you?

On bail awaiting trial.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.4	41	6	CIRCLED
	97.6	2,896	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 184-185

MB4_7 LAST CONTACT ON BAIL AWAITING SENTENCING

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, or did you have any pending criminal charges against you?

On bail awaiting sentencing.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.5	16	7	CIRCLED
	98.5	2,921	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 186-187

MB4_8 LAST CONTACT RELEASED ON OWN RECOGNIZANC

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, or did you have any pending criminal charges against you?

Released on own recognizance, case pending.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.0	60	8	CIRCLED
	97.0	2,877	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 188-189

MB4_9 LAST CONTACT OTHER STATUS

On (DATE OF LAST PHYSICAL CONTACT), were you on probation, on parole, in jail, or did you have any pending criminal charges against you?

Other status.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.1	34	9	CIRCLED
	97.9	2,903	-9	LEGITIMATE SKIP
	0.9	26	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 190-191

MB5 HAVE GOOD RELATIONSHIP W/PRIMRY COUNSELO

Did you have a good relationship with your primary counselor?

PCT VALID	PCT ALL	N	VALUE	LABEL
86.1	85.2	2,527	1	YES
11.0	10.9	324	2	NO
2.8	2.8	83	3	DIFFERENT RELATIONSHIPS
	0.2	7	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 192-193

MB6 FOLLOW INSTRUCTIONS OF PROGRAM STAFF

Did you follow the instructions of the program staff?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.4	3.4	100	1	AS LITTLE AS POSSIBLE
15.7	15.5	460	2	TO SOME EXTENT
34.9	34.5	1,024	3	PRETTY CLOSELY
46.1	45.6	1,353	4	VERY CLOSELY
	0.2	7	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 194-195

MB7 SATISFACTION WITH TX RECEIVED

How satisfied were you with the treatment you received for your drug abuse problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.9	7.8	231	1	NOT AT ALL
30.5	30.3	898	2	SOMEWHAT
61.6	61.1	1,813	3	VERY SATISFIED
	0.2	7	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 196-197

MB8 ATTEND SCHOOL WHILE IN TX

Did you attend any school or take any educational, vocation, or technical school courses, or attend job training, skills development, or work experience programs while you were in treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.5	13.4	398	1	YES
86.5	85.6	2,540	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 198-199

MB9 WHILE IN TX RECEIVE HIGH SCHOOL DIPLOMA

While you were in (NAME OF PROGRAM), did you receive a high school diploma, pass a high school equivalency test (GED), or receive any other diplomas, degrees, certificates, or licenses?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.1	4.0	119	1	YES
95.9	94.7	2,810	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 200-201

MB10 WHILE IN TX WORK FULL/PART TIME

While you were in treatment, did you work at any full-time or part-time job?

PCT VALID	PCT ALL	N	VALUE	LABEL
31.2	31.0	919	1	YES
68.8	68.2	2,024	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.4	12	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 202-203

MB11 MARRIED/SEPARATD/DIVORCED WHILE IN TX

While you were in treatment, did you get married, separated, or divorced; were you widowed; or did you start or stop living with someone as married during this time?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.4	8.3	245	1	YES
91.6	89.5	2,655	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	1.9	55	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 204-205

MB11A_1 GOT MARRIED WHILE IN TX

What changes in your marital status occurred while you were in treatment?

Got married.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.9	28	1	CIRCLED
	98.5	2,921	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 206-207

MB11A_2 GOT SEPARATED WHILE IN TX

What changes in your marital status occurred while you were in treatment?

Got separated.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.5	75	2	CIRCLED
	96.9	2,874	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 208-209

MB11A_3 GOT DIVORCED WHILE IN TX

What changes in your marital status occurred while you were in treatment?

Got divorced.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.2	37	3	CIRCLED
	98.2	2,912	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 210-211

MB11A_4 WAS WIDOWED WHILE IN TX

What changes in your marital status occurred while you were in treatment?

Was widowed.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	5	4	CIRCLED
	99.3	2,944	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 212-213

MB11A_5 STARTED LIVING WITH SOMEONE WHILE IN TX

What changes in your marital status occurred while you were in treatment?

Started living with someone as married (but not legally married).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.3	38	5	CIRCLED
	98.1	2,911	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 214-215

MB11A_6 STOPPED LIVING WITH SOMEONE WHILE IN TX

What changes in your marital status occurred while you were in treatment?

Stopped living with someone as married (but not legally married).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.7	80	6	CIRCLED
	96.7	2,869	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 216-217

MB11A_7 HAD MARRIAGE ANNULLED WHILE IN TX

What changes in your marital status occurred while you were in treatment?

Had marriage annulled.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	7	CIRCLED
	99.4	2,949	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 218-219

MB11A_8 OTHER MARITAL STATUS WHILE IN TX

What changes in your marital status occurred while you were in treatment?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.2	36	8	CIRCLED
	98.2	2,912	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 220-221

MB12 # OF PLACES LIVED WHILE IN TX

At how many addresses, residences, or places did you live while you were in treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	1.3	39	0	
86.1	85.4	2,534	1	
10.0	9.9	295	2	
1.8	1.8	52	3	
0.5	0.5	15	4	
0.1	0.1	4	5	
0.0	0.0	1	6	
0.0	0.0	1	10	
0.0	0.0	1	30	
	0.2	7	-9	LEGITIMATE SKIP
	0.4	12	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 222-223

MB13 #DAYS SPENT IN CONFINEMENT WHILE IN TX

While you were in treatment, how many days did you stay overnight in a place where you could not come and go as you please, such as a jail, a hospital, or a therapeutic community?

2,966 cases (Range of valid codes: 0-811)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 224-226

MB14B_10 FREQ/ALCOHOL

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Alcohol.

PCT VALID	PCT ALL	N	VALUE	LABEL
80.3	77.0	2,285	0	NOT USED AT ALL DURING THE PERIOD
5.3	5.1	151	1	LESS THAN ONCE A MONTH
3.8	3.7	109	2	1 TO 3 TIMES A MONTH
5.2	5.0	147	3	1 TO 2 TIMES A WEEK
1.8	1.7	51	4	3 TO 4 TIMES A WEEK
0.5	0.4	13	5	5 TO 6 TIMES A WEEK
2.6	2.5	75	6	DAILY OR ALMOST EVERYDAY
0.1	0.1	4	7	2 TO 3 TIMES A DAY
0.1	0.1	4	8	4 OR MORE TIMES A DAY
0.2	0.2	7	9	OTHER
	0.2	7	-9	LEGITIMATE SKIP
	3.7	111	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 227-228

MB14B_20 FREQ/MARIJUANA, HASHISH, OR THC

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Marijuana, hashish, or THC.

PCT VALID	PCT ALL	N	VALUE	LABEL
90.2	86.5	2,566	0	NOT USED AT ALL DURING THE PERIOD
3.6	3.5	103	1	LESS THAN ONCE A MONTH
2.4	2.3	69	2	1 TO 3 TIMES A MONTH
1.5	1.4	43	3	1 TO 2 TIMES A WEEK
0.6	0.5	16	4	3 TO 4 TIMES A WEEK
0.2	0.2	5	5	5 TO 6 TIMES A WEEK
1.2	1.1	34	6	DAILY OR ALMOST EVERYDAY
0.2	0.2	6	7	2 TO 3 TIMES A DAY
0.1	0.1	2	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	0.2	7	-9	LEGITIMATE SKIP
	3.8	113	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 229-230

MB14B_30 FREQ/HALLUCINOGENS OR PSYCHEDELICS

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP.

PCT VALID	PCT ALL	N	VALUE	LABEL
99.3	94.9	2,816	0	NOT USED AT ALL DURING THE PERIOD
0.5	0.4	13	1	LESS THAN ONCE A MONTH
0.1	0.1	3	2	1 TO 3 TIMES A MONTH
0.1	0.1	3	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	1	8	4 OR MORE TIMES A DAY
0.0	0.0	1	9	OTHER
	0.2	7	-9	LEGITIMATE SKIP
	4.0	120	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 231-232

MB14B_40 FREQ/COCAINE IN ANY FORM

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Cocaine in any form, including crack.

PCT VALID	PCT ALL	N	VALUE	LABEL
82.4	78.7	2,335	0	NOT USED AT ALL DURING THE PERIOD
5.2	4.9	146	1	LESS THAN ONCE A MONTH
4.3	4.1	123	2	1 TO 3 TIMES A MONTH
3.3	3.1	93	3	1 TO 2 TIMES A WEEK
1.6	1.6	46	4	3 TO 4 TIMES A WEEK
0.4	0.3	10	5	5 TO 6 TIMES A WEEK
2.2	2.1	61	6	DAILY OR ALMOST EVERYDAY
0.2	0.2	5	7	2 TO 3 TIMES A DAY
0.2	0.2	5	8	4 OR MORE TIMES A DAY
0.4	0.3	10	9	OTHER
	0.2	7	-9	LEGITIMATE SKIP
	4.1	123	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 233-234

MB14B_41 FREQ/CRACK ONLY

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Crack only.

PCT VALID	PCT ALL	N	VALUE	LABEL
56.8	11.1	328	0	NOT USED AT ALL DURING THE PERIOD
12.5	2.4	72	1	LESS THAN ONCE A MONTH
10.2	2.0	59	2	1 TO 3 TIMES A MONTH
8.1	1.6	47	3	1 TO 2 TIMES A WEEK
2.9	0.6	17	4	3 TO 4 TIMES A WEEK
0.9	0.2	5	5	5 TO 6 TIMES A WEEK
6.4	1.2	37	6	DAILY OR ALMOST EVERYDAY
0.3	0.1	2	7	2 TO 3 TIMES A DAY
0.9	0.2	5	8	4 OR MORE TIMES A DAY
0.9	0.2	5	9	OTHER
	74.9	2,221	-9	LEGITIMATE SKIP
	5.6	165	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 235-236

MB14B_42 FREQ/ANY COCAINE OTHER THAN CRACK

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Any cocaine other than crack.

PCT VALID	PCT ALL	N	VALUE	LABEL
56.8	11.3	334	0	NOT USED AT ALL DURING THE PERIOD
12.6	2.5	74	1	LESS THAN ONCE A MONTH
10.0	2.0	59	2	1 TO 3 TIMES A MONTH
8.7	1.7	51	3	1 TO 2 TIMES A WEEK
4.1	0.8	24	4	3 TO 4 TIMES A WEEK
1.5	0.3	9	5	5 TO 6 TIMES A WEEK
4.3	0.8	25	6	DAILY OR ALMOST EVERYDAY
0.5	0.1	3	7	2 TO 3 TIMES A DAY
0.9	0.2	5	8	4 OR MORE TIMES A DAY
0.7	0.1	4	9	OTHER
	74.5	2,211	-9	LEGITIMATE SKIP
	5.5	164	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 237-238

MB14B_50 FREQ/HEROIN ALONE OR WITH OTHER DRUGS

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Heroin alone or with other drugs.

PCT VALID	PCT ALL	N	VALUE	LABEL
86.3	82.6	2,449	0	NOT USED AT ALL DURING THE PERIOD
4.1	3.9	117	1	LESS THAN ONCE A MONTH
2.7	2.6	78	2	1 TO 3 TIMES A MONTH
2.4	2.3	68	3	1 TO 2 TIMES A WEEK
1.3	1.3	38	4	3 TO 4 TIMES A WEEK
0.4	0.4	11	5	5 TO 6 TIMES A WEEK
2.1	2.0	59	6	DAILY OR ALMOST EVERYDAY
0.3	0.3	8	7	2 TO 3 TIMES A DAY
0.2	0.2	7	8	4 OR MORE TIMES A DAY
0.1	0.1	4	9	OTHER
	0.2	7	-9	LEGITIMATE SKIP
	3.9	117	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 239-240

MB14B_60 FREQ/NARCOTICS OR OPIATES

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin.

PCT VALID	PCT ALL	N	VALUE	LABEL
96.2	92.1	2,731	0	NOT USED AT ALL DURING THE PERIOD
1.6	1.5	45	1	LESS THAN ONCE A MONTH
0.9	0.8	25	2	1 TO 3 TIMES A MONTH
0.5	0.5	14	3	1 TO 2 TIMES A WEEK
0.2	0.2	6	4	3 TO 4 TIMES A WEEK
0.1	0.1	3	5	5 TO 6 TIMES A WEEK
0.3	0.3	8	6	DAILY OR ALMOST EVERYDAY
0.1	0.1	3	7	2 TO 3 TIMES A DAY
0.1	0.1	3	8	4 OR MORE TIMES A DAY
0.0	0.0	1	9	OTHER
	0.2	7	-9	LEGITIMATE SKIP
	4.0	118	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 241-242

MB14B_70 FREQ/DOWNERS OR DEPRESSANTS

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Downers or depressants, such as sedatives, barbiturates, or tranquilizers.

PCT VALID	PCT ALL	N	VALUE	LABEL
96.4	92.4	2,740	0	NOT USED AT ALL DURING THE PERIOD
1.2	1.1	34	1	LESS THAN ONCE A MONTH
0.7	0.7	21	2	1 TO 3 TIMES A MONTH
0.6	0.6	17	3	1 TO 2 TIMES A WEEK
0.4	0.3	10	4	3 TO 4 TIMES A WEEK
0.1	0.1	2	5	5 TO 6 TIMES A WEEK
0.4	0.4	12	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	1	7	2 TO 3 TIMES A DAY
0.1	0.1	3	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	0.2	7	-9	LEGITIMATE SKIP
	3.9	115	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 243-244

MB14B_80 FREQ/AMPHETAMINES/OTHER STIMULANTS

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Amphetamines or other stimulants, speed, or diet pills.

PCT VALID	PCT ALL	N	VALUE	LABEL
98.8	94.6	2,807	0	NOT USED AT ALL DURING THE PERIOD
0.6	0.6	18	1	LESS THAN ONCE A MONTH
0.1	0.1	2	2	1 TO 3 TIMES A MONTH
0.2	0.2	7	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.1	0.1	4	6	DAILY OR ALMOST EVERYDAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	0.2	7	-9	LEGITIMATE SKIP
	3.9	117	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 245-246

MB14B_90 FREQ/ANY OTHER DRUGS

While you were in treatment, (on the average) how often did you use (DRUG TYPE FROM INTREATMENT DRUG USE CHART)?

Any other drugs.

PCT VALID	PCT ALL	N	VALUE	LABEL
98.2	88.9	2,637	0	NOT USED AT ALL DURING THE PERIOD
0.2	0.2	6	1	LESS THAN ONCE A MONTH
0.2	0.2	5	2	1 TO 3 TIMES A MONTH
0.1	0.1	4	3	1 TO 2 TIMES A WEEK
0.0	0.0	1	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.7	0.6	18	6	DAILY OR ALMOST EVERYDAY
0.4	0.4	12	7	2 TO 3 TIMES A DAY
0.1	0.1	2	8	4 OR MORE TIMES A DAY
0.0	0.0	1	9	OTHER
	0.4	11	-9	LEGITIMATE SKIP
	8.9	265	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 247-248

MB15 DRUG WHICH CAUSED MOST SERIOUS PROB

What type of drug that you used while you were in treatment caused you the most serious problems, such as problems with family, friends, or the law; problems feeling dependent on the drug; or health or emotional problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
55.6	28.0	830	0	DRUG USE DID NOT CAUSE PROB
4.7	2.4	70	10	ALCOHOL
1.3	0.6	19	20	MARIJUANA, HASHISH, OR THC
0.5	0.2	7	30	HALLUCINOGENS OR PSYHCEDELICS
9.7	4.9	144	40	COCAINE IN ANY FORM/CRACK
9.0	4.6	135	41	CRACK ONLY
1.5	0.8	23	42	ANY COCAINE OTHER THAN CRACK
14.7	7.4	219	50	HEROIN ALONE OR WITH OTHER DRUGS
0.9	0.4	13	60	NARCOTICS OR OPIATES
1.0	0.5	15	70	DOWNERS OR DEPRESSANTS
0.8	0.4	12	80	AMPHETAMINES OR OTHER STIMULANTS
0.3	0.2	5	90	ANY OTHER DRUG
	1.7	50	-9	LEGITIMATE SKIP
	47.7	1,414	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	7	-5	BAD DATA
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 249-250

MB16 RECEIVE ALCOHOL TX FROM PROGRAM

Did you receive any treatment for an alcohol problem from (NAME OF PROGRAM)?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.1	39.6	1,175	1	YES
59.9	59.1	1,753	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 251-252

MB17 RECEIVE TX FOR EMOTIONAL PROBS

While you were in treatment at (NAME OF PROGRAM), did you receive treatment, including counseling or other treatment, for any emotional or mental health problems other than problems associated with drugs or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.5	24.1	716	1	YES
75.5	74.5	2,210	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 253-254

MB18 THOUGHTS OF SUICIDE WHILE IN TX

While you were in treatment, did you think about ending your life or committing suicide?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.8	9.7	288	1	YES
90.2	89.7	2,660	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 255-256

MB18A **SUICIDE THOUGHTS DUE TO ALCOHOL/DRUG USE**

Were your thoughts of suicide always the direct result or your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.5	4.9	145	1	YES
49.5	4.8	142	2	NO
	89.3	2,648	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 257-258

MB19 **EVER ATTEMPT SUICIDE WHILE IN TX**

While you were in treatment, did you ever attempt suicide?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.7	1.7	50	1	YES
98.3	97.4	2,888	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 259-260

MB19A # OF SUICIDE ATTEMPTS

How many times did you attempt suicide?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.0	0.8	24	1	
27.1	0.4	13	2	
14.6	0.2	7	3	
4.2	0.1	2	4	
2.1	0.0	1	5	
2.1	0.0	1	7	
	97.6	2,895	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 261-262

MB19B SUICIDE ATTEMPTS RESULT DRUG/ALCOHOL USE

Were your attempts always the direct result of your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
58.3	0.9	28	1	YES
41.7	0.7	20	2	NO
	97.6	2,895	-9	LEGITIMATE SKIP
	0.7	20	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 263-264

MB20 WHILE IN TX ARRESTED AND BOOKED

While you were in treatment, were you arrested and booked, including being fingerprinted, for an offense?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.2	7.1	211	1	YES
92.8	92.2	2,736	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 265-266

MB21 WHILE IN TX CONVICTED OF CHARGES

While you were in treatment, were you convicted of any charges?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.3	4.2	126	1	YES
95.7	95.0	2,817	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 267-268

MB22 IN JAIL/PRISON/DETENTION WHILE IN TX

Did you spend time in jail or prison (or in a juvenile detention home) while you were in treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.5	5.4	161	1	YES
94.5	93.8	2,782	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 269-270

MB23 DOING MOST OF WEEK BEFORE LAST CONTACT

What were you doing most of the week before (DATE OF LAST PHYSICAL CONTACT ON TALLY SHEET B)? Were you working, looking for work, keeping house, going to school, unable to work, or doing something else?

PCT VALID	PCT ALL	N	VALUE	LABEL
26.7	25.8	764	1	WORKING AT LEGITIMATE JOB
1.3	1.3	38	2	HAD A JOB BUT WAS NOT WORKING
6.1	5.9	175	3	LOOKING FOR WORK
9.6	9.2	274	4	KEEPING HOUSE FOR YOURSELF/FAMILY
2.0	2.0	58	5	GOING TO SCHOOL OR TRAINING PROGRAM
7.7	7.4	219	6	UNABLE TO WORK, DISABLED
0.3	0.3	8	7	RETIRED
26.5	25.5	757	8	IN JAIL, RESIDENTIAL TX PROGRAM
11.1	10.8	319	9	INVOLVED IN DRUG-RELATED ACTIVITIES
0.7	0.6	19	10	INVOLVED INOTHER ILLEGAL ACTIVITIES
4.6	4.5	132	11	NOT WORKING/NOT INTERESTED IN WORK
3.5	3.3	99	12	OTHER
	0.3	10	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	2.1	61	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 271-272

MB23_1 WORKING GREATER OR LESS THAN 35 HRS.

Were you were 35 hours or more a week or less than 35 hours a week?

PCT VALID	PCT ALL	N	VALUE	LABEL
80.8	15.5	459	1	(01A) 35 HRS. OR MORE A WEEK
19.2	3.7	109	2	(01B) < 35 HRS. A WEEK
	77.0	2,284	-9	LEGITIMATE SKIP
	3.8	113	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 273-274

MB24 LOOK FOR WORK WHILE STILL IN TX

Did you (look for work/look for a different job) while you were in treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.3	20.1	595	1	YES
79.7	79.0	2,343	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 275-276

MB25 # OF WEEKS EMPLOYED WHILE IN TX

While you were in treatment, about how many weeks were you employed in either full- or part-time jobs?

2,966 cases (Range of valid codes: 0-99)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 277-278

MB26 BELONG TO HEALTH PLAN WHILE IN TX

While you were in treatment, did you belong to a health plan or have any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT VALID	PCT ALL	N	VALUE	LABEL
65.6	65.1	1,930	1	YES
34.4	34.1	1,011	2	NO
	0.2	7	-9	LEGITIMATE SKIP
	0.4	11	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 279-280

MB26A PROGRAM COST COVERED BY INSURANCE

Were any costs of drug treatment covered by this health plan or insurance?

PCT VALID	PCT ALL	N	VALUE	LABEL
80.9	52.2	1,548	1	YES
14.9	9.6	285	2	NO
0.8	0.5	15	3	PROGRAM CHARGES NO FEES
3.4	2.2	66	4	PARTIALLY COVERED
	34.1	1,012	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	12	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 281-282

SECTION C: PRETREATMENT STATUS

MC1 MOST IMPORTANT REASON ENROLLED-CODE

What was the most important reason for enrolling in treatment at that time?

2,966 cases (Range of valid codes: 1-91)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 283-284

MC2_0 WHEN ADM. NOT ON PROBATION/PAROLE/JAIL

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

No.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	59.4	1,762	0	CIRCLED
	40.2	1,192	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 285-286

MC2_1 WHEN ADM. ON PROBATION

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Probation.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	25.5	756	1	CIRCLED
	74.1	2,198	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 287-288

MC2_2 WHEN ADM. ON PAROLE

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Parole.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	9.0	267	2	CIRCLED
	90.6	2,687	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 289-290

MC2_3 WHEN ADM. AWAITING TRIAL

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Awaiting trial.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.8	23	3	CIRCLED
	98.8	2,931	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 291-292

MC2_4 WHEN ADM. AWAITING SENTENCING

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Awaiting sentencing.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.9	28	4	CIRCLED
	98.7	2,926	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 293-294

MC2_5 WHEN ADM. SERVING A SENTENCE

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Serving a sentence.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.1	92	5	CIRCLED
	96.5	2,862	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 295-296

MC2_6 WHEN ADM. ON BAIL AWAITING TRIAL

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

On bail awaiting trial.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.3	38	6	CIRCLED
	98.3	2,916	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 297-298

MC2_7 WHEN ADM. ON BAIL AWAITNG SENTENCING

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

On bail awaiting sentencing.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.7	20	7	CIRCLED
	98.9	2,934	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 299-300

MC2_8 WHEN ADM. RELEASED ON OWN RECOGNIZANCE

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Released on own recognizance, case pending.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.1	92	8	CIRCLED
	96.5	2,862	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 301-302

MC2_9 WHEN ADM. ON OTHER STATUS

When you were admitted to treatment on (DATE OF ADMISSION), were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Other status.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.1	33	9	CIRCLED
	98.4	2,920	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 303-304

MC3 ADM REQ'D/STIPULATED SUGGESTED/ENCOURAGE

If your admission to treatment on (DATE OF ADMISSION) was required or suggested by the criminal (juvenile) justice system (i.e., courts or correctional authorities), was it required/stipulated or suggest/encouraged?

PCT VALID	PCT ALL	N	VALUE	LABEL
67.4	62.6	1,856	0	NEITHER REQUIRED NOR SUGGESTED
24.3	22.6	669	1	REQUIRED/STIPULATED
8.3	7.7	228	2	SUGGESTED/ENCOURAGED
	3.6	108	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	3.5	103	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 305-306

MC4 **DOING MOST OF WEEK BEFORE ADMISSION**

What were you doing most of the week before admission to treatment? Were you working, looking for work, keeping house, going to school, or something else?

PCT VALID	PCT ALL	N	VALUE	LABEL
29.0	27.6	818	1	WORKING AT LEGITIMATE JOB
1.0	0.9	27	2	HAD A JOB BUT WAS NOT WORKING
5.0	4.8	142	3	LOOKING FOR WORK
9.5	9.0	267	4	KEEPING HOUSE FOR YOURSELF/FAMILY
1.3	1.3	38	5	GOING TO SCHOOL OR TRAINING PROGRAM
5.9	5.6	166	6	UNABLE TO WORK, DISABLED
0.2	0.2	7	7	RETIRED
12.1	11.5	340	8	IN JAIL, RESIDENTIAL TX PROGRAM
24.2	23.0	683	9	INVOLVED IN DRUG-RELATED ACTIVITIES
1.1	1.1	32	10	INVOLVED IN OTHER ILLEGAL ACTIVITIES
5.5	5.2	155	11	NOT WORKING/NOT INTERESTED IN WORK
5.1	4.9	144	12	OTHER
	2.1	62	-8	BLANK/MISSING
	2.8	82	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 307-308

MC4_1 **WORKING GREATER OR LESS THAN 35 HRS.**

Were you were 35 hours or more a week or less than 35 hours a week?

PCT VALID	PCT ALL	N	VALUE	LABEL
79.3	21.3	631	1	(01A) 35 HRS. OR MORE A WEEK
20.7	5.6	165	2	(01B) < 35 HRS. A WEEK
	73.1	2,167	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 309-310

MC5 TYPE JOB/OCCUPATION YEAR BEFORE ADMISSIO

What type of job did you have, or what was your occupation in the year before entering treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.9	4.2	125	1	PROFESSIONAL AND TECHNICAL
4.8	3.4	101	2	MANAGER AND ADMINISTRATOR
6.4	4.6	135	3	SALES
7.0	5.0	149	4	CLERICAL OR OFFICE WORKER
14.2	10.1	301	5	CRAFT AND KINDRED
5.5	3.9	117	6	OPERATIVE
3.8	2.7	80	7	TRANSPORTATION EQUIPMENT OPERATIVE
14.8	10.6	315	8	NONFARM LABOR
1.0	0.7	22	9	PRIVATE HOUSEHOLD WORKER
20.0	14.3	425	10	SERVICE WORKER
0.0	0.0	0	11	FARMER AND FARM MANAGER
0.2	0.1	4	12	FARM LABORER
0.1	0.1	3	20	MILITARY SERVICE
16.4	11.7	348	86	OTHER
	28.1	833	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 311-312

MC6 **FREQUNCY ALCOHOL USE 12 MOS BEFORE ADM.**

In the 12 months before being admitted to treatment, on the average, how often did you drink any alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.9	24.6	731	0	NOT AT ALL, NONE
8.1	8.1	239	1	LESS THAN 1 DAY A MONTH
9.3	9.2	273	2	1 TO 3 DAYS A MONTH
13.1	13.0	386	3	1 TO 2 DAYS A WEEK
11.9	11.8	351	4	3 TO 4 DAYS A WEEK
3.7	3.7	109	5	5 TO 6 DAYS A WEEK
21.7	21.5	638	6	DAILY OR ALMOST EVERY DAY
2.2	2.2	65	7	2 TO 3 TIMES A DAY
5.0	4.9	146	8	4 OR MORE TIMES A DAY
	0.8	24	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 313-314

MC6A **AVERAGE # OF DRINKS IN A 24-HOUR PERIOD**

On days when you drank alcohol before treatment, about how many drinks did you usually have in a single day? Please count drinks as shown on this card. (Card #7)

2,966 cases (Range of valid codes: 0-99)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 315-316

MC7 OTHER PRIMARY TX FOR ALCOHOL USE

Not counting treatment you received after being admitted for treatment on (DATE OF ADMISSION), had you ever received any treatment that was primarily for an alcohol problem? Please do not include any Alcoholics Anonymous (AA).

PCT VALID	PCT ALL	N	VALUE	LABEL
15.9	15.6	462	1	YES
84.1	82.5	2,447	2	NO
	1.8	53	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 317-318

MC8 # OTHER TIMES ADM. FOR ALCOHOL PROBS

Prior to your treatment on (DATE OF ADMISSION), how many times were you ever admitted for treatment primarily for alcohol problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.4	1.9	55	0	
42.6	6.9	206	1	
18.6	3.0	90	2	
11.6	1.9	56	3	
4.8	0.8	23	4	
2.9	0.5	14	5	
2.9	0.5	14	6	
1.7	0.3	8	7	
0.6	0.1	3	8	
0.4	0.1	2	9	
0.8	0.1	4	10	
0.4	0.1	2	12	
0.2	0.0	1	15	
0.6	0.1	3	20	
0.2	0.0	1	28	
0.2	0.0	1	30	
0.2	0.0	1	52	
	81.7	2,422	-9	LEGITIMATE SKIP
	1.9	55	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 319-320

MC9_20 FREQ/MARIJUANA, HASHISH, OR THC

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them. (Card #5)

Marijuana, hashish, or THC.

PCT VALID	PCT ALL	N	VALUE	LABEL
52.3	52.1	1,545	0	NOT USED AT ALL DURING THE PERIOD
9.1	9.0	268	1	LESS THAN ONCE A MONTH
9.3	9.3	275	2	1 TO 3 TIMES A MONTH
7.6	7.6	225	3	1 TO 2 TIMES A WEEK
5.6	5.6	166	4	3 TO 4 TIMES A WEEK
2.1	2.1	62	5	5 TO 6 TIMES A WEEK
10.6	10.5	312	6	DAILY OR ALMOST EVERYDAY
1.4	1.4	42	7	2 TO 3 TIMES A DAY
2.0	2.0	59	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	0.3	8	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 321-322

MC9_30 FREQ/HALLUCINOGENS OR PSYCHEDELICS

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them. (Card #5)

Hallucinogens or psychedelics such as LSD, DMT, mescaline, PCP, MDS, STP.

PCT VALID	PCT ALL	N	VALUE	LABEL
91.5	90.9	2,697	0	NOT USED AT ALL DURING THE PERIOD
3.9	3.9	116	1	LESS THAN ONCE A MONTH
1.7	1.7	51	2	1 TO 3 TIMES A MONTH
1.4	1.4	41	3	1 TO 2 TIMES A WEEK
0.4	0.4	12	4	3 TO 4 TIMES A WEEK
0.0	0.0	1	5	5 TO 6 TIMES A WEEK
0.8	0.8	23	6	DAILY OR ALMOST EVERYDAY
0.1	0.1	3	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.2	0.2	5	9	OTHER
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 323-324

MC9_40 FREQ/COCAINE IN ANY FORM

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them. (Card #5)

Cocaine in any form, including crack.

PCT VALID	PCT ALL	N	VALUE	LABEL
30.2	29.9	887	0	NOT USED AT ALL DURING THE PERIOD
5.8	5.7	170	1	LESS THAN ONCE A MONTH
7.2	7.1	210	2	1 TO 3 TIMES A MONTH
10.4	10.3	305	3	1 TO 2 TIMES A WEEK
10.0	9.9	294	4	3 TO 4 TIMES A WEEK
4.0	3.9	117	5	5 TO 6 TIMES A WEEK
21.5	21.2	630	6	DAILY OR ALMOST EVERYDAY
3.0	3.0	89	7	2 TO 3 TIMES A DAY
7.4	7.3	217	8	4 OR MORE TIMES A DAY
0.5	0.5	14	9	OTHER
	0.8	25	-8	BLANK/MISSING
	0.1	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 325-326

MC9_41 FREQ/CRACK ONLY

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them. (Card #5)

Crack.

PCT VALID	PCT ALL	N	VALUE	LABEL
34.6	23.6	700	0	NOT USED AT ALL DURING THE PERIOD
4.1	2.8	83	1	LESS THAN ONCE A MONTH
5.4	3.7	109	2	1 TO 3 TIMES A MONTH
9.2	6.3	186	3	1 TO 2 TIMES A WEEK
9.8	6.7	198	4	3 TO 4 TIMES A WEEK
4.0	2.7	81	5	5 TO 6 TIMES A WEEK
21.2	14.4	428	6	DAILY OR ALMOST EVERYDAY
2.9	2.0	58	7	2 TO 3 TIMES A DAY
8.5	5.8	171	8	4 OR MORE TIMES A DAY
0.3	0.2	7	9	OTHER
	26.3	780	-9	LEGITIMATE SKIP
	5.4	160	-8	BLANK/MISSING
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 327-328

MC9_42 FREQ/ANY COCAINE OTHER THAN CRACK

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them. (Card #5)

Any cocaine other than crack.

PCT VALID	PCT ALL	N	VALUE	LABEL
50.3	34.1	1,010	0	NOT USED AT ALL DURING THE PERIOD
7.6	5.1	152	1	LESS THAN ONCE A MONTH
7.2	4.9	144	2	1 TO 3 TIMES A MONTH
8.8	6.0	177	3	1 TO 2 TIMES A WEEK
6.2	4.2	125	4	3 TO 4 TIMES A WEEK
1.9	1.3	39	5	5 TO 6 TIMES A WEEK
12.1	8.2	242	6	DAILY OR ALMOST EVERYDAY
1.7	1.2	35	7	2 TO 3 TIMES A DAY
3.9	2.6	78	8	4 OR MORE TIMES A DAY
0.3	0.2	6	9	OTHER
	26.1	773	-9	LEGITIMATE SKIP
	6.2	183	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 329-330

MC9_50 FREQ/HEROIN ALONE OR WITH OTHER DRUGS

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them. (Card #5)

Heroin alone or with other drugs.

PCT VALID	PCT ALL	N	VALUE	LABEL
66.0	65.5	1,943	0	NOT USED AT ALL DURING THE PERIOD
3.2	3.1	93	1	LESS THAN ONCE A MONTH
1.7	1.7	51	2	1 TO 3 TIMES A MONTH
2.3	2.3	68	3	1 TO 2 TIMES A WEEK
2.1	2.1	63	4	3 TO 4 TIMES A WEEK
0.7	0.7	21	5	5 TO 6 TIMES A WEEK
15.0	14.9	443	6	DAILY OR ALMOST EVERYDAY
5.6	5.5	164	7	2 TO 3 TIMES A DAY
3.2	3.2	95	8	4 OR MORE TIMES A DAY
0.1	0.1	4	9	OTHER
	0.7	21	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 331-332

MC9_60 FREQ/NARCOTICS OR OPIATES

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them. (Card #5)

Narcotics or opiates, such as morhpine, codeine, Demerol, Dilaudid, Talwin.

PCT VALID	PCT ALL	N	VALUE	LABEL
84.5	84.2	2,496	0	NOT USED AT ALL DURING THE PERIOD
3.9	3.8	114	1	LESS THAN ONCE A MONTH
2.9	2.9	87	2	1 TO 3 TIMES A MONTH
1.9	1.9	56	3	1 TO 2 TIMES A WEEK
1.6	1.6	48	4	3 TO 4 TIMES A WEEK
0.6	0.6	18	5	5 TO 6 TIMES A WEEK
3.1	3.1	91	6	DAILY OR ALMOST EVERYDAY
0.6	0.6	19	7	2 TO 3 TIMES A DAY
0.7	0.7	22	8	4 OR MORE TIMES A DAY
0.1	0.1	3	9	OTHER
	0.4	12	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 333-334

MC9_70 FREQ/DOWNERS OR DEPRESSANTS

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them. (Card #5)

Downers or depressants, such as sedatives, barbiturates, or tranquilizers.

PCT VALID	PCT ALL	N	VALUE	LABEL
87.6	87.2	2,585	0	NOT USED AT ALL DURING THE PERIOD
3.5	3.5	103	1	LESS THAN ONCE A MONTH
2.3	2.3	68	2	1 TO 3 TIMES A MONTH
2.1	2.1	63	3	1 TO 2 TIMES A WEEK
1.3	1.2	37	4	3 TO 4 TIMES A WEEK
0.4	0.4	12	5	5 TO 6 TIMES A WEEK
1.9	1.9	56	6	DAILY OR ALMOST EVERYDAY
0.5	0.5	15	7	2 TO 3 TIMES A DAY
0.4	0.4	12	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	0.5	15	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 335-336

MC9_80 FREQ/AMPHETAMINES/OTHER STIMULANTS

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them. (Card #5)

Amphetamines or other stimulants, speed, or diet pills.

PCT VALID	PCT ALL	N	VALUE	LABEL
89.7	89.4	2,653	0	NOT USED AT ALL DURING THE PERIOD
3.1	3.1	91	1	LESS THAN ONCE A MONTH
1.6	1.6	47	2	1 TO 3 TIMES A MONTH
1.5	1.5	44	3	1 TO 2 TIMES A WEEK
0.9	0.9	28	4	3 TO 4 TIMES A WEEK
0.3	0.3	10	5	5 TO 6 TIMES A WEEK
1.7	1.7	50	6	DAILY OR ALMOST EVERYDAY
0.5	0.5	16	7	2 TO 3 TIMES A DAY
0.5	0.5	15	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	0.3	9	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 337-338

MC9_90 FREQ/ANY OTHER DRUGS

If you used any of the following drugs during the 12 months before you entered treatment on (DATE OF ADMISSION), please tell me how often you used them. (Card #5)

Any other drugs.

PCT VALID	PCT ALL	N	VALUE	LABEL
95.4	92.4	2,742	0	NOT USED AT ALL DURING THE PERIOD
0.2	0.2	6	1	LESS THAN ONCE A MONTH
0.1	0.1	4	2	1 TO 3 TIMES A MONTH
0.5	0.5	15	3	1 TO 2 TIMES A WEEK
0.3	0.3	9	4	3 TO 4 TIMES A WEEK
0.1	0.1	2	5	5 TO 6 TIMES A WEEK
2.5	2.4	72	6	DAILY OR ALMOST EVERYDAY
0.3	0.3	8	7	2 TO 3 TIMES A DAY
0.5	0.5	14	8	4 OR MORE TIMES A DAY
0.1	0.1	2	9	OTHER
	3.0	88	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 339-340

MC10 FAVORITE DRUG 12 MOS BEFORE ADMISSION

During the 12 months before admission, what type of drug that you used would you say was your favorite drug for taking regularly? Some people call this their "drug of choice."

PCT VALID	PCT ALL	N	VALUE	LABEL
5.6	5.5	162	0	NO FAVORITE DRUG
4.8	4.7	139	10	ALCOHOL
7.8	7.7	227	20	MARIJUANA, HASHISH, OR THC
1.3	1.3	38	30	HALLUCINOGENS OR PSYHCEDELICS
16.8	16.4	485	40	COCAINE IN ANY FORM/CRACK
27.5	26.8	795	41	CRACK ONLY
1.8	1.8	53	42	ANY COCAINE OTHER THAN CRACK
26.5	25.9	768	50	HEROIN ALONE OR WITH OTHER DRUGS
3.2	3.1	92	60	NARCOTICS OR OPIATES
0.9	0.9	26	70	DOWNERS OR DEPRESSANTS
2.5	2.5	73	80	AMPHETAMINES OR OTHER STIMULANTS
1.3	1.2	37	90	ANY OTHER DRUG
	1.9	56	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.2	6	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 341-342

MC11 PRIMARY PROB DRUG 12 MOS BEFORE ADMISSIO

During the 12 months before admission, what type of drug that you used caused you the most serious problems, such as problems with family, friends, or the law; problems feeling dependent on the drug; or health or emotional problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.5	7.3	217	0	NO PROB DRUG
5.1	5.0	147	10	ALCOHOL
3.8	3.7	110	20	MARIJUANA, HASHISH, OR THC
1.2	1.2	35	30	HALLUCINOGENS OR PSYHCEDELICS
19.5	18.9	562	40	COCAINE IN ANY FORM/CRACK
29.9	29.0	860	41	CRACK ONLY
2.2	2.2	64	42	ANY COCAINE OTHER THAN CRACK
23.3	22.6	669	50	HEROIN ALONE OR WITH OTHER DRUGS
2.7	2.6	77	60	NARCOTICS OR OPIATES
0.9	0.9	26	70	DOWNERS OR DEPRESSANTS
2.7	2.7	79	80	AMPHETAMINES OR OTHER STIMULANTS
1.0	1.0	30	90	ANY OTHER DRUG
	2.5	75	-8	BLANK/MISSING
	0.1	3	-6	MULTIPLE RESPONSE
	0.2	5	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 343-344

MC12 USE DRUGS WITH NEEDLE 12 MOS BEFORE ADM

In the 12 months before being admitted to treatment on (DATE OF ADMISSION), did you ever use drugs with a needle, syringe, or "works"?

PCT VALID	PCT ALL	N	VALUE	LABEL
30.9	29.6	879	1	YES
69.1	66.4	1,970	2	NO
	3.6	107	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.3	9	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 345-346

MC13 EVER RECEIVED ABUSE/ADDICTION TX

Prior to the treatment that began on (DATE OF ADMISSION), had you ever received any treatment that was primarily for the abuse or addiction of drugs.

PCT VALID	PCT ALL	N	VALUE	LABEL
49.6	46.9	1,392	1	YES
50.4	47.7	1,416	2	NO
	5.2	153	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 347-348

MC14A EVER TREATED: 28-DAY/SHORT TERM TX

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.8	26.2	777	1	YES
49.2	25.4	754	2	NO
	47.1	1,396	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 349-350

MC14AA AGE 1ST TX: 28-DAY/SHORT TERM TX

How old were you when you first received treatment that was primarily for drug problems at a 28-day or other short-term inpatient or chemical dependency treatment program??

2,966 cases (Range of valid codes: 0-55)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 351-352

MC14BA # ADMISSIONS: 28-DAY/SHORT TERM TX

How many different times were you admitted to a 28-day or other short-term inpatient or chemical dependency treatment program? primarily for the treatment of drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.1	0.0	1	0	
52.3	13.7	407	1	
21.9	5.7	170	2	
12.2	3.2	95	3	
4.6	1.2	36	4	
3.3	0.9	26	5	
2.2	0.6	17	6	
1.3	0.3	10	7	
0.4	0.1	3	8	
0.6	0.2	5	10	
0.1	0.0	1	12	
0.3	0.1	2	20	
0.1	0.0	1	22	
0.3	0.1	2	25	
0.1	0.0	1	28	
0.1	0.0	1	50	
	72.4	2,147	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.1	3	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 353-354

MC14B EVER TREATED: THERAPEUTIC PROGRAM

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at a therapeutic community or other long-term residential treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.7	14.3	423	1	YES
72.3	37.3	1,106	2	NO
	47.2	1,400	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 355-356

MC14AB AGE 1ST TX: THERAPEUTIC PROGRAM

How old were you when you first received treatment that was primarily for drug problems at a therapeutic community or other long-term residential treatment program?

2,966 cases (Range of valid codes: 0-55)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 357-358

MC14BB # ADMISSIONS: THERAPEUTIC PROGRAM

How many different times were you admitted to a therapeutic community or other long-term residential treatment program primarily for the treatment of drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.4	0.2	6	0	
63.3	9.1	269	1	
18.6	2.7	79	2	
9.4	1.3	40	3	
3.3	0.5	14	4	
1.4	0.2	6	5	
1.2	0.2	5	6	
0.5	0.1	2	7	
0.2	0.0	1	8	
0.2	0.0	1	10	
0.2	0.0	1	15	
0.2	0.0	1	28	
	84.3	2,499	-9	LEGITIMATE SKIP
	1.2	36	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 359-360

MC14C EVER TREATED: A METHADONE PROGRAM

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at a methadone program?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.4	11.0	327	1	YES
78.6	40.4	1,198	2	NO
	47.2	1,400	-9	LEGITIMATE SKIP
	1.2	36	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 361-362

MC14AC **AGE 1ST TX: A METHADONE PROGRAM**

How old were you when you first received treatment that was primarily for drug problems at a methadone program?

2,966 cases (Range of valid codes: 0-55)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 363-364

MC14BC **# ADMISSIONS: A METHADONE PROGRAM**

How many different times were you admitted to a methadone program primarily for the treatment of drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.1	0.2	7	0	
43.0	4.8	142	1	
20.6	2.3	68	2	
12.4	1.4	41	3	
9.1	1.0	30	4	
4.5	0.5	15	5	
3.9	0.4	13	6	
1.8	0.2	6	7	
0.6	0.1	2	8	
0.9	0.1	3	10	
0.3	0.0	1	11	
0.3	0.0	1	12	
0.3	0.0	1	25	
	87.3	2,590	-9	LEGITIMATE SKIP
	1.3	38	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 365-366

MC14D EVER TREATED: OUTPATIENT DRUG PROGRAM

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at an outpatient drug treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.6	17.2	511	1	YES
66.4	34.1	1,011	2	NO
	47.2	1,401	-9	LEGITIMATE SKIP
	1.3	39	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 367-368

MC14AD AGE 1ST TX:OUTPATIENT DRUG TX

How old were you when you first received treatment that was primarily for drug problems at an outpatient drug treatment program?

2,966 cases (Range of valid codes: 0-55)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 369-370

MC14BD # ADMISSIONS: OUTPATIENT DRUG TX

How many different times were you admitted to an outpatient drug treatment program primarily for the treatment of drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.0	0.2	5	0	
62.2	10.7	317	1	
16.5	2.8	84	2	
7.6	1.3	39	3	
5.3	0.9	27	4	
2.0	0.3	10	5	
2.2	0.4	11	6	
0.4	0.1	2	7	
0.4	0.1	2	8	
1.0	0.2	5	10	
0.6	0.1	3	12	
0.2	0.0	1	15	
0.2	0.0	1	16	
0.2	0.0	1	20	
0.2	0.0	1	29	
0.2	0.0	1	30	
	81.2	2,408	-9	LEGITIMATE SKIP
	1.4	42	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 371-372

MC14E **EVER TREATED: OTHER TYPE DRUG TX**

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at any other type of drug treatment such as a halfway house?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.9	6.1	181	1	YES
88.1	45.0	1,335	2	NO
	47.2	1,401	-9	LEGITIMATE SKIP
	1.6	46	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 373-374

MC14AE **AGE 1ST TX: OTHER TYPE DRUG TX**

How old were you when you first received treatment that was primarily for drug problems at any other type of drug treatment such as a halfway house?

2,966 cases (Range of valid codes: 0-52)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 375-376

MC14BE # ADMISSIONS: OTHER TYPE DRUG TX

How many different times were you admitted to any other type of drug treatment such as a halfway house primarily for the treatment of drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	0.2	7	0	
69.7	4.3	129	1	
14.6	0.9	27	2	
5.9	0.4	11	3	
2.7	0.2	5	4	
1.1	0.1	2	5	
1.1	0.1	2	6	
0.5	0.0	1	10	
0.5	0.0	1	90	
	92.0	2,729	-9	LEGITIMATE SKIP
	1.6	48	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 377-378

MC14F EVER TREATED: SHORT-TERM DETOX PROGRAM

Prior to the treatment that began on (DATE OF ADMISSION), were you ever treated primarily for drug problems at short-term (21 days or less) detoxification program?

PCT VALID	PCT ALL	N	VALUE	LABEL
39.4	20.3	602	1	YES
60.6	31.2	925	2	NO
	47.2	1,400	-9	LEGITIMATE SKIP
	1.2	37	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 379-380

MC14AF **AGE 1ST TX: SHORT-TERM DETOX PROGRAM**

How old were you when you first received treatment that was primarily for drug problems at short-term (21 days or less) detoxification program?

2,966 cases (Range of valid codes: 0-52)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 381-382

MC14BF # ADMISSIONS: SHORT-TERM DETOX PROGRAM

How many different times were you admitted to short-term (21 days or less) detoxification program primarily for the treatment of drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.0	0.2	6	0	
43.5	8.8	262	1	
17.4	3.5	105	2	
12.0	2.4	72	3	
5.8	1.2	35	4	
5.0	1.0	30	5	
3.5	0.7	21	6	
2.0	0.4	12	7	
0.8	0.2	5	8	
0.2	0.0	1	9	
3.2	0.6	19	10	
0.2	0.0	1	11	
1.0	0.2	6	12	
0.5	0.1	3	13	
0.7	0.1	4	15	
0.2	0.0	1	16	
0.2	0.0	1	17	
1.0	0.2	6	20	
0.2	0.0	1	21	
0.3	0.1	2	26	
0.2	0.0	1	30	
0.2	0.0	1	34	
0.3	0.1	2	35	
0.5	0.1	3	40	
0.2	0.0	1	50	
0.2	0.0	1	80	
	78.2	2,318	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK/MISSING
	0.1	4	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 383-384

MC15_1 EVER ARRESTED:USE/POSSESS DRUGS

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT VALID	PCT ALL	N	VALUE	LABEL
36.3	36.0	1,068	1	YES
63.7	63.3	1,878	2	NO
	0.3	9	-8	BLANK/MISSING
	0.3	8	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 385-386

MC16_1 # ARRESTS: USE/POSSESS DRUGS

How many times were you arrested or sent to adult or juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.0	0.4	11	0	
39.7	14.2	420	1	
21.3	7.6	225	2	
12.9	4.6	137	3	
6.0	2.2	64	4	
4.5	1.6	48	5	
3.3	1.2	35	6	
0.9	0.3	9	7	
1.3	0.5	14	8	
0.5	0.2	5	9	
1.9	0.7	20	10	
0.3	0.1	3	11	
0.5	0.2	5	12	
0.3	0.1	3	14	
1.3	0.5	14	15	
0.2	0.1	2	16	
0.1	0.0	1	17	
0.1	0.0	1	19	
1.9	0.7	20	20	
0.1	0.0	1	23	
0.6	0.2	6	25	
0.1	0.0	1	26	
0.1	0.0	1	28	
0.7	0.2	7	30	
0.1	0.0	1	40	
0.1	0.0	1	50	
0.1	0.0	1	60	
0.1	0.0	1	100	
0.1	0.0	1	125	
	63.1	1,873	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.4	11	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 387-389

MC17_1 # ARRESTS 12 MOS BEFORE: USE/POSSESS DRU

How many times were you arrested or sent to adult or juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.2	17.9	531	0	
30.6	10.9	323	1	
10.8	3.8	114	2	
3.8	1.3	40	3	
1.8	0.6	19	4	
0.9	0.3	10	5	
0.4	0.1	4	6	
0.2	0.1	2	7	
0.1	0.0	1	8	
0.1	0.0	1	9	
0.5	0.2	5	10	
0.1	0.0	1	12	
0.1	0.0	1	17	
0.1	0.0	1	18	
0.1	0.0	1	20	
0.1	0.0	1	24	
0.1	0.0	1	27	
0.1	0.0	1	60	
	63.2	1,874	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 390-391

MC15_2 EVER ARRESTED: SALE/MANUF OF DRUGS

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for sale or manufacture of drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.6	17.5	519	1	YES
82.4	81.8	2,426	2	NO
	0.4	12	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 392-393

MC16_2 # ARRESTS: SALE/MANUF OF DRUGS

How many times were you arrested or sent to adult or juvenile court for sale or manufacture of drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.8	0.1	4	0	
55.4	9.5	283	1	
22.5	3.9	115	2	
10.2	1.8	52	3	
4.3	0.7	22	4	
2.3	0.4	12	5	
0.8	0.1	4	6	
0.8	0.1	4	7	
0.4	0.1	2	8	
0.6	0.1	3	10	
0.4	0.1	2	11	
0.2	0.0	1	13	
0.2	0.0	1	15	
0.2	0.0	1	16	
0.2	0.0	1	17	
0.2	0.0	1	20	
0.2	0.0	1	25	
0.2	0.0	1	46	
0.2	0.0	1	60	
	81.7	2,424	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.2	6	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 394-395

MC17_2 # ARRESTS 12 MOS BEFORE: SALE/MANUF DRUG

How many times were you arrested or sent to adult or juvenile court for sale or manufacture of drugs in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
54.1	9.3	275	0	
33.9	5.8	172	1	
8.7	1.5	44	2	
2.2	0.4	11	3	
0.4	0.1	2	4	
0.2	0.0	1	5	
0.2	0.0	1	6	
0.2	0.0	1	7	
0.2	0.0	1	10	
	81.7	2,424	-9	LEGITIMATE SKIP
	0.9	26	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 396-397

MC15_3 EVER ARRESTED: FORGERY/FRAUD

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property(including fencing)?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.7	13.6	404	1	YES
86.3	85.6	2,539	2	NO
	0.5	14	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 398-399

MC16_3 # ARRESTS: FORGERY/FRAUD

How many times were you arrested or sent to adult or juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	0.2	5	0	
62.6	8.4	248	1	
16.4	2.2	65	2	
7.6	1.0	30	3	
3.0	0.4	12	4	
3.0	0.4	12	5	
1.5	0.2	6	6	
0.8	0.1	3	8	
0.5	0.1	2	9	
1.8	0.2	7	10	
0.3	0.0	1	11	
0.5	0.1	2	15	
0.3	0.0	1	20	
0.3	0.0	1	30	
0.3	0.0	1	50	
	85.6	2,538	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.2	5	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 400-401

MC17_3 # ARRESTS 12 MOS BEFORE: FORGERY/FRAUD

How many times were you arrested or sent to adult or juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing) in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
59.2	7.9	235	0	
31.5	4.2	125	1	
6.0	0.8	24	2	
1.0	0.1	4	3	
0.3	0.0	1	4	
1.0	0.1	4	5	
0.3	0.0	1	6	
0.3	0.0	1	8	
0.5	0.1	2	9	
	85.5	2,536	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 402-403

MC15_4 EVER ARRESTED: BURGLARY

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.6	12.4	369	1	YES
87.4	86.6	2,570	2	NO
	0.6	17	-8	BLANK/MISSING
	0.2	7	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 404-405

MC16_4 # ARRESTS: BURGLARY

How many times were you arrested or sent to adult or juvenile court for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.8	0.1	3	0	
57.4	7.1	210	1	
17.8	2.2	65	2	
7.9	1.0	29	3	
3.3	0.4	12	4	
2.5	0.3	9	5	
2.2	0.3	8	6	
1.1	0.1	4	7	
1.1	0.1	4	8	
0.5	0.1	2	9	
1.9	0.2	7	10	
0.5	0.1	2	12	
0.3	0.0	1	13	
0.3	0.0	1	14	
0.3	0.0	1	15	
0.3	0.0	1	16	
0.3	0.0	1	19	
0.3	0.0	1	29	
0.3	0.0	1	35	
0.5	0.1	2	40	
0.5	0.1	2	50	
	86.6	2,568	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 406-407

MC17_4 # ARRESTS 12 MOS BEFORE: BURGLARY

How many times were you arrested or sent to adult or juvenile court for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
66.5	8.2	242	0	
25.3	3.1	92	1	
3.8	0.5	14	2	
1.1	0.1	4	3	
0.8	0.1	3	4	
0.5	0.1	2	5	
0.5	0.1	2	6	
0.8	0.1	3	10	
0.5	0.1	2	14	
	86.6	2,568	-9	LEGITIMATE SKIP
	0.9	26	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 408-409

MC15_5 EVER ARRESTED: LARCENY

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.3	19.2	570	1	YES
80.7	80.2	2,378	2	NO
	0.3	9	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 410-411

MC16_5 # ARRESTS: LARCENY

How many times were you arrested or sent to adult or juvenile court for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.1	2	0	
39.5	7.6	224	1	
19.6	3.7	111	2	
10.8	2.1	61	3	
6.2	1.2	35	4	
4.2	0.8	24	5	
3.0	0.6	17	6	
2.3	0.4	13	7	
1.4	0.3	8	8	
0.7	0.1	4	9	
4.1	0.8	23	10	
1.1	0.2	6	12	
0.5	0.1	3	13	
0.4	0.1	2	14	
1.8	0.3	10	15	
0.2	0.0	1	16	
0.4	0.1	2	17	
0.4	0.1	2	18	
1.8	0.3	10	20	
0.4	0.1	2	25	
0.2	0.0	1	32	
0.2	0.0	1	36	
0.2	0.0	1	50	
0.2	0.0	1	60	
0.5	0.1	3	100	
	80.1	2,376	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	4	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 412-414

MC17_5 # ARRESTS 12 MOS BEFORE: LARCENY

How many times were you arrested or sent to adult or juvenile court for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
61.0	11.4	339	0	
22.3	4.2	124	1	
8.5	1.6	47	2	
3.2	0.6	18	3	
1.1	0.2	6	4	
0.5	0.1	3	5	
1.1	0.2	6	6	
0.7	0.1	4	7	
0.4	0.1	2	8	
0.7	0.1	4	10	
0.2	0.0	1	13	
0.2	0.0	1	14	
0.2	0.0	1	19	
	80.1	2,376	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	3	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 415-416

MC15_6 EVER ARRESTED: PIMPING/PROST/VICE

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for pimping, prostitution, or commercialized vice?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.8	4.8	142	1	YES
95.2	94.4	2,799	2	NO
	0.5	16	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 417-418

MC16_6 # ARRESTS: PIMPING/PROST/VICE

How many times were you arrested or sent to adult or juvenile court for pimping, prostitution, or commercialized vice?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.0	1	0	
39.3	1.9	55	1	
17.1	0.8	24	2	
10.0	0.5	14	3	
6.4	0.3	9	4	
5.7	0.3	8	5	
2.1	0.1	3	6	
0.7	0.0	1	7	
2.9	0.1	4	8	
2.9	0.1	4	10	
0.7	0.0	1	12	
0.7	0.0	1	13	
2.9	0.1	4	15	
2.1	0.1	3	20	
0.7	0.0	1	27	
1.4	0.1	2	30	
0.7	0.0	1	35	
0.7	0.0	1	60	
2.1	0.1	3	100	
	94.3	2,798	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 419-421

MC17_6 #ARRESTS 12 MOS BEFORE:PIMPING/PROST/VIC

How many times were you arrested or sent to adult or juvenile court for pimping, prostitution, or commercialized vice in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
61.3	2.9	87	0	
16.2	0.8	23	1	
6.3	0.3	9	2	
4.9	0.2	7	3	
0.7	0.0	1	4	
1.4	0.1	2	5	
0.7	0.0	1	6	
0.7	0.0	1	7	
1.4	0.1	2	8	
2.1	0.1	3	10	
0.7	0.0	1	15	
0.7	0.0	1	22	
0.7	0.0	1	28	
1.4	0.1	2	30	
0.7	0.0	1	99	
	94.3	2,797	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 422-423

MC15_7 EVER ARRESTED: ROBBERY

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for robbery-bank, mugging, armed robbery, or purse statching with force?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.1	7.1	210	1	YES
92.9	92.2	2,734	2	NO
	0.5	14	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 424-425

MC16_7 # ARRESTS: ROBBERY

How many times were you arrested or sent to adult or juvenile court for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.0	0.1	2	0	
65.4	4.6	136	1	
16.8	1.2	35	2	
5.8	0.4	12	3	
4.3	0.3	9	4	
1.9	0.1	4	5	
1.9	0.1	4	6	
0.5	0.0	1	7	
0.5	0.0	1	8	
1.0	0.1	2	10	
0.5	0.0	1	12	
0.5	0.0	1	60	
	92.1	2,733	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 426-427

MC17_7 # ARRESTS 12 MOS BEFORE: ROBBERY

How many times were you arrested or sent to adult or juvenile court for robbery-bank, mugging, armed robbery, or purse snatching with force in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
81.6	5.7	169	0	
15.0	1.0	31	1	
1.4	0.1	3	2	
1.0	0.1	2	3	
0.5	0.0	1	4	
0.5	0.0	1	5	
	92.1	2,733	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 428-429

MC15_8 EVER ARRESTED: ATTACKS OF PERSONS

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.7	7.7	228	1	YES
92.3	91.6	2,716	2	NO
	0.4	13	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 430-431

MC16_8 # ARRESTS: ATTACKS ON PERSONS

How many times were you arrested or sent to adult or juvenile court for for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape,or kidnapping?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.0	1	0	
62.4	4.8	141	1	
17.3	1.3	39	2	
7.5	0.6	17	3	
3.1	0.2	7	4	
3.1	0.2	7	5	
1.8	0.1	4	6	
0.4	0.0	1	7	
0.9	0.1	2	9	
1.8	0.1	4	10	
0.4	0.0	1	12	
0.4	0.0	1	20	
0.4	0.0	1	40	
	91.5	2,713	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	4	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 432-433

MC17_8 #ARRESTS 12 MOS BEFORE:ATTACKS ON PERSON

How many times were you arrested or sent to adult or juvenile court for for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
69.8	5.2	155	0	
23.9	1.8	53	1	
5.0	0.4	11	2	
0.5	0.0	1	4	
0.5	0.0	1	6	
0.5	0.0	1	7	
	91.4	2,712	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	3	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 434-435

MC15_9 EVER ARRESTED: OTHER PEOPLE OFFENSES

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.0	7.9	235	1	YES
92.0	91.2	2,706	2	NO
	0.5	14	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 436-437

MC16_9 # ARRESTS: OTHER PEOPLE OFFENSES

How many times were you arrested or sent to adult or juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.0	1	0	
54.9	4.3	128	1	
22.7	1.8	53	2	
6.4	0.5	15	3	
2.6	0.2	6	4	
3.9	0.3	9	5	
1.7	0.1	4	6	
1.3	0.1	3	7	
0.4	0.0	1	9	
1.7	0.1	4	10	
0.4	0.0	1	11	
1.7	0.1	4	15	
0.4	0.0	1	25	
0.4	0.0	1	27	
0.9	0.1	2	50	
	91.2	2,704	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	3	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 438-439

MC17_9 #ARRESTS 12 MOS BEFORE:OTH PEOPLE OFFENS

How many times were you arrested or sent to adult or juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
63.9	5.0	149	0	
26.6	2.1	62	1	
6.0	0.5	14	2	
2.1	0.2	5	3	
0.4	0.0	1	5	
0.4	0.0	1	6	
0.4	0.0	1	7	
	91.2	2,704	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 440-441

MC15_10 EVER ARRESTED: DRIVING WHILE INTOXICATED

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for driving under the influence or driving while intoxicated?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.1	16.0	475	1	YES
83.9	83.2	2,469	2	NO
	0.4	13	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 442-443

MC16_10 # ARRESTS: DRIVING WHILE INTOXICATED

How many times were you arrested or sent to adult or juvenile court for driving under the influence or driving while intoxicated?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.1	2	0	
46.3	7.3	217	1	
23.9	3.8	112	2	
15.8	2.5	74	3	
4.7	0.7	22	4	
3.8	0.6	18	5	
1.5	0.2	7	6	
0.2	0.0	1	7	
0.2	0.0	1	8	
1.9	0.3	9	10	
0.4	0.1	2	12	
0.2	0.0	1	15	
0.2	0.0	1	20	
0.2	0.0	1	25	
0.2	0.0	1	28	
	83.2	2,468	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 444-445

MC17_10 # ARRESTS 12 MOS BEFORE: DRIV INTOXICATE

How many times were you arrested or sent to adult or juvenile court for driving under the influence or driving while intoxicated in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
60.7	9.6	284	0	
29.9	4.7	140	1	
6.0	0.9	28	2	
2.6	0.4	12	3	
0.2	0.0	1	4	
0.4	0.1	2	5	
0.2	0.0	1	10	
	83.2	2,468	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 446-447

MC15_11 EVER ARRESTED: STATUS OFFENSES

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for status offenses such as running away, curfew violations, truancy, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.7	4.7	138	1	YES
95.3	94.4	2,799	2	NO
	0.7	20	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 448-449

MC16_11 # ARRESTS: STATUS OFFENSES

How many times were you arrested or sent to adult or juvenile court for status offenses such as running away, curfew violations, truancy, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	0.2	5	0	
30.8	1.4	41	1	
21.8	1.0	29	2	
9.8	0.4	13	3	
6.0	0.3	8	4	
7.5	0.3	10	5	
2.3	0.1	3	6	
0.8	0.0	1	8	
6.8	0.3	9	10	
0.8	0.0	1	12	
0.8	0.0	1	13	
0.8	0.0	1	14	
1.5	0.1	2	15	
3.0	0.1	4	20	
0.8	0.0	1	25	
0.8	0.0	1	30	
0.8	0.0	1	35	
0.8	0.0	1	50	
0.8	0.0	1	75	
	94.2	2,794	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.2	7	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 450-451

MC17_11 # ARRESTS 12 MOS BEFORE: STATUS OFFENSE

How many times were you arrested or sent to adult or juvenile court for status offenses such as running away, curfew violations, truancy, etc in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
90.4	4.1	123	0	
5.1	0.2	7	1	
2.2	0.1	3	2	
1.5	0.1	2	3	
0.7	0.0	1	5	
	94.2	2,795	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 452-453

MC15_12 EVER ARRESTED: OTHER OFFENSES

Prior to your treatment, were you ever arrested or sent to adult or juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.1	21.7	643	1	YES
77.9	76.5	2,269	2	NO
	1.4	43	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 454-455

MC16_12 # ARRESTS: OTHER OFFENSES

How many times were you arrested or sent to adult or juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.9	0.2	6	0	
49.8	10.6	315	1	
17.4	3.7	110	2	
10.4	2.2	66	3	
4.6	1.0	29	4	
4.0	0.8	25	5	
1.3	0.3	8	6	
1.3	0.3	8	7	
1.3	0.3	8	8	
0.5	0.1	3	9	
2.4	0.5	15	10	
0.5	0.1	3	11	
1.6	0.3	10	12	
0.2	0.0	1	13	
0.2	0.0	1	14	
1.4	0.3	9	15	
0.2	0.0	1	17	
0.9	0.2	6	20	
0.2	0.0	1	22	
0.2	0.0	1	25	
0.2	0.0	1	30	
0.2	0.0	1	32	
0.2	0.0	1	35	
0.2	0.0	1	50	
0.2	0.0	1	57	
0.2	0.0	1	100	
	76.3	2,263	-9	LEGITIMATE SKIP
	1.9	55	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.2	7	-4	DONT KNOW
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 456-458

MC17_12 # ARRESTS 12 MOS BEFORE: OTHER OFFENSES

How many times were you arrested or sent to adult or juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc in the 12 months before admission?

PCT VALID	PCT ALL	N	VALUE	LABEL
54.0	11.5	340	0	
32.2	6.8	203	1	
9.0	1.9	57	2	
3.0	0.6	19	3	
0.5	0.1	3	4	
0.8	0.2	5	5	
0.2	0.0	1	8	
0.3	0.1	2	10	
	76.3	2,263	-9	LEGITIMATE SKIP
	2.0	60	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	4	-4	DONT KNOW
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 459-460

MC18 ILLEGAL ACTIVITY TO OBTAIN MONEY FOR DRU

In the past 12 months before admission, how often were you involved in "illegal" or criminal activity in order to get money for drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
51.8	51.5	1,528	0	NONE
5.7	5.7	169	1	LESS THAN ONE DAY A MONTH
6.0	5.9	176	2	1 TO 3 DAYS A MONTH
6.1	6.1	180	3	1 TO 2 DAYS A WEEK
6.4	6.4	189	4	3 TO 4 DAYS A WEEK
1.5	1.5	44	5	5 TO 6 DAYS A WEEK
17.8	17.7	526	6	DAILY OR ALMOST EVERY DAY
1.5	1.5	45	7	2 TO 3 TIMES A DAY
3.1	3.1	91	8	4 OR MORE TIMES A DAY
	0.3	9	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 461-462

MC19 THOUGHT OF SUICIDE IN 12 MOS BEFORE ADM

In the 12 months before admission, had you ever thought a lot about ending your life or committing suicide?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.8	24.7	734	1	YES
75.2	74.9	2,222	2	NO
	0.3	8	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 463-464

MC20 ATTEMPT SUICIDE IN 12 MOS BEFORE ADM

In the 12 months before admission, did you ever attempt suicide?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.6	8.5	252	1	YES
91.4	90.7	2,690	2	NO
	0.7	21	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 465-466

MC21 REGULAR MEDICATIONS FOR MENTAL PROBS

In the 12 months before admission, did you take any prescribed medications on a regular basis for a mental health or emotional problem?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.3	9.2	274	1	YES
90.7	90.2	2,675	2	NO
	0.5	15	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 467-468

MC22 PREGNANT AT TIME ENTERED TX

At the time you entered treatment, were you pregnant?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.5	2.6	76	1	YES
92.5	31.6	936	2	NO
	63.3	1,877	-9	LEGITIMATE SKIP
	2.5	74	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 469-470

MC22A PREGNANCY AFFECTED DECISION TO ENTER TX

Did being pregnant affect your decision to enter drug treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
57.5	1.7	50	1	YES
42.5	1.2	37	2	NO
	94.5	2,803	-9	LEGITIMATE SKIP
	2.5	73	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 471-472

SECTION D: EDUCATION AND TRAINING

MD1 HIGHEST GRADE OR YEAR OF SCHOOL ATTENDED

What is the highest grade or year of school you have attended?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	1	0	
0.0	0.0	1	1	
0.1	0.1	3	3	
0.1	0.1	3	4	
0.2	0.2	5	5	
0.4	0.4	13	6	
0.9	0.9	26	7	
2.6	2.6	77	8	
5.2	5.2	153	9	
11.1	11.1	330	10	
14.5	14.4	428	11	
34.8	34.8	1,031	12	
7.9	7.9	234	13	
11.8	11.8	349	14	
3.9	3.8	114	15	
4.3	4.3	128	16	
0.7	0.7	22	17	
0.8	0.8	25	18	
0.2	0.2	6	19	
0.4	0.4	11	20	
	0.1	4	-8	BLANK/MISSING
	0.1	2	-5	BAD DATA
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 473-474

MD1A **DID YOU COMPLETE THAT GRADE/YEAR?**

Did you complete that (grade/year)?

PCT VALID	PCT ALL	N	VALUE	LABEL
70.0	69.7	2,066	1	YES
30.0	29.8	885	2	NO
	0.5	14	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 475-476

MD2 **REC'D HIGH SCHOOL/GED DIPLOMA PAST 12 MO**

During the past 12 months, have you received a high school diploma or passed a high school equivalency (GED) test?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	5.2	155	1	YES
94.7	94.1	2,792	2	NO
	0.5	15	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 477-478

MD2A **WHICH ONE DID YOU GET?**

Which one did you get?

PCT VALID	PCT ALL	N	VALUE	LABEL
35.1	2.1	61	1	DIPLOMA
64.9	3.8	113	2	GED
	93.5	2,773	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 479-480

MD3_0 **NO OTHER DIPLOMAS RECEIVED PAST 12 MOS**

(Besides a high school diploma or a GED), what other diplomas, degrees, certificates, or licenses have you received during the past 12 months?

None.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	83.0	2,463	0	CIRCLED
	1.0	31	-9	LEGITIMATE SKIP
	15.8	470	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 481-482

MD3_1 JR COLLEGE/ASSOC DEGREE REC'D PAST 12 MO

(Besides a high school diploma or a GED), what other diplomas, degrees, certificates, or licenses have you received during the past 12 months?

Junior college degree or associate degree program.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.7	50	1	CIRCLED
	8.9	263	-9	LEGITIMATE SKIP
	89.4	2,651	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 483-484

MD3_2 BACHELOR DEGREE RECEIVED PAST 12 MOS

(Besides a high school diploma or a GED), what other diplomas, degrees, certificates, or licenses have you received during the past 12 months?

Bachelor's degree.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.3	38	2	CIRCLED
	9.0	267	-9	LEGITIMATE SKIP
	89.6	2,659	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 485-486

MD3_3 ADVANCE COLLEGE DEGREE REC'D PAST 12 MOS

(Besides a high school diploma or a GED), what other diplomas, degrees, certificates, or licenses have you received during the past 12 months?

Advanced college degree (Master's or Ph.D.).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.4	13	3	CIRCLED
	9.0	268	-9	LEGITIMATE SKIP
	90.5	2,683	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 487-488

MD3_4 VOC/TRADE SCHOOL CERTIF REC'D PAST 12 MO

(Besides a high school diploma or a GED), what other diplomas, degrees, certificates, or licenses have you received during the past 12 months?

Certificate from a vocational or trade school.

PCT VALID	PCT ALL	N	VALUE	LABEL
8.4	8.4	249	-9	LEGITIMATE SKIP
83.0	83.0	2,461	-8	BLANK/MISSING
0.0	0.0	0	-7	REFUSAL
0.0	0.0	0	-6	MULTIPLE RESPONSE
0.0	0.0	1	-5	BAD DATA
0.0	0.0	0	-4	DONT KNOW
0.1	0.1	2	-3	NOT APPLICABLE
0.0	0.0	0	-2	RESPONSE ILLEGIBLE
8.5	8.5	253	4	CIRCLED
100.0	100.0	2,966 cases		

Data type: numeric
Columns: 489-490

MD3_5 LICENSE T/PRACTCE TRADE REC'D PAST 12 MO

(Besides a high school diploma or a GED), what other diplomas, degrees, certificates, or licenses have you received during the past 12 months?

License to practice a trade.

PCT VALID	PCT ALL	N	VALUE	LABEL
8.8	8.8	260	-9	LEGITIMATE SKIP
88.1	88.1	2,614	-8	BLANK/MISSING
0.0	0.0	0	-7	REFUSAL
0.0	0.0	0	-6	MULTIPLE RESPONSE
0.0	0.0	0	-5	BAD DATA
0.0	0.0	0	-4	DONT KNOW
0.1	0.1	2	-3	NOT APPLICABLE
0.0	0.0	0	-2	RESPONSE ILLEGIBLE
3.0	3.0	90	5	CIRCLED
100.0	100.0	2,966 cases		

Data type: numeric
Columns: 491-492

MD3_6 OTHER DEGREE/LICENSE REC'D PAST 12 MOS

(Besides a high school diploma or a GED), what other diplomas, degrees, certificates, or licenses have you received during the past 12 months?

Other degree, license, etc.

PCT VALID	PCT ALL	N	VALUE	LABEL
8.9	8.9	263	-9	LEGITIMATE SKIP
88.5	88.5	2,625	-8	BLANK/MISSING
0.0	0.0	0	-7	REFUSAL
0.0	0.0	0	-6	MULTIPLE RESPONSE
0.0	0.0	0	-5	BAD DATA
0.0	0.0	0	-4	DONT KNOW
0.1	0.1	2	-3	NOT APPLICABLE
0.0	0.0	0	-2	RESPONSE ILLEGIBLE
2.6	2.6	76	6	CIRCLED
100.0	100.0	2,966 cases		

Data type: numeric
Columns: 493-494

MD4 **CURRENTLY ENROLLED TO RECEIVE DEGREE**

Are you currently enrolled in any schools, colleges, or programs from which you will receive any degrees or diplomas?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.8	9.8	291	1	YES
90.2	90.0	2,670	2	NO
	0.1	3	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 495-496

MD4A_1 **ENROLLED IN MIDDLE SCHOOL**

What schools or programs?

Middle school (Junior High).

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	CIRCLED
	99.8	2,959	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 497-498

MD4A_2 ENROLLED IN ADULT BASIC EDUCATION

What schools or programs?

Adult basic education (ABE).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.3	10	2	CIRCLED
	99.4	2,949	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 499-500

MD4A_3 ENROLLED IN GED/HIGH SCHOOL EQUIVALENCY

What schools or programs?

GED or High School equivalency.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.0	59	3	CIRCLED
	97.8	2,900	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 501-502

MD4A_4 ENROLLED IN HIGH SCHOOL PROGRAM

What schools or programs?

High School program.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	2	4	CIRCLED
	99.7	2,957	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 503-504

MD4A_5 ENROLLED IN JUNIOR COLLEGE

What schools or programs?

Junior (2-year) college or associate degree program.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.7	81	5	CIRCLED
	97.0	2,878	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 505-506

MD4A_6 ENROLLED IN 4-YEAR COLLEGE

What schools or programs?

4-year college or universtiy degree program.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.3	39	6	CIRCLED
	98.4	2,920	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 507-508

MD4A_7 ENROLLED IN GRADUATE DEGREE PROGRAM

What schools or programs?

Graduate degree program.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.3	8	7	CIRCLED
	99.5	2,951	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 509-510

MD4A_8 ENROLLED IN TECH/TRADE/VOC SCHOOL

What schools or programs?

Technical / trade / vocational school.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.4	70	8	CIRCLED
	97.4	2,889	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 511-512

MD4A_11 ENROLLED IN OTHER PROGRAM

What schools or programs?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.7	20	11	CIRCLED
	99.1	2,939	-9	LEGITIMATE SKIP
	0.1	4	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 513-514

MD5 GET PLACES NOT WITHIN WALKING DISTANCE

How do you usually get to places that are not within walking distance?

PCT VALID	PCT ALL	N	VALUE	LABEL
41.3	40.2	1,192	1	DRIVE
42.6	41.5	1,231	2	PUBLIC TRANSPORTATION
11.7	11.4	337	3	RIDE FROM FAMILY/FRIEND
0.8	0.8	23	4	TAXICAB
3.7	3.6	106	5	OTHER
	0.6	19	-8	BLANK/MISSING
	1.5	45	-6	MULTIPLE RESPONSE
	0.4	13	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 515-516

MD6 EVER HAD A DRIVER'S LICENSE

Have you ever had a driver's license?

PCT VALID	PCT ALL	N	VALUE	LABEL
77.2	77.1	2,287	1	YES
22.8	22.8	675	2	NO
	0.1	3	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 517-518

MD6A **HAVE A CURRENT DRIVER'S LICENSE**

Do you have a current, valid driver's license?

PCT VALID	PCT ALL	N	VALUE	LABEL
59.5	45.9	1,360	1	YES
40.5	31.3	927	2	NO
	22.6	669	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 519-520

MD6B **HAD DRIVER'S LICENSE IN PAST 12 MOS**

Have you had a valid driver's license at any time during the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
26.9	10.0	298	1	YES
73.1	27.3	809	2	NO
	62.3	1,848	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 521-522

MD6C **DAYS W/VALID DRIVERS LICENSE**

2,966 cases (Range of valid codes: 0-365)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1973-1975

MD6D **STATUS OF LICENSE WHEN LICENSE NOT VALID**

During the time that you did not have a valid license, was your driver's license...?

PCT VALID	PCT ALL	N	VALUE	LABEL
31.6	10.9	323	1	EXPIRED
52.4	18.1	536	2	SUSPENDED
15.9	5.5	163	3	REVOKED
	63.1	1,871	-9	LEGITIMATE SKIP
	2.0	59	-8	BLANK/MISSING
	0.2	7	-6	MULTIPLE RESPONSE
	0.1	3	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 523-524

MD7 **HAVE VEHICLE AVAILABLE DURING PAST 12 MO**

During the past 12 months, has there been a dependable vehicle, such as a car, truck, or motorcycle, available for you to use...?

PCT VALID	PCT ALL	N	VALUE	LABEL
39.4	39.1	1,160	0	NONE
19.3	19.2	569	1	SOME
41.3	41.0	1,217	2	ALL OF THE TIME
	0.3	10	-8	BLANK/MISSING
	0.3	10	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 525-526

SECTION E: DRUGS, ALCOHOL, AND TOBACCO USE

ME1 DRINK ANY ALCOHOL DURING PAST 12 MOS

Now, I'd like to ask about any drugs, alcohol, and tobacco you may have used during the past 12 months. Remember, when I say "past 12 months," I am talking about the time highlighted in pink on this calendar.

During the past 12 months, did you drink any alcohol? (Alcohol beverages include beer, wine, wine coolers, and hard liquor, such as whiskey, and mixed drinks.)

PCT VALID	PCT ALL	N	VALUE	LABEL
55.2	55.2	1,636	1	YES
44.8	44.8	1,329	2	NO
	0.0	1	-8	BLANK/MISSING
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 527-528

ME2 # WEEKS AFTER TX TOOK FIRST DRINK

How long after you left (completed) treatment did you first take a drink?

2,966 cases (Range of valid codes: 0-99)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 529-530

ME3 FREQ OF ALCOHOL USE PAST 12 MOS

How often have you used alcohol in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	0.8	25	0	NOT AT ALL, NONE
26.2	14.4	426	1	LESS THAN 1 DAY A MONTH
18.6	10.2	303	2	1 TO 3 DAYS A MONTH
23.0	12.6	374	3	1 TO 2 DAYS A WEEK
11.9	6.5	194	4	3 TO 4 DAYS A WEEK
2.7	1.5	44	5	5 TO 6 DAYS A WEEK
11.8	6.5	192	6	DAILY OR ALMOST EVERY DAY
1.4	0.8	23	7	2 TO 3 TIMES A DAY
1.3	0.7	21	8	4 OR MORE TIMES A DAY
1.4	0.8	23	9	OTHER
	44.4	1,318	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.1	2	-5	BAD DATA
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 531-532

ME4 # OF WEEKS AGO LAST USED ALCOHOL

When did you last use it?

2,966 cases (Range of valid codes: 0-90)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 533-534

ME5 # DAYS DRANK ALCOHOL PAST 30 DAYS

In the past 30 days, on how many days did you drink any alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
29.3	16.0	475	0	
11.0	6.0	178	1	
7.7	4.2	125	2	
5.9	3.2	96	3	
6.4	3.5	104	4	
4.6	2.5	74	5	
3.3	1.8	53	6	
2.0	1.1	32	7	
4.1	2.2	66	8	
0.6	0.3	9	9	
3.6	2.0	59	10	
1.5	0.8	25	12	
0.2	0.1	3	13	
1.1	0.6	17	14	
3.4	1.9	55	15	
0.5	0.3	8	16	
0.1	0.1	2	17	
0.2	0.1	4	18	
3.6	2.0	59	20	
0.2	0.1	4	21	
0.2	0.1	3	22	
0.1	0.1	2	23	
0.4	0.2	7	24	
1.1	0.6	17	25	
0.1	0.0	1	26	
0.2	0.1	3	27	
0.7	0.4	12	28	
0.1	0.0	1	29	
7.7	4.2	125	30	
	45.1	1,339	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 535-536

ME6 # DRINKS HAD EACH DAY DRANK PAST 12 MOS

During the past 12 months, about how many alcoholic drinks did you usually have on each day you drank?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.9	0.5	14	0	
17.3	9.5	281	1	
15.4	8.4	250	2	
12.5	6.8	203	3	
8.5	4.7	138	4	
3.5	1.9	56	5	
20.7	11.3	336	6	
1.2	0.7	20	7	
2.0	1.1	32	8	
0.6	0.3	9	9	
2.8	1.6	46	10	
0.1	0.0	1	11	
6.9	3.8	112	12	
0.2	0.1	3	13	
0.1	0.1	2	14	
0.3	0.2	5	15	
0.1	0.1	2	16	
0.1	0.0	1	17	
0.5	0.3	8	18	
0.1	0.0	1	19	
1.5	0.8	25	20	
0.1	0.0	1	23	
3.5	1.9	57	24	
0.1	0.0	1	25	
0.1	0.0	1	26	
0.4	0.2	6	30	
0.1	0.0	1	33	
0.1	0.1	2	36	
0.1	0.1	2	40	
0.2	0.1	3	48	
0.1	0.1	2	72	
	45.0	1,336	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 537-538

ME7 # OF DAYS DRUNK DURING PAST 12 MOS

On how many days were you drunk during the past 12 months?

2,966 cases (Range of valid codes: 0-365)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 539-541

ME8 DRUNK SEVERAL DAYS IN ROW PAST 12 MOS

During the past 12 months, were you ever drunk for several days in a row?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.8	7.2	213	1	YES
80.2	29.1	863	2	NO
	63.4	1,881	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 542-543

ME9 HAVE D.T.'S AT ANY TIME PAST 12 MOS

During the past 12 months, did you have alcohol d.t.'s (or delirium tremens) at any time?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.9	3.2	95	1	YES
94.1	51.4	1,525	2	NO
	45.1	1,337	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 544-545

ME10 RELAPSE OF ALCOHOL USE IN PAST 12 MOS

Did your alcohol use in the past 12 months lead to a relapse in the use of drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.5	18.3	544	1	YES
66.5	36.3	1,078	2	NO
	45.1	1,337	-9	LEGITIMATE SKIP
	0.2	5	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 546-547

ME11 EVER HAD PROBS BECAUSE OF DRINKING

Alcohol can sometimes cause problems for people. Have you ever had any problems because of your drinking?

PCT VALID	PCT ALL	N	VALUE	LABEL
45.1	25.0	742	1	YES
54.9	30.4	902	2	NO
	44.5	1,319	-9	LEGITIMATE SKIP
	0.1	2	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 548-549

ME12 TROUBLED BY ALCOHOL PROBS PAST 12 MOS

How troubled or bothered have you been in the past 12 months by an alcohol problem? Would you say ...

PCT VALID	PCT ALL	N	VALUE	LABEL
41.5	12.1	360	0	NOT AT ALL
23.6	6.9	205	1	SLIGHTLY
13.5	3.9	117	2	MODERATELY
12.3	3.6	107	3	CONSIDERABLY
9.0	2.6	78	4	EXTREMELY
	70.5	2,091	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 550-551

ME13 IMPORTANCE OF COUNSELNG FOR ALCOHOL PROB

How important to you now is treatment or counseling for your alcohol problem?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.3	11.8	350	0	NOT AT ALL
14.9	4.3	129	1	SLIGHTLY
11.1	3.2	96	2	MODERATELY
8.8	2.6	76	3	CONSIDERABLY
25.0	7.3	217	4	EXTREMELY
	70.4	2,089	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 552-553

ME14 CURRENTLY SMOKE CIGARETTES

Now, I'd like to ask you about your use of tobacco. Do you currently smoke cigarettes?

PCT VALID	PCT ALL	N	VALUE	LABEL
78.6	77.6	2,302	1	YES
21.4	21.1	625	2	NO
	1.2	35	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 554-555

ME14A # OF CIGARETTES SMOKED PER DAY

About how many cigarettes do you smoke per day?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.6	12.3	364	1	LESS THAN 1/2 PACK A DAY
28.5	22.4	665	2	ABOUT 1/2 PACK A DAY
38.2	30.1	893	3	ABOUT A PACK A DAY
10.4	8.2	243	4	ABOUT 1 1/2 PACKS A DAY
7.3	5.8	171	5	ABOUT 2 PACKS OR MORE A DAY
	20.9	621	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 556-557

ME15_0 DO NOT USE TOBACCO PRODUCTS

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

None.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	93.9	2,786	0	CIRCLED
	4.8	143	-9	LEGITIMATE SKIP
	1.1	34	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 558-559

ME15_1 SMOKE CIGARS

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Cigars.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.8	82	1	CIRCLED
	96.0	2,847	-9	LEGITIMATE SKIP
	1.2	36	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 560-561

ME15_2 SMOKE A PIPE

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Pipe.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.7	22	2	CIRCLED
	98.0	2,907	-9	LEGITIMATE SKIP
	1.2	36	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 562-563

ME15_3 USE SMOKELESS TOBACCO OR SNUFF

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Smokeless tobacco or snuff.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.0	60	3	CIRCLED
	96.7	2,869	-9	LEGITIMATE SKIP
	1.2	36	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 564-565

ME16_20 USED PAST 12 MOS: MARIJUANA, HASHISH, TH

During the past 12 months, have you used marijuana, hashish, or THC?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.9	27.8	826	1	YES
72.1	72.1	2,138	2	NO
	0.1	2	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 566-567

ME17_20 1ST USE(WKS POST-TX):MARIJ., HASHISH, TH

How long after you left (completed) treatment did you first use marijuana, hashish, or THC?

2,966 cases (Range of valid codes: 0-99)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 568-569

ME18_20 ROUTE: MARIJUANA,HASHISH,THC

How did you usually take marijuana, hashish, or THC during these past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	0.4	11	1	BY MOUTH
97.2	26.9	798	2	BY SMOKING IT
1.2	0.3	10	3	BY INHALING,SNORTING,OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.1	0.0	1	6	BY FREEBASING
0.1	0.0	1	7	SOME OTHER WAY
	72.1	2,138	-9	LEGITIMATE SKIP
	0.2	7	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 570-571

ME19_20 FREQ PAST YR: MARIJUANA, HASHISH, THC

On the average, how often did you use marijuana, hashish, or THC in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
32.1	8.9	263	1	LESS THAN ONCE A MONTH
24.4	6.7	200	2	1 TO 3 TIMES A MONTH
16.5	4.6	135	3	1 TO 2 TIMES A WEEK
8.7	2.4	71	4	3 TO 4 TIMES A WEEK
2.9	0.8	24	5	5 TO 6 TIMES A WEEK
11.2	3.1	92	6	DAILY OR ALMOST EVERY DAY
2.0	0.5	16	7	2 TO 3 TIMES A DAY
1.1	0.3	9	8	4 OR MORE TIMES A DAY
1.1	0.3	9	9	OTHER
	72.1	2,138	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 572-573

ME20_20 MOST RECENT USE (WK):MARIJ., HASHISH, TH

When was the most recent time you used marijuana, hashish, or THC?

2,966 cases (Range of valid codes: 0-96)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 574-575

ME21_20 MOST RECENT FREQ: MARIJUANA, HASHISH, TH

About how often were you using marijuana, hashish, or THC during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
31.1	8.4	250	1	LESS THAN ONCE A MONTH
19.3	5.2	155	2	1 TO 3 TIMES A MONTH
18.5	5.0	149	3	1 TO 2 TIMES A WEEK
6.5	1.8	52	4	3 TO 4 TIMES A WEEK
2.2	0.6	18	5	5 TO 6 TIMES A WEEK
14.6	3.9	117	6	DAILY OR ALMOST EVERY DAY
4.4	1.2	35	7	2 TO 3 TIMES A DAY
2.2	0.6	18	8	4 OR MORE TIMES A DAY
1.2	0.3	10	9	OTHER
	72.1	2,138	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.2	6	-5	BAD DATA
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 576-577

ME16_30 USED PAST 12 MOS: HALLUCINOGENS

During the past 12 months, have you used halluncinogens or psyshcedelics, such as LSD, DMT, mascaline, PCP, MDS, or STP?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.2	2.2	64	1	YES
97.8	97.3	2,887	2	NO
	0.5	15	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 578-579

ME17_30 1ST USE (WKS POST-TX): HALLUCINOGENS

How long after you left (completed) treatment did you first use halluncinogens or psyshcedelics, such as LSD, DMT, mascaline, PCP, MDS, or STP?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	0.0	1	0	
9.3	0.2	5	1	
7.4	0.1	4	2	
1.9	0.0	1	3	
7.4	0.1	4	4	
3.7	0.1	2	6	
7.4	0.1	4	8	
1.9	0.0	1	9	
7.4	0.1	4	12	
1.9	0.0	1	16	
3.7	0.1	2	18	
3.7	0.1	2	20	
1.9	0.0	1	22	
1.9	0.0	1	24	
3.7	0.1	2	28	
3.7	0.1	2	30	
5.6	0.1	3	32	
3.7	0.1	2	34	
3.7	0.1	2	36	
1.9	0.0	1	39	
5.6	0.1	3	40	
1.9	0.0	1	42	
3.7	0.1	2	50	
1.9	0.0	1	52	
1.9	0.0	1	56	
1.9	0.0	1	60	
	97.3	2,887	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 580-581

ME18_30 ROUTE: HALLUCINOGENS

How did you usually take halluncinogens or psyshcedelics, such as LSD, DMT, mascaline, PCP, MDS, or STPduring these past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
57.9	1.1	33	1	BY MOUTH
36.8	0.7	21	2	BY SMOKING IT
3.5	0.1	2	3	BY INHALING,SNORTING,OR SNIFFING IT
1.8	0.0	1	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	97.3	2,887	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 582-583

ME19_30 FREQ PAST YEAR: HALLUCINOGENS

On the average, how often did you use halluncinogens or psyshcedelics, such as LSD, DMT, mascaline, PCP, MDS, or STP in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
57.1	1.1	32	1	LESS THAN ONCE A MONTH
16.1	0.3	9	2	1 TO 3 TIMES A MONTH
5.4	0.1	3	3	1 TO 2 TIMES A WEEK
7.1	0.1	4	4	3 TO 4 TIMES A WEEK
1.8	0.0	1	5	5 TO 6 TIMES A WEEK
7.1	0.1	4	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
3.6	0.1	2	8	4 OR MORE TIMES A DAY
1.8	0.0	1	9	OTHER
	97.3	2,887	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 584-585

ME20_30 MOST RECENT USE (WK): HALLUCINOGENS

When was the most recent time you used halluncinogens or psyshcedelics, such as LSD, DMT, mascaline, PCP, MDS, or STP?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.1	0.1	4	0	
8.9	0.2	5	1	
5.4	0.1	3	2	
5.4	0.1	3	3	
5.4	0.1	3	4	
3.6	0.1	2	6	
1.8	0.0	1	8	
12.5	0.2	7	12	
1.8	0.0	1	13	
3.6	0.1	2	16	
1.8	0.0	1	17	
7.1	0.1	4	20	
1.8	0.0	1	22	
1.8	0.0	1	24	
3.6	0.1	2	26	
1.8	0.0	1	28	
5.4	0.1	3	32	
1.8	0.0	1	34	
3.6	0.1	2	36	
3.6	0.1	2	40	
1.8	0.0	1	42	
1.8	0.0	1	44	
1.8	0.0	1	49	
1.8	0.0	1	52	
1.8	0.0	1	56	
3.6	0.1	2	60	
	97.3	2,887	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 586-587

ME21_30 MOST RECENT FREQ: HALLUCINOGENS

About how often were you using halluncinogens or psyshcedelics, such as LSD, DMT, mascaline, PCP, MDS, or STP during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
57.1	1.1	32	1	LESS THAN ONCE A MONTH
10.7	0.2	6	2	1 TO 3 TIMES A MONTH
10.7	0.2	6	3	1 TO 2 TIMES A WEEK
3.6	0.1	2	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
12.5	0.2	7	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
3.6	0.1	2	8	4 OR MORE TIMES A DAY
1.8	0.0	1	9	OTHER
	97.3	2,887	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.1	2	-5	BAD DATA
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 588-589

ME16_31 USED PAST 12 MOS: PCP

During the past 12 months, have you used PCP?

PCT VALID	PCT ALL	N	VALUE	LABEL
29.0	0.7	20	1	YES
71.0	1.7	49	2	NO
	97.2	2,882	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 590-591

ME20_31 MOST RECENT USE (WK): PCP

When was the most recent time you used PCP?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.3	0.1	2	0	PAST WEEK
21.4	0.1	3	1	1 WEEK AGO
0.0	0.0	0	2	2 WEEKS AGO...
7.1	0.0	1	3	
7.1	0.0	1	4	
21.4	0.1	3	12	
7.1	0.0	1	32	
7.1	0.0	1	40	
7.1	0.0	1	42	
7.1	0.0	1	52	
	98.8	2,929	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 592-593

ME21_31 MOST RECENT FREQ: PCP

About how often were you using PCP during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
58.3	0.2	7	1	LESS THAN ONCE A MONTH
8.3	0.0	1	2	1 TO 3 TIMES A MONTH
25.0	0.1	3	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
8.3	0.0	1	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	98.8	2,930	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 594-595

ME16_32 USED PAST 12 MOS: LSD

During the past 12 months, have you used LSD?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.6	0.9	26	1	YES
59.4	1.3	38	2	NO
	97.3	2,885	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 596-597

ME20_32 MOST RECENT USE (WK): LSD

When was the most recent time you used LSD?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.5	0.0	1	0	PAST WEEK
4.5	0.0	1	1	1 WEEK AGO
0.0	0.0	0	2	2 WEEKS AGO...
9.1	0.1	2	3	
13.6	0.1	3	4	
4.5	0.0	1	6	
13.6	0.1	3	12	
4.5	0.0	1	13	
9.1	0.1	2	16	
4.5	0.0	1	20	
4.5	0.0	1	24	
4.5	0.0	1	26	
4.5	0.0	1	28	
4.5	0.0	1	32	
4.5	0.0	1	34	
4.5	0.0	1	42	
4.5	0.0	1	62	
	98.5	2,922	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 598-599

ME21_32 MOST RECENT FREQ: LSD

About how often were you using LSD during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
59.1	0.4	13	1	LESS THAN ONCE A MONTH
4.5	0.0	1	2	1 TO 3 TIMES A MONTH
13.6	0.1	3	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
18.2	0.1	4	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
4.5	0.0	1	9	OTHER
	98.5	2,922	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 600-601

ME16_40 USED PAST 12 MOS: COCAINE

During the past 12 months, have you used cocaine in any form, including crack?

PCT VALID	PCT ALL	N	VALUE	LABEL
37.6	37.5	1,113	1	YES
62.4	62.2	1,846	2	NO
	0.2	7	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 602-603

ME17_40 1ST USE (WKS POST-TX): COCAINE

How long after you left (completed) treatment did you first use cocaine in any form, including crack?

2,966 cases (Range of valid codes: 0-82)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 604-605

ME18_40 ROUTE: COCAINE

How did you usually take cocaine in any form, including crack during these past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.1	2	1	BY MOUTH
56.5	19.8	588	2	BY SMOKING IT
19.1	6.7	199	3	BY INHALING,SNORTING,OR SNIFFING IT
18.1	6.3	188	4	BY INJECTING IT INTO A VEIN
1.7	0.6	18	5	BY INJECTING IT SOMEWHERE ELSE
4.3	1.5	45	6	BY FREEBASING
0.1	0.0	1	7	SOME OTHER WAY
	62.2	1,845	-9	LEGITIMATE SKIP
	2.1	62	-8	BLANK/MISSING
	0.4	12	-6	MULTIPLE RESPONSE
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 606-607

ME19_40 FREQ PAST YEAR: COCAINE

On the average, how often did you use cocaine in any form, including crack in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.0	8.5	251	1	LESS THAN ONCE A MONTH
20.2	7.1	211	2	1 TO 3 TIMES A MONTH
18.3	6.5	192	3	1 TO 2 TIMES A WEEK
13.0	4.6	136	4	3 TO 4 TIMES A WEEK
2.2	0.8	23	5	5 TO 6 TIMES A WEEK
14.3	5.1	150	6	DAILY OR ALMOST EVERY DAY
2.1	0.7	22	7	2 TO 3 TIMES A DAY
3.8	1.3	40	8	4 OR MORE TIMES A DAY
2.1	0.7	22	9	OTHER
	62.2	1,845	-9	LEGITIMATE SKIP
	2.1	63	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 608-609

ME20_40 MOST RECENT USE (WK): COCAINE

When was the most recent time you used cocaine in any form, including crack?

2,966 cases (Range of valid codes: 0-64)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 610-611

ME21_40 MOST RECENT FREQ: COCAINE

About how often were you using cocaine in any form, including crack during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.9	8.1	240	1	LESS THAN ONCE A MONTH
17.0	6.0	178	2	1 TO 3 TIMES A MONTH
17.7	6.2	185	3	1 TO 2 TIMES A WEEK
12.1	4.3	127	4	3 TO 4 TIMES A WEEK
1.6	0.6	17	5	5 TO 6 TIMES A WEEK
17.0	6.0	178	6	DAILY OR ALMOST EVERY DAY
3.9	1.4	41	7	2 TO 3 TIMES A DAY
6.4	2.3	67	8	4 OR MORE TIMES A DAY
1.4	0.5	15	9	OTHER
	62.2	1,845	-9	LEGITIMATE SKIP
	2.1	63	-8	BLANK/MISSING
	0.1	3	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 612-613

ME16_41 USED PAST 12 MOS: CRACK ONLY

During the past 12 months, have you used crack only?

PCT VALID	PCT ALL	N	VALUE	LABEL
57.9	21.2	628	1	YES
42.1	15.4	457	2	NO
	62.2	1,844	-9	LEGITIMATE SKIP
	1.2	37	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 614-615

ME20_41 MOST RECENT USE (WK): CRACK ONLY

When was the most recent time you used crack only?

2,966 cases (Range of valid codes: 0-64)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 616-617

ME21_41 MOST RECENT FREQ: CRACK

About how often were you using crack only during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.8	4.1	121	1	LESS THAN ONCE A MONTH
16.9	3.0	90	2	1 TO 3 TIMES A MONTH
17.1	3.1	91	3	1 TO 2 TIMES A WEEK
11.3	2.0	60	4	3 TO 4 TIMES A WEEK
1.9	0.3	10	5	5 TO 6 TIMES A WEEK
16.4	2.9	87	6	DAILY OR ALMOST EVERY DAY
4.7	0.8	25	7	2 TO 3 TIMES A DAY
7.5	1.3	40	8	4 OR MORE TIMES A DAY
1.3	0.2	7	9	OTHER
	77.4	2,296	-9	LEGITIMATE SKIP
	4.3	128	-8	BLANK/MISSING
	0.1	2	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 618-619

ME16_42 USED PAST 12 MOS: COCAINE/NOT CRACK

During the past 12 months, have you used any cocaine other than crack?

PCT VALID	PCT ALL	N	VALUE	LABEL
35.4	12.8	380	1	YES
64.6	23.4	694	2	NO
	62.2	1,845	-9	LEGITIMATE SKIP
	1.6	47	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 620-621

ME20_42 MOST RECENT USE (WK): COCAINE/NOT CRACK

When was the most recent time you used any cocaine other than crack?

2,966 cases (Range of valid codes: 0-70)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 622-623

ME21_42 MOST RECENT FREQ: COCAINE/NOT CRACK

About how often were you using any cocaine other than crack during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
31.5	3.5	104	1	LESS THAN ONCE A MONTH
15.8	1.8	52	2	1 TO 3 TIMES A MONTH
17.9	2.0	59	3	1 TO 2 TIMES A WEEK
11.8	1.3	39	4	3 TO 4 TIMES A WEEK
1.2	0.1	4	5	5 TO 6 TIMES A WEEK
9.7	1.1	32	6	DAILY OR ALMOST EVERY DAY
3.9	0.4	13	7	2 TO 3 TIMES A DAY
6.4	0.7	21	8	4 OR MORE TIMES A DAY
1.8	0.2	6	9	OTHER
	85.5	2,536	-9	LEGITIMATE SKIP
	3.2	95	-8	BLANK/MISSING
	0.1	4	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 624-625

ME16_50 USED PAST 12 MOS: HEROIN

During the past 12 months, have you used heroin alone or with other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.4	17.4	515	1	YES
82.6	82.4	2,443	2	NO
	0.3	8	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 626-627

ME17_50 1ST USE (WKS POST-TX): HEROIN

How long after you left (completed) treatment did you first use heroin alone or with other drugs?

2,966 cases (Range of valid codes: 0-73)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 628-629

ME18_50 ROUTE: HEROIN

How did you usually take heroin alone or with other drugs during these past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.8	0.1	4	1	BY MOUTH
2.0	0.3	10	2	BY SMOKING IT
26.8	4.4	131	3	BY INHALING,SNORTING,OR SNIFFING IT
62.6	10.3	306	4	BY INJECTING IT INTO A VEIN
7.4	1.2	36	5	BY INJECTING IT SOMEWHERE ELSE
0.2	0.0	1	6	BY FREEBASING
0.2	0.0	1	7	SOME OTHER WAY
	82.4	2,443	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 630-631

ME19_50 FREQ PAST YEAR: HEROIN

On the average, how often did you use heroin alone or with other drugs in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.6	4.2	124	1	LESS THAN ONCE A MONTH
15.7	2.6	76	2	1 TO 3 TIMES A MONTH
12.2	2.0	59	3	1 TO 2 TIMES A WEEK
9.5	1.6	46	4	3 TO 4 TIMES A WEEK
2.5	0.4	12	5	5 TO 6 TIMES A WEEK
23.7	3.9	115	6	DAILY OR ALMOST EVERY DAY
5.6	0.9	27	7	2 TO 3 TIMES A DAY
3.1	0.5	15	8	4 OR MORE TIMES A DAY
2.3	0.4	11	9	OTHER
	82.4	2,443	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 632-633

ME20_50 MOST RECENT USE (WK): HEROIN

When was the most recent time you used heroin alone or with other drugs?

2,966 cases (Range of valid codes: 0-89)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 634-635

ME21_50 MOST RECENT FREQ: HEROIN

About how often were you using heroin alone or with other drugs during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.0	4.5	132	1	LESS THAN ONCE A MONTH
12.9	2.1	63	2	1 TO 3 TIMES A MONTH
11.9	2.0	58	3	1 TO 2 TIMES A WEEK
8.2	1.3	40	4	3 TO 4 TIMES A WEEK
1.6	0.3	8	5	5 TO 6 TIMES A WEEK
26.6	4.4	130	6	DAILY OR ALMOST EVERY DAY
7.8	1.3	38	7	2 TO 3 TIMES A DAY
3.1	0.5	15	8	4 OR MORE TIMES A DAY
1.0	0.2	5	9	OTHER
	82.4	2,443	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.1	4	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 636-637

ME16_51 USED PAST 12 MOS: HEROIN AND COCAINE

During the past 12 months, have you used heroin and cocaine together at the same time (crank, speedball)?

PCT VALID	PCT ALL	N	VALUE	LABEL
39.4	6.7	199	1	YES
60.6	10.3	306	2	NO
	73.4	2,176	-9	LEGITIMATE SKIP
	9.6	285	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 638-639

ME20_51 MOST RECENT USE (WK): HEROIN AND COCAINE

When was the most recent time you used heroin and cocaine together at the same time (crank, speedball)?

2,966 cases (Range of valid codes: 0-56)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 640-641

ME21_51 MOST RECENT FREQ: HEROIN AND COCAINE

About how often were you using heroin and cocaine together at the same time (crank, speedball) during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.4	1.9	56	1	LESS THAN ONCE A MONTH
14.7	0.8	24	2	1 TO 3 TIMES A MONTH
16.0	0.9	26	3	1 TO 2 TIMES A WEEK
6.1	0.3	10	4	3 TO 4 TIMES A WEEK
0.6	0.0	1	5	5 TO 6 TIMES A WEEK
19.6	1.1	32	6	DAILY OR ALMOST EVERY DAY
1.8	0.1	3	7	2 TO 3 TIMES A DAY
5.5	0.3	9	8	4 OR MORE TIMES A DAY
1.2	0.1	2	9	OTHER
	83.7	2,482	-9	LEGITIMATE SKIP
	10.8	319	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 642-643

ME16_60 USED PAST 12 MOS: NARCOTICS OR OPIATES

During the past 12 months, have you used narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, or Talwin?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.7	7.7	228	1	YES
92.3	91.7	2,720	2	NO
	0.6	18	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 644-645

ME17_60 1ST USE (WKS POST-TX): NARCOTICS/OPIATES

How long after you left (completed) treatment did you first use narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, or Talwin?

2,966 cases (Range of valid codes: 0-94)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 646-647

ME18_60 ROUTE: NARCOTICS OR OPIATES

How did you usually take narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, or Talwin during these past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
71.5	5.2	153	1	BY MOUTH
1.4	0.1	3	2	BY SMOKING IT
0.5	0.0	1	3	BY INHALING,SNORTING,OR SNIFFING IT
21.5	1.6	46	4	BY INJECTING IT INTO A VEIN
4.7	0.3	10	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.5	0.0	1	7	SOME OTHER WAY
	91.7	2,720	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 648-649

ME19_60 FREQ PAST YR: NARCOTICS OR OPIATES

On the average, how often did you use narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, or Talwin in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
39.2	2.8	82	1	LESS THAN ONCE A MONTH
14.4	1.0	30	2	1 TO 3 TIMES A MONTH
11.0	0.8	23	3	1 TO 2 TIMES A WEEK
4.8	0.3	10	4	3 TO 4 TIMES A WEEK
2.4	0.2	5	5	5 TO 6 TIMES A WEEK
14.8	1.0	31	6	DAILY OR ALMOST EVERY DAY
3.3	0.2	7	7	2 TO 3 TIMES A DAY
3.8	0.3	8	8	4 OR MORE TIMES A DAY
6.2	0.4	13	9	OTHER
	91.7	2,720	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 650-651

ME20_60 MOST RECENT USE (WK): NARCOTICS/OPIATES

When was the most recent time you used narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, or Talwin?

2,966 cases (Range of valid codes: 0-82)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 652-653

ME21_60 MOST RECENT FREQ: NARCOTICS OR OPIATES

About how often were you using narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, or Talwin during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
32.1	2.3	68	1	LESS THAN ONCE A MONTH
9.0	0.6	19	2	1 TO 3 TIMES A MONTH
10.4	0.7	22	3	1 TO 2 TIMES A WEEK
3.8	0.3	8	4	3 TO 4 TIMES A WEEK
1.4	0.1	3	5	5 TO 6 TIMES A WEEK
22.6	1.6	48	6	DAILY OR ALMOST EVERY DAY
9.4	0.7	20	7	2 TO 3 TIMES A DAY
7.5	0.5	16	8	4 OR MORE TIMES A DAY
3.8	0.3	8	9	OTHER
	91.7	2,720	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 654-655

ME16_61 USED PAST 12 MOS: METHADONE

During the past 12 months, have you used street or illegal methadone?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.1	1.5	45	1	YES
79.9	6.0	179	2	NO
	91.6	2,717	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 656-657

ME20_61 MOST RECENT USE (WK): METHADONE

When was the most recent time you used street or illegal methadone?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.9	0.1	4	0	PAST WEEK
20.0	0.3	9	1	1 WEEK AGO
2.2	0.0	1	2	2 WEEKS AGO...
2.2	0.0	1	3	
6.7	0.1	3	4	
2.2	0.0	1	6	
11.1	0.2	5	8	
2.2	0.0	1	9	
11.1	0.2	5	12	
2.2	0.0	1	14	
4.4	0.1	2	15	
4.4	0.1	2	16	
2.2	0.0	1	19	
4.4	0.1	2	24	
2.2	0.0	1	26	
2.2	0.0	1	30	
2.2	0.0	1	32	
2.2	0.0	1	34	
2.2	0.0	1	36	
2.2	0.0	1	40	
2.2	0.0	1	49	
	97.6	2,894	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 658-659

ME21_61 MOST RECENT FREQ: METHADONE

About how often were you using street or illegal methadone during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
55.8	0.8	24	1	LESS THAN ONCE A MONTH
11.6	0.2	5	2	1 TO 3 TIMES A MONTH
9.3	0.1	4	3	1 TO 2 TIMES A WEEK
2.3	0.0	1	4	3 TO 4 TIMES A WEEK
2.3	0.0	1	5	5 TO 6 TIMES A WEEK
11.6	0.2	5	6	DAILY OR ALMOST EVERY DAY
4.7	0.1	2	7	2 TO 3 TIMES A DAY
2.3	0.0	1	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	97.6	2,895	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 660-661

ME16_62 USED PAST 12 MOS: DILAUDID

During the past 12 months, have you used Dilaudid?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.2	1.7	50	1	YES
77.8	5.9	175	2	NO
	91.6	2,716	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 662-663

ME20_62 MOST RECENT USE (WK): DILAUDID

When was the most recent time you used Dilaudid?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.4	0.2	5	0	PAST WEEK
4.5	0.1	2	1	1 WEEK AGO
0.0	0.0	0	2	2 WEEKS AGO...
4.5	0.1	2	3	
4.5	0.1	2	4	
2.3	0.0	1	5	
2.3	0.0	1	6	
2.3	0.0	1	7	
9.1	0.1	4	8	
9.1	0.1	4	12	
6.8	0.1	3	16	
2.3	0.0	1	18	
2.3	0.0	1	22	
2.3	0.0	1	23	
4.5	0.1	2	24	
9.1	0.1	4	26	
4.5	0.1	2	30	
6.8	0.1	3	32	
2.3	0.0	1	34	
2.3	0.0	1	40	
2.3	0.0	1	42	
4.5	0.1	2	50	
	97.4	2,890	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DONT KNOW
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 664-665

ME21_62 MOST RECENT FREQ: DILAUDID

About how often were you using Dilaudid during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
59.1	0.9	26	1	LESS THAN ONCE A MONTH
13.6	0.2	6	2	1 TO 3 TIMES A MONTH
11.4	0.2	5	3	1 TO 2 TIMES A WEEK
2.3	0.0	1	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
6.8	0.1	3	6	DAILY OR ALMOST EVERY DAY
6.8	0.1	3	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	97.5	2,891	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 666-667

ME16_70 USED PAST 12 MOS: DOWNERS OR DEPRESSANT

During the past 12 months, have you used downers or depressants, such as sedatives, barbiturates, or tranquilizers?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.1	7.1	210	1	YES
92.9	92.8	2,753	2	NO
	0.1	3	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 668-669

ME17_70 1ST USE (WKS POST-TX):DOWNERS/DEPRESSANT

How long after you left (completed) treatment did you first use downers or depressants, such as sedatives, barbiturates, or tranquilizers?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.2	0.9	27	0	
19.2	1.1	32	1	
3.6	0.2	6	2	
3.0	0.2	5	3	
5.4	0.3	9	4	
1.8	0.1	3	6	
6.6	0.4	11	8	
1.8	0.1	3	10	
9.0	0.5	15	12	
3.0	0.2	5	16	
0.6	0.0	1	17	
3.6	0.2	6	20	
0.6	0.0	1	22	
0.6	0.0	1	23	
3.0	0.2	5	24	
2.4	0.1	4	26	
1.2	0.1	2	28	
1.2	0.1	2	30	
0.6	0.0	1	32	
1.8	0.1	3	34	
1.8	0.1	3	36	
1.2	0.1	2	40	
0.6	0.0	1	42	
1.2	0.1	2	44	
1.2	0.1	2	48	
4.8	0.3	8	52	
1.2	0.1	2	55	
1.8	0.1	3	56	
0.6	0.0	1	63	
0.6	0.0	1	64	
	92.8	2,753	-9	LEGITIMATE SKIP
	1.1	34	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	0.2	7	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 670-671

ME18_70 ROUTE: DOWNERS OR DEPRESSANTS

How did you usually take downers or depressants, such as sedatives, barbiturates, or tranquilizers during these past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.6	5.8	172	1	BY MOUTH
2.2	0.1	4	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING,SNORTING,OR SNIFFING IT
1.1	0.1	2	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
1.1	0.1	2	7	SOME OTHER WAY
	92.8	2,753	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 672-673

ME19_70 FREQ PAST YEAR: DOWNERS OR DEPRESSANTS

On the average, how often did you use downers or depressants, such as sedatives, barbiturates, or tranquilizers in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
32.4	2.0	58	1	LESS THAN ONCE A MONTH
19.6	1.2	35	2	1 TO 3 TIMES A MONTH
11.2	0.7	20	3	1 TO 2 TIMES A WEEK
5.6	0.3	10	4	3 TO 4 TIMES A WEEK
3.9	0.2	7	5	5 TO 6 TIMES A WEEK
16.8	1.0	30	6	DAILY OR ALMOST EVERY DAY
5.6	0.3	10	7	2 TO 3 TIMES A DAY
1.7	0.1	3	8	4 OR MORE TIMES A DAY
3.4	0.2	6	9	OTHER
	92.8	2,753	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 674-675

ME20_70 MOST RECENT USE (WK): DOWNERS/DEPRESSANT

When was the most recent time you used downers or depressants, such as sedatives, barbiturates, or tranquilizers?

2,966 cases (Range of valid codes: 0-82)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 676-677

ME21_70 MOST RECENT FREQ: DOWNERS OR DEPRESSANTS

About how often were you using downers or depressants, such as sedatives, barbiturates, or tranquilizers during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
32.8	2.0	59	1	LESS THAN ONCE A MONTH
15.6	0.9	28	2	1 TO 3 TIMES A MONTH
15.6	0.9	28	3	1 TO 2 TIMES A WEEK
4.4	0.3	8	4	3 TO 4 TIMES A WEEK
1.7	0.1	3	5	5 TO 6 TIMES A WEEK
21.1	1.3	38	6	DAILY OR ALMOST EVERY DAY
5.6	0.3	10	7	2 TO 3 TIMES A DAY
2.2	0.1	4	8	4 OR MORE TIMES A DAY
1.1	0.1	2	9	OTHER
	92.8	2,753	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 678-679

ME16_71 USED PAST 12 MOS: SEDATIVES

During the past 12 months, have you used sedatives or sleeping pills, such as Doriden, Noludar, Quaalude, or Sopor?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.6	1.7	50	1	YES
75.4	5.2	153	2	NO
	92.8	2,751	-9	LEGITIMATE SKIP
	0.4	12	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 680-681

ME16_72 USED PAST 12 MOS: BARBITURATES

During the past 12 months, have you used barbiturates, such as Nembutal, Seconal, or Tuinal?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.9	0.9	26	1	YES
87.1	5.9	176	2	NO
	92.8	2,752	-9	LEGITIMATE SKIP
	0.4	12	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 682-683

ME16_73 USED PAST 12 MOS: BENZODIAZEPINES

During the past 12 months, have you used benzodiazepines, such as Valium, Librium, or others?

PCT VALID	PCT ALL	N	VALUE	LABEL
67.8	4.7	139	1	YES
32.2	2.2	66	2	NO
	92.8	2,752	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 684-685

ME16_74 USED PAST 12 MOS: OTHER TRANQUILIZERS

During the past 12 months, have you used other tranquilizers?

PCT VALID	PCT ALL	N	VALUE	LABEL
18.9	1.3	38	1	YES
81.1	5.5	163	2	NO
	92.8	2,751	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 686-687

ME16_75 USED PAST 12 MOS: ANOTHER DEPRESSANT

During the past 12 months, have you used another depressant?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.2	1.1	33	1	YES
83.8	5.8	171	2	NO
	92.6	2,747	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 688-689

ME16_80 USED PAST 12 MOS: AMPHETAMINES

During the past 12 months, have you used amphetamines or other stimulants, speed, or diet pills?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.9	3.9	116	1	YES
96.1	95.8	2,841	2	NO
	0.3	9	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 690-691

ME17_80 1ST USE (WKS POST-TX): AMPHETAMINES

How long after you left (completed) treatment did you first use amphetamines or other stimulants, speed, or diet pills?

2,966 cases (Range of valid codes: 0-81)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 692-693

ME18_80 ROUTE: AMPHETAMINES

How did you usually take amphetamines or other stimulants, speed, or diet pills during these past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.9	0.8	24	1	BY MOUTH
8.6	0.3	9	2	BY SMOKING IT
36.2	1.3	38	3	BY INHALING,SNORTING,OR SNIFFING IT
31.4	1.1	33	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
1.0	0.0	1	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	95.8	2,841	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 694-695

ME19_80 FREQ PAST YEAR: AMPHETAMINES

On the average, how often did you use amphetamines or other stimulants, speed, or diet pills in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
38.1	1.3	40	1	LESS THAN ONCE A MONTH
25.7	0.9	27	2	1 TO 3 TIMES A MONTH
12.4	0.4	13	3	1 TO 2 TIMES A WEEK
2.9	0.1	3	4	3 TO 4 TIMES A WEEK
1.0	0.0	1	5	5 TO 6 TIMES A WEEK
11.4	0.4	12	6	DAILY OR ALMOST EVERY DAY
2.9	0.1	3	7	2 TO 3 TIMES A DAY
3.8	0.1	4	8	4 OR MORE TIMES A DAY
1.9	0.1	2	9	OTHER
	95.8	2,841	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 696-697

ME20_80 MOST RECENT USE (WK): AMPHETAMINES

When was the most recent time you used amphetamines or other stimulants, speed, or diet pills?

2,966 cases (Range of valid codes: 0-98)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 698-699

ME21_80 MOST RECENT FREQ: AMPHETAMINES

About how often were you using amphetamines or other stimulants, speed, or diet pills during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.6	1.2	37	1	LESS THAN ONCE A MONTH
23.4	0.8	25	2	1 TO 3 TIMES A MONTH
17.8	0.6	19	3	1 TO 2 TIMES A WEEK
2.8	0.1	3	4	3 TO 4 TIMES A WEEK
0.9	0.0	1	5	5 TO 6 TIMES A WEEK
10.3	0.4	11	6	DAILY OR ALMOST EVERY DAY
1.9	0.1	2	7	2 TO 3 TIMES A DAY
4.7	0.2	5	8	4 OR MORE TIMES A DAY
3.7	0.1	4	9	OTHER
	95.8	2,841	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 700-701

ME16_81 USED PAST 12 MOS: METHAMPHETAMINES

During the past 12 months, have you used methamphetamines?

PCT VALID	PCT ALL	N	VALUE	LABEL
59.1	2.2	65	1	YES
40.9	1.5	45	2	NO
	95.7	2,837	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 702-703

ME20_81 MOST RECENT USE (WK): METHAMPHETAMINES

When was the most recent time you used methamphetamines?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.8	0.2	6	0	PAST WEEK
4.9	0.1	3	1	1 WEEK AGO
4.9	0.1	3	2	2 WEEKS AGO...
3.3	0.1	2	3	
6.6	0.1	4	4	
1.6	0.0	1	6	
3.3	0.1	2	8	
3.3	0.1	2	9	
1.6	0.0	1	10	
6.6	0.1	4	12	
1.6	0.0	1	15	
1.6	0.0	1	16	
3.3	0.1	2	20	
1.6	0.0	1	21	
3.3	0.1	2	22	
1.6	0.0	1	24	
6.6	0.1	4	28	
1.6	0.0	1	29	
3.3	0.1	2	30	
3.3	0.1	2	32	
1.6	0.0	1	33	
3.3	0.1	2	36	
1.6	0.0	1	39	
3.3	0.1	2	40	
1.6	0.0	1	41	
1.6	0.0	1	42	
1.6	0.0	1	45	
3.3	0.1	2	48	
3.3	0.1	2	52	
3.3	0.1	2	56	
1.6	0.0	1	98	
	97.1	2,881	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 704-705

ME21_81 MOST RECENT FREQ: METHAMPHETAMINES

About how often were you using methamphetamines during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.4	0.7	21	1	LESS THAN ONCE A MONTH
16.4	0.3	10	2	1 TO 3 TIMES A MONTH
18.0	0.4	11	3	1 TO 2 TIMES A WEEK
3.3	0.1	2	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
11.5	0.2	7	6	DAILY OR ALMOST EVERY DAY
3.3	0.1	2	7	2 TO 3 TIMES A DAY
8.2	0.2	5	8	4 OR MORE TIMES A DAY
4.9	0.1	3	9	OTHER
	97.1	2,881	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 706-707

ME16_90 USED PAST 12 MOS: OTHER DRUGS

During the past 12 months, have you used any other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.0	7.0	208	1	YES
93.0	92.5	2,743	2	NO
	0.5	15	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 708-709

ME17_90 1ST USE (WKS POST-TX): OTHER DRUGS

How long after you left (completed) treatment did you first use any other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
43.4	1.4	43	0	
10.1	0.3	10	1	
2.0	0.1	2	2	
2.0	0.1	2	3	
2.0	0.1	2	4	
1.0	0.0	1	5	
3.0	0.1	3	8	
1.0	0.0	1	10	
1.0	0.0	1	12	
1.0	0.0	1	15	
2.0	0.1	2	16	
1.0	0.0	1	19	
3.0	0.1	3	24	
2.0	0.1	2	25	
3.0	0.1	3	26	
2.0	0.1	2	28	
3.0	0.1	3	32	
1.0	0.0	1	34	
1.0	0.0	1	37	
1.0	0.0	1	38	
1.0	0.0	1	39	
1.0	0.0	1	42	
1.0	0.0	1	44	
1.0	0.0	1	49	
1.0	0.0	1	50	
1.0	0.0	1	51	
2.0	0.1	2	52	
1.0	0.0	1	56	
3.0	0.1	3	64	
1.0	0.0	1	65	
1.0	0.0	1	82	
	92.5	2,743	-9	LEGITIMATE SKIP
	3.9	117	-8	BLANK/MISSING
	0.1	2	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
	0.0	1	-2	RESPONSE ILLEGIBLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 710-711

ME18_90 ROUTE: OTHER DRUGS

How did you usually take any other drugs during these past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.2	3.4	102	1	BY MOUTH
2.8	0.1	3	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING,SNORTING,OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.9	0.0	1	7	SOME OTHER WAY
	92.5	2,743	-9	LEGITIMATE SKIP
	3.8	114	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 712-713

ME19_90 FREQ PAST YEAR: OTHER DRUGS

On the average, how often did you use any other drugs in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.3	0.4	12	1	LESS THAN ONCE A MONTH
5.7	0.2	6	2	1 TO 3 TIMES A MONTH
4.7	0.2	5	3	1 TO 2 TIMES A WEEK
1.9	0.1	2	4	3 TO 4 TIMES A WEEK
0.9	0.0	1	5	5 TO 6 TIMES A WEEK
48.1	1.7	51	6	DAILY OR ALMOST EVERY DAY
9.4	0.3	10	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
17.9	0.6	19	9	OTHER
	92.5	2,743	-9	LEGITIMATE SKIP
	3.8	114	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 714-715

ME20_90 MOST RECENT USE (WK): OTHER DRUGS

When was the most recent time you used any other drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
54.8	2.1	63	0	PAST WEEK
7.0	0.3	8	1	1 WEEK AGO
0.9	0.0	1	2	2 WEEKS AGO...
0.9	0.0	1	3	
3.5	0.1	4	4	
1.7	0.1	2	6	
0.9	0.0	1	7	
1.7	0.1	2	8	
1.7	0.1	2	9	
0.9	0.0	1	10	
3.5	0.1	4	12	
1.7	0.1	2	14	
0.9	0.0	1	15	
1.7	0.1	2	16	
0.9	0.0	1	22	
0.9	0.0	1	23	
1.7	0.1	2	26	
0.9	0.0	1	28	
1.7	0.1	2	30	
0.9	0.0	1	31	
0.9	0.0	1	32	
0.9	0.0	1	34	
0.9	0.0	1	36	
0.9	0.0	1	38	
0.9	0.0	1	39	
0.9	0.0	1	42	
0.9	0.0	1	46	
0.9	0.0	1	49	
0.9	0.0	1	50	
1.7	0.1	2	52	
0.9	0.0	1	62	
0.9	0.0	1	73	
	92.5	2,743	-9	LEGITIMATE SKIP
	3.6	106	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 716-717

ME21_90 MOST RECENT FREQ: OTHER DRUGS

About how often were you using any other drugs during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.2	0.3	9	1	LESS THAN ONCE A MONTH
3.6	0.1	4	2	1 TO 3 TIMES A MONTH
8.2	0.3	9	3	1 TO 2 TIMES A WEEK
3.6	0.1	4	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
55.5	2.1	61	6	DAILY OR ALMOST EVERY DAY
18.2	0.7	20	7	2 TO 3 TIMES A DAY
2.7	0.1	3	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	92.5	2,743	-9	LEGITIMATE SKIP
	3.6	107	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 718-719

ME16_91 USED PAST 12 MOS: INHALANTS

During the past 12 months, have you used inhalants, such as glue, gasoline, or paint thinner?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	0.1	3	1	YES
98.5	6.6	197	2	NO
	92.3	2,737	-9	LEGITIMATE SKIP
	1.0	29	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 720-721

ME20_91 MOST RECENT USE (WK): INHALANTS

When was the most recent time you used inhalants, such as glue, gasoline, or paint thinner?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	PAST WEEK
0.0	0.0	0	1	1 WEEK AGO
0.0	0.0	0	2	2 WEEKS AGO...
100.0	0.0	1	33	
	98.9	2,934	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 722-723

ME21_91 MOST RECENT FREQ: INHALANTS

About how often were you using inhalants, such as glue, gasoline, or paint thinner during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	LESS THAN ONCE A MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
100.0	0.0	1	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 TO 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
0.0	0.0	0	9	OTHER
	98.9	2,934	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 724-725

ME16_92 USED PAST 12 MOS: ANOTHER DRUG

During the past 12 months, have you used another drug?

PCT VALID	PCT ALL	N	VALUE	LABEL
87.1	6.4	189	1	YES
12.9	0.9	28	2	NO
	92.1	2,731	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 726-727

ME20_92 MOST RECENT USE (WK): ANOTHER DRUG

When was the most recent time you used another drug?

2,966 cases (Range of valid codes: 0-73)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 728-729

ME21_92 MOST RECENT FREQ: ANOTHER DRUG

About how often were you using another drug during this most recent period of use?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.0	0.4	12	1	LESS THAN ONCE A MONTH
3.5	0.2	6	2	1 TO 3 TIMES A MONTH
7.0	0.4	12	3	1 TO 2 TIMES A WEEK
4.7	0.3	8	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
57.9	3.3	99	6	DAILY OR ALMOST EVERY DAY
17.0	1.0	29	7	2 TO 3 TIMES A DAY
2.3	0.1	4	8	4 OR MORE TIMES A DAY
0.6	0.0	1	9	OTHER
	93.0	2,758	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-5	BAD DATA
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 730-731

ME22_1 FIRST DRUG USED DURING PAST 3 DAYS

During the past 3 days, have you used (NAME OF DRUG)?
First mention.

PCT VALID	PCT ALL	N	VALUE	LABEL
45.3	14.2	421	0	NOT USED IN PAST 3 DAYS
21.9	6.8	203	20	MARIJUANA, HASHISH OR THC
0.3	0.1	3	30	HALLUCINOGENS OR PSYCHEDELICS
0.1	0.0	1	31	PCP
0.0	0.0	0	32	LSD
8.0	2.5	74	40	COCAINE IN ANY FORM, INCLUDING CRACK
5.7	1.8	53	41	CRACK ONLY
0.9	0.3	8	42	ANY COCAINE OTHER THAN CRACK
7.6	2.4	71	50	HEROIN ALONE OR WITH OTHER DRUGS
0.1	0.0	1	51	HEROIN AND COCAINE TOGETHER
1.3	0.4	12	60	NARCOTICS OR OPIATES
0.1	0.0	1	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	DILAUDID
0.8	0.2	7	70	DOWNERS OR DEPRESSANTS
0.3	0.1	3	71	SEDATIVES OR SLEEPING PILLS
0.1	0.0	1	72	BARBITURATES
0.8	0.2	7	73	BENZODIAZEPINES
0.1	0.0	1	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.2	0.1	2	80	AMPHETAMINES OR OTHER STIMULANTS
0.2	0.1	2	81	METHAMPHETAMINES
1.3	0.4	12	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
5.0	1.6	46	92	ANOTHER DRUG
	67.7	2,009	-9	LEGITIMATE SKIP
	0.9	26	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 732-733

ME22_2 SECOND DRUG USED DURING PAST 3 DAYS

During the past 3 days, have you used (NAME OF DRUG)?
Second mention.

PCT VALID	PCT ALL	N	VALUE	LABEL
53.0	8.1	241	0	NOT USED IN PAST 3 DAYS
2.0	0.3	9	20	MARIJUANA, HASHISH OR THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS
0.2	0.0	1	31	PCP
0.2	0.0	1	32	LSD
14.9	2.3	68	40	COCAINE IN ANY FORM,INCLUDING CRACK
9.5	1.4	43	41	CRACK ONLY
2.4	0.4	11	42	ANY COCAINE OTHER THAN CRACK
7.0	1.1	32	50	HEROIN ALONE OR WITH OTHER DRUGS
0.4	0.1	2	51	HEROIN AND COCAINE TOGETHER
0.2	0.0	1	60	NARCOTICS OR OPIATES
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	DILAUDID
1.3	0.2	6	70	DOWNERS OR DEPRESSANTS
0.2	0.0	1	71	SEDATIVES OR SLEEPING PILLS
0.0	0.0	0	72	BARBITURATES
0.2	0.0	1	73	BENZODIAZEPINES
0.4	0.1	2	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.9	0.1	4	80	AMPHETAMINES OR OTHER STIMULANTS
0.2	0.0	1	81	METHAMPHETAMINES
2.9	0.4	13	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
4.0	0.6	18	92	ANOTHER DRUG
	83.7	2,483	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 734-735

ME22_3 THIRD DRUG USED DURING PAST 3 DAYS

During the past 3 days, have you used (NAME OF DRUG)?
Third mention.

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	5.1	152	0	NOT USED IN PAST 3 DAYS
3.1	0.2	7	20	MARIJUANA, HASHISH OR THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS
0.0	0.0	0	31	PCP
0.0	0.0	0	32	LSD
1.8	0.1	4	40	COCAINE IN ANY FORM,INCLUDING CRACK
6.1	0.5	14	41	CRACK ONLY
3.5	0.3	8	42	ANY COCAINE OTHER THAN CRACK
7.5	0.6	17	50	HEROIN ALONE OR WITH OTHER DRUGS
1.8	0.1	4	51	HEROIN AND COCAINE TOGETHER
1.8	0.1	4	60	NARCOTICS OR OPIATES
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	DILAUDID
1.3	0.1	3	70	DOWNERS OR DEPRESSANTS
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS
0.0	0.0	0	72	BARBITURATES
0.0	0.0	0	73	BENZODIAZEPINES
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.9	0.1	2	75	ANOTHER DEPRESSANT
0.4	0.0	1	80	AMPHETAMINES OR OTHER STIMULANTS
0.0	0.0	0	81	METHAMPHETAMINES
1.8	0.1	4	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
3.5	0.3	8	92	ANOTHER DRUG
	91.4	2,710	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 736-737

ME22_4 FOURTH DRUG USED DURING PAST 3 DAYS

During the past 3 days, have you used (NAME OF DRUG)?
Fourth mention.

PCT VALID	PCT ALL	N	VALUE	LABEL
70.3	2.8	83	0	NOT USED IN PAST 3 DAYS
0.0	0.0	0	20	MARIJUANA, HASHISH OR THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS
0.0	0.0	0	31	PCP
0.0	0.0	0	32	LSD
1.7	0.1	2	40	COCAINE IN ANY FORM,INCLUDING CRACK
2.5	0.1	3	41	CRACK ONLY
0.0	0.0	0	42	ANY COCAINE OTHER THAN CRACK
3.4	0.1	4	50	HEROIN ALONE OR WITH OTHER DRUGS
4.2	0.2	5	51	HEROIN AND COCAINE TOGETHER
3.4	0.1	4	60	NARCOTICS OR OPIATES
0.8	0.0	1	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	DILAUDID
5.9	0.2	7	70	DOWNERS OR DEPRESSANTS
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS
0.0	0.0	0	72	BARBITURATES
0.8	0.0	1	73	BENZODIAZEPINES
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	ANOTHER DEPRESSANT
0.0	0.0	0	80	AMPHETAMINES OR OTHER STIMULANTS
0.8	0.0	1	81	METHAMPHETAMINES
3.4	0.1	4	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
2.5	0.1	3	92	ANOTHER DRUG
	95.1	2,820	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 738-739

ME23 PAST 12 MOS DRUG WHICH CAUSED MOST PROBS

During the past 12 months, what type of drug that you used caused you the most serious problems, such as problems with family, friends, or the law; problems feeling dependent on the drug; or health or emotional problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
39.6	27.1	805	0	NO PROBS
3.1	2.2	64	10	ALCOHOL
2.4	1.6	48	20	MARIJUANA, HASHISH OR THC
0.3	0.2	6	30	HALLUCINOGENS OR PSYCHEDELICS
0.2	0.2	5	31	PCP
0.0	0.0	0	32	LSD
12.6	8.6	256	40	COCAINE IN ANY FORM,INCLUDING CRACK
21.8	14.9	443	41	CRACK ONLY
1.1	0.8	23	42	ANY COCAINE OTHER THAN CRACK
13.7	9.4	279	50	HEROIN ALONE OR WITH OTHER DRUGS
1.0	0.7	20	51	HEROIN AND COCAINE TOGETHER
0.9	0.6	18	60	NARCOTICS OR OPIATES
0.1	0.1	2	61	STREET OR ILLEGAL METHADONE
0.1	0.1	2	62	DILAUDID
0.3	0.2	6	70	DOWNERS OR DEPRESSANTS
0.0	0.0	1	71	SEDATIVES OR SLEEPING PILLS
0.0	0.0	1	72	BARBUTYRATES
0.2	0.1	4	73	BENZODIAZEPINES
0.0	0.0	1	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	OTHER DEPRESSANTS
1.1	0.7	22	80	AMPHETAMINES OR OTHER STIMULANTS
0.7	0.5	14	81	METHAMPHETAMINES
0.3	0.2	7	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
0.4	0.3	8	92	ANOTHER DRUG
	26.6	788	-9	LEGITIMATE SKIP
	4.5	132	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.2	6	-5	BAD DATA
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 740-741

ME24 PAST 12 MOS HOW PROB DRUG USED

In the past 12 months, when you used (PROBLEM DRUG), did you generally use it...?

PCT VALID	PCT ALL	N	VALUE	LABEL
39.6	17.1	508	1	BY YOURSELF
52.7	22.8	677	2	WITH 1 OR 2 OTHER PEOPLE
7.7	3.3	99	3	IN A GROUP
	52.3	1,551	-9	LEGITIMATE SKIP
	4.0	119	-8	BLANK/MISSING
	0.3	9	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 742-743

ME25 WHERE DID YOU USUALLY TAKE DRUGS?

Where did you usually take drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
45.0	19.0	564	1	AT HOME
33.7	14.3	423	2	AT FRIENDS/RELATIVES HOME
1.9	0.8	24	3	AT A SHOOTING GALLERY
9.3	3.9	117	4	ON THE STREET
4.0	1.7	50	5	IN A MOTOR VEHICLE
6.1	2.6	76	6	SOME OTHER PLACE
	52.3	1,551	-9	LEGITIMATE SKIP
	3.9	116	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	1.4	41	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 744-745

ME26 LONGEST # DAYS W/O USING PROB DRUG

2,966 cases (Range of valid codes: 0-365)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1976-1978

ME27 OTHER DRUGS CAUSE PROBS PAST 12 MOS

You said that (PROBLEM DRUG) caused you the most serious problems. During the past 12 months, did using any other drug cause you to have problems (such as problems with family, friends, or the law; problems feeling dependent on the drug; or health or emotional problems)?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.5	8.4	250	1	YES
80.5	34.9	1,035	2	NO
	52.2	1,549	-9	LEGITIMATE SKIP
	4.4	131	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 746-747

ME27A1 DRUG CAUSED 2ND MOST PROBS PAST 12 MOS

Which drug caused you the next most serious problems during the past 12 months? Second drug mentioned.

PCT VALID	PCT ALL	N	VALUE	LABEL
24.2	2.1	63	10	ALCOHOL
5.8	0.5	15	20	MARIJUANA, HASHISH OR THC
0.4	0.0	1	30	HALLUCINOGENS OR PSYCHEDELICS
0.4	0.0	1	31	PCP
0.4	0.0	1	32	LSD
25.8	2.3	67	40	COCAINE IN ANY FORM,INCLUDING CRACK
7.3	0.6	19	41	CRACK ONLY
1.2	0.1	3	42	ANY COCAINE OTHER THAN CRACK
21.5	1.9	56	50	HEROIN ALONE OR WITH OTHER DRUGS
0.8	0.1	2	51	HEROIN AND COCAINE TOGETHER
2.3	0.2	6	60	NARCOTICS OR OPIATES
0.4	0.0	1	61	STREET OR ILLEGAL METHADONE
0.4	0.0	1	62	DILAUDID
1.5	0.1	4	70	DOWNERS OR DEPRESSANTS
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS
0.4	0.0	1	72	BARBUTYRATES
1.5	0.1	4	73	BENZODIAZEPINES
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.4	0.0	1	75	OTHER DEPRESSANTS
1.5	0.1	4	80	AMPHETAMINES OR OTHER STIMULANTS
1.9	0.2	5	81	METHAMPHETAMINES
0.8	0.1	2	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
1.2	0.1	3	92	ANOTHER DRUG
	86.8	2,575	-9	LEGITIMATE SKIP
	4.3	129	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 748-749

ME27A2 DRUG CAUSED 3RD MOST PROBS PAST 12 MOS

Which drug caused you the next most serious problems during the past 12 months? Third drug mentioned.

PCT VALID	PCT ALL	N	VALUE	LABEL
18.4	0.3	9	10	ALCOHOL
14.3	0.2	7	20	MARIJUANA, HASHISH OR THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS
0.0	0.0	0	31	PCP
0.0	0.0	0	32	LSD
18.4	0.3	9	40	COCAINE IN ANY FORM,INCLUDING CRACK
6.1	0.1	3	41	CRACK ONLY
4.1	0.1	2	42	ANY COCAINE OTHER THAN CRACK
8.2	0.1	4	50	HEROIN ALONE OR WITH OTHER DRUGS
2.0	0.0	1	51	HEROIN AND COCAINE TOGETHER
6.1	0.1	3	60	NARCOTICS OR OPIATES
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	DILAUDID
6.1	0.1	3	70	DOWNERS OR DEPRESSANTS
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS
0.0	0.0	0	72	BARBUTYRATES
6.1	0.1	3	73	BENZODIAZEPINES
0.0	0.0	0	74	OTHER TRANQUILIZERS
4.1	0.1	2	75	OTHER DEPRESSANTS
2.0	0.0	1	80	AMPHETAMINES OR OTHER STIMULANTS
2.0	0.0	1	81	METHAMPHETAMINES
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
2.0	0.0	1	92	ANOTHER DRUG
	87.1	2,584	-9	LEGITIMATE SKIP
	11.2	332	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 750-751

ME27A3 DRUG CAUSED 4TH MOST PROBS PAST 12 MOS

Which drug caused you the next most serious problems during the past 12 months? Fourth drug mentioned.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	10	ALCOHOL
14.3	0.0	1	20	MARIJUANA, HASHISH OR THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS
0.0	0.0	0	31	PCP
0.0	0.0	0	32	LSD
28.6	0.1	2	40	COCAINE IN ANY FORM,INCLUDING CRACK
28.6	0.1	2	41	CRACK ONLY
0.0	0.0	0	42	ANY COCAINE OTHER THAN CRACK
0.0	0.0	0	50	HEROIN ALONE OR WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN AND COCAINE TOGETHER
0.0	0.0	0	60	NARCOTICS OR OPIATES
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	62	DILAUDID
0.0	0.0	0	70	DOWNERS OR DEPRESSANTS
0.0	0.0	0	71	SEDATIVES OR SLEEPING PILLS
0.0	0.0	0	72	BARBUTYRATES
0.0	0.0	0	73	BENZODIAZEPINES
0.0	0.0	0	74	OTHER TRANQUILIZERS
0.0	0.0	0	75	OTHER DEPRESSANTS
0.0	0.0	0	80	AMPHETAMINES OR OTHER STIMULANTS
14.3	0.0	1	81	METHAMPHETAMINES
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
14.3	0.0	1	92	ANOTHER DRUG
	87.2	2,585	-9	LEGITIMATE SKIP
	12.6	373	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 752-753

ME28 AMOUNT SPENT ON DRUGS PAST 12 MOS

About how much would you say you spent on drugs for your own nonmedical use during the past 12 months?

2,966 cases (Range of valid codes: 0-360,000)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 754-759

ME29 OVERDOSED ON DRUGS PAST 12 MOS

In the past 12 months, have you OD'd on drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.3	3.1	93	1	YES
95.7	69.2	2,051	2	NO
	26.9	798	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 760-761

ME29A # OF TIMES OD'D PAST 12 MOS

How many times have you OD'd in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	0.2	5	0	
62.1	2.0	59	1	
20.0	0.6	19	2	
6.3	0.2	6	3	
4.2	0.1	4	4	
1.1	0.0	1	15	
1.1	0.0	1	99	
	96.0	2,846	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 762-763

ME30 USED DRUGS W/WORKS AFTER ANYONE ELSE

In the past 12 months, did you use drugs with a needle, a syringe, or "works" to shoot up drugs after anyone else had used it?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.0	7.2	213	1	YES
90.0	64.7	1,920	2	NO
	26.9	798	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 764-765

ME30A_1 #TIMES USD WORKS AFTER SEX PARTNER/SPOUS

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after your regular sexual partner or spouse had used it?

PCT VALID	PCT ALL	N	VALUE	LABEL
64.6	4.1	122	0	
4.2	0.3	8	1	
3.7	0.2	7	2	
1.6	0.1	3	3	
1.6	0.1	3	5	
0.5	0.0	1	7	
1.1	0.1	2	8	
2.6	0.2	5	10	
1.1	0.1	2	12	
1.1	0.1	2	15	
2.1	0.1	4	20	
1.6	0.1	3	25	
1.1	0.1	2	30	
0.5	0.0	1	40	
2.6	0.2	5	50	
0.5	0.0	1	60	
0.5	0.0	1	90	
1.6	0.1	3	100	
0.5	0.0	1	104	
0.5	0.0	1	125	
0.5	0.0	1	200	
0.5	0.0	1	240	
1.1	0.1	2	260	
0.5	0.0	1	275	
0.5	0.0	1	300	
0.5	0.0	1	340	
1.1	0.1	2	365	
0.5	0.0	1	730	
0.5	0.0	1	840	
0.5	0.0	1	960	
	91.5	2,715	-9	LEGITIMATE SKIP
	1.6	48	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 766-768

ME30A_2 #TIMES USD WORKS AFTER ANYONE HAD SEX W/

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after anyone you had sex with but hadn't known very long had used it?

PCT VALID	PCT ALL	N	VALUE	LABEL
91.1	5.5	163	0	
3.4	0.2	6	1	
2.8	0.2	5	2	
0.6	0.0	1	3	
0.6	0.0	1	5	
0.6	0.0	1	7	
0.6	0.0	1	50	
0.6	0.0	1	150	
	91.5	2,715	-9	LEGITIMATE SKIP
	2.0	59	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 769-771

ME30A_3 # TIMES USED WORKS AFTER A PROSTITUTE

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after a prostitute had used it?

PCT VALID	PCT ALL	N	VALUE	LABEL
92.7	5.6	165	0	
1.7	0.1	3	1	
1.1	0.1	2	4	
0.6	0.0	1	5	
0.6	0.0	1	7	
1.1	0.1	2	10	
1.1	0.1	2	20	
0.6	0.0	1	40	
0.6	0.0	1	60	
	91.5	2,715	-9	LEGITIMATE SKIP
	2.0	60	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 772-773

ME30A_4 # TIMES USED WORKS AFTER SOMEONE W/AIDS

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after someone you knew or thought had AIDS or had a positive HIV test had used it?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.6	5.7	170	0	
0.6	0.0	1	1	
1.1	0.1	2	2	
0.6	0.0	1	3	
0.6	0.0	1	5	
0.6	0.0	1	20	
	91.5	2,715	-9	LEGITIMATE SKIP
	2.1	61	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 774-775

ME30A_5 #TIMES USD WORKS AFTER HOMO/BISEXUAL

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after a man you knew or thought was homosexual or bisexual had used it?

PCT VALID	PCT ALL	N	VALUE	LABEL
96.0	5.7	170	0	
1.7	0.1	3	1	
0.6	0.0	1	2	
1.1	0.1	2	10	
0.6	0.0	1	20	
	91.5	2,715	-9	LEGITIMATE SKIP
	2.1	61	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 776-777

ME30A_6 # TIMES USED WORKS AFTER STRANGERS

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after people you didn't know very long or strangers had used it?

PCT VALID	PCT ALL	N	VALUE	LABEL
82.8	5.0	149	0	
5.6	0.3	10	1	
4.4	0.3	8	2	
1.7	0.1	3	3	
0.6	0.0	1	4	
1.7	0.1	3	6	
1.7	0.1	3	10	
1.7	0.1	3	20	
	91.5	2,715	-9	LEGITIMATE SKIP
	2.0	58	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 778-779

ME31 CLEANED NEEDLES OTHER USED PAST 12 MOS

In the past 12 months, have you tried to clean the needles and syringes other people had used before you used them?

PCT VALID	PCT ALL	N	VALUE	LABEL
47.2	3.6	108	1	YES
52.8	4.1	121	2	NO
	91.5	2,714	-9	LEGITIMATE SKIP
	0.7	20	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 780-781

ME31A AFTER CLEANING USED COOKER

After cleaning, did you use your own cooker?

PCT VALID	PCT ALL	N	VALUE	LABEL
64.5	2.3	69	1	YES
35.5	1.3	38	2	NO
	95.6	2,835	-9	LEGITIMATE SKIP
	0.7	21	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 782-783

ME31B **AFTER CLEANING USED COTTON**

After cleaning, did you use your own cotton?

PCT VALID	PCT ALL	N	VALUE	LABEL
68.5	2.5	74	1	YES
31.5	1.1	34	2	NO
	95.6	2,835	-9	LEGITIMATE SKIP
	0.7	20	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 784-785

ME32A **CLEAN NEEDLES W/ALCOHOL & RINSE W/WATER**

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you use alcohol and rinse with clean water?

PCT VALID	PCT ALL	N	VALUE	LABEL
48.7	1.9	55	0	NEVER
8.8	0.3	10	1	RARELY
15.9	0.6	18	2	SOMETIMES
8.0	0.3	9	3	OFTEN
18.6	0.7	21	4	ALWAYS
	91.6	2,717	-9	LEGITIMATE SKIP
	4.1	121	-8	BLANK/MISSING
	0.5	15	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 786-787

ME32B CLEAN NEEDLES W/BLEACH/CLOROX&RINSE W/H2

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you use bleach or Clorox and rinse with clean water?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.8	0.6	18	0	NEVER
6.1	0.2	7	1	RARELY
21.9	0.8	25	2	SOMETIMES
17.5	0.7	20	3	OFTEN
38.6	1.5	44	4	ALWAYS
	91.6	2,717	-9	LEGITIMATE SKIP
	4.0	120	-8	BLANK/MISSING
	0.5	15	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 788-789

ME32C CLEAN NEEDLES BY BOILING IN WATER ONLY

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you boil them in water only?

PCT VALID	PCT ALL	N	VALUE	LABEL
79.8	3.1	91	0	NEVER
7.9	0.3	9	1	RARELY
7.9	0.3	9	2	SOMETIMES
1.8	0.1	2	3	OFTEN
2.6	0.1	3	4	ALWAYS
	91.6	2,717	-9	LEGITIMATE SKIP
	4.0	120	-8	BLANK/MISSING
	0.5	15	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 790-791

ME32D **RINSE IN PREVIOUSLY USD WATER FOR NEEDLE**

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you rinse them in water that someone else had used to clean needles?

PCT VALID	PCT ALL	N	VALUE	LABEL
64.6	2.5	73	0	NEVER
9.7	0.4	11	1	RARELY
15.0	0.6	17	2	SOMETIMES
8.0	0.3	9	3	OFTEN
2.7	0.1	3	4	ALWAYS
	91.6	2,717	-9	LEGITIMATE SKIP
	4.0	120	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.5	15	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 792-793

ME32E **RINSE NEEDLES IN CLEAN WATER ONLY**

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you rinse them in clean water only?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.4	1.6	46	0	NEVER
7.9	0.3	9	1	RARELY
19.3	0.7	22	2	SOMETIMES
18.4	0.7	21	3	OFTEN
14.0	0.5	16	4	ALWAYS
	91.6	2,717	-9	LEGITIMATE SKIP
	4.0	120	-8	BLANK/MISSING
	0.5	15	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 794-795

ME32F **CLEAN NEEDLES BY SOME OTHER METHOD**

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you use some other method?

PCT VALID	PCT ALL	N	VALUE	LABEL
92.6	3.4	100	0	NEVER
0.9	0.0	1	1	RARELY
3.7	0.1	4	2	SOMETIMES
0.9	0.0	1	3	OFTEN
1.9	0.1	2	4	ALWAYS
	91.6	2,717	-9	LEGITIMATE SKIP
	4.2	125	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.5	15	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 796-797

ME33A **WITHDRAWAL SYMPTOM: DIFFICULTY SLEEPING**

Now, I'd like to ask you about any withdrawl symptoms you might have experienced as a result of stopping cocaine use. During the past 12 months, have you had difficulty sleeping?

PCT VALID	PCT ALL	N	VALUE	LABEL
30.8	27.8	824	1	YES
69.2	62.4	1,851	2	NO
	9.2	273	-8	BLANK/MISSING
	0.6	18	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 798-799

ME33B **WITHDRAWAL SYMPTOM: BECOMES DROWSY**

Now, I'd like to ask you about any withdrawl symptoms you might have experienced as a result of stopping cocaine use. During the past 12 months, have you become very drowsy and felt like you needed to sleep a lot?

PCT VALID	PCT ALL	N	VALUE	LABEL
29.1	26.2	777	1	YES
70.9	63.9	1,896	2	NO
	9.3	275	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.6	17	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 800-801

ME33C **WITHDRAWAL SYMPTOM: SHAKINESS IN HANDS**

Now, I'd like to ask you about any withdrawl symptoms you might have experienced as a result of stopping cocaine use. During the past 12 months, have you experienced some shakiness in your hands or other parts of your body?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.0	18.0	534	1	YES
80.0	72.0	2,137	2	NO
	9.4	278	-8	BLANK/MISSING
	0.6	17	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 802-803

ME33D **WITHDRAWAL SYMPTOM: EXTREMELY DEPRESSED**

Now, I'd like to ask you about any withdrawl symptoms you might have experienced as a result of stopping cocaine use. During the past 12 months, have you become extremely depressed?

PCT VALID	PCT ALL	N	VALUE	LABEL
30.7	27.7	821	1	YES
69.3	62.4	1,850	2	NO
	9.4	278	-8	BLANK/MISSING
	0.6	17	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 804-805

ME33E **WITHDRAWAL SYMPTOM: INCREASED APPETITE**

Now, I'd like to ask you about any withdrawl symptoms you might have experienced as a result of stopping cocaine use. During the past 12 months, have you experienced a great increased in your appetite?

PCT VALID	PCT ALL	N	VALUE	LABEL
31.2	28.1	834	1	YES
68.8	61.9	1,837	2	NO
	9.3	276	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.6	17	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 806-807

ME33F **WITHDRAWAL SYMPTOM: EXCITED/DISTRACTED**

Now, I'd like to ask you about any withdrawl symptoms you might have experienced as a result of stopping cocaine use. During the past 12 months, have you become easily excited or distracted?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.7	24.9	739	1	YES
72.3	65.1	1,932	2	NO
	9.4	278	-8	BLANK/MISSING
	0.6	17	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 808-809

ME33G **WITHDRAWAL SYMPTOM: NERVOUS OR ANXIOUS**

Now, I'd like to ask you about any withdrawl symptoms you might have experienced as a result of stopping cocaine use. During the past 12 months, have you felt nervous or anxious?

PCT VALID	PCT ALL	N	VALUE	LABEL
37.4	33.6	997	1	YES
62.6	56.4	1,672	2	NO
	9.4	279	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.6	17	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 810-811

ME34 CRAVE COCAINE DURING PAST 12 MOS

During the past 12 months, did you ever crave cocaine?

PCT VALID	PCT ALL	N	VALUE	LABEL
45.8	41.6	1,233	1	YES
54.2	49.1	1,457	2	NO
	9.2	272	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 812-813

ME35 INTENSITY OF CRAVING FOR COCAINE

Typically, how strong or intense were your cravings for cocaine on a scale from 0 to 10 with 0 being the weakest and 10 the strongest?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	0.5	16	0	VERY WEAK
2.6	1.1	33	1	
6.5	2.8	82	2	
9.1	3.8	114	3	
8.5	3.6	106	4	
19.6	8.3	246	5	MODERATE
8.9	3.7	111	6	
10.1	4.2	126	7	
11.5	4.9	144	8	
4.1	1.7	51	9	
17.9	7.6	224	10	VERY STRONG
	48.5	1,438	-9	LEGITIMATE SKIP
	9.2	273	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 814-815

ME36 HOW LONG DID THE AVERAGE CRAVING LAST?

How long did an average craving last?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.2	6.0	177	1	A FEW SECONDS
27.1	11.4	338	2	A FEW MINUTES
16.1	6.8	201	3	ABOUT 15 MINUTES
11.9	5.0	148	4	ABOUT 1/2 AN HOUR
6.9	2.9	86	5	CLOSE TO 1 HOUR
23.8	10.0	297	6	AN HOUR OR LONGER
	48.6	1,440	-9	LEGITIMATE SKIP
	9.2	272	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 816-817

ME37 HOW TROUBLED BY DRUG PROB PAST 12 MOS

In the past 12 months, how troubled or bothered have you been by your drug problem? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
39.7	39.6	1,175	0	NOT AT ALL
21.2	21.1	627	1	SLIGHTLY
13.9	13.9	412	2	MODERATELY
10.6	10.6	313	3	CONSIDERABLY
14.5	14.5	430	4	EXTREMELY
	0.2	7	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 818-819

ME38 IMPORTANCE OF TX FOR DRUG PROB

How important to you now is getting treatment or counseling for your drug problem?

PCT VALID	PCT ALL	N	VALUE	LABEL
29.5	29.3	870	0	NOT AT ALL
18.5	18.4	546	1	SOMEWHAT
52.0	51.8	1,535	2	VERY IMPORTANT
	0.4	13	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 820-821

ME39 EXTENT OTHER PROBS CAUSING DRUG PROBS

In your opinion, in the past 12 months to what extent were your problems with drugs caused by other problems in your life? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
41.6	41.1	1,220	0	NOT AT ALL
24.8	24.5	726	1	SOMEWHAT
33.6	33.2	986	2	VERY IMPORTANT
	0.4	13	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.2	5	-6	MULTIPLE RESPONSE
	0.1	2	-4	DONT KNOW
	0.4	13	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 822-823

ME40 HOW TEMPTED TO USE DRUGS NOW

Overall, how tempted are you to use drugs now? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
56.5	56.2	1,668	0	NOT AT ALL
32.4	32.3	958	1	SOMEWHAT
11.1	11.1	328	2	VERY IMPORTANT
	0.3	9	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 824-825

ME41 MOST IMPORTANT REASON FOR NOT USING DRUG

What was your most important reason for not using drugs?

2,966 cases (Range of valid codes: 1-91)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 826-827

ME41A1 1ST OTHER REASON FOR NOT USING DRUGS

What other reasons have you had for not using drugs? First mention.

2,966 cases (Range of valid codes: 1-91)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 828-829

ME41A2 2ND OTHER REASON FOR NOT USING DRUGS

What other reasons have you had for not using drugs? Second mention.

2,966 cases (Range of valid codes: 2-91)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 830-831

ME41A3 3RD OTHER REASON FOR NOT USING DRUGS

What other reasons have you had for not using drugs?
Third mention.

2,966 cases (Range of valid codes: 1-91)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 832-833

ME42A KEEP FROM USE DRUG/PEOPLE MADE YOU TENSE

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if other people around you made you tense or nervous?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.1	10.1	300	0	NOT AT ALL CONFIDENT/SURE
23.7	23.7	702	1	SOMEWHAT CONFIDENT/SURE
66.2	66.1	1,960	2	VERY CONFIDENT/SURE
	0.1	4	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 834-835

ME42B KEEP FROM USE DRUG/REMEMBERED FEELING

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you remembered how it makes you feel?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.4	13.4	396	0	NOT AT ALL CONFIDENT/SURE
27.4	27.3	811	1	SOMEWHAT CONFIDENT/SURE
59.3	59.2	1,756	2	VERY CONFIDENT/SURE
	0.1	3	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 836-837

ME42C KEEP FROM USE DRUG/YOU FELT RELAXED/SURE

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you felt relaxed and sure of yourself?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.9	7.9	234	0	NOT AT ALL CONFIDENT/SURE
17.8	17.8	528	1	SOMEWHAT CONFIDENT/SURE
74.3	74.2	2,200	2	VERY CONFIDENT/SURE
	0.1	3	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 838-839

ME42D **KEEP FROM USE DRUG/FELT DROWSY/WANT AWAK**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you felt drowsy but wanted to stay awake?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.3	8.3	246	0	NOT AT ALL CONFIDENT/SURE
15.3	15.2	452	1	SOMEWHAT CONFIDENT/SURE
76.4	76.3	2,263	2	VERY CONFIDENT/SURE
	0.1	3	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 840-841

ME42E **KEEP FROM USE DRUG/FOUND SUPPLY OF DRUGS**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you unexpectedly found a supply of drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
30.8	30.7	910	0	NOT AT ALL CONFIDENT/SURE
26.9	26.8	795	1	SOMEWHAT CONFIDENT/SURE
42.3	42.1	1,249	2	VERY CONFIDENT/SURE
	0.1	4	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.2	7	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 842-843

ME42F KEEP FROM USE DRUG/PEOPLE DIDN'T LIKE YO

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you felt that other people didn't like you?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.9	6.9	204	0	NOT AT ALL CONFIDENT/SURE
12.7	12.6	375	1	SOMEWHAT CONFIDENT/SURE
80.4	80.1	2,377	2	VERY CONFIDENT/SURE
	0.3	9	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 844-845

ME42G KEEP FROM USE DRUG/NOT ABLE TO GET SLEEP

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you were not able to get to sleep?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.5	9.5	282	0	NOT AT ALL CONFIDENT/SURE
15.8	15.7	466	1	SOMEWHAT CONFIDENT/SURE
74.7	74.4	2,208	2	VERY CONFIDENT/SURE
	0.3	8	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 846-847

ME42H KEEP FROM USE DRUG/FELT NAUSEOUS

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you felt nauseated or sick to your stomach?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.9	8.9	264	0	NOT AT ALL CONFIDENT/SURE
11.8	11.8	350	1	SOMEWHAT CONFIDENT/SURE
79.2	79.0	2,342	2	VERY CONFIDENT/SURE
	0.3	8	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 848-849

ME42I KEEP FROM USE DRUG/PLACE/PEOPLE USE DRUG

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you were at a party or some place where people were using drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.0	24.9	739	0	NOT AT ALL CONFIDENT/SURE
26.8	26.7	792	1	SOMEWHAT CONFIDENT/SURE
48.2	47.9	1,422	2	VERY CONFIDENT/SURE
	0.2	6	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 850-851

ME42J KEEP FROM USE DRUG/FELT HAPPY W/SOMETHIN

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you felt satisfied or happy with something you had done?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.8	7.8	230	0	NOT AT ALL CONFIDENT/SURE
15.3	15.3	453	1	SOMEWHAT CONFIDENT/SURE
76.9	76.7	2,274	2	VERY CONFIDENT/SURE
	0.2	6	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 852-853

ME42K KEEP FROM USE DRUG/FELT ANGRY ABOUT THIN

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you felt angry about someting?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.6	14.5	431	0	NOT AT ALL CONFIDENT/SURE
25.9	25.8	766	1	SOMEWHAT CONFIDENT/SURE
59.5	59.3	1,758	2	VERY CONFIDENT/SURE
	0.2	7	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 854-855

ME42L **KEEP FROM USE DRUG/THINK USE JUST 1 TIME**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you started to think that using drugs just one time would not be a problem?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.0	23.9	709	0	NOT AT ALL CONFIDENT/SURE
20.5	20.4	605	1	SOMEWHAT CONFIDENT/SURE
55.5	55.2	1,638	2	VERY CONFIDENT/SURE
	0.3	8	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 856-857

ME42M **KEEP FROM USE DRUG/FELT CONFUSED**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you felt confused?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.0	10.9	324	0	NOT AT ALL CONFIDENT/SURE
21.1	21.0	622	1	SOMEWHAT CONFIDENT/SURE
68.0	67.6	2,006	2	VERY CONFIDENT/SURE
	0.3	9	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 858-859

ME42N KEEP FROM USE DRUG/FELT SAD/DEPRESSED

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you felt sad or depressed?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.4	17.4	515	0	NOT AT ALL CONFIDENT/SURE
25.7	25.6	759	1	SOMEWHAT CONFIDENT/SURE
56.9	56.7	1,682	2	VERY CONFIDENT/SURE
	0.2	7	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 860-861

ME42O KEEP FROM USE DRUG/ENCOURAGED TO USE IT

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you were with someone who encouraged you to use drugs or suggested that you use drugs together?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.0	23.0	681	0	NOT AT ALL CONFIDENT/SURE
23.6	23.5	697	1	SOMEWHAT CONFIDENT/SURE
53.4	53.3	1,580	2	VERY CONFIDENT/SURE
	0.2	5	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 862-863

ME42P KEEP FROM USE DRUG/USE IT A FEW TIMES

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you wanted to prove to yourself that you could use drugs a few times wtihout losing control?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.0	22.9	679	0	NOT AT ALL CONFIDENT/SURE
18.5	18.4	545	1	SOMEWHAT CONFIDENT/SURE
58.5	58.3	1,728	2	VERY CONFIDENT/SURE
	0.3	9	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 864-865

ME42Q KEEP FROM USE DRUG/PROB W/PEOPLE AT WORK

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if there were problems with people at work?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.7	8.6	255	0	NOT AT ALL CONFIDENT/SURE
15.9	15.6	464	1	SOMEWHAT CONFIDENT/SURE
75.3	74.1	2,197	2	VERY CONFIDENT/SURE
	0.3	8	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.2	6	-4	DONT KNOW
	1.2	35	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 866-867

ME42R KEEP FROM USE DRUG/PROB W/FAMILY/FRIENDS

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you were having problems with your family or friends?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.5	13.5	400	0	NOT AT ALL CONFIDENT/SURE
23.6	23.6	699	1	SOMEWHAT CONFIDENT/SURE
62.8	62.7	1,859	2	VERY CONFIDENT/SURE
	0.2	6	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 868-869

ME42S KEEP FROM USE DRUG/BORED/NOTHING TO DO

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you were bored or had nothing to do?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.3	15.3	453	0	NOT AT ALL CONFIDENT/SURE
21.7	21.6	642	1	SOMEWHAT CONFIDENT/SURE
63.0	62.8	1,862	2	VERY CONFIDENT/SURE
	0.2	7	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 870-871

ME42T KEEP FROM USE DRUG/IN PHYSICAL PAIN

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today how confident or sure are you of your ability to keep from using drugs if you were in pain physically?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.7	19.6	581	0	NOT AT ALL CONFIDENT/SURE
21.9	21.8	646	1	SOMEWHAT CONFIDENT/SURE
58.4	58.2	1,726	2	VERY CONFIDENT/SURE
	0.3	8	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 872-873

ME43 ARE THERE TIMES TEMPTED TO USE DRUGS

Are there times when you might be tempted to use drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.9	40.4	1,197	1	YES
59.1	58.4	1,732	2	NO
	1.2	36	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 874-875

ME43A1 WHEN MIGHT YOU BE TEMPTED/1ST SITUATION

When might you be tempted? First mention.

2,966 cases (Range of valid codes: 2-114)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 876-878

ME43A2 WHEN MIGHT YOU BE TEMPTED/2ND SITUATION

When might you be tempted? Second mention.

2,966 cases (Range of valid codes: 2-114)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 879-881

ME43A3 WHEN MIGHT YOU BE TEMPTED/3RD SITUATION

When might you be tempted? Third mention.

2,966 cases (Range of valid codes: 4-113)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 882-884

ME43B1 CONFIDNCE IN ABILTY NOT TO USE DRUGS/1ST

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED - 1st mention)?

PCT VALID	PCT ALL	N	VALUE	LABEL
53.8	20.8	617	0	NOT AT ALL CONFIDENT/SURE
37.2	14.4	426	1	SOMEWHAT CONFIDENT/SURE
9.0	3.5	103	2	VERY CONFIDENT/SURE
	6.3	186	-9	LEGITIMATE SKIP
	54.8	1,625	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 885-886

ME43B2 CONFIDNCE IN ABILTY NOT TO USE DRUGS/2ND

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED - 2nd mention)?

PCT VALID	PCT ALL	N	VALUE	LABEL
55.6	8.6	255	0	NOT AT ALL CONFIDENT/SURE
35.1	5.4	161	1	SOMEWHAT CONFIDENT/SURE
9.4	1.4	43	2	VERY CONFIDENT/SURE
	6.3	186	-9	LEGITIMATE SKIP
	78.0	2,312	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 887-888

ME43B3 CONFIDNCE IN ABILTY NOT TO USE DRUGS/3RD

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED - 3rd mention)?

PCT VALID	PCT ALL	N	VALUE	LABEL
63.2	5.3	158	0	NOT AT ALL CONFIDENT/SURE
29.2	2.5	73	1	SOMEWHAT CONFIDENT/SURE
7.6	0.6	19	2	VERY CONFIDENT/SURE
	6.3	186	-9	LEGITIMATE SKIP
	85.0	2,522	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 889-890

ME44 DIFFICULTY STOP USING DRUGS REST OF LIFE

How difficult do you think it would be for you to stop using drugs for the rest of your life? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
33.2	32.9	977	0	NOT AT ALL
42.6	42.3	1,254	1	SOMEWHAT
24.3	24.1	715	2	VERY DIFFICULT
	0.3	9	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	6	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 891-892

ME45 CHANCES TO QUIT USING DRUGS REST OF LIFE

What do you think your chances are of quitting completely for the rest of your life? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
8.7	8.7	257	1	VERY POOR
36.0	35.8	1,062	2	FAIR
55.2	54.9	1,628	3	VERY GOOD
	0.4	11	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	4	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 893-894

ME46 HOW MUCH TX WILL HELP YOU QUIT

How much do you think the treatment you received at (NAME OF PROGRAM) will help you do this? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
12.0	11.9	354	0	NOT AT ALL
32.4	32.2	955	1	SOMEWHAT
55.0	54.6	1,620	2	VERY MUCH
0.6	0.6	19	3	NO TX RECEIVED
	0.5	15	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 895-896

ME47 DIFFICULTY CUTTING DRUG USE REST OF LIFE

How difficult do you think it would be for you to cut down on drugs for the rest of your life?

PCT VALID	PCT ALL	N	VALUE	LABEL
48.3	45.9	1,361	0	NOT AT ALL
33.1	31.5	933	1	SOMEWHAT
18.7	17.7	526	2	VERY DIFFICULT
	1.6	47	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	7	-4	DONT KNOW
	3.1	91	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 897-898

ME48 CHANCES OF CUTTING DOWN USE OF DRUGS

What do you think your chances are of cutting down on your use of drugs/ Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
14.0	8.5	253	1	VERY POOR
33.1	20.1	597	2	FAIR
52.9	32.2	955	3	VERY GOOD
	36.1	1,072	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	2	-4	DONT KNOW
	2.8	84	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 899-900

ME49 HOW MUCH TX WILL HELP YOU CUT DOWN

How much do you think the treatment you received at (NAME OF PROGRAM) will help you do this? Woudl you say ...

PCT VALID	PCT ALL	N	VALUE	LABEL
14.8	14.0	416	0	NOT AT ALL
31.6	29.9	886	1	SOMEWHAT
53.0	50.2	1,489	2	VERY MUCH
0.6	0.6	17	3	NO TX RECEIVED
	1.8	53	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-4	DONT KNOW
	3.4	100	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 901-902

ME50A **TX HELPED UNDERSTAND PROB**

Did the drug treatment that you received at (NAME OF PROGRAM) help you to better understand your problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
86.9	86.6	2,570	1	YES
13.1	13.0	387	2	NO
	0.2	5	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 903-904

ME50B **TX HELPED COMMUNICATIONS SKILLS**

Did the drug treatment that you received at (NAME OF PROGRAM) help you to learn to communicate better?

PCT VALID	PCT ALL	N	VALUE	LABEL
79.8	79.5	2,359	1	YES
20.2	20.2	598	2	NO
	0.2	6	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 905-906

ME50C **TX HELPED PROB SOLVING**

Did the drug treatment that you received at (NAME OF PROGRAM) help you to be a better problem solver?

PCT VALID	PCT ALL	N	VALUE	LABEL
75.1	74.8	2,219	1	YES
24.9	24.7	734	2	NO
	0.2	6	-8	BLANK/MISSING
	0.2	5	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 907-908

ME50D **TX HELPED LEARN RELAPSE PREVENTION**

Did the drug treatment that you received at (NAME OF PROGRAM) help you to learn relapse prevention skills?

PCT VALID	PCT ALL	N	VALUE	LABEL
78.5	78.2	2,319	1	YES
21.5	21.4	634	2	NO
	0.2	7	-8	BLANK/MISSING
	0.1	3	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 909-910

ME51 **NEIGHBORHOOD HAS HEAVY DRUG/ALCOHOL USE**

Do you live in a neighborhood where there is drug use or heavy alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
60.6	59.7	1,770	1	YES
39.4	38.9	1,153	2	NO
	0.4	12	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.8	24	-4	DONT KNOW
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 911-912

ME52 **TIME SPENT W/FRIENDS WHO USE DRUGS**

How often do you spend time with friends who use drugs? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
52.5	52.0	1,541	1	NOT AT ALL
19.6	19.4	575	2	LESS THAN ONCE A MONTH
13.9	13.8	409	3	AT LEAST ONCE A WEEK
13.9	13.8	409	4	ALMOST DAILY
	0.6	19	-8	BLANK/MISSING
	0.4	13	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 913-914

ME53 GO WHERE DRUGS ARE READILY AVAILABLE

How often do you go to bars or hangouts where drugs are readily available?

PCT VALID	PCT ALL	N	VALUE	LABEL
70.0	69.4	2,057	1	NOT AT ALL
14.1	14.0	415	2	LESS THAN ONCE A MONTH
8.6	8.6	254	3	AT LEAST ONCE A WEEK
7.2	7.1	211	4	ALMOST DAILY
	0.3	9	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.6	18	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 915-916

SECTION F: PSYCHOLOGICAL FUNCTIONING

MF1 YOU FELT SAD/BLUE/DEPRESSED FOR 2 WEEKS

In the past 12 months, have you had at least 2 weeks during which you felt very sad, blue, depressed, or you lost interest and pleasure in things you usually cared about or enjoyed?

PCT VALID	PCT ALL	N	VALUE	LABEL
41.1	40.9	1,213	1	YES
58.9	58.7	1,741	2	NO
	0.4	11	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 917-918

MF1A YOU HAD ANY OTHER PROBS AT SAME TIME

Did you have other problems at the same time, for example, difficulty sleeping, loss of appetite, feeling hopeless or guilty, or having thoughts of ending your life?

PCT VALID	PCT ALL	N	VALUE	LABEL
73.0	30.3	898	1	YES
27.0	11.2	332	2	NO
	58.1	1,722	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 919-920

MF1B # PERIODS OF 2 WEEKS/MORE/FELT DEPRESSED

In these past 12 months, how many periods of 2 weeks or more have you felt very sad, blue, depressed, or lost interest in things and also had some of these other problems at the same time?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.7	0.5	15	0	
21.5	6.4	191	1	
17.6	5.3	157	2	
14.6	4.4	130	3	
10.9	3.3	97	4	
6.1	1.8	54	5	
8.1	2.4	72	6	
1.2	0.4	11	7	
2.4	0.7	21	8	
0.6	0.2	5	9	
3.3	1.0	29	10	
0.2	0.1	2	11	
4.0	1.2	36	12	
0.3	0.1	3	13	
0.8	0.2	7	15	
0.4	0.1	4	16	
0.2	0.1	2	18	
1.9	0.6	17	20	
0.9	0.3	8	24	
0.3	0.1	3	25	
1.2	0.4	11	26	
0.3	0.1	3	30	
0.1	0.0	1	40	
0.2	0.1	2	50	
0.7	0.2	6	52	
0.3	0.1	3	99	
	68.8	2,041	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK/MISSING
	0.1	3	-5	BAD DATA
	0.2	6	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
	0.0	1	-2	RESPONSE ILLEGIBLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 921-922

MF1C1 WHEN LAST PERIOD LIKE THAT ENDED

When did your last period like that end?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.4	2.2	66	1	LESS THAN 1 WEEK AFTER CONTACT
92.6	27.8	824	2	AT LEAST 1 WEEK AFTER CONTACT
	68.8	2,042	-9	LEGITIMATE SKIP
	1.0	29	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 923-924

MF1C_WK HOW MANY WEEKS AGO WAS THAT?

How many weeks ago was that?

2,966 cases (Range of valid codes: 0-80)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 925-926

MF1D THAT PERIOD A DIRECT RESULT OF ALC/DRUG

Was that (last) period a direct result of your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
47.8	14.6	432	1	YES
52.2	15.9	472	2	NO
	68.8	2,040	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.2	6	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 927-928

MF2 **YOU FELT ANXIOUS/TENSE/NERVOUS FOR 2 WKS**

In the past 12 months, have you had at least one period of 4 weeks or more when you were very anxious, tense or nervous and had other problems at the same time, such as trembling, shaking, your heart beating fast, or feeling something bad was going to happen?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.7	14.7	435	1	YES
85.3	85.1	2,524	2	NO
	0.2	7	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 929-930

MF2A # PERIODS OF 4 WKS/ANXIOUS/TENSE/NERVOUS

In the past 12 months, how many periods of 4 weeks or more have you had (when you were very anxious, tense, or nervous)?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.7	0.2	7	0	
29.8	4.2	126	1	
22.0	3.1	93	2	
12.5	1.8	53	3	
8.3	1.2	35	4	
3.3	0.5	14	5	
4.5	0.6	19	6	
0.2	0.0	1	7	
3.1	0.4	13	8	
0.7	0.1	3	9	
3.8	0.5	16	10	
0.2	0.0	1	11	
6.4	0.9	27	12	
0.7	0.1	3	13	
1.2	0.2	5	20	
0.5	0.1	2	24	
0.2	0.0	1	30	
0.2	0.0	1	42	
0.7	0.1	3	99	
	85.0	2,521	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.1	3	-5	BAD DATA
	0.2	6	-4	DONT KNOW
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 931-932

MF2B **WHEN LAST PERIOD LIKE THAT ENDED**

When did your last period like that end?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.2	1.3	39	1	LESS THAN 1 WEEK AFTER CONTACT
90.8	13.0	387	2	AT LEAST 1 WEEK AFTER CONTACT
	85.0	2,522	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	4	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 933-934

MF2B_WK **HOW MANY WEEKS AGO WAS THAT?**

How many weeks ago was that?

2,966 cases (Range of valid codes: 0-74)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 935-936

MF2C **THAT PERIOD A DIRECT RESULT OF ALC/DRUG**

Was that (last) period a direct result of your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
57.5	8.4	248	1	YES
42.5	6.2	183	2	NO
	85.1	2,523	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 937-938

MF3 **HAD HALLUCINATIONS/SAW/HEARD THINGS**

In the past 12 months, have you thought someone could control your thoughts or had hallucinations, that is, you saw or heard things that no one else could se or hear?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.8	5.8	172	1	YES
94.2	93.8	2,781	2	NO
	0.4	13	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 939-940

MF3A **WHEN LAST PERIOD LIKE THAT ENDED**

When did your last period like that end?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.5	0.4	11	1	LESS THAN 1 WEEK AFTER CONTACT
93.5	5.3	157	2	AT LEAST 1 WEEK AFTER CONTACT
	93.8	2,781	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 941-942

MF3A_WK **HOW MANY WEEKS AGO WAS THAT?**

How many weeks ago was that?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.9	1.0	30	0	
21.9	1.1	33	1	
9.3	0.5	14	2	
4.0	0.2	6	3	
5.3	0.3	8	4	
0.7	0.0	1	5	
4.6	0.2	7	6	
4.6	0.2	7	8	
2.0	0.1	3	9	
2.0	0.1	3	10	
5.3	0.3	8	12	
2.0	0.1	3	14	
0.7	0.0	1	15	
0.7	0.0	1	16	
0.7	0.0	1	17	
0.7	0.0	1	18	
2.6	0.1	4	20	
4.0	0.2	6	24	
1.3	0.1	2	26	
1.3	0.1	2	28	
1.3	0.1	2	30	
0.7	0.0	1	36	
0.7	0.0	1	38	
0.7	0.0	1	46	
1.3	0.1	2	48	
2.0	0.1	3	52	
	94.0	2,789	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.1	3	-4	DONT KNOW
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 943-944

MF3B THAT PERIOD DIRECT RESULT ALC/DRUG USE

Was that period a direct result of your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
74.6	4.2	126	1	YES
25.4	1.4	43	2	NO
	93.7	2,780	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 945-946

MF4 TROUBLE UNDERSTAND/CONCENTRATE/REMEMBRIN

In the past 12 months, have you had trouble understanding, concentrating, or remembering?

PCT VALID	PCT ALL	N	VALUE	LABEL
26.9	26.9	797	1	YES
73.1	73.0	2,165	2	NO
	0.1	4	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 947-948

MF4A **WHEN LAST PERIOD LIKE THAT ENDED**

When did your last period like that end?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.4	2.2	64	1	LESS THAN 1 WEEK AFTER CONTACT
91.6	23.4	695	2	AT LEAST 1 WEEK AFTER CONTACT
	73.0	2,164	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.1	2	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 949-950

MF4A_WK **HOW MANY WEEKS AGO WAS THAT?**

How many weeks ago was that?

2,966 cases (Range of valid codes: 0-69)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 951-952

MF4B **THAT PERIOD DIRECT RESULT ALC/DRUG USE**

Has that always been a direct result of your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
59.7	15.6	462	1	YES
40.3	10.5	312	2	NO
	72.9	2,162	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.6	17	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 953-954

MF5 TROUBLE CONTROLLING TEMPER/BEHAVIOR

In the past 12 months, have you had trouble controlling your temper or violent behavior?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.4	22.4	663	1	YES
77.6	77.4	2,295	2	NO
	0.3	8	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 955-956

MF5A WHEN LAST PERIOD LIKE THAT ENDED

When did your last period like that end?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.4	1.6	48	1	LESS THAN 1 WEEK AFTER CONTACT
92.6	20.4	604	2	AT LEAST 1 WEEK AFTER CONTACT
	77.3	2,294	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 957-958

MF5A_WK HOW MANY WEEKS AGO WAS THAT?

How many weeks ago was that?

2,966 cases (Range of valid codes: 0-70)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 959-960

MF5B **THAT PERIOD DIRECT RESULT ALC/DRUG USE**

Was that period a direct result of your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
45.4	10.1	299	1	YES
54.6	12.1	360	2	NO
	77.3	2,293	-9	LEGITIMATE SKIP
	0.4	11	-8	BLANK/MISSING
	0.1	3	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 961-962

MF6 **THOUGHT ABOUT COMMITTING SUICIDE**

In the past 12 months, have you thought about ending your life or committing suicide?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.7	12.6	375	1	YES
87.3	87.3	2,589	2	NO
	0.0	1	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 963-964

MF6A **WHEN LAST THOUGHT ABOUT ENDING LIFE**

When did you last think a lot about ending your life?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	0.6	19	1	LESS THAN 1 WEEK AFTER CONTACT
94.7	11.5	342	2	AT LEAST 1 WEEK AFTER CONTACT
	87.3	2,589	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 965-966

MF6A_WK **HOW MANY WEEKS AGO WAS THAT?**

How many weeks ago was that?

2,966 cases (Range of valid codes: 0-60)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 967-968

MF6B **SUICIDE THOUGHTS RESULT OF ALC/DRUG USE**

During these months, have your thoughts of suicide always been the direct result of your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.8	6.4	189	1	YES
49.2	6.2	183	2	NO
	87.2	2,586	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 969-970

MF7 **HAVE YOU ATTEMPTED SUICIDE?**

In the past 12 months, have you attempted suicide?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.6	2.6	77	1	YES
97.4	97.0	2,876	2	NO
	0.4	12	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 971-972

MF7A **WHEN DID YOU LAST ATTEMPT SUICIDE?**

When did you last attempt suicide?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	LESS THAN 1 WEEK AFTER CONTACT
100.0	2.5	75	2	AT LEAST 1 WEEK AFTER CONTACT
	96.9	2,875	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 973-974

MF7A_WK HOW MANY WEEKS AGO WAS THAT?

How many weeks ago was that?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.4	0.0	1	0	
5.4	0.1	4	1	
8.1	0.2	6	2	
2.7	0.1	2	3	
12.2	0.3	9	4	
2.7	0.1	2	5	
4.1	0.1	3	6	
1.4	0.0	1	7	
4.1	0.1	3	8	
4.1	0.1	3	10	
1.4	0.0	1	11	
6.8	0.2	5	12	
1.4	0.0	1	13	
1.4	0.0	1	14	
5.4	0.1	4	16	
5.4	0.1	4	20	
9.5	0.2	7	24	
2.7	0.1	2	26	
4.1	0.1	3	28	
1.4	0.0	1	30	
2.7	0.1	2	32	
1.4	0.0	1	34	
1.4	0.0	1	35	
2.7	0.1	2	36	
2.7	0.1	2	45	
1.4	0.0	1	51	
1.4	0.0	1	52	
1.4	0.0	1	64	
	96.9	2,875	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 975-976

MF7B **SUICIDE ATTEMPTS RESULT OF ALC/DRUG USE**

During these months, have your suicide attempts always been the direct result of your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.5	1.6	47	1	YES
49.5	1.6	46	2	NO
	96.5	2,862	-9	LEGITIMATE SKIP
	0.3	9	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 977-978

MF8 **TAKEN MEDICATIONS FOR MENTAL PROBS**

In the past 12 months, have you taken any prescribed medications on a regular basis for a mental health or emotional problem?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.3	13.2	392	1	YES
86.7	86.3	2,560	2	NO
	0.4	12	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 979-980

MF9 **MENTAL PROBS NOT RESULT OF DRUGS/ALCOHOL**

In the past 12 months, have you had any emotional or mental health problems that were not the result of your using drugs or alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.7	12.6	373	1	YES
87.3	86.2	2,558	2	NO
	1.0	29	-8	BLANK/MISSING
	0.1	3	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 981-982

MF9A **# DAYS PROBS NOT RESULT OF DRUGS/ALCOHOL**

How many days would you say you had such problems that were not the result of your using drugs or alcohol?

2,966 cases (Range of valid codes: 0-595)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 983-985

MF10 **REC'D PAYMENTS FOR PSYCHIATRIC DISABILIT**

During the past 12 months, have you received any disability payments, benefits, or a pension for a psychiatric disability?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.8	8.8	260	1	YES
91.2	91.0	2,699	2	NO
	0.2	6	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 986-987

MF11 HAD MENTAL PROBS BECAUSE OF DRUG/ALCOHOL

In the past 12 months, have you had any mental health or emotional problems because of your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.0	13.9	413	1	YES
86.0	85.4	2,534	2	NO
	0.5	15	-8	BLANK/MISSING
	0.1	3	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 988-989

MF11A HOW SERIOUS PROB DUE DRUG/ALCOHOL USE

How serious were any problems you have had in these 12 months because of your drug or alcohol use? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
7.0	1.0	30	1	NOT AT ALL
48.5	7.0	208	2	SOMEWHAT
44.5	6.4	191	3	VERY SERIOUS
	84.8	2,516	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 990-991

MF12 **PAST 12 MOS HOW TROUBLED BY EMOT. PROBS**

How troubled or distressed (bothered) have you been during the past 12 months by any emotional or psychological problems? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
55.7	55.5	1,645	0	NOT AT ALL
19.3	19.2	570	1	SLIGHTLY
11.9	11.8	351	2	MODERATELY
8.0	8.0	236	3	CONSIDERABLY
5.2	5.2	153	4	EXTREMELY
	0.3	8	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 992-993

MF12A **PAST 3 MOS HOW TROUBLED BY EMOT. PROBS**

How troubled or distressed (bothered) have you been during the past 12 months by any emotional or psychological problems? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
15.7	7.2	214	0	NOT AT ALL
37.4	17.1	508	1	SLIGHTLY
19.9	9.1	270	2	MODERATELY
16.5	7.6	225	3	CONSIDERABLY
10.5	4.8	143	4	EXTREMELY
	53.9	1,598	-9	LEGITIMATE SKIP
	0.2	6	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 994-995

MF12B **HOW TROUBLED ARE YOU BY EMOTIONAL PROBS**

How troubled or distressed (bothered) are you now by any emotional or psychological problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.4	10.0	298	0	NOT AT ALL
34.6	14.3	423	1	SLIGHTLY
18.3	7.6	224	2	MODERATELY
12.3	5.1	150	3	CONSIDERABLY
10.3	4.2	126	4	EXTREMELY
	58.6	1,738	-9	LEGITIMATE SKIP
	0.1	4	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 996-997

MF13 **ALL IN ALL, I AM SATISFIED WITH MYSELF**

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I'm satisfied with myself.

PCT VALID	PCT ALL	N	VALUE	LABEL
8.5	8.5	251	1	STRONGLY DISAGREE
12.5	12.4	369	2	SOMEWHAT DISAGREE
32.3	32.2	955	3	SOMEWHAT AGREE
46.8	46.7	1,385	4	STRONGLY AGREE
	0.2	5	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 998-999

MF14 AT TIMES I THINK I AM NO GOOD AT ALL

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

At times I think I'm no good at all.

PCT VALID	PCT ALL	N	VALUE	LABEL
56.3	56.1	1,663	1	STRONGLY DISAGREE
15.3	15.2	451	2	SOMEWHAT DISAGREE
21.8	21.7	644	3	SOMEWHAT AGREE
6.7	6.6	197	4	STRONGLY AGREE
	0.3	8	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1000-1001

MF15 I FEEL I HAVE A LOT OF GOOD QUALITIES

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I have a lot of good qualities.

PCT VALID	PCT ALL	N	VALUE	LABEL
1.1	1.1	32	1	STRONGLY DISAGREE
2.3	2.3	69	2	SOMEWHAT DISAGREE
23.6	23.5	697	3	SOMEWHAT AGREE
73.0	72.9	2,161	4	STRONGLY AGREE
	0.2	5	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1002-1003

MF16 I AM ABLE TO DO THINGS AS WELL AS OTHERS

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I'm able to do things as well as most other people.

PCT VALID	PCT ALL	N	VALUE	LABEL
2.1	2.1	61	1	STRONGLY DISAGREE
4.0	4.0	119	2	SOMEWHAT DISAGREE
23.5	23.4	694	3	SOMEWHAT AGREE
70.4	70.2	2,081	4	STRONGLY AGREE
	0.2	5	-8	BLANK/MISSING
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1004-1005

MF17 I FEEL I DO NOT HAVE MUCH TO BE PROUD OF

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I don't have much to be proud of.

PCT VALID	PCT ALL	N	VALUE	LABEL
60.0	59.9	1,776	1	STRONGLY DISAGREE
16.8	16.8	497	2	SOMEWHAT DISAGREE
17.0	17.0	503	3	SOMEWHAT AGREE
6.2	6.2	184	4	STRONGLY AGREE
	0.2	5	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1006-1007

MF18 I FEEL USELESS AT TIMES

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel useless at times.

PCT VALID	PCT ALL	N	VALUE	LABEL
50.8	50.6	1,500	1	STRONGLY DISAGREE
14.4	14.4	426	2	SOMEWHAT DISAGREE
26.9	26.8	795	3	SOMEWHAT AGREE
7.8	7.8	230	4	STRONGLY AGREE
	0.4	11	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1008-1009

MF19 I FEEL THAT I AM BASICALLY NO GOOD

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I'm basically no good.

PCT VALID	PCT ALL	N	VALUE	LABEL
74.5	74.3	2,203	1	STRONGLY DISAGREE
13.0	13.0	385	2	SOMEWHAT DISAGREE
9.3	9.2	274	3	SOMEWHAT AGREE
3.2	3.2	96	4	STRONGLY AGREE
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1010-1011

MF20 I WISH I COULD HAVE MORE RESPECT FOR SEL

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I wish I could have more respect for myself.

PCT VALID	PCT ALL	N	VALUE	LABEL
45.3	45.1	1,339	1	STRONGLY DISAGREE
10.5	10.5	310	2	SOMEWHAT DISAGREE
26.3	26.2	778	3	SOMEWHAT AGREE
18.0	17.9	531	4	STRONGLY AGREE
	0.2	6	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1012-1013

MF21 ALL IN ALL, I FEEL THAT I AM A FAILURE

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I feel that I'm a failure.

PCT VALID	PCT ALL	N	VALUE	LABEL
69.4	69.3	2,054	1	STRONGLY DISAGREE
12.8	12.7	378	2	SOMEWHAT DISAGREE
12.8	12.8	380	3	SOMEWHAT AGREE
5.0	5.0	147	4	STRONGLY AGREE
	0.2	6	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1014-1015

MF22 I FEEL THAT I AM NOT IMPORTANT TO OTHERS

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I'm not important to others.

PCT VALID	PCT ALL	N	VALUE	LABEL
67.1	67.0	1,986	1	STRONGLY DISAGREE
14.1	14.0	416	2	SOMEWHAT DISAGREE
13.9	13.8	410	3	SOMEWHAT AGREE
4.9	4.9	146	4	STRONGLY AGREE
	0.2	6	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1016-1017

SECTION G: ILLEGAL INVOLVEMENT

MG1 BEEN IN JAIL/PRISN DETENTION PAST 12 MOS

In this section, I'd like to ask about any experiences you might have had with the police or courts during the past 12 months Let me remind you that this information will remain confidential.

In the past 12 months, have you spent time in jail, prison, or a juvenile detention home?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.9	24.8	737	1	YES
75.1	74.8	2,218	2	NO
	0.3	8	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1018-1019

MG1A DAYS IN JAIL, PRISON OR DETENTION

2,966 cases (Range of valid codes: 0-365)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1979-1981

MG2_1 ARRESTD IN PAST 12 MOS: USE/POSSESS DRUG

During the past 12 months, have you been arrested and booked for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.3	6.2	185	1	YES
93.7	93.4	2,770	2	NO
	0.3	8	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1020-1021

MG3_1 # ARRESTS PAST 12 MOS: USE/POSSESS DRUG

During the past 12 months, how many times have you been arrested for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.1	0.1	2	0	
78.6	4.8	143	1	
10.4	0.6	19	2	
5.5	0.3	10	3	
2.2	0.1	4	4	
1.1	0.1	2	5	
0.5	0.0	1	6	
0.5	0.0	1	8	
	93.4	2,769	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1022-1023

MG4_1 # ARRESTS PAST 3 MOS: USE/POSSESS DRUG

During the past 3 months, how many times were you arrested for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT VALID	PCT ALL	N	VALUE	LABEL
73.2	4.5	134	0	
24.6	1.5	45	1	
2.2	0.1	4	2	
	93.4	2,769	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1024-1025

MG5_1 #CONVICTIONS PAST 12 MOS:USE/POSSESS DRU

During the past 12 months, how many times have you been convicted for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT VALID	PCT ALL	N	VALUE	LABEL
45.9	2.8	84	0	
48.6	3.0	89	1	
2.7	0.2	5	2	
1.6	0.1	3	3	
0.5	0.0	1	4	
0.5	0.0	1	6	
	93.4	2,769	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1026-1027

MG2_2 ARRESTED IN PAST 12 MOS: SALE/MANUF DRUG

During the past 12 months, have you been arrested and booked for sale or manufacture of drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	1.9	56	1	YES
98.1	97.6	2,895	2	NO
	0.4	11	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1028-1029

MG3_2 # ARRESTS PAST 12 MOS: SALE/MANUF DRUGS

During the past 12 months, how many times have you been arrested for sale or manufacture of drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
82.7	1.4	43	1	
11.5	0.2	6	2	
3.8	0.1	2	3	
1.9	0.0	1	5	
	97.6	2,895	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1030-1031

MG4_2 # ARRESTS PAST 3 MOS: SALE/MANUF DRUGS

During the past 3 months, how many times were you arrested for sale or manufacture of drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
72.0	1.2	36	0	
28.0	0.5	14	1	
	97.6	2,895	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1032-1033

MG5_2 #CONVICTIONS PAST 12 MOS:SALE/MANUF DRUG

During the past 12 months, how many times have you been convicted for sale or manufacture of drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
31.4	0.5	16	0	
62.7	1.1	32	1	
2.0	0.0	1	2	
2.0	0.0	1	3	
2.0	0.0	1	4	
	97.6	2,895	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1034-1035

MG2_3 ARRESTED IN PAST 12 MOS: FORGERY/FRAUD

During the past 12 months, have you been arrested and booked for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.1	2.1	63	1	YES
97.9	97.4	2,890	2	NO
	0.3	9	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1036-1037

MG3_3 # ARRESTS PAST 12 MOS: FORGERY/FRAUD

During the past 12 months, how many times have you been arrested for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.6	0.0	1	0	
77.4	1.6	48	1	
6.5	0.1	4	2	
9.7	0.2	6	3	
1.6	0.0	1	4	
1.6	0.0	1	5	
1.6	0.0	1	9	
	97.4	2,889	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1038-1039

MG4_3 # ARRESTS PAST 3 MOS: FORGERY/FRAUD

During the past 3 months, how many times were you arrested for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT VALID	PCT ALL	N	VALUE	LABEL
80.0	1.6	48	0	
18.3	0.4	11	1	
1.7	0.0	1	2	
	97.4	2,890	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1040-1041

MG5_3 # CONVICTIONS PAST 12 MOS: FORGERY/FRAUD

During the past 12 months, how many times have you been convicted for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.4	0.7	21	0	
55.7	1.1	34	1	
3.3	0.1	2	2	
1.6	0.0	1	3	
1.6	0.0	1	4	
3.3	0.1	2	9	
	97.4	2,890	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1042-1043

MG2_4 ARRESTED IN PAST 12 MOS: BURGLARY

During the past 12 months, have you been arrested and booked for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.4	1.3	40	1	YES
98.6	98.1	2,911	2	NO
	0.4	11	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1044-1045

MG3_4 # ARRESTS PAST 12 MOS: BURGLARY

During the past 12 months, how many times have you been arrested for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT VALID	PCT ALL	N	VALUE	LABEL
87.2	1.1	34	1	
5.1	0.1	2	2	
5.1	0.1	2	3	
2.6	0.0	1	5	
	98.1	2,911	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1046-1047

MG4_4 # ARRESTS PAST 3 MOS: BURGLARY

During the past 3 months, how many times were you arrested for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	0.9	26	0	
30.8	0.4	12	1	
2.6	0.0	1	2	
	98.1	2,911	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1048-1049

MG5_4 # CONVICTIONS PAST 12 MOS: BURGLARY

During the past 12 months, how many times have you been convicted for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT VALID	PCT ALL	N	VALUE	LABEL
51.3	0.7	20	0	
43.6	0.6	17	1	
5.1	0.1	2	2	
	98.1	2,911	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1050-1051

MG2_5 ARRESTED IN PAST 12 MOS: LARCENY

During the past 12 months, have you been arrested and booked for larceny-theft such as pickpocketing, purse snatching, (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.6	3.6	106	1	YES
96.4	96.0	2,848	2	NO
	0.2	7	-8	BLANK/MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1052-1053

MG3_5 # ARRESTS PAST 12 MOS: LARCENY

During the past 12 months, how many times have you been arrested for larceny-theft such as pickpocketing, purse snatching, (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	0.1	2	0	
75.2	2.7	79	1	
13.3	0.5	14	2	
2.9	0.1	3	3	
3.8	0.1	4	4	
1.0	0.0	1	6	
1.0	0.0	1	8	
1.0	0.0	1	9	
	96.0	2,848	-9	LEGITIMATE SKIP
	0.4	11	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1054-1055

MG4_5 # ARRESTS PAST 3 MOS: LARCENY

During the past 3 months, how many times were you arrested for larceny-theft such as pickpocketing, purse snatching, (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT VALID	PCT ALL	N	VALUE	LABEL
68.6	2.4	72	0	
26.7	0.9	28	1	
3.8	0.1	4	2	
1.0	0.0	1	3	
	96.0	2,848	-9	LEGITIMATE SKIP
	0.4	11	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1056-1057

MG5_5 # CONVICTIONS PAST 12 MOS: LARCENY

During the past 12 months, how many times have you been convicted for larceny-theft such as pickpocketing, purse snatching, (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.0	1.4	42	0	
48.6	1.7	51	1	
5.7	0.2	6	2	
1.0	0.0	1	3	
1.9	0.1	2	4	
1.9	0.1	2	6	
1.0	0.0	1	8	
	96.0	2,848	-9	LEGITIMATE SKIP
	0.4	11	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1058-1059

MG2_6 ARRESTED IN PAST 12 MOS:PIMPNG/PROST/VIC

During the past 12 months, have you been arrested and booked for pimping, prostitution, or commercialized vice?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.7	20	1	YES
99.3	98.9	2,932	2	NO
	0.3	10	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1060-1061

MG3_6 # ARRESTS PAST 12 MOS: PIMPNG/PROST/VICE

During the past 12 months, how many times have you been arrested for pimping, prostitution, or commercialized vice?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.0	0.3	9	1	
5.6	0.0	1	2	
22.2	0.1	4	3	
5.6	0.0	1	4	
11.1	0.1	2	10	
5.6	0.0	1	20	
	98.9	2,932	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1062-1063

MG4_6 # ARRESTS PAST 3 MOS: PIMPNG/PROST/VICE

During the past 3 months, how many times were you arrested for pimping, prostitution, or commercialized vice?

PCT VALID	PCT ALL	N	VALUE	LABEL
83.3	0.5	15	0	
16.7	0.1	3	1	
	98.9	2,932	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1064-1065

MG5_6 #CONVICTIONS PAST 12MOS:PIMPNG/PROST/VIC

During the past 12 months, how many times have you been convicted for pimping, prostitution, or commercialized vice?

PCT VALID	PCT ALL	N	VALUE	LABEL
35.3	0.2	6	0	
41.2	0.2	7	1	
5.9	0.0	1	3	
5.9	0.0	1	4	
5.9	0.0	1	16	
5.9	0.0	1	20	
	98.9	2,932	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1066-1067

MG2_7 ARRESTED IN PAST 12 MOS: ROBBERY

During the past 12 months, have you been arrested and booked for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.7	20	1	YES
99.3	98.8	2,930	2	NO
	0.4	12	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1068-1069

MG3_7 # ARRESTS PAST 12 MOS: ROBBERY

During the past 12 months, how many times have you been arrested for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.7	20	1	
	98.8	2,929	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1070-1071

MG4_7 # ARRESTS PAST 3 MOS: ROBBERY

During the past 3 months, how many times were you arrested for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT VALID	PCT ALL	N	VALUE	LABEL
65.0	0.4	13	0	
35.0	0.2	7	1	
	98.8	2,929	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1072-1073

MG5_7 # CONVICTIONS PAST 12 MOS: ROBBERY

During the past 12 months, how many times have you been convicted for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT VALID	PCT ALL	N	VALUE	LABEL
65.0	0.4	13	0	
35.0	0.2	7	1	
	98.8	2,929	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1074-1075

MG2_8 ARRESTED IN PAST 12 MOS:ATTACKS ON PERSO

During the past 12 months, have you been arrested and booked for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	1.3	38	1	YES
98.7	98.2	2,913	2	NO
	0.4	11	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1076-1077

MG3_8 # ARRESTS PAST 12 MOS: ATTACKS ON PERSON

During the past 12 months, how many times have you been arrested for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT VALID	PCT ALL	N	VALUE	LABEL
86.5	1.1	32	1	
8.1	0.1	3	2	
2.7	0.0	1	3	
2.7	0.0	1	9	
	98.2	2,912	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1078-1079

MG4_8 # ARRESTS PAST 3 MOS: ATTACKS ON PERSONS

During the past 3 months, how many times were you arrested for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.2	0.8	23	0	
35.1	0.4	13	1	
2.7	0.0	1	5	
	98.2	2,912	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1080-1081

MG5_8 #CONVICTIONS PAST 12 MO:ATTACKS ON PERSO

During the past 12 months, how many times have you been convicted for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.2	0.8	23	0	
32.4	0.4	12	1	
5.4	0.1	2	2	
	98.2	2,912	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1082-1083

MG2_9 ARRESTED PAST 12 MOS:OTHER PEOPLE OFFENS

During the past 12 months, have you been arrested and booked for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.7	1.7	51	1	YES
98.3	97.8	2,900	2	NO
	0.4	11	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1084-1085

MG3_9 #ARRESTS PAST 12 MOS:OTHER PEOPLE OFFENS

During the past 12 months, how many times have you been arrested for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT VALID	PCT ALL	N	VALUE	LABEL
92.2	1.6	47	1	
3.9	0.1	2	2	
3.9	0.1	2	3	
	97.7	2,899	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1086-1087

MG4_9 # ARRESTS PAST 3 MOS:OTHER PEOPLE OFFENS

During the past 3 months, how many times were you arrested for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT VALID	PCT ALL	N	VALUE	LABEL
72.5	1.2	37	0	
27.5	0.5	14	1	
	97.7	2,899	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1088-1089

MG5_9 #CONVICTIONS PAST 12MOS:OTH PEOPLE OFFNS

During the past 12 months, how many times have you been convicted for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT VALID	PCT ALL	N	VALUE	LABEL
49.0	0.8	25	0	
43.1	0.7	22	1	
3.9	0.1	2	2	
2.0	0.0	1	3	
2.0	0.0	1	4	
	97.7	2,899	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1090-1091

MG2_10 ARRESTED PAST 12 MOS: DRIVING INTOXICATE

During the past 12 months, have you been arrested and booked for driving under the influence or driving while intoxicated?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	1.9	55	1	YES
98.1	97.6	2,895	2	NO
	0.4	12	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1092-1093

MG3_10 # ARRESTS PAST 12 MOS: DRIVING INTOXICAT

During the past 12 months, how many times have you been arrested for driving under the influence or driving while intoxicated?

PCT VALID	PCT ALL	N	VALUE	LABEL
79.6	1.4	43	1	
16.7	0.3	9	2	
1.9	0.0	1	3	
1.9	0.0	1	12	
	97.6	2,895	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1094-1095

MG4_10 # ARRESTS PAST 3 MOS: DRIVING INTOXICATE

During the past 3 months, how many times were you arrested for driving under the influence or driving while intoxicated?

PCT VALID	PCT ALL	N	VALUE	LABEL
70.4	1.3	38	0	
24.1	0.4	13	1	
3.7	0.1	2	2	
1.9	0.0	1	5	
	97.6	2,895	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1096-1097

MG5_10 # CONVICTIONS PAST 12MOS:DRIV INTOXICATE

During the past 12 months, how many times have you been convicted for driving under the influence or driving while intoxicated?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.8	0.5	15	0	
63.0	1.1	34	1	
3.7	0.1	2	2	
3.7	0.1	2	3	
1.9	0.0	1	12	
	97.6	2,895	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1098-1099

MG2_11 ARRESTED IN PAST 12 MOS: STATUS OFFENSE

During the past 12 months, have you been arrested and booked for status offenses such as running away, curfew violations, truancy, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.3	8	1	YES
99.7	99.1	2,939	2	NO
	0.5	15	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1100-1101

MG3_11 # ARRESTS PAST 12 MOS: STATUS OFFENSE

During the past 12 months, how many times have you been arrested for status offenses such as running away, curfew violations, truancy, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
85.7	0.2	6	1	
14.3	0.0	1	3	
	99.1	2,939	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1102-1103

MG4_11 # ARRESTS PAST 3 MOS: STATUS OFFENSES

During the past 3 months, how many times were you arrested for status offenses such as running away, curfew violations, truancy, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
85.7	0.2	6	0	
14.3	0.0	1	1	
	99.1	2,939	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1104-1105

MG5_11 # CONVICTIONS PAST 12 MOS: STATUS OFFENS

During the past 12 months, how many times have you been convicted for status offenses such as running away, curfew violations, truancy, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.3	0.1	2	0	
66.7	0.1	4	1	
	99.1	2,939	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1106-1107

MG2_12 ARRESTED IN PAST 12 MOS: OTHER OFFENSES

During the past 12 months, have you been arrested and booked for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation / parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.5	9.3	276	1	YES
90.5	88.9	2,637	2	NO
	1.6	48	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1108-1109

MG3_12 # ARRESTS PAST 12 MOS: OTHER OFFENSES

During the past 12 months, how many times have you been arrested for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation / parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.1	2	0	
81.0	7.5	222	1	
13.9	1.3	38	2	
1.8	0.2	5	3	
1.8	0.2	5	4	
0.4	0.0	1	5	
0.4	0.0	1	6	
	88.9	2,636	-9	LEGITIMATE SKIP
	1.8	52	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1110-1111

MG4_12 # ARRESTS PAST 3 MOS: OTHER OFFENSES

During the past 3 months, how many times were you arrested for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation / parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
65.9	6.0	178	0	
31.9	2.9	86	1	
2.2	0.2	6	2	
	88.9	2,636	-9	LEGITIMATE SKIP
	1.9	55	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1112-1113

MG5_12 # CONVICTIONS PAST 12 MOS: OTHER OFFENSE

During the past 12 months, how many times have you been convicted for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation / parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT VALID	PCT ALL	N	VALUE	LABEL
46.3	4.2	126	0	
46.7	4.3	127	1	
4.8	0.4	13	2	
1.1	0.1	3	3	
0.7	0.1	2	4	
0.4	0.0	1	5	
	88.9	2,636	-9	LEGITIMATE SKIP
	1.8	54	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1114-1115

MG6 **ILLEGAL ACTIVITY FOR DRUG $ PAST 12 MOS**

In the past 12 months, have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.5	15.4	458	1	YES
84.5	84.2	2,497	2	NO
	0.2	7	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1116-1117

MG6A **FREQ OF ACTIVITY FOR DRUG $ PAST 12 MOS**

How often in the past 12 months have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.2	0.8	25	0	NEVER
14.2	2.3	69	1	1 OR 2 TIMES
11.3	1.9	55	2	3 TO 5 TIMES
14.6	2.4	71	3	6 TO 10 TIMES
20.4	3.3	99	4	11 TO 49 TIMES
34.2	5.6	166	5	50 OR MORE TIMES
	83.5	2,477	-9	LEGITIMATE SKIP
	0.1	3	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1118-1119

MG6B **FREQ OF ACTIVITY FOR DRUG $ PAST 3 MOS**

How often in the past 3 months have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
39.7	6.1	182	0	NEVER
15.9	2.5	73	1	1 OR 2 TIMES
11.3	1.8	52	2	3 TO 5 TIMES
7.8	1.2	36	3	6 TO 10 TIMES
14.2	2.2	65	4	11 TO 49 TIMES
11.1	1.7	51	5	50 OR MORE TIMES
	84.2	2,497	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1120-1121

MG7 **LEGL PROBLMS BCAUSE DRUG USE PAST 12 MOS**

In the past 12 months, have you had any police or legal problems because of your drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.1	15.0	444	1	YES
84.9	84.4	2,503	2	NO
	0.5	14	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1122-1123

MG7A **HOW SERIOUS DRG/ALC USE PROBS PAST 12 MO**

In the past 12 months, how serious were any such problems you had because of your drug or alcohol use? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
11.6	1.8	54	1	NOT AT ALL
39.7	6.2	184	2	SOMEWHAT
48.7	7.6	226	3	VERY SERIOUS
	83.9	2,489	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1124-1125

MG8 **HOW SERIOUS LEGAL PROBS PAST 12 MOS**

In the past 12 months, how serious do you feel your police or legal problems were overall, excluding civil problems? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
71.6	71.4	2,117	0	NO POLICE OR LEGAL PROBS
8.0	8.0	236	1	NOT AT ALL SERIOUS
6.2	6.2	184	2	SLIGHTLY SERIOUS
3.8	3.8	112	3	MODERATELY SERIOUS
4.1	4.0	120	4	CONSIDERABLY SERIOUS
6.3	6.3	186	5	EXTREMELY SERIOUS
	0.3	8	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1126-1127

MG8A **HOW SERIOUS LEGAL PROBS PAST 3 MOS**

In the past 3 months, how serious do you feel your police or legal problems were overall, excluding civil problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
30.3	7.0	209	0	NO POLICE OR LEGAL PROBS
11.9	2.8	82	1	NOT AT ALL SERIOUS
19.4	4.5	134	2	SLIGHTLY SERIOUS
9.4	2.2	65	3	MODERATELY SERIOUS
10.9	2.5	75	4	CONSIDERABLY SERIOUS
18.1	4.2	125	5	EXTREMELY SERIOUS
	76.4	2,265	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1128-1129

MG8B **HOW SERIOUS ARE LEGAL PROBS NOW**

How serious do you feel your police or legal problems are now, excluding civil problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.6	4.5	134	0	NO POLICE OR LEGAL PROBS
12.5	2.3	68	1	NOT AT ALL SERIOUS
21.5	3.9	117	2	SLIGHTLY SERIOUS
9.6	1.8	52	3	MODERATELY SERIOUS
10.7	2.0	58	4	CONSIDERABLY SERIOUS
21.1	3.9	115	5	EXTREMELY SERIOUS
	81.3	2,411	-9	LEGITIMATE SKIP
	0.3	10	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1130-1131

MG9 DO YOU HAVE LEGAL SERVICES?

Do you have legal services (an attorney)?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.1	21.0	623	1	YES
78.9	78.7	2,335	2	NO
	0.2	6	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1132-1133

MG9A DO YOU NEED LEGAL SERVICES?

Do you need legal services (an attorney)?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.7	5.4	159	1	YES
93.3	74.1	2,199	2	NO
	19.6	580	-9	LEGITIMATE SKIP
	0.9	26	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1134-1135

SECTION H: EMPLOYMENT / SUPPORT STATUS

MH1 WHAT WERE DOING MOST OF TIME LAST WEEK

What were you doing most of the time last week? Were you working, looking for work, keeping house, going to school, or something else?

PCT VALID	PCT ALL	N	VALUE	LABEL
42.7	41.8	1,239	1	WORKING AT A LEGITIMATE JOB
1.4	1.3	40	2	HAD A JOB BUT WAS NOT WORKING
9.1	8.9	263	3	LOOKING FOR WORK
16.2	15.8	470	4	KEEPING HOUSE FOR YOURSELF/FAMILY
2.6	2.6	76	5	GOING TO SCHOOL OR TRAINING
8.2	8.0	238	6	UNABLE TO WORK, DISABLED
0.3	0.3	9	7	RETIRED
8.9	8.7	258	8	IN JAIL
2.3	2.3	67	9	INVOLVED IN DRUG RELATED ACTS
0.3	0.3	8	10	INVOLVD IN OTHER ILLEGAL ACTIVITIES
3.5	3.4	101	11	NOT WORKING/NOT INTERESTED IN WORKING
4.5	4.4	130	12	OTHER
	0.3	9	-8	BLANK/MISSING
	1.9	57	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1136-1137

MH2 **WORK IN JOB/DID NOT INVOLVE ILLEGAL ACTS**

Did you work for pay at all that week at any job or task that did not involve illegal activities (including working for yourself)?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.1	15.8	468	1	YES
76.9	52.5	1,557	2	NO
	31.2	924	-9	LEGITIMATE SKIP
	0.1	2	-8	BLANK/MISSING
	0.5	15	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1138-1139

MH2A **EARNED MONEY LEGALLY IN THAT WEEK**

In that week, did you earn any money legally?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.0	5.6	167	1	YES
90.0	50.7	1,505	2	NO
	42.7	1,267	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1140-1141

MH2B **LOSE TIME FOR ANY REASON THAT WEEK**

Did you lose any time or take any time off for any reason
that week such as for an illness, a vacation, or slack work?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.2	6.6	197	1	YES
86.8	43.8	1,298	2	NO
	48.9	1,451	-9	LEGITIMATE SKIP
	0.4	13	-8	BLANK/MISSING
	0.2	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1142-1143

MH2C **HOW MANY HOURS DID YOU MISS?**

How many hours did you miss?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.6	0.2	7	0	
1.0	0.1	2	1	
1.0	0.1	2	2	
0.5	0.0	1	3	
5.7	0.4	11	4	
1.0	0.1	2	5	
2.6	0.2	5	6	
2.1	0.1	4	7	
24.7	1.6	48	8	
0.5	0.0	1	9	
3.1	0.2	6	10	
1.0	0.1	2	11	
2.6	0.2	5	12	
0.5	0.0	1	14	
1.5	0.1	3	15	
10.8	0.7	21	16	
3.6	0.2	7	20	
0.5	0.0	1	22	
5.2	0.3	10	24	
0.5	0.0	1	25	
0.5	0.0	1	30	
3.6	0.2	7	32	
0.5	0.0	1	34	
1.5	0.1	3	35	
1.0	0.1	2	36	
18.6	1.2	36	40	
0.5	0.0	1	43	
0.5	0.0	1	45	
0.5	0.0	1	48	
0.5	0.0	1	50	
	92.5	2,744	-9	LEGITIMATE SKIP
	0.6	19	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1144-1145

MH2D **HRS WRKD FOR PAY/DIDN'T INVLV ILLGL ACTS**

During that week, how many hours did you actually work for pay at jobs or tasks that did not involve illegal activities?

2,966 cases (Range of valid codes: 0-98)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1146-1147

MH2E **REASON WORKED <35 HRS DURING THAT WEEK**

What is the main reason that you worked less than 35 hours or lost of took time from work during that week?

PCT VALID	PCT ALL	N	VALUE	LABEL
18.9	3.1	93	1	SLACK WORK, LAYOFFS, STRIKE
3.9	0.6	19	2	SEASONAL WORKER
1.8	0.3	9	3	JOB TERMINATED DURING WEEK
1.0	0.2	5	4	NEW JOB STARTED DURING WEEK
15.7	2.6	77	5	COULD ONLY FIND PART-TIME WORK
1.4	0.2	7	6	DRUG OR ALCOHOL PROB
9.2	1.5	45	7	ILLNESS
5.9	1.0	29	8	VACATION
8.1	1.3	40	9	BUSY WITH OTHER ACTIVITIES
3.3	0.5	16	10	DID NOT WANT/NEED FULL-TIME WORK
9.6	1.6	47	11	WORK WEEK USUALLY UNDER 35 HOURS
4.7	0.8	23	12	UNABLE TO WORK
0.2	0.0	1	13	RETIRED
5.3	0.9	26	14	IN JAIL, RESIDENTIAL TX PROGRAM
1.0	0.2	5	15	INVOLVED IN ILLEGAL ACTIVITIES
10.0	1.7	49	16	OTHER (SPECIFY)
	81.7	2,422	-9	LEGITIMATE SKIP
	1.2	35	-8	BLANK/MISSING
	0.4	13	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1148-1149

MH2F **WRK 35HRS WK A/JOB NOT INVLVNG ILLGL ACT**

Prior to that week, did you usually work 35 hours or more a week at a paid job that did not involve illegal activities?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.3	11.5	341	1	YES
82.7	55.1	1,634	2	NO
	31.9	945	-9	LEGITIMATE SKIP
	1.4	41	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1150-1151

MH2G **WHY DID YOU WORK LESS THAN 35 HOURS/WEEK**

Why did you usually work less than 35 hours a week?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.4	4.9	144	1	SLACK WORK, LAYOFFS, STRIKE
0.8	0.4	12	2	SEASONAL WORKER
0.1	0.0	1	3	JOB TERMINATED DURING WEEK
0.1	0.1	2	4	NEW JOB STARTED DURING WEEK
5.8	3.0	90	5	COULD ONLY FIND PART-TIME WORK
5.3	2.8	82	6	DRUG OR ALCOHOL PROB
6.8	3.5	105	7	ILLNESS
0.2	0.1	3	8	VACATION
20.7	10.7	318	9	BUSY WITH OTHER ACTIVITIES
5.3	2.7	81	10	DID NOT WANT/NEED FULL-TIME WORK
3.8	2.0	58	11	WORK WEEK USUALLY UNDER 35 HOURS
15.7	8.1	241	12	UNABLE TO WORK
0.7	0.4	11	13	RETIRED
12.8	6.6	197	14	IN JAIL, RESIDENTIAL TX PROGRAM
2.1	1.1	32	15	INVOLVED IN ILLEGAL ACTIVITIES
10.5	5.5	162	16	OTHER (SPECIFY)
	42.9	1,272	-9	LEGITIMATE SKIP
	3.4	100	-8	BLANK/MISSING
	1.5	45	-6	MULTIPLE RESPONSE
	0.3	10	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1152-1153

MH3 WHAT WAS YOUR OCCUPATION?

What type of job was this or what was your occupation?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.3	4.0	119	1	PROFESSIONAL AND TECHNICAL
5.9	3.2	96	2	MANAGER AND ADMINISTRATOR
6.7	3.7	109	3	SALES
8.1	4.5	133	4	CLERICAL OR OFFICE WORKER
15.9	8.7	259	5	CRAFT AND KINDRED
6.8	3.7	111	6	OPERATIVE
4.5	2.5	73	7	TRANSPORTATION EQUIPMENT OPERATIVE
17.3	9.5	282	8	NONFARM LABOR
1.3	0.7	21	9	PRIVATE HOUSEHOLD WORKER
23.6	13.0	386	10	SERVICE WORKER
0.1	0.1	2	11	FARMER AND FARM MANAGER
0.1	0.0	1	12	FARM LABORER
0.1	0.0	1	20	MILITARY SERVICE
2.4	1.3	40	86	OTHER
	43.3	1,283	-9	LEGITIMATE SKIP
	1.4	43	-8	BLANK/MISSING
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1154-1155

MH3A **TYPE OF BUSINESS OR INDUSTRY**

What type of business or industry was this?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.8	1.5	44	1	AGRICULTURE/FORESTRY/FISHERIES
15.5	8.1	241	2	CONSTRUCTION
12.2	6.4	190	3	MANUFACTURING
8.5	4.5	133	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
2.4	1.3	38	5	WHOLESALE TRADE
20.0	10.5	312	6	RETAIL TRADE
3.1	1.7	49	7	FINANCE/INSUR./REAL ESTATE
10.5	5.5	163	8	BUSINESS/REPAIR SERVICES
5.1	2.7	79	9	PERSONAL SERVICES
0.8	0.4	13	10	ENTERTAINMENT/REC. SVCS
15.7	8.3	245	11	PROF./RELATED SVCS
3.1	1.7	49	12	PUBLIC ADMIN.
0.1	0.1	2	13	INDUSTRY NOT REPORTED
	43.6	1,292	-9	LEGITIMATE SKIP
	2.3	68	-8	BLANK/MISSING
	1.4	41	-5	BAD DATA
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1156-1157

MH3B **WAS THIS YOUR USUAL OCCUPATION?**

Was this your usual occupation?

PCT VALID	PCT ALL	N	VALUE	LABEL
79.0	42.7	1,267	1	YES
21.0	11.3	336	2	NO
	43.5	1,291	-9	LEGITIMATE SKIP
	2.2	64	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1158-1159

MH3B_SP **SPECIFY USUAL OCCUPATION**

What is your usual occupation?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.2	1.0	29	1	PROFESSIONAL AND TECHNICAL
3.5	0.4	11	2	MANAGER AND ADMINISTRATOR
4.8	0.5	15	3	SALES
11.4	1.2	36	4	CLERICAL OR OFFICE WORKER
19.0	2.0	60	5	CRAFT AND KINDRED
6.7	0.7	21	6	OPERATIVE
6.3	0.7	20	7	TRANSPORTATION EQUIPMENT OPERATIVE
14.0	1.5	44	8	NONFARM LABOR
1.3	0.1	4	9	PRIVATE HOUSEHOLD WORKER
17.8	1.9	56	10	SERVICE WORKER
0.0	0.0	0	11	FARMER AND FARM MANAGER
0.0	0.0	0	12	FARM LABORER
0.0	0.0	0	20	MILITARY SERVICE
6.0	0.6	19	86	OTHER
	44.9	1,333	-9	LEGITIMATE SKIP
	44.1	1,308	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1160-1161

MH4 **DID YOU LOOK FOR WORK DURING LAST 3 MOS**

Did you (look for work/look for a different job) during the past 3 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.0	26.8	796	1	YES
73.0	72.7	2,156	2	NO
	0.2	6	-8	BLANK/MISSING
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1162-1163

MH4A **DID YOU LOOK FOR WORK DURNG LAST 12 MOS**

Did you (look for work/look for a different job) during the last 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.8	15.7	465	1	YES
79.2	59.7	1,772	2	NO
	24.1	715	-9	LEGITIMATE SKIP
	0.3	8	-8	BLANK/MISSING
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1164-1165

MH4B1 **NO METHOD USED TO FIND WORK**

What did you do during these months to find work?

No methods used.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.6	18	1	CIRCLED
	98.8	2,930	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1166-1167

MH4B2 PUB. EMPLOYMENT AGENCY USED TO FIND WORK

What did you do during these months to find work?

Public employment agency.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	9.9	293	2	CIRCLED
	89.5	2,655	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1168-1169

MH4B3 PRIV. EMPLOYMENT AGENCY USED TO FIND WOR

What did you do during these months to find work?

Private employment agency.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.9	115	3	CIRCLED
	95.5	2,833	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1170-1171

MH4B4 EMPLOYERS DIRCTLY APPROACHD TO FIND WORK

What did you do during these months to find work?

Employers directly approached.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	18.6	553	4	CIRCLED
	80.7	2,395	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1172-1173

MH4B5 TALKED W/FRIENDS/RELATIVES TO FIND WORK

What did you do during these months to find work?

Talked with friends or relatives.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	18.6	552	5	CIRCLED
	80.8	2,396	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1174-1175

MH4B6 PLACED OR ANSWERED ADS TO FIND WORK

What did you do during these months to find work?

Place or answered ads.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	23.0	683	6	CIRCLED
	76.4	2,265	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1176-1177

MH4B7 USED OTHER METHODS TO FIND WORK

What did you do during these months to find work?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.5	105	7	CIRCLED
	95.9	2,843	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1178-1179

MH4C **TROUBLE/PROBS FINDING WORK A/THAT TIME**

Did you have any trouble or problems finding (work/a different job) during that time?

PCT VALID	PCT ALL	N	VALUE	LABEL
56.4	22.5	668	1	YES
43.6	17.4	516	2	NO
	59.4	1,762	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1180-1181

MH4D1 **PROBS: NO JOBS AVAILABLE**

Why do you think you had problems (finding a job/a different job)?

No jobs available.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	13.0	387	1	CIRCLED
	86.2	2,558	-9	LEGITIMATE SKIP
	0.5	14	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1182-1183

MH4D2 **PROBS: LACK EDUCATION/SKILLS/EXPERIENCE**

Why do you think you had problems (finding a job/a different job)?

Lack of education, skills, or experience.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	5.5	162	2	CIRCLED
	93.8	2,783	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1184-1185

MH4D3 **PROBS: LANGUAGE PROB**

Why do you think you had problems (finding a job/a different job)?

Language problem (doesn't speak English well).

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	3	CIRCLED
	99.3	2,945	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1186-1187

MH4D4 PROBS: TOO YOUNG OR TOO OLD

Why do you think you had problems (finding a job/a different job)?

Too young or too old.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.6	19	4	CIRCLED
	98.7	2,926	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1188-1189

MH4D5 PROBS: ARREST RECORD

Why do you think you had problems (finding a job/a different job)?

Arrest record.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.1	93	5	CIRCLED
	96.2	2,852	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1190-1191

MH4D6 **PROBS: DRUG HISTORY**

Why do you think you had problems (finding a job/a different job)?

Drug history.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.6	77	6	CIRCLED
	96.7	2,868	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1192-1193

MH4D7 **PROBS: OTHER PERSONAL HANDICAPS**

Why do you think you had problems (finding a job/a different job)?

Other personal handicaps.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.6	17	7	CIRCLED
	98.7	2,928	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1194-1195

MH4D8 **PROBS: ILL HEALTH**

Why do you think you had problems (finding a job/a different job)?

Ill health.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.7	20	8	CIRCLED
	98.6	2,925	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1196-1197

MH4D10 **PROBS: PERCEIVED DISCRIMINATION**

Why do you think you had problems (finding a job/a different job)?

Perceived discrimination.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.6	17	10	CIRCLED
	98.7	2,928	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1198-1199

MH4D11 PROBS: OTHER

Why do you think you had problems (finding a job/a different job)?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	4.5	134	11	CIRCLED
	94.8	2,811	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1200-1201

MH5_0 REASON: NO REASONS

What were your reasons for not looking for (work/a different job)?

No reasons.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.0	90	0	CIRCLED
	75.0	2,224	-9	LEGITIMATE SKIP
	21.7	644	-8	BLANK/MISSING
	0.1	4	-6	MULTIPLE RESPONSE
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1202-1203

MH5_1 REASON: SATISFIED WITH PRESENT JOB

What were your reasons for not looking for (work/a different job)?

Satisfied with present job.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	24.8	737	1	CIRCLED
	53.2	1,577	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1204-1205

MH5_2 REASON: NO JOBS AVAILABLE IN LINE OF WOR

What were your reasons for not looking for (work/a different job)?

Believes no jobs available in line of work or area.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.9	27	2	CIRCLED
	77.1	2,287	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1206-1207

MH5_3 REASON: COULD NOT FIND ANY WORK

What were your reasons for not looking for (work/a different job)?

Couldn't find any work.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.1	34	3	CIRCLED
	76.9	2,280	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1208-1209

MH5_4 REASON: LACKS NECESSARY SCHOOLING

What were your reasons for not looking for (work/a different job)?

Lacks necessary schooling, training, skills, or experience.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.8	54	4	CIRCLED
	76.2	2,260	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1210-1211

MH5_5 REASON: EMPLOYERS THINK TOO YOUNG/OLD

What were your reasons for not looking for (work/a different job)?

Employers think too young / old.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	5	CIRCLED
	77.9	2,310	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1212-1213

MH5_6 REASON: OTHER PERSONAL HANDICAP

What were your reasons for not looking for (work/a different job)?

Other personal handicap including drug history.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.2	64	6	CIRCLED
	75.9	2,250	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1214-1215

MH5_7 REASON: FAMILY RESPONSIBILITIES

What were your reasons for not looking for (work/a different job)?

Family responsibilities, child care problems.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	6.6	197	7	CIRCLED
	71.4	2,117	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1216-1217

MH5_8 REASON: IN SCHOOL OR OTHER TRAINING

What were your reasons for not looking for (work/a different job)?

In school or other training.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.5	73	8	CIRCLED
	75.6	2,241	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1218-1219

MH5_9 REASON: ILL HEALTH/PHYSICAL DISABILITY

What were your reasons for not looking for (work/a different job)?

Ill health or physical disability other than drug use.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	10.3	305	9	CIRCLED
	67.7	2,009	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1220-1221

MH5_10 REASON: IN JAIL OR OTHER INSTITUTION

What were your reasons for not looking for (work/a different job)?

In jail or other training.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	5.6	165	10	CIRCLED
	72.5	2,149	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1222-1223

MH5_11 REASON: DRUG ACTIVITIES/DRUG EFFECTS

What were your reasons for not looking for (work/a different job)?

Drug activities and drug effects.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.7	110	11	CIRCLED
	74.3	2,204	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1224-1225

MH5_12 REASON: ILLEGAL ACTIVITIES

What were your reasons for not looking for (work/a different job)?

Illegal activities such as hustling.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.1	34	12	CIRCLED
	76.9	2,280	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1226-1227

MH5_13 REASON: SUPPORTED BY OTHER PERSON

What were your reasons for not looking for (work/a different job)?

Supported by other person.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.1	32	13	CIRCLED
	76.9	2,282	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1228-1229

MH5_15 REASON: CONCERN ABOUT IMMIGRATION STATUS

What were your reasons for not looking for (work/a different job)?

Concern about immigration status in U.S. (i.e. Has a job without papers and making switch would be risky).

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	15	CIRCLED
	78.0	2,314	-9	LEGITIMATE SKIP
	21.9	650	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1230-1231

MH5_16 REASON: OTHER

What were your reasons for not looking for (work/a different job)?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	5.0	148	16	CIRCLED
	73.0	2,166	-9	LEGITIMATE SKIP
	21.8	648	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1232-1233

MH6 # EMPLOYERS WORKED LEGITIMATE JOBS FOR

In the past 12 months, for how many different employers or businesses have you worked legitimate jobs? If you worked for yourself, such as doing in-home child care or odd jobs and yard work, count this as one employer.

PCT VALID	PCT ALL	N	VALUE	LABEL
37.4	37.3	1,106	0	
40.5	40.4	1,198	1	
13.4	13.4	397	2	
5.0	5.0	149	3	
1.7	1.7	49	4	
0.7	0.7	22	5	
0.5	0.5	16	6	
0.2	0.2	7	7	
0.1	0.1	2	8	
0.0	0.0	1	9	
0.1	0.1	3	10	
0.1	0.1	3	12	
0.1	0.1	2	15	
0.1	0.1	2	52	
	0.2	6	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1234-1235

MH7 **WKS EMPL FT/PT JOBS (PAST 12 MOS)**

In the past 12 months, how long were you employed in either full- or part-time jobs?

2,966 cases (Range of valid codes: 0-80)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1236-1237

MH8 **# WEEKS WORKED 35 OR MORE HOURS A WEEK**

In the past 12 months, how many weeks have you worked 35 or more hours a week?

2,966 cases (Range of valid codes: 0-80)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1238-1239

MH9 **LONGEST PER(WKS)WORK ANY 1-FT JOB(12MOS)**

What has been the longest period you have worked any one full-time job (35 hours or more a week) in these past 12 months?

2,966 cases (Range of valid codes: 0-52)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1240-1241

MH9A **IS THIS YOUR CURRENT JOB?**

Is this your current job?

PCT VALID	PCT ALL	N	VALUE	LABEL
72.1	37.1	1,101	1	YES
27.9	14.4	427	2	NO
	46.4	1,376	-9	LEGITIMATE SKIP
	1.9	56	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1242-1243

MH10 **WHAT WAS YOUR OCCUPATION?**

What type of job was this or what was your occupation?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.2	1.3	40	1	PROFESSIONAL AND TECHNICAL
2.9	0.5	16	2	MANAGER AND ADMINISTRATOR
6.5	1.2	36	3	SALES
7.0	1.3	39	4	CLERICAL OR OFFICE WORKER
13.4	2.5	74	5	CRAFT AND KINDRED
7.0	1.3	39	6	OPERATIVE
4.0	0.7	22	7	TRANSPORTATION EQUIPMENT OPERATIVE
20.0	3.7	111	8	NONFARM LABOR
0.9	0.2	5	9	PRIVATE HOUSEHOLD WORKER
28.7	5.4	159	10	SERVICE WORKER
0.2	0.0	1	11	FARMER AND FARM MANAGER
0.0	0.0	0	12	FARM LABORER
0.0	0.0	0	20	MILITARY SERVICE
2.2	0.4	12	86	OTHER
	79.3	2,351	-9	LEGITIMATE SKIP
	1.9	56	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1244-1245

MH10A TYPE OF BUSINESS OR INDUSTRY

What type of business or industry was this?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.7	0.3	9	1	AGRICULTURE/FORESTRY/FISHERIES
18.9	3.3	99	2	CONSTRUCTION
12.6	2.2	66	3	MANUFACTURING
6.5	1.1	34	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
1.9	0.3	10	5	WHOLESALE TRADE
25.5	4.5	134	6	RETAIL TRADE
1.9	0.3	10	7	FINANCE/INSUR./REAL ESTATE
11.4	2.0	60	8	BUSINESS/REPAIR SERVICES
5.0	0.9	26	9	PERSONAL SERVICES
0.8	0.1	4	10	ENTERTAINMENT/REC. SVCS
11.8	2.1	62	11	PROF./RELATED SVCS
2.1	0.4	11	12	PUBLIC ADMIN.
0.0	0.0	0	13	INDUSTRY NOT REPORTED
	79.5	2,358	-9	LEGITIMATE SKIP
	2.2	66	-8	BLANK/MISSING
	0.4	12	-5	BAD DATA
	0.2	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1246-1247

MH10B WAS THIS YOUR USUAL OCCUPATION?

Was this your usual occupation?

PCT VALID	PCT ALL	N	VALUE	LABEL
68.9	12.6	373	1	YES
31.1	5.7	168	2	NO
	79.5	2,358	-9	LEGITIMATE SKIP
	2.1	62	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1248-1249

MH10B_SP **SPECIFY USUAL OCCUPATION**

What is your usual occupation?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.1	0.2	6	1	PROFESSIONAL AND TECHNICAL
4.1	0.2	6	2	MANAGER AND ADMINISTRATOR
4.8	0.2	7	3	SALES
7.5	0.4	11	4	CLERICAL OR OFFICE WORKER
24.5	1.2	36	5	CRAFT AND KINDRED
6.1	0.3	9	6	OPERATIVE
4.8	0.2	7	7	TRANSPORTATION EQUIPMENT OPERATIVE
15.6	0.8	23	8	NONFARM LABOR
1.4	0.1	2	9	PRIVATE HOUSEHOLD WORKER
25.2	1.2	37	10	SERVICE WORKER
0.0	0.0	0	11	FARMER AND FARM MANAGER
0.0	0.0	0	12	FARM LABORER
0.0	0.0	0	20	MILITARY SERVICE
2.0	0.1	3	86	OTHER
	82.9	2,458	-9	LEGITIMATE SKIP
	12.0	356	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1250-1251

MH11 **WAGE/SALARY/RATE OF PAY BEFORE TAXES**

What was your wage, salary, or rate of pay before taxes in your current or most recent job? Amount.

2,966 cases (Range of valid codes: 0.00-720000.00)

Data type: numeric
Decimals: 2
Missing-data codes: lowest thru -1.00
Columns: 1252-1260

MH11R **CODE FOR PAY RATE**

What was your wage, salary, or rate of pay before taxes in your current or most recent job? Frequency.

PCT VALID	PCT ALL	N	VALUE	LABEL
59.4	29.2	866	1	HOUR
15.5	7.6	226	2	WEEK
3.2	1.6	46	3	2 WEEKS
4.8	2.4	70	4	MONTH
15.4	7.6	224	5	YEAR
1.7	0.8	25	6	OTHER
	46.3	1,372	-9	LEGITIMATE SKIP
	3.7	110	-8	BLANK/MISSING
	0.5	15	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1261-1262

MH12 **PAST 12 MOS/TRBL GETTNG/HLDNG/WORKNG JOB**

In the past 12 months, how troubled have you been by problems getting, holding, or working a job? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
65.6	64.8	1,922	0	NOT AT ALL
11.7	11.6	344	1	SLIGHTLY
7.9	7.8	231	2	MODERATELY
6.4	6.3	187	3	CONSIDERABLY
8.5	8.4	248	4	EXTREMELY
	0.8	23	-8	BLANK/MISSING
	0.4	11	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1263-1264

MH12A **PAST 3 MOS/TRBL GETTNG/HOLDING/WORKNG JO**

In the past 3 months, how troubled have you been by problems getting, holding, or working a job?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.8	9.0	266	0	NOT AT ALL
23.9	9.0	267	1	SLIGHTLY
14.1	5.3	157	2	MODERATELY
15.9	6.0	178	3	CONSIDERABLY
22.2	8.4	248	4	EXTREMELY
	61.5	1,823	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1265-1266

MH12B **HOW TROUBLD NOW GETTNG/HOLDNG/WORKNG JOB**

How troubled are you now by problems getting, holding, or working a job?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.1	6.5	192	0	NOT AT ALL
23.2	7.5	222	1	SLIGHTLY
14.4	4.7	138	2	MODERATELY
16.6	5.4	159	3	CONSIDERABLY
25.7	8.3	246	4	EXTREMELY
	66.8	1,981	-9	LEGITIMATE SKIP
	0.7	22	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1267-1268

MH13 IMPORTANCE OF REFERRAL FOR EMPLOYMENT

How important to you now is help or referral for employment, training, or vocational counseling?

PCT VALID	PCT ALL	N	VALUE	LABEL
49.7	49.4	1,464	0	NOT AT ALL
10.3	10.2	304	1	SLIGHTLY
7.0	6.9	205	2	MODERATELY
9.3	9.2	274	3	CONSIDERABLY
23.7	23.6	699	4	EXTREMELY
	0.5	15	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1269-1270

MH14 PROBS GETTING/HOLDING/WRKNG DUE DRUGS/AL

Have you experienced any problems getting, holding, or working a job because of drug or alcohol use in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.8	16.6	493	1	YES
83.2	82.2	2,438	2	NO
	0.8	24	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.3	9	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1271-1272

SECTION J: INCOME AND EXPENDITURES

MJ1A INCOME SOURCE/ODD JOBS/NOT ILLEGAL ACTS

In the past 12 months, have you received any income from work that did not include illegal activities, including jobs paid "off the books" or "under the table" [include odd jobs, in-home work, etc.]?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.2	60.9	1,806	1	YES
37.8	37.0	1,098	2	NO
	0.9	28	-8	BLANK/MISSING
	1.0	31	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1273-1274

MJ2A DOLLARS/RECEIVED BEFORE TAXES

In the past 12 months, how much income have you personally received before taxes from work that did not include illegal activities, including jobs paid "off the books" or "under the table" [include odd jobs, in-home work, etc.]?

2,966 cases (Range of valid codes: 0-260000)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1275-1280

MJ1B **INCOME SOURCE/SSI**

In the past 12 months, have you received any income from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.1	38.6	1,145	1	YES
59.9	57.6	1,707	2	NO
	2.9	85	-8	BLANK/MISSING
	0.8	25	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1281-1282

MJ2B **DOLLARS/RECEIVED BEFORE TAXES**

In the past 12 months, how much income have you personally received before taxes from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

2,966 cases (Range of valid codes: 0-52000)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1283-1287

MJ1C **INCOME SOURCE/SOCIAL SECURITY BENEFITS**

In the past 12 months, have you received any income from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, worker's compensation from injuries at work, or military or private pension?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.1	9.7	288	1	YES
89.9	86.2	2,556	2	NO
	3.2	94	-8	BLANK/MISSING
	0.9	26	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1288-1289

MJ2C **DOLLARS/RECEIVED BEFORE TAXES**

In the past 12 months, how much income have you personally received before taxes from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, worker's compensation from injuries at work, or military or private pension?

2,966 cases (Range of valid codes: 0-27,600)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1290-1294

MJ1D **INCOME SOURCE/SPOUSE/FAMILY/ALIMONY**

In the past 12 months, have you received any income from a spouse, family members, or friends including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.6	16.0	475	1	YES
83.4	80.6	2,391	2	NO
	2.4	71	-8	BLANK/MISSING
	0.9	28	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1295-1296

MJ2D **DOLLARS/RECEIVED BEFORE TAXES**

In the past 12 months, how much income have you personally received before taxes from a spouse, family members, or friends including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments?

2,966 cases (Range of valid codes: 0-400,000)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1297-1302

MJ1E **INCOME SOURCE/POSSIBLY ILLEGAL**

In the past 12 months, have you received any income from illegal or possibly illegal sources such as hustling or dealing?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.8	9.4	279	1	YES
90.2	86.2	2,556	2	NO
	3.4	100	-8	BLANK/MISSING
	0.9	28	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1303-1304

MJ2E **DOLLARS/RECEIVED BEFORE TAXES**

In the past 12 months, how much income have you personally received before taxes from illegal or possibly illegal sources such as hustling or dealing?

2,966 cases (Range of valid codes: 0-365,000)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1305-1310

MJ1F **INCOME SOURCE/ANY OTHER SOURCE**

In the past 12 months, have you received any income from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.9	2.8	82	1	YES
97.1	92.0	2,728	2	NO
	4.3	128	-8	BLANK/MISSING
	0.8	25	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1311-1312

MJ1F_SP **SPECIFY OTHER INCOME SOURCE**

Who specifically have you received any income from such as such as roomers or boarders who live with you but do not share living expenses with you?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.0	58	1	OTHER
	91.9	2,726	-9	LEGITIMATE SKIP
	6.0	177	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1313-1314

MJ2F **DOLLARS/RECEIVED BEFORE TAXES**

In the past 12 months, how much income have you personally received before taxes from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

2,966 cases (Range of valid codes: 0-200,000)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1315-1320

MJ2G **TOTAL DOLLARS/J2A THRU J2F**

TIn the past 12 months, how much total income have you personally received before taxes?

TOTAL AMOUNT FROM QUESTIONS MJ1A TO MJ1F

2,966 cases (Range of valid codes: 0-525000)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1321-1326

MJ3 INCOME BEFORE TAXES PAST 12 MOS

During the past 12 months, which code on this card [CARD 15] best indicates your own dollar income before taxes from all sources?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.6	4.4	130	0	NO INCOME
2.3	2.2	66	1	$ 1 - $ 499
1.3	1.3	38	2	$ 500 - $ 749
0.8	0.8	23	3	$ 750 - $ 999
1.8	1.7	51	4	$ 1,000 - $ 1,249
0.9	0.9	26	5	$ 1,250 - $ 1,499
1.0	1.0	29	6	$ 1,500 - $ 1,749
1.2	1.1	33	7	$ 1,750 - $ 1,999
1.9	1.9	55	8	$ 2,000 - $ 2,249
1.4	1.3	40	9	$ 2,250 - $ 2,499
1.9	1.8	53	10	$ 2,500 - $ 2,999
3.2	3.1	91	12	$ 3,000 - $ 3,499
2.2	2.1	63	14	$ 3,500 - $ 3,999
3.3	3.2	95	16	$ 4,000 - $ 4,499
2.3	2.2	66	18	$ 4,500 - $ 4,999
8.5	8.2	243	20	$ 5,000 - $ 5,999
9.0	8.7	257	24	$ 6,000 - $ 7,499
9.2	8.9	263	30	$ 7,500 - $ 9,999
9.6	9.2	274	40	$10,000 - $12,499
19.4	18.6	553	50	$12,500 - $24,999
13.9	13.4	396	100	$25,000 OR MORE
	0.9	26	-8	BLANK/MISSING
	2.1	61	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	1.0	30	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1327-1329

MJ4 **SHARE INCOME/EXPENSES WITH ONE LIVE WITH**

Were you sharing your income and expenses with any of the people you lived with?

PCT VALID	PCT ALL	N	VALUE	LABEL
61.1	52.3	1,552	1	YES
38.9	33.4	990	2	NO
	8.1	240	-9	LEGITIMATE SKIP
	5.3	157	-8	BLANK/MISSING
	0.3	8	-7	REFUSAL
	0.6	19	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1330-1331

MJ4A # PEOPLE YOU SHARE INCOME/EXPENSES WITH

How many of these people did you share your income and expenses with?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.2	6	0	
41.0	21.7	643	1	
22.1	11.7	346	2	
18.7	9.9	293	3	
10.4	5.5	163	4	
4.3	2.3	68	5	
2.0	1.1	32	6	
0.4	0.2	7	7	
0.3	0.1	4	8	
0.1	0.1	2	9	
0.1	0.0	1	10	
0.1	0.0	1	11	
0.1	0.0	1	15	
0.1	0.0	1	23	
0.1	0.0	1	50	
	41.1	1,220	-9	LEGITIMATE SKIP
	5.0	148	-8	BLANK/MISSING
	0.3	8	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.6	17	-3	NOT APPLICABLE
	0.0	1	-2	RESPONSE ILLEGIBLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1332-1333

MJ5 HOUSEHOLD INCOME BEFORE TAXES PAST 12 MO

During the past 12 months, which code shows the amount that is closest to the total dollar income before taxes of you and these (NUMBER FROM MJ4a) people?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.2	6	0	NO INCOME
0.1	0.1	2	1	$ 1 - $ 499
0.3	0.1	4	2	$ 500 - $ 749
0.2	0.1	3	3	$ 750 - $ 999
0.6	0.3	8	4	$ 1,000 - $ 1,249
0.6	0.3	9	5	$ 1,250 - $ 1,499
0.4	0.2	5	6	$ 1,500 - $ 1,749
0.3	0.1	4	7	$ 1,750 - $ 1,999
0.4	0.2	6	8	$ 2,000 - $ 2,249
0.3	0.1	4	9	$ 2,250 - $ 2,499
0.6	0.3	9	10	$ 2,500 - $ 2,999
1.0	0.5	14	12	$ 3,000 - $ 3,499
0.5	0.2	7	14	$ 3,500 - $ 3,999
1.4	0.6	19	16	$ 4,000 - $ 4,499
1.3	0.6	18	18	$ 4,500 - $ 4,999
4.2	2.0	58	20	$ 5,000 - $ 5,999
6.6	3.1	92	24	$ 6,000 - $ 7,499
7.7	3.6	107	30	$ 7,500 - $ 9,999
9.1	4.3	127	40	$10,000 - $12,499
24.8	11.6	345	50	$12,500 - $24,999
39.1	18.3	543	100	$25,000 OR MORE
	40.9	1,214	-9	LEGITIMATE SKIP
	5.6	166	-8	BLANK/MISSING
	1.3	40	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	4.3	128	-4	DONT KNOW
	0.8	25	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1334-1336

MJ6 # MOS PAST 12 MOS COULD NOT PAY BILLS

In the past 12 months, how many months, if any, did you not have enough money to pay your bills?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.5	60.9	1,807	0	
3.6	3.5	103	1	
5.6	5.5	162	2	
4.4	4.3	128	3	
3.0	3.0	88	4	
1.3	1.3	39	5	
2.5	2.4	72	6	
0.3	0.3	10	7	
0.8	0.7	22	8	
0.4	0.4	12	9	
0.8	0.8	24	10	
0.3	0.3	10	11	
14.4	14.0	416	12	
	1.4	42	-8	BLANK/MISSING
	0.4	13	-7	REFUSAL
	0.2	5	-4	DONT KNOW
	0.4	13	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1337-1338

MJ7 MONEY PROBS BECAUSE ALCOHOL/DRUG USE

Have you had any financial or money problems because of your drug or alcohol use in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.7	25.4	752	1	YES
74.3	73.3	2,174	2	NO
	1.0	29	-8	BLANK/MISSING
	0.3	9	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1339-1340

MJ8 HOW SERIOUS PROBS FOR DRUG/ALCOHOL USE

In your opinion, to what extent are your financial or money problems caused by your drug or alcohol use? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
10.7	3.1	91	1	NOT AT ALL
33.4	9.5	283	2	SOMEWHAT
55.8	15.9	473	3	VERY MUCH
	70.2	2,083	-9	LEGITIMATE SKIP
	0.8	24	-8	BLANK/MISSING
	0.3	10	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1341-1342

MJ9 HOW TROUBLED BY MONEY PROB PAST 12 MOS

How troubled or bothered have you been in the past 12 months by any financial or money problems? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
37.4	37.2	1,103	0	NOT AT ALL
20.6	20.5	609	1	SLIGHTLY
14.1	14.0	416	2	MODERATELY
12.6	12.6	373	3	CONSIDERABLY
15.2	15.2	450	4	EXTREMELY
	0.2	7	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1343-1344

MJ9A **HOW TROUBLED BY MONEY PROBLEMS PAST 3 MO**

How troubled or bothered have you been in the past 3 months by any financial or money problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.8	8.2	244	0	NOT AT ALL
28.7	18.4	547	1	SLIGHTLY
18.1	11.6	345	2	MODERATELY
18.1	11.6	345	3	CONSIDERABLY
22.4	14.4	428	4	EXTREMELY
	34.9	1,034	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1345-1346

MJ9B **HOW TROUBLED BY ANY MONEY PROBS**

How troubled or bothered are you now by any financial or money problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.9	6.4	191	0	NOT AT ALL
29.1	17.3	512	1	SLIGHTLY
17.2	10.2	302	2	MODERATELY
18.0	10.7	316	3	CONSIDERABLY
24.9	14.7	437	4	EXTREMELY
	39.8	1,181	-9	LEGITIMATE SKIP
	0.7	20	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1347-1348

MJ10 **HOW IMPORTANT/COUNSELING FOR MONEY PROB**

How important to you now is counseling for financial or money problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.0	61.4	1,821	0	NOT AT ALL
12.1	12.0	356	1	SLIGHTLY
6.2	6.1	182	2	MODERATELY
7.2	7.1	210	3	CONSIDERABLY
12.5	12.4	367	4	EXTREMELY
	0.4	12	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.2	7	-6	MULTIPLE RESPONSE
	0.1	4	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1349-1350

SECTION K: HEALTH

MK1 YOUR HEALTH NOW IS

Would you say that your health now is...?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.6	23.6	700	1	EXCELLENT
47.1	47.1	1,396	2	GOOD
23.0	23.0	681	3	FAIR
6.3	6.3	186	4	POOR
	0.1	2	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1351-1352

MK2 COMPARE YOUR HEALTH TO PEOPLE YOUR AGE

Comparing your general health now to the health of other people your age, would you say your health is...?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.5	16.4	486	1	MUCH BETTER
29.9	29.7	881	2	BETTER
37.8	37.6	1,114	3	THE SAME
12.5	12.4	369	4	WORSE
3.3	3.3	98	5	MUCH WORSE
	0.1	3	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	12	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1353-1354

MK3 YOUR HEALTH/COMPARE TO PAST 3 MOS

Would you say your health now is [READ CHOICES] than it was when you left (completed) treatment at (NAME OF PROGRAM)?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.4	25.3	749	1	MUCH BETTER
30.6	30.3	900	2	BETTER
29.8	29.6	879	3	THE SAME
11.5	11.4	339	4	WORSE
2.6	2.6	78	5	MUCH WORSE
	0.2	5	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1355-1356

MK4 **# OF TIMES YOU HAVE BEEN PREGNANT**

Since (DATE OF LAST PHYSICAL CONTACT ON TALLY SHEET B), how many times have you been pregnant? Please count pregnancies that result in miscarriages, abortions, stillbirths, and live births.

PCT VALID	PCT ALL	N	VALUE	LABEL
81.7	28.6	848	0	
14.5	5.1	151	1	
1.9	0.7	20	2	
0.5	0.2	5	3	
0.3	0.1	3	4	
0.5	0.2	5	5	
0.2	0.1	2	6	
0.1	0.0	1	7	
0.1	0.0	1	8	
0.1	0.0	1	9	
0.1	0.0	1	10	
	63.3	1,878	-9	LEGITIMATE SKIP
	1.6	46	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1357-1358

MK4A **ARE YOU NOW PREGNANT?**

Are you now pregnant?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.8	1.3	40	1	YES
79.2	5.1	152	2	NO
	91.9	2,726	-9	LEGITIMATE SKIP
	1.6	47	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1359-1360

MK4B **PREGNANCY HAS BEEN VERIFIED**

Has this been verified?

PCT VALID	PCT ALL	N	VALUE	LABEL
78.9	1.5	45	1	YES
21.1	0.4	12	2	NO
	96.5	2,861	-9	LEGITIMATE SKIP
	1.6	47	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1361-1362

MK4C1 **PREGNANCY VERIFIED BY/DOCTOR**

How was it verified--by a doctor; by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way?

Doctor.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.2	35	1	CIRCLED
	97.2	2,882	-9	LEGITIMATE SKIP
	1.6	48	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1363-1364

MK4C2 PREGNANCY VERIFIED BY/PREGNANCY TEST

How was it verified--by a doctor; by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way?

Pregnany test at a hosipital, clinic, or doctor's office.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.4	11	2	CIRCLED
	98.0	2,906	-9	LEGITIMATE SKIP
	1.6	48	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1365-1366

MK4C3 PREGNANCY VERIFIED/HOME PREGNANCY TEST

How was it verified--by a doctor; by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way?

Home pregnancy test.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	3	CIRCLED
	98.2	2,914	-9	LEGITIMATE SKIP
	1.6	48	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1367-1368

MK4C4 PREGNANCY VERIFIED BY/OTHER

How was it verified--by a doctor; by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	2	4	CIRCLED
	98.3	2,915	-9	LEGITIMATE SKIP
	1.6	48	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1369-1370

MK5 USED ALCOHOL WHILE PREGNANT

Since (DATE OF LAST PHYSICAL CONTACT), have you used alcohol while you were pregnant?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.3	1.6	46	1	YES
75.7	4.8	143	2	NO
	91.9	2,726	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1371-1372

MK6 USED NONMEDICAL DRUGS WHILE PREGNANT

Since (DATE OF LAST PHYSICAL CONTACT), have you used drugs for nonmedical reasons while you were pregnant?

PCT VALID	PCT ALL	N	VALUE	LABEL
28.2	1.8	53	1	YES
71.8	4.6	135	2	NO
	91.9	2,727	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1373-1374

MK7A HEALTH LIMITED VIGOROUS ACTIVITY

During the past 12 months, has your health limited the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.4	25.4	752	1	YES
74.6	74.3	2,205	2	NO
	0.2	7	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1375-1376

MK8A **LIMIT VIGOROUS ACTIVITY/FOR 3 MOS/MORE**

Did it limit the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports for less than 3 months or for 3 months or more?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.5	5.0	147	1	LESS THAN 3 MOS
79.5	19.2	570	2	3 MOS OR MORE
	74.2	2,201	-9	LEGITIMATE SKIP
	1.5	44	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1377-1378

MK7B **HEALTH LIMITED MODERATE ACTIVITY**

During the past 12 months, has your health limited the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing homework?

PCT VALID	PCT ALL	N	VALUE	LABEL
42.5	10.9	322	1	YES
57.5	14.7	436	2	NO
	73.9	2,192	-9	LEGITIMATE SKIP
	0.5	15	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1379-1380

MK8B **LIMIT MODERATE ACTIVITY/FOR 3 MOS/MORE**

Did it limit the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing homework for less than 3 months or for 3 months or more?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.1	2.2	64	1	LESS THAN 3 MOS
78.9	8.1	240	2	3 MOS OR MORE
	88.6	2,627	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1381-1382

MK7C **HEALTH LIMITED WALK UP HILL/CLIMB STAIRS**

During the past 12 months, has your health limited your ability to walk uphill or to climb a few flights of stairs?

PCT VALID	PCT ALL	N	VALUE	LABEL
75.4	8.9	264	1	YES
24.6	2.9	86	2	NO
	87.6	2,599	-9	LEGITIMATE SKIP
	0.5	16	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1383-1384

MK8C **LIMIT WALK UP HILL/STAIRS/FOR 3 MOS/MORE**

Did it limit your ability to walk uphill or to climb a few flights of stairs for less than 3 months or for 3 months or more?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.5	1.7	51	1	LESS THAN 3 MOS
79.5	6.7	198	2	3 MOS OR MORE
	90.6	2,687	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1385-1386

MK7D **HEALTH PREVENTD YOU FROM BENDING/LIFTING**

During the past 12 months, has your health prevented you from bending, lifting, or stooping?

PCT VALID	PCT ALL	N	VALUE	LABEL
78.3	7.3	216	1	YES
21.7	2.0	60	2	NO
	90.0	2,669	-9	LEGITIMATE SKIP
	0.7	20	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1387-1388

MK8D **PREVENT YOU FROM BEND/LIFT/3 MOS/MORE**

Did it prevent you from bending, lifting, or stooping for less than 3 months or for 3 months or more?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.0	1.5	45	1	LESS THAN 3 MOS
78.0	5.4	160	2	3 MOS OR MORE
	92.1	2,731	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1389-1390

MK7E **HEALTH LIMITED ABILITY TO WALK 1 BLOCK**

During the past 12 months, has your health limited your ability to walk 1 block?

PCT VALID	PCT ALL	N	VALUE	LABEL
47.5	3.5	105	1	YES
52.5	3.9	116	2	NO
	91.9	2,727	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1391-1392

MK8E **LIMIT YOU TO WALK 1 BLOCK/FOR 3 MOS/MORE**

Did it limit your ability to walk 1 block for less than 3 months or for 3 months or more?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.9	0.7	22	1	LESS THAN 3 MOS
77.1	2.5	74	2	3 MOS OR MORE
	95.9	2,843	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1393-1394

MK7F **HEALTH LIMITED YOU TO EAT/DRESS**

During the past 12 months, has your health limited your ability to eat, dress, or bathe, or use the toilet?

PCT VALID	PCT ALL	N	VALUE	LABEL
42.3	1.6	47	1	YES
57.7	2.2	64	2	NO
	95.7	2,837	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1395-1396

MK8F **LIMIT YOU TO EAT/DRESS/FOR 3 MOS/MORE**

Did it limit your ability to eat, dress, or bathe, or use the toilet for less than 3 months or for 3 months or more?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.0	0.4	11	1	LESS THAN 3 MOS
75.0	1.1	33	2	3 MOS OR MORE
	97.8	2,901	-9	LEGITIMATE SKIP
	0.7	20	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1397-1398

MK9 **HEALTH KEPT YOU FROM WORK/SCHOOL**

During the past 12 months, have there been any days that your health kept you from working at a job, working around the house, or going to school?

PCT VALID	PCT ALL	N	VALUE	LABEL
26.5	26.4	782	1	YES
73.5	73.1	2,167	2	NO
	0.5	15	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1399-1400

MK9A **# DAYS/HEALTH KEPT YOU FROM WORK/SCHOOL**

In the past 12 months, how many days has your health kept you from working at a job, working around the house, or going to school?

2,966 cases (Range of valid codes: 0-420)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1401-1403

MK10 STAY OVERNIGHT IN HOSPITAL/HEALTH PROB

During the past 12 months, have you stayed overnight in a hospital for any physical health problem not related to complications of drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.3	12.3	364	1	YES
87.7	87.1	2,584	2	NO
	0.6	17	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1404-1405

MK11 #HOSPITALIZTION/PHYS HLTH/NOT DRUG RELAT

In the past 12 months, how many of your hospitalizations have been for physical health problems not related to complications of drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.4	1.2	36	0	
56.9	7.3	218	1	
13.6	1.8	52	2	
6.5	0.8	25	3	
3.4	0.4	13	4	
1.8	0.2	7	5	
1.0	0.1	4	6	
0.5	0.1	2	7	
0.8	0.1	3	8	
0.3	0.0	1	9	
0.8	0.1	3	10	
0.5	0.1	2	11	
0.3	0.0	1	13	
0.5	0.1	2	14	
0.3	0.0	1	17	
0.8	0.1	3	20	
0.3	0.0	1	22	
0.3	0.0	1	25	
0.3	0.0	1	28	
0.8	0.1	3	30	
0.3	0.0	1	31	
0.3	0.0	1	50	
0.3	0.0	1	62	
0.3	0.0	1	90	
	86.4	2,564	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1406-1407

MK12 #DAYS HOSPITALZED/PHYS HEALTH PROB/NOT D

In the past 12 months, how many of the days you were hospitalized have been for a physical health problem not related to complications of drug or alcohol use?

2,966 cases (Range of valid codes: 0-210)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1408-1410

MK13 # DAYS/INJ/ILL KEPT YOU IN BED ALL DAY

During the past 12 months, how many days has an injury or physical illness kept you in bed for most or all of the day?

2,966 cases (Range of valid codes: 0-365)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1411-1413

MK14 TESTED FOR TB IN THE PAST 12 MOS

Have you been tested for tuberculosis (TB) in the past 12 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.8	62.4	1,850	1	YES
37.2	36.9	1,095	2	NO
	0.5	15	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1414-1415

MK14A WERE THE TEST RESULTS POSITIVE?

Were the test results positive?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.4	4.0	118	1	YES
93.6	58.6	1,738	2	NO
	36.4	1,081	-9	LEGITIMATE SKIP
	0.6	18	-8	BLANK/MISSING
	0.3	8	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1416-1417

MK14B RECEIVE TX FOR THIS CONDITION

Did you receive treatment for this condition?

PCT VALID	PCT ALL	N	VALUE	LABEL
71.3	2.9	87	1	YES
28.7	1.2	35	2	NO
	94.9	2,816	-9	LEGITIMATE SKIP
	0.8	25	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1418-1419

MK14C1 FIRST MEDICATION USED

What medication(s) did you use? First mention.

PCT VALID	PCT ALL	N	VALUE	LABEL
57.4	1.3	39	1	INH/ISONIAZID/RIMACTANE
2.9	0.1	2	2	VITAMINS
8.8	0.2	6	3	PILLS & VITAMINS (B1 OR B6)
4.4	0.1	3	4	PRESCRIBED PILLS
1.5	0.0	1	5	RIFAMATE
0.0	0.0	0	6	GOT A SHOT
20.6	0.5	14	7	FORGOT NAME OF PILLS
2.9	0.1	2	8	INH
0.0	0.0	0	9	ANTIBIOTICS-TB
1.5	0.0	1	10	TYLENOL PILLS
	96.1	2,851	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.1	2	-5	BAD DATA
	0.3	9	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1420-1421

MK14C2 SECOND MEDICATION USED

What medication(s) did you use? Second mention.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	INH/ISONIAZID/RIMACTANE
75.0	0.3	9	2	VITAMINS
0.0	0.0	0	3	PILLS & VITAMINS (B1 OR B6)
0.0	0.0	0	4	PRESCRIBED PILLS
0.0	0.0	0	5	RIFAMATE
0.0	0.0	0	6	GOT A SHOT
8.3	0.0	1	7	FORGOT NAME OF PILLS
8.3	0.0	1	8	INH
8.3	0.0	1	9	ANTIBIOTICS-TB
0.0	0.0	0	10	TYLENOL PILLS
	96.1	2,851	-9	LEGITIMATE SKIP
	3.3	99	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1422-1423

MK14C3 THIRD MEDICATION USED

What medication(s) did you use? Third mention.

PCT VALID	PCT ALL	N	VALUE	LABEL
50.0	0.0	1	1	INH/ISONIAZID/RIMACTANE
0.0	0.0	0	2	VITAMINS
0.0	0.0	0	3	PILLS & VITAMINS (B1 OR B6)
0.0	0.0	0	4	PRESCRIBED PILLS
0.0	0.0	0	5	RIFAMATE
0.0	0.0	0	6	GOT A SHOT
50.0	0.0	1	7	FORGOT NAME OF PILLS
0.0	0.0	0	8	INH
0.0	0.0	0	9	ANTIBIOTICS-TB
0.0	0.0	0	10	TYLENOL PILLS
	96.1	2,851	-9	LEGITIMATE SKIP
	3.7	110	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1424-1425

MK15 DISABILITY PAYMENTS FOR PHYS HEALTH PROB

During the past 12 months, have you been receiving disability payments, benefits, or a pension for a physical health problem?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.3	11.2	331	1	YES
88.7	87.5	2,595	2	NO
	1.3	38	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1426-1427

MK16 HOW TROUBLED BY MEDICAL PROBS PAST 12 MO

Overall, how troubled or bothered were you by medical problems in the past 12 months? Would you say...?

PCT VALID	PCT ALL	N	VALUE	LABEL
60.9	60.7	1,799	0	NOT AT ALL
17.5	17.4	517	1	SLIGHTLY
8.4	8.3	247	2	MODERATELY
7.3	7.2	215	3	CONSIDERABLY
6.0	5.9	176	4	EXTREMELY
	0.3	10	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1428-1429

MK16A HOW TROUBLED BY MEDICL PROBS PAST 3 MOS

How troubled or bothered were you by medical problems in the past 3 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.1	8.9	264	0	NOT AT ALL
32.5	13.7	407	1	SLIGHTLY
17.1	7.2	214	2	MODERATELY
15.7	6.6	196	3	CONSIDERABLY
13.7	5.8	171	4	EXTREMELY
	57.1	1,695	-9	LEGITIMATE SKIP
	0.6	17	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1430-1431

MK16B HOW TROUBLED NOW BY MEDICAL PROBS

How troubled or bothered are you now by medical problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.3	7.9	235	0	NOT AT ALL
31.0	11.5	342	1	SLIGHTLY
17.0	6.3	188	2	MODERATELY
15.7	5.8	173	3	CONSIDERABLY
15.0	5.6	165	4	EXTREMELY
	62.0	1,838	-9	LEGITIMATE SKIP
	0.8	23	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1432-1433

MK17 HOW IMPORTANT TX NOW FOR MEDICAL PROBS

How important to you now is treatment or counseling for medical problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
58.6	58.2	1,727	0	NOT AT ALL
11.2	11.1	329	1	SLIGHTLY
7.4	7.4	219	2	MODERATELY
7.6	7.6	224	3	CONSIDERABLY
15.2	15.1	447	4	EXTREMELY
	0.6	19	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1434-1435

SECTION L: SEXUAL RISK BEHAVIORS

ML1 # DIFF WOMEN HAD VAGINAL INTERCOURSE WIT

In these 12 months, about how many different women have you had vaginal intercourse with?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.6	0.4	12	0	NEVER HAD VAGINAL SEX WITH A WOMAN
14.1	8.9	264	1	NONE
48.7	30.8	914	2	1 WOMAN
26.9	17.0	504	3	2 TO 4 WOMEN
6.5	4.1	122	4	5 TO 9 WOMEN
2.5	1.6	47	5	10 TO 20 WOMEN
0.6	0.4	12	6	21 TO 99 WOMEN
0.1	0.1	2	7	100 OR MORE WOMEN
	35.0	1,039	-9	LEGITIMATE SKIP
	0.9	26	-8	BLANK/MISSING
	0.7	21	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1436-1437

ML1A **USED CONDOM/VAGINAL INTERCOURSE W/WOMEN**

In these 12 months, about how often have you used a condom or "rubber" when you had vaginal intercourse with the (woman/women)? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
49.3	26.8	794	1	NEVER
19.7	10.7	317	2	SOMETIMES
9.4	5.1	152	3	USUALLY
21.6	11.7	347	4	EVERY TIME
	44.1	1,308	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK/MISSING
	0.2	7	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1438-1439

ML2 **# OF DIFF WOMEN HAD ANAL INTERCOURSE WIT**

In the past 12 months, about how many different women have you had anal intercourse with?

PCT VALID	PCT ALL	N	VALUE	LABEL
86.2	54.6	1,618	1	NONE
10.3	6.5	193	2	1 WOMAN
2.5	1.6	47	3	2 TO 4 WOMEN
0.5	0.3	9	4	5 TO 9 WOMEN
0.3	0.2	5	5	10 TO 20 WOMEN
0.2	0.1	4	6	21 TO 99 WOMEN
0.0	0.0	0	7	100 OR MORE WOMEN
	35.0	1,039	-9	LEGITIMATE SKIP
	1.4	42	-8	BLANK/MISSING
	0.3	8	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1440-1441

ML2A **USED CONDOM/ANAL INTERCOURSE W/WOMEN**

In these 12 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (woman/women)? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
59.5	5.3	157	1	NEVER
12.1	1.1	32	2	SOMETIMES
6.4	0.6	17	3	USUALLY
22.0	2.0	58	4	EVERY TIME
	89.2	2,645	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1442-1443

ML3 **# OF WOMEN HAD ORAL INTERCOURSE WITH**

In the past 12 months, about how many different women have you had oral intercourse with?

PCT VALID	PCT ALL	N	VALUE	LABEL
45.5	28.6	848	1	NONE
33.5	21.1	625	2	1 WOMAN
15.2	9.6	284	3	2 TO 4 WOMEN
3.6	2.3	67	4	5 TO 9 WOMEN
1.7	1.0	31	5	10 TO 20 WOMEN
0.3	0.2	6	6	21 TO 99 WOMEN
0.1	0.1	2	7	100 OR MORE WOMEN
	35.0	1,038	-9	LEGITIMATE SKIP
	1.7	50	-8	BLANK/MISSING
	0.3	10	-7	REFUSAL
	0.1	3	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1444-1445

ML3A **USD LATEX BARRIER/ORAL INTERCOURSE/W/WOM**

In these 12 months, about how often did you use a latex barrier, such as a dental blocker, when you had oral intercourse with the (woman/women)? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
90.1	33.3	987	1	NEVER
3.8	1.4	42	2	SOMETIMES
1.9	0.7	21	3	USUALLY
4.2	1.6	46	4	EVERY TIME
	60.6	1,798	-9	LEGITIMATE SKIP
	2.0	60	-8	BLANK/MISSING
	0.2	7	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1446-1447

ML4 **INTERCOURSE W/WOMAN/TOOK $/DRUG FOR SEX**

To the best of your knowledge, had any women you had (vaginal/anal/oral) intercourse with in these 12 months ever taken money or drugs for sex?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.1	8.0	238	1	YES
84.9	45.0	1,335	2	NO
	35.2	1,044	-9	LEGITIMATE SKIP
	11.1	330	-8	BLANK/MISSING
	0.2	7	-7	REFUSAL
	0.1	4	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1448-1449

ML5 INTERCOURSE W/WOMAN/HAD SEX W/PROSTITUTE

To the best of your knowledge, had any woman you had (vaginal/anal/oral) intercourse with in these 12 months ever had sex with a prostitute?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.3	3.3	98	1	YES
93.7	48.9	1,450	2	NO
	35.2	1,045	-9	LEGITIMATE SKIP
	11.1	330	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.9	28	-4	DONT KNOW
	0.3	9	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1450-1451

ML6 INTERCOURSE W/WOMAN WHO SHOOTS UP DRUGS

To the best of your knowledge, had any woman you had (vaginal/anal/oral) intercourse within these 12 months ever used a needle or syringe to shoot up drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.3	6.0	177	1	YES
88.7	46.7	1,384	2	NO
	35.2	1,045	-9	LEGITIMATE SKIP
	11.1	330	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.6	17	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1452-1453

ML7 ANYONE GAVE MONEY/DRUGS FOR INTERCOURSE

At any time in the past 12 months, has anyone given you money or drugs to have (vaginal/anal/oral) intercourse?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.2	2.2	66	1	YES
95.8	51.4	1,524	2	NO
	35.2	1,045	-9	LEGITIMATE SKIP
	10.7	317	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1454-1455

ML8 # OF DIFF MEN HAD ANAL INTERCOURSE WITH

In these 12 months, about how many different men did you have anal intercourse with?

PCT VALID	PCT ALL	N	VALUE	LABEL
83.7	52.5	1,558	0	NEVER HAD SEX WITH A MAN
14.8	9.3	276	1	NONE
0.8	0.5	14	2	1 MAN
0.5	0.3	9	3	2 TO 4 MEN
0.1	0.1	2	4	5 TO 9 MEN
0.2	0.1	3	5	10 TO 20 MEN
0.0	0.0	0	6	21 TO 99 MEN
0.0	0.0	0	7	100 OR MORE MEN
	34.8	1,033	-9	LEGITIMATE SKIP
	1.6	47	-8	BLANK/MISSING
	0.2	7	-7	REFUSAL
	0.5	14	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1456-1457

ML8A **USED CONDOM FOR ANAL INTERCOURSE W/MEN**

In these 12 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (man/men)? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
42.9	0.4	12	1	NEVER
10.7	0.1	3	2	SOMETIMES
3.6	0.0	1	3	USUALLY
42.9	0.4	12	4	EVERY TIME
	96.6	2,866	-9	LEGITIMATE SKIP
	2.1	62	-8	BLANK/MISSING
	0.2	7	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1458-1459

ML9 **# DIFF MEN HAD ORAL INTERCOURSE WITH**

In these 12 months, about how many different men have you had oral intercourse with?

PCT VALID	PCT ALL	N	VALUE	LABEL
89.9	9.3	277	1	NONE
5.2	0.5	16	2	1 MAN
1.9	0.2	6	3	2 TO 4 MEN
1.0	0.1	3	4	5 TO 9 MEN
1.6	0.2	5	5	10 TO 20 MEN
0.3	0.0	1	6	21 TO 99 MEN
0.0	0.0	0	7	100 OR MORE MEN
	35.4	1,049	-9	LEGITIMATE SKIP
	53.8	1,595	-8	BLANK/MISSING
	0.3	8	-7	REFUSAL
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1460-1461

ML9A **USED CONDOM/ORAL INTERCOURSE W/MEN**

In these 12 months, about how often have you used a condom or "rubber" when you had oral intercourse with the (man/men)? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
79.2	1.3	38	1	NEVER
10.4	0.2	5	2	SOMETIMES
2.1	0.0	1	3	USUALLY
8.3	0.1	4	4	EVERY TIME
	44.2	1,312	-9	LEGITIMATE SKIP
	53.7	1,593	-8	BLANK/MISSING
	0.2	7	-7	REFUSAL
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1462-1463

ML10 **INTERCOURSE W/MAN/TOOK MONEY/DRUG FOR SE**

To the best of your knowledge, had any man you had (anal/oral) intercourse with in these 12 months ever taken money or drugs for sex?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.9	0.1	4	1	YES
91.1	1.4	41	2	NO
	43.9	1,303	-9	LEGITIMATE SKIP
	54.1	1,605	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1464-1465

ML11 INTERCOURSE W/MAN/HAD SEX W/PROSTITUTE

To the best of your knowledge, had any man you had (anal/oral) intercourse with in these 12 months ever had sex with a prostitute?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.4	0.3	8	1	YES
82.6	1.3	38	2	NO
	43.9	1,302	-9	LEGITIMATE SKIP
	54.1	1,606	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1466-1467

ML12 HAD INTERCOUSE W/MAN WHO SHOOTS UP DRUG

To the best of your knowledge, had any man you had (anal/oral) intercourse with in these 12 months ever used a needle or syringe to shoot up drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.9	0.1	4	1	YES
91.1	1.4	41	2	NO
	43.9	1,303	-9	LEGITIMATE SKIP
	54.1	1,606	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1468-1469

ML13 HAD INTERCOURSE W/ANYONE TESTD+/FOR AIDS

At any time in the past 12 months, have you had intercourse with anyone who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	0.8	25	1	YES
98.7	61.9	1,836	2	NO
	34.8	1,032	-9	LEGITIMATE SKIP
	2.1	62	-8	BLANK/MISSING
	0.2	6	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1470-1471

ML13A INTERCOURSE W/#PEOPLE/WHO TEST+/AIDS

During that period, how many people have you had intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT VALID	PCT ALL	N	VALUE	LABEL
92.6	0.8	25	1	1 PERSON
7.4	0.1	2	2	2 TO 4 PEOPLE
0.0	0.0	0	3	5 OR MORE PEOPLE
	35.6	1,055	-9	LEGITIMATE SKIP
	63.2	1,875	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1472-1473

ML14 #DIFF MEN/YOU HAD VAGINAL INTERCOURSE W/

In that time, about how many different men have you had vaginal intercourse with?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.6	0.6	17	0	NEVER HAD VAGINAL INTERCOURSE W/MAN
15.5	5.5	163	1	NONE
53.5	19.0	563	2	1 MAN
22.1	7.8	232	3	2 TO 4 MEN
2.7	0.9	28	4	5 TO 9 MEN
1.9	0.7	20	5	10 TO 20 MEN
1.7	0.6	18	6	21 TO 99 MEN
1.0	0.4	11	7	100 OR MORE MEN
	62.9	1,867	-9	LEGITIMATE SKIP
	1.2	36	-8	BLANK/MISSING
	0.3	10	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1474-1475

ML14A USED CONDOM/VAGINAL INTERCOURSE W/MEN

In these 12 months, about how often did the (man/men) you had intercourse with use a condom or "rubber" while you were having vaginal intercourse? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
51.8	15.3	455	1	NEVER
16.6	4.9	146	2	SOMETIMES
9.0	2.7	79	3	USUALLY
22.6	6.7	199	4	EVERY TIME
	68.7	2,038	-9	LEGITIMATE SKIP
	1.5	45	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1476-1477

ML15 #DIFF MEN/YOU HAD ANAL INTERCOURSE WITH

In the past 12 months, about how many different men have you had anal intercourse with?

PCT VALID	PCT ALL	N	VALUE	LABEL
35.1	12.3	366	0	NEVER HAD ANAL SEX WITH A MAN
51.9	18.3	542	1	NONE
10.8	3.8	113	2	1 MAN
1.8	0.6	19	3	2 TO 4 MEN
0.2	0.1	2	4	5 TO 9 MEN
0.2	0.1	2	5	10 TO 20 MEN
0.0	0.0	0	6	21 TO 99 MEN
0.0	0.0	0	7	100 OR MORE MEN
	63.1	1,873	-9	LEGITIMATE SKIP
	1.4	43	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1478-1479

ML15A USED CONDOM FOR ANAL INTERCOURSE W/MEN

In these 12 months, about how often did the (man/men) you had intercourse with use a condom or "rubber" while you were having anal intercourse? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
67.3	3.3	99	1	NEVER
10.9	0.5	16	2	SOMETIMES
2.7	0.1	4	3	USUALLY
19.0	0.9	28	4	EVERY TIME
	93.4	2,769	-9	LEGITIMATE SKIP
	1.6	46	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1480-1481

ML16 # OF DIFF MEN HAD ORAL INTERCOURSE WITH

In the past 12 months, about how many different men have you had oral intercourse with?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.2	2.9	85	0	NEVER HAD ORAL SEX WITH A MAN
36.3	12.7	378	1	NONE
40.1	14.1	418	2	1 MAN
10.4	3.6	108	3	2 TO 4 MEN
1.6	0.6	17	4	5 TO 9 MEN
1.1	0.4	11	5	10 TO 20 MEN
1.5	0.5	16	6	21 TO 99 MEN
0.9	0.3	9	7	100 OR MORE MEN
	63.1	1,872	-9	LEGITIMATE SKIP
	1.5	44	-8	BLANK/MISSING
	0.2	7	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1482-1483

ML16A MAN USED LATEX BARRIER/ORAL INTERCOURSE

In these 12 months, about how often did the (man/men) you had intercourse with use a condom or latex barrier, such as a dental blocker, when you had oral intercourse? Would you say ...

PCT VALID	PCT ALL	N	VALUE	LABEL
80.4	15.9	473	1	NEVER
7.5	1.5	44	2	SOMETIMES
4.4	0.9	26	3	USUALLY
7.7	1.5	45	4	EVERY TIME
	78.3	2,321	-9	LEGITIMATE SKIP
	1.8	52	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1484-1485

ML17 SEX PARTNER HAD INTERCOURSE W/BOTH SEX

In these 12 months, have you had (vaginal/anal/oral) intercourse with a man who you think has had intercourse with both men and women?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.5	1.3	39	1	YES
95.5	27.8	825	2	NO
	63.5	1,884	-9	LEGITIMATE SKIP
	6.8	203	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.3	9	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1486-1487

ML18 MAN SEX PARTNER TOOK MONEY/DRUG FOR SEX

To the best of your knowledge, had any man you had (vaginal/anal/oral) intercourse with in these 12 months ever taken money or drugs for sex?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.3	1.8	54	1	YES
93.7	27.2	807	2	NO
	63.5	1,884	-9	LEGITIMATE SKIP
	7.0	207	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.3	8	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1488-1489

ML19 INTERCOURSE W/MAN/HAD SEX W/PROSTITUTE

To the best of your knowledge, had any man you had (vaginal/anal/oral) intercourse with in these 12 months ever had sex with a prostitute?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.3	4.1	123	1	YES
85.7	24.8	736	2	NO
	63.5	1,884	-9	LEGITIMATE SKIP
	7.0	207	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.3	10	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1490-1491

ML20 INTERCOURSE W/MAN/TOOK MONEY/DRUG FOR SE

At any time in the past 12 months, has any man given you money or drugs to have (vaginal/anal/oral) intercourse?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.4	4.2	125	1	YES
85.6	25.2	746	2	NO
	63.5	1,883	-9	LEGITIMATE SKIP
	6.9	204	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1492-1493

ML21 MAN SEX PARTNER EVER SHOOT UP DRUGS

To the best of your knowledge, has any man you had (vaginal/anal/oral) intercourse with in these 12 months ever used a needle or syringe to shoot up on drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
18.8	5.5	163	1	YES
81.2	23.7	703	2	NO
	63.5	1,884	-9	LEGITIMATE SKIP
	6.9	205	-8	BLANK/MISSING
	0.1	4	-7	REFUSAL
	0.2	5	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1494-1495

ML22 MAN SEX PARTNER/TESTED +/HAD AIDS

At any time in the past 12 months, have you had (vaginal/anal/oral) intercourse with any man who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.8	0.5	16	1	YES
98.2	28.9	858	2	NO
	62.8	1,862	-9	LEGITIMATE SKIP
	7.4	220	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.2	5	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1496-1497

ML22A # MEN TEST+/HAD AIDS/YOU HAD INTERCOURSE

In these 12 months, how many men have you had (vaginal/anal/oral) intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT VALID	PCT ALL	N	VALUE	LABEL
86.7	0.4	13	1	1 MAN
13.3	0.1	2	2	2 TO 4 MEN
0.0	0.0	0	3	5 OR MORE MEN
	91.7	2,721	-9	LEGITIMATE SKIP
	7.5	223	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1498-1499

ML23 SERVICES REC'D ABOUT HIV INFECTION/AIDS

During the past 12 months, have you received any services regarding HIV infection, AIDS, or how to reduce the risk of spreading AIDS?

PCT VALID	PCT ALL	N	VALUE	LABEL
37.9	37.1	1,101	1	YES
62.1	60.8	1,804	2	NO
	1.7	49	-8	BLANK/MISSING
	0.2	7	-7	REFUSAL
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1500-1501

ML23A1 SERVICES/ABOUT REDUCE RISK/NEEDLE USE

What types of educational services or help have you received?

Reduce risk of needle use.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	13.6	403	1	CIRCLED
	77.7	2,306	-9	LEGITIMATE SKIP
	8.0	238	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.4	13	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1502-1503

ML23A2 SERVICES/REDUCE RISK/SEXUAL TRANSMISSION

What types of educational services or help have you received?

Reduce risk of sexual transmission.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	17.3	513	2	CIRCLED
	74.0	2,196	-9	LEGITIMATE SKIP
	8.1	239	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1504-1505

ML23A3 SERVICES/KNOWLEDGE/HIV INFECTION/AIDS

What types of educational services or help have you received?

General knowledge about HIV infection and AIDS.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	28.9	856	3	CIRCLED
	62.5	1,853	-9	LEGITIMATE SKIP
	8.1	239	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1506-1507

ML23A4 SERVICES/OTHER

What types of educational services or help have you received?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	6.0	178	4	CIRCLED
	88.5	2,626	-9	LEGITIMATE SKIP
	4.8	143	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.4	12	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1508-1509

ML23B # OF MEETINGS FOR SERVICES

How many times have you met with anyone specifically for this kind of service?

2,966 cases (Range of valid codes: 0-99)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1510-1511

ML23C HOW HELPFUL WAS SERVICE

How helpful was this service? Would you say it was...

PCT VALID	PCT ALL	N	VALUE	LABEL
3.1	1.1	34	0	NOT AT ALL
18.6	6.8	201	1	SOMEWHAT
78.3	28.5	846	2	VERY HELPFUL
	60.7	1,801	-9	LEGITIMATE SKIP
	2.3	69	-8	BLANK/MISSING
	0.2	5	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	9	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1512-1513

SECTION M: POSTTREATMENT EXPERIENCE

MM1 # DAYS SCHEDULED TO RECEIVE SERVICES

Now, I would like to ask about any treatment or counseling that you may have received during the past 12 months. Please think about all kinds of help or services, such as drug or alcohol counseling, medical treatment, counseling for an emotional or mental health problem, employment counseling, or any other services that you have received during that time. In the past 12 months, on how many days have you been scheduled to receive any services? Include methadone and any other medication, any individual and group counseling, and other services you have received.

2,966 cases (Range of valid codes: 0-690)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1514-1516

MM2 RECEIVED TX FOR ALCOHOL PROB

During the past 12 months, have you received any treatment that was primarily for an alcohol problem? Please do not include Alcoholics Anonymous (AA) or other fellowship groups.

PCT VALID	PCT ALL	N	VALUE	LABEL
9.6	5.4	159	1	YES
90.4	50.4	1,494	2	NO
	42.7	1,266	-9	LEGITIMATE SKIP
	1.5	45	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1517-1518

MM2A1 # TIMES TREATED A/28-DAY TX UNIT

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems at a 28-day or other short-term inpatient treatment unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
56.0	2.1	61	0	
31.2	1.1	34	1	
7.3	0.3	8	2	
3.7	0.1	4	3	
0.9	0.0	1	30	
0.9	0.0	1	45	
	92.7	2,750	-9	LEGITIMATE SKIP
	3.4	102	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1519-1520

MM2A2 # TIMES TREATED A/THERAPEUTIC COMMUNITY

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems at a therapeutic community or other long-term residential treatment unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.5	2.2	65	0	
30.8	1.1	32	1	
1.9	0.1	2	2	
1.0	0.0	1	3	
1.0	0.0	1	6	
1.0	0.0	1	20	
1.0	0.0	1	60	
1.0	0.0	1	95	
	92.8	2,752	-9	LEGITIMATE SKIP
	3.5	105	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1521-1522

MM2A3 # TIMES TREATED AT A HALFWAY HOUSE

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems at a halfway house?

PCT VALID	PCT ALL	N	VALUE	LABEL
75.0	2.3	69	0	
23.9	0.7	22	1	
1.1	0.0	1	60	
	92.8	2,753	-9	LEGITIMATE SKIP
	3.8	114	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1523-1524

MM2A4 # TIMES TREATED A/ALCOHOL TX UNIT

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems at an outpatient alcohol treatment unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
46.2	1.9	55	0	
34.5	1.4	41	1	
5.0	0.2	6	2	
2.5	0.1	3	4	
0.8	0.0	1	10	
0.8	0.0	1	12	
0.8	0.0	1	14	
0.8	0.0	1	18	
1.7	0.1	2	20	
0.8	0.0	1	48	
1.7	0.1	2	50	
4.2	0.2	5	52	
	92.8	2,752	-9	LEGITIMATE SKIP
	3.0	89	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	4	-3	NOT APPLICABLE
	0.0	1	-2	RESPONSE ILLEGIBLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1525-1526

MM2A5 # TIMES TREATED A/OTHER TYPE ALCOHOL TX

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems from any other type of alcohol treatment, excluding AA?

PCT VALID	PCT ALL	N	VALUE	LABEL
76.5	2.5	75	0	
14.3	0.5	14	1	
2.0	0.1	2	2	
1.0	0.0	1	4	
1.0	0.0	1	8	
1.0	0.0	1	12	
1.0	0.0	1	15	
1.0	0.0	1	30	
1.0	0.0	1	52	
1.0	0.0	1	60	
	92.8	2,753	-9	LEGITIMATE SKIP
	3.7	110	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1527-1528

MM3A EVER TREATED: 28-DAY/SHORT TERM PROGRAM

In the past 12 months, have you been treated primarily for drug problems at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.9	3.8	112	1	YES
93.1	50.9	1,510	2	NO
	42.5	1,260	-9	LEGITIMATE SKIP
	2.7	81	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1529-1530

MM3AA # ADMISSIONS: 28-DAY/SHORT TERM PROGRAM

How many different times were you admitted to a 28-day or other short-term inpatient or chemical dependency treatment program primarily for the treatment or drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
83.9	3.2	94	1	
12.5	0.5	14	2	
2.7	0.1	3	3	
0.9	0.0	1	4	
	93.4	2,770	-9	LEGITIMATE SKIP
	2.7	81	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1531-1532

MM3BA # WEEKS TX: 28-DAY/SHORT TERM PROGRAM

Altogether, how many weeks have you spent at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.6	0.2	5	1	
14.7	0.5	16	2	
14.7	0.5	16	3	
36.7	1.3	40	4	
5.5	0.2	6	5	
1.8	0.1	2	6	
2.8	0.1	3	7	
10.1	0.4	11	8	
1.8	0.1	2	12	
0.9	0.0	1	14	
0.9	0.0	1	16	
1.8	0.1	2	24	
2.8	0.1	3	28	
0.9	0.0	1	41	
	93.4	2,770	-9	LEGITIMATE SKIP
	2.8	82	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1533-1534

MM3CA_MO **MONTH DISCHARGE: 28-DAY/SHORT TERM PROG**

What was the month of your last discharge from drug treatment at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.6	0.2	5	0	STILL IN TX
16.5	0.6	18	1	JAN.-MARCH
23.9	0.9	26	2	APR.-JUNE
25.7	0.9	28	3	JULY-SEPT.
29.4	1.1	32	4	OCT.-DEC.
	93.4	2,770	-9	LEGITIMATE SKIP
	2.8	82	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1535-1536

MM3CA_YR **YEAR DISCHARGE: 28-DAY/SHORT TERM PROG**

What was the year of your last discharge from drug treatment at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.7	0.2	5	0	STILL IN TX
0.9	0.0	1	1991	
10.4	0.4	11	1992	
51.9	1.9	55	1993	
31.1	1.1	33	1994	
0.9	0.0	1	1995	
	93.4	2,770	-9	LEGITIMATE SKIP
	2.8	82	-8	BLANK/MISSING
	0.1	3	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1537-1540

MM3DA RSN DISCHARGE: 28-DAY/SHORT TERM PROG

What was the reason for your last discharge from drug treatment at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
78.1	2.8	82	1	COMPLETED TX
1.9	0.1	2	2	DISCHARGED BECAUSE OF HOSPITALIZATION
2.9	0.1	3	3	TRANSFERRED TO COMPONENT PROGRAM
1.9	0.1	2	4	TRANSFERRD TO ANOTHR SOCIAL SERVICE
4.8	0.2	5	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
3.8	0.1	4	6	VOLUNTARILY DROPPED OUT/PERSONAL
1.0	0.0	1	7	QUIT/DISSATISFIED WITH PROGRAM
5.7	0.2	6	8	OTHER
	93.4	2,771	-9	LEGITIMATE SKIP
	2.9	86	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1541-1542

MM3B EVER TREATED: THERAPEUTIC COMMUNITY PROG

In the past 12 months, have you been treated primarily for drug problems at a therapeutic community or other long-term residential treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.0	5.5	162	1	YES
90.0	49.1	1,456	2	NO
	42.6	1,263	-9	LEGITIMATE SKIP
	2.7	81	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1543-1544

MM3AB # ADMISSIONS: THERAPEUTIC COMMUNITY PROG

How many different times were you admitted to a therapeutic community or other long-term residential treatment program primarily for the treatment or drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
86.3	4.7	139	1	
9.9	0.5	16	2	
1.9	0.1	3	3	
0.6	0.0	1	4	
0.6	0.0	1	6	
0.6	0.0	1	8	
	91.6	2,718	-9	LEGITIMATE SKIP
	2.7	81	-8	BLANK/MISSING
	0.1	2	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1545-1546

MM3BB # WEEKS TX: THERAPEUTIC COMMUNITY PROGR

Altogether, how many weeks have you spent at a therapeutic community or other long-term residential treatment program?

2,966 cases (Range of valid codes: 1-90)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1547-1548

MM3CB_MO **MO DISCHARGE: THERAPEUTIC COMMUNITY PROG**

What was the month of your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.2	1.8	53	0	STILL IN TX
5.2	0.3	8	1	JANUARY
2.6	0.1	4	2	FEBRUARY
4.5	0.2	7	3	MARCH
7.7	0.4	12	4	APRIL
4.5	0.2	7	5	MAY
5.2	0.3	8	6	JUNE
4.5	0.2	7	7	JULY
7.7	0.4	12	8	AUGUST
3.2	0.2	5	9	SEPTEMBER
7.1	0.4	11	10	OCTOBER
5.8	0.3	9	11	NOVEMBER
7.7	0.4	12	12	DECEMBER
	91.6	2,718	-9	LEGITIMATE SKIP
	2.8	82	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1549-1550

MM3CB_YR **YR DISCHARGE: THERAPEUTIC COMMUNITY PROG**

What was the year of your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
32.7	1.7	50	0	STILL IN TX
0.7	0.0	1	1991	
3.3	0.2	5	1992	
34.6	1.8	53	1993	
26.8	1.4	41	1994	
2.0	0.1	3	1995	
	91.7	2,719	-9	LEGITIMATE SKIP
	2.8	83	-8	BLANK/MISSING
	0.1	3	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1551-1554

MM3DB **RSN DISCHARGE: THERAPEUTIC COMMUNITY PRO**

What was the reason for your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
39.7	2.0	60	1	COMPLETED TX
0.7	0.0	1	2	DISCHARGED BECAUSE OF HOSPITALIZATION
2.6	0.1	4	3	TRANSFERRED TO COMPONENT PROGRAM
1.3	0.1	2	4	TRANSFERRD TO ANOTHR SOCIAL SERVICE
4.6	0.2	7	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
10.6	0.5	16	6	VOLUNTARILY DROPPED OUT/PERSONAL
3.3	0.2	5	7	QUIT/DISSATISFIED WITH PROGRAM
37.1	1.9	56	8	OTHER
	91.6	2,718	-9	LEGITIMATE SKIP
	3.0	88	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1555-1556

MM3C **EVER TREATED: A METHADONE PROGRAM**

In the past 12 months, have you been treated primarily for drug problems at a methadone program?

PCT VALID	PCT ALL	N	VALUE	LABEL
30.3	16.7	495	1	YES
69.7	38.4	1,140	2	NO
	42.6	1,264	-9	LEGITIMATE SKIP
	2.1	62	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1557-1558

MM3AC **# ADMISSIONS: A METHADONE PROGRAM**

How many different times were you admitted to a methadone program primarily for the treatment or drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	0.2	7	0	
82.5	13.2	392	1	
7.2	1.1	34	2	
4.4	0.7	21	3	
1.9	0.3	9	4	
0.4	0.1	2	5	
0.2	0.0	1	6	
0.4	0.1	2	10	
0.4	0.1	2	12	
0.2	0.0	1	14	
0.2	0.0	1	25	
0.2	0.0	1	42	
0.2	0.0	1	50	
0.2	0.0	1	52	
	81.0	2,403	-9	LEGITIMATE SKIP
	2.8	83	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1559-1560

MM3BC # WEEKS TX: A METHADONE PROGRAM

Altogether, how many weeks have you spent at a methadone program?

2,966 cases (Range of valid codes: 0-99)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1561-1562

MM3CC_MO MONTH DISCHARGE: A METHADONE PROGRAM

What was the month of your last discharge from drug treatment at a methadone program?

PCT VALID	PCT ALL	N	VALUE	LABEL
70.3	10.8	320	0	STILL IN TX
8.8	1.3	40	1	JAN.-MARCH
5.3	0.8	24	2	APR.-JUNE
5.3	0.8	24	3	JULY-SEPT.
10.3	1.6	47	4	OCT.-DEC.
	81.0	2,402	-9	LEGITIMATE SKIP
	3.3	97	-8	BLANK/MISSING
	0.1	2	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1563-1564

MM3CC_YR **YR DISCHARGE: THERAPEUTIC COMMUNITY PROG**

What was the year of your last discharge from drug treatment at a methadone program?

PCT VALID	PCT ALL	N	VALUE	LABEL
70.7	10.6	313	0	STILL IN TX
0.7	0.1	3	1990	
0.7	0.1	3	1991	
0.5	0.1	2	1992	
7.9	1.2	35	1993	
17.8	2.7	79	1994	
1.8	0.3	8	1995	
	81.1	2,404	-9	LEGITIMATE SKIP
	3.2	96	-8	BLANK/MISSING
	0.5	15	-5	BAD DATA
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1565-1568

MM3DC **RSN DISCHARGE: A METHADONE PROGRAM**

What was the reason for your last discharge from drug treatment at a methadone program?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.4	1.0	29	1	COMPLETED TX
2.4	0.4	11	2	DISCHARGED BECAUSE OF HOSPITALIZATION
2.2	0.3	10	3	TRANSFERRED TO COMPONENT PROGRAM
0.0	0.0	0	4	TRANSFERRD TO ANOTHR SOCIAL SERVICE
2.9	0.4	13	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
4.9	0.7	22	6	VOLUNTARILY DROPPED OUT/PERSONAL
1.3	0.2	6	7	QUIT/DISSATISFIED WITH PROGRAM
79.9	12.2	362	8	OTHER
	81.0	2,402	-9	LEGITIMATE SKIP
	3.5	104	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1569-1570

MM3D **EVER TREATED: OUTPATIENT DRUG PROGRAM**

In the past 12 months, have you been treated primarily for drug problems at an outpatient drug treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.5	13.4	397	1	YES
75.5	41.3	1,226	2	NO
	42.6	1,264	-9	LEGITIMATE SKIP
	2.6	77	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1571-1572

MM3AD **# ADMISSIONS: OUTPATIENT DRUG PROGRAM**

How many different times were you admitted to an outpatient drug treatment program primarily for the treatment or drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.3	0.3	9	0	
84.7	11.4	337	1	
9.3	1.2	37	2	
1.3	0.2	5	3	
0.5	0.1	2	4	
0.3	0.0	1	5	
0.3	0.0	1	6	
0.3	0.0	1	12	
0.3	0.0	1	16	
0.3	0.0	1	20	
0.3	0.0	1	30	
0.5	0.1	2	52	
	83.8	2,485	-9	LEGITIMATE SKIP
	2.6	78	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1573-1574

MM3BD # WEEKS TX: OUTPATIENT DRUG PROGRAM

Altogether, how many weeks have you spent at an outpatient drug treatment program?

2,966 cases (Range of valid codes: 0-99)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1575-1576

MM3CD_MO MONTH DISCHARGE: OUTPATIENT DRUG PROGRAM

What was the month of your last discharge from drug treatment at an outpatient drug treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
49.1	6.4	189	0	STILL IN TX
11.9	1.6	46	1	JAN.-MARCH
10.6	1.4	41	2	APR.-JUNE
14.8	1.9	57	3	JULY-SEPT.
13.5	1.8	52	4	OCT.-DEC.
	83.8	2,485	-9	LEGITIMATE SKIP
	2.7	81	-8	BLANK/MISSING
	0.1	3	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	0.3	9	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1577-1578

MM3CD_YR **YR DISCHARGE: THERAPEUTIC COMMUNITY PROG**

What was the year of your last discharge from drug treatment at an outpatient drug treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
48.1	6.1	181	0	STILL IN TX
4.3	0.5	16	1992	
25.8	3.3	97	1993	
19.9	2.5	75	1994	
1.9	0.2	7	1995	
	83.8	2,486	-9	LEGITIMATE SKIP
	2.7	81	-8	BLANK/MISSING
	0.4	12	-5	BAD DATA
	0.1	3	-4	DONT KNOW
	0.3	8	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1579-1582

MM3DD **RSN DISCHARGE: OUTPATIENT DRUG PROGRAM**

What was the reason for your last discharge from drug treatment at an outpatient drug treatment program?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.8	2.7	81	1	COMPLETED TX
3.0	0.4	11	2	DISCHARGED BECAUSE OF HOSPITALIZATION
2.4	0.3	9	3	TRANSFERRED TO COMPONENT PROGRAM
0.5	0.1	2	4	TRANSFERRD TO ANOTHR SOCIAL SERVICE
2.4	0.3	9	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
9.2	1.1	34	6	VOLUNTARILY DROPPED OUT/PERSONAL
3.2	0.4	12	7	QUIT/DISSATISFIED WITH PROGRAM
57.4	7.2	213	8	OTHER
	83.8	2,485	-9	LEGITIMATE SKIP
	3.0	90	-8	BLANK/MISSING
	0.2	5	-5	BAD DATA
	0.1	2	-4	DONT KNOW
	0.4	13	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1583-1584

MM3E **EVER TREATED: OTHER TYPE DRUG TX**

In the past 12 months, have you been treated primarily for drug problems at any other type of drug treatment such as a halfway house?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.1	3.8	113	1	YES
92.9	50.1	1,485	2	NO
	42.7	1,265	-9	LEGITIMATE SKIP
	3.3	97	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1585-1586

MM3AE **# ADMISSIONS: OTHER TYPE DRUG TX**

How many different times were you admitted to any other type of drug treatment such as a halfway house primarily for the treatment or drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
90.9	3.4	100	1	
9.1	0.3	10	2	
	92.7	2,750	-9	LEGITIMATE SKIP
	3.4	101	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1587-1588

MM3BE # WEEKS TX: OTHER TYPE DRUG TX

Altogether, how many weeks have you spent at any other type of drug treatment such as a halfway house?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.8	0.1	2	0	
3.7	0.1	4	2	
5.5	0.2	6	3	
11.9	0.4	13	4	
4.6	0.2	5	6	
6.4	0.2	7	8	
0.9	0.0	1	9	
0.9	0.0	1	10	
2.8	0.1	3	11	
17.4	0.6	19	12	
4.6	0.2	5	13	
0.9	0.0	1	14	
3.7	0.1	4	16	
0.9	0.0	1	19	
1.8	0.1	2	20	
0.9	0.0	1	22	
5.5	0.2	6	24	
0.9	0.0	1	25	
4.6	0.2	5	26	
1.8	0.1	2	28	
0.9	0.0	1	29	
2.8	0.1	3	30	
3.7	0.1	4	32	
1.8	0.1	2	34	
0.9	0.0	1	36	
0.9	0.0	1	38	
1.8	0.1	2	40	
0.9	0.0	1	43	
0.9	0.0	1	44	
2.8	0.1	3	52	
0.9	0.0	1	58	
	92.7	2,750	-9	LEGITIMATE SKIP
	3.4	102	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1589-1590

MM3CE_MO MONTH DISCHARGE: OTHER TYPE DRUG TX

What was the month of your last discharge from drug treatment at any other type of drug treatment such as a halfway house?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.0	0.7	20	0	STILL IN TX
15.2	0.5	16	1	JAN.-MARCH
23.8	0.8	25	2	APR.-JUNE
22.9	0.8	24	3	JULY-SEPT.
19.0	0.7	20	4	OCT.-DEC.
	92.8	2,751	-9	LEGITIMATE SKIP
	3.4	102	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.2	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1591-1592

MM3CE_YR YR DISCHARGE: THERAPEUTIC COMMUNITY PROG

What was the year of your last discharge from drug treatment at any other type of drug treatment such as a halfway house?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.0	0.7	20	0	STILL IN TX
11.0	0.4	11	1992	
40.0	1.3	40	1993	
25.0	0.8	25	1994	
4.0	0.1	4	1995	
	92.8	2,751	-9	LEGITIMATE SKIP
	3.5	103	-8	BLANK/MISSING
	0.1	4	-5	BAD DATA
	0.0	1	-4	DONT KNOW
	0.2	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1593-1596

MM3DE **RSN DISCHARGE: OTHER TYPE DRUG TX**

What was the reason for your last discharge from drug treatment at any other type of drug treatment such as a halfway house?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.0	1.7	51	1	COMPLETED TX
2.0	0.1	2	2	DISCHARGED BECAUSE OF HOSPITALIZATION
2.9	0.1	3	3	TRANSFERRED TO COMPONENT PROGRAM
2.0	0.1	2	4	TRANSFERRD TO ANOTHR SOCIAL SERVICE
9.8	0.3	10	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
4.9	0.2	5	6	VOLUNTARILY DROPPED OUT/PERSONAL
7.8	0.3	8	7	QUIT/DISSATISFIED WITH PROGRAM
20.6	0.7	21	8	OTHER
	92.8	2,751	-9	LEGITIMATE SKIP
	3.5	103	-8	BLANK/MISSING
	0.1	3	-5	BAD DATA
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1597-1598

MM3F **EVER TREATED: SHORT-TERM DETOX PROGRAM**

In the past 12 months, have you been treated primarily for drug problems at short-term (21 days or less) detoxification program?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.2	2.8	83	1	YES
94.8	50.9	1,510	2	NO
	42.7	1,265	-9	LEGITIMATE SKIP
	3.4	101	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1599-1600

MM3AF # ADMISSIONS: SHORT-TERM DETOX PROGRAM

How many different times were you admitted to short-term (21 days or less) detoxification program primarily for the treatment or drug problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
69.2	1.8	54	1	
14.1	0.4	11	2	
7.7	0.2	6	3	
5.1	0.1	4	4	
1.3	0.0	1	7	
1.3	0.0	1	13	
1.3	0.0	1	15	
	93.6	2,776	-9	LEGITIMATE SKIP
	3.6	106	-8	BLANK/MISSING
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1601-1602

MM3BF # WEEKS TX: SHORT-TERM DETOX PROGRAM

Altogether, how many weeks have you spent at short-term (21 days or less) detoxification program?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.5	0.2	5	0	
46.8	1.2	36	1	
19.5	0.5	15	2	
9.1	0.2	7	3	
7.8	0.2	6	4	
1.3	0.0	1	5	
1.3	0.0	1	6	
1.3	0.0	1	7	
1.3	0.0	1	8	
1.3	0.0	1	9	
1.3	0.0	1	15	
1.3	0.0	1	33	
1.3	0.0	1	52	
	93.6	2,776	-9	LEGITIMATE SKIP
	3.6	107	-8	BLANK/MISSING
	0.2	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1603-1604

MM3CF_MO MONTH DISCHARGE: SHORT-TERM DETOX PROGRA

What was the month of your last discharge from drug treatment at short-term (21 days or less) detoxification program?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.9	0.1	3	0	STILL IN TX
20.8	0.5	16	1	JAN.-MARCH
22.1	0.6	17	2	APR.-JUNE
26.0	0.7	20	3	JULY-SEPT.
27.3	0.7	21	4	OCT.-DEC.
	93.6	2,776	-9	LEGITIMATE SKIP
	3.6	106	-8	BLANK/MISSING
	0.2	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1605-1606

MM3CF_YR **YR DISCHARGE: THERAPEUTIC COMMUNITY PROG**

What was the year of your last discharge from drug treatment at short-term (21 days or less) detoxification program?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	0.0	1	0	STILL IN TX
1.3	0.0	1	1991	
7.9	0.2	6	1992	
32.9	0.8	25	1993	
53.9	1.4	41	1994	
2.6	0.1	2	1995	
	93.6	2,776	-9	LEGITIMATE SKIP
	3.6	106	-8	BLANK/MISSING
	0.1	2	-5	BAD DATA
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1607-1610

MM3DF **RSN DISCHARGE: SHORT-TERM DETOX PROGRAM**

What was the reason for your last discharge from drug treatment at short-term (21 days or less) detoxification program?

PCT VALID	PCT ALL	N	VALUE	LABEL
76.6	2.0	59	1	COMPLETED TX
2.6	0.1	2	2	DISCHARGED BECAUSE OF HOSPITALIZATION
6.5	0.2	5	3	TRANSFERRED TO COMPONENT PROGRAM
1.3	0.0	1	4	TRANSFERRD TO ANOTHER SOCIAL SERVICE
1.3	0.0	1	5	INVOLUNTARILY DROPPED/NONCOMPLIANCE
5.2	0.1	4	6	VOLUNTARILY DROPPED OUT/PERSONAL
1.3	0.0	1	7	QUIT/DISSATISFIED WITH PROGRAM
5.2	0.1	4	8	OTHER
	93.6	2,776	-9	LEGITIMATE SKIP
	3.6	107	-8	BLANK/MISSING
	0.2	6	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1611-1612

MM4 METHADNE/NALTREXNE/TRANQUILIZRS PRESCRBD

During the past 12 months, has a doctor prescribed methadone, Naltrexone, tranquilizers, or Antabuse for you because of drug or alcohol problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.5	18.8	558	1	YES
66.5	37.4	1,108	2	NO
	42.5	1,262	-9	LEGITIMATE SKIP
	1.2	36	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1613-1614

MM4A1 METHADONE PRESCRIBED BY DOCTOR

Which of these did the doctor prescribe for you?

Methadone.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	16.9	500	1	CIRCLED
	81.9	2,429	-9	LEGITIMATE SKIP
	1.2	35	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1615-1616

MM4A2 NALTREXONE PRESCRIBED BY DOCTOR

Which of these did the doctor prescribe for you?

Naltrexone (Trexan).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	6	2	CIRCLED
	98.6	2,923	-9	LEGITIMATE SKIP
	1.2	35	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1617-1618

MM4A3 TRANQUILIZERS PRESCRIBED BY DOCTOR

Which of these did the doctor prescribe for you?

Tranquilizers.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.2	37	3	CIRCLED
	97.5	2,892	-9	LEGITIMATE SKIP
	1.2	35	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1619-1620

MM4A4 ANTABUSE PRESCRIBED BY DOCTOR

Which of these did the doctor prescribe for you?

Antabuse.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.0	30	4	CIRCLED
	97.7	2,899	-9	LEGITIMATE SKIP
	1.2	35	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1621-1622

MM4A5 ANTIDEPRESSANTS PRESCRIBED BY DOCTOR

Which of these did the doctor prescribe for you?

Antidepressants.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.0	59	5	CIRCLED
	96.8	2,870	-9	LEGITIMATE SKIP
	1.2	35	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1623-1624

MM4A6 CLONIDINE PRESCRIBED BY DOCTOR

Which of these did the doctor prescribe for you?

Clonidine.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.4	12	6	CIRCLED
	98.3	2,917	-9	LEGITIMATE SKIP
	1.2	35	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1625-1626

MM5 ATTENDED 12-STEP OR SELF-HELP GROUP

Now, I'd like to ask some questions about fellowship / self-help groups and 12-step programs that you may have attended during the past 12 months for drujg or alcohol problems. These include groups such as Alcoholics Anonymous (AA), Narcotics Anonymous (NA), and Cocaine Anonymous (CA). During the past 12 months, have you attended this kind of 12-step or self-help group?

PCT VALID	PCT ALL	N	VALUE	LABEL
69.3	38.7	1,149	1	YES
30.7	17.2	509	2	NO
	42.5	1,260	-9	LEGITIMATE SKIP
	1.6	48	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1627-1628

MM5A1 **ATTENDED ALCOHOLICS ANONYMOUS**

Which groups did you attend?

Alcoholics Anonymous.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	24.0	713	1	CIRCLED
	60.0	1,781	-9	LEGITIMATE SKIP
	15.9	471	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1629-1630

MM5A2 **ATTENDED NARCOTICS ANONYMOUS**

Which groups did you attend?

Narcotics Anonymous.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	30.3	898	2	CIRCLED
	59.9	1,777	-9	LEGITIMATE SKIP
	9.8	290	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1631-1632

MM5A3 ATTENDED COCAINE ANONYMOUS

Which groups did you attend?

Cocaine Anonymous.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	8.2	243	3	CIRCLED
	60.7	1,801	-9	LEGITIMATE SKIP
	31.1	921	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1633-1634

MM5A4 ATTENDED OTHER GROUPS

Which groups did you attend?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.5	45	4	CIRCLED
	60.9	1,805	-9	LEGITIMATE SKIP
	37.6	1,114	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1635-1636

MM5B HAVE YOU WORKED ANY STEPS?

Have you worked any steps?

PCT VALID	PCT ALL	N	VALUE	LABEL
76.3	30.2	896	1	YES
23.7	9.4	278	2	NO
	59.5	1,766	-9	LEGITIMATE SKIP
	0.9	26	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1637-1638

MM5C # TIMES ATTENDED GROUP/GROUPS

During the past 12 months, how many times have you attended (this group/any of these groups)?

2,966 cases (Range of valid codes: 1-999)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1639-1641

MM5D WHEN DID YOU LAST ATTEND GROUP/GROUPS?

When did you last attend (this group/any of these groups)?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.9	3.1	91	1	LESS THAN 1 WEEK AFTER DATE
92.1	35.6	1,055	2	AT LEAST 1 WEEK AFTER DATE
	59.6	1,769	-9	LEGITIMATE SKIP
	1.6	48	-8	BLANK/MISSING
	0.1	3	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1642-1643

MM5D_WK **HOW MANY WEEKS AGO WAS THAT?**

How many weeks ago was that you last attend (this group / any of these groups)?

2,966 cases (Range of valid codes: 0-99)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1644-1645

MM6A **GROUP HELPED STOP/CUT DOWN DRUG USE**

In general, how much has meeting with this kind of group helped you stop or cut down on your use of drugs? Would you say ...

PCT VALID	PCT ALL	N	VALUE	LABEL
8.6	3.4	101	0	NOT AT ALL
25.5	10.1	300	1	SOMEWHAT
64.3	25.5	756	2	VERY MUCH
1.5	0.6	18	94	NOT APPLICABLE
	59.3	1,760	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1646-1647

MM6B GROUP HELPED W/OTHER PROBS YOU HAD

In general, how much has meeting with this kind of group helped you with other probles you may have had?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.7	5.4	161	0	NOT AT ALL
30.4	12.0	357	1	SOMEWHAT
54.7	21.6	642	2	VERY MUCH
1.2	0.5	14	94	NOT APPLICABLE
	59.3	1,760	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1648-1649

MM7 REC'D SVCS FOR MENTAL PROBS PAST 12 MOS

During the past 12 months, have you received any scheduled individual or group services for emotional or mental health problems other than the services that I have already asked about?

PCT VALID	PCT ALL	N	VALUE	LABEL
18.7	10.6	313	1	YES
81.3	45.9	1,361	2	NO
	42.5	1,261	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1650-1651

MM8_1 SEEN: PRIMARY/REGULAR COUNSELOR A/PROGRA

Who have you seen or talked to for these services?

Primary / regular counselor at (TREATMENT PROGRAM).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.7	81	1	CIRCLED
	96.4	2,858	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1652-1653

MM8_2 SEEN: CASE MANAGER AT TX PROGRAM

Who have you seen or talked to for these services?

Case manager (AT TREATMENT PROGRAM).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.6	18	2	CIRCLED
	98.5	2,921	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1654-1655

MM8_11 SEEN: OTHER COUNSELOR

Who have you seen or talked to for these services?

Other counselor.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.8	52	11	CIRCLED
	97.3	2,887	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1656-1657

MM8_12 SEEN: OTHER CASE MANAGER

Who have you seen or talked to for these services?

Other case manager.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	7	12	CIRCLED
	98.9	2,932	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1658-1659

MM8_13 SEEN: SOCIAL WORKER

Who have you seen or talked to for these services?

Social worker.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.9	28	13	CIRCLED
	98.1	2,911	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1660-1661

MM8_21 SEEN: PSYCHOLOGIST

Who have you seen or talked to for these services?

Psychologist.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.3	98	21	CIRCLED
	95.8	2,841	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1662-1663

MM8_22 SEEN: PSYCHIATRIST

Who have you seen or talked to for these services?

Psychiatrist.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	4.3	128	22	CIRCLED
	94.8	2,811	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1664-1665

MM8_23 SEEN: NURSE

Who have you seen or talked to for these services?

Nurse.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.6	19	23	CIRCLED
	98.4	2,920	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1666-1667

MM8_28 SEEN: CERTIFIED FAMILY COUNSELOR

Who have you seen or talked to for these services?

Certified family counselor.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.4	11	28	CIRCLED
	98.7	2,928	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1668-1669

MM8_91 SEEN: OTHER

Who have you seen or talked to for these services?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.1	32	91	CIRCLED
	98.0	2,906	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1670-1671

MM9 #TIMES REC'D GROUP SVCS/MENTAL HLTH PROB

During the past 12 months, how many times have you received any scheduled individual or group services for emotional or mental health problems?

2,966 cases (Range of valid codes: 0-365)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1672-1674

MM10 OVERNIGHT STAY/MENTAL PROB/ASSOC W/ALC

During the past 12 months, have you stayed overnight anywhere for treatment of emotional or mental health problems other than for problems associated with drugs or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	2.2	64	1	YES
96.2	54.3	1,610	2	NO
	42.6	1,263	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1675-1676

MM10A # OF NIGHTS STAYED OVERNIGHT

Altogether, how many nights have you stayed overnight?

2,966 cases (Range of valid codes: 1-365)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1677-1679

MM10B0 REFERRED BY: SELF

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Self.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.0	30	0	CIRCLED
	98.0	2,906	-9	LEGITIMATE SKIP
	1.0	29	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1680-1681

MM10B1 REFERRED BY: DRUG TX PROGRAM

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Drug treatment program.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	1	CIRCLED
	98.2	2,912	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1682-1683

MM10B2 REFERRED BY: OTHER DRUG/ALCOHOL PROGRAM

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Other drug or alcohol program.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	2	2	CIRCLED
	98.2	2,914	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1684-1685

MM10B3 REFERRED BY: TASC PROGRAM

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

TASC program.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	3	CIRCLED
	98.2	2,913	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1686-1687

MM10B4 REFERRED BY: CRIMINAL JUSTICE SYSTEM

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Criminal justice system (attorney, judge, probation or parole officer).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.3	9	4	CIRCLED
	98.0	2,907	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1688-1689

MM10B5 REFERRED BY: DOCTOR, HOSPITAL OR CLINIC

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Doctor, hospital, or clinic.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.5	14	5	CIRCLED
	97.8	2,902	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1690-1691

MM10B6 REFERRED BY: PRIVATE THERAPIST

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Private therapist or mental health center.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	6	CIRCLED
	98.2	2,912	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1692-1693

MM10B7 REFERRED BY: COMMUNITY/SOCIAL SERVICE

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Community or social services agency.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	5	7	CIRCLED
	98.1	2,911	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1694-1695

MM10B8 REFERRED BY: SCHOOL OR TRAINING PROGRAM

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

School or training program.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	8	CIRCLED
	98.3	2,916	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1696-1697

MM10B9 REFERRED BY: EMPLOYER/UNION/E.A.P.

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Employer / union / employee assistance program (EAP).

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	9	CIRCLED
	98.3	2,916	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1698-1699

MM10B10 REFERRED BY: VETERAN'S ORGANIZATION

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Verteran's organization.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.0	1	10	CIRCLED
	98.3	2,915	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1700-1701

MM10B11 REFERRED BY: CLERGYMEN OR CHURCH

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Clergymen or church.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	11	CIRCLED
	98.3	2,916	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1702-1703

MM10B12 REFERRED BY: FRIENDS OR RELATIVES

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Friends or relatives.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.4	13	12	CIRCLED
	97.9	2,903	-9	LEGITIMATE SKIP
	1.7	49	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1704-1705

MM10B13 REFERRED BY: OTHER

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	2	13	CIRCLED
	98.2	2,914	-9	LEGITIMATE SKIP
	1.6	48	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1706-1707

MM11 CHECKUP FOR MEDICAL PROBS PAST 12 MOS

During the past 12 months, have you had a checkup or have you received any scheduled individual services for medical problems other than those I have already asked about?

PCT VALID	PCT ALL	N	VALUE	LABEL
41.1	23.2	688	1	YES
58.9	33.3	987	2	NO
	42.4	1,259	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1708-1709

MM12_1 SEEN: PRIMARY/REGULAR COUNSELOR A/PROGRA

Who have you seen or talked to for these services?

Primary / regular counselor at (TREATMENT PROGRAM).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.2	36	1	CIRCLED
	97.4	2,889	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1710-1711

MM12_2 SEEN: CASE MANAGER AT TX PROGRAM

Who have you seen or talked to for these services?

Case manager at (TREATMENT PROGRAM).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.4	11	2	CIRCLED
	98.2	2,914	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1712-1713

MM12_22 SEEN: PSYCHIATRIST

Who have you seen or talked to for these services?

Psychiatrist.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.9	26	22	CIRCLED
	97.7	2,899	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1714-1715

MM12_23 SEEN: NURSE

Who have you seen or talked to for these services?

Nurse.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.8	114	23	CIRCLED
	94.8	2,811	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1716-1717

MM12_24 SEEN: PHYSICIAN

Who have you seen or talked to for these services?

Physician.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	21.2	628	24	CIRCLED
	77.4	2,297	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1718-1719

MM12_25 SEEN: PHYSICIAN'S ASSISTANT

Who have you seen or talked to for these services?

Physician's assistant.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.5	45	25	CIRCLED
	97.1	2,880	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1720-1721

MM12_26 SEEN: DENTIST

Who have you seen or talked to for these services?

Dentist.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.5	105	26	CIRCLED
	95.1	2,820	-9	LEGITIMATE SKIP
	1.3	40	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1722-1723

MM12_91 SEEN: OTHER

Who have you seen or talked to for these services?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.7	51	91	CIRCLED
	96.9	2,874	-9	LEGITIMATE SKIP
	1.3	39	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1724-1725

MM13 # TIMES REC'D SERVICES FOR MEDICAL PROB

How many times during the past 12 months have you received any scheduled individual services for medical problems?

2,966 cases (Range of valid codes: 0-365)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1726-1728

MM14 RECEIVED SERVICES FOR FAMILY PROBS

During the past 12 months, have you received any scheduled individual or group services for family or relationship problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.7	6.1	181	1	YES
89.3	50.7	1,503	2	NO
	42.3	1,254	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1729-1730

MM15_1 SEEN: PRIMARY/REGULAR COUNSELOR A/PROGRA

Who have you seen or talked to for these services?

Primary / regular counselor at (TREATMENT PROGRAM).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.9	56	1	CIRCLED
	97.1	2,881	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1731-1732

MM15_2 SEEN: CASE MANAGER AT TX PROGRAM

Who have you seen or talked to for these services?

Case manager at (TREATMENT PROGAM).

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	6	2	CIRCLED
	98.8	2,931	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1733-1734

MM15_11 SEEN: OTHER COUNSELOR

Who have you seen or talked to for these services?

Other counselor.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.4	41	11	CIRCLED
	97.6	2,896	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1735-1736

MM15_12 SEEN: OTHER CASE MANAGER

Who have you seen or talked to for these services?

Other case manager.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	5	12	CIRCLED
	98.9	2,932	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1737-1738

MM15_13 SEEN: SOCIAL WORKER

Who have you seen or talked to for these services?

Social worker.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.8	24	13	CIRCLED
	98.2	2,913	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1739-1740

MM15_21 SEEN: PSYCHOLOGIST

Who have you seen or talked to for these services?

Psychologist.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.0	29	21	CIRCLED
	98.0	2,908	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1741-1742

MM15_22 SEEN: PSYCHIATRIST

Who have you seen or talked to for these services?

Psychiatrist.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.4	12	22	CIRCLED
	98.6	2,925	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1743-1744

MM15_23 SEEN: NURSE

Who have you seen or talked to for these services?

Nurse.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	23	CIRCLED
	98.9	2,934	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1745-1746

MM15_28 SEEN: CERTIFIED FAMILY COUNSELOR

Who have you seen or talked to for these services?

Certified family counselor.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.2	35	28	CIRCLED
	97.8	2,902	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1747-1748

MM15_91 SEEN: OTHER

Who have you seen or talked to for these services?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.0	29	91	CIRCLED
	98.0	2,908	-9	LEGITIMATE SKIP
	0.9	28	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1749-1750

MM16 #TIMES REC'D GROUP SERV/MENTAL FAMLY PRO

During the past 12 months, how many times have you received any scheduled individual or group services for family or relationship problems?

2,966 cases (Range of valid codes: 1-400)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1751-1753

MM17 HOW TROUBLED GETTING ALONG WITH FAMILY

How troubled or distressed (bothered) have you been in the past 12 months by problems getting along with family members or close friends? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
26.5	1.8	54	0	NOT AT ALL
51.5	3.5	105	1	SOMEWHAT
22.1	1.5	45	2	VERY TROUBLED
	92.0	2,730	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1754-1755

MM18 SERVICES/TRAIN FOR JOB/FIND JOB/TRAINING

During the past 12 months, have you received any scheduled services to train you for a specific job, to help you find a job, or something else like counseling or vocational training?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.6	6.0	178	1	YES
89.4	50.7	1,504	2	NO
	42.2	1,253	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1756-1757

MM19_1 SERVICES: REGULAR PUBLIC SCHOOL

Where did you go for these services?

Regular public school.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.0	1	1	CIRCLED
	98.9	2,932	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1758-1759

MM19_2 SERVICES: TECHNICAL OR VOCATIONAL SCHOOL

Where did you go for these services?

Technical or vocational school.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.8	52	2	CIRCLED
	97.1	2,881	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1760-1761

MM19_3 SERVICES: ADULT/CONTINUING EDUCATION

Where did you go for these services?

Adult education or continuing education programs.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.1	32	3	CIRCLED
	97.8	2,901	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1762-1763

MM19_4 **SERVICES: PRIVATE PROGRAMS**

Where did you go for these services?

Private programs.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.0	31	4	CIRCLED
	97.8	2,902	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1764-1765

MM19_91 **SERVICES: OTHER**

Where did you go for these services?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.3	67	91	CIRCLED
	96.6	2,865	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1766-1767

MM20 **# TIMES RECEIVED JOB TRAINING SERVICES**

During the past 12 months, how many times have you received any scheduled services to train you for a specific job, to help you find a job, or something else like counseling or vocational training?

2,966 cases (Range of valid codes: 0-300)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1768-1770

MM21 TAKEN CLASSES TO IMPROVE EDUCATION

During the past 12 months, have you taken any scheduled classes, or received counseling or help specifically to improved your education or your reading and writing?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.1	5.7	169	1	YES
89.9	51.0	1,512	2	NO
	42.3	1,256	-9	LEGITIMATE SKIP
	0.9	27	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1771-1772

MM22_1 SERVICES: REGULAR PUBLIC SCHOOL

Where did you go for these services?

Regular public school.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	6	1	CIRCLED
	98.7	2,926	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1773-1774

MM22_2 SERVICES: TECHNICAL OR VOCATIONAL SCHOOL

Where did you go for these services?

Technical or vocational school.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.0	30	2	CIRCLED
	97.8	2,902	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1775-1776

MM22_3 SERVICES: ADULT/CONTINUING EDUCATION

Where did you go for these services?

Adult education or continuing education programs.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.4	72	3	CIRCLED
	96.4	2,860	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1777-1778

MM22_4 SERVICES: PRIVATE PROGRAMS

Where did you go for these services?

Private programs.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.4	12	4	CIRCLED
	98.4	2,920	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1779-1780

MM22_91 SERVICES: OTHER

Where did you go for these services?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.8	52	91	CIRCLED
	97.1	2,880	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1781-1782

MM23 #TIMES TAKEN CLASSES TO IMPROVE EDUCATIO

During the past 12 months, how many times have you received any scheduled classes, counseling, or help specifically to improve your education or your reading and writing?

2,966 cases (Range of valid codes: 0-365)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1783-1785

MM24 RECEIVED SERVICES FOR LEGAL PROBS

During the past 12 months, have you received any scheduled services to help with legal problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.8	7.2	215	1	YES
87.2	49.5	1,469	2	NO
	42.2	1,251	-9	LEGITIMATE SKIP
	1.0	30	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1786-1787

MM25_1 SERVICES: PRIVATE LAWYER

Where did you go for these services?

Private lawyer.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.0	88	1	CIRCLED
	96.0	2,846	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1788-1789

MM25_2 SERVICES: LEGAL AID

Where did you go for these services?

Legal aid.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.3	38	2	CIRCLED
	97.6	2,896	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1790-1791

MM25_3 SERVICES: PUBLIC DEFENDER

Where did you go for these services?

Public defender or court-appointed counsel.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.0	89	3	CIRCLED
	95.9	2,845	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1792-1793

MM25_9 SERVICES: OTHER LEGAL

Where did you go for these services?

Other legal.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.4	11	9	CIRCLED
	98.6	2,923	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1794-1795

MM26 # TIMES RECEIVED SERVICES FOR LEGAL PROB

During the past 12 months, how many times have you received any scheduled services to help with legal problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.4	0.1	3	0	
29.6	2.2	64	1	
23.6	1.7	51	2	
13.4	1.0	29	3	
11.6	0.8	25	4	
7.4	0.5	16	5	
1.4	0.1	3	6	
1.4	0.1	3	7	
2.8	0.2	6	8	
1.4	0.1	3	9	
1.4	0.1	3	10	
2.3	0.2	5	12	
0.5	0.0	1	15	
0.5	0.0	1	18	
0.5	0.0	1	20	
0.5	0.0	1	24	
0.5	0.0	1	28	
	91.6	2,718	-9	LEGITIMATE SKIP
	1.0	31	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1796-1797

MM27 RECEIVED SERVICES TO HELP W/HOUSING PROB

During the past 12 months, have you received any scheduled services to help with financial or housing problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.9	6.1	182	1	YES
89.1	50.3	1,492	2	NO
	42.2	1,253	-9	LEGITIMATE SKIP
	1.3	38	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1798-1799

MM28_1 SERVICES: WELFARE OR PUBLIC ASSISTANCE

Where did you go for these services?

Welfare or public assistance office.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	3.7	111	1	CIRCLED
	94.9	2,816	-9	LEGITIMATE SKIP
	1.2	37	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1800-1801

MM28_2 SERVICES: SOCIAL SECURITY OFFICE

Where did you go for these services?

Social security office.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.6	18	2	CIRCLED
	98.1	2,909	-9	LEGITIMATE SKIP
	1.2	37	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1802-1803

MM28_3 SERVICES: UNEMPLOYMENT OFFICE

Where did you go for these services?

Unemployment office.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	3	CIRCLED
	98.6	2,923	-9	LEGITIMATE SKIP
	1.2	37	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1804-1805

MM28_4 SERVICES: EMPLOYER/UNION

Where did you go for these services?

Employer / union.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.0	1	4	CIRCLED
	98.7	2,926	-9	LEGITIMATE SKIP
	1.2	37	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1806-1807

MM28_9 SERVICES: OTHER

Where did you go for these services?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	2.4	70	9	CIRCLED
	96.3	2,857	-9	LEGITIMATE SKIP
	1.2	37	-8	BLANK/MISSING
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1808-1809

MM29 # TIMES RECEIVED SERVICES/FINANCIAL/HOUS

During the past 12 months, how many times have you received any scheduled services to help with financial or housing problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.6	0.1	3	0	
40.0	2.5	74	1	
16.2	1.0	30	2	
13.0	0.8	24	3	
6.5	0.4	12	4	
3.2	0.2	6	5	
1.6	0.1	3	6	
0.5	0.0	1	7	
2.2	0.1	4	10	
4.9	0.3	9	12	
0.5	0.0	1	14	
1.1	0.1	2	15	
0.5	0.0	1	16	
0.5	0.0	1	18	
1.1	0.1	2	20	
0.5	0.0	1	21	
1.6	0.1	3	24	
1.6	0.1	3	26	
0.5	0.0	1	36	
1.1	0.1	2	40	
0.5	0.0	1	52	
0.5	0.0	1	56	
	92.5	2,745	-9	LEGITIMATE SKIP
	1.2	35	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1810-1811

MM30 COUNSELING W/PROFESSNAL BECAUSE OF CRISI

During the past 12 months, have you had any counseling sessions with any professional because of a crisis or an emergency?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.0	4.5	134	1	YES
92.0	52.2	1,548	2	NO
	42.2	1,251	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1812-1813

MM30A # COUNSELING SESSIONS BECAUSE OF CRISIS

During the past 12 months, how many counseling sessions have you had because of a crisis or an emergency?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	0.1	2	0	
25.4	1.1	34	1	
17.9	0.8	24	2	
9.7	0.4	13	3	
11.2	0.5	15	4	
5.2	0.2	7	5	
8.2	0.4	11	6	
2.2	0.1	3	7	
1.5	0.1	2	8	
2.2	0.1	3	10	
0.7	0.0	1	12	
0.7	0.0	1	13	
1.5	0.1	2	14	
2.2	0.1	3	15	
0.7	0.0	1	16	
0.7	0.0	1	18	
3.0	0.1	4	20	
0.7	0.0	1	24	
0.7	0.0	1	26	
0.7	0.0	1	28	
0.7	0.0	1	50	
0.7	0.0	1	52	
0.7	0.0	1	60	
0.7	0.0	1	210	
	94.3	2,798	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1814-1816

MM30B HOW HELPFUL WAS THIS SERVICE?

How helpful was this service? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	0.2	5	0	NOT AT ALL
30.8	1.4	41	1	SOMEWHAT
65.4	2.9	87	2	VERY HELPFUL
	94.4	2,800	-9	LEGITIMATE SKIP
	1.1	32	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1817-1818

MM31 MOST HELPFUL SERVICE PAST 12 MOS

You mentioned that you had received help or services for [READ ALL MARKED ON TALLY SHEET M.] During the past 12 months, which of the services you have received has been most helpful to you?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	2.0	58	0	NO SERVICES
3.3	1.7	50	1	REGULAR ADDICTION GROUP
2.6	1.3	40	2	OTHER GROUP COUNSELING
7.8	4.0	118	3	INDIVIDUAL COUNSELING
35.9	18.3	543	4	12-STEP/SELF-HELP GROUP
1.5	0.7	22	5	CRISIS COUNSELING
0.1	0.1	2	6	UNSCHEDULED HELP
0.1	0.0	1	7	TALKS/FILMS/DISCUSSIONS
2.0	1.0	31	8	DRUG COUNSELING
1.0	0.5	15	9	ALCOHOL COUNSELING
0.0	0.0	0	10	DRUG TESTING
4.0	2.1	61	11	PSYCHOLOGICAL/MENTAL HEALTH
2.0	1.0	30	12	FAMILY/RELATIONSHIP COUNSELING
9.3	4.8	141	13	MEDICATION
14.0	7.1	212	14	MEDICAL
2.4	1.2	37	15	LEGAL
3.6	1.9	55	16	EDUCATION/JOB TRAINING
0.5	0.2	7	17	HELP FINDING A JOB
0.1	0.0	1	18	OTHER JOB ASSISTANCE
1.4	0.7	21	19	FINANCIAL ASSISTANCE
4.6	2.3	69	91	OTHER
	47.3	1,402	-9	LEGITIMATE SKIP
	1.2	36	-8	BLANK/MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.4	11	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1819-1820

MM32 LEAST HELPFUL SERVICE PAST 12 MOS

During the past 12 months, which of the services you have received has been least helpful to you?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.5	22.0	654	0	NO SERVICES
0.5	0.2	7	1	REGULAR ADDICTION GROUP
0.5	0.2	7	2	OTHER GROUP COUNSELING
1.6	0.7	21	3	INDIVIDUAL COUNSELING
15.0	6.6	195	4	12-STEP/SELF-HELP GROUP
0.3	0.1	4	5	CRISIS COUNSELING
0.4	0.2	5	6	UNSCHEDULED HELP
0.2	0.1	3	7	TALKS/FILMS/DISCUSSIONS
2.0	0.9	26	8	DRUG COUNSELING
0.6	0.3	8	9	ALCOHOL COUNSELING
0.2	0.1	2	10	DRUG TESTING
1.9	0.8	25	11	PSYCHOLOGICAL/MENTAL HEALTH
1.5	0.6	19	12	FAMILY/RELATIONSHIP COUNSELING
0.9	0.4	12	13	MEDICATION
6.5	2.8	84	14	MEDICAL
3.9	1.7	50	15	LEGAL
2.2	0.9	28	16	EDUCATION/JOB TRAINING
0.8	0.3	10	17	HELP FINDING A JOB
0.5	0.2	6	18	OTHER JOB ASSISTANCE
3.1	1.3	40	19	FINANCIAL ASSISTANCE
6.9	3.0	90	91	OTHER
	48.0	1,423	-9	LEGITIMATE SKIP
	5.3	157	-8	BLANK/MISSING
	0.1	2	-7	REFUSAL
	0.1	4	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	0.6	18	-4	DONT KNOW
	2.2	64	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1821-1822

MM33 TX HELPED STOP/CUT DOWN DRUG USE

Now, please think about all the treatment you have received during the past 12 months. Has this treatment helped you stop or cut down on your drug use?

PCT VALID	PCT ALL	N	VALUE	LABEL
81.9	42.1	1,248	1	YES
18.1	9.3	276	2	A LOT
	47.3	1,402	-9	LEGITIMATE SKIP
	1.1	33	-8	BLANK/MISSING
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1823-1824

MM33A TX HAS HELPED

Would you say it has helped...?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.2	6.4	190	1	A LITTLE
84.8	35.8	1,061	2	A LOT
	56.3	1,669	-9	LEGITIMATE SKIP
	1.4	41	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1825-1826

MM34 HOW MUCH HAS TX HELPED W/OTHR PROBS

How much has this treatment helped you with other problems (besides drug problems) in the past 12 months? Would you say...

PCT VALID	PCT ALL	N	VALUE	LABEL
13.1	6.7	198	0	NOT AT ALL
32.2	16.4	486	1	A LITTLE
54.7	27.9	827	2	A LOT
	47.3	1,404	-9	LEGITIMATE SKIP
	1.6	46	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1827-1828

MM35 NOTICED CHANGES IN YOUR THOUGHTS/FEELING

During the past 12 months, have you noticed changes in your thoughts, feelings, or relationships?

PCT VALID	PCT ALL	N	VALUE	LABEL
74.1	41.6	1,234	1	YES
25.9	14.6	432	2	NO
	4.5	134	-9	LEGITIMATE SKIP
	39.3	1,166	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1829-1830

MM35A1 FIRST CHANGE

Please tell me what changes you have noticed. 1st mention.

2,966 cases (Range of valid codes: 2-111)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1831-1833

MM35A2 **SECOND CHANGE**

Please tell me what changes you have noticed. 2nd mention.

2,966 cases (Range of valid codes: 2-111)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1834-1836

MM35A3 **THIRD CHANGE**

Please tell me what changes you have noticed. 3rd mention.

2,966 cases (Range of valid codes: 2-111)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1837-1839

MM35A4 **FOURTH CHANGE**

Please tell me what changes you have noticed. 4th mention.

2,966 cases (Range of valid codes: 2-110)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1840-1842

MM35A5 **FIFTH CHANGE.**

Please tell me what changes you have noticed. 5th mention.

2,966 cases (Range of valid codes: 2-110)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1843-1845

MM35B1 FIRST CAUSE FOR CHANGE

You mentioned a change in [CHANGE - 1st mention]? What do you think caused this change?

PCT VALID	PCT ALL	N	VALUE	LABEL
38.1	15.3	454	1	SELF
7.6	3.0	90	2	COUNSELOR OR CASE MANAGER
0.3	0.1	4	3	ANOTHER STAFF MEMBER
0.5	0.2	6	4	ANOTHER CLIENT/RESIDENT/PATIENT
31.2	12.5	372	5	THE PROGRAM OVERALL
1.6	0.6	19	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
20.7	8.3	247	7	OTHER
	5.2	154	-9	LEGITIMATE SKIP
	54.4	1,614	-8	BLANK/MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1846-1847

MM35B2 SECOND CAUSE FOR CHANGE

You mentioned a change in [CHANGE - 2nd mention]? What do you think caused this change?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.5	9.6	285	1	SELF
8.0	2.3	68	2	COUNSELOR OR CASE MANAGER
0.2	0.1	2	3	ANOTHER STAFF MEMBER
0.4	0.1	3	4	ANOTHER CLIENT/RESIDENT/PATIENT
35.8	10.2	304	5	THE PROGRAM OVERALL
1.4	0.4	12	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
20.7	5.9	176	7	OTHER
	5.2	154	-9	LEGITIMATE SKIP
	66.0	1,959	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1848-1849

MM35B3 THIRD CAUSE FOR CHANGE

You mentioned a change in [CHANGE - 3rd mention]? What do you think caused this change?

PCT VALID	PCT ALL	N	VALUE	LABEL
35.0	6.8	203	1	SELF
5.3	1.0	31	2	COUNSELOR OR CASE MANAGER
0.3	0.1	2	3	ANOTHER STAFF MEMBER
0.7	0.1	4	4	ANOTHER CLIENT/RESIDENT/PATIENT
36.2	7.1	210	5	THE PROGRAM OVERALL
1.6	0.3	9	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
20.9	4.1	121	7	OTHER
	5.2	154	-9	LEGITIMATE SKIP
	75.1	2,228	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DONT KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1850-1851

MM35B4 FOURTH CAUSE FOR CHANGE

You mentioned a change in [CHANGE - 4th mention]? What do you think caused this change?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.5	4.4	130	1	SELF
5.0	0.6	19	2	COUNSELOR OR CASE MANAGER
0.0	0.0	0	3	ANOTHER STAFF MEMBER
0.8	0.1	3	4	ANOTHER CLIENT/RESIDENT/PATIENT
36.9	4.7	139	5	THE PROGRAM OVERALL
1.1	0.1	4	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
21.8	2.8	82	7	OTHER
	5.2	154	-9	LEGITIMATE SKIP
	82.0	2,432	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1852-1853

MM35B5 FIFTH CAUSE FOR CHANGE

You mentioned a change in [CHANGE - 5th mention]? What do you think caused this change?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.8	2.7	79	1	SELF
5.6	0.4	13	2	COUNSELOR OR CASE MANAGER
0.4	0.0	1	3	ANOTHER STAFF MEMBER
0.4	0.0	1	4	ANOTHER CLIENT/RESIDENT/PATIENT
34.2	2.7	80	5	THE PROGRAM OVERALL
1.3	0.1	3	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
24.4	1.9	57	7	OTHER
	5.2	154	-9	LEGITIMATE SKIP
	86.9	2,576	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1854-1855

MMD_MO DATE: MONTH

TIME CHECKPOINT - MONTH

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	STILL IN TX
28.6	28.4	841	1	JAN.-MARCH
19.8	19.6	581	2	APR.-JUNE
18.9	18.7	556	3	JULY-SEPT.
32.7	32.5	963	4	OCT.-DEC.
	0.8	25	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1856-1857

MMT_HH **TIME: HOUR**

TIME CHECKPOINT - HOUR

PCT VALID	PCT ALL	N	VALUE	LABEL
9.9	9.8	291	1	
11.3	11.2	332	2	
9.8	9.7	288	3	
9.2	9.1	270	4	
7.1	7.1	210	5	
5.6	5.6	166	6	
7.6	7.5	223	7	
6.3	6.3	186	8	
5.3	5.2	155	9	
6.0	5.9	175	10	
10.4	10.4	307	11	
11.4	11.3	336	12	
	0.9	27	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1858-1859

MMT_MM **TIME: MINUTE**

TIME CHECKPOINT - MINUTE

2,966 cases (Range of valid codes: 0-59)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1860-1861

MMAMPM **TIME RECORDED AS AM OR PM**

TIME CHECKPOINT - AM / PM

PCT VALID	PCT ALL	N	VALUE	LABEL
16.0	15.4	457	1	AM
84.0	81.0	2,403	2	PM
	3.6	106	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1862-1863

SECTION N: INTERVIEWER OBSERVATIONS

MN1 WERE ALL APPLICABLE QUESTIONS ANSWERED?

Did the respondent answer all applicable questions?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.8	93.8	2,783	1	YES
4.2	4.1	121	2	NO
	2.0	58	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1864-1865

MN2 RESPONDENT UNDERSTOOD ALL QUESTION ASKED

Did the respondent understand all of the question(s) that were asked?

PCT VALID	PCT ALL	N	VALUE	LABEL
98.2	95.5	2,834	1	YES
1.8	1.8	53	2	NO
	2.5	74	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1866-1867

MN2A # QUESTIONS RESPONDENT DIDN'T UNDERSTAND

How many questions did the respondent not understand?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.6	0.2	5	0	
53.5	0.8	23	1	
4.7	0.1	2	2	
7.0	0.1	3	3	
9.3	0.1	4	4	
4.7	0.1	2	5	
2.3	0.0	1	7	
4.7	0.1	2	20	
2.3	0.0	1	25	
	95.4	2,830	-9	LEGITIMATE SKIP
	3.0	89	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1868-1869

MN3_1_1 NOT UNDERSTOOD: INTELLECTUALLY UNABLE

Why do you think the respondent did not understand the questions?

Intellectually unable.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.6	18	1	CIRCLED
	95.5	2,832	-9	LEGITIMATE SKIP
	3.8	112	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1870-1871

MN3_1_2 SEVERITY OF INTELLECTUAL DIFFICULTY

How severe would you say the intellectual difficulty was?

PCT VALID	PCT ALL	N	VALUE	LABEL
76.5	0.4	13	1	MILD
23.5	0.1	4	2	MODERATE
0.0	0.0	0	3	EXTREME
	95.5	2,833	-9	LEGITIMATE SKIP
	3.9	115	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1872-1873

MN3_4_1 NOT UNDERSTOOD: OTHER

Why do you think the respondent did not understand the questions?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.2	35	4	CIRCLED
	95.4	2,830	-9	LEGITIMATE SKIP
	3.3	97	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1874-1875

MN3_4_2 SEVERITY OF OTHER PROB

How severe would you say this [other] difficulty was?

PCT VALID	PCT ALL	N	VALUE	LABEL
59.4	0.6	19	1	MILD
37.5	0.4	12	2	MODERATE
3.1	0.0	1	3	EXTREME
	95.5	2,832	-9	LEGITIMATE SKIP
	3.4	101	-8	BLANK/MISSING
	0.0	1	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1876-1877

MN4 WAS THE INTERVIEW A BREAK-OFF?

Was the interview a break-off?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.3	2.2	65	1	YES
97.7	95.0	2,819	2	NO
	2.7	79	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1878-1879

MN4A1 **BREAK-OFF: INTERVIEWER EMERGENCY**

What was the reason for the break-off?

Interviewer emergency.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	CIRCLED
	96.3	2,856	-9	LEGITIMATE SKIP
	3.6	106	-8	BLANK/MISSING
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1880-1881

MN4A2 **BREAK-OFF: RESPONDENT EMERGENCY**

What was the reason for the break-off?

Respondent emergency.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	6	2	CIRCLED
	96.1	2,850	-9	LEGITIMATE SKIP
	3.6	107	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1882-1883

MN4A3 BREAK-OFF: RESPONDENT TIRED, BORED

What was the reason for the break-off?

Respondent tired, bored.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	3	CIRCLED
	96.2	2,853	-9	LEGITIMATE SKIP
	3.6	107	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1884-1885

MN4A4 BREAK-OFF:RESPONDENT ANGRY ABOUT QUESTIO

What was the reason for the break-off?

Respondent angry about questions.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	2	4	CIRCLED
	96.2	2,854	-9	LEGITIMATE SKIP
	3.6	107	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1886-1887

MN4A5 BREAK-OFF:RESPONDENT UPSET ABOUT QUESTIO

What was the reason for the break-off?

Respondent upset about questions.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	4	CIRCLED
100.0	0.1	2	5	
	96.2	2,854	-9	LEGITIMATE SKIP
	3.6	107	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1888-1889

MN4A6 BREAK-OFF: OTHER REASON

What was the reason for the break-off?

Other.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	1.0	31	6	CIRCLED
	95.2	2,825	-9	LEGITIMATE SKIP
	3.6	107	-8	BLANK/MISSING
	0.1	3	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1890-1891

MN5 RESPONSE TO POSSIBLE FUTURE INTERVIEW

What was the respondent's response to a possible future interview?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.6	16.9	502	1	EAGER
70.6	67.8	2,011	2	RECEPTIVE
8.5	8.2	243	3	NO REACTION
1.3	1.2	37	4	RELUCTANT
0.3	0.3	9	5	REFUSED
1.6	1.6	47	6	NOT DISCUSSED
	3.6	106	-8	BLANK/MISSING
	0.1	3	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	7	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1892-1893

MN6 WAS INTERVIEW GIVEN IN > 1 SESSION

Was the interview given in more than 1 session?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.3	2.2	66	1	YES
97.7	94.4	2,800	2	NO
	3.2	95	-8	BLANK/MISSING
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1894-1895

MN6A1 HRS OF INTERV BEFORE INTERRUPTED 1ST TIM

How long had the interview gone on before it was interrupted the first time? Hours?

PCT VALID	PCT ALL	N	VALUE	LABEL
43.1	0.7	22	0	
37.3	0.6	19	1	
19.6	0.3	10	2	
	94.1	2,792	-9	LEGITIMATE SKIP
	3.9	117	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.2	5	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1896-1897

MN6A2 MIN OF INTERV BEFORE INTERRUPTED 1ST TIM

How long had the interview gone on before it was interrupted the first time? Minutes?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.0	0.5	14	0	
1.8	0.0	1	2	
1.8	0.0	1	3	
1.8	0.0	1	5	
1.8	0.0	1	6	
1.8	0.0	1	14	
16.1	0.3	9	15	
1.8	0.0	1	18	
3.6	0.1	2	20	
8.9	0.2	5	25	
1.8	0.0	1	26	
10.7	0.2	6	30	
1.8	0.0	1	31	
5.4	0.1	3	40	
5.4	0.1	3	45	
1.8	0.0	1	48	
1.8	0.0	1	49	
5.4	0.1	3	50	
1.8	0.0	1	60	
	94.1	2,791	-9	LEGITIMATE SKIP
	3.8	114	-8	BLANK/MISSING
	0.0	1	-4	DONT KNOW
	0.1	4	-3	NOT APPLICABLE
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1898-1899

SECTION P: MINIMENTAL STATUS EXAM

MPAMPM **TIME RECORDED AS AM OR PM**

PCT VALID	PCT ALL	N	VALUE	LABEL
12.5	0.0	1	1	AM
87.5	0.2	7	2	PM
	99.7	2,958	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2090-2091

MP1 **EVER TALKED TO DOCTOR/MEMORY PROB?**

Now, I'd like to ask about your memory. Have you ever had occasion to talk to a doctor about problems with your memory?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.0	0.0	1	1	YES
75.0	0.1	3	2	NO
	99.9	2,962	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1900-1901

MP2 **WHAT IS THE YEAR?**

Let me ask you a few questions to check your concentration and memory.

What is the year?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.2	5	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.8	2,961	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1902-1903

MP3 **WHAT SEASON OF THE YEAR?**

Let me ask you a few questions to check your concentration and memory.

What season of the year is it?

PCT VALID	PCT ALL	N	VALUE	LABEL
75.0	0.1	3	1	CORRECT
25.0	0.0	1	5	ERROR/CANT DO/REFUSE
	99.9	2,962	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1904-1905

MP4 **WHAT IS THE DATE?**

Let me ask you a few questions to check your concentration and memory.

What is the date?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	2,962	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1906-1907

MP5 **WHAT IS THE DAY OF THE WEEK?**

Let me ask you a few questions to check your concentration and memory.

What is the day of the week?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	2,962	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1908-1909

MP6 **WHAT IS THE MONTH?**

Let me ask you a few questions to check your concentration and memory.

What is the month?

PCT VALID	PCT ALL	N	VALUE	LABEL
80.0	0.1	4	1	CORRECT
20.0	0.0	1	5	ERROR/CANT DO/REFUSE
	99.8	2,961	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1910-1911

MP7 **CAN YOU TELL WHERE WE ARE NOW?**

Let me ask you a few questions to check your concentration and memory.

Can you tell me where we are right now? For instance, what State are we in?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	2,962	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1912-1913

MP8 **WHAT COUNTY ARE WE IN?**

Let me ask you a few questions to check your concentration and memory.

What (county / parish) are we in?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	2,962	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1914-1915

MP9 **WHAT CITY/TOWN ARE WE IN?**

Let me ask you a few questions to check your concentration and memory.

What (city / town) are we in?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	2,962	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1916-1917

MP10A **WHAT FLOOR OF BUILDING ARE WE ON?**

Let me ask you a few questions to check your concentration and memory.

What floor of the building are we on?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	2,962	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1918-1919

MP10B **WHAT IS THE NAME OF THIS PLACE?**

Let me ask you a few questions to check your concentration and memory.

What is this address (IF INSTITIONALIZED) or name of this place?

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	2,963	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1920-1921

MP11A APPLE/3 OBJECTS/REMEMBER OBJECTS

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are...

Apple.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	2,962	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1922-1923

MP11B TABLE/3 OBJECTS/REMEMBER OBJECTS

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are...

Table.

PCT VALID	PCT ALL	N	VALUE	LABEL
75.0	0.1	3	1	CORRECT
25.0	0.0	1	5	ERROR/CANT DO/REFUSE
	99.9	2,962	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1924-1925

MP11C PENNY/3 OBJECTS/ REMEMBER OBJECTS

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are...

Penny.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	2,962	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1926-1927

MP12A WOULD YOU SUBTRACT 7 FROM 100

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

93.

PCT VALID	PCT ALL	N	VALUE	LABEL
33.3	0.0	1	1	CORRECT
0.0	0.0	0	5	ERROR
66.7	0.1	2	7	SAYS CANT DO
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1928-1929

MP12B WOULD YOU SUBTRACT 7 FROM 93

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

86.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	CORRECT
100.0	0.0	1	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	2,965	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1930-1931

MP12C WOULD YOU SUBTRACT 7 FROM 86

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

79.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	CORRECT
100.0	0.0	1	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	2,965	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1932-1933

MP12D **WOULD YOU SUBTRACT 7 FROM 79**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

72.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	CORRECT
100.0	0.0	1	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	2,965	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1934-1935

MP12E **WOULD YOU SUBTRACT 7 FROM 72**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

65.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	CORRECT
100.0	0.0	1	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	2,965	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1936-1937

MP13 CIRCLE # OF ERRORS/REFUSED

Now, I am going to spell a word forwards and I want you to spell it backwards. The word is "WORLD," W-O-R-L-D. Spell "world" backwards.

Number of errors?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	NO ERROR
0.0	0.0	0	1	1 ERROR
0.0	0.0	0	2	2 ERRORS
0.0	0.0	0	3	3 ERRORS
100.0	0.1	2	4	4 ERRORS
0.0	0.0	0	5	5 ERRORS
	99.9	2,963	-8	BLANK/MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1938-1939

MP14A APPLE/3 OBJECTS/REMEMBER OBJECTS

Now, what were the 3 objects I asked you to remember? Apple?

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	0.1	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
	99.9	2,963	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1940-1941

MP14B TABLE/3 OBJECTS/REMEMBER OBJECTS

Now, what were the 3 objects I asked you to remember? Table?

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	0.1	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1942-1943

MP14C PENNY/3 OBJECTS/ REMEMBER OBJECTS

Now, what were the 3 objects I asked you to remember? Penny?

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	0.1	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1944-1945

MP15A SHOW WRIST WATCH/ASK/WHAT IS THIS?

What is this called? (Show wrist watch)

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1946-1947

MP15B **SHOW PENCIL/ASK/WHAT IS THIS?**

What is this called? (Show pencil)

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1948-1949

MP16 **REPEAT A PHRASE AFTER ME**

I'd like you to repeat a phrase after me. The phrase is..."No if's, and's or but's"

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1950-1951

MP17 HAND 'CLOSE YOUR EYES' CARD TO RESPOND

Read the words on this page and then do what it says.
(Hand "CLOSE YOUR EYES" card to respondent)

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	2	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CANT READ ENGLISH
	99.9	2,964	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1952-1953

MP18A TAKE PAPER IN YOUR RIGHT HAND

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Takes paper in right hand.

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	0.1	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1954-1955

MP18B FOLD PAPER IN HALF

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Folds paper in half.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1956-1957

MP18C PUT PAPER DOWN ON YOUR LAP

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Puts paper down on lap.

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1958-1959

MP19 WRITE COMPLETE SENTENCE ON PAPER

Write any complete sentence on that piece of paper for me.

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	0.1	2	1	CORRECT
33.3	0.0	1	5	ERROR/CANT DO
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CANT WRITE (ENGLISH)
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1960-1961

MP20 COPY THE DRAWING ON SAME PAPER

Here's a drawing. Please copy the drawing on the same paper.
(Hand respondent "PENTAGONS" card)

PCT VALID	PCT ALL	N	VALUE	LABEL
100.0	0.1	3	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO
0.0	0.0	0	6	HANDICAP
	99.9	2,963	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1962-1963

MP21 12/>12 '05'S' CODED IN M2-M11/M14-M20?

ARE 12 OR MORE "05's" CODED IN P2-P11 AND P14-P20?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	YES
100.0	0.1	2	2	NO
	99.9	2,964	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1964-1965

MPDM **DATE: MONTH**

TIME CHECKPOINT

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	STILL IN TX
0.0	0.0	0	1	JAN.-MARCH
25.0	0.1	2	2	APR.-JUNE
25.0	0.1	2	3	JULY-SEPT.
50.0	0.1	4	4	OCT.-DEC.
	99.7	2,958	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1966-1967

MPTH **TIME: HOUR**

TIME CHECKPOINT

PCT VALID	PCT ALL	N	VALUE	LABEL
11.1	0.0	1	3	
22.2	0.1	2	5	
11.1	0.0	1	6	
22.2	0.1	2	7	
11.1	0.0	1	9	
11.1	0.0	1	11	
11.1	0.0	1	12	
	99.7	2,957	-8	BLANK/MISSING
100.0	100.0	2,966 cases		

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1968-1969

MPTM **TIME: MINUTE**

TIME CHECKPOINT

PCT VALID	PCT ALL	N	VALUE	LABEL
11.1	0.0	1	0	
11.1	0.0	1	10	
11.1	0.0	1	15	
11.1	0.0	1	20	
11.1	0.0	1	25	
11.1	0.0	1	30	
22.2	0.1	2	35	
11.1	0.0	1	40	
	99.7	2,957	-8	BLANK/MISSING
-----	-----	-----		
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1970-1971

RECODED DEMOGRAPHICS AND CLIENT CHARACTERISTICS

MAV_SEX GENDER

PCT VALID	PCT ALL	N	VALUE	LABEL
64.2	63.7	1,888	1	Male
35.8	35.6	1,055	2	Female
	0.8	23	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2028

MAV_MST MARITAL STATUS AT FOLLOWUP

PCT VALID	PCT ALL	N	VALUE	LABEL
19.8	19.7	583	1	Married
7.3	7.2	214	2	Legally separated
16.4	16.3	484	3	Divorced
1.6	1.6	47	4	Widowed
13.6	13.6	402	5	Living as married
41.3	41.1	1,219	6	Never Married
	0.6	17	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2029

MAV_AGEG AGE AT FOLLOWUP

PCT VALID	PCT ALL	N	VALUE	LABEL
0.8	0.8	24	1	18 - 20
8.8	8.8	261	2	21 - 25
18.5	18.4	547	3	26 - 30
26.1	26.0	770	4	31 - 35
23.3	23.2	687	5	36 - 40
22.4	22.3	661	6	41 - 65
	0.5	16	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2030

MAV_RACE **RACE/ETHNICITY**

PCT VALID	PCT ALL	N	VALUE	LABEL
40.0	39.7	1,178	1	White/Caucasian
47.6	47.3	1,402	2	Black/African American
10.4	10.3	305	3	Of Hispanic/Spanish origin or descent
2.0	2.0	58	4	Other
	0.8	23	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2031

MAV_CJS **CRIMINAL JUSTICE STATUS**

PCT VALID	PCT ALL	N	VALUE	LABEL
64.3	64.1	1,901	0	No Criminal Justice Status
7.7	7.7	227	1	In Jail / detention
18.9	18.9	560	2	Probation
6.4	6.4	190	3	Parole
2.7	2.7	80	4	Case pending/other status
	0.3	8	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2032

MBV_TERM **MAIN REASON LEFT TX**

PCT VALID	PCT ALL	N	VALUE	LABEL
13.1	13.0	386	0	Still in TX (DATOS followup only)
54.4	53.9	1,598	1	Completed TX
10.9	10.8	319	2	Involuntarily discharged
1.5	1.5	45	3	Transferred
7.9	7.8	232	4	Quit - Personal reasons
1.7	1.7	49	5	Quit - Financial reasons
7.5	7.4	220	6	Quit - dissatisfied with program
3.0	3.0	88	7	Other reason
	1.0	29	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2033

MCV_HALC **HEAVY ALCOHOL USE-YBT**

PCT VALID	PCT ALL	N	VALUE	LABEL
59.2	58.6	1,739	0	Not a heavy user
40.8	40.4	1,198	1	Heavy alcohol user
	1.0	29	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2034

MCV_SUIC **SUICIDAL T/A YBT**

PCT VALID	PCT ALL	N	VALUE	LABEL
74.8	74.5	2,211	0	No suicidal thoughts or attempts
16.7	16.7	494	1	Suicidal thoughts
8.5	8.5	252	2	Suicidal attempts
	0.3	9	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2035

MCV_PDT **DRUG TX**

PCT VALID	PCT ALL	N	VALUE	LABEL
49.6	49.5	1,468	0	No drug TX prior to index treatme
17.0	17.0	503	1	1 prior drug TX admission
15.5	15.5	459	2	2-3 prior admissions
17.8	17.8	528	3	4 or more prior admissions
	0.3	8	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2036

MCV_CJS **CRIMINAL JUSTICE STATUS**

PCT VALID	PCT ALL	N	VALUE	LABEL
59.5	59.3	1,758	0	No Criminal Justice Status
4.8	4.8	143	1	In Jail / detention
23.3	23.2	687	2	Probation
8.7	8.7	257	3	Parole
3.7	3.7	109	4	Case pending/other status
	0.4	12	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2037

MCV_SUI **SUICIDAL IDEATION OR ATTEMPTS**

PCT VALID	PCT ALL	N	VALUE	LABEL
74.8	74.5	2,211	0	No suicidal thoughts or attempts
16.7	16.7	494	1	Suicidal thoughts
8.5	8.5	252	2	Suicidal attempts
	0.3	9	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2051

MDV_EDYR **HIGHEST GRADE COMPLETED**

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	1	0	None
7.2	7.1	212	1	Grade school (1-8 grades)
33.2	33.2	984	2	Some High school (9-11)
32.0	31.9	946	3	Completed 12 grades
25.6	25.6	758	4	13 to 16 years
2.0	2.0	59	5	17 or more
	0.2	6	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2052

MDV_DEG **HIGHEST DEGREE RECEIVED YAT**

PCT VALID	PCT ALL	N	VALUE	LABEL
80.1	80.1	2,375	0	None
11.1	11.1	328	1	Certificate or license
5.6	5.6	167	2	High school degree or GED
1.6	1.6	48	3	Jr College or AA degree
1.2	1.2	35	4	Bachelors degree
0.4	0.4	13	5	Advanced degree
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2053

MDV_ENRL **SCHOOL CURRENTLY ENROLLED IN**

PCT VALID	PCT ALL	N	VALUE	LABEL
90.3	90.3	2,677	0	None
0.9	0.9	28	1	Other,job corps,spec ed
0.0	0.0	0	2	Middle school
0.3	0.3	8	3	Adult Basic education
2.2	2.2	66	4	Technical or trade school
2.0	2.0	60	5	GED / High school
2.7	2.7	80	6	Jr college
1.6	1.6	47	7	College or graduate school
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2054

MEV_HALC **HEAVY ALCOHOL USE-YAT**

PCT VALID	PCT ALL	N	VALUE	LABEL
83.2	82.5	2,446	0	No heavy use
16.8	16.7	494	1	Heavy alcohol use
	0.9	26	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2055

MEV_INJ **INJECTION DRUG USE-YAT**

PCT VALID	PCT ALL	N	VALUE	LABEL
84.2	84.2	2,497	0	No injection drug use
15.8	15.8	469	1	Injection drug use
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2056

MFV_SUIC **SUICIDAL T/A YAT**

PCT VALID	PCT ALL	N	VALUE	LABEL
87.3	87.3	2,588	0	No suicidal thoughts or attempts
10.1	10.1	299	1	Suicidal thoughts
2.6	2.6	77	2	Suicidal attempts
	0.1	2	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2070

MGV_JAIL **DAYS IN JAIL-YAT**

PCT VALID	PCT ALL	N	VALUE	LABEL
75.3	74.9	2,222	0	None
7.5	7.4	220	1	1 to 10 days
2.7	2.7	79	2	11 to 30 days
4.1	4.0	120	3	31 to 91 days
4.4	4.3	129	4	92 to 182 days
6.1	6.1	181	5	183 days or more
	0.5	15	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2074

MGV_SIA **SERIOUS ILLEGAL ACTS--YAT**

PCT VALID	PCT ALL	N	VALUE	LABEL
88.1	86.5	2,567	0	None
4.3	4.2	125	1	1 to 2 acts
2.0	1.9	57	2	3 to 5 acts
1.7	1.7	49	3	6 to 10 acts
1.3	1.3	39	4	11 to 25 acts
2.6	2.6	77	5	Over 25 acts
	1.8	52	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2020

MHV_FTWK **WEEKS FULL-TIME WORK--YAT**

PCT VALID	PCT ALL	N	VALUE	LABEL
46.5	46.0	1,365	0	None
10.5	10.4	307	1	1 to 13 weeks
15.0	14.9	441	2	14 to 39 weeks
28.0	27.7	821	3	40 to 52 weeks
	1.1	32	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2075

MHV_EMP **EMPLOYMENT STATUS AT FOLLOWUP**

PCT VALID	PCT ALL	N	VALUE	LABEL
43.3	43.1	1,279	1	Working
11.5	11.4	339	2	Looking for work/Going to school
15.9	15.8	470	3	Keeping house
8.4	8.3	247	4	Disabled/retired
8.7	8.7	258	5	In jail,residential tx,other institution
2.5	2.5	75	6	Drug related or illegal activities
9.7	9.7	288	7	Other,multiple
	0.3	10	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2076

MJV_SRC **MAJOR SOURCE OF INCOME-YAT**

PCT VALID	PCT ALL	N	VALUE	LABEL
8.8	8.8	261	0	No income
48.7	48.7	1,443	1	Legal work
26.2	26.2	777	2	Public assistance
5.3	5.3	156	3	Social Security
5.3	5.3	156	4	Family, friends
4.9	4.9	146	5	Illegal sources
0.9	0.9	27	6	Other sources
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2077

MLV_RSK1 **PARTNER EXCHANGED MONEY/DRUGS FOR SEX**

PCT VALID	PCT ALL	N	VALUE	LABEL
90.1	90.0	2,670	0	No
9.9	9.9	293	1	Yes
	0.1	3	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2078

MLV_RSK2 **YOU TAKE MONEY/DRUGS FOR SEX**

PCT VALID	PCT ALL	N	VALUE	LABEL
93.6	93.4	2,771	0	No
6.4	6.4	190	1	Yes
	0.2	5	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2079

MLV_RSK3 SEX W/NEEDLE USER

PCT VALID	PCT ALL	N	VALUE	LABEL
88.5	88.4	2,622	0	No
11.5	11.5	341	1	Yes
	0.1	3	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2080

MLV_RSK4 SEX W/HIV + PARTNER

PCT VALID	PCT ALL	N	VALUE	LABEL
98.6	98.6	2,923	0	No
1.4	1.4	41	1	Yes
	0.1	2	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2081

MLV_RSK6 PARTNER HAD SEX W/PROSTITUTE

PCT VALID	PCT ALL	N	VALUE	LABEL
92.4	92.3	2,739	0	No
7.6	7.6	224	1	Yes
	0.1	3	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2082

MLV_SEXB **PARTNERS /CONDOM USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
15.1	15.0	444	0	Not active
7.0	6.9	206	1	1 partner, always use condoms
43.5	43.2	1,280	2	1-partner, some/never use condoms
8.4	8.3	246	3	2-4 partners, always use condoms
16.8	16.6	493	4	2-4 partners, some/never use condoms
2.8	2.8	82	5	5 or more partners, always use condoms
6.4	6.4	189	6	5 or more partners, sometimes/never use
	0.9	26	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2083

MLV_RSK5 **MULT PARTNERS NO/LOW CONDOM USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
76.8	76.1	2,258	0	No
23.2	23.0	682	1	Yes
	0.9	26	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2084

MMV_DT **SUBSEQUENT DRUG TX**

PCT VALID	PCT ALL	N	VALUE	LABEL
64.3	63.6	1,887	0	None
24.1	23.8	707	1	1 admission
9.4	9.3	275	2	2 to 3 admissions
2.3	2.3	67	3	4 or more admissions
	1.0	30	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2085

RECODED DRUG AND ALCOHOL USE VARIABLES

MCV_DR **DRUG RELATED ARRESTS**

PCT VALID	PCT ALL	N	VALUE	LABEL
78.6	78.2	2,318	0	None
16.9	16.8	498	1	1 to 2 arrests
4.5	4.5	132	2	3 or more arrests
	0.6	18	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2038

MCV_DWI **DWI/DUI ARRESTS**

PCT VALID	PCT ALL	N	VALUE	LABEL
93.7	92.8	2,752	0	None
5.7	5.7	168	1	1 to 2 arrests
0.5	0.5	16	2	3 or more arrests
	1.0	30	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2039

MCV_NDR **NONDRUG ARRESTS**

PCT VALID	PCT ALL	N	VALUE	LABEL
74.4	74.0	2,196	0	None
18.6	18.5	548	1	1 to 2 arrests
7.0	7.0	207	2	3 or more arrests
	0.5	15	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2040

MCV_EMP **EMPLOYMENT STATUS**

PCT VALID	PCT ALL	N	VALUE	LABEL
29.1	28.5	845	1	Working
6.2	6.1	180	2	Looking for work/Going to school
9.2	9.0	267	3	Keeping house
6.0	5.8	173	4	Disabled/retired
11.7	11.5	340	5	In jail,residential TX,other inst
24.6	24.1	715	6	Drug related or illegal activities
13.1	12.8	381	7	Other,multiple
	2.2	65	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2041

MCV_ALC **ALCOHOL USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
24.9	24.6	731	0	No use
17.4	17.3	512	1	Monthly
28.8	28.5	846	2	Weekly
28.9	28.6	849	3	Daily
	0.9	28	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2042

MCV_HAL **HALLUCINOGEN USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
91.6	90.9	2,697	0	No use
5.7	5.6	167	1	Monthly
1.8	1.8	54	2	Weekly
0.9	0.9	26	3	Daily
	0.7	22	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2043

MCV_MRJ **MARIJUANA USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
52.3	52.1	1,545	0	No use
18.4	18.3	543	1	Monthly
15.3	15.3	453	2	Weekly
14.0	13.9	413	3	Daily
	0.4	12	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2044

MCV_COC **COCAINE USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
30.4	29.9	887	0	No use
13.0	12.8	380	1	Monthly
24.5	24.1	716	2	Weekly
32.1	31.6	936	3	Daily
	1.6	47	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2045

MCV_CRK **CRACK USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
53.0	49.9	1,480	0	No use
6.9	6.5	192	1	Monthly
16.6	15.7	465	2	Weekly
23.5	22.2	657	3	Daily
	5.8	172	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2046

MCV_HER **HEROIN USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
66.1	65.5	1,943	0	No use
4.9	4.9	144	1	Monthly
5.2	5.1	152	2	Weekly
23.9	23.7	702	3	Daily
	0.8	25	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2047

MCV_NAR **OPIOID USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
84.6	84.2	2,496	0	No use
6.8	6.8	201	1	Monthly
4.1	4.1	122	2	Weekly
4.5	4.5	132	3	Daily
	0.5	15	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2048

MCV_SED **SEDATIVE OR BARBITURATE USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
87.6	87.2	2,585	0	No use
5.8	5.8	171	1	Monthly
3.8	3.8	112	2	Weekly
2.8	2.8	83	3	Daily
	0.5	15	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2049

MCV_AMP **AMPHETAMINE USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
89.8	89.4	2,653	0	No use
4.7	4.7	138	1	Monthly
2.8	2.8	82	2	Weekly
2.7	2.7	81	3	Daily
	0.4	12	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2050

MEV_ALC **ALCOHOL USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
46.0	45.3	1,343	0	No use
25.0	24.6	729	1	Monthly
21.0	20.6	612	2	Weekly
8.1	8.0	236	3	Daily
	1.6	46	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2057

MEV_MRJ **MARIJUANA USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
72.5	72.1	2,138	0	No use
15.7	15.6	463	1	Monthly
7.8	7.8	230	2	Weekly
4.0	3.9	117	3	Daily
	0.6	18	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2058

MEV_HAL **HALLUCINGEN USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
98.1	97.3	2,887	0	No use
1.4	1.4	41	1	Monthly
0.3	0.3	8	2	Weekly
0.2	0.2	6	3	Daily
	0.8	24	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2059

MEV_COC **COCAINE USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
64.3	62.2	1,845	0	No use
16.1	15.6	462	1	Monthly
12.2	11.8	351	2	Weekly
7.4	7.1	212	3	Daily
	3.2	96	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2060

MEV_CRK **CRACK USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
79.1	78.7	2,333	0	No use
8.9	8.8	262	1	Monthly
7.4	7.4	219	2	Weekly
4.5	4.5	134	3	Daily
	0.6	18	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2061

MEV_HER **HEROIN USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
83.8	82.4	2,443	0	No use
6.9	6.7	200	1	Monthly
4.0	3.9	117	2	Weekly
5.4	5.3	157	3	Daily
	1.7	49	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2062

MEV_NAR **OTHER OPIOID USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
93.3	91.7	2,720	0	No use
3.8	3.8	112	1	Monthly
1.3	1.3	38	2	Weekly
1.6	1.6	46	3	Daily
	1.7	50	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2063

MEV_SED **SEDATIVE OR BARBITURATE USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
94.1	92.8	2,753	0	No use
3.2	3.1	93	1	Monthly
1.3	1.2	37	2	Weekly
1.5	1.4	43	3	Daily
	1.3	40	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2064

MEV_AMP **AMPHETAMINE USE**

PCT VALID	PCT ALL	N	VALUE	LABEL
96.5	95.8	2,841	0	No use
2.3	2.3	67	1	Monthly
0.6	0.6	17	2	Weekly
0.6	0.6	19	3	Daily
	0.7	22	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2065

MEV_NDRG **# DRUGS USED WEEKLY**

PCT VALID	PCT ALL	N	VALUE	LABEL
55.2	55.2	1,636	0	
23.1	23.1	685	1	
14.7	14.7	435	2	
5.6	5.6	165	3	
1.0	1.0	30	4	
0.5	0.5	14	5	
0.0	0.0	1	6	
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2066

MEV_PAT **DRUG USE PATTERN-YAT**

PCT VALID	PCT ALL	N	VALUE	LABEL
5.8	5.8	171	1	Heroin/Narcotic/no coke
5.2	5.2	153	2	Coke w/heroin or narcotics
4.8	4.8	141	3	Coke only
5.2	5.2	154	4	Coke and Alcohol
3.9	3.9	115	5	Coke plus other drugs
19.1	19.1	567	6	Marijuana and/or alcohol
56.1	56.1	1,665	7	Residual
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2067

MEV_PDRG PRIMARY DRUG-YAT

PCT VALID	PCT ALL	N	VALUE	LABEL
56.4	53.7	1,593	0	None
2.3	2.2	64	10	Alcohol
1.7	1.6	48	20	Marijuana
0.4	0.4	11	30	Hallucinogens
9.9	9.4	279	40	Cocaine
15.7	14.9	443	41	Crack
10.6	10.1	299	50	Heroin/speedball
0.8	0.7	22	60	Narcotics or opiates
0.5	0.4	13	70	Sedative/Barbiturates
1.3	1.2	36	80	Amphetamines
0.5	0.5	15	90	Other drugs
	4.8	143	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2068-2069

MGV_DR DRUG RELATED ARRESTS PAST YEAR

PCT VALID	PCT ALL	N	VALUE	LABEL
92.7	92.2	2,736	0	No arrests
6.7	6.6	197	1	1 to 2 arrests
0.7	0.7	20	2	3 or more arrests
	0.4	13	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2071

MGV_DWI DWI/DUI ARRESTS PAST YEAR

PCT VALID	PCT ALL	N	VALUE	LABEL
98.2	97.6	2,895	0	No arrests
1.8	1.8	52	1	1 to 2 arrests
0.1	0.1	2	2	3 or more arrests
	0.6	17	.	(No Data)
100.0	100.0	2,966	cases	

Data type: numeric
Column: 2072

MGV_NDR **NONDRUG ARRESTS PAST YEAR**

PCT VALID	PCT ALL	N	VALUE	LABEL
83.0	82.7	2,454	0	No arrests
14.9	14.8	439	1	1 to 2 arrests
2.1	2.1	63	2	3 or more arrests
	0.3	10	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 2073

URINE **INDICATOR FOR URINE SUBSAMPLE,1=Y,0=N**

PCT VALID	PCT ALL	N	VALUE	LABEL
76.0	71.7	2,127	0	Not in urinalysis subsample
24.0	22.6	671	1	In urinalysis subsample
	5.7	168	.	(No Data)
100.0	100.0	2,966 cases		

Data type: numeric
Column: 1982

APPENDIX A: Publications

1999 Publications

Broome, K. M., Flynn, P. M., & Simpson, D. D. (1999). Psychiatric comorbidity measures as predictors of retention in drug abuse treatment programs. Health Services Research, 34(3), 791-806.

Broome, K. M., Joe, G. W., & Simpson, D. D. (1999). HIV risk reduction in outpatient drug abuse treatment: Individual and geographic differences. AIDS Education and Prevention, 11(4), 293-306.

Broome, K. M., Simpson, D. D., & Joe, G. W. (1999). Patient and program attributes related to treatment process indicators in DATOS. Drug and Alcohol Dependence, 57, 127-135.

Etheridge, R. M., Craddock, S. G., Hubbard, R. L., Rounds-Bryant, J. L. (1999). The relationship of treatment and self-help participation to patient outcomes in DATOS. Drug and Alcohol Dependence, 57, 99-112.

Fletcher, B. W., & Battjes, R. J. (1999). Introduction to the special issue: Treatment process in DATOS. Drug and Alcohol Dependence, 57, 81-87.

Flynn, P. M., Kristiansen, P. L., Porto, J. V., & Hubbard, R. L. (1999). Costs and benefits of treatment for cocaine addiction in DATOS. Drug and Alcohol Dependence, 57, 167-174.

Gossop, M., Marsden, J., Stewart, D., & Rolfe, A. (1999). Treatment retention and 1 year outcomes for residential programmes in England. Drug and Alcohol Dependence, 57, 89-98.

Grella, C. E., Hser, Y., Joshi, V., & Anglin, M. D. (1999). Patient histories, retention, and outcome models for younger and older adults in DATOS. Drug and Alcohol Dependence, 57, 151-166.

Grella, C. E., and Joshi, V. (1999). Gender differences in drug treatment careers among clients in the national Drug Abuse Treatment Outcome Study. American Journal of Drug and Alcohol Abust, 25(3), 385-406.

Hser, Y., Grella, C. E., Hsieh, S., Anglin, M. D., & Brown, B. S. (1999). Prior treatment experience related to process and outcomes in DATOS. Drug and Alcohol Dependence, 57, 137-150.

Hser, Y.I., Joshi, V., Anglin, M.D., and Fletcher, B. (1999). Predicting post-treatment cocaine abstinence: What works for first-time admissions and treatment repeaters. American Journal of Public Health, 89(5), 666-671.

Joe, G. W., Simpson, D. D., & Broome, K. M. (1999). Retention and patient engagement models for different treatment modalities in DATOS. Drug and Alcohol Dependence, 57, 113-125.

Rounds-Bryant, J. L., Kristiansen, P. L., & Hubbard, R. L. (1999). Drug Abuse Treatment Outcome Study of adolescents: A comparison of client characteristics and pretreatment behaviors in three treatment modalities. American Journal of Drug and Alcohol Abuse, 25(4), 573-591.

Simpson, D. D., Joe, G. W., Fletcher, B. W., Hubbard, R. L., & Anglin, M. D. Archives of General Psychiatry, 56, 507-514.

Simpson, D. D. & Brown, B. (Eds.,) (December, 1999). Special issue on treatment process and outcome studies from DATOS. Drug and Alcohol Dependence.

1999 "In Press"

Grella, C. E., Etheridge, R. M., Joshi, V., & Anglin, M. D. (in press). Delivery of HIV risk reduction services in drug treatment programs. Journal of Substance Abuse Treatment.

Grella, C. E., Joshi, V., & Anglin, M. D. (in press). Gender differences Outcome Study. Journal of Maintenance in the Addictions.

Hser, Y., Shen, H., Grella, C., & Anglin, M. D. (in press). Lifetime severity index for cocaine use disorder (LSI-Cocaine): A predictor of treatment outcomes. Journal of Nervous and Mental Disease.

Knight, K., Hiller, M. L., Broome, K. M., & Simpson, D. D. (in press). Legal pressure, treatment readiness, and engagement in long-term residential programs. Journal of Offender Rehabilitation.

Melnick, G., De Leon, G., Hiller, M. L., & Knight, K. (in press). Therapeutic communities: Diversity in treatment elements. Substance Use & Misuse.

Rounds-Bryant, J. (in press). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. Journal of Child and Adolescent Substance Abuse.

Rowan-Szal, G. A., Joe, G. W., & Simpson, D. D. (in press). Treatment retention of crack and cocaine users in a national sample of long term residential clients. Addiction Research.

1998 Publications

Hiller, M. L., Knight, K., Broome, K. M., & Simpson, D. D. (1998). Legal pressure and treatment retention in a national sample of long-term residential programs. Criminal Justice and Behavior, 25(4), 463-481.

Hser, Y. I., Anglin, M. D., & Fletcher, B. W. (1998). Comparative treatment effectiveness: Effects of program modality and client drug dependence history on drug use reduction. Journal of Substance Abuse Treatment,15(6), 513-523.

Hser, Y. I., Grella, C. E., Chou, C. P., & Anglin, M. D. (1998). Relationships between drug treatment careers and outcomes: Findings from the national Drug Abuse Treatment Outcome Study. Evaluation Review, 22(4), 496-519.

Joe, G. W., Simpson, D. D., & Broome, K. M. (1998). Effects of readiness for drug abuse treatment on client retention and assessment of process. Addiction, 93(8), 1177-1190.

Longshore, D. & Hsieh, S. (1998). Drug abuse treatment and risky sex: Evidence for a cumulative treatment effect? American Journal of Drug and Alcohol Abuse, 24(3), 439-451.

1997 Publications

Anglin, M. D., Hser, Y. I.,& Grella, C. E. (1997). Drug addiction and treatment careers among clients in the Drug Abuse Treatment Outcome Study (DATOS). Psychology of Addictive Behaviors, 11(4), 308-323.

Craddock, S. G., Rounds-Bryant, J. L., Flynn, P. M., & Hubbard, R. L. (1997). Characteristics and pretreatment behaviors of clients entering drug abuse treatment: 1969 to 1993. American Journal of Drug and Alcohol Abuse, 23(1), 43-59.

Etheridge, R. M., Hubbard, R. L., Anderson, J., Craddock, S. G., & Flynn, P. M. (1997). Treatment structure and program services in the Drug Abuse Treatment Outcome Study (DATOS). Psychology of Addictive Behaviors, 11(4), 244-260.

Fletcher, B. W., Tims, F. M., & Brown, B. S. (1997). The Drug Abuse Treatment Outcome Study (DATOS): Treatment evaluation research in the United States. Psychology of Addictive Behaviors, 11(4), 216-229.

Flynn, P. M., Craddock, S. G., Hubbard, R. L., Anderson, J., & Etheridge, R. M. (1997). Methodological overview and research design for the Drug Abuse Treatment Outcome Study (DATOS). Psychology of Addictive Behaviors, 11(4), 230-243.

Hubbard, R. L., Craddock, S. G., Flynn, P. M., Anderson, J., & Etheridge, R. M. (1997). Overview of 1-year follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). Psychology of Addictive Behaviors, 11(4), 261-278.

Leshner, A. I. (1997). Introduction to the Special Issue: the National Institute on Drug Abuse's (NIDA's) Drug Abuse Treatment Outcome Study (DATOS). Psychology of Addictive Behaviors, 11(4), 211-215.

Rounds-Bryant, J. L., Flynn, P. M., & Craighead, L. W. (1997). Relationship between self-efficacy perceptions and in-treatment drug use among regular cocaine users. American Journal of Drug and Alcohol Abuse, 23(3), 383-395.

Simpson, D. D., & Curry, S. J. (Eds.) (1997). Special Issue: Drug Abuse Treatment Outcome Study (DATOS). Psychology of Addictive Behaviors, 11(4).

Simpson, D. D., Joe, G. W., Broome, K. M., Hiller, M. L., Knight, K., & Rowan-Szal, G. A. (1997). Program diversity and treatment retention rates in the Drug Abuse Treatment Outcome Study (DATOS). Psychology of Addictive Behaviors, 11(4), 279-293.

Simpson, D. D., Joe, G. W., & Brown, B. S. (1997). Treatment retention and follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). Psychology of Addictive Behaviors, 11(4), 294-307.

1995-1996 Publications

Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1995). Assessing consistency of response to questions on cocaine use. Addiction, 90(11), 1497-1502.

Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1996). Quality of treatment data: Reliability over time of self-reports given by clients in treatment for substance abuse. Journal of Substance Abuse Treatment, 13, 145-149.

Etheridge, R. M., Craddock, S. G., Dunteman, G. H., & Hubbard, R. L. (1995). Treatment services in two national studies of community-based drug abuse treatment programs. Journal of Substance Abuse, 7(1), 9-26.

Flynn, P. M., Craddock, S. G., Luckey, J. W., Hubbard, R. L., & Dunteman, G. H. (1996). Comorbidity of antisocial personality and mood disorders among psychoactive substance-dependent treatment clients. Journal of Personality Disorders, 10(1), 56-67.

Poole, W. K., Flynn, P. M., Rao, A. V., & Cooley, P. C. (1996). Estimating prevalence of drug use from self-report measures in a cohort for which biological measures are available for a subsample. American Journal of Epidemiology, 44, 4, 413-420.

Turner, C. F. & Hubbard, R. L. (1995). Quality of alcohol histories collected at intake to substance users treatment. International Journal of the Addictions, 30 (8), 963-989.