

**Drug Abuse Treatment Outcome
Study (DATOS), 1991-1994: [United
States]**

*United States Department of Health and
Human Services. National Institute on
Drug Abuse*

Codebook for 6-Month Intreatment Data

Processor Note

DATOS

1) A 6-month intreatment questionnaire was not available. However, the questionnaire for the 3-month intreatment interview contains the same questions and was used as a reference for the 6-month intreatment questionnaire.

TABLE OF CONTENTS

INTRODUCTION	1
A. Background	1
B. Research Design	1
C. Program Sample	2
D. Instrumentation	3
E. Data Collection Procedures	3
F. Status of DATOS Study and Future Directions	4
G. SAMHDA Data Cleaning and Processing	5
H. User Responsibility	7
I. Processor Notes	7
FREQUENCIES	8
IDENTIFICATION	9
INTERVIEW INFORMATION	10
DEMOGRAPHICS AND BACKGROUND	11
EDUCATION AND TRAINING	38
TREATMENT ACCESS	47
PSYCHOLOGICAL FUNCTIONING	63
TOBACCO, ALCOHOL, AND DRUG USE	85
SEXUAL EXPERIENCES	183
HEALTH	204
ILLEGAL INVOLVEMENT	228
EMPLOYMENT/SUPPORT STATUS	245
INCOME AND EXPENDITURES	278
INTREATMENT EXPERIENCE	293
MINIMENTAL STATUS EXAM	779
INTERVIEWER OBSERVATIONS	794
RECODED VARIABLES: RESPONDENT CHARACTERISTICS	803
RECODED VARIABLES: SUBSTANCE USE	812
APPENDIX A: Publications	821

DRUG ABUSE TREATMENT OUTCOME STUDY-ADULT STUDY

INTRODUCTION

A. Background

The Drug Abuse Treatment Outcome Study (DATOS) is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The DATOS family of studies consists of DATOS-adult, DATOS-adolescent, and the Cocaine Treatment Outcome Study (CTOS). DATOS-adult is viewed as a focal point of a comprehensive, systematic DATOS-based research program and family of studies to investigate treatment outcomes.

The major objectives of DATOS are to (1) develop current and more comprehensive information about drug abuse treatment effectiveness; (2) describe the characteristics of clients entering treatment and the treatment they receive in typical and stable community-based settings; (3) assess the contributions to client outcomes of program type, client characteristics, and treatment received; (4) assess the cost-effectiveness of drug abuse treatment across the major types of programs; and (5) compare the changes in clients, treatment, and treatment outcome findings from earlier multi-site studies. DATOS-adult is a comprehensive, multi-site prospective cohort study of clients entering treatment from 1991 to 1993. Approximately 10,000 clients from 96 programs in 11 cities were assessed at intake. Re-interviews were completed at 1 and 3 months during treatment with clients who continued their treatment. Follow-up samples of about 4,500 clients (12-months after treatment) and about 2,300 (at 60-months after treatment) were selected for locating and interviewing in the community.

B. Research Design

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. The prospective cohort design used in DATOS is the most appropriate design to study the interactions among client characteristics and treatment elements (Cook & Campbell, 1979; Singer, 1986). Both detailed measurement, fundamental to clinical epidemiological research, and multiple comparison groups available in prospective cohort studies, are utilized in DATOS. Although a principal goal of the study was to provide descriptive information on the characteristics of clients entering selected drug abuse treatment programs and their behaviors before, during, and after treatment, the design provides strong support for evaluative and causal inferences.

C. Program Sample

DATOS studies the effectiveness of treatment provided by typical and stable community-based organizations. Programs that provide such treatment were selected to develop samples of clients and treatment approaches to understand program effectiveness and to examine the factors contributing to positive outcomes. The programs involved in DATOS reflected approaches to treatment, and their client populations exhibited the major behavior patterns of clients receiving treatment for drug abuse between 1991 and 1993. As a study of treatment effectiveness, DATOS purposively sampled programs reflecting a full continuum of typical clinical approaches. In most of the communities, all programs were involved. Once the programs were selected, all clients who were admitted to treatment within the time frame were contacted and scheduled to be interviewed. This provided a pool of clients from which the samples for analysis could be developed. Most programs differed in their admission and intake criteria. DATOS was not designed to provide prevalence estimates or program evaluation. Neither the sample of programs nor clients was a statistically representative sample. The aim of the DATOS was to develop a pool of clients who differed in their exposure to various treatments in order to examine key relationships among client characteristics, treatment and outcomes. The changes in the treatment system raise many important issues surrounding who can be defined as a client and when they qualify. This re-definition is a major research issue in itself and was beyond the scope of DATOS. Consequently, it was virtually impossible to develop a consistent strategy to list clients who were eligible. Thus, a traditional response rate for intake and in-treatment interviews is difficult to conceptualize, and if one or many were to be calculated it would be specific to a modality or program type and the analysis sample of interest. Without a firm denominator, "response rates" cannot be consistently calculated across programs.

Geographic location, the type of program, and the representativeness of the program and its clients were considered in the selection of cities, programs, and clients for DATOS. Since the intense data collection efforts required for DATOS precluded wide geographic dispersion of programs, a limited number of candidate cities were chosen to reflect treatment approaches and clients in different sections of the United States. Cities considered were medium to large metropolitan areas with established treatment systems that included programs from each of four traditional modalities. Programs within each of the four major modalities of treatment varied in funding mechanism and philosophy

Eleven cities were selected as sites for the DATOS-adult study. Initial training of interviewers in five cities was conducted in November 1991, and data collection began during late November 1991. In May 1992, a second training session for interviewers for the other sites was held, and data collection began in those four cities in early summer 1992. A third training session was held in August 1992, and programs in the two remaining areas were added to implement the full complement of 11 cities and 120 programs in DATOS-adult. A number of the programs never produced any interviews due to inadequate client flow, and several closed before data collection began. In the end, 96 programs produced interviews, but only 81 programs yielded 20 or more intake-1 interviews. (Some earlier papers and reports counted 99 DATOS-adult programs, but subsequently it was determined that a few programs had merged or changed administrative structure and the final count was 96 programs.) The greatest number of clients with the fewest programs was short-term inpatient due to the rapid turnover of client beds. In contrast, methadone programs, whose clients stayed over a year in many cases, required more than double the numbers of programs to yield fewer than half the number of clients.

D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires. In addition, program level data were collected utilizing questionnaires administered to treatment program directors and counselors.

Intake 1. The Intake 1 Questionnaire obtained baseline data and took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment, and Income and expenditures.

Intake 2. The Intake 2 Questionnaire, which also required approximately 90 minutes to complete, was administered approximately one week after the Intake 1 Questionnaire. It contained sections on Health, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

In-treatment. Client data were collected primarily through client in-treatment interviews (also called "During-treatment interviews") administered at 1, 3, and 6-months after admission. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

Follow-up. Interviews were administered at 12-months after treatment termination. For long-term methadone clients whose treatment lasted more than 12 months, the follow-up interview was instead scheduled at 24 months after admission. The follow-up interview replicated much of the Intake interviews and focused on key behaviors during the year prior to the follow-up interview.

E. Data Collection Procedures

Interviewers were well-trained and closely supervised. Approximately 70 interviewers recruited, trained, and supervised by the Research Triangle Institute (RTI) were directly responsible for the data collection at all the treatment programs. Intake and in-treatment data were collected within a program's physical facilities by the on-site program researcher (PR) trained and monitored by RTI staff. Clients were compensated \$10 for each Intake and In-treatment interview, and \$15 for a Follow-up interview. Seven-day training sessions for the interviewers were conducted which included both the details of the administration of the various instruments and experience in working with the programs. Staff providing the training were experienced in drug abuse and treatment studies and had extensive experience in the training on the Diagnostic Interview Schedule (DIS) and other components of the assessment battery used in DATOS.

To ensure data quality for DATOS, weekly phone reports from each PR were required and a quarterly site visit was made to each program to monitor the data collection. In addition, two randomly selected interviews completed by all active PRs were reviewed monthly. Quality control procedures were instituted at each step of data management, data receipt and edit, data entry, and document control.

F. Status of DATOS Study and Future Directions

Upon completion of the 12-month post-treatment follow-up phase of adults, DATOS-adult began the next cycle which involves a Cooperative Agreement among NIDA, the Institute for Community-Based Research (ICBR) of the National Development and Research Institutes, Inc. (Raleigh, NC), the Institute for Behavioral Research (IBR) at Texas Christian University (Fort Worth, TX) and the Drug Abuse Research Center (DARC) at the University of California at Los Angeles.

The Cooperative DATOS is an important NIDA-sponsored effort designed to collaboratively analyze data obtained under the DATOS family of studies, to examine key questions, and provide answers and new knowledge about drug abuse treatment as it has been and is being provided under contemporary conditions. Several research themes are being explored within the Cooperative:

- Studies of contemporary treatment outcomes, especially long-term outcomes and how they relate to phases of addiction and treatment
- Examination of the evolving drug abuse treatment system, including delivery and utilization of primary and ancillary services
- Research on the components of effective treatment, including the identification of factors that engage and retain clients in programs

Four variable domains, selected in accord with their significance for the drug abuse field, are being emphasized within the contexts of each set of studies. The domains include cocaine use, HIV risk behaviors, psychiatric co-morbidity, and criminal justice status.

An extended follow-up was in progress as of December 2002 to gather data on clients over a 4-year follow-up period. The added data will allow for a more in-depth examination of treatment and the long-term history of a contemporary sample of drug abuse clients.

For a more complete discussion of the DATOS methodology, see

Flynn, PF, Craddock, SG, Hubbard, RL, Anderson, J., and Etheridge, RM. (1997). Methodological Overview and Research Design for the Drug Abuse Treatment Outcome Study (DATOS), Psychology of Addictive Behavior, 11 (4).

For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>

G. SAMHDA Data Cleaning and Processing

This documents the steps taken to clean and process the Drug Abuse Treatment Outcome Study (DATOS) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS variables included city, treatment program, and date of birth. The data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

City and program names: The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-10,010.

Date of birth: Date of birth (DOB) was deleted from the files; age at time of interview was also on the files and was preserved and top-coded at 55 and over.

Age at time of ... : Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

Age at time of ... was also top-coded at 55 and over. In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

Legal status (criminal involvement) at time of admission, "Other; specify": The details provided in "specify" were deleted; value coded as "Circled."

Have other health plan: Plans offered in a limited geographic area were coded as "Other."

Occupation: Highly detailed occupation codes were combined into larger categories.

Race: These codes were re-coded as "White," "Black," "Hispanic," and "Other."

Ethnicity: Detailed ethnicity codes and variables were collapsed or deleted.

Description of ethnic/cultural background (Hispanic): Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

What other languages do you speak: Coded as "German," "Spanish," "French," all others coded or re-coded as "Other."

Length of marital status in weeks: Re-coded to years; top-coded as 21 or more.

Length of time since divorce in months: Re-coded to years; top-coded as 21 or more.

Highest grade completed: Top-coded as 21 or more.

Type of school/training program attended: Job corps and special education (very low frequencies) coded as "Other."

Number of children: Top-coded based on frequencies as "6 or more" (e.g., your own children) and "7 or more" (e.g., children to whom you gave birth or fathered) and "8 or more" (e.g., your own children and those raised as your own).

Date of admission: The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

Date of interview: This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

ICD-9/DSM diagnosis codes: These were re-coded as "substance-related condition," "mental health condition," and "all other conditions."

Number of months currently pregnant: Re-coded by trimester.

Reason felt worthless/sinful/guilty: This variable was not numerically-coded on the original files (i.e., the verbatim responses were provided); this variable was therefore deleted.

Presence of a specific physical handicap: Variables related to a specific physical handicap (e.g., blindness) were deleted from the files. This involved three variables with fewer than five cases each.

Problems related to getting a job: Variables that were potentially identifying with very low frequencies (fewer than five), such as immigration status, were deleted.

Questions respondent did not understand: These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

Administrative variables: “Batch,” time checkpoints, and other variables related to questionnaire administration were deleted from the files.

Other variables: Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. “Program type” was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

H. User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

I. Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

FREQUENCIES

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

1,240 cases (Range of valid codes: 60-9967)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1-8

MODALITY DATOS Treatment Modality

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	36.8	456	1	RESIDENTIAL
8.3	8.3	103	2	SHORT-TERM INPATIENT
38.0	38.0	471	3	METHADONE MAINTENANCE
16.9	16.9	210	4	OUTPATIENT DRUG FREE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 9-10

INTERVIEW INFORMATION

WDC_M	MONTH/DATE COMPLETED			
-------	----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.1	32.1	398	1	JAN.-MARCH
36.0	36.0	447	2	APR.-JUNE
19.8	19.8	245	3	JULY-SEPT.
12.1	12.1	150	4	OCT.-DEC.
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 11-12

WDC_Y	YEAR/DATE COMPLETED			
-------	---------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	13.0	161	92	
86.9	86.5	1,072	93	
0.1	0.1	1	96	
	0.2	3	-8	BLANK
	0.2	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 13-15

WT_L_I	MINUTES/TOTAL LENGTH OF INTERVIEW			
--------	-----------------------------------	--	--	--

1,240 cases (Range of valid codes: 0-185)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 16-19

DEMOGRAPHICS AND BACKGROUND

WA3 ARE YOU HISPANIC/SPANISH ORIGIN/DESCENT?

Are you of Hispanic or Spanish origin or descent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	12.3	152	1	YES
87.7	87.7	1,087	2	NO
	0.1	1	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 20-21

WA3_A GROUP/DESCRIBES YOUR ETHNIC BACKGROUND

Please tell me which group describes your ethnic or cultural background

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.4	7.0	87	1	PUERTO RICAN
21.5	2.5	31	2	MEXICAN
4.2	0.5	6	3	CUBAN
0.0	0.0	0	4	CARIBBEAN
0.0	0.0	0	5	CENTRAL AMERICAN
0.0	0.0	0	6	SOUTH AMERICAN
9.0	1.0	13	7	OTHER/ETHNIC BACKGROUND
4.9	0.6	7	15	MIXED
	87.6	1,086	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 22-24

WA3_B**NAME OF GROUP/BEST DESCRIBES YOU**

Please tell me the name of the group that best describes you.
Would you say you are...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALASKAN NATIVE
0.0	0.0	0	2	AMERICAN INDIAN
0.0	0.0	0	3	ASIAN/PACIFIC ISLANDER
7.8	0.9	11	4	BLACK/AFRICAN AMERICAN
42.6	4.8	60	5	WHITE/CAUCASIAN
49.6	5.6	70	6	OTHER
	86.3	1,070	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 25-26

WA4**NAME OF GROUP/BEST DESCRIBES YOU**

Please tell me the name of the group that best describes you.
Would you say you are...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALASKAN NATIVE
0.0	0.0	0	2	AMERICAN INDIAN
0.0	0.0	0	3	ASIAN/PACIFIC ISLANDER
47.8	42.1	522	4	BLACK/AFRICAN AMERICAN
49.6	43.7	542	5	WHITE/CAUCASIAN
2.6	2.3	28	6	OTHER
	11.8	146	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 27-28

WA5	RESIDENT/PLACE YOU USUALLY LIVED IN
------------	--

Next, I will ask about where you have lived, the relationships that you might have had with family and friends, and how your life has been going during the past 3 months. During the past 3 months, what type of residence or place have you usually lived in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	29.0	360	1	ONE FAMILY HOUSE/DUPLEX/CONDO
0.9	0.9	11	2	A MOBILE HOME/TRAILER
28.2	27.9	346	3	APARTMENT/MULTIPLE FAMILY BUILDING
1.5	1.5	18	4	HOTEL/ROOMING HOUSE/BOARDING HOUSE
0.2	0.2	2	5	HOSPITAL/MEDICAL INSTITUTION
1.5	1.5	18	6	JAIL/PRISON/JUVENILE DETENTION HOME
34.3	34.0	422	7	RESIDENTIAL DRUG TREAT CTR
2.9	2.9	36	8	OTHER GROUP RESIDENCE/HALFWAY HOUSE
0.9	0.9	11	9	IN A HOMELESS SHELTER
0.2	0.2	2	10	ON THE STREET/NO REGULAR PLACE
0.2	0.2	3	11	OTHER
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 29-31

WA6**#WEEK/YOU LIVED IN PLACE/JAIL/HOSPITAL**

In the past 3 months, how long have you lived in a place where you could not come and go as you pleased, such as a jail, a hospital, a therapeutic community, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.3	56.9	706	0	
1.8	1.8	22	1	
0.7	0.7	9	2	
0.6	0.6	8	3	
0.6	0.6	8	4	
0.3	0.3	4	5	
0.5	0.5	6	6	
0.1	0.1	1	7	
0.9	0.9	11	8	
0.1	0.1	1	9	
0.2	0.2	2	10	
0.5	0.5	6	11	
27.3	27.1	336	12	
9.1	9.0	112	13	
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 32-34

WA7**YOUR MARITAL STATUS**

Are you now married, separated, divorced, widowed, living with someone as married, or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	14.8	183	1	MARRIED
10.0	10.0	124	2	SEPARATED
14.6	14.6	181	3	DIVORCED
2.3	2.3	28	4	WIDOWED
11.1	11.0	137	5	LIVE/W/SOMEONE AS MARRIED
47.2	47.0	583	6	NEVER MARRIED
	0.2	3	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 35-36

WA8 **HOW HUSBAND/WIFE FELT/YOUR USE OF DRUG**

In general, in the past 3 months how has your (husband/wife/partner) felt about your use of drugs? Would you say that (he/she)...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.1	16.7	207	1	HAS BEEN VERY MUCH OPPOSED
19.2	4.9	61	2	HAS BEEN SOMEWHAT OPPOSED
9.1	2.3	29	3	HAS NOT CARED ONE WAY/OTHER
1.9	0.5	6	4	APPROVED OF YOUR USE OF DRUGS
2.2	0.6	7	5	HAS NOT AWARE OF YOUR DRUG USE
2.5	0.6	8	6	NOT IN CONTACT WITH PARTNER
	73.3	909	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-5	BAD DATA
	0.5	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 37-38

WA8_A **HOW IMP/WAY HE/SHE FELT/YOUR DRUG USE**

How important to you was the way (he/she) felt about your drug use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	1.1	14	1	NOT AT ALL
16.7	4.2	52	2	SOMEWHAT
78.8	19.8	246	3	VERY IMPORTANT
	74.5	924	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 39-40

WA8_B**SERIOUS PROB W/HUS/WIFE/YOUR DRUG USE**

Have you had any serious problems with your
(husband/wife/partner) because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	9.4	116	1	YES
62.8	15.8	196	2	NO
	74.5	924	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 41-42

WA8_C**HUS/WIFE PRESSURE YOU/STAY IN DRUG TREAT**

Has your (husband/wife/partner) pressured you to stay in
treatment for drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	9.5	118	1	YES
62.1	15.6	193	2	NO
	74.5	924	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 43-44

WA8_D	HE/SHE/BEEN ABUSING DRUG/NOT ALCO
--------------	--

Has (he/she) been abusing drugs in these 3 months? Do not count alcohol abuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	5.5	68	1	YES
78.1	19.6	243	2	NO
	74.5	924	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 45-46

WA8_E	WAS THIS PERSON IN DRUG TREATMENT
--------------	--

Has this person been in drug treatment at any time during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	7.7	95	1	YES
69.6	17.5	217	2	NO
	74.5	924	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 47-48

WA9**HUSBAND/WIFE/HOW CONCERNED OF YOU**

During the past 3 months, how much would you say your (husband/wife/partner) has been concerned, helpful, or supportive of you? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.6	8	0	NOT AT ALL
18.8	4.8	60	1	SOMEWHAT
78.8	20.3	252	2	VERY MUCH
	74.0	917	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 49-50

WA10**WITH WHOM YOU LIVED MOST OF TIME**

Who have you lived with most of the time during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	13.8	171	1	WITH SPOUSE/SEXUAL PARTNER/CHILDREN
9.6	9.5	118	2	WITH SPOUSE/SEXUAL PARTNER ONLY
4.4	4.4	54	3	WITH CHILDREN ONLY
3.1	3.1	38	4	WITH BOTH PARENTS
2.9	2.8	35	5	WITH MOTHER ONLY
0.5	0.5	6	6	WITH FATHER ONLY
1.3	1.3	16	7	WITH PARENT(S) AND OWN CHILDREN
7.3	7.2	89	8	WITH OTHER FAMILY/ANY COMB 01-07
0.0	0.0	0	9	WITH FOSTER PARENTS
2.0	2.0	25	10	W/FAMILY/FRIENDS/BOARDERS/ROOMMATES
2.5	2.5	31	11	W/FRIENDS/ROOMMATES ONLY
12.2	12.1	150	12	ALONE
37.4	37.0	459	13	INSTITUTION/CLOSED FACILITY/HOSP
0.3	0.3	4	14	NO STABLE ARRANGEMENTS
2.4	2.4	30	15	OTHER
	1.0	12	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 51-53

WA11 **HOW SATISFIED HAVE YOU BEEN LIVING?**

How satisfied have you been living (alone/with this person/with these people)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	2.4	30	1	VERY DISSATISFIED
7.0	4.3	53	2	SOMEWHAT DISSATISFIED
24.4	15.0	186	3	SOMEWHAT SATISFIED
64.7	39.7	492	4	VERY SATISFIED
	37.5	465	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 54-55

WA12 **#CHILDREN <18 YR OLD/YOU WERE RAISING**

During these 3 months, how many children, either your own or those you have been raising as your own, were younger than 18 years old?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	53.1	659	0	
18.4	18.4	228	1	
12.5	12.5	155	2	
9.8	9.8	121	3	
3.7	3.7	46	4	
1.5	1.5	19	5	
0.9	0.9	11	6	6+
	0.1	1	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 56-58

WA13	# <18 CHILDREN LIVED W/YOU PST 3 MONTH
-------------	--

(Has your child/How many of your children) under 18 lived with you most of the time in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	23.5	291	0	
24.7	11.7	145	1	
11.6	5.5	68	2	
8.9	4.2	52	3	
3.6	1.7	21	4	
1.0	0.5	6	5	
0.5	0.2	3	6	6+
	52.3	649	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 59-60

WA13A_02	<18 YR OLD/LIVED W/SPOUSE/SEXUAL PARTNER
-----------------	--

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months? (1st child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	49	2	CIRCLED
	73.0	905	-9	LEGITIMATE SKIP
	23.0	285	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 61-62

WA13A_03 <18 YR OLD/LIVD W/X-SPOUSE/X-SEXUL PRTNR

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months? (2nd child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.4	154	3	CIRCLED
	73.1	907	-9	LEGITIMATE SKIP
	14.4	179	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 63-64

WA13A_04 <18 YR OLD/LIVED W/OTHER RELATIVE(S)

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months? (3rd child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.9	110	4	CIRCLED
	73.2	908	-9	LEGITIMATE SKIP
	17.9	222	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 65-66

WA13A_05 <18 YR OLD/LIVED WITH NON RELATIVE(S)

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months? (4th child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	35	5	CIRCLED
	73.5	912	-9	LEGITIMATE SKIP
	23.6	293	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 67-68

WA13A_06

<18 YR OLD/LIVED IN AN INSTITUTION

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months? (5th child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	6	CIRCLED
	73.5	912	-9	LEGITIMATE SKIP
	25.8	320	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 69-70

WA14

CHILDREN HAVE LEGAL CUSTODY OF

Currently, (do you have legal custody of your child/how many of your children do you have legal custody of)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	20.0	248	0	
28.9	13.5	167	1	
12.5	5.8	72	2	
11.1	5.2	64	3	
2.4	1.1	14	4	
1.4	0.6	8	5	
0.9	0.4	5	6	6+
	52.5	651	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 71-72

WA14A_02 LEGAL CUSTODY/CHILD/SPOUSE/SEX PARTNER

Who has legal custody of your (child/(other) children?
(1st child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.7	58	2	CIRCLED
	76.1	944	-9	LEGITIMATE SKIP
	19.0	235	-8	BLANK
	0.2	2	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 73-74

WA14A_03 LEGAL CUSTODY/CHILD/EX-SPOUSE/SEX PARTNR

Who has legal custody of your (child/(other) children?
(2nd child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.3	140	3	CIRCLED
	75.4	935	-9	LEGITIMATE SKIP
	13.3	165	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 75-76

WA14A_04 LEGAL CUSTODY OF CHILD/OTHER RELATIVES

Who has legal custody of your (child/(other) children?
(3rd child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.8	72	4	CIRCLED
	76.2	945	-9	LEGITIMATE SKIP
	18.0	223	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 77-78

WA14A_05	LEGAL CUSTODY OF CHILD/NONRELATIVES
-----------------	--

Who has legal custody of your (child/(other) children?
(4th child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	28	5	CIRCLED
	76.2	945	-9	LEGITIMATE SKIP
	21.5	267	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 79-80

WA14A_06	LEGAL CUSTODY/CHILD/INSTITUT/GOVT AGENCY
-----------------	---

Who has legal custody of your (child/(other) children?
(5th child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	6	CIRCLED
	76.3	946	-9	LEGITIMATE SKIP
	22.8	283	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 81-82

WA15_00	HOW OFTEN SEE YOUR CHILD/NOT AT ALL
----------------	--

During these 3 months, how often have you seen (your
child/any of your children who did not live with you)?
(1st child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.6	69	0	CIRCLED
	53.1	659	-9	LEGITIMATE SKIP
	41.2	511	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 83-84

WA15_01 HOW OFTEN SEE YOUR CHILD/> ONCE A WEEK

During these 3 months, how often have you seen (your child/any of your children who did not live with you)?
(2nd child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	117	1	CIRCLED
	53.1	659	-9	LEGITIMATE SKIP
	37.4	464	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 85-86

WA15_02 HOW OFTEN SEE CHILD/AT LEAST ONCE A WK

During these 3 months, how often have you seen (your child/any of your children who did not live with you)?
(3rd child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	93	2	CIRCLED
	53.1	659	-9	LEGITIMATE SKIP
	39.4	488	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 87-88

WA15_03**HOW OFTEN SEE YOUR CHILD/ALMOST DAILY**

During these 3 months, how often have you seen (your child/any of your children who did not live with you)? (4th child)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	50	3	CIRCLED
	53.1	659	-9	LEGITIMATE SKIP
	42.8	531	-8	BLANK

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 89-90

WA16**DRUG TREAT AFFECT CUSTODY OF CHILD**

Will your drug treatment or getting off drugs affect who has custody of (your child/any of your children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	7.3	90	1	YES
82.4	38.6	479	2	NO
2.1	1.0	12	3	SOMEWHAT/MAYBE
	52.6	652	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 91-92

WA17	HOW WELL YOU WERE AS A PARENT/GUARDIAN
-------------	---

During these 3 months, how well have you been doing as a (parent/guardian)? Would you say..

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	3.9	48	1	POOR
31.5	14.5	180	2	FAIR
60.1	27.7	343	3	WELL
	53.1	658	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 93-94

WA18	HOW DIFFICULT FOR YOU TO FIND CHILD CARE
-------------	---

During the past 3 months, how difficult has it been for you to go places or do things because of problems in finding someone to take care of your child(ren) or the child(ren) living with you? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	37.9	470	0	NOT AT ALL
11.7	5.4	67	1	SOMEWHAT
6.0	2.7	34	2	VERY DIFFICULT
	52.9	656	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
	0.6	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 95-96

WA19

YOU HAD A CLOSE RELATIONSHIP W/SOMEONE

Now, I'll like to ask about other relationships that you may have had during the past 3 months. In the past 3 months, would you say you have had a close, long-lasting, personal relationship with anyone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	59.1	733	1	YES
40.6	40.4	501	2	NO
	0.4	5	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 97-98

WA19_A	#PEOPLE/YOU HAD RELATIONSHIP WITH
---------------	--

With how many people during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	0	
47.6	28.3	351	1	
14.0	8.3	103	2	
14.5	8.6	107	3	
6.2	3.7	46	4	
6.0	3.5	44	5	
3.1	1.9	23	6	
1.4	0.8	10	7	
0.8	0.5	6	8	
0.5	0.3	4	9	
2.4	1.5	18	10	
1.1	0.6	8	12	
0.7	0.4	5	15	
0.7	0.4	5	20	
0.1	0.1	1	25	
0.1	0.1	1	28	
0.1	0.1	1	30	
0.1	0.1	1	50	
0.1	0.1	1	80	
0.1	0.1	1	99	
	40.2	499	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 99-101

WA19_B	SERIOUS PROB GET ALONG W/FAMILY/FRIEND
---------------	---

In these 3 months, have you had serious problems getting along with family members or close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	7.7	95	1	YES
86.8	50.6	627	2	NO
	40.2	499	-9	LEGITIMATE SKIP
	1.5	19	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 102-103

WA20**HOW IMP/COUNSELING/GET ALONG PROB W/FAM**

How important to you now is counseling or professional help for problems getting along with family members and close friends? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	32.7	406	0	NOT AT ALL
24.6	24.5	304	1	SOMEWHAT
42.6	42.6	528	2	VERY IMPORTANT
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 104-105

WA21**HOW MUCH CONTACT W/FAMILY/FRIENDS**

During the past 3 months, altogether how much contact (mail, telephone, or in person) have you had with any family members or close friends? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.1	38	0	NONE
36.4	36.4	451	1	SOME
60.4	60.3	748	2	A LOT
0.1	0.1	1	93	IF VOL: NO FAMILY/FRIENDS
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 106-108

WA22**HOW YOU DOING AS A FAMILY MEMBER/FRIEND**

During the past 3 months, how have you been doing as a family member or friend? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	3.0	37	1	POOR
32.9	32.3	401	2	FAIR
64.0	62.9	780	3	WELL
	1.6	20	-8	BLANK
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 109-110

WA23_A**DO PHYSICAL EXERCISE/IN A TYPICAL WEEK**

Next, I will ask you about the way you have spent your time during the past 3 months. During the past 3 months, in a typical week, how often have you done physical exercise (played ball, done aerobics, danced, jogged, or lifted weights)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	20.0	248	1	NOT AT ALL
10.8	10.8	134	2	LESS ONCE/WEEK
32.1	32.0	397	3	AT LEAST ONCE/WEEK
37.0	36.9	458	4	ALMOST DAILY
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 111-112

WA23_B**READ/DO HOBBIES/IN A TYPICAL WEEK**

Next, I will ask you about the way you have spent your time during the past 3 months. During the past 3 months, in a typical week, how often have you read or done hobbies (fished, collected things, done crafts, or made things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.1	138	1	NOT AT ALL
8.7	8.7	108	2	LESS ONCE/WEEK
26.2	26.1	324	3	AT LEAST ONCE/WEEK
53.9	53.8	667	4	ALMOST DAILY
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 113-114

WA23_C**ATTEND MEETING OF CLUB/IN A TYPICAL WEEK**

Next, I will ask you about the way you have spent your time during the past 3 months. During the past 3 months, in a typical week, how often have you attended meetings or programs of groups, clubs, or organizations that you belonged to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	23.5	292	1	NOT AT ALL
6.9	6.9	85	2	LESS ONCE/WEEK
31.9	31.8	394	3	AT LEAST ONCE/WEEK
37.5	37.3	463	4	ALMOST DAILY
	0.2	3	-8	BLANK
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 115-116

WA24_A

ANY CLOSE PEOPLE USED DRUG/NOT IN TREAT

In the past 3 months, other than any people who might have been in dug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to used heroin, crack, cocaine, or other drugs for nonmedical purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	52.1	646	1	NONE
35.8	35.6	441	2	ONE OR A FEW
11.8	11.7	145	3	MANY
	0.2	2	-8	BLANK
	0.4	5	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 117-118

WA24_B

CLOSE PEOPLE DRANK HEAVY/NOT IN TREAT

In the past 3 months, other than any people who might have been in dug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to drank alcohol heavily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	51.4	637	1	NONE
36.5	36.2	449	2	ONE OR A FEW
11.8	11.7	145	3	MANY
	0.2	2	-8	BLANK
	0.5	6	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 119-120

WA24_C**CLOSE PEOPLE GOT ARRESTED/NOT IN TREAT**

In the past 3 months, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to got arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	75.0	930	1	NONE
20.0	19.8	245	2	ONE OR A FEW
4.2	4.2	52	3	MANY
	0.2	3	-8	BLANK
	0.7	9	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 121-122

WA24_D**CLOSE PEOPLE ENTERED JAIL/NOT IN TREAT**

In the past 3 months, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to entered jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	76.3	946	1	NONE
19.4	19.2	238	2	ONE OR A FEW
3.6	3.5	44	3	MANY
	0.3	4	-8	BLANK
	0.6	7	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 123-124

WA24_E

ANY CLOSE PEOPLE ENTERED DRUG TREAT

In the past 3 months, other than any people who might have been in dug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to entered treatment for drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	74.0	918	1	NONE
23.1	22.9	284	2	ONE OR A FEW
2.0	2.0	25	3	MANY
	0.3	4	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.6	7	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 125-126

WA24_F

CLOSE PEOPLE QUIT USE DRUGS/NOT IN TREAT

In the past 3 months, other than any people who might have been in dug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to quit using heroin, crack, cocaine, or other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	71.6	888	1	NONE
24.5	24.2	300	2	ONE OR A FEW
3.1	3.1	38	3	MANY
	0.4	5	-8	BLANK
	0.6	8	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 127-128

WA25**HOW WAS YOUR LIFE PAST 3 MONTHS**

Taking all things together, how would you say our life has been during these 3 months? Would you say it has been ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	32	1	VERY UNHAPPY
12.2	12.2	151	2	SOMEWHAT UNHAPPY
54.8	54.8	679	3	SOMEWHAT HAPPY
30.4	30.3	376	4	VERY HAPPY
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 129-130

WA26**THINGS BETTER/WORSE THAN A YEAR BEFORE**

Would you say things are better or worse than they were a year before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.4	92	1	WORSE
92.5	91.8	1,138	2	BETTER
	0.6	8	-8	BLANK
	0.2	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 131-132

WA27 PROBLEMS W/FAMILY/FRIENDS DUE DRUG USE

In the past 3 months, have you had any problems with family members or close friends because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.7	120	1	YES
90.3	90.1	1,117	2	NO
	0.2	2	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 133-134

WA27A HOW SERIOUS PROBLEMS DUE DRUGS/ALCOHOL

How serious were any problems you had because of your drug or alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.7	9	1	NOT AT ALL
64.8	6.4	79	2	SOMEWHAT
27.9	2.7	34	3	VERY SERIOUS
	89.9	1,115	-9	LEGITIMATE SKIP
	0.2	2	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 135-136

EDUCATION AND TRAINING

WB1

HIGHEST GRADE/SCHOOL YEAR ATTENDED

Another area I'd like to ask about is your education and training. What is the highest grade or year of school you have attended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	
0.1	0.1	1	2	
0.1	0.1	1	3	
0.2	0.2	2	4	
0.2	0.2	2	5	
0.3	0.3	4	6	
1.2	1.2	15	7	
4.0	4.0	49	8	
6.8	6.8	84	9	
11.5	11.5	142	10	
15.3	15.2	189	11	
34.6	34.5	428	12	
5.3	5.3	66	13	
12.3	12.3	152	14	
2.5	2.5	31	15	
3.2	3.1	39	16	
0.6	0.6	7	17	
1.2	1.2	15	18	
0.6	0.6	8	20	
0.2	0.2	2	21	21+
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 137-139

WB1_A	DID YOU COMPLETE GRADE/YEAR
--------------	------------------------------------

Did you complete that (grade/year)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	72.8	903	1	YES
27.1	27.0	335	2	NO
	0.1	1	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 140-141

WB1_B	ARE YOU CURRENTLY IN SCHOOL?
--------------	-------------------------------------

Are you currently in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	11.2	139	1	YES
88.7	88.4	1,096	2	NO
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 142-143

WB1_C**KIND SCHOOL/TRAINING PROGRAM ATTENDING**

What kind of school or training program are you attending?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MIDDLE SCHOOL (JUNIOR HIGH)
3.6	0.4	5	2	HIGH SCHOOL
14.5	1.6	20	3	JUNIOR (2-YR) COLLEGE
6.5	0.7	9	4	4-YR COLLEGE OR UNIVERSITY
13.0	1.5	18	5	TECHNICAL/TRADE/VOCATIONAL SCHOOL
0.0	0.0	0	6	JOB CORPS PROG
0.0	0.0	0	7	SPECIAL EDUCATION PROG
62.3	6.9	86	8	OTHER
	88.3	1,095	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 144-145

WB1_D**PAST 3 MOS HOW HAVE GRADES BEEN**

In the past 3 months, how have your grades been in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	4.4	54	1	BETTER THAN AVERAGE
53.8	5.7	71	2	AVERAGE
5.3	0.6	7	3	NOT SO GOOD
	88.3	1,095	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
	0.1	1	-4	DON'T KNOW
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 146-147

WB1_E **TEACHER THOUGHT YOU DID AS WELL AS COULD**

Did your teachers think you did as well as you could, or did they think you had the ability to do better?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	0.6	8	1	DID AS WELL AS COULD
46.7	0.6	7	2	COULD HAVE DONE MUCH BETTER
	97.7	1,212	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 148-149

WB1_F **FREQUENTLY IN TROUBLE W/TEACHRS/PRINCIPA**

In the past 3 months, have frequently gotten into trouble with your teachers or principal for misbehaving in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.5	6	1	YES
95.6	10.4	129	2	NO
	88.3	1,095	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 150-151

WB1_G	# OF DAYS SKIPPED SCHOOL
--------------	---------------------------------

In the past 3 months, how many days did you skip school or play hooky?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.0	9.0	111	0	
4.4	0.5	6	1	
5.8	0.6	8	2	
2.2	0.2	3	3	
0.7	0.1	1	4	
0.7	0.1	1	5	
0.7	0.1	1	6	
0.7	0.1	1	9	
1.5	0.2	2	10	
0.7	0.1	1	12	
0.7	0.1	1	21	
0.7	0.1	1	60	
	88.3	1,095	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 152-154

WB2	RECEIVED A HIGH SCHOOL DIPLOMA/GED
------------	---

During the past 3 months, have you received a high school diploma or passed a high school equivalency (GED) test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	39	1	YES
96.8	96.0	1,190	2	NO
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 155-156

WB2_A **DID YOU GET A DIPLOMA/GED**

Which one did you get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	0.9	11	1	DIPLOMA
73.8	2.5	31	2	GED
	95.8	1,188	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 157-158

WB3_0 **RECEIVED NO DEGREE**

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months? None.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	91.9	1,140	0	CIRCLED
	8.1	100	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 159-160

WB3_1 **RECEIVED/JR COLLEGE/ASSOCIATE DEGREE**

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months? Junior college degree or associate degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	12	1	CIRCLED
	99.0	1,228	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 161-162

WB3_2**RECEIVED/BACHELOR'S DEGREE**

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months? Bachelor's degree.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	2	CIRCLED
	99.5	1,234	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 163-164

WB3_3**RECEIVED/MASTER'S/PH.D.**

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months? Advanced college degree (Master's or PH.D.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	100.0	1,240	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 165-166

WB3_4**RECEIVED/CERTIFICATE FROM VOCA/TRADE SCH**

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months? Certificate from a vocational or trade school. (Specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	30	4	CIRCLED
	97.6	1,210	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 167-168

WB3_5 RECEIVED/LICENSE TO PRACTICE A TRADE

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months? License to practice a trade. (Specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	5	CIRCLED
	99.4	1,232	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 169-170

WB3_6 RECEIVED/OTHER DEGREE/LECINSE, ETC.

(Besides a high school diploma or GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months? Other degree, license, etc. (Specify)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	17	6	CIRCLED
	98.6	1,223	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 171-172

WB4 YOU HAVE CURRENT VALID DRIVER'S LICENSE

Do you have a current, valid driver's license?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	37.0	459	1	YES
62.8	62.6	776	2	NO
	0.3	4	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 173-174

WB4_A

STATUS OF YOUR DRIVER'S LICENSE

Was your driver's license...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	12.8	159	1	EXPIRED
32.2	19.8	246	2	SUSPENDED
9.0	5.6	69	3	REVOKED
38.0	23.4	290	4	IF VOL: NEVER HAD ONE
	36.6	454	-9	LEGITIMATE SKIP
	1.5	19	-8	BLANK
	0.2	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 175-176

WB5

A DEPENDABLE VEHICLE FOR YOU TO USE?

During the past 3 months, has there been a dependable vehicle, such as a car, truck, or motorcycle, available for you to use...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	63.2	784	0	NONE
11.4	11.4	141	1	SOME
24.9	24.8	307	2	ALL OF THE TIME
	0.3	4	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 177-178

TREATMENT ACCESS

WC1 DO YOU HAVE ANY HEALTH INSURANCE/PLAN

Next, I'd like to ask you about your current contacts with this program. Do you belong to a health plan or have any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.6	66.0	819	1	YES
33.4	33.1	410	2	NO
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 179-180

WC1_A_01 TYPE OF INSURANCE/B. CROSS B. SHIELD

What type or health plan or insurance do you have?
 Blue Cross / Blue Shield?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	31	1	CIRCLED
	33.1	410	-9	LEGITIMATE SKIP
	64.4	798	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 181-182

WC1_A_02	TYPE OF INSURANCE/OTHER PRIVATE INS
-----------------	--

What type or health plan or insurance do you have?
Other private insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.6	107	2	CIRCLED
	33.1	410	-9	LEGITIMATE SKIP
	58.3	723	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 183-184

WC1_A_03	TYPE OF INSURANCE/HEALTH PLAN/HMO/PPO
-----------------	--

What type or health plan or insurance do you have?
Health plan (HMO, PPO)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.2	40	3	CIRCLED
	33.1	410	-9	LEGITIMATE SKIP
	63.7	790	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 185-186

WC1_A_04	TYPE OF INSURANCE/MEDICAID
-----------------	-----------------------------------

What type or health plan or insurance do you have?
Medicaid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	39.9	495	4	CIRCLED
	32.9	408	-9	LEGITIMATE SKIP
	27.2	337	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 187-188

WC1_A_05 **TYPE OF INSURANCE/MEDICARE**

What type or health plan or insurance do you have?
Medicare?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	42	5	CIRCLED
	33.1	410	-9	LEGITIMATE SKIP
	63.5	788	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 189-190

WC1_A_06 **TYPE OF INSURANCE/CHAMPUS/CHAMPVA**

What type or health plan or insurance do you have?
CHAMPUS or CHAMPA, The VA, or Military health care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	9	6	CIRCLED
	33.1	410	-9	LEGITIMATE SKIP
	66.2	821	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 191-192

WC1_A_07 **TYPE OF INSURANCE/OTHER**

What type or health plan or insurance do you have?
Other?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	116	7	CIRCLED
	33.0	409	-9	LEGITIMATE SKIP
	57.7	715	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 193-194

WC1_B

HEALTH PLAN IN YOUR NAME/FAMILY MEMBER

Is the coverage in your own name or in the name of some other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	62.5	775	1	OWN NAME
6.1	4.0	50	2	OTHER FAMILY MEMBER
	32.8	407	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 195-196

WC1_C

COST/DRUG TREAT COVERED BY THIS PLAN

Are any costs of drug treatment covered by this health plan or insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.6	53.9	668	1	YES
18.1	11.9	148	2	NO
0.4	0.2	3	3	PROG CHARGES NO FEES
	32.8	407	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
	0.2	3	-6	MULTIPLE RESPONSE
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 197-198

WC1_D COST COVER BY INSURANCE/FOR DRUG TREAT

About how much of the costs of your drug treatment will your health plan or insurance cover?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	0	NONE
1.0	0.6	7	1	LESS THAN HALF
17.4	9.4	117	2	HALF OR MORE
81.4	44.2	548	3	ALL
0.0	0.0	0	4	PROG CHARGES NO FEES
	44.8	556	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.2	3	-4	DON'T KNOW

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 199-200

WC1_E PRIMARY FUNDS FOR TREATMENT/EXCLU INS

(Excluding your health plan or insurance coverage), what will be your primary source of funds to pay for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	20.0	248	1	SELF PAY
2.9	1.6	20	2	FAMILY/RELATIVES
0.3	0.2	2	3	WORKERS COMPENSATION
60.3	33.1	410	4	OTHER
	44.2	548	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.2	2	-4	DON'T KNOW

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 201-202

WC2

TRANSPORTATION/GET TO TREAT PROG

During the past 3 months, how have you usually gotten to this treatment program for counseling? The most frequent method used.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	35.5	440	0	LIVING AT PROG
8.3	8.2	102	1	WALK
20.7	20.6	255	2	DRIVE
28.6	28.4	352	3	PUB TRANSPORTATION
4.5	4.4	55	4	RIDE FROM FAMILY/FRIEND
0.1	0.1	1	5	TAXICAB
0.2	0.2	2	6	PROG PROVIDED TRANSPORTATION
1.9	1.9	23	7	OTHER
	0.5	6	-8	BLANK
	0.3	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 203-204

WC3

EASY/DIFFICULT/GET TO PROG/TREATMENT

Has it been easy or difficult for you to get to this program for things like counseling, treatment, or medication?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	56.2	697	1	EASY
14.2	9.3	115	2	DIFFICULT
	34.0	422	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 205-206

WC3_A HAS IT BEEN SOMEWHAT EASY/VERY EASY

Has it been somewhat easy or very easy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	22.6	280	1	SOMEWHAT EASY
59.7	33.4	414	2	VERY EASY
	43.1	535	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 207-208

WC3_B HAS IT BEEN SOMEWHAT/VERY DIFFICULT

Has it been somewhat difficult or very difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	6.5	80	1	SOMEWHAT DIFFICULT
32.8	3.1	39	2	VERY DIFFICULT
	90.0	1,116	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 209-210

WC4_00 CRIMINAL CHARGE/NONE

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?
 None -> GO TO Section D.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	58.7	728	0	CIRCLED
	41.3	512	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 211-212

WC4_01**CRIMINAL CHARGE/PROBATION**

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?
Probation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	29.6	367	1	CIRCLED
	58.7	728	-9	LEGITIMATE SKIP
	11.7	145	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 213-214

WC4_02**CRIMINAL CHARGE/PAROLE**

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you?
Parole?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.2	102	2	CIRCLED
	58.7	728	-9	LEGITIMATE SKIP
	33.1	410	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 215-216

WC4_03 **CRIMINAL CHARGE/AWAITING TRIAL IN JAIL**

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you? In jail / detention awaiting trial?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	3	CIRCLED
	58.7	728	-9	LEGITIMATE SKIP
	41.0	508	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 217-218

WC4_04 **CRIMINAL CHARGE/AWAITING SENTENCE/JAIL**

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you? In jail / detention awaiting sentencing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	4	CIRCLED
	58.7	728	-9	LEGITIMATE SKIP
	41.1	510	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 219-220

WC4_05

CRIMINAL CHARGE/SERVING A SENTENCE/JAIL

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you? In jail / detention serving a sentence?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	34	5	CIRCLED
	58.7	728	-9	LEGITIMATE SKIP
	38.5	478	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 221-222

WC4_06

CRIMINAL CHARGE/ON BAIL AWAITING TRIAL

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you? Case pending. On bail awaiting trial?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	6	CIRCLED
	58.7	728	-9	LEGITIMATE SKIP
	40.7	505	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 223-224

WC4_07

CRIMINAL CHARGE/ON BAIL AWAIT SENTENCE

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you? Case pending. On bail awaiting sentencing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	7	CIRCLED
	58.7	728	-9	LEGITIMATE SKIP
	41.0	509	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 225-226

WC4_08

CRIMINAL CHARGE/RELEASE OWN RECOGNIZANCE

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you? Case pending. Released on own recognizance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	23	8	CIRCLED
	58.7	728	-9	LEGITIMATE SKIP
	39.4	489	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 227-228

WC4_09

CRIMINAL CHARGE/OTHER STATUS

During the past 3 months, have you been on probation, on parole, in jail, or have you had any pending criminal (or juvenile justice system) charges or cases against you? Case pending. Other status?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	17	9	CIRCLED
	58.6	727	-9	LEGITIMATE SKIP
	40.0	496	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 229-230

WC5

CRIMINAL JUSTICE AWARE OF DRUG TREAT

Have any criminal justice (juvenile justice) authorities, such as a judge, a probation officer, or a parole officer, been aware of your drug problem or your treatment at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	38.1	473	1	YES
7.2	3.0	37	2	NO
0.4	0.2	2	3	UNCERTAIN
	58.6	727	-9	LEGITIMATE SKIP
	0.1	1	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 231-232

WC5_A	FELT PRESSURE DRUG TREAT/AUTHORITY AWARE
--------------	---

Since these authorities have been aware of your drug problem, have you felt any pressure to stay in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	17.2	213	1	YES
54.9	20.9	259	2	NO
	61.8	766	-9	LEGITIMATE SKIP
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 233-234

WC6	CRIMINAL JUSTICE SUGGEST/REQ DRUG TREAT
------------	--

Has your participation in this program actually been required or suggested by the criminal (juvenile) justice system (i.e., courts or correctional authorities)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.1	16.3	202	1	YES
6.9	1.2	15	2	NO
	82.4	1,022	-9	LEGITIMATE SKIP
	0.1	1	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 235-236

WC6_A	PROGRAM REQUIRED/SUGGESTED
--------------	-----------------------------------

Has it been required or suggested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	14.5	180	1	REQUIRED, STIPULATED
11.3	1.9	23	2	SUGGESTED, ENCOURAGED
	83.5	1,036	-9	LEGITIMATE SKIP
	0.1	1	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 237-238

WC7	CRIMINAL JUSTICE TESTED YOU FOR DRUG USE
------------	---

During the past 3 months, has anyone from the criminal (juvenile) justice system tested you for drug use or reviewed the results from drug tests that you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	8.3	103	1	YES
50.2	8.4	104	2	NO
	83.1	1,030	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 239-240

WC7_A

YOU BEEN CHECKED FOR DRUG/WHAT BASIS

Have you been checked for drugs on a regular schedule, on a random basis, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	2.9	36	1	REGULAR
54.8	4.6	57	2	RANDOM
10.6	0.9	11	3	BOTH
	91.3	1,132	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 241-242

WC7_B_1

#TIMES TEST WERE DONE/PST 3 MONTH

How often have the tests been done in the past 3 months?
 Number of times?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.2	2	0	
42.7	3.5	44	1	
15.5	1.3	16	2	
16.5	1.4	17	3	
6.8	0.6	7	4	
3.9	0.3	4	5	
3.9	0.3	4	6	
1.0	0.1	1	7	
1.0	0.1	1	8	
1.9	0.2	2	10	
3.9	0.3	4	12	
1.0	0.1	1	24	
	91.4	1,133	-9	LEGITIMATE SKIP
	0.2	2	-8	BLANK
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 243-245

WC7_B_2

HOW OFTEN TESTS DONE/PST 3 MONTH

How often have the tests been done in the past 3 months?
Frequency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.0	2.6	32	1	PER WEEK
22.7	1.8	22	2	PER MONTH
44.3	3.5	43	3	TOTAL/ALTOGETHER
	91.3	1,132	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 246-247

PSYCHOLOGICAL FUNCTIONING

WD1 HAD 1 PERIOD OF 4 WK/MORE/ANXIOUS/TENSE

Now, I'm going to ask some questions about your feelings an emotions over the past 3 months. In the past 3 months, have you had at least one period of 4 weeks or more when you were very anxious, tense or nervous and had other problems at the same time, such as trembling, shaking, your heart beating fast, or feeling something was going to happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	9.0	111	1	YES
91.0	90.7	1,125	2	NO
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 248-249

WD1_A ANXIOUS/TENSE 4 WK PERIODS PAST 3 MOS

In these 3 months, how many periods of 4 weeks or more have you had (when you were very anxious, tense, or nervous)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.2	2	0	
63.3	5.6	69	1	
18.3	1.6	20	2	
13.8	1.2	15	3	
0.9	0.1	1	4	
0.9	0.1	1	5	
0.9	0.1	1	8	
	90.6	1,124	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.2	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 250-251

WD1_B_1

WHEN LAST PERIOD ENDED/ANXIOUS/TENSE

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	0.6	8	1	LESS THAN ONE WEEK AFTER ADM
91.0	6.5	81	2	AT LEAST ONE WEEK AFTER ADM
	90.7	1,125	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
	0.2	3	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
	0.5	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 252-253

WD1_B_2	#WEEKS AFTER ADMISSION
---------	------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.3	4	1	
1.1	0.1	1	2	
4.5	0.3	4	3	
3.4	0.2	3	4	
2.2	0.2	2	6	
5.6	0.4	5	8	
2.2	0.2	2	9	
5.6	0.4	5	10	
5.6	0.4	5	11	
16.9	1.2	15	12	
2.2	0.2	2	15	
2.2	0.2	2	16	
1.1	0.1	1	17	
2.2	0.2	2	18	
2.2	0.2	2	19	
12.4	0.9	11	20	
4.5	0.3	4	22	
3.4	0.2	3	23	
5.6	0.4	5	24	
3.4	0.2	3	25	
4.5	0.3	4	26	
1.1	0.1	1	27	
1.1	0.1	1	28	
1.1	0.1	1	32	
1.1	0.1	1	36	
	90.7	1,125	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
	0.4	5	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 254-256

WD1_C

THAT PERIOD A DIRECT RESULT OF ALCO/DRUG

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	2.7	34	1	YES
68.8	6.0	75	2	NO
	90.7	1,125	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 257-258

WD2

YOU FELT SAD/BLUE/DEPRESSED FOR 2 WEEKS

In the past 3 months, have you had a least 2 weeks during which you felt very sad, blue, depressed, or you lost interest and pleasure in things you usually cared about or enjoyed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	20.9	259	1	YES
79.1	78.9	978	2	NO
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 259-260

WD2_A **YOU HAD ANY OTHER PROBLEMS AT SAME TIME**

Did you have other problems at the same time, for example, difficulty sleeping, loss of appetite, feeling hopeless or guilty, or having thoughts of ending your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	13.5	167	1	YES
37.2	8.0	99	2	NO
	78.5	973	-9	LEGITIMATE SKIP
	0.1	1	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 261-262

WD2_B **#PERIODS OF 2 WK/MORE/FELT SAD/BLUE**

In these 3 months, how many periods of 2 weeks or more have you had when you felt very sad, blue, depressed, or lost interest in things and also had some of these other problems at the same time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	4.8	59	1	
34.1	4.6	57	2	
14.4	1.9	24	3	
8.4	1.1	14	4	
1.2	0.2	2	5	
4.2	0.6	7	6	
0.6	0.1	1	7	
1.2	0.2	2	8	
0.6	0.1	1	12	
	86.4	1,071	-9	LEGITIMATE SKIP
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 263-265

WD2_C_1

WHEN LAST PERIOD ENDED/FELT BLUE

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.5	6	1	LESS THAN ONE WEEK AFTER ADM
95.6	10.5	130	2	AT LEAST ONE WEEK AFTER ADM
	86.4	1,071	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
	0.3	4	-5	BAD DATA
	0.6	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 266-267

WD2_C_2	#WEEKS AFTER ADMISSION
---------	------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	0.6	7	1	
3.7	0.4	5	2	
3.7	0.4	5	3	
3.7	0.4	5	4	
2.2	0.2	3	6	
0.7	0.1	1	7	
3.0	0.3	4	8	
4.4	0.5	6	9	
5.9	0.6	8	10	
5.9	0.6	8	11	
9.6	1.0	13	12	
0.7	0.1	1	13	
0.7	0.1	1	14	
1.5	0.2	2	16	
5.2	0.6	7	18	
13.3	1.5	18	20	
2.2	0.2	3	21	
5.2	0.6	7	22	
4.4	0.5	6	23	
9.6	1.0	13	24	
3.7	0.4	5	25	
2.2	0.2	3	26	
1.5	0.2	2	30	
0.7	0.1	1	32	
0.7	0.1	1	36	
	86.4	1,071	-9	LEGITIMATE SKIP
	2.0	25	-8	BLANK
	0.2	3	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
	0.4	5	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 268-270

WD2_D

THAT PERIOD A DIRECT RESULT OF ALCO/DRUG

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	4.4	54	1	YES
68.0	9.3	115	2	NO
	85.8	1,064	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 271-272

WD3

YOU THOUGHT A LOT ABOUT ENDING YOUR LIFE

In these 3 months, have you thought about ending your life or committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	46	1	YES
96.2	93.5	1,160	2	NO
	2.7	34	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 273-274

WD3_A THOUGHTS OF SUICIDE RESULT OF ALC/DRUG

During these months, have your thoughts of suicide always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	1.1	14	1	YES
81.8	5.1	63	2	NO
	93.2	1,156	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 275-276

WD4 DID YOU ATTEMPT SUICIDE

In these 3 months, have you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	8	1	YES
99.4	99.0	1,228	2	NO
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 277-278

WD4_A SUICIDE ATTEMPT RESULT OF ALC/DRUG USE

During these months, have your suicide attempts always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.4	5	1	YES
64.3	0.7	9	2	NO
	98.7	1,224	-9	LEGITIMATE SKIP
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 279-280

WD5

HAD TROUBLE CONTROLLING TEMPER

In the past 3 months, have you had trouble controlling your temper or violent behavior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.7	182	1	YES
85.3	85.0	1,054	2	NO
	0.2	3	-8	BLANK
	0.1	1	-2	ILLEGIBLE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 281-282

WD5_A_1

WHEN LAST PERIOD ENDED/TEMPER PROBLEM

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	1.4	17	1	LESS THAN ONE WEEK AFTER ADM
88.7	10.8	134	2	AT LEAST ONE WEEK AFTER ADM
	84.8	1,051	-9	LEGITIMATE SKIP
	2.2	27	-8	BLANK
	0.2	2	-5	BAD DATA
	0.7	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 283-284

WD5_A_2	#WEEKS AFTER ADMISSION
---------	------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.2	3	1	
6.5	0.8	10	2	
2.0	0.2	3	3	
2.6	0.3	4	4	
0.7	0.1	1	6	
0.7	0.1	1	7	
2.6	0.3	4	8	
1.3	0.2	2	9	
5.9	0.7	9	10	
4.6	0.6	7	11	
11.8	1.5	18	12	
1.3	0.2	2	13	
1.3	0.2	2	14	
0.7	0.1	1	15	
3.3	0.4	5	16	
1.3	0.2	2	18	
1.3	0.2	2	19	
10.5	1.3	16	20	
2.6	0.3	4	21	
7.2	0.9	11	22	
7.2	0.9	11	23	
11.1	1.4	17	24	
3.3	0.4	5	25	
5.9	0.7	9	26	
0.7	0.1	1	28	
0.7	0.1	1	29	
0.7	0.1	1	31	
0.7	0.1	1	90	
	84.8	1,051	-9	LEGITIMATE SKIP
	2.7	33	-8	BLANK
	0.2	3	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 285-287

WD5_B

TEMPER PROBLEM RESULT OF ALC/DRUG

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	3.7	46	1	YES
74.4	10.8	134	2	NO
	84.8	1,052	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 288-289

WD6

YOU FELT VERY SUSPICIOUS OF PEOPLE

In the past 3 months, have you felt very suspicious of other people or what they might be up to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	17.5	217	1	YES
82.5	82.3	1,021	2	NO
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 290-291

WD6_A_1

WHEN LAST PERIOD ENDED/SUSPI OF PEOPLE

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	1.0	13	1	LESS THAN ONE WEEK AFTER ADM
92.5	13.0	161	2	AT LEAST ONE WEEK AFTER ADM
	82.3	1,020	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
	0.4	5	-5	BAD DATA
	1.0	12	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 292-293

WD6_A_2	#WEEKS AFTER ADMISSION
---------	------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	0.7	9	1	
3.9	0.6	7	2	
2.2	0.3	4	3	
2.8	0.4	5	4	
0.6	0.1	1	5	
1.1	0.2	2	6	
0.6	0.1	1	7	
1.1	0.2	2	8	
2.2	0.3	4	9	
3.9	0.6	7	10	
6.7	1.0	12	11	
16.3	2.3	29	12	
1.1	0.2	2	15	
1.7	0.2	3	16	
2.2	0.3	4	18	
8.4	1.2	15	20	
1.7	0.2	3	21	
6.2	0.9	11	22	
8.4	1.2	15	23	
12.9	1.9	23	24	
2.2	0.3	4	25	
4.5	0.6	8	26	
1.7	0.2	3	27	
1.1	0.2	2	28	
1.1	0.2	2	32	
	82.1	1,018	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
	0.2	3	-5	BAD DATA
	0.2	2	-4	DON'T KNOW
	0.6	7	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 294-296

WD6_B

SUSPICIOUS OF PEOPLE RESULT OF ALC/DRUG

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	3.8	47	1	YES
78.0	13.5	167	2	NO
	82.3	1,021	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 297-298

WD7

YOU HAD HALLUCINATIONS

In the past 3 months, have you thought someone could control your thoughts or had hallucinations, that is, you saw or heard things that no one else could see or hear?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	25	1	YES
98.0	97.8	1,213	2	NO
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 299-300

WD7_A_1

WHEN LAST PERIOD ENDED/HALLUCINATION

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.1	1	1	LESS THAN ONE WEEK AFTER ADM
95.7	1.8	22	2	AT LEAST ONE WEEK AFTER ADM
	97.8	1,213	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 301-302

WD7_A_2	#WEEKS AFTER ADMISSION
----------------	-------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.1	1	2	
4.2	0.1	1	3	
4.2	0.1	1	4	
4.2	0.1	1	8	
4.2	0.1	1	9	
8.3	0.2	2	10	
8.3	0.2	2	11	
4.2	0.1	1	16	
16.7	0.3	4	20	
8.3	0.2	2	21	
8.3	0.2	2	22	
4.2	0.1	1	23	
12.5	0.2	3	24	
8.3	0.2	2	25	
	97.8	1,213	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 303-305

WD7_B	HALLUCINATION/RESULT OF ALC/DRUG USE
--------------	---

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	1.1	14	1	YES
41.7	0.8	10	2	NO
	97.8	1,213	-9	LEGITIMATE SKIP
	0.2	2	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 306-307

WD8	HAD TROUBLE CONCENTRATING/REMEMBERING
------------	--

In the past 3 months, have you had trouble understanding, concentrating or remembering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	15.7	195	1	YES
84.2	84.1	1,043	2	NO
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 308-309

WD8_A	TROUBLE CONCENTRATE/RESULT OF DRUG/ALC
--------------	---

Has that always been a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	8.8	109	1	YES
44.4	7.0	87	2	NO
	84.0	1,042	-9	LEGITIMATE SKIP
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 310-311

WD9	RECEIVED PAYMENT FOR PSYCHI DISABILITY
------------	---

During the past 3 months, have you received any disability payments, benefits, or a pension for a psychiatric disability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	40	1	YES
96.8	96.4	1,195	2	NO
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 312-313

WD10 **TOOK PRESC MED FOR MENTAL PROB**

In the past 3 months, have you taken any prescribed medication on a regular basis for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.4	104	1	YES
91.6	91.3	1,132	2	NO
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 314-315

WD10_A **CURRENTLY TAKING MED FOR MENTAL PROB**

Are you currently taking any medications prescribed by a doctor for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	7.4	92	1	YES
25.2	2.5	31	2	NO
	89.9	1,115	-9	LEGITIMATE SKIP
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 316-317

WD11 **HAD MENTAL PROB BECAUSE OF DRUG/ALC USE**

In the past 3 months, have you had any mental health or emotional problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.6	70	1	YES
94.3	93.7	1,162	2	NO
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 318-319

WD11_A**HOW SERIOUS PROB/BECAUSE OF DRUG/ALC USE**

How serious were any problems you have had in these 3 months because of your drug or alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	0.9	11	1	NOT AT ALL
48.8	3.2	40	2	SOMEWHAT
37.8	2.5	31	3	VERY SERIOUS
	93.3	1,157	-9	LEGITIMATE SKIP
	0.1	1	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 320-321

WD12**HOW TROUBLED ARE YOU NOW/EMOTIONAL PROB**

How troubled or distressed (bothered) are you now by any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	69.6	863	0	NOT AT ALL
25.0	24.6	305	1	SOMEWHAT
4.3	4.2	52	2	VERY TROUBLED
	1.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 322-323

WD13

I AM SATISFIED WITH MYSELF

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I'm satisfied with myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	35	1	STRONGLY DISAGREE
9.5	9.4	117	2	SOMEWHAT DISAGREE
40.4	40.3	500	3	SOMEWHAT AGREE
47.3	47.2	585	4	STRONGLY AGREE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 324-325

WD14

AT TIMES I THINK I AM NO GOOD AT ALL

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

At times I think I'm no good at all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.8	59.7	740	1	STRONGLY DISAGREE
20.0	20.0	248	2	SOMEWHAT DISAGREE
17.8	17.7	220	3	SOMEWHAT AGREE
2.3	2.3	29	4	STRONGLY AGREE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 326-327

WD15**I FEEL I HAVE A LOT OF GOOD QUALITIES**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I have a lot of good qualities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	6	1	STRONGLY DISAGREE
1.1	1.0	13	2	SOMEWHAT DISAGREE
23.9	23.9	296	3	SOMEWHAT AGREE
74.5	74.4	922	4	STRONGLY AGREE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 328-329

WD16**I FEEL USELESS AT TIMES**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel useless at times.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.2	50.0	620	1	STRONGLY DISAGREE
19.3	19.3	239	2	SOMEWHAT DISAGREE
26.5	26.5	328	3	SOMEWHAT AGREE
4.0	4.0	49	4	STRONGLY AGREE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 330-331

WD17

I WISH I COULD HAVE > RESPECT FOR MYSELF

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I wish I could have more respect for myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	34.7	430	1	STRONGLY DISAGREE
14.3	14.3	177	2	SOMEWHAT DISAGREE
31.4	31.3	388	3	SOMEWHAT AGREE
19.4	19.4	240	4	STRONGLY AGREE
	0.3	4	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 332-333

WD18

I FEEL THAT I AM A FAILURE

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I feel that I'm a failure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.2	73.0	905	1	STRONGLY DISAGREE
16.6	16.5	205	2	SOMEWHAT DISAGREE
8.2	8.2	102	3	SOMEWHAT AGREE
2.0	2.0	25	4	STRONGLY AGREE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 334-335

WD19

IMPORTANCE OF MENTAL HEALTH TREATMENT

How important to you now is treatment or counseling for emotional, nervous, or mental health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	38.5	478	0	NOT AT ALL
25.0	25.0	310	1	SOMEWHAT
36.3	36.3	450	2	VERY IMPORTANT
	0.1	1	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 336-337

TOBACCO, ALCOHOL, AND DRUG USE

WE1 **#DAYS YOU DRANK ANY ALCOHOL**

Now, I'd like to ask about any alcohol, tobacco, and drugs you may have used during the past 3 months. Alcoholic beverages include beer, wine, and hard liquor, such as whiskey and mixed drinks. In the past 3 months, on how many days have you drunk any alcohol.

PCT VALID	PCT ALL	N	VALUE	LABEL
74.6	74.5	924	0	
4.8	4.8	59	1	
3.3	3.3	41	2	
2.5	2.5	31	3	
1.3	1.3	16	4	
1.7	1.7	21	5	
1.0	1.0	13	6	
0.9	0.9	11	7	
0.1	0.1	1	8	
1.4	1.4	17	10	
1.3	1.3	16	12	
0.6	0.6	7	14	
0.2	0.2	2	15	
0.1	0.1	1	16	
0.6	0.6	8	20	
0.2	0.2	2	21	
0.1	0.1	1	22	
0.4	0.4	5	24	
0.2	0.2	2	25	
1.1	1.1	14	30	
0.2	0.2	3	35	
0.3	0.3	4	36	
0.2	0.2	2	40	
0.2	0.2	3	45	
0.2	0.2	2	50	
0.5	0.5	6	60	
0.1	0.1	1	70	
0.1	0.1	1	75	
2.0	2.0	25	90	
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 338-340

WE2

#ALCOHOLIC DRINKS YOU HAVE ON EACH DAY

During the past 3 months, about how many alcoholic drinks have you usually had on each day you drank?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.2	2	0	
16.8	4.3	53	1	
24.1	6.1	76	2	
21.0	5.3	66	3	
9.5	2.4	30	4	
3.5	0.9	11	5	
10.2	2.6	32	6	
1.0	0.2	3	7	
2.5	0.6	8	8	
1.0	0.2	3	9	
2.2	0.6	7	10	
3.8	1.0	12	12	
0.6	0.2	2	15	
0.3	0.1	1	18	
1.0	0.2	3	20	
1.0	0.2	3	24	
0.3	0.1	1	32	
0.3	0.1	1	40	
0.3	0.1	1	60	
	74.3	921	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 341-344

WE3

YOU DRANK SEVERAL DAYS IN A ROW/3 MON

During the past 3 months, have you ever been drunk for several days in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.9	11	1	YES
96.5	24.4	302	2	NO
	74.4	922	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 345-346

WE4 #DAYS YOU BEEN DRUNK/PST 3 MONTHS

On how many days have you been drunk during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	18.6	231	0	
8.2	2.0	25	1	
5.3	1.3	16	2	
1.3	0.3	4	3	
1.0	0.2	3	4	
2.0	0.5	6	5	
0.7	0.2	2	6	
0.7	0.2	2	7	
1.6	0.4	5	10	
0.7	0.2	2	12	
0.3	0.1	1	14	
0.3	0.1	1	15	
0.3	0.1	1	16	
0.3	0.1	1	20	
0.3	0.1	1	24	
0.3	0.1	1	60	
0.3	0.1	1	80	
0.3	0.1	1	90	
	74.4	922	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 347-349

WE5 YOU HAD ALCOHOL DELIRIUM TREMENS

During the past 3 months, have you had alcohol d.t.'s (or Delirium Tremens) at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.2	3	1	YES
99.0	25.2	312	2	NO
	74.4	922	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 350-351

WE6**EVER HAD ANY PROB BECAUSE OF DRINKING**

Alcohol can sometimes cause problems for people. Have you ever had any problems because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	7.8	97	1	YES
69.1	17.5	217	2	NO
	74.4	922	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 352-353

WE7**HOW TROUBLED YOU BEEN BY ALCO PROB**

How troubled or bothered have you been in the past 3 months by an alcohol problem you may have? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	4.5	56	0	NOT AT ALL
32.3	2.6	32	1	SOMEWHAT
11.1	0.9	11	2	VERY TROUBLED
	91.7	1,137	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 354-355

WE8 **HOW IMP TO YOU/TREATMENT FOR ALCO PROB**

How important to you now is treatment or counseling for your alcohol problem? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	3.1	38	0	NOT AT ALL
20.2	1.6	20	1	SOMEWHAT
41.4	3.3	41	2	VERY IMPORTANT
	91.7	1,137	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 356-357

WE9 **YOUR CHANCES ARE OF NEVER DRINKING ALCO**

What do you think your chances are of never drinking alcohol again? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	3.1	38	1	VERY POOR
41.4	3.3	41	2	FAIR
20.2	1.6	20	3	VERY GOOD
	91.7	1,137	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 358-359

WE10**HOW DIFFICULT/STOP DRINK ALCO COMPLETELY**

How difficult do you think it would be for you to stop drinking alcohol completely for the rest of your life? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	1.9	24	0	NOT AT ALL
31.3	2.5	31	1	SOMEWHAT
44.4	3.5	44	2	VERY DIFFICULT
	91.7	1,137	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 360-361

WE11**WHAT CHANCES/REDUCING THE AMT OF ALCO**

What do you think your chances are of greatly reducing the amount of alcohol you drink? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.5	6	1	VERY POOR
31.3	2.5	31	2	FAIR
62.6	5.0	62	3	VERY GOOD
	91.7	1,137	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 362-363

WE12	DO YOU CURRENTLY SMOKE CIGARETTES
-------------	--

Now, I would like to ask about your use of tobacco. Do you currently smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	80.7	1,001	1	YES
18.9	18.8	233	2	NO
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 364-365

WE12_A	HOW MUCH CURRENTLY SMOKE CIGARETTES
---------------	--

About how many cigarettes do you smoke per day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	8.1	101	1	1-5 CIGARETTES
30.5	24.8	308	2	6-15 CIGARETTES
41.4	33.7	418	3	16-25 CIGARETTES
10.0	8.1	101	4	26-35 CIGARETTES
8.1	6.6	82	5	OVER 35 CIGARETTES
	18.3	227	-9	LEGITIMATE SKIP
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 366-367

WE13	SMOKE CIGARS/PIPE/SMOKELESS TOBACCO?
-------------	---

Do you currently smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	46	1	YES
96.2	95.2	1,180	2	NO
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 368-369

WE13_A_1	DO YOU SMOKE CIGARS
-----------------	----------------------------

Which do you use? Cigars?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	32	1	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 370-371

WE13_A_2	DO YOU SMOKE PIPE
-----------------	--------------------------

Which do you use? Pipe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	2	CIRCLED
	95.2	1,180	-9	LEGITIMATE SKIP
	4.4	54	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 372-373

WE13_A_3 DO YOU USE SMOKELESS TOBACCO/SNUFF

Which do you use? Smokeless tobacco or snuff?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	3	CIRCLED
	95.2	1,180	-9	LEGITIMATE SKIP
	4.0	49	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 374-375

WE14 HAVE YOU USED MARIJUANA/HASHISH/THC

Next, I'll like to ask about your use of drugs other than alcohol. During the past 3 months, have you used marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.8	134	1	YES
89.1	88.7	1,100	2	NO
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 376-377

WE14_A_1 HOW LONG AFTER TREATMENT FIRST USE DRUG

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	3.8	47	1	LESS THAN ONE WEEK AFTER ADM
63.0	6.5	80	2	AT LEAST ONE WEEK AFTER ADM
	88.6	1,099	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 378-379

WE14_A_2	#WEEKS AFTER ADMISSION USED DRUGS
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.5	6	1	
11.5	0.8	10	2	
1.1	0.1	1	3	
20.7	1.5	18	4	
2.3	0.2	2	5	
4.6	0.3	4	6	
13.8	1.0	12	8	
1.1	0.1	1	9	
1.1	0.1	1	10	
9.2	0.6	8	12	
1.1	0.1	1	14	
1.1	0.1	1	15	
3.4	0.2	3	16	
1.1	0.1	1	17	
1.1	0.1	1	18	
9.2	0.6	8	20	
4.6	0.3	4	22	
3.4	0.2	3	24	
1.1	0.1	1	28	
1.1	0.1	1	64	
	88.7	1,100	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 380-382

WE14_B_1	WHEN DID YOU LAST USE DRUGS
-----------------	------------------------------------

When did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	4.4	54	1	MORE THAN ONE WEEK AGO
58.1	6.0	75	2	WITHIN THE LAST WEEK
	88.7	1,100	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 383-384

WE14_B_2	#WEEKS AGO USE DRUGS
-----------------	-----------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.3	4	1	
26.7	1.3	16	2	
13.3	0.6	8	3	
26.7	1.3	16	4	
5.0	0.2	3	5	
10.0	0.5	6	6	
1.7	0.1	1	7	
5.0	0.2	3	8	
1.7	0.1	1	9	
1.7	0.1	1	10	
1.7	0.1	1	24	
	88.7	1,100	-9	LEGITIMATE SKIP
	6.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 385-387

WE14_C	HOW OFTEN USED DRUGS PST 3 MONTHS
---------------	--

How often have you used it [marijuana, hashish, or THC] during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	3.1	39	1	LESS THAN ONCE PER MONTH
21.6	2.3	29	2	1-3 TIMES/MO
20.1	2.2	27	3	1-2 TIMES/WK
13.4	1.5	18	4	3-4 TIMES/WK
3.0	0.3	4	5	5-6 TIMES/WK
9.7	1.0	13	6	DAILY OR ALMOST EVERY DAY
3.0	0.3	4	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	88.6	1,099	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 388-389

WE15**HAVE YOU USED COCAINE IN ANY FORM**

During the past 3 months, have you used cocaine, in any form, such as powder, "crack", free base, and cocoa paste?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	15.2	189	1	YES
84.7	84.3	1,045	2	NO
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 390-391

WE15_A_1**HOW LONG AFTER TREAT FIRST USED COCAINE**

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	4.5	56	1	LESS THAN ONE WEEK AFTER ADM
68.9	10.0	124	2	AT LEAST ONE WEEK AFTER ADM
	84.1	1,043	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 392-393

WE15_A_2	#WEEKS AFTER ADMISSION USED COCAINE
----------	-------------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	0.4	5	1	
10.9	1.1	14	2	
7.8	0.8	10	3	
23.3	2.4	30	4	
4.7	0.5	6	6	
1.6	0.2	2	7	
9.3	1.0	12	8	
0.8	0.1	1	9	
1.6	0.2	2	10	
1.6	0.2	2	11	
8.5	0.9	11	12	
1.6	0.2	2	13	
1.6	0.2	2	15	
5.4	0.6	7	16	
1.6	0.2	2	17	
1.6	0.2	2	18	
3.9	0.4	5	20	
1.6	0.2	2	22	
0.8	0.1	1	23	
5.4	0.6	7	24	
1.6	0.2	2	25	
0.8	0.1	1	26	
0.8	0.1	1	28	
	84.2	1,044	-9	LEGITIMATE SKIP
	5.3	66	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 394-396

WE15_B_1	HOW LONG AGO DID YOU LAST USE COCAINE
-----------------	--

How long ago did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	9.3	115	1	MORE THAN ONE WEEK AGO
35.4	5.1	63	2	WITHIN THE LAST WEEK
	84.2	1,044	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 397-398

WE15_B_2	HOW MANY WEEKS AGO USE COCAINE
-----------------	---------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	0.6	8	1	
22.0	2.3	28	2	
14.2	1.5	18	3	
28.3	2.9	36	4	
3.1	0.3	4	5	
6.3	0.6	8	6	
1.6	0.2	2	7	
7.1	0.7	9	8	
0.8	0.1	1	9	
3.1	0.3	4	10	
0.8	0.1	1	11	
0.8	0.1	1	12	
0.8	0.1	1	13	
0.8	0.1	1	17	
1.6	0.2	2	18	
2.4	0.2	3	20	
	84.3	1,045	-9	LEGITIMATE SKIP
	5.5	68	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 399-401

WE15_C	HOW DID YOU USUALLY TAKEN COCAINE
---------------	--

How have you usually taken it during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	1	1	BY MOUTH (EAT, CHEW)
44.4	6.7	83	2	BY SMOKING IT
18.2	2.7	34	3	BY INHALING/SNORTING/SNIFFING IT
35.8	5.4	67	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
1.1	0.2	2	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	84.2	1,044	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-7	REFUSAL
	0.2	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 402-403

WE15_D	HOW OFTEN USED COCAINE PST 3 MONTH
---------------	---

How often have you used it in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	4.8	60	1	LESS THAN ONCE PER MONTH
34.6	5.2	65	2	1-3 TIMES A MONTH
17.6	2.7	33	3	1-2 TIMES A WEEK
9.0	1.4	17	4	3-4 TIMES A WEEK
1.1	0.2	2	5	5-6 TIMES A WEEK
3.2	0.5	6	6	DAILY OR ALMOST EVERY DAY
2.1	0.3	4	7	2 OR 3 TIMES A DAY
0.5	0.1	1	8	4+ TIMES A DAY
	84.2	1,044	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 404-405

WE15_E**HOW OFTEN USED CRACK PST 3 MONTH**

How often have you used crack in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	8.3	103	0	NOT USED
14.7	2.3	28	1	LESS THAN ONCE PER MONTH
13.2	2.0	25	2	1-3 TIMES A MONTH
8.4	1.3	16	3	1-2 TIMES A WEEK
6.3	1.0	12	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
1.6	0.2	3	6	DAILY OR ALMOST EVERY DAY
1.1	0.2	2	7	2 OR 3 TIMES A DAY
0.5	0.1	1	8	4+ TIMES A DAY
	84.1	1,043	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-7	REFUSAL

 100.0 100.0 1,240 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 406-407

WE16**HAVE YOU USED HEROIN/ALONE/COMBINED**

During the past 3 months, have you used heroin either alone or combined with another drug (speedball)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	13.3	165	1	YES
86.6	85.8	1,064	2	NO
	0.9	11	-8	BLANK

 100.0 100.0 1,240 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 408-409

WE16_A_1	HOW LONG AFTER TREAT FIRST USED HEROIN
-----------------	---

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	4.8	59	1	LESS THAN ONE WEEK AFTER ADM
62.7	8.0	99	2	AT LEAST ONE WEEK AFTER ADM
	85.8	1,064	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 410-411

WE16_A_2	#WEEKS AFTER ADMISSION USED HEROIN
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.6	7	1	
13.5	1.1	14	2	
6.7	0.6	7	3	
16.3	1.4	17	4	
7.7	0.6	8	6	
1.9	0.2	2	7	
17.3	1.5	18	8	
1.0	0.1	1	9	
1.9	0.2	2	10	
8.7	0.7	9	12	
3.8	0.3	4	16	
1.9	0.2	2	18	
1.9	0.2	2	20	
1.0	0.1	1	21	
4.8	0.4	5	22	
3.8	0.3	4	24	
1.0	0.1	1	28	
	85.8	1,064	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 412-414

WE16_B_1	HOW LONG AGO DID YOU LAST USE HEROIN
-----------------	---

How long ago did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	8.3	103	1	MORE THAN ONE WEEK AGO
34.4	4.4	54	2	WITHIN THE LAST WEEK
	85.8	1,064	-9	LEGITIMATE SKIP
	1.5	19	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 415-416

WE16_B_2	HOW MANY WEEKS AGO USE HEROIN
-----------------	--------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	0.6	7	1	
29.7	2.7	33	2	
15.3	1.4	17	3	
18.0	1.6	20	4	
0.9	0.1	1	5	
3.6	0.3	4	6	
11.7	1.0	13	8	
3.6	0.3	4	10	
3.6	0.3	4	12	
0.9	0.1	1	13	
1.8	0.2	2	18	
0.9	0.1	1	20	
0.9	0.1	1	24	
0.9	0.1	1	28	
0.9	0.1	1	30	
0.9	0.1	1	99	
	85.8	1,064	-9	LEGITIMATE SKIP
	5.2	64	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 417-419

WE16_C	HOW DID YOU USUALLY TAKEN HEROIN
---------------	---

How have you usually taken it during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
27.1	3.6	45	3	BY INHALING/SNORTING/SNIFFING IT
71.7	9.6	119	4	BY INJECTING IT INTO A VEIN
1.2	0.2	2	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	85.8	1,064	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 420-421

WE16_D	HOW OFTEN USED HEROIN PST 3 MONTH
---------------	--

How many times have you used it in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	4.8	59	1	LESS THAN ONCE PER MONTH
34.1	4.6	57	2	1-3 TIMES A MONTH
17.4	2.3	29	3	1-2 TIMES A WEEK
6.6	0.9	11	4	3-4 TIMES A WEEK
1.2	0.2	2	5	5-6 TIMES A WEEK
3.6	0.5	6	6	DAILY OR ALMOST EVERY DAY
0.6	0.1	1	7	2 OR 3 TIMES A DAY
1.2	0.2	2	8	4+ TIMES A DAY
	85.7	1,063	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 422-423

WE16_E**HOW OFTEN USED HEROIN/COCAINE TOGETHER**

How often have you used heroin and cocaine together in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	8.6	107	0	NOT USED
16.7	2.3	29	1	LESS THAN ONCE PER MONTH
9.2	1.3	16	2	1-3 TIMES A MONTH
9.2	1.3	16	3	1-2 TIMES A WEEK
1.7	0.2	3	4	3-4 TIMES A WEEK
0.6	0.1	1	5	5-6 TIMES A WEEK
0.6	0.1	1	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.6	0.1	1	8	4+ TIMES A DAY
	85.0	1,054	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 424-425

WE16_F**HOW DID YOU USUALLY TAKE COCAINE/HEROIN**

How have you usually taken them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
1.6	0.1	1	2	BY SMOKING IT
12.5	0.6	8	3	BY INHALING/SNORTING/SNIFFING IT
84.4	4.4	54	4	BY INJECTING IT INTO A VEIN
1.6	0.1	1	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	85.8	1,064	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
	0.2	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 426-427

WE17 DR.PRESCRIBE NARCOTICS FOR MEDICAL PROB

Now, I'd like to ask about some drugs that can be legally prescribed. In the past 3 months, has a doctor prescribed any narcotic or opiate analgesics for you for a physical or medical problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	50	1	YES
95.9	95.4	1,183	2	NO
	0.5	6	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 428-429

WE17_A #PRESCRIPTIONS FOR NARCOTICS

How many prescriptions for narcotics or opiates did you get in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	2.4	30	1	
19.6	0.8	10	2	
11.8	0.5	6	3	
3.9	0.2	2	4	
3.9	0.2	2	6	
2.0	0.1	1	9	
	95.3	1,182	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 430-431

WE17_B_1

CODE/PRESCRIBED NARCOTICS

Which narcotics or opiates have been prescribed in the past 3 months? 1st mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.1	1	0	NONE
7.0	0.2	3	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
20.9	0.7	9	6	PERCODAN
4.7	0.2	2	7	DEMEROL
4.7	0.2	2	8	DILAUDID
46.5	1.6	20	9	TYLENOL WITH CODEINE
0.0	0.0	0	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
0.0	0.0	0	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.0	0.0	0	17	MORPHINE
4.7	0.2	2	18	METHADONE
0.0	0.0	0	19	STADOL
9.3	0.3	4	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	95.4	1,183	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
	0.2	3	-5	BAD DATA

 100.0 100.0 1,240 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 432-434

WE17_B_2	CODE/PRESCRIBED NARCOTICS
----------	---------------------------

Which narcotics or opiates have been prescribed in the past 3 months? 2nd mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.2	0.7	9	0	NONE
0.0	0.0	0	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
6.2	0.1	1	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
0.0	0.0	0	6	PERCODAN
0.0	0.0	0	7	DEMEROL
0.0	0.0	0	8	DILAUDID
18.8	0.2	3	9	TYLENOL WITH CODEINE
0.0	0.0	0	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
0.0	0.0	0	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
6.2	0.1	1	17	MORPHINE
0.0	0.0	0	18	METHADONE
0.0	0.0	0	19	STADOL
12.5	0.2	2	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	95.4	1,183	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 435-437

WE17_B_3

CODE/PRESCRIBED NARCOTICS

Which narcotics or opiates have been prescribed in the past 3 months? 3rd mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	0.7	9	0	NONE
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
10.0	0.1	1	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (SPEED OR CRANK)
0.0	0.0	0	23	OBEDRIN-L.A.
	95.4	1,183	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 438-440

WE17_C	#WEEKS USED PRESCRIBE NARCOTICS
---------------	--

In these 3 months, about how many weeks have you used narcotics or opiates as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	0.4	5	0	
35.4	1.4	17	1	
14.6	0.6	7	2	
10.4	0.4	5	3	
4.2	0.2	2	4	
8.3	0.3	4	6	
4.2	0.2	2	8	
2.1	0.1	1	9	
10.4	0.4	5	12	
	95.4	1,183	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 441-443

WE18	HAVE YOU USED NARCOTICS W/OUT PRESCRIBE
-------------	--

During the past 3 months, have you used narcotics or opiates or street methadone on your own without a prescription from a doctor, more than prescribed, or for any other reasons such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	28	1	YES
97.7	97.3	1,206	2	NO
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 444-445

WE18_A_1**HOW LONG AFTER TREAT FIRST USE NARCOTICS**

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.4	5	1	LESS THAN ONE WEEK AFTER ADM
80.0	1.6	20	2	AT LEAST ONE WEEK AFTER ADM
	97.3	1,206	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 446-447

WE18_A_2**#WEEKS AFTER ADMISSION USED NARCOTICS**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.2	2	2	
4.5	0.1	1	3	
31.8	0.6	7	4	
18.2	0.3	4	8	
13.6	0.2	3	12	
9.1	0.2	2	16	
9.1	0.2	2	20	
4.5	0.1	1	22	
	97.3	1,206	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 448-450

WE18_B_1	HOW LONG AGO DID YOU LAST USE NARCOTICS
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	1.3	16	1	MORE THAN ONE WEEK AGO
36.0	0.7	9	2	WITHIN THE LAST WEEK
	97.3	1,206	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 451-452

WE18_B_2	HOW MANY WEEKS AGO USED NARCOTICS
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.1	1	1	
16.7	0.2	3	2	
44.4	0.6	8	3	
11.1	0.2	2	4	
11.1	0.2	2	6	
5.6	0.1	1	8	
5.6	0.1	1	22	
	97.3	1,206	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 453-455

WE18_C**HOW DID YOU USUALLY TAKE NARCOTICS**

How have you usually taken them during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	1.6	20	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
22.2	0.5	6	4	BY INJECTING IT INTO A VEIN
3.7	0.1	1	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	97.3	1,206	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 456-457

WE18_D**HOW OFTEN USED NARCOTICS PST 3 MONTHS**

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.0	0.8	10	1	LESS THAN ONCE PER MONTH
37.0	0.8	10	2	1-3 TIMES A MONTH
7.4	0.2	2	3	1-2 TIMES A WEEK
3.7	0.1	1	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
14.8	0.3	4	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	97.3	1,206	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 458-459

WE18_E	HOW OFTEN USED ILLEGAL METHADONE
---------------	---

How often have you used street or illegal methadone in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.8	1.7	21	0	NOT USED
15.4	0.3	4	1	LESS THAN ONCE PER MONTH
3.8	0.1	1	2	1-3 TIMES A MONTH
0.0	0.0	0	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	97.3	1,206	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 460-461

WE19	DR. PRESC SEDATIVE/TRANQUI FOR MEDI PROB
-------------	---

In the past 3 months, has a doctor legitimately prescribed any of these sedatives or tranquilizers for you for a physical or medical problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	39	1	YES
96.8	96.3	1,194	2	NO
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 462-463

WE19_A

#PRESCRIPTIONS GOT FOR SEDATIVES

How many prescriptions for sedatives or tranquilizers have you gotten in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	1.4	17	1	
28.2	0.9	11	2	
17.9	0.6	7	3	
2.6	0.1	1	4	
2.6	0.1	1	5	
5.1	0.2	2	6	
	96.3	1,194	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 464-465

WE19B1_1	CODE/PRESCRIBED SEDATIVES
----------	---------------------------

Which sedatives or tranquilizers have been prescribed in the past 3 months? 1st mention - Sedatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	2	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
40.0	0.2	2	9	SECONAL
0.0	0.0	0	10	TUINAL
0.0	0.0	0	11	DALMANE
0.0	0.0	0	12	RESTORIL
0.0	0.0	0	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
20.0	0.1	1	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	96.3	1,194	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
	0.2	2	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 466-468

WE19B1_2	CODE/PRESCRIBED SEDATIVES
----------	---------------------------

Which sedatives or tranquilizers have been prescribed in the past 3 months? 1st mention - Tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
0.0	0.0	0	9	SECONAL
0.0	0.0	0	10	TUINAL
0.0	0.0	0	11	DALMANE
0.0	0.0	0	12	RESTORIL
0.0	0.0	0	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
0.0	0.0	0	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	96.3	1,194	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 469-470

WE19B2_1	CODE/PRESCRIBED TRANQUILIZERS
----------	-------------------------------

Which sedatives or tranquilizers have been prescribed in the past 3 months? 2nd mention - Sedatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.2	2	0	NONE
33.3	0.8	10	1	VALIUM
10.0	0.2	3	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
0.0	0.0	0	5	SERAX
0.0	0.0	0	6	TRANXENE
0.0	0.0	0	7	ATIVAN
0.0	0.0	0	8	CENTRAX
20.0	0.5	6	9	XANAX
0.0	0.0	0	10	PAXIPAM
0.0	0.0	0	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
10.0	0.2	3	15	VISARIL
6.7	0.2	2	16	ATARAX
0.0	0.0	0	17	DURRAX
0.0	0.0	0	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.0	0.0	0	21	HYDROXYZINE
10.0	0.2	3	22	BENADRYL
0.0	0.0	0	23	CLONAZEPAM
3.3	0.1	1	24	KLONOPIN
	96.3	1,194	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
	0.3	4	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 471-473

WE19B2_2

CODE/PRESCRIBED TRANQUILIZERS

Which sedatives or tranquilizers have been prescribed in the past 3 months? 2nd mention - Tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.5	6	0	NONE
0.0	0.0	0	1	VALIUM
0.0	0.0	0	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
0.0	0.0	0	5	SERAX
0.0	0.0	0	6	TRANXENE
10.0	0.1	1	7	ATIVAN
0.0	0.0	0	8	CENTRAX
0.0	0.0	0	9	XANAX
0.0	0.0	0	10	PAXIPAM
10.0	0.1	1	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
0.0	0.0	0	15	VISARIL
0.0	0.0	0	16	ATARAX
0.0	0.0	0	17	DURRAX
0.0	0.0	0	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.0	0.0	0	21	HYDROXYZINE
10.0	0.1	1	22	BENADRYL
10.0	0.1	1	23	CLONAZEPAM
0.0	0.0	0	24	KLONOPIN
	96.3	1,194	-9	LEGITIMATE SKIP
	2.9	36	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 474-476

WE19_C	#WEEKS USED PRESC SEDATIVE/TRANQUILIZER
---------------	--

In these 3 months, about how many weeks have you used sedatives or tranquilizers as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	0.3	4	0	
20.5	0.6	8	1	
10.3	0.3	4	2	
7.7	0.2	3	3	
5.1	0.2	2	4	
2.6	0.1	1	5	
5.1	0.2	2	6	
5.1	0.2	2	8	
2.6	0.1	1	9	
23.1	0.7	9	12	
2.6	0.1	1	16	
2.6	0.1	1	20	
2.6	0.1	1	42	
	96.3	1,194	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 477-479

WE20	USED SEDATIVE/TRANQUILIZER WITHOUT PRESC
-------------	---

During the past 3 months, have you used sedatives or tranquilizers on your own without a prescription from a doctor, more than prescribed, or for any nonmedical reason such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	33	1	YES
97.3	96.9	1,201	2	NO
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 480-481

WE20_A_1	HOW LONG AFTER TREAT FIRST USED SEDATIVE
-----------------	---

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	0.6	8	1	LESS THAN ONE WEEK AFTER ADM
74.2	1.9	23	2	AT LEAST ONE WEEK AFTER ADM
	96.8	1,200	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 482-483

WE20_A_2	#WEEKS AFTER ADMISSION USED SEDATIVES
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.1	1	1	
25.0	0.5	6	2	
12.5	0.2	3	4	
20.8	0.4	5	8	
4.2	0.1	1	10	
8.3	0.2	2	12	
4.2	0.1	1	14	
4.2	0.1	1	16	
12.5	0.2	3	20	
4.2	0.1	1	28	
	96.8	1,200	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 484-486

WE20_B_1	HOW LONG AGO DID YOU LAST USE SEDATIVES
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	1.6	20	1	MORE THAN ONE WEEK AGO
35.5	0.9	11	2	WITHIN THE LAST WEEK
	96.8	1,200	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 487-488

WE20_B_2	HOW MANY WEEKS AGO USED SEDATIVES
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	0.2	3	1	
30.4	0.6	7	2	
17.4	0.3	4	3	
26.1	0.5	6	4	
8.7	0.2	2	8	
4.3	0.1	1	24	
	96.9	1,201	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 489-491

WE20_C**HOW DID YOU USUALLY TAKE SEDATIVES**

How have you usually taken them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	32	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	96.8	1,200	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 492-493

WE20_D**HOW OFTEN USED SEDATIVES PST 3 MONTHS**

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.7	9	1	LESS THAN ONCE PER MONTH
33.3	0.9	11	2	1-3 TIMES A MONTH
21.2	0.6	7	3	1-2 TIMES A WEEK
3.0	0.1	1	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
15.2	0.4	5	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	96.8	1,200	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 494-495

WE20_E_1 **TYPE SEDAT/TRANQ/SEDA/SLEEPING PILL**

What types of sedatives and tranquilizers have you been taking in the past 3 months? Sedatives and sleeping pills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	CIRCLED
	96.8	1,200	-9	LEGITIMATE SKIP
	3.0	37	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 496-497

WE20_E_2 **TYPE SEDAT/TRANQ/BARBITURATES**

What types of sedatives and tranquilizers have you been taking in the past 3 months? Barbiturates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	96.9	1,201	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 498-499

WE20_E_3 **TYPE SEDAT/TRANQ/BENZODIAZAPINES**

What types of sedatives and tranquilizers have you been taking in the past 3 months? Benzodiazepines, such as Xanax, Valium, or Librium?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	31	3	CIRCLED
	96.8	1,200	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 500-501

WE20_E_4	TYPE SEDAT/TRANQ/OTHER TRANQUILIZER
-----------------	--

What types of sedatives and tranquilizers have you been taking in the past 3 months? Other tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	96.9	1,201	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 502-503

WE20_F	TYPE SEDATIVE USED MOST/CODE FROM E20e
---------------	---

Which type have you used most often in the past 3 months for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	SEDATIVES/SLEEPING PILLS
0.0	0.0	0	2	BARBITURATES
50.0	0.2	2	3	BENZODIAZEPINES
25.0	0.1	1	4	OTHER TRANQUILIZERS
	99.7	1,236	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 504-505

WE21 DR. PRESCRIBED STIMULANTS FOR MEDI PROB

During the past 3 months, has a doctor legitimately prescribed any of these stimulants for you for a physical or emotional problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	99.5	1,234	2	NO
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 506-507

WE21_A #PRESCRIPTIONS GOT FOR STIMULANTS

How many prescriptions for stimulants did you get in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	
	99.5	1,234	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 508-509

WE21_B_1

CODE/PRESCRIBED STIMULANTS

Which stimulants have been prescribed in the past 3 months?
1st mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (SPEED OR CRANK)
0.0	0.0	0	23	OBEDRIN-L.A.
	99.5	1,234	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 510-511

WE21_B_2

CODE/PRESCRIBED STIMULANTS

Which stimulants have been prescribed in the past 3 months?
2nd mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE (SPEED OR CRANK)
0.0	0.0	0	23	OBEDRIN-L.A.
	99.5	1,234	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 512-513

WE21_B_3	CODE/PRESCRIBED STIMULANTS
-----------------	-----------------------------------

Which stimulants have been prescribed in the past 3 months?
3rd mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.5	1,234	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 514-515

WE21_C	#WEEKS USED PRESCRIBED STIMULANTS
---------------	--

In these 3 months, about how many weeks have you used
stimulants as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	12	
	99.5	1,234	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 516-518

WE22	USED AMPHETAMINES W/OUT PRESCRIPTION
-------------	---

During the past 3 months, have you used amphetamines or other
stimulants for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	9	1	YES
99.3	99.0	1,227	2	NO
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 519-520

WE22_A_1	HOW LONG AFTER TREAT USED AMPHETAMINE
-----------------	--

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.2	2	1	LESS THAN ONE WEEK AFTER ADM
71.4	0.4	5	2	AT LEAST ONE WEEK AFTER ADM
	99.0	1,227	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 521-522

WE22_A_2	#WEEK AFTER ADMISSION USE AMPHETAMINE
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	6	
16.7	0.1	1	10	
16.7	0.1	1	16	
16.7	0.1	1	20	
16.7	0.1	1	22	
16.7	0.1	1	25	
	99.0	1,227	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 523-525

WE22_B_1	HOW LONG AGO YOU LAST USED AMPHETAMINES
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.5	6	1	MORE THAN ONE WEEK AGO
25.0	0.2	2	2	WITHIN THE LAST WEEK
	99.0	1,227	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 526-527

WE22_B_2	HOW MANY WEEKS AGO USE AMPHETAMINES
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	1	
16.7	0.1	1	2	
16.7	0.1	1	4	
33.3	0.2	2	6	
16.7	0.1	1	16	
	99.0	1,227	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 528-530

WE22_C	HOW DID YOU USUALLY TAKE AMPHETAMINES
---------------	--

How have you usually taken them during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.2	2	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
50.0	0.3	4	3	BY INHALING/SNORTING/SNIFFING IT
12.5	0.1	1	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
12.5	0.1	1	7	SOME OTHER WAY
	99.0	1,227	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 531-532

WE22_D	HOW OFTEN USE AMPHETAMINES PST 3 MONTHS
---------------	--

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.5	6	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1-3 TIMES A MONTH
12.5	0.1	1	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
12.5	0.1	1	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.0	1,227	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 533-534

WE22_E**HOW OFTEN YOU USE METHAMPHETAMINES**

How often have you used methamphetamines or ice in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.2	3	0	NOT USED
62.5	0.4	5	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1-3 TIMES A MONTH
0.0	0.0	0	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.0	1,227	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 535-536

WE23**DR. EVER PRESC MAJOR TRANQ/ANTIDEPRESS**

Has a doctor ever prescribed major tranquilizers such as Thorazine, Stelazine, or Lithium or major antidepressants such as Elavil or Prozac?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	87.7	1,087	0	NEITHER
3.6	3.5	44	1	MAJOR TRANQUILIZERS
7.1	7.1	88	2	MAJOR ANTIDEPRESSANTS
1.0	1.0	12	3	BOTH
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 537-538

WE23_A **USED MAJOR TRANQUILIZER/ANTIDEPRESSANTS**

How you used either major tranquilizers or major antidepressants in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	6.9	86	0	NEITHER
9.4	1.1	14	1	MAJOR TRANQUILIZERS
30.2	3.6	45	2	MAJOR ANTIDEPRESSANTS
2.7	0.3	4	3	BOTH
	86.9	1,077	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 539-540

WE24 **HAVE YOU USED LSD/PCP/HALLUCINOGEN**

During the past 3 months, have you used LSD, PCP, or any other hallucinogen or psychedelic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	1	YES
99.8	99.5	1,234	2	NO
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 541-542

WE24_A_1	HOW LONG AFTER TREAT USED LSD/PCP/HALLUC
-----------------	---

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	LESS THAN ONE WEEK AFTER ADM
0.0	0.0	0	2	AT LEAST ONE WEEK AFTER ADM
	99.5	1,234	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 543-544

WE24_A_2	#WEEK AFTER ADMISSION USE LSD/PCP/HALLUC
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	20	
	99.5	1,234	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 545-547

WE24_B_1	HOW LONG AGO YOU LAST USE LSD/PCP
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MORE THAN ONE WEEK AGO
100.0	0.1	1	2	WITHIN THE LAST WEEK
	99.5	1,234	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 548-549

WE24_B_2	HOW MANY WEEKS AGO USE LSD/PCP/HALLUC
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	
	99.5	1,234	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK

100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 550-551

WE24_C	HOW DID YOU TAKE LSD/PCP/HALLUCINOGEN
---------------	--

How have you usually taken them during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
100.0	0.2	2	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.5	1,234	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK

100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 552-553

WE24_D**HOW OFTEN YOU USED LSD/PCP/HALLUCINOGEN**

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
50.0	0.1	1	2	1-3 TIMES A MONTH
50.0	0.1	1	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.5	1,234	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 554-555

WE24_E**HOW OFTEN USED PCP PST 3 MONTHS**

How often have you used PCP in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT USED
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
50.0	0.1	1	2	1-3 TIMES A MONTH
50.0	0.1	1	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.5	1,234	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 556-557

WE25**HAVE YOU USED INHALANTS PST 3 MONTHS**

During the past 3 months, have you used inhalants or things you sniff, such as glue, gasoline, paint thinner, or aerosol sprays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	99.4	1,233	2	NO
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 558-559

WE25_A_1**HOW LONG AFTER TREAT USE INHALANTS**

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADM
0.0	0.0	0	2	AT LEAST ONE WEEK AFTER ADM
	99.4	1,233	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 560-561

WE25_A_2**#WEEKS AFTER ADMISSION USE INHALANTS**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.4	1,233	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 562-563

WE25_B_1	HOW LONG AGO YOU LAST USED INHALANTS
-----------------	---

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	99.4	1,233	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 564-565

WE25_B_2	HOW MANY WEEKS AGO USE INHALANTS
-----------------	---

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.4	1,233	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 566-567

WE25_C	HOW OFTEN USE INHALANTS PST 3 MONTHS
--------	--------------------------------------

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1-3 TIMES A MONTH
0.0	0.0	0	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.4	1,233	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 568-569

WE26**WHICH DRUG CAUSED YOU MOST SERIOUS PROB**

During the past 3 months, what type of drug that you used has caused you the most serious problems, such as problems with family, friends, or the law; problems feeling dependent on the drug; or health or emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	81.9	1,015	0	NONE
1.5	1.5	18	10	ALCOHOL
0.6	0.6	7	20	MARIJUANA, HASHISH, THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS
4.0	4.0	49	40	COCAINE IN ANY FORM
3.6	3.5	44	41	CRACK
4.6	4.5	56	50	HEROIN
1.1	1.1	14	51	HEROIN AND COCAINE TOGETHER AT THE SAME
0.3	0.3	4	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.2	0.2	2	61	STREET OR ILLEGAL METHADONE
0.4	0.4	5	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.1	0.1	1	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
0.6	0.6	7	81	METHAMPHETAMINES OR ICE
0.1	0.1	1	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
	1.1	14	-8	BLANK
	0.2	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 570-572

WE26_A_1**HOW LONG AFTER TREAT USED PRIMARY DRUG**

How long after you entered treatment did you first use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	0.6	7	1	LESS THAN ONE WEEK AFTER ADM
79.4	2.2	27	2	AT LEAST ONE WEEK AFTER ADM
	97.3	1,206	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 573-574

WE26_A_2	#WEEK AFTER ADMISSION USE PRIMARY DRUG
-----------------	---

How many weeks after admission was that?
(PRIMARY PROBLEM DRUG)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.1	1	1	
13.3	0.3	4	2	
3.3	0.1	1	3	
26.7	0.6	8	4	
3.3	0.1	1	6	
16.7	0.4	5	8	
3.3	0.1	1	10	
6.7	0.2	2	16	
3.3	0.1	1	17	
13.3	0.3	4	20	
3.3	0.1	1	25	
3.3	0.1	1	28	
	97.5	1,209	-9	LEGITIMATE SKIP
	0.1	1	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 575-577

WE26_B_1	HOW LONG AGO YOU LAST USE PRIMARY DRUG
-----------------	---

How long ago did you last use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	1.2	15	1	MORE THAN ONE WEEK AGO
55.9	1.5	19	2	WITHIN THE LAST WEEK
	97.3	1,206	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 578-579

WE26_B_2**HOW MANY WEEKS AGO USE PRIMARY DRUG**

How many weeks ago was that? (PRIMARY PROBLEM DRUG)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	0.7	9	2	
21.1	0.3	4	3	
10.5	0.2	2	4	
5.3	0.1	1	6	
10.5	0.2	2	8	
5.3	0.1	1	10	
	98.3	1,219	-9	LEGITIMATE SKIP
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 580-582

WE26_C**HOW DID YOU TAKE PRIMARY DRUG**

How have you usually taken (PRIMARY PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	0.4	5	1	BY MOUTH (EAT, CHEW)
19.4	0.6	7	2	BY SMOKING IT
33.3	1.0	12	3	BY INHALING/SNORTING/SNIFFING IT
30.6	0.9	11	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
2.8	0.1	1	7	SOME OTHER WAY
	97.1	1,204	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 583-584

WE26_D	HOW OFTEN YOU USED PRIMARY DRUG
---------------	--

How often have you used (PRIMARY PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	0.6	8	1	LESS THAN ONCE PER MONTH
24.3	0.7	9	2	1-3 TIMES A MONTH
27.0	0.8	10	3	1-2 TIMES A WEEK
8.1	0.2	3	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
10.8	0.3	4	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
8.1	0.2	3	8	4+ TIMES A DAY
	97.0	1,203	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 585-586

WE27	DRUG OTHER THAN PRIMARY CAUSE PROBLEMS
-------------	---

You said the (PRIMARY PROBLEM DRUG) had caused you the most serious problems. In the past 3 months, has using any other drug caused you to have problems (such as problems with family friends, or the law; problems feeling dependent on the drug; or emotional problems)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.2	2	1	YES
96.5	4.4	55	2	NO
	95.4	1,183	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 587-588

WE27_A

SECOND PROBLEM DRUG

Which drug caused you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	10	ALCOHOL
20.0	0.1	1	20	MARIJUANA, HASHISH, THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS
20.0	0.1	1	40	COCAINE IN ANY FORM
0.0	0.0	0	41	CRACK
0.0	0.0	0	50	HEROIN
40.0	0.2	2	51	HEROIN AND COCAINE TOGETHER AT THE SAME
0.0	0.0	0	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
0.0	0.0	0	81	METHAMPHETAMINES OR ICE
20.0	0.1	1	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
	99.6	1,235	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 589-591

WE27_B_1

HOW LONG AFTER TREAT USED SECOND DRUG

How long after you entered treatment did you first use
(SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	LESS THAN ONE WEEK AFTER ADM
50.0	0.1	1	2	AT LEAST ONE WEEK AFTER ADM
	99.8	1,238	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 592-593

WE27_B_2 #WEEK AFTER ADMISSION USE SECOND DRUG

How many weeks after admission was that?
(SECOND PROBLEM DRUG)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	
	99.9	1,239	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 594-595

WE27_C_1 HOW LONG AGO YOU LAST USE SECOND DRUG

How long ago did you last use (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MORE THAN ONE WEEK AGO
100.0	0.2	2	2	WITHIN THE LAST WEEK
	99.8	1,238	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 596-597

WE27_C_2 HOW MANY WEEKS AGO USE SECOND DRUG

How many weeks ago was that? (SECOND PROBLEM DRUG)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,240	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 598-599

WE27_D**HOW DID YOU TAKE SECOND DRUG**

How have you usually taken (SECOND PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
50.0	0.1	1	3	BY INHALING/SNORTING/SNIFFING IT
50.0	0.1	1	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.8	1,238	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 600-601

WE27_E**HOW OFTEN YOU USED SECOND DRUG**

How often have you used (SECOND PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
100.0	0.2	2	2	1-3 TIMES A MONTH
0.0	0.0	0	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	99.8	1,238	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 602-603

WE28 DRUG OTHR THAN PRIMRY/SECND CAUSE PRBLMS

Besides (PRIMARY PROBLEM DRUG) and (SECOND PROBLEM DRUG), did any other drugs cause you problems during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.3	4	2	NO
	99.7	1,236	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 604-605

WE28_A THIRD PROBLEM DRUG

Which drug caused you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.0	0.0	0	10	ALCOHOL
0.0	0.0	0	20	MARIJUANA, HASHISH, THC
0.0	0.0	0	30	HALLUCINOGENS OR PSYCHEDELICS
0.0	0.0	0	40	COCAINE IN ANY FORM
0.0	0.0	0	41	CRACK
0.0	0.0	0	50	HEROIN
0.0	0.0	0	51	HEROIN AND COCAINE TOGETHER AT THE SAME
0.0	0.0	0	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
0.0	0.0	0	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.0	0.0	0	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
0.0	0.0	0	81	METHAMPHETAMINES OR ICE
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
	100.0	1,240	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 606-607

WE28_B_1	HOW LONG AFTER TREAT USED THIRD DRUG
-----------------	---

How long after you entered treatment did you first use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADM
0.0	0.0	0	2	AT LEAST ONE WEEK AFTER ADM
	100.0	1,240	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 608-609

WE28_B_2	#WEEK AFTER ADMISSION USE THIRD DRUG
-----------------	---

How many weeks after admission was that? (THIRD PROBLEM DRUG)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,240	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 610-611

WE28_C_1	HOW LONG AGO YOU LAST USE THIRD DRUG
-----------------	---

How long ago did you last use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	100.0	1,240	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 612-613

WE28_C_2	HOW MANY WEEKS AGO USE THIRD DRUG
-----------------	--

How many weeks ago was that? (THIRD PROBLEM DRUG)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,240	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 614-615

WE28_D	HOW DID YOU TAKE THIRD DRUG
---------------	------------------------------------

How have you usually taken (THIRD PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	100.0	1,240	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 616-617

WE28_E**HOW OFTEN YOU USED THIRD DRUG**

How often have you used (THIRD PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1-3 TIMES A MONTH
0.0	0.0	0	3	1-2 TIMES A WEEK
0.0	0.0	0	4	3-4 TIMES A WEEK
0.0	0.0	0	5	5-6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4+ TIMES A DAY
	100.0	1,240	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 618-619

WE29**#DOLLARS SPENT ON DRUGS FOR OWN USE**

In the past 3 months, how much would you say you have spent on drugs for your own nonmedical use, excluding alcohol?

1,240 cases (Range of valid codes: 0-80,600)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 620-625

WE30**HAVE YOU OVERDOSED ON DRUGS**

In the past 3 months, have you OD'd on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	1	YES
99.8	99.4	1,232	2	NO
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 626-627

WE30_A	#TIMES YOU OVERDOSED DRUGS
---------------	-----------------------------------

How many times have you OD'd in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	0.3	4	0	
14.3	0.1	1	1	
28.6	0.2	2	2	
	99.0	1,228	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 628-629

WE31	DID YOU USE DRUG WITH A NEEDLE/SYRINGE
-------------	---

In the past 3 months, have you used drugs with a needle, syringes, or "works" to shoot up drugs after anyone else had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	36	1	YES
97.1	96.2	1,193	2	NO
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 630-631

WE31A_1

FREQ USE W/NEEDLE AFTER/REG SEX PARTNER

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after your regular sexual partner or spouse had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.9	1.9	23	0	
8.3	0.2	3	1	
5.6	0.2	2	2	
2.8	0.1	1	4	
2.8	0.1	1	5	
2.8	0.1	1	6	
2.8	0.1	1	12	
2.8	0.1	1	15	
2.8	0.1	1	24	
2.8	0.1	1	25	
2.8	0.1	1	35	
0.0	0.0	0	99	99 OR MORE
	96.0	1,191	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 632-634

WE31A_2

FREQ USE W/NEEDLE AFTER/UNKNOW PARTNER

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after anyone you had had sex with but hadn't known very long had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	2.8	35	0	
2.8	0.1	1	2	
	96.0	1,191	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 635-636

WE31A_3 FREQ USE W/NEEDLE AFTER/A PROSTITUTE

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after a prostitute had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	36	0	
	96.0	1,191	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 637-638

WE31A_4 FREQ USE W/NEEDLE AFTER/AIDS/HIV +

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after someone you know or thought had AIDS or had a positive HIV test had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	2.8	35	0	
2.7	0.1	1	1	
2.7	0.1	1	2	
	96.0	1,191	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 639-640

WE31A_5	FREQ USE W/NEEDLE AFTER/HOMO/BI/SEXUAL
----------------	---

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after a man you know or thought was homosexual or bisexual had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	36	0	
	96.0	1,191	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 641-642

WE31A_6	FREQ USE W/NEEDLE AFTER/STRANGER
----------------	---

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after people you didn't know very long or strangers had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	2.7	33	0	
2.8	0.1	1	1	
5.6	0.2	2	2	
	96.0	1,191	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 643-644

WE32 CLEAN NEEDLE BEFORE USE/AFTER PEOPLE

In the past 3 months, have you tried to clean the needles and syringes other people had used before you used them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	1.4	17	1	YES
60.5	2.1	26	2	NO
	95.6	1,185	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 645-646

WE33_A CLEAN NEEDLE AFTER/W/ALCOHOL/WATER

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you used alcohol and rinsed with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	1.0	13	0	NEVER
0.0	0.0	0	1	RARELY
6.2	0.1	1	2	SOMETIMES
6.2	0.1	1	3	OFTEN
6.2	0.1	1	4	ALWAYS
	97.7	1,211	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 647-648

WE33_B**CLEAN NEEDLE AFTER/W/BLEACH & WATER**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you used bleach or Clorox and rinsed with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.5	6	0	NEVER
0.0	0.0	0	1	RARELY
5.6	0.1	1	2	SOMETIMES
11.1	0.2	2	3	OFTEN
50.0	0.7	9	4	ALWAYS
	97.7	1,211	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 649-650

WE33_C**CLEAN NEEDLE AFTER/W/BOIL IN WATER**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you boiled them in water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	97.7	1,211	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 651-652

WE33_D CLEAN NEEDLE AFTER/W/WATER/ONE CLEANED

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you rinsed them in water that someone else had used to clean needles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	1.0	13	0	NEVER
0.0	0.0	0	1	RARELY
12.5	0.2	2	2	SOMETIMES
0.0	0.0	0	3	OFTEN
6.2	0.1	1	4	ALWAYS
	97.7	1,211	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 653-654

WE33_E CLEAN NEEDLE AFTER/W/RINSE CLEAN WATER

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you rinsed them in clean water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	1.0	12	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
6.2	0.1	1	3	OFTEN
18.8	0.2	3	4	ALWAYS
	97.7	1,211	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 655-656

WE33_F**CLEAN NEEDLE AFTER/W/SOME OTHER METHOD**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you used some other method?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	1.2	15	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
6.2	0.1	1	4	ALWAYS
	97.7	1,211	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 657-658

WE34**HOW TROUBLED W/YOUR DRUG PROB**

In the past 3 months, how troubled or bothered have you been by your drug problem? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	52.6	652	0	NOT AT ALL
37.2	37.0	459	1	SOMEWHAT
10.0	10.0	124	2	VERY MUCH
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 659-660

WE35

HOW IMPORTANT/TREATMENT FOR DRUG PROB

How important to you now is getting treatment or counseling for your drug problem? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	87	0	NOT AT ALL
13.5	13.5	167	1	SOMEWHAT
79.4	79.1	981	2	VERY IMPORTANT
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 661-662

WE36

YOUR DRUG USE CAUSED PROBLEMS IN LIFE

In your opinion, in the past 3 months to what extent has your drug use caused or worsened other problems in your life? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	67.7	840	0	NOT AT ALL
20.3	19.8	246	1	A LITTLE
10.5	10.3	128	2	A LOT
	0.4	5	-8	BLANK
	1.7	21	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 663-664

WE37**YOUR DRUG PROB CAUSED BY OTHER PROBLEMS**

In your opinion, in the past 3 months to what extent have your problems with drugs been caused by other problems in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	69.3	859	0	NOT AT ALL
18.9	18.5	230	1	A LITTLE
10.3	10.1	125	2	A LOT
	0.4	5	-8	BLANK
	1.7	21	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 665-666

WE38**HOW TEMPTED ARE YOU TO USE DRUGS NOW**

Overall, how tempted are you to use drugs now? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	57.9	718	0	NOT AT ALL
36.4	36.1	448	1	SOMEWHAT
5.4	5.3	66	2	VERY TEMPTED
	0.4	5	-8	BLANK
	0.2	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 667-668

WE39_A**KEEP FR USE DRUG/PEOPLE MADE YOU TENSE**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if other people around you made you tense or nervous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.3	53	0	NOT AT ALL CONFIDENT/SURE
25.3	25.2	313	1	SOMEWHAT CONFIDENT/SURE
70.4	70.2	871	2	VERY CONFIDENT/SURE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 669-670

WE39_B**KEEP FROM USE DRUG/REMEMBERED FEELING**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you remembered how it makes you feel?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.4	79	0	NOT AT ALL CONFIDENT/SURE
32.1	32.0	397	1	SOMEWHAT CONFIDENT/SURE
61.6	61.5	762	2	VERY CONFIDENT/SURE
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 671-672

WE39_C**KEEP FR USE DRUG/YOU FELT RELAXED/SURE**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you felt relaxed and sure of yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	31	0	NOT AT ALL CONFIDENT/SURE
17.6	17.6	218	1	SOMEWHAT CONFIDENT/SURE
79.9	79.6	987	2	VERY CONFIDENT/SURE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 673-674

WE39_D**KEEP FR USE DRUG/FELT DROWSY/WANT AWAKE**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you felt drowsy but wanted to stay awake?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.4	42	0	NOT AT ALL CONFIDENT/SURE
12.8	12.7	158	1	SOMEWHAT CONFIDENT/SURE
83.8	83.5	1,035	2	VERY CONFIDENT/SURE
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 675-676

WE39_E

KEEP FR USE DRUG/FOUND SUPPLY OF DRUGS

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you unexpectedly found a supply of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	21.9	271	0	NOT AT ALL CONFIDENT/SURE
36.4	36.3	450	1	SOMEWHAT CONFIDENT/SURE
41.7	41.6	516	2	VERY CONFIDENT/SURE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 677-678

WE39_F

KEEP FR USE DRUG/PEOPLE DIDN'T LIKE YOU

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you felt that other people didn't like you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	31	0	NOT AT ALL CONFIDENT/SURE
13.7	13.6	169	1	SOMEWHAT CONFIDENT/SURE
83.8	83.6	1,037	2	VERY CONFIDENT/SURE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 679-680

WE39_G**KEEP FR USE DRUG/NOT ABLE TO GET SLEEP**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you were not able to get to sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.8	60	0	NOT AT ALL CONFIDENT/SURE
16.1	16.0	199	1	SOMEWHAT CONFIDENT/SURE
79.1	78.9	978	2	VERY CONFIDENT/SURE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 681-682

WE39_H**KEEP FR USE DRUG/FELT NAUSEOUS**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you felt nauseated or sick to your stomach?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	4.0	49	0	NOT AT ALL CONFIDENT/SURE
12.5	12.5	155	1	SOMEWHAT CONFIDENT/SURE
83.5	83.3	1,033	2	VERY CONFIDENT/SURE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 683-684

WE39_I

KEEP FR USE DRUG/PLACE/PEOPLE USE DRUG

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you were at a party or some other place where other people were using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	13.1	162	0	NOT AT ALL CONFIDENT/SURE
38.3	38.2	474	1	SOMEWHAT CONFIDENT/SURE
48.6	48.5	601	2	VERY CONFIDENT/SURE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 685-686

WE39_J

KEEP FR USE DRUG/FELT HAPPY W/SOMETHING

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you felt satisfied or happy with something you had done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	29	0	NOT AT ALL CONFIDENT/SURE
16.4	16.4	203	1	SOMEWHAT CONFIDENT/SURE
81.2	81.0	1,004	2	VERY CONFIDENT/SURE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 687-688

WE39_K**KEEP FR USE DRUG/FELT ANGRY ABOUT THING**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you felt angry about something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.3	90	0	NOT AT ALL CONFIDENT/SURE
28.1	28.0	347	1	SOMEWHAT CONFIDENT/SURE
64.7	64.5	800	2	VERY CONFIDENT/SURE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 689-690

WE39_L**KEEP FR USE DRUG/THINK USE JUST ONE TIME**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you started to think that using drugs just one time would not be a problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	13.9	172	0	NOT AT ALL CONFIDENT/SURE
23.5	23.4	290	1	SOMEWHAT CONFIDENT/SURE
62.6	62.4	774	2	VERY CONFIDENT/SURE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 691-692

WE39_M KEEP FR USE DRUG/FELT CONFUSED

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you felt confused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.9	61	0	NOT AT ALL CONFIDENT/SURE
22.6	22.6	280	1	SOMEWHAT CONFIDENT/SURE
72.4	72.3	896	2	VERY CONFIDENT/SURE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 693-694

WE39_N KEEP FR USE DRUG/FELT SAD/DEPRESSED

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you felt sad or depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.7	120	0	NOT AT ALL CONFIDENT/SURE
30.3	30.2	375	1	SOMEWHAT CONFIDENT/SURE
60.0	59.8	742	2	VERY CONFIDENT/SURE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 695-696

WE39_O**KEEP FR USE DRUG/ENCOURAGED TO USE IT**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you were with someone who encouraged you to use drugs or suggested that you use drugs together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	12.8	159	0	NOT AT ALL CONFIDENT/SURE
33.4	33.3	413	1	SOMEWHAT CONFIDENT/SURE
53.7	53.5	664	2	VERY CONFIDENT/SURE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 697-698

WE39_P**KEEP FR USE DRUG/USE IT A FEW TIMES**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you wanted to prove to yourself that you could use drugs a few times without losing control?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.3	153	0	NOT AT ALL CONFIDENT/SURE
21.5	21.5	266	1	SOMEWHAT CONFIDENT/SURE
66.1	66.0	818	2	VERY CONFIDENT/SURE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 699-700

WE39_Q

KEEP FR USE DRUG/PROB W/PEOPLE AT WORK

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if there were problems with people at work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.9	48	0	NOT AT ALL CONFIDENT/SURE
16.1	16.0	198	1	SOMEWHAT CONFIDENT/SURE
80.0	79.5	986	2	VERY CONFIDENT/SURE
	0.3	4	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 701-702

WE39_R

KEEP FR USE DRUG/PROB W/FAMILY/FRIENDS

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you were having problems with your family or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	73	0	NOT AT ALL CONFIDENT/SURE
27.2	27.1	336	1	SOMEWHAT CONFIDENT/SURE
66.9	66.6	826	2	VERY CONFIDENT/SURE
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 703-704

WE39_S**KEEP FR USE DRUG/BORED/NOTHING TO DO**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you were bored or had nothing to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.4	104	0	NOT AT ALL CONFIDENT/SURE
26.4	26.2	325	1	SOMEWHAT CONFIDENT/SURE
65.2	64.8	803	2	VERY CONFIDENT/SURE
	0.6	7	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 705-706

WE39_T**KEEP FR USE DRUG/IN PHYSICAL PAIN**

Now, I am going to read a list of situations when people sometimes use drugs. please tell me how sure or confident you are that you would be able to keep from using drugs in each situation. Today, how confident or sure are you or your ability to keep from using drugs if you were in pain physically?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.7	182	0	NOT AT ALL CONFIDENT/SURE
25.9	25.7	319	1	SOMEWHAT CONFIDENT/SURE
59.4	59.1	733	2	VERY CONFIDENT/SURE
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 707-708

WE40 **OTHER TIME/TEMPTED TO USE DRUGS**

Are there any other times when you might be tempted to use drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.5	68	1	YES
94.5	93.4	1,158	2	NO
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 709-710

WE40_B_1 **CONFIDENCE WHEN TEMPTED TO USE DRUGS/1ST**

How confident or sure are you of your ability from using drugs when (SITUATION WHEN TEMPTED)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	3.4	42	0	NOT AT ALL CONFIDENT/SURE
35.2	2.0	25	1	SOMEWHAT CONFIDENT/SURE
5.6	0.3	4	2	VERY CONFIDENT/SURE
	93.4	1,158	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 711-712

WE40_B_2**CONFIDENCE WHEN TEMPTED TO USE DRUGS/2ND**

How confident or sure are you of your ability from using drugs when (SITUATION WHEN TEMPTED)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.8	10	0	NOT AT ALL CONFIDENT/SURE
14.3	0.2	2	1	SOMEWHAT CONFIDENT/SURE
14.3	0.2	2	2	VERY CONFIDENT/SURE
	93.4	1,158	-9	LEGITIMATE SKIP
	5.5	68	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 713-714

WE40_B_3**CONFIDENCE WHEN TEMPTED TO USE DRUGS/3RD**

How confident or sure are you of your ability from using drugs when (SITUATION WHEN TEMPTED)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	2	0	NOT AT ALL CONFIDENT/SURE
0.0	0.0	0	1	SOMEWHAT CONFIDENT/SURE
33.3	0.1	1	2	VERY CONFIDENT/SURE
	93.4	1,158	-9	LEGITIMATE SKIP
	6.4	79	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 715-716

WE41_A	HOW SURE/KEEP FR USE DRUG/IN TREATMENT
---------------	---

Overall, how confident or sure are you of your ability to keep from using drugs while you are in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	23	0	NOT AT ALL CONFIDENT/SURE
20.5	20.3	252	1	SOMEWHAT CONFIDENT/SURE
77.7	77.1	956	2	VERY CONFIDENT/SURE
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 717-718

WE41_B	HOW SURE/KEEP FR USE DRUG/FINISH TREAT
---------------	---

Overall, how confident or sure are you of your ability to keep from using drugs after you finish treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	6.0	75	0	NOT AT ALL CONFIDENT/SURE
35.4	34.5	428	1	SOMEWHAT CONFIDENT/SURE
58.4	57.0	707	2	VERY CONFIDENT/SURE
	0.7	9	-8	BLANK
	1.7	21	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 719-720

WE42**HOW DIFFICULT/STOP DRUG/REST OF LIFE**

How difficult do you think it would be for you to stop using drugs completely for the rest of your life? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.4	278	0	NOT AT ALL
47.8	47.6	590	1	SOMEWHAT
29.7	29.5	366	2	VERY DIFFICUT
	0.3	4	-8	BLANK
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 721-722

WE43**CHANCES/QUIT DRUGS/REST OF YOUR LIFE**

What do you think your chances are of quitting completely for the rest of your life? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.2	77	1	VERY POOR
35.0	34.8	431	2	FAIR
58.7	58.2	722	3	VERY GOOD
	0.6	8	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 723-724

WE44 TREATMENT HELP/QUIT DRUGS/REST OF LIFE

How much do you think the treatment you have received here will help you do this? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	33	0	NOT AT ALL
23.0	22.9	284	1	SOMEWHAT
74.3	73.9	916	2	VERY MUCH
	0.3	4	-8	BLANK
	0.1	1	-4	DON'T KNOW
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 725-726

WE45 HOW DIFFICULT/CUT DOWN/REST OF LIFE

How difficult do you think it would be for you to cut down on drugs for the rest of your life? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	36.7	455	0	NOT AT ALL
31.3	30.4	377	1	SOMEWHAT
31.0	30.2	374	2	VERY DIFFICULT
	0.5	6	-8	BLANK
	0.1	1	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
	1.9	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 727-728

WE46**CHANCES ARE OF CUTTING DOWN USE OF DRUG**

What do you think your chances are of cutting down on your use of drugs? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	13.8	171	1	VERY POOR
21.2	20.3	252	2	FAIR
64.3	61.5	763	3	VERY GOOD
	2.2	27	-8	BLANK
	0.1	1	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
	1.9	23	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 729-730

WE47**HOW MUCH/DRUG TREATMENT HELP/CUT DOWN**

How much do you think your treatment here will help you do this? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	10.8	134	0	NOT AT ALL
19.7	19.1	237	1	SOMEWHAT
69.2	67.3	834	2	VERY MUCH
	0.6	7	-8	BLANK
	0.1	1	-7	REFUSAL
	0.2	2	-6	MULTIPLE RESPONSE
	2.0	25	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 731-732

WE48_A

I AM DOING SOMETHING ABOUT MY PROB

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The first statement is:

I am doing something about the problems that have been bothering me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	16	1	STRONGLY DISAGREE
1.5	1.5	18	2	SOMEWHAT DISAGREE
22.6	22.5	279	3	SOMEWHAT AGREE
74.7	74.4	923	4	STRONGLY AGREE
	0.2	3	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 733-734

WE48_B

HAVE DIFFICULT PROBLEM/WORKING ON THEM

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

At times my problems are difficult, but I'm working on them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	14	1	STRONGLY DISAGREE
2.0	2.0	25	2	SOMEWHAT DISAGREE
25.9	25.8	320	3	SOMEWHAT AGREE
70.9	70.6	876	4	STRONGLY AGREE
	0.2	3	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 735-736

WE48_C**BEING HERE/WASTE OF TIME/I AM NOT CAUSE**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

Being here is a waste of time because I am not the cause of my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.9	84.5	1,048	1	STRONGLY DISAGREE
11.3	11.2	139	2	SOMEWHAT DISAGREE
1.9	1.9	24	3	SOMEWHAT AGREE
1.9	1.9	24	4	STRONGLY AGREE
	0.3	4	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 737-738

WE48_D**I AM WORKING ON MY PROBLEMS**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

Even though I'm not always successful in changing, I am at least working on my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	16	1	STRONGLY DISAGREE
2.1	2.1	26	2	SOMEWHAT DISAGREE
22.3	22.3	276	3	SOMEWHAT AGREE
74.3	74.0	918	4	STRONGLY AGREE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 739-740

WE48_E

STRUGGLE W/PROBLEM/THOUGHT TAKEN CARE

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

Sometimes I still find myself struggling with problems that I thought I had taken care of once and for all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	73	1	STRONGLY DISAGREE
6.0	6.0	74	2	SOMEWHAT DISAGREE
38.8	38.6	479	3	SOMEWHAT AGREE
49.3	49.1	609	4	STRONGLY AGREE
	0.3	4	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 741-742

WE48_F

WISH HAD IDEAS/HOW TO SOLVE MY PROBLEM

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

I wish I had more ideas on how to solve my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.7	71	1	STRONGLY DISAGREE
6.2	6.1	76	2	SOMEWHAT DISAGREE
34.4	34.2	424	3	SOMEWHAT AGREE
53.7	53.5	663	4	STRONGLY AGREE
	0.4	5	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 743-744

WE48_G**MAY BE THIS PLACE WILL HELP ME**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

Maybe this place will be able to help me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	25	1	STRONGLY DISAGREE
2.0	2.0	25	2	SOMEWHAT DISAGREE
23.4	23.3	289	3	SOMEWHAT AGREE
72.6	72.3	897	4	STRONGLY AGREE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 745-746

WE48_H**DOING SOMETHING ABOUT CHANGING MYSELF**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

Anyone can talk about changing, but I'm actually doing something about it.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	7	1	STRONGLY DISAGREE
1.9	1.9	23	2	SOMEWHAT DISAGREE
21.4	21.4	265	3	SOMEWHAT AGREE
76.1	75.9	941	4	STRONGLY AGREE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 747-748

WE48_I BORING TO TALK ABOUT MY PROBLEMS

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

It's boring to spend time talking about my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	56.5	700	1	STRONGLY DISAGREE
19.3	19.3	239	2	SOMEWHAT DISAGREE
16.3	16.3	202	3	SOMEWHAT AGREE
7.7	7.7	95	4	STRONGLY AGREE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 749-750

WE48_J DOES NOT DO GOOD TO THINK ABOUT PROB

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

It doesn't do any good to spend time thinking about my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	46.9	582	1	STRONGLY DISAGREE
25.1	25.0	310	2	SOMEWHAT DISAGREE
14.3	14.3	177	3	SOMEWHAT AGREE
13.4	13.3	165	4	STRONGLY AGREE
	0.4	5	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 751-752

WE48_K**LIVE W/MY FAULTS/THAN TRY TO CHANGE**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

I would rather live with my faults the way they are than try to change them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.8	82.5	1,023	1	STRONGLY DISAGREE
11.7	11.7	145	2	SOMEWHAT DISAGREE
3.1	3.1	38	3	SOMEWHAT AGREE
2.3	2.3	29	4	STRONGLY AGREE
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 753-754

WE48_L**TRY TO CHANGE MY PROB/THEY COME BACK**

I am going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you. The statement is:

After all I have done to try to change my problems, every now and then they come back to haunt me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.7	145	1	STRONGLY DISAGREE
8.9	8.9	110	2	SOMEWHAT DISAGREE
46.4	46.3	574	3	SOMEWHAT AGREE
33.0	32.9	408	4	STRONGLY AGREE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 755-756

SEXUAL EXPERIENCES

WF1 #OF DIFF WOMEN W/HAD VAGINAL INTERCOURSE

First, I want to ask you about your sexual experiences with women in the past 3 months. In these 3 months, about how many different women have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.8	10	0	NEVER HAD VAGINAL SEX WITH A WOMAN
40.5	26.6	330	1	NONE
45.0	29.5	366	2	1 WOMAN
11.3	7.4	92	3	2-4 WOMEN
1.2	0.8	10	4	5-9 WOMEN
0.6	0.4	5	5	10-20 WOMEN
0.1	0.1	1	6	21-99 WOMEN
0.0	0.0	0	7	100+ WOMEN
	33.9	420	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 757-758

WF1_A USED CONDOM/VAGINAL INTERCOURSE W/WOMEN

In these 3 months, about how often have you used a condom or "rubber" when you have vaginal intercourse with the (woman/women)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	19.3	239	1	NEVER
14.3	5.4	67	2	SOMETIMES
5.8	2.2	27	3	USUALLY
28.8	10.9	135	4	EVERY TIME
	61.3	760	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 759-760

WF2	#OF DIFF WOMEN W/HAD ANAL INTERCOURSE
------------	--

In the past 3 months, about how many different women have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	61.4	761	1	NONE
5.7	3.7	46	2	1 WOMAN
0.4	0.2	3	3	2-4 WOMEN
0.0	0.0	0	4	5-9 WOMEN
0.0	0.0	0	5	10-20 WOMEN
0.0	0.0	0	6	21-99 WOMEN
0.0	0.0	0	7	100+ WOMEN
	33.9	420	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 761-762

WF2_A	USED CONDOM/ANAL INTERCOURSE W/WOMEN
--------------	---

In these 3 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (woman/women)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	1.4	17	1	NEVER
14.3	0.5	6	2	SOMETIMES
7.1	0.2	3	3	USUALLY
38.1	1.3	16	4	EVERY TIME
	95.0	1,178	-9	LEGITIMATE SKIP
	1.5	19	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 763-764

WF3 INTERCOURSE W/WOMEN/TOOK \$/DRUG FOR SEX

To the best of you knowledge, had any women you had (vaginal/anal) intercourse with in these 3 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	2.8	35	1	YES
92.0	32.6	404	2	NO
	60.3	748	-9	LEGITIMATE SKIP
	4.0	49	-8	BLANK
	0.1	1	-7	REFUSAL
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 765-766

WF4 INTERCOURSE W/WOMAN/SHOOT UP DRUG

To the best of your knowledge, had any woman you had (vaginal/anal) intercourse with in these 3 months ever used a needle or syringe to shoot up on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	4.8	60	1	YES
86.4	30.8	382	2	NO
	60.3	748	-9	LEGITIMATE SKIP
	4.0	49	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 767-768

WF5

#OF DIFF MEN W/YOU HAD ANAL INTERCOURSE

Now I want to ask you about your sexual experiences with men in the past 3 months. In these 3 months, about how many different men had you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.9	41.9	520	0	NEVER HAD SEX WITH A MAN
35.3	23.1	287	1	NONE
0.7	0.5	6	2	1 MAN
0.1	0.1	1	3	2-4 MEN
0.0	0.0	0	4	5-9 MEN
0.0	0.0	0	5	10-20 MEN
0.0	0.0	0	6	21-99 MEN
0.0	0.0	0	7	100+ MEN
	33.8	419	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 769-770

WF5_A

USED CONDOM/ANAL INTERCOURSE W/MEN

In these 3 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (man/men)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	4	1	NEVER
12.5	0.1	1	2	SOMETIMES
12.5	0.1	1	3	USUALLY
25.0	0.2	2	4	EVERY TIME
	98.9	1,226	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 771-772

WF6 INTERCOURSE W/MAN/TOOK \$/DRUG FOR SEX

To the best of your knowledge, had any man you had anal intercourse with in these 3 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.6	7	2	NO
	98.9	1,226	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 773-774

WF7 HAD INTERCOURSE W/MAN/SHOOT UP DRUG

To the best of your knowledge, had any man you had anal intercourse with in these 3 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.6	8	2	NO
	98.8	1,225	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 775-776

WF8**ONE GAVE MONEY/DRUG/FOR INTERCOURSE**

At any time in the past 3 months, has anyone given you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.4	5	1	YES
99.4	65.1	807	2	NO
	33.7	418	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 777-778

WF9**TESTED+/HAD AIDS**

At any time in the past 3 months, have you had intercourse with anyone who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.7	9	1	YES
98.9	64.6	801	2	NO
	33.7	418	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 779-780

WF9_A

INTERCOURSE W/#PEOPLE/WHO TEST+/AIDS

During that period, how many people have you had intercourse with who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.6	8	1	1 PERSON
11.1	0.1	1	2	2-4 PEOPLE
0.0	0.0	0	3	5+ PEOPLE
	98.3	1,219	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 781-782

WF10

#OF DIFF MEN/YOU HAD VAGINAL INTERCO W/

I want to ask you about your sexual experiences with men in the past 3 months. In that time, about how many different men have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.2	3	0	NEVER HAD VAGINAL INTERCOURSE W/MAN
45.5	15.3	190	1	NONE
45.5	15.3	190	2	1 MAN
7.2	2.4	30	3	2-4 MEN
0.7	0.2	3	4	5-9 MEN
0.5	0.2	2	5	10-20 MEN
0.0	0.0	0	6	21-99 MEN
0.0	0.0	0	7	100+ MEN
	65.2	808	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 783-784

WF10_A

USED CONDOM/VAGINAL INTERCOURSE W/MEN

In these 3 months, about how often did the (man/men) you have intercourse with use a condom or "rubber" while you were having vaginal intercourse? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	11.9	147	1	NEVER
11.1	2.0	25	2	SOMETIMES
6.2	1.1	14	3	USUALLY
17.7	3.2	40	4	EVERY TIME
	80.6	1,000	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 785-786

WF11

#OF DIFF MEN/YOU HAD ANAL INTERCOURSE W/

In the past 3 months, about how many different men have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	7.3	90	0	NEVER HAD ANAL SEX WITH A MAN
75.0	25.4	315	1	NONE
3.1	1.0	13	2	1 MAN
0.5	0.2	2	3	2-4 MEN
0.0	0.0	0	4	5-9 MEN
0.0	0.0	0	5	10-20 MEN
0.0	0.0	0	6	21-99 MEN
0.0	0.0	0	7	100+ MEN
	65.2	808	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 787-788

WF11_A **USED CONDOM/ANAL INTERCOURSE W/MEN**

In these 3 months, about how often did the (man/men) you had intercourse with use a condom or "rubber" while you were having anal intercourse? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.8	10	1	NEVER
13.3	0.2	2	2	SOMETIMES
0.0	0.0	0	3	USUALLY
20.0	0.2	3	4	EVERY TIME
	97.8	1,213	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 789-790

WF12 **SEX PARTNER HAD INTERCOURSE W/BOTH SEX**

In these 3 months, have you had (vaginal/anal) intercourse with a man who you think has had intercourse with both men and women?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.2	3	1	YES
98.6	16.6	206	2	NO
	80.4	997	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 791-792

WF13**MAN SEX PARTNER TOOK MONEY/DRUG FOR SEX**

To the best of your knowledge, had any man you had
(vaginal/anal) intercourse with in these 3 months ever taken
money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.4	5	1	YES
97.6	16.5	204	2	NO
	80.4	997	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 793-794

WF14**ANY MAN GAVE MONEY/DRUGS FOR INTERCOURSE**

At any time in the past 3 months, has any man given you money
or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	1.0	12	1	YES
94.3	16.0	199	2	NO
	80.4	997	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 795-796

WF15 MAN SEX PARTNER EVER SHOOT UP DRUGS

To the best of your knowledge, has any man you had (vaginal/anal) intercourse with in these 3 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	4.9	61	1	YES
71.2	12.2	151	2	NO
	80.2	995	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 797-798

WF16 MAN SEX PARTNER/TESTED +/-HAD AIDS

At any time in the past 3 months, have you had (vaginal/anal) intercourse with any man who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.4	5	1	YES
97.6	16.6	206	2	NO
	80.3	996	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 799-800

WF16_A**#MEN TEST+/HAD AIDS/YOU HAD INTERCO W/**

In these 3 months, how many men have you had (vaginal/anal) intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	1	1 MAN
0.0	0.0	0	2	2-4 MEN
0.0	0.0	0	3	5+ MEN
	96.9	1,202	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 801-802

WF17**SERVICES/ABOUT HIV INFECTION/AIDS**

During the past 3 months, have you received any scheduled services about HIV infection, AIDS, or how to reduce the risk of spreading AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	40.9	507	1	YES
59.0	58.9	730	2	NO
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 803-804

WF17_A_1 SERVICES/ABOUT REDUCE RISK/NEEDLE USE

What types of services or help have you received?

Reduce risk of needle use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	19.8	245	1	CIRCLED
	58.8	729	-9	LEGITIMATE SKIP
	21.5	266	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 805-806

WF17_A_2 SERVICES/REDUCE RISK/SEXUAL TRANSMIS

What types of services or help have you received?

Reduce risk of sexual transmission.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.4	278	2	CIRCLED
	58.8	729	-9	LEGITIMATE SKIP
	18.8	233	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 807-808

WF17_A_3**SERVICES/ABOUT HEALTH CARE OPTION/AIDS**

What types of services or help have you received?

Health care option for AIDS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.5	254	3	CIRCLED
	58.8	729	-9	LEGITIMATE SKIP
	20.7	257	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 809-810

WF17_A_4**SERVICES/KNOWLEDGE/HIV INFECTION/AIDS**

What types of services or help have you received?

General knowledge about HIV infection and AIDS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	37.1	460	4	CIRCLED
	58.8	729	-9	LEGITIMATE SKIP
	4.1	51	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 811-812

WF17_B

SERVICES/PROGRAM/OTHER PLACE/BOTH

Did you get these services at this program, at some other place, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	33.7	418	1	AT THIS PROG
9.1	3.6	45	2	SOME OTHER PLACE
6.3	2.5	31	3	BOTH
	58.9	730	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
	0.2	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 813-814

WF17_C

#MEETINGS/FOR SERVICES

How many times have you met with anyone specifically for this kind of service at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	1.0	13	0	
26.7	10.0	124	1	
22.8	8.5	106	2	
13.6	5.1	63	3	
6.2	2.3	29	4	
3.4	1.3	16	5	
5.6	2.1	26	6	
1.1	0.4	5	7	
1.9	0.7	9	8	
0.4	0.2	2	9	
1.9	0.7	9	10	
0.2	0.1	1	11	
3.0	1.1	14	12	
3.2	1.2	15	13	
0.6	0.2	3	14	
1.1	0.4	5	15	
1.7	0.6	8	20	
0.2	0.1	1	23	
0.9	0.3	4	24	
0.6	0.2	3	25	
0.4	0.2	2	26	
0.4	0.2	2	27	
0.4	0.2	2	30	
0.4	0.2	2	90	
0.0	0.0	0	99	99 OR MORE
	61.9	768	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 815-817

WF17D_01	TALKED TO/PRIMARY/REGULAR COUNSELOR
-----------------	--

Who have you seen or talked to for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.3	90	1	CIRCLED
	62.3	773	-9	LEGITIMATE SKIP
	30.2	375	-8	BLANK
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 818-819

WF17D_02	TALKED TO/CASE MANAGER
-----------------	-------------------------------

Who have you seen or talked to for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	27	2	CIRCLED
	62.3	772	-9	LEGITIMATE SKIP
	35.5	440	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 820-821

WF17D_14	TALKED TO/OTHER PROGRAM STAFF
-----------------	--------------------------------------

Who have you seen or talked to for these services?

Other program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.9	123	14	CIRCLED
	62.3	772	-9	LEGITIMATE SKIP
	27.7	344	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 822-824

WF17D_23	TALKED TO/NURSE
-----------------	------------------------

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.8	59	23	CIRCLED
	61.9	768	-9	LEGITIMATE SKIP
	33.2	412	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 825-827

WF17D_24 **TALKED TO/PHYSICIAN**

Who have you seen or talked to for these services?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	30	24	CIRCLED
	61.8	766	-9	LEGITIMATE SKIP
	35.7	443	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 828-830

WF17D_61 **TALKED TO/PUBLIC HEALTH AGENCY**

Who have you seen or talked to for these services?

Public health agency staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.6	69	61	CIRCLED
	61.7	765	-9	LEGITIMATE SKIP
	32.7	405	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 831-833

WF17D_62**TALKED TO/AIDS OUTREACH WORKER**

Who have you seen or talked to for these services?

AIDS outreach worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.1	125	62	CIRCLED
	61.5	762	-9	LEGITIMATE SKIP
	28.4	352	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 834-836

WF17D_91**TALKED TO/OTHER**

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.2	89	91	CIRCLED
	61.7	765	-9	LEGITIMATE SKIP
	31.0	385	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 837-839

WF17_E	HOW HELPFUL WAS SERVICE
---------------	--------------------------------

How helpful was this service? Would you say it was...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.7	9	0	NOT AT ALL
17.0	6.9	86	1	SOMEWHAT
81.2	33.1	410	2	VERY HELPFUL
	58.9	730	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 840-841

WF18	BLOOD TEST FOR AIDS VIRUS
-------------	----------------------------------

Have you ever had a blood test for HIV infection (the AIDS virus)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	83.5	1,035	1	YES
15.2	15.0	186	2	NO
	1.5	19	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 842-843

HEALTH

WG1	YOUR HEALTH NOW
------------	------------------------

In this section, I want to ask some questions about your physical health. Would you say that your health now is...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	20.6	256	1	EXCELLENT
52.6	52.3	649	2	GOOD
23.7	23.6	293	3	FAIR
2.9	2.9	36	4	POOR
	0.3	4	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 844-845

WG2	HEALTH/COMPARE TO YOUR AGE PEOPLE
------------	--

Comparing your general health now to the health of other people your age, would you say your health is...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	16.3	202	1	MUCH BETTER
33.4	33.1	410	2	BETTER
38.4	38.1	472	3	THE SAME
11.1	11.0	136	4	WORSE
0.7	0.7	9	5	MUCH WORSE
	0.5	6	-8	BLANK
	0.1	1	-5	BAD DATA
	0.3	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 846-847

WG3 **YOUR HEALTH/COMPARE TO PST 3 MONTH**

Would you say your health now is [READ CHOICES] than it was 3 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	20.6	256	1	MUCH BETTER
39.7	39.5	490	2	BETTER
34.8	34.6	429	3	THE SAME
4.3	4.3	53	4	WORSE
0.5	0.5	6	5	MUCH WORSE
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 848-849

WG4 **ARE YOU PREGNANT**

Are you pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.9	11	1	YES
97.3	32.2	399	2	NO
	65.1	807	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 850-851

WG4_A**PREGNANCY HAS BEEN VARIFIED**

Has this been verified?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	1	YES
0.0	0.0	0	2	NO
	97.3	1,206	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 852-853

WG4_B_1**PREGNANCY VARIFIED BY/DOCTOR**

How was it verified--by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way? Doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	1	CIRCLED
	97.3	1,206	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 854-855

WG4_B_2	PREGNANCY VARIFIED BY/PREGNANCY TEST
----------------	---

How was it verified--by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way? Pregnancy test at hospital, clinic, or doctor's office?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	2	CIRCLED
	97.3	1,206	-9	LEGITIMATE SKIP
	2.5	31	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 856-857

WG4_B_3	PREGNANCY VARIFIED/HOME PREGNANCY TEST
----------------	---

How was it verified--by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way? Home pregnancy test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	97.3	1,206	-9	LEGITIMATE SKIP
	2.7	34	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 858-859

WG4_B_4**PREGNANCY VARIFIED BY/OTHER**

How was it verified--by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way? Other?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.3	1,206	-9	LEGITIMATE SKIP
	2.7	34	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 860-861

WG4_C**# OF MONTHS PREGNANT**

How many months pregnant are you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.2	3	3	1-3 MOS
27.3	0.2	3	6	4-6 MOS
45.5	0.4	5	9	7-9 MOS
	97.3	1,206	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 862-863

WG4_D**PHYSICAL DISCOMFORT DURING PREGNANCY**

During your pregnancy, would you say that your physical or bodily discomfort has been...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.1	1	0	NONE
18.2	0.2	2	1	VERY MILD
18.2	0.2	2	2	MILD
9.1	0.1	1	3	MODERATE
45.5	0.4	5	4	SEVERE
	97.3	1,206	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 864-865

WG4_E**PREGNANCY AFFECT/ENTER DRUG TREATMENT**

Did being pregnant affect your decision to enter drug treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.9	11	2	NO
	97.3	1,206	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 866-867

WG4F_1**PREGNANCY/AFFECT OF DRUGS ON BABY**

What about being pregnant affected your decision to enter drug treatment? Concerned about effect of drugs on baby?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.1	1,217	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 868-869

WG4F_2**PREGNANCY/CONCERN ABOUT OWN HEALTH**

What about being pregnant affected your decision to enter drug treatment? Concerned about own health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.1	1,217	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 870-871

WG4F_3**PREGNANCY/COST OF DRUGS**

What about being pregnant affected your decision to enter drug treatment? Cost of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.1	1,217	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 872-873

WG4F_4 PREGNANCY/PRESSURE FROM OTHERS

What about being pregnant affected your decision to enter drug treatment? Pressure from others?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.1	1,217	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 874-875

WG4F_5 PREGNANCY/AFFECT CHILD CUSTODY

What about being pregnant affected your decision to enter drug treatment? Afraid would lose custody of baby?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.1	1,217	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 876-877

WG4F_6 PREGNANCY/OTHER

What about being pregnant affected your decision to enter drug treatment? Other?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.1	1,217	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 878-879

WG4G**#TIMES SAW DOCTOR ABOUT PREGNANCY**

Since you became pregnant (this time), how many times have you seen a doctor or other health professional about your pregnancy or problems with your pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.2	2	1	
18.2	0.2	2	3	
9.1	0.1	1	4	
9.1	0.1	1	5	
9.1	0.1	1	8	
9.1	0.1	1	14	
9.1	0.1	1	15	
9.1	0.1	1	20	
9.1	0.1	1	30	
	97.3	1,206	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 880-882

WG5_A**LIMIT VIGOROUS ACTIVITY**

During the past 3 months, has your health limited the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	20.3	252	1	YES
79.6	79.2	982	2	NO
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 883-884

WG6_A **LIMIT VIGOROUS ACTIVITY/FOR 3 MON/MORE**

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	4.2	52	1	LESS THAN 3 MOS
79.2	16.0	198	2	3 MOS OR MORE
	78.7	976	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
	0.2	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 885-886

WG5_B **LIMIT MODERATE ACTIVITY**

During the past 3 months, has your health limited the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing homework?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.5	93	1	YES
92.5	91.9	1,139	2	NO
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 887-888

WG6_B**LIMIT MODERATE ACTIVITY/FOR 3 MON/MORE**

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	1.8	22	1	LESS THAN 3 MOS
75.0	5.3	66	2	3 MOS OR MORE
	91.7	1,137	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 889-890

WG5_C**LIMIT WALK UP HILL/CLIMB STAIRS**

During the past 3 months, has your health limited your ability to walk uphill or to climb a few flights of stairs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.6	94	1	YES
92.4	91.8	1,138	2	NO
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 891-892

WG6_C	LIMIT WALK UP HILL/STAIRS/FOR 3 MON/MORE
--------------	---

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	1.7	21	1	LESS THAN 3 MOS
75.9	5.3	66	2	3 MOS OR MORE
	91.5	1,135	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 893-894

WG5_D	PREVENT YOU FROM BENDING/LIFTING
--------------	---

During the past 3 months, has your health prevented you from bending, lifting, or stooping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.7	95	1	YES
92.3	91.7	1,137	2	NO
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 895-896

WG6_D**PREVENT YOU FROM BEND/LIFT/3 MON/MORE**

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	1.7	21	1	LESS THAN 3 MOS
76.1	5.4	67	2	3 MOS OR MORE
	91.5	1,135	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 897-898

WG5_E**LIMIT YOU TO WALK 1 BLOCK**

During the past 3 months, has your health limited your ability to walk 1 block?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	29	1	YES
97.6	97.0	1,203	2	NO
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 899-900

WG6_E	LIMIT YOU TO WALK 1 BLOCK/FOR 3 MON/MORE
--------------	---

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	0.8	10	1	LESS THAN 3 MOS
61.5	1.3	16	2	3 MOS OR MORE
	96.9	1,201	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 901-902

WG5_F	LIMIT YOU TO EAT/DRESS
--------------	-------------------------------

During the past 3 months, has your health limited your ability to eat, dress, or bathe, or use the toilet?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	20	1	YES
98.4	97.8	1,213	2	NO
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 903-904

WG6_F	LIMIT YOU TO EAT/DRESS/FOR 3 MON/MORE
--------------	--

Has it limited your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.6	7	1	LESS THAN 3 MOS
58.8	0.8	10	2	3 MOS OR MORE
	97.7	1,211	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 905-906

WG7**HEALTH KEPT YOU FROM WORK/SCHOOL**

During the past 3 months, have there been any days that your health kept you from working at a job, working around the house, or going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	18.5	230	1	YES
81.4	81.2	1,007	2	NO
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 907-908

WG7_A**#DAYS/HEALTH KEPT YOU FROM WORK/SCHOOL**

In the past 3 months, how many days has your health kept you from working at a job, working around the house, or going to school?

1,240 cases (Range of valid codes: 0-90)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 909-911

WG8**STAY OVERNIGHT IN HOSPITAL/HEALTH PROB**

During the past 3 months, have you stayed overnight in a hospital for any physical health problem not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	57	1	YES
95.4	95.1	1,179	2	NO
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 912-913

WG9	#HOSPITALIZATION/PHYS HEA PROB/NOT DRUG
------------	--

In the past 3 months, how many of your hospitalizations have been for physical health problems not related to complications or drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.3	4	0	
65.0	3.1	39	1	
10.0	0.5	6	2	
3.3	0.2	2	3	
1.7	0.1	1	4	
3.3	0.2	2	5	
3.3	0.2	2	6	
1.7	0.1	1	8	
3.3	0.2	2	10	
1.7	0.1	1	11	
	94.8	1,176	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 914-916

WG10

#DAY HOSPI FOR PHY HEALTH PROB/NOT DRUG

In the past 3 months, how many of the days you were hospitalized have been for a physical health problem not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	3.7	46	0	
12.9	1.0	13	1	
5.0	0.4	5	2	
7.9	0.6	8	3	
2.0	0.2	2	4	
4.0	0.3	4	5	
2.0	0.2	2	6	
4.0	0.3	4	7	
3.0	0.2	3	8	
1.0	0.1	1	9	
5.0	0.4	5	10	
1.0	0.1	1	11	
2.0	0.2	2	14	
3.0	0.2	3	30	
1.0	0.1	1	42	
1.0	0.1	1	45	
	91.5	1,134	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 917-919

WG11	#DAY/INJ/ILL KEPT YOU IN BED FOR ALL DAY
-------------	---

During the past 3 months, how many days has an injury or physical illness kept you in bed for most or all of the day?

PCT VALID	PCT ALL	N	VALUE	LABEL
75.6	75.4	935	0	
6.5	6.5	80	1	
6.4	6.4	79	2	
3.2	3.1	39	3	
1.1	1.0	13	4	
0.9	0.9	11	5	
0.3	0.3	4	6	
2.0	2.0	25	7	
0.4	0.4	5	8	
0.2	0.2	3	9	
1.1	1.0	13	10	
0.1	0.1	1	11	
0.2	0.2	3	12	
0.7	0.7	9	14	
0.2	0.2	2	20	
0.2	0.2	3	21	
0.1	0.1	1	23	
0.1	0.1	1	24	
0.3	0.3	4	30	
0.1	0.1	1	42	
0.2	0.2	2	60	
0.1	0.1	1	72	
0.1	0.1	1	90	
	0.3	4	-8	BLANK

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 920-922

WG12	DISABILITY PAYMENT/PHYS HEALTH PROB
-------------	--

During the past 3 months, have you been receiving disability payments, benefits, or pension for a physical health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.9	98	1	YES
91.9	90.1	1,117	2	NO
	2.0	25	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 923-924

WG12A_1	TYPE OF PENSION/SSDI
----------------	-----------------------------

What kind of pension was that?

SSDI (Social Security Disability Income)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	37	1	CIRCLED
	90.0	1,116	-9	LEGITIMATE SKIP
	7.0	87	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 925-926

WG12A_2	TYPE OF PENSION/SSI
----------------	----------------------------

What kind of pension was that?

SSI (Supplemental Security Income)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	52	2	CIRCLED
	90.1	1,117	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 927-928

WG12A_3 **TYPE OF PENSION/WORKER'S COMP**

What kind of pension was that?

Worker's comp

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	3	CIRCLED
	90.1	1,117	-9	LEGITIMATE SKIP
	9.4	117	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 929-930

WG12A_4 **TYPE OF PENSION/OTHER**

What kind of pension was that?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	4	CIRCLED
	90.1	1,117	-9	LEGITIMATE SKIP
	9.3	115	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 931-932

WG12B_1	1ST TYPE OF DISABILITY - RECODED
----------------	---

For what condition have you been receiving this disability pension? (1st mention)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
18.0	1.5	18	1	SUBSTANCE-RELATED CONDITIONS
8.0	0.6	8	2	MENTAL HEALTH CONDITIONS
74.0	6.0	74	3	ALL OTHER CONDITIONS
	90.0	1,116	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 933-934

WG12B_2	1ST TYPE OF DISABILITY - RECODED
----------------	---

For what condition have you been receiving this disability pension? (2nd mention)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
24.1	0.6	7	1	SUBSTANCE-RELATED CONDITIONS
13.8	0.3	4	2	MENTAL HEALTH CONDITIONS
62.1	1.5	18	3	ALL OTHER CONDITIONS
	90.1	1,117	-9	LEGITIMATE SKIP
	7.6	94	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 935-936

WG12B_3	1ST TYPE OF DISABILITY - RECODED
----------------	---

For what condition have you been receiving this disability pension? (3rd mention)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
12.5	0.1	1	1	SUBSTANCE-RELATED CONDITIONS
12.5	0.1	1	2	MENTAL HEALTH CONDITIONS
75.0	0.5	6	3	ALL OTHER CONDITIONS
	90.1	1,117	-9	LEGITIMATE SKIP
	9.3	115	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 937-938

WG13	HOW TROUBLED BY MEDICAL PROBLEM
-------------	--

Overall, how troubled or bothered were you by medical problems in the past 3 months? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	66.3	822	0	NOT AT ALL
25.8	25.7	319	1	SOMEWHAT
7.8	7.8	97	2	VERY MUCH
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 939-940

WG14**HOW IMP TREATMENT NOW FOR MED PROB**

How important to you now is treatment or counseling for medical problems? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	47.7	592	0	NOT AT ALL
17.9	17.8	221	1	SOMEWHAT
34.3	34.2	424	2	VERY IMPORTANT
	0.2	2	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 941-942

WG15**HAD PHY PROB BECAUSE OF DRUG/ALCOHOL USE**

In the past 3 months, have you had any physical health problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.5	81	1	YES
93.5	93.2	1,156	2	NO
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 943-944

WG15_A

HOW SERIOUS PROBLEMS DUE DRUG/ALCOHL USE

How serious were any problems you had because of your drug or alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.2	3	1	NOT AT ALL
56.0	3.8	47	2	SOMEWHAT
40.5	2.7	34	3	VERY SERIOUS
	93.1	1,154	-9	LEGITIMATE SKIP
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 945-946

ILLEGAL INVOLVEMENT

WH1	SPENT TIME IN DETENTION/JAIL/PRISON
------------	--

In this section, I'd like to ask about any experiences you might have had with the police or courts during the past 3 months. Let me remind you that this information will remain confidential. In these 3 months, have you spent time in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	39	1	YES
96.8	96.0	1,190	2	NO
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 947-948

WH1_A	#WEEKS/SPENT IN DETENTION/JAIL/PRISON
--------------	--

During the past 3 months, how much time have you spent in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	1.3	16	0	
18.2	0.6	8	1	
2.3	0.1	1	2	
2.3	0.1	1	6	
6.8	0.2	3	8	
31.8	1.1	14	12	
2.3	0.1	1	32	
	96.0	1,190	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 949-951

WH2_A **ARRESTED/USE OF MARIJUANA/NARCOTICS**

During the past 3 months, have you been arrested and booked for use or possession of marijuana, drugs, liquor law violation, or drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	9	1	YES
99.3	98.6	1,223	2	NO
	0.6	7	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 952-953

WH3_A **#ARRESTS/USE OF MARIJUANA/NARCOTICS**

During the past 3 months, how many times have you been arrested for use or possession of marijuana, drugs, liquor law violation, or drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	2	0	
80.0	0.6	8	1	
	98.5	1,221	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 954-955

WH2_B**ARRESTED FOR/SALE/MANUF OF DRUGS**

During the past 3 months, have you been arrested and booked for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	YES
99.8	99.0	1,227	2	NO
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 956-957

WH3_B**#ARRESTS/SALE/MANUF OF DRUGS**

During the past 3 months, how many times have you been arrested for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	0	
66.7	0.2	2	1	
	98.9	1,226	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 958-959

WH2_C **ARRESTED FOR/FORGERY/FRAUD**

During the past 3 months, have you been arrested and booked for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	4	1	YES
99.7	98.9	1,226	2	NO
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 960-961

WH3_C **#ARRESTS/FORGERY/FRAUD**

During the past 3 months, how many times have you been arrested for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	0	
75.0	0.2	3	1	
	98.8	1,225	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 962-963

WH2_D**ARRESTED FOR/BURGLARY/BREAKING**

During the past 3 months, have you been arrested and booked for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	99.1	1,229	2	NO
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 964-965

WH3_D**#ARRESTS/BURGLARY/BREAKING**

During the past 3 months, how many times have you been arrested for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.0	1,228	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 966-967

WH2_E ARRESTED FOR/LARCENY-THEFT

During the past 3 months, have you been arrested and booked for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	5	1	YES
99.6	98.9	1,226	2	NO
	0.6	8	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 968-969

WH3_E #ARRESTS/LARCENY-THEFT

During the past 3 months, how many times have you been arrested for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	0	
80.0	0.3	4	1	
	98.8	1,225	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 970-971

WH2_F**ARRESTED FOR/PIMPING/PROSTITUTION**

During the past 3 months, have you been arrested and booked for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	99.1	1,229	2	NO
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 972-973

WH3_F**#ARRESTS/PIMPING/PROSTITUTION**

During the past 3 months, how many times have you been arrested for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.0	1,228	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 974-975

WH2_G **ARRESTED FOR/ROBBERY-BANK/MUGGING**

During the past 3 months, have you been arrested and booked for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	99.1	1,229	2	NO
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 976-977

WH3_G **#ARRESTS/ROBBERY-BANK/MUGGING**

During the past 3 months, how many times have you been arrested for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.0	1,228	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 978-979

WH2_H**ARRESTED FOR/ATTACKS ON PERSONS/KIDNAP**

During the past 3 months, have you been arrested and booked for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	YES
99.8	99.0	1,227	2	NO
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 980-981

WH3_H**#ARRESTS/ATTACKS ON PERSONS/KIDNAPPING**

During the past 3 months, how many times have you been arrested for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	0	
66.7	0.2	2	1	
	98.9	1,226	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 982-983

WH2_I**ARRESTED FOR/OTHER OFFENCE/SIMPLE ASSULT**

During the past 3 months, have you been arrested and booked for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	4	1	YES
99.7	98.9	1,226	2	NO
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 984-985

WH3_I**#ARRESTS/OTHER OFFENCES/SIMPLE ASSULT**

During the past 3 months, how many times have you been arrested for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	0	
75.0	0.2	3	1	
	98.8	1,225	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 986-987

WH2_J

ARRESTED FOR/DRIVING UNDER INFLUENCE

During the past 3 months, have you been arrested and booked for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	99.1	1,229	2	NO
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 988-989

WH3_J

#ARRESTS/DRIVING UNDER THE INFLUENCE

During the past 3 months, how many times have you been arrested for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.0	1,228	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 990-991

WH2_K ARRESTED FOR/STATUS OFFENSES

During the past 3 months, have you been arrested and booked for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	99.1	1,229	2	NO
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 992-993

WH3_K #ARRESTS/STATUS OFFENSES

During the past 3 months, how many times have you been arrested for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.0	1,228	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 994-995

WH2_L**ARRESTED FOR/OTHER OFFENCES/GAMBLING**

During the past 3 months, have you been arrested and booked for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation / parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	11	1	YES
99.1	96.2	1,193	2	NO
	2.8	35	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 996-997

WH3_L**#ARRESTS/OTHER OFFENCES/GAMBLING**

During the past 3 months, how many times have you been arrested for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation / parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	1	0	
85.7	0.5	6	1	
	96.1	1,192	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 998-999

WH4 #TIMES YOU BEEN CONVICTED

During the past 3 months, how many of your arrests and charges resulted in convictions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	92.5	1,147	0	
0.8	0.7	9	1	
	3.5	44	-8	BLANK
	3.2	40	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1000-1001

WH5 HOW OFTEN/INVOLVED IN ILLEGAL ACTIVITY

How often in the past 3 months have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	96.6	1,198	0	NEVER
0.5	0.5	6	1	1 OR 2 TIMES
0.7	0.7	9	2	3-5 TIMES
0.2	0.2	3	3	6-10 TIMES
0.8	0.8	10	4	11-49 TIMES
0.6	0.6	7	5	50+ TIMES
	0.5	6	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1002-1003

WH6**HAD POLICE/LEGAL PROBLEMS DUE DRUGS/ALC**

In the past 3 months, have you had any police or legal problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	22	1	YES
98.2	97.6	1,210	2	NO
	0.6	7	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1004-1005

WH6_A**HOW SERIOUS/LEGAL PROBLEM/USING DRUGS**

How serious were any problems you had because of your drug or alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	1.9	23	1	NOT AT ALL
18.2	0.6	8	2	SOMEWHAT
29.5	1.0	13	3	VERY SERIOUS
	95.8	1,188	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1006-1007

WH7 **HOW TROUBLD/LEGAL PROBLEM/NOT CIVIL PROB**

In the past 3 months, how troubled have you been by any problems excluding civil problems? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	90.8	1,126	0	NOT AT ALL
5.9	5.8	72	1	SOMEWHAT
2.0	1.9	24	2	VERY TROUBLED
	1.3	16	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1008-1009

WH8 **DO YOU HAVE LEGAL SERVICES**

Do you have legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	20.9	259	1	YES
79.0	78.5	974	2	NO
	0.5	6	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1010-1011

WH8_A	DO YOU NEED LEGAL SERVICES
--------------	-----------------------------------

Do you need legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	3.4	42	1	YES
95.7	75.4	935	2	NO
	20.4	253	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1012-1013

WH9	IMPORTANCE/COUNSELING FOR LEGAL PROBLEM
------------	--

How important to you now is counseling or referral for legal problems? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.7	69.9	867	0	NOT AT ALL
12.5	12.3	153	1	SOMEWHAT
16.9	16.7	207	2	VERY TROUBLED
	1.0	12	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1014-1015

EMPLOYMENT / SUPPORT STATUS

WJ1 WHAT YOU DID MOST TIME LAST WEEK

Now, I'd like to ask some questions regarding your employment status and history. I will ask several questions regarding legitimate jobs. By "legitimate jobs," I mean jobs for pay that do not involve illegal activities. They do include part-time jobs, working for yourself, and jobs paid off the books or under the table. What were you doing most of the time last week? Were you working, looking for work, keeping house, going to school, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.9	29.4	364	1	WORKING LEGITIMATE JOB/YOURSELF
0.5	0.5	6	2	HAD A JOB BUT WAS NOT WORKING
8.5	8.4	104	3	LOOKING FOR WORK
14.7	14.4	179	4	HOMEMAKER
2.1	2.1	26	5	GOING TO SCHOOL/TRAINNG PROG
6.7	6.5	81	6	UNABLE TO WORK, DISABLE
0.1	0.1	1	7	RETIRED
31.0	30.4	377	8	IN JAIL/RESI TREAT PROG/OTHER INSTI
0.7	0.6	8	9	INVOLVED IN DRUG RELATED ACTIVITY
0.2	0.2	3	10	INVOLVED IN OTHER ILLEGAL ACTIVITY
2.0	1.9	24	11	NOT WORKING/NOT INTEREST WORKING
3.6	3.5	44	12	OTHER
	0.6	8	-8	BLANK
	1.2	15	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1016-1018

WJ2**WORKED FOR PAY/NO ILLEGAL ACTIVITIES**

Did you work for pay at all that week at any job or task that did not involve illegal activities (including working for yourself)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	7.2	89	1	YES
90.4	67.7	839	2	NO
	24.4	302	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1019-1020

WJ2_A**DID YOU EARN ANY MONEY LEGALLY**

In that week, did you earn any money legally? [Count earnings only, not other income like welfare or social security]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	66.7	827	1	DID NOT EARN MONEY LEGALLY
4.1	2.8	35	2	DID EARN MONEY LEGALLY
	29.0	360	-9	LEGITIMATE SKIP
	1.4	17	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1021-1022

WJ2_B **LOST/TOOK OFF TIME FOR ANY REASON**

Did you lose any time or take any time off for any reason that week such as for an illness, a vacation, or slack work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	2.9	36	1	YES
91.1	29.7	368	2	NO
	66.2	821	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1023-1024

WJ2_C **#HOURS MISSED AT WORK**

How many hours did you miss?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	1	1	
2.6	0.1	1	2	
2.6	0.1	1	4	
2.6	0.1	1	6	
2.6	0.1	1	7	
20.5	0.6	8	8	
2.6	0.1	1	10	
2.6	0.1	1	12	
2.6	0.1	1	15	
10.3	0.3	4	16	
10.3	0.3	4	20	
2.6	0.1	1	21	
7.7	0.2	3	24	
5.1	0.2	2	32	
20.5	0.6	8	40	
2.6	0.1	1	80	
0.0	0.0	0	99	99 OR MORE
	95.6	1,185	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1025-1027

WJ2_D

#HOURS WORKED FOR PAY/NO ILLEGAL ACTI

During that week, how many hours did you actually work for pay at jobs or tasks that did not involve illegal activities?

1,240 cases (Range of valid codes: 0-80)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1028-1030

WJ2_E

REASON WORKED < 35 HOURS THAT WEEK

What is the main reason that you worked less than 35 hours or lost or took time from work during that week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	2.1	26	1	SLACK WORK, LAYOFFS, STRIKE
2.4	0.2	3	2	SEASONAL WORKER
0.8	0.1	1	3	JOB TERMINATED
6.3	0.6	8	4	NEW JOB STARTED DURING WEEK
22.8	2.3	29	5	COULD ONLY FINE PART-TIME WORK
0.0	0.0	0	6	DRUG OR ALCOHOL PROB
3.9	0.4	5	7	ILLNESS
3.9	0.4	5	8	VACATION
3.1	0.3	4	9	BUSY WITH OTHER ACTIVITIES
3.9	0.4	5	10	DID NOT WANT/NEED FULL-TIME WORK
9.4	1.0	12	11	WORKWEEK USUALLY UNDER 35 HRS
2.4	0.2	3	12	UNABLE TO WORK
0.0	0.0	0	13	RETIRED
5.5	0.6	7	14	IN JAIL, RESIDENTIAL TREATMNT PROG
0.0	0.0	0	15	INVOLVED IN ILLEGAL ACTIVITIES
15.0	1.5	19	16	OTHERS
	86.9	1,078	-9	LEGITIMATE SKIP
	2.5	31	-8	BLANK
	0.3	4	-6	MULTIPLE RESPONSE

 100.0 100.0 1,240 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1031-1033

WJ2_F REASON 35/>/PAID JOB/NO ILLEGAL ACTI

Prior to that week, did you usually work 35 hours or more a week at a paid job that did not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	5.9	73	1	YES
92.5	72.6	900	2	NO
	20.3	252	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1034-1035

WJ2_G REASON WORKED LESS THAN 35 HOURS A WEEK

Why did you usually work less than 35 hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	5.0	62	1	SLACK WORK, LAYOFFS, STRIKE
0.2	0.2	2	2	SEASONAL WORKER
0.1	0.1	1	3	JOB TERMINATED
0.2	0.2	2	4	NEW JOB STARTED DURING WEEK
3.2	2.2	27	5	COULD ONLY FINE PART-TIME WORK
3.6	2.4	30	6	DRUG OR ALCOHOL PROB
3.9	2.7	33	7	ILLNESS
0.1	0.1	1	8	VACATION
14.2	9.6	119	9	BUSY WITH OTHER ACTIVITIES
1.8	1.2	15	10	DID NOT WANT/NEED FULL-TIME WORK
1.9	1.3	16	11	WORKWEEK USUALLY UNDER 35 HRS
8.8	6.0	74	12	UNABLE TO WORK
0.1	0.1	1	13	RETIRED
45.9	31.0	385	14	IN JAIL, RESIDENTAL TREATMNT PROG
0.5	0.3	4	15	INVOLVED IN ILLEGAL ACTIVITIES
7.9	5.3	66	16	OTHERS
	26.0	322	-9	LEGITIMATE SKIP
	5.4	67	-8	BLANK
	1.0	13	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1036-1038

WJ3	DID YOU LOOK FOR WORK
------------	------------------------------

Did you (look for work/look for a different job) during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.3	24.2	300	1	YES
75.7	75.5	936	2	NO
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1039-1040

WJ3_A_1	TO FIND WORK/NO METHODS USED
----------------	-------------------------------------

What did you do these 3 months to find work?

No methods used.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	75.5	936	-9	LEGITIMATE SKIP
	24.5	304	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1041-1042

WJ3_A_2	TO FIND WORK/PUB EMPLOYMENT AGCY
----------------	---

What did you do these 3 months to find work?

Public employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.0	75	2	CIRCLED
	75.5	936	-9	LEGITIMATE SKIP
	18.5	229	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1043-1044

WJ3_A_3 TO FIND WORK/PRIVATE EMPLOY AGCY

What did you do these 3 months to find work?

Private employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	45	3	CIRCLED
	75.5	936	-9	LEGITIMATE SKIP
	20.9	259	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1045-1046

WJ3_A_4 TO FIND WORK/EMPLOYERS APPROACHED

What did you do these 3 months to find work?

Employers directly approached.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.7	182	4	CIRCLED
	75.5	936	-9	LEGITIMATE SKIP
	9.8	122	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1047-1048

WJ3_A_5

TO FIND WORK/TALK W/FRIEND/RELATIVE

What did you do these 3 months to find work?

Talked with friends or relatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.5	106	5	CIRCLED
	75.5	936	-9	LEGITIMATE SKIP
	16.0	198	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1049-1050

WJ3_A_6

TO FIND WORK/PLACED ADS

What did you do these 3 months to find work?

Placed or answered ads.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.0	174	6	CIRCLED
	75.5	936	-9	LEGITIMATE SKIP
	10.5	130	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1051-1052

WJ3_A_7	TO FIND WORK/OTHER
----------------	---------------------------

What did you do these 3 months to find work?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	32	7	CIRCLED
	75.5	936	-9	LEGITIMATE SKIP
	21.9	272	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1053-1054

WJ3_B	PROBLEMS FINDING WORK
--------------	------------------------------

Did you have trouble or problems finding (work/a different job) during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	16.2	201	1	YES
33.2	8.1	100	2	NO
	75.4	935	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1055-1056

WJ3_C_1**PROBLEM FIND JOB/NO JOBS AVAILABLE**

Why do you think you had problems (finding a job/a different job)?

No jobs available.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.9	135	1	CIRCLED
	83.4	1,034	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1057-1058

WJ3_C_2**PROBLEM FIND JOB/LACK OF EDUC/SKILL/EXPE**

Why do you think you had problems (finding a job/a different job)?

Lack of education, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.3	41	2	CIRCLED
	83.5	1,035	-9	LEGITIMATE SKIP
	13.2	164	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1059-1060

WJ3_C_3	PROBLEM FIND JOB/LANGUAGE PROBLEM
----------------	--

Why do you think you had problems (finding a job/a different job)?

Language problem (doesn't speak English well).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	83.5	1,035	-9	LEGITIMATE SKIP
	16.5	205	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1061-1062

WJ3_C_4	PROBLEM FIND JOB/TOO YOUNG/TOO OLD
----------------	---

Why do you think you had problems (finding a job/a different job)?

Too young or too old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	4	CIRCLED
	83.5	1,035	-9	LEGITIMATE SKIP
	16.4	203	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1063-1064

WJ3_C_5

PROBLEM FIND JOB/ARREST RECORD

Why do you think you had problems (finding a job/a different job)?

Arrest record.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	5	CIRCLED
	83.5	1,035	-9	LEGITIMATE SKIP
	15.2	189	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1065-1066

WJ3_C_6

PROBLEM FIND JOB/DRUG HISTORY

Why do you think you had problems (finding a job/a different job)?

Drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	6	CIRCLED
	83.4	1,034	-9	LEGITIMATE SKIP
	15.3	190	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1067-1068

WJ3_C_7 **PROBLEM FIND JOB/OTHER PERSONAL HANDICAP**

Why do you think you had problems (finding a job/a different job)?

Other personal handicaps.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	7	CIRCLED
	83.5	1,035	-9	LEGITIMATE SKIP
	16.2	201	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1069-1070

WJ3_C_8 **PROBLEM FIND JOB/ILL HEALTH**

Why do you think you had problems (finding a job/a different job)?

Ill health.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	8	CIRCLED
	83.5	1,035	-9	LEGITIMATE SKIP
	16.3	202	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1071-1072

WJ3_C_9

PROBLEM FIND JOB/IMMIGRATION STATUS

Why do you think you had problems (finding a job/a different job)?

Immigration status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	83.5	1,035	-9	LEGITIMATE SKIP
	16.5	205	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1073-1074

WJ3_C_10

PROBLEM FIND JOB/PERCEIVED DESCRIMINA

Why do you think you had problems (finding a job/a different job)?

Perceived discrimination.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	10	CIRCLED
	83.3	1,033	-9	LEGITIMATE SKIP
	16.5	204	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1075-1077

WJ3_C_11 **PROBLEM FIND JOB/OTHER**

Why do you think you had problems (finding a job/a different job)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	31	11	CIRCLED
	83.4	1,034	-9	LEGITIMATE SKIP
	14.1	175	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1078-1080

WJ4_0 **NOT LOOK FOR WORK/NO REASONS**

What were your reasons for not looking for (work/a different job)?

No reasons.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	28	0	CIRCLED
	24.2	300	-9	LEGITIMATE SKIP
	73.5	912	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1081-1082

WJ4_1

NOT LOOK FOR WORK/SATISFIED W/JOB

What were your reasons for not looking for (work/a different job)?

Satisfied with present job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	19.1	237	1	CIRCLED
	26.1	324	-9	LEGITIMATE SKIP
	54.8	679	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1083-1084

WJ4_2

NOT LOOK FOR WORK/BELIEVE NO JOB AVAIL

What were your reasons for not looking for (work/a different job)?

Believes no jobs available in line of work or area.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	2	CIRCLED
	26.4	327	-9	LEGITIMATE SKIP
	72.3	897	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1085-1086

WJ4_3 NOT LOOK FOR WORK/COULD NOT FIND WORK

What were your reasons for not looking for (work/a different job)?

Couldn't find any work.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	3	CIRCLED
	26.3	326	-9	LEGITIMATE SKIP
	73.1	907	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1087-1088

WJ4_4 NOT LOOK FOR WORK/LACK SKILL/TRAINING

What were your reasons for not looking for (work/a different job)?

Lacks necessary schooling, training, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	4	CIRCLED
	26.5	328	-9	LEGITIMATE SKIP
	72.3	896	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1089-1090

WJ4_5

NOT LOOK FOR WORK/TOO OLD/YOUNG

What were your reasons for not looking for (work/a different job)?

Employers think too young / old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	26.5	328	-9	LEGITIMATE SKIP
	73.5	912	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1091-1092

WJ4_6

NOT LOOK FOR WORK/PERSONAL HANDICAP

What were your reasons for not looking for (work/a different job)?

Other personal handicap including drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	14	6	CIRCLED
	26.4	327	-9	LEGITIMATE SKIP
	72.5	899	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1093-1094

WJ4_7	NOT LOOK FOR WORK/FAMILY RESPONSIBILITY
--------------	--

What were your reasons for not looking for (work/a different job)?

Family responsibilities, child care problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.1	76	7	CIRCLED
	26.3	326	-9	LEGITIMATE SKIP
	67.6	838	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1095-1096

WJ4_8	NOT LOOK FOR WORK/IN SCHOOL/TRAINING
--------------	---

What were your reasons for not looking for (work/a different job)?

In school or other training.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	22	8	CIRCLED
	26.5	328	-9	LEGITIMATE SKIP
	71.8	890	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1097-1098

WJ4_9

NOT LOOK FOR WORK/ILL HEALTH

What were your reasons for not looking for (work/a different job)?

Ill health or physical disability other than drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.6	107	9	CIRCLED
	26.5	328	-9	LEGITIMATE SKIP
	64.9	805	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1099-1100

WJ4_10

NOT LOOK FOR WORK/IN JAIL/INSTITUTION

What were your reasons for not looking for (work/a different job)?

In jail or other institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	28.2	350	10	CIRCLED
	26.4	327	-9	LEGITIMATE SKIP
	45.4	563	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1101-1103

WJ4_11	NOT LOOK FOR WORK/DRUG ACTIVITY
---------------	--

What were your reasons for not looking for (work/a different job)?

Drug activities or drug effects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	26	11	CIRCLED
	26.4	327	-9	LEGITIMATE SKIP
	71.5	887	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1104-1106

WJ4_12	NOT LOOK FOR WORK/ILLEGAL ACTIVITY
---------------	---

What were your reasons for not looking for (work/a different job)?

Illegal activities such as hustling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	12	CIRCLED
	26.5	328	-9	LEGITIMATE SKIP
	73.5	911	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1107-1109

WJ4_13**NOT LOOK FOR WORK/BEING SUPPORTED**

What were your reasons for not looking for (work/a different job)?

Supported by other person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	13	CIRCLED
	26.5	328	-9	LEGITIMATE SKIP
	73.1	906	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1110-1112

WJ4_14**NOT LOOK FOR WORK/LANGUAGE PROBLEM**

What were your reasons for not looking for (work/a different job)?

Language problem (trouble speaking English).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	14	CIRCLED
	26.5	328	-9	LEGITIMATE SKIP
	73.5	912	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1113-1114

WJ4_15 NOT LOOK FOR WORK/IMMIGRATION STATUS

What were your reasons for not looking for (work/a different job)?

Concern about immigration status in U.S. (I.E., Has a job without papers and making switch would be risky).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	15	CIRCLED
	26.5	328	-9	LEGITIMATE SKIP
	73.5	912	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1115-1116

WJ4_16 NOT LOOK FOR WORK/OTHER

What were your reasons for not looking for (work/a different job)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.8	60	16	CIRCLED
	26.5	328	-9	LEGITIMATE SKIP
	68.7	852	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1117-1119

WJ5

#OF DIFFERENT JOBS/EMPLOYERS WORKED

In these 3 months, for how many different employers or businesses have you worked legitimate jobs? If you worked for yourself, such as doing in-home child care or odd jobs and yard work, count this as one employer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	64.4	799	0	
29.7	29.7	368	1	
3.8	3.8	47	2	
0.9	0.9	11	3	
0.2	0.2	2	4	
0.2	0.2	2	5	
0.2	0.2	3	7	
0.1	0.1	1	10	
0.4	0.4	5	12	
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1120-1122

WJ6	#WEEKS WORK/FULL OR PART TIME
------------	--------------------------------------

In these 3 months, how many weeks have you been employed in either full- or part-time jobs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	1.4	17	0	
4.7	1.7	21	1	
3.4	1.2	15	2	
5.4	1.9	24	3	
4.1	1.5	18	4	
2.5	0.9	11	5	
2.3	0.8	10	6	
0.9	0.3	4	7	
6.3	2.3	28	8	
1.1	0.4	5	9	
3.2	1.1	14	10	
2.3	0.8	10	11	
56.2	20.1	249	12	
2.3	0.8	10	13	
0.5	0.2	2	14	
0.5	0.2	2	16	
0.2	0.1	1	19	
0.2	0.1	1	20	
0.2	0.1	1	28	
	64.0	793	-9	LEGITIMATE SKIP
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1123-1125

WJ7

#WEEKS WORK/35 OR MORE HOURS

In these 3 months, how many weeks have you worked 35 or more hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	7.2	89	0	
3.8	1.3	16	1	
3.1	1.0	13	2	
3.1	1.0	13	3	
4.5	1.5	19	4	
1.9	0.6	8	5	
2.1	0.7	9	6	
0.9	0.3	4	7	
5.9	2.0	25	8	
0.7	0.2	3	9	
3.1	1.0	13	10	
4.3	1.5	18	11	
43.0	14.7	182	12	
1.9	0.6	8	13	
0.2	0.1	1	14	
0.2	0.1	1	19	
0.2	0.1	1	28	
	65.2	809	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1126-1128

WJ8	#WEEKS WORKED/35 OR MORE HOURS
------------	---------------------------------------

What has been the longest period you have worked any one full-time job (35 hours or more a week) in these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.6	8	0	
4.7	1.3	16	1	
2.9	0.8	10	2	
3.2	0.9	11	3	
5.6	1.5	19	4	
2.6	0.7	9	5	
3.5	1.0	12	6	
1.2	0.3	4	7	
7.1	1.9	24	8	
0.9	0.2	3	9	
3.5	1.0	12	10	
3.8	1.0	13	11	
54.1	14.8	184	12	
2.6	0.7	9	13	
0.3	0.1	1	14	
0.3	0.1	1	16	
0.3	0.1	1	19	
0.3	0.1	1	28	
0.3	0.1	1	40	
0.3	0.1	1	99	
	71.9	892	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1129-1131

WJ9

CODE LIST-OCCUPATION/TYPE OF YOUR JOB

What type of job was this or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	2.0	25	1	PROFESSIONAL AND TECHNICAL
4.1	1.0	13	2	MANAGER AND ADMINISTRATOR
10.8	2.7	34	3	SALES
10.1	2.6	32	4	CLERICAL OR OFFICE WORKER
15.2	3.9	48	5	CRAFT AND KINDRED
9.2	2.3	29	6	OPERATIVES
5.1	1.3	16	7	TRANSPORTATION EQUIPMENT OPERATIVES
17.1	4.4	54	8	LABORERS (FARM & NONFARM)
18.0	4.6	57	10	SERVICE WORKER
2.5	0.6	8	86	OTHER
	72.5	899	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
	0.3	4	-7	REFUSAL

 100.0 100.0 1,240 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1132-1134

WJ9_A	BUSINESS OR INDUSTRY CODE
--------------	----------------------------------

What type of business or industry was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.3	4	1	AGRICULTURE/FORESTRY/FISHERIES
15.0	3.9	48	2	CONSTRUCTION
13.1	3.4	42	3	MANUFACTURING
8.1	2.1	26	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
3.7	1.0	12	5	WHOLESALE TRADE
20.9	5.4	67	6	RETAIL TRADE
4.0	1.0	13	7	FINANCE/INSUR./REAL ESTATE
12.8	3.3	41	8	BUSINESS/REPAIR SERVICES
3.7	1.0	12	9	PERSONAL SERVICES
0.9	0.2	3	10	ENTERTAINMENT/REC. SVCS
13.4	3.5	43	11	PROF./RELATED SVCS
2.2	0.6	7	12	PUBLIC ADMIN.
0.9	0.2	3	13	INDUSTRY NOT REPORTED
	72.4	898	-9	LEGITIMATE SKIP
	1.6	20	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1135-1138

WJ9_B	WAS THIS YOUR USUAL OCCUPATION
--------------	---------------------------------------

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	19.8	245	1	YES
22.5	5.7	71	2	NO
	72.4	898	-9	LEGITIMATE SKIP
	2.0	25	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1139-1140

WJ9_B_OC	OCCUPATION CODE - USUAL OCCUPATION
-----------------	---

What is your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.7	9	1	PROFESSIONAL AND TECHNICAL
8.3	0.5	6	2	MANAGER AND ADMINISTRATOR
5.6	0.3	4	3	SALES
6.9	0.4	5	4	CLERICAL OR OFFICE WORKER
26.4	1.5	19	5	CRAFT AND KINDRED
5.6	0.3	4	6	OPERATIVES
6.9	0.4	5	7	TRANSPORTATION EQUIPMENT OPERATIVES
5.6	0.3	4	8	LABORERS (FARM & NONFARM)
13.9	0.8	10	10	SERVICE WORKER
8.3	0.5	6	86	OTHER
	72.5	899	-9	LEGITIMATE SKIP
	21.6	268	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1141-1143

WJ9_C	DOLLARS/SALARY/RATE OF PAY/BEFORE TAXES
--------------	--

What was your wage, salary, or rate of pay before taxes in your current or most recent job?

1,240 cases (Range of valid codes: 2.00-105000.00)

Data type: numeric

Decimals: 2

Missing-data codes: lowest thru -1.00

Columns: 1144-1153

WJ9_COD	CODE FOR THE RATE
----------------	--------------------------

How frequently were you paid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	12.3	153	1	HOUR
22.4	5.6	69	2	WEEK
1.6	0.4	5	3	2 WKS
3.9	1.0	12	4	MONTH
19.2	4.8	59	5	YR
3.2	0.8	10	6	OTHER
	72.4	898	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
	0.4	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1154-1155

WJ10	HOW TROUBLED/PROBLEM GET/HOLD JOB
-------------	--

In the past 3 months, how troubled have you been by problems getting, holding, or working a job? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	75.8	940	0	NOT AT ALL
12.3	12.3	152	1	SOMEWHAT
11.3	11.2	139	2	VERY MUCH
	0.5	6	-8	BLANK
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1156-1157

WJ11**HOW IMPORTANT/COUNSELING FOR JOB PROB**

How important to you now is help or referral for employment, training, or vocational counseling? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	38.3	475	0	NOT AT ALL
18.4	18.2	226	1	SOMEWHAT
43.1	42.7	530	2	VERY IMPORTANT
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1158-1159

WJ12**JOB PROBLEM/BECAUSE OF DRUG/ALC USE**

Have you experienced any problems getting, holding, or working a job because of drug or alcohol use in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.3	41	1	YES
96.7	95.6	1,186	2	NO
	0.8	10	-8	BLANK
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1160-1161

WJ12_A

HOW SERIOUS PROBLMS FOR DRUG/ALCOHOL USE

How serious were any problems you had because of your drug or alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	0.4	5	1	NOT AT ALL
36.2	1.4	17	2	SOMEWHAT
53.2	2.0	25	3	VERY SERIOUS
	95.3	1,182	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1162-1163

INCOME AND EXPENDITURES

WK1_A	INCOME SOURCE/ODD JOBS/NOT ILLEGAL ACTI
-------	---

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from work that did not include illegal activities, including jobs paid "off the books" or "under the table" [Include odd jobs, in-home work, etc.]?

PCT VALID	PCT ALL	N	VALUE	LABEL
35.7	34.8	431	1	YES
64.3	62.5	775	2	NO
	2.0	25	-8	BLANK
	0.4	5	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1164-1165

WK2_A	DOLLARS/RECEIVED BEFORE TAXES
-------	-------------------------------

In these 3 months, how much income have you personally received before taxes from work that did not include illegal activities, including jobs paid "off the books" or "under the table" [Include odd jobs, in-home work, etc.]?

1,240 cases (Range of valid codes: 0-72,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1166-1171

WK1_B	INCOME SOURCE/SSI
--------------	--------------------------

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	42.9	532	1	YES
55.6	53.7	666	2	NO
	2.6	32	-8	BLANK
	0.5	6	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1172-1173

WK2_B	DOLLARS/RECEIVED BEFORE TAXES
--------------	--------------------------------------

In these 3 months, how much income have you personally received before taxes from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

1,240 cases (Range of valid codes: 0-40330)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1174-1179

WK1_C

INCOME SOURCE/SOCIAL SECURITY BENEFITS

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, worker's compensation from injuries at work, or military or private pensions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.1	63	1	YES
94.8	91.9	1,139	2	NO
	2.3	28	-8	BLANK
	0.5	6	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1180-1181

WK2_C

DOLLARS/RECEIVED BEFORE TAXES

In these 3 months, how much income have you personally received before taxes from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, worker's compensation from injuries at work, or military or private pensions?

1,240 cases (Range of valid codes: 0-19,200)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1182-1187

WK1_D	INCOME SOURCE/SPOUSE/FAMILY/ALIMONY
--------------	--

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from a spouse, family members, or friends, including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	18.7	232	1	YES
80.7	78.0	967	2	NO
	2.5	31	-8	BLANK
	0.5	6	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1188-1189

WK2_D	DOLLARS/RECEIVED BEFORE TAXES
--------------	--------------------------------------

In these 3 months, how much income have you personally received before taxes from a spouse, family members, or friends, including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments.

1,240 cases (Range of valid codes: 0-40,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1190-1195

WK1_E

INCOME SOURCE/POSSIBLY ILLEGAL

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	20	1	YES
98.3	93.5	1,159	2	NO
	4.1	51	-8	BLANK
	0.5	6	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1196-1197

WK2_E	DOLLARS/RECEIVED BEFORE TAXES
--------------	--------------------------------------

In these 3 months, how much income have you personally received before taxes from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	1.7	21	0	
2.3	0.1	1	2	
2.3	0.1	1	10	
4.5	0.2	2	100	
2.3	0.1	1	120	
6.8	0.2	3	200	
4.5	0.2	2	300	
2.3	0.1	1	500	
4.5	0.2	2	600	
11.4	0.4	5	1000	
2.3	0.1	1	1500	
4.5	0.2	2	4000	
2.3	0.1	1	6000	
2.3	0.1	1	10000	
	92.3	1,145	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
	0.2	3	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1198-1203

WK1_F

INCOME SOURCE/ANY OTHER SOURCE

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.3	78	1	YES
93.4	88.7	1,100	2	NO
	4.2	52	-8	BLANK
	0.5	6	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1204-1205

WK2_F	DOLLARS/RECEIVED BEFORE TAXES
-------	-------------------------------

In these 3 months, how much income have you personally received before taxes from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	1.6	20	0	
25.0	2.1	26	10	
1.0	0.1	1	20	
4.8	0.4	5	30	
26.0	2.2	27	40	
1.0	0.1	1	50	
2.9	0.2	3	70	
1.0	0.1	1	75	
3.8	0.3	4	150	
1.0	0.1	1	186	
1.9	0.2	2	200	
1.0	0.1	1	300	
1.9	0.2	2	500	
1.0	0.1	1	559	
1.0	0.1	1	600	
1.0	0.1	1	800	
1.0	0.1	1	1000	
1.0	0.1	1	1860	
1.0	0.1	1	2400	
1.0	0.1	1	3500	
1.0	0.1	1	3600	
1.0	0.1	1	15160	
1.0	0.1	1	99999	
	87.5	1,085	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
	0.2	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1206-1211

WK2_G**TOTAL DOLLARS/COL 2 IN CHART 3**

In the past 3 months, how much total income have you personally received before taxes from all sources?
[Total from WK2_A, WK2_B, WK2_C, WK2_D, WK2_E, and WK2_F]

1,240 cases (Range of valid codes: 0-180000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1212-1218

WK3	INCOME BEFORE TAXES PAST 3 MONTHS
-----	--

During the past 3 months, which code on this card best indicates your own total dollar income before taxes from all sources?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.7	18.8	233	0	
19.5	18.5	230	1	
4.7	4.5	56	2	
9.1	8.7	108	3	
5.2	4.9	61	4	
6.9	6.5	81	5	
4.3	4.1	51	6	
5.2	5.0	62	7	
5.0	4.8	59	8	
1.9	1.9	23	9	
3.5	3.3	41	10	
3.7	3.5	44	12	
3.1	3.0	37	14	
0.1	0.1	1	15	
1.1	1.0	13	16	
1.6	1.5	19	18	
0.1	0.1	1	19	
1.4	1.4	17	20	
1.3	1.2	15	24	
1.4	1.3	16	30	
0.1	0.1	1	33	
0.5	0.5	6	40	
0.1	0.1	1	41	
0.3	0.3	4	50	
0.1	0.1	1	100	
	2.9	36	-8	BLANK
	0.9	11	-7	REFUSAL
	0.7	9	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1219-1222

WK4

SHARE INCOME/EXPENSES WITH ONE LIVE WITH

Were you sharing your income and expenses with any of the people you lived with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	35.3	438	1	YES
59.9	52.7	654	2	NO
	7.5	93	-9	LEGITIMATE SKIP
	4.1	51	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1223-1224

WK4_A

#PEOPLE YOU SHARE INCOME/EXPENSES W/

How many of these people did you share your income and expenses with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.2	2	0	
46.2	16.5	205	1	
26.4	9.4	117	2	
12.4	4.4	55	3	
9.5	3.4	42	4	
2.7	1.0	12	5	
2.0	0.7	9	6	
0.2	0.1	1	8	
0.2	0.1	1	14	
	52.5	651	-9	LEGITIMATE SKIP
	11.5	142	-8	BLANK
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1225-1227

WK5	HOUSEHOLD INCOME BEFORE TAXES PST 3 MNTS
-----	---

During the past 3 months, which code shows the amount that is closest to the total dollar income before taxes of you and these (NUMBER FROM WK4a people)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	2.0	25	0	
2.9	0.8	10	1	
1.1	0.3	4	2	
5.4	1.5	19	3	
4.9	1.4	17	4	
5.1	1.5	18	5	
5.7	1.6	20	6	
4.9	1.4	17	7	
8.3	2.3	29	8	
3.4	1.0	12	9	
8.6	2.4	30	10	
6.9	1.9	24	12	
6.0	1.7	21	14	
4.0	1.1	14	16	
4.6	1.3	16	18	
3.7	1.0	13	20	
5.7	1.6	20	24	
5.1	1.5	18	30	
2.3	0.6	8	40	
1.7	0.5	6	50	
0.3	0.1	1	52	
1.4	0.4	5	100	
0.3	0.1	1	205	
0.3	0.1	1	230	
0.3	0.1	1	285	
	59.8	741	-9	LEGITIMATE SKIP
	5.4	67	-8	BLANK
	0.6	8	-7	REFUSAL
	5.6	70	-4	DON'T KNOW
	0.3	4	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1228-1231

WK6_A**DOLLARS SPENT/HOUSING**

In the past 3 months, please tell me about how much (you/you and these (NUMBER FROM WK4a) members of the household together) spent each month for housing, including rent or mortgage payments and utilities?

1,240 cases (Range of valid codes: 0-2,980)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1232-1236

WK6_B**DOLLARS SPENT/MEDICAL EXPENSES**

In the past 3 months, please tell me about how much (you/you and these (NUMBER FROM WK4a) members of the household together) spent each month for medical expenses, including prescriptions, health insurance, and payments for HMO costs?

1,240 cases (Range of valid codes: 0-1,500)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1237-1241

WK6_C**DOLLARS SPENT/FOOD/CLOTHING**

In the past 3 months, please tell me about how much (you/you and these (NUMBER FROM WK4a) members of the household together) spent each month for food, clothing, and living expenses?

1,240 cases (Range of valid codes: 0-2,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1242-1246

WK6_D**DOLLARS SPENT/OTHER EXPENSES**

In the past 3 months, please tell me about how much (you/you and these (NUMBER FROM WK4a) members of the household together) spent each month for other expenses, including things like gifts, loans, entertainment, and other debts?

1,240 cases (Range of valid codes: 0-6,100)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1247-1251

WK7 **MONEY PROBLEM/BECAUSE ALCO/DRUG USE**

Have you had any financial or money problems because of your drug or alcohol use in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.8	122	1	YES
90.1	89.6	1,111	2	NO
	0.3	4	-8	BLANK
	0.1	1	-7	REFUSAL
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1252-1253

WK7_A **HOW SERIOUS PROBLMS FOR DRUG/ALCOHOL USE**

How serious were these problems you had because of using drugs or alcohol? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	1.2	15	1	NOT AT ALL
45.6	5.0	62	2	SOMEWHAT
43.4	4.8	59	3	VERY SERIOUS
	88.4	1,096	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
	0.1	1	-7	REFUSAL
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1254-1255

WK8**HOW TROUBLED BY MONEY PROBLEM**

How troubled or bothered have you been in the past 3 months by any financial or money problems? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.8	47.1	584	0	NOT AT ALL
33.5	33.1	410	1	SOMEWHAT
18.7	18.5	229	2	VERY MUCH
	1.0	13	-8	BLANK
	0.1	1	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1256-1257

WK9**HOW IMPORTANT/COUNSELING FOR MONEY PROB**

How important to you now is counseling for financial or money problems? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	54.9	681	0	NOT AT ALL
22.4	22.3	277	1	SOMEWHAT
22.4	22.3	276	2	VERY IMPORTANT
	0.4	5	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1258-1259

INTREATMENT EXPERIENCE

WL1 #DAYS RECEIVED SERVICES AT THIS PROGRAM

Now, I'd like to ask about the treatment or counseling that you may have received in the past 3 months. Please think about all kinds of help, such as drug or alcohol counseling, medical treatment, counseling for an emotional or mental health problem, employment counseling, or any other services that you have received. In the past 3 months, on how many days have you been scheduled to receive any services at this program or at some place run by this program? Include methadone and any other medication, any individual and group counseling, and other services you have received.

1,240 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1260-1262

WL1_A #DAYS RECEIVED SERVICES/OUTSIDE PROGRAM

In the past 3 months, how many days have you been scheduled to receive services from other providers or agencies outside this program?

1,240 cases (Range of valid codes: 0-90)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1263-1265

WL2 MISS SCHEDULED APPOINTMENT FOR SERVICE

During the past 3 months, have you missed any scheduled appointment for any of these services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	23.7	294	1	YES
75.0	71.2	883	2	NO
	5.1	63	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1266-1267

WL2_A	#DAYS MISSED SCHEDULED APPOINTMENT
--------------	---

During these 3 months, on how many days have you missed any scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	6.9	86	1	
25.6	6.0	75	2	
10.9	2.6	32	3	
11.6	2.7	34	4	
4.1	1.0	12	5	
5.8	1.4	17	6	
0.7	0.2	2	7	
1.0	0.2	3	8	
1.0	0.2	3	9	
2.4	0.6	7	10	
2.4	0.6	7	12	
1.0	0.2	3	14	
0.7	0.2	2	15	
1.0	0.2	3	20	
0.3	0.1	1	21	
0.7	0.2	2	24	
0.3	0.1	1	25	
0.3	0.1	1	30	
0.3	0.1	1	45	
0.3	0.1	1	60	
	71.2	883	-9	LEGITIMATE SKIP
	5.2	64	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1268-1270

WL2_B	CODE/MOST IMP REASON/MISS APPO
--------------	---------------------------------------

What is the most important reason why you did not come to 1 or more of your scheduled appointments?

1,240 cases (Range of valid codes: 1-59)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1271-1273

WL2_C ANY REASON/MISS SCHEDULED APPOINTMENT

Is there any other reason why you did not come to 1 or more of your scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	3.4	42	1	YES
84.6	18.6	231	2	NO
	71.1	882	-9	LEGITIMATE SKIP
	6.9	85	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1274-1275

WL2_D CODE FROM CHART/SECOND IMP REASON

What is the second most important reason (why you did not come to 1 or more of your scheduled appointments)?

1,240 cases (Range of valid codes: 1-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1276-1278

WL2_E OTHER REASON/MISS SCHEDULED APPOINTMENT

Is there any other reason why you missed 1 or more of your scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.2	3	1	YES
94.1	3.9	48	2	NO
	89.7	1,112	-9	LEGITIMATE SKIP
	6.2	77	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1279-1280

WL2_F_1 **CODE FROM CHART/OTHER REASON**

What other reasons did you have? 3rd mention.

1,240 cases (Range of valid codes: 1-59)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1281-1283

WL2_F_2 **CODE FROM CHART/OTHER REASON**

What other reasons did you have? 4th mention.

1,240 cases (Range of valid codes: nan--2,147,483,648)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1284-1285

WL2_F_3 **CODE FROM CHART/OTHER REASON**

What other reasons did you have? 5th mention.

1,240 cases (Range of valid codes: nan--2,147,483,648)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1286-1287

WL3 **DID YOU DROP OUT FROM THIS PROGRAM**

During the past 3 months, have you dropped out of or been discharged from this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	21	1	YES
98.3	97.8	1,213	2	NO
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1288-1289

WL3_A	#DAYS OUT OF THIS PROGRAM
--------------	----------------------------------

During these 3 months, how many days were you out of this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	1	0	
9.1	0.2	2	3	
4.5	0.1	1	4	
4.5	0.1	1	5	
4.5	0.1	1	7	
4.5	0.1	1	8	
4.5	0.1	1	12	
4.5	0.1	1	16	
4.5	0.1	1	21	
4.5	0.1	1	25	
9.1	0.2	2	30	
4.5	0.1	1	32	
4.5	0.1	1	34	
4.5	0.1	1	35	
4.5	0.1	1	37	
4.5	0.1	1	47	
4.5	0.1	1	55	
4.5	0.1	1	72	
9.1	0.2	2	90	
0.0	0.0	0	99	99 OR MORE
	97.7	1,212	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1290-1292

WL4	RECEIVED TREATMENT FOR ALC PROB
------------	--

During the past 3 months, have you received treatment for an alcohol problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	25.6	318	1	YES
74.1	73.3	909	2	NO
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1293-1294

WL5	RECEIVED THESE SERVICES AT PROGRAM
------------	---

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.5	25.4	315	1	YES
4.5	1.2	15	2	NO
	72.5	899	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1295-1296

WL5_A_1	SERVICES RECEIVED/INDIVIDUAL COUNSEL
----------------	---

What kinds of services have you received here?

Individual counseling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	18.1	225	1	CIRCLED
	73.8	915	-9	LEGITIMATE SKIP
	8.1	100	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1297-1298

WL5_A_2	SERVICES RECEIVED/GROUP COUNSELING
----------------	---

What kinds of services have you received here?

Group counseling (not 12-step)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	16.8	208	2	CIRCLED
	73.9	916	-9	LEGITIMATE SKIP
	9.4	116	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1299-1300

WL5_A_3 SERVICES RECEIVED/AA/12 STEP/SELF HELP

What kinds of services have you received here?

AA or other 12-step / self help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.9	259	3	CIRCLED
	74.0	917	-9	LEGITIMATE SKIP
	5.2	64	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1301-1302

WL5_A_4 SERVICES RECEIVED/OTHER

What kinds of services have you received here?

Other?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	51	4	CIRCLED
	74.1	919	-9	LEGITIMATE SKIP
	21.8	270	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1303-1304

WL5_B_1**TALKED TO/PRIMARY/REG COUNSELOR**

Who have you talked to or seen for these services?

Primary / regular counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	18.5	230	1	CIRCLED
	73.8	915	-9	LEGITIMATE SKIP
	7.7	95	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1305-1306

WL5_B_2**TALKED TO/CASE MANAGER**

Who have you talked to or seen for these services?

Case manager?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	2	CIRCLED
	74.2	920	-9	LEGITIMATE SKIP
	25.2	312	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1307-1308

WL5_B_11	TALKED TO/OTHER COUNSELOR
-----------------	----------------------------------

Who have you talked to or seen for these services?

Other counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.0	99	11	CIRCLED
	74.0	918	-9	LEGITIMATE SKIP
	18.0	223	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1309-1311

WL5_B_12	TALKED TO/OTHER CASE MANAGER
-----------------	-------------------------------------

Who have you talked to or seen for these services?

Other case manager?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	12	CIRCLED
	74.2	920	-9	LEGITIMATE SKIP
	25.6	317	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1312-1314

WL5_B_13**TALKED TO/SOCIAL WORKER**

Who have you talked to or seen for these services?

Social worker?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	13	CIRCLED
	74.2	920	-9	LEGITIMATE SKIP
	25.7	319	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1315-1317

WL5_B_21**TALKED TO/PSYCHOLOGIST**

Who have you talked to or seen for these services?

Psychologist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	21	CIRCLED
	74.2	920	-9	LEGITIMATE SKIP
	25.7	319	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1318-1320

WL5_B_22	TALKED TO/PSYCHIATRIST
-----------------	-------------------------------

Who have you talked to or seen for these services?

Psychiatrist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	74.2	920	-9	LEGITIMATE SKIP
	25.6	318	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1321-1323

WL5_B_23	TALKED TO/NURSE
-----------------	------------------------

Who have you talked to or seen for these services?

Nurse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	23	CIRCLED
	74.2	920	-9	LEGITIMATE SKIP
	25.6	317	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1324-1326

WL5_B_31	TALKED TO/GROUP - NO LEADER
-----------------	------------------------------------

Who have you talked to or seen for these services?

Group - no leader (E.G., 12-step)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.3	177	31	CIRCLED
	74.0	918	-9	LEGITIMATE SKIP
	11.7	145	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1327-1329

WL5_B_71	TALKED TO/STAFF FROM ANOTHER AGENCY
-----------------	--

Who have you talked to or seen for these services?

Staff from another agency who provide services at the program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	9	71	CIRCLED
	74.1	919	-9	LEGITIMATE SKIP
	25.2	312	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1330-1332

WL5_B_91 **TALKED TO/OTHER**

Who have you talked to or seen for these services?

Other?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.5	118	91	CIRCLED
	74.0	918	-9	LEGITIMATE SKIP
	16.5	204	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1333-1335

WL5_C **#DAYS/RECEIVED SERVICES FOR ALC PROB**

During the past 3 months, on how many days have you received services for an alcohol problem at this program?

1,240 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1336-1338

WL5_D **HOW HELPFUL THE SERVICES**

Overall, how helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.2	3	0	NOT AT ALL
19.3	4.9	61	1	SOMEWHAT
79.7	20.3	252	2	VERY MUCH
	73.6	913	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1339-1340

WL6**RECEIVED SERVICES AT OTHER PLACE**

Have you received services for an alcohol problem at some other place (do not include services from AA, HA, or CA, or other 12-step group)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	3.2	40	1	YES
87.8	23.3	289	2	NO
	72.6	900	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1341-1342

WL6_A_A**SERVICE:COMMUNITY MENTAL HEALTH PROG**

Where have you received these services?

Community mental health center outpatient program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	1	CIRCLED
	96.0	1,190	-9	LEGITIMATE SKIP
	3.1	39	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1343-1344

WL6_A_B	SERVICE:ALC REHABILITATION CENTER
----------------	--

Where have you received these services?

Alcoholic rehabilitation center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	49	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1345-1346

WL6_A_C	SERVICE:28-DAY/OTHER SHORT TERM TREATMNT
----------------	---

Where have you received these services?

28-day or other short-term inpatient treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1347-1348

WL6_A_D**SERVICE:THERAPEUTIC COMMUNITY**

Where have you received these services?

Therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1349-1350

WL6_A_E**SERVICE:HALFWAY HOUSE**

Where have you received these services?

Halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	49	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1351-1352

WL6_A_F	SERVICE:DETOXIFICATION TREATMENT UNIT
----------------	--

Where have you received these services?

Detoxification treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	6	CIRCLED
	96.0	1,190	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1353-1354

WL6_A_G	SERVICE:EMERGENCY ROOM/CRISIS CENTER
----------------	---

Where have you received these services?

Emergency room or crisis center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1355-1356

WL6_A_H	SERVICE:PRIVATE THERAPIST
----------------	----------------------------------

Where have you received these services?

Private therapist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	8	CIRCLED
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	49	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1357-1358

WL6_A_I	SERVICE:OTHER OUTPATIENT TREATMENT
----------------	---

Where have you received these services?

Other outpatient treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	21	9	CIRCLED
	95.9	1,189	-9	LEGITIMATE SKIP
	2.4	30	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1359-1360

WL6_A_J SERVICE:OTHER INPATIENT TREATMENT

Where have you received these services?

Other inpatient treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	10	CIRCLED
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1361-1362

WL6_B_1 FIRST TREATMENT LOCATION

Where have you received these services?

1st mention from WL6_A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	0.9	11	1	COMMUNITY MENTAL HEALTH PROG
2.6	0.1	1	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	4	THREAPEUTIC COMMUNITY
2.6	0.1	1	5	HALFWAY HOUSE
10.3	0.3	4	6	DETOXIFICATION TX UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
2.6	0.1	1	8	PRIV THERAPIST
53.8	1.7	21	9	OTHER OUTPATIENT TX
0.0	0.0	0	10	OTHER INPATIENT TX
	95.9	1,189	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1363-1364

WL6_C_1	#DAYS SERVICES RECEIVD/TREAT/LOCATION #1
----------------	---

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 1st mention from WL6_A)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	0.2	3	1	
10.8	0.3	4	2	
5.4	0.2	2	3	
5.4	0.2	2	4	
8.1	0.2	3	5	
10.8	0.3	4	6	
8.1	0.2	3	7	
5.4	0.2	2	8	
2.7	0.1	1	9	
10.8	0.3	4	10	
13.5	0.4	5	12	
2.7	0.1	1	15	
5.4	0.2	2	30	
2.7	0.1	1	36	
	95.9	1,189	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1365-1367

WL6_D_1	WHO REFERRD YOU TO TREATMNT/LOCATION #1
----------------	--

Who referred you to (TREATMENT LOCATION - 1st mention from WL6_A)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	1.0	13	1	PROG
12.8	0.4	5	2	OUTSIDE SOURCE
53.8	1.7	21	3	SELF
	95.9	1,189	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1368-1369

WL6_E_1	HOW HELPFUL THESE SERVICES A/LOCATION #1
----------------	---

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
24.3	0.7	9	1	SOMEWHAT
75.7	2.3	28	2	VERY HELPFUL
	95.9	1,189	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1370-1371

WL6_B_2	SECOND TREATMENT LOCATION
----------------	----------------------------------

Where have you received these services?
 2nd mention from WL6_A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	COMMUNITY MENTAL HEALTH PROG
33.3	0.1	1	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	4	THREAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TX UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIV THERAPIST
33.3	0.1	1	9	OTHER OUTPATIENT TX
0.0	0.0	0	10	OTHER INPATIENT TX
	96.0	1,190	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1372-1373

WL6_C_2**#DAYS SERVICES RECEIVD/TREAT/LOCATION #2**

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 2nd mention from WL6_A)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	3	
33.3	0.1	1	4	
33.3	0.1	1	30	
	96.0	1,190	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1374-1376

WL6_D_2**WHO REFERRD YOU TO TREATMNT/LOCATION #2**

Who referred you to (TREATMENT LOCATION - 2nd mention from WL6_A)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	PROG
0.0	0.0	0	2	OUTSIDE SOURCE
66.7	0.2	2	3	SELF
	96.0	1,190	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1377-1378

WL6_E_2	HOW HELPFUL THESE SERVICES A/LOCATION #2
----------------	---

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
66.7	0.2	2	1	SOMEWHAT
33.3	0.1	1	2	VERY HELPFUL
	96.0	1,190	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1379-1380

WL6_B_3	THIRD TREATMENT LOCATION
----------------	---------------------------------

Where have you received these services?
 3rd mention from WL6_A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	4	THREAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TX UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIV THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TX
0.0	0.0	0	10	OTHER INPATIENT TX
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1381-1382

WL6_C_3**#DAYS SERVICES RECEIVD/TREAT/LOCATION #3**

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 3rd mention from WL6_A)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1383-1384

WL6_D_3**WHO REFERRD YOU TO TREATMNT/LOCATION #3**

Who referred you to (TREATMENT LOCATION - 3rd mention from WL6_A)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	0.0	0	1	PROG
	0.0	0	2	OUTSIDE SOURCE
	0.0	0	3	SELF
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1385-1386

WL6_E_3	HOW HELPFUL THESE SERVICES A/LOCATION #3
----------------	---

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1387-1388

WL6_B_4	FOURTH TREATMENT LOCATION
----------------	----------------------------------

Where have you received these services?
 4th mention from WL6_A.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	4	THREAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TX UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIV THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TX
0.0	0.0	0	10	OTHER INPATIENT TX
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1389-1390

WL6_C_4**#DAYS SERVICES RECEIVD/TREAT/LOCATION #4**

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 4th mention from WL6_A)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	99	99 OR MORE
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1391-1392

WL6_D_4**WHO REFERRD YOU TO TREATMNT/LOCATION #4**

Who referred you to (TREATMENT LOCATION - 4th mention from WL6_A)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1393-1394

WL6_E_4	HOW HELPFUL THESE SERVICES A/LOCATION #4
----------------	---

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	96.0	1,190	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1395-1396

WL7	RECEIVED SERVICES FOR DRUG ABUSE
------------	---

During the past 3 months, have you received services for drug abuse at some other program (do not include services from AA, NA, or CA, or other 12-step group)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	27	1	YES
97.8	96.7	1,199	2	NO
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1397-1398

WL7_A_A**SERVICES:PRIVATE PHYSICIAN/PSYCHI/PSYCH**

During these 3 months, where have you received these services?

Private physician, psychiatrist, or psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1399-1400

WL7_A_B**SERVICES:28-DAY/OTHER SHORT TERM TRTMNT**

During these 3 months, where have you received these services?

28-day or other short-term inpatient treatment unit.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1401-1402

WL7_A_C SERVICES:THERAPEUTIC COMMUNITY

During these 3 months, where have you received these services?

Therepeutic community or other long-term residential treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.1	39	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1403-1404

WL7_A_D SERVICES:HALFWAY HOUSE

During these 3 months, where have you received these services?

Halfway house.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	4	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1405-1406

WL7_A_E**SERVICES:METHADONE TREAT PROG**

During these 3 months, where have you received these services?

Methadone or other maintenance treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1407-1408

WL7_A_F**SERVICES:NON-METHADONE**

During these 3 months, where have you received these services?

Intensive outpatient drug treatment program (non-methadone).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1409-1410

WL7_A_G SERVICES:DETOXIFICATION TREATMENT UNIT

During these 3 months, where have you received these services?

Other drg detoxification treatment unit (methadone or other).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1411-1412

WL7_A_H SERVICES:OTHER OUTPATIENT DRUG TREATMNT

During these 3 months, where have you received these services?

Other outpatient drug treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	15	8	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	2.1	26	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1413-1414

WL7_A_I**SERVICES:OTHER INPATIENT DRUG TREATMENT**

During these 3 months, where have you received these services?

Other inpatient drug treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1415-1416

WL7_B_1**FIRST TREATMENT LOCATION**

During these 3 months, where have you received these services?
(1st mention from L7A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.1	1	1	PRIV PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TX
8.0	0.2	2	3	THERAPEUTIC COMMUNITY
12.0	0.2	3	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	INTENSIVE OUTPT (NON-METHADONE)
4.0	0.1	1	7	DETOXIFICATION TX UNIT
60.0	1.2	15	8	OTHER OUTPATIENT DRUG TX
12.0	0.2	3	9	OTHER INPATIENT DRUG TX
	96.7	1,199	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1417-1418

WL7_C_1	#DAYS SERVICES RECEIVED/TREAT/LOCATION #1
----------------	--

During these 3 months, how many days have you received services at (TREATMENT LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	0.3	4	1	
8.0	0.2	2	2	
4.0	0.1	1	3	
8.0	0.2	2	4	
8.0	0.2	2	5	
4.0	0.1	1	6	
4.0	0.1	1	8	
4.0	0.1	1	9	
4.0	0.1	1	10	
8.0	0.2	2	12	
4.0	0.1	1	13	
4.0	0.1	1	14	
8.0	0.2	2	24	
4.0	0.1	1	26	
8.0	0.2	2	30	
4.0	0.1	1	48	
0.0	0.0	0	99	99 OR MORE
	96.7	1,199	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1419-1421

WL7_D_1	WHO REFERRD YOU TO TREATMENT/LOCATION #1
----------------	---

Who referred you to (TREATMENT LOCATION - 1st mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	0.9	11	1	PROG
19.2	0.4	5	2	OUTSIDE SOURCE
38.5	0.8	10	3	SELF
	96.7	1,199	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1422-1423

WL7_E_1**HOW HELPFUL THESE SERVICES A/LOCATION #1**

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.1	1	0	NOT AT ALL
24.0	0.5	6	1	SOMEWHAT
72.0	1.5	18	2	VERY HELPFUL
	96.7	1,199	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1424-1425

WL7_B_2**SECOND TREATMENT LOCATION**

During these 3 months, where have you received these services?
(2nd mention from L7A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIV PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	INTENSIVE OUTPT (NON-METHADONE)
0.0	0.0	0	7	DETOXIFICATION TX UNIT
100.0	0.1	1	8	OTHER OUTPATIENT DRUG TX
0.0	0.0	0	9	OTHER INPATIENT DRUG TX
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1426-1427

WL7_C_2	#DAYS SERVICES RECEIVED/TREAT/LOCATION #2
----------------	--

During these 3 months, how many days have you received services at (TREATMENT LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	30	
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1428-1430

WL7_D_2	WHO REFERRD YOU TO TREATMENT/LOCATION #2
----------------	---

Who referred you to (TREATMENT LOCATION - 2nd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
0.0	0.0	0	2	OUTSIDE SOURCE
100.0	0.1	1	3	SELF
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1431-1432

WL7_E_2**HOW HELPFUL THESE SERVICES A/LOCATION #2**

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	1	2	VERY HELPFUL
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1433-1434

WL7_B_3**THIRD TREATMENT LOCATION**

During these 3 months, where have you received these services?
(3rd mention from L7A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIV PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	INTENSIVE OUTPT (NON-METHADONE)
0.0	0.0	0	7	DETOXIFICATION TX UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TX
0.0	0.0	0	9	OTHER INPATIENT DRUG TX
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1435-1436

WL7_C_3	#DAYS SERVICES RECEIVED/TREAT/LOCATION #3
----------------	--

During these 3 months, how many days have you received services at (TREATMENT LOCATION - 3rd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1437-1438

WL7_D_3	WHO REFERRD YOU TO TREATMENT/LOCATION #3
----------------	---

Who referred you to (TREATMENT LOCATION - 2nd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1439-1440

WL7_E_3

HOW HELPFUL THESE SERVICES A/LOCATION #3

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1441-1442

WL7_B_4

FOURTH TREATMENT LOCATION

During these 3 months, where have you received these services?
(4th mention from L7A)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIV PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TX
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TX UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TX
0.0	0.0	0	9	OTHER INPATIENT DRUG TX
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1443-1444

WL7_C_4	#DAYS SERVICES RECEIVED/TREAT/LOCATION #4
----------------	--

During these 3 months, how many days have you received services at (TREATMENT LOCATION - 4th mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1445-1446

WL7_D_4	WHO REFERRD YOU TO TREATMENT/LOCATION #4
----------------	---

Who referred you to (TREATMENT LOCATION - 4th mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1447-1448

WL7_E_4

HOW HELPFUL THESE SERVICES A/LOCATION #4

How helpful were these services? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1449-1450

WL8_0

INDIVIDUAL SERVICES/NO ONE

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

No one.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.6	107	0	CIRCLED
	91.0	1,129	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1451-1452

WL8_1

INDIV SERVICES/PRIMARY/REG COUNSELOR

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	88.3	1,095	1	CIRCLED
	8.4	104	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1453-1454

WL8_2

INDIVIDUAL SERVICES/CASE MANAGER

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	24	2	CIRCLED
	8.6	107	-9	LEGITIMATE SKIP
	89.4	1,108	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1455-1456

WL8_11

INDIVIDUAL SERVICES/OTHER COUNSELOR

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.6	69	11	CIRCLED
	8.6	107	-9	LEGITIMATE SKIP
	85.7	1,063	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1457-1459

WL8_12

INDIV SERVICES/OTHER CASE MANAGER

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	12	CIRCLED
	8.6	107	-9	LEGITIMATE SKIP
	91.0	1,129	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1460-1462

WL8_13

INDIVIDUAL SERVICES/SOCIAL WORKER

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	13	CIRCLED
	8.6	107	-9	LEGITIMATE SKIP
	91.0	1,128	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1463-1465

WL8_21

INDIVIDUAL SERVICES/PSYCHOLOGIST

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	21	CIRCLED
	8.6	107	-9	LEGITIMATE SKIP
	90.8	1,126	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1466-1468

WL8_22

INDIVIDUAL SERVICES/PSYCHIATRIST

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	8.6	107	-9	LEGITIMATE SKIP
	91.1	1,130	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1469-1471

WL8_71

INDIV SERVICES/STAFF FR OTHER AGENCY

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Staff from another agency who provide services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	71	CIRCLED
	8.6	107	-9	LEGITIMATE SKIP
	91.1	1,130	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1472-1474

WL8_91 **INDIVIDUAL SERVICES/OTHER**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	14	91	CIRCLED
	8.6	107	-9	LEGITIMATE SKIP
	90.2	1,118	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1475-1477

WL8_A_1 **TALKED TO MOST OFTEN/PROVIDER #1**

Which 2 do you talk to or see most often? 1st mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	0	NO ONE
97.3	85.6	1,061	1	PRIMARY/REG COUNSELOR
2.0	1.8	22	2	CASE MANAGER
0.1	0.1	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.3	0.2	3	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.2	0.2	2	91	OTHER
	8.2	102	-9	LEGITIMATE SKIP
	3.5	44	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1478-1480

WL8_A_2

TALKED TO MOST OFTEN/PROVIDER #2

Which 2 do you talk to or see most often? 2nd mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.2	2	0	NO ONE
6.4	0.6	7	1	PRIMARY/REG COUNSELOR
6.4	0.6	7	2	CASE MANAGER
61.8	5.5	68	11	OTHER COUNSELOR
2.7	0.2	3	12	OTHER CASE MANAGER
1.8	0.2	2	13	SOCIAL WORKER
4.5	0.4	5	21	PSYCHOLOGIST
2.7	0.2	3	22	PSYCHIATRIST
0.9	0.1	1	71	STAFF FROM ANOTHER AGENCY
10.9	1.0	12	91	OTHER
	8.6	107	-9	LEGITIMATE SKIP
	82.3	1,021	-8	BLANK
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1481-1483

WL9

#TIMES/GOT INDIVIDUAL SERVICES(PRO #1)

During the past 3 months, how many times have you received scheduled individual services from your (PROVIDER #1 FROM L8a)?

1,240 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1484-1486

WL9_A	#MINUTES/INDIVIDUAL SESSION LAST(PRO #1)
-------	--

How long did (this session last/your individual sessions usually last) with your (PROVIDER #1 FROM L8a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	11	0	
0.1	0.1	1	2	
0.3	0.2	3	4	
1.2	1.0	13	5	
2.9	2.7	33	10	
0.1	0.1	1	12	
5.2	4.7	58	15	
5.4	4.9	61	20	
0.4	0.4	5	25	
17.1	15.6	193	30	
1.7	1.5	19	40	
9.2	8.4	104	45	
0.4	0.4	5	50	
49.9	45.3	562	60	
0.1	0.1	1	70	
0.2	0.2	2	75	
2.7	2.4	30	90	
1.7	1.5	19	120	
0.1	0.1	1	150	
0.1	0.1	1	151	
0.1	0.1	1	180	
0.1	0.1	1	302	
0.1	0.1	1	360	
	8.1	101	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
	0.1	1	-4	DON'T KNOW
	0.3	4	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1487-1490

WL10**CASELOAD ASSIGN TO THE PERSON (PRO #1)**

Is your (PROVIDER #1 FROM L8a) the person whose caseload you are assigned to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.0	89.0	1,104	1	YES
2.0	1.9	23	2	NO
	8.1	101	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1491-1492

WL11**HOW YOU FEEL/PRO #1 UNDERSTANDS YOU**

Overall, how well do you feel your (PROVIDER #1 FROM L8a) understands you? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.0	50	0	NOT AT ALL
29.4	26.6	330	1	SOMEWHAT
66.2	60.0	744	2	A LOT
	8.1	100	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.2	2	-4	DON'T KNOW
	0.4	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1493-1494

WL12 **YOUR RELATIONSHIP W/ PROVIDER #1**

Overall, how would you rate your relationship with your (PROVIDER #1 FROM L8a)? Is it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.0	37	1	POOR
17.9	16.2	201	2	FAIR
48.3	43.9	544	3	GOOD
30.6	27.7	344	4	EXCELLENT
	8.1	100	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.4	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1495-1496

WL13_A **HOW OFTEN TALK/USE OF ALCOHOL/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	34.5	428	0	NEVER
32.6	29.4	365	1	SOME SESSIONS
11.5	10.4	129	2	MOST SESSIONS
17.8	16.0	199	3	EVERY SESSION
	8.1	101	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1497-1498

WL13_B**HOW OFTEN TALK/DRUG/CAUSE PROB/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your use of (other) drugs and the problems the may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.2	89	0	NEVER
29.6	26.9	333	1	SOME SESSIONS
24.9	22.6	280	2	MOST SESSIONS
37.6	34.1	423	3	EVERY SESSION
	8.1	101	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
	0.6	7	-3	NOT APPLICABLE

100.0 100.0 1,240 cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1499-1500

WL13_C**HOW OFTEN TALK/EMOTIONAL HEALTH/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	10.7	133	0	NEVER
30.2	27.3	339	1	SOME SESSIONS
24.6	22.3	276	2	MOST SESSIONS
33.5	30.3	376	3	EVERY SESSION
	8.1	101	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
	0.6	7	-3	NOT APPLICABLE

100.0 100.0 1,240 cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1501-1502

WL13_D

HOW OFTEN TALK/RELATION W/FAMILY/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	9.4	116	0	NEVER
32.7	29.7	368	1	SOME SESSIONS
24.1	21.9	271	2	MOST SESSIONS
32.9	29.8	370	3	EVERY SESSION
	8.1	101	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.6	7	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1503-1504

WL13_E

HOW OFTEN TALK/YOUR PHYS HEALTH/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	28.1	348	0	NEVER
38.7	34.9	433	1	SOME SESSIONS
13.2	11.9	148	2	MOST SESSIONS
17.0	15.3	190	3	EVERY SESSION
	8.1	101	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
	0.6	7	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1505-1506

WL13_F

HOW OFTEN TALK/YOUR EDUC/TRAINING/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	34.1	423	0	NEVER
41.1	37.3	462	1	SOME SESSIONS
13.4	12.2	151	2	MOST SESSIONS
7.9	7.2	89	3	EVERY SESSION
	8.1	101	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.6	7	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1507-1508

WL13_G

HOW OFTEN TALK/INVOLVE W/COURT/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	53.9	668	0	NEVER
30.4	27.5	341	1	SOME SESSIONS
5.3	4.8	59	2	MOST SESSIONS
4.7	4.3	53	3	EVERY SESSION
	8.1	101	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.6	7	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1509-1510

WL13_H	HOW OFTEN TALK/YOUR JOB/PRO #1
---------------	---------------------------------------

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	34.4	426	0	NEVER
39.0	35.3	438	1	SOME SESSIONS
13.3	12.0	149	2	MOST SESSIONS
9.8	8.9	110	3	EVERY SESSION
	8.1	101	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
	0.6	7	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1511-1512

WL13_I	HOW OFTEN TALK/LIVING EXPENSES/PRO #1
---------------	--

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	44.8	556	0	NEVER
35.4	32.0	397	1	SOME SESSIONS
9.1	8.2	102	2	MOST SESSIONS
6.0	5.4	67	3	EVERY SESSION
	8.1	101	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
	0.6	7	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1513-1514

WL13_J

HOW OFTEN TALK/REDUCE RISK/AIDS/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	53.6	665	0	NEVER
28.5	25.9	321	1	SOME SESSIONS
7.9	7.2	89	2	MOST SESSIONS
4.4	4.0	50	3	EVERY SESSION
	8.1	101	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.6	7	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1515-1516

WL13_K

TALK/OTHER IMPORTANT ISSUES/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	7.7	96	1	YES
91.4	81.8	1,014	2	NO
	8.1	101	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
	0.5	6	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1517-1518

WL13_K_1 HOW OFTEN TALK/SPECIFY 1ST ISSUE/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about first mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.2	2	0	NEVER
29.7	2.4	30	1	SOME SESSIONS
32.7	2.7	33	2	MOST SESSIONS
35.6	2.9	36	3	EVERY SESSION
	89.6	1,111	-9	LEGITIMATE SKIP
	2.2	27	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1519-1520

WL13_K_2 HOW OFTEN TALK/SPECIFY 2ND ISSUE/PRO #1

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about second mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
34.6	0.7	9	1	SOME SESSIONS
26.9	0.6	7	2	MOST SESSIONS
38.5	0.8	10	3	EVERY SESSION
	89.8	1,113	-9	LEGITIMATE SKIP
	8.1	100	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1521-1522

WL13_K_3**HOW OFTEN TALK/SPECIFY 3RD ISSUE/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about third mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
22.2	0.2	2	1	SOME SESSIONS
33.3	0.2	3	2	MOST SESSIONS
44.4	0.3	4	3	EVERY SESSION
	89.9	1,115	-9	LEGITIMATE SKIP
	9.3	115	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1523-1524

WL13_K_4**HOW OFTEN TALK/SPECIFY 4TH ISSUE/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about fourth mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
16.7	0.1	1	1	SOME SESSIONS
33.3	0.2	2	2	MOST SESSIONS
50.0	0.2	3	3	EVERY SESSION
	89.8	1,114	-9	LEGITIMATE SKIP
	9.6	119	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1525-1526

WL14_A SESSIONS HELPED/STOP USE OF DRUG/PRO #1

How much have your sessions with your (PROVIDER #1 FROM L8a) helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	10.2	127	0	NOT AT ALL
31.2	27.8	345	1	SOMEWHAT
57.4	51.2	635	2	VERY MUCH
	8.1	101	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
	0.1	1	-4	DON'T KNOW
	1.6	20	-3	NOT APPLICABLE

100.0 100.0 1,240 cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1527-1528

WL14_B SESSIONS HELPED/OTHER PROBLEM/PRO #1

How much have your sessions with your (PROVIDER #1 FROM L8a) helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	10.3	128	0	NOT AT ALL
38.6	34.9	433	1	SOMEWHAT
50.0	45.2	560	2	VERY MUCH
	8.1	101	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
	0.1	1	-4	DON'T KNOW
	0.6	7	-3	NOT APPLICABLE

100.0 100.0 1,240 cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1529-1530

WL15_M**MONTH/LAST SAW/PRO #1/INDIVIDUAL SERVICE**

When did you last see your (PROVIDER #1 FROM L8a) for individual services? Month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	29.2	362	1	JAN.-MARCH
33.2	30.0	372	2	APR.-JUNE
18.3	16.5	205	3	JULY-SEPT.
16.1	14.5	180	4	OCT.-DEC.
	8.2	102	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.4	5	-5	BAD DATA
	0.4	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1531-1533

WL15_Y**YEAR/LAST SAW/PRO #1/INDIVIDUAL SERVICE**

When did you last see your (PROVIDER #1 FROM L8a) for individual services? Year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	63	
0.1	0.1	1	73	
0.1	0.1	1	82	
16.5	14.8	184	92	
83.2	74.8	928	93	
	8.2	102	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
	0.6	8	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1534-1536

WL16 **#TIMES/GOT INDIVIDUAL SERVICES(PRO #2)**

These next questions are about the times you and your (PROVIDER #2 FROM L8a) have met for scheduled individual sessions. During the past 3 months, how many times have you had scheduled individual sessions with your (PROVIDER #2 FROM L8a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.2	2	0	
15.7	1.3	16	1	
8.8	0.7	9	2	
22.5	1.9	23	3	
14.7	1.2	15	4	
3.9	0.3	4	5	
4.9	0.4	5	6	
2.9	0.2	3	7	
2.0	0.2	2	8	
5.9	0.5	6	10	
7.8	0.6	8	12	
1.0	0.1	1	13	
1.0	0.1	1	16	
1.0	0.1	1	18	
2.0	0.2	2	20	
2.9	0.2	3	30	
1.0	0.1	1	45	
0.0	0.0	0	99	99 OR MORE
	87.3	1,082	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1537-1539

WL16_A

#MINUTES/INDIVIDUAL SESSION LAST(PRO #2)

How long did (this session last/your individual sessions usually last) with your (PROVIDER #2 FROM L8a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	1	0	
2.0	0.2	2	10	
10.8	0.9	11	15	
11.8	1.0	12	20	
21.6	1.8	22	30	
1.0	0.1	1	40	
10.8	0.9	11	45	
1.0	0.1	1	50	
32.4	2.7	33	60	
1.0	0.1	1	62	
4.9	0.4	5	90	
1.0	0.1	1	100	
1.0	0.1	1	120	
	87.3	1,082	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1540-1543

WL17

CASELOAD ASSIGN TO THE PERSON (PRO #2)

Is your (PROVIDER #2 FROM L8a) the person whose caseload you are assigned to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	2.8	35	1	YES
65.7	5.4	67	2	NO
	87.3	1,082	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1544-1545

WL18 DO YOU FEEL/PRO #2 UNDERSTANDS YOU

Overall, how well do you feel your (PROVIDER #2 FROM L8a) understands you? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.5	6	0	NOT AT ALL
34.3	2.8	35	1	SOMEWHAT
59.8	4.9	61	2	A LOT
	87.3	1,082	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1546-1547

WL19 RELATIONSHIP W/ PROVIDER #2

Overall, how would you rate your relationship with your (PROVIDER #2 FROM L8a)? Is it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.2	3	1	POOR
22.0	1.8	22	2	FAIR
45.0	3.6	45	3	GOOD
30.0	2.4	30	4	EXCELLENT
	87.3	1,082	-9	LEGITIMATE SKIP
	4.4	54	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1548-1549

WL20_A**HOW OFTEN TALK/USE OF ALCOHOL/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	3.6	45	0	NEVER
35.6	2.9	36	1	SOME SESSIONS
10.9	0.9	11	2	MOST SESSIONS
8.9	0.7	9	3	EVERY SESSION
	87.3	1,082	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1550-1551

WL20_B**HOW OFTEN TALK/DRUG/CAUSE PROB/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	2.0	25	0	NEVER
40.2	3.3	41	1	SOME SESSIONS
17.6	1.5	18	2	MOST SESSIONS
17.6	1.5	18	3	EVERY SESSION
	87.3	1,082	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1552-1553

WL20_C

HOW OFTEN TALK/EMOTIONAL HEALTH/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	1.4	17	0	NEVER
28.7	2.3	29	1	SOME SESSIONS
23.8	1.9	24	2	MOST SESSIONS
30.7	2.5	31	3	EVERY SESSION
	87.3	1,082	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1554-1555

WL20_D

HOW OFTEN TALK/RELATION W/FAMILY/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	2.0	25	0	NEVER
28.0	2.3	28	1	SOME SESSIONS
21.0	1.7	21	2	MOST SESSIONS
26.0	2.1	26	3	EVERY SESSION
	87.3	1,082	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1556-1557

WL20_E**HOW OFTEN TALK/YOUR PHYS HEALTH/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.0	3.8	47	0	NEVER
28.0	2.3	28	1	SOME SESSIONS
14.0	1.1	14	2	MOST SESSIONS
11.0	0.9	11	3	EVERY SESSION
	87.3	1,082	-9	LEGITIMATE SKIP
	4.4	54	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1558-1559

WL20_F**HOW OFTEN TALK/YOUR EDUC/TRAINING/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	3.5	43	0	NEVER
35.4	2.8	35	1	SOME SESSIONS
13.1	1.0	13	2	MOST SESSIONS
8.1	0.6	8	3	EVERY SESSION
	87.3	1,082	-9	LEGITIMATE SKIP
	4.4	54	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1560-1561

WL20_G

HOW OFTEN TALK/INVOLVE W/COURT/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	4.2	52	0	NEVER
32.7	2.6	32	1	SOME SESSIONS
8.2	0.6	8	2	MOST SESSIONS
6.1	0.5	6	3	EVERY SESSION
	87.3	1,082	-9	LEGITIMATE SKIP
	4.5	56	-8	BLANK
	0.3	4	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1562-1563

WL20_H

HOW OFTEN TALK/YOUR JOB/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	3.3	41	0	NEVER
31.0	2.5	31	1	SOME SESSIONS
16.0	1.3	16	2	MOST SESSIONS
12.0	1.0	12	3	EVERY SESSION
	87.3	1,082	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.3	4	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1564-1565

WL20_I**HOW OFTEN TALK/LIVING EXPENSES/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	3.7	46	0	NEVER
28.7	2.3	29	1	SOME SESSIONS
15.8	1.3	16	2	MOST SESSIONS
9.9	0.8	10	3	EVERY SESSION
	87.3	1,082	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1566-1567

WL20_J**HOW OFTEN TALK/REDUCE RISK/AIDS/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	5.6	70	0	NEVER
16.8	1.4	17	1	SOME SESSIONS
9.9	0.8	10	2	MOST SESSIONS
4.0	0.3	4	3	EVERY SESSION
	87.3	1,082	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1568-1569

WL20_K TALK/OTHER IMPORTANT ISSUES/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	1.3	16	1	YES
84.0	6.8	84	2	NO
	87.3	1,082	-9	LEGITIMATE SKIP
	4.4	54	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1570-1571

WL20_K_1 HOW OFTEN TALK/SPECIFY 1ST ISSUE/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
31.2	0.4	5	1	SOME SESSIONS
25.0	0.3	4	2	MOST SESSIONS
43.8	0.6	7	3	EVERY SESSION
	94.0	1,166	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1572-1573

WL20_K_2**HOW OFTEN TALK/SPECIFY 2ND ISSUE/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
20.0	0.1	1	1	SOME SESSIONS
20.0	0.1	1	2	MOST SESSIONS
60.0	0.2	3	3	EVERY SESSION
	94.1	1,167	-9	LEGITIMATE SKIP
	5.4	67	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1574-1575

WL20_K_3**HOW OFTEN TALK/SPECIFY 3RD ISSUE/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
100.0	0.2	2	3	EVERY SESSION
	94.1	1,167	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1576-1577

WL20_K_4 HOW OFTEN TALK/SPECIFY 4TH ISSUE/PRO #2

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	94.1	1,167	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1578-1579

WL21_A SESSIONS HELPED/STOP USE OF DRUG/PRO #2

How much have your sessions with your (PROVIDER #2 FROM L8a) helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.7	1.1	14	0	NOT AT ALL
43.1	3.5	44	1	SOMEWHAT
43.1	3.5	44	2	VERY MUCH
	87.3	1,082	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1580-1581

WL21_B

SESSIONS HELPED/OTHER PROBLEM/PRO #2

How much have your sessions with your (PROVIDER #2 FROM L8a) helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	0.8	10	0	NOT AT ALL
47.5	3.9	48	1	SOMEWHAT
42.6	3.5	43	2	VERY MUCH
	87.3	1,082	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1582-1583

WL22_M

MONTH/LAST SAW PRO #2/INDIVIDUAL SERVICE

When did you last see your (PROVIDER #2 FROM L8a) for individual services? Months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	4.0	50	1	JAN.-MARCH
31.7	2.6	32	2	APR.-JUNE
8.9	0.7	9	3	JULY-SEPT.
9.9	0.8	10	4	OCT.-DEC.
	87.3	1,082	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
	0.1	1	-4	DON'T KNOW
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1584-1586

WL22_Y	YEAR/LAST SAW PRO #2/INDIVIDUAL SERVICE
---------------	--

When did you last see your (PROVIDER #2 FROM L8a) for individual services? Years?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	0.9	11	92	
89.1	7.3	90	93	
	87.3	1,082	-9	LEGITIMATE SKIP
	4.4	55	-8	BLANK
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1587-1589

WL23	PERSON YOU SAW MOST/PRO #1/INDIV SERVICE
-------------	---

Now, please think about the one person at this program you have seen the most often for individual services during the past 3 months. During the past 3 months, is your (PROVIDER program for individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	87.9	1,090	1	YES
2.9	2.6	32	2	NO
	8.1	100	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
	0.4	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1590-1591

WL24**PERSON YOU SAW MOST/PRO #2/INDIV SERVICE**

During the past 3 months, is your (PROVIDER #2 FROM L8a) the person you have seen most often at this program for individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	1.9	24	1	YES
14.3	0.3	4	2	NO
	95.6	1,186	-9	LEGITIMATE SKIP
	1.8	22	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1592-1593

WL25**SAW MOST OFTEN AT PROG/FOR INDIV COUNSEL**

During the past 3 months, who have you seen or talked with most often at this program for individual counseling, treatment, or other individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.7	9	1	PRIMARY/REGULAR COUNSELOR
5.6	0.1	1	2	CASE MANAGER
27.8	0.4	5	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
16.7	0.2	3	23	NURSE
0.0	0.0	0	71	STAFF FROM OTHER AGENCY
0.0	0.0	0	91	OTHER
	97.2	1,205	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1594-1596

WL26_M MONTH/LAST SAW PRO L25/INDIV SERVICE

When did you last see your (PROVIDER FROM L25) for individual services? Months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	5	1	JAN.-MARCH
46.7	0.6	7	2	APR.-JUNE
13.3	0.2	2	3	JULY-SEPT.
6.7	0.1	1	4	OCT.-DEC.
	97.4	1,208	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
	0.1	1	-5	BAD DATA
	0.3	4	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1597-1599

WL26_Y YEAR/LAST SAW PRO L25/INDIV SERVICE

When did you last see your (PROVIDER FROM L25) for individual services? Years?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.1	1	92	
93.3	1.1	14	93	
	97.4	1,208	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
	0.1	1	-5	BAD DATA
	0.1	1	-3	NOT APPLICABLE

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1600-1602

WL27**SAW/LIST OF TREATMENT PLAN/ONE WROTE**

Now, I need to ask about a list of treatment goals or a plan that someone may have written for you. This list is sometimes called a treatment plan. Have you seen a list of treatment goals or a plan that someone has written for you personally?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	66.7	827	1	YES
32.6	32.5	403	2	NO
0.4	0.4	5	3	DON'T KNOW
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1603-1604

WL28**DO YOU KNOW WHO PREPARED TREATMENT PLAN**

Do you know who prepared this treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	65.6	814	1	YES
1.3	0.9	11	2	NO
	32.7	406	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1605-1606

WL28A_00 PREPARED PLAN/SELF

Who prepared it? Self?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.3	264	0	CIRCLED
	33.5	416	-9	LEGITIMATE SKIP
	45.2	560	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1607-1608

WL28A_01 PREPARED PLAN/REGULAR COUNSELOR

Who prepared it? Primary / regular counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	54.8	679	1	CIRCLED
	33.6	417	-9	LEGITIMATE SKIP
	11.6	144	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1609-1610

WL28A_02 PREPARED PLAN/CASE MANAGER

Who prepared it? Case manager?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	2	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	65.6	813	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1611-1612

WL28A_11	PREPARED PLAN/OTHER COUNSELOR
-----------------	--------------------------------------

Who prepared it? Other counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	44	11	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	62.7	777	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1613-1615

WL28A_12	PREPARED PLAN/OTHER CASE MANAGER
-----------------	---

Who prepared it? Other case manager?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	66.2	821	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1616-1617

WL28A_13	PREPARED PLAN/SOCIAL WORKER
-----------------	------------------------------------

Who prepared it? Social worker?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	13	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	66.0	818	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1618-1620

WL28A_21 **PREPARED PLAN/PSYCHOLOGIST**

Who prepared it? Psychologist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	21	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	66.0	818	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1621-1623

WL28A_22 **PREPARED PLAN/PSYCHIATRIST**

Who prepared it? Psychiatrist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	66.2	821	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1624-1625

WL28A_23 **PREPARED PLAN/NURSE**

Who prepared it? Nurse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	23	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	65.6	814	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1626-1628

WL28A_24	PREPARED PLAN/VOCATIONAL COUNSELOR
-----------------	---

Who prepared it? Vocational counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	24	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	66.2	821	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1629-1630

WL28A_25	PREPARED PLAN/PHYSICIAN
-----------------	--------------------------------

Who prepared it? Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	25	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	66.1	820	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1631-1633

WL28A_26	PREPARED PLAN/PHYSICIAN'S ASSISTANT
-----------------	--

Who prepared it? Physician's assistant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	66.2	821	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1634-1635

WL28A_71 PREPARED PLAN/STAFF FR OTHER AGENCY

Who prepared it? Staff from another agency you visited the program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	71	CIRCLED
	33.8	419	-9	LEGITIMATE SKIP
	66.1	820	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1636-1638

WL28A_91 PREPARED PLAN/OTHER

Who prepared it? Other?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	13	91	CIRCLED
	33.7	418	-9	LEGITIMATE SKIP
	65.2	809	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1639-1641

WL28B**PERSON MOST RESPONSIBLE WHO PREPARED PLAN**

Who was the person most responsible for preparing the plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	5.1	63	0	SELF
62.5	9.7	120	1	PRIMARY/REGULAR COUNSELOR
0.5	0.1	1	2	CASE MANAGER
2.6	0.4	5	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	24	VOCATIONAL COUNSELOR
0.5	0.1	1	25	PHYSICIAN
0.0	0.0	0	26	PHYSICIANS ASSISTANT
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
1.0	0.2	2	91	OTHER
	33.7	418	-9	LEGITIMATE SKIP
	50.8	630	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1642-1644

WL29**MET W/ANYONE TO TALK/YOUR TREAT PLAN**

Have you met with anyone to talk about your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	61.0	757	1	YES
8.2	5.5	68	2	NO
	32.7	406	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1645-1646

WL29_A DO YOU KNOW GOALS IN TREATMENT PLAN

Do you know what the goals in your treatment plan are?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.9	60.4	749	1	YES
1.1	0.6	8	2	NO
	38.2	474	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1647-1648

WL29_B_A GOAL PLANL/YOUR USE OF ALCOHOL

Does your plan include any goals for your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	38.7	480	1	YES
36.0	21.8	270	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1649-1650

WL29_B_B GOAL PLAN/DRUG/CAUSED PROBLEM

Does your plan include any goals for your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	57.0	707	1	YES
5.9	3.5	44	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1651-1652

WL29_B_C**GOAL PLAN/EMOTIONAL HEALTH**

Does your plan include any goals for your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	47.0	583	1	YES
22.3	13.5	167	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1653-1654

WL29_B_D**GOAL PLAN/RELATIONSHIP W/FAMILY**

Does your plan include any goals for your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	49.9	619	1	YES
17.7	10.7	133	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1655-1656

WL29_B_E	GOAL PLAN/YOUR PHYSICAL HEALTH
-----------------	---------------------------------------

Does your plan include any goals for your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.7	36.1	448	1	YES
40.3	24.4	302	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1657-1658

WL29_B_F	GOAL PLAN/YOUR EDUCATION/TRAINING
-----------------	--

Does your plan include any goals for your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	31.4	389	1	YES
48.0	29.0	359	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1659-1660

WL29_B_G	GOAL PLAN/INVOLVEMENT W/COURT
-----------------	--------------------------------------

Does your plan include any goals for involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	20.3	252	1	YES
66.3	40.0	496	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1661-1662

WL29_B_H	GOAL PLAN/YOUR JOB
-----------------	---------------------------

Does your plan include any goals for your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	35.0	434	1	YES
42.1	25.5	316	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1663-1664

WL29_B_I	GOAL PLAN/LIVING EXPENSES
-----------------	----------------------------------

Does your plan include any goals for housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	27.1	336	1	YES
55.0	33.1	411	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1665-1666

WL29_B_J	GOAL PLAN/REDUCE RISK FOR GETTING AIDS
-----------------	---

Does your plan include any goals for reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	21.5	266	1	YES
64.4	38.8	481	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1667-1668

WL29_B_K	GOAL PLAN/OTHER IMPORTANT ISSUES
-----------------	---

Does your plan include any goals for any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	4.4	55	1	YES
92.5	55.1	683	2	NO
	38.9	482	-9	LEGITIMATE SKIP
	1.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1669-1670

WL29BK_1	OTHER IMPORTANT ISSUES-SPECIFY 1
-----------------	---

Does your plan include any goals for first mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	4.2	52	1	YES
8.8	0.4	5	2	NO
	93.7	1,162	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1671-1672

WL29BK_2 OTHER IMPORTANT ISSUES-SPECIFY 2

Does your plan include any goals for second mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	1	YES
0.0	0.0	0	2	NO
	93.9	1,164	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1673-1674

WL29BK_3 OTHER IMPORTANT ISSUES-SPECIFY 3

Does your plan include any goals for third mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	1	YES
0.0	0.0	0	2	NO
	93.9	1,164	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1675-1676

WL29BK_4	OTHER IMPORTANT ISSUES-SPECIFY 4
-----------------	---

Does your plan include any goals for fourth mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	YES
50.0	0.1	1	2	NO
	93.8	1,163	-9	LEGITIMATE SKIP
	6.0	75	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1677-1678

WL29_C	AGREE WITH GOALS IN TREATMENT PLAN
---------------	---

Do you agree with the goals in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	59.3	735	1	YES
2.1	1.3	16	2	NO
	38.5	478	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1679-1680

WL29_D

HOW MUCH/FELT IN DEVELOP YOUR TREAT PLAN

How much say-so do you feel you had in developing your treatment plan? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	4.5	56	0	NONE
21.1	12.9	160	1	A LITTLE
71.5	43.7	542	2	A LOT
	38.1	473	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1681-1682

WL29_E

HOW HELPFUL HAS THE PLAN BEEN

Has the plan been...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.2	15	0	NOT AT ALL
25.7	15.7	195	1	SOMEWHAT
72.3	44.2	548	2	VERY HELPFUL
	38.1	473	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1683-1684

WL30**ANY CHANGES IN TREATMENT PLAN**

In the past 3 months, have there been any changes in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	11.5	143	1	YES
82.7	55.2	684	2	NO
	32.7	406	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1685-1686

WL30_A**#TIMES PLAN HAS BEEN CHANGED**

During the past 3 months, how many times has it been changed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.0	7.5	93	1	
28.0	3.2	40	2	
4.9	0.6	7	3	
0.7	0.1	1	4	
0.7	0.1	1	5	
0.7	0.1	1	6	
	87.7	1,088	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1687-1688

WL30_B_M MONTH/PLAN MOST RECENTLY CHANGED

When was this plan most recently changed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	3.4	42	1	JAN.-MARCH
27.9	3.1	39	2	APR.-JUNE
17.9	2.0	25	3	JULY-SEPT.
24.3	2.7	34	4	OCT.-DEC.
	87.9	1,090	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1689-1691

WL30C_00 WHO CHANGED PLAN/SELF

Who changed it? Self?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	55	0	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	7.7	95	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1692-1693

WL30C_01 WHO CHANGED PLAN/REGULAR COUNSELOR

Who changed it? Primary / regular caseworker?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.4	116	1	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	2.7	34	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1694-1695

WL30C_02	WHO CHANGED PLAN/CASE MANAGER
-----------------	--------------------------------------

Who changed it? Case manager?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	11.9	148	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1696-1697

WL30C_11	WHO CHANGED PLAN/OTHER COUNSELOR
-----------------	---

Who changed it? Other counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	11	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	11.9	148	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1698-1700

WL30C_12	WHO CHANGED PLAN/OTHER CASE MANAGER
-----------------	--

Who changed it? Other case manager?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	12.1	150	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1701-1702

WL30C_13 **WHO CHANGED PLAN/SOCIAL WORKER**

Who changed it? Social worker?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	12.1	150	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1703-1704

WL30C_21 **WHO CHANGED PLAN/PSYCHOLOGIST**

Who changed it? Psychologist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	12.1	150	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1705-1706

WL30C_22 **WHO CHANGED PLAN/PSYCHIATRIST**

Who changed it? Psychiatrist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	22	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	12.0	149	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1707-1709

WL30C_23	WHO CHANGED PLAN/NURSE
-----------------	-------------------------------

Who changed it? Nurse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	12.1	150	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1710-1711

WL30C_24	WHO CHANGED PLAN/PHYSICIAN
-----------------	-----------------------------------

Who changed it? Physician?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	24	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	11.9	147	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1712-1714

WL30C_25	WHO CHANGED PLAN/PHYSICIAN'S ASSISTANT
-----------------	---

Who changed it? Physician's assistant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	12.1	150	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1715-1716

WL30C_26 **WHO CHANGED PLAN/DENTIST**

Who changed it? Dentist?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	12.1	150	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1717-1718

WL30C_27 **WHO CHANGED PLAN/VOCATIONAL COUNSELOR**

Who changed it? Vocational counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	12.1	150	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1719-1720

WL30C_71 **WHO CHANGED PLAN/STAFF FR OTHER AGENCY**

Who changed it? Staff from another agency who visited the program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	71	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	12.0	149	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1721-1723

WL30C_91

WHO CHANGED PLAN/OTHER

Who changed it? Other?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	91	CIRCLED
	87.9	1,090	-9	LEGITIMATE SKIP
	11.9	147	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1724-1726

WL30_D

HOW MUCH/YOU HAD IN CHANGING PLAN

How much say-so do you feel you had in changing your treatment plan? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	1.6	20	0	NONE
25.9	3.0	37	1	A LITTLE
60.1	6.9	86	2	A LOT
	87.8	1,089	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1727-1728

WL31 PLAN INCLUDE GOALS AFTER TREATMENT

Does your treatment plan include any goals or plans for you after you leave treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	44.0	545	1	YES
33.6	22.3	276	2	NO
	32.7	406	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
	0.2	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1729-1730

WL32 STAFF PERSON AGREE ON DRUG TREAT GOALS

Think again about the staff person you have been seeing most regularly over the past 3 months. How much do you and this person agree on the goals for your drug treatment? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	4.0	50	0	NOT AT ALL
25.6	25.0	310	1	SOMEWHAT
70.2	68.5	850	2	VERY MUCH
	1.1	14	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.5	6	-4	DON'T KNOW
	0.6	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1731-1732

WL33**EASY/DIFFICULT TO DO/STAFF EXPECTATION**

During the past 3 months, has it been difficult or easy for you to do what the staff in this program expect of you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	19.9	247	1	DIFFICULT
79.8	78.9	978	2	EASY
	1.1	14	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1733-1734

WL33_A**HAS BEEN VERY/SOMEWHAT DIFFICULT**

Has it been very difficult or somewhat difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	4.0	49	1	VERY DIFFICULT
80.8	16.6	206	2	SOMEWHAT DIFFICULT
	78.1	969	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1735-1736

WL33_B**HAS BEEN VERY/SOMEWHAT EASY**

Has it been very easy or somewhat easy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.2	39.3	487	1	VERY EASY
49.8	39.0	484	2	SOMEWHAT EASY
	20.5	254	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1737-1738

WL34

HAVE YOU FOLLOWED INSTRUCTION OF STAFF

During the past 3 months, would you say you have followed the instructions and suggestions of the staff here..?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.0	25	0	NOT AT ALL
29.2	28.7	356	1	SOMEWHAT
68.7	67.6	838	2	VERY CLOSELY
	1.6	20	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1739-1740

WL35

WHAT DRUG CAUSED MOST SERIOUS PROBLEMS

Now, I'd like to ask some questions about any personal goals that you may have regarding you use of drugs. Please include drugs taken without a doctor's prescription or not according to the prescription, as well as any illegal drugs. First, when you were admitted to this program, what drug caused you the most serious problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.7	58	0	NO PROB DRUG
5.9	5.9	73	10	ALCOHOL
2.9	2.9	36	20	MARIJUANA, HASHISH, THC
1.1	1.1	14	30	HALLUCINOGENS OR PSYCHEDELICS
23.3	23.1	286	40	COCAINE IN ANY FORM
14.8	14.7	182	41	CRACK
37.6	37.3	463	50	HEROIN
4.2	4.2	52	51	HEROIN AND COCAINE TOGETHER AT THE SAME
2.6	2.6	32	60	NARCOTICS OR OPIATES SUCH AS MORPHINE, C
0.0	0.0	0	61	STREET OR ILLEGAL METHADONE
0.7	0.7	9	70	DOWNERS OR DEPRESSANTS SUCH AS SEDATIVES
0.4	0.4	5	80	AMPHETAMINES OR OTHER STIMULANTS, SPEED,
1.5	1.5	18	81	METHAMPHETAMINES OR ICE
0.1	0.1	1	90	ANY OTHER DRUGS
0.1	0.1	1	91	INHALANTS, SUCH AS GLUE, GASOLINE, PAINT
	0.4	5	-8	BLANK
	0.4	5	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1741-1743

WL35_A

ANY PERSONAL TREATMENT GOALS/TYPE L35

Do you have any personal treatment goals or plan regarding the use of (DRUG TYPE FROM L35)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	81.5	1,011	1	YES
7.8	6.9	86	2	NO
	4.6	57	-9	LEGITIMATE SKIP
	6.9	85	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1744-1745

WL36

PERSONAL TREATMENT GOALS

Please tell me what your personal treatment goals or plans are. Would you say...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	80.5	998	1	ABSTAIN/NEVER USE AGAIN
1.6	1.3	16	2	REDUCE YOUR LEVEL OF USE
0.4	0.3	4	3	QUIT FOR A WHILE BUT USE LATER
0.0	0.0	0	4	CONTINUE TO USE/BEFORE ENTER PROG
0.3	0.2	3	5	IF VOL: OTHER
	11.5	142	-9	LEGITIMATE SKIP
	6.2	77	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1746-1747

WL37 HOW MUCH PROGRAM TREATMENT WILL HELP YOU

How much do you think your treatment in this program will help you do this? Do you think it will help...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.1	14	0	NOT AT ALL
9.2	7.5	93	1	A LITTLE
89.4	72.6	900	2	A LOT
	11.5	142	-9	LEGITIMATE SKIP
	7.2	89	-8	BLANK
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1748-1749

WL38 GOALS REGARDING DRUG USE/SAME/DIFFERENT

Are your goals or plans regarding the use of other drugs the same or are they different? Do not include goals that you may have regarding the use of alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	79.1	981	1	SAME
3.4	2.8	35	2	DIFFERENT
	11.5	142	-9	LEGITIMATE SKIP
	6.5	81	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1750-1751

WL39**TREATMENT GOALS/REGARDING ALCOHOL USE**

These next few questions are about goals that you might have regarding alcohol use. Do you have any treatment goals regarding alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	43.1	535	1	YES
56.7	56.5	700	2	NO
	0.3	4	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1752-1753

WL39_A**GOALS WRITTEN IN TREATMENT PLAN**

Are these goals written in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	33.1	411	1	YES
20.5	8.5	106	2	NO
	56.4	699	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
	1.5	18	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1754-1755

WL39_B

YOU/STAFF AGREE ON TREAT GOALS/ALC USE

How much do you and the staff in this program agree on your treatment goals regarding alcohol use? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	2.4	30	1	NOT AT ALL
10.4	4.4	55	2	SOMEWHAT
83.9	35.8	444	3	VERY MUCH
	56.4	699	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1756-1757

WL40

YOUR FUTURE PLAN ABOUT DRINKING

Which do you think is closest to your plan for the future? Do you plan to...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	34.4	427	1	NEVER DRINK
8.2	3.1	38	2	DRINK OCCASIONALLY
0.2	0.1	1	3	DRINK REGULARLY
	62.4	774	-9	LEGITIMATE SKIP
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1758-1759

WL41**PLAN TO CONTINUE TO DRINK ALCO IN FUTURE**

Do you plan to continue to drink alcohol in the future?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	2.3	28	1	YES
61.1	3.5	44	2	NO
	93.5	1,160	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1760-1761

WL41_A**YOUR FUTURE PLAN ABOUT DRINKING**

Which is closest to your plan for the future? Do you plan to...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.2	3	1	QUIT FOR A WHILE/START LATER
40.8	1.6	20	2	QUIT/EVEN THOUGH YOU SLIP FEW TIME
53.1	2.1	26	3	QUIT/NEVER DRINK ALC AGAIN
	95.6	1,185	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1762-1763

WL42 YOUR FUTURE PLAN FOR ALCOHOL USE

Which of the following best describes your plans for alcohol use? Would you say you plan to...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CONTINUE TO DRINK LIKE BEFORE
0.0	0.0	0	2	DRINK MORE ALC THAN BEFORE
82.1	1.9	23	3	CUT BACK ON DRINKING/>CONTROLLED
3.6	0.1	1	4	QUIT FOR A WHILE/START LATER
14.3	0.3	4	5	IF VOL: OTHER
	97.3	1,206	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1764-1765

WL43 HOW MUCH PROGRAM TREATMENT WILL HELP

How much do you think your treatment in this program will help you do this? Do you think it will help...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.4	5	0	NOT AT ALL
10.0	4.3	53	1	A LITTLE
89.1	38.1	473	2	A LOT
	56.2	697	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1766-1767

WL44_A**REASON/ABUSE DRUGS/DEPRESS/UNHAPPY**

People have different beliefs about drug abuse and drug dependence. I'd like to know how much you agree or disagree with each of the following statements about why people have problems with drugs. The reason people abuse drugs is that they are depressed and unhappy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.5	56	1	STRONGLY DISAGREE
5.0	5.0	62	2	SOMEWHAT DISAGREE
33.2	33.1	410	3	SOMEWHAT AGREE
57.2	56.9	706	4	STRONGLY AGREE
	0.4	5	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1768-1769

WL44_B**REASON/ABUSE DRUGS/FAMI PROB/GROWING UP**

People have different beliefs about drug abuse and drug dependence. I'd like to know how much you agree or disagree with each of the following statements about why people have problems with drugs. The reason people abuse drugs is that they had family problems at home while they were growing up.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	52	1	STRONGLY DISAGREE
5.2	5.2	64	2	SOMEWHAT DISAGREE
37.5	37.3	463	3	SOMEWHAT AGREE
53.1	52.8	655	4	STRONGLY AGREE
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1770-1771

WL45_A **AGREE/DISAGREE/CAUSED PROB THEMSELVES**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have caused their drug problems themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	40	1	STRONGLY DISAGREE
3.2	3.1	39	2	SOMEWHAT DISAGREE
19.8	19.7	244	3	SOMEWHAT AGREE
73.8	73.5	911	4	STRONGLY AGREE
	0.4	5	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1772-1773

WL45_B **AGREE/DISAGREE/USE IN CONTROLLED WAY**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they can learn how to use drugs in a controlled way.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	79.8	990	1	STRONGLY DISAGREE
9.7	9.7	120	2	SOMEWHAT DISAGREE
5.5	5.5	68	3	SOMEWHAT AGREE
4.6	4.6	57	4	STRONGLY AGREE
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1774-1775

WL45_C**AGREE/DISAGREE/MUST REMAIN DRUG-FREE**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they must remain completely drug-free except for prescribed medications.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	39	1	STRONGLY DISAGREE
4.3	4.3	53	2	SOMEWHAT DISAGREE
14.8	14.8	183	3	SOMEWHAT AGREE
77.7	77.4	960	4	STRONGLY AGREE
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1776-1777

WL45_D**AGREE/DISAGREE/FACE/CONFRONT DENIAL**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to face and confront their own denial of their drug problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	1	STRONGLY DISAGREE
0.6	0.6	7	2	SOMEWHAT DISAGREE
8.5	8.5	105	3	SOMEWHAT AGREE
90.8	90.4	1,121	4	STRONGLY AGREE
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1778-1779

WL45_E **AGREE/DISAGREE/TURN OVER TO GOD**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to turn themselves over to God or a higher power.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	63	1	STRONGLY DISAGREE
5.1	5.1	63	2	SOMEWHAT DISAGREE
21.2	21.0	261	3	SOMEWHAT AGREE
68.6	68.2	846	4	STRONGLY AGREE
	0.4	5	-8	BLANK
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1780-1781

WL45_F **AGREE/DISAGREE/GET HELP FROM AA/NA/CA**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they will need to get help for their drug problem from AA, NA, CA, or another 12-step program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	40	1	STRONGLY DISAGREE
6.2	6.1	76	2	SOMEWHAT DISAGREE
26.2	26.0	323	3	SOMEWHAT AGREE
64.4	64.0	793	4	STRONGLY AGREE
	0.6	7	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1782-1783

WL45_G**AGREE/DISAGREE/NEVER USE DRUGS AGAIN**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they can never use drugs again, not even just once.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	14	1	STRONGLY DISAGREE
4.1	4.1	51	2	SOMEWHAT DISAGREE
11.6	11.5	143	3	SOMEWHAT AGREE
83.1	82.5	1,023	4	STRONGLY AGREE
	0.6	8	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1784-1785

WL45_H**AGREE/DISAGREE/HELP FROM PROFESSIONAL**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they will need to get help for their drug problems from a professional who is trained to treat drug abuse problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	25	1	STRONGLY DISAGREE
4.1	4.0	50	2	SOMEWHAT DISAGREE
24.0	23.8	295	3	SOMEWHAT AGREE
69.9	69.4	861	4	STRONGLY AGREE
	0.6	8	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1786-1787

WL45_I

AGREE/DISAGREE/PAST CAUSED DRUG PROB

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they need to talk to a professional about how their past helped to cause their drug problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	28	1	STRONGLY DISAGREE
4.5	4.4	55	2	SOMEWHAT DISAGREE
23.5	23.4	290	3	SOMEWHAT AGREE
69.7	69.3	859	4	STRONGLY AGREE
	0.6	7	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1788-1789

WL45_J

AGREE/DISAGREE/NO CONTROL OVER DRUGS

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have no control over their drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.5	167	1	STRONGLY DISAGREE
8.9	8.9	110	2	SOMEWHAT DISAGREE
14.7	14.6	181	3	SOMEWHAT AGREE
62.8	62.3	773	4	STRONGLY AGREE
	0.6	8	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1790-1791

WL45_K**AGREE/DISAGREE/AVOID PEOPLE/ABUSE DRUG**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to avoid spending time with friends or other people who abuse drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	16	1	STRONGLY DISAGREE
2.5	2.5	31	2	SOMEWHAT DISAGREE
12.2	12.1	150	3	SOMEWHAT AGREE
84.0	83.5	1,035	4	STRONGLY AGREE
	0.6	7	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1792-1793

WL45_L**AGREE/DISAGREE/DRUG ABUSE IS A DISEASE**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that drug abuse is a disease.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	18	1	STRONGLY DISAGREE
1.5	1.5	19	2	SOMEWHAT DISAGREE
10.8	10.7	133	3	SOMEWHAT AGREE
86.2	85.6	1,061	4	STRONGLY AGREE
	0.6	7	-8	BLANK
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1794-1795

WL46

ATTENDED A REGULAR TREATMENT GROUP

Next, I'll ask about a group that is sometimes called a "regular treatment group" or simply "group." This kind of group meets often and deals with a variety of subjects related to addiction, such as drug or alcohol dependence, and other problems caused by addiction. (This is not your AA, NA, CA, or other 12-step group). During the past 3 months, have you attended a group like that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	59.0	732	1	YES
40.7	40.6	503	2	NO
	0.3	4	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1796-1797

WL47_01

WHO LED MEETINGS/PRIMARY/REG COUNSELOR

Who has usually led these meetings?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	28.1	349	1	CIRCLED
	40.3	500	-9	LEGITIMATE SKIP
	31.5	391	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1798-1799

WL47_02

WHO LED MEETINGS/CASE MANAGER

Who has usually led these meetings?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	2	CIRCLED
	40.6	503	-9	LEGITIMATE SKIP
	59.2	734	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1800-1801

WL47_11

WHO LED MEETINGS/OTHER COUNSELOR

Who has usually led these meetings?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	31.0	384	11	CIRCLED
	40.3	500	-9	LEGITIMATE SKIP
	28.7	356	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1802-1804

WL47_12	WHO LED MEETINGS/OTHER CASE MANAGER
----------------	--

Who has usually led these meetings?

Other case worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	12	CIRCLED
	40.6	503	-9	LEGITIMATE SKIP
	59.1	733	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1805-1807

WL47_13	WHO LED MEETINGS/SOCIAL WORKER
----------------	---------------------------------------

Who has usually led these meetings?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	13	CIRCLED
	40.6	503	-9	LEGITIMATE SKIP
	59.3	735	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1808-1810

WL47_21

WHO LED MEETINGS/PSYCHOLOGIST

Who has usually led these meetings?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	21	CIRCLED
	40.6	503	-9	LEGITIMATE SKIP
	59.3	735	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1811-1813

WL47_22

WHO LED MEETINGS/PSYCHIATRIST

Who has usually led these meetings?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	40.6	503	-9	LEGITIMATE SKIP
	59.4	737	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1814-1815

WL47_23 WHO LED MEETINGS/NURSE

Who has usually led these meetings?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	23	CIRCLED
	40.6	503	-9	LEGITIMATE SKIP
	59.3	735	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1816-1818

WL47_71 WHO LED MEETINGS/STAFF FR OTHER AGENCY

Who has usually led these meetings?

Staff from another agency who visited the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	71	CIRCLED
	40.6	503	-9	LEGITIMATE SKIP
	59.2	734	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1819-1821

WL47_91

WHO LED MEETINGS/OTHER

Who has usually led these meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.4	92	91	CIRCLED
	40.6	503	-9	LEGITIMATE SKIP
	52.0	645	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1822-1824

WL48_A

HOW OFTEN DEALT W/USE OF ALCOHOL

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	14.8	183	0	NEVER
42.2	25.1	311	1	SOME SESSIONS
16.1	9.6	119	2	MOST SESSIONS
16.8	10.0	124	3	EVERY SESSION
	40.1	497	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1825-1826

WL48_B

HOW OFTEN DEALT W/DRUG/CAUSED PROB

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your use of (other) drugs and the problems they have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	4.1	51	0	NEVER
29.7	17.7	219	1	SOME SESSIONS
29.0	17.3	214	2	MOST SESSIONS
34.4	20.5	254	3	EVERY SESSION
	40.1	497	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1827-1828

WL48_C

HOW OFTEN DEALT W/EMOTIONAL HEALTH

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	3.1	38	0	NEVER
33.8	20.1	249	1	SOME SESSIONS
27.0	16.0	199	2	MOST SESSIONS
34.1	20.2	251	3	EVERY SESSION
	40.1	497	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1829-1830

WL48_D**HOW OFTEN DEALT W/RELATION W/FAMILY**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	4.5	56	0	NEVER
39.3	23.3	289	1	SOME SESSIONS
27.3	16.2	201	2	MOST SESSIONS
25.7	15.2	189	3	EVERY SESSION
	40.1	497	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1831-1832

WL48_E**HOW OFTEN DEALT W/YOUR PHYS HEALTH**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	21.0	261	0	NEVER
41.9	24.8	308	1	SOME SESSIONS
9.9	5.9	73	2	MOST SESSIONS
12.7	7.5	93	3	EVERY SESSION
	40.1	497	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1833-1834

WL48_F

HOW OFTEN DEALT W/YOUR EDUC/TRAINING

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	21.4	265	0	NEVER
43.8	26.0	323	1	SOME SESSIONS
11.0	6.5	81	2	MOST SESSIONS
9.2	5.5	68	3	EVERY SESSION
	40.1	497	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1835-1836

WL48_G

HOW OFTEN DEALT W/INVOLVE W/COURT

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.4	27.6	342	0	NEVER
37.9	22.5	279	1	SOME SESSIONS
7.9	4.7	58	2	MOST SESSIONS
7.9	4.7	58	3	EVERY SESSION
	40.1	497	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1837-1838

WL48_H**HOW OFTEN DEALT W/YOUR JOB**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	24.3	301	0	NEVER
41.0	24.3	301	1	SOME SESSIONS
9.3	5.5	68	2	MOST SESSIONS
8.8	5.2	65	3	EVERY SESSION
	40.1	497	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1839-1840

WL48_I**HOW OFTEN DEALT W/LIVING EXPENSES**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.5	27.6	342	0	NEVER
36.6	21.7	269	1	SOME SESSIONS
8.8	5.2	65	2	MOST SESSIONS
8.0	4.8	59	3	EVERY SESSION
	40.1	497	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1841-1842

WL48_J

HOW OFTEN DEALT W/REDUCE RISK/AIDS

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	26.2	325	0	NEVER
36.1	21.5	266	1	SOME SESSIONS
11.0	6.5	81	2	MOST SESSIONS
8.8	5.2	65	3	EVERY SESSION
	40.1	497	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1843-1844

WL48_K

HOW OFTEN DEALT W/OTHER IMPORTANT ISSUES

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	4.6	57	1	YES
92.1	54.0	669	2	NO
	40.1	497	-9	LEGITIMATE SKIP
	1.4	17	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1845-1846

WL48_K_1**HOW OFTEN DEALT W/SPECIFY 1ST ISSUE**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with first mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.2	2	0	NEVER
31.0	1.5	18	1	SOME SESSIONS
29.3	1.4	17	2	MOST SESSIONS
36.2	1.7	21	3	EVERY SESSION
	93.9	1,164	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1847-1848

WL48_K_2**HOW OFTEN DEALT W/SPECIFY 2ND ISSUE**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with second mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
22.2	0.3	4	1	SOME SESSIONS
55.6	0.8	10	2	MOST SESSIONS
22.2	0.3	4	3	EVERY SESSION
	94.0	1,166	-9	LEGITIMATE SKIP
	4.5	56	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1849-1850

WL48_K_3 HOW OFTEN DEALT W/SPECIFY 3RD ISSUE

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with third mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
14.3	0.1	1	1	SOME SESSIONS
57.1	0.3	4	2	MOST SESSIONS
28.6	0.2	2	3	EVERY SESSION
	94.0	1,166	-9	LEGITIMATE SKIP
	5.4	67	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1851-1852

WL48_K_4 HOW OFTEN DEALT W/SPECIFY 4TH ISSUE

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with fourth mentioned other important issue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
66.7	0.2	2	2	MOST SESSIONS
33.3	0.1	1	3	EVERY SESSION
	94.0	1,166	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1853-1854

WL49_A**GROUP SESSIONS HELP/STOP USE OF DRUG**

How much have your sessions with this group helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	3.0	37	0	NOT AT ALL
33.7	19.8	245	1	SOMEWHAT
61.3	36.0	446	2	VERY MUCH
	40.0	496	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
	0.3	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1855-1856

WL49_B**GROUP SESSIONS HELP/OTHER PROBLEM**

How much have your sessions with this group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	2.8	35	0	NOT AT ALL
39.9	23.5	292	1	SOMEWHAT
55.3	32.6	404	2	VERY MUCH
	40.0	496	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1857-1858

WL50**#TIMES ATTENDED GROUPS AT PROGRAM**

During the past 3 months, how many times have you attended groups like this at this program?

1,240 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1859-1861

WL50_A	#MINUTES/MEETINGS W/GROUP LAST
--------	--------------------------------

How long did (this meeting last/your meetings usually last) with this group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	0	
0.1	0.1	1	2	
0.1	0.1	1	15	
0.1	0.1	1	20	
0.1	0.1	1	30	
0.1	0.1	1	40	
0.8	0.5	6	45	
0.3	0.2	2	50	
25.0	14.9	185	60	
4.3	2.6	32	75	
26.7	15.9	197	90	
0.3	0.2	2	105	
31.0	18.5	229	120	
0.3	0.2	2	135	
5.3	3.1	39	150	
0.4	0.2	3	160	
2.3	1.4	17	180	
2.4	1.5	18	240	
0.1	0.1	1	901	
0.0	0.0	0	999	999 OR MORE
	40.0	496	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1862-1865

WL51**HOW YOU FEEL/GROUP UNDERSTANDS YOU**

Overall, how well do you feel the members of this group understand you? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	2.3	28	0	NOT AT ALL
40.1	23.7	294	1	A LITTLE
56.1	33.2	412	2	A LOT
	40.0	496	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1866-1867

WL52**YOUR RELATIONSHIP W/ GROUP**

Overall, how would you rate your relationship with this group? Is it...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	1.4	17	1	POOR
26.3	15.6	193	2	FAIR
55.4	32.8	407	3	GOOD
16.1	9.5	118	4	EXCELLENT
	40.0	496	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1868-1869

WL55	ATTENDED TALKS/FILMS/PART OF TREATMENT
------	---

Now, I will ask about other services that you may have received. First, I want to ask about any lectures or films that you may have attended, not counting any that took place during a 12-step, self-help, or regular addiction group meeting. During the past 3 months, have you attended any other scheduled talks, lectures, or films as a part of your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.3	277	1	YES
77.5	77.0	955	2	NO
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1870-1871

WL56

#DAYS/ATTEND TALKS/FILM/PART OF TREAT

During the past 3 months, on how many days did you attend such lectures or films as part of your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.3	4	0	
12.6	2.8	35	1	
18.3	4.1	51	2	
15.1	3.4	42	3	
11.9	2.7	33	4	
5.4	1.2	15	5	
9.4	2.1	26	6	
0.7	0.2	2	7	
2.2	0.5	6	8	
1.1	0.2	3	9	
4.3	1.0	12	10	
0.4	0.1	1	11	
7.6	1.7	21	12	
0.7	0.2	2	15	
0.4	0.1	1	18	
2.9	0.6	8	20	
0.4	0.1	1	21	
1.4	0.3	4	24	
0.4	0.1	1	25	
0.4	0.1	1	28	
1.1	0.2	3	30	
1.1	0.2	3	36	
0.4	0.1	1	50	
0.4	0.1	1	60	
0.4	0.1	1	90	
	76.9	954	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1872-1874

WL57

HOW HELPFUL THE SERVICES

In general, how helpful (was this/have these been)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.8	10	0	NOT AT ALL HELPFUL
34.1	7.6	94	1	SOMEWHAT HELPFUL
62.3	13.9	172	2	VERY HELPFUL
	77.0	955	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1875-1876

WL58

ATTEND 12-STEP/SELF-HELP GROUP

Now, I'd like to ask some questions about self-help groups and 12-step programs for drug or alcohol problems that you may have attended since your admission. These include groups such as Alcoholic Anonymous (AA), Narcotics Anonymous (NA), and Cocaine Anonymous (CA). During the past 3 months, have you attended this kind of 12-step of self-help group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	62.9	780	1	YES
36.4	36.0	446	2	NO
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1877-1878

WL58_A_1	GROUP ATTEND/ALCO ANONYMOUS
-----------------	------------------------------------

Which groups have you attended? Alcoholics Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	46.3	574	1	CIRCLED
	35.9	445	-9	LEGITIMATE SKIP
	17.8	221	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1879-1880

WL58_A_2	GROUP ATTEND/NARCOTICS ANONYMOUS
-----------------	---

Which groups have you attended? Narcotics Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	46.2	573	2	CIRCLED
	35.8	444	-9	LEGITIMATE SKIP
	18.0	223	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1881-1882

WL58_A_3	GROUP ATTEND/COCAINE ANONYMOUS
-----------------	---------------------------------------

Which groups have you attended? Cocaine Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	16.5	205	3	CIRCLED
	36.0	446	-9	LEGITIMATE SKIP
	47.5	589	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1883-1884

WL58_A_4 GROUP ATTEND/OTHER

Which groups have you attended? Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	49	4	CIRCLED
	36.0	446	-9	LEGITIMATE SKIP
	60.1	745	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1885-1886

WL58_B #TIMES/ATTEND THIS GROUP

During the past 3 months, how many times have you attended (this group/any of these groups)?

1,240 cases (Range of valid codes: 1-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1887-1889

WL58_C_M MONTH/LAST ATTENDED THIS GROUP

When did you last attend (this group/any of these groups)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.0	20.8	258	1	JAN.-MARCH
32.2	20.3	252	2	APR.-JUNE
20.8	13.1	163	3	JULY-SEPT.
13.9	8.8	109	4	OCT.-DEC.
	35.8	444	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
	0.3	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1890-1892

WL58_D**HAVE YOU ATTENDED THIS GROUP**

Have you attended (this group/these groups)...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	26.7	331	1	AT THIS PROG
39.3	24.5	304	2	AT SOME OTHER PLACE
18.0	11.2	139	3	BOTH
	35.8	444	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1893-1894

WL59_A**GROUP MEETING HELP/STOP USE OF DRUG**

In general, how much has meeting with this kind of group helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	2.7	34	0	NOT AT ALL
27.0	17.2	213	1	SOMEWHAT
68.7	43.6	541	2	VERY MUCH
	35.8	444	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1895-1896

WL59_B	MEETINGS W/GROUP HELPED/OTHER PROBLEM
---------------	--

In general, how much has meeting with this kind of group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	6.5	80	0	NOT AT ALL
33.3	21.2	263	1	SOMEWHAT
56.5	36.0	446	2	VERY MUCH
	35.8	444	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1897-1898

WL60	FEEL YOU NEEDED THIS KIND OF GROUP
-------------	---

In general, do you feel you have needed this kind of group...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	3.2	40	0	NOT AT ALL
25.4	16.2	201	1	SOMEWHAT
69.5	44.3	549	2	VERY MUCH
	35.8	444	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1899-1900

WL63**RECEIVED SERVICES/MENTAL HEALTH PROBLEM**

Next, I'd like to ask some questions about other scheduled individual or group services that you may have received during the past 3 months. These services may be any counseling, treatment, or other help that you have received from a professional (such as a medical doctor, psychiatrist, or case manager). Do not include any services that we have already talked about or that you have received on an unscheduled basis. During the past 3 months, have you received any scheduled individual or group services for emotional or mental health problems other than the services that I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.5	93	1	YES
92.5	92.0	1,141	2	NO
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1901-1902

WL64**RECEIVED SERVICES AT THIS PROG**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	4.3	53	1	YES
41.8	3.1	38	2	NO
	92.0	1,141	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1903-1904

WL65_01 TALKED TO/REGULAR COUNSELOR

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	9	1	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.1	51	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1905-1906

WL65_02 TALKED TO/CASE MANAGER

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1907-1908

WL65_11**TALKED TO/OTHER COUNSELOR**

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	11	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.5	56	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1909-1911

WL65_12**TALKED TO/OTHER CASE MANAGER**

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1912-1913

WL65_13 TALKED TO/SOCIAL WORKER

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	13	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.4	55	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1914-1916

WL65_21 TALKED TO/PSYCHOLOGIST

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	21	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.4	54	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1917-1919

WL65_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	32	22	CIRCLED
	94.8	1,176	-9	LEGITIMATE SKIP
	2.5	31	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1920-1922

WL65_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	23	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1923-1925

WL65_28 TALKED TO/CERTI FAMILY COUNSELOR

Who have you seen or talked to for these services here?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	28	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.5	56	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1926-1928

WL65_71 TALKED TO/STAFF FR OTHER AGENCY

Who have you seen or talked to for these services here?

Staff from another agency who provide services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1929-1930

WL65_91

TALKED TO/OTHER

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	91	CIRCLED
	95.0	1,178	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1931-1933

WL65_A_1

TALKED TO MOST OFTEN/PROVIDER #1

Which 2 have you seen or talked to most often?

First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.7	9	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
7.4	0.3	4	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
7.4	0.3	4	13	SOCIAL WORKER
11.1	0.5	6	21	PSYCHOLOGIST
50.0	2.2	27	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
1.9	0.1	1	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
5.6	0.2	3	91	OTHER
	94.8	1,176	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1934-1936

WL65_A_2 TALKED TO MOST OFTEN/PROVIDER #2

Which 2 have you seen or talked to most often?
 Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
20.0	0.1	1	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
40.0	0.2	2	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
20.0	0.1	1	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
20.0	0.1	1	91	OTHER
	95.1	1,179	-9	LEGITIMATE SKIP
	4.5	56	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1937-1939

WL66 KIND OF SESSIONS W/PSYCH PRO #1

Have the sessions with your (PROVIDER #1 FROM L65a) been individual sessions, group sessions, or have you had both (individual and group sessions)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	3.6	45	1	INDIVIDUAL
19.0	0.9	11	2	GROUP
3.4	0.2	2	3	BOTH
	94.8	1,176	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1940-1941

WL66_A	#TIMES/MET INDIVIDUALLY W/PRO #1
---------------	---

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	1.5	18	1	
20.5	0.7	9	2	
11.4	0.4	5	3	
4.5	0.2	2	4	
4.5	0.2	2	6	
4.5	0.2	2	8	
9.1	0.3	4	12	
4.5	0.2	2	13	
	95.7	1,187	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1942-1944

WL66_B	#MINUTES/THIS SESSION LAST
---------------	-----------------------------------

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.1	1	5	
13.0	0.5	6	15	
4.3	0.2	2	20	
19.6	0.7	9	30	
6.5	0.2	3	40	
6.5	0.2	3	45	
26.1	1.0	12	60	
6.5	0.2	3	90	
6.5	0.2	3	120	
4.3	0.2	2	180	
2.2	0.1	1	240	
2.2	0.1	1	300	
	95.6	1,186	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1945-1948

WL66_C_1 **DEALT W/DRUG USE/CAUSED PROB/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	13	1	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1949-1950

WL66_C_2 **DEALT W/ALCOHOL USE/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	2	CIRCLED
	95.8	1,188	-9	LEGITIMATE SKIP
	4.0	49	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1951-1952

WL66_C_3

DEALT W/EMOTIONAL HEALTH/PRO #1

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	22	3	CIRCLED
	95.6	1,186	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1953-1954

WL66_C_4

DEALT W/RELATIONSHIP W/ SPOUSE/PRO #1

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	14	4	CIRCLED
	95.8	1,188	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1955-1956

WL66_C_5 DEALT W/OTHER RELATIONSHIP PROB/PRO #1

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	5	CIRCLED
	95.9	1,189	-9	LEGITIMATE SKIP
	3.6	45	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1957-1958

WL66_C_6 DEALT W/PSYCHOLOGICAL TEST/PRO #1

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	6	CIRCLED
	95.9	1,189	-9	LEGITIMATE SKIP
	2.8	35	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1959-1960

WL66_C_7**DEALT W/MEDICATION/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	10	7	CIRCLED
	95.8	1,188	-9	LEGITIMATE SKIP
	3.4	42	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1961-1962

WL66_C_8**DEALT W/REFERRAL/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	8	CIRCLED
	95.9	1,189	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1963-1964

WL66_C_9 **DEALT W/OTHER/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	9	CIRCLED
	95.9	1,189	-9	LEGITIMATE SKIP
	3.6	45	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1965-1966

WL66_D **HOW HELPFUL THE SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L65a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	0.6	7	0	NOT AT ALL HELPFUL
25.5	1.0	12	1	SOMEWHAT
59.6	2.3	28	2	VERY HELPFUL
	95.7	1,187	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1967-1968

WL66_E	#TIMES YOU MET IN GROUP W/ PRO #1
---------------	--

How many times have you met in the group with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.5	6	1	
25.0	0.2	3	2	
8.3	0.1	1	13	
8.3	0.1	1	20	
8.3	0.1	1	26	
	98.4	1,220	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1969-1971

WL66_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.1	1	10	
9.1	0.1	1	24	
9.1	0.1	1	30	
18.2	0.2	2	60	
9.1	0.1	1	90	
9.1	0.1	1	120	
9.1	0.1	1	720	
27.3	0.2	3	999	
	98.4	1,220	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1972-1975

WL66_G_1 **WHO ATTEND MEETING/SPOUSE/PARTNER/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1976-1977

WL66_G_2 **WHO ATTEND MEETING/FAMILY MEMBER/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1978-1979

WL66_G_3**WHO ATTEND MEETING/OTHER IN TREAT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	10	3	CIRCLED
	98.4	1,220	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1980-1981

WL66_G_4**MEETING/OTHER FAMI MEM IN TREAT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1982-1983

WL66_G_5 **WHO ATTEND MEETING/OTHERS/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), who else has attended the meetings?

Ohthers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1984-1985

WL66_H_1 **TALKED/DRUG USE/CAUSED PROB/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	1	CIRCLED
	98.5	1,221	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1986-1987

WL66_H_2**TALKED/ALCOHOL USE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1988-1989

WL66_H_3**TALKED/EMOTIONAL HEALTH/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	3	CIRCLED
	98.4	1,220	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1990-1991

WL66_H_4 **TALKED/RELATIONSHIP W/ SPOUSE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	4	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1992-1993

WL66_H_5 **TALKED/OTHER RELATIONSHIP PROB/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	5	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1994-1995

WL66_H_6**TALKED/PSYCHOLOGICAL TEST/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1996-1997

WL66_H_7**TALKED/MEDICATION/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	98.5	1,221	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1998-1999

WL66_H_8 **TALKED/REFERRAL/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2000-2001

WL66_H_9 **TALKED/OTHER/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	9	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2002-2003

WL66_I**HOW HELPFUL SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L65a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
25.0	0.2	3	1	SOMEWHAT HELPFUL
75.0	0.7	9	2	VERY HELPFUL
	98.4	1,220	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2004-2005

WL67**KIND OF SESSIONS W/PSYCH PRO #2**

Have the sessions with your (PROVIDER #2 FROM L65a) been individual sessions, group session, or have you had both (individual and group sessions)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	1	INDIVIDUAL
0.0	0.0	0	2	GROUP
0.0	0.0	0	3	BOTH
	95.0	1,178	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2006-2007

WL67_A #TIMES/MET INDIVIDUALLY W/PRO #2

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	2	
50.0	0.1	1	4	
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	59	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2008-2009

WL67_B #MINUTES/THIS SESSION LAST

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	30	
50.0	0.1	1	60	
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	59	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2010-2012

WL67_C_1 DEALT W/DRUG USE/CAUSED PROB/PRO #2

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2013-2014

WL67_C_2**DEALT W/ALCOHOL USE/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.9	61	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2015-2016

WL67_C_3**DEALT W/EMOTIONAL HEALTH/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your emotional or mental health, including feelind down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2017-2018

WL67_C_4 **DEALT W/REALATIONSHIP W/ SPOUSE/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2019-2020

WL67_C_5 **DEALT W/OTHER RELATIONSHIP PROB/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2021-2022

WL67_C_6**DEALT W/PSYCHOLOGICAL TEST/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.9	61	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2023-2024

WL67_C_7**DEALT W/MEDICATION/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2025-2026

WL67_C_8 **DEALT W/REFERRAL/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.9	61	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2027-2028

WL67_C_9 **DEALT W/OTHER/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	4.9	61	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2029-2030

WL67_D**HOW HELPFUL THE SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L65a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
50.0	0.1	1	1	SOMEWHAT
50.0	0.1	1	2	VERY HELPFUL
	95.1	1,179	-9	LEGITIMATE SKIP
	4.8	59	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2031-2032

WL67_E**#TIMES YOU MET IN GROUP W/ PRO #2**

How many times have you met in the group with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	
50.0	0.1	1	60	
	95.2	1,181	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2033-2035

WL67_F**#MINUTES/SESSIONS LAST**

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	60	
	95.2	1,181	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2036-2038

WL67_G_1 **WHO ATTEND MEETING/SPOUSE/PARTNER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2039-2040

WL67_G_2 **WHO ATTEND MEETING/FAMILY MEMBER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Other family member of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2041-2042

WL67_G_3**WHO ATTEND MEETING/OTHER IN TREAT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	CIRCLED
	95.2	1,181	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2043-2044

WL67_G_4**MEETING/OTHER FAMI MEM IN TREAT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2045-2046

WL67_G_5 **WHO ATTEND MEETING/OTHERS/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2047-2048

WL67_H_1 **TALKED/DRUG USE/CAUSED PROB/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	95.2	1,181	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2049-2050

WL67_H_2**TALKED/ALCOHOL USE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2051-2052

WL67_H_3**TALKED/EMOTIONAL HEALTH/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	95.2	1,181	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2053-2054

WL67_H_4 **TALKED/REALATIONSHIP W/ SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2055-2056

WL67_H_5 **TALKED/OTHER RELATIONSHIP PROB/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2057-2058

WL67_H_6**TALKED/PSYCHOLOGICAL TEST/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2059-2060

WL67_H_7**TALKED/MEDICATION/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2061-2062

WL67_H_8 **TALKED/REFERRAL/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2063-2064

WL67_H_9 **TALKED/OTHER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	9	CIRCLED
	95.3	1,182	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2065-2066

WL67_I**HOW HELPFUL SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L65a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
50.0	0.1	1	2	VERY
	95.2	1,181	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2067-2068

WL68**RECEIVED SERVICES FOR EMOTIONAL PROB**

During the past 3 months, have you received any scheduled individual or group services for emotional or mental health problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	3.3	41	1	YES
56.8	4.4	54	2	NO
	91.9	1,139	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2069-2070

WL68A_1 RECEIVE SERVICE/COMMU MENTAL HEALTH CTR

Where have you received these services?

A community mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	14	1	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	2.7	33	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2071-2072

WL68A_2 RECEIVE SERVICE/PRIVATE PSYCHIATRIC HOSP

Where have you received these services?

A private psychiatric hospital or facility.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.6	45	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2073-2074

WL68A_3**RECEIVE SERVICE/OTHER HOSPITAL**

Where have you received these services?

Any other hospital or facility (State VA, psychiatric, or mental hospital).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	10	3	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.0	37	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2075-2076

WL68A_4**RECEIVE SERVICE/EMERGENCY ROOM**

Where have you received these services?

An emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2077-2078

WL68A_5 RECEIVE SERVICE/PRIVATE THERAPIST

Where have you received these services?

Private therapist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	5	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.1	39	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2079-2080

WL68A_6 RECEIVE SERVICE/OTHER

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	6	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.4	42	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2081-2082

WL68B_1

PSYCHOLOGICAL OTHER PLACE/LOCATION #1

Which 2 places did you receive service at most often?
First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	1.2	15	1	A COMMUNITY MENTAL HEALTH SERVICE
4.9	0.2	2	2	A PRIV PSYCHIATRIC HOSPITAL
24.4	0.8	10	3	ANY OTHER HOSPITAL OR FACILITY
2.4	0.1	1	4	AN EMERGENCY ROOM OR CRISIS CENTER
19.5	0.6	8	5	PRIV THERAPIST
12.2	0.4	5	6	OTHER
	96.2	1,193	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2083-2084

WL68C_1

WHO REFERRED YOU TO LOCATION #1

Who referred you to (LOCATION - 1st mention)? Was it a staff
member in this program, someone else, or did you go to
(LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.0	1.3	16	1	PROG
26.8	0.9	11	2	SOMEONE ELSE
34.1	1.1	14	3	SELF
	96.2	1,193	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2085-2086

WL68D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	0.5	6	1	
14.6	0.5	6	2	
17.1	0.6	7	3	
9.8	0.3	4	4	
4.9	0.2	2	5	
9.8	0.3	4	6	
4.9	0.2	2	9	
2.4	0.1	1	11	
19.5	0.6	8	12	
2.4	0.1	1	19	
0.0	0.0	0	99	99 OR MORE
	96.2	1,193	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2087-2089

WL68E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.1	1	0	NOT AT ALL
22.0	0.7	9	1	SOMEWHAT
75.6	2.5	31	2	VERY HELPFUL
	96.2	1,193	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2090-2091

WL68F1_1**TALKED TO/REGULAR COUNSELOR/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2092-2093

WL68F1_2**TALKED TO/CASE MANAGER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2094-2095

WL68F111 TALKED TO/OTHER COUNSELOR/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	11	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.6	45	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2096-2098

WL68F112 TALKED TO/OTHER CASE MANAGER/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2099-2100

WL68F113**TALKED TO/SOCIAL WORKER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	13	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.6	45	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2101-2103

WL68F121**TALKED TO/PSYCHOLOGIST/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	21	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2104-2106

WL68F122 TALKED TO/PSYCHIATRIST/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	31	22	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2107-2109

WL68F123 TALKED TO/NURSE/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2110-2111

WL68F128**TALKED TO/CERTI FAMI COUNSELOR/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	28	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2112-2114

WL68F171**TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2115-2116

WL68F191 **TALKED TO/OTHER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	91	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2117-2119

WL68G_1 **TALKED TO FOR SERVICES/LOCATION #1**

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
5.0	0.2	2	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
2.5	0.1	1	13	SOCIAL WORKER
15.0	0.5	6	21	PSYCHOLOGIST
72.5	2.3	29	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
2.5	0.1	1	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
2.5	0.1	1	91	OTHER
	96.2	1,193	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2120-2122

WL68B_2

PSYCHOLOGICAL OTHER PLACE/LOCATION #2

Which 2 places did you receive service at most often?
Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	A COMMUNITY MENTAL HEALTH SERVICE
0.0	0.0	0	2	A PRIV PSYCHIATRIC HOSPITAL
0.0	0.0	0	3	ANY OTHER HOSPITAL OR FACILITY
0.0	0.0	0	4	AN EMERGENCY ROOM OR CRISIS CENTER
0.0	0.0	0	5	PRIV THERAPIST
100.0	0.1	1	6	OTHER
	96.2	1,193	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2123-2124

WL68C_2

WHO REFERRED YOU TO LOCATION #2

Who referred you to (LOCATION - 2nd mention)? Was it a
staff member in this program, someone else, or did you go
to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	PROG
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	96.2	1,193	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2125-2126

WL68D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
----------------	---

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	
	96.2	1,193	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2127-2128

WL68E_2	HOW HELPFUL THE SERVICES/LOCATION #2
----------------	---

Overall, how helpful were these services you received at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	1	2	VERY HELPFUL
	96.2	1,193	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2129-2130

WL68F2_1**TALKED TO/REGULAR COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2131-2132

WL68F2_2**TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2133-2134

WL68F211 **TALKED TO/OTHER COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2135-2136

WL68F212 **TALKED TO/OTHER CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2137-2138

WL68F213**TALKED TO/SOCIAL WORKER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2139-2140

WL68F221**TALKED TO/PSYCHOLOGIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	21	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2141-2143

WL68F222 **TALKED TO/PSYCHIATRIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2144-2145

WL68F223 **TALKED TO/NURSE/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2146-2147

WL68F228**TALKED TO/CERTI FAMI COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2148-2149

WL68F271**TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2150-2151

WL68F291 **TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2152-2153

WL68G_2 **TALKED TO FOR SERVICES/LOCATION #2**

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
100.0	0.1	1	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	96.2	1,193	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2154-2156

WL69**STAYED OVERNIGHT/EMOTIONAL PROBLEM**

During the past 3 months, have you stayed overnight anywhere for treatment of emotional or mental health problems other than for problems associated with drugs or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	3	1	YES
99.8	99.0	1,227	2	NO
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2157-2158

WL69_A_1**FACILITY STAYED/COMMU MENTAL HEALTH CTR**

Where have you stayed since your admission for this kind of treatment?

A community mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.0	1,227	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2159-2160

WL69_B_1 #NIGHTS STAYED/COMMU MENTAL HEALTH CTR

How many nights have you stayed at a community mental health center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.0	1,227	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2161-2162

WL69_A_2 FACILITY STAYED/PRIVATE PSYCHIATRIC HOSP

Where have you stayed since your admission for this kind of treatment?

A private psychiatric hospital or facility.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.0	1,227	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2163-2164

WL69_B_2 #NIGHTS STAYED/PRIVATE PSYCHIATRIC HOSP

How many nights have you stayed at a private psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.0	1,227	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2165-2166

WL69_A_3**FACILITY STAYED/ANY OTHER HOSPITAL**

Where have you stayed since your admission for this kind of treatment?

Any other hospital or facility (State VA, psychiatric, or mental hospital).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	99.0	1,227	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2167-2168

WL69_B_3**#NIGHTS STAYED/ANY OTHER HOSPITAL**

How many nights have you stayed at any other hospital or facility (State VA, psychiatric, or mental hospital)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	14	
	99.0	1,227	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2169-2171

WL69_A_4 FACILITY STAYED/EMERGENCY ROOM

Where have you stayed since your admission for this kind of treatment?

An emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.0	1,227	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2172-2173

WL69_B_4 #NIGHTS STAYED/EMERGENCY ROOM

How many nights have you stayed at an emergency room or crisis center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.0	1,227	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2174-2175

WL69_A_5**FACILITY STAYED/ANY OTHER PLACE**

Where have you stayed since your admission for this kind of treatment?

Any other place.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.0	1,227	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2176-2177

WL69_B_5**#NIGHTS STAYED/ANY OTHER PLACE**

How many nights have you stayed at any other place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	99.0	1,227	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2178-2179

WL70**HAD CHECK-UP FOR MEDICAL PROB**

During the past 3 months, have you had a checkup or have you received any scheduled individual services for medical problems other than those I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	22.7	282	1	YES
77.1	76.6	950	2	NO
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2180-2181

WL71 RECEIVED SERVICES AT THIS PROGRAM

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	6.7	83	1	YES
70.3	15.8	196	2	NO
	76.6	950	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2182-2183

WL72_01 TALKED TO/REGULAR COUNSELOR

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	1	CIRCLED
	92.3	1,144	-9	LEGITIMATE SKIP
	7.6	94	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2184-2185

WL72_02 TALKED TO/CASE MANAGER

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.6	94	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2186-2187

WL72_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.4	92	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2188-2190

WL72_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	18	23	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	6.1	76	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2191-2193

WL72_24 **TALKED TO/PHYSICIAN**

Who have you seen or talked to for these services here?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.3	66	24	CIRCLED
	92.3	1,145	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2194-2196

WL72_25 **TALKED TO/PHYSICIAN'S ASSISTANT**

Who have you seen or talked to for these services here?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	25	CIRCLED
	92.3	1,145	-9	LEGITIMATE SKIP
	7.4	92	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2197-2199

WL72_26**TALKED TO/DENTIST**

Who have you seen or talked to for these services here?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	26	CIRCLED
	92.3	1,145	-9	LEGITIMATE SKIP
	6.8	84	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2200-2202

WL72_71**TALKED TO/STAFF FROM OTHER AGENCY**

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	71	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.4	92	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2203-2205

WL72_91	TALKED TO/OTHER
----------------	------------------------

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.6	94	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2206-2207

WL72_A1	TALKED TO MOST OFTEN - PROVIDER #1
----------------	---

Which 2 have you seen or talked to most often? 1st mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.2	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
2.4	0.2	2	22	PSYCHIATRIST
17.6	1.2	15	23	NURSE
65.9	4.5	56	24	PHYSICIAN
2.4	0.2	2	25	PHYSICIANS ASSISTANT
7.1	0.5	6	26	DENTIST
1.2	0.1	1	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	92.2	1,143	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2208-2210

WL72_A2**TALKED TO MOST OFTEN - PROVIDER #2**

Which 2 have you seen or talked to most often? 2nd mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	22	PSYCHIATRIST
13.3	0.2	2	23	NURSE
46.7	0.6	7	24	PHYSICIAN
0.0	0.0	0	25	PHYSICIANS ASSISTANT
33.3	0.4	5	26	DENTIST
6.7	0.1	1	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	92.3	1,145	-9	LEGITIMATE SKIP
	6.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2211-2213

WL73**#TIMES/MET W/ PRO #1**

How many times have you met with your (PROVIDER #1 FROM L72a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.2	2	0	
44.8	3.1	39	1	
21.8	1.5	19	2	
10.3	0.7	9	3	
5.7	0.4	5	4	
1.1	0.1	1	5	
2.3	0.2	2	6	
1.1	0.1	1	7	
5.7	0.4	5	8	
1.1	0.1	1	10	
1.1	0.1	1	12	
1.1	0.1	1	20	
1.1	0.1	1	151	
	92.0	1,141	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2214-2217

WL73_A	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.2	3	1	
2.3	0.2	2	3	
10.3	0.7	9	5	
14.9	1.0	13	10	
18.4	1.3	16	15	
16.1	1.1	14	20	
14.9	1.0	13	30	
1.1	0.1	1	40	
4.6	0.3	4	45	
9.2	0.6	8	60	
1.1	0.1	1	90	
2.3	0.2	2	120	
1.1	0.1	1	240	
	92.1	1,142	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2218-2221

WL73_B01	DEALT W/PHYSICAL/DENTAL EXAM/PRO #1
-----------------	--

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Physical or dental exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	50	1	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	3.5	44	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2222-2223

WL73_B02**DEALT W/MEDICAL/DENTAL CARE TREAT/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Medical or dental care / treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	18	2	CIRCLED
	92.3	1,145	-9	LEGITIMATE SKIP
	6.2	77	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2224-2225

WL73_B03**DEALT W/GLASSES/HEARING AIDS/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Glasses or hearing aids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	3	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.1	88	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2226-2227

WL73_B04 **DEALT W/ADMISSION TO HOSP/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Admission to hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	4	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.4	92	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2228-2229

WL73_B05 **DEALT W/MEDICATION/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	12	5	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	6.6	82	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2230-2231

WL73_B06**DEALT W/DIET/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Diet or nutritional advice.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	6	CIRCLED
	92.3	1,145	-9	LEGITIMATE SKIP
	7.3	91	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2232-2233

WL73_B07**DEALT W/EXERCISE/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Exercise or physical fitness protocol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	7	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.3	91	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2234-2235

WL73_B08 **DEALT W/PRENATAL CARE/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Prenatal care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	8	CIRCLED
	92.3	1,145	-9	LEGITIMATE SKIP
	7.5	93	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2236-2237

WL73_B09 **DEALT W/OTHER/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	12	9	CIRCLED
	92.2	1,143	-9	LEGITIMATE SKIP
	6.9	85	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2238-2239

WL73_C**HOW HELPFUL SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L72a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	0.8	10	0	NOT AT ALL
21.8	1.5	19	1	SOMEWHAT
66.7	4.7	58	2	VERY HELPFUL
	92.1	1,142	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2240-2241

WL74**#TIMES/MET WITH PRO #2**

How many times have you met with your (PROVIDER #2 FROM L72a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	0.6	7	1	
26.7	0.3	4	2	
6.7	0.1	1	3	
6.7	0.1	1	4	
6.7	0.1	1	5	
6.7	0.1	1	6	
	92.3	1,145	-9	LEGITIMATE SKIP
	6.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2242-2243

WL74_A	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	3	5	
6.7	0.1	1	10	
6.7	0.1	1	15	
26.7	0.3	4	20	
13.3	0.2	2	30	
20.0	0.2	3	60	
6.7	0.1	1	100	
	92.3	1,145	-9	LEGITIMATE SKIP
	6.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2244-2247

WL74_B01	DEALT W/PHYSICAL/DENTAL EXAM/PRO #2
-----------------	--

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Physical or dental exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	1	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.0	87	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2248-2249

WL74_B02**DEALT W/MEDICAL/DENTAL CARE TREAT/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Medical or dental care / treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	2	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.2	89	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2250-2251

WL74_B03**DEALT W/GLASSES/HEARING AIDS/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Glasses or hearing aids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.5	93	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2252-2253

WL74_B04 **DEALT W/ADMISSION TO HOSP/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Admission to hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.6	94	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2254-2255

WL74_B05 **DEALT W/MEDICATION/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	5	CIRCLED
	92.3	1,145	-9	LEGITIMATE SKIP
	7.3	91	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2256-2257

WL74_B06**DEALT W/DIET/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Diet or nutritional advice.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.5	93	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2258-2259

WL74_B07**DEALT W/EXERCISE/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Exercise or physical fitness protocol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.6	94	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2260-2261

WL74_B08 **DEALT W/PRENATAL CRE/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Prenatal care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.6	94	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2262-2263

WL74_B09 **DEALT W/OTHER/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	9	CIRCLED
	92.4	1,146	-9	LEGITIMATE SKIP
	7.5	93	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2264-2265

WL74_C

HOW HELPFUL THE SERVICES/PRO #2

How helpful was this service from your (PROVIDER #2 FROM L72a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.1	1	0	NOT AT ALL HELPFUL
26.7	0.3	4	1	SOMEWHAT HELPFUL
66.7	0.8	10	2	VERY HELPFUL
	92.3	1,145	-9	LEGITIMATE SKIP
	6.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2266-2267

WL75

RECEIVED SERVICES/MEDICAL PROBLEMS

During the past 3 months, have you had a checkup or have you received any scheduled services for medical problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.7	18.1	225	1	YES
21.3	4.9	61	2	NO
	76.0	943	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2268-2269

WL75_A_1 RECEIVE SERVICE/PRIVTE PHYSICIAN/DENTIST

Where have you received these services?

Private physician or dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	46	1	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	15.2	189	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2270-2271

WL75_A_2 RECEIVE SERVICE/HOSP/PUB HEALTH CLINIC

Where have you received these services?

Hospital or public health clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.5	143	2	CIRCLED
	80.9	1,003	-9	LEGITIMATE SKIP
	7.6	94	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2272-2273

WL75_A_3**RECEIVE SERVICE/MILITARY/VA HOSPITAL**

Where have you received these services?

Military or VA hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.8	233	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2274-2275

WL75_A_4**RECEIVE SERVICE/HEALTH COOPERATIVE**

Where have you received these services?

Health cooperative, neighborhood clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	15	4	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	17.7	220	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2276-2277

WL75_A_5	RECEIVE SERVICE/OTHER MEDICAL
-----------------	--------------------------------------

Where have you received these services?

Other medical.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	9	5	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.2	226	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2278-2279

WL75_A_6	RECEIVE SERVICE/OTHER
-----------------	------------------------------

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	6	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.3	227	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2280-2281

WL75B_1

MEDICAL OTHER PLACE/LOCATION #1

Which 2 locations have you received services at most often?
First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	3.7	46	1	PRIV PHYSICIAN OR DENTIST
67.1	12.3	153	2	HOSPITAL OR PUB HEALTH CLINIC
0.9	0.2	2	3	MILITARY OR VA HOSPITAL OR CLINIC
5.3	1.0	12	4	HEALTH COOPERATIVE
3.5	0.6	8	5	OTHER MEDICAL
3.1	0.6	7	6	OTHER
	80.9	1,003	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2282-2283

WL75C_1

WHO REFERRED YOU TO LOCATION #1

Who referred you to (LOCATION - 1st mention)? Was it a staff
member in this program, someone else, or did you go to
(LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	7.7	96	1	PROG
8.9	1.6	20	2	SOMEONE ELSE
48.2	8.7	108	3	SELF
	80.9	1,003	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2284-2285

WL75D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	6.6	82	1	
18.1	3.3	41	2	
16.3	3.0	37	3	
11.0	2.0	25	4	
4.8	0.9	11	5	
5.3	1.0	12	6	
0.9	0.2	2	7	
0.9	0.2	2	8	
2.2	0.4	5	10	
1.3	0.2	3	12	
0.4	0.1	1	13	
0.4	0.1	1	14	
0.4	0.1	1	15	
0.9	0.2	2	25	
0.4	0.1	1	30	
0.4	0.1	1	90	
	80.9	1,003	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2286-2288

WL75E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.9	11	0	NOT AT ALL
13.7	2.5	31	1	SOMEWHAT
81.5	14.9	185	2	VERY HELPFUL
	80.9	1,003	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2289-2290

WL75F101	TALKED TO/REGULAR COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	1	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.5	230	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2291-2292

WL75F102	TALKED TO/CASE MANAGER/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.8	233	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2293-2294

WL75F122	TALKED TO/PSYCHIATRIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	22	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.9	234	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2295-2297

WL75F123	TALKED TO/NURSE/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	42	23	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	15.6	193	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2298-2300

WL75F124	TALKED TO/PHYSICIAN/LOC #1
-----------------	-----------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.7	195	24	CIRCLED
	80.9	1,003	-9	LEGITIMATE SKIP
	3.4	42	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2301-2303

WL75F125	TALKED TO/PHYSICIAN'S ASSISTANT/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	25	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.5	230	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2304-2306

WL75F126 TALKED TO/DENTIST/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	19	26	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	17.4	216	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2307-2309

WL75F171 TALKED TO/STAFF FR OTHER AGENCY/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	71	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.5	229	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2310-2312

WL75F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	91	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.3	227	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2313-2315

WL75G_1	TALKED TO FOR SERVICES/LOCATION #1
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.3	4	1	PRIMARY/REGULAR COUNSELOR
0.5	0.1	1	2	CASE MANAGER
0.0	0.0	0	22	PSYCHIATRIST
4.5	0.8	10	23	NURSE
81.4	14.5	180	24	PHYSICIAN
0.0	0.0	0	25	PHYSICIANS ASSISTANT
5.9	1.0	13	26	DENTIST
2.3	0.4	5	71	STAFF FROM ANOTHER AGENCY
3.6	0.6	8	91	OTHER
	81.0	1,004	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2316-2318

WL75B_2 MEDICAL OTHER PLACE/LOCATION #2

Which 2 locations have you received services at most often?
 Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.3	4	1	PRIV PHYSICIAN OR DENTIST
57.1	1.3	16	2	HOSPITAL OR PUB HEALTH CLINIC
0.0	0.0	0	3	MILITARY OR VA HOSPITAL OR CLINIC
14.3	0.3	4	4	HEALTH COOPERATIVE
3.6	0.1	1	5	OTHER MEDICAL
10.7	0.2	3	6	OTHER
	81.0	1,005	-9	LEGITIMATE SKIP
	16.7	207	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2319-2320

WL75C_2 WHO REFERRED YOU TO LOCATION #2

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.0	13	1	PROG
11.5	0.2	3	2	SOMEONE ELSE
38.5	0.8	10	3	SELF
	81.0	1,005	-9	LEGITIMATE SKIP
	16.9	209	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2321-2322

WL75D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
----------------	---

On how many days have you received these services at
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	1.0	12	1	
24.1	0.6	7	2	
10.3	0.2	3	3	
10.3	0.2	3	4	
10.3	0.2	3	5	
3.4	0.1	1	10	
	81.0	1,005	-9	LEGITIMATE SKIP
	16.6	206	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2323-2325

WL75E_2	HOW HELPFUL SERVICES/LOCATION #2
----------------	---

Overall, how helpful were these services you received at
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
14.3	0.3	4	1	SOMEWHAT
85.7	1.9	24	2	VERY HELPFUL
	81.0	1,005	-9	LEGITIMATE SKIP
	16.7	207	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2326-2327

WL75F201 TALKED TO/REGULAR COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	19.0	235	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2328-2329

WL75F202 TALKED TO/CASE MANAGER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	19.0	235	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2330-2331

WL75F222	TALKED TO/PSYCHIATRIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	19.0	235	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2332-2333

WL75F223	TALKED TO/NURSE/LOC #2
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	23	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.9	234	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2334-2336

WL75F224 TALKED TO/PHYSICIAN/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	19	24	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	17.4	216	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2337-2339

WL75F225 TALKED TO/PHYSICIAN'S ASSISTANT/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	19.0	235	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2340-2341

WL75F226**TALKED TO/DENTIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	26	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.4	228	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2342-2344

WL75F271**TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	71	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.8	233	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2345-2347

WL75F291 **TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	91	CIRCLED
	81.0	1,005	-9	LEGITIMATE SKIP
	18.6	231	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2348-2350

WL75G_2 **TALKED TO FOR SERVICES/LOCATION #2**

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
58.3	1.1	14	24	PHYSICIAN
0.0	0.0	0	25	PHYSICIANS ASSISTANT
25.0	0.5	6	26	DENTIST
8.3	0.2	2	71	STAFF FROM ANOTHER AGENCY
8.3	0.2	2	91	OTHER
	81.0	1,005	-9	LEGITIMATE SKIP
	17.0	211	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2351-2353

WL76**DR. PRESC METHADONE/TRANQ/FOR DRUG PROB**

During the past 3 months, has a doctor prescribed methadone, Naltrexone, tranquilizers, or Antabuse for you because of drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	29.0	359	1	YES
71.0	70.8	878	2	NO
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2354-2355

WL76_A_1**MEDICINE DR. PRESCRIBED/METHADONE**

Which of these has the doctor prescribed for you?

Methadone.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	27.7	343	1	CIRCLED
	70.5	874	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2356-2357

WL76_A_2 **MEDICINE DR. PRESCRIBED/NALTREXONE**

Which of these has the doctor prescribed for you?

Naltrexone (Trexan).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	2	CIRCLED
	70.6	875	-9	LEGITIMATE SKIP
	29.0	359	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2358-2359

WL76_A_3 **MEDICINE DR. PRESCRIBED/TRANQUILIZERS**

Which of these has the doctor prescribed for you?

Tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	3	CIRCLED
	70.8	878	-9	LEGITIMATE SKIP
	27.9	346	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2360-2361

WL76_A_4

MEDICINE DR. PRESCRIBED/ANTABUSE

Which of these has the doctor prescribed for you?

Antabuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	4	CIRCLED
	70.8	878	-9	LEGITIMATE SKIP
	28.6	355	-8	BLANK

 100.0 100.0 1,240 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2362-2363

WL77

HAD ANY CONCERN ABOUT PRESCRIBE MEDICINE

During the past 3 months, have you had any concerns or complaints about any medication that was prescribed for you (including methadone, Naltrexone, tranquilizers, Antabuse, and any other medication)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.5	93	1	YES
92.4	91.1	1,130	2	NO
	1.4	17	-8	BLANK

 100.0 100.0 1,240 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2364-2365

WL77_A HAD ANY SERVICES W/ONE ABOUT CONCERNS

During these months, have you had any scheduled services or talks with anyone in this program about these concerns or complaints?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	5.3	66	1	YES
41.6	3.8	47	2	NO
	89.7	1,112	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2366-2367

WL77B_01 TALKED WITH REGULAR COUNSELOR

Who have you talked with?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	43	1	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2368-2369

WL77B_02	TALKED WITH CASE MANAGER
-----------------	---------------------------------

Who have you talked with?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.4	79	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2370-2371

WL77B_11	TALKED WITH OTHER COUNSELOR
-----------------	------------------------------------

Who have you talked with?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	11	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.2	77	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2372-2374

WL77B_12	TALKED WITH OTHER CASE MANAGER
-----------------	---------------------------------------

Who have you talked with?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2375-2376

WL77B_13	TALKED WITH SOCIAL WORKER
-----------------	----------------------------------

Who have you talked with?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2377-2378

WL77B_21	TALKED WITH PSYCHOLOGIST
-----------------	---------------------------------

Who have you talked with?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2379-2380

WL77B_22	TALKED WITH PSYCHIATRIST
-----------------	---------------------------------

Who have you talked with?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	22	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	5.9	73	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2381-2383

WL77B_23	TALKED WITH NURSE
-----------------	--------------------------

Who have you talked with?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	23	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2384-2386

WL77B_24	TALKED WITH PHYSICIAN
-----------------	------------------------------

Who have you talked with?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	18	24	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	5.1	63	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2387-2389

WL77B_25	TALKED WITH PHYSICIAN'S ASSISTANCE
-----------------	---

Who have you talked with?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	25	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2390-2392

WL77B_26	TALKED WITH DENTIST
-----------------	----------------------------

Who have you talked with?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2393-2394

WL77B_27	TALKED WITH VOCATIONAL COUNSELOR
-----------------	---

Who have you talked with?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2395-2396

WL77B_28	TALKED WITH CERTI FAMI COUNSELOR
-----------------	---

Who have you talked with?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2397-2398

WL77B_71**TALKED WITH STAFF FR OTHER AGENCY**

Who have you talked with?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	71	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2399-2401

WL77B_91**TALKED WITH OTHER**

Who have you talked with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	91	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2402-2404

WL77_C_1 CONCERNS/MEDICINE/DOSAGE TOO SMALL

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Dosage too small.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	15	1	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	5.3	66	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2405-2406

WL77_C_2 CONCERNS/MEDICINE/DOSAGE TOO LARGE

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Dosage too large.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	13	2	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	5.5	68	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2407-2408

WL77_C_3**CONCERNS/MEDICINE/PHYSICAL SYMPTOMS**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Physical symptoms (such as nausea, vomiting, headaches, dizziness, shaking).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	27	3	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	4.4	54	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2409-2410

WL77_C_4**CONCERNS/MEDICINE/SLEEP DISTURBANCES**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Sleep disturbances.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	4	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2411-2412

WL77_C_5	CONCERNS/MEDICINE/UNABLE TO GET DRUG
-----------------	---

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Unable to get drug (or prescription) when needed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2413-2414

WL77_C_6	CONCERNS/MEDICINE/DRUG COST TOO MUCH
-----------------	---

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Drug cost too much - not affordable.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	81	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2415-2416

WL77_C_7**CONCERNS/MEDICINE/DEPRESSION**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Depression.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	6.5	80	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2417-2418

WL77_C_8**CONCERNS/MEDICINE/OTHER**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	8	CIRCLED
	93.5	1,159	-9	LEGITIMATE SKIP
	5.2	65	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2419-2420

WL78 **RECEIVE SERVICE/RELATIONSHIP PROBLEM**

During the past 3 months, have you received any scheduled individual or group services for family or relationship problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.7	108	1	YES
91.2	90.0	1,116	2	NO
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2421-2422

WL79 **RECEIVED SERVICES AT THIS PROGRAM**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.2	7.6	94	1	YES
13.8	1.2	15	2	NO
	89.8	1,114	-9	LEGITIMATE SKIP
	1.4	17	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2423-2424

WL80_01 **TALKED TO/REGULAR COUNSELOR**

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	54	1	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2425-2426

WL80_02**TALKED TO/CASE MANAGER**

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.9	110	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2427-2428

WL80_11**TALKED TO/OTHER COUNSELOR**

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	11	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.1	100	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2429-2431

WL80_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	12	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.9	110	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2432-2434

WL80_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	13	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2435-2437

WL80_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	21	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2438-2440

WL80_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	22	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.9	110	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2441-2443

WL80_23 TALKED TO/NURSE

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	9.0	111	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2444-2445

WL80_28 TALKED TO/CERTI FAMI COUNSELOR

Who have you seen or talked to for these services here?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	28	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	7.7	95	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2446-2448

WL80_71**TALKED TO/STAFF FR OTHER AGENCY**

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	71	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.1	100	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2449-2451

WL80_91**TALKED TO/OTHER**

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	91	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2452-2454

WL80_A1 **TALKED TO MOST OFTER - PROVIDER #1**

Which 2 have you seen or talked to most frequently?
First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	4.3	53	1	PRIMARY/REGULAR COUNSELOR
1.1	0.1	1	2	CASE MANAGER
7.8	0.6	7	11	OTHER COUSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
2.2	0.2	2	21	PSYCHOLOGIST
1.1	0.1	1	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
15.6	1.1	14	28	CERTIFIED FAMILY COUNSELOR
11.1	0.8	10	71	STAFF FROM ANOTHER AGENCY
2.2	0.2	2	91	OTHER
	91.0	1,129	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2455-2457

WL80_A2 **TALKED TO MOST OFTEN - PROVIDER #2**

Which 2 have you seen or talked to most frequently?
Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
12.5	0.1	1	11	OTHER COUSELOR
12.5	0.1	1	12	OTHER CASE MANAGER
25.0	0.2	2	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
25.0	0.2	2	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
12.5	0.1	1	91	OTHER
	91.0	1,129	-9	LEGITIMATE SKIP
	8.3	103	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2458-2460

WL81_01**SESSIONS W/INDIVIDUAL/PRO #1**

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Individual.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	35	1	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	6.1	76	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2461-2462

WL81_02**SESSIONS W/FAMILY/PRO #1**

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	46	2	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	5.2	65	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2463-2464

WL81_03 SESSIONS W/GROUP/PRO #1

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Group.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	24	3	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	7.0	87	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2465-2466

WL81_A #TIMES/MET INDIVIDUALLY WITH PRO #1

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	0.6	7	1	
16.7	0.5	6	2	
11.1	0.3	4	3	
5.6	0.2	2	4	
2.8	0.1	1	5	
8.3	0.2	3	6	
13.9	0.4	5	10	
16.7	0.5	6	12	
2.8	0.1	1	16	
2.8	0.1	1	50	
	95.4	1,183	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2467-2469

WL81_B	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.2	2	15	
8.3	0.2	3	20	
22.2	0.6	8	30	
5.6	0.2	2	45	
41.7	1.2	15	60	
8.3	0.2	3	90	
5.6	0.2	2	120	
2.8	0.1	1	130	
	95.4	1,183	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2470-2473

WL81_C_1	INDI DEAL W/COUNSEL/PROB W/SPOUSE/PRO #1
-----------------	---

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	1	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	2.9	36	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2474-2475

WL81_C_2 **INDI DEAL W/PARENTING/CHILD CARE/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	15	2	CIRCLED
	95.9	1,189	-9	LEGITIMATE SKIP
	2.9	36	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2476-2477

WL81_C_3 **INDI DEAL W/COUNSEL/PROB W/PARENT/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems wtih parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	3	CIRCLED
	96.0	1,191	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2478-2479

WL81_C_4

INDIVIDUALLY DEAL W/SEX EDUCATION/PRO #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	4	CIRCLED
	96.4	1,195	-9	LEGITIMATE SKIP
	3.5	43	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2480-2481

WL81_C_5

INDIVI DEAL W/DEATH/BEREAVEMENT/PRO #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	96.4	1,195	-9	LEGITIMATE SKIP
	3.6	45	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2482-2483

WL81_C_6 INDIVIDUALLY DEAL W/OTHER/PRO #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	12	6	CIRCLED
	95.9	1,189	-9	LEGITIMATE SKIP
	3.1	39	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2484-2485

WL81_D HOW HELPFUL THE SERVICES/PRO #1

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
22.2	0.6	8	1	SOMEWHAT
77.8	2.3	28	2	VERY HELPFUL
	95.4	1,183	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2486-2487

WL81_E	#TIMES/MET AS A FAMILY WITH PRO #1
---------------	---

How many times have you met as a family with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.9	1.8	22	1	
24.5	1.0	12	2	
14.3	0.6	7	3	
6.1	0.2	3	4	
6.1	0.2	3	6	
4.1	0.2	2	12	
	94.6	1,173	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2488-2490

WL81_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.1	1	3	
20.4	0.8	10	30	
8.2	0.3	4	45	
34.7	1.4	17	60	
12.2	0.5	6	90	
18.4	0.7	9	120	
2.0	0.1	1	180	
2.0	0.1	1	300	
	94.6	1,173	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2491-2494

WL81_G_1 ATTEND MEETING/SPOUSE/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	19	1	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	3.4	42	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2495-2496

WL81_G_2 ATTEND MEETING/OTHER FAMILY MEM/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	34	2	CIRCLED
	94.7	1,174	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2497-2498

WL81_G_3**ATTEND MEETING/OTHERS IN TREAT/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	CIRCLED
	95.2	1,181	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2499-2500

WL81_G_4**ATTEND MEETING/FAMI MEM OF OTHERS/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	4	CIRCLED
	95.2	1,181	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2501-2502

WL81_G_5 **ATTEND MEETING/OTHER/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	95.2	1,181	-9	LEGITIMATE SKIP
	4.8	59	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2503-2504

WL81_H_1 **INDI MET/COUNSEL/PROB W/SPOUSE/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	23	1	CIRCLED
	95.1	1,179	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2505-2506

WL81_H_2**INDI MET/PARENTING/CHILD CARE/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	12	2	CIRCLED
	95.0	1,178	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2507-2508

WL81_H_3**INDI MET/COUNSEL/PROB W/PARENT/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	19	3	CIRCLED
	94.9	1,177	-9	LEGITIMATE SKIP
	3.5	44	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2509-2510

WL81_H_4 INDIVIDUALLY MET/SEX EDUCATION/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	95.2	1,181	-9	LEGITIMATE SKIP
	4.8	59	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2511-2512

WL81_H_5 INDIVI MET/DEATH/BEREAVEMENT/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	5	CIRCLED
	95.2	1,181	-9	LEGITIMATE SKIP
	4.6	57	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2513-2514

WL81_H_6	INDIVIDUALLY MET/OTHER/PRO #1
-----------------	--------------------------------------

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	6	CIRCLED
	95.0	1,178	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2515-2516

WL81_I	HOW HELPFUL THE SERVICES/PRO #1
---------------	--

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
18.4	0.7	9	1	SOMEWHAT
81.6	3.2	40	2	VERY HELPFUL
	94.6	1,173	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2517-2518

WL81_J	#TIMES/MET IN GROUP WITH PRO #1
---------------	--

How many times have you met in the group with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	0.4	5	1	
11.1	0.2	3	2	
11.1	0.2	3	3	
7.4	0.2	2	4	
11.1	0.2	3	5	
3.7	0.1	1	6	
3.7	0.1	1	10	
22.2	0.5	6	12	
3.7	0.1	1	15	
7.4	0.2	2	24	
	96.4	1,195	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2519-2521

WL81_K_1	ATTEND MEETING/SPOUSE/PRO #1
-----------------	-------------------------------------

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	1	CIRCLED
	97.2	1,205	-9	LEGITIMATE SKIP
	2.5	31	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2522-2523

WL81_K_2**ATTEND MEETING/CHILDREN/PRO #1**

When you have met in this group with (PROVIDER #1 FROM L80a),
who has attended the meetings?

Children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	2	CIRCLED
	97.2	1,205	-9	LEGITIMATE SKIP
	2.5	31	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2524-2525

WL81_K_3**ATTEND MEETING/OTHER FAMILY MEM/PRO #1**

When you have met in this group with (PROVIDER #1 FROM L80a),
who has attended the meetings?

Other members of client's family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	10	3	CIRCLED
	97.0	1,203	-9	LEGITIMATE SKIP
	2.2	27	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2526-2527

WL81_K_4 ATTEND MEETING/OTHER CLIENTS/PRO #1

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	21	4	CIRCLED
	96.6	1,198	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2528-2529

WL81_K_5 MEETING/OTHER CLIENT'S SPOUSE/PRO #1

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouses / partners of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	5	CIRCLED
	97.0	1,203	-9	LEGITIMATE SKIP
	2.1	26	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2530-2531

WL81_K_6**MEETING/OTHER CLIENT'S CHILDREN/PRO #1**

When you have met in this group with (PROVIDER #1 FROM L80a),
who has attended the meetings?

Children of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	6	CIRCLED
	97.1	1,204	-9	LEGITIMATE SKIP
	2.0	25	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2532-2533

WL81_K_7**MEETING/OTHER CLIENT'S FAMI MEM/PRO #1**

When you have met in this group with (PROVIDER #1 FROM L80a),
who has attended the meetings?

Other members of other client's families.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	17	7	CIRCLED
	96.9	1,202	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2534-2535

WL81_K_8 ATTEND MEETING/OTHERS/PRO #1

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	8	CIRCLED
	97.2	1,205	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2536-2537

WL81_L_1 GROUP MET/COUNSEL/PROB W/SPOUSE/PRO #1

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	1	CIRCLED
	97.1	1,204	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2538-2539

WL81_L_2**GROUP MET/PARENTING/CHILD CARE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	11	2	CIRCLED
	96.9	1,201	-9	LEGITIMATE SKIP
	2.3	28	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2540-2541

WL81_L_3**GROUP MET/COUNSEL/PROB W/PARENT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	10	3	CIRCLED
	96.9	1,202	-9	LEGITIMATE SKIP
	2.3	28	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2542-2543

WL81_L_4 **GROUP MET/SEX EDUCATION/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	97.3	1,206	-9	LEGITIMATE SKIP
	2.7	33	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2544-2545

WL81_L_5 **GROUP MET/DEATH/BEREAVEMENT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	97.3	1,206	-9	LEGITIMATE SKIP
	2.7	33	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2546-2547

WL81_L_6**GROUP MET/OTHER/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	6	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	2.0	25	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2548-2549

WL81_M**HOW HELPFUL THE SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	1	0	NOT AT ALL
25.9	0.6	7	1	SOMEWHAT
70.4	1.5	19	2	VERY HELPFUL
	96.4	1,195	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2550-2551

WL82_01**SESSIONS W/PRO #2/INDIVIDUAL**

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Individual.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	1	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2552-2553

WL82_02**SESSIONS W/PRO #2/FAMILY**

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2554-2555

WL82_03**SESSIONS W/PRO #2/GROUP**

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Group.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	91.0	1,129	-9	LEGITIMATE SKIP
	8.9	110	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2556-2557

WL82_A**#TIMES/MET INDIVIDUALLY W/PRO #2**

How many times have you met individually with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	10	
50.0	0.1	1	30	
	91.2	1,131	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2558-2560

WL82_B	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	30	
50.0	0.1	1	60	
	91.2	1,131	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2561-2563

WL82_C_1	DEALT W/COUNSELING SPOUSE PROB/PRO #2
-----------------	--

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2564-2565

WL82_C_2**DEALT W/PARENTING/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.7	108	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2566-2567

WL82_C_3**DEALT W/COUNSELING PARENTS PROB/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2568-2569

WL82_C_4 **DEALT W/SEX EDUCATION/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2570-2571

WL82_C_5 **DEALT W/DEATH/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2572-2573

WL82_C_6**DEALT W/OTHER/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.7	108	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2574-2575

WL82_D**HOW HELPFUL THE SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.2	2	2	VERY HELPFUL
	91.2	1,131	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2576-2577

WL82_E #TIMES/MET AS FAMILY WITH PRO #2

How many times have you met as a family with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	
50.0	0.1	1	6	
	91.2	1,131	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2578-2579

WL82_F #MINUTES/SESSIONS LAST

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	60	
50.0	0.1	1	90	
	91.2	1,131	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2580-2582

WL82_G_1 ATTEND MEETING/SPOUSE/PRO #2

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.7	108	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2583-2584

WL82_G_2**MEETING/OTHER FAMI MEM OF CLIENT/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.7	108	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2585-2586

WL82_G_3**ATTEND MEETING/OTHERS IN TREAT/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2587-2588

WL82_G_4 ATTEND MEETING/FAMILY MEM OF OTHER/PR #2

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2589-2590

WL82_G_5 ATTEND MEETING/OTHERS/PRO #2

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.7	108	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2591-2592

WL82_H_1**FAMI MET/COUNSEL/PROB W/SPOUSE/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.7	108	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2593-2594

WL82_H_2**FAMI MET/PARENTING/CHILD CARE/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2595-2596

WL82_H_3

FAMI MET/COUNSEL/PROB W/PARENT/PRO #2

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2597-2598

WL82_H_4

FAMI MET/SEX EDUCATION/PRO #2

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2599-2600

WL82_H_5**FAMI MET/DEATH/BEREAVEMENT/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2601-2602

WL82_H_6**FAMI MET/OTHER/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	CIRCLED
	91.2	1,131	-9	LEGITIMATE SKIP
	8.7	108	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2603-2604

WL82_I	HOW HELPFUL THE SERVICES/PRO #2
---------------	--

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
50.0	0.1	1	1	SOMEWHAT
50.0	0.1	1	2	VERY HELPFUL
	91.2	1,131	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2605-2606

WL82_J	#TIMES/MET IN GROUP WITH PRO #2
---------------	--

How many times have you met in the group with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	
	91.3	1,132	-9	LEGITIMATE SKIP
	8.5	106	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2607-2608

WL82_K_1	ATTEND MEETING/SPOUSE/PRO #2
-----------------	-------------------------------------

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	91.4	1,133	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2609-2610

WL82_K_2	ATTEND MEETING/CHILDREN/PRO #2
-----------------	---------------------------------------

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	91.4	1,133	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2611-2612

WL82_K_3 ATTEND MEETING/OTHER FAMILY MEM/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other members of client's family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	91.3	1,132	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2613-2614

WL82_K_4 ATTEND MEETING/OTHER CLIENTS/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	4	CIRCLED
	91.3	1,132	-9	LEGITIMATE SKIP
	8.5	106	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2615-2616

WL82_K_5**MEETING/OTHER CLIENT'S SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouses / partners of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	91.3	1,132	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2617-2618

WL82_K_6**MEETING/OTHER CLIENT'S CHILDREN/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Children of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	91.4	1,133	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2619-2620

WL82_K_7 MEETING/OTHER CLIENT'S FAMI MEM/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other members of other client's families.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	91.3	1,132	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2621-2622

WL82_K_8 ATTEND MEETING/OTHERS/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	8	CIRCLED
	91.3	1,132	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2623-2624

WL82_L_1**GROUP MET/COUNSEL/PROB W/SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	91.4	1,133	-9	LEGITIMATE SKIP
	8.5	106	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2625-2626

WL82_L_2**GROUP MET/PARENTING/CHILD CARE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	91.4	1,133	-9	LEGITIMATE SKIP
	8.5	106	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2627-2628

WL82_L_3 **GROUP MET/COUNSEL/PROB W/PARENT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	91.3	1,132	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2629-2630

WL82_L_4 **GROUP MET/SEX EDUCATION/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	91.4	1,133	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2631-2632

WL82_L_5**GROUP MET/DEATH/BEREAVEMENT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	91.4	1,133	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2633-2634

WL82_L_6**GROUP MET/OTHER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	91.4	1,133	-9	LEGITIMATE SKIP
	8.6	107	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2635-2636

WL82_M	HOW HELPFUL THE SERVICES/PRO #2
---------------	--

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
50.0	0.1	1	1	SOMEWHAT
50.0	0.1	1	2	VERY HELPFUL
	91.3	1,132	-9	LEGITIMATE SKIP
	8.5	106	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2637-2638

WL83	RECEIVED SERVICES/RELATIONSHIP PROB
-------------	--

During the past 3 months, have you received any scheduled individual or group services for family or relationship problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	1.3	16	1	YES
86.2	8.1	100	2	NO
	89.4	1,108	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2639-2640

WL83A_1	RECEIVE SERVICE/SOCIAL SERVICES
----------------	--

Where have you received these services?

Social services or family services program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	10	1	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	1.8	22	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2641-2642

WL83A_2	RECEIVE SERVICE/MENTAL HEALTH CENTER
----------------	---

Where have you received these services?

Mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.5	31	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2643-2644

WL83A_3 RECEIVE SERVICE/CHURCH ORGANIZATION

Where have you received these services?

Church or religious organization.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.4	30	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2645-2646

WL83A_4 RECEIVE SERVICE/PRIVATE FAMI COUNSELOR

Where have you received these services?

Private marital or family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	4	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2647-2648

WL83A_5**RECEIVE SERVICE/OTHER**

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2649-2650

WL83B_1**FAMILY/RELATIONSHIP OTHER PLACE/LOC #1**

Which 2 places did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	0.9	11	1	SOCIAL SERVICES OR FAMILY SERVICES
6.2	0.1	1	2	MENTAL HEALTH CENTER
6.2	0.1	1	3	CHURCH OF RELIGIOUS ORGANIZATION
12.5	0.2	2	4	PRIV MARITAL OR FAMILY COUNSELR
6.2	0.1	1	5	OTHER
	97.4	1,208	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2651-2652

WL83C_1 **WHO REFERRED YOU TO THIS LOCATION**

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.5	6	1	PROG
33.3	0.4	5	2	SOMEONE ELSE
26.7	0.3	4	3	SELF
	97.4	1,208	-9	LEGITIMATE SKIP
	1.4	17	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2653-2654

WL83D_1 **#DAYS RECEIVED SERVICES**

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	0.2	3	1	
18.8	0.2	3	2	
6.2	0.1	1	4	
6.2	0.1	1	5	
6.2	0.1	1	6	
6.2	0.1	1	7	
6.2	0.1	1	8	
25.0	0.3	4	12	
6.2	0.1	1	26	
	97.4	1,208	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2655-2657

WL83E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
6.2	0.1	1	1	SOMEWHAT
93.8	1.2	15	2	VERY HELPFUL
	97.4	1,208	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2658-2659

WL83F1_1	TALKED TO/REGULAR COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.5	31	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2660-2661

WL83F1_2 TALKED TO/CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2662-2663

WL83F111 TALKED TO/OTHER COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	11	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.4	30	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2664-2666

WL83F112	TALKED TO/OTHER CASE MANAGER/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2667-2668

WL83F113	TALKED TO/SOCIAL WORKER/LOC #1
-----------------	---------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	13	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.4	30	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2669-2671

WL83F121 TALKED TO/PSYCHOLOGIST/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	21	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.4	30	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2672-2674

WL83F122 TALKED TO/PSYCHIATRIST/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	22	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.5	31	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2675-2677

WL83F123	TALKED TO/NURSE/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2678-2679

WL83F128	TALKED TO/CERTIFIED FAMILY COUNSELOR
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	28	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.2	27	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2680-2682

WL83F171 **TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	71	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2683-2685

WL83F191 **TALKED TO/OTHER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	91	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.5	31	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2686-2688

WL83G_1

TALKED TO FOR SERVICES/LOCATION #1

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.1	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
7.1	0.1	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
14.3	0.2	2	13	SOCIAL WORKER
14.3	0.2	2	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
35.7	0.4	5	28	CERTIFIED FAMILY COUNSELOR
21.4	0.2	3	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	97.4	1,208	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2689-2691

WL83B_2

FAMILY/RELATIONSHIP OTHER PLACE/LOC #2

Which 2 places did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	SOCIAL SERVICES OR FAMILY SERVICES
0.0	0.0	0	2	MENTAL HEALTH CENTER
0.0	0.0	0	3	CHURCH OF RELIGIOUS ORGANIZATION
0.0	0.0	0	4	PRIV MARITAL OR FAMILY COUNSELR
0.0	0.0	0	5	OTHER
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2692-2693

WL83C_2 **WHO REFERRED YOU TO THIS LOCATION**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2694-2695

WL83D_2 **#DAYS RECEIVED SERVICES**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2696-2697

WL83E_2**HOW HELPFUL SERVICES/LOCATION #2**

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2698-2699

WL83F2_1**TALKED TO/REGULAR COUNSELOR/LOC #2**

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2700-2701

WL83F2_2 TALKED TO/CASE MANAGER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2702-2703

WL83F211 TALKED TO/OTHER COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2704-2705

WL83F212**TALKED TO/OTHER CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2706-2707

WL83F213**TALKED TO/SOCIAL WORKER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2708-2709

WL83F221 **TALKED TO/PSYCHOLOGIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2710-2711

WL83F222 **TALKED TO/PSYCHIATRIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2712-2713

WL83F223**TALKED TO/NURSE/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2714-2715

WL83F228**TALKED TO/CERTIFIED FAMILY COUNSELOR**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2716-2717

WL83F271 TALKED TO/STAFF FR OTHER AGENCY/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2718-2719

WL83F291 TALKED TO/OTHER/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2720-2721

WL83G_2

TALKED TO FOR SERVICES/LOCATION #2

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	97.4	1,208	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2722-2723

WL84

RECEIVED SERVICES/JOB TRAINING/FIND JOB

During the past 3 months, have you received any scheduled services to train you for a specific job, to help you find a job, or something else like counseling or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.8	122	1	YES
90.1	89.8	1,113	2	NO
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2724-2725

WL85 RECEIVED SERVICES AT THIS PROGRAM

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.9	5.4	67	1	YES
45.1	4.4	55	2	NO
	89.8	1,113	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2726-2727

WL86_01 TALKED TO/REGULAR COUNSELOR

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	9	1	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.1	63	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2728-2729

WL86_02 TALKED TO/CASE MANAGER

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2730-2731

WL86_11**TALKED TO/OTHER COUNSELOR**

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	12	11	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2732-2734

WL86_12**TALKED TO/OTHER CASE MANAGER**

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2735-2736

WL86_13 **TALKED TO/SOCIAL WORKER**

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2737-2738

WL86_21 **TALKED TO/PSYCHOLOGIST**

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	21	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2739-2741

WL86_22**TALKED TO/PSYCHIATRIST**

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2742-2743

WL86_23**TALKED TO/NURSE**

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2744-2745

WL86_27	TALKED TO/VOCATIONAL COUNSELOR
----------------	---------------------------------------

Who have you seen or talked to for these services here?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	32	27	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2746-2748

WL86_29	TALKED TO/TEACHER
----------------	--------------------------

Who have you seen or talked to for these services here?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	29	TEACHER
	94.2	1,168	-9	LEGITIMATE SKIP
	5.6	69	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2749-2751

WL86_71**TALKED TO/STAFF FR OTHER AGENCY**

Who have you seen or talked to for these services here?

Staff from another agency wh provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2752-2753

WL86_91**TALKED TO/OTHER**

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	15	91	CIRCLED
	94.1	1,167	-9	LEGITIMATE SKIP
	4.7	58	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2754-2756

WL86_A1	TALKED TO MOST/PROVIDER #1
---------	----------------------------

Which 2 have you seen or talked to most often?
 First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	0.6	8	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
16.7	0.9	11	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
1.5	0.1	1	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
45.5	2.4	30	27	VOCATIONAL COUNSELOR
3.0	0.2	2	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
21.2	1.1	14	91	OTHER
	94.1	1,167	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2757-2759

WL86_A2

TALKED TO MOST/PROVIDER #2

Which 2 have you seen or talked to most often?
Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
33.3	0.1	1	27	VOCATIONAL COUNSELOR
33.3	0.1	1	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
33.3	0.1	1	91	OTHER
	94.2	1,168	-9	LEGITIMATE SKIP
	5.6	69	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2760-2762

WL87_01

DEALT W/TRAINING/SPECIFIC JOB/PRO #1

Have the sessions with your (PROVIDER #1 FROM L86a) dealt
with training for a specific job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	26	1	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2763-2764

WL87_02 **DEALT W/HELP FIND A JOB/PRO #1**

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with help finding a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	12	2	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	4.8	60	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2765-2766

WL87_03 **DEALT W/SOMETHING ELSE/COUNSELING/PRO #1**

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with something else like counseling or vocational testing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.5	31	3	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2767-2768

WL87_B **CURRENTLY ENROLLED IN THIS TRAINING**

Are you currently enrolled in this training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.6	7	1	YES
75.0	1.7	21	2	NO
	97.3	1,207	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2769-2770

WL87_C

RECEIVE A DEGREE/DIPLOMA/CERTI

If you successfully complete this training, will you receive a degree, diploma, or certificate?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.3	4	1	YES
33.3	0.2	2	2	NO
	99.0	1,228	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2771-2772

WL87_D

WHICH WILL YOU RECEIVE

Which of these will you receive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEGREE
0.0	0.0	0	2	DIPLOMA
75.0	0.2	3	3	CERTIFICATE
25.0	0.1	1	4	OTHER
	99.2	1,230	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2773-2774

WL87_E #TIMES/ATTEND TRAINING W/PRO #1

How many times have you attended training with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	0.4	5	0	
37.9	0.9	11	1	
13.8	0.3	4	3	
3.4	0.1	1	4	
6.9	0.2	2	5	
3.4	0.1	1	7	
3.4	0.1	1	11	
3.4	0.1	1	15	
3.4	0.1	1	21	
3.4	0.1	1	36	
3.4	0.1	1	40	
	97.3	1,206	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2775-2777

WL87_F HOW HELPFUL TRAINING/PRO #1

How helpful was this training from your (PROVIDER #1 FROM L86a)? Would you say it was...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.3	4	0	NOT AT ALL
38.5	0.8	10	1	SOMEWHAT
46.2	1.0	12	2	VERY HELPFUL
	97.3	1,207	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2778-2779

WL87_G_1**HELP FIND JOB/JOB SEARCH WORKSHOP/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Job search workshop / counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	1	CIRCLED
	98.8	1,225	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2780-2781

WL87_G_2**HELP FIND JOB/RESUME WRITING/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Resume writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	98.8	1,225	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2782-2783

WL87_G_3 **HELP FIND JOB/INTERVIEW SKILLS/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Interviewing skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	3	CIRCLED
	98.7	1,224	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2784-2785

WL87_G_4 **HELP FIND JOB/JOB REFERRAL/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Job referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	4	CIRCLED
	98.7	1,224	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2786-2787

WL87_G_5

HELP FIND JOB/REFERRAL PUB AGCY/PRO #1

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Referral to public agency for help in finding a job (DVR, JTPA, DES).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	98.8	1,225	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2788-2789

WL87_G_6

HELP FIND JOB/REFERRAL PRIV AGCY/PRO #1

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Referral to a private agency for help in finding a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.8	1,225	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2790-2791

WL87_G_7 **HELP FIND JOB/PLACEMENT IN A JOB/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Placement in a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	98.8	1,225	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2792-2793

WL87_G_8 **HELP FIND JOB/OTHER/PRO #1**

How has your (PROVIDED #1 FROM L86a) tried to help you find a job?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	8	CIRCLED
	98.5	1,222	-9	LEGITIMATE SKIP
	1.0	13	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2794-2795

WL87_H	#TIMES/MET W/PRO #1/TO FIND A JOB
---------------	--

How many times have you met with your (PROVIDER #1 FROM L86a) to help you find a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.4	5	1	
14.3	0.2	2	2	
14.3	0.2	2	3	
14.3	0.2	2	4	
7.1	0.1	1	6	
7.1	0.1	1	10	
7.1	0.1	1	15	
	98.5	1,221	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2796-2798

WL87_I	#MINUTES/MEETINGS LAST
---------------	-------------------------------

How long did (this meeting last/these meetings usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.1	1	15	
21.4	0.2	3	20	
28.6	0.3	4	30	
7.1	0.1	1	45	
35.7	0.4	5	60	
	98.5	1,221	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2799-2801

WL87_J HOW HELPFUL SERVICES/PRO #1

How helpful was the service from your (PROVIDER #1 FROM L86a)? Would you say it was...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
50.0	0.6	7	1	SOMEWHAT
50.0	0.6	7	2	VERY HELPFUL
	98.5	1,221	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2802-2803

WL87_K DID YOU FIND A JOB

Have you found a job as a result of this service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.3	4	1	YES
71.4	0.8	10	2	NO
	98.5	1,221	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2804-2805

WL87_L_1	TYPE HELP/VOCATIONAL TEST ASSES/PRO #1
-----------------	---

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Vocational or employment testing assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	9	1	CIRCLED
	97.3	1,206	-9	LEGITIMATE SKIP
	2.0	25	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2806-2807

WL87_L_2	TYPE HELP/VOCATIONAL COUNSELING/PRO #1
-----------------	---

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Vocational or employment counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	2	CIRCLED
	97.3	1,206	-9	LEGITIMATE SKIP
	2.1	26	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2808-2809

WL87_L_3 **TYPE HELP/PUB AGCY VOCA ASSES/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a public agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	3	CIRCLED
	97.2	1,205	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2810-2811

WL87_L_4 **TYPE HELP/PRIV AGCY VOCA ASSES/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a private agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.3	1,206	-9	LEGITIMATE SKIP
	2.7	34	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2812-2813

WL87_L_5	TYPE HELP/PUB/PRIV AGCY VOC ASSES/PRO #1
-----------------	---

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a public or private agency for vocational counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	97.3	1,206	-9	LEGITIMATE SKIP
	2.7	33	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2814-2815

WL87_L_6	TYPE HELP/OTHER/PRO #1
-----------------	-------------------------------

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	6	CIRCLED
	97.2	1,205	-9	LEGITIMATE SKIP
	2.2	27	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2816-2817

WL87_M	SESSIONS W/PRO #1
---------------	--------------------------

Have these sessions with your (PROVIDER #1 FROM L86a) been for you alone or were they for groups or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	1.2	15	1	ALL INDIVIDUAL
13.6	0.2	3	2	ALL GROUP
18.2	0.3	4	3	BOTH INDIVIDUAL/GROUP
	97.0	1,203	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2818-2819

WL87_N	#TIMES/MET FOR HELP/PRO #1
---------------	-----------------------------------

How many times have you met with your (PROVIDER #1 FROM L86a) for this kind of help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.1	1	1	
26.1	0.5	6	2	
17.4	0.3	4	3	
4.3	0.1	1	5	
17.4	0.3	4	6	
8.7	0.2	2	10	
4.3	0.1	1	12	
8.7	0.2	2	15	
4.3	0.1	1	16	
4.3	0.1	1	20	
	97.0	1,203	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2820-2822

WL87_O**#MINUTES/MEETINGS LAST**

How long did (this meeting last/these meetings usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.1	1	15	
8.7	0.2	2	20	
30.4	0.6	7	30	
4.3	0.1	1	45	
39.1	0.7	9	60	
4.3	0.1	1	75	
4.3	0.1	1	90	
4.3	0.1	1	120	
	97.0	1,203	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2823-2826

WL87_P**HOW HELPFUL SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L86a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	0.2	3	0	NOT AT ALL
12.0	0.2	3	1	SOMEWHAT
76.0	1.5	19	2	VERY HELPFUL
	97.0	1,203	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2827-2828

WL88_01 **DEALT W/TRAIN FOR SPECIFIC JOB/PRO #2**

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with training for a specific job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2829-2830

WL88_02 **DEALT W/HELP FIND A JOB/PRO #2**

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with finding a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2831-2832

WL88_03 **DEALT W/SOMETHING ELSE/COUNSELING/PRO #2**

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with something else like counseling or vocational testing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2833-2834

WL88_B**CURRENTLY ENROLLED IN THIS TRAINING**

Are you currently enrolled in this training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	94.4	1,170	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2835-2836

WL88_C**RECEIVE A DEGREE/DIPLOMA/CERTI**

If you successfully complete this training, will you receive a degree, diploma, or certificate?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	94.4	1,170	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2837-2838

WL88_D **WHICH WILL YOU RECEIVE**

Which of these will you receive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEGREE
0.0	0.0	0	2	DIPLOMA
0.0	0.0	0	3	CERTIFICATE
0.0	0.0	0	4	OTHER
	94.4	1,170	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2839-2840

WL88_E **#TIMES/ATTEND TRAINING W/PRO #2**

How many times have you attended training with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	94.4	1,170	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2841-2842

WL88_F **HOW HELPFUL TRAINING/PRO #2**

How helpful was this training from your (PROVIDER #2 FROM L86a)? Would you say it was...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	94.4	1,170	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2843-2844

WL88_G_1**HELP FIND JOB/JOB SEARCH WORKSHOP/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Job search workshop / counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2845-2846

WL88_G_2**HELP FIND JOB/RESUME WRITING/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Resume writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2847-2848

WL88_G_3 **HELP FIND JOB/INTERVIEW SKILLS/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Interviewing skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2849-2850

WL88_G_4 **HELP FIND JOB/JOB REFERRAL/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Job referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2851-2852

WL88_G_5

HELP FIND JOB/REFERRAL PUB AGCY/PRO #2

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Referral to public agency for help in finding a job (DVR, JTPA, DES).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	94.2	1,168	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2853-2854

WL88_G_6

HELP FIND JOB/REFERRAL PRIV AGCY/PRO #2

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Referral to a private agency for help in finding a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2855-2856

WL88_G_7 **HELP FIND JOB/PLACEMENT IN A JOB/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Placement in a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2857-2858

WL88_G_8 **HELP FIND JOB/OTHER/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you find a job?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2859-2860

WL88_H	#TIMES/MET W/PRO #2/TO FIND A JOB
---------------	--

How many times have you met with your (PROVIDER #2 FROM L86a) to help you find a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	
50.0	0.1	1	20	
	94.2	1,168	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2861-2863

WL88_I	#MINUTES/MEETINGS LAST
---------------	-------------------------------

How long did (this meeting last/these meetings usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	30	
50.0	0.1	1	60	
	94.2	1,168	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2864-2866

WL88_J	HOW HELPFUL SERVICES/PRO #2
---------------	------------------------------------

How helpful was the service from your (PROVIDER #2 FROM L86a)? Would you say it was...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.2	2	2	VERY HELPFUL
	94.2	1,168	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2867-2868

WL88_K	DID YOU FIND A JOB
---------------	---------------------------

Have you found a job as a result of this service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	YES
50.0	0.1	1	2	NO
	94.2	1,168	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2869-2870

WL88_L_1**TYPE HELP/VOCATIONAL TEST ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Vocational or employment testing assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2871-2872

WL88_L_2**TYPE HELP/VOCATIONAL COUNSELING/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Vocational or employment counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2873-2874

WL88_L_3 **TYPE HELP/PUB AGCY VOCA ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to a public agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2875-2876

WL88_L_4 **TYPE HELP/PRIV AGCY VOCA ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to to a private agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2877-2878

WL88_L_5**TYPE HELP/PUB/PRIV AGCY VOC ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to public or private agency for vocational counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2879-2880

WL88_L_6**TYPE HELP/OTHER/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2881-2882

WL88_M SESSIONS W/PRO #2

Have the sessions with your (PROVIDER #2 FROM 86a) been for you alone or were they for groups or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALL INDIVIDUAL
0.0	0.0	0	2	ALL GROUP
0.0	0.0	0	3	BOTH INDIVIDUAL/GROUP
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2883-2884

WL88_N #TIMES/MET FOR HELP/PRO #2

How many times have you met with your (PROVIDER #2 FROM 86a) for this kind of help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2885-2886

WL88_O #MINUTES/MEETINGS LAST

How long did (this meeting last/these meetings usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2887-2888

WL88_P**HOW HELPFUL SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L86a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	94.3	1,169	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2889-2890

WL89**RECEIVE SERVICES/GET TRAINING FOR JOB**

During the past 3 months, have you received any scheduled services to help you get training for a job, to help you find a job, or to get vocational assessment or counseling at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	5.4	67	1	YES
48.5	5.1	63	2	NO
	88.9	1,102	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2891-2892

WL89_A_1 **RECEIVE SERVICE/EMPLOYMENT STATE OFFICE**

Where have you received these services?

State office of employment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2893-2894

WL89_A_2 **RECEIVE SERVICE/DVR/OVR/VESID**

Where have you received these services?

DVR / OVR / VESID.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	23	2	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	4.1	51	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2895-2896

WL89_A_3	RECEIVE SERVICE/JTPA/PIC
-----------------	---------------------------------

Where have you received these services?

JTPA / PIC.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	3	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.7	71	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2897-2898

WL89_A_4	RECEIVE SERVICE/PUBLIC EMPLOYMENT
-----------------	--

Where have you received these services?

Public employment or training agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	4	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.3	66	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2899-2900

WL89_A_5	RECEIVE SERVICE/PRIVATE EMPLOYMENT
-----------------	---

Where have you received these services?

Private employment or training agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	5	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2901-2902

WL89_A_6	RECEIVE SERVICE/BUSINESS ORGANIZATION
-----------------	--

Where have you received these services?

Business organization (Chamber of Commerce, Urban League, Etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2903-2904

WL89_A_7**RECEIVE SERVICE/TECH SCH/COMMU COLLEGE**

Where have you received these services?

Vocational / technical school / community college.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	7	CIRCLED
	94.0	1,165	-9	LEGITIMATE SKIP
	4.8	59	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2905-2906

WL89_A_8**RECEIVE SERVICE/CHARITABLE AGENCIES**

Where have you received these services?

Charitable agencies (Catholic Charities, Jewish Family Services).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2907-2908

WL89_A_9 RECEIVE SERVICE/OTHER

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	15	9	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	4.8	59	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2909-2910

WL89B_1 VOCATIONAL OTHER PLACE/LOCATION #1

Which 2 locations did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.2	3	1	STATE OFFICE OF EMPLOYMENT
29.9	1.6	20	2	DVR/OVR/VESID
4.5	0.2	3	3	JTPA/PIC
13.4	0.7	9	4	PUB EMPLOYMENT/TRAINING AGENCIES
6.0	0.3	4	5	PRIV EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	6	BUSINESS ORGANIZATIONS
19.4	1.0	13	7	VOCATIONAL/TECHNICAL/CMMNTY COLLEGE
0.0	0.0	0	8	CHARITABLE AGENCIES
22.4	1.2	15	9	OTHER
	94.0	1,165	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2911-2912

WL89C_1

WHO REFERRED YOU TO LOCATION #1

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.3	3.3	41	1	PROG
8.8	0.5	6	2	SOMEONE ELSE
30.9	1.7	21	3	SELF
	94.0	1,165	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2913-2914

WL89D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
---------	------------------------------------

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	1.4	17	1	
7.4	0.4	5	2	
5.9	0.3	4	3	
13.2	0.7	9	4	
4.4	0.2	3	5	
4.4	0.2	3	7	
1.5	0.1	1	8	
2.9	0.2	2	10	
1.5	0.1	1	11	
5.9	0.3	4	12	
4.4	0.2	3	14	
2.9	0.2	2	15	
1.5	0.1	1	16	
4.4	0.2	3	20	
2.9	0.2	2	25	
1.5	0.1	1	26	
1.5	0.1	1	28	
2.9	0.2	2	30	
1.5	0.1	1	36	
1.5	0.1	1	40	
1.5	0.1	1	80	
1.5	0.1	1	90	
0.0	0.0	0	99	99 OR MORE
	94.0	1,165	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2915-2917

WL89E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	0.4	5	0	NOT AT ALL
25.4	1.4	17	1	SOMEWHAT
67.2	3.6	45	2	VERY HELPFUL
	94.0	1,165	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2918-2919

WL89F1_1	TALKED TO/REGULAR COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2920-2921

WL89F1_2 TALKED TO/CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.9	73	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2922-2923

WL89F111 TALKED TO/OTHER COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	11	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2924-2926

WL89F112	TALKED TO/OTHER CASE MANAGER/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	12	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.9	73	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2927-2929

WL89F113	TALKED TO/SOCIAL WORKER/LOC #1
-----------------	---------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	13	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2930-2932

WL89F121 **TALKED TO/PSYCHOLOGIST/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	21	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2933-2935

WL89F122 **TALKED TO/PSYCHIATRIST/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2936-2937

WL89F123**TALKED TO/NURSE/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2938-2939

WL89F127**TALKED TO/VOCATIONAL COUNSELOR/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	44	27	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	2.4	30	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2940-2942

WL89F129 TALKED TO/TEACHER/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	14	29	CIRCLED
	94.0	1,165	-9	LEGITIMATE SKIP
	4.9	61	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2943-2945

WL89F171 TALKED TO/STAFF FR OTHER AGENCY/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	71	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2946-2948

WL89F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	91	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.6	69	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2949-2951

WL89G_1	TALKED TO FOR SERVICES/LOCATION #1
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
1.5	0.1	1	2	CASE MANAGER
1.5	0.1	1	11	OTHER COUNSELOR
1.5	0.1	1	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
1.5	0.1	1	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
60.0	3.1	39	27	VOCATIONAL COUNSELOR
23.1	1.2	15	29	TEACHER
6.2	0.3	4	71	STAFF FROM ANOTHER AGENCY
4.6	0.2	3	91	OTHER
	94.0	1,165	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2952-2954

WL89B_2 **VOCATIONAL OTHER PLACE/LOCATION #2**

Which 2 locations did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	STATE OFFICE OF EMPLOYMENT
42.9	0.2	3	2	DVR/OVR/VESID
0.0	0.0	0	3	JTPA/PIC
0.0	0.0	0	4	PUB EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	5	PRIV EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	6	BUSINESS ORGANIZATIONS
28.6	0.2	2	7	VOCATIONAL/TECHNICAL/CMMNTY COLLEGE
0.0	0.0	0	8	CHARITABLE AGENCIES
28.6	0.2	2	9	OTHER
	94.0	1,166	-9	LEGITIMATE SKIP
	5.4	67	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2955-2956

WL89C_2 **WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.3	4	1	PROG
33.3	0.2	2	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	94.0	1,166	-9	LEGITIMATE SKIP
	5.5	68	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2957-2958

WL89D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
----------------	---

On how many days have you received these services at
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	1	1	
14.3	0.1	1	2	
28.6	0.2	2	7	
14.3	0.1	1	10	
14.3	0.1	1	13	
14.3	0.1	1	15	
	94.0	1,166	-9	LEGITIMATE SKIP
	5.4	67	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2959-2961

WL89E_2	HOW HELPFUL THE SERVICES/LOCATION #2
----------------	---

Overall, how helpful were these services you received at
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	1	0	NOT AT ALL
42.9	0.2	3	1	SOMEWHAT
42.9	0.2	3	2	VERY HELPFUL
	94.0	1,166	-9	LEGITIMATE SKIP
	5.4	67	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2962-2963

WL89F2_1 TALKED TO/REGULAR COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2964-2965

WL89F2_2 TALKED TO/CASE MANAGER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2966-2967

WL89F211**TALKED TO/OTHER COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2968-2969

WL89F212**TALKED TO/OTHER CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2970-2971

WL89F213 **TALKED TO/SOCIAL WORKER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2972-2973

WL89F221 **TALKED TO/PSYCHOLOGIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2974-2975

WL89F222	TALKED TO/PSYCHIATRIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2976-2977

WL89F223	TALKED TO/NURSE/LOC #2
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2978-2979

WL89F227 **TALKED TO/VOCATIONAL COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	27	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	5.4	67	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2980-2982

WL89F229 **TALKED TO/TEACHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2983-2984

WL89F271**TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2985-2986

WL89F291**TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	94.0	1,166	-9	LEGITIMATE SKIP
	6.0	74	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2987-2988

WL89G_2	TALKED TO FOR SERVICES/LOCATION #2
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
100.0	0.6	7	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	94.0	1,166	-9	LEGITIMATE SKIP
	5.4	67	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2989-2991

WL90	RECEIVED COUNSELING/IMPROVE EDUCATION
-------------	--

During the past 3 months, have you received any scheduled classes, counseling, or help specifically to improve your education or your reading and writing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.8	146	1	YES
88.2	87.7	1,087	2	NO
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2992-2993

WL91	RECEIVED SERVICES AT THIS PROGRAM
-------------	--

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.6	9.0	111	1	YES
23.4	2.7	34	2	NO
	87.7	1,087	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2994-2995

WL92_01	TALKED TO/PRIMARY/REGULAR COUNSELOR
----------------	--

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	1	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.0	111	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2996-2997

WL92_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.6	119	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2998-2999

WL92_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	8	11	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.0	111	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3000-3002

WL92_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.6	119	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3003-3004

WL92_13**TALKED TO/SOCIAL WORKER**

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.6	119	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3005-3006

WL92_21**TALKED TO/PSYCHOLOGIST**

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.6	119	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3007-3008

WL92_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.6	119	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3009-3010

WL92_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.6	119	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3011-3012

WL92_27**TALKED TO/VOCATIONAL COUNSELOR**

Who have you seen or talked to for these services here?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	27	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.2	114	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3013-3015

WL92_29**TALKED TO/TEACHER**

Who have you seen or talked to for these services here?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.8	72	29	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3016-3018

WL92_71 TALKED TO/STAFF FROM OTHER AGENCY

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	15	71	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	8.4	104	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3019-3021

WL92_91 TALKED TO/OTHER

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	91	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.0	112	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3022-3024

WL92A_1

TALKED TO FOR SERVICES/PROVIDER #1

Which 2 have you seen or talked to most often?
First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	0.8	10	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
5.5	0.5	6	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
2.8	0.2	3	27	VOCATIONAL COUNSELOR
65.1	5.7	71	29	TEACHER
12.8	1.1	14	71	STAFF FROM ANOTHER AGENCY
4.6	0.4	5	91	OTHER
	90.4	1,121	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3025-3027

WL92A_2	TALKED TO FOR SERVICES/PROVIDER #2
----------------	---

Which 2 have you seen or talked to most often?
 Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
22.2	0.2	2	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
22.2	0.2	2	27	VOCATIONAL COUNSELOR
33.3	0.2	3	29	TEACHER
11.1	0.1	1	71	STAFF FROM ANOTHER AGENCY
11.1	0.1	1	91	OTHER
	90.4	1,121	-9	LEGITIMATE SKIP
	8.9	110	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3028-3030

WL93	#TIMES YOU MET W/ YOUR PRO #1
-------------	--------------------------------------

How many times have you met with your (PROVIDER #1 FROM L92a)?

1,240 cases (Range of valid codes: 1-240)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3031-3034

WL93_A	#MINUTES SESSIONS LAST/PRO #1
---------------	--------------------------------------

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	1	1	
0.9	0.1	1	2	
0.9	0.1	1	3	
0.9	0.1	1	5	
0.9	0.1	1	6	
0.9	0.1	1	10	
1.8	0.2	2	20	
5.4	0.5	6	30	
0.9	0.1	1	45	
0.9	0.1	1	50	
12.6	1.1	14	60	
4.5	0.4	5	90	
2.7	0.2	3	105	
14.4	1.3	16	120	
17.1	1.5	19	150	
28.8	2.6	32	180	
2.7	0.2	3	240	
1.8	0.2	2	360	
0.9	0.1	1	380	
	90.4	1,121	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3035-3038

WL93_B_1	DEALT W/EDUC NEEDS ASSESSMENT/PRO #1
-----------------	---

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Educational needs assessment or testing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	10	1	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	8.8	109	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3039-3040

WL93_B_2 **DEALT W/ADULT BASIC EDUCATION/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Adult basic education in reading and writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	16	2	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	8.3	103	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3041-3042

WL93_B_3 **DEALT W/PREPARATION FOR GED/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Preparation for GED or high school equivalency exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	34	3	CIRCLED
	90.3	1,120	-9	LEGITIMATE SKIP
	6.9	86	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3043-3044

WL93_B_4**DEALT W/GED CLASSES/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

GED classes or other education courses.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	46	4	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	5.9	73	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3045-3046

WL93_B_5**DEALT W/TUTORING IN BASIC SKILLS/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Tutoring in reading, writing, math, or other basic skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	21	5	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	7.9	98	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3047-3048

WL93_B_6 **DEALT W/REFERRAL TO SCHOOLS/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Referral to schools, training, or vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	6	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.4	116	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3049-3050

WL93_B_7 **DEALT W/GEN COUNSELING ABOUT EDUC/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

General counseling about education plans and opportunities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	9	7	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	8.9	110	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3051-3052

WL93_B_8**DEALT W/OTHER/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	8	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.4	116	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3053-3054

WL93_C**HOW HELPFUL SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L92a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	1	0	NOT AT ALL
10.8	1.0	12	1	SOMEWHAT
88.3	7.9	98	2	VERY HELPFUL
	90.4	1,121	-9	LEGITIMATE SKIP
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3055-3056

WL94 **#TIMES YOU MET W/ YOUR PRO #1**

How many times have you met with your (PROVIDER #2 FROM L92a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	1	
12.5	0.1	1	2	
12.5	0.1	1	5	
12.5	0.1	1	6	
12.5	0.1	1	8	
12.5	0.1	1	10	
12.5	0.1	1	12	
12.5	0.1	1	15	
	90.4	1,121	-9	LEGITIMATE SKIP
	9.0	111	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3057-3059

WL94_A **#MINUTES SESSIONS LAST/PRO #1**

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	10	
25.0	0.2	2	30	
12.5	0.1	1	90	
25.0	0.2	2	120	
12.5	0.1	1	150	
12.5	0.1	1	180	
	90.4	1,121	-9	LEGITIMATE SKIP
	9.0	111	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3060-3063

WL94_B_1**DEALT W/EDUC NEEDS ASSESSMENT/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Educational needs assessment or testing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	1	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.4	117	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3064-3065

WL94_B_2**DEALT W/ADULT BASIC EDUCATION/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Adult basic education in reading and writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.6	119	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3066-3067

WL94_B_3 **DEALT W/PREPARATION FOR GED/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Preparation for GED or high school equivalency exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	3	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.4	116	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3068-3069

WL94_B_4 **DEALT W/GED CLASSES/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

GED classes or other education courses.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	4	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.4	116	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3070-3071

WL94_B_5**DEALT W/TUTORING IN BASIC SKILLS/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Tutoring in reading, writing, math, or other basic skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	5	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.4	116	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3072-3073

WL94_B_6**DEALT W/REFERRAL TO SCHOOLS/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Referral to schools, training, or vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	6	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.4	117	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3074-3075

WL94_B_7 **DEALT W/GEN COUNSELING ABOUT EDUC/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

General counseling about education plans and opportunities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.5	118	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3076-3077

WL94_B_8 **DEALT W/OTHER/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	90.4	1,121	-9	LEGITIMATE SKIP
	9.6	119	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3078-3079

WL94_C

HOW HELPFUL SERVICES/PRO #2

How helpful was this service from your (PROVIDER #2 FROM L92a)? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.6	8	2	VERY HELPFUL
	90.4	1,121	-9	LEGITIMATE SKIP
	9.0	111	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3080-3081

WL95

RECEIVED HELP IMPROVE EDUC/OTHER PLACE

During the past 3 months, have you received any scheduled classes, counseling, or help to improve your education or your reading and writing at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	2.7	34	1	YES
77.9	9.7	120	2	NO
	87.0	1,079	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3082-3083

WL95_A_1 RECEIVED SERVICE/PUBLIC SCHOOL SYSTEM

Where (else) have you received these services?

Public school system.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	1	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	2.8	35	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3084-3085

WL95_A_2 RECEIVED SERVICE/JR. COMMU COLLEGE

Where (else) have you received these services?

Junior community college.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	12	2	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3086-3087

WL95_A_3**RECEIVED SERVICE/FOUR-YEAR COLLEGE PROG**

Where (else) have you received these services?

Four-year college or graduate program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.1	39	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3088-3089

WL95_A_4**RECEIVED SERVICE/PRIVATE EDUC PROGRAM**

Where (else) have you received these services?

Private education program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3090-3091

WL95_A_5 RECEIVED SERVICE/PUBLIC AGENCIES

Where (else) have you received these services?

Public agencies (vocational rehabilitation, employment service).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	10	5	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	2.5	31	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3092-3093

WL95_A_6 RECEIVED SERVICE/OTHER

Where (else) have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	6	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	2.7	34	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3094-3095

WL95B_1	EDUCATION OTHER PLACE/LOCATION #1
----------------	--

Which 2 locations did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	0.5	6	1	PUB SCHOOL SYSTEM
31.4	0.9	11	2	JUNIOR COMMUNITY COLLEGE
5.7	0.2	2	3	FOUR YR COLLEGE/GRADUATE PROG
2.9	0.1	1	4	PRIV EDUCATION PROG
25.7	0.7	9	5	PUB AGENCIES
17.1	0.5	6	6	OTHER
	96.7	1,199	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3096-3097

WL95C_1	WHO REFERRED YOU TO LOCATION #1
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	1.0	12	1	PROG
14.3	0.4	5	2	SOMEONE ELSE
51.4	1.5	18	3	SELF
	96.7	1,199	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3098-3099

WL95D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.2	2	1	
8.8	0.2	3	2	
2.9	0.1	1	3	
5.9	0.2	2	8	
2.9	0.1	1	9	
2.9	0.1	1	10	
8.8	0.2	3	12	
2.9	0.1	1	14	
2.9	0.1	1	16	
5.9	0.2	2	24	
5.9	0.2	2	26	
2.9	0.1	1	28	
5.9	0.2	2	30	
2.9	0.1	1	32	
11.8	0.3	4	36	
5.9	0.2	2	48	
2.9	0.1	1	50	
11.8	0.3	4	60	
	96.7	1,199	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3100-3102

WL95E_1	HOW HELPFUL THE SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
5.7	0.2	2	1	SOMEWHAT
94.3	2.7	33	2	VERY HELPFUL
	96.7	1,199	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3103-3104

WL95F1_1**TALKED TO/REGULAR COUNSELOR/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3105-3106

WL95F1_2**TALKED TO/CASE MANAGER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3107-3108

WL95F127 TALKED TO/VOCATIONAL COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Vocational specialist / counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	27	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	2.7	34	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3109-3111

WL95F129 TALKED TO/TEACHERS IN PROG/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	25	29	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3112-3114

WL95F171	TALKED TO/STAFF FR OTHER AGENCY/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from school or other agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	71	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3115-3117

WL95F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	91	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3118-3120

WL95G_1	MOST FREQUENT PROVIDER/LOCATION #1
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
16.1	0.4	5	27	PROG VOCATIONAL COUNSELOR
71.0	1.8	22	29	TEACHER
9.7	0.2	3	71	STAFF FROM ANOTHER AGENCY
3.2	0.1	1	91	OTHER PROG STAFF
	96.7	1,199	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3121-3123

WL95B_2	EDUCATION OTHER PLACE/LOCATION #2
----------------	--

Which 2 locations did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PUB SCHOOL SYSTEM
50.0	0.2	2	2	JUNIOR COMMUNITY COLLEGE
0.0	0.0	0	3	FOUR YR COLLEGE/GRADUATE PROG
0.0	0.0	0	4	PRIV EDUCATION PROG
25.0	0.1	1	5	PUB AGENCIES
25.0	0.1	1	6	OTHER
	96.7	1,199	-9	LEGITIMATE SKIP
	3.0	37	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3124-3125

WL95C_2**WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
66.7	0.2	2	2	SOMEONE ELSE
33.3	0.1	1	3	SELF
	96.7	1,199	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3126-3127

WL95D_2**#DAYS YOU RECEIVED SERVICES/LOC #2**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	2	1	
33.3	0.1	1	2	
	96.7	1,199	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3128-3129

WL95E_2

HOW HELPFUL THE SERVICES/LOCATION #2

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
33.3	0.1	1	1	SOMEWHAT
66.7	0.2	2	2	VERY HELPFUL
	96.7	1,199	-9	LEGITIMATE SKIP
	3.1	38	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3130-3131

WL95F2_1

TALKED TO/REGULAR COUNSELOR/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3132-3133

WL95F2_2**TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3134-3135

WL95F227**TALKED TO/VOCATIONAL COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Vocational specialist / counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	27	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3136-3138

WL95F229 TALKED TO/TEACHERS IN PROG/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	29	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3139-3141

WL95F271 TALKED TO/STAFF FR OTHER AGENCY/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Staff from school or other agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	71	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3142-3144

WL95F291

TALKED TO/OTHER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	96.7	1,199	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3145-3146

WL95G_2

MOST FREQUENT PROVIDER/LOCATION #2

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
50.0	0.1	1	27	PROG VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
50.0	0.1	1	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER PROG STAFF
	96.7	1,199	-9	LEGITIMATE SKIP
	3.1	39	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3147-3149

WL96 RECEIVED SERVICE/HELP W/LEGAL PROB

During the past 3 months, have you received any scheduled services to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.3	78	1	YES
93.7	93.0	1,153	2	NO
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3150-3151

WL97 DID YOU GET SERVICES AT THIS PROG

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	3.5	44	1	YES
44.3	2.8	35	2	NO
	92.8	1,151	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3152-3153

WL98_01 TALKED TO/PRIMARY/REGULAR COUNSELOR

Who have you seen or talked to for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	12	1	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3154-3155

WL98_02**TALKED TO/CASE MANAGER**

Who have you seen or talked to for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3156-3157

WL98_11**TALKED TO/OTHER COUNSELOR**

Who have you seen or talked to for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3158-3159

WL98_12 **TALKED TO/OTHER CASE MANAGER**

Who have you seen or talked to for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3160-3161

WL98_13 **TALKED TO/SOCIAL WORKER**

Who have you seen or talked to for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	13	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3162-3164

WL98_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3165-3166

WL98_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3167-3168

WL98_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3169-3170

WL98_27	TALKED TO/VOCATIONAL COUNSELOR
----------------	---------------------------------------

Who have you seen or talked to for these services?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3171-3172

WL98_28**TALKED TO/CERTIFIED FAMILY COUNSELOR**

Who have you seen or talked to for these services?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3173-3174

WL98_29**TALKED TO/TEACHER**

Who have you seen or talked to for these services?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3175-3176

WL98_71	TALKED TO/STAFF FROM OTHER AGENCY
----------------	--

Who have you seen or talked to for these services?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	71	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3177-3179

WL98_91	TALKED TO/OTHER
----------------	------------------------

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	25	91	CIRCLED
	95.6	1,186	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3180-3182

WL98A_1

TALKED TO FOR SERVICES/PROVIDER #1

Which 2 did you see most frequently? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	0.9	11	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
2.4	0.1	1	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
14.3	0.5	6	71	STAFF FROM ANOTHER AGENCY
57.1	1.9	24	91	OTHER
	95.6	1,186	-9	LEGITIMATE SKIP
	1.0	12	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3183-3185

WL98A_2	TALKED TO FOR SERVICES/PROVIDER #2
---------	---

Which 2 did you see most frequently? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
25.0	0.1	1	71	STAFF FROM ANOTHER AGENCY
75.0	0.2	3	91	OTHER
	95.7	1,187	-9	LEGITIMATE SKIP
	4.0	49	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3186-3188

WL99 #TIMES YOU MET W/PRO #1

How many times have you met with your (PROVIDER #1 FROM L98a) for help with a legal problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.5	6	1	
26.7	1.0	12	2	
22.2	0.8	10	3	
8.9	0.3	4	4	
4.4	0.2	2	5	
8.9	0.3	4	6	
4.4	0.2	2	7	
2.2	0.1	1	10	
6.7	0.2	3	12	
2.2	0.1	1	21	
0.0	0.0	0	99	99 OR MORE
	95.6	1,186	-9	LEGITIMATE SKIP
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3189-3191

WL99_A_1 SERVICE RECEIVE/REPRESENT IN CIVIL CASE

What types of services or help have you received?
 Representation in civil case (divorce, custody, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	1	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3192-3193

WL99_A_2 **SERVICE RECEIVE/REPRESENT/CRIMINAL CASE**

What types of services or help have you received?

Representation in criminal case.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	2	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3194-3195

WL99_A_3 **SERVICE RECEIVE/ASSISTANCE W/PROBATION**

What types of services or help have you received?

Assistance with probation / parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	22	3	CIRCLED
	95.6	1,186	-9	LEGITIMATE SKIP
	2.6	32	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3196-3197

WL99_A_4**SERVICE RECEIVE/ASSIST W/NONCOURT LEGAL**

What types of services or help have you received?

Assistance with non-court legal matters (will, deed, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	4	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.1	51	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3198-3199

WL99_A_5**SERVICE RECEIVE/REFERRAL TO LAWYER AID**

What types of services or help have you received?

Referral to lawyer or legal aid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	5	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3200-3201

WL99_A_6	SERVICE RECEIVE/OTHER
-----------------	------------------------------

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	9	6	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	3.5	44	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3202-3203

WL99_B	HOW HELPFUL THE SERVICES
---------------	---------------------------------

How helpful was this service? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	0.7	9	0	NOT AT ALL
13.6	0.5	6	1	SOMEWHAT
65.9	2.3	29	2	VERY HELPFUL
	95.6	1,186	-9	LEGITIMATE SKIP
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3204-3205

WL100	#TIMES YOU MET W/PRO #2
--------------	--------------------------------

How many times have you met with your (PROVIDER #2 FROM L98a) for help with a legal problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	
66.7	0.2	2	6	
	95.7	1,187	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3206-3207

WL100A_1	SERVICE RECEIVE/REPRESENT IN CIVIL CASE
-----------------	--

What types of services or help have you received?

Representation in civil case (divorce, custody, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3208-3209

WL100A_2	SERVICE RECEIVE/REPRESENT/CRIMINAL CASE
-----------------	--

What types of services or help have you received?

Representation in criminal case.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3210-3211

WL100A_3	SERVICE RECEIVE/ASSISTANCE W/PROBATION
-----------------	---

What types of services or help have you received?

Assistance with probation / parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3212-3213

WL100A_4 SERVICE RECEIVE/ASSIST W/NONCOURT LEGAL

What types of services or help have you received?

Assistance with non-court legal matters (will, deed, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.3	53	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3214-3215

WL100A_5 SERVICE RECEIVE/REFERRAL TO LAWYER AID

What types of services or help have you received?

Referral to lawyer or legal aid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3216-3217

WL100A_6	SERVICE RECEIVE/OTHER
-----------------	------------------------------

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	CIRCLED
	95.7	1,187	-9	LEGITIMATE SKIP
	4.2	52	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3218-3219

WL100_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
33.3	0.1	1	1	SOMEWHAT
66.7	0.2	2	2	VERY HELPFUL
	95.7	1,187	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3220-3221

WL101**RECEIVED SERVICE/OTHER PLACE/LEGAL PROB**

During the past 3 months, have you received any scheduled services at some place other than this program specifically to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	2.9	36	1	YES
57.6	4.0	49	2	NO
	92.3	1,144	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3222-3223

WL101A_1**TALKED TO/TASC PROGRAM STAFF**

Who have you talked to or seen for these services?

TASC program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.7	46	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3224-3225

WL101A_2 TALKED TO/PAROLE/PROBATION OFFICER

Who have you talked to or seen for these services?

Parole or probation officer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	2	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.5	44	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3226-3227

WL101A_3 TALKED TO/PRIVATE LAWYER

Who have you talked to or seen for these services?

Private lawyer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	14	3	CIRCLED
	96.1	1,192	-9	LEGITIMATE SKIP
	2.7	34	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3228-3229

WL101A_4**TALKED TO/LEGAL AID**

Who have you talked to or seen for these services?

Legal aid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	4	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.5	43	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3230-3231

WL101A_5**TALKED TO/PUBLIC DEFENDER**

Who have you talked to or seen for these services?

Public defender or court-appointed counsel.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	10	5	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.0	37	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3232-3233

WL101A_6 TALKED TO/OTHER LEGAL

Who have you talked to or seen for these services?

Other legal.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	6	CIRCLED
	96.2	1,193	-9	LEGITIMATE SKIP
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3234-3235

WL101B_1 LEGAL OTHER PLACE - PROVIDER #1

Which 2 did you talk to or see most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	TASC PROG STAFF
11.1	0.3	4	2	PAROLE OR PROBATION OFFICER
33.3	1.0	12	3	PRIV LAWYER
13.9	0.4	5	4	LEGAL AID
25.0	0.7	9	5	PUB DEFENDR/COURT APPOINTD COULSL
16.7	0.5	6	6	OTHER LEGAL
	96.2	1,193	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3236-3237

WL101C_1	WHO REFERRED YOU TO PROVIDER #1
----------	---------------------------------

Who referred you to the (PROVIDER - 1st mention)? Was it a staff member at this program, someone else, or did you go to the (PROVIDER) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.2	3	1	PROG
50.0	1.5	18	2	SOMEONE ELSE
41.7	1.2	15	3	SELF
	96.2	1,193	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3238-3239

WL101D_1	#DAYS YOU RECEIVED SERVICES/PRO #1
----------	------------------------------------

On how many days have you received these services from the (PROVIDER - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	0.8	10	1	
40.5	1.2	15	2	
18.9	0.6	7	3	
8.1	0.2	3	4	
2.7	0.1	1	6	
2.7	0.1	1	7	
	96.1	1,192	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3240-3241

WL101E_1 HOW HELPFUL THE SERVICES/PRO #1

Overall, how helpful were these services you received from
(PROVIDER - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.3	4	0	NOT AT ALL
30.6	0.9	11	1	SOMEWHAT
58.3	1.7	21	2	VERY
	96.2	1,193	-9	LEGITIMATE SKIP
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3242-3243

WL101B_2 LEGAL OTHER PLACE - PROVIDER #2

Which 2 did you talk to or see most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	TASC PROG STAFF
0.0	0.0	0	2	PAROLE OR PROBATION OFFICER
25.0	0.1	1	3	PRIV LAWYER
0.0	0.0	0	4	LEGAL AID
25.0	0.1	1	5	PUB DEFENDER/CT APPTD COUNSEL
25.0	0.1	1	6	OTHER LEGAL
	96.2	1,193	-9	LEGITIMATE SKIP
	3.5	43	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3244-3245

WL101C_2**WHO REFERRED YOU TO PROVIDER #2**

Who referred you to the (PROVIDER - 2nd mention)? Was it a staff member at this program, someone else, or did you go to the (PROVIDER) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	PROG
50.0	0.2	2	2	SOMEONE ELSE
25.0	0.1	1	3	SELF
	96.2	1,193	-9	LEGITIMATE SKIP
	3.5	43	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3246-3247

WL101D_2**#DAYS YOU RECEIVED SERVICES/PRO #2**

On how many days have you received these services from the (PROVIDER - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	2	1	
25.0	0.1	1	6	
25.0	0.1	1	10	
	96.2	1,193	-9	LEGITIMATE SKIP
	3.5	43	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3248-3250

WL101E_2 HOW HELPFUL THE SERVICES/PRO #2

Overall, how helpful were these services you received from
(PROVIDER - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	0	NOT AT ALL
25.0	0.1	1	1	SOMEWHAT
50.0	0.2	2	2	VERY HELPFUL
	96.2	1,193	-9	LEGITIMATE SKIP
	3.5	43	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3251-3252

WL102 RECEIVED SERVICE/HELP FINANCIAL PROB

During the past 3 months, have you received any scheduled
services to help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	39	1	YES
96.8	96.5	1,196	2	NO
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3253-3254

WL103 DID YOU GET SERVICES AT PROGRAM

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	1.5	19	1	YES
53.7	1.8	22	2	NO
	96.3	1,194	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3255-3256

WL104_01	TALKED TO/PRIMARY/REGULAR COUNSELOR
-----------------	--

Who have you seen or talked to for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	1	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.4	17	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3257-3258

WL104_02	TALKED TO/CASE MANAGER
-----------------	-------------------------------

Who have you seen or talked to for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3259-3260

WL104_11 TALKED TO/OTHER COUNSELOR

Who have you seen or talked to for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	11	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.8	22	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3261-3263

WL104_12 TALKED TO/OTHER CASE MANAGER

Who have you seen or talked to for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3264-3265

WL104_13	TALKED TO/SOCIAL WORKER
-----------------	--------------------------------

Who have you seen or talked to for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	13	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.8	22	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3266-3268

WL104_21	TALKED TO/PSYCHOLOGIST
-----------------	-------------------------------

Who have you seen or talked to for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3269-3270

WL104_22	TALKED TO/PSYCHIATRIST
-----------------	-------------------------------

Who have you seen or talked to for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3271-3272

WL104_23	TALKED TO/NURSE
-----------------	------------------------

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3273-3274

WL104_27

TALKED TO/VOCATIONAL COUNSELOR

Who have you seen or talked to for these services?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3275-3276

WL104_28

TALKED TO/CERTIFIED FAMILY COUNSELOR

Who have you seen or talked to for these services?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3277-3278

WL104_29 TALKED TO/TEACHER

Who have you seen or talked to for these services?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3279-3280

WL104_71 TALKED TO/STAFF FROM OTHER AGENCY

Who have you seen or talked to for these services?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	71	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.8	22	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3281-3283

WL104_91

TALKED TO/OTHER

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	91	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.5	19	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3284-3286

WL104A_1

TALKED TO MOST OFTEN/PROVIDER #1

Which 2 did you see or talk to most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	0.6	7	1	PRIMARY/REGULAR COUNSELOR
5.3	0.1	1	2	CASE MANAGER
10.5	0.2	2	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
10.5	0.2	2	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
10.5	0.2	2	71	STAFF FROM ANOTHER AGENCY
26.3	0.4	5	91	OTHER
	98.1	1,216	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3287-3289

WL104A_2	TALKED TO MOST OFTEN/PROVIDER #2
-----------------	---

Which 2 did you see or talk to most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3290-3291

WL105	#TIMES MET W/YOUR PRO #1
--------------	---------------------------------

How many times have you met with your (PROVIDER #1 FROM L104a) for help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	0.6	8	1	
26.3	0.4	5	2	
5.3	0.1	1	3	
5.3	0.1	1	5	
5.3	0.1	1	6	
5.3	0.1	1	9	
5.3	0.1	1	10	
5.3	0.1	1	12	
	98.1	1,216	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3292-3294

WL105A_1	SERVICE RECEIVED/COUNSELING
-----------------	------------------------------------

What types of services or help have you received?

Counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	1	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.5	19	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3295-3296

WL105A_2	SERVICE RECEIVED/ASSIST W/BUDGET
-----------------	---

What types of services or help have you received?

Assistance with budgeting and money management.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3297-3298

WL105A_3 SERVICE RECEIVED/REFERRAL TO AGENCY

What types of services or help have you received?

Referral to outside agency (social services, social security, veterans affairs, private charitable organization).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	9	3	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3299-3300

WL105A_4 SERVICE RECEIVED/EMERGENCY FUNDS

What types of services or help have you received?

Emergency or other special purpose funds.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	23	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3301-3302

WL105A_5

SERVICE RECEIVED/CONCRETE SERVICES

What types of services or help have you received?

Concrete services (food, clothing, bus ticket, eyeglasses, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3303-3304

WL105A_6

SERVICE RECEIVED/OTHER

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	4	6	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3305-3306

WL105_B HOW HELPFUL THE SERVICES

How helpful was this service? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.2	3	0	NOT AT ALL
36.8	0.6	7	1	SOMEWHAT
47.4	0.7	9	2	VERY HELPFUL
	98.1	1,216	-9	LEGITIMATE SKIP
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3307-3308

WL106 #TIMES YOU MET W/PRO #2

How many times have you met with your (PROVIDER #2 FROM L104a) for help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3309-3310

WL106A_1 SERVICE RECEIVED/COUNSELING

What types of services or help have you received?

Counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3311-3312

WL106A_2	SERVICE RECEIVED/ASSIST W/BUDGET
-----------------	---

What types of services or help have you received?

Assistance with budgeting and money management.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3313-3314

WL106A_3	SERVICE RECEIVED/REFERRAL TO AGENCY
-----------------	--

What types of services or help have you received?

Referral to outside agency (social services, social security, veterans affairs, private charitable organization).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3315-3316

WL106A_4 SERVICE RECEIVED/EMERGENCY FUNDS

What types of services or help have you received?

Emergency or other special purpose funds.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3317-3318

WL106A_5 SERVICE RECEIVED/CONCRETE SERVICES

What types of services or help have you received?

Concrete services (food, clothing, bus ticket, eyeglasses, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3319-3320

WL106A_6	SERVICE RECEIVED/OTHER
-----------------	-------------------------------

What types of services or help have you received?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3321-3322

WL106_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	98.1	1,216	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3323-3324

WL107 RECEIVED SERVICES AT OTHER PLACE

During the past 3 months, have you received any scheduled services at some place other than this program to help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.8	1.7	21	1	YES
56.2	2.2	27	2	NO
	95.6	1,186	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3325-3326

WL107A51 RECEIVE SERVICE/SOCIAL SERVICES

Where have you received these services?

Social services.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	51	CIRCLED
	98.0	1,215	-9	LEGITIMATE SKIP
	1.5	19	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3327-3329

WL107A52	RECEIVE SERVICE/VOCATIONAL REHABILIT
-----------------	---

Where have you received these services?

Vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	52	CIRCLED
	98.0	1,215	-9	LEGITIMATE SKIP
	2.0	25	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3330-3331

WL107A53	RECEIVE SERVICE/VETERANS AFFAIRS
-----------------	---

Where have you received these services?

Veterans affairs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	53	CIRCLED
	98.0	1,215	-9	LEGITIMATE SKIP
	2.0	25	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3332-3333

WL107A54	RECEIVE SERVICE/SOCIAL SECURITY
-----------------	--

Where have you received these services?

Social security.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	10	54	CIRCLED
	97.9	1,214	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3334-3336

WL107A91	RECEIVE SERVICE/OTHER
-----------------	------------------------------

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	91	CIRCLED
	97.9	1,214	-9	LEGITIMATE SKIP
	1.6	20	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3337-3339

WL107B_1	FINANCIAL OTHER PLACE/LOCATION #1
----------	-----------------------------------

Which 2 places did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	0.5	6	51	SOCIAL SERVICES
0.0	0.0	0	52	VOCATIONAL REHABILITATION
0.0	0.0	0	53	VETERANS AFFAIRS
50.0	0.8	10	54	SOCIAL SECURITY
20.0	0.3	4	91	OTHER
	97.9	1,214	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3340-3342

WL107C_1	WHO REFERRED YOU TO LOCATION #1
----------	---------------------------------

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	0.9	11	1	PROG
15.0	0.2	3	2	SOMEONE ELSE
30.0	0.5	6	3	SELF
	97.9	1,214	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3343-3344

WL107D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
-----------------	---

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	1.0	12	1	
25.0	0.4	5	2	
5.0	0.1	1	3	
5.0	0.1	1	4	
5.0	0.1	1	10	
	97.9	1,214	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3345-3347

WL107E_1	HOW HELPFUL THE SERVICES/LOCATION #1
-----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	0.2	3	0	NOT AT ALL
35.0	0.6	7	1	SOMEWHAT
50.0	0.8	10	2	VERY HELPFUL
	97.9	1,214	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3348-3349

WL107B_2	FINANCIAL OTHER PLACE/LOCATION #2
-----------------	--

Which 2 places did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	51	SOCIAL SERVICES
0.0	0.0	0	52	VOCATIONAL REHABILITATION
0.0	0.0	0	53	VETERANS AFFAIRS
0.0	0.0	0	54	SOCIAL SECURITY
100.0	0.1	1	91	OTHER
	98.0	1,215	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3350-3352

WL107C_2	WHO REFERRED YOU TO LOCATION #2
-----------------	--

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROG
100.0	0.1	1	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	98.0	1,215	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3353-3354

WL107D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
-----------------	---

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	
	98.0	1,215	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3355-3356

WL107E_2	HOW HELPFUL SERVICES/LOCATION #2
-----------------	---

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
100.0	0.1	1	1	SOMEWHAT
	0.0	0	2	VERY HELPFUL
	98.0	1,215	-9	LEGITIMATE SKIP
	1.9	24	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3357-3358

WL108

HAD ANY COUNSELING BECAUSE OF CRISIS

During the past 3 months, have you had any counseling sessions with your counselor or any other professional because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.9	85	1	YES
93.1	92.7	1,149	2	NO
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3359-3360

WL108_A

#SESSONS YOU HAD BECAUSE OF CRISES

During the past 3 months, how many counseling session have you had because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.1	1	0	
44.9	3.2	40	1	
30.3	2.2	27	2	
11.2	0.8	10	3	
7.9	0.6	7	4	
3.4	0.2	3	6	
1.1	0.1	1	8	
	92.3	1,145	-9	LEGITIMATE SKIP
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3361-3362

WL108_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.2	3	0	NOT AT ALL
18.4	1.3	16	1	SOMEWHAT
78.2	5.5	68	2	VERY HELPFUL
	92.4	1,146	-9	LEGITIMATE SKIP
	0.6	7	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3363-3364

WL109	RECEIVED UNSCHEDULED HELP AT THIS PROG
--------------	---

During the past 3 months, have you received any unscheduled help from anyone at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.6	131	1	YES
89.3	88.6	1,099	2	NO
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3365-3366

WL110	RECEIVED UNSCHEDULED HELP/REFERRED TO
--------------	--

During the past 3 months, have you received any unscheduled help from anyone at a place you've been referred to by this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	10	1	YES
99.2	98.5	1,222	2	NO
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3367-3368

WL111_A**UNSCHEDULED HELP/STOP ON USE OF DRUGS**

How much has the unscheduled assistance that you received helped you stop or cut down on your use of drugs? Would you say ...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	1.2	15	0	NOT AT ALL
23.7	2.5	31	1	SOMEWHAT
64.9	6.9	85	2	VERY MUCH
	88.3	1,095	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3369-3370

WL111_B**UNSCHEDULED HELP W/OTHER PROBLEMS**

How much has the unscheduled assistance that you received helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.4	5	0	NOT AT ALL
23.8	2.5	31	1	SOMEWHAT
72.3	7.6	94	2	VERY MUCH
	88.3	1,095	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3371-3372

WL113_01 RECEIVED HELP FROM/REGULAR COUNSELOR

During the past 3 months, who have you received this kind of help from?

Primary / regular caseworker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	52	1	CIRCLED
	88.4	1,096	-9	LEGITIMATE SKIP
	7.3	91	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3373-3374

WL113_02 RECEIVED HELP FROM/CASE MANAGER

During the past 3 months, who have you received this kind of help from?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.3	140	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3375-3376

WL113_11

RECEIVED HELP FROM/OTHER COUNSELOR

During the past 3 months, who have you received this kind of help from?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	44	11	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	7.9	98	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3377-3379

WL113_12

RECEIVED HELP FROM/OTHER CASE MANAGER

During the past 3 months, who have you received this kind of help from?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.5	142	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3380-3381

WL113_13 RECEIVED HELP FROM/SOCIAL WORKER

During the past 3 months, who have you received this kind of help from?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	13	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.3	140	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3382-3384

WL113_21 RECEIVED HELP FROM/PSYCHOLOGIST

During the past 3 months, who have you received this kind of help from?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	21	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.4	141	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3385-3387

WL113_22	RECEIVED HELP FROM/PSYCHIATRIST
-----------------	--

During the past 3 months, who have you received this kind of help from?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.3	140	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3388-3390

WL113_23	RECEIVED HELP FROM/NURSE
-----------------	---------------------------------

During the past 3 months, who have you received this kind of help from?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	12	23	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	10.5	130	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3391-3393

WL113_24 RECEIVED HELP FROM/PHYSICIAN

During the past 3 months, who have you received this kind of help from?

Physician

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	24	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.3	140	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3394-3396

WL113_25 RECEIVED HELP FROM/PHYSICIAN'S ASSIST

During the past 3 months, who have you received this kind of help from?

Physician's assistant

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	25	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.3	140	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3397-3399

WL113_26

RECEIVED HELP FROM/DENTIST

During the past 3 months, who have you received this kind of help from?

Dentist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.5	142	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3400-3401

WL113_27

RECEIVED HELP FROM/VOCATIONAL COUNSELOR

During the past 3 months, who have you received this kind of help from?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	27	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.4	141	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3402-3404

WL113_28 RECEIVED HELP FROM/CERTIFIED COUNSELOR

During the past 3 months, who have you received this kind of help from?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.5	142	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3405-3406

WL113_29 RECEIVED HELP FROM/TEACHER

During the past 3 months, who have you received this kind of help from?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	29	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.3	140	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3407-3409

WL113_71

RECEIVED HELP FROM/STAFF FR OTHER AGENCY

During the past 3 months, who have you received this kind of help from?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	11.5	142	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3410-3411

WL113_91

RECEIVED HELP FROM/OTHER

During the past 3 months, who have you received this kind of help from?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	52	91	CIRCLED
	88.5	1,097	-9	LEGITIMATE SKIP
	7.3	90	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3412-3414

WL114_A

HOW OFTEN RECEIVE HELP/USE OF ALCOHOL

During the past 3 months, how often have you received this kind of help for your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	4.9	61	0	NEVER
23.3	2.4	30	1	SOME SESSIONS
13.2	1.4	17	2	MOST SESSIONS
16.3	1.7	21	3	EVERY SESSION
	88.1	1,093	-9	LEGITIMATE SKIP
	1.4	17	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3415-3416

WL114_B

HOW OFTEN RECEIVE HELP/DRUG/CAUSE PROB

During the past 3 months, how often have you received this kind of help for your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.0	4.0	49	0	NEVER
24.0	2.5	31	1	SOME SESSIONS
14.7	1.5	19	2	MOST SESSIONS
23.3	2.4	30	3	EVERY SESSION
	88.2	1,094	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3417-3418

WL114_C**HOW OFTEN RECEIVE HELP/EMOTIONAL HEALTH**

During the past 3 months, how often have you received this kind of help for your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	1.8	22	0	NEVER
17.7	1.9	23	1	SOME SESSIONS
19.2	2.0	25	2	MOST SESSIONS
46.2	4.8	60	3	EVERY SESSION
	88.2	1,094	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3419-3420

WL114_D**HOW OFTEN RECEIVE HELP/RELATION W/FAMILY**

During the past 3 months, how often have you received this kind of help for your relationship with your spouse, partner child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	2.4	30	0	NEVER
20.6	2.2	27	1	SOME SESSIONS
17.6	1.9	23	2	MOST SESSIONS
38.9	4.1	51	3	EVERY SESSION
	88.2	1,094	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3421-3422

WL114_E

HOW OFTEN RECEIVE HELP/YOUR PHYS HEALTH

During the past 3 months, how often have you received this kind of help for your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	5.5	68	0	NEVER
18.6	1.9	24	1	SOME SESSIONS
8.5	0.9	11	2	MOST SESSIONS
20.2	2.1	26	3	EVERY SESSION
	88.2	1,094	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3423-3424

WL114_F

HOW OFTEN RECEIVE HELP/EDUC/TRAINING

During the past 3 months, how often have you received this kind of help for your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.3	6.5	81	0	NEVER
18.0	1.9	23	1	SOME SESSIONS
10.2	1.0	13	2	MOST SESSIONS
8.6	0.9	11	3	EVERY SESSION
	88.2	1,094	-9	LEGITIMATE SKIP
	1.4	17	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3425-3426

WL114_G**HOW OFTEN RECEIVE HELP/INVOLVE W/COURT**

During the past 3 months, how often have you received this kind of help for involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.5	7.5	93	0	NEVER
15.4	1.6	20	1	SOME SESSIONS
6.9	0.7	9	2	MOST SESSIONS
6.2	0.6	8	3	EVERY SESSION
	88.2	1,094	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3427-3428

WL114_H**HOW OFTEN RECEIVE HELP/YOUR JOB**

During the past 3 months, how often have you received this kind of help for your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	6.5	81	0	NEVER
23.1	2.4	30	1	SOME SESSIONS
5.4	0.6	7	2	MOST SESSIONS
9.2	1.0	12	3	EVERY SESSION
	88.2	1,094	-9	LEGITIMATE SKIP
	1.2	15	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3429-3430

WL114_K

HOW OFTEN RECEIVE HELP/OTHER IMP ISSUES

During the past 3 months, how often have you received this kind of help for any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	1.0	13	1	YES
89.8	9.2	114	2	NO
	88.2	1,094	-9	LEGITIMATE SKIP
	1.5	18	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3435-3436

WL114K_1

HOW OFTEN RECEIVE HELP/FIRST SPECIFY

During the past 3 months, how often have you received this kind of help for (other important reason - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
26.7	0.3	4	1	SOME SESSIONS
13.3	0.2	2	2	MOST SESSIONS
60.0	0.7	9	3	EVERY SESSION
	97.4	1,208	-9	LEGITIMATE SKIP
	1.3	16	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3437-3438

WL114K_2 HOW OFTEN RECEIVE HELP/SECOND SPECIFY

During the past 3 months, how often have you received this kind of help for (other important reason - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
50.0	0.1	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
50.0	0.1	1	3	EVERY SESSION
	97.4	1,208	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3439-3440

WL114K_3 HOW OFTEN RECEIVE HELP/THIRD SPECIFY

During the past 3 months, how often have you received this kind of help for (other important reason - 3rd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
50.0	0.1	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
50.0	0.1	1	3	EVERY SESSION
	97.4	1,208	-9	LEGITIMATE SKIP
	2.3	29	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3441-3442

WL114K_4

HOW OFTEN RECEIVE HELP/FOURTH SPECIFY

During the past 3 months, how often have you received this kind of help for (other important reason - 4th mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
100.0	0.1	1	3	EVERY SESSION
	97.4	1,208	-9	LEGITIMATE SKIP
	2.4	30	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3443-3444

WL115	THE SERVICE MOST HELPFUL TO YOU
-------	--

During the past 3 months, which of the services you have received has been most helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	16	0	NO SERVICES
12.9	12.7	157	1	REGULAR ADDICTION GROUP
6.9	6.8	84	2	OTHER GROUP COUNSELING
31.1	30.6	379	3	INDIVIDUAL COUNSELING
11.6	11.4	141	4	12-STEP/SELF-HELP GROUP
0.3	0.3	4	5	CRISIS COUNSELING
0.5	0.5	6	6	UNSCHEDULED HELP
0.3	0.3	4	7	TALKS/FILMS/DISCUSSIONS
1.1	1.0	13	8	DRUG COUNSELING
0.2	0.2	3	9	ALCOHOL COUNSELING
0.3	0.3	4	10	DRUG TESTING
0.9	0.9	11	11	PSYCHOLOGICAL/MENTAL HEALTH
0.5	0.5	6	12	FAMILY RELATIONSHIP COUNSELING
25.6	25.2	312	13	MEDICATION
0.7	0.7	9	14	MEDICAL
0.2	0.2	2	15	LEGAL
1.6	1.6	20	16	EDUCATION/JOB TRAINING
0.2	0.2	3	17	HELP FINDING A JOB
0.0	0.0	0	18	OTHER JOB ASSISTANCE
0.2	0.2	2	19	FINANCIAL ASSISTANCE
3.6	3.5	44	91	OTHER
	0.6	7	-8	BLANK
	1.0	12	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW

 100.0 100.0 1,240 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3445-3447

WL116

THE SERVICE LEAST HELPFUL TO YOU

During the past 3 months, which of the services you have received has been least helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	57.8	717	0	NO SERVICES
3.7	3.6	45	1	REGULAR ADDICTION GROUP
6.6	6.5	80	2	OTHER GROUP COUNSELLING
8.3	8.1	100	3	INDIVIDUAL COUNSELING
3.6	3.5	43	4	12-STEP/SELF-HELP GROUP
0.1	0.1	1	5	CRISIS COUNSELING
0.3	0.3	4	6	UNSCHEDULED HELP
1.1	1.0	13	7	TALKS/FILMS/DISCUSSIONS
0.2	0.2	3	8	DRUG COUNSELING
0.4	0.4	5	9	ALCOHOL COUNSELING
2.4	2.3	29	10	DRUG TESTING
0.4	0.4	5	11	PSYCHOLOGICAL/MENTAL HEALTH
0.5	0.5	6	12	FAMILY RELATIONSHIP COUNSELING
0.6	0.6	7	13	MEDICATION
0.9	0.9	11	14	MEDICAL
0.7	0.6	8	15	LEGAL
0.7	0.7	9	16	EDUCATION/JOB TRAINING
0.9	0.9	11	17	HELP FINDING A JOB
0.2	0.2	2	18	OTHER JOB ASSISTANCE
0.7	0.7	9	19	FINANCIAL ASSISTANCE
8.4	8.2	102	91	OTHER
	2.1	26	-8	BLANK
	0.2	2	-6	MULTIPLE RESPONSE
	0.2	2	-4	DON'T KNOW

 100.0 100.0 1,240 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3448-3450

WL117 NOTICED CHANGES IN YOUR THOUGHTS/FEELING

During the past 3 months, have you noticed changes in your thoughts, feelings, or relationships?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	67.1	832	1	YES
31.8	31.3	388	2	NO
	1.5	19	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3451-3452

WL117_B1 FIRST CAUSE FOR CHANGE

You mentioned a change in (CHANGE)? What do you think caused this change? Cause for 1st mentioned change?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	23.5	291	1	SELF
5.9	4.0	49	2	COUNSELOR OR CASE MANAGER
0.4	0.2	3	3	ANOTHER STAFF MEMBER
1.3	0.9	11	4	ANOTHER CLIENT/RESIDENT/PATIENT
50.2	33.7	418	5	THE PROG OVERALL
1.9	1.3	16	6	SOMETHING/SOMEONE OUTSIDE PROG
5.4	3.6	45	7	OTHER
	31.0	384	-9	LEGITIMATE SKIP
	1.7	21	-8	BLANK
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3453-3454

WL117_B2**SECOND CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change? Cause for 2nd mentioned change?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	14.5	180	1	SELF
7.8	3.7	46	2	COUNSELOR OR CASE MANAGER
0.5	0.2	3	3	ANOTHER STAFF MEMBER
1.0	0.5	6	4	ANOTHER CLIENT/RESIDENT/PATIENT
53.3	25.2	313	5	THE PROG OVERALL
2.0	1.0	12	6	SOMETHING/SOMEONE OUTSIDE PROG
4.6	2.2	27	7	OTHER
	31.0	385	-9	LEGITIMATE SKIP
	21.6	268	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3455-3456

WL117_B3**THIRD CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change? Cause for 3rd mentioned change?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	8.7	108	1	SELF
8.3	2.5	31	2	COUNSELOR OR CASE MANAGER
0.0	0.0	0	3	ANOTHER STAFF MEMBER
2.1	0.6	8	4	ANOTHER CLIENT/RESIDENT/PATIENT
52.0	15.6	194	5	THE PROG OVERALL
3.5	1.0	13	6	SOMETHING/SOMEONE OUTSIDE PROG
5.1	1.5	19	7	OTHER
	31.1	386	-9	LEGITIMATE SKIP
	38.8	481	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3457-3458

WL117_B4 FOURTH CAUSE FOR CHANGE

You mentioned a change in (CHANGE)? What do you think caused this change? Cause for 4th mentioned change?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	3.1	39	1	SELF
11.7	1.7	21	2	COUNSELOR OR CASE MANAGER
0.6	0.1	1	3	ANOTHER STAFF MEMBER
2.8	0.4	5	4	ANOTHER CLIENT/RESIDENT/PATIENT
58.7	8.5	105	5	THE PROG OVERALL
1.7	0.2	3	6	SOMETHING/SOMEONE OUTSIDE PROG
2.8	0.4	5	7	OTHER
	31.3	388	-9	LEGITIMATE SKIP
	54.3	673	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3459-3460

WL117_B5 FIFTH CAUSE FOR CHANGE

You mentioned a change in (CHANGE)? What do you think caused this change? Cause for 5th mentioned change?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	1.9	23	1	SELF
15.5	1.0	13	2	COUNSELOR OR CASE MANAGER
0.0	0.0	0	3	ANOTHER STAFF MEMBER
2.4	0.2	2	4	ANOTHER CLIENT/RESIDENT/PATIENT
50.0	3.4	42	5	THE PROG OVERALL
0.0	0.0	0	6	SOMETHING/SOMEONE OUTSIDE PROG
4.8	0.3	4	7	OTHER
	31.3	388	-9	LEGITIMATE SKIP
	61.9	768	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3461-3462

WL118

PROG TREATMENT HELP STOP YOUR DRUG USE

Now, please think about all the treatment you have received in this program during the past 3 months. Has this treatment helped you to stop or cut down on your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	93.9	1,164	1	YES
5.1	5.0	62	2	NO
	0.8	10	-8	BLANK
	0.1	1	-4	DON'T KNOW
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3463-3464

WL118_A

HOW MUCH TREATMENT HAS HELPED YOU

Would you say it has helped...?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	8.7	108	1	A LITTLE
90.8	85.5	1,060	2	A LOT
	4.6	57	-9	LEGITIMATE SKIP
	1.1	14	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3465-3466

WL119 HOW MUCH PROG HELPED YOU W/OTHER PROB

How much has this program helped you with other problems (besides drug problems) in the past 3 months? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	11.0	137	0	NOT AT ALL
28.2	28.0	347	1	A LITTLE
60.7	60.2	747	2	A LOT
	0.6	8	-8	BLANK
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3467-3468

WL120 HOW MANY PEOPLE IN TREAT/TO BE HELPED

How many of the people in treatment here do you think are likely to be helped a good deal by this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	15.6	193	1	VERY FEW
43.3	42.7	530	2	SOME
40.9	40.4	501	3	MOST
	0.7	9	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.5	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3469-3470

WL121_A**PRESSURE TO STAY IN PROG/YOURSELF**

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from yourself to stay in this program until you complete your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	40.0	496	0	NONE
16.5	16.5	204	1	A LITTLE
43.3	43.1	535	2	A LOT
	0.3	4	-8	BLANK
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3471-3472

WL121_B**PRESSURE TO STAY IN PROG/HUSBAND/WIFE**

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from your (husband/wife/partner)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	73.8	915	0	NONE
9.9	9.5	118	1	A LITTLE
12.9	12.3	153	2	A LOT
	1.0	12	-8	BLANK
	3.4	42	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3473-3474

WL121_C PRESSURE TO STAY IN PROG/FAMILY MEMBER

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from other family members?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	67.6	838	0	NONE
14.0	13.9	172	1	A LITTLE
17.9	17.7	220	2	A LOT
	0.5	6	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.2	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3475-3476

WL121_D PRESSURE TO STAY IN PROG/PEOPLE IN PROG

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from people in the program, including staff and clients?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.4	60.1	745	0	NONE
15.9	15.8	196	1	A LITTLE
23.7	23.5	292	2	A LOT
	0.4	5	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3477-3478

WL121_E**PRESSURE TO STAY IN PROG/FRIENDS**

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	73.4	910	0	NONE
13.7	13.6	169	1	A LITTLE
12.4	12.3	153	2	A LOT
	0.5	6	-8	BLANK
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3479-3480

WL121_F**PRESSURE TO STAY IN PROG/ANYONE ELSE**

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from anyone else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	84.2	1,044	0	NONE
3.8	3.7	46	1	A LITTLE
9.6	9.4	116	2	A LOT
	2.2	27	-8	BLANK
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3481-3482

WL122 HOW LIKELY/YOU TO STAY IN PROG TREATMENT

How likely are you to stay in this program until you complete your treatment? Would you say...

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.9	24	0	NOT AT ALL
9.7	9.6	119	1	SOMEWHAT
88.3	87.1	1,080	2	VERY LIKELY
	1.1	14	-8	BLANK
	0.2	2	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3483-3484

WL123_W #WEEKS/FEEL YOU NEED TO STAY IN PROGRAM

Not counting what others think, such as the courts, the staff here, or your family and friends, how much longer do you feel you need to stay in this program to get the help you need?

Number of weeks?
 1,240 cases (Range of valid codes: 0-5,148)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3485-3489

WL124**HOW MUCH/COUNSELOR AGREES W/YOU/GOALS**

How much do you feel your current counselor agrees with you about what would be useful goals for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.0	62	0	NOT AT ALL
19.3	19.0	235	1	A LITTLE BIT
75.7	74.4	923	2	VERY MUCH
	0.5	6	-8	BLANK
	0.6	8	-4	DON'T KNOW
	0.5	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3490-3491

WL125**HOW MUCH/COUNSELOR UNDERSTANDS/YOU/PROB**

How much does your counselor show a sincere desire to understand you and your problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.4	55	0	NOT AT ALL
13.0	12.9	160	1	A LITTLE BIT
82.5	81.6	1,012	2	VERY MUCH
	0.5	6	-8	BLANK
	0.2	2	-4	DON'T KNOW
	0.4	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3492-3493

WL126 **HOW MUCH/COUNSELOR & YOU WORK TOGETHER**

How much do you feel that you are working together with your counselor, that the two of you are joined in a struggle overcome your problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.8	84	0	NOT AT ALL
19.2	19.0	235	1	A LITTLE BIT
73.9	73.0	905	2	VERY MUCH
	0.7	9	-8	BLANK
	0.2	2	-4	DON'T KNOW
	0.4	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3494-3495

WL127 **HOW MUCH/YOU FEEL SATISFIED W/TREATMENT**

How satisfied do you feel with treatment so far?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	34	0	NOT AT ALL
16.0	16.0	198	1	A LITTLE BIT
81.2	80.9	1,003	2	VERY MUCH
	0.4	5	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3496-3497

WL128

HOW MUCH/PROG TREAT MATCH W/YOUR IDEAS

How much has the treatment you have received in this program so far match with your ideas about what helps people in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.0	75	0	NOT AT ALL
27.0	26.9	333	1	A LITTLE BIT
66.9	66.5	824	2	VERY MUCH
	0.5	6	-8	BLANK
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3498-3499

MINIMENTAL STATUS EXAM

WM1	EVER TALKED TO DOCTOR/MEMORY PROBLEM?
------------	--

Now, I'd like to ask about your memory. Have you ever had occasion to talk to a doctor about problems with your memory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	YES
0.0	0.0	0	2	NO
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3500-3501

WM2	WHAT IS THE YEAR?
------------	--------------------------

Let me ask you a few questions to check your concentration and memory.

What is the year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3502-3503

WM3**WHAT SEASON OF THE YEAR?**

Let me ask you a few questions to check your concentration and memory.

What season of the year is it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
100.0	0.1	1	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3504-3505

WM4**WHAT IS THE DATE?**

Let me ask you a few questions to check your concentration and memory.

What is the date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
100.0	0.1	1	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3506-3507

WM5	WHAT IS THE DAY OF THE WEEK?
------------	-------------------------------------

Let me ask you a few questions to check your concentration and memory.

What is the day of the week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3508-3509

WM6	WHAT IS THE MONTH?
------------	---------------------------

Let me ask you a few questions to check your concentration and memory.

What is the month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3510-3511

WM7**CAN YOU TELL WHERE WE ARE NOW?**

Let me ask you a few questions to check your concentration and memory.

Can you tell me where we are right now? For instance, what State are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3512-3513

WM8**WHAT COUNTY ARE WE IN?**

Let me ask you a few questions to check your concentration and memory.

What county / parish are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3514-3515

WM9 **WHAT CITY/TOWN ARE WE IN?**

Let me ask you a few questions to check your concentration and memory.

What city / town are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3516-3517

WM10A **WHAT FLOOR OF BUILDING ARE WE ON?**

Let me ask you a few questions to check your concentration and memory.

What floor of the building are we on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3518-3519

WM10B**WHAT IS THE NAME OF THIS PLACE?**

Let me ask you a few questions to check your concentration and memory.

What is this address (if institutionalized) or name of this place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3520-3521

WM11A**APPLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are apple.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3522-3523

WM11B **TABLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are table.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3524-3525

WM11C **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are penny.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3526-3527

WM12A	WOULD YOU SUBTRACT 7 FROM 100
--------------	--------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

93

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
100.0	0.1	1	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3528-3529

WM12B	WOULD YOU SUBTRACT 7 FROM 93
--------------	-------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

86

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	1,240	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3530-3531

WM12C**WOULD YOU SUBTRACT 7 FROM 86**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

79

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	1,240	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3532-3533

WM12D**WOULD YOU SUBTRACT 7 FROM 79**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

72

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	1,240	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3534-3535

WM12E**WOULD YOU SUBTRACT 7 FROM 72**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

65

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CANT DO
	100.0	1,240	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3536-3537

WM13**CIRCLE NUMBER OF ERRORS/REFUSED**

Now, I am going to spell a word forwards and I want you to spell it backwards. The word is "WORLD" W-O-R-L-D. Spell "world" backwards. How many errors?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO ERROR
0.0	0.0	0	1	1 ERROR
0.0	0.0	0	2	2 ERRORS
0.0	0.0	0	3	3 ERRORS
0.0	0.0	0	4	4 ERRORS
0.0	0.0	0	5	5 ERRORS
	99.9	1,239	-8	BLANK
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3538-3539

WM14A **APPLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember? Apple

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3540-3541

WM14B **TABLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember? Table

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3542-3543

WM14C **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember? Penny

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3544-3545

WM15A	SHOW WRIST WATCH/ASK/WHAT IS THIS?
--------------	---

What is this called? Watch

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3546-3547

WM15B	SHOW PENCIL/ASK/WHAT IS THIS?
--------------	--------------------------------------

What is this called? Pencil

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3548-3549

WM16	REPEAT A PHRASE AFTER ME
-------------	---------------------------------

I'd like you to repeat a phrase after me. The phrase is..."No ifs, and's or but's."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	1,240	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3550-3551

WM17 **HAND 'CLOSE YOUR EYES' CARD TO RESPON**

Read the words on this page and then do what it says.
 Hand "Close Your Eyes" card to the respondent.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CANT READ ENGLISH
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3552-3553

WM18A **TAKE PAPER IN YOUR RIGHT HAND**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Takes paper in right hand.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3554-3555

WM18B**FOLD PAPER IN HALF**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Folds paper in half.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3556-3557

WM18C**PUT PAPER DOWN ON YOUR LAP**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

Puts paper down on lap.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3558-3559

WM19 WRITE COMPLETE SENTENCE ON PAPER

Write any complete sentence on that piece of paper for me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CANT WRITE (ENGLISH)
	100.0	1,240	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3560-3561

WM20 COPY THE DRAWING ON SAME PAPER

Here is a drawing. Please copy the drawing on the same paper.
 Hand respondent "Pentagons" card.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CORRECT
0.0	0.0	0	5	ERROR/CANT DO
0.0	0.0	0	6	HANDICAP
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3562-3563

WM21 12/>12 05S CODED IN M2-M11/M14-M20?

ARE 12 OR MORE "05's" CODED IN M2-M11 AND M14-M20?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	1	2	NO
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3564-3565

INTERVIEWER OBSERVATIONS

WN1	WERE ALL APPLICABLE QUESTIONS ANSWERED?
-----	---

DID THE RESPONDENT ANSWER ALL APPLICABLE QUESTIONS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	95.7	1,187	1	YES
1.4	1.4	17	2	NO
	2.9	36	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3566-3567

WN2	RESPONDENT UNDERSTOOD ALL QUESTION ASKED
-----	--

DID THE RESPONDENT UNDERSTAND ALL OF THE QUESTIONS(S) THAT WERE ASKED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.5	96.6	1,198	1	YES
0.5	0.5	6	2	NO
	2.9	36	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3568-3569

WN2A # OF QUESTNS RESPONDNT DIDN''T UNDERSTND

HOW MANY QUESTIONS DID THE RESPONDENT NOT UNDERSTAND?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	
50.0	0.1	1	3	
	96.6	1,198	-9	LEGITIMATE SKIP
	3.2	40	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3570-3571

WN3_1_1 NOT UNDERSTOOD: INTELLECTUALLY UNABLE

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

INTELLECTUALLY UNABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	1	CIRCLED
	99.8	1,237	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3572-3573

WN3_1_2 SEVERITY OF INTELLECTUAL DIFFICULTY

HOW SEVERE WOULD YOU SAY THE INTELLECTUAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	MILD
66.7	0.2	2	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.8	1,237	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3574-3575

WN3_2_1	NOT UNDERSTOOD: LANGUAGE BARRIER
----------------	---

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

LANGUAGE BARRIER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3576-3577

WN3_2_2	SEVERITY OF LANGUAGE BARRIER
----------------	-------------------------------------

HOW SEVERE WOULD YOU SAY THE LANGUAGE BARRIER WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	MILD
0.0	0.0	0	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3578-3579

WN3_3_1	NOT UNDERSTOOD: PHYSICALLY UNABLE
----------------	--

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

PHYSICALLY UNABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	100.0	1,240	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3580-3581

WN3_3_2 SEVERITY OF PYHSICAL DIFFICULTY

HOW SEVERE WOULD YOU SAY THE PHYSICAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MILD
100.0	0.1	1	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3582-3583

WN3_4_1 NOT UNDERSTOOD: OTHER

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3584-3585

WN3_4_2 SEVERITY OF OTHER PROBLEM

HOW SEVERE WOULD YOU SAY THIS DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MILD
100.0	0.1	1	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.9	1,239	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3586-3587

WN4**WAS THE INTERVIEW A BREAK-OFF?**

WAS THE INTERVIEW A BREAK-OFF?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	37	1	YES
96.9	94.1	1,167	2	NO
	2.9	36	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3588-3589

WN4A1**BREAK-OFF: INTERVIEWER EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

INTERVIEWER EMERGENCY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	94.1	1,167	-9	LEGITIMATE SKIP
	5.9	73	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3590-3591

WN4A2**BREAK-OFF: RESPONDENT EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT EMERGENCY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	3	2	CIRCLED
	94.1	1,167	-9	LEGITIMATE SKIP
	5.6	70	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3592-3593

WN4A3 **BREAK-OFF: RESPONDENT TIRED, BORED**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT TIRED, BORED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	94.1	1,167	-9	LEGITIMATE SKIP
	5.9	73	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3594-3595

WN4A4 **BREAK-OFF:RESPONDENT ANGRY ABOUT QUESTNS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT ANGRY ABOUT QUESTIONS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	94.1	1,167	-9	LEGITIMATE SKIP
	5.9	73	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3596-3597

WN4A5**BREAK-OFF:RESPONDENT UPSET ABOUT QUESTNS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT UPSET ABOUT QUESTIONS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	94.1	1,167	-9	LEGITIMATE SKIP
	5.8	72	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3598-3599

WN4A6**BREAK-OFF: OTHER REASON**

WHAT WAS THE REASON FOR THE BREAK-OFF?

OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	24	6	CIRCLED
	94.1	1,167	-9	LEGITIMATE SKIP
	4.0	49	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3600-3601

WN5 **RESPONSE TO POSSIBLE FUTURE INTERVIEW**

WHAT WAS THE RESPONDENT'S RESPONSE TO A POSSIBLE FUTURE INTERVIEW?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	32.0	397	1	EAGER
56.3	54.1	671	2	RECEPTIVE
4.4	4.2	52	3	NO REACTION
0.0	0.0	0	4	RELUCTANT
0.1	0.1	1	5	REFUSED
5.9	5.6	70	6	NOT DISCUSSED
	3.9	48	-8	BLANK
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3602-3603

WN6 **WAS INTERVIEW GIVEN IN MORE THAN 1 SESSN**

WAS THE INTERVIEW GIVEN IN MORE THAN 1 SESSION?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	19	1	YES
98.4	94.7	1,174	2	NO
	3.8	47	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3604-3605

WN6A1

HOURS OF INTERVW BFORE INTERRPTD 1ST TME

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED
THE FIRST TIME? HOURS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.2	1.0	13	0	
22.2	0.3	4	1	
5.6	0.1	1	2	
	94.5	1,172	-9	LEGITIMATE SKIP
	4.0	50	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3606-3607

WN6A2

MINUTS OF INTERVW BFRE INTERRPTD 1ST TME

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED
THE FIRST TIME? MINUTES?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	3	0	
5.6	0.1	1	5	
11.1	0.2	2	10	
5.6	0.1	1	15	
5.6	0.1	1	20	
22.2	0.3	4	30	
5.6	0.1	1	31	
5.6	0.1	1	40	
5.6	0.1	1	45	
5.6	0.1	1	50	
5.6	0.1	1	55	
5.6	0.1	1	60	
	94.6	1,173	-9	LEGITIMATE SKIP
	4.0	49	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3608-3610

RACE	Race/Ethnicity Recode			
------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	43.2	536	1	CAUCASIAN/WHITE
42.5	42.5	527	2	AFRO-AMERICAN/BLACK
12.9	12.9	160	3	HISPANIC
1.4	1.4	17	4	OTHER
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3621-3622

RACESEX	Race/Gender Combination			
---------	-------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	29.7	368	1	CAUCASIAN/WHITE MALE
26.8	26.8	332	2	AFRO-AMERICAN/BLACK MALE
8.1	8.1	101	3	HISPANIC MALE
1.0	1.0	12	4	OTHER MALE
13.5	13.5	168	5	CAUCASIAN/WHITE FEMALE
15.7	15.7	195	6	AFRO-AMERICAN/BLACK FEMALE
4.8	4.8	59	7	HISPANIC FEMALE
0.4	0.4	5	8	OTHER FEMALE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3625-3626

MSTAT	Marital Status at Intake			
-------	--------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.5	205	1	LEGALLY MARRIED
7.4	7.3	91	2	SEPARATED
15.4	15.4	191	3	DIVORCED
2.2	2.2	27	4	WIDOWED
13.7	13.6	169	5	LIVING AS MARRIED
44.8	44.8	555	6	NEVER MARRIED
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3613-3614

FTWORK	Weeks Full time work past year
---------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	55.1	683	0	NONE
11.0	10.7	133	1	1 TO 13 WEEKS
15.9	15.4	191	2	14 TO 39 WEEKS
16.4	15.9	197	3	40 TO 52 WEEKS
	2.9	36	-8	BLANK

100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3611-3612

EDLEV	Educational Level
--------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
4.9	4.9	61	1	GRADE SCHOOL OR LESS
30.2	30.2	374	2	HIGH SCHOOL
39.0	39.0	484	3	HIGH SCHOOL DEGREE
15.2	15.2	189	4	SOME COLLEGE
5.5	5.5	68	5	JR COLLEGE/ASSOCIATE DEGREE
4.4	4.4	54	6	COLLEGE DEGREE
0.8	0.8	10	7	ADVANCED DEGREE

100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3623-3624

HLTHINS	Health Insurance
----------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	46.0	570	0	NONE
15.1	14.8	184	1	PRIVATE /OTHER
38.2	37.6	466	2	PUBLIC
	1.6	20	-8	BLANK

100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3689-3690

MAJSRC	Major Source of Income			
--------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.8	59	0	NO INCOME
36.9	35.7	443	1	LEGAL WORK
24.4	23.6	293	2	PUBLIC ASSISTANCE
5.4	5.2	65	3	SOCIAL SECURITY
7.4	7.2	89	4	FAMILY, FRIENDS
18.6	18.0	223	5	ILLEGAL SOURCES
2.4	2.3	29	6	OTHER SOURCES
	3.1	39	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3657-3658

REFER	Referral Source			
-------	-----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.6	38.5	478	0	SELF (ONLY IF NO OTHER PRIMARY OR SECOND
2.9	2.9	36	1	MEDICAL SERVICE
5.8	5.8	72	10	COMMUNITY AGENCY
4.6	4.6	57	20	LEGAL SYSTEM
15.4	15.4	191	30	PROBATION & PAROLE
0.9	0.9	11	40	PRISON SYSTEM
28.8	28.8	357	50	FAMILY OR FRIENDS
1.2	1.2	15	60	SCHOOL
1.2	1.2	15	70	EMPLOYER
0.2	0.2	2	80	VETERAN
0.3	0.3	4	90	OTHER
	0.2	2	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3659-3660

CJ_STAT	Criminal Justice Status
----------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	52.7	653	0	NO LEGAL STATUS
8.9	8.9	110	1	IN JAIL/DETENTION
24.3	24.2	300	2	PROBATION
8.8	8.8	109	3	PAROLE
5.3	5.2	65	4	CASE PENDING
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3655-3656

RESTRICT	Weeks Restricted Past Year, Bracketed
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	41.5	515	0	NO WEEKS RESTRICTED
20.1	19.4	241	1	1 TO 4 WEEKS RESTRICTED
10.9	10.5	130	2	5 TO 13 WEEKS RESTRICTED
9.5	9.2	114	3	14 TO 26 WEEKS RESTRICTED
7.3	7.0	87	4	27 TO 39 WEEKS RESTRICTED
3.1	3.0	37	5	40 TO 50 WEEKS RESTRICTED
6.2	6.0	74	6	51 TO 52 WEEKS RESTRICTED
	3.4	42	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3675-3676

SLFEFF6	Self Efficacy Scale
----------------	----------------------------

1,240 cases (Range of valid codes: 0.00-2.00)

Data type: numeric
 Decimals: 2
 Missing-data codes: lowest thru -1.00
 Columns: 3691-3694

SLFEST6	SELF-ESTEEM
----------------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	5	
0.6	0.6	7	6	
0.2	0.2	3	7	
1.4	1.4	17	8	
0.9	0.9	11	9	
3.1	3.1	38	10	
4.6	4.6	57	11	
5.4	5.4	67	12	
5.6	5.6	69	13	
8.0	8.0	99	14	
8.8	8.7	108	15	
8.8	8.8	109	16	
13.4	13.3	165	17	
9.5	9.4	117	18	
9.5	9.4	117	19	
20.2	20.1	249	20	
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3695-3696

SCACT6	Stg of Change/Action
---------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	4	
0.1	0.1	1	6	
0.2	0.2	2	7	
0.3	0.3	4	8	
0.4	0.4	5	9	
0.9	0.9	11	10	
1.5	1.5	19	11	
12.1	12.0	149	12	
7.5	7.4	92	13	
7.4	7.3	91	14	
13.0	12.9	160	15	
56.6	56.4	699	16	
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3697-3698

SCPRE6	Stg of Change/Precontemplation
---------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	36.9	458	3	
12.7	12.6	156	4	
13.3	13.2	164	5	
16.2	16.1	200	6	
8.6	8.5	106	7	
5.1	5.1	63	8	
4.5	4.5	56	9	
1.1	1.1	14	10	
0.5	0.5	6	11	
0.7	0.7	9	12	
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3699-3700

SCIDEA6	Stg of Change/Ideation
----------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	27	3	
0.9	0.9	11	4	
2.0	2.0	25	5	
2.7	2.7	33	6	
4.3	4.3	53	7	
7.5	7.5	93	8	
24.1	24.0	298	9	
16.7	16.6	206	10	
17.2	17.1	212	11	
22.4	22.3	276	12	
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3701-3702

THALLY6	Therapeutic Alliance
----------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	9	0	
0.7	0.6	8	1	
1.1	1.0	13	2	
1.2	1.1	14	3	
2.7	2.7	33	4	
4.9	4.8	60	5	
5.6	5.5	68	6	
5.8	5.6	70	7	
9.0	8.8	109	8	
14.1	13.8	171	9	
54.3	53.1	659	10	
	2.1	26	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3703-3704

TP12ST6	Trtmt Philospy: 12 Step
----------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	6	
0.5	0.5	6	7	
0.6	0.6	7	8	
1.2	1.2	15	9	
2.0	1.9	24	10	
2.8	2.8	35	11	
7.1	7.0	87	12	
8.2	8.1	101	13	
10.9	10.8	134	14	
13.9	13.8	171	15	
52.6	52.2	647	16	
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3705-3706

TPHELP6	Trtmt Philospy: Need Prof help
----------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	17	2	
0.5	0.5	6	3	
2.9	2.9	36	4	
2.8	2.8	35	5	
18.7	18.5	230	6	
9.2	9.1	113	7	
64.5	64.0	794	8	
	0.7	9	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3707-3708

TPSELF6	Trtmt Philospy: Drg Prb own fault
----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	3	
0.2	0.2	2	5	
0.7	0.7	9	6	
0.6	0.6	7	7	
2.5	2.5	31	8	
8.8	8.7	108	9	
7.9	7.8	97	10	
17.7	17.7	219	11	
61.6	61.3	760	12	
	0.5	6	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3709-3710

RECODED VARIABLES: SUBSTANCE USE

PDRUG Primary Drug Problem Recode

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.7	95	0	NO FAVORITE DRUG
8.6	8.3	103	10	ALCOHOL
3.9	3.8	47	20	MARIJUANA
1.3	1.3	16	30	HALLUCINOGEN
34.4	33.3	413	40	COCAINE/CRACK
38.1	36.9	457	50	HEROIN
3.2	3.1	38	60	NARCOTICS/OTHER OPIATES
0.8	0.8	10	70	SEDATIVES
1.3	1.3	16	80	AMPHETAMINES
0.3	0.3	4	90	OTHER
0.0	0.0	0	91	INHALANTS
	3.3	41	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3661-3668

PDRUGFRQ Frequency of Use Primary Drug

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	4.8	60	0	NO USE
3.2	2.8	35	1	LESS THAN ONCE A MONTH
6.0	5.4	67	2	1 TO 3 TIMES A MONTH
8.9	8.0	99	3	1 TO 2 TIMES A WEEK
10.1	9.0	112	4	3 TO 4 TIMES A WEEK
5.0	4.4	55	5	5 TO 6 TIMES A WEEK
26.9	24.1	299	6	DAILY OR ALMOST EVERY DAY
11.9	10.6	132	7	2 TO 3 TIMES A DAY
22.6	20.2	251	8	4 OR MORE TIMES A DAY
	7.7	95	-9	NO PRIMARY DRUG DENOTED
	2.8	35	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3669-3670

FAVDRUG	Favorite Drug Recode
----------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	73	0	NO FAVORITE DRUG
8.4	8.3	103	10	ALCOHOL
5.8	5.7	71	20	MARIJUANA
0.9	0.9	11	30	HALLUCINOGEN
31.8	31.5	391	40	COCAINE/CRACK
41.8	41.5	514	50	HEROIN
3.0	3.0	37	60	NARCOTICS/OTHER OPIATES
0.8	0.8	10	70	SEDATIVES
1.3	1.3	16	80	AMPHETAMINES
0.2	0.2	3	90	OTHER
0.0	0.0	0	91	INHALANTS
	0.9	11	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3677-3684

HERHX	History of Heroin Use
--------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	34.8	432	0	NEVER USED
9.2	9.2	114	1	USED 1-5 TIMES ONLY
4.2	4.2	52	2	USED SPORADICALLY OR MONTHLY
2.2	2.2	27	3	USED MORE THAN 4 WKS ON WEEKLY BASIS
49.5	49.4	612	4	USED MORE THAN 4 WEEKS ON DAILY BASIS
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3671-3672

COCHX	History of Cocaine Use
--------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	5.0	62	0	NEVER USED
8.0	8.0	99	1	USED 1-5 TIMES ONLY
12.4	12.3	153	2	USED SPORADICALLY OR MONTHLY
20.1	20.1	249	3	USED MORE THAN 4 WEEKS ON WKLY BASIS
54.5	54.4	674	4	USED MORE THAN 4 WEEKS ON DAILY BASIS
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3673-3674

DRUGTX	Number of Prior Drug Treatments
---------------	--

1,240 cases (Range of valid codes: 0-75)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3685-3686

HVY_ALC	Heavy Alcohol User Past Year
----------------	-------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	69.8	866	0	NOT A HEAVY USER
29.9	29.8	370	1	HEAVY ALCOHOL USER
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3627-3628

DRUGPAT Drug Use Pattern for DATOS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	24.0	298	1	HEROIN/NARCOTIC/NO COKE
22.7	22.7	281	2	COKE W/HEROIN OR NARCOTICS
6.9	6.9	86	3	COKE ONLY
10.7	10.7	133	4	COKE AND ALCOHOL
9.8	9.8	121	5	COKE PLUS OTHER DRUGS
11.3	11.3	140	6	MARIJUANA AND/OR ALCOHOL
14.6	14.6	181	7	RESIDUAL
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3629-3630

ALCWK Alcohol - Weekly Use in Past Year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.9	54.8	679	0	LESS THAN WEEKLY USE
45.1	45.0	558	1	WEEKLY OR MORE USE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3631-3632

MRJWK Marijuana - Weekly Use in Past Year

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.8	76.7	951	0	LESS THAN WEEKLY USE
23.2	23.2	288	1	WEEKLY OR MORE USE
	0.1	1	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3633-3634

COCWK	Cocaine - Weekly Use in Past Year
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	49.9	619	0	LESS THAN WEEKLY USE
50.1	50.1	621	1	WEEKLY OR MORE USE
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3635-3636

CRKWK	Crack - Weekly Use in Past Year
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	71.5	886	0	LESS THAN WEEKLY USE
28.3	28.2	350	1	WEEKLY OR MORE USE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3637-3638

HERWK	Heroin - Weekly Use in Past Year
--------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	56.4	699	0	LESS THAN WEEKLY USE
43.5	43.4	538	1	WEEKLY OR MORE USE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3639-3640

NARWK	Narcotics - Weekly Use in Past Year			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	88.7	1,100	0	LESS THAN WEEKLY USE
11.1	11.0	137	1	WEEKLY OR MORE USE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3641-3642

SEDWK	Sedatives - Weekly Use in Past Year			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	93.2	1,156	0	LESS THAN WEEKLY USE
6.5	6.5	80	1	WEEKLY OR MORE USE
	0.3	4	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3643-3644

AMPWK	Amphetamines - Weekly Use in Past Year			
--------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	95.5	1,184	0	LESS THAN WEEKLY USE
3.9	3.9	48	1	WEEKLY OR MORE USE
	0.6	8	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3645-3646

HALWK	Hallucinogens - Weekly Use in Past Year			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	97.0	1,203	0	LESS THAN WEEKLY USE
2.2	2.2	27	1	WEEKLY OR MORE USE
	0.8	10	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3647-3648

INHWK	Inhalants - Weekly Use in Past Year			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	99.5	1,234	0	LESS THAN WEEKLY USE
0.2	0.2	3	1	WEEKLY OR MORE USE
	0.2	3	-8	BLANK
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3649-3650

NDRUGS	Number Drugs Used Weekly			
---------------	---------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.5	168	0	
25.8	25.8	320	1	
33.3	33.3	413	2	
19.4	19.4	241	3	
5.8	5.8	72	4	
1.3	1.3	16	5	
0.6	0.6	8	6	
0.1	0.1	1	7	
0.1	0.1	1	8	
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3651-3652

TOPS_PAT	TOPS Drug Use Pattern			
----------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.7	96	1	HEROIN
35.6	35.6	442	2	HEROIN AND OPIOIDS
3.3	3.3	41	3	OTHER OPIOIDS
1.5	1.5	19	4	MULTIPLE NON-OPIOID
27.8	27.8	345	5	SINGLE NON-OPIOID
10.1	10.1	125	6	MARIJUANA AND/OR ALCOHOL
13.9	13.9	172	7	RESIDUAL/MINIMAL USE
-----	-----	-----		
100.0	100.0	1,240	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3653-3654

DRGTXAGE	Age at first drug treatment
----------	-----------------------------

1,240 cases (Range of valid codes: 12-55)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3687-3688

APPENDIX A: Publications

1999 Publications

- Broome, K. M., Flynn, P. M., & Simpson, D. D. (1999). Psychiatric comorbidity measures as predictors of retention in drug abuse treatment programs. *Health Services Research*, 34(3), 791-806.
- Broome, K. M., Joe, G. W., & Simpson, D. D. (1999). HIV risk reduction in outpatient drug abuse treatment: Individual and geographic differences. *AIDS Education and Prevention*, 11(4), 293-306.
- Broome, K. M., Simpson, D. D., & Joe, G. W. (1999). Patient and program attributes related to treatment process indicators in DATOS. *Drug and Alcohol Dependence*, 57, 127-135.
- Etheridge, R. M., Craddock, S. G., Hubbard, R. L., Rounds-Bryant, J. L. (1999). The relationship of treatment and self-help participation to patient outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 99-112.
- Fletcher, B. W., & Battjes, R. J. (1999). Introduction to the special issue: Treatment process in DATOS. *Drug and Alcohol Dependence*, 57, 81-87.
- Flynn, P. M., Kristiansen, P. L., Porto, J. V., & Hubbard, R. L. (1999). Costs and benefits of treatment for cocaine addiction in DATOS. *Drug and Alcohol Dependence*, 57, 167-174.
- Gossop, M., Marsden, J., Stewart, D., & Rolfe, A. (1999). Treatment retention and 1 year outcomes for residential programmes in England. *Drug and Alcohol Dependence*, 57, 89-98.
- Grella, C. E., Hser, Y., Joshi, V., & Anglin, M. D. (1999). Patient histories, retention, and outcome models for younger and older adults in DATOS. *Drug and Alcohol Dependence*, 57, 151-166.
- Grella, C. E., and Joshi, V. (1999). Gender differences in drug treatment careers among clients in the national Drug Abuse Treatment Outcome Study. *American Journal of Drug and Alcohol Abuse*, 25(3), 385-406.
- Hser, Y., Grella, C. E., Hsieh, S., Anglin, M. D., & Brown, B. S. (1999). Prior treatment experience related to process and outcomes in DATOS. *Drug and Alcohol Dependence*, 57, 137-150.
- Hser, Y.I., Joshi, V., Anglin, M.D., and Fletcher, B. (1999). Predicting post-treatment cocaine abstinence: What works for first-time admissions and treatment repeaters. *American Journal of Public Health*, 89(5), 666-671.

- Joe, G. W., Simpson, D. D., & Broome, K. M. (1999). Retention and patient engagement models for different treatment modalities in DATOS. *Drug and Alcohol Dependence*, 57, 113-125.
- Rounds-Bryant, J. L., Kristiansen, P. L., & Hubbard, R. L. (1999). Drug Abuse Treatment Outcome Study of adolescents: A comparison of client characteristics and pretreatment behaviors in three treatment modalities. *American Journal of Drug and Alcohol Abuse*, 25(4), 573-591.
- Simpson, D. D., Joe, G. W., Fletcher, B. W., Hubbard, R. L., & Anglin, M. D. *Archives of General Psychiatry*, 56, 507-514.
- Simpson, D. D. & Brown, B. (Eds.) (December, 1999). Special issue on treatment process and outcome studies from DATOS. *Drug and Alcohol Dependence*.

1999 "In Press"

- Grella, C. E., Etheridge, R. M., Joshi, V., & Anglin, M. D. (in press). Delivery of HIV risk reduction services in drug treatment programs. *Journal of Substance Abuse Treatment*.
- Grella, C. E., Joshi, V., & Anglin, M. D. (in press). Gender differences Outcome Study. *Journal of Maintenance in the Addictions*.
- Hser, Y., Shen, H., Grella, C., & Anglin, M. D. (in press). Lifetime severity index for cocaine use disorder (LSI-Cocaine): A predictor of treatment outcomes. *Journal of Nervous and Mental Disease*.
- Knight, K., Hiller, M. L., Broome, K. M., & Simpson, D. D. (in press). Legal pressure, treatment readiness, and engagement in long-term residential programs. *Journal of Offender Rehabilitation*.
- Melnick, G., De Leon, G., Hiller, M. L., & Knight, K. (in press). Therapeutic communities: Diversity in treatment elements. *Substance Use & Misuse*.
- Rounds-Bryant, J. (in press). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*.
- Rowan-Szal, G. A., Joe, G. W., & Simpson, D. D. (in press). Treatment retention of crack and cocaine users in a national sample of long term residential clients. *Addiction Research*.

1998 Publications

- Hiller, M. L., Knight, K., Broome, K. M., & Simpson, D. D. (1998). Legal pressure and treatment retention in a national sample of long-term residential programs. *Criminal Justice and Behavior*, 25(4), 463-481.
- Hser, Y. I., Anglin, M. D., & Fletcher, B. W. (1998). Comparative treatment effectiveness: Effects of program modality and client drug dependence history on drug use reduction. *Journal of Substance Abuse Treatment*, 15(6), 513-523.
- Hser, Y. I., Grella, C. E., Chou, C. P., & Anglin, M. D. (1998). Relationships between drug treatment careers and outcomes: Findings from the national Drug Abuse Treatment Outcome Study. *Evaluation Review*, 22(4), 496-519.
- Joe, G. W., Simpson, D. D., & Broome, K. M. (1998). Effects of readiness for drug abuse treatment on client retention and assessment of process. *Addiction*, 93(8), 1177-1190.
- Longshore, D. & Hsieh, S. (1998). Drug abuse treatment and risky sex: Evidence for a cumulative treatment effect? *American Journal of Drug and Alcohol Abuse*, 24(3), 439-451.

1997 Publications

- Anglin, M. D., Hser, Y. I., & Grella, C. E. (1997). Drug addiction and treatment careers among clients in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 308-323.
- Craddock, S. G., Rounds-Bryant, J. L., Flynn, P. M., & Hubbard, R. L. (1997). Characteristics and pretreatment behaviors of clients entering drug abuse treatment: 1969 to 1993. *American Journal of Drug and Alcohol Abuse*, 23(1), 43-59.
- Etheridge, R. M., Hubbard, R. L., Anderson, J., Craddock, S. G., & Flynn, P. M. (1997). Treatment structure and program services in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 244-260.
- Fletcher, B. W., Tims, F. M., & Brown, B. S. (1997). The Drug Abuse Treatment Outcome Study (DATOS): Treatment evaluation research in the United States. *Psychology of Addictive Behaviors*, 11(4), 216-229.
- Flynn, P. M., Craddock, S. G., Hubbard, R. L., Anderson, J., & Etheridge, R. M. (1997). Methodological overview and research design for the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 230-243.
- Hubbard, R. L., Craddock, S. G., Flynn, P. M., Anderson, J., & Etheridge, R. M. (1997). Overview of 1-year follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 261-278.

- Leshner, A. I. (1997). Introduction to the Special Issue: the National Institute on Drug Abuse's (NIDA's) Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 211-215.
- Rounds-Bryant, J. L., Flynn, P. M., & Craighead, L. W. (1997). Relationship between self-efficacy perceptions and in-treatment drug use among regular cocaine users. *American Journal of Drug and Alcohol Abuse*, 23(3), 383-395.
- Simpson, D. D., & Curry, S. J. (Eds.) (1997). Special Issue: Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4).
- Simpson, D. D., Joe, G. W., Broome, K. M., Hiller, M. L., Knight, K., & Rowan-Szal, G. A. (1997). Program diversity and treatment retention rates in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 279-293.
- Simpson, D. D., Joe, G. W., & Brown, B. S. (1997). Treatment retention and follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 294-307.

1995-1996 Publications

- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1995). Assessing consistency of response to questions on cocaine use. *Addiction*, 90(11), 1497-1502.
- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1996). Quality of treatment data: Reliability over time of self-reports given by clients in treatment for substance abuse. *Journal of Substance Abuse Treatment*, 13, 145-149.
- Etheridge, R. M., Craddock, S. G., Dunteman, G. H., & Hubbard, R. L. (1995). Treatment services in two national studies of community-based drug abuse treatment programs. *Journal of Substance Abuse*, 7(1), 9-26.
- Flynn, P. M., Craddock, S. G., Luckey, J. W., Hubbard, R. L., & Dunteman, G. H. (1996). Comorbidity of antisocial personality and mood disorders among psychoactive substance-dependent treatment clients. *Journal of Personality Disorders*, 10(1), 56-67.
- Poole, W. K., Flynn, P. M., Rao, A. V., & Cooley, P. C. (1996). Estimating prevalence of drug use from self-report measures in a cohort for which biological measures are available for a subsample. *American Journal of Epidemiology*, 144, 4, 413-420.
- Turner, C. F. & Hubbard, R. L. (1995). Quality of alcohol histories collected at intake to substance users treatment. *International Journal of the Addictions*, 30 (8), 963-989.