

Drug Abuse Treatment Outcome Study (DATOS), 1991-1994: [United States]

United States Department of Health and Human Services. National Institutes of Health. National Institute on Drug Abuse

Codebook for 5-Year Follow-up Data



is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Substance Abuse and Mental Health Services Administration
Office of Applied Studies
www.samhsa.gov

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE

WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

DRUG ABUSE TREATMENT OUTCOME STUDY

INTRODUCTION

Background

The Drug Abuse Treatment Outcome Study (DATOS) is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The DATOS family of studies consists of DATOS-adult, DATOS-adolescent, and the Cocaine Treatment Outcome Study (CTOS). DATOS-adult is viewed as a focal point of a comprehensive, systematic DATOS-based research program and family of studies to investigate treatment outcomes.

The major objectives of DATOS are to (1) develop current and more comprehensive information about drug abuse treatment effectiveness; (2) describe the characteristics of clients entering treatment and the treatment they receive in typical and stable community-based settings; (3) assess the contributions to client outcomes of program type, client characteristics, and treatment received; (4) assess the cost-effectiveness of drug abuse treatment across the major types of programs; and (5) compare the changes in clients, treatment, and treatment outcome findings from earlier multi-site studies. DATOS-adult is a comprehensive, multi-site prospective cohort study of clients entering treatment from 1991 to 1993. Approximately 10,000 clients from 96 programs in 11 cities were assessed at intake. Re-interviews were completed at 1 and 3 months during treatment with clients who continued their treatment. Follow-up samples of about 4,500 clients (12-months after treatment) and about 2,300 (at 60-months after treatment) were selected for locating and interviewing in the community.

Research Design

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. The prospective cohort design used in DATOS is the most appropriate design to study the interactions among client characteristics and treatment elements (Cook & Campbell, 1979; Singer, 1986). Both detailed measurement, fundamental to clinical epidemiological research, and multiple comparison groups available in prospective cohort studies, are utilized in DATOS. Although a principal goal of the study was to provide descriptive information on the characteristics of clients entering selected drug abuse treatment programs and their behaviors before, during, and after treatment, the design provides strong support for evaluative and causal inferences.

Program Sample

DATOS studies the effectiveness of treatment provided by typical and stable community-based organizations. Programs that provide such treatment were selected to develop samples of clients and treatment approaches to understand program effectiveness and to examine the factors contributing to positive outcomes. The programs involved in DATOS reflected approaches to treatment, and their client populations exhibited the major behavior patterns of clients receiving treatment for drug abuse between 1991 and 1993. As a study of treatment effectiveness, DATOS purposively sampled programs reflecting a full continuum of typical clinical approaches. In most of the communities, all programs were involved. Once the programs were selected, all clients who were admitted to treatment within the time frame were contacted and scheduled to be interviewed. This provided a pool of clients from which the samples for analysis could be developed. Most programs differed in their admission and intake criteria. DATOS was not designed to provide prevalence estimates or program evaluation. Neither the sample of programs nor clients was a statistically representative sample. The aim of the DATOS was to develop a pool of clients who differed in their exposure to various treatments in order to examine key relationships among client characteristics, treatment and outcomes. The changes in the treatment system raise many important issues surrounding who can be defined as a client and when they qualify. This re-definition is a major research issue in itself and was beyond the scope of DATOS. Consequently, it was virtually impossible to develop a consistent strategy to list clients who were eligible. Thus, a traditional response rate for intake and in-treatment interviews is difficult to conceptualize, and if one or many were to be calculated it would be specific to a modality or program type and the analysis sample of interest. Without a firm denominator, "response rates" cannot be consistently calculated across programs.

Geographic location, the type of program, and the representativeness of the program and its clients were considered in the selection of cities, programs, and clients for DATOS. Since the intense data collection efforts required for DATOS precluded wide geographic dispersion of programs, a limited number of candidate cities were chosen to reflect treatment approaches and clients in different sections of the United States. Cities considered were medium to large metropolitan areas with established treatment systems that included programs from each of four traditional modalities. Programs within each of the four major modalities of treatment varied in funding mechanism and philosophy.

Eleven cities were selected as sites for the DATOS-adult study. Initial training of interviewers in five cities was conducted in November 1991, and data collection began during late November 1991. In May 1992, a second training session for interviewers for the other sites was held, and data collection began in those four cities in early summer 1992. A third training session was held in August 1992, and programs in the two remaining areas were added to implement the full complement of 11 cities and 120 programs in DATOS-adult. A number of the programs never produced any interviews due to inadequate client flow, and several closed before data collection began. In the end, 96 programs produced interviews, but only 81 programs yielded 20 or more intake-1 interviews. (Some earlier papers and reports counted 99 DATOS-adult programs, but subsequently it was determined that a few programs had merged or changed administrative structure and the final count was 96 programs.) The greatest number of clients with the fewest

programs was short-term inpatient due to the rapid turnover of client beds. In contrast, methadone programs, whose clients stayed over a year in many cases, required more than double the numbers of programs to yield fewer than half the number of clients.

Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires. In addition, program level data were collected utilizing questionnaires administered to treatment program directors and counselors.

Intake 1. The Intake 1 Questionnaire obtained baseline data and took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment, and Income and expenditures.

Intake 2. The Intake 2 Questionnaire, which also required approximately 90 minutes to complete, was administered approximately one week after the Intake 1 Questionnaire. It contained sections on Health, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

In-treatment. Client data were collected primarily through client in-treatment interviews (also called "During-treatment interviews") administered at 1, 3, and 6-months after admission. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

12-Month Follow-up. Interviews were administered at 12-months after treatment termination. For long-term methadone clients whose treatment lasted more than 12 months, the follow-up interview was instead scheduled at 24 months after admission. The follow-up interview replicated much of the Intake interviews and focused on key behaviors during the year prior to the follow-up interview.

5-Year Follow-Up. Interviews were administered at 60-months after treatment termination. This follow-up interview replicated much of the content asked during the previous intake and follow-up interviews. The focus of this interview remained similar by looking at similar key behaviors during the prior year of the interview taking place.

Data Collection Procedures

Interviewers were well-trained and closely supervised. Approximately 70 interviewers recruited, trained, and supervised by the Research Triangle Institute (RTI) were directly responsible for the data collection at all the treatment programs. Intake and in-treatment data were collected within a program's physical facilities by the on-site program researcher (PR) trained and monitored by RTI staff. Clients were compensated \$10 for each Intake and In-treatment interview, and \$15 for the Follow-up interviews. Seven-day training sessions for the interviewers were conducted which included both the details of the administration of the various instruments and experience in working with the programs. Staff providing the training were experienced in drug abuse and treatment studies and had extensive experience in the training on the Diagnostic Interview Schedule (DIS) and other components of the assessment battery used in DATOS. To ensure data quality for DATOS, weekly phone reports from each PR were required and a quarterly site visit was made to each program to monitor the data collection. In addition, two randomly selected interviews completed by all active PRs were reviewed monthly. Quality control procedures were instituted at each step of data management, data receipt and edit, data entry, and document control.

Status of DATOS Study and Future Directions

Upon completion of the 12-month post-treatment follow-up phase of adults, DATOS-adult began the next cycle which involves a Cooperative Agreement among NIDA, the Institute for Community-Based Research (ICBR) of the National Development and Research Institutes, Inc. (Raleigh, NC), the Institute for Behavioral Research (IBR) at Texas Christian University (Fort Worth, TX) and the Drug Abuse Research Center (DARC) at the University of California at Los Angeles.

The Cooperative DATOS is an important NIDA-sponsored effort designed to collaboratively analyze data obtained under the DATOS family of studies, to examine key questions, and provide answers and new knowledge about drug abuse treatment as it has been and is being provided under contemporary conditions. Several research themes are being explored within the Cooperative:

- Studies of contemporary treatment outcomes, especially long-term outcomes and how they relate to phases of addiction and treatment
- Examination of the evolving drug abuse treatment system, including delivery and utilization of primary and ancillary services
- Research on the components of effective treatment, including the identification of factors that engage and retain clients in programs

Four variable domains, selected in accord with their significance for the drug abuse field, are being emphasized within the contexts of each set of studies. The domains include cocaine use, HIV risk behaviors, psychiatric co-morbidity, and criminal justice status.

An extended follow-up was in progress as of December 2002 to gather data on clients over a 4-year follow-up period. The added data will allow for a more in-depth examination of treatment and the long-term history of a contemporary sample of drug abuse clients.

For a more complete discussion of the DATOS methodology, see

Flynn, PF, Craddock, SG, Hubbard, RL, Anderson, J., and Etheridge, RM. (1997). Methodological Overview and Research Design for the Drug Abuse Treatment Outcome Study (DATOS), *Psychology of Addictive Behavior*, 11 (4).

For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>

SAMHDA Data Cleaning and Processing

This documents the steps taken to clean and process the Drug Abuse Treatment Outcome Study (DATOS) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An

overriding goal in cleaning and editing the files was to both protect confidentiality and preserve variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS variables included city, treatment program, and date of birth. The data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

City and program names: The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-10,010.

Date of birth: Date of birth (DOB) was deleted from the files; age at time of interview was also on the files and was preserved and top-coded at 55 and over.

Age at time of ... : Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

Age at time of ... was also top-coded at 55 and over. In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

Legal status (criminal involvement) at time of admission, "Other; specify": The details provided in "specify" were deleted; value coded as "Circled."

Have other health plan: Plans offered in a limited geographic area were coded as "Other."

Occupation: Highly detailed occupation codes were combined into larger categories.

Race: These codes were re-coded as "White," "Black," "Hispanic," and "Other."

Ethnicity: Detailed ethnicity codes and variables were collapsed or deleted.

Description of ethnic/cultural background (Hispanic): Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

What other languages do you speak: Coded as “German,” “Spanish,” “French,” all others coded or re-coded as “Other.”

Length of marital status in weeks: Re-coded to years; top-coded as 21 or more.

Length of time since divorce in months: Re-coded to years; top-coded as 21 or more.

Highest grade completed: Top-coded as 21 or more.

Type of school/training program attended: Job corps and special education (very low frequencies) coded as “Other.”

Number of children: Top-coded based on frequencies as “6 or more” (e.g., your own children) and “7 or more” (e.g., children to whom you gave birth or fathered) and “8 or more” (e.g., your own children and those raised as your own).

Date of admission: The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

Date of interview: This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

ICD-9/DSM diagnosis codes: These were re-coded as “substance-related condition,” “mental health condition,” and “all other conditions.”

Number of months currently pregnant: Re-coded by trimester.

Reason felt worthless/sinful/guilty: This variable was not numerically-coded on the original files (i.e., the verbatim responses were provided); this variable was therefore deleted.

Presence of a specific physical handicap: Variables related to a specific physical handicap (e.g., blindness) were deleted from the files. This involved three variables with fewer than five cases each.

Problems related to getting a job: Variables that were potentially identifying with very low frequencies (fewer than five), such as immigration status, were deleted.

Questions respondent did not understand: These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

Administrative variables: “Batch,” time checkpoints, and other variables related to questionnaire administration were deleted from the files.

Other variables: Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. "Program type" was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

Drug Abuse Treatment Outcome Study (DATOS), 1991-1994:[United States]

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

Drug Abuse Treatment Outcome Study (DATOS), 1991-1994: [United States]

5-Year Follow-Up Data

Variable Groups

Variable Groups Containing Variables

<i>Variable Group Name</i>	<i>Variable Group Label</i>	<i>Page</i>
IDENTIFICATION	IDENTIFICATION	2
MODALITY OF TREATMENT	MODALITY OF TREATMENT	2
PRIOR INTERVIEWS	PRIOR INTERVIEWS	3
TREATMENT CHARACTERISTICS	TREATMENT CHARACTERISTICS	3
SECTION A	DEMOGRAPHICS AND BACKGROUND	3
SECTION D	EDUCATION AND TRAINING	4
SECTION E	DRUGS, ALCOHOL, AND TOBACCO USE	5
SECTION F	PSYCHOLOGICAL FUNCTIONING	12
SECTION G	ILLEGAL INVOLVEMENT	13
SECTION H	EMPLOYMENT / SUPPORT STATUS	15
SECTION J	INCOME AND EXPENDITURES	16
SECTION K	HEALTH	16
SECTION L	SEXUAL RISK FACTORS	17
SECTION M	TREATMENT EXPERIENCE	18
SECTION N	CHANGE PERCEPTIONS	22
SECTION P	CRIMINAL JUSTICE INTERACTIONS	23
SECTION Q	DRUG / ALCOHOL TREATMENT	24
SECTION R	MEDICAL / PSYCHIATRIC TREATMENT	26
SECTION S	DRUG USE	33
SECTION T	CRIMINAL ACTIVITY	37
SECTION U	LEGAL EMPLOYMENT / INCOME	39
SECTION V	BASIC NEEDS	40
SECTION W	FAMILY SERVICES	41
CREATED VARIABLES	CREATED VARIABLES	41

IDENTIFICATION

IDENTIFICATION

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
CASEID	CASE IDENTIFICATION NUMBER	43

MODALITY OF TREATMENT

MODALITY OF TREATMENT

Variables within this Variable Group

<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
MODALITY	DATOS TX MODALITY	43

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>

PRIOR INTERVIEWS

PRIOR INTERVIEWS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
INTAKE2	Intake-2 Interview available	44
ONEMO	One-Month Interview available	44
THREEMO	Three-Month Interview available	44

TREATMENT CHARACTERISTICS

TREATMENT CHARACTERISTICS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
DAYSIN	DAYS IN TREATMENT	44
SOURCE	SOURCE OF DISCHARGE DATE VARIABLE	44

SECTION A

DEMOGRAPHICS AND BACKGROUND

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QA1	Record sex as observed	45
QA2	How old were you on your last birthday	45
QA3	Best description of racial background	46
QA4	Hispanic or Spanish origin or descent	47
QA4A	Description of ethnic/cultural background	47
QA5	Type of residence lived in past 12 months	47
QA6	Number days in restricted place last 12 months	48
QA7	Marital status	48
QA8	Who have you lived with most of the time in past 12 months	49
QA9_0	Lives alone	49
QA9_1	Lives with spouse/sexual partner	50
QA9_2	Lives with child(ren)	50
QA9_3	Lives with parent(s)	50
QA9_4	Lives with other family member(s)	51
QA9_5	Lives with friends/roommates/boarders	51
QA9A1	Spouse/sex partner supportive of abstinence in past 30 days	51
QA9B1	Spouse/sex partner had problems with alcohol in past 30 days	52
QA9C1	Spouse/sex partner used drugs for nonmedical reasons in past 30 days	52
QA9D1	Spouse/sex partner received drug/alcohol treatment in past 12 months	52
QA9A2	Children supportive of abstinence in past 30 days	53
QA9B2	Children had problems with alcohol in past 30 days	53
QA9C2	Children used drugs for nonmedical reasons in past 30 days	54
QA9D2	Children received drug/alcohol treatment in past 12 months	54

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QA9A3	Parents supportive of abstinence in past 30 days	54
QA9B3	Parents had problems with alcohol in past 30 days	55
QA9C3	Parents used drugs for nonmedical reasons in past 30 days	55
QA9D3	Parents received drug/alcohol treatment in past 12 months	55
QA9A4	Other family supportive of abstinence in past 30 days	55
QA9B4	Other family had problems with alcohol in past 30 days	56
QA9C4	Other family used drugs for nonmedical reasons in past 30 days	56
QA9D4	Other family received drug/alcohol treatment in past 12 months	57
QA9A5	Friends/roommates supportive of abstinence in past 30 days	57
QA9B5	Friends/roommates had problems with alcohol in past 30 days	57
QA9C5	Friends/roommates used drugs for nonmedical reasons in past 30 days	58
QA9D5	Friends/roommates received drug/alcohol treatment in past 12 months	58
QA10	Attended religious services in past 12 months	58
QA11A	Physical exercise per week in past 12 months	59
QA11B	Read/did hobbies per week in past 12 months	59
QA11C	Attended groups/clubs per week in past 12 months	60
QA12A	Family/friends used drugs besides cocaine in past 12 months	60
QA12B	Family/friends used crack or cocaine in past 12 months	61
QA12C	Family/friends drank alcohol heavily in past 12 months	61
QA12D	Family/friends got arrested in past 12 months	62
QA12E	Family/friends entered jail/prison in past 12 months	62
QA12F	Family/friends entered drug/alcohol treatment program in past 12 months	63
QA12G	Family/friends quit using drugs in past 12 months	63
QA13	Belong to a health plan/have insurance	64
QA14_0	Criminal justice status - none	64
QA14_1	Criminal justice status - probation	65
QA14_2	Criminal justice status - parole	65
QA14_3	Criminal justice status - [In Jail/Detention] Awaiting Trial	65
QA14_4	Criminal justice status - [In Jail/Detention] Awaiting Sentencing	66
QA14_5	Criminal justice status - [In Jail/Detention] Serving a Sentence	66
QA14_6	Criminal justice status - [Case Pending] On Bail Awaiting Trial	67
QA14_7	Criminal justice status - [Case Pending] On Bail Awaiting Sentencing	67
QA14_8	Criminal justice status - [Case Pending] Released on Own Recognizance	68
QA14_9	Criminal justice status - [Case Pending] Other Status	68

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QD1	Highest grade or year of school attended	68
QD1A	Did you complete that grade/year	69
QD2	Received high school diploma/passed GED test	70
QD2A	Diploma or GED	70
QD3_0	Diploma received - None	70
QD3_1	Diploma received - Junior College Degree or Associate Degree Program	71
QD3_2	Diploma received - Bachelor's Degree	71
QD3_3	Diploma received - Advanced College Degree (Masters or PhD)	72
QD3_4	Diploma received - Certificate From a Vocational or Trade School	72
QD3_5	Diploma received - License to Practice a Trade	72
QD3_6	Diploma received - Other Degree, License, etc.	73
QD4	Currently enrolled to receive a degree	73
QD4A1	School enrolled - Middle School (Junior High)	74
QD4A2	School enrolled - Adult Basic Education (ABE)	74
QD4A3	School enrolled - GED Or High School Equivalency	74
QD4A4	School enrolled - High School Program	75
QD4A5	School enrolled - Junior (2-Year) College or Associate Degree Program	75
QD4A6	School enrolled - 4-Year College or University Degree Program	76
QD4A7	School enrolled - Graduate Degree Program	76
QD4A8	School enrolled - Technical / Trade / Vocational School	77
QD4A9	School enrolled - Job Corps Program	77
QD4A10	School enrolled - Special Education Program	77
QD4A11	School enrolled - Other	78
QD5	How do you get to places not within walking distance	78
QD6	Ever had a drivers license	79
QD6A	Currently have drivers license	79
QD6B	Past 12 months have drivers license	79
QD6C	How long have you had a drivers license (In Weeks) during past 12 months	80
QD6D	Status of license when not valid	80
QD7	Have vehicle available to you during past 12 months	81

SECTION E

DRUGS, ALCOHOL, AND TOBACCO USE

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QE1	Drink any alcohol during past 12 months	81
QE2	Number of months after left treatment took first drink	82
QE3	Frequency of alcohol use past 12 months	82
QE4	Number of weeks ago last used alcohol	83
QE5	Number of days drank alcohol past 30 days	84

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QE5A	Number of times had 5 or more drinks	85
QE6	Number of drinks had each day past 12 months	86
QE7	Number of days drunk during past 12 months	87
QE8	Past 12 months drunk several days in a row	89
QE9	Past 12 months had DTs (delirium tremens)	90
QE10	Past 12 months alcohol use caused drug relapse	90
QE11	Ever had problems because of drinking	90
QE12	Troubled by alcohol problems past 12 months	91
QE13	Importance of counseling for alcohol problems	91
QE14	Currently smoke cigarettes	91
QE14A	Number of cigarettes smoked per day	92
QE15_0	Do you smoke - NONE	92
QE15_1	Do you smoke - CIGARS	92
QE15_2	Do you smoke - PIPE	93
QE15_3	Do you smoke - SMOKELESS TOBACCO OR SNUFF	93
QE16_20	Past 12 months used marijuana hashish THC	94
QE17_20	How many weeks ago first used (marijuana) in past 12 months	94
QE18_20	Route of use (marijuana) in past 12 months	96
QE19_20	Frequency of use (marijuana) in past 12 months	96
QE20_20	Weeks ago last used (marijuana)	97
QE21_20	Most recent frequency of use (marijuana)	98
QE16_30	Past 12 months used hallucinogens	99
QE17_30	How many weeks ago first used (hallucinogens) in past 12 months	99
QE18_30	Route of use (hallucinogens) in past 12 months	100
QE19_30	Frequency of use (hallucinogens) in past 12 months	101
QE20_30	Weeks ago last used (hallucinogens)	101
QE21_30	Most recent frequency of use (hallucinogens)	102
QE16_31	Past 12 months used PCP	102
QE20_31	Weeks ago last used (PCP)	103
QE21_31	Most recent frequency of use (PCP)	103
QE16_32	Past 12 months used LSD	104
QE20_32	Weeks ago last used (LSD)	104
QE21_32	Most recent frequency of use (LSD)	105
QE16_40	Past 12 months used cocaine	105
QE17_40	How many weeks ago first used (cocaine) in past 12 months	106
QE18_40	Route of use (cocaine) in past 12 months	107
QE19_40	Frequency of use (cocaine) in past 12 months	108
QE20_40	Weeks ago last used (cocaine)	109
QE21_40	Most recent frequency of use (cocaine)	110
QE16_41	Past 12 months used only crack	111
QE20_41	Weeks ago last used (crack)	111

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QE21_41	Most recent frequency of use (crack)	112
QE16_42	Past 12 months used any cocaine/not crack	113
QE20_42	Weeks ago last used (cocaine/not crack)	114
QE21_42	Most recent frequency of use (cocaine/not crack)	115
QE16_50	Past 12 months used heroin	116
QE17_50	How many weeks ago used (heroin) in past 12 months	116
QE18_50	Route of use (heroin) in past 12 months	118
QE19_50	Frequency of use (heroin) in past 12 months	118
QE20_50	Weeks ago last used drug (heroin)	119
QE21_50	Most recent frequency of use (heroin)	120
QE16_51	Past 12 months used heroin w/ cocaine	121
QE20_51	Weeks ago last used (heroin w/ cocaine)	121
QE21_51	Most recent frequency of use (heroin w/ cocaine)	122
QE16_60	Past 12 months used narcotics/opiates	123
QE17_60	How many weeks ago first used (narcotics) in past 12 months	124
QE18_60	Route of use (narcotics) in past 12 months	125
QE19_60	Frequency of use (narcotics) in past 12 months	125
QE20_60	Weeks ago last used (narcotics)	126
QE21_60	Most recent frequency of use (narcotics)	127
QE16_61	Past 12 months used street/illegal methadone	128
QE17_61	How many weeks ago first used (methadone) in past 12 months	128
QE20_61	Weeks ago last used (methadone)	129
QE21_61	Most recent frequency of use (methadone)	130
QE16_62	Past 12 months used dilaudid	130
QE17_62	How many weeks ago first used (dilaudid) in past 12 months	131
QE20_62	Weeks ago last used (dilaudid)	132
QE21_62	Most recent frequency of use (dilaudid)	132
QE16_70	Past 12 months used downers/depressants	133
QE17_70	How many weeks ago first used (depressants) in past 12 months	133
QE18_70	Route of use (depressants) in past 12 months	134
QE19_70	Frequency of use (depressants) in past 12 months	135
QE20_70	Weeks ago last used (depressants)	135
QE21_70	Most recent frequency of use (depressants)	136
QE16_71	Past 12 months used sedatives	137
QE16_72	Past 12 months used barbiturates	137
QE16_73	Past 12 months used benzodiazepines	138
QE16_74	Past 12 months used other tranquilizers	138
QE16_75	Past 12 months used another depressant	139
QE16_80	Past 12 months used amphetamines	139
QE17_80	How many weeks ago used (amphetamines) in past 12 months	140
QE18_80	Route of use (amphetamines) in past 12 months	141

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QE19_80	Frequency of use (amphetamines) in past 12 months	141
QE20_80	Weeks ago last used (amphetamines)	142
QE21_80	Most recent frequency of use (amphetamines)	143
QE16_81	Past 12 months used methamphetamines	143
QE20_81	Weeks ago last used (methamphetamines) in past 12 months	144
QE21_81	Most recent frequency of use (methamphetamines) in past 12 months	145
QE16_90	Past 12 months used inhalants	145
QE17_90	How many weeks ago first used (inhalants) in past 12 months	146
QE18_90	Route of use (inhalants) in past 12 months	146
QE19_90	Frequency of use (inhalants) in past 12 months	147
QE20_90	Weeks ago last used (inhalants)	147
QE21_90	Most recent frequency of use (inhalants)	147
QE16_100	Past 12 months used another drug	148
QE20_100	Weeks ago last used drug (other) (First mention)	148
QE21_100	Most recent frequency of use (other) (First mention)	149
QE20_101	Weeks ago last used drug (other) (Second mention)	149
QE21_101	Most recent frequency of use (other) (Second mention)	150
QE20_102	Weeks ago last used drug (other) (Third mention)	150
QE21_102	Most recent frequency of use (other) (Third mention)	151
QE16_110	Past 12 months used prescription medications	151
QE20_110	Weeks ago last used (prescription medications)	151
QE21_110	Most recent frequency of use (prescription medications)	153
QE22_20	Drug use during past 3 days (marijuana)	153
QE22_30	Drug use during past 3 days (hallucinogens)	154
QE22_31	Drug use during past 3 days (PCP)	154
QE22_32	Drug use during past 3 days (LSD)	155
QE22_40	Drug use during past 3 days (cocaine)	155
QE22_41	Drug use during past 3 days (crack only)	156
QE22_42	Drug use during past 3 days (cocaine / not crack)	156
QE22_50	Drug use during past 3 days (heroin)	156
QE22_51	Drug use during past 3 days (heroin w/ cocaine)	157
QE22_60	Drug use during past 3 days (narcotics)	157
QE22_61	Drug use during past 3 days (methadone)	158
QE22_62	Drug use during past 3 days (dilaudid)	158
QE22_70	Drug use during past 3 days (depressants)	159
QE22_71	Drug use during past 3 days (sedatives)	159
QE22_72	Drug use during past 3 days (barbiturates)	160
QE22_73	Drug use during past 3 days (benzodiazepines)	160
QE22_74	Drug use during past 3 days (other tranquilizers)	160
QE22_75	Drug use during past 3 days (other depressants)	161
QE22_80	Drug use during past 3 days (amphetamines)	161

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QE22_81	Drug use during past 3 days (methamphetamines)	162
QE22_90	Drug use during past 3 days (inhalants)	162
QE22_100	Drug use during past 3 days (other) - First mention	163
QE22_101	Drug use during past 3 days (other) - Second mention	163
QE22_102	Drug use during past 3 days (other) - Third mention	163
QE22_110	Drug use during past 3 days (prescribed medications)	164
QE23	Past 12 months which drug caused most problems	164
QE24	Past 12 months with whom did you use the problem drug	165
QE25	Where did you usually take the drug	165
QE26	Longest time period (in weeks) went w/o problem drug	166
QE27	Past 12 months favorite drug for taking regularly	167
QE28	Amount spent on drugs past 12 months	168
QE29	Did you OD on drugs past 12 months	168
QE29A	Number of times OD'd in past 12 months	169
QE29X	Past 12 months used needle or syringe	169
QE29XA	How often used needle or syringe?	170
QE30	Use needle/syringe after anyone else	170
QE30A1	Number of times used needle after (regular sexual partner/spouse)	171
QE30A2	Number of times used needle after (short term sexual partner)	171
QE30A3	Number of times used needle after (prostitute)	172
QE30A4	Number of times used needle after (person w/ HIV/AIDS)	172
QE30A5	Number of times used needle after (male homosexual/bisexual)	173
QE30A6	Number of times used after (strangers)	173
QE31	Cleaned needles others used past 12 months	174
QE31A	After cleaning used own cooker	174
QE31B	After cleaning used own cotton	175
QE32_1	How often use alcohol and clean water to clean needles	175
QE32_2	How often use bleach and clean water to clean needles	175
QE32_3	How often boil in water only to clean needles	176
QE32_4	How often rinse in water used by another to clean needles	176
QE32_5	How often rinse in clean water only to clean needles	177
QE32_6	How often use some other method to clean needles	177
QE33A	Cocaine withdrawal symptoms - difficulty sleeping	178
QE33B	Cocaine withdrawal symptoms - drowsy	178
QE33C	Cocaine withdrawal symptoms - shakiness	179
QE33D	Cocaine withdrawal symptoms - depressed	179
QE33E	Cocaine withdrawal symptoms - increased appetite	180
QE33F	Cocaine withdrawal symptoms - easily excited	180
QE33G	Cocaine withdrawal symptoms - nervous or anxious	181
QE34	Past 12 months crave cocaine	181
QE35	Intensity of craving for cocaine	181

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QE36	How long did the average craving last	182
QE37	How troubled by drug problem past 12 months	182
QE38	Importance of treatment for drug problem	183
QE39	Extent other problems causing drug problems	183
QE40	How tempted to use drugs now	184
QE41	Most important reason for not using drugs	184
QE41_00	Most important reason DRUG AVAILABILITY	184
QE41_10	Most important reason FINANCIAL	185
QE41_20	Most important reason CHANGE LIFESTYLE	185
QE41_30	Most important reason HEALTH REASONS	186
QE41_40	Most important reason INTERPERSONAL REASONS	186
QE41_50	Most important reason CRIMINAL JUSTICE	187
QE41_60	Most important reason ACCESS TO SERVICES	187
QE41_70	Most important reason EMPLOYMENT/SCHOOL	188
QE41_80	Most important reason PRESSURE TO STOP	188
QE41A_1	1st other reason for not using drugs	189
QE41A_001	1st other reason DRUG AVAILABILITY	189
QE41A_101	1st other reason FINANCIAL	190
QE41A_201	1st other reason CHANGE LIFESTYLE	190
QE41A_301	1st other reason HEALTH REASONS	191
QE41A_401	1st other reason INTERPERSONAL REASONS	191
QE41A_501	1st other reason CRIMINAL JUSTICE	192
QE41A_601	1st other reason ACCESS TO SERVICES	192
QE41A_701	1st other reason EMPLOYMENT/SCHOOL	193
QE41A_801	1st other reason PRESSURE TO STOP	193
QE41A_2	2nd other reason for not using drugs	194
QE41A_002	2nd other reason DRUG AVAILABILITY	194
QE41A_102	2nd other reason FINANCIAL	194
QE41A_202	2nd other reason CHANGE LIFESTYLE	195
QE41A_302	2nd other reason HEALTH REASONS	195
QE41A_402	2nd other reason INTERPERSONAL REASONS	196
QE41A_502	2nd other reason CRIMINAL JUSTICE	196
QE41A_602	2nd other reason ACCESS TO SERVICES	197
QE41A_702	2nd other reason EMPLOYMENT/SCHOOL	197
QE41A_802	2nd other reason PRESSURE TO STOP	198
QE41A_3	3rd other reason for not using drugs	198
QE41A_003	3rd other reason DRUG AVAILABILITY	199
QE41A_103	3rd other reason FINANCIAL	199
QE41A_203	3rd other reason CHANGE LIFESTYLE	199
QE41A_303	3rd other reason HEALTH REASONS	200
QE41A_403	3rd other reason INTERPERSONAL REASONS	200

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QE41A_503	3rd other reason CRIMINAL JUSTICE	201
QE41A_603	3rd other reason ACCESS TO SERVICES	201
QE41A_703	3rd other reason EMPLOYMENT/SCHOOL	202
QE41A_803	3rd other reason PRESSURE TO STOP	202
QE42A	How confident not use drugs (tense or nervous)	202
QE42B	How confident not use drugs (remember how you feel)	203
QE42C	How confident not use drugs (felt relaxed and sure)	203
QE42D	How confident not use drugs (drowsy but want to stay awake)	204
QE42E	How confident not use drugs (found a supply of drugs)	204
QE42F	How confident not use drugs (felt people didnt like you)	205
QE42G	How confident not use drugs (not able to get to sleep)	205
QE42H	How confident not use drugs (felt nauseated)	206
QE42I	How confident not use drugs (with other people using drugs)	207
QE42J	How confident not use drugs (felt satisfied or happy)	207
QE42K	How confident not use drugs (felt angry about something)	208
QE42L	How confident not use drugs (thought one time not a problem)	208
QE42M	How confident not use drugs (felt confused)	209
QE42N	How confident not use drugs (felt sad or depressed)	209
QE42O	How confident not use drugs (someone encouraged you to use drugs)	210
QE42P	How confident not use drugs (prove to self could use w/out losing control)	210
QE42Q	How confident not use drugs (problems w/ people at work)	211
QE42R	How confident not use drugs (problems w/ family/friends)	211
QE42S	How confident not use drugs (bored or had nothing to do)	212
QE42T	How confident not use drugs (were in pain physically)	212
QE43_1	Are there times tempted to use drugs (First mention)	213
QE43A_1	When tempted to use drugs--First Mention (Recorded)	213
QE43B_1	How confident of ability not to use drugs when (First mention) tempted	214
QE43_2	Are there times tempted to use drugs (Second mention)	214
QE43A_2	When tempted to use drugs--Second Mention (Recorded)	215
QE43B_2	How confident of ability not to use drugs when (Second mention) tempted	216
QE43_3	Are there times tempted to use drugs (Third mention)	216
QE43A_3	When tempted to use drugs--Third Mention (Recorded)	216
QE43B_3	How confident of ability not to use drugs when (Third mention) tempted	217
QE44	Difficulty stop using drugs rest of life	217
QE45	Chances of quitting drugs for rest of life	218
QE46	How much treatment will help you quit	218
QE47	Difficulty cutting down drug use rest of life	218
QE48	Chances to cut down use of drugs	219

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QE49	How much treatment will help you cut down	219
QE50A	Treatment received helped better understand problems	220
QE50B	Treatment received helped learn to communicate better	220
QE50C	Treatment received helped you be a better problem solver	221
QE50D	Treatment received helped learn relapse prevention skills	221
QE51	Neighborhood has heavy drug/alcohol use	221
QE52	How often spend time w/ friends who use drugs	222
QE53	How often go to places where drugs are readily available	222

SECTION F

PSYCHOLOGICAL FUNCTIONING

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QF1	You felt sad/blue/depressed for 2 weeks	222
QF1A	You had other problems at same time	223
QF1B	Number of 2 week periods felt depressed in past 12 months	223
QF1C	When last period like that ended (in weeks)	224
QF1D	That period a direct result of drug/alcohol use	225
QF2	Have you felt anxious/tense/nervous for 4 weeks or more in past 12 months	226
QF2A	Number 4 week periods felt anxious/tense/nervous in past 12 months	226
QF2B	When last period like that ended (in weeks)	227
QF2C	That period a direct result of drug/alcohol use	228
QF3	Had hallucinations/saw/heard things in past 12 months	228
QF3A	When last period like that ended (in weeks)	229
QF3B	That period direct result of drug/alcohol use	230
QF4	Trouble understanding/concentrating/remembring in past 12 months	230
QF4A	When last period like that ended (in weeks)	230
QF4B	That period direct result of drug/alcohol use	232
QF5	Trouble controlling temper/behavior in past 12 months	232
QF5A	When last period like that ended (in weeks)	232
QF5B	That period direct result of drug/alcohol use	233
QF6	Thought about committing suicide in past 12 months	234
QF6A	When last thought about ending life (in weeks)	234
QF6B	Suicide thoughts direct result of drug/alcohol use	235
QF7	Have you attempted suicide in past 12 months	236
QF7A	When did you last attempt suicide (in weeks)	236
QF7B	Suicide attempts direct result of drug/alcohol use	237
QF8	Taken medications for mental problems in past 12 months	237
QF9	Had emotional/mental health problems not resulting from drugs/alcohol	237
QF9A	Number of days had problems not resulting from drugs/alcohol	238
QF10	Received payments for psychiatric disability in past 12 months	240

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QF11	Had emotional/mental health problems because of drug/alcohol use	240
QF11A	How serious were problems due to drug/alcohol use	240
QF12	Troubled by emotional/psychological problems in past 12 months	241
QF12B	How troubled are you by emotional/psychological problems now	241
QF13	Feelings about self - All in all I am satisfied with myself	242
QF14	Feelings about self - At times I think I am no good at all	242
QF15	Feelings about self - Feel I have a lot of good qualities	243
QF16	Feelings about self - Able to do things as well as other people	243
QF17	Feelings about self - Feel I do not have much to be proud of	244
QF18	Feelings about self - Feel useless at times	244
QF19	Feelings about self - Feel I am basically no good	245
QF20	Feelings about self - Wish I could have more respect for self	245
QF21	Feelings about self - All in all I feel that I am a failure	246
QF22	Feelings about self - Feel I am not important to others	246

SECTION G

ILLEGAL INVOLVEMENT

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QG1	Been in jail/prison past 12 months	247
QG1A	Number of weeks spent in jail - past 12 months (recoded)	247
QG2_1	Arrested for use/possession of drugs past 12 months	248
QG3_1	Number of times arrested for use/possession of drugs past 12 months	249
QG5_1	Number of times convicted for use/possession of drugs past 12 months	249
QG2_2	Arrested for sale/manufacture of drugs past 12 months	250
QG3_2	Number of times arrested for sale/manufacturing of drugs past 12 months	250
QG5_2	Number of times convicted for sale/manufacturing of drugs past 12 months	251
QG2_3	Arrested for forgery/fraud/embezzlement past 12 months	251
QG3_3	Number of times arrested for forgery/fraud/embezzlement past 12 months	251
QG5_3	Number of times convicted for forgery/fraud/embezzlement past 12 months	252
QG2_4	Arrested for burglary past 12 months	252
QG3_4	Number of times arrested for burglary past 12 months	253
QG5_4	Number of times convicted for burglary past 12 months	253
QG2_5	Arrested for larceny past 12 months	254
QG3_5	Number of times arrested for larceny past 12 months	254
QG5_5	Number of times convicted for larceny past 12 months	255
QG2_6	Arrested for pimping/prostitution past 12 months	255
QG3_6	Number of times arrested for pimping/prostitution past 12 months	256

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QG5_6	Number of times convicted for pimpng/prostitution past 12 months	256
QG2_7	Arrested for robbery past 12 months	257
QG3_7	Number of times arrested for robbery past 12 months	257
QG5_7	Number of times convicted for robbery past 12 months	257
QG2_8	Arrested for attacks on persons past 12 months	258
QG3_8	Number of times arrested for attacks on persons past 12 months	258
QG5_8	Number of times convicted for attacks on persons past 12 months	259
QG2_9	Arrested for simple assault/domestic violence etc past 12 months	259
QG3_9	Number of times arrested for simple assault/domestic violence past 12 months	260
QG5_9	Number of convicted for simple assault/domestic violence past 12 months	260
QG2_10	Arrested for DUI past 12 months	261
QG3_10	Number of times arrested for DUI past 12 months	261
QG5_10	Number of times convicted for DUI past 12 months	261
QG2_11	Arrested for status offenses past 12 months	262
QG3_11	Number of times arrested for status offenses past 12 months	262
QG5_11	Number of times convicted for status offenses past 12 months	263
QG2_12	Arrested for other violations past 12 months	263
QG3_12	Number of times arrested for other violations past 12 months	263
QG5_12	Number of times convicted for other violations past 12 months	264
QG6	Illegal activity for drug money past 12 months	264
QG6A	Frequency of illegal activity for drug money past 12 months	265
QG7	Legal problems because of drug/alcohol use past 12 months	265
QG7A	How serious were these legal problems past 12 months	266
QG8	Past 12 months how serious legal problems overall	266
QG8B	How serious legal problems now	267
QG9	Do you have legal services	267
QG9A	Do you need legal services	268
QG10_1A	Past 12 months involved in aggravated assault	268
QG10_1B	Nm days or times invinvolved in aggravated assault	268
QG10_2A	Past 12 months involved in burglary	269
QG10_2B	Number of days or times involved in burglary	269
QG10_3A	Past 12 months involved in theft	270
QG10_3B	Number of days or times involved in theft	271
QG10_4A	Past 12 months involved in robbery	272
QG10_4B	Number of days or times involved in robbery	272
QG10_5A	Past 12 months involved in forgery/embezzlement	273
QG10_5B	Number of days or times involved in forgery/embezzlement	274
QG10_6A	Past 12 months involved in fencing/stolen property	274
QG10_6B	Number of days or times involved in fencing/stolen property	275

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QG10_7A	Past 12 months involved in gambling	276
QG10_7B	Number of days or times involved in gambling	276
QG10_8A	Past 12 months involved in pimping/prostitution	277
QG10_8B	Number of days or times involved in pimping/prostitution	278
QG10_9A	Past 12 months involved in selling illegal drugs	279
QG10_9B	Number of days or times involved in selling illegal drugs	279
QG10_10A	Past 12 months involved in driving while intoxicated	281
QG10_10B	Number of days or times involved in driving while intoxicated	281

SECTION H

EMPLOYMENT / SUPPORT STATUS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QH1	What were doing most of time last week	282
QH2	Work in job that didnt involve illegal activities last week	283
QH2A	Earned money legally last week	284
QH2D	Hours worked for pay/didnt involve illegal activities	284
QH3	What was your occupation	286
QH3B	Was this your usual occupation	287
QH3B1	Usual occupation specification	288
QH4	Did you look for work in past 3 months	290
QH4B1	Look for work - No methods used	290
QH4B2	Look for work - Public employment agency	290
QH4B3	Look for work - Private employment agency	291
QH4B4	Look for work - Employers directly approached	291
QH4B5	Look for work - Talked with friends or relatives	292
QH4B6	Look for work - Placed or answered ads	292
QH4B7	Look for work - Other	292
QH6	Past 12 months how many legitmate employers	293
QH7	Weeks employed full or part-time jobs past 12 months	293
QH8	Number weeks worked 35 or more hours per week past 12 months	295
QH9	Longest period worked any 1 full-time job past 12 months	297
QH9A	Is this your current job	298
QH10	What was your occupation	299
QH10B	Was this your usual occupation	299
QH10B1	Usual occupation specification	300
QH11_A	Wage/salary before taxes in current job - Amount	302
QH11_F	Wage/salary before taxes in current job - Frequency paid	302
QH12	Past 12 months how troubled getting/holding/working a job	303
QH12B	How troubled now getting/holding/working a job	303
QH13	Importance of referral for employment/training/vocational counseling	304
QH14	Problems getting/holding/working a job due to drug/alcohol use	304

- Study 02258 -

SECTION J

INCOME AND EXPENDITURES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QJ1A	Dollars from work/not illegal	304
QJ2A	Income in past 12 months from work/not illegal	305
QJ1B	Dollars from SSI or welfare	305
QJ2B	Income in past 12 months from SSI or welfare	306
QJ1C	Dollars from Social Security or unemployment	306
QJ2C	Income in past 12 months from Social Security or unemployment	307
QJ1D	Dollars from spouse/family/friends/alimony	307
QJ2D	Income in past 12 months from spouse/family/friends/alimony	308
QJ1E	Dollars from illegal/possibly illegal sources	308
QJ2E	Income in past 12 months from illegal/possibly illegal sources	309
QJ1F	Dollars from other sources/roomers/boarders	311
QJ2F	Income in past 12 months from other sources/roomers/boarders	311
QJ2G	Total Value of QJ2A to QJ2F	312
QJ3	Personal income before taxes past 12 months	313
QJ4	Share income/expenses with housemates	314
QJ4A	Number of people sharing income/expenses with	314
QJ5	Household income before taxes past 12 months	315
QJ6	Number of months could not pay bills in past 12 months	316
QJ7	Money problems because of drug/alcohol use	316
QJ8	How much are money problems caused by drug/alcohol use	317
QJ9	How troubled by money problems past 12 months	317
QJ9B	How troubled by any money problems now	317
QJ10	How important is counseling for money problems now	318

SECTION K

HEALTH

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QK1	Current health status	318
QK2	Your health compared to people your age	319
QK3	Your health compared to when you left treatment	319
QK4	Number of times you have been pregnant in past 12 months	319
QK4A	Are you now pregnant	320
QK4B	Pregnancy has been verified	320
QK4C1	Pregnancy verified by a doctor	321
QK4C2	Pregnancy verified by a test at a hospital / doctor office	321
QK4C3	Pregnancy verified by a home pregnancy test	322
QK4C4	Pregnancy verified by a some other way	322
QK5	Used alcohol while pregnant	322
QK6	Used nonmedical drugs while pregnant	323
QK7	Past 12 months has health limited your activities	323

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QK7A	Has health limited activities 3 months or more	323
QK8	Past 12 months health kept you from work/school	324
QK8A	How many days health kept you from work/school	324
QK9	Stayed overnight in hospital for health problem last 12 months	326
QK10	Number of hospitalizations for physical health not drug/alcohol related	326
QK11	Number of days hospitalized for physical health not drug/alcohol related	327
QK12	Number of days injury/illness kept you in bed all day	328
QK13	Past 12 months tested for tuberculosis	330
QK13A	Test positive for TB	330
QK13B	Received treatment for TB	331
QK14	Received disability payments for physical health problems	331
QK15	How troubled by medical problems in the past 12 months	331
QK15B	How troubled by medical problems now	332
QK16	How important is treatment for medical problems now	332

SECTION L

SEXUAL RISK FACTORS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QL1	Number of women had vaginal intercourse with	333
QL1A	Used condom during vaginal intercourse	334
QL2	Number of women had anal intercourse with	334
QL2A	Used condom during anal intercourse	334
QL3	Number of women had oral intercourse with	335
QL3A	Used latex barrier during oral intercourse	335
QL4	Intercourse w/ women who took money/drugs for sex	336
QL5	Intercourse w/ women who had sex w/ prostitute	336
QL6	Intercourse w/ women who shot up drugs	336
QL7	Taken money/drugs for intercourse	337
QL8	Number of men had anal intercourse with	337
QL8A	Used condom during anal intercourse	338
QL9	Number of men had oral intercourse with	338
QL9A	Used condom during oral intercourse	339
QL10	Intercourse w/ man who took money/drugs for sex	339
QL11	Intercourse w/ man who had sex w/prostitute	339
QL12	Intercourse w/ man who shot up drugs	340
QL13	Intercourse w/ anyone known to have AIDS	340
QL13A	Intercourse w/ how many people w/AIDS	340
QL14	Number of men had vaginal intercourse with	341
QL14A	Used condom during vaginal intercourse	342
QL15	Number of men had anal intercourse with	342

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QL15A	Use condom during anal intercourse	343
QL16	Number of men had oral intercourse with	343
QL16A	Used latex barrier during oral intercourse	344
QL17	Intercourse w/ bisexual man	344
QL18	Intercourse w/ man who took money/drugs for sex	345
QL19	Intercourse w/ man who had sex w/prostitute	345
QL20	Taken money/drugs for intercourse	345
QL21	Intercourse w/ man who shot up drugs	346
QL22	Intercourse w/ man known to have AIDS	346
QL22A	Intercourse w/ how many men w/AIDS	347
QL23	Received educational services regarding HIV/AIDS	347
QL23A1	AIDS educational services - Reduce risk of needle use	347
QL23A2	AIDS educational services - Reduce risk of sexual transmission	348
QL23A3	AIDS educational services - General knowledge about HIV infection and AIDS	348
QL23A4	AIDS educational services - other	349
QL23B	Number of meetings for services	349
QL23C	How helpful was service	350

SECTION M

TREATMENT EXPERIENCE

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QM1	Number of days scheduled to receive services	350
QM2	Past 12 months received treatment for alcohol problem	351
QM2A1	Number of times treated for alcohol SHORT TERM INPATIENT	351
QM2A2	Number of times treated for alcohol LONG TERM RESIDENTIAL	352
QM2A3	Number of times treated for alcohol HALFWAY HOUSE	352
QM2A4	Number of times treated for alcohol OUTPATIENT	353
QM2A5	Number of times treated for alcohol ANY TYPE OF TREATMENT	353
QM3A	Received treatment for drug problem at SHORT TERM INPATIENT	354
QM3AA	Number of times treated for drugs at SHORT TERM INPATIENT	354
QM3BA	Number of total weeks spent at SHORT TERM INPATIENT	355
QM3DA	Reason for discharge SHORT TERM INPATIENT	355
QM3B	Received treatment for drug problem at LONG TERM RESIDENTIAL	356
QM3AB	Number of times treated for drugs at LONG TERM RESIDENTIAL	356
QM3BB	Number of total weeks spent at LONG TERM RESIDENTIAL	357
QM3DB	Reason for discharge LONG TERM RESIDENTIAL	358
QM3C	Received treatment for drug problem at HALFWAY HOUSE	358
QM3AC	Number of times treated for drugs at HALFWAY HOUSE	359
QM3BC	Number of total weeks spent at HALFWAY HOUSE	359
QM3DC	Reason for discharge HALFWAY HOUSE	360

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QM3D	Received treatment for drug problem at OUTPATIENT	361
QM3AD	Number of times treated for drugs at OUTPATIENT	361
QM3BD	Number of total weeks spent at OUTPATIENT	362
QM3DD	Reason for discharge OUTPATIENT	363
QM3E	Received treatment for drug problem at ANY TYPE OF TREATMENT	364
QM3AE	Number of times treated for drugs at ANY TYPE OF TREATMENT	364
QM3BE	Number of total weeks spent at ANY TYPE OF TREATMENT	365
QM3DE	Reason for discharge ANY TYPE OF TREATMENT	365
QM3F	Received treatment for drug problem at DETOX	366
QM3AF	Number of times treated for drugs at DETOX	366
QM3BF	Number of total weeks spent at DETOX	367
QM3DF	Reason for discharge DETOX	367
QM4	Doctor prescribed methadone past 12 months	368
QM4A1	METHADONE prescribed by doctor	368
QM4A2	NALTREXONE (Trexan) prescribed by doctor	369
QM4A3	TRANQUILIZERS prescribed by doctor	369
QM4A4	ANTABUSE prescribed by doctor	369
QM4A5	ANTIDEPRESSANTS prescribed by doctor	370
QM4A6	CLONIDINE prescribed by doctor	370
QM5	Attended 12 step/self help group	371
QM5A1	Attended ALCOHOLICS ANONYMOUS	371
QM5A2	Attended NARCOTICS ANONYMOUS	371
QM5A3	Attended COCAINE ANONYMOUS	372
QM5A4	Attended OTHER	372
QM5B	Worked any steps in 12 step program	373
QM5C	Number of times attended self help group	373
QM5D	Number of weeks ago last attended self help group	373
QM5E1	How much have meetings helped cut down drugs	375
QM5E2	How much have meetings helped w/other problems	375
QM7	Received other mental health services past 12 months	375
QM8_1	Talked w/ PRIMARY/REGULAR COUNSELOR	376
QM8_2	Talked w/ CASE MANAGER	376
QM8_11	Talked w/ OTHER COUNSELOR	377
QM8_12	Talked w/ OTHER CASE WORKER	377
QM8_13	Talked w/ SOCIAL WORKER	378
QM8_21	Talked w/ PSYCHOLOGIST	378
QM8_22	Talked w/ PSYCHIATRIST	378
QM8_23	Talked w/ NURSE	379
QM8_28	Talked w/ CERTIFIED FAMILY COUNSELOR	379
QM8_91	Talked w/ OTHER	379

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QM9	Nm times received individual or group services for mental/emotional health	380
QM10	Treated overnight for mental health not drug/alcohol problems	381
QM10A	Number of nights stayed overnight	382
QM10B0	Suggestion to get help SELF	382
QM10B1	Suggestion to get help DRUG TREATMENT PROGRAM	383
QM10B2	Suggestion to get help OTHER DRUG OR ALCOHOL PROGRAM	383
QM10B3	Suggestion to get help TASC PROGRAM	384
QM10B4	Suggestion to get help CRIMINAL JUSTICE SYSTEM	384
QM10B5	Suggestion to get help DOCTOR HOSPITAL OR CLINIC	384
QM10B6	Suggestion to get help PRIVATE THERAPIST OR MENTAL HEALTH CENTER	385
QM10B7	Suggestion to get help COMMUNITY OR SOCIAL SERVICES AGENCY	385
QM10B8	Suggestion to get help SCHOOL OR TRAINING PROGRAM	386
QM10B9	Suggestion to get help EMPLOYER/UNION/EAP	386
QM10B10	Suggestion to get help VETERANS ORGANIZATION	386
QM10B11	Suggestion to get help CLERGYMEN OR CHURCH	387
QM10B12	Suggestion to get help FRIENDS OR RELATIVES	387
QM10B13	Suggestion to get help OTHER	388
QM11	Checkup for medical problems past 12 months	388
QM12_1	Checkup by PRIMARY/REGULAR COUNSELOR	388
QM12_2	Checkup by CASE MANAGER	389
QM12_22	Checkup by PSYCHIATRIST	389
QM12_23	Checkup by NURSE	390
QM12_24	Checkup by PHYSICIAN	390
QM12_25	Checkup by PHYSICIANS ASSISTANT	390
QM12_26	Checkup by DENTIST	391
QM12_91	Checkup by OTHER	391
QM13	Number of times received services for medical problems	392
QM14	Received services for family/relationship problems	393
QM15_1	Services from PRIMARY/REGULAR COUNSELOR	393
QM15_2	Services from CASE MANAGER	394
QM15_11	Services from OTHER COUNSELOR	394
QM15_12	Services from OTHER CASE MANAGER	394
QM15_13	Services from SOCIAL WORKER	395
QM15_21	Services from PSYCHOLOGIST	395
QM15_22	Services from PSYCHIATRIST	396
QM15_23	Services from NURSE	396
QM15_28	Services from CERTIFIED FAMILY COUNSELOR	396
QM15_91	Services from OTHER	397

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QM16	Number of times received services for family/relationship problems	397
QM17	Past 12 months how troubled by family/relationship problems	398
QM18	Past 12 months received vocational training	398
QM19_1	Training from REGULAR PUBLIC SCHOOL	399
QM19_2	Training from TECHNICAL OR VOCATIONAL SCHOOL	399
QM19_3	Training from ADULT EDUCATION OR CONTINUING EDUCATION	400
QM19_4	Training from PRIVATE PROGRAMS	400
QM19_91	Training from OTHER	400
QM20	Number of times received vocational training services	401
QM21	Past 12 months received counseling/classes for improving education/reading/writing	402
QM22_1	Classes from REGULAR PUBLIC SCHOOL	402
QM22_2	Classes from TECHNICAL OR VOCATIONAL SCHOOL	402
QM22_3	Classes from ADULT EDUCATION OR CONTINUING EDUCATION	403
QM22_4	Classes from PRIVATE PROGRAMS	403
QM22_91	Classes from OTHER	404
QM23	Number of times received education/reading/writing training	404
QM24	Past 12 months received services for legal problems	406
QM25_1	Legal help from PRIVATE LAWYER	406
QM25_2	Legal help from LEGAL AID	406
QM25_3	Legal help from PUBLIC DEFENDER OR COURT-ORDERED COUNSEL	407
QM25_4	Legal help from PRIVATE PROGRAMS	407
QM25_91	Legal help from OTHER	408
QM26	Number of times received legal services	408
QM27	Past 12 months received financial/housing help	409
QM28_1	Help from WELFARE OR PUBLIC ASSISTANCE OFFICE	409
QM28_2	Help from SOCIAL SECURITY OFFICE	409
QM28_3	Help from UNEMPLOYMENT OFFICE	410
QM28_4	Help from EMPLOYER/UNION	410
QM28_91	Help from OTHER	410
QM29	Number of times received financial/housing help	411
QM30	Past 12 months received counseling due to crisis	411
QM30A	Number of times received counseling due to crisis	412
QM30B	How helpful was crisis counseling	412
QM31	Most helpful service code	413
QM32	Least helpful service code	414
QM33	Has treatment helped you cut down drug use	414
QM33A	Treatment helped a little or a lot	415
QM34	How much has treatment helped w/ other problems	415
QM35	Past 12 months noticed change in thoughts/feelings	416

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QM35B1	What caused this change - First mention	416
QM35B2	What caused this change - Second mention	416
QM35B3	What caused this change - Third mention	417
QM35B4	What caused this change - Fourth mention	417
QM35B5	What caused this change - Fifth mention	418

SECTION N

CHANGE PERCEPTIONS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QN1A	Belief using drugs always makes life worse	418
QN2A	Experiences contributed to belief using drugs always make life worse	419
QN1B	Believe important to stay drug free	419
QN2B	Experiences contributed to belief important to stay drug free	420
QN1C	Ability to socialize and relate improved	420
QN2C	Experiences contributed to ability to socialize/relate	421
QN1D	Ability to lead constructive/fulfilling lifestyle	421
QN2D	Experiences contributed to ability to lead fulfilling lifestyle	422
QN1E	Ability to recognize/express feelings in healthy way	422
QN2E	Experiences contributed to ability to recognize/express feelings	423
QN1F	Ability to take care of physical health/appearance	423
QN2F	Experiences contributed to ability to take care of physical health/appearance	424
QN1G	Ability to conduct yourself w/ maturity	424
QN2G	Experiences contributed to conduct yourself w/ maturity	425
QN1H	Ability to handle responsibilities	425
QN2H	Experiences contributed to handle responsibilities	426
QN1I	Overall personal growth has improved	426
QN2I	Experiences contributed to overall personal growth	427
QN3A	Attribute improvement to drug treatment experiences	427
QN3B	Attribute improvement to family	428
QN3C	Attribute improvement to friends	429
QN3D	Attribute improvement to religion/spirituality	429
QN3E	Attribute improvement to own motivation	430
QN3F	Attribute improvement to positive event in life	430
QN3G	Attribute improvement to negative event in life	431
QN3H	Attribute improvement to doctors/medical professionals	431
QN3I	Attribute improvement to formal education	432
QN3J	Attribute improvement to your job/career	433
QN3K	Attribute improvement to a significant person not relative	433
QN3L	Attribute improvement to other causes	434
QN4A	Believe you are always in recovery	434

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QN4B	You work hard to make yourself better	435
QN4C	Feel you are productive member of society	435
QN4D	You do not see yourself as an addict	436
QN4E	Social network consists of non drug/alcohol users	436
QN4F	Use what you learned to sustain recovery	437
QN4G	Believe you have to earn everything you want	437
QN5	How often can talk about problems w/ family or friends	438
QN6	How often family/friends encourage you to stop using drugs	438
QN7	How often received help from family/friends w/ other problems	439
QN8	How often family/friends help w/ transportation or odd jobs	439
QN9	How often depend on family/friends in emergency	440
QN10	How troubled by problems of getting along w/ family or friends	440

SECTION P

CRIMINAL JUSTICE INTERACTIONS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QP1	Number of times arrested since leaving program	441
QP2	How long after treatment arrested first time	442
QP3	Main criminal charge for first arrest	442
QP4	Number of weeks ago last arrested	443
QP5	Main criminal charge for last arrest	443
QP6	Number of times spent a night in prison	444
QP7A	Altogether number of weeks spent in jail	445
QP7B	Altogether number of weeks spent in prison	448
QP8	How long after treatment first incarceration	448
QP9	Number of weeks incarcerated that time	448
QP10	In jail or prison or other institution	451
QP11	Number of weeks ago last incarcerated	451
QP12	Number of weeks incarcerated that time	452
QP13	In jail or prison or other institution	454
QP14	Current incarceration	454
QP15	Assigned to probation after leaving program	454
QP16	Total weeks on probation since leaving program	455
QP17	Number of weeks after treatment assigned to probation	455
QP18	Reported to probation officer as required	455
QP19	Urine tested as condition of probation	456
QP20	Total times urine tested	456
QP21	Number of weeks this probation lasted	458
QP22	Assigned to probation since probation period	458
QP23	Number of weeks ago last assigned to probation	459
QP24	Reported to probation officer as required	460

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QP25	Urine tested as condition of probation	460
QP26	Total times urine tested	460
QP27	Number of weeks this probation lasted	461
QP28	Currently on probation	462
QP29	Assigned to parole since leaving program	463
QP30	Number of weeks on parole since leaving program	463
QP31	Number of weeks after treatment first assigned to parol	465
QP32	Reported to parole officer as required	467
QP33	Urine tested as condition of parole	468
QP34	Total times urine tested	468
QP35	Number of weeks this parole lasted	469
QP36	Assigned to parole since that parole period	471
QP37	Number of weeks ago last assigned to parole	472
QP38	That time reported to parole officer as required	472
QP39	Urine tested as condition of parole	473
QP40	Total times urine tested	473
QP41	Number of weeks parole lasted	474
QP42	Currently on parole	474
QP43	Received legal help since leaving program	475
QP44	How long after leaving first get legal help	475
QP45_1	Reason for legal help - Representation in civil case	476
QP45_2	Reason for legal help - Representation in criminal case	476
QP45_3	Reason for legal help - Assistance with non-court legal matters	476
QP45_4	Reason for legal help - Referral to lawyer or for legal aid	477
QP45_5	Reason for legal help - General legal	477
QP46	Getting legal help own idea or did someone suggest it	478
QP47	Source of legal assistance	478
QP48	After first time received other legal help	479
QP49	Total times received legal help	479
QP50	Number of weeks ago first got help for legal problem	480
QP51_1	Reason for legal help - Representation in civil case	482
QP51_2	Reason for legal help - Representation in criminal case	483
QP51_3	Reason for legal help - Assistance with non-court legal matters	483
QP51_4	Reason for legal help - Referral to lawyer or for legal aid	483
QP51_5	Reason for legal help - General legal	484
QP52	Getting legal help own idea or did someone suggest it	484
QP53	Source of legal assistance	485

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QQ1	Attended program after treatment that is not self help	485
QQ2_1	Number of times alcohol treatment RESIDENTIAL TREATMENT	486
QQ3_1	Number of treatments detox only RESIDENTIAL TREATMENT	486
QQ4_1	Number of weeks spent in detox RESIDENTIAL TREATMENT	487
QQ2_2	Number of times alcohol treatment HOSPITAL INPATIENT	488
QQ3_2	Number of treatments detox only HOSPITAL INPATIENT	488
QQ4_2	Number of weeks spent in detox HOSPITAL INPATIENT	489
QQ2_3	Number of times alcohol treatment OUTPATIENT DRUG FREE	489
QQ4_3	Number of weeks spent in detox OUTPATIENT DRUG FREE	490
QQ2_4	Number of times alcohol treatment OTHER	492
QQ3_4	Number of treatments detox only OTHER	492
QQ4_4	Number of weeks spent in detox OTHER	492
QQ5_1	Number of times drug/alcohol treatment RESIDENTIAL TREATMENT	493
QQ6_1	Number of treatments detox only RESIDENTIAL TREATMENT	494
QQ7_1	Number of weeks spent in treatment RESIDENTIAL TREATMENT	494
QQ5_2	Number of times drug/alcohol treatment HOSPITAL INPATIENT	496
QQ6_2	Number of treatments detox only HOSPITAL INPATIENT	497
QQ7_2	Number of weeks spent in treatment HOSPITAL INPATIENT	497
QQ5_3	Number of times drug/alcohol treatment OUTPATIENT DRUG FREE	498
QQ7_3	Number of weeks spent in drug OUTPATIENT DRUG FREE	498
QQ5_4	Number of times drug/alcohol treatment METHADONE	499
QQ6_4	Number of treatments detox only METHADONE	500
QQ7_4	Number of weeks spent in treatment METHADONE	500
QQ5_5	Number of times drug/alcohol treatment OTHER	501
QQ6_5	Number of treatments detox only OTHER	502
QQ7_5	Number of weeks spent in treatment OTHER	502
QQ8	Number of weeks after leaving program received first new treatment	503
QQ9	Number of weeks attended treatment	503
QQ10	Kind of facility first treatment	503
QQ11	Main reason entered first treatment	504
QQ12	How was first treatment paid for	504
QQ13_1	First treatment for ALCOHOL	505
QQ13_2	First treatment for MARIJUANA HASHISH THC	505
QQ13_3	First treatment for HALLUCINOGENS/PSYCHEDELICS	505
QQ13_4	First treatment for COCAINE (POWDER)	506
QQ13_5	First treatment for COCAINE (CRACK)	506
QQ13_6	First treatment for HEROIN	506
QQ13_7	First treatment for HEROIN AND COCAINE TOGETHER	507
QQ13_8	First treatment for NARCOTICS/OPIATES/OPIODS	507
QQ13_9	First treatment for STREET OR ILLEGAL METHADONE	508
QQ13_10	First treatment for DOWNERS OR DEPRESSANTS (GENERAL)	508

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QQ13_11	First treatment for SEDATIVES/SLEEPING PILLS	508
QQ13_12	First treatment for BARBITURATES (NEMBUTAL SECONAL TUINAL)	509
QQ13_13	First treatment for BENZODIAZEPINES (VALIUM LIBRIUM)	509
QQ13_14	First treatment for AMPHETAMINES (GENERAL)	510
QQ13_15	First treatment for METHAMPHETAMINES	510
QQ13_16	First treatment for INHALANTS (GLUE GASOLINE PAINT THINNER)	510
QQ13_17	First treatment for OTHER	511
QQ14	Did you live at first program	511
QQ15	Average number of days per month attended first program	511
QQ16	Number of hours/day attended first program	512
QQ17	Why did you leave first program	513
QQ18	Number of weeks ago entered latest treatment	514
QQ19	Number of weeks attended latest program	514
QQ20	Kind of treatment latest treatment	516
QQ21	Main reason entered latest treatment	516
QQ22	How was latest treatment paid for	517
QQ23_1	Latest treatment for ALCOHOL	517
QQ23_2	Latest treatment for MARIJUANA HASHISH THC	518
QQ23_3	Latest treatment for HALLUCINOGENS/PSYCHEDELICS	518
QQ23_4	Latest treatment for COCAINE (POWDER)	518
QQ23_5	Latest treatment for COCAINE (CRACK)	519
QQ23_6	Latest treatment for HEROIN	519
QQ23_7	Latest treatment for HEROIN AND COCAINE TOGETHER	520
QQ23_8	Latest treatment for NARCOTICS/OPIATES/OPIODS	520
QQ23_9	Latest treatment for STREET OR ILLEGAL METHADONE	521
QQ23_10	Latest treatment for DOWNERS OR DEPRESSANTS (GENERAL)	521
QQ23_11	Latest treatment for SEDATIVES/SLEEPING PILLS	522
QQ23_12	Latest treatment for BARBITURATES (NEMBUTAL SECONAL TUINAL)	522
QQ23_13	Latest treatment for BENZODIAZEPINES (VALIUM LIBRIUM)	522
QQ23_14	Latest treatment for AMPHETAMINES (GENERAL)	523
QQ23_15	Latest treatment for METHAMPHETAMINES	523
QQ23_16	Latest treatment for INHALANTS (GLUE GASOLINE PAINT THINNER)	524
QQ23_17	Latest treatment for OTHER	524
QQ24	Live at program latest treatment	525
QQ25	Average number of days per month attended last program	525
QQ26	Number of hours/day attended last program	526
QQ27	Reason for leaving last treatment	526

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QR1	Number of overnight hospital admissions for physical health	527
QR2	Number of weeks after leaving program first admitted	528
QR3_1	General code 1st medical disorder first time admitted	528
QR3_10S1	Subcode 1st HEART AND CIRCULATORY SYSTMS	529
QR3_20S1	Subcode 1st RESPIRATORY SYSTEM	529
QR3_30S1	Subcode 1st SKIN CONDITIONS	530
QR3_40S1	Subcode 1st BONE AND MUSCLE	530
QR3_50S1	Subcode 1st DIGESTIVE SYSTEM	531
QR3_60S1	Subcode 1st GLANDS NERVES GENITO/URINARY	531
QR3_70S1	Subcode 1st HEARING VISION	532
QR3_80S1	Subcode 1st TRAUMA AND INJURY	532
QR3_90S1	Subcode 1st WOMENS HEALTH ISSUES	532
QR3_100S1	Subcode 1st INFECTIOUS DISEASES	533
QR3_2	General code 2nd medical disorder first time admitted	533
QR3_10S2	Subcode 2nd HEART AND CIRCULATORY SYSTMS	534
QR3_20S2	Subcode 2nd RESPIRATORY SYSTEM	534
QR3_30S2	Subcode 2nd SKIN CONDITIONS	534
QR3_40S2	Subcode 2nd BONE AND MUSCLE	535
QR3_50S2	Subcode 2nd DIGESTIVE SYSTEM	535
QR3_60S2	Subcode 2nd GLANDS NERVES GENITO/URINARY	536
QR3_70S2	Subcode 2nd HEARING VISION	536
QR3_80S2	Subcode 2nd TRAUMA AND INJURY	536
QR3_90S2	Subcode 2nd WOMENS HEALTH ISSUES	537
QR3_100S2	Subcode 2nd INFECTIOUS DISEASES	537
QR3_3	General code 3rd medical disorder first time admitted	538
QR3_10S3	Subcode 3rd HEART AND CIRCULATORY SYSTMS	538
QR3_20S3	Subcode 3rd RESPIRATORY SYSTEM	538
QR3_30S3	Subcode 3rd SKIN CONDITIONS	539
QR3_40S3	Subcode 3rd BONE AND MUSCLE	539
QR3_50S3	Subcode 3rd DIGESTIVE SYSTEM	540
QR3_60S3	Subcode 3rd GLANDS NERVES GENITO/URINARY	540
QR3_70S3	Subcode 3rd HEARING VISION	540
QR3_80S3	Subcode 3rd TRAUMA AND INJURY	541
QR3_90S3	Subcode 3rd WOMENS HEALTH ISSUES	541
QR3_100S3	Subcode 3rd INFECTIOUS DISEASES	541
QR4	Number days hospitalized	542
QR5	Who paid for treatment	543
QR6	Number weeks ago last in hospital for physical health problem	543
QR7_1	General code 1st medical disorder last time admitted	546
QR7_10S1	Subcode 1st HEART AND CIRCULATORY SYSTMS	546
QR7_20S1	Subcode 1st RESPIRATORY SYSTEM	547

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QR7_30S1	Subcode 1st SKIN CONDITIONS	547
QR7_40S1	Subcode 1st BONE AND MUSCLE	548
QR7_50S1	Subcode 1st DIGESTIVE SYSTEM	548
QR7_60S1	Subcode 1st GLANDS NERVES GENITO/URINARY	549
QR7_70S1	Subcode 1st HEARING VISION	549
QR7_80S1	Subcode 1st TRAUMA AND INJURY	549
QR7_90S1	Subcode 1st WOMENS HEALTH ISSUES	550
QR7_100S1	Subcode 1st INFECTIOUS DISEASES	550
QR7_2	General code 2nd medical disorder last time admitted	551
QR7_10S2	Subcode 2nd HEART AND CIRCULATORY SYSTMS	551
QR7_20S2	Subcode 2nd RESPIRATORY SYSTEM	552
QR7_30S2	Subcode 2nd SKIN CONDITIONS	552
QR7_40S2	Subcode 2nd BONE AND MUSCLE	552
QR7_50S2	Subcode 2nd DIGESTIVE SYSTEM	553
QR7_60S2	Subcode 2nd GLANDS NERVES GENITO/URINARY	553
QR7_70S2	Subcode 2nd HEARING VISION	553
QR7_80S2	Subcode 2nd TRAUMA AND INJURY	554
QR7_90S2	Subcode 2nd WOMENS HEALTH ISSUES	554
QR7_100S2	Subcode 2nd INFECTIOUS DISEASES	554
QR7_3	General code 3rd medical disorder last time admitted	555
QR7_10S3	Subcode 3rd HEART AND CIRCULATORY SYSTMS	555
QR7_20S3	Subcode 3rd RESPIRATORY SYSTEM	555
QR7_30S3	Subcode 3rd SKIN CONDITIONS	556
QR7_40S3	Subcode 3rd BONE AND MUSCLE	556
QR7_50S3	Subcode 3rd DIGESTIVE SYSTEM	556
QR7_60S3	Subcode 3rd GLANDS NERVES GENITO/URINARY	557
QR7_70S3	Subcode 3rd HEARING VISION	557
QR7_80S3	Subcode 3rd TRAUMA AND INJURY	557
QR7_90S3	Subcode 3rd WOMENS HEALTH ISSUES	558
QR7_100S3	Subcode 3rd INFECTIOUS DISEASES	558
QR8	Number days hospitalized	558
QR9	Who paid for the treatment	559
QR10	Number of times admitted to hospital for mental health problem	560
QR11	Number of weeks after left program first admitted for mental health	560
QR12_1	Reason/diagnosis 1st mental disorder for first hospitalization	562
QR12_2	Reason/diagnosis 2nd mental disorder for first hospitalization	563
QR12_3	Reason/diagnosis 3rd mental disorder for first hospitalization	563
QR13	Number of days first hospitalized for mental disorder	564
QR14	Who paid for the treatment for mental disorder first hospitalization	565
QR15	Number of weeks ago last hospitalized for mental health	565
QR16_1	Reason/diagnosis 1st mental disorder last hospitalization	566

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QR16_2	Reason/diagnosis 2nd mental disorder last hospitalization	567
QR16_3	Reason/diagnosis 3rd mental disorder last hospitalization	567
QR17	Number of days last hospitalized for mental disorder	568
QR18	Who paid for the treatment for mental disorder last hospitalization	568
QR19	Number times received outpatient care for mental health	569
QR20	Number of weeks after leaving program first received outpatient care	570
QR21_1	Reason/diagnosis 1st mental disorder first outpatient mental health care	573
QR21_2	Reason/diagnosis 2nd mental disorder first outpatient mental health care	573
QR21_3	Reason/diagnosis 3rd mental disorder first outpatient mental health care	574
QR22	Number of weeks received first outpatient mental health care	574
QR23	Who paid for the treatment in first outpatient mental health care	576
QR24	In continuous outpatient mental health treatment	577
QR25	Any other outpatient mental health treatment received	577
QR26	Number of weeks since last outpatient mental health treatment	577
QR27_1	Reason/diagnosis 1st mental disorder last outpatient mental health care	578
QR27_2	Reason/diagnosis 2nd mental disorder last outpatient mental health care	579
QR27_3	Reason/diagnosis 3rd mental disorder last outpatient mental health care	579
QR28	Number of weeks in last outpatient mental health care	580
QR29	Who paid for the treatment in last outpatient mental health care	580
QR30	Number of times received emergency treatment / no hospitalization	580
QR31	Number of weeks after leaving program first receive emergency treatment	581
QR32_1	General code 1st medical disorder first emergency treatment	582
QR32_10S1	Subcode 1st HEART AND CIRCULATORY SYSTEMS	582
QR32_20S1	Subcode 1st RESPIRATORY SYSTEM	583
QR32_30S1	Subcode 1st SKIN CONDITIONS	583
QR32_40S1	Subcode 1st BONE AND MUSCLE	584
QR32_50S1	Subcode 1st DIGESTIVE SYSTEM	584
QR32_60S1	Subcode 1st GLANDS NERVES GENITO/URINARY	585
QR32_70S1	Subcode 1st HEARING VISION	585
QR32_80S1	Subcode 1st TRAUMA AND INJURY	586
QR32_90S1	Subcode 1st WOMENS HEALTH ISSUES	586
QR32_100S1	Subcode 1st INFECTIOUS DISEASES	587
QR32_2	General code 2nd medical disorder first emergency treatment	587
QR32_10S2	Subcode 2nd HEART AND CIRCULATORY SYSTEMS	588
QR32_20S2	Subcode 2nd RESPIRATORY SYSTEM	588

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QR32_30S2	Subcode 2nd SKIN CONDITIONS	589
QR32_40S2	Subcode 2nd BONE AND MUSCLE	589
QR32_50S2	Subcode 2nd DIGESTIVE SYSTEM	589
QR32_60S2	Subcode 2nd GLANDS NERVES GENITO/URINARY	590
QR32_70S2	Subcode 2nd HEARING VISION	590
QR32_80S2	Subcode 2nd TRAUMA AND INJURY	590
QR32_90S2	Subcode 2nd WOMENS HEALTH ISSUES	591
QR32_100S2	Subcode 2nd INFECTIOUS DISEASES	591
QR32_3	General code 3rd medical disorder first emergency treatment	592
QR32_10S3	Subcode 3rd HEART AND CIRCULATORY SYSTMS	592
QR32_20S3	Subcode 3rd RESPIRATORY SYSTEM	592
QR32_30S3	Subcode 3rd SKIN CONDITIONS	593
QR32_40S3	Subcode 3rd BONE AND MUSCLE	593
QR32_50S3	Subcode 3rd DIGESTIVE SYSTEM	594
QR32_60S3	Subcode 3rd GLANDS NERVES GENITO/URINARY	594
QR32_70S3	Subcode 3rd HEARING VISION	594
QR32_80S3	Subcode 3rd TRAUMA AND INJURY	595
QR32_90S3	Subcode 3rd WOMENS HEALTH ISSUES	595
QR32_100S3	Subcode 3rd INFECTIOUS DISEASES	595
QR33	Received emergency treatment after first visit	596
QR34	Number of weeks ago last visited emergency room	596
QR35_1	General code 1st medical disorder last emergency treatment	598
QR35_10S1	Subcode 1st HEART AND CIRCULATORY SYSTMS	599
QR35_20S1	Subcode 1st RESPIRATORY SYSTEM	599
QR35_30S1	Subcode 1st SKIN CONDITIONS	600
QR35_40S1	Subcode 1st BONE AND MUSCLE	600
QR35_50S1	Subcode 1st DIGESTIVE SYSTEM	601
QR35_60S1	Subcode 1st GLANDS NERVES GENITO/URINARY	601
QR35_70S1	Subcode 1st HEARING VISION	602
QR35_80S1	Subcode 1st TRAUMA AND INJURY	602
QR35_90S1	Subcode 1st WOMENS HEALTH ISSUES	602
QR35_100S1	Subcode 1st INFECTIOUS DISEASES	603
QR35_2	General code 2nd medical disorder last emergency treatment	603
QR35_10S2	Subcode 2nd HEART AND CIRCULATORY SYSTMS	604
QR35_20S2	Subcode 2nd RESPIRATORY SYSTEM	604
QR35_30S2	Subcode 2nd SKIN CONDITIONS	605
QR35_40S2	Subcode 2nd BONE AND MUSCLE	605
QR35_50S2	Subcode 2nd DIGESTIVE SYSTEM	605
QR35_60S2	Subcode 2nd GLANDS NERVES GENITO/URINARY	606
QR35_70S2	Subcode 2nd HEARING VISION	606
QR35_80S2	Subcode 2nd TRAUMA AND INJURY	606

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QR35_90S2	Subcode 2nd WOMENS HEALTH ISSUES	607
QR35_100S2	Subcode 2nd INFECTIOUS DISEASES	607
QR35_3	General code 3rd medical disorder last emergency treatment	608
QR35_10S3	Subcode 3rd HEART AND CIRCULATORY SYSTMS	608
QR35_20S3	Subcode 3rd RESPIRATORY SYSTEM	608
QR35_30S3	Subcode 3rd SKIN CONDITIONS	609
QR35_40S3	Subcode 3rd BONE AND MUSCLE	609
QR35_50S3	Subcode 3rd DIGESTIVE SYSTEM	609
QR35_60S3	Subcode 3rd GLANDS NERVES GENITO/URINARY	610
QR35_70S3	Subcode 3rd HEARING VISION	610
QR35_80S3	Subcode 3rd TRAUMA AND INJURY	610
QR35_90S3	Subcode 3rd WOMENS HEALTH ISSUES	611
QR35_100S3	Subcode 3rd INFECTIOUS DISEASES	611
QR36	Number of times received outpatient care for physical health	611
QR37	Number of weeks after leaving first received outpatient physical health care	613
QR38_1	General code 1st medical disorder first outpatient physical health care	614
QR38_10S1	Subcode 1st HEART AND CIRCULATORY SYSTMS	614
QR38_20S1	Subcode 1st RESPIRATORY SYSTEM	615
QR38_30S1	Subcode 1st SKIN CONDITIONS	615
QR38_40S1	Subcode 1st BONE AND MUSCLE	616
QR38_50S1	Subcode 1st DIGESTIVE SYSTEM	616
QR38_60S1	Subcode 1st GLANDS NERVES GENITO/URINARY	617
QR38_70S1	Subcode 1st HEARING VISION	617
QR38_80S1	Subcode 1st TRAUMA AND INJURY	618
QR38_90S1	Subcode 1st WOMENS HEALTH ISSUES	618
QR38_100S1	Subcode 1st INFECTIOUS DISEASES	619
QR38_2	General code 2nd medical disorder first outpatient physical health care	619
QR38_10S2	Subcode 2nd HEART AND CIRCULATORY SYSTMS	620
QR38_20S2	Subcode 2nd RESPIRATORY SYSTEM	620
QR38_30S2	Subcode 2nd SKIN CONDITIONS	620
QR38_40S2	Subcode 2nd BONE AND MUSCLE	621
QR38_50S2	Subcode 2nd DIGESTIVE SYSTEM	621
QR38_60S2	Subcode 2nd GLANDS NERVES GENITO/URINARY	622
QR38_70S2	Subcode 2nd HEARING VISION	622
QR38_80S2	Subcode 2nd TRAUMA AND INJURY	622
QR38_90S2	Subcode 2nd WOMENS HEALTH ISSUES	623
QR38_100S2	Subcode 2nd INFECTIOUS DISEASES	623
QR38_3	General code 3rd medical disorder first outpatient physical health care	623

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QR38_10S3	Subcode 3rd HEART AND CIRCULATORY SYSTMS	624
QR38_20S3	Subcode 3rd RESPIRATORY SYSTEM	624
QR38_30S3	Subcode 3rd SKIN CONDITIONS	625
QR38_40S3	Subcode 3rd BONE AND MUSCLE	625
QR38_50S3	Subcode 3rd DIGESTIVE SYSTEM	625
QR38_60S3	Subcode 3rd GLANDS NERVES GENITO/URINARY	626
QR38_70S3	Subcode 3rd HEARING VISION	626
QR38_80S3	Subcode 3rd TRAUMA AND INJURY	626
QR38_90S3	Subcode 3rd WOMENS HEALTH ISSUES	627
QR38_100S3	Subcode 3rd INFECTIOUS DISEASES	627
QR39	Number of weeks received first outpatient physical health care	627
QR40	Who paid for the treatment in first outpatient physical health care	629
QR41	Reveived continuous physical health care since then	630
QR42	Other outpatient health care after first treatment	630
QR43	Number of weeks ago last received outpatient physical health care	631
QR44_1	General code 1st medical disorder last outpatient physical health care	632
QR44_10S1	Subcode 1st HEART AND CIRCULATORY SYSTMS	633
QR44_20S1	Subcode 1st RESPIRATORY SYSTEM	633
QR44_30S1	Subcode 1st SKIN CONDITIONS	634
QR44_40S1	Subcode 1st BONE AND MUSCLE	634
QR44_50S1	Subcode 1st DIGESTIVE SYSTEM	635
QR44_60S1	Subcode 1st GLANDS NERVES GENITO/URINARY	635
QR44_70S1	Subcode 1st HEARING VISION	635
QR44_80S1	Subcode 1st TRAUMA AND INJURY	636
QR44_90S1	Subcode 1st WOMENS HEALTH ISSUES	636
QR44_100S1	Subcode 1st INFECTIOUS DISEASES	637
QR44_2	General code 2nd medical disorder last outpatient physical health care	637
QR44_10S2	Subcode 2nd HEART AND CIRCULATORY SYSTMS	637
QR44_20S2	Subcode 2nd RESPIRATORY SYSTEM	638
QR44_30S2	Subcode 2nd SKIN CONDITIONS	638
QR44_40S2	Subcode 2nd BONE AND MUSCLE	638
QR44_50S2	Subcode 2nd DIGESTIVE SYSTEM	639
QR44_60S2	Subcode 2nd GLANDS NERVES GENITO/URINARY	639
QR44_70S2	Subcode 2nd HEARING VISION	639
QR44_80S2	Subcode 2nd TRAUMA AND INJURY	640
QR44_90S2	Subcode 2nd WOMENS HEALTH ISSUES	640
QR44_100S2	Subcode 2nd INFECTIOUS DISEASES	640
QR44_3	General code 3rd medical disorder last outpatient physical health care	641

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QR44_10S3	Subcode 3rd HEART AND CIRCULATORY SYSTMS	641
QR44_20S3	Subcode 3rd RESPIRATORY SYSTEM	641
QR44_30S3	Subcode 3rd SKIN CONDITIONS	642
QR44_40S3	Subcode 3rd BONE AND MUSCLE	642
QR44_50S3	Subcode 3rd DIGESTIVE SYSTEM	642
QR44_60S3	Subcode 3rd GLANDS NERVES GENITO/URINARY	643
QR44_70S3	Subcode 3rd HEARING VISION	643
QR44_80S3	Subcode 3rd TRAUMA AND INJURY	643
QR44_90S3	Subcode 3rd WOMENS HEALTH ISSUES	644
QR44_100S3	Subcode 3rd INFECTIOUS DISEASES	644
QR45	Number of weeks received outpatient physical health care	644
QR46	Who paid for the treatment	645

SECTION S

DRUG USE

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QS1	Since leaving program have you used drugs/alcohol	645
QS2	Reason for starting again	646
QS3_1	ALCOHOL	646
QS4_1	Number of weeks after leaving started using ALCOHOL	647
QS5_1	Frequency of use ALCOHOL	647
QS6_1	Route of drug use ALCOHOL	648
QS7_1	How much spent/month on ALCOHOL	648
QS8_1	Number of weeks continued to use ALCOHOL	650
QS9_1	Stopped using ALCOHOL	650
QS10_1	Started using ALCOHOL again	651
QS13_1	Number of total weeks used ALCOHOL	651
QS14_1	Number of weeks ago last used ALCOHOL	652
QS3_2	MARIJUANA HASHISH THC	652
QS4_2	Number of weeks after leaving started using MARIJUANA	653
QS5_2	Frequency of use MARIJUANA	653
QS6_2	Route of drug use MARIJUANA	653
QS7_2	How much spent/month on MARIJUANA	654
QS8_2	Number of weeks continued to use MARIJUANA	655
QS9_2	Stopped using MARIJUANA	656
QS10_2	Started using MARIJUANA again	656
QS13_2	Number of total weeks used MARIJUANA	656
QS14_2	Number of weeks ago last used MARIJUANA	657
QS3_3	HALLUCINOGENS/PSYCHEDELICS	659
QS4_3	Number of weeks after leaving started using HALLUCINOGENS	660
QS5_3	Frequency of use HALLUCINOGENS	661

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QS6_3	Route of drug use HALLUCINOGENS	661
QS7_3	How much spent/month on HALLUCINOGENS	662
QS8_3	Number of weeks continued to use HALLUCINOGENS	662
QS9_3	Stopped using HALLUCINOGENS	663
QS10_3	Started using HALLUCINOGENS again	663
QS13_3	Number of total weeks used HALLUCINOGENS	664
QS14_3	Number of weeks ago last used HALLUCINOGENS	664
QS3_4	COCAINE (POWDER)	665
QS4_4	Number of weeks after leaving started using COCAINE	666
QS5_4	Frequency of use COCAINE	668
QS6_4	Route of drug use COCAINE	669
QS7_4	How much spent/month on COCAINE	669
QS8_4	Number of weeks continued to use COCAINE	671
QS9_4	Stopped using COCAINE	673
QS10_4	Started using COCAINE again	674
QS13_4	Number of total weeks used COCAINE	674
QS14_4	Number of weeks ago last used COCAINE	677
QS3_5	COCAINE (CRACK)	679
QS4_5	Number of weeks after leaving started using CRACK	680
QS5_5	Frequency of use CRACK	680
QS6_5	Route of drug use CRACK	681
QS7_5	How much spent/month on CRACK	681
QS8_5	Number of weeks continued to use CRACK	683
QS9_5	Stopped using CRACK	683
QS10_5	Started using CRACK again	684
QS13_5	Number of total weeks used CRACK	684
QS14_5	Number of weeks ago last used CRACK	684
QS3_6	HEROIN	685
QS4_6	Number of weeks after leaving started using HEROIN	685
QS5_6	Frequency of use HEROIN	688
QS6_6	Route of drug use HEROIN	688
QS7_6	How much spent/month on HEROIN	689
QS8_6	Number of weeks continued to use HEROIN	691
QS9_6	Stopped using HEROIN	693
QS10_6	Started using HEROIN again	693
QS13_6	Number of total weeks used HEROIN	694
QS14_6	Number of weeks ago last used HEROIN	694
QS3_7	HEROIN AND COCAINE TOGETHER	697
QS4_7	Number of weeks after leaving started using HEROIN AND COCAINE	697
QS5_7	Frequency of use HEROIN AND COCAINE	699
QS6_7	Route of drug use HEROIN AND COCAINE	699

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QS7_7	How much spent/month on HEROIN AND COCAINE	700
QS8_7	Number of weeks continued to use HEROIN AND COCAINE	701
QS9_7	Stopped using HEROIN AND COCAINE	703
QS10_7	Started using HEROIN AND COCAINE again	703
QS13_7	Number of total weeks used HEROIN AND COCAINE	703
QS14_7	Number of weeks ago last used HEROIN AND COCAINE	706
QS3_8	NARCOTICS / OPIATES / OPIOIDS	707
QS4_8	Number of weeks after leaving started using NARCOTICS	708
QS5_8	Frequency of use NARCOTICS	709
QS6_8	Route of drug use NARCOTICS	710
QS7_8	How much spent/month on NARCOTICS	710
QS8_8	Number of weeks continued to use NARCOTICS	711
QS9_8	Stopped using NARCOTICS	713
QS10_8	Started using NARCOTICS again	713
QS13_8	Number of total weeks used NARCOTICS	713
QS14_8	Number of weeks ago last used NARCOTICS	715
QS3_9	STREET OR ILLEGAL METHADONE	716
QS4_9	Number of weeks after leaving started using ILLEGAL METHADONE	717
QS5_9	Frequency of use ILLEGAL METHADONE	718
QS6_9	Route of drug use ILLEGAL METHADONE	718
QS7_9	How much spent/month on ILLEGAL METHADONE	719
QS8_9	Number of weeks continued to use ILLEGAL METHADONE	719
QS9_9	Stopped using ILLEGAL METHADONE	720
QS10_9	Started using ILLEGAL METHADONE again	720
QS13_9	Number of total weeks used ILLEGAL METHADONE	721
QS14_9	Number of weeks ago last used ILLEGAL METHADONE	722
QS3_10	DOWNERS OR DEPRESSANTS (GENERAL)	723
QS4_10	Number of weeks after leaving started using DEPRESSANTS	723
QS5_10	Frequency of use DEPRESSANTS	724
QS6_10	Route of drug use DEPRESSANTS	724
QS7_10	How much spent/month on DEPRESSANTS	725
QS8_10	Number of weeks continued to use DEPRESSANTS	725
QS9_10	Stopped using DEPRESSANTS	726
QS10_10	Started using DEPRESSANTS again	727
QS13_10	Number of total weeks used DEPRESSANTS	727
QS14_10	Number of weeks ago last used DEPRESSANTS	728
QS3_11	SEDATIVES/SLEEPING PILLS	729
QS4_11	Number of weeks after leaving started using SEDATIVES	729
QS5_11	Frequency of use SEDATIVES	730
QS6_11	Route of drug use SEDATIVES	730
QS7_11	How much spent/month on SEDATIVES	731

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QS8_11	Number of weeks continued to use SEDATIVES	732
QS9_11	Stopped using SEDATIVES	732
QS10_11	Started using SEDATIVES again	733
QS13_11	Number of total weeks used SEDATIVES	733
QS14_11	Number of weeks ago last used SEDATIVES	734
QS3_12	BARBITURATES	735
QS4_12	Number of weeks after leaving started using BARBITURATES	735
QS5_12	Frequency of use BARBITURATES	736
QS6_12	Route of drug use BARBITURATES	736
QS7_12	How much spent/month on BARBITURATES	736
QS8_12	Number of weeks continued to use BARBITURATES	737
QS9_12	Stopped using BARBITURATES	737
QS10_12	Started using BARBITURATES again	738
QS13_12	Number of total weeks used BARBITURATES	738
QS14_12	Number of weeks ago last used BARBITURATES	738
QS3_13	BENZODIAZEPINES	739
QS4_13	Number of weeks after leaving started using BENZODIAZEPINES	739
QS5_13	Frequency of use BENZODIAZEPINES	740
QS6_13	Route of drug use BENZODIAZEPINES	740
QS7_13	How much spent/month on BENZODIAZEPINES	741
QS8_13	Number of weeks continued to use BENZODIAZEPINES	741
QS9_13	Stopped using BENZODIAZEPINES	742
QS10_13	Started using BENZODIAZEPINES again	742
QS13_13	Number of total weeks used BENZODIAZEPINES	743
QS14_13	Number of weeks ago last used BENZODIAZEPINES	743
QS3_14	AMPHETAMINES (GENERAL)	744
QS4_14	Number of weeks after leaving started using AMPHETAMINES	745
QS5_14	Frequency of use AMPHETAMINES	745
QS6_14	Route of drug use AMPHETAMINES	746
QS7_14	How much spent/month on AMPHETAMINES	746
QS8_14	Number of weeks continued to use AMPHETAMINES	747
QS9_14	Stopped using AMPHETAMINES	748
QS10_14	Started using AMPHETAMINES again	748
QS13_14	Number of total weeks used AMPHETAMINES	748
QS14_14	Number of weeks ago last used AMPHETAMINES	749
QS3_15	METHAMPHETAMINES	750
QS4_15	Number of weeks after leaving started using METHAMPHETAMINES	750
QS5_15	Frequency of use METHAMPHETAMINES	752
QS6_15	Route of drug use METHAMPHETAMINES	752
QS7_15	How much spent/month on METHAMPHETAMINES	753
QS8_15	Number of weeks continued to use METHAMPHETAMINES	754

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QS9_15	Stopped using METHAMPHETAMINES	755
QS10_15	Started using METHAMPHETAMINES again	755
QS13_15	Number of total weeks used METHAMPHETAMINES	756
QS14_15	Number of weeks ago last used METHAMPHETAMINES	757
QS3_16	INHALANTS	758
QS4_16	Number of weeks after leaving started using INHALANTS	759
QS5_16	Frequency of use INHALANTS	759
QS6_16	Route of drug use INHALANTS	760
QS7_16	How much spent/month on INHALANTS	760
QS8_16	Number of weeks continued to use INHALANTS	760
QS9_16	Stopped using INHALANTS	761
QS10_16	Started using INHALANTS again	761
QS13_16	Number of total weeks used INHALANTS	761
QS14_16	Number of weeks ago last used INHALANTS	762
QS3_17	OTHER DRUGS	762
QS4_17	Number of weeks after leaving started using OTHER DRUGS	763
QS5_17	Frequency of use OTHER DRUGS	763
QS6_17	Route of drug use OTHER DRUGS	763
QS7_17	How much spent/month on OTHER DRUGS	764
QS8_17	Number of weeks continued to use OTHER DRUGS	764
QS9_17	Stopped using OTHER DRUGS	764
QS10_17	Started using OTHER DRUGS again	765
QS13_17	Number of total weeks used OTHER DRUGS	765
QS14_17	Number of weeks ago last used OTHER DRUGS	766

SECTION T

CRIMINAL ACTIVITY

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QT1_1	Engaged in FORGERY	766
QT3_1	Number weeks ago first engaged in FORGERY	766
QT4_1	Number weeks ago last engaged in FORGERY	768
QT5_1	Number total times engaged in FORGERY	769
QT6_1	Number total weeks involved in FORGERY	770
QT1_2	Engaged in FORGED PRESCRIPTIONS	771
QT3_2	Number weeks ago first engaged in FRGD PRSCRPTS	772
QT4_2	Number weeks ago last engaged in FORGED PRESCRIPTIONS	773
QT5_2	Number total times engaged in FORGED PRESCRIPTIONS	773
QT6_2	Number total weeks involved in FORGED PRESCRIPTIONS	774
QT1_3	Engaged in BURGLARY	775
QT3_3	Number weeks ago first engaged in BURGLARY	775
QT4_3	Number weeks ago last engaged in BURGLARY	777

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QT5_3	Number total times engaged in BURGLARY	778
QT6_3	Number total weeks involved in BURGLARY	779
QT1_4	Engaged in ROBBERY (BUSINESS)	780
QT3_4	Number weeks ago first engaged in ROBBERY (BUSINESS)	781
QT4_4	Number weeks ago last engaged in ROBBERY (BUSINESS)	782
QT5_4	Number total times engaged in ROBBERY (BUSINESS)	783
QT6_4	Number total weeks involved in ROBBERY (BUSINESS)	784
QT1_5	Engaged in ROBBERY (PERSON)	785
QT3_5	Number weeks ago first engaged in ROBBERY (PERSON)	785
QT4_5	Number weeks ago last engaged in ROBBERY (PERSON)	787
QT5_5	Number total times engaged in ROBBERY (PERSON)	788
QT6_5	Number total weeks involved in ROBBERY (PERSON)	788
QT1_6	Engaged in AUTO THEFT	789
QT3_6	Number weeks ago first engaged in AUTO THEFT	790
QT4_6	Number weeks ago last engaged in AUTO THEFT	791
QT5_6	Number total times engaged in AUTO THEFT	791
QT6_6	Number total weeks involved in AUTO THEFT	792
QT1_7	Engaged in NON AUTO THEFT / SHOPLIFTING	793
QT3_7	Number weeks ago first engaged in NON AUTO THEFT/SHOPLIFTING	793
QT4_7	Number weeks ago last engaged in NON AUTO THEFT/SHOPLIFTING	795
QT5_7	Number total times engaged in NON AUTO THEFT/SHOPLIFTING	797
QT6_7	Number total weeks involved in NON AUTO THEFT/SHOPLIFTING	799
QT1_8	Engaged in A CON OR SCAM	800
QT3_8	Number weeks ago first engaged in CON/SCAM	801
QT4_8	Number weeks ago last engaged in CON/SCAM	802
QT5_8	Number total times engaged in CON/SCAM	804
QT6_8	Number total weeks involved in CON/SCAM	805
QT1_9	Engaged in ARSON / VANDALISM	807
QT3_9	Number weeks ago first engaged in ARSON/VANDALISM	807
QT4_9	Number weeks ago last engaged in ARSON/VANDALISM	808
QT5_9	Number total times engaged in ARSON/VANDALISM	808
QT6_9	Number total weeks involved in ARSON/VANDALISM	809
QT1_10	Engaged in PROSTITUTION / PIMPING	809
QT3_10	Number weeks ago first engaged in PROSTITUTION/PIMPING	810
QT4_10	Number weeks ago last engaged in PROSTITUTION/PIMPING	811
QT5_10	Number total times engaged in PROSTITUTION/PIMPING	813
QT6_10	Number total weeks involved in PROSTITUTION/PIMPING	814
QT1_11	Engaged in ASSAULT	815
QT3_11	Number weeks ago first engaged in ASSAULT	816

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QT4_11	Number weeks ago last engaged in ASSAULT	818
QT5_11	Number total times engaged in ASSAULT	819
QT6_11	Number total weeks involved in ASSAULT	820
QT1_12	Engaged in RAPE	821
QT3_12	Number weeks ago first engaged in RAPE	821
QT4_12	Number weeks ago last engaged in RAPE	822
QT5_12	Number total times engaged in RAPE	822
QT6_12	Number total weeks involved in RAPE	823
QT1_13	Engaged in HOMICIDE	823
QT3_13	Number weeks ago first engaged in HOMICIDE	823
QT4_13	Number weeks ago last engaged in HOMICIDE	824
QT5_13	Number total times engaged in HOMICIDE	824
QT6_13	Number total weeks involved in HOMICIDE	825
QT1_14	Engaged in DRUG DEALING	825
QT3_14	Number weeks ago first engaged in DRUG DEALING	826
QT4_14	Number weeks ago last engaged in DRUG DEALING	828
QT5_14	Number total times engaged in DRUG DEALING	830
QT6_14	Number total weeks involved in DRUG DEALING	832
QT1_15	Engaged in OTHER CRIMINAL ACTIVITIES	834
QT3_15	Number weeks ago first engaged in OTHER CRIME ACTIVITY	834
QT4_15	Number weeks ago last engaged in OTHER CRIME ACTIVITY	836
QT5_15	Number total times engaged in OTHER CRIME ACTIVITY	837
QT6_15	Number total wks involved in OTHER CRIME ACTIVITY	838

SECTION U

LEGAL EMPLOYMENT / INCOME

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QU1	Since leaving program have you worked legally	839
QU2	Number weeks after treatment first employed	839
QU3	How much take-home pay/week	840
QU4	Number weeks employed at that job	840
QU5	Are still employed at that job	840
QU6	Had another job since then	841
QU7	Number weeks ago last employed	841
QU8	How much take-home pay/week	844
QU9	Number weeks employed at that job	844
QU10	Number total weeks employed full time after program	844
QU11	Number weeks employed part time since leaving program	845
QU12	Have received help in getting job/education after program	847
QU13	How long after leaving program first got help	848
QU14_51	Help received - Guidance counseling	850

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QU14_52	Help received - Help with basic education (English, reading, math)	850
QU14_53	Help received - Referral to education program	851
QU14_59	Help received - General education	851
QU14_61	Help received - Vocational assessment	851
QU14_62	Help received - Vocational counseling	852
QU14_63	Help received - Help in job placement / looking for work	852
QU14_64	Help received - Referral to JPTA, DVR, or other programs	853
QU14_69	Help received - General employment	853
QU15	Getting help own idea or someone suggested getting it	853
QU16	Job/education help source	854
QU17	Since leaving program any other job/education help	854
QU18	Number times received help since first time	855
QU19	Number weeks ago last received job/education help	855
QU20_51	Help received - Guidance counseling	856
QU20_52	Help received - Help with basic education (English, reading, math)	856
QU20_53	Help received - Referral to education program	857
QU20_59	Help received - General education	857
QU20_61	Help received - Vocational assessment	858
QU20_62	Help received - Vocational counseling	858
QU20_63	Help received - Help in job placement / looking for work	858
QU20_64	Help received - Referral to JPTA, DVR, or other programs	859
QU20_69	Help received - General employment	859
QU21	Getting help own idea or someone suggested getting it	860
QU22	Job/education help source	860

SECTION V

BASIC NEEDS

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QV1	After leaving program received help with basic needs	861
QV2	Number weeks after leaving program first got help with basic needs	861
QV3_71	Help received - Food stamps	863
QV3_72	Helped received - Housing assistance	864
QV3_73	Help received - Credit for financial counseling	864
QV3_74	Help received - Referral to social services (welfare)	865
QV3_76	Help received - Transportation	865
QV3_79	Help received - General financial	865
QV4	Getting help own idea or someone suggested getting it	866
QV5	Source of services/help	866
QV6	After first time any other help with basic needs	867
QV7	Number times received basic needs help	867
QV8	Number weeks ago last got basic needs help	868

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QV9_71	Help received - Food stamps	869
QV9_72	Helped received - Housing assistance	870
QV9_73	Help received - Credit for financial counseling	870
QV9_74	Help received - Referral to social services (welfare)	870
QV9_76	Help received - Transportation	871
QV9_79	Help received - General financial	871
QV10	Getting help own idea or someone suggested getting it	872
QV11	Source of services/help	872
QV12	Total number weeks received basic needs help	873

SECTION W

FAMILY SERVICES

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QW1	After left program received help with family/childcare	873
QW2	Number weeks after leaving program received help with family/childcare	873
QW3_31	Help received - Individual family counseling	875
QW3_32	Help received - Group family counseling	875
QW3_33	Help received - Childcare	875
QW3_34	Help received - Sex education or sexuality counseling	876
QW3_35	Help received - Referral to service / agency	876
QW3_36	Help received - Referral to child protective services	877
QW3_39	Help received - General family	877
QW4	Getting help own idea or someone suggested getting it	878
QW5	Family/childcare help source	878
QW6	Any other help after first time	879
QW7	Number times received family/childcare help	879
QW8	Number weeks ago last received family/childcare help	879
QW9_31	Help received - Individual family counseling	880
QW9_32	Help received - Group family counseling	880
QW9_33	Help received - Childcare	881
QW9_34	Help received - Sex education or sexuality counseling	881
QW9_35	Help received - Referral to service / agency	881
QW9_36	Help received - Referral to child protective services	882
QW9_39	Help received - General family	882
QW10	Getting help own idea or someone suggested getting it	883
QW11	Family/childcare help source	883
QW12	Total number of weeks received family/childcare help	883

CREATED VARIABLES

CREATED VARIABLES

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
AGE	Age at Admission	885
QAV_AGEG	Age at Followup	886
QAV_RACE	Race/Ethnicity	886
MSTAT	Marital Status at Intake	886
QAV_MST	Marital Status at Followup	887
CJ_STAT	Criminal Justice Status	887
QAV_CJS	Criminal Justice Status at Followup	888
EDLEV	Educational Level	888
QDV_DEG	Highest Degree Received in Followup Year	888
QDV_ENRL	School Enrolled in Followup Year	889
EMPSTAT	EMPLOYMENT STATUS THE WEEK BEFORE ADMISSION	889
QHV_EMP	EMPLOYMENT STATUS AT FOLLOWUP	890
FTWORK	Weeks Full-time Work Past Year	890
QHV_FTWK	Weeks Full-time Work Followup Year	890
MAJSRC	MAJOR SOURCE OF INCOME	891
QJV_SRC	Major Source of Income-Followup Year	891
HLTHINS	HEALTH INSURANCE	891
REFER	REFERRAL SOURCE	892
RESTRICT	WKS RESTRICTED PAST YR, BRACKETED	892
PDT	NUMBER OF PRIOR DRUG TREATMENTS	893
QMV_DT	SUBSEQUENT DRUG TREATMENT	893
DRUGPAT	Drug Use Pattern	893
QEV_PAT	Drug Use Pattern in Followup Year	894
QEV_PDRG	Primary Drug in Followup Year	894
QEV_NDRG	Number Drugs Used Weekly	895
HVY_ALC	HEAVY ALCOHOL USER PAST YR	895
QEV_HALC	HEAVY ALCOHOL USE-in Followup Year	895
ALCR	ALCOHOL USE	896
QEV_ALC	ALCOHOL USE	896
MARR	MARIJUANA USE	896
QEV_MRJ	MARIJUANA USE	897
COCR	COCAINE USE	897
QEV_COC	COCAINE USE	897
COCHX	HISTORY OF COCAINE USE	898
QEV_CRK	CRACK USE	898
HERR	HEROIN USE	898
QEV_HER	HEROIN USE	899
HERHX	HISTORY OF HEROIN USE	899
NARR	OTHER OPIOID USE	899
QEV_NAR	OTHER OPIOID USE	900
SEDR	SEDATIVE OR BARBITURATE USE	900

- Study 02258 -

<i>Variables within this Variable Group</i>		
<i>Variable</i>	<i>Variable Label</i>	<i>Page</i>
QEV_SED	SEDATIVE OR BARBITURATE USE	900
AMPR	AMPHETAMINE USE	901
QEV_AMP	AMPHETAMINE USE	901
QEV_HAL	HALLUCINOGEN USE	901
QEV_INJ	Injection Drug Use-in Followup Year	902
DEP_YR	DEPRESSIVE SYMPTOMS PAST YEAR	902
MH_HOSP	HX MENTAL HEALTH TREATMENT	902
ASP	ANTISOCIAL PERSONALITY	903
DEP	MAJOR DEPRESSIVE EPISODE	903
GAD	GENERAL ANXIETY DISORDER	903
QFV_SUIC	Suicidal T/A - Followup Year	903
IAPY	FREQUENCY OF ILLEGAL ACTIVITY PAST YEAR	904
IAY_SIA	SERIOUS ILLEGAL ACTS	904
QGV_SIA	Serious Illegal Acts Followup Year	904
QGV_DR	DRUG RELATED ARRESTS FOLLOWUP YEAR	905
QGV_DWI	DWI/DUI ARRESTS FOLLOWUP YEAR	905
QGV_NDR	NONDRUG ARRESTS FOLLOWUP YEAR	905
QGV_JAIL	Days in Jail-in Followup Year	906
SEXBEH	SEX PARTNERS /CONDOM USE	906
QLV_SEXB	Partners /Condom Use	906
QLV_RSK1	Partner exchanged Money/Drugs for Sex	907
QLV_RSK2	You take Money/Drugs for Sex	907
QLV_RSK3	Sex w/Needle User	907
QLV_RSK4	Sex w/HIV + partner	908
QLV_RSK5	Mult Partners No/low condom use	908
QLV_RSK6	Partner had Sex w/Prostitute	908

CASEID CASE IDENTIFICATION NUMBER

Location: 1-5(width: 5; decimal: 0)
 Variable Type: numeric
 Based upon 1393 valid cases out of 1393 total cases.

MODALITY DATOS TX MODALITY

Location: 6-6(width: 1; decimal: 0)
 Variable Type: numeric

<i>MODALITY: DATOS TX MODALITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	RESIDENTIAL	331	23.8 %	23.8%
2	SHORT-TERM INPATIENT	266	19.1 %	19.1%
3	METHADONE MAINTENANCE	432	31.0 %	31.0%

- Study 02258 -

<i>MODALITY: DATOS TX MODALITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	OUTPATIENT DRUG FREE	364	26.1 %	26.1%

Based upon 1393 valid cases out of 1393 total cases.

INTAKE2 Intake-2 Interview available

Location: 7-7(width: 1; decimal: 0)

Variable Type: numeric

<i>INTAKE2: Intake-2 Interview available</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1393	100.0 %	100.0%

Based upon 1393 valid cases out of 1393 total cases.

ONEMO One-Month Interview available

Location: 8-8(width: 1; decimal: 0)

Variable Type: numeric

<i>ONEMO: One-Month Interview available</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	281	20.2 %	20.2%
1	Yes	1112	79.8 %	79.8%

Based upon 1393 valid cases out of 1393 total cases.

THREEMO Three-Month Interview available

Location: 9-9(width: 1; decimal: 0)

Variable Type: numeric

<i>THREEMO: Three-Month Interview available</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	550	39.5 %	39.5%
1	Yes	843	60.5 %	60.5%

Based upon 1393 valid cases out of 1393 total cases.

DAYSIN DAYS IN TREATMENT

Location: 10-13(width: 4; decimal: 0)

Variable Type: numeric

Based upon 1393 valid cases out of 1393 total cases.

SOURCE SOURCE OF DISCHARGE DATE VARIABLE

Location: 14-14(width: 1; decimal: 0)

Variable Type: numeric

- Study 02258 -

<i>SOURCE: SOURCE OF DISCHARGE DATE VARIABLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	FUP FIELDWORK FILE	460	33.0 %	33.0%
2	INTRTMENT CONTROL SYSTEM FILE	392	28.1 %	28.1%
3	CONTACT SHEET: DISCHARGE DATE	69	5.0 %	5.0%
6	FUP: CLIENT SELF-REPORT	128	9.2 %	9.2%
7	CONTACT SHEET: DATE LAST INTERVIEW	13	0.9 %	0.9%
8	REVISED DATE/LAST INTERVIEW	96	6.9 %	6.9%
9	STILL IN TRTMT AT FOLLOWUP INTERVIEW DATE	235	16.9 %	16.9%

Based upon 1393 valid cases out of 1393 total cases.

QA1 Record sex as observed

Location: 15-16(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: RECORD SEX AS OBSERVED. [IF UNSURE, SAY: I first need to ask if you are male or female.]

<i>QA1: Record sex as observed</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Male	882	63.3 %	63.3%
2	Female	511	36.7 %	36.7%

Based upon 1393 valid cases out of 1393 total cases.

QA2 How old were you on your last birthday

Location: 17-18(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How old were you on your last birthday?

<i>QA2: How old were you on your last birthday</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
20	-	1	0.1 %	0.1%
24	-	7	0.5 %	0.5%
25	-	17	1.2 %	1.2%
26	-	9	0.6 %	0.6%
27	-	28	2.0 %	2.0%
28	-	31	2.2 %	2.2%
29	-	32	2.3 %	2.3%
30	-	31	2.2 %	2.2%
31	-	30	2.2 %	2.2%
32	-	42	3.0 %	3.0%

- Study 02258 -

<i>QA2: How old were you on your last birthday</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
33	-	53	3.8 %	3.8%
34	-	54	3.9 %	3.9%
35	-	56	4.0 %	4.0%
36	-	66	4.7 %	4.7%
37	-	84	6.0 %	6.0%
38	-	74	5.3 %	5.3%
39	-	76	5.5 %	5.5%
40	-	75	5.4 %	5.4%
41	-	70	5.0 %	5.0%
42	-	57	4.1 %	4.1%
43	-	68	4.9 %	4.9%
44	-	63	4.5 %	4.5%
45	-	59	4.2 %	4.2%
46	-	41	2.9 %	2.9%
47	-	48	3.4 %	3.5%
48	-	44	3.2 %	3.2%
49	-	30	2.2 %	2.2%
50	-	29	2.1 %	2.1%
51	-	24	1.7 %	1.7%
52	-	13	0.9 %	0.9%
53	-	13	0.9 %	0.9%
54	-	8	0.6 %	0.6%
55	55 or Older	58	4.2 %	4.2%
-9 (M)	Legitimate Skip	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QA3 Best description of racial background

Location: 19-20(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Please tell me the name of the group that best describes your racial background.

<i>QA3: Best description of racial background</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	Black or African American	646	46.4 %	46.4%
5	White or Caucasian	638	45.8 %	45.9%
6	Other	107	7.7 %	7.7%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

- Study 02258 -

QA4 Hispanic or Spanish origin or descent

Location: 21-22(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Are you of Hispanic or Spanish origin or descent?
 If No -> Go to A5

<i>QA4: Hispanic or Spanish origin or descent</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	128	9.2 %	9.2%
2	No	1263	90.7 %	90.8%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QA4A Description of ethnic/cultural background

Location: 23-24(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Please tell me which group best describes your ethnic or cultural background?

<i>QA4A: Description of ethnic/cultural background</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Puerto Rican	54	3.9 %	42.2%
2	Mexican	27	1.9 %	21.1%
3	Cuban	12	0.9 %	9.4%
7	Other	23	1.7 %	18.0%
15	Mixed	12	0.9 %	9.4%
-9 (M)	Legitimate Skip	1265	90.8 %	-

Based upon 128 valid cases out of 1393 total cases.

QA5 Type of residence lived in past 12 months

Location: 25-26(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, what type of residence or place have you usually lived in?

<i>QA5: Type of residence lived in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	A one-family house, duplex, or condominium	660	47.4 %	47.4%
2	A mobile home or trailer	27	1.9 %	1.9%

- Study 02258 -

<i>QA5: Type of residence lived in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	An apartment building or other multiple family building	533	38.3 %	38.3%
4	A hotel, rooming house, or boarding house	27	1.9 %	1.9%
5	A hospital or medical institution	5	0.4 %	0.4%
6	In jail, prison, or a juvenile detention home	76	5.5 %	5.5%
7	A residential drug treatment center	13	0.9 %	0.9%
8	Some other group residence or halfway house	14	1.0 %	1.0%
9	In a homeless shelter	14	1.0 %	1.0%
10	On the street (no regular place)	11	0.8 %	0.8%
11	Other	13	0.9 %	0.9%

Based upon 1393 valid cases out of 1393 total cases.

QA6 **Number days in restricted place last 12 months**

Location: 27-29(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, how many days did you stay overnight in a place where you could not come and go as you pleased, such as a jail, a hospital, or a therapeutic community?

<i>QA6: Number days in restricted place last 12 months</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 1390 valid cases out of 1393 total cases.

QA7 **Marital status**

Location: 30-31(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Are you now married, legally separated, divorced, widowed, living with someone as married (but not legally married), or have you never been married?

<i>QA7: Marital status</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Married	314	22.5 %	22.6%
2	Legally separated	109	7.8 %	7.8%
3	Divorced	243	17.4 %	17.5%
4	Widowed	33	2.4 %	2.4%

- Study 02258 -

<i>QA7: Marital status</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	Living with someone as married (but not legally married)	177	12.7 %	12.7%
6	Never married	516	37.0 %	37.1%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QA8 Who have you lived with most of the time in past 12 months

Location: 32-33(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, who have you lived with most of the time?

<i>QA8: Who have you lived with most of the time in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	With spouse or sexual partner and children	337	24.2 %	24.2%
2	With spouse or sexual partner only	219	15.7 %	15.7%
3	With children only	139	10.0 %	10.0%
4	With both parents	48	3.4 %	3.4%
5	With mother only	70	5.0 %	5.0%
6	With father only	5	0.4 %	0.4%
7	With parent(s) and own children	33	2.4 %	2.4%
8	With other family only or any combination of 01-07 above	111	8.0 %	8.0%
10	With family and friends/boarders/roommates	42	3.0 %	3.0%
11	With friends or roommates only	49	3.5 %	3.5%
12	Alone	229	16.4 %	16.4%
13	Institution or closed facility (e.g., prison, jail, mental hospital)	80	5.7 %	5.7%
14	No stable arrangements	10	0.7 %	0.7%
15	Other	21	1.5 %	1.5%

Based upon 1393 valid cases out of 1393 total cases.

QA9_0 Lives alone

Location: 34-35(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who do you currently live with?

 Alone -> GO TO A10

- Study 02258 -

QA9_0: Lives alone				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	322	23.1 %	23.1%
2	No	1071	76.9 %	76.9%

Based upon 1393 valid cases out of 1393 total cases.

QA9_1 Lives with spouse/sexual partner

Location: 36-37(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who do you currently live with?
 Spouse / sexual partner

QA9_1: Lives with spouse/sexual partner				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	530	38.0 %	38.0%
2	No	863	62.0 %	62.0%

Based upon 1393 valid cases out of 1393 total cases.

QA9_2 Lives with child(ren)

Location: 38-39(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who do you currently live with?
 Child(ren)

QA9_2: Lives with child(ren)				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	419	30.1 %	30.1%
2	No	974	69.9 %	69.9%

Based upon 1393 valid cases out of 1393 total cases.

QA9_3 Lives with parent(s)

Location: 40-41(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who do you currently live with?

- Study 02258 -

Parent(s)

<i>QA9_3: Lives with parent(s)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	198	14.2 %	14.2%
2	No	1195	85.8 %	85.8%

Based upon 1393 valid cases out of 1393 total cases.

QA9_4 Lives with other family member(s)

Location: 42-43(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who do you currently live with?
 Other family member(s)

<i>QA9_4: Lives with other family member(s)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	138	9.9 %	9.9%
2	No	1255	90.1 %	90.1%

Based upon 1393 valid cases out of 1393 total cases.

QA9_5 Lives with friends/roommates/boarders

Location: 44-45(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who do you currently live with?
 Friend(s) / Roommate(s) / Boarder(s)

<i>QA9_5: Lives with friends/roommates/boarders</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	122	8.8 %	8.8%
2	No	1271	91.2 %	91.2%

Based upon 1393 valid cases out of 1393 total cases.

QA9A1 Spouse/sex partner supportive of abstinence in past 30 days

Location: 46-47(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 30 days, how supportive (was/were) your spouse/sexual partner of your being abstinent? Would you say not at all supportive, somewhat supportive, or very supportive?

<i>QA9A1: Spouse/sex partner supportive of abstinence in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	70	5.0 %	13.2%
2	Very	413	29.6 %	78.1%
3	Not At All	46	3.3 %	8.7%
-9 (M)	Legitimate Skip	863	62.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 529 valid cases out of 1393 total cases.

QA9B1 Spouse/sex partner had problems with alcohol in past 30 days

Location: 48-49(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 30 days, did spouse/sexual partner have any problems with alcohol?

<i>QA9B1: Spouse/sex partner had problems with alcohol in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	41	2.9 %	7.7%
2	No	489	35.1 %	92.3%
-9 (M)	Legitimate Skip	863	62.0 %	-

Based upon 530 valid cases out of 1393 total cases.

QA9C1 Spouse/sex partner used drugs for nonmedical reasons in past 30 days

Location: 50-51(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 30 days, did spouse/sexual partner use drugs for nonmedical reason(s)?

<i>QA9C1: Spouse/sex partner used drugs for nonmedical reasons in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	79	5.7 %	15.0%
2	No	448	32.2 %	85.0%
-9 (M)	Legitimate Skip	863	62.0 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 527 valid cases out of 1393 total cases.

QA9D1 Spouse/sex partner received drug/alcohol treatment in past 12 months

Location: 52-53(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, has/have spouse/sexual partner received any treatment for drug or alcohol use?

<i>QA9D1: Spouse/sex partner received drug/alcohol treatment in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	71	5.1 %	13.4%
2	No	458	32.9 %	86.6%
-9 (M)	Legitimate Skip	863	62.0 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 529 valid cases out of 1393 total cases.

QA9A2 Children supportive of abstinence in past 30 days

Location: 54-55(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 30 days, how supportive (was/were) your child(ren) of your being abstinent? Would you say not at all supportive, somewhat supportive, or very supportive?

<i>QA9A2: Children supportive of abstinence in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	44	3.2 %	10.7%
2	Very	306	22.0 %	74.5%
3	Not At All	61	4.4 %	14.8%
-9 (M)	Legitimate Skip	974	69.9 %	-
-2 (M)	Don't Know	7	0.5 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 411 valid cases out of 1393 total cases.

QA9B2 Children had problems with alcohol in past 30 days

Location: 56-57(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 30 days, did child(ren) have any problems with alcohol?

<i>QA9B2: Children had problems with alcohol in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	14	1.0 %	3.4%
2	No	403	28.9 %	96.6%
-9 (M)	Legitimate Skip	974	69.9 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 417 valid cases out of 1393 total cases.

- Study 02258 -

QA9C2 Children used drugs for nonmedical reasons in past 30 days

Location: 58-59(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 30 days, did child(ren) use drugs for nonmedical reason(s)?

<i>QA9C2: Children used drugs for nonmedical reasons in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	28	2.0 %	6.7%
2	No	387	27.8 %	93.3%
-9 (M)	Legitimate Skip	974	69.9 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 415 valid cases out of 1393 total cases.

QA9D2 Children received drug/alcohol treatment in past 12 months

Location: 60-61(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, has/have child(ren) received any treatment for drug or alcohol use?

<i>QA9D2: Children received drug/alcohol treatment in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	17	1.2 %	4.1%
2	No	401	28.8 %	95.9%
-9 (M)	Legitimate Skip	974	69.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 418 valid cases out of 1393 total cases.

QA9A3 Parents supportive of abstinence in past 30 days

Location: 62-63(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 30 days, how supportive (was/were) your parent(s) of your being abstinent? Would you say not at all supportive, somewhat supportive, or very supportive?

<i>QA9A3: Parents supportive of abstinence in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	20	1.4 %	10.2%
2	Very	161	11.6 %	81.7%
3	Not At All	16	1.1 %	8.1%
-9 (M)	Legitimate Skip	1195	85.8 %	-
-2 (M)	Don't Know	1	0.1 %	-

- Study 02258 -

Based upon 197 valid cases out of 1393 total cases.

QA9B3 Parents had problems with alcohol in past 30 days

Location: 64-65(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 30 days, did parent(s) have any problems with alcohol?

<i>QA9B3: Parents had problems with alcohol in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	8	0.6 %	4.0%
2	No	190	13.6 %	96.0%
-9 (M)	Legitimate Skip	1195	85.8 %	-

Based upon 198 valid cases out of 1393 total cases.

QA9C3 Parents used drugs for nonmedical reasons in past 30 days

Location: 66-67(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 30 days, did parent(s) use drugs for nonmedical reason(s)?

<i>QA9C3: Parents used drugs for nonmedical reasons in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	1.0%
2	No	196	14.1 %	99.0%
-9 (M)	Legitimate Skip	1195	85.8 %	-

Based upon 198 valid cases out of 1393 total cases.

QA9D3 Parents received drug/alcohol treatment in past 12 months

Location: 68-69(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, has/have parent(s) received any treatment for drug or alcohol use?

<i>QA9D3: Parents received drug/alcohol treatment in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	3	0.2 %	1.5%
2	No	195	14.0 %	98.5%
-9 (M)	Legitimate Skip	1195	85.8 %	-

Based upon 198 valid cases out of 1393 total cases.

QA9A4 Other family supportive of abstinence in past 30 days

Location: 70-71(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 30 days, how supportive (was/were) your other family member(s) of your being abstinent? Would you say not at all supportive, somewhat supportive, or very supportive?

<i>QA9A4: Other family supportive of abstinence in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	28	2.0 %	20.4%
2	Very	92	6.6 %	67.2%
3	Not At All	17	1.2 %	12.4%
-9 (M)	Legitimate Skip	1255	90.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 137 valid cases out of 1393 total cases.

QA9B4 Other family had problems with alcohol in past 30 days

Location: 72-73(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 30 days, did other family member(s) have any problems with alcohol?

<i>QA9B4: Other family had problems with alcohol in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	25	1.8 %	18.2%
2	No	112	8.0 %	81.8%
-9 (M)	Legitimate Skip	1255	90.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 137 valid cases out of 1393 total cases.

QA9C4 Other family used drugs for nonmedical reasons in past 30 days

Location: 74-75(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 30 days, did other family member(s) use drugs for nonmedical reason(s)?

<i>QA9C4: Other family used drugs for nonmedical reasons in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	28	2.0 %	20.7%
2	No	107	7.7 %	79.3%
-9 (M)	Legitimate Skip	1255	90.1 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 135 valid cases out of 1393 total cases.

- Study 02258 -

QA9D4 Other family received drug/alcohol treatment in past 12 months

Location: 76-77(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, has/have other family member(s) received any treatment for drug or alcohol use?

<i>QA9D4: Other family received drug/alcohol treatment in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	9	0.6 %	6.6%
2	No	128	9.2 %	93.4%
-9 (M)	Legitimate Skip	1255	90.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 137 valid cases out of 1393 total cases.

QA9A5 Friends/roommates supportive of abstinence in past 30 days

Location: 78-79(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 30 days, how supportive (was/were) your friend(s)/roommate(s)/boarder(s) of your being abstinent? Would you say not at all supportive, somewhat supportive, or very supportive?

<i>QA9A5: Friends/roommates supportive of abstinence in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	19	1.4 %	15.7%
2	Very	66	4.7 %	54.5%
3	Not At All	36	2.6 %	29.8%
-9 (M)	Legitimate Skip	1271	91.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 121 valid cases out of 1393 total cases.

QA9B5 Friends/roommates had problems with alcohol in past 30 days

Location: 80-81(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 30 days, did friend(s)/roommate(s)/boarder(s) have any problems with alcohol?

<i>QA9B5: Friends/roommates had problems with alcohol in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	33	2.4 %	27.5%
2	No	87	6.2 %	72.5%
-9 (M)	Legitimate Skip	1271	91.2 %	-
-2 (M)	Don't Know	2	0.1 %	-

- Study 02258 -

Based upon 120 valid cases out of 1393 total cases.

QA9C5 Friends/roommates used drugs for nonmedical reasons in past 30 days

Location: 82-83(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 30 days, did friend(s)/roommate(s)/boarder(s) use drugs for nonmedical reason(s)?

<i>QA9C5: Friends/roommates used drugs for nonmedical reasons in past 30 days</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	37	2.7 %	30.6%
2	No	84	6.0 %	69.4%
-9 (M)	Legitimate Skip	1271	91.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 121 valid cases out of 1393 total cases.

QA9D5 Friends/roommates received drug/alcohol treatment in past 12 months

Location: 84-85(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, has/have friend(s)/roommate(s)/ boarder(s) received any treatment for drug or alcohol use?

<i>QA9D5: Friends/roommates received drug/alcohol treatment in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	34	2.4 %	28.3%
2	No	86	6.2 %	71.7%
-9 (M)	Legitimate Skip	1271	91.2 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 120 valid cases out of 1393 total cases.

QA10 Attended religious services in past 12 months

Location: 86-87(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, how often have you attended religious services, not counting meetings like council meetings or choir practices?

<i>QA10: Attended religious services in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once A Month	357	25.6 %	25.6%
2	About Once A Month	116	8.3 %	8.3%
3	2 to 3 Times A Month	147	10.6 %	10.6%

- Study 02258 -

<i>QA10: Attended religious services in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	Once A Week	156	11.2 %	11.2%
5	More Than Once A Week	73	5.2 %	5.2%
6	Never	544	39.1 %	39.1%

Based upon 1393 valid cases out of 1393 total cases.

QA11A Physical exercise per week in past 12 months

Location: 88-89(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, in a typical week, how often have you . . .

. . . done physical exercise (played ball, done aerobics, danced, jogged, or lifted weights)?

<i>QA11A: Physical exercise per week in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Not At All	295	21.2 %	21.2%
2	Less Than Once A Week	211	15.1 %	15.2%
3	At Least Once A Week	388	27.9 %	27.9%
4	Almost Daily	498	35.8 %	35.8%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QA11B Read/did hobbies per week in past 12 months

Location: 90-91(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, in a typical week, how often have you . . .

. . . read or done hobbies (fished, collected things, done crafts, or made things)?

<i>QA11B: Read/did hobbies per week in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Not At All	212	15.2 %	15.2%
2	Less Than Once A Week	208	14.9 %	14.9%

- Study 02258 -

<i>QA11B: Read/did hobbies per week in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	At Least Once A Week	351	25.2 %	25.2%
4	Almost Daily	621	44.6 %	44.6%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QA11C Attended groups/clubs per week in past 12 months

Location: 92-93(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, in a typical week, how often have you . . .

. . . attended meetings or programs of groups, clubs, or organizations that you belonged to?

<i>QA11C: Attended groups/clubs per week in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Not At All	640	45.9 %	46.0%
2	Less Than Once A Week	244	17.5 %	17.5%
3	At Least Once A Week	354	25.4 %	25.4%
4	Almost Daily	154	11.1 %	11.1%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QA12A Family/friends used drugs besides cocaine in past 12 months

Location: 94-95(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment.

In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . .

. . . used heroin, marijuana, or any other drugs except cocaine or crack for nonmedical purposes?

- Study 02258 -

<i>QA12A: Family/friends used drugs besides cocaine in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	One Or A Few	556	39.9 %	40.1%
2	Many	147	10.6 %	10.6%
3	None	684	49.1 %	49.3%
-2 (M)	Don't Know	6	0.4 %	-

Based upon 1387 valid cases out of 1393 total cases.

QA12B Family/friends used crack or cocaine in past 12 months

Location: 96-97(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment.

In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . .

. . . used crack or cocaine?

<i>QA12B: Family/friends used crack or cocaine in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	One Or A Few	401	28.8 %	29.0%
2	Many	128	9.2 %	9.2%
3	None	856	61.5 %	61.8%
-2 (M)	Don't Know	8	0.6 %	-

Based upon 1385 valid cases out of 1393 total cases.

QA12C Family/friends drank alcohol heavily in past 12 months

Location: 98-99(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment.

In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . .

- Study 02258 -

... drank alcohol heavily?

<i>QA12C: Family/friends drank alcohol heavily in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	One Or A Few	508	36.5 %	36.7%
2	Many	215	15.4 %	15.5%
3	None	661	47.5 %	47.8%
-2 (M)	Don't Know	9	0.6 %	-

Based upon 1384 valid cases out of 1393 total cases.

QA12D Family/friends got arrested in past 12 months

Location: 100-101(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment.

In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . .

... got arrested?

<i>QA12D: Family/friends got arrested in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	One Or A Few	377	27.1 %	27.3%
2	Many	45	3.2 %	3.3%
3	None	958	68.8 %	69.4%
-2 (M)	Don't Know	13	0.9 %	-

Based upon 1380 valid cases out of 1393 total cases.

QA12E Family/friends entered jail/prison in past 12 months

Location: 102-103(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment.

- Study 02258 -

In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . .

. . . entered jail, prison, or a juvenile detention home?

<i>QA12E: Family/friends entered jail/prison in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	One Or A Few	344	24.7 %	24.9%
2	Many	43	3.1 %	3.1%
3	None	995	71.4 %	72.0%
-2 (M)	Don't Know	11	0.8 %	-

Based upon 1382 valid cases out of 1393 total cases.

QA12F Family/friends entered drug/alcohol treatment program in past 12 months

Location: 104-105(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either family members or friends. Please do not include anyone you met in jail, prison, or drug or alcohol treatment.

In the past 12 months, would you say that none of the people, one or a few of the people, or many of the people that you are close to . . .

. . . entered treatment for drug or alcohol problems?

<i>QA12F: Family/friends entered drug/alcohol treatment program in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	One Or A Few	387	27.8 %	28.0%
2	Many	46	3.3 %	3.3%
3	None	949	68.1 %	68.7%
-2 (M)	Don't Know	11	0.8 %	-

Based upon 1382 valid cases out of 1393 total cases.

QA12G Family/friends quit using drugs in past 12 months

Location: 106-107(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I would like to ask you about the activities of any people you were close to in the past 12 months, either

- Study 02258 -

<i>QA14_0: Criminal justice status - none</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	333	23.9 %	24.0%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QA14_1 Criminal justice status - probation

Location: 112-113(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you? (CIRCLE ALL MENTIONS)

Probation

<i>QA14_1: Criminal justice status - probation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	158	11.3 %	11.4%
2	No	1233	88.5 %	88.6%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QA14_2 Criminal justice status - parole

Location: 114-115(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you? (CIRCLE ALL MENTIONS)

Parole

<i>QA14_2: Criminal justice status - parole</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	66	4.7 %	4.7%
2	No	1324	95.0 %	95.3%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QA14_3 Criminal justice status - [In Jail/Detention] Awaiting Trial

- Study 02258 -

Location: 116-117(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you? (CIRCLE ALL MENTIONS)

In Jail/Detention: Awaiting trial

<i>QA14_3: Criminal justice status - [In Jail/Detention] Awaiting Trial</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	19	1.4 %	1.4%
2	No	1371	98.4 %	98.6%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QA14_4 Criminal justice status - [In Jail/Detention] Awaiting Sentencing

Location: 118-119(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you? (CIRCLE ALL MENTIONS)

In Jail/Detention: Awaiting sentencing

<i>QA14_4: Criminal justice status - [In Jail/Detention] Awaiting Sentencing</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	6	0.4 %	0.4%
2	No	1384	99.4 %	99.6%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QA14_5 Criminal justice status - [In Jail/Detention] Serving a Sentence

Location: 120-121(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you? (CIRCLE ALL MENTIONS)

- Study 02258 -

In Jail/Detention: Serving a sentence

<i>QA14_5: Criminal justice status - [In Jail/Detention] Serving a Sentence</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	49	3.5 %	3.5%
2	No	1341	96.3 %	96.5%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QA14_6 Criminal justice status - [Case Pending] On Bail Awaiting Trial

Location: 122-123(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you? (CIRCLE ALL MENTIONS)

Case pending: On bail awaiting trial

<i>QA14_6: Criminal justice status - [Case Pending] On Bail Awaiting Trial</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	14	1.0 %	1.0%
2	No	1376	98.8 %	99.0%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QA14_7 Criminal justice status - [Case Pending] On Bail Awaiting Sentencing

Location: 124-125(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you? (CIRCLE ALL MENTIONS)

Case pending: On bail awaiting sentencing

<i>QA14_7: Criminal justice status - [Case Pending] On Bail Awaiting Sentencing</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	4	0.3 %	0.3%
2	No	1386	99.5 %	99.7%
-1 (M)	Refused	3	0.2 %	-

- Study 02258 -

Based upon 1390 valid cases out of 1393 total cases.

QA14_8 Criminal justice status - [Case Pending] Released on Own Recognizance

Location: 126-127(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you? (CIRCLE ALL MENTIONS)

Case pending: Released on own recognizance, case pending

<i>QA14_8: Criminal justice status - [Case Pending] Released on Own Recognizance</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	23	1.7 %	1.7%
2	No	1367	98.1 %	98.3%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QA14_9 Criminal justice status - [Case Pending] Other Status

Location: 128-129(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Are you now on probation, on parole, in jail, or do you have any pending criminal (or juvenile justice system) charges or cases against you? (CIRCLE ALL MENTIONS)

Case pending: Other status

<i>QA14_9: Criminal justice status - [Case Pending] Other Status</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	21	1.5 %	1.5%
2	No	1369	98.3 %	98.5%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QD1 Highest grade or year of school attended

Location: 130-132(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Another area I'd like to ask about is your education and

- Study 02258 -

training. And some of these questions ask about the time frame of the "past 12 months." When I say "last 12 months" I'm talking about the 12 months prior to today's interview, which is the time highlighted in pink on this calendar.

What is the highest grade or year of school you have attended?

[ENTER TWO-DIGIT NUMBER FOR HIGHEST GRADE OR YEAR: GRADE SCHOOL (00-08); HIGH SCHOOL (09-12); JUNIOR COLLEGE, COLLEGE OR GRADUATE SCHOOL (13-20+).]

<i>QD1: Highest grade or year of school attended</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	0.1%
1	-	1	0.1 %	0.1%
2	-	2	0.1 %	0.1%
3	-	1	0.1 %	0.1%
5	-	2	0.1 %	0.1%
6	-	5	0.4 %	0.4%
7	-	13	0.9 %	0.9%
8	-	42	3.0 %	3.0%
9	-	59	4.2 %	4.2%
10	-	120	8.6 %	8.6%
11	-	206	14.8 %	14.8%
12	-	436	31.3 %	31.3%
13	-	127	9.1 %	9.1%
14	-	216	15.5 %	15.5%
15	-	57	4.1 %	4.1%
16	-	71	5.1 %	5.1%
17	-	10	0.7 %	0.7%
18	-	10	0.7 %	0.7%
19	-	6	0.4 %	0.4%
20	-	6	0.4 %	0.4%
-9 (M)	Legitimate Skip	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QD1A Did you complete that grade/year

Location: 133-134(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did you complete that (grade/year)?

- Study 02258 -

<i>QD1A: Did you complete that grade/year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	958	68.8 %	69.0%
2	No	431	30.9 %	31.0%
-2 (M)	Don't Know	4	0.3 %	-

Based upon 1389 valid cases out of 1393 total cases.

QD2 Received high school diploma/passed GED test

Location: 135-136(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Have you received a high school diploma or passed a high school equivalency (GED) test?

If No -> Go To D3

<i>QD2: Received high school diploma/passed GED test</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1090	78.2 %	78.2%
2	No	303	21.8 %	21.8%

Based upon 1393 valid cases out of 1393 total cases.

QD2A Diploma or GED

Location: 137-138(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Which one did you get?

<i>QD2A: Diploma or GED</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Diploma	715	51.3 %	65.6%
2	GED	375	26.9 %	34.4%
-9 (M)	Legitimate Skip	303	21.8 %	-

Based upon 1090 valid cases out of 1393 total cases.

QD3_0 Diploma received - None

Location: 139-140(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: (Besides a high school diploma or a GED,) what other diplomas,

- Study 02258 -

degrees, certificates, or licenses have you received? (CIRCLE ALL MENTIONS)

None

<i>QD3_0: Diploma received - None</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	717	51.5 %	51.5%
2	No	675	48.5 %	48.5%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QD3_1 Diploma received - Junior College Degree or Associate Degree Program

Location: 141-142(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

(Besides a high school diploma or a GED,) what other diplomas, degrees, certificates, or licenses have you received? (CIRCLE ALL MENTIONS)

Junior college degree or associate degree program

<i>QD3_1: Diploma received - Junior College Degree or Associate Degree Program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	107	7.7 %	7.7%
2	No	1285	92.2 %	92.3%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QD3_2 Diploma received - Bachelor's Degree

Location: 143-144(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

(Besides a high school diploma or a GED,) what other diplomas, degrees, certificates, or licenses have you received? (CIRCLE ALL MENTIONS)

Bachelor's degree

<i>QD3_2: Diploma received - Bachelor's Degree</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	78	5.6 %	5.6%

- Study 02258 -

<i>QD3_2: Diploma received - Bachelor's Degree</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	1314	94.3 %	94.4%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QD3_3 Diploma received - Advanced College Degree (Masters or PhD)

Location: 145-146(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

(Besides a high school diploma or a GED,) what other diplomas, degrees, certificates, or licenses have you received? (CIRCLE ALL MENTIONS)

Advanced college degree (Master's or PH.D.)

<i>QD3_3: Diploma received - Advanced College Degree (Masters or PhD)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	12	0.9 %	0.9%
2	No	1380	99.1 %	99.1%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QD3_4 Diploma received - Certificate From a Vocational or Trade School

Location: 147-148(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

(Besides a high school diploma or a GED,) what other diplomas, degrees, certificates, or licenses have you received? (CIRCLE ALL MENTIONS)

Certificate from a vocational or trade school

<i>QD3_4: Diploma received - Certificate From a Vocational or Trade School</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	294	21.1 %	21.1%
2	No	1098	78.8 %	78.9%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QD3_5 Diploma received - License to Practice a Trade

- Study 02258 -

Location: 149-150(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

(Besides a high school diploma or a GED,) what other diplomas, degrees, certificates, or licenses have you received? (CIRCLE ALL MENTIONS)

License to practice a trade

<i>QD3_5: Diploma received - License to Practice a Trade</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	152	10.9 %	10.9%
2	No	1240	89.0 %	89.1%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QD3_6 Diploma received - Other Degree, License, etc.

Location: 151-152(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

(Besides a high school diploma or a GED,) what other diplomas, degrees, certificates, or licenses have you received? (CIRCLE ALL MENTIONS)

Other degree, license, etc.

<i>QD3_6: Diploma received - Other Degree, License, etc.</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	133	9.5 %	9.6%
2	No	1259	90.4 %	90.4%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QD4 Currently enrolled to receive a degree

Location: 153-154(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months were you enrolled in any schools, colleges, or programs from which you will receive any degrees or diplomas?

- Study 02258 -

If No -> Go to D5

<i>QD4: Currently enrolled to receive a degree</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	178	12.8 %	12.8%
2	No	1215	87.2 %	87.2%

Based upon 1393 valid cases out of 1393 total cases.

QD4A1 School enrolled - Middle School (Junior High)

Location: 155-156(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What schools or programs? (CIRCLE ALL MENTIONS)

Middle school (Junior High)

<i>QD4A1: School enrolled - Middle School (Junior High)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	177	12.7 %	100.0%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

QD4A2 School enrolled - Adult Basic Education (ABE)

Location: 157-158(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What schools or programs? (CIRCLE ALL MENTIONS)

Adult basic education (ABE)

<i>QD4A2: School enrolled - Adult Basic Education (ABE)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	8	0.6 %	4.5%
2	No	169	12.1 %	95.5%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

QD4A3 School enrolled - GED Or High School Equivalency

- Study 02258 -

Location: 159-160(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What schools or programs? (CIRCLE ALL MENTIONS)
 GED or High school equivalency

<i>QD4A3: School enrolled - GED Or High School Equivalency</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	18	1.3 %	10.2%
2	No	159	11.4 %	89.8%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

QD4A4 School enrolled - High School Program

Location: 161-162(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What schools or programs? (CIRCLE ALL MENTIONS)
 High school program

<i>QD4A4: School enrolled - High School Program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	177	12.7 %	100.0%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

QD4A5 School enrolled - Junior (2-Year) College or Associate Degree Program

Location: 163-164(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What schools or programs? (CIRCLE ALL MENTIONS)
 Junior (2-year) college or associate degree program

- Study 02258 -

<i>QD4A5: School enrolled - Junior (2-Year) College or Associate Degree Program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	43	3.1 %	24.3%
2	No	134	9.6 %	75.7%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

QD4A6 School enrolled - 4-Year College or University Degree Program

Location: 165-166(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What schools or programs? (CIRCLE ALL MENTIONS)

4-year college or university degree program

<i>QD4A6: School enrolled - 4-Year College or University Degree Program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	21	1.5 %	11.9%
2	No	156	11.2 %	88.1%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

QD4A7 School enrolled - Graduate Degree Program

Location: 167-168(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What schools or programs? (CIRCLE ALL MENTIONS)

Graduate degree program

<i>QD4A7: School enrolled - Graduate Degree Program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	2.8%
2	No	172	12.3 %	97.2%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

- Study 02258 -

QD4A8 School enrolled - Technical / Trade / Vocational School

Location: 169-170(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What schools or programs? (CIRCLE ALL MENTIONS)
 Technical / trade / vocational school

<i>QD4A8: School enrolled - Technical / Trade / Vocational School</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	50	3.6 %	28.2%
2	No	127	9.1 %	71.8%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

QD4A9 School enrolled - Job Corps Program

Location: 171-172(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What schools or programs? (CIRCLE ALL MENTIONS)
 Job Corps program

<i>QD4A9: School enrolled - Job Corps Program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	1.1%
2	No	175	12.6 %	98.9%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

QD4A10 School enrolled - Special Education Program

Location: 173-174(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What schools or programs? (CIRCLE ALL MENTIONS)
 Special Education program

- Study 02258 -

<i>QD4A10: School enrolled - Special Education Program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	8	0.6 %	4.5%
2	No	169	12.1 %	95.5%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

QD4A11 School enrolled - Other

Location: 175-176(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What schools or programs? (CIRCLE ALL MENTIONS)

Other

<i>QD4A11: School enrolled - Other</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	27	1.9 %	15.3%
2	No	150	10.8 %	84.7%
-9 (M)	Legitimate Skip	1215	87.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 177 valid cases out of 1393 total cases.

QD5 How do you get to places not within walking distance

Location: 177-178(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How do you usually get to places that are not within walking distance? (CLARIFY AND CIRCLE MOST FREQUENT METHOD)

<i>QD5: How do you get to places not within walking distance</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Drive	655	47.0 %	47.0%
2	Public Transportation (Bus, Subway, etc.)	546	39.2 %	39.2%
3	Ride from family / friend	119	8.5 %	8.5%
4	Taxicab	10	0.7 %	0.7%
5	Bicycle	17	1.2 %	1.2%
6	Other	46	3.3 %	3.3%

Based upon 1393 valid cases out of 1393 total cases.

- Study 02258 -

QD6 Ever had a drivers license

Location: 179-180(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Have you ever had a driver's license?
 If No -> Go to D7

<i>QD6: Ever had a drivers license</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1090	78.2 %	78.2%
2	No	303	21.8 %	21.8%

Based upon 1393 valid cases out of 1393 total cases.

QD6A Currently have drivers license

Location: 181-182(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Do you have a current, valid driver's license?
 If Yes -> Go to D7

<i>QD6A: Currently have drivers license</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	691	49.6 %	63.4%
2	No	399	28.6 %	36.6%
-9 (M)	Legitimate Skip	303	21.8 %	-

Based upon 1090 valid cases out of 1393 total cases.

QD6B Past 12 months have drivers license

Location: 183-184(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Have you had a valid driver's license at any time during the past 12 months?

<i>QD6B: Past 12 months have drivers license</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	63	4.5 %	15.8%
2	No	336	24.1 %	84.2%
-9 (M)	Legitimate Skip	994	71.4 %	-

- Study 02258 -

Based upon 399 valid cases out of 1393 total cases.

QD6C How long have you had a drivers license (In Weeks) during past 12 months

Location: 185-186(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how long have you lived with your driver's license? (IN WEEKS) (RECODED)

(IF 52 WEEKS, GO TO D7)

<i>QD6C: How long have you had a drivers license (In Weeks) during past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	0.7%
1	-	2	0.1 %	0.3%
2	-	2	0.1 %	0.3%
4	-	7	0.5 %	0.9%
6	-	1	0.1 %	0.1%
7	-	1	0.1 %	0.1%
9	-	9	0.6 %	1.2%
12	-	1	0.1 %	0.1%
13	-	10	0.7 %	1.3%
17	-	6	0.4 %	0.8%
22	-	8	0.6 %	1.1%
25	-	1	0.1 %	0.1%
26	-	24	1.7 %	3.2%
30	-	6	0.4 %	0.8%
31	-	1	0.1 %	0.1%
32	-	1	0.1 %	0.1%
35	-	14	1.0 %	1.9%
37	-	1	0.1 %	0.1%
39	-	7	0.5 %	0.9%
43	-	7	0.5 %	0.9%
48	-	8	0.6 %	1.1%
50	-	2	0.1 %	0.3%
51	-	2	0.1 %	0.3%
52	-	628	45.1 %	83.3%
-9 (M)	Legitimate Skip	639	45.9 %	-

Based upon 754 valid cases out of 1393 total cases.

QD6D Status of license when not valid

Location: 187-188(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the time you did not have a valid license, was your driver's license . . . ?

<i>QD6D: Status of license when not valid</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Expired	114	8.2 %	24.7%
2	Suspended	252	18.1 %	54.7%
3	Revoked	69	5.0 %	15.0%
4	Other	26	1.9 %	5.6%
-9 (M)	Legitimate Skip	931	66.8 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 461 valid cases out of 1393 total cases.

QD7 Have vehicle available to you during past 12 months

Location: 189-190(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, has there been a dependable vehicle, such as a car, van, truck, or motorcycle, available for you to use?

<i>QD7: Have vehicle available to you during past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never	423	30.4 %	30.4%
2	Sometimes	277	19.9 %	19.9%
3	All of the time	693	49.7 %	49.7%

Based upon 1393 valid cases out of 1393 total cases.

QE1 Drink any alcohol during past 12 months

Location: 191-192(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Now, I'd like to ask about any drugs, alcohol, and tobacco you may have used during the past 12 months. Remember, when I say "past 12 months" I am talking about the time highlighted in pink on this calendar.

 During the past 12 months, did you drink any alcohol? (Alcoholic beverages include beer, wine, wine coolers, and hard liquor, such as whiskey and mixed drinks.)

 If No -> Go To E14

- Study 02258 -

<i>QE1: Drink any alcohol during past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	856	61.5 %	61.5%
2	No	469	33.7 %	33.7%
3	Volunteered: Never Had a Drink	68	4.9 %	4.9%

Based upon 1393 valid cases out of 1393 total cases.

QE2 Number of months after left treatment took first drink

Location: 193-195(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How long after you left (completed) treatment did you have your first drink?

_____ MONTHS

<i>QE2: Number of months after left treatment took first drink</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 460 valid cases out of 1393 total cases.

QE3 Frequency of alcohol use past 12 months

Location: 196-197(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How often have you used alcohol in the past 12 months?

If "NOT AT ALL, NONE (00)" -> Go To E14

<i>QE3: Frequency of alcohol use past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than 1 Day a Month	249	17.9 %	29.1%
2	1 to 3 Days a Month	179	12.8 %	20.9%
3	1 to 2 Days a Week	186	13.4 %	21.7%
4	3 to 4 Days a Week	99	7.1 %	11.6%
5	5 to 6 Days a Week	19	1.4 %	2.2%

- Study 02258 -

<i>QE3: Frequency of alcohol use past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	Daily or Almost Every Day	100	7.2 %	11.7%
7	2 to 3 Times a Day	5	0.4 %	0.6%
8	4 or More Times a Day	7	0.5 %	0.8%
9	Not at All, None	12	0.9 %	1.4%
-9 (M)	Legitimate Skip	537	38.5 %	-

Based upon 856 valid cases out of 1393 total cases.

QE4	Number of weeks ago last used alcohol
------------	--

Location: 198-199(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

When did you last use it?

_____ WEEKS AGO (IF 5 WEEKS OR MORE, GO TO E6)

<i>QE4: Number of weeks ago last used alcohol</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	452	32.4 %	53.6%
1	-	56	4.0 %	6.6%
2	-	53	3.8 %	6.3%
3	-	45	3.2 %	5.3%
4	-	39	2.8 %	4.6%
5	-	8	0.6 %	0.9%
6	-	10	0.7 %	1.2%
7	-	4	0.3 %	0.5%
8	-	31	2.2 %	3.7%
9	-	4	0.3 %	0.5%
10	-	9	0.6 %	1.1%
11	-	2	0.1 %	0.2%
12	-	20	1.4 %	2.4%
13	-	3	0.2 %	0.4%
14	-	2	0.1 %	0.2%
15	-	2	0.1 %	0.2%
16	-	9	0.6 %	1.1%
17	-	6	0.4 %	0.7%
18	-	3	0.2 %	0.4%
20	-	10	0.7 %	1.2%
22	-	5	0.4 %	0.6%

- Study 02258 -

<i>QE5A: Number of times had 5 or more drinks</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	-	14	1.0 %	1.7%
8	-	13	0.9 %	1.6%
9	-	1	0.1 %	0.1%
10	-	20	1.4 %	2.4%
12	-	3	0.2 %	0.4%
13	-	1	0.1 %	0.1%
14	-	2	0.1 %	0.2%
15	-	18	1.3 %	2.2%
16	-	4	0.3 %	0.5%
17	-	1	0.1 %	0.1%
18	-	4	0.3 %	0.5%
20	-	13	0.9 %	1.6%
24	-	2	0.1 %	0.2%
25	-	2	0.1 %	0.2%
26	-	2	0.1 %	0.2%
27	-	3	0.2 %	0.4%
28	-	1	0.1 %	0.1%
29	-	3	0.2 %	0.4%
30	-	23	1.7 %	2.7%
36	-	1	0.1 %	0.1%
38	-	1	0.1 %	0.1%
40	-	2	0.1 %	0.2%
48	-	2	0.1 %	0.2%
60	-	1	0.1 %	0.1%
68	-	1	0.1 %	0.1%
72	-	1	0.1 %	0.1%
75	-	1	0.1 %	0.1%
90	-	3	0.2 %	0.4%
99	-	5	0.4 %	0.6%
-9 (M)	Legitimate Skip	549	39.4 %	-
-2 (M)	Don't Know	7	0.5 %	-

Based upon 837 valid cases out of 1393 total cases.

QE6	Number of drinks had each day past 12 months
------------	---

Location: 204-206(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, about how many alcoholic drinks did you usually have on each day you drank?

- Study 02258 -

<i>QE6: Number of drinks had each day past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	201	14.4 %	23.9%
2	-	183	13.1 %	21.8%
3	-	125	9.0 %	14.9%
4	-	60	4.3 %	7.1%
5	-	33	2.4 %	3.9%
6	-	107	7.7 %	12.7%
7	-	16	1.1 %	1.9%
8	-	12	0.9 %	1.4%
9	-	5	0.4 %	0.6%
10	-	17	1.2 %	2.0%
12	-	31	2.2 %	3.7%
13	-	1	0.1 %	0.1%
15	-	4	0.3 %	0.5%
16	-	1	0.1 %	0.1%
18	-	3	0.2 %	0.4%
20	-	6	0.4 %	0.7%
24	-	21	1.5 %	2.5%
25	-	1	0.1 %	0.1%
26	-	1	0.1 %	0.1%
30	-	1	0.1 %	0.1%
40	-	1	0.1 %	0.1%
48	-	1	0.1 %	0.1%
60	-	1	0.1 %	0.1%
120	-	2	0.1 %	0.2%
180	-	1	0.1 %	0.1%
216	-	1	0.1 %	0.1%
254	-	1	0.1 %	0.1%
360	-	1	0.1 %	0.1%
600	-	1	0.1 %	0.1%
888	-	1	0.1 %	0.1%
-9 (M)	Legitimate Skip	550	39.5 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 840 valid cases out of 1393 total cases.

QE7

Number of days drunk during past 12 months

Location: 207-209(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

On how many days were you drunk during the past 12 months?

IF NONE, CODE 000 -> Go To E9

<i>QE7: Number of days drunk during past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	446	32.0 %	53.2%
1	-	66	4.7 %	7.9%
2	-	48	3.4 %	5.7%
3	-	31	2.2 %	3.7%
4	-	27	1.9 %	3.2%
5	-	26	1.9 %	3.1%
6	-	9	0.6 %	1.1%
7	-	9	0.6 %	1.1%
8	-	9	0.6 %	1.1%
9	-	2	0.1 %	0.2%
10	-	16	1.1 %	1.9%
11	-	1	0.1 %	0.1%
12	-	16	1.1 %	1.9%
14	-	4	0.3 %	0.5%
15	-	14	1.0 %	1.7%
16	-	1	0.1 %	0.1%
20	-	13	0.9 %	1.6%
24	-	3	0.2 %	0.4%
25	-	2	0.1 %	0.2%
27	-	1	0.1 %	0.1%
30	-	12	0.9 %	1.4%
36	-	1	0.1 %	0.1%
40	-	5	0.4 %	0.6%
45	-	1	0.1 %	0.1%
48	-	3	0.2 %	0.4%
50	-	3	0.2 %	0.4%
52	-	4	0.3 %	0.5%
55	-	1	0.1 %	0.1%
60	-	6	0.4 %	0.7%
65	-	1	0.1 %	0.1%
70	-	1	0.1 %	0.1%
72	-	1	0.1 %	0.1%
80	-	2	0.1 %	0.2%
90	-	7	0.5 %	0.8%
96	-	1	0.1 %	0.1%

- Study 02258 -

<i>QE7: Number of days drunk during past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
100	-	5	0.4 %	0.6%
120	-	6	0.4 %	0.7%
135	-	1	0.1 %	0.1%
150	-	1	0.1 %	0.1%
170	-	1	0.1 %	0.1%
177	-	1	0.1 %	0.1%
180	-	7	0.5 %	0.8%
184	-	1	0.1 %	0.1%
185	-	1	0.1 %	0.1%
186	-	1	0.1 %	0.1%
190	-	1	0.1 %	0.1%
192	-	1	0.1 %	0.1%
200	-	2	0.1 %	0.2%
228	-	1	0.1 %	0.1%
240	-	2	0.1 %	0.2%
250	-	4	0.3 %	0.5%
256	-	1	0.1 %	0.1%
275	-	1	0.1 %	0.1%
280	-	2	0.1 %	0.2%
300	-	1	0.1 %	0.1%
317	-	1	0.1 %	0.1%
322	-	1	0.1 %	0.1%
350	-	2	0.1 %	0.2%
-9 (M)	Legitimate Skip	549	39.4 %	-
-2 (M)	Don't Know	6	0.4 %	-

Based upon 838 valid cases out of 1393 total cases.

QE8

Past 12 months drunk several days in a row

Location: 210-211(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, were you ever drunk for several days in a row?

<i>QE8: Past 12 months drunk several days in a row</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	98	7.0 %	24.6%
2	No	300	21.5 %	75.4%
-9 (M)	Legitimate Skip	995	71.4 %	-

Based upon 398 valid cases out of 1393 total cases.

- Study 02258 -

QE9 Past 12 months had DTs (delirium tremens)

Location: 212-213(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, did you have alcohol d.t.'s (delirium tremens) at any time?

<i>QE9: Past 12 months had DTs (delirium tremens)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	48	3.4 %	5.7%
2	No	796	57.1 %	94.3%
-9 (M)	Legitimate Skip	549	39.4 %	-

Based upon 844 valid cases out of 1393 total cases.

QE10 Past 12 months alcohol use caused drug relapse

Location: 214-215(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did your alcohol use in the past 12 months lead to a relapse in the use of drugs?

<i>QE10: Past 12 months alcohol use caused drug relapse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	240	17.2 %	28.5%
2	No	603	43.3 %	71.5%
-9 (M)	Legitimate Skip	549	39.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 843 valid cases out of 1393 total cases.

QE11 Ever had problems because of drinking

Location: 216-217(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Alcohol can sometimes cause problems for people. Have you ever had any problems because of your drinking?

 If No -> Go to E14

<i>QE11: Ever had problems because of drinking</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	349	25.1 %	41.4%
2	No	495	35.5 %	58.6%
-9 (M)	Legitimate Skip	549	39.4 %	-

- Study 02258 -

Based upon 844 valid cases out of 1393 total cases.

QE12 Troubled by alcohol problems past 12 months

Location: 218-219(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How troubled or bothered have you been in the past 12 months by an alcohol problem? Would you say . . . ?

<i>QE12: Troubled by alcohol problems past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Slightly	83	6.0 %	23.8%
2	Moderately	48	3.4 %	13.8%
3	Considerably	52	3.7 %	14.9%
4	Extremely	44	3.2 %	12.6%
5	Not at All	122	8.8 %	35.0%
-9 (M)	Legitimate Skip	1044	74.9 %	-

Based upon 349 valid cases out of 1393 total cases.

QE13 Importance of counseling for alcohol problems

Location: 220-221(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How important to you now is treatment or counseling for your alcohol problem?

<i>QE13: Importance of counseling for alcohol problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Slightly	44	3.2 %	12.6%
2	Moderately	20	1.4 %	5.7%
3	Considerably	36	2.6 %	10.3%
4	Extremely	93	6.7 %	26.6%
5	Not at All	156	11.2 %	44.7%
-9 (M)	Legitimate Skip	1044	74.9 %	-

Based upon 349 valid cases out of 1393 total cases.

QE14 Currently smoke cigarettes

Location: 222-223(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Now, I'd like to ask you about your use of tobacco. Do you currently smoke cigarettes?

- Study 02258 -

If No -> Go to E15

<i>QE14: Currently smoke cigarettes</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1030	73.9 %	73.9%
2	No	363	26.1 %	26.1%

Based upon 1393 valid cases out of 1393 total cases.

QE14A Number of cigarettes smoked per day

Location: 224-225(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: About how many cigarettes do you smoke per day?

<i>QE14A: Number of cigarettes smoked per day</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than 1/2 Pack a Day (1-5)	163	11.7 %	15.8%
2	About 1/2 Pack a Day (6-15)	300	21.5 %	29.1%
3	About a Pack a Day (16-25)	365	26.2 %	35.4%
4	About 1 - 1.5 Packs a Day (26-35)	112	8.0 %	10.9%
5	About 2 Packs or More a Day (35+)	90	6.5 %	8.7%
-9 (M)	Legitimate Skip	363	26.1 %	-

Based upon 1030 valid cases out of 1393 total cases.

QE15_0 Do you smoke - NONE

Location: 226-227(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

 None

<i>QE15_0: Do you smoke - NONE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1271	91.2 %	91.2%
2	No	122	8.8 %	8.8%

Based upon 1393 valid cases out of 1393 total cases.

QE15_1 Do you smoke - CIGARS

Location: 228-229(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Cigars

<i>QE15_1: Do you smoke - CIGARS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	90	6.5 %	6.5%
2	No	1303	93.5 %	93.5%

Based upon 1393 valid cases out of 1393 total cases.

QE15_2 Do you smoke - PIPE

Location: 230-231(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Pipe

<i>QE15_2: Do you smoke - PIPE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	14	1.0 %	1.0%
2	No	1379	99.0 %	99.0%

Based upon 1393 valid cases out of 1393 total cases.

QE15_3 Do you smoke - SMOKELESS TOBACCO OR SNUFF

Location: 232-233(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Smokeless tobacco or snuff

<i>QE15_3: Do you smoke - SMOKELESS TOBACCO OR SNUFF</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	28	2.0 %	2.0%

- Study 02258 -

<i>QE15_3: Do you smoke - SMOKELESS TOBACCO OR SNUFF</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	1365	98.0 %	98.0%

Based upon 1393 valid cases out of 1393 total cases.

QE16_20 Past 12 months used marijuana hashish THC

Location: 234-235(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Marijuana, hashish, THC

<i>QE16_20: Past 12 months used marijuana hashish THC</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	470	33.7 %	33.7%
2	No	923	66.3 %	66.3%

Based upon 1393 valid cases out of 1393 total cases.

QE17_20 How many weeks ago first used (marijuana) in past 12 months

Location: 236-237(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many weeks ago did you first use (NAME OF DRUG)?

Marijuana, hashish, THC

<i>QE17_20: How many weeks ago first used (marijuana) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	41	2.9 %	8.9%
1	-	15	1.1 %	3.3%
2	-	13	0.9 %	2.8%
3	-	14	1.0 %	3.0%
4	-	15	1.1 %	3.3%

- Study 02258 -

<i>QE17_20: How many weeks ago first used (marijuana) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	-	5	0.4 %	1.1%
7	-	2	0.1 %	0.4%
8	-	15	1.1 %	3.3%
10	-	1	0.1 %	0.2%
11	-	2	0.1 %	0.4%
12	-	13	0.9 %	2.8%
13	-	3	0.2 %	0.7%
14	-	3	0.2 %	0.7%
15	-	1	0.1 %	0.2%
16	-	15	1.1 %	3.3%
17	-	1	0.1 %	0.2%
18	-	1	0.1 %	0.2%
20	-	3	0.2 %	0.7%
22	-	3	0.2 %	0.7%
23	-	1	0.1 %	0.2%
24	-	10	0.7 %	2.2%
26	-	18	1.3 %	3.9%
27	-	1	0.1 %	0.2%
28	-	5	0.4 %	1.1%
30	-	3	0.2 %	0.7%
32	-	4	0.3 %	0.9%
33	-	1	0.1 %	0.2%
34	-	4	0.3 %	0.9%
35	-	1	0.1 %	0.2%
36	-	8	0.6 %	1.7%
37	-	1	0.1 %	0.2%
38	-	2	0.1 %	0.4%
39	-	1	0.1 %	0.2%
40	-	7	0.5 %	1.5%
41	-	1	0.1 %	0.2%
42	-	1	0.1 %	0.2%
43	-	1	0.1 %	0.2%
44	-	6	0.4 %	1.3%
45	-	2	0.1 %	0.4%
46	-	4	0.3 %	0.9%
47	-	1	0.1 %	0.2%
48	-	8	0.6 %	1.7%
49	-	1	0.1 %	0.2%
50	-	7	0.5 %	1.5%

- Study 02258 -

<i>QE17_20: How many weeks ago first used (marijuana) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	-	1	0.1 %	0.2%
52	-	194	13.9 %	42.2%
-9 (M)	Legitimate Skip	923	66.3 %	-
-2 (M)	Don't Know	10	0.7 %	-

Based upon 460 valid cases out of 1393 total cases.

QE18_20 Route of use (marijuana) in past 12 months

Location: 238-239(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How did you usually take (NAME OF DRUG) during these past 12 months?
 Marijuana, hashish, THC

<i>QE18_20: Route of use (marijuana) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	By Mouth (Eat, Chew)	6	0.4 %	1.3%
2	By Smoking It	463	33.2 %	98.5%
7	Some Other Way	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	923	66.3 %	-

Based upon 470 valid cases out of 1393 total cases.

QE19_20 Frequency of use (marijuana) in past 12 months

Location: 240-241(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: On the average, how often did you use (NAME OF DRUG) in the past 12 months?
 Marijuana, hashish, THC

<i>QE19_20: Frequency of use (marijuana) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	158	11.3 %	33.6%
2	1 to 3 Times a Month	91	6.5 %	19.4%
3	1 to 2 Times a Week	72	5.2 %	15.3%
4	3 to 4 Times a Week	45	3.2 %	9.6%

- Study 02258 -

<i>QE19_20: Frequency of use (marijuana) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	5 to 6 Times a Week	14	1.0 %	3.0%
6	Daily or Almost Every Day	73	5.2 %	15.5%
7	2 to 3 Times a Day	10	0.7 %	2.1%
8	4 or More Times a Day	5	0.4 %	1.1%
9	Other	2	0.1 %	0.4%
-9 (M)	Legitimate Skip	923	66.3 %	-

Based upon 470 valid cases out of 1393 total cases.

QE20_20

Weeks ago last used (marijuana)

Location: 242-243(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Marijuana, hashish, THC

[If used in the Past Week, Code 00]

<i>QE20_20: Weeks ago last used (marijuana)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	203	14.6 %	43.8%
1	-	45	3.2 %	9.7%
2	-	36	2.6 %	7.8%
3	-	29	2.1 %	6.2%
4	-	35	2.5 %	7.5%
5	-	6	0.4 %	1.3%
6	-	9	0.6 %	1.9%
7	-	5	0.4 %	1.1%
8	-	14	1.0 %	3.0%
9	-	1	0.1 %	0.2%
10	-	3	0.2 %	0.6%
11	-	1	0.1 %	0.2%
12	-	15	1.1 %	3.2%
13	-	1	0.1 %	0.2%
14	-	4	0.3 %	0.9%
15	-	1	0.1 %	0.2%
16	-	6	0.4 %	1.3%
17	-	2	0.1 %	0.4%
20	-	2	0.1 %	0.4%

- Study 02258 -

<i>QE20_20: Weeks ago last used (marijuana)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
22	-	3	0.2 %	0.6%
23	-	1	0.1 %	0.2%
24	-	5	0.4 %	1.1%
25	-	1	0.1 %	0.2%
26	-	8	0.6 %	1.7%
28	-	3	0.2 %	0.6%
30	-	1	0.1 %	0.2%
32	-	3	0.2 %	0.6%
34	-	2	0.1 %	0.4%
35	-	1	0.1 %	0.2%
36	-	4	0.3 %	0.9%
38	-	1	0.1 %	0.2%
40	-	2	0.1 %	0.4%
44	-	2	0.1 %	0.4%
45	-	1	0.1 %	0.2%
46	-	1	0.1 %	0.2%
48	-	2	0.1 %	0.4%
50	-	2	0.1 %	0.4%
52	-	2	0.1 %	0.4%
99	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	924	66.3 %	-
-2 (M)	Don't Know	5	0.4 %	-

Based upon 464 valid cases out of 1393 total cases.

QE21_20 Most recent frequency of use (marijuana)

Location: 244-245(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Marijuana, hashish, THC

<i>QE21_20: Most recent frequency of use (marijuana)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	156	11.2 %	33.2%
2	1 to 3 Times a Month	78	5.6 %	16.6%
3	1 to 2 Times a Week	78	5.6 %	16.6%

- Study 02258 -

<i>QE21_20: Most recent frequency of use (marijuana)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	3 to 4 Times a Week	40	2.9 %	8.5%
5	5 to 6 Times a Week	9	0.6 %	1.9%
6	Daily or Almost Every Day	77	5.5 %	16.4%
7	2 to 3 Times a Day	16	1.1 %	3.4%
8	4 or More Times a Day	8	0.6 %	1.7%
9	Other	8	0.6 %	1.7%
-9 (M)	Legitimate Skip	923	66.3 %	-

Based upon 470 valid cases out of 1393 total cases.

QE16_30 Past 12 months used hallucinogens

Location: 246-247(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP

(If No -> Go to 40)

<i>QE16_30: Past 12 months used hallucinogens</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	25	1.8 %	1.8%
2	No	1368	98.2 %	98.2%

Based upon 1393 valid cases out of 1393 total cases.

QE17_30 How many weeks ago first used (hallucinogens) in past 12 months

Location: 248-249(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many weeks ago did you first use (NAME OF DRUG)?

Hallucinogens or psychedelics, such as LSD, DMT, mescaline,

- Study 02258 -

PCP, MDS, STP

<i>QE17_30: How many weeks ago first used (hallucinogens) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	2	0.1 %	8.3%
3	-	1	0.1 %	4.2%
6	-	1	0.1 %	4.2%
8	-	2	0.1 %	8.3%
11	-	1	0.1 %	4.2%
12	-	2	0.1 %	8.3%
16	-	1	0.1 %	4.2%
17	-	1	0.1 %	4.2%
24	-	1	0.1 %	4.2%
26	-	1	0.1 %	4.2%
32	-	3	0.2 %	12.5%
37	-	1	0.1 %	4.2%
40	-	1	0.1 %	4.2%
42	-	1	0.1 %	4.2%
44	-	1	0.1 %	4.2%
52	-	4	0.3 %	16.7%
-9 (M)	Legitimate Skip	1368	98.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 24 valid cases out of 1393 total cases.

QE18_30 Route of use (hallucinogens) in past 12 months

Location: 250-251(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you usually take (NAME OF DRUG) during these past 12 months?

Hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP

<i>QE18_30: Route of use (hallucinogens) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	By Mouth (Eat, Chew)	18	1.3 %	72.0%
2	By Smoking It	5	0.4 %	20.0%
3	By Inhaling, Snorting, or Sniffing It	1	0.1 %	4.0%
7	Some Other Way	1	0.1 %	4.0%
-9 (M)	Legitimate Skip	1368	98.2 %	-

- Study 02258 -

Based upon 25 valid cases out of 1393 total cases.

QE19_30 Frequency of use (hallucinogens) in past 12 months

Location: 252-253(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

On the average, how often did you use (NAME OF DRUG) in the past 12 months?

Hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP

<i>QE19_30: Frequency of use (hallucinogens) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	22	1.6 %	88.0%
2	1 to 3 Times a Month	2	0.1 %	8.0%
4	3 to 4 Times a Week	1	0.1 %	4.0%
-9 (M)	Legitimate Skip	1368	98.2 %	-

Based upon 25 valid cases out of 1393 total cases.

QE20_30 Weeks ago last used (hallucinogens)

Location: 254-255(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP

[If used in the Past Week, Code 00]

<i>QE20_30: Weeks ago last used (hallucinogens)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	12.0%
1	-	1	0.1 %	4.0%
3	-	1	0.1 %	4.0%
6	-	2	0.1 %	8.0%
7	-	1	0.1 %	4.0%
8	-	3	0.2 %	12.0%
11	-	1	0.1 %	4.0%
12	-	2	0.1 %	8.0%
17	-	2	0.1 %	8.0%

- Study 02258 -

<i>QE20_30: Weeks ago last used (hallucinogens)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
20	-	1	0.1 %	4.0%
24	-	1	0.1 %	4.0%
32	-	2	0.1 %	8.0%
37	-	1	0.1 %	4.0%
38	-	1	0.1 %	4.0%
44	-	1	0.1 %	4.0%
52	-	2	0.1 %	8.0%
-9 (M)	Legitimate Skip	1368	98.2 %	-

Based upon 25 valid cases out of 1393 total cases.

QE21_30 Most recent frequency of use (hallucinogens)

Location: 256-257(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP

<i>QE21_30: Most recent frequency of use (hallucinogens)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	22	1.6 %	88.0%
2	1 to 3 Times a Month	1	0.1 %	4.0%
4	3 to 4 Times a Week	1	0.1 %	4.0%
9	Other	1	0.1 %	4.0%
-9 (M)	Legitimate Skip	1368	98.2 %	-

Based upon 25 valid cases out of 1393 total cases.

QE16_31 Past 12 months used PCP

Location: 258-259(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

- Study 02258 -

PCP

<i>QE16_31: Past 12 months used PCP</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	20.0%
2	No	20	1.4 %	80.0%
-9 (M)	Legitimate Skip	1368	98.2 %	-

Based upon 25 valid cases out of 1393 total cases.

QE20_31 Weeks ago last used (PCP)

Location: 260-261(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many weeks ago did you last use (NAME OF DRUG)?

PCP

[If used in the Past Week, Code 00]

<i>QE20_31: Weeks ago last used (PCP)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	1	0.1 %	20.0%
7	-	1	0.1 %	20.0%
12	-	1	0.1 %	20.0%
38	-	1	0.1 %	20.0%
44	-	1	0.1 %	20.0%
-9 (M)	Legitimate Skip	1388	99.6 %	-

Based upon 5 valid cases out of 1393 total cases.

QE21_31 Most recent frequency of use (PCP)

Location: 262-263(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: About how often were you using (NAME OF DRUG) during this most recent period of use?

PCP

- Study 02258 -

<i>QE21_31: Most recent frequency of use (PCP)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	4	0.3 %	80.0%
4	3 to 4 Times a Week	1	0.1 %	20.0%
-9 (M)	Legitimate Skip	1388	99.6 %	-

Based upon 5 valid cases out of 1393 total cases.

QE16_32 Past 12 months used LSD

Location: 264-265(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

LSD

<i>QE16_32: Past 12 months used LSD</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	15	1.1 %	60.0%
2	No	10	0.7 %	40.0%
-9 (M)	Legitimate Skip	1368	98.2 %	-

Based upon 25 valid cases out of 1393 total cases.

QE20_32 Weeks ago last used (LSD)

Location: 266-267(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many weeks ago did you last use (NAME OF DRUG)?

LSD

[If used in the Past Week, Code 00]

<i>QE20_32: Weeks ago last used (LSD)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	6.7%

- Study 02258 -

<i>QE20_32: Weeks ago last used (LSD)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	-	1	0.1 %	6.7%
6	-	1	0.1 %	6.7%
8	-	3	0.2 %	20.0%
12	-	1	0.1 %	6.7%
17	-	1	0.1 %	6.7%
20	-	1	0.1 %	6.7%
24	-	1	0.1 %	6.7%
26	-	1	0.1 %	6.7%
32	-	2	0.1 %	13.3%
37	-	1	0.1 %	6.7%
44	-	1	0.1 %	6.7%
-9 (M)	Legitimate Skip	1378	98.9 %	-

Based upon 15 valid cases out of 1393 total cases.

QE21_32 Most recent frequency of use (LSD)

Location: 268-269(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

LSD

<i>QE21_32: Most recent frequency of use (LSD)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	13	0.9 %	86.7%
2	1 to 3 Times a Month	1	0.1 %	6.7%
9	Other	1	0.1 %	6.7%
-9 (M)	Legitimate Skip	1378	98.9 %	-

Based upon 15 valid cases out of 1393 total cases.

QE16_40 Past 12 months used cocaine

Location: 270-271(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken

- Study 02258 -

according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Cocaine in any form, including crack

(If No -> Go to 50)

<i>QE16_40: Past 12 months used cocaine</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	496	35.6 %	35.6%
2	No	897	64.4 %	64.4%

Based upon 1393 valid cases out of 1393 total cases.

QE17_40

How many weeks ago first used (cocaine) in past 12 months

Location: 272-273(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many weeks ago did you first use (NAME OF DRUG)?

Cocaine in any form, including crack

<i>QE17_40: How many weeks ago first used (cocaine) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	25	1.8 %	5.1%
1	-	13	0.9 %	2.6%
2	-	15	1.1 %	3.1%
3	-	9	0.6 %	1.8%
4	-	11	0.8 %	2.2%
5	-	3	0.2 %	0.6%
6	-	6	0.4 %	1.2%
7	-	3	0.2 %	0.6%
8	-	8	0.6 %	1.6%
9	-	4	0.3 %	0.8%
10	-	1	0.1 %	0.2%
12	-	18	1.3 %	3.7%
13	-	2	0.1 %	0.4%
14	-	3	0.2 %	0.6%
15	-	1	0.1 %	0.2%
16	-	11	0.8 %	2.2%
17	-	2	0.1 %	0.4%

- Study 02258 -

<i>QE17_40: How many weeks ago first used (cocaine) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18	-	2	0.1 %	0.4%
19	-	3	0.2 %	0.6%
20	-	12	0.9 %	2.4%
22	-	4	0.3 %	0.8%
23	-	1	0.1 %	0.2%
24	-	9	0.6 %	1.8%
25	-	1	0.1 %	0.2%
26	-	16	1.1 %	3.3%
27	-	1	0.1 %	0.2%
28	-	5	0.4 %	1.0%
29	-	1	0.1 %	0.2%
30	-	7	0.5 %	1.4%
31	-	1	0.1 %	0.2%
32	-	4	0.3 %	0.8%
33	-	3	0.2 %	0.6%
34	-	1	0.1 %	0.2%
35	-	1	0.1 %	0.2%
36	-	14	1.0 %	2.9%
37	-	1	0.1 %	0.2%
38	-	7	0.5 %	1.4%
39	-	7	0.5 %	1.4%
40	-	12	0.9 %	2.4%
41	-	1	0.1 %	0.2%
42	-	4	0.3 %	0.8%
43	-	3	0.2 %	0.6%
44	-	8	0.6 %	1.6%
45	-	2	0.1 %	0.4%
46	-	7	0.5 %	1.4%
48	-	8	0.6 %	1.6%
49	-	1	0.1 %	0.2%
50	-	4	0.3 %	0.8%
51	-	2	0.1 %	0.4%
52	-	203	14.6 %	41.3%
-9 (M)	Legitimate Skip	897	64.4 %	-
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 491 valid cases out of 1393 total cases.

- Study 02258 -

Location: 274-275(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you usually take (NAME OF DRUG) during these past 12 months?

Cocaine in any form, including crack

<i>QE18_40: Route of use (cocaine) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	By Mouth (Eat, Chew)	1	0.1 %	0.2%
2	By Smoking It	306	22.0 %	61.7%
3	By Inhaling, Snorting, or Sniffing It	83	6.0 %	16.7%
4	By Injecting It Into a Vein (Intravenous "Mainline")	88	6.3 %	17.7%
5	By Injecting It Somewhere Else (Intramuscular "Skin Pop")	4	0.3 %	0.8%
6	By Freebasing	13	0.9 %	2.6%
7	Some Other Way	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	897	64.4 %	-

Based upon 496 valid cases out of 1393 total cases.

QE19_40 Frequency of use (cocaine) in past 12 months

Location: 276-277(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

On the average, how often did you use (NAME OF DRUG) in the past 12 months?

Cocaine in any form, including crack

<i>QE19_40: Frequency of use (cocaine) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	116	8.3 %	23.4%
2	1 to 3 Times a Month	96	6.9 %	19.4%
3	1 to 2 Times a Week	87	6.2 %	17.5%
4	3 to 4 Times a Week	57	4.1 %	11.5%
5	5 to 6 Times a Week	12	0.9 %	2.4%
6	Daily or Almost Every Day	78	5.6 %	15.7%
7	2 to 3 Times a Day	23	1.7 %	4.6%
8	4 or More Times a Day	25	1.8 %	5.0%
9	Other	2	0.1 %	0.4%

- Study 02258 -

<i>QE20_40: Weeks ago last used (cocaine)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
24	-	5	0.4 %	1.0%
25	-	1	0.1 %	0.2%
26	-	10	0.7 %	2.0%
28	-	4	0.3 %	0.8%
29	-	1	0.1 %	0.2%
30	-	4	0.3 %	0.8%
32	-	6	0.4 %	1.2%
34	-	1	0.1 %	0.2%
36	-	9	0.6 %	1.8%
37	-	1	0.1 %	0.2%
38	-	3	0.2 %	0.6%
39	-	1	0.1 %	0.2%
40	-	8	0.6 %	1.6%
42	-	1	0.1 %	0.2%
44	-	3	0.2 %	0.6%
46	-	1	0.1 %	0.2%
48	-	2	0.1 %	0.4%
50	-	1	0.1 %	0.2%
51	-	2	0.1 %	0.4%
52	-	3	0.2 %	0.6%
-9 (M)	Legitimate Skip	897	64.4 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 492 valid cases out of 1393 total cases.

QE21_40 Most recent frequency of use (cocaine)

Location: 280-281(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Cocaine in any form, including crack

<i>QE21_40: Most recent frequency of use (cocaine)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	113	8.1 %	22.9%
2	1 to 3 Times a Month	87	6.2 %	17.6%

- Study 02258 -

<i>QE21_40: Most recent frequency of use (cocaine)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	1 to 2 Times a Week	81	5.8 %	16.4%
4	3 to 4 Times a Week	53	3.8 %	10.7%
5	5 to 6 Times a Week	13	0.9 %	2.6%
6	Daily or Almost Every Day	85	6.1 %	17.2%
7	2 to 3 Times a Day	30	2.2 %	6.1%
8	4 or More Times a Day	26	1.9 %	5.3%
9	Other	6	0.4 %	1.2%
-9 (M)	Legitimate Skip	897	64.4 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 494 valid cases out of 1393 total cases.

QE16_41 Past 12 months used only crack

Location: 282-283(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Crack only

<i>QE16_41: Past 12 months used only crack</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	300	21.5 %	60.5%
2	No	196	14.1 %	39.5%
-9 (M)	Legitimate Skip	897	64.4 %	-

Based upon 496 valid cases out of 1393 total cases.

QE20_41 Weeks ago last used (crack)

Location: 284-285(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many weeks ago did you last use (NAME OF DRUG)?

Crack only

- Study 02258 -

[If used in the Past Week, Code 00]

<i>QE20_41: Weeks ago last used (crack)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	115	8.3 %	38.6%
1	-	36	2.6 %	12.1%
2	-	16	1.1 %	5.4%
3	-	13	0.9 %	4.4%
4	-	19	1.4 %	6.4%
6	-	3	0.2 %	1.0%
7	-	4	0.3 %	1.3%
8	-	9	0.6 %	3.0%
9	-	3	0.2 %	1.0%
10	-	4	0.3 %	1.3%
12	-	8	0.6 %	2.7%
14	-	2	0.1 %	0.7%
15	-	2	0.1 %	0.7%
16	-	7	0.5 %	2.3%
17	-	1	0.1 %	0.3%
19	-	2	0.1 %	0.7%
20	-	3	0.2 %	1.0%
21	-	1	0.1 %	0.3%
22	-	5	0.4 %	1.7%
24	-	3	0.2 %	1.0%
26	-	7	0.5 %	2.3%
28	-	3	0.2 %	1.0%
29	-	1	0.1 %	0.3%
30	-	3	0.2 %	1.0%
32	-	3	0.2 %	1.0%
36	-	7	0.5 %	2.3%
38	-	1	0.1 %	0.3%
40	-	7	0.5 %	2.3%
44	-	4	0.3 %	1.3%
48	-	2	0.1 %	0.7%
52	-	4	0.3 %	1.3%
-9 (M)	Legitimate Skip	1093	78.5 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 298 valid cases out of 1393 total cases.

- Study 02258 -

Location: 286-287(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Crack only

<i>QE21_41: Most recent frequency of use (crack)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	53	3.8 %	17.7%
2	1 to 3 Times a Month	49	3.5 %	16.3%
3	1 to 2 Times a Week	55	3.9 %	18.3%
4	3 to 4 Times a Week	38	2.7 %	12.7%
5	5 to 6 Times a Week	5	0.4 %	1.7%
6	Daily or Almost Every Day	52	3.7 %	17.3%
7	2 to 3 Times a Day	20	1.4 %	6.7%
8	4 or More Times a Day	22	1.6 %	7.3%
9	Other	6	0.4 %	2.0%
-9 (M)	Legitimate Skip	1093	78.5 %	-

Based upon 300 valid cases out of 1393 total cases.

QE16_42 Past 12 months used any cocaine/not crack

Location: 288-289(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Any cocaine other than crack

<i>QE16_42: Past 12 months used any cocaine/not crack</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	189	13.6 %	38.2%
2	No	306	22.0 %	61.8%
-9 (M)	Legitimate Skip	897	64.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

- Study 02258 -

Based upon 495 valid cases out of 1393 total cases.

QE20_42 Weeks ago last used (cocaine/not crack)

Location: 290-291(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did you last use (NAME OF DRUG)?
 Any cocaine other than crack
 [If used in the Past Week, Code 00]

<i>QE20_42: Weeks ago last used (cocaine/not crack)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	57	4.1 %	30.5%
1	-	19	1.4 %	10.2%
2	-	9	0.6 %	4.8%
3	-	11	0.8 %	5.9%
4	-	12	0.9 %	6.4%
5	-	2	0.1 %	1.1%
6	-	2	0.1 %	1.1%
7	-	3	0.2 %	1.6%
8	-	4	0.3 %	2.1%
10	-	2	0.1 %	1.1%
11	-	1	0.1 %	0.5%
12	-	3	0.2 %	1.6%
13	-	3	0.2 %	1.6%
14	-	2	0.1 %	1.1%
15	-	2	0.1 %	1.1%
16	-	8	0.6 %	4.3%
17	-	1	0.1 %	0.5%
18	-	1	0.1 %	0.5%
19	-	1	0.1 %	0.5%
20	-	7	0.5 %	3.7%
22	-	1	0.1 %	0.5%
23	-	2	0.1 %	1.1%
24	-	2	0.1 %	1.1%
26	-	5	0.4 %	2.7%
28	-	1	0.1 %	0.5%
30	-	1	0.1 %	0.5%
32	-	1	0.1 %	0.5%
34	-	1	0.1 %	0.5%

- Study 02258 -

<i>QE20_42: Weeks ago last used (cocaine/not crack)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
36	-	2	0.1 %	1.1%
37	-	2	0.1 %	1.1%
38	-	3	0.2 %	1.6%
39	-	1	0.1 %	0.5%
40	-	4	0.3 %	2.1%
44	-	2	0.1 %	1.1%
48	-	2	0.1 %	1.1%
51	-	2	0.1 %	1.1%
52	-	4	0.3 %	2.1%
60	-	1	0.1 %	0.5%
-9 (M)	Legitimate Skip	1204	86.4 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 187 valid cases out of 1393 total cases.

QE21_42

Most recent frequency of use (cocaine/not crack)

Location: 292-293(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Any cocaine other than crack

<i>QE21_42: Most recent frequency of use (cocaine/not crack)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	60	4.3 %	31.9%
2	1 to 3 Times a Month	42	3.0 %	22.3%
3	1 to 2 Times a Week	22	1.6 %	11.7%
4	3 to 4 Times a Week	8	0.6 %	4.3%
5	5 to 6 Times a Week	9	0.6 %	4.8%
6	Daily or Almost Every Day	27	1.9 %	14.4%
7	2 to 3 Times a Day	8	0.6 %	4.3%
8	4 or More Times a Day	8	0.6 %	4.3%
9	Other	4	0.3 %	2.1%
-9 (M)	Legitimate Skip	1204	86.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 188 valid cases out of 1393 total cases.

- Study 02258 -

QE16_50 Past 12 months used heroin

Location: 294-295(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Heroin alone or with other drugs

(If No -> Go to 60)

<i>QE16_50: Past 12 months used heroin</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	316	22.7 %	22.7%
2	No	1077	77.3 %	77.3%

Based upon 1393 valid cases out of 1393 total cases.

QE17_50 How many weeks ago used (heroin) in past 12 months

Location: 296-297(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many weeks ago did you first use (NAME OF DRUG)?

Heroin alone or with other drugs

<i>QE17_50: How many weeks ago used (heroin) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	19	1.4 %	6.1%
1	-	6	0.4 %	1.9%
2	-	9	0.6 %	2.9%
3	-	4	0.3 %	1.3%
4	-	8	0.6 %	2.5%
5	-	3	0.2 %	1.0%
6	-	4	0.3 %	1.3%
8	-	10	0.7 %	3.2%
10	-	2	0.1 %	0.6%

- Study 02258 -

<i>QE17_50: How many weeks ago used (heroin) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11	-	1	0.1 %	0.3%
12	-	14	1.0 %	4.5%
13	-	3	0.2 %	1.0%
16	-	9	0.6 %	2.9%
17	-	1	0.1 %	0.3%
18	-	1	0.1 %	0.3%
19	-	2	0.1 %	0.6%
20	-	10	0.7 %	3.2%
23	-	2	0.1 %	0.6%
24	-	9	0.6 %	2.9%
26	-	8	0.6 %	2.5%
27	-	1	0.1 %	0.3%
28	-	3	0.2 %	1.0%
29	-	1	0.1 %	0.3%
30	-	3	0.2 %	1.0%
31	-	1	0.1 %	0.3%
32	-	4	0.3 %	1.3%
34	-	1	0.1 %	0.3%
35	-	1	0.1 %	0.3%
36	-	7	0.5 %	2.2%
38	-	2	0.1 %	0.6%
39	-	4	0.3 %	1.3%
40	-	12	0.9 %	3.8%
42	-	2	0.1 %	0.6%
43	-	1	0.1 %	0.3%
44	-	3	0.2 %	1.0%
45	-	1	0.1 %	0.3%
46	-	1	0.1 %	0.3%
47	-	1	0.1 %	0.3%
48	-	5	0.4 %	1.6%
49	-	1	0.1 %	0.3%
50	-	2	0.1 %	0.6%
51	-	3	0.2 %	1.0%
52	-	127	9.1 %	40.4%
54	-	1	0.1 %	0.3%
84	-	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1077	77.3 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 314 valid cases out of 1393 total cases.

- Study 02258 -

QE18_50 Route of use (heroin) in past 12 months

Location: 298-299(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How did you usually take (NAME OF DRUG) during these past 12 months?

Heroin alone or with other drugs

<i>QE18_50: Route of use (heroin) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	By Smoking It	10	0.7 %	3.2%
3	By Inhaling, Snorting, or Sniffing It	121	8.7 %	38.3%
4	By Injecting It Into a Vein (Intravenous "Mainline")	173	12.4 %	54.7%
5	By Injecting It Somewhere Else (Intramuscular "Skin Pop")	10	0.7 %	3.2%
6	By Freebasing	1	0.1 %	0.3%
7	Some Other Way	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1077	77.3 %	-

Based upon 316 valid cases out of 1393 total cases.

QE19_50 Frequency of use (heroin) in past 12 months

Location: 300-301(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: On the average, how often did you use (NAME OF DRUG) in the past 12 months?

Heroin alone or with other drugs

<i>QE19_50: Frequency of use (heroin) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	69	5.0 %	22.0%
2	1 to 3 Times a Month	46	3.3 %	14.6%
3	1 to 2 Times a Week	30	2.2 %	9.6%
4	3 to 4 Times a Week	24	1.7 %	7.6%
5	5 to 6 Times a Week	14	1.0 %	4.5%
6	Daily or Almost Every Day	99	7.1 %	31.5%
7	2 to 3 Times a Day	18	1.3 %	5.7%
8	4 or More Times a Day	11	0.8 %	3.5%

- Study 02258 -

<i>QE19_50: Frequency of use (heroin) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
9	Other	3	0.2 %	1.0%
-9 (M)	Legitimate Skip	1077	77.3 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 314 valid cases out of 1393 total cases.

QE20_50	Weeks ago last used drug (heroin)
----------------	--

Location: 302-303(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Heroin alone or with other drugs

[If used in the Past Week, Code 00]

<i>QE20_50: Weeks ago last used drug (heroin)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	131	9.4 %	41.5%
1	-	32	2.3 %	10.1%
2	-	22	1.6 %	7.0%
3	-	7	0.5 %	2.2%
4	-	13	0.9 %	4.1%
5	-	4	0.3 %	1.3%
6	-	6	0.4 %	1.9%
7	-	1	0.1 %	0.3%
8	-	9	0.6 %	2.8%
9	-	1	0.1 %	0.3%
10	-	2	0.1 %	0.6%
11	-	3	0.2 %	0.9%
12	-	6	0.4 %	1.9%
13	-	3	0.2 %	0.9%
14	-	2	0.1 %	0.6%
15	-	1	0.1 %	0.3%
16	-	10	0.7 %	3.2%
17	-	1	0.1 %	0.3%
18	-	1	0.1 %	0.3%
19	-	1	0.1 %	0.3%
20	-	7	0.5 %	2.2%
22	-	1	0.1 %	0.3%

- Study 02258 -

<i>QE20_50: Weeks ago last used drug (heroin)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
24	-	3	0.2 %	0.9%
26	-	7	0.5 %	2.2%
28	-	3	0.2 %	0.9%
30	-	1	0.1 %	0.3%
32	-	9	0.6 %	2.8%
36	-	4	0.3 %	1.3%
38	-	1	0.1 %	0.3%
39	-	1	0.1 %	0.3%
40	-	3	0.2 %	0.9%
42	-	1	0.1 %	0.3%
44	-	3	0.2 %	0.9%
45	-	1	0.1 %	0.3%
47	-	1	0.1 %	0.3%
48	-	3	0.2 %	0.9%
50	-	1	0.1 %	0.3%
51	-	1	0.1 %	0.3%
52	-	7	0.5 %	2.2%
54	-	1	0.1 %	0.3%
60	-	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1077	77.3 %	-

Based upon 316 valid cases out of 1393 total cases.

QE21_50	Most recent frequency of use (heroin)
----------------	--

Location: 304-305(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Heroin alone or with other drugs

<i>QE21_50: Most recent frequency of use (heroin)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	71	5.1 %	22.5%
2	1 to 3 Times a Month	41	2.9 %	13.0%
3	1 to 2 Times a Week	33	2.4 %	10.5%
4	3 to 4 Times a Week	25	1.8 %	7.9%
5	5 to 6 Times a Week	10	0.7 %	3.2%

- Study 02258 -

<i>QE21_50: Most recent frequency of use (heroin)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	Daily or Almost Every Day	98	7.0 %	31.1%
7	2 to 3 Times a Day	25	1.8 %	7.9%
8	4 or More Times a Day	8	0.6 %	2.5%
9	Other	4	0.3 %	1.3%
-9 (M)	Legitimate Skip	1077	77.3 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 315 valid cases out of 1393 total cases.

QE16_51 Past 12 months used heroin w/ cocaine

Location: 306-307(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according to the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Heroin and cocaine together at the same time
(crank, speedball)

<i>QE16_51: Past 12 months used heroin w/ cocaine</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	149	10.7 %	47.2%
2	No	167	12.0 %	52.8%
-9 (M)	Legitimate Skip	1077	77.3 %	-

Based upon 316 valid cases out of 1393 total cases.

QE20_51 Weeks ago last used (heroin w/ cocaine)

Location: 308-309(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Heroin and cocaine together at the same time (crank, speedball)

[If used in the Past Week, Code 00]

- Study 02258 -

<i>QE20_51: Weeks ago last used (heroin w/ cocaine)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	39	2.8 %	26.9%
1	-	14	1.0 %	9.7%
2	-	12	0.9 %	8.3%
3	-	5	0.4 %	3.4%
4	-	6	0.4 %	4.1%
6	-	3	0.2 %	2.1%
7	-	1	0.1 %	0.7%
8	-	5	0.4 %	3.4%
10	-	3	0.2 %	2.1%
11	-	1	0.1 %	0.7%
12	-	5	0.4 %	3.4%
13	-	3	0.2 %	2.1%
14	-	2	0.1 %	1.4%
15	-	1	0.1 %	0.7%
16	-	4	0.3 %	2.8%
18	-	1	0.1 %	0.7%
19	-	1	0.1 %	0.7%
20	-	3	0.2 %	2.1%
26	-	3	0.2 %	2.1%
28	-	2	0.1 %	1.4%
32	-	4	0.3 %	2.8%
34	-	1	0.1 %	0.7%
36	-	4	0.3 %	2.8%
38	-	1	0.1 %	0.7%
39	-	1	0.1 %	0.7%
40	-	5	0.4 %	3.4%
44	-	1	0.1 %	0.7%
45	-	1	0.1 %	0.7%
48	-	3	0.2 %	2.1%
49	-	1	0.1 %	0.7%
50	-	1	0.1 %	0.7%
51	-	2	0.1 %	1.4%
52	-	6	0.4 %	4.1%
-9 (M)	Legitimate Skip	1245	89.4 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 145 valid cases out of 1393 total cases.

QE21_51 Most recent frequency of use (heroin w/ cocaine)

Location: 310-311(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Heroin and cocaine together at the same time (crank, speedball)

<i>QE21_51: Most recent frequency of use (heroin w/ cocaine)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	35	2.5 %	23.6%
2	1 to 3 Times a Month	23	1.7 %	15.5%
3	1 to 2 Times a Week	20	1.4 %	13.5%
4	3 to 4 Times a Week	10	0.7 %	6.8%
5	5 to 6 Times a Week	7	0.5 %	4.7%
6	Daily or Almost Every Day	37	2.7 %	25.0%
7	2 to 3 Times a Day	8	0.6 %	5.4%
8	4 or More Times a Day	4	0.3 %	2.7%
9	Other	4	0.3 %	2.7%
-9 (M)	Legitimate Skip	1244	89.3 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 148 valid cases out of 1393 total cases.

QE16_60 Past 12 months used narcotics/opiates

Location: 312-313(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin

(If No -> Go to 70)

<i>QE16_60: Past 12 months used narcotics/opiates</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	110	7.9 %	7.9%

- Study 02258 -

<i>QE16_60: Past 12 months used narcotics/opiates</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	1283	92.1 %	92.1%

Based upon 1393 valid cases out of 1393 total cases.

QE17_60

How many weeks ago first used (narcotics) in past 12 months

Location: 314-315(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many weeks ago did you first use (NAME OF DRUG)?

Narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin

<i>QE17_60: How many weeks ago first used (narcotics) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	17	1.2 %	15.6%
1	-	5	0.4 %	4.6%
2	-	2	0.1 %	1.8%
3	-	4	0.3 %	3.7%
4	-	2	0.1 %	1.8%
6	-	1	0.1 %	0.9%
8	-	5	0.4 %	4.6%
12	-	4	0.3 %	3.7%
14	-	1	0.1 %	0.9%
16	-	4	0.3 %	3.7%
20	-	1	0.1 %	0.9%
22	-	1	0.1 %	0.9%
24	-	1	0.1 %	0.9%
26	-	8	0.6 %	7.3%
28	-	3	0.2 %	2.8%
30	-	4	0.3 %	3.7%
32	-	1	0.1 %	0.9%
35	-	1	0.1 %	0.9%
36	-	1	0.1 %	0.9%
38	-	1	0.1 %	0.9%
39	-	1	0.1 %	0.9%
40	-	1	0.1 %	0.9%
42	-	1	0.1 %	0.9%
47	-	1	0.1 %	0.9%

- Study 02258 -

Dilaudid, Talwin

<i>QE19_60: Frequency of use (narcotics) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	46	3.3 %	42.2%
2	1 to 3 Times a Month	11	0.8 %	10.1%
3	1 to 2 Times a Week	10	0.7 %	9.2%
4	3 to 4 Times a Week	6	0.4 %	5.5%
5	5 to 6 Times a Week	2	0.1 %	1.8%
6	Daily or Almost Every Day	22	1.6 %	20.2%
7	2 to 3 Times a Day	7	0.5 %	6.4%
8	4 or More Times a Day	3	0.2 %	2.8%
9	Other	2	0.1 %	1.8%
-9 (M)	Legitimate Skip	1283	92.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 109 valid cases out of 1393 total cases.

QE20_60 Weeks ago last used (narcotics)

Location: 320-321(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin

[If used in the Past Week, Code 00]

<i>QE20_60: Weeks ago last used (narcotics)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	34	2.4 %	31.2%
1	-	8	0.6 %	7.3%
2	-	2	0.1 %	1.8%
3	-	3	0.2 %	2.8%
4	-	4	0.3 %	3.7%
5	-	4	0.3 %	3.7%
6	-	2	0.1 %	1.8%
8	-	5	0.4 %	4.6%
9	-	2	0.1 %	1.8%
10	-	1	0.1 %	0.9%
12	-	5	0.4 %	4.6%

- Study 02258 -

<i>QE20_60: Weeks ago last used (narcotics)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
13	-	1	0.1 %	0.9%
14	-	1	0.1 %	0.9%
16	-	4	0.3 %	3.7%
18	-	1	0.1 %	0.9%
20	-	2	0.1 %	1.8%
22	-	2	0.1 %	1.8%
23	-	1	0.1 %	0.9%
24	-	1	0.1 %	0.9%
25	-	1	0.1 %	0.9%
26	-	7	0.5 %	6.4%
28	-	3	0.2 %	2.8%
29	-	1	0.1 %	0.9%
35	-	1	0.1 %	0.9%
40	-	1	0.1 %	0.9%
44	-	1	0.1 %	0.9%
46	-	1	0.1 %	0.9%
47	-	1	0.1 %	0.9%
48	-	1	0.1 %	0.9%
50	-	1	0.1 %	0.9%
52	-	6	0.4 %	5.5%
58	-	1	0.1 %	0.9%
-9 (M)	Legitimate Skip	1283	92.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 109 valid cases out of 1393 total cases.

QE21_60	Most recent frequency of use (narcotics)
----------------	---

Location: 322-323(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Narcotics or opiates, such as morphine, codeine, Demerol, Dilaudid, Talwin

<i>QE21_60: Most recent frequency of use (narcotics)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	40	2.9 %	37.0%
2	1 to 3 Times a Month	9	0.6 %	8.3%

- Study 02258 -

<i>QE21_60: Most recent frequency of use (narcotics)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	1 to 2 Times a Week	14	1.0 %	13.0%
4	3 to 4 Times a Week	4	0.3 %	3.7%
6	Daily or Almost Every Day	25	1.8 %	23.1%
7	2 to 3 Times a Day	7	0.5 %	6.5%
8	4 or More Times a Day	4	0.3 %	3.7%
9	Other	5	0.4 %	4.6%
-9 (M)	Legitimate Skip	1283	92.1 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 108 valid cases out of 1393 total cases.

QE16_61 Past 12 months used street/illegal methadone

Location: 324-325(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Street or illegal methadone

<i>QE16_61: Past 12 months used street/illegal methadone</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	33	2.4 %	30.0%
2	No	77	5.5 %	70.0%
-9 (M)	Legitimate Skip	1283	92.1 %	-

Based upon 110 valid cases out of 1393 total cases.

QE17_61 How many weeks ago first used (methadone) in past 12 months

Location: 326-327(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many weeks ago did you first use (NAME OF DRUG)?

- Study 02258 -

Street or illegal methadone

<i>QE17_61: How many weeks ago first used (methadone) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	9.4%
3	-	2	0.1 %	6.2%
4	-	1	0.1 %	3.1%
6	-	1	0.1 %	3.1%
12	-	2	0.1 %	6.2%
20	-	2	0.1 %	6.2%
26	-	3	0.2 %	9.4%
28	-	1	0.1 %	3.1%
35	-	1	0.1 %	3.1%
38	-	1	0.1 %	3.1%
40	-	1	0.1 %	3.1%
42	-	1	0.1 %	3.1%
48	-	1	0.1 %	3.1%
51	-	1	0.1 %	3.1%
52	-	11	0.8 %	34.4%
-9 (M)	Legitimate Skip	1360	97.6 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 32 valid cases out of 1393 total cases.

QE20_61 Weeks ago last used (methadone)

Location: 328-329(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Street or illegal methadone

[If used in the Past Week, Code 00]

<i>QE20_61: Weeks ago last used (methadone)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	8	0.6 %	24.2%
1	-	2	0.1 %	6.1%
2	-	3	0.2 %	9.1%
3	-	1	0.1 %	3.0%
4	-	4	0.3 %	12.1%
5	-	1	0.1 %	3.0%

- Study 02258 -

<i>QE20_61: Weeks ago last used (methadone)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	-	1	0.1 %	3.0%
8	-	1	0.1 %	3.0%
12	-	2	0.1 %	6.1%
13	-	1	0.1 %	3.0%
20	-	1	0.1 %	3.0%
22	-	1	0.1 %	3.0%
26	-	1	0.1 %	3.0%
28	-	1	0.1 %	3.0%
30	-	1	0.1 %	3.0%
36	-	1	0.1 %	3.0%
44	-	1	0.1 %	3.0%
47	-	1	0.1 %	3.0%
52	-	1	0.1 %	3.0%
-9 (M)	Legitimate Skip	1360	97.6 %	-

Based upon 33 valid cases out of 1393 total cases.

QE21_61	Most recent frequency of use (methadone)
----------------	---

Location: 330-331(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Street or illegal methadone

<i>QE21_61: Most recent frequency of use (methadone)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	12	0.9 %	36.4%
2	1 to 3 Times a Month	6	0.4 %	18.2%
3	1 to 2 Times a Week	6	0.4 %	18.2%
4	3 to 4 Times a Week	1	0.1 %	3.0%
6	Daily or Almost Every Day	5	0.4 %	15.2%
9	Other	3	0.2 %	9.1%
-9 (M)	Legitimate Skip	1360	97.6 %	-

Based upon 33 valid cases out of 1393 total cases.

QE16_62	Past 12 months used dilaudid
----------------	-------------------------------------

Location: 332-333(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Dilaudid

<i>QE16_62: Past 12 months used dilaudid</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	22	1.6 %	20.0%
2	No	88	6.3 %	80.0%
-9 (M)	Legitimate Skip	1283	92.1 %	-

Based upon 110 valid cases out of 1393 total cases.

QE17_62

How many weeks ago first used (dilaudid) in past 12 months

Location: 334-335(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many weeks ago did you first use (NAME OF DRUG)?

Dilaudid

<i>QE17_62: How many weeks ago first used (dilaudid) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	2	0.1 %	9.1%
2	-	2	0.1 %	9.1%
3	-	1	0.1 %	4.5%
6	-	1	0.1 %	4.5%
12	-	1	0.1 %	4.5%
16	-	1	0.1 %	4.5%
24	-	1	0.1 %	4.5%
26	-	2	0.1 %	9.1%
30	-	1	0.1 %	4.5%
38	-	1	0.1 %	4.5%
48	-	1	0.1 %	4.5%
52	-	7	0.5 %	31.8%
99	-	1	0.1 %	4.5%

- Study 02258 -

<i>QE17_62: How many weeks ago first used (dilaudid) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1371	98.4 %	-

Based upon 22 valid cases out of 1393 total cases.

QE20_62 Weeks ago last used (dilaudid)

Location: 336-337(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did you last use (NAME OF DRUG)?
 Dilaudid
 [If used in the Past Week, Code 00]

<i>QE20_62: Weeks ago last used (dilaudid)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	13.6%
1	-	1	0.1 %	4.5%
2	-	3	0.2 %	13.6%
3	-	2	0.1 %	9.1%
5	-	1	0.1 %	4.5%
16	-	2	0.1 %	9.1%
24	-	1	0.1 %	4.5%
26	-	4	0.3 %	18.2%
30	-	1	0.1 %	4.5%
38	-	1	0.1 %	4.5%
46	-	1	0.1 %	4.5%
50	-	1	0.1 %	4.5%
58	-	1	0.1 %	4.5%
-9 (M)	Legitimate Skip	1371	98.4 %	-

Based upon 22 valid cases out of 1393 total cases.

QE21_62 Most recent frequency of use (dilaudid)

Location: 338-339(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: About how often were you using (NAME OF DRUG) during this most recent period of use?

- Study 02258 -

Dilaudid

<i>QE21_62: Most recent frequency of use (dilaudid)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	9	0.6 %	40.9%
2	1 to 3 Times a Month	3	0.2 %	13.6%
3	1 to 2 Times a Week	2	0.1 %	9.1%
6	Daily or Almost Every Day	2	0.1 %	9.1%
7	2 to 3 Times a Day	3	0.2 %	13.6%
8	4 or More Times a Day	1	0.1 %	4.5%
9	Other	2	0.1 %	9.1%
-9 (M)	Legitimate Skip	1371	98.4 %	-

Based upon 22 valid cases out of 1393 total cases.

QE16_70 Past 12 months used downers/depressants

Location: 340-341(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Downers or depressants, such as sedatives, barbiturates, or tranquilizers

(If No -> Go to 80)

<i>QE16_70: Past 12 months used downers/depressants</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	94	6.7 %	6.7%
2	No	1299	93.3 %	93.3%

Based upon 1393 valid cases out of 1393 total cases.

QE17_70 How many weeks ago first used (depressants) in past 12 months

Location: 342-343(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many weeks ago did you

- Study 02258 -

first use (NAME OF DRUG)?

Downers or depressants, such as sedatives, barbiturates,
or tranquilizers

<i>QE17_70: How many weeks ago first used (depressants) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	12	0.9 %	13.2%
1	-	2	0.1 %	2.2%
2	-	1	0.1 %	1.1%
3	-	2	0.1 %	2.2%
4	-	3	0.2 %	3.3%
5	-	2	0.1 %	2.2%
6	-	1	0.1 %	1.1%
12	-	6	0.4 %	6.6%
14	-	1	0.1 %	1.1%
16	-	2	0.1 %	2.2%
24	-	2	0.1 %	2.2%
26	-	9	0.6 %	9.9%
27	-	1	0.1 %	1.1%
28	-	3	0.2 %	3.3%
35	-	1	0.1 %	1.1%
39	-	1	0.1 %	1.1%
40	-	4	0.3 %	4.4%
46	-	1	0.1 %	1.1%
48	-	1	0.1 %	1.1%
50	-	2	0.1 %	2.2%
51	-	1	0.1 %	1.1%
52	-	33	2.4 %	36.3%
-9 (M)	Legitimate Skip	1299	93.3 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 91 valid cases out of 1393 total cases.

QE18_70	Route of use (depressants) in past 12 months
----------------	---

Location: 344-345(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you usually take (NAME OF DRUG) during these past 12 months?

Downers or depressants, such as sedatives, barbiturates,

- Study 02258 -

or tranquilizers

<i>QE18_70: Route of use (depressants) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	By Mouth (Eat, Chew)	94	6.7 %	100.0%
-9 (M)	Legitimate Skip	1299	93.3 %	-

Based upon 94 valid cases out of 1393 total cases.

QE19_70 Frequency of use (depressants) in past 12 months

Location: 346-347(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

On the average, how often did you use (NAME OF DRUG) in the past 12 months?

Downers or depressants, such as sedatives, barbiturates, or tranquilizers

<i>QE19_70: Frequency of use (depressants) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	35	2.5 %	37.6%
2	1 to 3 Times a Month	14	1.0 %	15.1%
3	1 to 2 Times a Week	10	0.7 %	10.8%
4	3 to 4 Times a Week	4	0.3 %	4.3%
6	Daily or Almost Every Day	24	1.7 %	25.8%
7	2 to 3 Times a Day	4	0.3 %	4.3%
8	4 or More Times a Day	1	0.1 %	1.1%
9	Other	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1299	93.3 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 93 valid cases out of 1393 total cases.

QE20_70 Weeks ago last used (depressants)

Location: 348-349(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Downers or depressants, such as sedatives, barbiturates, or tranquilizers

- Study 02258 -

[If used in the Past Week, Code 00]

<i>QE20_70: Weeks ago last used (depressants)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	32	2.3 %	35.2%
1	-	9	0.6 %	9.9%
2	-	6	0.4 %	6.6%
3	-	2	0.1 %	2.2%
4	-	3	0.2 %	3.3%
5	-	2	0.1 %	2.2%
6	-	3	0.2 %	3.3%
10	-	1	0.1 %	1.1%
12	-	7	0.5 %	7.7%
16	-	1	0.1 %	1.1%
20	-	4	0.3 %	4.4%
24	-	1	0.1 %	1.1%
26	-	10	0.7 %	11.0%
27	-	1	0.1 %	1.1%
28	-	2	0.1 %	2.2%
32	-	1	0.1 %	1.1%
36	-	1	0.1 %	1.1%
40	-	2	0.1 %	2.2%
44	-	1	0.1 %	1.1%
48	-	1	0.1 %	1.1%
52	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1299	93.3 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 91 valid cases out of 1393 total cases.

QE21_70

Most recent frequency of use (depressants)

Location: 350-351(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Downers or depressants, such as sedatives, barbiturates, or tranquilizers

- Study 02258 -

<i>QE21_70: Most recent frequency of use (depressants)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	29	2.1 %	31.2%
2	1 to 3 Times a Month	13	0.9 %	14.0%
3	1 to 2 Times a Week	13	0.9 %	14.0%
4	3 to 4 Times a Week	3	0.2 %	3.2%
5	5 to 6 Times a Week	1	0.1 %	1.1%
6	Daily or Almost Every Day	27	1.9 %	29.0%
7	2 to 3 Times a Day	7	0.5 %	7.5%
-9 (M)	Legitimate Skip	1299	93.3 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 93 valid cases out of 1393 total cases.

QE16_71	Past 12 months used sedatives
----------------	--------------------------------------

Location: 352-353(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Sedatives or sleeping pills, such as Doriden, Noludar, Qualude, or Sopor

<i>QE16_71: Past 12 months used sedatives</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	35	2.5 %	37.2%
2	No	59	4.2 %	62.8%
-9 (M)	Legitimate Skip	1299	93.3 %	-

Based upon 94 valid cases out of 1393 total cases.

QE16_72	Past 12 months used barbiturates
----------------	---

Location: 354-355(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or

- Study 02258 -

prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Barbiturates, such as Nembutal, Seconal

<i>QE16_72: Past 12 months used barbiturates</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	11	0.8 %	11.7%
2	No	83	6.0 %	88.3%
-9 (M)	Legitimate Skip	1299	93.3 %	-

Based upon 94 valid cases out of 1393 total cases.

QE16_73 Past 12 months used benzodiazepines

Location: 356-357(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Benzodiazepines, such as Valium, Librium, or others

<i>QE16_73: Past 12 months used benzodiazepines</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	65	4.7 %	69.1%
2	No	29	2.1 %	30.9%
-9 (M)	Legitimate Skip	1299	93.3 %	-

Based upon 94 valid cases out of 1393 total cases.

QE16_74 Past 12 months used other tranquilizers

Location: 358-359(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

- Study 02258 -

During the past 12 months, have you used (NAME OF DRUG)?

Other tranquilizers

<i>QE16_74: Past 12 months used other tranquilizers</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	20	1.4 %	21.3%
2	No	74	5.3 %	78.7%
-9 (M)	Legitimate Skip	1299	93.3 %	-

Based upon 94 valid cases out of 1393 total cases.

QE16_75 Past 12 months used another depressant

Location: 360-361(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Another depressant

<i>QE16_75: Past 12 months used another depressant</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	13	0.9 %	13.8%
2	No	81	5.8 %	86.2%
-9 (M)	Legitimate Skip	1299	93.3 %	-

Based upon 94 valid cases out of 1393 total cases.

QE16_80 Past 12 months used amphetamines

Location: 362-363(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

- Study 02258 -

Amphetamines or other stimulants, speed, or diet pills

(If No -> Go to 90)

<i>QE16_80: Past 12 months used amphetamines</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	60	4.3 %	4.3%
2	No	1333	95.7 %	95.7%

Based upon 1393 valid cases out of 1393 total cases.

QE17_80

How many weeks ago used (amphetamines) in past 12 months

Location: 364-365(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many weeks ago did you first use (NAME OF DRUG)?

Amphetamines or other stimulants, speed, or diet pills

<i>QE17_80: How many weeks ago used (amphetamines) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	8.3%
3	-	1	0.1 %	1.7%
11	-	1	0.1 %	1.7%
12	-	2	0.1 %	3.3%
14	-	1	0.1 %	1.7%
16	-	3	0.2 %	5.0%
20	-	2	0.1 %	3.3%
24	-	2	0.1 %	3.3%
26	-	3	0.2 %	5.0%
28	-	1	0.1 %	1.7%
30	-	1	0.1 %	1.7%
32	-	1	0.1 %	1.7%
34	-	2	0.1 %	3.3%
36	-	2	0.1 %	3.3%
39	-	1	0.1 %	1.7%
40	-	1	0.1 %	1.7%
46	-	1	0.1 %	1.7%
48	-	1	0.1 %	1.7%
51	-	1	0.1 %	1.7%
52	-	27	1.9 %	45.0%

- Study 02258 -

<i>QE17_80: How many weeks ago used (amphetamines) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
53	-	1	0.1 %	1.7%
-9 (M)	Legitimate Skip	1333	95.7 %	-

Based upon 60 valid cases out of 1393 total cases.

QE18_80 Route of use (amphetamines) in past 12 months

Location: 366-367(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you usually take (NAME OF DRUG) during these past 12 months?

Amphetamines or other stimulants, speed, or diet pills

<i>QE18_80: Route of use (amphetamines) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	By Mouth (Eat, Chew)	17	1.2 %	28.3%
2	By Smoking It	15	1.1 %	25.0%
3	By Inhaling, Snorting, or Sniffing It	17	1.2 %	28.3%
4	By Injecting It Into a Vein (Intravenous "Mainline")	8	0.6 %	13.3%
7	Some Other Way	3	0.2 %	5.0%
-9 (M)	Legitimate Skip	1333	95.7 %	-

Based upon 60 valid cases out of 1393 total cases.

QE19_80 Frequency of use (amphetamines) in past 12 months

Location: 368-369(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

On the average, how often did you use (NAME OF DRUG) in the past 12 months?

Amphetamines or other stimulants, speed, or diet pills

<i>QE19_80: Frequency of use (amphetamines) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	25	1.8 %	41.7%
2	1 to 3 Times a Month	12	0.9 %	20.0%
3	1 to 2 Times a Week	9	0.6 %	15.0%
4	3 to 4 Times a Week	3	0.2 %	5.0%

- Study 02258 -

<i>QE19_80: Frequency of use (amphetamines) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	Daily or Almost Every Day	7	0.5 %	11.7%
7	2 to 3 Times a Day	1	0.1 %	1.7%
8	4 or More Times a Day	2	0.1 %	3.3%
9	Other	1	0.1 %	1.7%
-9 (M)	Legitimate Skip	1333	95.7 %	-

Based upon 60 valid cases out of 1393 total cases.

QE20_80	Weeks ago last used (amphetamines)
----------------	---

Location: 370-371(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Amphetamines or other stimulants, speed, or diet pills

[If used in the Past Week, Code 00]

<i>QE20_80: Weeks ago last used (amphetamines)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	13	0.9 %	21.7%
1	-	5	0.4 %	8.3%
2	-	1	0.1 %	1.7%
3	-	4	0.3 %	6.7%
4	-	1	0.1 %	1.7%
6	-	3	0.2 %	5.0%
7	-	1	0.1 %	1.7%
8	-	5	0.4 %	8.3%
10	-	1	0.1 %	1.7%
12	-	3	0.2 %	5.0%
13	-	1	0.1 %	1.7%
16	-	2	0.1 %	3.3%
17	-	1	0.1 %	1.7%
18	-	1	0.1 %	1.7%
21	-	1	0.1 %	1.7%
26	-	4	0.3 %	6.7%
28	-	2	0.1 %	3.3%
30	-	1	0.1 %	1.7%
32	-	1	0.1 %	1.7%
35	-	1	0.1 %	1.7%

- Study 02258 -

<i>QE20_80: Weeks ago last used (amphetamines)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
36	-	1	0.1 %	1.7%
37	-	1	0.1 %	1.7%
50	-	1	0.1 %	1.7%
51	-	2	0.1 %	3.3%
52	-	1	0.1 %	1.7%
53	-	1	0.1 %	1.7%
60	-	1	0.1 %	1.7%
-9 (M)	Legitimate Skip	1333	95.7 %	-

Based upon 60 valid cases out of 1393 total cases.

QE21_80 Most recent frequency of use (amphetamines)

Location: 372-373(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Amphetamines or other stimulants, speed, or diet pills

<i>QE21_80: Most recent frequency of use (amphetamines)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	20	1.4 %	33.3%
2	1 to 3 Times a Month	16	1.1 %	26.7%
3	1 to 2 Times a Week	9	0.6 %	15.0%
4	3 to 4 Times a Week	3	0.2 %	5.0%
5	5 to 6 Times a Week	1	0.1 %	1.7%
6	Daily or Almost Every Day	5	0.4 %	8.3%
7	2 to 3 Times a Day	2	0.1 %	3.3%
8	4 or More Times a Day	2	0.1 %	3.3%
9	Other	2	0.1 %	3.3%
-9 (M)	Legitimate Skip	1333	95.7 %	-

Based upon 60 valid cases out of 1393 total cases.

QE16_81 Past 12 months used methamphetamines

Location: 374-375(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been

- Study 02258 -

prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according to the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Methamphetamines

<i>QE16_81: Past 12 months used methamphetamines</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	41	2.9 %	68.3%
2	No	19	1.4 %	31.7%
-9 (M)	Legitimate Skip	1333	95.7 %	-

Based upon 60 valid cases out of 1393 total cases.

QE20_81

Weeks ago last used (methamphetamines) in past 12 months

Location: 376-377(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Methamphetamines

[If used in the Past Week, Code 00]

<i>QE20_81: Weeks ago last used (methamphetamines) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	10	0.7 %	25.0%
1	-	7	0.5 %	17.5%
2	-	1	0.1 %	2.5%
3	-	1	0.1 %	2.5%
4	-	1	0.1 %	2.5%
6	-	1	0.1 %	2.5%
7	-	1	0.1 %	2.5%
8	-	2	0.1 %	5.0%
10	-	1	0.1 %	2.5%
12	-	1	0.1 %	2.5%
16	-	2	0.1 %	5.0%
17	-	1	0.1 %	2.5%
18	-	1	0.1 %	2.5%
21	-	1	0.1 %	2.5%
26	-	2	0.1 %	5.0%

- Study 02258 -

<i>QE20_81: Weeks ago last used (methamphetamines) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
28	-	2	0.1 %	5.0%
32	-	1	0.1 %	2.5%
35	-	1	0.1 %	2.5%
51	-	2	0.1 %	5.0%
53	-	1	0.1 %	2.5%
-9 (M)	Legitimate Skip	1352	97.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 40 valid cases out of 1393 total cases.

QE21_81 Most recent frequency of use (methamphetamines) in past 12 months

Location: 378-379(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: About how often were you using (NAME OF DRUG) during this most recent period of use?

Methamphetamines

<i>QE21_81: Most recent frequency of use (methamphetamines) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	12	0.9 %	29.3%
2	1 to 3 Times a Month	13	0.9 %	31.7%
3	1 to 2 Times a Week	6	0.4 %	14.6%
4	3 to 4 Times a Week	3	0.2 %	7.3%
6	Daily or Almost Every Day	3	0.2 %	7.3%
7	2 to 3 Times a Day	1	0.1 %	2.4%
8	4 or More Times a Day	2	0.1 %	4.9%
9	Other	1	0.1 %	2.4%
-9 (M)	Legitimate Skip	1352	97.1 %	-

Based upon 41 valid cases out of 1393 total cases.

QE16_90 Past 12 months used inhalants

Location: 380-381(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken

- Study 02258 -

according to the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Inhalants, such as glue, gasoline, or paint thinner

<i>QE16_90: Past 12 months used inhalants</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	0.1%
2	No	1392	99.9 %	99.9%

Based upon 1393 valid cases out of 1393 total cases.

QE17_90 How many weeks ago first used (inhalants) in past 12 months

Location: 382-383(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many weeks ago did you first use (NAME OF DRUG)?

Inhalants, such as glue, gasoline, or paint thinner

<i>QE17_90: How many weeks ago first used (inhalants) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
13	-	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QE18_90 Route of use (inhalants) in past 12 months

Location: 384-385(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you usually take (NAME OF DRUG) during these past 12 months?

Inhalants, such as glue, gasoline, or paint thinner

<i>QE18_90: Route of use (inhalants) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	By Inhaling, Snorting, or Sniffing It	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

- Study 02258 -

QE19_90 Frequency of use (inhalants) in past 12 months

Location: 386-387(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

On the average, how often did you use (NAME OF DRUG) in the past 12 months?

Inhalants, such as glue, gasoline, or paint thinner

<i>QE19_90: Frequency of use (inhalants) in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QE20_90 Weeks ago last used (inhalants)

Location: 388-389(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Inhalants, such as glue, gasoline, or paint thinner

[If used in the Past Week, Code 00]

<i>QE20_90: Weeks ago last used (inhalants)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12	-	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QE21_90 Most recent frequency of use (inhalants)

Location: 390-391(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Inhalants, such as glue, gasoline, or paint thinner

- Study 02258 -

<i>QE21_90: Most recent frequency of use (inhalants)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	2 to 3 Times a Day	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QE16_100 Past 12 months used another drug

Location: 392-393(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Any other drug

<i>QE16_100: Past 12 months used another drug</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	31	2.2 %	2.2%
2	No	1362	97.8 %	97.8%

Based upon 1393 valid cases out of 1393 total cases.

QE20_100 Weeks ago last used drug (other) (First mention)

Location: 394-395(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many weeks ago did you last use (NAME OF DRUG)?

Other drug (1st mention)

[If used in the Past Week, Code 00]

<i>QE20_100: Weeks ago last used drug (other) (First mention)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	13	0.9 %	41.9%
1	-	3	0.2 %	9.7%
4	-	2	0.1 %	6.5%

- Study 02258 -

<i>QE20_100: Weeks ago last used drug (other) (First mention)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	-	2	0.1 %	6.5%
8	-	2	0.1 %	6.5%
12	-	1	0.1 %	3.2%
20	-	2	0.1 %	6.5%
24	-	1	0.1 %	3.2%
26	-	1	0.1 %	3.2%
28	-	1	0.1 %	3.2%
33	-	1	0.1 %	3.2%
40	-	1	0.1 %	3.2%
44	-	1	0.1 %	3.2%
-9 (M)	Legitimate Skip	1362	97.8 %	-

Based upon 31 valid cases out of 1393 total cases.

QE21_100 Most recent frequency of use (other) (First mention)

Location: 396-397(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Other drug (1st mention)

<i>QE21_100: Most recent frequency of use (other) (First mention)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	9	0.6 %	29.0%
2	1 to 3 Times a Month	2	0.1 %	6.5%
3	1 to 2 Times a Week	6	0.4 %	19.4%
4	3 to 4 Times a Week	1	0.1 %	3.2%
5	5 to 6 Times a Week	1	0.1 %	3.2%
6	Daily or Almost Every Day	8	0.6 %	25.8%
7	2 to 3 Times a Day	3	0.2 %	9.7%
9	Other	1	0.1 %	3.2%
-9 (M)	Legitimate Skip	1362	97.8 %	-

Based upon 31 valid cases out of 1393 total cases.

QE20_101 Weeks ago last used drug (other) (Second mention)

Location: 398-399(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Other drug (2nd mention)

[If used in the Past Week, Code 00]

<i>QE20_101: Weeks ago last used drug (other) (Second mention)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	50.0%
1	-	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QE21_101 Most recent frequency of use (other) (Second mention)

Location: 400-401(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Other drug (2nd mention)

<i>QE21_101: Most recent frequency of use (other) (Second mention)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	Daily or Almost Every Day	2	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QE20_102 Weeks ago last used drug (other) (Third mention)

Location: 402-403(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

Other drug (3rd mention)

[If used in the Past Week, Code 00]

<i>QE20_102: Weeks ago last used drug (other) (Third mention)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

- Study 02258 -

Based upon 0 valid cases out of 1393 total cases.

QE21_102 Most recent frequency of use (other) (Third mention)

Location: 404-405(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Other drug (3rd mention)

<i>QE21_102: Most recent frequency of use (other) (Third mention)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE16_110 Past 12 months used prescription medications

Location: 406-407(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

The next questions are about the use of drugs that have been prescribed for you by a doctor and drugs you have taken "on your own." By "on your own" I mean either illegal drugs, or prescription drugs not taken as prescribed, or not taken according the directions.

During the past 12 months, have you used (NAME OF DRUG)?

Prescribed medications

<i>QE16_110: Past 12 months used prescription medications</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	778	55.9 %	55.9%
2	No	615	44.1 %	44.1%

Based upon 1393 valid cases out of 1393 total cases.

QE20_110 Weeks ago last used (prescription medications)

Location: 408-409(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use (NAME OF DRUG)?

- Study 02258 -

Prescribed medications

[If used in the Past Week, Code 00]

<i>QE20_110: Weeks ago last used (prescription medications)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	466	33.5 %	60.2%
1	-	31	2.2 %	4.0%
2	-	30	2.2 %	3.9%
3	-	22	1.6 %	2.8%
4	-	42	3.0 %	5.4%
5	-	4	0.3 %	0.5%
6	-	10	0.7 %	1.3%
7	-	3	0.2 %	0.4%
8	-	21	1.5 %	2.7%
9	-	2	0.1 %	0.3%
10	-	4	0.3 %	0.5%
11	-	1	0.1 %	0.1%
12	-	17	1.2 %	2.2%
13	-	1	0.1 %	0.1%
14	-	2	0.1 %	0.3%
15	-	2	0.1 %	0.3%
16	-	15	1.1 %	1.9%
17	-	1	0.1 %	0.1%
18	-	2	0.1 %	0.3%
20	-	14	1.0 %	1.8%
22	-	3	0.2 %	0.4%
24	-	12	0.9 %	1.6%
25	-	1	0.1 %	0.1%
26	-	11	0.8 %	1.4%
28	-	6	0.4 %	0.8%
29	-	1	0.1 %	0.1%
30	-	6	0.4 %	0.8%
31	-	2	0.1 %	0.3%
32	-	3	0.2 %	0.4%
33	-	1	0.1 %	0.1%
34	-	2	0.1 %	0.3%
36	-	2	0.1 %	0.3%
38	-	1	0.1 %	0.1%
39	-	1	0.1 %	0.1%
40	-	7	0.5 %	0.9%
42	-	1	0.1 %	0.1%

- Study 02258 -

<i>QE20_110: Weeks ago last used (prescription medications)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
44	-	2	0.1 %	0.3%
46	-	3	0.2 %	0.4%
48	-	5	0.4 %	0.6%
50	-	1	0.1 %	0.1%
52	-	13	0.9 %	1.7%
-9 (M)	Legitimate Skip	615	44.1 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 774 valid cases out of 1393 total cases.

QE21_110 Most recent frequency of use (prescription medications)

Location: 410-411(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how often were you using (NAME OF DRUG) during this most recent period of use?

Prescribed medications

<i>QE21_110: Most recent frequency of use (prescription medications)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than Once a Month	9	0.6 %	9.5%
2	1 to 3 Times a Month	4	0.3 %	4.2%
3	1 to 2 Times a Week	1	0.1 %	1.1%
4	3 to 4 Times a Week	1	0.1 %	1.1%
5	5 to 6 Times a Week	1	0.1 %	1.1%
6	Daily or Almost Every Day	50	3.6 %	52.6%
7	2 to 3 Times a Day	23	1.7 %	24.2%
8	4 or More Times a Day	5	0.4 %	5.3%
9	Other	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1297	93.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 95 valid cases out of 1393 total cases.

QE22_20 Drug use during past 3 days (marijuana)

Location: 412-413(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

- Study 02258 -

Marijuana, hashish, THC

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_20: Drug use during past 3 days (marijuana)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	177	12.7 %	87.2%
2	No	26	1.9 %	12.8%
-9 (M)	Legitimate Skip	1190	85.4 %	-

Based upon 203 valid cases out of 1393 total cases.

QE22_30 Drug use during past 3 days (hallucinogens)

Location: 414-415(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Hallucinogens or psychedelics, such as LSD, DMT, mescaline, PCP, MDS, STP

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_30: Drug use during past 3 days (hallucinogens)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	3	0.2 %	100.0%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QE22_31 Drug use during past 3 days (PCP)

Location: 416-417(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

PCP

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

- Study 02258 -

of the preceding page.]

<i>QE22_31: Drug use during past 3 days (PCP)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE22_32 Drug use during past 3 days (LSD)

Location: 418-419(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

LSD

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_32: Drug use during past 3 days (LSD)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QE22_40 Drug use during past 3 days (cocaine)

Location: 420-421(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Cocaine in any form, including crack

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_40: Drug use during past 3 days (cocaine)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	147	10.6 %	79.9%
2	No	37	2.7 %	20.1%
-9 (M)	Legitimate Skip	1209	86.8 %	-

- Study 02258 -

Based upon 184 valid cases out of 1393 total cases.

QE22_41 Drug use during past 3 days (crack only)

Location: 422-423(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 3 days, have you used (NAME OF DRUG)?

Crack only

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_41: Drug use during past 3 days (crack only)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	89	6.4 %	77.4%
2	No	26	1.9 %	22.6%
-9 (M)	Legitimate Skip	1278	91.7 %	-

Based upon 115 valid cases out of 1393 total cases.

QE22_42 Drug use during past 3 days (cocaine / not crack)

Location: 424-425(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 3 days, have you used (NAME OF DRUG)?

Any cocaine other than crack

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_42: Drug use during past 3 days (cocaine / not crack)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	37	2.7 %	63.8%
2	No	21	1.5 %	36.2%
-9 (M)	Legitimate Skip	1335	95.8 %	-

Based upon 58 valid cases out of 1393 total cases.

QE22_50 Drug use during past 3 days (heroin)

Location: 426-427(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 3 days, have you used (NAME OF DRUG)?

Heroin alone or with other drugs

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_50: Drug use during past 3 days (heroin)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	112	8.0 %	85.5%
2	No	19	1.4 %	14.5%
-9 (M)	Legitimate Skip	1262	90.6 %	-

Based upon 131 valid cases out of 1393 total cases.

QE22_51 Drug use during past 3 days (heroin w/ cocaine)

Location: 428-429(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 3 days, have you used (NAME OF DRUG)?

Heroin and cocaine together at the same time (crank, speedball)

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_51: Drug use during past 3 days (heroin w/ cocaine)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	29	2.1 %	74.4%
2	No	10	0.7 %	25.6%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QE22_60 Drug use during past 3 days (narcotics)

Location: 430-431(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 3 days, have you used (NAME OF DRUG)?

- Study 02258 -

Narcotics or opiates, such as morphine codeine, Demerol, Dilaudid, Talwin

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_60: Drug use during past 3 days (narcotics)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	24	1.7 %	70.6%
2	No	10	0.7 %	29.4%
-9 (M)	Legitimate Skip	1359	97.6 %	-

Based upon 34 valid cases out of 1393 total cases.

QE22_61 Drug use during past 3 days (methadone)

Location: 432-433(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Street or illegal methadone

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_61: Drug use during past 3 days (methadone)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	4	0.3 %	50.0%
2	No	4	0.3 %	50.0%
-9 (M)	Legitimate Skip	1385	99.4 %	-

Based upon 8 valid cases out of 1393 total cases.

QE22_62 Drug use during past 3 days (dilaudid)

Location: 434-435(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Dilaudid

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table

- Study 02258 -

of the preceding page.]

<i>QE22_62: Drug use during past 3 days (dilaudid)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	33.3%
2	No	2	0.1 %	66.7%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QE22_70 Drug use during past 3 days (depressants)

Location: 436-437(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Downers or depressants, such as sedatives, barbiturates, or tranquilizers

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_70: Drug use during past 3 days (depressants)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	26	1.9 %	81.2%
2	No	6	0.4 %	18.8%
-9 (M)	Legitimate Skip	1361	97.7 %	-

Based upon 32 valid cases out of 1393 total cases.

QE22_71 Drug use during past 3 days (sedatives)

Location: 438-439(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Sedatives or sleeping pills, such as Doriden, Noludar, Qualude, or Sopor

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

- Study 02258 -

<i>QE22_71: Drug use during past 3 days (sedatives)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE22_72 Drug use during past 3 days (barbiturates)

Location: 440-441(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 3 days, have you used (NAME OF DRUG)?

Barbiturates such as Nembutal, Seconal

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_72: Drug use during past 3 days (barbiturates)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE22_73 Drug use during past 3 days (benzodiazepines)

Location: 442-443(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 3 days, have you used (NAME OF DRUG)?

Benzodiazepines such as Valium, Librium, or others

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_73: Drug use during past 3 days (benzodiazepines)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE22_74 Drug use during past 3 days (other tranquilizers)

Location: 444-445(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Other tranquilizers

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_74: Drug use during past 3 days (other tranquilizers)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE22_75 Drug use during past 3 days (other depressants)

Location: 446-447(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Another depressant

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_75: Drug use during past 3 days (other depressants)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE22_80 Drug use during past 3 days (amphetamines)

Location: 448-449(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Amphetamines or other stimulants, speed, or diet pills

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

- Study 02258 -

<i>QE22_80: Drug use during past 3 days (amphetamines)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	7	0.5 %	53.8%
2	No	6	0.4 %	46.2%
-9 (M)	Legitimate Skip	1380	99.1 %	-

Based upon 13 valid cases out of 1393 total cases.

QE22_81 Drug use during past 3 days (methamphetamines)

Location: 450-451(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Methamphetamines

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_81: Drug use during past 3 days (methamphetamines)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	55.6%
2	No	4	0.3 %	44.4%
-9 (M)	Legitimate Skip	1384	99.4 %	-

Based upon 9 valid cases out of 1393 total cases.

QE22_90 Drug use during past 3 days (inhalants)

Location: 452-453(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Inhalants such as glue, gasoline, or paint thinner

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_90: Drug use during past 3 days (inhalants)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

- Study 02258 -

Based upon 0 valid cases out of 1393 total cases.

QE22_100 Drug use during past 3 days (other) - First mention

Location: 454-455(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 3 days, have you used (NAME OF DRUG)?

Other (1st mention)

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_100: Drug use during past 3 days (other) - First mention</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	10	0.7 %	76.9%
2	No	3	0.2 %	23.1%
-9 (M)	Legitimate Skip	1380	99.1 %	-

Based upon 13 valid cases out of 1393 total cases.

QE22_101 Drug use during past 3 days (other) - Second mention

Location: 456-457(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 3 days, have you used (NAME OF DRUG)?

Other (2nd mention)

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_101: Drug use during past 3 days (other) - Second mention</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QE22_102 Drug use during past 3 days (other) - Third mention

Location: 458-459(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Other (3rd mention)

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_102: Drug use during past 3 days (other) - Third mention</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE22_110 Drug use during past 3 days (prescribed medications)

Location: 460-461(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 3 days, have you used (NAME OF DRUG)?

Prescription medications

[Ask only if Respondent has used the substance in the past week as indicated by a 00 in Column 20 on the table of the preceding page.]

<i>QE22_110: Drug use during past 3 days (prescribed medications)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	436	31.3 %	93.8%
2	No	29	2.1 %	6.2%
-9 (M)	Legitimate Skip	927	66.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 465 valid cases out of 1393 total cases.

QE23 Past 12 months which drug caused most problems

Location: 462-464(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, what type of drug that you used caused you the most serious problems, such as problems with family, friends, or the law; problems feeling dependent on the drug; or health or emotional problems?

- Study 02258 -

[If drug did not cause a problem, enter 00, and go to E27.]

<i>QE23: Past 12 months which drug caused most problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
20	Marijuana, Hashish, THC	25	1.8 %	3.1%
30	Hallucinogens or Psychedelics	1	0.1 %	0.1%
40	Cocaine in Any Form	70	5.0 %	8.7%
41	Crack Only	154	11.1 %	19.2%
42	Any Cocaine Other Than Crack	15	1.1 %	1.9%
50	Heroin Alone or With Other Drugs	146	10.5 %	18.2%
51	Heroin and Cocaine Together At the Same Time	42	3.0 %	5.2%
60	Narcotics or Opiates	11	0.8 %	1.4%
61	Street or Illegal Methadone	1	0.1 %	0.1%
62	Dilaudid	1	0.1 %	0.1%
70	Downers or Depressants	5	0.4 %	0.6%
80	Amphetamines or Other Stimulants	4	0.3 %	0.5%
81	Methamphetamines	14	1.0 %	1.7%
100	Another Drug	2	0.1 %	0.2%
777	Other Drug	57	4.1 %	7.1%
999	Drug Use Did Not Cause a Problem	256	18.4 %	31.8%
-9 (M)	Legitimate Skip	587	42.1 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 804 valid cases out of 1393 total cases.

QE24 Past 12 months with whom did you use the problem drug

Location: 465-466(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, when you used (PROBLEM DRUG), did you generally use it . . . ?

<i>QE24: Past 12 months with whom did you use the problem drug</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	By Yourself	235	16.9 %	42.6%
2	With 1 or 2 Other People	265	19.0 %	48.0%
3	With More Than 2 Other People	52	3.7 %	9.4%
-9 (M)	Legitimate Skip	841	60.4 %	-

Based upon 552 valid cases out of 1393 total cases.

QE25 Where did you usually take the drug

Location: 467-468(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9

- Study 02258 -

Question:

Where did you usually take drugs?

<i>QE25: Where did you usually take the drug</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	At Home	294	21.1 %	53.3%
2	At Friend's or Relative's Home	125	9.0 %	22.6%
3	At a "Shooting Gallery"	7	0.5 %	1.3%
4	On the Street	52	3.7 %	9.4%
5	In a Motor Vehicle	35	2.5 %	6.3%
6	Some Other Place	24	1.7 %	4.3%
7	Some Other Place - Bar	9	0.6 %	1.6%
8	Some Other Place - Hotel / Motel	6	0.4 %	1.1%
-9 (M)	Legitimate Skip	841	60.4 %	-

Based upon 552 valid cases out of 1393 total cases.

QE26

Longest time period (in weeks) went w/o problem drug

Location:

469-470(width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -3 , -2 , -1

Question:

During the past 12 months, what was the longest period of time you went without using (PROBLEM DRUG)?

_____ NUMBER OF WEEKS

<i>QE26: Longest time period (in weeks) went w/o problem drug</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	66	4.7 %	12.0%
1	-	55	3.9 %	10.0%
2	-	30	2.2 %	5.4%
3	-	18	1.3 %	3.3%
4	-	40	2.9 %	7.2%
5	-	4	0.3 %	0.7%
6	-	7	0.5 %	1.3%
7	-	2	0.1 %	0.4%
8	-	9	0.6 %	1.6%
9	-	32	2.3 %	5.8%
10	-	4	0.3 %	0.7%
12	-	4	0.3 %	0.7%
13	-	48	3.4 %	8.7%
14	-	2	0.1 %	0.4%
15	-	3	0.2 %	0.5%
16	-	4	0.3 %	0.7%

- Study 02258 -

<i>QE26: Longest time period (in weeks) went w/o problem drug</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
17	-	27	1.9 %	4.9%
18	-	2	0.1 %	0.4%
20	-	4	0.3 %	0.7%
21	-	1	0.1 %	0.2%
22	-	16	1.1 %	2.9%
23	-	2	0.1 %	0.4%
24	-	1	0.1 %	0.2%
26	-	43	3.1 %	7.8%
28	-	2	0.1 %	0.4%
29	-	1	0.1 %	0.2%
30	-	17	1.2 %	3.1%
32	-	5	0.4 %	0.9%
33	-	1	0.1 %	0.2%
35	-	25	1.8 %	4.5%
36	-	5	0.4 %	0.9%
38	-	2	0.1 %	0.4%
39	-	18	1.3 %	3.3%
40	-	5	0.4 %	0.9%
42	-	1	0.1 %	0.2%
43	-	13	0.9 %	2.4%
44	-	1	0.1 %	0.2%
47	-	2	0.1 %	0.4%
48	-	13	0.9 %	2.4%
50	-	5	0.4 %	0.9%
51	-	4	0.3 %	0.7%
52	-	8	0.6 %	1.4%
-9 (M)	Legitimate Skip	841	60.4 %	-

Based upon 552 valid cases out of 1393 total cases.

QE27

Past 12 months favorite drug for taking regularly

Location: 471-473(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, what type of drug that you used would you say was your favorite drug for taking regularly? Some people call this their "drug of choice."

<i>QE27: Past 12 months favorite drug for taking regularly</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
20	Marijuana, Hashish, THC	136	9.8 %	16.9%

- Study 02258 -

<i>QE27: Past 12 months favorite drug for taking regularly</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
32	LSD	1	0.1 %	0.1%
40	Cocaine in Any Form	56	4.0 %	7.0%
41	Crack Only	138	9.9 %	17.1%
42	Any Cocaine Other Than Crack	19	1.4 %	2.4%
50	Heroin Alone or With Other Drugs	206	14.8 %	25.6%
51	Heroin and Cocaine Together At the Same Time	33	2.4 %	4.1%
60	Narcotics or Opiates	11	0.8 %	1.4%
61	Street or Illegal Methadone	3	0.2 %	0.4%
62	Dilaudid	1	0.1 %	0.1%
70	Downers or Depressants	2	0.1 %	0.2%
73	Benzodiazepines	3	0.2 %	0.4%
80	Amphetamines or Other Stimulants	4	0.3 %	0.5%
81	Methamphetamines	13	0.9 %	1.6%
100	Another Drug	2	0.1 %	0.2%
777	Other Drug	61	4.4 %	7.6%
999	Drug Use Did Not Cause a Problem	116	8.3 %	14.4%
-9 (M)	Legitimate Skip	587	42.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 805 valid cases out of 1393 total cases.

QE28 Amount spent on drugs past 12 months

Location: 474-480(width: 7; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: About how much would you say you spent on drugs for your own nonmedical use during the past 12 months?

<i>QE28: Amount spent on drugs past 12 months</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 777 valid cases out of 1393 total cases.

QE29 Did you OD on drugs past 12 months

Location: 481-482(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

In the past 12 months, have you OD'd on drugs?

If No -> Go to E29X

<i>QE29: Did you OD on drugs past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	37	2.7 %	4.6%
2	No	769	55.2 %	95.4%
-9 (M)	Legitimate Skip	587	42.1 %	-

Based upon 806 valid cases out of 1393 total cases.

QE29A Number of times OD'd in past 12 months

Location: 483-484(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many times have you OD'd in the past 12 months?

<i>QE29A: Number of times OD'd in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	8.1%
1	-	21	1.5 %	56.8%
2	-	5	0.4 %	13.5%
3	-	3	0.2 %	8.1%
4	-	1	0.1 %	2.7%
5	-	2	0.1 %	5.4%
10	-	2	0.1 %	5.4%
-9 (M)	Legitimate Skip	1356	97.3 %	-

Based upon 37 valid cases out of 1393 total cases.

QE29X Past 12 months used needle or syringe

Location: 485-486(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, did you use a needle, a syringe, or "works" to shoot up drugs?

If No -> Go to Interviewer checkpoint before E33

<i>QE29X: Past 12 months used needle or syringe</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	224	16.1 %	27.8%

- Study 02258 -

<i>QE29X: Past 12 months used needle or syringe</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	582	41.8 %	72.2%
-9 (M)	Legitimate Skip	587	42.1 %	-

Based upon 806 valid cases out of 1393 total cases.

QE29XA How often used needle or syringe?

Location: 487-488(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How often did you use a needle, a syringe, or "works" to shoot drugs in the past 12 months?

<i>QE29XA: How often used needle or syringe?</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Less Than 1 Day a Month	52	3.7 %	23.2%
2	1 to 3 Days a Month	29	2.1 %	12.9%
3	1 to 3 Days a Week	21	1.5 %	9.4%
4	3 to 4 Days a Week	25	1.8 %	11.2%
5	5 to 6 Days a Week	11	0.8 %	4.9%
6	Daily or Almost Every Day	64	4.6 %	28.6%
7	2 to 3 Times Every Day	12	0.9 %	5.4%
8	4 or More Times a Day	10	0.7 %	4.5%
-9 (M)	Legitimate Skip	1169	83.9 %	-

Based upon 224 valid cases out of 1393 total cases.

QE30 Use needle/syringe after anyone else

Location: 489-490(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, did you use a needle, a syringe, or "works" to shoot up drugs after anyone else had used it?

 If No -> Go to Interviewer checkpoint before E33

<i>QE30: Use needle/syringe after anyone else</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	48	3.4 %	21.4%
2	No	176	12.6 %	78.6%
-9 (M)	Legitimate Skip	1169	83.9 %	-

Based upon 224 valid cases out of 1393 total cases.

- Study 02258 -

<i>QE30A2: Number of times used needle after (short term sexual partner)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	41	2.9 %	85.4%
1	-	3	0.2 %	6.2%
3	-	1	0.1 %	2.1%
6	-	1	0.1 %	2.1%
50	-	1	0.1 %	2.1%
52	-	1	0.1 %	2.1%
-9 (M)	Legitimate Skip	1345	96.6 %	-

Based upon 48 valid cases out of 1393 total cases.

QE30A3 Number of times used needle after (prostitute)

Location: 496-497(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after (PERSON CATEGORY) had used it?

A prostitute

<i>QE30A3: Number of times used needle after (prostitute)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	43	3.1 %	89.6%
2	-	2	0.1 %	4.2%
4	-	1	0.1 %	2.1%
20	-	1	0.1 %	2.1%
50	-	1	0.1 %	2.1%
-9 (M)	Legitimate Skip	1345	96.6 %	-

Based upon 48 valid cases out of 1393 total cases.

QE30A4 Number of times used needle after (person w/ HIV/AIDS)

Location: 498-499(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after (PERSON CATEGORY) had used it?

Someone you knew or thought had AIDS or had a positive HIV test

- Study 02258 -

<i>QE30A4: Number of times used needle after (person w/ HIV/AIDS)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	44	3.2 %	93.6%
1	-	1	0.1 %	2.1%
2	-	1	0.1 %	2.1%
6	-	1	0.1 %	2.1%
-9 (M)	Legitimate Skip	1345	96.6 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 47 valid cases out of 1393 total cases.

QE30A5	Number of times used needle after (male homosexual/bisexual)
---------------	---

Location: 500-501(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after (PERSON CATEGORY) had used it?

A man you knew or thought was homosexual or bisexual

<i>QE30A5: Number of times used needle after (male homosexual/bisexual)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	47	3.4 %	97.9%
5	-	1	0.1 %	2.1%
-9 (M)	Legitimate Skip	1345	96.6 %	-

Based upon 48 valid cases out of 1393 total cases.

QE30A6	Number of times used after (strangers)
---------------	---

Location: 502-504(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, how many times did you use a needle, syringe, or "works" to shoot up drugs after (PERSON CATEGORY) had used it?

People you didn't know very long or strangers

<i>QE30A6: Number of times used after (strangers)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	34	2.4 %	70.8%

- Study 02258 -

<i>QE30A6: Number of times used after (strangers)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	3	0.2 %	6.2%
2	-	4	0.3 %	8.3%
3	-	2	0.1 %	4.2%
5	-	1	0.1 %	2.1%
12	-	1	0.1 %	2.1%
50	-	1	0.1 %	2.1%
52	-	1	0.1 %	2.1%
100	-	1	0.1 %	2.1%
-9 (M)	Legitimate Skip	1345	96.6 %	-

Based upon 48 valid cases out of 1393 total cases.

QE31 Cleaned needles others used past 12 months

Location: 505-506(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, have you tried to clean the needles and syringes other people had used before you used them?

If No -> Go to Interviewer checkpoint before E33

<i>QE31: Cleaned needles others used past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	38	2.7 %	79.2%
2	No	10	0.7 %	20.8%
-9 (M)	Legitimate Skip	1345	96.6 %	-

Based upon 48 valid cases out of 1393 total cases.

QE31A After cleaning used own cooker

Location: 507-508(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

After cleaning, did you use your own cooker?

<i>QE31A: After cleaning used own cooker</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	26	1.9 %	68.4%
2	No	12	0.9 %	31.6%
-9 (M)	Legitimate Skip	1355	97.3 %	-

- Study 02258 -

Based upon 38 valid cases out of 1393 total cases.

QE31B After cleaning used own cotton

Location: 509-510(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: After cleaning, did you use your own cotton?

<i>QE31B: After cleaning used own cotton</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	27	1.9 %	71.1%
2	No	11	0.8 %	28.9%
-9 (M)	Legitimate Skip	1355	97.3 %	-

Based upon 38 valid cases out of 1393 total cases.

QE32_1 How often use alcohol and clean water to clean needles

Location: 511-512(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you . . .
 . . . use alcohol and rinse with clean water?

<i>QE32_1: How often use alcohol and clean water to clean needles</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Rarely	6	0.4 %	15.8%
2	Sometimes	6	0.4 %	15.8%
3	Often	2	0.1 %	5.3%
4	Always	10	0.7 %	26.3%
5	Never	14	1.0 %	36.8%
-9 (M)	Legitimate Skip	1355	97.3 %	-

Based upon 38 valid cases out of 1393 total cases.

QE32_2 How often use bleach and clean water to clean needles

Location: 513-514(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you . . .

- Study 02258 -

... use bleach or Clorox and rinse with clean water?

<i>QE32_2: How often use bleach and clean water to clean needles</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Rarely	4	0.3 %	10.5%
2	Sometimes	6	0.4 %	15.8%
3	Often	7	0.5 %	18.4%
4	Always	18	1.3 %	47.4%
5	Never	3	0.2 %	7.9%
-9 (M)	Legitimate Skip	1355	97.3 %	-

Based upon 38 valid cases out of 1393 total cases.

QE32_3

How often boil in water only to clean needles

Location: 515-516(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you . . .

... boil them in water only?

<i>QE32_3: How often boil in water only to clean needles</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Sometimes	3	0.2 %	7.9%
3	Often	2	0.1 %	5.3%
5	Never	33	2.4 %	86.8%
-9 (M)	Legitimate Skip	1355	97.3 %	-

Based upon 38 valid cases out of 1393 total cases.

QE32_4

How often rinse in water used by another to clean needles

Location: 517-518(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, when you cleaned needles and syringes after others had used them, how often did you . . .

... rinse them in water that someone else had used to clean needles?

- Study 02258 -

<i>QE32_6: How often use some other method to clean needles</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Rarely	2	0.1 %	5.3%
5	Never	36	2.6 %	94.7%
-9 (M)	Legitimate Skip	1355	97.3 %	-

Based upon 38 valid cases out of 1393 total cases.

QE33A Cocaine withdrawal symptoms - difficulty sleeping

Location: 523-524(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you . . .

. . . had difficulty sleeping?

<i>QE33A: Cocaine withdrawal symptoms - difficulty sleeping</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	241	17.3 %	48.6%
2	No	255	18.3 %	51.4%
-9 (M)	Legitimate Skip	897	64.4 %	-

Based upon 496 valid cases out of 1393 total cases.

QE33B Cocaine withdrawal symptoms - drowsy

Location: 525-526(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you . . .

. . . become very drowsy and felt like you needed to sleep a lot?

<i>QE33B: Cocaine withdrawal symptoms - drowsy</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	252	18.1 %	50.9%
2	No	243	17.4 %	49.1%

- Study 02258 -

<i>QE33B: Cocaine withdrawal symptoms - drowsy</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	897	64.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 495 valid cases out of 1393 total cases.

QE33C Cocaine withdrawal symptoms - shakiness

Location: 527-528(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you . . .

. . . experienced some shakiness in your hands or other parts of your body?

<i>QE33C: Cocaine withdrawal symptoms - shakiness</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	170	12.2 %	34.3%
2	No	325	23.3 %	65.7%
-9 (M)	Legitimate Skip	897	64.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 495 valid cases out of 1393 total cases.

QE33D Cocaine withdrawal symptoms - depressed

Location: 529-530(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you . . .

. . . become extremely depressed?

<i>QE33D: Cocaine withdrawal symptoms - depressed</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	257	18.4 %	51.8%
2	No	239	17.2 %	48.2%

- Study 02258 -

<i>QE33D: Cocaine withdrawal symptoms - depressed</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	897	64.4 %	-

Based upon 496 valid cases out of 1393 total cases.

QE33E Cocaine withdrawal symptoms - increased appetite

Location: 531-532(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you . . .

. . . experienced a great increase in your appetite?

<i>QE33E: Cocaine withdrawal symptoms - increased appetite</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	203	14.6 %	41.0%
2	No	292	21.0 %	59.0%
-9 (M)	Legitimate Skip	897	64.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 495 valid cases out of 1393 total cases.

QE33F Cocaine withdrawal symptoms - easily excited

Location: 533-534(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you . . .

. . . become easily excited or distracted?

<i>QE33F: Cocaine withdrawal symptoms - easily excited</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	236	16.9 %	47.7%
2	No	259	18.6 %	52.3%
-9 (M)	Legitimate Skip	897	64.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

- Study 02258 -

Based upon 495 valid cases out of 1393 total cases.

QE33G Cocaine withdrawal symptoms - nervous or anxious

Location: 535-536(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like to ask you about any withdrawal symptoms you might have experienced as a result of stopping cocaine use.

During the past 12 months, have you . . .

. . . felt nervous or anxious?

<i>QE33G: Cocaine withdrawal symptoms - nervous or anxious</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	293	21.0 %	59.1%
2	No	203	14.6 %	40.9%
-9 (M)	Legitimate Skip	897	64.4 %	-

Based upon 496 valid cases out of 1393 total cases.

QE34 Past 12 months crave cocaine

Location: 537-538(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, did you ever crave cocaine?

If No -> Go to E37

<i>QE34: Past 12 months crave cocaine</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	288	20.7 %	58.1%
2	No	208	14.9 %	41.9%
-9 (M)	Legitimate Skip	897	64.4 %	-

Based upon 496 valid cases out of 1393 total cases.

QE35 Intensity of craving for cocaine

Location: 539-540(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Typically, how strong or intense were your cravings for cocaine on a scale of 0 to 10 with 0 being the weakest

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, how troubled or bothered have you been by your drug problem?

<i>QE37: How troubled by drug problem past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Slightly	221	15.9 %	15.9%
2	Moderately	118	8.5 %	8.5%
3	Considerably	142	10.2 %	10.2%
4	Extremely	220	15.8 %	15.8%
5	Not at All	691	49.6 %	49.6%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QE38 Importance of treatment for drug problem

Location: 545-546(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How important to you now is getting treatment or counseling for your drug problems? Would you say ... ?

<i>QE38: Importance of treatment for drug problem</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	219	15.7 %	15.7%
2	Very Important	558	40.1 %	40.1%
3	Not at All	615	44.1 %	44.2%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QE39 Extent other problems causing drug problems

Location: 547-548(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In your opinion, in the past 12 months to what extent were your problems with drugs caused by other problems in your life? Would you say ... ?

<i>QE39: Extent other problems causing drug problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	A Little	283	20.3 %	20.4%
2	A Lot	398	28.6 %	28.6%
3	Not at All	709	50.9 %	51.0%
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

- Study 02258 -

Based upon 1390 valid cases out of 1393 total cases.

QE40 How tempted to use drugs now

Location: 549-550(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Overall, how tempted are you to use drugs now? Would you say . . . ?

<i>QE40: How tempted to use drugs now</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	422	30.3 %	30.3%
2	Very Tempted	164	11.8 %	11.8%
3	Not at All	807	57.9 %	57.9%

Based upon 1393 valid cases out of 1393 total cases.

QE41 Most important reason for not using drugs

Location: 551-552(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was your most important reason for not using drugs?

<i>QE41: Most important reason for not using drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	Financial	56	4.0 %	4.0%
20	Desire to Change Lifestyle	559	40.1 %	40.2%
30	Health Reasons	179	12.8 %	12.9%
40	Interpersonal Reasons	355	25.5 %	25.5%
50	Criminal Justcie Related	80	5.7 %	5.8%
60	Access to Services	4	0.3 %	0.3%
70	Employment / School	29	2.1 %	2.1%
80	Pressure to Stop From (Person / Entity)	10	0.7 %	0.7%
90	Other	109	7.8 %	7.8%
99	Drug Availability	9	0.6 %	0.6%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 1390 valid cases out of 1393 total cases.

QE41_00 Most important reason DRUG AVAILABILITY

Location: 553-554(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was your most important reason for not using drugs?

- Study 02258 -

Drug availability

<i>QE41_00: Most important reason DRUG AVAILABILITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Shortage of Available Drugs	1	0.1 %	11.1%
2	Drugs of Poor Quality	1	0.1 %	11.1%
4	Other Problems With Availability	7	0.5 %	77.8%
-9 (M)	Legitimate Skip	1384	99.4 %	-

Based upon 9 valid cases out of 1393 total cases.

QE41_10 Most important reason FINANCIAL

Location: 555-556(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was your most important reason for not using drugs?

Financial

<i>QE41_10: Most important reason FINANCIAL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11	Drugs Cost too Much, Could Not Support Habit	11	0.8 %	19.6%
12	Not Enough Money to Buy Drugs	20	1.4 %	35.7%
13	Not Enough Money to Buy Other Things When Using Drugs	13	0.9 %	23.2%
14	Wanted to be Self-Supporting	6	0.4 %	10.7%
19	Other financial problems	6	0.4 %	10.7%
-9 (M)	Legitimate Skip	1334	95.8 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 56 valid cases out of 1393 total cases.

QE41_20 Most important reason CHANGE LIFESTYLE

Location: 557-558(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was your most important reason for not using drugs?

Desire to change lifestyle

- Study 02258 -

<i>QE41_20: Most important reason CHANGE LIFESTYLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Want to Get off Drugs	204	14.6 %	36.5%
22	Want to Cut Down on the Size of my Habit	6	0.4 %	1.1%
23	Getting Disgusted With Lifestyle	246	17.7 %	44.0%
24	Want to Enter or Stay in School	1	0.1 %	0.2%
25	Want to Find New Friends	6	0.4 %	1.1%
26	Became Religious	10	0.7 %	1.8%
29	Other Desire to Change Lifestyle	86	6.2 %	15.4%
-9 (M)	Legitimate Skip	834	59.9 %	-

Based upon 559 valid cases out of 1393 total cases.

QE41_30 Most important reason HEALTH REASONS

Location: 559-560(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What was your most important reason for not using drugs?

Health reasons

<i>QE41_30: Most important reason HEALTH REASONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	Have Drug-Related Contagious Disease	15	1.1 %	8.4%
32	Drugs Make me Sick	25	1.8 %	14.0%
33	Afraid of Getting AIDS, Other Diseases	2	0.1 %	1.1%
34	Had Health Problems Unrelated to Drugs	19	1.4 %	10.6%
35	Pregnant or Want to Get Pregnant	3	0.2 %	1.7%
36	Want to Improve my General Health	78	5.6 %	43.6%
37	Want to Improve my Mental Health	10	0.7 %	5.6%
39	Other Health Reasons	27	1.9 %	15.1%
-9 (M)	Legitimate Skip	1214	87.2 %	-

Based upon 179 valid cases out of 1393 total cases.

QE41_40 Most important reason INTERPERSONAL REASONS

Location: 561-562(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What was your most important reason for not using drugs?

- Study 02258 -

Interpersonal reasons

<i>QE41_40: Most important reason INTERPERSONAL REASONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Want to Save my Marriage or Relationship	43	3.1 %	12.1%
42	Want to Improve Relations With Family / Friends	173	12.4 %	48.7%
43	Want to Avoid Losing Custody of my Children	30	2.2 %	8.5%
44	Want to Get my Children Back	12	0.9 %	3.4%
49	Other Interpersonal Reason	97	7.0 %	27.3%
-9 (M)	Legitimate Skip	1038	74.5 %	-

Based upon 355 valid cases out of 1393 total cases.

QE41_50 Most important reason CRIMINAL JUSTICE

Location: 563-564(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was your most important reason for not using drugs?

Criminal justice related

<i>QE41_50: Most important reason CRIMINAL JUSTICE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Want to Avoid Being Involved in Criminal Activity	14	1.0 %	17.5%
52	Want to Avoid Arrest	39	2.8 %	48.8%
53	Court Mandate	15	1.1 %	18.8%
54	Have an Upcoming Court Hearing	2	0.1 %	2.5%
55	Other Legal Reasons	10	0.7 %	12.5%
-9 (M)	Legitimate Skip	1313	94.3 %	-

Based upon 80 valid cases out of 1393 total cases.

QE41_60 Most important reason ACCESS TO SERVICES

Location: 565-566(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was your most important reason for not using drugs?

Access to services

- Study 02258 -

<i>QE41_60: Most important reason ACCESS TO SERVICES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
69	Other Access to Services	4	0.3 %	100.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QE41_70 Most important reason EMPLOYMENT/SCHOOL

Location: 567-568(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was your most important reason for not using drugs?

Employment / School

<i>QE41_70: Most important reason EMPLOYMENT/SCHOOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
71	Want to Keep a Job or Find a Job	21	1.5 %	72.4%
72	To Prevent Problems With my Boss or Supervisor	2	0.1 %	6.9%
74	Other Job-Related Problems	3	0.2 %	10.3%
75	Do Better in School	3	0.2 %	10.3%
-9 (M)	Legitimate Skip	1364	97.9 %	-

Based upon 29 valid cases out of 1393 total cases.

QE41_80 Most important reason PRESSURE TO STOP

Location: 569-570(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was your most important reason for not using drugs?

Pressure to stop from people

<i>QE41_80: Most important reason PRESSURE TO STOP</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Spouse / Partner	3	0.2 %	30.0%
82	Family Members	3	0.2 %	30.0%
85	Job or Employer	1	0.1 %	10.0%
86	Legal (Besides Court Mandate)	1	0.1 %	10.0%
87	Treatment Staff	1	0.1 %	10.0%
89	Other Pressure	1	0.1 %	10.0%

- Study 02258 -

<i>QE41_80: Most important reason PRESSURE TO STOP</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1383	99.3 %	-

Based upon 10 valid cases out of 1393 total cases.

QE41A_1 1st other reason for not using drugs

Location: 571-572(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs? First mention.

<i>QE41A_1: 1st other reason for not using drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	No Other Reason	622	44.7 %	44.7%
10	Financial	58	4.2 %	4.2%
20	Desire to Change Lifestyle	224	16.1 %	16.1%
30	Health Reasons	117	8.4 %	8.4%
40	Interpersonal Reasons	243	17.4 %	17.5%
50	Criminal Justice Related	32	2.3 %	2.3%
60	Access to Services	1	0.1 %	0.1%
70	Employment / School	32	2.3 %	2.3%
80	Pressure to Stop From (Person / Entity)	7	0.5 %	0.5%
90	Other	47	3.4 %	3.4%
99	Drug Availability	7	0.5 %	0.5%
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1390 valid cases out of 1393 total cases.

QE41A_001 1st other reason DRUG AVAILABILITY

Location: 573-574(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 First mention.

Drug availability

<i>QE41A_001: 1st other reason DRUG AVAILABILITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Shortage of Available Drugs	3	0.2 %	42.9%
3	Lost Drug Connection	1	0.1 %	14.3%

- Study 02258 -

<i>QE41A_001: 1st other reason DRUG AVAILABILITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	Other Problems With Availability	3	0.2 %	42.9%
-9 (M)	Legitimate Skip	1386	99.5 %	-

Based upon 7 valid cases out of 1393 total cases.

QE41A_101 1st other reason FINANCIAL

Location: 575-576(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs?
First mention.

Financial

<i>QE41A_101: 1st other reason FINANCIAL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11	Drugs Cost too Much, Could Not Support Habit	12	0.9 %	20.7%
12	Not Enough Money to Buy Drugs	10	0.7 %	17.2%
13	Not Enough Money to Buy Other Things When Using Drugs	22	1.6 %	37.9%
14	Wanted to be Self-Supporting	6	0.4 %	10.3%
19	Other financial problems	8	0.6 %	13.8%
-9 (M)	Legitimate Skip	1332	95.6 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 58 valid cases out of 1393 total cases.

QE41A_201 1st other reason CHANGE LIFESTYLE

Location: 577-578(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs?
First mention.

Desire to change lifestyle

<i>QE41A_201: 1st other reason CHANGE LIFESTYLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Want to Get off Drugs	76	5.5 %	33.9%

- Study 02258 -

<i>QE41A_201: 1st other reason CHANGE LIFESTYLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
22	Want to Cut Down on the Size of my Habit	2	0.1 %	0.9%
23	Getting Disgusted With Lifestyle	90	6.5 %	40.2%
24	Want to Enter or Stay in School	3	0.2 %	1.3%
26	Became Religious	14	1.0 %	6.2%
29	Other Desire to Change Lifestyle	39	2.8 %	17.4%
-9 (M)	Legitimate Skip	1169	83.9 %	-

Based upon 224 valid cases out of 1393 total cases.

QE41A_301 1st other reason HEALTH REASONS

Location: 579-580(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs?
First mention.

Health reasons

<i>QE41A_301: 1st other reason HEALTH REASONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	Have Drug-Related Contagious Disease	6	0.4 %	5.1%
32	Drugs Make me Sick	9	0.6 %	7.7%
33	Afraid of Getting AIDS, Other Diseases	5	0.4 %	4.3%
34	Had Health Problems Unrelated to Drugs	10	0.7 %	8.5%
35	Pregnant or Want to Get Pregnant	1	0.1 %	0.9%
36	Want to Improve my General Health	59	4.2 %	50.4%
37	Want to Improve my Mental Health	13	0.9 %	11.1%
39	Other Health Reasons	14	1.0 %	12.0%
-9 (M)	Legitimate Skip	1276	91.6 %	-

Based upon 117 valid cases out of 1393 total cases.

QE41A_401 1st other reason INTERPERSONAL REASONS

Location: 581-582(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs?
First mention.

Interpersonal reasons

- Study 02258 -

<i>QE41A_401: 1st other reason INTERPERSONAL REASONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Want to Save my Marriage or Relationship	29	2.1 %	11.9%
42	Want to Improve Relations With Family / Friends	130	9.3 %	53.5%
43	Want to Avoid Losing Custody of my Children	16	1.1 %	6.6%
44	Want to Get my Children Back	7	0.5 %	2.9%
49	Other Interpersonal Reason	61	4.4 %	25.1%
-9 (M)	Legitimate Skip	1150	82.6 %	-

Based upon 243 valid cases out of 1393 total cases.

QE41A_501 1st other reason CRIMINAL JUSTICE

Location: 583-584(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs?
First mention.

Criminal justice related

<i>QE41A_501: 1st other reason CRIMINAL JUSTICE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Want to Avoid Being Involved in Criminal Activity	13	0.9 %	40.6%
52	Want to Avoid Arrest	14	1.0 %	43.8%
54	Have an Upcoming Court Hearing	2	0.1 %	6.2%
55	Other Legal Reasons	3	0.2 %	9.4%
-9 (M)	Legitimate Skip	1361	97.7 %	-

Based upon 32 valid cases out of 1393 total cases.

QE41A_601 1st other reason ACCESS TO SERVICES

Location: 585-586(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs?
First mention.

Access to services

<i>QE41A_601: 1st other reason ACCESS TO SERVICES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
69	Other Access to Services	1	0.1 %	100.0%

- Study 02258 -

<i>QE41A_601: 1st other reason ACCESS TO SERVICES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QE41A_701 1st other reason EMPLOYMENT/SCHOOL

Location: 587-588(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What other reasons have you had for not using drugs?
First mention.

Employment / School

<i>QE41A_701: 1st other reason EMPLOYMENT/SCHOOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
71	Want to Keep a Job or Find a Job	27	1.9 %	84.4%
74	Other Job-Related Problems	2	0.1 %	6.2%
79	Other School-Related Problems	3	0.2 %	9.4%
-9 (M)	Legitimate Skip	1361	97.7 %	-

Based upon 32 valid cases out of 1393 total cases.

QE41A_801 1st other reason PRESSURE TO STOP

Location: 589-590(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What other reasons have you had for not using drugs?
First mention.

Pressure to stop from people

<i>QE41A_801: 1st other reason PRESSURE TO STOP</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Spouse / Partner	1	0.1 %	14.3%
82	Family Members	4	0.3 %	57.1%
86	Legal (Besides Court Mandate)	1	0.1 %	14.3%
89	Other Pressure	1	0.1 %	14.3%
-9 (M)	Legitimate Skip	1386	99.5 %	-

Based upon 7 valid cases out of 1393 total cases.

- Study 02258 -

QE41A_2 2nd other reason for not using drugs

Location: 591-592(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs? Second mention.

<i>QE41A_2: 2nd other reason for not using drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	No Other Reason	501	36.0 %	65.2%
10	Financial	15	1.1 %	2.0%
20	Desire to Change Lifestyle	56	4.0 %	7.3%
30	Health Reasons	48	3.4 %	6.2%
40	Interpersonal Reasons	71	5.1 %	9.2%
50	Criminal Justcie Related	12	0.9 %	1.6%
70	Employment / School	18	1.3 %	2.3%
80	Pressure to Stop From (Person / Entity)	5	0.4 %	0.7%
90	Other	39	2.8 %	5.1%
99	Drug Availability	3	0.2 %	0.4%
-9 (M)	Legitimate Skip	622	44.7 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 768 valid cases out of 1393 total cases.

QE41A_002 2nd other reason DRUG AVAILABILITY

Location: 593-594(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Second mention.

Drug availability

<i>QE41A_002: 2nd other reason DRUG AVAILABILITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Shortage of Available Drugs	1	0.1 %	33.3%
4	Other Problems With Availability	2	0.1 %	66.7%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QE41A_102 2nd other reason FINANCIAL

Location: 595-596(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What other reasons have you had for not using drugs?
 Second mention.

Financial

<i>QE41A_102: 2nd other reason FINANCIAL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11	Drugs Cost too Much, Could Not Support Habit	6	0.4 %	42.9%
12	Not Enough Money to Buy Drugs	3	0.2 %	21.4%
13	Not Enough Money to Buy Other Things When Using Drugs	3	0.2 %	21.4%
14	Wanted to be Self-Supporting	1	0.1 %	7.1%
19	Other financial problems	1	0.1 %	7.1%
-9 (M)	Legitimate Skip	1375	98.7 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 14 valid cases out of 1393 total cases.

QE41A_202 2nd other reason CHANGE LIFESTYLE

Location: 597-598(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What other reasons have you had for not using drugs?
 Second mention.

Desire to change lifestyle

<i>QE41A_202: 2nd other reason CHANGE LIFESTYLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Want to Get off Drugs	17	1.2 %	30.4%
23	Getting Disgusted With Lifestyle	24	1.7 %	42.9%
24	Want to Enter or Stay in School	3	0.2 %	5.4%
25	Want to Find New Friends	2	0.1 %	3.6%
26	Became Religious	3	0.2 %	5.4%
29	Other Desire to Change Lifestyle	7	0.5 %	12.5%
-9 (M)	Legitimate Skip	1337	96.0 %	-

Based upon 56 valid cases out of 1393 total cases.

QE41A_302 2nd other reason HEALTH REASONS

- Study 02258 -

Location: 599-600(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Second mention.

Health reasons

<i>QE41A_302: 2nd other reason HEALTH REASONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	Have Drug-Related Contagious Disease	4	0.3 %	8.3%
32	Drugs Make me Sick	4	0.3 %	8.3%
34	Had Health Problems Unrelated to Drugs	4	0.3 %	8.3%
36	Want to Improve my General Health	25	1.8 %	52.1%
37	Want to Improve my Mental Health	8	0.6 %	16.7%
39	Other Health Reasons	3	0.2 %	6.2%
-9 (M)	Legitimate Skip	1345	96.6 %	-

Based upon 48 valid cases out of 1393 total cases.

QE41A_402 2nd other reason INTERPERSONAL REASONS

Location: 601-602(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Second mention.

Interpersonal reasons

<i>QE41A_402: 2nd other reason INTERPERSONAL REASONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Want to Save my Marriage or Relationship	6	0.4 %	8.5%
42	Want to Improve Relations With Family / Friends	40	2.9 %	56.3%
43	Want to Avoid Losing Custody of my Children	3	0.2 %	4.2%
44	Want to Get my Children Back	1	0.1 %	1.4%
49	Other Interpersonal Reason	21	1.5 %	29.6%
-9 (M)	Legitimate Skip	1322	94.9 %	-

Based upon 71 valid cases out of 1393 total cases.

QE41A_502 2nd other reason CRIMINAL JUSTICE

Location: 603-604(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs?
Second mention.

Criminal justice related

<i>QE41A_502: 2nd other reason CRIMINAL JUSTICE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Want to avoid being involved in criminal activity	5	0.4 %	41.7%
52	Want to avoid arrest	6	0.4 %	50.0%
53	Court mandate	1	0.1 %	8.3%
-9 (M)	Legitimate Skip	1381	99.1 %	-

Based upon 12 valid cases out of 1393 total cases.

QE41A_602 2nd other reason ACCESS TO SERVICES

Location: 605-606(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs?
Second mention.

Access to services

<i>QE41A_602: 2nd other reason ACCESS TO SERVICES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE41A_702 2nd other reason EMPLOYMENT/SCHOOL

Location: 607-608(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs?
Second mention.

Employment / School

<i>QE41A_702: 2nd other reason EMPLOYMENT/SCHOOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
71	Want to Keep a Job or Find a Job	17	1.2 %	94.4%

- Study 02258 -

<i>QE41A_702: 2nd other reason EMPLOYMENT/SCHOOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
79	Other School-Related Problems	1	0.1 %	5.6%
-9 (M)	Legitimate Skip	1375	98.7 %	-

Based upon 18 valid cases out of 1393 total cases.

QE41A_802 2nd other reason PRESSURE TO STOP

Location: 609-610(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs?
Second mention.

Pressure to stop from people

<i>QE41A_802: 2nd other reason PRESSURE TO STOP</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Spouse / Partner	3	0.2 %	60.0%
82	Family Members	2	0.1 %	40.0%
-9 (M)	Legitimate Skip	1388	99.6 %	-

Based upon 5 valid cases out of 1393 total cases.

QE41A_3 3rd other reason for not using drugs

Location: 611-612(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What other reasons have you had for not using drugs? Third mention.

<i>QE41A_3: 3rd other reason for not using drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	No Other Reason	134	9.6 %	59.8%
10	Financial	10	0.7 %	4.5%
20	Desire to Change Lifestyle	17	1.2 %	7.6%
30	Health Reasons	11	0.8 %	4.9%
40	Interpersonal Reasons	30	2.2 %	13.4%
50	Criminal Justice Related	4	0.3 %	1.8%
70	Employment / School	7	0.5 %	3.1%
80	Pressure to Stop From (Person / Entity)	1	0.1 %	0.4%
90	Other	10	0.7 %	4.5%
-9 (M)	Legitimate Skip	1162	83.4 %	-
-2 (M)	Don't Know	6	0.4 %	-

- Study 02258 -

<i>QE41A_3: 3rd other reason for not using drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-1 (M)	Refused	1	0.1 %	-

Based upon 224 valid cases out of 1393 total cases.

QE41A_003 3rd other reason DRUG AVAILABILITY

Location: 613-614(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Third mention.

 Drug availability

<i>QE41A_003: 3rd other reason DRUG AVAILABILITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE41A_103 3rd other reason FINANCIAL

Location: 615-616(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Third mention.

 Financial

<i>QE41A_103: 3rd other reason FINANCIAL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11	Drugs Cost too Much, Could Not Support Habit	5	0.4 %	50.0%
13	Not Enough Money to Buy Other Things When Using Drugs	4	0.3 %	40.0%
19	Other fiancial problems	1	0.1 %	10.0%
-9 (M)	Legitimate Skip	1376	98.8 %	-
-2 (M)	Don't Know	6	0.4 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 10 valid cases out of 1393 total cases.

QE41A_203 3rd other reason CHANGE LIFESTYLE

- Study 02258 -

Location: 617-618(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Third mention.
 Desire to change lifestyle

<i>QE41A_203: 3rd other reason CHANGE LIFESTYLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Want to Get off Drugs	6	0.4 %	35.3%
23	Getting Disgusted With Lifestyle	2	0.1 %	11.8%
26	Became Religious	2	0.1 %	11.8%
29	Other Desire to Change Lifestyle	7	0.5 %	41.2%
-9 (M)	Legitimate Skip	1376	98.8 %	-

Based upon 17 valid cases out of 1393 total cases.

QE41A_303 3rd other reason HEALTH REASONS

Location: 619-620(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Third mention.
 Health reasons

<i>QE41A_303: 3rd other reason HEALTH REASONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	Have Drug-Related Contagious Disease	1	0.1 %	9.1%
32	Drugs Make me Sick	2	0.1 %	18.2%
36	Want to Improve my General Health	7	0.5 %	63.6%
37	Want to Improve my Mental Health	1	0.1 %	9.1%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QE41A_403 3rd other reason INTERPERSONAL REASONS

Location: 621-622(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Third mention.

- Study 02258 -

Interpersonal reasons

<i>QE41A_403: 3rd other reason INTERPERSONAL REASONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Want to Save my Marriage or Relationship	5	0.4 %	16.7%
42	Want to Improve Relations With Family / Friends	11	0.8 %	36.7%
43	Want to Avoid Losing Custody of my Children	3	0.2 %	10.0%
44	Want to Get my Children Back	1	0.1 %	3.3%
49	Other Interpersonal Reason	10	0.7 %	33.3%
-9 (M)	Legitimate Skip	1363	97.8 %	-

Based upon 30 valid cases out of 1393 total cases.

QE41A_503 3rd other reason CRIMINAL JUSTICE

Location: 623-624(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Third mention.

Criminal justice related

<i>QE41A_503: 3rd other reason CRIMINAL JUSTICE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
52	Want to Avoid Arrest	3	0.2 %	75.0%
54	Have an Upcoming Court Hearing	1	0.1 %	25.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QE41A_603 3rd other reason ACCESS TO SERVICES

Location: 625-626(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Third mention.

Access to services

- Study 02258 -

<i>QE41A_603: 3rd other reason ACCESS TO SERVICES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QE41A_703 3rd other reason EMPLOYMENT/SCHOOL

Location: 627-628(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Third mention.
 Employment / School

<i>QE41A_703: 3rd other reason EMPLOYMENT/SCHOOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
71	Want to Keep a Job or Find a Job	4	0.3 %	57.1%
74	Other Job-Related Problems	2	0.1 %	28.6%
76	Prevent Problems With Principal or Teachers	1	0.1 %	14.3%
-9 (M)	Legitimate Skip	1386	99.5 %	-

Based upon 7 valid cases out of 1393 total cases.

QE41A_803 3rd other reason PRESSURE TO STOP

Location: 629-630(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What other reasons have you had for not using drugs?
 Third mention.
 Pressure to stop from people

<i>QE41A_803: 3rd other reason PRESSURE TO STOP</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
82	Family Members	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QE42A How confident not use drugs (tense or nervous)

Location: 631-632(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If other people around you made you tense or nervous?

<i>QE42A: How confident not use drugs (tense or nervous)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	310	22.3 %	22.3%
2	Very Confident or Sure	939	67.4 %	67.5%
3	Not at All Confident or Sure	142	10.2 %	10.2%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QE42B How confident not use drugs (remember how you feel)

Location: 633-634(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you remembered how it makes you feel?

<i>QE42B: How confident not use drugs (remember how you feel)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	376	27.0 %	27.0%
2	Very Confident or Sure	849	60.9 %	61.0%
3	Not at All Confident or Sure	166	11.9 %	11.9%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QE42C How confident not use drugs (felt relaxed and sure)

Location: 635-636(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you felt relaxed and sure of yourself?

<i>QE42C: How confident not use drugs (felt relaxed and sure)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	226	16.2 %	16.3%
2	Very Confident or Sure	1042	74.8 %	75.0%
3	Not at All Confident or Sure	122	8.8 %	8.8%
-2 (M)	Don't Know	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QE42D How confident not use drugs (drowsy but want to stay awake)

Location: 637-638(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you felt drowsy but wanted to stay awake?

<i>QE42D: How confident not use drugs (drowsy but want to stay awake)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	202	14.5 %	14.5%
2	Very Confident or Sure	1057	75.9 %	76.0%
3	Not at All Confident or Sure	132	9.5 %	9.5%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QE42E How confident not use drugs (found a supply of drugs)

- Study 02258 -

Location: 639-640(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you unexpectedly found a supply of drugs?

<i>QE42E: How confident not use drugs (found a supply of drugs)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	334	24.0 %	24.0%
2	Very Confident or Sure	671	48.2 %	48.2%
3	Not at All Confident or Sure	387	27.8 %	27.8%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QE42F How confident not use drugs (felt people didnt like you)

Location: 641-642(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you felt that other people didn't like you?

<i>QE42F: How confident not use drugs (felt people didnt like you)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	171	12.3 %	12.3%
2	Very Confident or Sure	1114	80.0 %	80.0%
3	Not at All Confident or Sure	107	7.7 %	7.7%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QE42G How confident not use drugs (not able to get to sleep)

- Study 02258 -

QE42I How confident not use drugs (with other people using drugs)

Location: 647-648(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you were at a party or some place where other people were using drugs?

<i>QE42I: How confident not use drugs (with other people using drugs)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	370	26.6 %	26.6%
2	Very Confident or Sure	696	50.0 %	50.0%
3	Not at All Confident or Sure	326	23.4 %	23.4%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QE42J How confident not use drugs (felt satisfied or happy)

Location: 649-650(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you felt satisfied or happy with something you had done?

<i>QE42J: How confident not use drugs (felt satisfied or happy)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	222	15.9 %	16.0%
2	Very Confident or Sure	1050	75.4 %	75.6%
3	Not at All Confident or Sure	117	8.4 %	8.4%
-2 (M)	Don't Know	3	0.2 %	-

- Study 02258 -

<i>QE42J: How confident not use drugs (felt satisfied or happy)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-1 (M)	Refused	1	0.1 %	-

Based upon 1389 valid cases out of 1393 total cases.

QE42K How confident not use drugs (felt angry about something)

Location: 651-652(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you felt angry about something?

<i>QE42K: How confident not use drugs (felt angry about something)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	345	24.8 %	24.8%
2	Very Confident or Sure	849	60.9 %	61.1%
3	Not at All Confident or Sure	196	14.1 %	14.1%
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1390 valid cases out of 1393 total cases.

QE42L How confident not use drugs (thought one time not a problem)

Location: 653-654(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you started to think that using drugs just one time would not be a problem?

- Study 02258 -

<i>QE42L: How confident not use drugs (thought one time not a problem)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	300	21.5 %	21.6%
2	Very Confident or Sure	789	56.6 %	56.7%
3	Not at All Confident or Sure	302	21.7 %	21.7%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QE42M How confident not use drugs (felt confused)

Location: 655-656(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you felt confused?

<i>QE42M: How confident not use drugs (felt confused)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	315	22.6 %	22.7%
2	Very Confident or Sure	924	66.3 %	66.6%
3	Not at All Confident or Sure	149	10.7 %	10.7%
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1388 valid cases out of 1393 total cases.

QE42N How confident not use drugs (felt sad or depressed)

Location: 657-658(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

- Study 02258 -

. . . If you felt sad or depressed?

<i>QE42N: How confident not use drugs (felt sad or depressed)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	368	26.4 %	26.5%
2	Very Confident or Sure	800	57.4 %	57.5%
3	Not at All Confident or Sure	223	16.0 %	16.0%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QE42O How confident not use drugs (someone encouraged you to use drugs)

Location: 659-660(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you were with someone who encouraged you to use drugs or suggested that you use drugs together?

<i>QE42O: How confident not use drugs (someone encouraged you to use drugs)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	325	23.3 %	23.4%
2	Very Confident or Sure	807	57.9 %	58.0%
3	Not at All Confident or Sure	259	18.6 %	18.6%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QE42P How confident not use drugs (prove to self could use w/out losing control)

Location: 661-662(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to

- Study 02258 -

in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you were having problems with your family or friends?

<i>QE42R: How confident not use drugs (problems w/ family/friends)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	322	23.1 %	23.1%
2	Very Confident or Sure	894	64.2 %	64.2%
3	Not at All Confident or Sure	176	12.6 %	12.6%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QE42S How confident not use drugs (bored or had nothing to do)

Location: 667-668(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you were bored or had nothing to do?

<i>QE42S: How confident not use drugs (bored or had nothing to do)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	306	22.0 %	22.0%
2	Very Confident or Sure	880	63.2 %	63.3%
3	Not at All Confident or Sure	205	14.7 %	14.7%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QE42T How confident not use drugs (were in pain physically)

Location: 669-670(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident

- Study 02258 -

you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs . . .

. . . If you were in pain physically?

<i>QE42T: How confident not use drugs (were in pain physically)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	288	20.7 %	20.7%
2	Very Confident or Sure	805	57.8 %	57.9%
3	Not at All Confident or Sure	298	21.4 %	21.4%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QE43_1 Are there times tempted to use drugs (First mention)

Location: 671-672(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Are there times when you might be tempted to use drugs?
First mention.

If No -> Go to E44

<i>QE43_1: Are there times tempted to use drugs (First mention)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	742	53.3 %	53.3%
2	No	649	46.6 %	46.7%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QE43A_1 When tempted to use drugs--First Mention (Recoded)

Location: 673-683(width: 11; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QE43A_1: When tempted to use drugs--First Mention (Recoded)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	All the time or every day	31	2.2 %	4.2%
2	Specific days of the week or times of the day	30	2.2 %	4.1%
3	Specific location, environment, events, or people	60	4.3 %	8.1%

- Study 02258 -

<i>QE43A_1: When tempted to use drugs--First Mention (Recoded)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	Feeling angry or frustrated	40	2.9 %	5.4%
5	Feeling anxious or uneasy	8	0.6 %	1.1%
6	Feeling bored or idle	43	3.1 %	5.8%
7	Feeling depressed or lonely	73	5.2 %	9.9%
8	Feeling stressed or pressured	20	1.4 %	2.7%
9	Relationship conflicts	13	0.9 %	1.8%
10	Relationship losses (death or separation)	16	1.1 %	2.2%
11	When R is around drugs or offered drugs	99	7.1 %	13.4%
12	When R gets cravings or thinks about drugs	46	3.3 %	6.2%
13	When R wants to escape life or get away or relax	7	0.5 %	0.9%
14	When R feels good or wants to celebrate	12	0.9 %	1.6%
15	When R drinks alcohol	12	0.9 %	1.6%
16	When R is in pain or sick	49	3.5 %	6.6%
17	When R has money to spend on drugs	51	3.7 %	6.9%
18	Other	127	9.1 %	17.2%
-9 (M)	Legitimate Skip	650	46.7 %	-
-2 (M)	Don't Know	6	0.4 %	-

Based upon 737 valid cases out of 1393 total cases.

QE43B_1 How confident of ability not to use drugs when (First mention) tempted

Location: 684-685(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED)? First mention.

<i>QE43B_1: How confident of ability not to use drugs when (First mention) tempted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	290	20.8 %	39.3%
2	Very Confident or Sure	91	6.5 %	12.3%
3	Not at All Confident or Sure	356	25.6 %	48.3%
-9 (M)	Legitimate Skip	653	46.9 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 737 valid cases out of 1393 total cases.

QE43_2 Are there times tempted to use drugs (Second mention)

Location: 686-687(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Are there times when you might be tempted to use drugs?
Second mention.

If No -> Go to E44

<i>QE43_2: Are there times tempted to use drugs (Second mention)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	280	20.1 %	38.1%
2	No	455	32.7 %	61.9%
-9 (M)	Legitimate Skip	654	46.9 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 735 valid cases out of 1393 total cases.

QE43A_2

When tempted to use drugs--Second Mention (Recoded)

Location: 688-695(width: 8; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QE43A_2: When tempted to use drugs--Second Mention (Recoded)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	All the time or every day	7	0.5 %	2.5%
2	Specific days of the week or times of the day	4	0.3 %	1.4%
3	Specific location, environment, events, or people	37	2.7 %	13.1%
4	Feeling angry or frustrated	23	1.7 %	8.2%
5	Feeling anxious or uneasy	2	0.1 %	0.7%
6	Feeling bored or idle	24	1.7 %	8.5%
7	Feeling depressed or lonely	26	1.9 %	9.2%
8	Feeling stressed or pressured	7	0.5 %	2.5%
9	Relationship conflicts	13	0.9 %	4.6%
10	Relationship losses (death or separation)	5	0.4 %	1.8%
11	When R is around drugs or offered drugs	32	2.3 %	11.3%
12	When R gets cravings or thinks about drugs	7	0.5 %	2.5%
13	When R wants to escape life or get away or relax	6	0.4 %	2.1%
14	When R feels good or wants to celebrate	12	0.9 %	4.3%
15	When R drinks alcohol	4	0.3 %	1.4%
16	When R is in pain or sick	4	0.3 %	1.4%
17	When R has money to spend on drugs	26	1.9 %	9.2%
18	Other	43	3.1 %	15.2%
-9 (M)	Legitimate Skip	1109	79.6 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 282 valid cases out of 1393 total cases.

- Study 02258 -

<i>QE43A_3: When tempted to use drugs--Third Mention (Recoded)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	Feeling angry or frustrated	8	0.6 %	8.9%
6	Feeling bored or idle	1	0.1 %	1.1%
7	Feeling depressed or lonely	10	0.7 %	11.1%
8	Feeling stressed or pressured	3	0.2 %	3.3%
9	Relationship conflicts	5	0.4 %	5.6%
10	Relationship losses (death or separation)	2	0.1 %	2.2%
11	When R is around drugs or offered drugs	10	0.7 %	11.1%
12	When R gets cravings or thinks about drugs	1	0.1 %	1.1%
14	When R feels good or wants to celebrate	6	0.4 %	6.7%
15	When R drinks alcohol	2	0.1 %	2.2%
16	When R is in pain or sick	4	0.3 %	4.4%
17	When R has money to spend on drugs	5	0.4 %	5.6%
18	Other	11	0.8 %	12.2%
-9 (M)	Legitimate Skip	1303	93.5 %	-

Based upon 90 valid cases out of 1393 total cases.

QE43B_3 How confident of ability not to use drugs when (Third mention) tempted

Location: 708-709(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED)? Third mention.

<i>QE43B_3: How confident of ability not to use drugs when (Third mention) tempted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat Confident or Sure	29	2.1 %	32.6%
2	Very Confident or Sure	4	0.3 %	4.5%
3	Not at All Confident or Sure	56	4.0 %	62.9%
-9 (M)	Legitimate Skip	1303	93.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 89 valid cases out of 1393 total cases.

QE44 Difficulty stop using drugs rest of life

Location: 710-711(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How difficult do you think it would be for you to stop using drugs completely for the rest of your life? Would you say . . . ?

- Study 02258 -

<i>QE44: Difficulty stop using drugs rest of life</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	499	35.8 %	36.0%
2	Very Difficult	336	24.1 %	24.2%
3	Not at All	551	39.6 %	39.8%
-2 (M)	Don't Know	7	0.5 %	-

Based upon 1386 valid cases out of 1393 total cases.

QE45 Chances of quitting drugs for rest of life

Location: 712-713(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What do you think your chances are of quitting completely for the rest of your life? Would you say . . . ?

<i>QE45: Chances of quitting drugs for rest of life</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Very Poor	151	10.8 %	10.9%
2	Fair	436	31.3 %	31.5%
3	Very Good	799	57.4 %	57.6%
-2 (M)	Don't Know	6	0.4 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1386 valid cases out of 1393 total cases.

QE46 How much treatment will help you quit

Location: 714-715(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How much do you think treatment you received at (NAME OF PROGRAM) will help you do this? Would you say . . . ?

<i>QE46: How much treatment will help you quit</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	485	34.8 %	34.8%
2	Very Difficult	643	46.2 %	46.2%
3	No Treatment Received	22	1.6 %	1.6%
4	Not at All	242	17.4 %	17.4%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QE47 Difficulty cutting down drug use rest of life

Location: 716-717(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How difficult do you think it would be for you to cut down on drugs for the rest of your life? Would you say . . . ?

<i>QE47: Difficulty cutting down drug use rest of life</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	407	29.2 %	29.5%
2	Very Difficult	194	13.9 %	14.1%
3	Not at All	779	55.9 %	56.4%
-2 (M)	Don't Know	10	0.7 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 1380 valid cases out of 1393 total cases.

QE48 Chances to cut down use of drugs

Location: 718-719(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What do you think your chances are of cutting down on your use of drugs? Would you say . . . ?

<i>QE48: Chances to cut down use of drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Very Poor	80	5.7 %	9.9%
2	Fair	283	20.3 %	34.9%
3	Very Good	447	32.1 %	55.2%
-9 (M)	Legitimate Skip	580	41.6 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 810 valid cases out of 1393 total cases.

QE49 How much treatment will help you cut down

Location: 720-721(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How much do you think treatment you received at (NAME OF PROGRAM) will help you do this? Would you say . . . ?

<i>QE49: How much treatment will help you cut down</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	310	22.3 %	38.3%
2	Very Much	312	22.4 %	38.6%
3	No Treatment Received	10	0.7 %	1.2%
4	Not at All	177	12.7 %	21.9%

- Study 02258 -

<i>QE49: How much treatment will help you cut down</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	580	41.6 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 809 valid cases out of 1393 total cases.

QE50A Treatment received helped better understand problems

Location: 722-723(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did the drug treatment that you received at (NAME OF PROGRAM) help you to . . .

. . . better understand your problems?

<i>QE50A: Treatment received helped better understand problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	669	48.0 %	82.4%
2	No	143	10.3 %	17.6%
-9 (M)	Legitimate Skip	580	41.6 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 812 valid cases out of 1393 total cases.

QE50B Treatment received helped learn to communicate better

Location: 724-725(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did the drug treatment that you received at (NAME OF PROGRAM) help you to . . .

. . . learn to communicate better?

<i>QE50B: Treatment received helped learn to communicate better</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	610	43.8 %	75.0%
2	No	203	14.6 %	25.0%
-9 (M)	Legitimate Skip	580	41.6 %	-

Based upon 813 valid cases out of 1393 total cases.

- Study 02258 -

QE50C Treatment received helped you be a better problem solver

Location: 726-727(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did the drug treatment that you received at (NAME OF PROGRAM) help you to . . .
 . . . be a better problem solver?

<i>QE50C: Treatment received helped you be a better problem solver</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	581	41.7 %	71.9%
2	No	227	16.3 %	28.1%
-9 (M)	Legitimate Skip	580	41.6 %	-
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 808 valid cases out of 1393 total cases.

QE50D Treatment received helped learn relapse prevention skills

Location: 728-729(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did the drug treatment that you received at (NAME OF PROGRAM) help you to . . .
 . . . learn relapse prevention skills?

<i>QE50D: Treatment received helped learn relapse prevention skills</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	615	44.1 %	75.9%
2	No	195	14.0 %	24.1%
-9 (M)	Legitimate Skip	580	41.6 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 810 valid cases out of 1393 total cases.

QE51 Neighborhood has heavy drug/alcohol use

Location: 730-731(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Do you live in a neighborhood where there is drug use or heavy alcohol use?

- Study 02258 -

<i>QE51: Neighborhood has heavy drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	795	57.1 %	58.3%
2	No	569	40.8 %	41.7%
-2 (M)	Don't Know	28	2.0 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1364 valid cases out of 1393 total cases.

QE52 How often spend time w/ friends who use drugs

Location: 732-733(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How often do you spend time with friends who use drugs? Would you say . . . ?

<i>QE52: How often spend time w/ friends who use drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Not at All	751	53.9 %	54.0%
2	Less Than Once a Week	270	19.4 %	19.4%
3	At Least Once a Week	189	13.6 %	13.6%
4	Almost Daily	180	12.9 %	12.9%
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1390 valid cases out of 1393 total cases.

QE53 How often go to places where drugs are readily available

Location: 734-735(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How often do you go to bars or hangouts where drugs are readily available?

<i>QE53: How often go to places where drugs are readily available</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Not at All	1020	73.2 %	73.2%
2	Less Than Once a Week	199	14.3 %	14.3%
3	At Least Once a Week	98	7.0 %	7.0%
4	Almost Daily	76	5.5 %	5.5%

Based upon 1393 valid cases out of 1393 total cases.

QF1 You felt sad/blue/depressed for 2 weeks

Location: 736-737(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'm going to ask some questions about your feelings and emotions over the past 12 months.

In the past 12 months, have you had at least 2 weeks during which you felt very sad, blue, depressed, or lost interest and pleasure in things you usually cared about or enjoyed?

If No -> Go to F2

<i>QF1: You felt sad/blue/depressed for 2 weeks</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	649	46.6 %	46.6%
2	No	743	53.3 %	53.4%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QF1A You had other problems at same time

Location: 738-739(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you have other problems at the same time, for example, difficulty sleeping, loss of appetite, feeling hopeless or guilty, or having thoughts of ending your life?

If No -> Go to F2

<i>QF1A: You had other problems at same time</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	470	33.7 %	72.5%
2	No	178	12.8 %	27.5%
-9 (M)	Legitimate Skip	744	53.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 648 valid cases out of 1393 total cases.

QF1B Number of 2 week periods felt depressed in past 12 months

Location: 740-741(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In these past 12 months, how many periods of 2 weeks or more have you had when you felt very sad, blue, depressed, or lost interest in things and also had some of these other problems at the same time?

- Study 02258 -

<i>QF1B: Number of 2 week periods felt depressed in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	109	7.8 %	24.0%
2	-	77	5.5 %	17.0%
3	-	55	3.9 %	12.1%
4	-	36	2.6 %	7.9%
5	-	28	2.0 %	6.2%
6	-	32	2.3 %	7.0%
7	-	3	0.2 %	0.7%
8	-	14	1.0 %	3.1%
9	-	3	0.2 %	0.7%
10	-	11	0.8 %	2.4%
12	-	32	2.3 %	7.0%
13	-	2	0.1 %	0.4%
14	-	1	0.1 %	0.2%
15	-	3	0.2 %	0.7%
18	-	1	0.1 %	0.2%
20	-	7	0.5 %	1.5%
22	-	2	0.1 %	0.4%
23	-	1	0.1 %	0.2%
24	-	14	1.0 %	3.1%
25	-	1	0.1 %	0.2%
26	-	17	1.2 %	3.7%
30	-	1	0.1 %	0.2%
36	-	1	0.1 %	0.2%
52	-	1	0.1 %	0.2%
60	-	1	0.1 %	0.2%
99	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	923	66.3 %	-
-2 (M)	Don't Know	16	1.1 %	-

Based upon 454 valid cases out of 1393 total cases.

QF1C

When last period like that ended (in weeks)

Location: 742-743(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did your last period like that end?

<i>QF1C: When last period like that ended (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	130	9.3 %	27.8%

- Study 02258 -

<i>QF1C: When last period like that ended (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	29	2.1 %	6.2%
2	-	55	3.9 %	11.8%
3	-	20	1.4 %	4.3%
4	-	44	3.2 %	9.4%
5	-	2	0.1 %	0.4%
6	-	16	1.1 %	3.4%
7	-	4	0.3 %	0.9%
8	-	31	2.2 %	6.6%
9	-	2	0.1 %	0.4%
10	-	6	0.4 %	1.3%
11	-	4	0.3 %	0.9%
12	-	23	1.7 %	4.9%
13	-	3	0.2 %	0.6%
14	-	3	0.2 %	0.6%
15	-	1	0.1 %	0.2%
16	-	15	1.1 %	3.2%
17	-	2	0.1 %	0.4%
18	-	2	0.1 %	0.4%
20	-	15	1.1 %	3.2%
22	-	2	0.1 %	0.4%
24	-	6	0.4 %	1.3%
25	-	2	0.1 %	0.4%
26	-	12	0.9 %	2.6%
28	-	5	0.4 %	1.1%
30	-	3	0.2 %	0.6%
32	-	4	0.3 %	0.9%
34	-	2	0.1 %	0.4%
38	-	2	0.1 %	0.4%
40	-	7	0.5 %	1.5%
42	-	1	0.1 %	0.2%
46	-	3	0.2 %	0.6%
48	-	2	0.1 %	0.4%
50	-	4	0.3 %	0.9%
52	-	5	0.4 %	1.1%
-9 (M)	Legitimate Skip	924	66.3 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 467 valid cases out of 1393 total cases.

QF1D

That period a direct result of drug/alcohol use

- Study 02258 -

Location: 744-745(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Was that (last) period a direct result of your drug or alcohol use?

<i>QF1D: That period a direct result of drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	190	13.6 %	40.6%
2	No	278	20.0 %	59.4%
-9 (M)	Legitimate Skip	923	66.3 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 468 valid cases out of 1393 total cases.

QF2 Have you felt anxious/tense/nervous for 4 weeks or more in past 12 months

Location: 746-747(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, have you had at least one period of 4 weeks or more when you were very anxious, tense, or nervous and had other problems at the same time, such as trembling, shaking, your heart beating fast, or feeling something bad was going to happen?

If No -> Go to F3

<i>QF2: Have you felt anxious/tense/nervous for 4 weeks or more in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	249	17.9 %	17.9%
2	No	1143	82.1 %	82.1%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QF2A Number 4 week periods felt anxious/tense/nervous in past 12 months

Location: 748-749(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, how many periods of 4 weeks or more have you had (when you were very anxious, tense, or nervous)?

<i>QF2A: Number 4 week periods felt anxious/tense/nervous in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	75	5.4 %	31.4%
2	-	46	3.3 %	19.2%

- Study 02258 -

<i>QF2A: Number 4 week periods felt anxious/tense/nervous in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	-	32	2.3 %	13.4%
4	-	19	1.4 %	7.9%
5	-	7	0.5 %	2.9%
6	-	12	0.9 %	5.0%
7	-	1	0.1 %	0.4%
8	-	4	0.3 %	1.7%
9	-	4	0.3 %	1.7%
10	-	6	0.4 %	2.5%
11	-	1	0.1 %	0.4%
12	-	23	1.7 %	9.6%
13	-	5	0.4 %	2.1%
24	-	1	0.1 %	0.4%
26	-	1	0.1 %	0.4%
46	-	1	0.1 %	0.4%
52	-	1	0.1 %	0.4%
-9 (M)	Legitimate Skip	1144	82.1 %	-
-2 (M)	Don't Know	10	0.7 %	-

Based upon 239 valid cases out of 1393 total cases.

QF2B When last period like that ended (in weeks)

Location: 750-751(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did your last period like that end?

<i>QF2B: When last period like that ended (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	82	5.9 %	33.6%
1	-	18	1.3 %	7.4%
2	-	26	1.9 %	10.7%
3	-	10	0.7 %	4.1%
4	-	19	1.4 %	7.8%
5	-	3	0.2 %	1.2%
6	-	8	0.6 %	3.3%
7	-	2	0.1 %	0.8%
8	-	13	0.9 %	5.3%
9	-	1	0.1 %	0.4%
10	-	1	0.1 %	0.4%
11	-	1	0.1 %	0.4%

- Study 02258 -

<i>QF2B: When last period like that ended (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12	-	14	1.0 %	5.7%
13	-	2	0.1 %	0.8%
14	-	1	0.1 %	0.4%
15	-	2	0.1 %	0.8%
16	-	7	0.5 %	2.9%
18	-	1	0.1 %	0.4%
20	-	3	0.2 %	1.2%
24	-	4	0.3 %	1.6%
25	-	1	0.1 %	0.4%
26	-	6	0.4 %	2.5%
28	-	2	0.1 %	0.8%
30	-	2	0.1 %	0.8%
32	-	1	0.1 %	0.4%
34	-	1	0.1 %	0.4%
35	-	1	0.1 %	0.4%
38	-	2	0.1 %	0.8%
40	-	3	0.2 %	1.2%
43	-	1	0.1 %	0.4%
48	-	5	0.4 %	2.0%
52	-	1	0.1 %	0.4%
-9 (M)	Legitimate Skip	1145	82.2 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 244 valid cases out of 1393 total cases.

QF2C That period a direct result of drug/alcohol use

Location: 752-753(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Was that (last) period a direct result of your drug or alcohol use?

<i>QF2C: That period a direct result of drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	113	8.1 %	45.9%
2	No	133	9.5 %	54.1%
-9 (M)	Legitimate Skip	1144	82.1 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 246 valid cases out of 1393 total cases.

QF3 Had hallucinations/saw/heard things in past 12 months

- Study 02258 -

Location: 754-755(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, have you thought someone could control your thoughts or had hallucinations, that is, you saw or heard things that no one else could see or hear?

If No -> Go to F4

<i>QF3: Had hallucinations/saw/heard things in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	83	6.0 %	6.0%
2	No	1309	94.0 %	94.0%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QF3A When last period like that ended (in weeks)

Location: 756-757(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did your last period like that end?

<i>QF3A: When last period like that ended (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	21	1.5 %	25.3%
1	-	11	0.8 %	13.3%
2	-	6	0.4 %	7.2%
3	-	3	0.2 %	3.6%
4	-	7	0.5 %	8.4%
6	-	4	0.3 %	4.8%
7	-	1	0.1 %	1.2%
8	-	5	0.4 %	6.0%
9	-	3	0.2 %	3.6%
10	-	2	0.1 %	2.4%
12	-	2	0.1 %	2.4%
14	-	1	0.1 %	1.2%
18	-	1	0.1 %	1.2%
20	-	1	0.1 %	1.2%
22	-	1	0.1 %	1.2%
28	-	4	0.3 %	4.8%
32	-	1	0.1 %	1.2%
37	-	1	0.1 %	1.2%

- Study 02258 -

<i>QF3A: When last period like that ended (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	-	3	0.2 %	3.6%
43	-	1	0.1 %	1.2%
52	-	4	0.3 %	4.8%
-9 (M)	Legitimate Skip	1309	94.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 83 valid cases out of 1393 total cases.

QF3B That period direct result of drug/alcohol use

Location: 758-759(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Was that period a direct result of your drug or alcohol use?

<i>QF3B: That period direct result of drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	55	3.9 %	66.3%
2	No	28	2.0 %	33.7%
-9 (M)	Legitimate Skip	1309	94.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 83 valid cases out of 1393 total cases.

QF4 Trouble understanding/concentrating/remembring in past 12 months

Location: 760-761(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, have you had trouble understanding, concentrating, or remembering?

 If No -> Go to F5

<i>QF4: Trouble understanding/concentrating/remembring in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	461	33.1 %	33.1%
2	No	931	66.8 %	66.9%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QF4A When last period like that ended (in weeks)

Location: 762-763(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did your last period like that end?

<i>QF4A: When last period like that ended (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	244	17.5 %	53.5%
1	-	41	2.9 %	9.0%
2	-	40	2.9 %	8.8%
3	-	23	1.7 %	5.0%
4	-	30	2.2 %	6.6%
5	-	1	0.1 %	0.2%
6	-	5	0.4 %	1.1%
7	-	1	0.1 %	0.2%
8	-	9	0.6 %	2.0%
10	-	3	0.2 %	0.7%
11	-	1	0.1 %	0.2%
12	-	15	1.1 %	3.3%
16	-	7	0.5 %	1.5%
17	-	1	0.1 %	0.2%
18	-	2	0.1 %	0.4%
20	-	2	0.1 %	0.4%
21	-	2	0.1 %	0.4%
22	-	1	0.1 %	0.2%
23	-	1	0.1 %	0.2%
24	-	4	0.3 %	0.9%
25	-	2	0.1 %	0.4%
26	-	5	0.4 %	1.1%
28	-	2	0.1 %	0.4%
32	-	3	0.2 %	0.7%
34	-	1	0.1 %	0.2%
36	-	1	0.1 %	0.2%
38	-	1	0.1 %	0.2%
40	-	1	0.1 %	0.2%
46	-	1	0.1 %	0.2%
48	-	2	0.1 %	0.4%
50	-	3	0.2 %	0.7%
52	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	931	66.8 %	-
-2 (M)	Don't Know	6	0.4 %	-

Based upon 456 valid cases out of 1393 total cases.

- Study 02258 -

QF4B That period direct result of drug/alcohol use

Location: 764-765(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Has that always been a direct result of your drug or alcohol use?

<i>QF4B: That period direct result of drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	239	17.2 %	53.5%
2	No	208	14.9 %	46.5%
-9 (M)	Legitimate Skip	931	66.8 %	-
-2 (M)	Don't Know	14	1.0 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 447 valid cases out of 1393 total cases.

QF5 Trouble controlling temper/behavior in past 12 months

Location: 766-767(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, have you had trouble controlling your temper or violent behavior?

 If No -> Go to F6

<i>QF5: Trouble controlling temper/behavior in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	300	21.5 %	21.5%
2	No	1093	78.5 %	78.5%

Based upon 1393 valid cases out of 1393 total cases.

QF5A When last period like that ended (in weeks)

Location: 768-769(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did your last period like that end?

<i>QF5A: When last period like that ended (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	82	5.9 %	27.9%
1	-	42	3.0 %	14.3%
2	-	37	2.7 %	12.6%

- Study 02258 -

<i>QF5A: When last period like that ended (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	-	29	2.1 %	9.9%
4	-	28	2.0 %	9.5%
5	-	4	0.3 %	1.4%
6	-	6	0.4 %	2.0%
7	-	2	0.1 %	0.7%
8	-	12	0.9 %	4.1%
10	-	6	0.4 %	2.0%
12	-	13	0.9 %	4.4%
13	-	5	0.4 %	1.7%
14	-	1	0.1 %	0.3%
16	-	5	0.4 %	1.7%
18	-	1	0.1 %	0.3%
22	-	1	0.1 %	0.3%
24	-	1	0.1 %	0.3%
26	-	4	0.3 %	1.4%
28	-	2	0.1 %	0.7%
30	-	1	0.1 %	0.3%
32	-	2	0.1 %	0.7%
34	-	1	0.1 %	0.3%
36	-	1	0.1 %	0.3%
37	-	1	0.1 %	0.3%
38	-	2	0.1 %	0.7%
40	-	2	0.1 %	0.7%
50	-	1	0.1 %	0.3%
52	-	2	0.1 %	0.7%
-9 (M)	Legitimate Skip	1093	78.5 %	-
-2 (M)	Don't Know	6	0.4 %	-

Based upon 294 valid cases out of 1393 total cases.

QF5B That period direct result of drug/alcohol use

Location: 770-771(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Was that period a direct result of your drug or alcohol use?

<i>QF5B: That period direct result of drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	118	8.5 %	39.9%
2	No	178	12.8 %	60.1%

- Study 02258 -

<i>QF5B: That period direct result of drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1093	78.5 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 296 valid cases out of 1393 total cases.

QF6 Thought about committing suicide in past 12 months

Location: 772-773(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, have you thought about ending your life or committing suicide?

If No -> Go to F7

<i>QF6: Thought about committing suicide in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	195	14.0 %	14.0%
2	No	1198	86.0 %	86.0%

Based upon 1393 valid cases out of 1393 total cases.

QF6A When last thought about ending life (in weeks)

Location: 774-775(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last think a lot about ending your life?

<i>QF6A: When last thought about ending life (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	31	2.2 %	16.1%
1	-	18	1.3 %	9.4%
2	-	12	0.9 %	6.2%
3	-	7	0.5 %	3.6%
4	-	17	1.2 %	8.9%
5	-	3	0.2 %	1.6%
6	-	4	0.3 %	2.1%
7	-	3	0.2 %	1.6%
8	-	12	0.9 %	6.2%
10	-	4	0.3 %	2.1%
12	-	9	0.6 %	4.7%
13	-	1	0.1 %	0.5%

- Study 02258 -

<i>QF6A: When last thought about ending life (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	-	1	0.1 %	0.5%
15	-	1	0.1 %	0.5%
16	-	10	0.7 %	5.2%
18	-	2	0.1 %	1.0%
19	-	1	0.1 %	0.5%
20	-	9	0.6 %	4.7%
21	-	1	0.1 %	0.5%
24	-	6	0.4 %	3.1%
25	-	2	0.1 %	1.0%
26	-	9	0.6 %	4.7%
27	-	1	0.1 %	0.5%
28	-	3	0.2 %	1.6%
30	-	2	0.1 %	1.0%
32	-	4	0.3 %	2.1%
35	-	1	0.1 %	0.5%
36	-	1	0.1 %	0.5%
38	-	2	0.1 %	1.0%
39	-	1	0.1 %	0.5%
40	-	3	0.2 %	1.6%
43	-	1	0.1 %	0.5%
44	-	1	0.1 %	0.5%
46	-	1	0.1 %	0.5%
48	-	1	0.1 %	0.5%
49	-	1	0.1 %	0.5%
50	-	2	0.1 %	1.0%
52	-	4	0.3 %	2.1%
-9 (M)	Legitimate Skip	1198	86.0 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 192 valid cases out of 1393 total cases.

QF6B

Suicide thoughts direct result of drug/alcohol use

Location: 776-777(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During these months, have your thoughts of suicide always been the direct result of your drug or alcohol use?

- Study 02258 -

<i>QF6B: Suicide thoughts direct result of drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	95	6.8 %	49.0%
2	No	99	7.1 %	51.0%
-9 (M)	Legitimate Skip	1198	86.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 194 valid cases out of 1393 total cases.

QF7 Have you attempted suicide in past 12 months

Location: 778-779(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, have you attempted suicide?
 If No -> Go to F8

<i>QF7: Have you attempted suicide in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	29	2.1 %	2.1%
2	No	1364	97.9 %	97.9%

Based upon 1393 valid cases out of 1393 total cases.

QF7A When did you last attempt suicide (in weeks)

Location: 780-781(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did you last attempt suicide?

<i>QF7A: When did you last attempt suicide (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	17.9%
3	-	5	0.4 %	17.9%
5	-	1	0.1 %	3.6%
12	-	2	0.1 %	7.1%
13	-	1	0.1 %	3.6%
15	-	1	0.1 %	3.6%
16	-	1	0.1 %	3.6%
20	-	3	0.2 %	10.7%
24	-	3	0.2 %	10.7%
25	-	1	0.1 %	3.6%

- Study 02258 -

<i>QF7A: When did you last attempt suicide (in weeks)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
26	-	1	0.1 %	3.6%
27	-	1	0.1 %	3.6%
50	-	1	0.1 %	3.6%
52	-	2	0.1 %	7.1%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 28 valid cases out of 1393 total cases.

QF7B Suicide attempts direct result of drug/alcohol use

Location: 782-783(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During these months, have your suicide attempts always been the direct result of your drug or alcohol use?

<i>QF7B: Suicide attempts direct result of drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	19	1.4 %	65.5%
2	No	10	0.7 %	34.5%
-9 (M)	Legitimate Skip	1364	97.9 %	-

Based upon 29 valid cases out of 1393 total cases.

QF8 Taken medications for mental problems in past 12 months

Location: 784-785(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, have you taken any prescription medications on a regular basis for a mental health or emotional problem?

<i>QF8: Taken medications for mental problems in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	295	21.2 %	21.2%
2	No	1098	78.8 %	78.8%

Based upon 1393 valid cases out of 1393 total cases.

QF9 Had emotional/mental health problems not resulting from drugs/alcohol

Location: 786-787(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

In the past 12 months, have you had any emotional or mental health problems that were not the result of your using drugs or alcohol?

If No -> Go to F10

<i>QF9: Had emotional/mental health problems not resulting from drugs/alcohol</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	272	19.5 %	19.6%
2	No	1114	80.0 %	80.4%
-2 (M)	Don't Know	7	0.5 %	-

Based upon 1386 valid cases out of 1393 total cases.

QF9A Number of days had problems not resulting from drugs/alcohol

Location: 788-790(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many days would you say you had such problems that were not the result of your using drugs or alcohol?

<i>QF9A: Number of days had problems not resulting from drugs/alcohol</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	11	0.8 %	4.2%
1	-	1	0.1 %	0.4%
2	-	4	0.3 %	1.5%
3	-	4	0.3 %	1.5%
4	-	1	0.1 %	0.4%
5	-	1	0.1 %	0.4%
6	-	5	0.4 %	1.9%
7	-	5	0.4 %	1.9%
10	-	9	0.6 %	3.4%
12	-	5	0.4 %	1.9%
13	-	1	0.1 %	0.4%
14	-	14	1.0 %	5.3%
15	-	5	0.4 %	1.9%
20	-	7	0.5 %	2.7%
21	-	4	0.3 %	1.5%
25	-	1	0.1 %	0.4%
28	-	1	0.1 %	0.4%
30	-	19	1.4 %	7.3%
31	-	1	0.1 %	0.4%
33	-	1	0.1 %	0.4%

- Study 02258 -

<i>QF9A: Number of days had problems not resulting from drugs/alcohol</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
35	-	1	0.1 %	0.4%
40	-	2	0.1 %	0.8%
45	-	2	0.1 %	0.8%
50	-	1	0.1 %	0.4%
60	-	5	0.4 %	1.9%
62	-	1	0.1 %	0.4%
80	-	1	0.1 %	0.4%
84	-	2	0.1 %	0.8%
90	-	2	0.1 %	0.8%
98	-	1	0.1 %	0.4%
100	-	9	0.6 %	3.4%
105	-	1	0.1 %	0.4%
120	-	9	0.6 %	3.4%
130	-	2	0.1 %	0.8%
139	-	1	0.1 %	0.4%
150	-	8	0.6 %	3.1%
155	-	1	0.1 %	0.4%
159	-	1	0.1 %	0.4%
170	-	1	0.1 %	0.4%
175	-	1	0.1 %	0.4%
180	-	8	0.6 %	3.1%
182	-	3	0.2 %	1.1%
184	-	1	0.1 %	0.4%
196	-	1	0.1 %	0.4%
200	-	4	0.3 %	1.5%
210	-	3	0.2 %	1.1%
235	-	1	0.1 %	0.4%
240	-	3	0.2 %	1.1%
250	-	1	0.1 %	0.4%
265	-	1	0.1 %	0.4%
270	-	1	0.1 %	0.4%
289	-	1	0.1 %	0.4%
300	-	8	0.6 %	3.1%
301	-	1	0.1 %	0.4%
317	-	1	0.1 %	0.4%
330	-	1	0.1 %	0.4%
335	-	1	0.1 %	0.4%
351	-	1	0.1 %	0.4%
352	-	1	0.1 %	0.4%

- Study 02258 -

<i>QF9A: Number of days had problems not resulting from drugs/alcohol</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
356	-	2	0.1 %	0.8%
360	-	2	0.1 %	0.8%
365	-	64	4.6 %	24.4%
-9 (M)	Legitimate Skip	1114	80.0 %	-
-2 (M)	Don't Know	17	1.2 %	-

Based upon 262 valid cases out of 1393 total cases.

QF10 Received payments for psychiatric disability in past 12 months

Location: 791-792(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, have you received any disability payments, benefits, or a pension for a psychiatric disability?

<i>QF10: Received payments for psychiatric disability in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	129	9.3 %	9.3%
2	No	1263	90.7 %	90.7%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QF11 Had emotional/mental health problems because of drug/alcohol use

Location: 793-794(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, have you had any mental health or emotional problems because of your drug or alcohol use?

If No -> Go to F12

<i>QF11: Had emotional/mental health problems because of drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	241	17.3 %	17.3%
2	No	1149	82.5 %	82.7%
-2 (M)	Don't Know	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QF11A How serious were problems due to drug/alcohol use

Location: 795-796(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How serious were any problems you have had in these 12 months because of your drug or alcohol use? Would you say . . . ?

QF11A: How serious were problems due to drug/alcohol use

Value	Label	Unweighted Frequency	%	Valid %
1	Not at all	13	0.9 %	5.4%
2	Somewhat	117	8.4 %	48.5%
3	Very serious	111	8.0 %	46.1%
-9 (M)	Legitimate Skip	1152	82.7 %	-

Based upon 241 valid cases out of 1393 total cases.

QF12 Troubled by emotional/psychological problems in past 12 months

Location: 797-798(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How troubled or distressed (bothered) have you been during the past 12 months by any emotional or psychological problems? Would you say . . . ?

If Not at all -> Go to F13

QF12: Troubled by emotional/psychological problems in past 12 months

Value	Label	Unweighted Frequency	%	Valid %
1	Slightly	323	23.2 %	23.2%
2	Moderately	171	12.3 %	12.3%
3	Considerably	138	9.9 %	9.9%
4	Extremely	87	6.2 %	6.2%
5	Not at all	673	48.3 %	48.3%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QF12B How troubled are you by emotional/psychological problems now

Location: 799-800(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How troubled or distressed (bothered) are you now by any emotional or psychological problems?

QF12B: How troubled are you by emotional/psychological problems now

Value	Label	Unweighted Frequency	%	Valid %
1	Slightly	250	17.9 %	34.7%

- Study 02258 -

<i>QF12B: How troubled are you by emotional/psychological problems now</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Moderately	132	9.5 %	18.3%
3	Considerably	77	5.5 %	10.7%
4	Extremely	54	3.9 %	7.5%
5	Not at all	207	14.9 %	28.7%
-9 (M)	Legitimate Skip	673	48.3 %	-

Based upon 720 valid cases out of 1393 total cases.

QF13 Feelings about self - All in all I am satisfied with myself

Location: 801-802(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements that I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I'm satisfied with myself

<i>QF13: Feelings about self - All in all I am satisfied with myself</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Strongly Disagree	138	9.9 %	9.9%
2	Somewhat Disagree	180	12.9 %	12.9%
3	Somewhat Agree	666	47.8 %	47.8%
4	Strongly Agree	409	29.4 %	29.4%

Based upon 1393 valid cases out of 1393 total cases.

QF14 Feelings about self - At times I think I am no good at all

Location: 803-804(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements that I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

At times I think I'm no good at all

- Study 02258 -

<i>QF16: Feelings about self - Able to do things as well as other people</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Somewhat Disagree	54	3.9 %	3.9%
3	Somewhat Agree	1007	72.3 %	72.3%
4	Strongly Agree	292	21.0 %	21.0%

Based upon 1393 valid cases out of 1393 total cases.

QF17 Feelings about self - Feel I do not have much to be proud of

Location: 809-810(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements that I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I don't have much to be proud of

<i>QF17: Feelings about self - Feel I do not have much to be proud of</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Strongly Disagree	885	63.5 %	63.5%
2	Somewhat Disagree	217	15.6 %	15.6%
3	Somewhat Agree	90	6.5 %	6.5%
4	Strongly Agree	201	14.4 %	14.4%

Based upon 1393 valid cases out of 1393 total cases.

QF18 Feelings about self - Feel useless at times

Location: 811-812(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements that I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel useless at times

<i>QF18: Feelings about self - Feel useless at times</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Strongly Disagree	719	51.6 %	51.6%
2	Somewhat Disagree	151	10.8 %	10.8%

- Study 02258 -

<i>QF18: Feelings about self - Feel useless at times</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	Somewhat Agree	133	9.5 %	9.5%
4	Strongly Agree	390	28.0 %	28.0%

Based upon 1393 valid cases out of 1393 total cases.

QF19 Feelings about self - Feel I am basically no good

Location: 813-814(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements that I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I'm basically no good

<i>QF19: Feelings about self - Feel I am basically no good</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Strongly Disagree	1073	77.0 %	77.1%
2	Somewhat Disagree	157	11.3 %	11.3%
3	Somewhat Agree	39	2.8 %	2.8%
4	Strongly Agree	123	8.8 %	8.8%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QF20 Feelings about self - Wish I could have more respect for self

Location: 815-816(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements that I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I wish I could have more respect for myself

<i>QF20: Feelings about self - Wish I could have more respect for self</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Strongly Disagree	654	46.9 %	47.0%
2	Somewhat Disagree	111	8.0 %	8.0%

- Study 02258 -

<i>QF20: Feelings about self - Wish I could have more respect for self</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	Somewhat Agree	294	21.1 %	21.1%
4	Strongly Agree	333	23.9 %	23.9%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QF21 Feelings about self - All in all I feel that I am a failure

Location: 817-818(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements that I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I feel that I'm a failure

<i>QF21: Feelings about self - All in all I feel that I am a failure</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Strongly Disagree	981	70.4 %	70.5%
2	Somewhat Disagree	174	12.5 %	12.5%
3	Somewhat Agree	72	5.2 %	5.2%
4	Strongly Agree	165	11.8 %	11.9%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QF22 Feelings about self - Feel I am not important to others

Location: 819-820(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you some questions about your feelings about yourself. For each of the statements that I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I'm not important to others

<i>QF22: Feelings about self - Feel I am not important to others</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Strongly Disagree	943	67.7 %	67.8%

- Study 02258 -

<i>QF22: Feelings about self - Feel I am not important to others</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Somewhat Disagree	176	12.6 %	12.7%
3	Somewhat Agree	84	6.0 %	6.0%
4	Strongly Agree	188	13.5 %	13.5%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QG1 Been in jail/prison past 12 months

Location: 821-822(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In this section, I'd like to ask about any experiences you might have had with the police or courts during the past 12 months. Let me remind you that this information will remain confidential.

In the past 12 months, have you spent time in jail or prison?

If No -> Go to G2

<i>QG1: Been in jail/prison past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	318	22.8 %	22.9%
2	No	1073	77.0 %	77.1%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QG1A Number of weeks spent in jail - past 12 months (recoded)

Location: 823-824(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -3 , -2 , -1

Question:

During the past 12 months, how much time have you spent in jail or prison? (IN WEEKS) (RECODED)

<i>QG1A: Number of weeks spent in jail - past 12 months (recoded)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	129	9.3 %	41.2%
1	-	18	1.3 %	5.8%
2	-	9	0.6 %	2.9%
3	-	10	0.7 %	3.2%
4	-	8	0.6 %	2.6%
5	-	3	0.2 %	1.0%

- Study 02258 -

QG1A: Number of weeks spent in jail - past 12 months (recoded)				
Value	Label	Unweighted Frequency	%	Valid %
6	-	8	0.6 %	2.6%
7	-	1	0.1 %	0.3%
8	-	1	0.1 %	0.3%
9	-	5	0.4 %	1.6%
10	-	3	0.2 %	1.0%
12	-	3	0.2 %	1.0%
13	-	10	0.7 %	3.2%
14	-	1	0.1 %	0.3%
16	-	1	0.1 %	0.3%
17	-	10	0.7 %	3.2%
20	-	3	0.2 %	1.0%
21	-	1	0.1 %	0.3%
22	-	3	0.2 %	1.0%
24	-	1	0.1 %	0.3%
26	-	19	1.4 %	6.1%
30	-	7	0.5 %	2.2%
34	-	1	0.1 %	0.3%
35	-	8	0.6 %	2.6%
39	-	1	0.1 %	0.3%
43	-	4	0.3 %	1.3%
44	-	1	0.1 %	0.3%
48	-	4	0.3 %	1.3%
50	-	2	0.1 %	0.6%
51	-	1	0.1 %	0.3%
52	-	37	2.7 %	11.8%
-9 (M)	Legitimate Skip	1075	77.2 %	-
-8 (M)	Bad Data	5	0.4 %	-

Based upon 313 valid cases out of 1393 total cases.

QG2_1 Arrested for use/possession of drugs past 12 months

Location: 825-826(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, have you been arrested and booked for (TYPE OF OFFENSE)?

Use or possession of marijuana, drugs, liquor law violation, drunk and disorderly

- Study 02258 -

Forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)

<i>QG3_3: Number of times arrested for forgery/fraud/embezzlement past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	18	1.3 %	94.7%
3	-	1	0.1 %	5.3%
-9 (M)	Legitimate Skip	1373	98.6 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 19 valid cases out of 1393 total cases.

QG5_3 **Number of times convicted for forgery/fraud/embezzlement past 12 months**

Location: 841-842(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many times have you been convicted for (TYPE OF OFFENSE)?

Forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)

<i>QG5_3: Number of times convicted for forgery/fraud/embezzlement past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	9	0.6 %	47.4%
1	-	9	0.6 %	47.4%
3	-	1	0.1 %	5.3%
-9 (M)	Legitimate Skip	1373	98.6 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 19 valid cases out of 1393 total cases.

QG2_4 **Arrested for burglary past 12 months**

Location: 843-844(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, have you been arrested and booked for (TYPE OF OFFENSE)?

Burglary-breaking and entering, unlawful entry, housebreaking, or safecracking

- Study 02258 -

<i>QG2_4: Arrested for burglary past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	17	1.2 %	1.2%
2	No	1374	98.6 %	98.8%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QG3_4 Number of times arrested for burglary past 12 months

Location: 845-846(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many times have you been arrested for (TYPE OF OFFENSE)?

Burglary-breaking and entering, unlawful entry, housebreaking, or safecracking

<i>QG3_4: Number of times arrested for burglary past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	14	1.0 %	87.5%
3	-	1	0.1 %	6.2%
4	-	1	0.1 %	6.2%
-9 (M)	Legitimate Skip	1377	98.9 %	-

Based upon 16 valid cases out of 1393 total cases.

QG5_4 Number of times convicted for burglary past 12 months

Location: 847-848(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many times have you been convicted for (TYPE OF OFFENSE)?

Burglary-breaking and entering, unlawful entry, housebreaking, or safecracking

<i>QG5_4: Number of times convicted for burglary past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	4	0.3 %	23.5%
1	-	11	0.8 %	64.7%
3	-	1	0.1 %	5.9%

- Study 02258 -

<i>QG5_4: Number of times convicted for burglary past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	-	1	0.1 %	5.9%
-9 (M)	Legitimate Skip	1376	98.8 %	-

Based upon 17 valid cases out of 1393 total cases.

QG2_5 Arrested for larceny past 12 months

Location: 849-850(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have you been arrested and booked for (TYPE OF OFFENSE)?

Larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts, and accessories, theft from buildings or coin machines

<i>QG2_5: Arrested for larceny past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	31	2.2 %	2.2%
2	No	1360	97.6 %	97.8%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QG3_5 Number of times arrested for larceny past 12 months

Location: 851-852(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many times have you been arrested for (TYPE OF OFFENSE)?

Larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts, and accessories, theft from buildings or coin machines

<i>QG3_5: Number of times arrested for larceny past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	19	1.4 %	61.3%
2	-	3	0.2 %	9.7%
3	-	4	0.3 %	12.9%
8	-	3	0.2 %	9.7%

- Study 02258 -

Location: 865-866(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many times have you been convicted for (TYPE OF OFFENSE)?

Robbery-bank, mugging, armed robbery, or purse snatching with force

<i>QG5_7: Number of times convicted for robbery past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	4	0.3 %	66.7%
1	-	1	0.1 %	16.7%
2	-	1	0.1 %	16.7%
-9 (M)	Legitimate Skip	1387	99.6 %	-

Based upon 6 valid cases out of 1393 total cases.

QG2_8 Arrested for attacks on persons past 12 months

Location: 867-868(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, have you been arrested and booked for (TYPE OF OFFENSE)?

Attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping

<i>QG2_8: Arrested for attacks on persons past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	13	0.9 %	0.9%
2	No	1378	98.9 %	99.1%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QG3_8 Number of times arrested for attacks on persons past 12 months

Location: 869-870(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many times have you been arrested for (TYPE OF OFFENSE)?

Attacks on persons such as homicides, manslaughter, aggravated

- Study 02258 -

assault, forcible rape, or kidnapping

<i>QG3_8: Number of times arrested for attacks on persons past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	11	0.8 %	84.6%
2	-	1	0.1 %	7.7%
3	-	1	0.1 %	7.7%
-9 (M)	Legitimate Skip	1380	99.1 %	-

Based upon 13 valid cases out of 1393 total cases.

QG5_8 Number of times convicted for attacks on persons past 12 months

Location: 871-872(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many times have you been convicted for (TYPE OF OFFENSE)?

Attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping

<i>QG5_8: Number of times convicted for attacks on persons past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	6	0.4 %	46.2%
1	-	6	0.4 %	46.2%
2	-	1	0.1 %	7.7%
-9 (M)	Legitimate Skip	1380	99.1 %	-

Based upon 13 valid cases out of 1393 total cases.

QG2_9 Arrested for simple assault/domestic violence etc past 12 months

Location: 873-874(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, have you been arrested and booked for (TYPE OF OFFENSE)?

Other offenses where people may be injured such as simple assault or offenses against family and children

<i>QG2_9: Arrested for simple assault/domestic violence etc past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	31	2.2 %	2.2%

- Study 02258 -

<i>QG2_9: Arrested for simple assault/domestic violence etc past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	1360	97.6 %	97.8%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QG3_9 Number of times arrested for simple assault/domestic violence past 12 months

Location: 875-876(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many times have you been arrested for (TYPE OF OFFENSE)?

Other offenses where people may be injured such as simple assault or offenses against family and children

<i>QG3_9: Number of times arrested for simple assault/domestic violence past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	27	1.9 %	87.1%
2	-	2	0.1 %	6.5%
3	-	2	0.1 %	6.5%
-9 (M)	Legitimate Skip	1362	97.8 %	-

Based upon 31 valid cases out of 1393 total cases.

QG5_9 Number of convicted for simple assault/domestic violence past 12 months

Location: 877-878(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many times have you been convicted for (TYPE OF OFFENSE)?

Other offenses where people may be injured such as simple assault or offenses against family and children

<i>QG5_9: Number of convicted for simple assault/domestic violence past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	20	1.4 %	64.5%
1	-	10	0.7 %	32.3%
2	-	1	0.1 %	3.2%
-9 (M)	Legitimate Skip	1362	97.8 %	-

- Study 02258 -

Based upon 31 valid cases out of 1393 total cases.

QG2_10 Arrested for DUI past 12 months

Location: 879-880(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:
 During the past 12 months, have you been arrested and booked
 for (TYPE OF OFFENSE)?

 Driving under the influence or driving while intoxicated

<i>QG2_10: Arrested for DUI past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	28	2.0 %	2.0%
2	No	1363	97.8 %	98.0%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QG3_10 Number of times arrested for DUI past 12 months

Location: 881-882(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:
 During the past 12 months, how many times have you been
 arrested for (TYPE OF OFFENSE)?

 Driving under the influence or driving while intoxicated

<i>QG3_10: Number of times arrested for DUI past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	25	1.8 %	92.6%
2	-	2	0.1 %	7.4%
-9 (M)	Legitimate Skip	1365	98.0 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QG5_10 Number of times convicted for DUI past 12 months

Location: 883-884(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:
 During the past 12 months, how many times have you been
 convicted for (TYPE OF OFFENSE)?

- Study 02258 -

Driving under the influence or driving while intoxicated

<i>QG5_10: Number of times convicted for DUI past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	9	0.6 %	32.1%
1	-	19	1.4 %	67.9%
-9 (M)	Legitimate Skip	1365	98.0 %	-

Based upon 28 valid cases out of 1393 total cases.

QG2_11 Arrested for status offenses past 12 months

Location: 885-886(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have you been arrested and booked for (TYPE OF OFFENSE)?

Status offenses such as running away, curfew violations, truancy, etc.

<i>QG2_11: Arrested for status offenses past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	3	0.2 %	0.2%
2	No	1388	99.6 %	99.8%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QG3_11 Number of times arrested for status offenses past 12 months

Location: 887-888(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many times have you been arrested for (TYPE OF OFFENSE)?

Status offenses such as running away, curfew violations, truancy, etc.

<i>QG3_11: Number of times arrested for status offenses past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	2	0.1 %	66.7%
2	-	1	0.1 %	33.3%

- Study 02258 -

<i>QG3_11: Number of times arrested for status offenses past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QG5_11 Number of times convicted for status offenses past 12 months

Location: 889-890(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, how many times have you been convicted for (TYPE OF OFFENSE)?

 Status offenses such as running away, curfew violations, truancy, etc.

<i>QG5_11: Number of times convicted for status offenses past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	3	0.2 %	100.0%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QG2_12 Arrested for other violations past 12 months

Location: 891-892(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, have you been arrested and booked for (TYPE OF OFFENSE)?

 Any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc.

<i>QG2_12: Arrested for other violations past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	93	6.7 %	6.7%
2	No	1298	93.2 %	93.3%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QG3_12 Number of times arrested for other violations past 12 months

- Study 02258 -

Location: 893-894(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many times have you been arrested for (TYPE OF OFFENSE)?

Any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc.

<i>QG3_12: Number of times arrested for other violations past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	78	5.6 %	83.9%
2	-	13	0.9 %	14.0%
3	-	1	0.1 %	1.1%
7	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1300	93.3 %	-

Based upon 93 valid cases out of 1393 total cases.

QG5_12 Number of times convicted for other violations past 12 months

Location: 895-896(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many times have you been convicted for (TYPE OF OFFENSE)?

Any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc.

<i>QG5_12: Number of times convicted for other violations past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	35	2.5 %	38.0%
1	-	52	3.7 %	56.5%
2	-	4	0.3 %	4.3%
3	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1300	93.3 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 92 valid cases out of 1393 total cases.

QG6 Illegal activity for drug money past 12 months

- Study 02258 -

Location: 897-898(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, have you been involved in "illegal" or criminal activity in order to get money for drugs?

If No -> Go to G7

<i>QG6: Illegal activity for drug money past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	165	11.8 %	11.9%
2	No	1225	87.9 %	88.1%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QG6A Frequency of illegal activity for drug money past 12 months

Location: 899-900(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How often in the past 12 months have you been involved in "illegal" or criminal activity in order to get money for drugs?

<i>QG6A: Frequency of illegal activity for drug money past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1 or 2 times	31	2.2 %	18.9%
2	3 to 5 times	16	1.1 %	9.8%
3	6 to 10 times	19	1.4 %	11.6%
4	11 to 49 times	28	2.0 %	17.1%
5	50 or more times	68	4.9 %	41.5%
6	Never	2	0.1 %	1.2%
-9 (M)	Legitimate Skip	1228	88.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 164 valid cases out of 1393 total cases.

QG7 Legal problems because of drug/alcohol use past 12 months

Location: 901-902(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, have you had any police or legal problems because of your drug or alcohol use?

- Study 02258 -

If No -> Go to G8

<i>QG7: Legal problems because of drug/alcohol use past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	182	13.1 %	13.1%
2	No	1209	86.8 %	86.9%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QG7A How serious were these legal problems past 12 months

Location: 903-904(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, how serious were any such problems? Would you say . . . ?

<i>QG7A: How serious were these legal problems past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Not at all	15	1.1 %	8.2%
2	Somewhat	70	5.0 %	38.5%
3	Very serious	97	7.0 %	53.3%
-9 (M)	Legitimate Skip	1211	86.9 %	-

Based upon 182 valid cases out of 1393 total cases.

QG8 Past 12 months how serious legal problems overall

Location: 905-906(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, how serious do you feel your police or legal problems were overall, excluding civil problems? Would you say . . . ?

If No police or legal problems -> Go to G9

If not at all serious -> Go to G9

<i>QG8: Past 12 months how serious legal problems overall</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Not at all serious	118	8.5 %	8.5%
2	Slightly serious	81	5.8 %	5.8%
3	Moderately serious	36	2.6 %	2.6%
4	Considerably serious	57	4.1 %	4.1%
5	Extremely serious	58	4.2 %	4.2%

- Study 02258 -

<i>QG8: Past 12 months how serious legal problems overall</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	No police or legal problems	1040	74.7 %	74.8%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 1390 valid cases out of 1393 total cases.

QG8B How serious legal problems now

Location: 907-908(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How serious do you feel your police or legal problems are now, excluding civil problems?

<i>QG8B: How serious legal problems now</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Not at all serious	50	3.6 %	21.6%
2	Slightly serious	62	4.5 %	26.7%
3	Moderately serious	25	1.8 %	10.8%
4	Considerably serious	24	1.7 %	10.3%
5	Extremely serious	33	2.4 %	14.2%
6	No police or legal problems	38	2.7 %	16.4%
-9 (M)	Legitimate Skip	1158	83.1 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 232 valid cases out of 1393 total cases.

QG9 Do you have legal services

Location: 909-910(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Do you have legal services (an attorney)?

 If Yes -> Go to G10

<i>QG9: Do you have legal services</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	287	20.6 %	20.6%
2	No	1104	79.3 %	79.4%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

- Study 02258 -

QG9A Do you need legal services

Location: 911-912(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Do you need legal services (an attorney)?

<i>QG9A: Do you need legal services</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	70	5.0 %	6.3%
2	No	1033	74.2 %	93.7%
-9 (M)	Legitimate Skip	287	20.6 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 1103 valid cases out of 1393 total cases.

QG10_1A Past 12 months involved in aggravated assault

Location: 913-914(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Now, I'd like you to fill out this chart about your involvement in illegal activities, regardless of whether you were arrested for them.

During the past 12 months, were you involved in (TYPE OF OFFENSE)?

Aggravated assault

<i>QG10_1A: Past 12 months involved in aggravated assault</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	34	2.4 %	2.4%
2	No	1354	97.2 %	97.6%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 1388 valid cases out of 1393 total cases.

QG10_1B Nm days or times involved in aggravated assault

Location: 915-917(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, about how many days or times have you done this (TYPE OF OFFENSE)?

- Study 02258 -

Aggravated assault

<i>QG10_1B: Nm days or times invinvolved in aggravated assault</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	14	1.0 %	53.8%
2	-	3	0.2 %	11.5%
3	-	4	0.3 %	15.4%
5	-	1	0.1 %	3.8%
7	-	1	0.1 %	3.8%
10	-	1	0.1 %	3.8%
47	-	1	0.1 %	3.8%
99	-	1	0.1 %	3.8%
-9 (M)	Legitimate Skip	1359	97.6 %	-
-2 (M)	Don't Know	5	0.4 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 26 valid cases out of 1393 total cases.

QG10_2A Past 12 months involved in burglary

Location: 918-919(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I'd like you to fill out this chart about your involvement in illegal activities, regardless of whether you were arrested for them.

During the past 12 months, were you involved in (TYPE OF OFFENSE)?

Burglary

<i>QG10_2A: Past 12 months involved in burglary</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	35	2.5 %	2.5%
2	No	1355	97.3 %	97.5%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QG10_2B Number of days or times involved in burglary

Location: 920-922(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

In the past 12 months, about how many days or times have you done this (TYPE OF OFFENSE)?

Burglary

<i>QG10_2B: Number of days or times involved in burglary</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	11	0.8 %	36.7%
2	-	4	0.3 %	13.3%
4	-	2	0.1 %	6.7%
5	-	1	0.1 %	3.3%
6	-	1	0.1 %	3.3%
10	-	2	0.1 %	6.7%
13	-	1	0.1 %	3.3%
15	-	1	0.1 %	3.3%
20	-	1	0.1 %	3.3%
40	-	1	0.1 %	3.3%
99	-	1	0.1 %	3.3%
100	-	1	0.1 %	3.3%
200	-	1	0.1 %	3.3%
859	-	1	0.1 %	3.3%
999	-	1	0.1 %	3.3%
-9 (M)	Legitimate Skip	1358	97.5 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 30 valid cases out of 1393 total cases.

QG10_3A Past 12 months involved in theft

Location: 923-924(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like you to fill out this chart about your involvement in illegal activities, regardless of whether you were arrested for them.

During the past 12 months, were you involved in (TYPE OF OFFENSE)?

Theft

- Study 02258 -

<i>QG10_3A: Past 12 months involved in theft</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	107	7.7 %	7.7%
2	No	1281	92.0 %	92.3%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 1388 valid cases out of 1393 total cases.

QG10_3B Number of days or times involved in theft

Location: 925-927(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, about how many days or times have you done this (TYPE OF OFFENSE)?

Theft

<i>QG10_3B: Number of days or times involved in theft</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	13	0.9 %	13.4%
2	-	8	0.6 %	8.2%
3	-	6	0.4 %	6.2%
4	-	3	0.2 %	3.1%
5	-	9	0.6 %	9.3%
6	-	3	0.2 %	3.1%
7	-	2	0.1 %	2.1%
8	-	3	0.2 %	3.1%
9	-	1	0.1 %	1.0%
10	-	8	0.6 %	8.2%
12	-	3	0.2 %	3.1%
13	-	1	0.1 %	1.0%
15	-	3	0.2 %	3.1%
20	-	6	0.4 %	6.2%
22	-	1	0.1 %	1.0%
25	-	2	0.1 %	2.1%
30	-	1	0.1 %	1.0%
40	-	1	0.1 %	1.0%
50	-	3	0.2 %	3.1%
56	-	1	0.1 %	1.0%
70	-	1	0.1 %	1.0%

- Study 02258 -

<i>QG10_3B: Number of days or times involved in theft</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
80	-	1	0.1 %	1.0%
90	-	1	0.1 %	1.0%
100	-	4	0.3 %	4.1%
180	-	1	0.1 %	1.0%
200	-	2	0.1 %	2.1%
208	-	1	0.1 %	1.0%
225	-	1	0.1 %	1.0%
240	-	1	0.1 %	1.0%
250	-	1	0.1 %	1.0%
300	-	2	0.1 %	2.1%
365	-	1	0.1 %	1.0%
458	-	1	0.1 %	1.0%
750	-	1	0.1 %	1.0%
-9 (M)	Legitimate Skip	1286	92.3 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	9	0.6 %	-

Based upon 97 valid cases out of 1393 total cases.

QG10_4A Past 12 months involved in robbery

Location: 928-929(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like you to fill out this chart about your involvement in illegal activities, regardless of whether you were arrested for them.

During the past 12 months, were you involved in (TYPE OF OFFENSE)?

Robbery

<i>QG10_4A: Past 12 months involved in robbery</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	29	2.1 %	2.1%
2	No	1360	97.6 %	97.9%
-1 (M)	Refused	4	0.3 %	-

Based upon 1389 valid cases out of 1393 total cases.

QG10_4B Number of days or times involved in robbery

Location: 930-932(width: 3; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, about how many days or times have you done this (TYPE OF OFFENSE)?

Robbery

<i>QG10_4B: Number of days or times involved in robbery</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	9	0.6 %	39.1%
2	-	5	0.4 %	21.7%
3	-	1	0.1 %	4.3%
4	-	1	0.1 %	4.3%
5	-	1	0.1 %	4.3%
6	-	1	0.1 %	4.3%
10	-	1	0.1 %	4.3%
11	-	1	0.1 %	4.3%
20	-	1	0.1 %	4.3%
42	-	1	0.1 %	4.3%
300	-	1	0.1 %	4.3%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-1 (M)	Refused	6	0.4 %	-

Based upon 23 valid cases out of 1393 total cases.

QG10_5A Past 12 months involved in forgery/embezzlement

Location: 933-934(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I'd like you to fill out this chart about your involvement in illegal activities, regardless of whether you were arrested for them.

During the past 12 months, were you involved in (TYPE OF OFFENSE)?

Forgery/embezzlement

<i>QG10_5A: Past 12 months involved in forgery/embezzlement</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	38	2.7 %	2.7%
2	No	1350	96.9 %	97.3%
-1 (M)	Refused	5	0.4 %	-

- Study 02258 -

Based upon 1388 valid cases out of 1393 total cases.

QG10_5B **Number of days or times involved in forgery/embezzlement**

Location: 935-937(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, about how many days or times have you done this (TYPE OF OFFENSE)?

Forgery/embezzlement

<i>QG10_5B: Number of days or times involved in forgery/embezzlement</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	13	0.9 %	37.1%
2	-	5	0.4 %	14.3%
3	-	3	0.2 %	8.6%
4	-	1	0.1 %	2.9%
5	-	1	0.1 %	2.9%
6	-	1	0.1 %	2.9%
9	-	1	0.1 %	2.9%
10	-	2	0.1 %	5.7%
12	-	1	0.1 %	2.9%
20	-	2	0.1 %	5.7%
24	-	1	0.1 %	2.9%
30	-	1	0.1 %	2.9%
100	-	1	0.1 %	2.9%
319	-	1	0.1 %	2.9%
500	-	1	0.1 %	2.9%
-9 (M)	Legitimate Skip	1355	97.3 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 35 valid cases out of 1393 total cases.

QG10_6A **Past 12 months involved in fencing/stolen property**

Location: 938-939(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Now, I'd like you to fill out this chart about your involvement in illegal activities, regardless of whether you were arrested for them.

During the past 12 months, were you involved in (TYPE

- Study 02258 -

OF OFFENSE)?

Dealing in stolen property/fencing

<i>QG10_6A: Past 12 months involved in fencing/stolen property</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	78	5.6 %	5.6%
2	No	1310	94.0 %	94.4%
-1 (M)	Refused	5	0.4 %	-

Based upon 1388 valid cases out of 1393 total cases.

QG10_6B Number of days or times involved in fencing/stolen property

Location: 940-942(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, about how many days or times have you done this (TYPE OF OFFENSE)?

Dealing in stolen property/fencing

<i>QG10_6B: Number of days or times involved in fencing/stolen property</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	11	0.8 %	14.5%
2	-	5	0.4 %	6.6%
3	-	5	0.4 %	6.6%
4	-	4	0.3 %	5.3%
5	-	10	0.7 %	13.2%
6	-	2	0.1 %	2.6%
7	-	1	0.1 %	1.3%
10	-	3	0.2 %	3.9%
12	-	2	0.1 %	2.6%
13	-	2	0.1 %	2.6%
15	-	2	0.1 %	2.6%
17	-	1	0.1 %	1.3%
20	-	1	0.1 %	1.3%
21	-	1	0.1 %	1.3%
23	-	1	0.1 %	1.3%
30	-	4	0.3 %	5.3%
40	-	1	0.1 %	1.3%
45	-	1	0.1 %	1.3%
50	-	5	0.4 %	6.6%

- Study 02258 -

<i>QG10_6B: Number of days or times involved in fencing/stolen property</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
60	-	2	0.1 %	2.6%
80	-	1	0.1 %	1.3%
100	-	3	0.2 %	3.9%
125	-	1	0.1 %	1.3%
180	-	1	0.1 %	1.3%
200	-	2	0.1 %	2.6%
225	-	1	0.1 %	1.3%
250	-	1	0.1 %	1.3%
300	-	1	0.1 %	1.3%
750	-	1	0.1 %	1.3%
-9 (M)	Legitimate Skip	1315	94.4 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 76 valid cases out of 1393 total cases.

QG10_7A Past 12 months involved in gambling

Location: 943-944(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I'd like you to fill out this chart about your involvement in illegal activities, regardless of whether you were arrested for them.

During the past 12 months, were you involved in (TYPE OF OFFENSE)?

Gambling

<i>QG10_7A: Past 12 months involved in gambling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	92	6.6 %	6.6%
2	No	1296	93.0 %	93.4%
-1 (M)	Refused	5	0.4 %	-

Based upon 1388 valid cases out of 1393 total cases.

QG10_7B Number of days or times involved in gambling

Location: 945-947(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, about how many days or times have

- Study 02258 -

you done this (TYPE OF OFFENSE)?

Gambling

<i>QG10_7B: Number of days or times involved in gambling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	5	0.4 %	5.7%
2	-	8	0.6 %	9.2%
3	-	2	0.1 %	2.3%
4	-	2	0.1 %	2.3%
5	-	10	0.7 %	11.5%
6	-	1	0.1 %	1.1%
8	-	1	0.1 %	1.1%
9	-	2	0.1 %	2.3%
10	-	7	0.5 %	8.0%
12	-	7	0.5 %	8.0%
15	-	1	0.1 %	1.1%
20	-	6	0.4 %	6.9%
25	-	2	0.1 %	2.3%
30	-	2	0.1 %	2.3%
36	-	1	0.1 %	1.1%
45	-	1	0.1 %	1.1%
48	-	2	0.1 %	2.3%
50	-	8	0.6 %	9.2%
52	-	1	0.1 %	1.1%
55	-	1	0.1 %	1.1%
75	-	1	0.1 %	1.1%
90	-	1	0.1 %	1.1%
100	-	6	0.4 %	6.9%
104	-	1	0.1 %	1.1%
120	-	1	0.1 %	1.1%
180	-	1	0.1 %	1.1%
200	-	2	0.1 %	2.3%
265	-	1	0.1 %	1.1%
300	-	1	0.1 %	1.1%
365	-	2	0.1 %	2.3%
-9 (M)	Legitimate Skip	1301	93.4 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 87 valid cases out of 1393 total cases.

- Study 02258 -

Location: 948-949(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I'd like you to fill out this chart about your involvement in illegal activities, regardless of whether you were arrested for them.

During the past 12 months, were you involved in (TYPE OF OFFENSE)?

Pimping/prostitution

<i>QG10_8A: Past 12 months involved in pimping/prostitution</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	56	4.0 %	4.0%
2	No	1332	95.6 %	96.0%
-1 (M)	Refused	5	0.4 %	-

Based upon 1388 valid cases out of 1393 total cases.

QG10_8B Number of days or times involved in pimping/prostitution

Location: 950-952(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, about how many days or times have you done this (TYPE OF OFFENSE)?

Pimping/prostitution

<i>QG10_8B: Number of days or times involved in pimping/prostitution</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	5	0.4 %	9.3%
2	-	3	0.2 %	5.6%
3	-	2	0.1 %	3.7%
4	-	1	0.1 %	1.9%
5	-	5	0.4 %	9.3%
7	-	1	0.1 %	1.9%
10	-	2	0.1 %	3.7%
12	-	2	0.1 %	3.7%
15	-	1	0.1 %	1.9%
20	-	1	0.1 %	1.9%
24	-	2	0.1 %	3.7%
25	-	1	0.1 %	1.9%

- Study 02258 -

<i>QG10_8B: Number of days or times involved in pimping/prostitution</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
27	-	1	0.1 %	1.9%
30	-	3	0.2 %	5.6%
40	-	1	0.1 %	1.9%
50	-	2	0.1 %	3.7%
60	-	2	0.1 %	3.7%
69	-	1	0.1 %	1.9%
100	-	5	0.4 %	9.3%
180	-	3	0.2 %	5.6%
200	-	2	0.1 %	3.7%
270	-	1	0.1 %	1.9%
300	-	1	0.1 %	1.9%
360	-	1	0.1 %	1.9%
365	-	2	0.1 %	3.7%
500	-	2	0.1 %	3.7%
559	-	1	0.1 %	1.9%
-9 (M)	Legitimate Skip	1337	96.0 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 54 valid cases out of 1393 total cases.

QG10_9A Past 12 months involved in selling illegal drugs

Location: 953-954(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I'd like you to fill out this chart about your involvement in illegal activities, regardless of whether you were arrested for them.

During the past 12 months, were you involved in (TYPE OF OFFENSE)?

Selling illegal drugs

<i>QG10_9A: Past 12 months involved in selling illegal drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	122	8.8 %	8.8%
2	No	1266	90.9 %	91.2%
-1 (M)	Refused	5	0.4 %	-

Based upon 1388 valid cases out of 1393 total cases.

QG10_9B Number of days or times involved in selling illegal drugs

- Study 02258 -

Location: 955-957(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, about how many days or times have you done this (TYPE OF OFFENSE)?

Selling illegal drugs

<i>QG10_9B: Number of days or times involved in selling illegal drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	13	0.9 %	10.9%
2	-	10	0.7 %	8.4%
3	-	3	0.2 %	2.5%
4	-	4	0.3 %	3.4%
5	-	7	0.5 %	5.9%
6	-	2	0.1 %	1.7%
7	-	1	0.1 %	0.8%
9	-	1	0.1 %	0.8%
10	-	6	0.4 %	5.0%
12	-	4	0.3 %	3.4%
13	-	1	0.1 %	0.8%
15	-	1	0.1 %	0.8%
18	-	1	0.1 %	0.8%
20	-	4	0.3 %	3.4%
21	-	2	0.1 %	1.7%
23	-	1	0.1 %	0.8%
25	-	3	0.2 %	2.5%
30	-	4	0.3 %	3.4%
35	-	1	0.1 %	0.8%
36	-	2	0.1 %	1.7%
40	-	2	0.1 %	1.7%
41	-	1	0.1 %	0.8%
45	-	1	0.1 %	0.8%
48	-	1	0.1 %	0.8%
50	-	7	0.5 %	5.9%
60	-	4	0.3 %	3.4%
70	-	1	0.1 %	0.8%
80	-	1	0.1 %	0.8%
90	-	1	0.1 %	0.8%
100	-	8	0.6 %	6.7%
104	-	1	0.1 %	0.8%

- Study 02258 -

<i>QG10_9B: Number of days or times involved in selling illegal drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
120	-	1	0.1 %	0.8%
150	-	2	0.1 %	1.7%
156	-	2	0.1 %	1.7%
160	-	1	0.1 %	0.8%
180	-	1	0.1 %	0.8%
250	-	1	0.1 %	0.8%
300	-	4	0.3 %	3.4%
340	-	1	0.1 %	0.8%
350	-	1	0.1 %	0.8%
365	-	3	0.2 %	2.5%
500	-	1	0.1 %	0.8%
505	-	1	0.1 %	0.8%
999	-	1	0.1 %	0.8%
-9 (M)	Legitimate Skip	1271	91.2 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 119 valid cases out of 1393 total cases.

QG10_10A

Past 12 months involved in driving while intoxicated

Location: 958-959(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like you to fill out this chart about your involvement in illegal activities, regardless of whether you were arrested for them.

During the past 12 months, were you involved in (TYPE OF OFFENSE)?

Driving while intoxicated

<i>QG10_10A: Past 12 months involved in driving while intoxicated</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	102	7.3 %	7.3%
2	No	1286	92.3 %	92.7%
-1 (M)	Refused	5	0.4 %	-

Based upon 1388 valid cases out of 1393 total cases.

QG10_10B

Number of days or times involved in driving while intoxicated

Location: 960-962(width: 3; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, about how many days or times have you done this (TYPE OF OFFENSE)?

Driving while intoxicated

<i>QG10_10B: Number of days or times involved in driving while intoxicated</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	23	1.7 %	23.5%
2	-	9	0.6 %	9.2%
3	-	9	0.6 %	9.2%
4	-	3	0.2 %	3.1%
5	-	2	0.1 %	2.0%
6	-	2	0.1 %	2.0%
7	-	3	0.2 %	3.1%
8	-	4	0.3 %	4.1%
10	-	10	0.7 %	10.2%
12	-	3	0.2 %	3.1%
14	-	3	0.2 %	3.1%
15	-	1	0.1 %	1.0%
20	-	4	0.3 %	4.1%
30	-	5	0.4 %	5.1%
35	-	1	0.1 %	1.0%
50	-	2	0.1 %	2.0%
60	-	3	0.2 %	3.1%
75	-	1	0.1 %	1.0%
90	-	1	0.1 %	1.0%
100	-	2	0.1 %	2.0%
180	-	3	0.2 %	3.1%
200	-	2	0.1 %	2.0%
228	-	1	0.1 %	1.0%
300	-	1	0.1 %	1.0%
-9 (M)	Legitimate Skip	1291	92.7 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 98 valid cases out of 1393 total cases.

QH1 What were doing most of time last week

Location: 963-964(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I'd like to ask some questions regarding your employment status and history. I will ask several questions about legitimate jobs. By "legitimate jobs" I mean jobs for pay that do not involve illegal activities. They do include part-time jobs, working for yourself, and jobs paid off the books or under the table.

What were you doing most of the time last week? Were you working, looking for work, keeping house, going to school, or something else?

If 1 or 2 -> Go to H2D

<i>QH1: What were doing most of time last week</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Working at a legitimate job or for yourself	700	50.3 %	50.3%
2	Had a job but was not working	16	1.1 %	1.1%
3	Looking for work	99	7.1 %	7.1%
4	Keeping house for yourself or your family (homemaker)	235	16.9 %	16.9%
5	Going to school or training program	26	1.9 %	1.9%
6	Unable to work, disabled	113	8.1 %	8.1%
7	Retired	9	0.6 %	0.6%
8	In jail, residential treatment program, or other institution	92	6.6 %	6.6%
9	Involved in drug-related activities (using, selling, etc.)	10	0.7 %	0.7%
10	Involved in other illegal activities	5	0.4 %	0.4%
11	Not working and not interested in working or looking for work	28	2.0 %	2.0%
12	Other	60	4.3 %	4.3%

Based upon 1393 valid cases out of 1393 total cases.

QH2 Work in job that didnt involve illegal activities last week

Location: 965-966(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you work for pay at all last week at any job or task that did not involve illegal activities (including working for yourself)?

If Yes -> Go to H2D

- Study 02258 -

<i>QH2: Work in job that didnt involve illegal activities last week</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	68	4.9 %	10.0%
2	No	609	43.7 %	90.0%
-9 (M)	Legitimate Skip	716	51.4 %	-

Based upon 677 valid cases out of 1393 total cases.

QH2A Earned money legally last week

Location: 967-968(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In that week, did you earn any money legally? [Count earnings only, not other income like welfare or social security.]

If No -> Go to H4

<i>QH2A: Earned money legally last week</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes (Did earn money legally)	18	1.3 %	3.0%
2	No (Did not earn money legally)	591	42.4 %	97.0%
-9 (M)	Legitimate Skip	784	56.3 %	-

Based upon 609 valid cases out of 1393 total cases.

QH2D Hours worked for pay/didnt involve illegal activities

Location: 969-970(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During that week, how many hours did you actually work for pay at jobs or tasks that did not involve illegal activities?

<i>QH2D: Hours worked for pay/didnt involve illegal activities</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	16	1.1 %	2.0%
1	-	3	0.2 %	0.4%
2	-	3	0.2 %	0.4%
3	-	5	0.4 %	0.6%
4	-	4	0.3 %	0.5%
5	-	6	0.4 %	0.8%
6	-	5	0.4 %	0.6%
8	-	8	0.6 %	1.0%
9	-	1	0.1 %	0.1%

- Study 02258 -

<i>QH2D: Hours worked for pay/didnt involve illegal activities</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	-	9	0.6 %	1.1%
11	-	1	0.1 %	0.1%
12	-	10	0.7 %	1.3%
13	-	1	0.1 %	0.1%
14	-	3	0.2 %	0.4%
15	-	3	0.2 %	0.4%
16	-	4	0.3 %	0.5%
17	-	1	0.1 %	0.1%
18	-	6	0.4 %	0.8%
20	-	27	1.9 %	3.4%
21	-	2	0.1 %	0.3%
22	-	4	0.3 %	0.5%
23	-	1	0.1 %	0.1%
24	-	13	0.9 %	1.6%
25	-	12	0.9 %	1.5%
27	-	2	0.1 %	0.3%
28	-	5	0.4 %	0.6%
29	-	1	0.1 %	0.1%
30	-	28	2.0 %	3.5%
31	-	2	0.1 %	0.3%
32	-	20	1.4 %	2.5%
33	-	2	0.1 %	0.3%
34	-	6	0.4 %	0.8%
35	-	31	2.2 %	3.9%
36	-	15	1.1 %	1.9%
37	-	4	0.3 %	0.5%
38	-	4	0.3 %	0.5%
39	-	4	0.3 %	0.5%
40	-	264	19.0 %	33.1%
41	-	4	0.3 %	0.5%
42	-	6	0.4 %	0.8%
43	-	1	0.1 %	0.1%
44	-	10	0.7 %	1.3%
45	-	43	3.1 %	5.4%
46	-	6	0.4 %	0.8%
48	-	29	2.1 %	3.6%
49	-	5	0.4 %	0.6%
50	-	44	3.2 %	5.5%
51	-	2	0.1 %	0.3%

- Study 02258 -

<i>QH2D: Hours worked for pay/didnt involve illegal activities</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
52	-	8	0.6 %	1.0%
53	-	3	0.2 %	0.4%
54	-	3	0.2 %	0.4%
55	-	6	0.4 %	0.8%
56	-	6	0.4 %	0.8%
57	-	2	0.1 %	0.3%
59	-	1	0.1 %	0.1%
60	-	34	2.4 %	4.3%
62	-	2	0.1 %	0.3%
63	-	1	0.1 %	0.1%
64	-	2	0.1 %	0.3%
65	-	8	0.6 %	1.0%
67	-	1	0.1 %	0.1%
69	-	1	0.1 %	0.1%
70	-	14	1.0 %	1.8%
72	-	2	0.1 %	0.3%
75	-	3	0.2 %	0.4%
76	-	3	0.2 %	0.4%
80	-	5	0.4 %	0.6%
84	-	1	0.1 %	0.1%
88	-	1	0.1 %	0.1%
95	-	1	0.1 %	0.1%
97	-	1	0.1 %	0.1%
98	-	1	0.1 %	0.1%
99	-	2	0.1 %	0.3%
-9 (M)	Legitimate Skip	593	42.6 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 798 valid cases out of 1393 total cases.

QH3

What was your occupation

Location: 971-972(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What type of job was this or what was your occupation?

<i>QH3: What was your occupation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Professional and technical	106	7.6 %	13.2%
2	Manager and administrator	55	3.9 %	6.9%

- Study 02258 -

<i>QH3: What was your occupation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	Sales	61	4.4 %	7.6%
4	Clerical or office worker	70	5.0 %	8.7%
5	Craft and kindred	201	14.4 %	25.1%
6	Operative	38	2.7 %	4.7%
7	Transportation equipment operative	36	2.6 %	4.5%
8	Nonfarm laborer	59	4.2 %	7.4%
9	Private household worker	11	0.8 %	1.4%
10	Service worker	113	8.1 %	14.1%
30	Homemaker	1	0.1 %	0.1%
86	Other	50	3.6 %	6.2%
-9 (M)	Legitimate Skip	591	42.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 801 valid cases out of 1393 total cases.

QH3B Was this your usual occupation

Location: 973-974(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Was this your usual occupation?

01 - PROFESSIONAL AND TECHNICAL (accountant, architect, engineer, lawyer or judge, scientist, doctor, registered nurse, teacher, social worker, writer, entertainer, draftsman)

02 - MANAGER AND ADMINISTRATOR (office manager, sales manager, school administrator, government official, small business owner)

03 - SALES (sales representative, insurance agent, real estate broker, bond salesperson, sales clerk or other salesperson, cashier)

04 - CLERICAL OR OFFICE WORKER (bank teller, bookkeeper, secretary, file clerk, typist, postal clerk or carrier, ticket agent)

05 - CRAFT AND KINDRED (baker, carpenter, electrician, bricklayer, mechanic, machinist, tool and die maker, telephone installer)

06 - OPERATIVE (assemblers, checkers, gas station attendants, meat cutters, packers, laundry and drycleaning operations, miner operative, welder, garage worker)

- Study 02258 -

07 - TRANSPORTATION EQUIPMENT OPERATIVE (bus driver, cab driver, or chauffeur, truck driver and delivery person)

08 - NONFARM LABORER (construction, freight handler, sanitation worker, car washer, yard worker, odd-job person)

09 - PRIVATE HOUSEHOLD WORKER (maid, butler, cook)

10 - SERVICE WORKER (cook, waiter, barber, janitor, practical nurse, caretaker for children, day care worker, beautician, police officer, firefighter)

11 - FARMER AND FARM MANAGER

12 - FARM LABORER (field boss, picker)

20 - MILITARY SERVICE

30 - HOMEMAKER

86 - OTHER

If No -> Go to H3B1

<i>QH3B: Was this your usual occupation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	681	48.9 %	84.9%
2	No	121	8.7 %	15.1%
-9 (M)	Legitimate Skip	591	42.4 %	-

Based upon 802 valid cases out of 1393 total cases.

QH3B1 Usual occupation specification

Location: 975-976(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was your usual occupation?

01 - PROFESSIONAL AND TECHNICAL (accountant, architect, engineer, lawyer or judge, scientist, doctor, registered nurse, teacher, social worker, writer, entertainer, draftsman)

02 - MANAGER AND ADMINISTRATOR (office manager, sales manager, school administrator, government official, small business owner)

03 - SALES (sales representative, insurance agent, real estate broker, bond salesperson, sales clerk or other salesperson, cashier)

- Study 02258 -

04 - CLERICAL OR OFFICE WORKER (bank teller, bookkeeper, secretary, file clerk, typist, postal clerk or carrier, ticket agent)

05 - CRAFT AND KINDRED (baker, carpenter, electrician, bricklayer, mechanic, machinist, tool and die maker, telephone installer)

06 - OPERATIVE (assemblers, checkers, gas station attendants, meat cutters, packers, laundry and drycleaning operations, miner operative, welder, garage worker)

07 - TRANSPORTATION EQUIPMENT OPERATIVE (bus driver, cab driver, or chauffeur, truck driver and delivery person)

08 - NONFARM LABORER (construction, freight handler, sanitation worker, car washer, yard worker, odd-job person)

09 - PRIVATE HOUSEHOLD WORKER (maid, butler, cook)

10 - SERVICE WORKER (cook, waiter, barber, janitor, practical nurse, caretaker for children, day care worker, beautician, police officer, firefighter)

11 - FARMER AND FARM MANAGER

12 - FARM LABORER (field boss, picker)

20 - MILITARY SERVICE

30 - HOMEMAKER

86 - OTHER

<i>QH3B1: Usual occupation specification</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Professional and technical	9	0.6 %	7.4%
2	Manager and administrator	8	0.6 %	6.6%
3	Sales	8	0.6 %	6.6%
4	Clerical or office worker	15	1.1 %	12.4%
5	Craft and kindred	36	2.6 %	29.8%
6	Operative	1	0.1 %	0.8%
7	Transportation equipment operative	6	0.4 %	5.0%
8	Nonfarm laborer	9	0.6 %	7.4%
9	Private household worker	2	0.1 %	1.7%
10	Service worker	14	1.0 %	11.6%
12	Farm laborer	1	0.1 %	0.8%
30	Homemaker	1	0.1 %	0.8%
86	Other	11	0.8 %	9.1%
-9 (M)	Legitimate Skip	1272	91.3 %	-

- Study 02258 -

Based upon 121 valid cases out of 1393 total cases.

QH4 Did you look for work in past 3 months

Location: 977-978(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Now, I'd like you to think further back than last week about your employment status and history.

Did you (look for work/look for a different job) during the past 12 months?

If No -> Go to H6

<i>QH4: Did you look for work in past 3 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	477	34.2 %	34.2%
2	No	916	65.8 %	65.8%

Based upon 1393 valid cases out of 1393 total cases.

QH4B1 Look for work - No methods used

Location: 979-980(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What did you do during these months to find work?
(CIRCLE ALL MENTIONS)

No methods used

<i>QH4B1: Look for work - No methods used</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	21	1.5 %	4.4%
2	No	456	32.7 %	95.6%
-9 (M)	Legitimate Skip	916	65.8 %	-

Based upon 477 valid cases out of 1393 total cases.

QH4B2 Look for work - Public employment agency

Location: 981-982(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What did you do during these months to find work?

- Study 02258 -

(CIRCLE ALL MENTIONS)

Public employment agency

<i>QH4B2: Look for work - Public employment agency</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	88	6.3 %	18.4%
2	No	389	27.9 %	81.6%
-9 (M)	Legitimate Skip	916	65.8 %	-

Based upon 477 valid cases out of 1393 total cases.

QH4B3 Look for work - Private employment agency

Location: 983-984(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What did you do during these months to find work?
(CIRCLE ALL MENTIONS)

Private employment agency

<i>QH4B3: Look for work - Private employment agency</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	51	3.7 %	10.7%
2	No	426	30.6 %	89.3%
-9 (M)	Legitimate Skip	916	65.8 %	-

Based upon 477 valid cases out of 1393 total cases.

QH4B4 Look for work - Employers directly approached

Location: 985-986(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What did you do during these months to find work?
(CIRCLE ALL MENTIONS)

Employers directly approached

<i>QH4B4: Look for work - Employers directly approached</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	172	12.3 %	36.1%
2	No	305	21.9 %	63.9%
-9 (M)	Legitimate Skip	916	65.8 %	-

- Study 02258 -

Based upon 477 valid cases out of 1393 total cases.

QH4B5 Look for work - Talked with friends or relatives

Location: 987-988(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What did you do during these months to find work?
(CIRCLE ALL MENTIONS)

Talked with friends or relatives

QH4B5: Look for work - Talked with friends or relatives

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	166	11.9 %	34.8%
2	No	311	22.3 %	65.2%
-9 (M)	Legitimate Skip	916	65.8 %	-

Based upon 477 valid cases out of 1393 total cases.

QH4B6 Look for work - Placed or answered ads

Location: 989-990(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What did you do during these months to find work?
(CIRCLE ALL MENTIONS)

Placed or answered ads

QH4B6: Look for work - Placed or answered ads

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	220	15.8 %	46.1%
2	No	257	18.4 %	53.9%
-9 (M)	Legitimate Skip	916	65.8 %	-

Based upon 477 valid cases out of 1393 total cases.

QH4B7 Look for work - Other

Location: 991-992(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What did you do during these months to find work?
(CIRCLE ALL MENTIONS)

- Study 02258 -

Other

<i>QH4B7: Look for work - Other</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	63	4.5 %	13.2%
2	No	414	29.7 %	86.8%
-9 (M)	Legitimate Skip	916	65.8 %	-

Based upon 477 valid cases out of 1393 total cases.

QH6 Past 12 months how many legitmate employers

Location: 993-994(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, for how many different employers or businesses have you worked legitimate jobs? If you worked for yourself, such as doing in-home child care or odd jobs and yard work, count this as one employer.

[IF NONE, RECORD 00 AND GO TO H12]

<i>QH6: Past 12 months how many legitmate employers</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	416	29.9 %	29.9%
1	-	584	41.9 %	42.0%
2	-	229	16.4 %	16.5%
3	-	97	7.0 %	7.0%
4	-	40	2.9 %	2.9%
5	-	10	0.7 %	0.7%
6	-	7	0.5 %	0.5%
8	-	3	0.2 %	0.2%
9	-	1	0.1 %	0.1%
12	-	1	0.1 %	0.1%
13	-	1	0.1 %	0.1%
20	-	1	0.1 %	0.1%
25	-	1	0.1 %	0.1%
52	-	1	0.1 %	0.1%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QH7 Weeks employed full or part-time jobs past 12 months

Location: 995-996(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, how long (in weeks) were you employed in either full-time or part-time jobs?

[IF LESS THAN A WEEK, RECORD 00 AND GO TO H12]

<i>QH7: Weeks employed full or part-time jobs past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	26	1.9 %	2.7%
1	-	11	0.8 %	1.1%
2	-	10	0.7 %	1.0%
3	-	8	0.6 %	0.8%
4	-	13	0.9 %	1.3%
5	-	4	0.3 %	0.4%
6	-	7	0.5 %	0.7%
8	-	17	1.2 %	1.7%
9	-	3	0.2 %	0.3%
10	-	2	0.1 %	0.2%
11	-	4	0.3 %	0.4%
12	-	41	2.9 %	4.2%
13	-	5	0.4 %	0.5%
16	-	29	2.1 %	3.0%
17	-	1	0.1 %	0.1%
18	-	4	0.3 %	0.4%
19	-	1	0.1 %	0.1%
20	-	20	1.4 %	2.1%
21	-	1	0.1 %	0.1%
22	-	6	0.4 %	0.6%
23	-	2	0.1 %	0.2%
24	-	19	1.4 %	2.0%
25	-	2	0.1 %	0.2%
26	-	31	2.2 %	3.2%
27	-	1	0.1 %	0.1%
28	-	16	1.1 %	1.6%
29	-	2	0.1 %	0.2%
30	-	17	1.2 %	1.7%
31	-	2	0.1 %	0.2%
32	-	22	1.6 %	2.3%
33	-	5	0.4 %	0.5%
34	-	8	0.6 %	0.8%

- Study 02258 -

<i>QH7: Weeks employed full or part-time jobs past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
35	-	2	0.1 %	0.2%
36	-	24	1.7 %	2.5%
37	-	1	0.1 %	0.1%
38	-	1	0.1 %	0.1%
39	-	4	0.3 %	0.4%
40	-	16	1.1 %	1.6%
41	-	1	0.1 %	0.1%
42	-	5	0.4 %	0.5%
43	-	1	0.1 %	0.1%
44	-	10	0.7 %	1.0%
45	-	2	0.1 %	0.2%
46	-	6	0.4 %	0.6%
47	-	2	0.1 %	0.2%
48	-	23	1.7 %	2.4%
49	-	8	0.6 %	0.8%
50	-	6	0.4 %	0.6%
51	-	2	0.1 %	0.2%
52	-	519	37.3 %	53.3%
-9 (M)	Legitimate Skip	417	29.9 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 973 valid cases out of 1393 total cases.

QH8 Number weeks worked 35 or more hours per week past 12 months

Location: 997-998(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, how many weeks have you worked 35 or more hours a week?

[IF NONE, RECORD 00 AND GO TO H12]

<i>QH8: Number weeks worked 35 or more hours per week past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	101	7.3 %	10.7%
1	-	5	0.4 %	0.5%
2	-	12	0.9 %	1.3%
3	-	9	0.6 %	1.0%

- Study 02258 -

<i>QH8: Number weeks worked 35 or more hours per week past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	-	15	1.1 %	1.6%
5	-	2	0.1 %	0.2%
6	-	11	0.8 %	1.2%
7	-	2	0.1 %	0.2%
8	-	15	1.1 %	1.6%
9	-	3	0.2 %	0.3%
10	-	9	0.6 %	1.0%
11	-	1	0.1 %	0.1%
12	-	27	1.9 %	2.9%
13	-	6	0.4 %	0.6%
14	-	2	0.1 %	0.2%
15	-	4	0.3 %	0.4%
16	-	24	1.7 %	2.5%
17	-	2	0.1 %	0.2%
18	-	1	0.1 %	0.1%
19	-	1	0.1 %	0.1%
20	-	21	1.5 %	2.2%
21	-	1	0.1 %	0.1%
22	-	1	0.1 %	0.1%
24	-	16	1.1 %	1.7%
25	-	2	0.1 %	0.2%
26	-	29	2.1 %	3.1%
27	-	2	0.1 %	0.2%
28	-	12	0.9 %	1.3%
29	-	1	0.1 %	0.1%
30	-	21	1.5 %	2.2%
31	-	1	0.1 %	0.1%
32	-	15	1.1 %	1.6%
33	-	4	0.3 %	0.4%
34	-	7	0.5 %	0.7%
35	-	4	0.3 %	0.4%
36	-	22	1.6 %	2.3%
37	-	1	0.1 %	0.1%
38	-	2	0.1 %	0.2%
39	-	4	0.3 %	0.4%
40	-	26	1.9 %	2.8%
41	-	1	0.1 %	0.1%
42	-	7	0.5 %	0.7%
44	-	9	0.6 %	1.0%

- Study 02258 -

<i>QH8: Number weeks worked 35 or more hours per week past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
45	-	3	0.2 %	0.3%
46	-	6	0.4 %	0.6%
47	-	2	0.1 %	0.2%
48	-	27	1.9 %	2.9%
49	-	9	0.6 %	1.0%
50	-	18	1.3 %	1.9%
51	-	5	0.4 %	0.5%
52	-	413	29.6 %	43.8%
-9 (M)	Legitimate Skip	446	32.0 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 944 valid cases out of 1393 total cases.

QH9 Longest period worked any 1 full-time job past 12 months

Location: 999-1000(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What has been the longest period (in weeks) you have worked any one full-time job (35 hours or more a week) in these past 12 months?

[IF NONE, RECORD 00 AND GO TO H12]

<i>QH9: Longest period worked any 1 full-time job past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	11	0.8 %	1.3%
1	-	6	0.4 %	0.7%
2	-	9	0.6 %	1.1%
3	-	10	0.7 %	1.2%
4	-	14	1.0 %	1.7%
5	-	4	0.3 %	0.5%
6	-	10	0.7 %	1.2%
8	-	24	1.7 %	2.9%
9	-	2	0.1 %	0.2%
10	-	6	0.4 %	0.7%
11	-	3	0.2 %	0.4%
12	-	35	2.5 %	4.2%
13	-	7	0.5 %	0.8%
15	-	1	0.1 %	0.1%
16	-	38	2.7 %	4.5%

- Study 02258 -

<i>QH9: Longest period worked any 1 full-time job past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
17	-	2	0.1 %	0.2%
18	-	1	0.1 %	0.1%
19	-	1	0.1 %	0.1%
20	-	25	1.8 %	3.0%
21	-	2	0.1 %	0.2%
22	-	5	0.4 %	0.6%
24	-	18	1.3 %	2.1%
25	-	1	0.1 %	0.1%
26	-	49	3.5 %	5.8%
27	-	1	0.1 %	0.1%
28	-	14	1.0 %	1.7%
30	-	23	1.7 %	2.7%
32	-	23	1.7 %	2.7%
33	-	3	0.2 %	0.4%
34	-	14	1.0 %	1.7%
35	-	3	0.2 %	0.4%
36	-	14	1.0 %	1.7%
38	-	1	0.1 %	0.1%
39	-	5	0.4 %	0.6%
40	-	10	0.7 %	1.2%
42	-	5	0.4 %	0.6%
44	-	9	0.6 %	1.1%
46	-	3	0.2 %	0.4%
47	-	1	0.1 %	0.1%
48	-	16	1.1 %	1.9%
49	-	7	0.5 %	0.8%
50	-	4	0.3 %	0.5%
51	-	2	0.1 %	0.2%
52	-	399	28.6 %	47.4%
-9 (M)	Legitimate Skip	551	39.6 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 841 valid cases out of 1393 total cases.

QH9A

Is this your current job

Location: 1001-1002(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Is this your current job?

- Study 02258 -

If Yes -> Go to H11

<i>QH9A: Is this your current job</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	594	42.6 %	71.6%
2	No	236	16.9 %	28.4%
-9 (M)	Legitimate Skip	563	40.4 %	-

Based upon 830 valid cases out of 1393 total cases.

QH10 What was your occupation

Location: 1003-1004(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What type of job was this or what was your occupation?

<i>QH10: What was your occupation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Professional and technical	17	1.2 %	7.2%
2	Manager and administrator	9	0.6 %	3.8%
3	Sales	20	1.4 %	8.5%
4	Clerical or office worker	20	1.4 %	8.5%
5	Craft and kindred	69	5.0 %	29.4%
6	Operative	18	1.3 %	7.7%
7	Transportation equipment operative	10	0.7 %	4.3%
8	Nonfarm laborer	21	1.5 %	8.9%
9	Private household worker	3	0.2 %	1.3%
10	Service worker	37	2.7 %	15.7%
86	Other	11	0.8 %	4.7%
-9 (M)	Legitimate Skip	1157	83.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 235 valid cases out of 1393 total cases.

QH10B Was this your usual occupation

Location: 1005-1006(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Was this your usual occupation?

01 - PROFESSIONAL AND TECHNICAL (accountant, architect, engineer, lawyer or judge, scientist, doctor, registered nurse, teacher, social worker, writer, entertainer, draftsperson)

- Study 02258 -

02 - MANAGER AND ADMINISTRATOR (office manager, sales manager, school administrator, government official, small business owner)

03 - SALES (sales representative, insurance agent, real estate broker, bond salesperson, sales clerk or other salesperson, cashier)

04 - CLERICAL OR OFFICE WORKER (bank teller, bookkeeper, secretary, file clerk, typist, postal clerk or carrier, ticket agent)

05 - CRAFT AND KINDRED (baker, carpenter, electrician, bricklayer, mechanic, machinist, tool and die maker, telephone installer)

06 - OPERATIVE (assemblers, checkers, gas station attendants, meat cutters, packers, laundry and drycleaning operations, miner operative, welder, garage worker)

07 - TRANSPORTATION EQUIPMENT OPERATIVE (bus driver, cab driver, or chauffeur, truck driver and delivery person)

08 - NONFARM LABORER (construction, freight handler, sanitation worker, car washer, yard worker, odd-job person)

09 - PRIVATE HOUSEHOLD WORKER (maid, butler, cook)

10 - SERVICE WORKER (cook, waiter, barber, janitor, practical nurse, caretaker for children, day care worker, beautician, police officer, firefighter)

11 - FARMER AND FARM MANAGER

12 - FARM LABORER (field boss, picker)

20 - MILITARY SERVICE

30 - HOMEMAKER

86 - OTHER

If No -> Go to H10B1

<i>QH10B: Was this your usual occupation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	167	12.0 %	70.8%
2	No	69	5.0 %	29.2%
-9 (M)	Legitimate Skip	1157	83.1 %	-

Based upon 236 valid cases out of 1393 total cases.

- Study 02258 -

Location: 1007-1008(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was your usual occupation?

01 - PROFESSIONAL AND TECHNICAL (accountant, architect, engineer, lawyer or judge, scientist, doctor, registered nurse, teacher, social worker, writer, entertainer, draftsman)

02 - MANAGER AND ADMINISTRATOR (office manager, sales manager, school administrator, government official, small business owner)

03 - SALES (sales representative, insurance agent, real estate broker, bond salesperson, sales clerk or other salesperson, cashier)

04 - CLERICAL OR OFFICE WORKER (bank teller, bookkeeper, secretary, file clerk, typist, postal clerk or carrier, ticket agent)

05 - CRAFT AND KINDRED (baker, carpenter, electrician, bricklayer, mechanic, machinist, tool and die maker, telephone installer)

06 - OPERATIVE (assemblers, checkers, gas station attendants, meat cutters, packers, laundry and drycleaning operations, miner operative, welder, garage worker)

07 - TRANSPORTATION EQUIPMENT OPERATIVE (bus driver, cab driver, or chauffeur, truck driver and delivery person)

08 - NONFARM LABORER (construction, freight handler, sanitation worker, car washer, yard worker, odd-job person)

09 - PRIVATE HOUSEHOLD WORKER (maid, butler, cook)

10 - SERVICE WORKER (cook, waiter, barber, janitor, practical nurse, caretaker for children, day care worker, beautician, police officer, firefighter)

11 - FARMER AND FARM MANAGER

12 - FARM LABORER (field boss, picker)

20 - MILITARY SERVICE

30 - HOMEMAKER

86 - OTHER

- Study 02258 -

<i>QH10B1: Usual occupation specification</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Professional and technical	7	0.5 %	10.3%
2	Manager and administrator	3	0.2 %	4.4%
3	Sales	2	0.1 %	2.9%
4	Clerical or office worker	8	0.6 %	11.8%
5	Craft and kindred	21	1.5 %	30.9%
6	Operative	4	0.3 %	5.9%
8	Nonfarm laborer	6	0.4 %	8.8%
9	Private household worker	1	0.1 %	1.5%
10	Service worker	9	0.6 %	13.2%
30	Homemaker	1	0.1 %	1.5%
86	Other	6	0.4 %	8.8%
-9 (M)	Legitimate Skip	1324	95.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 68 valid cases out of 1393 total cases.

QH11_A Wage/salary before taxes in current job - Amount

Location: 1009-1018(width: 10; decimal: 2)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What is your wage, salary, or rate of pay before taxes in your current or most recent job?

<i>QH11_A: Wage/salary before taxes in current job - Amount</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 812 valid cases out of 1393 total cases.

QH11_F Wage/salary before taxes in current job - Frequency paid

Location: 1019-1020(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How frequently were you paid?

<i>QH11_F: Wage/salary before taxes in current job - Frequency paid</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hour	444	31.9 %	53.8%
2	Week	146	10.5 %	17.7%

- Study 02258 -

<i>QH11_F: Wage/salary before taxes in current job - Frequency paid</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	2 Weeks	40	2.9 %	4.8%
4	Month	42	3.0 %	5.1%
5	Year	138	9.9 %	16.7%
6	Other	16	1.1 %	1.9%
-9 (M)	Legitimate Skip	563	40.4 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 826 valid cases out of 1393 total cases.

QH12 Past 12 months how troubled getting/holding/working a job

Location: 1021-1022(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, how troubled have you been by problems getting, holding, or working a job? Would you say . . . ?

If Not at all -> Go to H13

<i>QH12: Past 12 months how troubled getting/holding/working a job</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Slightly	154	11.1 %	11.1%
2	Moderately	82	5.9 %	5.9%
3	Considerably	79	5.7 %	5.7%
4	Extremely	88	6.3 %	6.3%
5	Not at all	988	70.9 %	71.0%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QH12B How troubled now getting/holding/working a job

Location: 1023-1024(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How troubled are you now by getting problems getting, holding, or working a job?

<i>QH12B: How troubled now getting/holding/working a job</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Slightly	97	7.0 %	24.1%
2	Moderately	62	4.5 %	15.4%
3	Considerably	75	5.4 %	18.6%

- Study 02258 -

<i>QH12B: How troubled now getting/holding/working a job</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	Extremely	77	5.5 %	19.1%
5	Not at all	92	6.6 %	22.8%
-9 (M)	Legitimate Skip	988	70.9 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 403 valid cases out of 1393 total cases.

QH13 Importance of referral for employment/training/vocational counseling

Location: 1025-1026(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How important to you now is help or referral for employment, training, or vocational counseling?

<i>QH13: Importance of referral for employment/training/vocational counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Slightly	134	9.6 %	9.6%
2	Moderately	93	6.7 %	6.7%
3	Considerably	138	9.9 %	9.9%
4	Extremely	262	18.8 %	18.8%
5	Not at all	765	54.9 %	55.0%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QH14 Problems getting/holding/working a job due to drug/alcohol use

Location: 1027-1028(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Have you experienced any problems getting, holding, or working a job because of drug or alcohol use in the past 12 months?

<i>QH14: Problems getting/holding/working a job due to drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	203	14.6 %	14.6%
2	No	1190	85.4 %	85.4%

Based upon 1393 valid cases out of 1393 total cases.

QJ1A Dollars from work/not illegal

Location: 1029-1030(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

In this section, I'd like some information on your sources of income and your expenses.

In the past 12 months, have you received any income from (INCOME SOURCE)?

Work that did not include illegal activities, including jobs paid "off the books" or "under the table" [Includes odd jobs, in-home-work, etc.]

<i>QJ1A: Dollars from work/not illegal</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	793	56.9 %	57.0%
2	No	598	42.9 %	43.0%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QJ2A Income in past 12 months from work/not illegal

Location: 1031-1036(width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, how much income have you personally received before taxes from (INCOME SOURCE)?

Work that did not include illegal activities, including jobs paid "off the books" or "under the table" [Includes odd jobs, in-home-work, etc.]

<i>QJ2A: Income in past 12 months from work/not illegal</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 1360 valid cases out of 1393 total cases.

QJ1B Dollars from SSI or welfare

Location: 1037-1038(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In this section, I'd like some information on your sources of income and your expenses.

- Study 02258 -

In the past 12 months, have you received any income from (INCOME SOURCE)?

Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance

<i>QJ1B: Dollars from SSI or welfare</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	430	30.9 %	30.9%
2	No	961	69.0 %	69.1%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QJ2B Income in past 12 months from SSI or welfare

Location: 1039-1044(width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, how much income have you personally received before taxes from (INCOME SOURCE)?

Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance

<i>QJ2B: Income in past 12 months from SSI or welfare</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 1368 valid cases out of 1393 total cases.

QJ1C Dollars from Social Security or unemployment

Location: 1045-1046(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In this section, I'd like some information on your sources of income and your expenses.

- Study 02258 -

In the past 12 months, have you received any income from (INCOME SOURCE)?

Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, worker's compensation from injuries at work, or military or private pensions

<i>QJ1C: Dollars from Social Security or unemployment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	165	11.8 %	11.9%
2	No	1227	88.1 %	88.1%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QJ2C Income in past 12 months from Social Security or unemployment

Location: 1047-1052(width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, how much income have you personally received before taxes from (INCOME SOURCE)?

Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, worker's compensation from injuries at work, or military or private pensions

<i>QJ2C: Income in past 12 months from Social Security or unemployment</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 1385 valid cases out of 1393 total cases.

QJ1D Dollars from spouse/family/friends/alimony

Location: 1053-1054(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In this section, I'd like some information on your sources of income and your expenses.

- Study 02258 -

Illegal or possibly illegal sources such as hustling or dealing

<i>QJ1E: Dollars from illegal/possibly illegal sources</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	150	10.8 %	10.8%
2	No	1240	89.0 %	89.2%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QJ2E Income in past 12 months from illegal/possibly illegal sources

Location: 1063-1068(width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, how much income have you personally received before taxes from (INCOME SOURCE)?

Illegal or possibly illegal sources such as hustling or dealing

<i>QJ2E: Income in past 12 months from illegal/possibly illegal sources</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1244	89.3 %	90.1%
10	-	1	0.1 %	0.1%
15	-	1	0.1 %	0.1%
30	-	1	0.1 %	0.1%
100	-	2	0.1 %	0.1%
125	-	1	0.1 %	0.1%
200	-	6	0.4 %	0.4%
300	-	1	0.1 %	0.1%
400	-	3	0.2 %	0.2%
475	-	1	0.1 %	0.1%
500	-	7	0.5 %	0.5%
700	-	1	0.1 %	0.1%
800	-	2	0.1 %	0.1%
1000	-	8	0.6 %	0.6%
1200	-	1	0.1 %	0.1%
1500	-	2	0.1 %	0.1%
2000	-	11	0.8 %	0.8%
2040	-	1	0.1 %	0.1%
2200	-	1	0.1 %	0.1%

- Study 02258 -

<i>QJ2E: Income in past 12 months from illegal/possibly illegal sources</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2400	-	1	0.1 %	0.1%
2500	-	2	0.1 %	0.1%
3000	-	8	0.6 %	0.6%
3360	-	1	0.1 %	0.1%
3500	-	1	0.1 %	0.1%
4000	-	3	0.2 %	0.2%
4400	-	1	0.1 %	0.1%
5000	-	6	0.4 %	0.4%
6000	-	7	0.5 %	0.5%
6300	-	1	0.1 %	0.1%
6500	-	1	0.1 %	0.1%
7000	-	3	0.2 %	0.2%
7200	-	1	0.1 %	0.1%
8000	-	2	0.1 %	0.1%
9000	-	1	0.1 %	0.1%
10000	-	6	0.4 %	0.4%
12000	-	3	0.2 %	0.2%
14000	-	1	0.1 %	0.1%
14400	-	1	0.1 %	0.1%
15000	-	2	0.1 %	0.1%
15600	-	1	0.1 %	0.1%
16000	-	2	0.1 %	0.1%
16750	-	1	0.1 %	0.1%
18000	-	1	0.1 %	0.1%
20000	-	8	0.6 %	0.6%
22400	-	1	0.1 %	0.1%
24000	-	1	0.1 %	0.1%
25000	-	1	0.1 %	0.1%
30000	-	4	0.3 %	0.3%
31000	-	1	0.1 %	0.1%
36500	-	2	0.1 %	0.1%
38000	-	2	0.1 %	0.1%
39000	-	1	0.1 %	0.1%
40000	-	1	0.1 %	0.1%
50000	-	1	0.1 %	0.1%
55000	-	1	0.1 %	0.1%
60000	-	1	0.1 %	0.1%
72000	-	2	0.1 %	0.1%
273000	-	1	0.1 %	0.1%

- Study 02258 -

<i>QJ2E: Income in past 12 months from illegal/possibly illegal sources</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-2 (M)	Don't Know	7	0.5 %	-
-1 (M)	Refused	6	0.4 %	-

Based upon 1380 valid cases out of 1393 total cases.

QJ1F Dollars from other sources/roomers/boarders

Location: 1069-1070(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In this section, I'd like some information on your sources of income and your expenses.

In the past 12 months, have you received any income from (INCOME SOURCE)?

Any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you

<i>QJ1F: Dollars from other sources/roomers/boarders</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	52	3.7 %	3.7%
2	No	1340	96.2 %	96.3%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QJ2F Income in past 12 months from other sources/roomers/boarders

Location: 1071-1076(width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, how much income have you personally received before taxes from (INCOME SOURCE)?

Any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you

<i>QJ2F: Income in past 12 months from other sources/roomers/boarders</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1343	96.4 %	96.6%
100	-	3	0.2 %	0.2%

- Study 02258 -

<i>QJ2F: Income in past 12 months from other sources/roomers/boarders</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
150	-	1	0.1 %	0.1%
200	-	3	0.2 %	0.2%
250	-	2	0.1 %	0.1%
300	-	1	0.1 %	0.1%
350	-	1	0.1 %	0.1%
400	-	1	0.1 %	0.1%
450	-	1	0.1 %	0.1%
600	-	4	0.3 %	0.3%
650	-	1	0.1 %	0.1%
800	-	1	0.1 %	0.1%
880	-	1	0.1 %	0.1%
910	-	1	0.1 %	0.1%
1000	-	2	0.1 %	0.1%
1200	-	3	0.2 %	0.2%
1800	-	1	0.1 %	0.1%
2000	-	3	0.2 %	0.2%
2400	-	1	0.1 %	0.1%
2800	-	1	0.1 %	0.1%
3000	-	4	0.3 %	0.3%
3600	-	1	0.1 %	0.1%
4200	-	1	0.1 %	0.1%
5000	-	1	0.1 %	0.1%
5400	-	1	0.1 %	0.1%
5760	-	1	0.1 %	0.1%
6168	-	1	0.1 %	0.1%
10000	-	2	0.1 %	0.1%
14300	-	1	0.1 %	0.1%
19200	-	1	0.1 %	0.1%
300000	-	1	0.1 %	0.1%
-1 (M)	Refused	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QJ2G

Total Value of QJ2A to QJ2F

Location: 1077-1082(width: 6; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, how much income have you personally received before taxes?

- Study 02258 -

TOTAL FROM QJ2A TO QJ2F

<i>QJ2G: Total Value of QJ2A to QJ2F</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 1393 valid cases out of 1393 total cases.

QJ3 Personal income before taxes past 12 months

Location: 1083-1085(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, which code on this card (CARD 15) best indicates your own dollar income for the entire year before taxes from all sources?

IF RESPONDENT LIVES ALONE (A8=12), GO TO J6

<i>QJ3: Personal income before taxes past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	\$1 - \$499	17	1.2 %	1.3%
2	\$500 - \$749	14	1.0 %	1.0%
3	\$750 - \$999	8	0.6 %	0.6%
4	\$1,000 - \$1,249	18	1.3 %	1.3%
5	\$1,250 - \$1,499	17	1.2 %	1.3%
6	\$1,500 - \$1,749	16	1.1 %	1.2%
7	\$1,750 - \$1,999	9	0.6 %	0.7%
8	\$2,000 - \$2,249	16	1.1 %	1.2%
9	\$2,250 - \$2,499	17	1.2 %	1.3%
10	\$2,500 - \$2,999	17	1.2 %	1.3%
12	\$3,000 - \$3,499	10	0.7 %	0.7%
14	\$3,500 - \$3,999	26	1.9 %	1.9%
16	\$4,000 - \$4,499	25	1.8 %	1.8%
18	\$4,500 - \$4,999	30	2.2 %	2.2%
20	\$5,000 - \$5,999	60	4.3 %	4.4%
24	\$6,000 - \$7,499	116	8.3 %	8.5%
30	\$7,500 - \$9,999	102	7.3 %	7.5%
40	\$10,000 - \$12,499	123	8.8 %	9.1%
50	\$12,500 - \$24,999	318	22.8 %	23.4%

- Study 02258 -

<i>QJ3: Personal income before taxes past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
60	\$25,000 or more	332	23.8 %	24.5%
70	No Income	66	4.7 %	4.9%
-2 (M)	Don't Know	14	1.0 %	-
-1 (M)	Refused	22	1.6 %	-

Based upon 1357 valid cases out of 1393 total cases.

QJ4 Share income/expenses with housemates

Location: 1086-1087(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Were you sharing your income and expenses with any of the people you lived with?

If No -> Go to J6

<i>QJ4: Share income/expenses with housemates</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	737	52.9 %	52.9%
2	No	655	47.0 %	47.1%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QJ4A Number of people sharing income/expenses with

Location: 1088-1090(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many of these people did you share your income and expenses with?

<i>QJ4A: Number of people sharing income/expenses with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	336	24.1 %	45.7%
2	-	164	11.8 %	22.3%
3	-	119	8.5 %	16.2%
4	-	56	4.0 %	7.6%
5	-	37	2.7 %	5.0%
6	-	9	0.6 %	1.2%
7	-	8	0.6 %	1.1%
8	-	4	0.3 %	0.5%
10	-	1	0.1 %	0.1%

- Study 02258 -

<i>QJ4A: Number of people sharing income/expenses with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	-	1	0.1 %	0.1%
37	-	1	0.1 %	0.1%
-9 (M)	Legitimate Skip	656	47.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 736 valid cases out of 1393 total cases.

QJ5 Household income before taxes past 12 months

Location: 1091-1093(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, which code shows the amount that is closest to the total dollar income before taxes of you and these (NUMBER FROM J4A) people?

<i>QJ5: Household income before taxes past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	\$1 - \$499	5	0.4 %	0.7%
2	\$500 - \$749	3	0.2 %	0.4%
3	\$750 - \$999	2	0.1 %	0.3%
4	\$1,000 - \$1,249	3	0.2 %	0.4%
5	\$1,250 - \$1,499	5	0.4 %	0.7%
6	\$1,500 - \$1,749	5	0.4 %	0.7%
7	\$1,750 - \$1,999	3	0.2 %	0.4%
8	\$2,000 - \$2,249	2	0.1 %	0.3%
9	\$2,250 - \$2,499	10	0.7 %	1.4%
10	\$2,500 - \$2,999	5	0.4 %	0.7%
12	\$3,000 - \$3,499	8	0.6 %	1.1%
14	\$3,500 - \$3,999	6	0.4 %	0.9%
16	\$4,000 - \$4,499	8	0.6 %	1.1%
18	\$4,500 - \$4,999	8	0.6 %	1.1%
20	\$5,000 - \$5,999	14	1.0 %	2.0%
24	\$6,000 - \$7,499	28	2.0 %	4.0%
30	\$7,500 - \$9,999	37	2.7 %	5.3%
40	\$10,000 - \$12,499	45	3.2 %	6.4%
50	\$12,500 - \$24,999	175	12.6 %	25.0%
60	\$25,000 or more	327	23.5 %	46.7%
70	No Income	1	0.1 %	0.1%
-9 (M)	Legitimate Skip	656	47.1 %	-
-2 (M)	Don't Know	29	2.1 %	-
-1 (M)	Refused	8	0.6 %	-

- Study 02258 -

Based upon 700 valid cases out of 1393 total cases.

QJ6 Number of months could not pay bills in past 12 months

Location: 1094-1096(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, how many months, if any, did you not have enough money to pay your bills?

<i>QJ6: Number of months could not pay bills in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	900	64.6 %	64.9%
1	-	45	3.2 %	3.2%
2	-	89	6.4 %	6.4%
3	-	65	4.7 %	4.7%
4	-	35	2.5 %	2.5%
5	-	21	1.5 %	1.5%
6	-	55	3.9 %	4.0%
7	-	1	0.1 %	0.1%
8	-	10	0.7 %	0.7%
9	-	8	0.6 %	0.6%
10	-	5	0.4 %	0.4%
11	-	2	0.1 %	0.1%
12	-	151	10.8 %	10.9%
-9 (M)	Legitimate Skip	2	0.1 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1387 valid cases out of 1393 total cases.

QJ7 Money problems because of drug/alcohol use

Location: 1097-1098(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Have you had any financial or money problems because of your drug or alcohol use in the past 12 months?

If No -> Go to J9

<i>QJ7: Money problems because of drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	316	22.7 %	22.7%
2	No	1076	77.2 %	77.3%
-2 (M)	Don't Know	1	0.1 %	-

- Study 02258 -

Based upon 1392 valid cases out of 1393 total cases.

QJ8 How much are money problems caused by drug/alcohol use

Location: 1099-1100(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In your opinion, to what extent are your financial or money problems caused by your drug or alcohol use? Would you say . . . ?

<i>QJ8: How much are money problems caused by drug/alcohol use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Not at all	7	0.5 %	2.2%
2	Somewhat	115	8.3 %	36.4%
3	Very much	194	13.9 %	61.4%
-9 (M)	Legitimate Skip	1077	77.3 %	-

Based upon 316 valid cases out of 1393 total cases.

QJ9 How troubled by money problems past 12 months

Location: 1101-1102(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How troubled or bothered have you been in the past 12 months by any financial or money problems? Would you say . . . ?

If Not at All -> Go to J10

<i>QJ9: How troubled by money problems past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Slightly	344	24.7 %	24.7%
2	Moderately	185	13.3 %	13.3%
3	Considerably	170	12.2 %	12.2%
4	Extremely	178	12.8 %	12.8%
5	Not at all	516	37.0 %	37.0%

Based upon 1393 valid cases out of 1393 total cases.

QJ9B How troubled by any money problems now

Location: 1103-1104(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How troubled or bothered are you now by any financial or money problems?

- Study 02258 -

Based upon 1393 valid cases out of 1393 total cases.

QK2 Your health compared to people your age

Location: 1109-1110(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Comparing your health now to the health of other people your age, would you say your health is . . . ?

<i>QK2: Your health compared to people your age</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Much Better	251	18.0 %	18.1%
2	Better	396	28.4 %	28.6%
3	The Same	474	34.0 %	34.3%
4	Worse	199	14.3 %	14.4%
5	Much Worse	63	4.5 %	4.6%
-2 (M)	Don't Know	10	0.7 %	-

Based upon 1383 valid cases out of 1393 total cases.

QK3 Your health compared to when you left treatment

Location: 1111-1112(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Would you say your health now is [READ CHOICES] than it was when you left (completed) treatment at (NAME OF PROGRAM)?

If Respondent is Male -> Go to K7

<i>QK3: Your health compared to when you left treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Much Better	381	27.4 %	27.4%
2	Better	373	26.8 %	26.8%
3	The Same	317	22.8 %	22.8%
4	Worse	251	18.0 %	18.1%
5	Much Worse	68	4.9 %	4.9%
-2 (M)	Don't Know	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QK4 Number of times you have been pregnant in past 12 months

Location: 1113-1114(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

How many times have you been pregnant in the past 12 months?
Please count pregnancies that resulted in miscarriages, abortions, stillbirths, and live births.

If None, record 00 -> Go to K7

<i>QK4: Number of times you have been pregnant in past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	465	33.4 %	91.5%
1	-	38	2.7 %	7.5%
2	-	5	0.4 %	1.0%
-9 (M)	Legitimate Skip	884	63.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 508 valid cases out of 1393 total cases.

QK4A Are you now pregnant

Location: 1115-1116(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Are you now pregnant?

If No -> Go to K5

<i>QK4A: Are you now pregnant</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	10	0.7 %	23.8%
2	No	32	2.3 %	76.2%
-9 (M)	Legitimate Skip	1350	96.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 42 valid cases out of 1393 total cases.

QK4B Pregnancy has been verified

Location: 1117-1118(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Has this been verified?

If No -> Go to K5

- Study 02258 -

<i>QK4B: Pregnancy has been verified</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	9	0.6 %	90.0%
2	No	1	0.1 %	10.0%
-9 (M)	Legitimate Skip	1383	99.3 %	-

Based upon 10 valid cases out of 1393 total cases.

QK4C1 Pregnancy verified by a doctor

Location: 1119-1120(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How was it verified -- by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way? [CIRCLE ALL MENTIONS]

Doctor

<i>QK4C1: Pregnancy verified by a doctor</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	7	0.5 %	77.8%
2	No	2	0.1 %	22.2%
-9 (M)	Legitimate Skip	1384	99.4 %	-

Based upon 9 valid cases out of 1393 total cases.

QK4C2 Pregnancy verified by a test at a hospital / doctor office

Location: 1121-1122(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How was it verified -- by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way? [CIRCLE ALL MENTIONS]

Pregnancy test at a hospital, clinic, or doctor's office

<i>QK4C2: Pregnancy verified by a test at a hospital / doctor office</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	11.1%
2	No	8	0.6 %	88.9%
-9 (M)	Legitimate Skip	1384	99.4 %	-

Based upon 9 valid cases out of 1393 total cases.

- Study 02258 -

QK4C3 Pregnancy verified by a home pregnancy test

Location: 1123-1124(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How was it verified -- by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way? [CIRCLE ALL MENTIONS]

Home pregnancy test

<i>QK4C3: Pregnancy verified by a home pregnancy test</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	4	0.3 %	44.4%
2	No	5	0.4 %	55.6%
-9 (M)	Legitimate Skip	1384	99.4 %	-

Based upon 9 valid cases out of 1393 total cases.

QK4C4 Pregnancy verified by a some other way

Location: 1125-1126(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How was it verified -- by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office; by a home pregnancy test; or some other way? [CIRCLE ALL MENTIONS]

Other

<i>QK4C4: Pregnancy verified by a some other way</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	9	0.6 %	100.0%
-9 (M)	Legitimate Skip	1384	99.4 %	-

Based upon 9 valid cases out of 1393 total cases.

QK5 Used alcohol while pregnant

Location: 1127-1128(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, have you used alcohol while you were pregnant?

- Study 02258 -

<i>QK5: Used alcohol while pregnant</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	9	0.6 %	20.9%
2	No	34	2.4 %	79.1%
-9 (M)	Legitimate Skip	1350	96.9 %	-

Based upon 43 valid cases out of 1393 total cases.

QK6 Used nonmedical drugs while pregnant

Location: 1129-1130(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, have you used drugs for nonmedical reasons while you were pregnant?

<i>QK6: Used nonmedical drugs while pregnant</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	15	1.1 %	34.9%
2	No	28	2.0 %	65.1%
-9 (M)	Legitimate Skip	1350	96.9 %	-

Based upon 43 valid cases out of 1393 total cases.

QK7 Past 12 months has health limited your activities

Location: 1131-1132(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, has your health limited your activities?

If No -> Go to K9

<i>QK7: Past 12 months has health limited your activities</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	406	29.1 %	29.1%
2	No	987	70.9 %	70.9%

Based upon 1393 valid cases out of 1393 total cases.

QK7A Has health limited activities 3 months or more

Location: 1133-1134(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Was it for 3 months or more?

- Study 02258 -

<i>QK7A: Has health limited activities 3 months or more</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	299	21.5 %	73.6%
2	No	107	7.7 %	26.4%
-9 (M)	Legitimate Skip	987	70.9 %	-

Based upon 406 valid cases out of 1393 total cases.

QK8 Past 12 months health kept you from work/school

Location: 1135-1136(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have there been any days that your health kept you from working at a job, working around the house, or going to school?

If No -> Go to K9

<i>QK8: Past 12 months health kept you from work/school</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	320	23.0 %	78.8%
2	No	86	6.2 %	21.2%
-9 (M)	Legitimate Skip	987	70.9 %	-

Based upon 406 valid cases out of 1393 total cases.

QK8A How many days health kept you from work/school

Location: 1137-1139(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, how many days has your health kept you from working at a job, working around the house, or going to school?

<i>QK8A: How many days health kept you from work/school</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	4	0.3 %	1.3%
2	-	8	0.6 %	2.5%
3	-	7	0.5 %	2.2%
4	-	4	0.3 %	1.3%
5	-	9	0.6 %	2.9%
6	-	3	0.2 %	1.0%
7	-	11	0.8 %	3.5%
8	-	3	0.2 %	1.0%

- Study 02258 -

<i>QK8A: How many days health kept you from work/school</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
9	-	3	0.2 %	1.0%
10	-	9	0.6 %	2.9%
12	-	3	0.2 %	1.0%
14	-	8	0.6 %	2.5%
15	-	7	0.5 %	2.2%
18	-	1	0.1 %	0.3%
20	-	3	0.2 %	1.0%
21	-	9	0.6 %	2.9%
24	-	5	0.4 %	1.6%
25	-	1	0.1 %	0.3%
26	-	1	0.1 %	0.3%
28	-	1	0.1 %	0.3%
30	-	18	1.3 %	5.7%
35	-	1	0.1 %	0.3%
40	-	2	0.1 %	0.6%
42	-	1	0.1 %	0.3%
45	-	2	0.1 %	0.6%
48	-	1	0.1 %	0.3%
50	-	2	0.1 %	0.6%
52	-	2	0.1 %	0.6%
56	-	1	0.1 %	0.3%
60	-	13	0.9 %	4.1%
63	-	1	0.1 %	0.3%
67	-	1	0.1 %	0.3%
72	-	1	0.1 %	0.3%
80	-	3	0.2 %	1.0%
84	-	2	0.1 %	0.6%
90	-	20	1.4 %	6.4%
91	-	1	0.1 %	0.3%
100	-	7	0.5 %	2.2%
120	-	5	0.4 %	1.6%
150	-	4	0.3 %	1.3%
165	-	2	0.1 %	0.6%
180	-	11	0.8 %	3.5%
184	-	1	0.1 %	0.3%
190	-	1	0.1 %	0.3%
200	-	2	0.1 %	0.6%
208	-	1	0.1 %	0.3%
210	-	2	0.1 %	0.6%

- Study 02258 -

<i>QK8A: How many days health kept you from work/school</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
240	-	3	0.2 %	1.0%
250	-	1	0.1 %	0.3%
270	-	3	0.2 %	1.0%
280	-	1	0.1 %	0.3%
300	-	3	0.2 %	1.0%
305	-	1	0.1 %	0.3%
310	-	1	0.1 %	0.3%
345	-	1	0.1 %	0.3%
352	-	1	0.1 %	0.3%
356	-	2	0.1 %	0.6%
360	-	3	0.2 %	1.0%
365	-	86	6.2 %	27.4%
-9 (M)	Legitimate Skip	1073	77.0 %	-
-2 (M)	Don't Know	6	0.4 %	-

Based upon 314 valid cases out of 1393 total cases.

QK9 Stayed overnight in hospital for health problem last 12 months

Location: 1140-1141(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, have you stayed overnight in a hospital for any physical health problem not related to complications of drug and alcohol use?

If No -> Go to K12

<i>QK9: Stayed overnight in hospital for health problem last 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	183	13.1 %	13.1%
2	No	1210	86.9 %	86.9%

Based upon 1393 valid cases out of 1393 total cases.

QK10 Number of hospitalizations for physical health not drug/alcohol related

Location: 1142-1143(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, how many of your hospitalizations have been for physical health problems not related to complications of drug or alcohol use?

- Study 02258 -

<i>QK11: Number of days hospitalized for physical health not drug/alcohol related</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8	-	4	0.3 %	2.4%
9	-	5	0.4 %	3.0%
10	-	4	0.3 %	2.4%
11	-	2	0.1 %	1.2%
12	-	4	0.3 %	2.4%
13	-	3	0.2 %	1.8%
14	-	9	0.6 %	5.3%
15	-	2	0.1 %	1.2%
16	-	2	0.1 %	1.2%
17	-	4	0.3 %	2.4%
18	-	1	0.1 %	0.6%
20	-	4	0.3 %	2.4%
21	-	3	0.2 %	1.8%
23	-	2	0.1 %	1.2%
26	-	2	0.1 %	1.2%
27	-	3	0.2 %	1.8%
28	-	1	0.1 %	0.6%
30	-	5	0.4 %	3.0%
40	-	1	0.1 %	0.6%
45	-	1	0.1 %	0.6%
48	-	1	0.1 %	0.6%
60	-	3	0.2 %	1.8%
90	-	2	0.1 %	1.2%
95	-	1	0.1 %	0.6%
98	-	1	0.1 %	0.6%
100	-	1	0.1 %	0.6%
180	-	1	0.1 %	0.6%
270	-	1	0.1 %	0.6%
365	-	1	0.1 %	0.6%
-9 (M)	Legitimate Skip	1224	87.9 %	-

Based upon 169 valid cases out of 1393 total cases.

QK12

Number of days injury/illness kept you in bed all day

Location: 1147-1149(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, how many days has an injury or physical illness kept you in bed for most or all of the day?

- Study 02258 -

<i>QK12: Number of days injury/illness kept you in bed all day</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	868	62.3 %	62.9%
1	-	63	4.5 %	4.6%
2	-	87	6.2 %	6.3%
3	-	64	4.6 %	4.6%
4	-	29	2.1 %	2.1%
5	-	32	2.3 %	2.3%
6	-	14	1.0 %	1.0%
7	-	44	3.2 %	3.2%
8	-	2	0.1 %	0.1%
9	-	8	0.6 %	0.6%
10	-	22	1.6 %	1.6%
12	-	6	0.4 %	0.4%
13	-	1	0.1 %	0.1%
14	-	19	1.4 %	1.4%
15	-	5	0.4 %	0.4%
16	-	2	0.1 %	0.1%
17	-	1	0.1 %	0.1%
20	-	5	0.4 %	0.4%
21	-	8	0.6 %	0.6%
24	-	1	0.1 %	0.1%
28	-	1	0.1 %	0.1%
30	-	29	2.1 %	2.1%
35	-	1	0.1 %	0.1%
36	-	2	0.1 %	0.1%
37	-	1	0.1 %	0.1%
40	-	3	0.2 %	0.2%
42	-	1	0.1 %	0.1%
45	-	1	0.1 %	0.1%
50	-	3	0.2 %	0.2%
52	-	3	0.2 %	0.2%
56	-	1	0.1 %	0.1%
60	-	14	1.0 %	1.0%
70	-	3	0.2 %	0.2%
90	-	10	0.7 %	0.7%
98	-	1	0.1 %	0.1%
100	-	6	0.4 %	0.4%
120	-	1	0.1 %	0.1%
125	-	1	0.1 %	0.1%
135	-	1	0.1 %	0.1%

- Study 02258 -

<i>QK12: Number of days injury/illness kept you in bed all day</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
150	-	2	0.1 %	0.1%
160	-	1	0.1 %	0.1%
180	-	2	0.1 %	0.1%
182	-	1	0.1 %	0.1%
200	-	2	0.1 %	0.1%
210	-	1	0.1 %	0.1%
237	-	1	0.1 %	0.1%
300	-	4	0.3 %	0.3%
345	-	1	0.1 %	0.1%
365	-	2	0.1 %	0.1%
-9 (M)	Legitimate Skip	1	0.1 %	-
-2 (M)	Don't Know	11	0.8 %	-

Based upon 1381 valid cases out of 1393 total cases.

QK13 Past 12 months tested for tuberculosis

Location: 1150-1151(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Have you been tested for tuberculosis (TB) in the past 12 months?

If No -> Go to K14

<i>QK13: Past 12 months tested for tuberculosis</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	816	58.6 %	58.8%
2	No	571	41.0 %	41.2%
-2 (M)	Don't Know	6	0.4 %	-

Based upon 1387 valid cases out of 1393 total cases.

QK13A Test positive for TB

Location: 1152-1153(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Were the test results positive?

If No -> Go to K14

- Study 02258 -

<i>QK13A: Test positive for TB</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	53	3.8 %	6.5%
2	No	762	54.7 %	93.5%
-9 (M)	Legitimate Skip	577	41.4 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 815 valid cases out of 1393 total cases.

QK13B Received treatment for TB

Location: 1154-1155(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you receive treatment for this condition?

If No -> Go to K14

<i>QK13B: Received treatment for TB</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	27	1.9 %	50.0%
2	No	27	1.9 %	50.0%
-9 (M)	Legitimate Skip	1339	96.1 %	-

Based upon 54 valid cases out of 1393 total cases.

QK14 Received disability payments for physical health problems

Location: 1156-1157(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, have you been receiving disability payments, benefits, or a pension for a physical health problem?

<i>QK14: Received disability payments for physical health problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	160	11.5 %	11.5%
2	No	1231	88.4 %	88.5%
-1 (M)	Refused	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QK15 How troubled by medical problems in the past 12 months

Location: 1158-1159(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Overall, how troubled or bothered were you by medical problems in the past 12 months? Would you say . . . ?

If Not at all -> Go to K16

<i>QK15: How troubled by medical problems in the past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Slightly	305	21.9 %	21.9%
2	Moderately	139	10.0 %	10.0%
3	Considerably	111	8.0 %	8.0%
4	Extremely	115	8.3 %	8.3%
5	Not at all	723	51.9 %	51.9%

Based upon 1393 valid cases out of 1393 total cases.

QK15B How troubled by medical problems now

Location: 1160-1161(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How troubled or bothered are you now by medical problems?

<i>QK15B: How troubled by medical problems now</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Slightly	259	18.6 %	38.7%
2	Moderately	125	9.0 %	18.7%
3	Considerably	106	7.6 %	15.8%
4	Extremely	91	6.5 %	13.6%
5	Not at all	89	6.4 %	13.3%
-9 (M)	Legitimate Skip	723	51.9 %	-

Based upon 670 valid cases out of 1393 total cases.

QK16 How important is treatment for medical problems now

Location: 1162-1163(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How important to you now is treatment or counseling for medical problems?

<i>QK16: How important is treatment for medical problems now</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Slightly	167	12.0 %	12.0%
2	Moderately	122	8.8 %	8.8%
3	Considerably	142	10.2 %	10.2%
4	Extremely	227	16.3 %	16.3%

- Study 02258 -

<i>QK16: How important is treatment for medical problems now</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	Not at all	735	52.8 %	52.8%

Based upon 1393 valid cases out of 1393 total cases.

QL1 Number of women had vaginal intercourse with

Location: 1164-1165(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For the next series of questions, I will be asking about your sexual experiences. I specifically want to know about your experiences with sexual intercourse. I will ask about three types of intercourse:

- Vaginal intercourse is when a man's penis is inside a woman's vagina.
- Anal intercourse is when a man's penis is inside his partner's anus or rectum.
- Oral intercourse is when a person puts his or her mouth on the partner's genitals.

IF RESPONDENT IS FEMALE GO TO L14.

First, I want to ask you about your sexual experiences with women in the past 12 months.

In these 12 months, about how many different women have you had vaginal intercourse with?

If Never or None -> Go to L2

<i>QL1: Number of women had vaginal intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	None	153	11.0 %	17.7%
2	1 woman	434	31.2 %	50.3%
3	2 to 4 women	203	14.6 %	23.5%
4	5 to 9 women	32	2.3 %	3.7%
5	10 to 20 women	18	1.3 %	2.1%
6	21 to 99 women	11	0.8 %	1.3%
8	Never had vaginal intercourse with a woman	12	0.9 %	1.4%
-9 (M)	Legitimate Skip	511	36.7 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	18	1.3 %	-

- Study 02258 -

Based upon 863 valid cases out of 1393 total cases.

QL1A Used condom during vaginal intercourse

Location: 1166-1167(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In these 12 months, about how often have you used a condom or "rubber" when you had vaginal intercourse with the (woman/ women)? Would you say . . . ?

<i>QL1A: Used condom during vaginal intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never	360	25.8 %	51.6%
2	Sometimes	138	9.9 %	19.8%
3	Usually	63	4.5 %	9.0%
4	Everytime	137	9.8 %	19.6%
-9 (M)	Legitimate Skip	695	49.9 %	-

Based upon 698 valid cases out of 1393 total cases.

QL2 Number of women had anal intercourse with

Location: 1168-1169(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, about how many different women have you had anal intercourse with?

 If None -> Go to L3

<i>QL2: Number of women had anal intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	None	762	54.7 %	88.2%
2	1 woman	80	5.7 %	9.3%
3	2 to 4 women	17	1.2 %	2.0%
4	5 to 9 women	5	0.4 %	0.6%
-9 (M)	Legitimate Skip	511	36.7 %	-
-1 (M)	Refused	18	1.3 %	-

Based upon 864 valid cases out of 1393 total cases.

QL2A Used condom during anal intercourse

Location: 1170-1171(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In these 12 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (woman/ women)? Would you say . . . ?

- Study 02258 -

<i>QL2A: Used condom during anal intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never	63	4.5 %	61.8%
2	Sometimes	10	0.7 %	9.8%
3	Usually	3	0.2 %	2.9%
4	Everytime	26	1.9 %	25.5%
-9 (M)	Legitimate Skip	1291	92.7 %	-

Based upon 102 valid cases out of 1393 total cases.

QL3 Number of women had oral intercourse with

Location: 1172-1173(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In the past 12 months, about how many different women have you had oral intercourse with?

<i>QL3: Number of women had oral intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	None	346	24.8 %	40.3%
2	1 woman	331	23.8 %	38.5%
3	2 to 4 women	130	9.3 %	15.1%
4	5 to 9 women	26	1.9 %	3.0%
5	10 to 20 women	17	1.2 %	2.0%
6	21 to 99 women	7	0.5 %	0.8%
7	100 or more women	2	0.1 %	0.2%
-9 (M)	Legitimate Skip	511	36.7 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	21	1.5 %	-

Based upon 859 valid cases out of 1393 total cases.

QL3A Used latex barrier during oral intercourse

Location: 1174-1175(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In these 12 months, about how often did you use a latex barrier, such as a dental blocker, when you had oral intercourse with the (woman/women)? Would you say . . . ?

<i>QL3A: Used latex barrier during oral intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never	471	33.8 %	92.0%
2	Sometimes	26	1.9 %	5.1%
3	Usually	4	0.3 %	0.8%
4	Everytime	11	0.8 %	2.1%

- Study 02258 -

<i>QL3A: Used latex barrier during oral intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	880	63.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 512 valid cases out of 1393 total cases.

QL4 Intercourse w/ women who took money/drugs for sex

Location: 1176-1177(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: To the best of your knowledge, had any woman you had (vaginal/anal/oral) intercourse with in these 12 months ever taken money or drugs for sex?

<i>QL4: Intercourse w/ women who took money/drugs for sex</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	85	6.1 %	12.1%
2	No	615	44.1 %	87.9%
-9 (M)	Legitimate Skip	686	49.2 %	-
-2 (M)	Don't Know	6	0.4 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 700 valid cases out of 1393 total cases.

QL5 Intercourse w/ women who had sex w/ prostitute

Location: 1178-1179(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: To the best of your knowledge, had any woman you had (vaginal/anal/oral) intercourse with in these 12 months ever had sex with a prostitute?

<i>QL5: Intercourse w/ women who had sex w/ prostitute</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	22	1.6 %	3.2%
2	No	661	47.5 %	96.8%
-9 (M)	Legitimate Skip	686	49.2 %	-
-2 (M)	Don't Know	21	1.5 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 683 valid cases out of 1393 total cases.

QL6 Intercourse w/ women who shot up drugs

Location: 1180-1181(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

To the best of your knowledge, had any woman you had (vaginal/anal/oral) intercourse with in these 12 months ever used a needle or syringe to shoot up drugs?

<i>QL6: Intercourse w/ women who shot up drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	75	5.4 %	10.8%
2	No	622	44.7 %	89.2%
-9 (M)	Legitimate Skip	686	49.2 %	-
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 697 valid cases out of 1393 total cases.

QL7 Taken money/drugs for intercourse

Location: 1182-1183(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: At any time in the past 12 months, has anyone given you money or drugs to have (vaginal/anal/oral) intercourse?

<i>QL7: Taken money/drugs for intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	26	1.9 %	3.7%
2	No	679	48.7 %	96.3%
-9 (M)	Legitimate Skip	686	49.2 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 705 valid cases out of 1393 total cases.

QL8 Number of men had anal intercourse with

Location: 1184-1185(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Now, I want to ask you about your sexual experiences with men in the past 12 months?

In these 12 months, about how many different men did you have anal intercourse with?

If Never -> Go to L13

If None -> Go to L9

<i>QL8: Number of men had anal intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	None	242	17.4 %	28.0%

- Study 02258 -

<i>QL8: Number of men had anal intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1 man	14	1.0 %	1.6%
3	2 to 4 men	3	0.2 %	0.3%
5	10 to 20 men	2	0.1 %	0.2%
8	Never had sex with a man	602	43.2 %	69.8%
-9 (M)	Legitimate Skip	511	36.7 %	-
-1 (M)	Refused	19	1.4 %	-

Based upon 863 valid cases out of 1393 total cases.

QL8A Used condom during anal intercourse

Location: 1186-1187(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In these 12 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (man/men)? Would you say . . . ?

<i>QL8A: Used condom during anal intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never	3	0.2 %	15.8%
2	Sometimes	4	0.3 %	21.1%
3	Usually	2	0.1 %	10.5%
4	Everytime	10	0.7 %	52.6%
-9 (M)	Legitimate Skip	1374	98.6 %	-

Based upon 19 valid cases out of 1393 total cases.

QL9 Number of men had oral intercourse with

Location: 1188-1189(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In these 12 months, about how many different men have you had oral intercourse with? Would you say . . . ?

<i>QL9: Number of men had oral intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	None	242	17.4 %	92.0%
2	1 man	11	0.8 %	4.2%
3	2 to 4 men	3	0.2 %	1.1%
4	5 to 9 men	5	0.4 %	1.9%
5	10 to 20 men	2	0.1 %	0.8%
-9 (M)	Legitimate Skip	1113	79.9 %	-
-1 (M)	Refused	17	1.2 %	-

- Study 02258 -

Based upon 263 valid cases out of 1393 total cases.

QL9A Used condom during oral intercourse

Location: 1190-1191(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In these 12 months, about how often have you used a condom or "rubber" when you had oral intercourse with the (man/men)? Would you say . . . ?

<i>QL9A: Used condom during oral intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never	14	1.0 %	66.7%
2	Sometimes	4	0.3 %	19.0%
3	Usually	1	0.1 %	4.8%
4	Everytime	2	0.1 %	9.5%
-9 (M)	Legitimate Skip	1372	98.5 %	-

Based upon 21 valid cases out of 1393 total cases.

QL10 Intercourse w/ man who took money/drugs for sex

Location: 1192-1193(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: To the best of your knowledge, had any man you had (anal/oral) intercourse with in these 12 months ever taken money or drugs for sex?

<i>QL10: Intercourse w/ man who took money/drugs for sex</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	5.0%
2	No	19	1.4 %	95.0%
-9 (M)	Legitimate Skip	1372	98.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 20 valid cases out of 1393 total cases.

QL11 Intercourse w/ man who had sex w/prostitute

Location: 1194-1195(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: To the best of your knowledge, had any man you had (anal/oral) intercourse with in these 12 months ever had sex with a prostitute?

<i>QL11: Intercourse w/ man who had sex w/prostitute</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	4	0.3 %	19.0%

- Study 02258 -

<i>QL11: Intercourse w/ man who had sex w/prostitute</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	17	1.2 %	81.0%
-9 (M)	Legitimate Skip	1372	98.5 %	-

Based upon 21 valid cases out of 1393 total cases.

QL12 Intercourse w/ man who shot up drugs

Location: 1196-1197(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: To the best of your knowledge, had any man you had (anal/oral) intercourse with in these 12 months ever used a needle or syringe to shoot up drugs?

<i>QL12: Intercourse w/ man who shot up drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	25.0%
2	No	15	1.1 %	75.0%
-9 (M)	Legitimate Skip	1372	98.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 20 valid cases out of 1393 total cases.

QL13 Intercourse w/ anyone known to have AIDS

Location: 1198-1199(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: At any time in the past 12 months, have you had intercourse with anyone who you thought or knew had tested positive for the AIDS virus or who had AIDS?

If No -> Go to L23

<i>QL13: Intercourse w/ anyone known to have AIDS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	13	0.9 %	1.5%
2	No	854	61.3 %	98.5%
-9 (M)	Legitimate Skip	511	36.7 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	14	1.0 %	-

Based upon 867 valid cases out of 1393 total cases.

QL13A Intercourse w/ how many people w/AIDS

- Study 02258 -

Location: 1200-1201(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During that period, how many people have you had intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

GO TO L23

<i>QL13A: Intercourse w/ how many people w/AIDS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1 person	8	0.6 %	61.5%
2	2 to 4 people	5	0.4 %	38.5%
-9 (M)	Legitimate Skip	1380	99.1 %	-

Based upon 13 valid cases out of 1393 total cases.

QL14 Number of men had vaginal intercourse with

Location: 1202-1203(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

For the next series of questions, I will be asking about your sexual experiences. I specifically want to know about your experiences with sexual intercourse. I will ask about three types of intercourse:

- Vaginal intercourse is when a man's penis is inside a woman's vagina.
- Anal intercourse is when a man's penis is inside his partner's anus or rectum.
- Oral intercourse is when a person puts his or her mouth on the partner's genitals.

I want to ask you about your sexual experiences with men in the past 12 months.

In that time, about how many different men have you had vaginal intercourse with?

If Never or None -> Go to L15

<i>QL14: Number of men had vaginal intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	None	112	8.0 %	22.2%
2	1 man	260	18.7 %	51.5%

- Study 02258 -

<i>QL14: Number of men had vaginal intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	2 to 4 men	102	7.3 %	20.2%
4	5 to 9 men	5	0.4 %	1.0%
5	10 to 20 men	12	0.9 %	2.4%
6	21 to 99 men	4	0.3 %	0.8%
7	100 or more men	6	0.4 %	1.2%
8	Never had vaginal intercourse with a man	4	0.3 %	0.8%
-9 (M)	Legitimate Skip	882	63.3 %	-
-1 (M)	Refused	6	0.4 %	-

Based upon 505 valid cases out of 1393 total cases.

QL14A Used condom during vaginal intercourse

Location: 1204-1205(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In these 12 months, about how often did the (man/men) you had intercourse with use a condom or "rubber" while you were having vaginal intercourse? Would you say . . . ?

<i>QL14A: Used condom during vaginal intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never	221	15.9 %	56.7%
2	Sometimes	62	4.5 %	15.9%
3	Usually	31	2.2 %	7.9%
4	Everytime	76	5.5 %	19.5%
-9 (M)	Legitimate Skip	998	71.6 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 390 valid cases out of 1393 total cases.

QL15 Number of men had anal intercourse with

Location: 1206-1207(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, about how many different men have you had anal intercourse with?

If Never or None -> Go to L16

<i>QL15: Number of men had anal intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	None	321	23.0 %	63.3%

- Study 02258 -

<i>QL15: Number of men had anal intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1 man	35	2.5 %	6.9%
3	2 to 4 men	4	0.3 %	0.8%
4	5 to 9 men	1	0.1 %	0.2%
5	10 to 20 men	1	0.1 %	0.2%
6	21 to 99 men	1	0.1 %	0.2%
8	Never had anal intercourse with a man	144	10.3 %	28.4%
-9 (M)	Legitimate Skip	882	63.3 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 507 valid cases out of 1393 total cases.

QL15A Use condom during anal intercourse

Location: 1208-1209(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In these 12 months, about how often did the (man/men) you had intercourse with use a condom or "rubber" while you were having anal intercourse? Would you say . . . ?

<i>QL15A: Use condom during anal intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never	31	2.2 %	73.8%
2	Sometimes	5	0.4 %	11.9%
3	Usually	1	0.1 %	2.4%
4	Everytime	5	0.4 %	11.9%
-9 (M)	Legitimate Skip	1347	96.7 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 42 valid cases out of 1393 total cases.

QL16 Number of men had oral intercourse with

Location: 1210-1211(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In the past 12 months, about how many different men have you had oral intercourse with?

If Never or None -> Go to L17

<i>QL16: Number of men had oral intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	None	200	14.4 %	39.8%

- Study 02258 -

<i>QL16: Number of men had oral intercourse with</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	1 man	193	13.9 %	38.4%
3	2 to 4 men	55	3.9 %	10.9%
4	5 to 9 men	3	0.2 %	0.6%
5	10 to 20 men	9	0.6 %	1.8%
6	21 to 99 men	5	0.4 %	1.0%
7	100 or more men	6	0.4 %	1.2%
8	Never had oral intercourse with a man	32	2.3 %	6.4%
-9 (M)	Legitimate Skip	882	63.3 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	7	0.5 %	-

Based upon 503 valid cases out of 1393 total cases.

QL16A Used latex barrier during oral intercourse

Location: 1212-1213(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In these 12 months, about how often did the (man/men) you had intercourse with use a condom or latex barrier, such as a dental blocker, when you had oral intercourse? Would you say . . . ?

<i>QL16A: Used latex barrier during oral intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never	221	15.9 %	81.2%
2	Sometimes	20	1.4 %	7.4%
3	Usually	7	0.5 %	2.6%
4	Everytime	24	1.7 %	8.8%
-9 (M)	Legitimate Skip	1114	80.0 %	-
-1 (M)	Refused	7	0.5 %	-

Based upon 272 valid cases out of 1393 total cases.

QL17 Intercourse w/ bisexual man

Location: 1214-1215(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In these 12 months, have you had (vaginal/anal/oral) intercourse with a man you think has had intercourse with both men and women?

<i>QL17: Intercourse w/ bisexual man</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	15	1.1 %	3.8%
2	No	376	27.0 %	96.2%

- Study 02258 -

<i>QL17: Intercourse w/ bisexual man</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	990	71.1 %	-
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 391 valid cases out of 1393 total cases.

QL18 Intercourse w/ man who took money/drugs for sex

Location: 1216-1217(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: To the best of your knowledge, had any man you had (vaginal/anal/oral) intercourse with in these 12 months ever taken money or drugs for sex?

<i>QL18: Intercourse w/ man who took money/drugs for sex</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	25	1.8 %	6.3%
2	No	369	26.5 %	93.7%
-9 (M)	Legitimate Skip	990	71.1 %	-
-2 (M)	Don't Know	5	0.4 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 394 valid cases out of 1393 total cases.

QL19 Intercourse w/ man who had sex w/prostitute

Location: 1218-1219(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: To the best of your knowledge, had any man you had (vaginal/anal/oral) intercourse with in these 12 months ever had sex with a prostitute?

<i>QL19: Intercourse w/ man who had sex w/prostitute</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	58	4.2 %	15.3%
2	No	320	23.0 %	84.7%
-9 (M)	Legitimate Skip	990	71.1 %	-
-2 (M)	Don't Know	19	1.4 %	-
-1 (M)	Refused	6	0.4 %	-

Based upon 378 valid cases out of 1393 total cases.

QL20 Taken money/drugs for intercourse

Location: 1220-1221(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: At any time in the past 12 months, has any man given you money or drugs to have (vaginal/anal/oral) intercourse?

<i>QL20: Taken money/drugs for intercourse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	64	4.6 %	16.1%
2	No	333	23.9 %	83.9%
-9 (M)	Legitimate Skip	990	71.1 %	-
-1 (M)	Refused	6	0.4 %	-

Based upon 397 valid cases out of 1393 total cases.

QL21 Intercourse w/ man who shot up drugs

Location: 1222-1223(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: To the best of your knowledge, has any man you had (vaginal/anal/oral) intercourse with in these 12 months ever used a needle or syringe to shoot up drugs?

<i>QL21: Intercourse w/ man who shot up drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	79	5.7 %	20.0%
2	No	316	22.7 %	80.0%
-9 (M)	Legitimate Skip	990	71.1 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 395 valid cases out of 1393 total cases.

QL22 Intercourse w/ man known to have AIDS

Location: 1224-1225(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: At any time in the past 12 months, have you had (vaginal/anal/oral) intercourse with any man who you knew or thought had tested positive for the AIDS virus or who had AIDS?

If No -> Go to L23

<i>QL22: Intercourse w/ man known to have AIDS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	10	0.7 %	2.5%
2	No	385	27.6 %	97.5%

- Study 02258 -

<i>QL22: Intercourse w/ man known to have AIDS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	990	71.1 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 395 valid cases out of 1393 total cases.

QL22A Intercourse w/ how many men w/AIDS

Location: 1226-1227(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In these 12 months, how many men have you had (vaginal/anal/ oral) intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

<i>QL22A: Intercourse w/ how many men w/AIDS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	1 man	10	0.7 %	100.0%
-9 (M)	Legitimate Skip	1383	99.3 %	-

Based upon 10 valid cases out of 1393 total cases.

QL23 Received educational services regarding HIV/AIDS

Location: 1228-1229(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, have you received any services regarding HIV infection, AIDS, or how to reduce the risk of spreading AIDS?

 If No -> Go to Section M

<i>QL23: Received educational services regarding HIV/AIDS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	407	29.2 %	29.5%
2	No	973	69.8 %	70.5%
-1 (M)	Refused	13	0.9 %	-

Based upon 1380 valid cases out of 1393 total cases.

QL23A1 AIDS educational services - Reduce risk of needle use

Location: 1230-1231(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

What types of educational services or help have you received?

Reduce risk of needle use

<i>QL23A1: AIDS educational services - Reduce risk of needle use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	148	10.6 %	36.5%
2	No	258	18.5 %	63.5%
-9 (M)	Legitimate Skip	986	70.8 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 406 valid cases out of 1393 total cases.

QL23A2

AIDS educational services - Reduce risk of sexual transmission

Location: 1232-1233(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What types of educational services or help have you received?

Reduce risk of sexual transmission

<i>QL23A2: AIDS educational services - Reduce risk of sexual transmission</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	189	13.6 %	46.6%
2	No	217	15.6 %	53.4%
-9 (M)	Legitimate Skip	986	70.8 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 406 valid cases out of 1393 total cases.

QL23A3

AIDS educational services - General knowledge about HIV infection and AIDS

Location: 1234-1235(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What types of educational services or help have you received?

General knowledge about HIV infection and AIDS

<i>QL23A3: AIDS educational services - General knowledge about HIV infection and AIDS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	349	25.1 %	86.0%

- Study 02258 -

<i>QL23A3: AIDS educational services - General knowledge about HIV infection and AIDS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	57	4.1 %	14.0%
-9 (M)	Legitimate Skip	986	70.8 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 406 valid cases out of 1393 total cases.

QL23A4 AIDS educational services - other

Location: 1236-1237(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What types of educational services or help have you received?

Other

<i>QL23A4: AIDS educational services - other</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	59	4.2 %	14.5%
2	No	347	24.9 %	85.5%
-9 (M)	Legitimate Skip	986	70.8 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 406 valid cases out of 1393 total cases.

QL23B Number of meetings for services

Location: 1238-1239(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many times have you met with anyone specifically for this kind of service?

<i>QL23B: Number of meetings for services</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	33	2.4 %	8.2%
1	-	152	10.9 %	37.8%
2	-	91	6.5 %	22.6%
3	-	29	2.1 %	7.2%
4	-	19	1.4 %	4.7%
5	-	12	0.9 %	3.0%
6	-	17	1.2 %	4.2%
7	-	4	0.3 %	1.0%
8	-	2	0.1 %	0.5%

- Study 02258 -

<i>QL23B: Number of meetings for services</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	-	7	0.5 %	1.7%
12	-	16	1.1 %	4.0%
15	-	3	0.2 %	0.7%
18	-	1	0.1 %	0.2%
20	-	2	0.1 %	0.5%
24	-	1	0.1 %	0.2%
30	-	2	0.1 %	0.5%
35	-	1	0.1 %	0.2%
40	-	2	0.1 %	0.5%
49	-	1	0.1 %	0.2%
50	-	1	0.1 %	0.2%
52	-	4	0.3 %	1.0%
99	-	2	0.1 %	0.5%
-9 (M)	Legitimate Skip	986	70.8 %	-
-2 (M)	Don't Know	5	0.4 %	-

Based upon 402 valid cases out of 1393 total cases.

QL23C How helpful was service

Location: 1240-1241(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What types of educational services or help have you received?

How helpful was this service? Would you say it was . . . ?

<i>QL23C: How helpful was service</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Not at all	87	6.2 %	21.4%
2	Somewhat	300	21.5 %	73.7%
3	Very helpful	20	1.4 %	4.9%
-9 (M)	Legitimate Skip	986	70.8 %	-

Based upon 407 valid cases out of 1393 total cases.

QM1 Number of days scheduled to receive services

Location: 1242-1244(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask about any treatment or counseling

- Study 02258 -

that you may have received during the past 12 months. To help you remember exactly when this was, remember that I marked this time on the calendar with a pink highlighter. Please think about all kinds of help or services, such as drug or alcohol counseling, medical treatment, counseling for an emotional or mental health problem, employment counseling, or any other services that you have received during that time.

In the past 12 months, on how many days have you been scheduled to receive any services? Include methadone and any other medication, any individual and group counseling, and other services you have received.

<i>QM1: Number of days scheduled to receive services</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 1386 valid cases out of 1393 total cases.

QM2 Past 12 months received treatment for alcohol problem

Location: 1245-1246(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I'd like to ask you about your experience with alcohol treatment programs.

During the past 12 months, have you received any treatment that was primarily for an alcohol problem? Please do not include Alcoholics Anonymous (AA) or other fellowship groups.

If Yes -> Tally on Tally Sheet M
 If No -> Go to M3

<i>QM2: Past 12 months received treatment for alcohol problem</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	79	5.7 %	5.7%
2	No	1313	94.3 %	94.3%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QM2A1 Number of times treated for alcohol SHORT TERM INPATIENT

- Study 02258 -

Location: 1247-1248(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems (TYPE OF TREATMENT)?

At a 28-day or other short-term inpatient treatment unit

<i>QM2A1: Number of times treated for alcohol SHORT TERM INPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	57	4.1 %	72.2%
1	-	17	1.2 %	21.5%
2	-	4	0.3 %	5.1%
20	-	1	0.1 %	1.3%
-9 (M)	Legitimate Skip	1314	94.3 %	-

Based upon 79 valid cases out of 1393 total cases.

QM2A2 Number of times treated for alcohol LONG TERM RESIDENTIAL

Location: 1249-1250(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems (TYPE OF TREATMENT)?

At a therapeutic community or other long-term residential treatment unit

<i>QM2A2: Number of times treated for alcohol LONG TERM RESIDENTIAL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	65	4.7 %	82.3%
1	-	13	0.9 %	16.5%
3	-	1	0.1 %	1.3%
-9 (M)	Legitimate Skip	1314	94.3 %	-

Based upon 79 valid cases out of 1393 total cases.

QM2A3 Number of times treated for alcohol HALFWAY HOUSE

Location: 1251-1252(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems (TYPE OF TREATMENT)?

At a halfway house

<i>QM2A3: Number of times treated for alcohol HALFWAY HOUSE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	71	5.1 %	89.9%
1	-	8	0.6 %	10.1%
-9 (M)	Legitimate Skip	1314	94.3 %	-

Based upon 79 valid cases out of 1393 total cases.

QM2A4 Number of times treated for alcohol OUTPATIENT

Location: 1253-1254(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems (TYPE OF TREATMENT)?

At an outpatient alcohol treatment unit

<i>QM2A4: Number of times treated for alcohol OUTPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	53	3.8 %	67.1%
1	-	22	1.6 %	27.8%
2	-	2	0.1 %	2.5%
12	-	1	0.1 %	1.3%
20	-	1	0.1 %	1.3%
-9 (M)	Legitimate Skip	1314	94.3 %	-

Based upon 79 valid cases out of 1393 total cases.

QM2A5 Number of times treated for alcohol ANY TYPE OF TREATMENT

Location: 1255-1256(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many times have you been admitted for treatment primarily for alcohol problems (TYPE OF TREATMENT)?

- Study 02258 -

From any type of alcohol treatment, excluding AA

<i>QM2A5: Number of times treated for alcohol ANY TYPE OF TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	56	4.0 %	70.9%
1	-	17	1.2 %	21.5%
2	-	2	0.1 %	2.5%
3	-	1	0.1 %	1.3%
10	-	1	0.1 %	1.3%
12	-	1	0.1 %	1.3%
30	-	1	0.1 %	1.3%
-9 (M)	Legitimate Skip	1314	94.3 %	-

Based upon 79 valid cases out of 1393 total cases.

QM3A Received treatment for drug problem at SHORT TERM INPATIENT

Location: 1257-1258(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, have you been treated primarily for drug problems at (TYPE OF TREATMENT)?

A 28-day or other short-term inpatient or chemical dependency treatment program

<i>QM3A: Received treatment for drug problem at SHORT TERM INPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	71	5.1 %	5.1%
2	No	1322	94.9 %	94.9%

Based upon 1393 valid cases out of 1393 total cases.

QM3AA Number of times treated for drugs at SHORT TERM INPATIENT

Location: 1259-1260(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many different times were admitted to (TYPE OF TREATMENT)?

A 28-day or other short-term inpatient or chemical dependency treatment program

- Study 02258 -

<i>QM3AA: Number of times treated for drugs at SHORT TERM INPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	56	4.0 %	78.9%
2	-	10	0.7 %	14.1%
3	-	1	0.1 %	1.4%
4	-	4	0.3 %	5.6%
-9 (M)	Legitimate Skip	1322	94.9 %	-

Based upon 71 valid cases out of 1393 total cases.

QM3BA	Number of total weeks spent at SHORT TERM INPATIENT
--------------	--

Location: 1261-1262(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Altogether, how many weeks have you spent at (TYPE OF TREATMENT)?

A 28-day or other short-term inpatient or chemical dependency treatment program

<i>QM3BA: Number of total weeks spent at SHORT TERM INPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	10	0.7 %	14.5%
1	-	7	0.5 %	10.1%
2	-	10	0.7 %	14.5%
3	-	5	0.4 %	7.2%
4	-	19	1.4 %	27.5%
5	-	4	0.3 %	5.8%
7	-	1	0.1 %	1.4%
8	-	3	0.2 %	4.3%
9	-	1	0.1 %	1.4%
10	-	1	0.1 %	1.4%
12	-	4	0.3 %	5.8%
13	-	1	0.1 %	1.4%
16	-	1	0.1 %	1.4%
26	-	1	0.1 %	1.4%
36	-	1	0.1 %	1.4%
-9 (M)	Legitimate Skip	1322	94.9 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 69 valid cases out of 1393 total cases.

QM3DA	Reason for discharge SHORT TERM INPATIENT
--------------	--

- Study 02258 -

Location: 1263-1264(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What was the reason for your last discharge from drug treatment at (TYPE OF TREATMENT)?

A 28-day or other short-term inpatient or chemical dependency treatment program

<i>QM3DA: Reason for discharge SHORT TERM INPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Completed treatment	51	3.7 %	71.8%
2	Discharged because of hospitalization, incarceration	3	0.2 %	4.2%
5	Involuntarily discharged for noncompliance	2	0.1 %	2.8%
6	Voluntarily dropped out before treatment completed for personal reasons	7	0.5 %	9.9%
7	Quit because of dissatisfaction with program	2	0.1 %	2.8%
9	Still in treatment	6	0.4 %	8.5%
-9 (M)	Legitimate Skip	1322	94.9 %	-

Based upon 71 valid cases out of 1393 total cases.

QM3B Received treatment for drug problem at LONG TERM RESIDENTIAL

Location: 1265-1266(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, have you been treated primarily for drug problems at (TYPE OF TREATMENT)?

A therapeutic community or treatment program

<i>QM3B: Received treatment for drug problem at LONG TERM RESIDENTIAL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	67	4.8 %	4.8%
2	No	1326	95.2 %	95.2%

Based upon 1393 valid cases out of 1393 total cases.

QM3AB Number of times treated for drugs at LONG TERM RESIDENTIAL

Location: 1267-1268(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

How many different times were admitted to (TYPE OF TREATMENT)?

A therapeutic community or treatment program

<i>QM3AB: Number of times treated for drugs at LONG TERM RESIDENTIAL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	56	4.0 %	83.6%
2	-	8	0.6 %	11.9%
3	-	1	0.1 %	1.5%
4	-	1	0.1 %	1.5%
5	-	1	0.1 %	1.5%
-9 (M)	Legitimate Skip	1326	95.2 %	-

Based upon 67 valid cases out of 1393 total cases.

QM3BB

Number of total weeks spent at LONG TERM RESIDENTIAL

Location: 1269-1270(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Altogether, how many weeks have you spent at (TYPE OF TREATMENT)?

A therapeutic community or treatment program

<i>QM3BB: Number of total weeks spent at LONG TERM RESIDENTIAL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	1.6%
2	-	4	0.3 %	6.2%
3	-	1	0.1 %	1.6%
4	-	3	0.2 %	4.7%
6	-	1	0.1 %	1.6%
7	-	1	0.1 %	1.6%
8	-	4	0.3 %	6.2%
10	-	2	0.1 %	3.1%
12	-	5	0.4 %	7.8%
14	-	1	0.1 %	1.6%
16	-	4	0.3 %	6.2%
18	-	2	0.1 %	3.1%
20	-	2	0.1 %	3.1%
22	-	2	0.1 %	3.1%
25	-	1	0.1 %	1.6%
26	-	4	0.3 %	6.2%

- Study 02258 -

<i>QM3BB: Number of total weeks spent at LONG TERM RESIDENTIAL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
27	-	1	0.1 %	1.6%
28	-	3	0.2 %	4.7%
30	-	2	0.1 %	3.1%
32	-	3	0.2 %	4.7%
36	-	3	0.2 %	4.7%
38	-	1	0.1 %	1.6%
40	-	1	0.1 %	1.6%
42	-	1	0.1 %	1.6%
43	-	1	0.1 %	1.6%
52	-	10	0.7 %	15.6%
-9 (M)	Legitimate Skip	1326	95.2 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 64 valid cases out of 1393 total cases.

QM3DB Reason for discharge LONG TERM RESIDENTIAL

Location: 1271-1272(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason for your last discharge from drug treatment at (TYPE OF TREATMENT)?

A therapeutic community or treatment program

<i>QM3DB: Reason for discharge LONG TERM RESIDENTIAL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Completed treatment	29	2.1 %	43.9%
2	Discharged because of hospitalization, incarceration	3	0.2 %	4.5%
5	Involuntarily discharged for noncompliance	2	0.1 %	3.0%
6	Voluntarily dropped out before treatment completed for personal reasons	4	0.3 %	6.1%
7	Quit because of dissatisfaction with program	1	0.1 %	1.5%
8	Other	3	0.2 %	4.5%
9	Still in treatment	24	1.7 %	36.4%
-9 (M)	Legitimate Skip	1326	95.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 66 valid cases out of 1393 total cases.

QM3C Received treatment for drug problem at HALFWAY HOUSE

- Study 02258 -

Location: 1273-1274(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, have you been treated primarily for drug problems at (TYPE OF TREATMENT)?

A methadone program

<i>QM3C: Received treatment for drug problem at HALFWAY HOUSE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	230	16.5 %	16.5%
2	No	1163	83.5 %	83.5%

Based upon 1393 valid cases out of 1393 total cases.

QM3AC Number of times treated for drugs at HALFWAY HOUSE

Location: 1275-1276(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many different times were admitted to (TYPE OF TREATMENT)?

A methadone program

<i>QM3AC: Number of times treated for drugs at HALFWAY HOUSE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	192	13.8 %	83.8%
2	-	17	1.2 %	7.4%
3	-	4	0.3 %	1.7%
4	-	7	0.5 %	3.1%
5	-	3	0.2 %	1.3%
6	-	1	0.1 %	0.4%
12	-	1	0.1 %	0.4%
52	-	1	0.1 %	0.4%
99	-	3	0.2 %	1.3%
-9 (M)	Legitimate Skip	1163	83.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 229 valid cases out of 1393 total cases.

QM3BC Number of total weeks spent at HALFWAY HOUSE

Location: 1277-1278(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Altogether, how many weeks have you spent at (TYPE OF TREATMENT)?

A methadone program

<i>QM3BC: Number of total weeks spent at HALFWAY HOUSE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	18	1.3 %	7.9%
1	-	2	0.1 %	0.9%
2	-	1	0.1 %	0.4%
4	-	3	0.2 %	1.3%
5	-	1	0.1 %	0.4%
9	-	1	0.1 %	0.4%
12	-	6	0.4 %	2.6%
13	-	3	0.2 %	1.3%
16	-	4	0.3 %	1.7%
20	-	2	0.1 %	0.9%
23	-	1	0.1 %	0.4%
24	-	2	0.1 %	0.9%
25	-	2	0.1 %	0.9%
26	-	5	0.4 %	2.2%
27	-	1	0.1 %	0.4%
28	-	2	0.1 %	0.9%
30	-	3	0.2 %	1.3%
32	-	3	0.2 %	1.3%
33	-	2	0.1 %	0.9%
34	-	1	0.1 %	0.4%
36	-	4	0.3 %	1.7%
40	-	3	0.2 %	1.3%
44	-	1	0.1 %	0.4%
48	-	1	0.1 %	0.4%
50	-	1	0.1 %	0.4%
51	-	2	0.1 %	0.9%
52	-	154	11.1 %	67.2%
-9 (M)	Legitimate Skip	1163	83.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 229 valid cases out of 1393 total cases.

QM3DC	Reason for discharge HALFWAY HOUSE
--------------	---

Location: 1279-1280(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason for your last discharge from drug treatment at (TYPE OF TREATMENT)?

A methadone program

<i>QM3DC: Reason for discharge HALFWAY HOUSE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Completed treatment	14	1.0 %	6.1%
2	Discharged because of hospitalization, incarceration	3	0.2 %	1.3%
3	Transferred to component of same program, other program	2	0.1 %	0.9%
5	Involuntarily discharged for noncompliance	13	0.9 %	5.7%
6	Voluntarily dropped out before treatment completed for personal reasons	11	0.8 %	4.8%
7	Quit because of dissatisfaction with program	2	0.1 %	0.9%
8	Other	7	0.5 %	3.0%
9	Still in treatment	178	12.8 %	77.4%
-9 (M)	Legitimate Skip	1163	83.5 %	-

Based upon 230 valid cases out of 1393 total cases.

QM3D Received treatment for drug problem at OUTPATIENT

Location: 1281-1282(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, have you been treated primarily for drug problems at (TYPE OF TREATMENT)?

An outpatient drug treatment program

<i>QM3D: Received treatment for drug problem at OUTPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	163	11.7 %	11.7%
2	No	1230	88.3 %	88.3%

Based upon 1393 valid cases out of 1393 total cases.

QM3AD Number of times treated for drugs at OUTPATIENT

Location: 1283-1284(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

How many different times were admitted to (TYPE OF TREATMENT)?

An outpatient drug treatment program

<i>QM3AD: Number of times treated for drugs at OUTPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	128	9.2 %	78.5%
2	-	20	1.4 %	12.3%
3	-	6	0.4 %	3.7%
4	-	3	0.2 %	1.8%
5	-	1	0.1 %	0.6%
10	-	1	0.1 %	0.6%
12	-	1	0.1 %	0.6%
52	-	3	0.2 %	1.8%
-9 (M)	Legitimate Skip	1230	88.3 %	-

Based upon 163 valid cases out of 1393 total cases.

QM3BD Number of total weeks spent at OUTPATIENT

Location: 1285-1286(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Altogether, how many weeks have you spent at (TYPE OF TREATMENT)?

An outpatient drug treatment program

<i>QM3BD: Number of total weeks spent at OUTPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	15	1.1 %	9.3%
1	-	2	0.1 %	1.2%
2	-	5	0.4 %	3.1%
3	-	4	0.3 %	2.5%
4	-	5	0.4 %	3.1%
5	-	3	0.2 %	1.9%
6	-	1	0.1 %	0.6%
7	-	1	0.1 %	0.6%
8	-	7	0.5 %	4.3%
10	-	3	0.2 %	1.9%
11	-	1	0.1 %	0.6%
12	-	9	0.6 %	5.6%
15	-	2	0.1 %	1.2%

- Study 02258 -

<i>QM3BD: Number of total weeks spent at OUTPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
16	-	4	0.3 %	2.5%
17	-	1	0.1 %	0.6%
20	-	6	0.4 %	3.7%
23	-	1	0.1 %	0.6%
24	-	1	0.1 %	0.6%
25	-	1	0.1 %	0.6%
26	-	4	0.3 %	2.5%
27	-	1	0.1 %	0.6%
28	-	2	0.1 %	1.2%
30	-	2	0.1 %	1.2%
32	-	3	0.2 %	1.9%
36	-	2	0.1 %	1.2%
40	-	2	0.1 %	1.2%
42	-	1	0.1 %	0.6%
44	-	2	0.1 %	1.2%
47	-	1	0.1 %	0.6%
48	-	2	0.1 %	1.2%
49	-	1	0.1 %	0.6%
50	-	1	0.1 %	0.6%
52	-	66	4.7 %	40.7%
-9 (M)	Legitimate Skip	1230	88.3 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 162 valid cases out of 1393 total cases.

QM3DD Reason for discharge OUTPATIENT

Location: 1287-1288(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason for your last discharge from drug treatment at (TYPE OF TREATMENT)?

An outpatient drug treatment program

<i>QM3DD: Reason for discharge OUTPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Completed treatment	30	2.2 %	18.4%
2	Discharged because of hospitalization, incarceration	2	0.1 %	1.2%

- Study 02258 -

<i>QM3DD: Reason for discharge OUTPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	Transferred to component of same program, other program	1	0.1 %	0.6%
5	Involuntarily discharged for noncompliance	10	0.7 %	6.1%
6	Voluntarily dropped out before treatment completed for personal reasons	12	0.9 %	7.4%
8	Other	7	0.5 %	4.3%
9	Still in treatment	101	7.3 %	62.0%
-9 (M)	Legitimate Skip	1230	88.3 %	-

Based upon 163 valid cases out of 1393 total cases.

QM3E Received treatment for drug problem at ANY TYPE OF TREATMENT

Location: 1289-1290(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

In the past 12 months, have you been treated primarily for drug problems at (TYPE OF TREATMENT)?

Any other type of drug house

<i>QM3E: Received treatment for drug problem at ANY TYPE OF TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	28	2.0 %	2.0%
2	No	1365	98.0 %	98.0%

Based upon 1393 valid cases out of 1393 total cases.

QM3AE Number of times treated for drugs at ANY TYPE OF TREATMENT

Location: 1291-1292(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many different times were admitted to (TYPE OF TREATMENT)?

Any other type of drug house

<i>QM3AE: Number of times treated for drugs at ANY TYPE OF TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	22	1.6 %	78.6%
2	-	5	0.4 %	17.9%
6	-	1	0.1 %	3.6%

- Study 02258 -

<i>QM3AE: Number of times treated for drugs at ANY TYPE OF TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1365	98.0 %	-

Based upon 28 valid cases out of 1393 total cases.

QM3BE Number of total weeks spent at ANY TYPE OF TREATMENT

Location: 1293-1294(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Altogether, how many weeks have you spent at (TYPE OF TREATMENT)?

Any other type of drug house

<i>QM3BE: Number of total weeks spent at ANY TYPE OF TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	3.6%
1	-	1	0.1 %	3.6%
2	-	1	0.1 %	3.6%
3	-	2	0.1 %	7.1%
4	-	2	0.1 %	7.1%
5	-	1	0.1 %	3.6%
6	-	1	0.1 %	3.6%
8	-	2	0.1 %	7.1%
10	-	1	0.1 %	3.6%
12	-	7	0.5 %	25.0%
18	-	1	0.1 %	3.6%
20	-	1	0.1 %	3.6%
26	-	1	0.1 %	3.6%
27	-	1	0.1 %	3.6%
28	-	1	0.1 %	3.6%
47	-	1	0.1 %	3.6%
52	-	3	0.2 %	10.7%
-9 (M)	Legitimate Skip	1365	98.0 %	-

Based upon 28 valid cases out of 1393 total cases.

QM3DE Reason for discharge ANY TYPE OF TREATMENT

Location: 1295-1296(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

What was the reason for your last discharge from drug treatment at (TYPE OF TREATMENT)?

Any other type of drug house

<i>QM3DE: Reason for discharge ANY TYPE OF TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Completed treatment	11	0.8 %	39.3%
5	Involuntarily discharged for noncompliance	2	0.1 %	7.1%
6	Voluntarily dropped out before treatment completed for personal reasons	4	0.3 %	14.3%
7	Quit because of dissatisfaction with program	1	0.1 %	3.6%
8	Other	3	0.2 %	10.7%
9	Still in treatment	7	0.5 %	25.0%
-9 (M)	Legitimate Skip	1365	98.0 %	-

Based upon 28 valid cases out of 1393 total cases.

QM3F Received treatment for drug problem at DETOX

Location: 1297-1298(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In the past 12 months, have you been treated primarily for drug problems at (TYPE OF TREATMENT)?

A short-term (21 days or less) detoxification program

<i>QM3F: Received treatment for drug problem at DETOX</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	68	4.9 %	4.9%
2	No	1325	95.1 %	95.1%

Based upon 1393 valid cases out of 1393 total cases.

QM3AF Number of times treated for drugs at DETOX

Location: 1299-1300(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many different times were admitted to (TYPE OF TREATMENT)?

A short-term (21 days or less) detoxification program

- Study 02258 -

<i>QM3AF: Number of times treated for drugs at DETOX</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	46	3.3 %	67.6%
2	-	11	0.8 %	16.2%
3	-	4	0.3 %	5.9%
4	-	6	0.4 %	8.8%
5	-	1	0.1 %	1.5%
-9 (M)	Legitimate Skip	1325	95.1 %	-

Based upon 68 valid cases out of 1393 total cases.

QM3BF Number of total weeks spent at DETOX

Location: 1301-1302(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Altogether, how many weeks have you spent at (TYPE OF TREATMENT)?

A short-term (21 days or less) detoxification program

<i>QM3BF: Number of total weeks spent at DETOX</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	23	1.7 %	33.8%
1	-	21	1.5 %	30.9%
2	-	12	0.9 %	17.6%
3	-	4	0.3 %	5.9%
4	-	4	0.3 %	5.9%
5	-	2	0.1 %	2.9%
6	-	1	0.1 %	1.5%
16	-	1	0.1 %	1.5%
-9 (M)	Legitimate Skip	1325	95.1 %	-

Based upon 68 valid cases out of 1393 total cases.

QM3DF Reason for discharge DETOX

Location: 1303-1304(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason for your last discharge from drug treatment at (TYPE OF TREATMENT)?

A short-term (21 days or less) detoxification program

- Study 02258 -

<i>QM3DF: Reason for discharge DETOX</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Completed treatment	59	4.2 %	86.8%
2	Discharged because of hospitalization, incarceration	2	0.1 %	2.9%
3	Transferred to component of same program, other program	2	0.1 %	2.9%
5	Involuntarily discharged for noncompliance	1	0.1 %	1.5%
6	Voluntarily dropped out before treatment completed for personal reasons	4	0.3 %	5.9%
-9 (M)	Legitimate Skip	1325	95.1 %	-

Based upon 68 valid cases out of 1393 total cases.

QM4 Doctor prescribed methadone past 12 months

Location: 1305-1306(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

During the past 12 months, has a doctor prescribed methadone, Naltrexone, tranquilizers, or Antabuse for you because of drug or alcohol problems?

If No -> Go to statement before M5

<i>QM4: Doctor prescribed methadone past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	190	13.6 %	13.6%
2	No	1203	86.4 %	86.4%

Based upon 1393 valid cases out of 1393 total cases.

QM4A1 METHADONE prescribed by doctor

Location: 1307-1308(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Which of these did the doctor prescribe for you?

Methadone

<i>QM4A1: METHADONE prescribed by doctor</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	173	12.4 %	91.1%
2	No	17	1.2 %	8.9%

- Study 02258 -

<i>QM4A1: METHADONE prescribed by doctor</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1203	86.4 %	-

Based upon 190 valid cases out of 1393 total cases.

QM4A2 NALTREXONE (TREXAN) prescribed by doctor

Location: 1309-1310(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which of these did the doctor prescribe for you?

Naltrexone (Trexan)

<i>QM4A2: NALTREXONE (TREXAN) prescribed by doctor</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	9	0.6 %	4.7%
2	No	181	13.0 %	95.3%
-9 (M)	Legitimate Skip	1203	86.4 %	-

Based upon 190 valid cases out of 1393 total cases.

QM4A3 TRANQUILIZERS prescribed by doctor

Location: 1311-1312(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which of these did the doctor prescribe for you?

Tranquilizers

<i>QM4A3: TRANQUILIZERS prescribed by doctor</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	18	1.3 %	9.5%
2	No	172	12.3 %	90.5%
-9 (M)	Legitimate Skip	1203	86.4 %	-

Based upon 190 valid cases out of 1393 total cases.

QM4A4 ANTABUSE prescribed by doctor

Location: 1313-1314(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Which of these did the doctor prescribe for you?

Antabuse

<i>QM4A4: ANTABUSE prescribed by doctor</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	6	0.4 %	3.2%
2	No	184	13.2 %	96.8%
-9 (M)	Legitimate Skip	1203	86.4 %	-

Based upon 190 valid cases out of 1393 total cases.

QM4A5 ANTIDEPRESSANTS prescribed by doctor

Location: 1315-1316(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which of these did the doctor prescribe for you?

Antidepressants

<i>QM4A5: ANTIDEPRESSANTS prescribed by doctor</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	24	1.7 %	12.6%
2	No	166	11.9 %	87.4%
-9 (M)	Legitimate Skip	1203	86.4 %	-

Based upon 190 valid cases out of 1393 total cases.

QM4A6 CLONIDINE prescribed by doctor

Location: 1317-1318(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which of these did the doctor prescribe for you?

Clonidine

<i>QM4A6: CLONIDINE prescribed by doctor</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	3	0.2 %	1.6%
2	No	187	13.4 %	98.4%
-9 (M)	Legitimate Skip	1203	86.4 %	-

- Study 02258 -

Based upon 190 valid cases out of 1393 total cases.

QM5 Attended 12 step/self help group

Location: 1319-1320(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:
 Now, I'd like to ask some questions about fellowship/self-help groups and 12-step programs that you may have attended during the past 12 months for drug or alcohol problems. These include groups such as Alcoholics Anonymous (AA), Narcotics Anonymous (NA), and Cocaine Anonymous (CA).
 During the past 12 months, have you attended this kind of 12-step or self-help group?
 If Yes -> Tally on tally sheet M
 If No -> Go to statement before M7

<i>QM5: Attended 12 step/self help group</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	576	41.3 %	41.3%
2	No	817	58.7 %	58.7%

Based upon 1393 valid cases out of 1393 total cases.

QM5A1 Attended ALCOHOLICS ANONYMOUS

Location: 1321-1322(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Which groups did you attend?

Alcoholics Anonymous

<i>QM5A1: Attended ALCOHOLICS ANONYMOUS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	330	23.7 %	57.3%
2	No	246	17.7 %	42.7%
-9 (M)	Legitimate Skip	817	58.7 %	-

Based upon 576 valid cases out of 1393 total cases.

QM5A2 Attended NARCOTICS ANONYMOUS

Location: 1323-1324(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which groups did you attend?

Narcotics Anonymous

<i>QM5A2: Attended NARCOTICS ANONYMOUS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	398	28.6 %	69.1%
2	No	178	12.8 %	30.9%
-9 (M)	Legitimate Skip	817	58.7 %	-

Based upon 576 valid cases out of 1393 total cases.

QM5A3 Attended COCAINE ANONYMOUS

Location: 1325-1326(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which groups did you attend?

Cocaine Anonymous

<i>QM5A3: Attended COCAINE ANONYMOUS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	45	3.2 %	7.8%
2	No	531	38.1 %	92.2%
-9 (M)	Legitimate Skip	817	58.7 %	-

Based upon 576 valid cases out of 1393 total cases.

QM5A4 Attended OTHER

Location: 1327-1328(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which groups did you attend?

Other

<i>QM5A4: Attended OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	29	2.1 %	5.0%
2	No	547	39.3 %	95.0%
-9 (M)	Legitimate Skip	817	58.7 %	-

- Study 02258 -

Based upon 576 valid cases out of 1393 total cases.

QM5B Worked any steps in 12 step program

Location: 1329-1330(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Have you worked any steps?

<i>QM5B: Worked any steps in 12 step program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	452	32.4 %	78.5%
2	No	124	8.9 %	21.5%
-9 (M)	Legitimate Skip	817	58.7 %	-

Based upon 576 valid cases out of 1393 total cases.

QM5C Number of times attended self help group

Location: 1331-1333(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, how many times have you attended (this group/any of these groups)?

<i>QM5C: Number of times attended self help group</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 574 valid cases out of 1393 total cases.

QM5D Number of weeks ago last attended self help group

Location: 1334-1335(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did you last attend (this group/any of these groups)?

<i>QM5D: Number of weeks ago last attended self help group</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	274	19.7 %	47.9%
1	-	59	4.2 %	10.3%
2	-	41	2.9 %	7.2%
3	-	19	1.4 %	3.3%
4	-	27	1.9 %	4.7%

- Study 02258 -

<i>QM5D: Number of weeks ago last attended self help group</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	-	5	0.4 %	0.9%
6	-	9	0.6 %	1.6%
7	-	3	0.2 %	0.5%
8	-	25	1.8 %	4.4%
9	-	4	0.3 %	0.7%
10	-	3	0.2 %	0.5%
12	-	10	0.7 %	1.7%
13	-	3	0.2 %	0.5%
14	-	1	0.1 %	0.2%
15	-	3	0.2 %	0.5%
16	-	19	1.4 %	3.3%
17	-	1	0.1 %	0.2%
18	-	1	0.1 %	0.2%
19	-	2	0.1 %	0.3%
20	-	7	0.5 %	1.2%
21	-	1	0.1 %	0.2%
22	-	2	0.1 %	0.3%
24	-	5	0.4 %	0.9%
25	-	3	0.2 %	0.5%
26	-	12	0.9 %	2.1%
27	-	1	0.1 %	0.2%
28	-	2	0.1 %	0.3%
29	-	1	0.1 %	0.2%
30	-	5	0.4 %	0.9%
32	-	5	0.4 %	0.9%
34	-	3	0.2 %	0.5%
36	-	4	0.3 %	0.7%
37	-	2	0.1 %	0.3%
39	-	2	0.1 %	0.3%
40	-	1	0.1 %	0.2%
41	-	1	0.1 %	0.2%
42	-	1	0.1 %	0.2%
44	-	1	0.1 %	0.2%
47	-	1	0.1 %	0.2%
48	-	1	0.1 %	0.2%
51	-	1	0.1 %	0.2%
52	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	818	58.7 %	-
-2 (M)	Don't Know	3	0.2 %	-

- Study 02258 -

Based upon 572 valid cases out of 1393 total cases.

QM5E1 How much have meetings helped cut down drugs

Location: 1336-1337(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In general, how much has meeting with this kind of group helped you . . .
 . . . Stop or cut down on your use of drugs?

<i>QM5E1: How much have meetings helped cut down drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	159	11.4 %	27.7%
2	Very much	374	26.8 %	65.0%
3	Not at all	42	3.0 %	7.3%
-9 (M)	Legitimate Skip	817	58.7 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 575 valid cases out of 1393 total cases.

QM5E2 How much have meetings helped w/other problems

Location: 1338-1339(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: In general, how much has meeting with this kind of group helped you . . .
 . . . with other problems you may have had?

<i>QM5E2: How much have meetings helped w/other problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	191	13.7 %	33.2%
2	Very much	312	22.4 %	54.2%
3	Not at all	73	5.2 %	12.7%
-9 (M)	Legitimate Skip	817	58.7 %	-

Based upon 576 valid cases out of 1393 total cases.

QM7 Received other mental health services past 12 months

Location: 1340-1341(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Next, I'd like to ask some questions about other scheduled individual or group services that you have received during the past 12 months. These services may be any counseling, treatment, or other help that you have received from a professional (such as a medical doctor, psychiatrist, or case manager). Do not include any services that we have already talked about or that you have received on a regular basis.

During the past 12 months, have you received any scheduled individual or group services for emotional or mental health problems other than the services that I have already asked about?

If Yes -> Tally on tally sheet M

If No -> Go to M10

<i>QM7: Received other mental health services past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	169	12.1 %	12.1%
2	No	1224	87.9 %	87.9%

Based upon 1393 valid cases out of 1393 total cases.

QM8_1 Talked w/ PRIMARY/REGULAR COUNSELOR

Location: 1342-1343(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talk to for these services?

Primary / regular counselor (at treatment program)

<i>QM8_1: Talked w/ PRIMARY/REGULAR COUNSELOR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	18	1.3 %	10.7%
2	No	151	10.8 %	89.3%
-9 (M)	Legitimate Skip	1224	87.9 %	-

Based upon 169 valid cases out of 1393 total cases.

QM8_2 Talked w/ CASE MANAGER

Location: 1344-1345(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talk to for these services?

- Study 02258 -

Case manager (at treatment program)

<i>QM8_2: Talked w/ CASE MANAGER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	3.0%
2	No	164	11.8 %	97.0%
-9 (M)	Legitimate Skip	1224	87.9 %	-

Based upon 169 valid cases out of 1393 total cases.

QM8_11 **Talked w/ OTHER COUNSELOR**

Location: 1346-1347(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talk to for these services?

Other counselor

<i>QM8_11: Talked w/ OTHER COUNSELOR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	22	1.6 %	13.0%
2	No	147	10.6 %	87.0%
-9 (M)	Legitimate Skip	1224	87.9 %	-

Based upon 169 valid cases out of 1393 total cases.

QM8_12 **Talked w/ OTHER CASE WORKER**

Location: 1348-1349(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talk to for these services?

Other case worker

<i>QM8_12: Talked w/ OTHER CASE WORKER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	9	0.6 %	5.3%
2	No	160	11.5 %	94.7%
-9 (M)	Legitimate Skip	1224	87.9 %	-

Based upon 169 valid cases out of 1393 total cases.

- Study 02258 -

<i>QM8_22: Talked w/ PSYCHIATRIST</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	84	6.0 %	49.7%
2	No	85	6.1 %	50.3%
-9 (M)	Legitimate Skip	1224	87.9 %	-

Based upon 169 valid cases out of 1393 total cases.

QM8_23 Talked w/ NURSE

Location: 1356-1357(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talk to for these services?

Nurse

<i>QM8_23: Talked w/ NURSE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	6	0.4 %	3.6%
2	No	163	11.7 %	96.4%
-9 (M)	Legitimate Skip	1224	87.9 %	-

Based upon 169 valid cases out of 1393 total cases.

QM8_28 Talked w/ CERTIFIED FAMILY COUNSELOR

Location: 1358-1359(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talk to for these services?

Certified family counselor

<i>QM8_28: Talked w/ CERTIFIED FAMILY COUNSELOR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	3.0%
2	No	164	11.8 %	97.0%
-9 (M)	Legitimate Skip	1224	87.9 %	-

Based upon 169 valid cases out of 1393 total cases.

QM8_91 Talked w/ OTHER

Location: 1360-1361(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talk to for these services?
 Other

<i>QM8_91: Talked w/ OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	15	1.1 %	8.9%
2	No	154	11.1 %	91.1%
-9 (M)	Legitimate Skip	1224	87.9 %	-

Based upon 169 valid cases out of 1393 total cases.

QM9 Nm times received individual or group services for mental/emotional health

Location: 1362-1364(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, how many times have you received any scheduled individual or group services for emotional or mental health problems?

<i>QM9: Nm times received individual or group services for mental/emotional health</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	17	1.2 %	10.2%
2	-	9	0.6 %	5.4%
3	-	7	0.5 %	4.2%
4	-	22	1.6 %	13.2%
5	-	2	0.1 %	1.2%
6	-	12	0.9 %	7.2%
7	-	1	0.1 %	0.6%
8	-	6	0.4 %	3.6%
9	-	1	0.1 %	0.6%
10	-	8	0.6 %	4.8%
12	-	20	1.4 %	12.0%
16	-	2	0.1 %	1.2%
18	-	1	0.1 %	0.6%
19	-	1	0.1 %	0.6%
20	-	6	0.4 %	3.6%
22	-	1	0.1 %	0.6%
24	-	6	0.4 %	3.6%
25	-	4	0.3 %	2.4%
26	-	2	0.1 %	1.2%
28	-	1	0.1 %	0.6%

- Study 02258 -

<i>QM9: Nm times received individual or group services for mental/emotional health</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
32	-	1	0.1 %	0.6%
36	-	1	0.1 %	0.6%
38	-	1	0.1 %	0.6%
39	-	1	0.1 %	0.6%
48	-	2	0.1 %	1.2%
50	-	1	0.1 %	0.6%
52	-	13	0.9 %	7.8%
54	-	2	0.1 %	1.2%
55	-	1	0.1 %	0.6%
60	-	1	0.1 %	0.6%
64	-	1	0.1 %	0.6%
76	-	1	0.1 %	0.6%
96	-	1	0.1 %	0.6%
100	-	1	0.1 %	0.6%
104	-	1	0.1 %	0.6%
115	-	1	0.1 %	0.6%
120	-	2	0.1 %	1.2%
144	-	1	0.1 %	0.6%
210	-	1	0.1 %	0.6%
250	-	1	0.1 %	0.6%
356	-	1	0.1 %	0.6%
357	-	1	0.1 %	0.6%
364	-	1	0.1 %	0.6%
-9 (M)	Legitimate Skip	1224	87.9 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 167 valid cases out of 1393 total cases.

QM10 Treated overnight for mental health not drug/alcohol problems

Location: 1365-1366(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have you stayed overnight anywhere for treatment of emotional or mental health problems other than problems associated with drugs or alcohol use?

If Yes -> Tally on tally sheet M

If No -> Go to M11

- Study 02258 -

<i>QM10: Treated overnight for mental health not drug/alcohol problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	39	2.8 %	2.8%
2	No	1353	97.1 %	97.2%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QM10A Number of nights stayed overnight

Location: 1367-1369(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Altogether, how many nights have you stayed overnight?

<i>QM10A: Number of nights stayed overnight</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	2	0.1 %	5.1%
2	-	3	0.2 %	7.7%
3	-	1	0.1 %	2.6%
4	-	1	0.1 %	2.6%
5	-	4	0.3 %	10.3%
7	-	3	0.2 %	7.7%
8	-	3	0.2 %	7.7%
10	-	3	0.2 %	7.7%
11	-	2	0.1 %	5.1%
12	-	2	0.1 %	5.1%
13	-	1	0.1 %	2.6%
14	-	3	0.2 %	7.7%
15	-	1	0.1 %	2.6%
18	-	1	0.1 %	2.6%
21	-	1	0.1 %	2.6%
28	-	1	0.1 %	2.6%
29	-	1	0.1 %	2.6%
30	-	1	0.1 %	2.6%
45	-	1	0.1 %	2.6%
81	-	1	0.1 %	2.6%
90	-	1	0.1 %	2.6%
98	-	1	0.1 %	2.6%
266	-	1	0.1 %	2.6%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B0 Suggestion to get help SELF

- Study 02258 -

Location: 1370-1371(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Self

<i>QM10B0: Suggestion to get help SELF</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	26	1.9 %	66.7%
2	No	13	0.9 %	33.3%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B1 Suggestion to get help DRUG TREATMENT PROGRAM

Location: 1372-1373(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Drug treatment program

<i>QM10B1: Suggestion to get help DRUG TREATMENT PROGRAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	2.6%
2	No	38	2.7 %	97.4%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B2 Suggestion to get help OTHER DRUG OR ALCOHOL PROGRAM

Location: 1374-1375(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Other drug or alcohol program

- Study 02258 -

<i>QM10B2: Suggestion to get help OTHER DRUG OR ALCOHOL PROGRAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	39	2.8 %	100.0%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B3 Suggestion to get help TASC PROGRAM

Location: 1376-1377(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

TASC program

<i>QM10B3: Suggestion to get help TASC PROGRAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	39	2.8 %	100.0%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B4 Suggestion to get help CRIMINAL JUSTICE SYSTEM

Location: 1378-1379(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Criminal justice system (attorney, judge, probation or parole officer)

<i>QM10B4: Suggestion to get help CRIMINAL JUSTICE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	5.1%
2	No	37	2.7 %	94.9%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B5 Suggestion to get help DOCTOR HOSPITAL OR CLINIC

Location: 1380-1381(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Doctor, hospital, or clinic

<i>QM10B5: Suggestion to get help DOCTOR HOSPITAL OR CLINIC</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	12.8%
2	No	34	2.4 %	87.2%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B6 Suggestion to get help PRIVATE THERAPIST OR MENTAL HEALTH CENTER

Location: 1382-1383(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Private therapist or mental health center

<i>QM10B6: Suggestion to get help PRIVATE THERAPIST OR MENTAL HEALTH CENTER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	39	2.8 %	100.0%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B7 Suggestion to get help COMMUNITY OR SOCIAL SERVICES AGENCY

Location: 1384-1385(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Community or social services agency

- Study 02258 -

<i>QM10B7: Suggestion to get help COMMUNITY OR SOCIAL SERVICES AGENCY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	2.6%
2	No	38	2.7 %	97.4%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B8 Suggestion to get help SCHOOL OR TRAINING PROGRAM

Location: 1386-1387(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

School or training program

<i>QM10B8: Suggestion to get help SCHOOL OR TRAINING PROGRAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	39	2.8 %	100.0%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B9 Suggestion to get help EMPLOYER/UNION/EAP

Location: 1388-1389(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Employer / union / employee assistance program (EAP)

<i>QM10B9: Suggestion to get help EMPLOYER/UNION/EAP</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	2.6%
2	No	38	2.7 %	97.4%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B10 Suggestion to get help VETERANS ORGANIZATION

Location: 1390-1391(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Veteran's organization

<i>QM10B10: Suggestion to get help VETERANS ORGANIZATION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	39	2.8 %	100.0%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B11 Suggestion to get help CLERGYMEN OR CHURCH

Location: 1392-1393(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Clergymen or church

<i>QM10B11: Suggestion to get help CLERGYMEN OR CHURCH</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	39	2.8 %	100.0%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B12 Suggestion to get help FRIENDS OR RELATIVES

Location: 1394-1395(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Friends or relatives

<i>QM10B12: Suggestion to get help FRIENDS OR RELATIVES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	5.1%

- Study 02258 -

<i>QM10B12: Suggestion to get help FRIENDS OR RELATIVES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	37	2.7 %	94.9%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM10B13 Suggestion to get help OTHER

Location: 1396-1397(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Was getting this help your own idea, or did a program, a friend, a relative, or someone else suggest it?

Other

<i>QM10B13: Suggestion to get help OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	2.6%
2	No	38	2.7 %	97.4%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QM11 Checkup for medical problems past 12 months

Location: 1398-1399(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have you had a checkup or have you received any scheduled individual services for medical problems other than those I have already asked about?

If Yes -> Tally on tally sheet M

If No -> Go to M14

<i>QM11: Checkup for medical problems past 12 months</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	372	26.7 %	26.7%
2	No	1020	73.2 %	73.3%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QM12_1 Checkup by PRIMARY/REGULAR COUNSELOR

- Study 02258 -

Location: 1400-1401(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talked to for these services?
 Primary / regular counselor (at treatment program)

<i>QM12_1: Checkup by PRIMARY/REGULAR COUNSELOR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	0.5%
2	No	370	26.6 %	99.5%
-9 (M)	Legitimate Skip	1021	73.3 %	-

Based upon 372 valid cases out of 1393 total cases.

QM12_2 Checkup by CASE MANAGER

Location: 1402-1403(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talked to for these services?
 Case manager (at treatment program)

<i>QM12_2: Checkup by CASE MANAGER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	0.3%
2	No	371	26.6 %	99.7%
-9 (M)	Legitimate Skip	1021	73.3 %	-

Based upon 372 valid cases out of 1393 total cases.

QM12_22 Checkup by PSYCHIATRIST

Location: 1404-1405(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talked to for these services?
 Psychiatrist

- Study 02258 -

<i>QM12_22: Checkup by PSYCHIATRIST</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	1.3%
2	No	367	26.3 %	98.7%
-9 (M)	Legitimate Skip	1021	73.3 %	-

Based upon 372 valid cases out of 1393 total cases.

QM12_23 Checkup by NURSE

Location: 1406-1407(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talked to for these services?

Nurse

<i>QM12_23: Checkup by NURSE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	57	4.1 %	15.3%
2	No	315	22.6 %	84.7%
-9 (M)	Legitimate Skip	1021	73.3 %	-

Based upon 372 valid cases out of 1393 total cases.

QM12_24 Checkup by PHYSICIAN

Location: 1408-1409(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talked to for these services?

Physician

<i>QM12_24: Checkup by PHYSICIAN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	343	24.6 %	92.2%
2	No	29	2.1 %	7.8%
-9 (M)	Legitimate Skip	1021	73.3 %	-

Based upon 372 valid cases out of 1393 total cases.

QM12_25 Checkup by PHYSICIANS ASSISTANT

Location: 1410-1411(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talked to for these services?
 Physician's assistant

<i>QM12_25: Checkup by PHYSICIANS ASSISTANT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	30	2.2 %	8.1%
2	No	342	24.6 %	91.9%
-9 (M)	Legitimate Skip	1021	73.3 %	-

Based upon 372 valid cases out of 1393 total cases.

QM12_26 Checkup by DENTIST

Location: 1412-1413(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talked to for these services?
 Dentist

<i>QM12_26: Checkup by DENTIST</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	50	3.6 %	13.4%
2	No	322	23.1 %	86.6%
-9 (M)	Legitimate Skip	1021	73.3 %	-

Based upon 372 valid cases out of 1393 total cases.

QM12_91 Checkup by OTHER

Location: 1414-1415(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talked to for these services?
 Other

<i>QM12_91: Checkup by OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	23	1.7 %	6.2%
2	No	349	25.1 %	93.8%

- Study 02258 -

<i>QM12_91: Checkup by OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1021	73.3 %	-

Based upon 372 valid cases out of 1393 total cases.

QM13 Number of times received services for medical problems

Location: 1416-1418(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many times during the past 12 months have you received any scheduled individual services for medical problems?

<i>QM13: Number of times received services for medical problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	77	5.5 %	20.7%
2	-	51	3.7 %	13.7%
3	-	39	2.8 %	10.5%
4	-	37	2.7 %	9.9%
5	-	20	1.4 %	5.4%
6	-	23	1.7 %	6.2%
7	-	5	0.4 %	1.3%
8	-	13	0.9 %	3.5%
10	-	18	1.3 %	4.8%
11	-	2	0.1 %	0.5%
12	-	35	2.5 %	9.4%
14	-	3	0.2 %	0.8%
15	-	5	0.4 %	1.3%
16	-	3	0.2 %	0.8%
18	-	1	0.1 %	0.3%
19	-	1	0.1 %	0.3%
20	-	7	0.5 %	1.9%
24	-	2	0.1 %	0.5%
25	-	1	0.1 %	0.3%
26	-	3	0.2 %	0.8%
28	-	2	0.1 %	0.5%
29	-	1	0.1 %	0.3%
30	-	6	0.4 %	1.6%
35	-	3	0.2 %	0.8%
36	-	1	0.1 %	0.3%
40	-	1	0.1 %	0.3%
48	-	1	0.1 %	0.3%

- Study 02258 -

<i>QM13: Number of times received services for medical problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
50	-	3	0.2 %	0.8%
64	-	1	0.1 %	0.3%
67	-	1	0.1 %	0.3%
75	-	1	0.1 %	0.3%
80	-	1	0.1 %	0.3%
95	-	1	0.1 %	0.3%
104	-	1	0.1 %	0.3%
150	-	1	0.1 %	0.3%
180	-	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1021	73.3 %	-

Based upon 372 valid cases out of 1393 total cases.

QM14 Received services for family/relationship problems

Location: 1419-1420(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have you received any scheduled individual or group services for family or relationship problems?

If Yes -> Tally on tally sheet M

If No -> Go to M18

<i>QM14: Received services for family/relationship problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	61	4.4 %	4.4%
2	No	1332	95.6 %	95.6%

Based upon 1393 valid cases out of 1393 total cases.

QM15_1 Services from PRIMARY/REGULAR COUNSELOR

Location: 1421-1422(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talked to for these services?

Primary / regular counselor (at treatment program)

- Study 02258 -

<i>QM15_1: Services from PRIMARY/REGULAR COUNSELOR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	7	0.5 %	11.5%
2	No	54	3.9 %	88.5%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM15_2 Services from CASE MANAGER

Location: 1423-1424(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talked to for these services?

Case manager (at treatment program)

<i>QM15_2: Services from CASE MANAGER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	1.6%
2	No	60	4.3 %	98.4%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM15_11 Services from OTHER COUNSELOR

Location: 1425-1426(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who have you seen or talked to for these services?

Other counselor

<i>QM15_11: Services from OTHER COUNSELOR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	14	1.0 %	23.0%
2	No	47	3.4 %	77.0%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM15_12 Services from OTHER CASE MANAGER

Location: 1427-1428(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talked to for these services?
 Other case manager

<i>QM15_12: Services from OTHER CASE MANAGER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	1.6%
2	No	60	4.3 %	98.4%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM15_13 Services from SOCIAL WORKER

Location: 1429-1430(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talked to for these services?
 Social worker

<i>QM15_13: Services from SOCIAL WORKER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	7	0.5 %	11.5%
2	No	54	3.9 %	88.5%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM15_21 Services from PSYCHOLOGIST

Location: 1431-1432(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talked to for these services?
 Psychologist

<i>QM15_21: Services from PSYCHOLOGIST</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	8	0.6 %	13.1%
2	No	53	3.8 %	86.9%

- Study 02258 -

<i>QM15_21: Services from PSYCHOLOGIST</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM15_22 Services from PSYCHIATRIST

Location: 1433-1434(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Who have you seen or talked to for these services?

Psychiatrist

<i>QM15_22: Services from PSYCHIATRIST</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	8.2%
2	No	56	4.0 %	91.8%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM15_23 Services from NURSE

Location: 1435-1436(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Who have you seen or talked to for these services?

Nurse

<i>QM15_23: Services from NURSE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	61	4.4 %	100.0%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM15_28 Services from CERTIFIED FAMILY COUNSELOR

Location: 1437-1438(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Who have you seen or talked to for these services?

- Study 02258 -

Certified family counselor

<i>QM15_28: Services from CERTIFIED FAMILY COUNSELOR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	14	1.0 %	23.0%
2	No	47	3.4 %	77.0%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM15_91 Services from OTHER

Location: 1439-1440(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who have you seen or talked to for these services?
 Other

<i>QM15_91: Services from OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	9	0.6 %	14.8%
2	No	52	3.7 %	85.2%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM16 Number of times received services for family/relationship problems

Location: 1441-1443(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, how many times have you received any scheduled individual or group services for family or relationship problems?

<i>QM16: Number of times received services for family/relationship problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	6	0.4 %	9.8%
2	-	4	0.3 %	6.6%
3	-	4	0.3 %	6.6%
4	-	9	0.6 %	14.8%
5	-	3	0.2 %	4.9%
6	-	4	0.3 %	6.6%
7	-	1	0.1 %	1.6%

- Study 02258 -

<i>QM16: Number of times received services for family/relationship problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
8	-	2	0.1 %	3.3%
10	-	2	0.1 %	3.3%
12	-	7	0.5 %	11.5%
15	-	1	0.1 %	1.6%
16	-	1	0.1 %	1.6%
18	-	1	0.1 %	1.6%
20	-	2	0.1 %	3.3%
24	-	2	0.1 %	3.3%
26	-	1	0.1 %	1.6%
30	-	2	0.1 %	3.3%
32	-	2	0.1 %	3.3%
48	-	2	0.1 %	3.3%
52	-	3	0.2 %	4.9%
104	-	1	0.1 %	1.6%
357	-	1	0.1 %	1.6%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM17 Past 12 months how troubled by family/relationship problems

Location: 1444-1445(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How troubled or distressed (bothered) have you been in the past 12 months by problems getting along with family members or close friends? Would you say . . . ?

<i>QM17: Past 12 months how troubled by family/relationship problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	29	2.1 %	47.5%
2	Very troubled	23	1.7 %	37.7%
3	Not at all	9	0.6 %	14.8%
-9 (M)	Legitimate Skip	1332	95.6 %	-

Based upon 61 valid cases out of 1393 total cases.

QM18 Past 12 months received vocational training

Location: 1446-1447(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, have you received any scheduled services to train you for a specific job, to help you find

- Study 02258 -

a job, or something else like counseling or vocational training?

If Yes -> Tally on tally sheet M

If No -> Go to M21

<i>QM18: Past 12 months received vocational training</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	126	9.0 %	9.0%
2	No	1267	91.0 %	91.0%

Based upon 1393 valid cases out of 1393 total cases.

QM19_1 Training from REGULAR PUBLIC SCHOOL

Location: 1448-1449(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Where did you go for these services?

Regular public school

<i>QM19_1: Training from REGULAR PUBLIC SCHOOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	0.8%
2	No	125	9.0 %	99.2%
-9 (M)	Legitimate Skip	1267	91.0 %	-

Based upon 126 valid cases out of 1393 total cases.

QM19_2 Training from TECHNICAL OR VOCATIONAL SCHOOL

Location: 1450-1451(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Where did you go for these services?

Technical or vocational school

<i>QM19_2: Training from TECHNICAL OR VOCATIONAL SCHOOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	27	1.9 %	21.4%
2	No	99	7.1 %	78.6%
-9 (M)	Legitimate Skip	1267	91.0 %	-

- Study 02258 -

Based upon 126 valid cases out of 1393 total cases.

QM19_3 Training from ADULT EDUCATION OR CONTINUING EDUCATION

Location: 1452-1453(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Where did you go for these services?

Adult education or continuing education programs

<i>QM19_3: Training from ADULT EDUCATION OR CONTINUING EDUCATION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	16	1.1 %	12.7%
2	No	110	7.9 %	87.3%
-9 (M)	Legitimate Skip	1267	91.0 %	-

Based upon 126 valid cases out of 1393 total cases.

QM19_4 Training from PRIVATE PROGRAMS

Location: 1454-1455(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Where did you go for these services?

Private programs

<i>QM19_4: Training from PRIVATE PROGRAMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	25	1.8 %	19.8%
2	No	101	7.3 %	80.2%
-9 (M)	Legitimate Skip	1267	91.0 %	-

Based upon 126 valid cases out of 1393 total cases.

QM19_91 Training from OTHER

Location: 1456-1457(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Where did you go for these services?

Other

- Study 02258 -

<i>QM19_91: Training from OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	60	4.3 %	47.6%
2	No	66	4.7 %	52.4%
-9 (M)	Legitimate Skip	1267	91.0 %	-

Based upon 126 valid cases out of 1393 total cases.

QM20 Number of times received vocational training services

Location: 1458-1460(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, how many times have you received any scheduled services to train you for a specific job, to help you find a job, or something else like counseling or vocational training?

<i>QM20: Number of times received vocational training services</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	43	3.1 %	34.4%
2	-	15	1.1 %	12.0%
3	-	7	0.5 %	5.6%
4	-	12	0.9 %	9.6%
5	-	2	0.1 %	1.6%
6	-	3	0.2 %	2.4%
7	-	5	0.4 %	4.0%
8	-	1	0.1 %	0.8%
9	-	1	0.1 %	0.8%
10	-	6	0.4 %	4.8%
15	-	2	0.1 %	1.6%
16	-	1	0.1 %	0.8%
20	-	5	0.4 %	4.0%
24	-	2	0.1 %	1.6%
25	-	2	0.1 %	1.6%
30	-	1	0.1 %	0.8%
40	-	1	0.1 %	0.8%
42	-	1	0.1 %	0.8%
45	-	1	0.1 %	0.8%
48	-	1	0.1 %	0.8%
52	-	3	0.2 %	2.4%
60	-	3	0.2 %	2.4%
79	-	1	0.1 %	0.8%
100	-	1	0.1 %	0.8%
120	-	2	0.1 %	1.6%

- Study 02258 -

<i>QM20: Number of times received vocational training services</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
240	-	2	0.1 %	1.6%
260	-	1	0.1 %	0.8%
-9 (M)	Legitimate Skip	1267	91.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 125 valid cases out of 1393 total cases.

QM21 Past 12 months received counseling/classes for improving education/reading/writing

Location: 1461-1462(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have you taken any scheduled classes or received counseling or help specifically to improve your education or your reading and writing?

If Yes -> Tally on tally sheet M

If No -> Go to M24

<i>QM21: Past 12 months received counseling/classes for improving education/reading/writing</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	132	9.5 %	9.5%
2	No	1261	90.5 %	90.5%

Based upon 1393 valid cases out of 1393 total cases.

QM22_1 Classes from REGULAR PUBLIC SCHOOL

Location: 1463-1464(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Where did you go for these services?

Regular public school

<i>QM22_1: Classes from REGULAR PUBLIC SCHOOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	8	0.6 %	6.1%
2	No	124	8.9 %	93.9%
-9 (M)	Legitimate Skip	1261	90.5 %	-

Based upon 132 valid cases out of 1393 total cases.

QM22_2 Classes from TECHNICAL OR VOCATIONAL SCHOOL

- Study 02258 -

Location: 1465-1466(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Where did you go for these services?

Technical or vocational school

<i>QM22_2: Classes from TECHNICAL OR VOCATIONAL SCHOOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	23	1.7 %	17.4%
2	No	109	7.8 %	82.6%
-9 (M)	Legitimate Skip	1261	90.5 %	-

Based upon 132 valid cases out of 1393 total cases.

QM22_3 **Classes from ADULT EDUCATION OR CONTINUING EDUCATION**

Location: 1467-1468(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Where did you go for these services?

Adult education or continuing education programs

<i>QM22_3: Classes from ADULT EDUCATION OR CONTINUING EDUCATION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	48	3.4 %	36.4%
2	No	84	6.0 %	63.6%
-9 (M)	Legitimate Skip	1261	90.5 %	-

Based upon 132 valid cases out of 1393 total cases.

QM22_4 **Classes from PRIVATE PROGRAMS**

Location: 1469-1470(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Where did you go for these services?

Private programs

- Study 02258 -

<i>QM22_4: Classes from PRIVATE PROGRAMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	12	0.9 %	9.1%
2	No	120	8.6 %	90.9%
-9 (M)	Legitimate Skip	1261	90.5 %	-

Based upon 132 valid cases out of 1393 total cases.

QM22_91 Classes from OTHER

Location: 1471-1472(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Where did you go for these services?

Other

<i>QM22_91: Classes from OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	43	3.1 %	32.6%
2	No	89	6.4 %	67.4%
-9 (M)	Legitimate Skip	1261	90.5 %	-

Based upon 132 valid cases out of 1393 total cases.

QM23 Number of times received education/reading/writing training

Location: 1473-1475(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, how many times have you received any scheduled classes, counseling, or help specifically to improve your education or your reading and writing?

<i>QM23: Number of times received education/reading/writing training</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	15	1.1 %	11.5%
2	-	13	0.9 %	10.0%
3	-	4	0.3 %	3.1%
4	-	3	0.2 %	2.3%
5	-	1	0.1 %	0.8%
6	-	8	0.6 %	6.2%
7	-	1	0.1 %	0.8%
8	-	5	0.4 %	3.8%
9	-	1	0.1 %	0.8%
10	-	5	0.4 %	3.8%

- Study 02258 -

<i>QM23: Number of times received education/reading/writing training</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12	-	8	0.6 %	6.2%
14	-	1	0.1 %	0.8%
15	-	1	0.1 %	0.8%
16	-	4	0.3 %	3.1%
20	-	5	0.4 %	3.8%
24	-	3	0.2 %	2.3%
26	-	1	0.1 %	0.8%
28	-	1	0.1 %	0.8%
30	-	5	0.4 %	3.8%
32	-	3	0.2 %	2.3%
34	-	2	0.1 %	1.5%
40	-	1	0.1 %	0.8%
42	-	1	0.1 %	0.8%
45	-	1	0.1 %	0.8%
48	-	2	0.1 %	1.5%
50	-	1	0.1 %	0.8%
52	-	3	0.2 %	2.3%
56	-	1	0.1 %	0.8%
60	-	3	0.2 %	2.3%
64	-	1	0.1 %	0.8%
65	-	1	0.1 %	0.8%
70	-	3	0.2 %	2.3%
78	-	1	0.1 %	0.8%
90	-	1	0.1 %	0.8%
100	-	2	0.1 %	1.5%
104	-	2	0.1 %	1.5%
110	-	1	0.1 %	0.8%
120	-	3	0.2 %	2.3%
128	-	1	0.1 %	0.8%
130	-	1	0.1 %	0.8%
156	-	2	0.1 %	1.5%
160	-	1	0.1 %	0.8%
180	-	2	0.1 %	1.5%
208	-	1	0.1 %	0.8%
240	-	1	0.1 %	0.8%
260	-	1	0.1 %	0.8%
261	-	1	0.1 %	0.8%
280	-	1	0.1 %	0.8%
-9 (M)	Legitimate Skip	1261	90.5 %	-

- Study 02258 -

<i>QM23: Number of times received education/reading/writing training</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-2 (M)	Don't Know	2	0.1 %	-

Based upon 130 valid cases out of 1393 total cases.

QM24 Past 12 months received services for legal problems

Location: 1476-1477(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have you received any scheduled services to help with legal problems?

If Yes -> Tally on tally sheet M

If No -> Go to M27

<i>QM24: Past 12 months received services for legal problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	130	9.3 %	9.3%
2	No	1263	90.7 %	90.7%

Based upon 1393 valid cases out of 1393 total cases.

QM25_1 Legal help from PRIVATE LAWYER

Location: 1478-1479(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Where did you go for these services?

Private lawyer

<i>QM25_1: Legal help from PRIVATE LAWYER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	58	4.2 %	44.6%
2	No	72	5.2 %	55.4%
-9 (M)	Legitimate Skip	1263	90.7 %	-

Based upon 130 valid cases out of 1393 total cases.

QM25_2 Legal help from LEGAL AID

Location: 1480-1481(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Where did you go for these services?

Legal aid

<i>QM25_2: Legal help from LEGAL AID</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	17	1.2 %	13.1%
2	No	113	8.1 %	86.9%
-9 (M)	Legitimate Skip	1263	90.7 %	-

Based upon 130 valid cases out of 1393 total cases.

QM25_3

Legal help from PUBLIC DEFENDER OR COURT-ORDERED COUNSEL

Location: 1482-1483(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Where did you go for these services?

Public defender or court-ordered counsel

<i>QM25_3: Legal help from PUBLIC DEFENDER OR COURT-ORDERED COUNSEL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	51	3.7 %	39.2%
2	No	79	5.7 %	60.8%
-9 (M)	Legitimate Skip	1263	90.7 %	-

Based upon 130 valid cases out of 1393 total cases.

QM25_4

Legal help from PRIVATE PROGRAMS

Location: 1484-1485(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Where did you go for these services?

Private programs

<i>QM25_4: Legal help from PRIVATE PROGRAMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	0.8%
2	No	129	9.3 %	99.2%
-9 (M)	Legitimate Skip	1263	90.7 %	-

- Study 02258 -

Based upon 130 valid cases out of 1393 total cases.

QM25_91 Legal help from OTHER

Location: 1486-1487(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Where did you go for these services?
 Other

<i>QM25_91: Legal help from OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	6	0.4 %	4.6%
2	No	124	8.9 %	95.4%
-9 (M)	Legitimate Skip	1263	90.7 %	-

Based upon 130 valid cases out of 1393 total cases.

QM26 Number of times received legal services

Location: 1488-1490(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: During the past 12 months, how many times have you received any scheduled services to help with legal problems?

<i>QM26: Number of times received legal services</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	50	3.6 %	38.8%
2	-	26	1.9 %	20.2%
3	-	17	1.2 %	13.2%
4	-	10	0.7 %	7.8%
5	-	4	0.3 %	3.1%
6	-	4	0.3 %	3.1%
7	-	2	0.1 %	1.6%
8	-	2	0.1 %	1.6%
10	-	3	0.2 %	2.3%
12	-	7	0.5 %	5.4%
14	-	1	0.1 %	0.8%
15	-	1	0.1 %	0.8%
30	-	1	0.1 %	0.8%
40	-	1	0.1 %	0.8%
-9 (M)	Legitimate Skip	1263	90.7 %	-
-2 (M)	Don't Know	1	0.1 %	-

- Study 02258 -

Based upon 129 valid cases out of 1393 total cases.

QM27 Past 12 months received financial/housing help

Location: 1491-1492(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have you received any scheduled services to help with financial or housing problems?

If Yes -> Tally on tally sheet M

If No -> Go to M30

<i>QM27: Past 12 months received financial/housing help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	76	5.5 %	5.5%
2	No	1317	94.5 %	94.5%

Based upon 1393 valid cases out of 1393 total cases.

QM28_1 Help from WELFARE OR PUBLIC ASSISTANCE OFFICE

Location: 1493-1494(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Where did you go for these services?

Welfare or public assistance

<i>QM28_1: Help from WELFARE OR PUBLIC ASSISTANCE OFFICE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	32	2.3 %	42.1%
2	No	44	3.2 %	57.9%
-9 (M)	Legitimate Skip	1317	94.5 %	-

Based upon 76 valid cases out of 1393 total cases.

QM28_2 Help from SOCIAL SECURITY OFFICE

Location: 1495-1496(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Where did you go for these services?

Social security office

- Study 02258 -

<i>QM28_2: Help from SOCIAL SECURITY OFFICE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	7	0.5 %	9.2%
2	No	69	5.0 %	90.8%
-9 (M)	Legitimate Skip	1317	94.5 %	-

Based upon 76 valid cases out of 1393 total cases.

QM28_3 Help from UNEMPLOYMENT OFFICE

Location: 1497-1498(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Where did you go for these services?

Unemployment office

<i>QM28_3: Help from UNEMPLOYMENT OFFICE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	1.3%
2	No	75	5.4 %	98.7%
-9 (M)	Legitimate Skip	1317	94.5 %	-

Based upon 76 valid cases out of 1393 total cases.

QM28_4 Help from EMPLOYER/UNION

Location: 1499-1500(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Where did you go for these services?

Employer / union

<i>QM28_4: Help from EMPLOYER/UNION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	76	5.5 %	100.0%
-9 (M)	Legitimate Skip	1317	94.5 %	-

Based upon 76 valid cases out of 1393 total cases.

QM28_91 Help from OTHER

Location: 1501-1502(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Where did you go for these services?

Other

<i>QM28_91: Help from OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	41	2.9 %	53.9%
2	No	35	2.5 %	46.1%
-9 (M)	Legitimate Skip	1317	94.5 %	-

Based upon 76 valid cases out of 1393 total cases.

QM29 Number of times received financial/housing help

Location: 1503-1504(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, how many times have you received any scheduled services to help with financial and housing problems?

<i>QM29: Number of times received financial/housing help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	32	2.3 %	42.1%
2	-	18	1.3 %	23.7%
3	-	8	0.6 %	10.5%
4	-	2	0.1 %	2.6%
5	-	2	0.1 %	2.6%
8	-	3	0.2 %	3.9%
11	-	1	0.1 %	1.3%
12	-	8	0.6 %	10.5%
20	-	1	0.1 %	1.3%
24	-	1	0.1 %	1.3%
-9 (M)	Legitimate Skip	1317	94.5 %	-

Based upon 76 valid cases out of 1393 total cases.

QM30 Past 12 months received counseling due to crisis

Location: 1505-1506(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have you received any counseling sessions with any professional of a crisis or an emergency?

If Yes -> Tally on tally sheet M

- Study 02258 -

If No -> Go to M31

<i>QM30: Past 12 months received counseling due to crisis</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	66	4.7 %	4.7%
2	No	1327	95.3 %	95.3%

Based upon 1393 valid cases out of 1393 total cases.

QM30A Number of times received counseling due to crisis

Location: 1507-1508(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, how many counseling sessions have you had because of a crisis or an emergency?

<i>QM30A: Number of times received counseling due to crisis</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	27	1.9 %	40.9%
2	-	7	0.5 %	10.6%
3	-	8	0.6 %	12.1%
4	-	3	0.2 %	4.5%
5	-	2	0.1 %	3.0%
6	-	2	0.1 %	3.0%
7	-	1	0.1 %	1.5%
8	-	3	0.2 %	4.5%
10	-	3	0.2 %	4.5%
12	-	3	0.2 %	4.5%
14	-	1	0.1 %	1.5%
15	-	1	0.1 %	1.5%
16	-	1	0.1 %	1.5%
17	-	1	0.1 %	1.5%
30	-	1	0.1 %	1.5%
48	-	1	0.1 %	1.5%
55	-	1	0.1 %	1.5%
-9 (M)	Legitimate Skip	1327	95.3 %	-

Based upon 66 valid cases out of 1393 total cases.

QM30B How helpful was crisis counseling

Location: 1509-1510(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How helpful was this service? Would you say . . . ?

- Study 02258 -

<i>QM30B: How helpful was crisis counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	16	1.1 %	24.2%
2	Very helpful	45	3.2 %	68.2%
3	Not at all	5	0.4 %	7.6%
-9 (M)	Legitimate Skip	1327	95.3 %	-

Based upon 66 valid cases out of 1393 total cases.

QM31 Most helpful service code

Location: 1511-1512(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: You mentioned that you had received help or services for [READ ALL MARKED ON TALLY SHEET M.] During the past 12 months, which of the services you have received has been most helpful to you?

<i>QM31: Most helpful service code</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Regular addiction group	33	2.4 %	3.7%
2	Other group counseling	20	1.4 %	2.2%
3	Individual counseling	25	1.8 %	2.8%
4	12-step self-help group (e.g. AA, NA, CA)	345	24.8 %	38.3%
5	Crisis counseling	9	0.6 %	1.0%
6	Unscheduled help	1	0.1 %	0.1%
7	Talks / films / discussions	3	0.2 %	0.3%
8	Drug counseling	12	0.9 %	1.3%
9	Alcohol counseling	8	0.6 %	0.9%
11	Psychological / mental health	59	4.2 %	6.5%
12	Family / relationship counseling	12	0.9 %	1.3%
13	Medication	26	1.9 %	2.9%
14	Medical	123	8.8 %	13.7%
15	Legal	29	2.1 %	3.2%
16	Education / job training	75	5.4 %	8.3%
17	Help finding a job	7	0.5 %	0.8%
18	Other job assistance	1	0.1 %	0.1%
19	Financial assistance	15	1.1 %	1.7%
91	Other	43	3.1 %	4.8%
99	No services	55	3.9 %	6.1%
-9 (M)	Legitimate Skip	488	35.0 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 901 valid cases out of 1393 total cases.

- Study 02258 -

QM32 Least helpful service code

Location: 1513-1514(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: During the past 12 months, which of the services you have received has been least helpful to you?

<i>QM32: Least helpful service code</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Regular addiction group	16	1.1 %	1.8%
2	Other group counseling	9	0.6 %	1.0%
3	Individual counseling	9	0.6 %	1.0%
4	12-step self-help group (e.g. AA, NA, CA)	78	5.6 %	8.7%
5	Crisis counseling	7	0.5 %	0.8%
6	Unscheduled help	1	0.1 %	0.1%
7	Talks / films / discussions	3	0.2 %	0.3%
8	Drug counseling	8	0.6 %	0.9%
9	Alcohol counseling	4	0.3 %	0.4%
11	Psychological / mental health	17	1.2 %	1.9%
12	Family / relationship counseling	13	0.9 %	1.5%
13	Medication	4	0.3 %	0.4%
14	Medical	53	3.8 %	5.9%
15	Legal	34	2.4 %	3.8%
16	Education / job training	18	1.3 %	2.0%
17	Help finding a job	6	0.4 %	0.7%
18	Other job assistance	3	0.2 %	0.3%
19	Financial assistance	12	0.9 %	1.3%
91	Other	28	2.0 %	3.1%
99	No services	571	41.0 %	63.9%
-9 (M)	Legitimate Skip	488	35.0 %	-
-2 (M)	Don't Know	10	0.7 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 894 valid cases out of 1393 total cases.

QM33 Has treatment helped you cut down drug use

Location: 1515-1516(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Now, please think about all the treatment you have received during the past 12 months. Has this treatment helped you stop or cut down on your drug use?

- Study 02258 -

If No -> Go to M34

<i>QM33: Has treatment helped you cut down drug use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	634	45.5 %	70.8%
2	No	261	18.7 %	29.2%
-9 (M)	Legitimate Skip	488	35.0 %	-
-2 (M)	Don't Know	5	0.4 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 895 valid cases out of 1393 total cases.

QM33A Treatment helped a little or a lot

Location: 1517-1518(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Would you say it has helped . . . ?

<i>QM33A: Treatment helped a little or a lot</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	A little	104	7.5 %	16.5%
2	A lot	528	37.9 %	83.5%
-9 (M)	Legitimate Skip	759	54.5 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 632 valid cases out of 1393 total cases.

QM34 How much has treatment helped w/ other problems

Location: 1519-1520(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How much has any of this treatment helped you with other problems (besides drug problems) in the past 12 months? Would you say . . . ?

<i>QM34: How much has treatment helped w/ other problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	A little	231	16.6 %	25.8%
2	A lot	459	33.0 %	51.2%
3	Not at all	207	14.9 %	23.1%
-9 (M)	Legitimate Skip	488	35.0 %	-
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 897 valid cases out of 1393 total cases.

- Study 02258 -

QM35 Past 12 months noticed change in thoughts/feelings

Location: 1521-1522(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

During the past 12 months, have you noticed changes in your thoughts, feelings, or relationships?

If No -> Go to Time Checkpoint

<i>QM35: Past 12 months noticed change in thoughts/feelings</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	735	52.8 %	52.9%
2	No	654	46.9 %	47.1%
-2 (M)	Don't Know	4	0.3 %	-

Based upon 1389 valid cases out of 1393 total cases.

QM35B1 What caused this change - First mention

Location: 1523-1524(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You mentioned a change in [CHANGE]. What do you think caused this change? 1st mention

<i>QM35B1: What caused this change - First mention</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Self	364	26.1 %	50.1%
2	Counselor or case manager at program	25	1.8 %	3.4%
3	Another staff member at program	2	0.1 %	0.3%
4	Another client / resident / patient at program	3	0.2 %	0.4%
5	The program overall	74	5.3 %	10.2%
6	Counselor or case manager outside of program	15	1.1 %	2.1%
7	Another staff member outside of program	5	0.4 %	0.7%
8	Another client / resident / patient outside of program	5	0.4 %	0.7%
9	Other	233	16.7 %	32.1%
-9 (M)	Legitimate Skip	658	47.2 %	-
-2 (M)	Don't Know	5	0.4 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 726 valid cases out of 1393 total cases.

QM35B2 What caused this change - Second mention

Location: 1525-1526(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: You mentioned a change in [CHANGE]. What do you think caused this change? 2nd mention

QM35B2: What caused this change - Second mention

Value	Label	Unweighted Frequency	%	Valid %
1	Self	173	12.4 %	23.6%
2	Counselor or case manager at program	13	0.9 %	1.8%
3	Another staff member at program	1	0.1 %	0.1%
4	Another client / resident / patient at program	2	0.1 %	0.3%
5	The program overall	39	2.8 %	5.3%
6	Counselor or case manager outside of program	10	0.7 %	1.4%
7	Another staff member outside of program	1	0.1 %	0.1%
8	Another client / resident / patient outside of program	1	0.1 %	0.1%
9	Other	95	6.8 %	13.0%
10	No other changes	398	28.6 %	54.3%
-9 (M)	Legitimate Skip	658	47.2 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 733 valid cases out of 1393 total cases.

QM35B3 What caused this change - Third mention

Location: 1527-1528(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: You mentioned a change in [CHANGE]. What do you think caused this change? 3rd mention

QM35B3: What caused this change - Third mention

Value	Label	Unweighted Frequency	%	Valid %
1	Self	69	5.0 %	20.5%
2	Counselor or case manager at program	4	0.3 %	1.2%
5	The program overall	19	1.4 %	5.7%
6	Counselor or case manager outside of program	3	0.2 %	0.9%
7	Another staff member outside of program	2	0.1 %	0.6%
9	Other	50	3.6 %	14.9%
10	No other changes	189	13.6 %	56.2%
-9 (M)	Legitimate Skip	1056	75.8 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 336 valid cases out of 1393 total cases.

QM35B4 What caused this change - Fourth mention

Location: 1529-1530(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: You mentioned a change in [CHANGE]. What do you think caused this change? 4th mention

<i>QM35B4: What caused this change - Fourth mention</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Self	30	2.2 %	20.4%
2	Counselor or case manager at program	2	0.1 %	1.4%
5	The program overall	12	0.9 %	8.2%
6	Counselor or case manager outside of program	2	0.1 %	1.4%
7	Another staff member outside of program	1	0.1 %	0.7%
8	Another client / resident / patient outside of program	1	0.1 %	0.7%
9	Other	23	1.7 %	15.6%
10	No other changes	76	5.5 %	51.7%
-9 (M)	Legitimate Skip	1245	89.4 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 147 valid cases out of 1393 total cases.

QM35B5 What caused this change - Fifth mention

Location: 1531-1532(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: You mentioned a change in [CHANGE]. What do you think caused this change? 5th mention

<i>QM35B5: What caused this change - Fifth mention</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Self	18	1.3 %	25.4%
2	Counselor or case manager at program	1	0.1 %	1.4%
5	The program overall	3	0.2 %	4.2%
6	Counselor or case manager outside of program	1	0.1 %	1.4%
9	Other	19	1.4 %	26.8%
10	No other changes	29	2.1 %	40.8%
-9 (M)	Legitimate Skip	1321	94.8 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 71 valid cases out of 1393 total cases.

QN1A Belief using drugs always makes life worse

Location: 1533-1534(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Now, I would like to ask you about how your life may have changed since you began substance abuse treatment at (NAME

- Study 02258 -

OF PROGRAM) on (DATE OF ADMISSION) and now.

Please tell me how much you have improved in each of the following by indicating, hardly at all, pretty much, or very much?

Your . . . belief that using drugs will always make your life worse has strengthened.

<i>QN1A: Belief using drugs always makes life worse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	104	7.5 %	7.5%
2	Pretty much	257	18.4 %	18.5%
3	Very much	1028	73.8 %	74.0%
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1389 valid cases out of 1393 total cases.

QN2A Experiences contributed to belief using drugs always make life worse

Location: 1535-1536(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What experiences most affected or contributed to your improvement? Was it your treatment experience, other experiences in your life, or both?

Your . . . belief that using drugs will always make your life worse has strengthened.

<i>QN2A: Experiences contributed to belief using drugs always make life worse</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Your treatment experience	172	12.3 %	12.4%
2	Other experiences in your life	307	22.0 %	22.1%
3	Both	825	59.2 %	59.4%
4	No change / Not applicable	86	6.2 %	6.2%
-2 (M)	Don't Know	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QN1B Believe important to stay drug free

Location: 1537-1538(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Now, I would like to ask you about how your life may have changed since you began substance abuse treatment at (NAME OF PROGRAM) on (DATE OF ADMISSION) and now.

Please tell me how much you have improved in each of the following by indicating, hardly at all, pretty much, or very much?

Your . . . belief that it is important for you to be drug free has strengthened.

<i>QN1B: Believe important to stay drug free</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	89	6.4 %	6.4%
2	Pretty much	247	17.7 %	17.8%
3	Very much	1054	75.7 %	75.8%
-2 (M)	Don't Know	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QN2B Experiences contributed to belief important to stay drug free

Location: 1539-1540(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What experiences most affected or contributed to your improvement? Was it your treatment experience, other experiences in your life, or both?

Your . . . belief that it is important for you to be drug free has strengthened.

<i>QN2B: Experiences contributed to belief important to stay drug free</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Your treatment experience	148	10.6 %	10.6%
2	Other experiences in your life	328	23.5 %	23.6%
3	Both	838	60.2 %	60.2%
4	No change / Not applicable	77	5.5 %	5.5%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QN1C Ability to socialize and relate improved

Location: 1541-1542(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Now, I would like to ask you about how your life may have changed since you began substance abuse treatment at (NAME OF PROGRAM) on (DATE OF ADMISSION) and now.

Please tell me how much you have improved in each of the following by indicating, hardly at all, pretty much, or very much?

Your . . . ability to socialize and relate to people has improved.

<i>QN1C: Ability to socialize and relate improved</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	268	19.2 %	19.3%
2	Pretty much	425	30.5 %	30.6%
3	Very much	698	50.1 %	50.2%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QN2C Experiences contributed to ability to socialize/relate

Location: 1543-1544(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What experiences most affected or contributed to your improvement? Was it your treatment experience, other experiences in your life, or both?

Your . . . ability to socialize and relate to people has improved.

<i>QN2C: Experiences contributed to ability to socialize/relate</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Your treatment experience	161	11.6 %	11.6%
2	Other experiences in your life	272	19.5 %	19.6%
3	Both	752	54.0 %	54.1%
4	No change / Not applicable	205	14.7 %	14.7%
-2 (M)	Don't Know	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QN1D Ability to lead constructive/fulfilling lifestyle

Location: 1545-1546(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Now, I would like to ask you about how your life may have changed since you began substance abuse treatment at (NAME OF PROGRAM) on (DATE OF ADMISSION) and now.

Please tell me how much you have improved in each of the following by indicating, hardly at all, pretty much, or very much?

Your . . . ability to lead a constructive and fulfilling lifestyle (includes participation in school, job, family life, hobbies, etc.) has improved.

<i>QN1D: Ability to lead constructive/fulfilling lifestyle</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	190	13.6 %	13.7%
2	Pretty much	412	29.6 %	29.7%
3	Very much	787	56.5 %	56.7%
-2 (M)	Don't Know	4	0.3 %	-

Based upon 1389 valid cases out of 1393 total cases.

QN2D Experiences contributed to ability to lead fulfilling lifestyle

Location: 1547-1548(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What experiences most affected or contributed to your improvement? Was it your treatment experience, other experiences in your life, or both?

Your . . . ability to lead a constructive and fulfilling lifestyle (includes participation in school, job, family life, hobbies, etc.) has improved.

<i>QN2D: Experiences contributed to ability to lead fulfilling lifestyle</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Your treatment experience	148	10.6 %	10.7%
2	Other experiences in your life	299	21.5 %	21.5%
3	Both	797	57.2 %	57.4%
4	No change / Not applicable	144	10.3 %	10.4%
-2 (M)	Don't Know	5	0.4 %	-

Based upon 1388 valid cases out of 1393 total cases.

QN1E Ability to recognize/express feelings in healthy way

Location: 1549-1550(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I would like to ask you about how your life may have changed since you began substance abuse treatment at (NAME OF PROGRAM) on (DATE OF ADMISSION) and now.

Please tell me how much you have improved in each of the following by indicating, hardly at all, pretty much, or very much?

Your . . . ability to recognize and express feelings in a healthy way has improved.

<i>QN1E: Ability to recognize/express feelings in healthy way</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	168	12.1 %	12.1%
2	Pretty much	446	32.0 %	32.0%
3	Very much	778	55.9 %	55.9%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN2E Experiences contributed to ability to recognize/express feelings

Location: 1551-1552(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What experiences most affected or contributed to your improvement? Was it your treatment experience, other experiences in your life, or both?

Your . . . ability to recognize and express feelings in a healthy way has improved.

<i>QN2E: Experiences contributed to ability to recognize/express feelings</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Your treatment experience	178	12.8 %	12.8%
2	Other experiences in your life	301	21.6 %	21.7%
3	Both	777	55.8 %	55.9%
4	No change / Not applicable	133	9.5 %	9.6%
-2 (M)	Don't Know	4	0.3 %	-

Based upon 1389 valid cases out of 1393 total cases.

QN1F Ability to take care of physical health/appearance

Location: 1553-1554(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I would like to ask you about how your life may have changed since you began substance abuse treatment at (NAME OF PROGRAM) on (DATE OF ADMISSION) and now.

Please tell me how much you have improved in each of the following by indicating, hardly at all, pretty much, or very much?

Your . . . ability to take care of your physical health and appearance has improved.

QN1F: Ability to take care of physical health/appearance

Value	Label	Unweighted Frequency	%	Valid %
1	Hardly at all	242	17.4 %	17.4%
2	Pretty much	399	28.6 %	28.7%
3	Very much	750	53.8 %	53.9%
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QN2F Experiences contributed to ability to take care of physical health/appearance

Location: 1555-1556(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What experiences most affected or contributed to your improvement? Was it your treatment experience, other experiences in your life, or both?

Your . . . ability to take care of your physical health and appearance has improved.

QN2F: Experiences contributed to ability to take care of physical health/appearance

Value	Label	Unweighted Frequency	%	Valid %
1	Your treatment experience	143	10.3 %	10.3%
2	Other experiences in your life	325	23.3 %	23.3%
3	Both	718	51.5 %	51.6%
4	No change / Not applicable	206	14.8 %	14.8%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN1G Ability to conduct yourself w/ maturity

Location: 1557-1558(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I would like to ask you about how your life may have changed since you began substance abuse treatment at (NAME OF PROGRAM) on (DATE OF ADMISSION) and now.

Please tell me how much you have improved in each of the following by indicating, hardly at all, pretty much, or very much?

Your . . . ability to conduct yourself with maturity has improved.

<i>QN1G: Ability to conduct yourself w/ maturity</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	180	12.9 %	12.9%
2	Pretty much	435	31.2 %	31.2%
3	Very much	777	55.8 %	55.8%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN2G Experiences contributed to conduct yourself w/ maturity

Location: 1559-1560(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What experiences most affected or contributed to your improvement? Was it your treatment experience, other experiences in your life, or both?

Your . . . ability to conduct yourself with maturity has improved.

<i>QN2G: Experiences contributed to conduct yourself w/ maturity</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Your treatment experience	136	9.8 %	9.8%
2	Other experiences in your life	331	23.8 %	23.8%
3	Both	783	56.2 %	56.2%
4	No change / Not applicable	142	10.2 %	10.2%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN1H Ability to handle responsibilities

Location: 1561-1562(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I would like to ask you about how your life may have changed since you began substance abuse treatment at (NAME OF PROGRAM) on (DATE OF ADMISSION) and now.

Please tell me how much you have improved in each of the following by indicating, hardly at all, pretty much, or very much?

Your . . . ability to handle responsibilities have improved.

<i>QN1H: Ability to handle responsibilities</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	172	12.3 %	12.4%
2	Pretty much	430	30.9 %	30.9%
3	Very much	790	56.7 %	56.8%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN2H Experiences contributed to handle responsibilities

Location: 1563-1564(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What experiences most affected or contributed to your improvement? Was it your treatment experience, other experiences in your life, or both?

Your . . . ability to handle responsibilities have improved.

<i>QN2H: Experiences contributed to handle responsibilities</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Your treatment experience	149	10.7 %	10.7%
2	Other experiences in your life	341	24.5 %	24.5%
3	Both	768	55.1 %	55.2%
4	No change / Not applicable	134	9.6 %	9.6%
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN1I Overall personal growth has improved

Location: 1565-1566(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Now, I would like to ask you about how your life may have changed since you began substance abuse treatment at (NAME OF PROGRAM) on (DATE OF ADMISSION) and now.

Please tell me how much you have improved in each of the following by indicating, hardly at all, pretty much, or very much?

Your . . . overall personal growth has improved.

<i>QN11: Overall personal growth has improved</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	142	10.2 %	10.2%
2	Pretty much	421	30.2 %	30.3%
3	Very much	828	59.4 %	59.5%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QN21 Experiences contributed to overall personal growth

Location: 1567-1568(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What experiences most affected or contributed to your improvement? Was it your treatment experience, other experiences in your life, or both?

Your . . . overall personal growth has improved.

<i>QN21: Experiences contributed to overall personal growth</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Your treatment experience	130	9.3 %	9.3%
2	Other experiences in your life	310	22.3 %	22.3%
3	Both	844	60.6 %	60.7%
4	No change / Not applicable	107	7.7 %	7.7%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QN3A Attribute improvement to drug treatment experiences

Location: 1569-1570(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

Your drug treatment experience make your life worse has strengthened

<i>QN3A: Attribute improvement to drug treatment experiences</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	291	20.9 %	21.0%
2	Pretty much	513	36.8 %	37.1%
3	Very much	579	41.6 %	41.9%
-2 (M)	Don't Know	9	0.6 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1383 valid cases out of 1393 total cases.

QN3B Attribute improvement to family

Location: 1571-1572(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

Your family (spouse/partner/relative)

<i>QN3B: Attribute improvement to family</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	241	17.3 %	17.4%
2	Pretty much	470	33.7 %	34.0%
3	Very much	673	48.3 %	48.6%
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	1	0.1 %	-

- Study 02258 -

Based upon 1384 valid cases out of 1393 total cases.

QN3C Attribute improvement to friends

Location: 1573-1574(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

Your friends

<i>QN3C: Attribute improvement to friends</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	678	48.7 %	49.0%
2	Pretty much	407	29.2 %	29.4%
3	Very much	298	21.4 %	21.5%
-2 (M)	Don't Know	9	0.6 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1383 valid cases out of 1393 total cases.

QN3D Attribute improvement to religion/spirituality

Location: 1575-1576(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

Your religion/spirituality

<i>QN3D: Attribute improvement to religion/spirituality</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	424	30.4 %	30.6%

- Study 02258 -

<i>QN3D: Attribute improvement to religion/spirituality</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Pretty much	347	24.9 %	25.1%
3	Very much	613	44.0 %	44.3%
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1384 valid cases out of 1393 total cases.

QN3E Attribute improvement to own motivation

Location: 1577-1578(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

Your own motivation

<i>QN3E: Attribute improvement to own motivation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	114	8.2 %	8.2%
2	Pretty much	427	30.7 %	30.9%
3	Very much	843	60.5 %	60.9%
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1384 valid cases out of 1393 total cases.

QN3F Attribute improvement to positive event in life

Location: 1579-1580(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much,

- Study 02258 -

or very much.

A positive event in your life (marriage, parenthood, graduation, etc.

<i>QN3F: Attribute improvement to positive event in life</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	495	35.5 %	35.9%
2	Pretty much	355	25.5 %	25.7%
3	Very much	530	38.0 %	38.4%
-2 (M)	Don't Know	12	0.9 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1380 valid cases out of 1393 total cases.

QN3G Attribute improvement to negative event in life

Location: 1581-1582(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

A negative event in your life (death of someone close, illness, going to jail, loss of a relationship, etc.)

<i>QN3G: Attribute improvement to negative event in life</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	560	40.2 %	40.6%
2	Pretty much	382	27.4 %	27.7%
3	Very much	438	31.4 %	31.7%
-2 (M)	Don't Know	12	0.9 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1380 valid cases out of 1393 total cases.

QN3H Attribute improvement to doctors/medical professionals

Location: 1583-1584(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

Doctors or other medical professionals

<i>QN3H: Attribute improvement to doctors/medical professionals</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	884	63.5 %	63.9%
2	Pretty much	315	22.6 %	22.8%
3	Very much	185	13.3 %	13.4%
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1384 valid cases out of 1393 total cases.

QN3I	Attribute improvement to formal education
-------------	--

Location: 1585-1586(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

Involvement in formal education

<i>QN3I: Attribute improvement to formal education</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	882	63.3 %	63.7%
2	Pretty much	304	21.8 %	22.0%
3	Very much	198	14.2 %	14.3%
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1384 valid cases out of 1393 total cases.

- Study 02258 -

QN3J Attribute improvement to your job/career

Location: 1587-1588(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

Your job/career

<i>QN3J: Attribute improvement to your job/career</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	672	48.2 %	48.6%
2	Pretty much	391	28.1 %	28.3%
3	Very much	321	23.0 %	23.2%
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1384 valid cases out of 1393 total cases.

QN3K Attribute improvement to a significant person not relative

Location: 1589-1590(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

A significant person (not relative) such as mentor, counselor, coach, teacher, probation officer, etc.

<i>QN3K: Attribute improvement to a significant person not relative</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	699	50.2 %	50.5%
2	Pretty much	363	26.1 %	26.2%

- Study 02258 -

<i>QN3K: Attribute improvement to a significant person not relative</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	Very much	322	23.1 %	23.3%
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1384 valid cases out of 1393 total cases.

QN3L Attribute improvement to other causes

Location: 1591-1592(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

You said that your overall personal growth had improved [REPEAT ITEM TO ITEM I ABOVE].

Now, I would like to ask you to tell me how much each of the following affected or contributed to your overall improvement. Please indicate whether your attitude your overall growth to (items a-l) hardly at all, pretty much, or very much.

Other

<i>QN3L: Attribute improvement to other causes</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hardly at all	943	67.7 %	70.2%
2	Pretty much	192	13.8 %	14.3%
3	Very much	208	14.9 %	15.5%
-2 (M)	Don't Know	47	3.4 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 1343 valid cases out of 1393 total cases.

QN4A Believe you are always in recovery

Location: 1593-1594(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you to tell me how much you agree with each of the following items. Please indicate whether you disagree strongly, disagree, neither agree nor disagree, agree, or strongly agree.

You . . . believe you are always in recovery (drug addiction is never cured).

- Study 02258 -

<i>QN4A: Believe you are always in recovery</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Disagree strongly	104	7.5 %	7.5%
2	Disagree	139	10.0 %	10.0%
3	Neither agree nor disagree	85	6.1 %	6.1%
4	Agree	422	30.3 %	30.3%
5	Agree strongly	641	46.0 %	46.1%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QN4B You work hard to make yourself better

Location: 1595-1596(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I would like to ask you to tell me how much you agree with each of the following items. Please indicate whether you disagree strongly, disagree, neither agree nor disagree, agree, or strongly agree.

You . . . continue to work hard to make yourself a better person.

<i>QN4B: You work hard to make yourself better</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Disagree strongly	8	0.6 %	0.6%
2	Disagree	30	2.2 %	2.2%
3	Neither agree nor disagree	52	3.7 %	3.7%
4	Agree	572	41.1 %	41.1%
5	Agree strongly	730	52.4 %	52.4%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN4C Feel you are productive member of society

Location: 1597-1598(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Now, I would like to ask you to tell me how much you agree with each of the following items. Please indicate whether you disagree strongly, disagree, neither agree nor disagree, agree, or strongly agree.

- Study 02258 -

You . . . feel that you're a productive member of society.

<i>QN4C: Feel you are productive member of society</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Disagree strongly	31	2.2 %	2.2%
2	Disagree	93	6.7 %	6.7%
3	Neither agree nor disagree	134	9.6 %	9.6%
4	Agree	590	42.4 %	42.4%
5	Agree strongly	544	39.1 %	39.1%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN4D You do not see yourself as an addict

Location: 1599-1600(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you to tell me how much you agree with each of the following items. Please indicate whether you disagree strongly, disagree, neither agree nor disagree, agree, or strongly agree.

You . . . do not see yourself as an addict.

<i>QN4D: You do not see yourself as an addict</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Disagree strongly	442	31.7 %	31.8%
2	Disagree	455	32.7 %	32.7%
3	Neither agree nor disagree	123	8.8 %	8.8%
4	Agree	229	16.4 %	16.5%
5	Agree strongly	143	10.3 %	10.3%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN4E Social network consists of non drug/alcohol users

Location: 1601-1602(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you to tell me how much you agree with each of the following items. Please indicate whether you disagree strongly, disagree, neither agree nor disagree, agree, or strongly agree.

- Study 02258 -

Your . . . social network consists of people who don't have drug or alcohol problems.

<i>QN4E: Social network consists of non drug/alcohol users</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Disagree strongly	108	7.8 %	7.8%
2	Disagree	307	22.0 %	22.1%
3	Neither agree nor disagree	175	12.6 %	12.6%
4	Agree	450	32.3 %	32.4%
5	Agree strongly	350	25.1 %	25.2%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 1390 valid cases out of 1393 total cases.

QN4F Use what you learned to sustain recovery

Location: 1603-1604(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you to tell me how much you agree with each of the following items. Please indicate whether you disagree strongly, disagree, neither agree nor disagree, agree, or strongly agree.

You . . . continue to use what you learned in treatment to sustain your recovery.

<i>QN4F: Use what you learned to sustain recovery</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Disagree strongly	56	4.0 %	4.0%
2	Disagree	144	10.3 %	10.3%
3	Neither agree nor disagree	137	9.8 %	9.8%
4	Agree	604	43.4 %	43.4%
5	Agree strongly	451	32.4 %	32.4%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN4G Believe you have to earn everything you want

Location: 1605-1606(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Now, I would like to ask you to tell me how much you agree

- Study 02258 -

with each of the following items. Please indicate whether you disagree strongly, disagree, neither agree nor disagree, agree, or strongly agree.

You . . . believe you have to earn everything you want.

<i>QN4G: Believe you have to earn everything you want</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Disagree strongly	9	0.6 %	0.6%
2	Disagree	68	4.9 %	4.9%
3	Neither agree nor disagree	78	5.6 %	5.6%
4	Agree	664	47.7 %	47.7%
5	Agree strongly	573	41.1 %	41.2%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN5 How often can talk about problems w/ family or friends

Location: 1607-1608(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

IF RESPONDENT'S RESPONSE IS DIFFERENT FOR FAMILY AND FRIENDS, CODE THE MOST FREQUENT OF THE RESPONSES.

I want to know about your relationships with your family and friends and whether you feel you can rely on any of them.

How often can you talk about your deepest problems with at least some of your family or friends?

<i>QN5: How often can talk about problems w/ family or friends</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never or rarely	177	12.7 %	12.7%
2	Some of the time	471	33.8 %	33.8%
3	Almost always	744	53.4 %	53.4%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QN6 How often family/friends encourage you to stop using drugs

Location: 1609-1610(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

IF RESPONDENT'S RESPONSE IS DIFFERENT FOR FAMILY AND FRIENDS,

- Study 02258 -

CODE THE MOST FREQUENT OF THE RESPONSES.

I want to know about your relationships with your family and friends and whether you feel you can rely on any of them.

How often do your family or close friends help or encourage you to stop using drugs?

<i>QN6: How often family/friends encourage you to stop using drugs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never or rarely	199	14.3 %	14.4%
2	Some of the time	265	19.0 %	19.1%
3	Almost always	920	66.0 %	66.5%
-2 (M)	Don't Know	7	0.5 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 1384 valid cases out of 1393 total cases.

QN7 How often received help from family/friends w/ other problems

Location: 1611-1612(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

IF RESPONDENT'S RESPONSE IS DIFFERENT FOR FAMILY AND FRIENDS, CODE THE MOST FREQUENT OF THE RESPONSES.

I want to know about your relationships with your family and friends and whether you feel you can rely on any of them.

How often do you receive help or encouragement from your family or close friends with other kinds of problems such as with jobs, the law, and so on?

<i>QN7: How often received help from family/friends w/ other problems</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never or rarely	206	14.8 %	14.8%
2	Some of the time	487	35.0 %	35.0%
3	Almost always	698	50.1 %	50.2%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QN8 How often family/friends help w/ transportation or odd jobs

Location: 1613-1614(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

IF RESPONDENT'S RESPONSE IS DIFFERENT FOR FAMILY AND FRIENDS, CODE THE MOST FREQUENT OF THE RESPONSES.

I want to know about your relationships with your family and friends and whether you feel you can rely on any of them.

How often do your family or close friends help you out with things such as providing transportation, running errands, or fixing things for you?

<i>QN8: How often family/friends help w/ transportation or odd jobs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never or rarely	300	21.5 %	21.6%
2	Some of the time	547	39.3 %	39.3%
3	Almost always	544	39.1 %	39.1%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QN9 How often depend on family/friends in emergency

Location: 1615-1616(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

IF RESPONDENT'S RESPONSE IS DIFFERENT FOR FAMILY AND FRIENDS, CODE THE MOST FREQUENT OF THE RESPONSES.

I want to know about your relationships with your family and friends and whether you feel you can rely on any of them.

How often can you count on family or close friends to help you out in an emergency in the middle of the night?

<i>QN9: How often depend on family/friends in emergency</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Never or rarely	139	10.0 %	10.0%
2	Some of the time	335	24.0 %	24.1%
3	Almost always	916	65.8 %	65.9%
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1390 valid cases out of 1393 total cases.

QN10 How troubled by problems of getting along w/ family or friends

Location: 1617-1618(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How troubled or distressed (bothered) have you been in the past 12 months by problems getting along with family members or close friends? Would you say . . . ?

<i>QN10: How troubled by problems of getting along w/ family or friends</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Somewhat	530	38.0 %	38.1%
2	Very troubled	123	8.8 %	8.8%
3	Not at all	739	53.1 %	53.1%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QP1 Number of times arrested since leaving program

Location: 1619-1620(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: First, I am going to ask some questions about your experience of arrests, incarcerations, and probation/parole since you left (NAME OF PROGRAM).

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), how many times have you been arrested?

If Zero -> Go to P6

<i>QP1: Number of times arrested since leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	712	51.1 %	51.7%
1	-	303	21.8 %	22.0%
2	-	142	10.2 %	10.3%
3	-	81	5.8 %	5.9%
4	-	50	3.6 %	3.6%
5	-	24	1.7 %	1.7%
6	-	17	1.2 %	1.2%
7	-	5	0.4 %	0.4%
8	-	8	0.6 %	0.6%
9	-	4	0.3 %	0.3%
10	-	11	0.8 %	0.8%
12	-	5	0.4 %	0.4%
13	-	2	0.1 %	0.1%
14	-	1	0.1 %	0.1%
15	-	2	0.1 %	0.1%

- Study 02258 -

<i>QP1: Number of times arrested since leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
18	-	1	0.1 %	0.1%
20	-	3	0.2 %	0.2%
25	-	1	0.1 %	0.1%
30	-	1	0.1 %	0.1%
35	-	1	0.1 %	0.1%
50	-	1	0.1 %	0.1%
65	-	1	0.1 %	0.1%
70	-	1	0.1 %	0.1%
-9 (M)	Legitimate Skip	2	0.1 %	-
-2 (M)	Don't Know	7	0.5 %	-
-1 (M)	Refused	7	0.5 %	-

Based upon 1377 valid cases out of 1393 total cases.

QP2 How long after treatment arrested first time

Location: 1621-1623(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How long after leaving that treatment program did you get arrested the first time?

[If Less than 7 days enter 0]

<i>QP2: How long after treatment arrested first time</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 637 valid cases out of 1393 total cases.

QP3 Main criminal charge for first arrest

Location: 1624-1625(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the main charge against you that time?

(See page P-0 for the code list.)

[IF RESPONDENT HAS ONLY BEEN ARRESTED ONCE SINCE LEAVING THE

- Study 02258 -

TREATMENT PROGRAM, GO TO P6]

<i>QP3: Main criminal charge for first arrest</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Use or possession of drugs	210	15.1 %	32.4%
2	Sale or manufacture of drugs	30	2.2 %	4.6%
3	Forgery, fraud, embezzlement	26	1.9 %	4.0%
4	Burglary	29	2.1 %	4.5%
5	Larceny, shoplifting, theft	81	5.8 %	12.5%
6	Pimping, prostitution	15	1.1 %	2.3%
7	Robbery - bank, armed robbery	8	0.6 %	1.2%
8	Attacks on person	28	2.0 %	4.3%
9	Simple assault	61	4.4 %	9.4%
10	DUI	38	2.7 %	5.9%
11	Status offenses - curvey, truancy	2	0.1 %	0.3%
12	Any other offenses, parole violations	120	8.6 %	18.5%
-9 (M)	Legitimate Skip	729	52.3 %	-
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	8	0.6 %	-

Based upon 648 valid cases out of 1393 total cases.

QP4 Number of weeks ago last arrested

Location: 1626-1628(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago were you last arrested?

[If Less than 7 days enter 0]

<i>QP4: Number of weeks ago last arrested</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 358 valid cases out of 1393 total cases.

QP5 Main criminal charge for last arrest

Location: 1629-1630(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the main charge against you that time?

(See page P-0 for the code list.)

<i>QP5: Main criminal charge for last arrest</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Use or possession of drugs	104	7.5 %	29.1%
2	Sale or manufacture of drugs	12	0.9 %	3.4%
3	Forgery, fraud, embezzlement	11	0.8 %	3.1%
4	Burglary	18	1.3 %	5.0%
5	Larceny, shoplifting, theft	45	3.2 %	12.6%
6	Pimping, prostitution	10	0.7 %	2.8%
7	Robbery - bank, armed robbery	4	0.3 %	1.1%
8	Attacks on person	16	1.1 %	4.5%
9	Simple assault	29	2.1 %	8.1%
10	DUI	22	1.6 %	6.2%
11	Status offenses - curvey, truancy	2	0.1 %	0.6%
12	Any other offenses, parole violations	84	6.0 %	23.5%
-9 (M)	Legitimate Skip	1032	74.1 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 357 valid cases out of 1393 total cases.

QP6 Number of times spent a night in prison

Location: 1631-1633(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many times since leaving (NAME OF PROGRAM) have you spent at least one night in jail or prison?

If Zero -> Go to P15

<i>QP6: Number of times spent a night in prison</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	786	56.4 %	57.0%
1	-	273	19.6 %	19.8%
2	-	116	8.3 %	8.4%
3	-	59	4.2 %	4.3%
4	-	44	3.2 %	3.2%
5	-	26	1.9 %	1.9%

- Study 02258 -

<i>QP6: Number of times spent a night in prison</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	-	17	1.2 %	1.2%
7	-	9	0.6 %	0.7%
8	-	9	0.6 %	0.7%
9	-	2	0.1 %	0.1%
10	-	10	0.7 %	0.7%
12	-	3	0.2 %	0.2%
13	-	2	0.1 %	0.1%
14	-	1	0.1 %	0.1%
15	-	1	0.1 %	0.1%
19	-	1	0.1 %	0.1%
20	-	2	0.1 %	0.1%
24	-	1	0.1 %	0.1%
25	-	1	0.1 %	0.1%
34	-	1	0.1 %	0.1%
35	-	1	0.1 %	0.1%
50	-	1	0.1 %	0.1%
52	-	1	0.1 %	0.1%
60	-	1	0.1 %	0.1%
66	-	1	0.1 %	0.1%
70	-	1	0.1 %	0.1%
150	-	1	0.1 %	0.1%
180	-	1	0.1 %	0.1%
200	-	1	0.1 %	0.1%
229	-	1	0.1 %	0.1%
268	-	1	0.1 %	0.1%
540	-	1	0.1 %	0.1%
785	-	1	0.1 %	0.1%
880	-	1	0.1 %	0.1%
999	-	1	0.1 %	0.1%
-9 (M)	Legitimate Skip	1	0.1 %	-
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 1379 valid cases out of 1393 total cases.

QP7A

Altogether number of weeks spent in jail

Location: 1634-1636(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Altogether, how many weeks have you spent . . . in jail?

- Study 02258 -

<i>QP7A: Altogether number of weeks spent in jail</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	213	15.3 %	36.3%
1	-	36	2.6 %	6.1%
2	-	32	2.3 %	5.5%
3	-	25	1.8 %	4.3%
4	-	26	1.9 %	4.4%
5	-	7	0.5 %	1.2%
6	-	18	1.3 %	3.1%
7	-	7	0.5 %	1.2%
8	-	19	1.4 %	3.2%
9	-	5	0.4 %	0.9%
10	-	5	0.4 %	0.9%
11	-	2	0.1 %	0.3%
12	-	11	0.8 %	1.9%
13	-	4	0.3 %	0.7%
14	-	3	0.2 %	0.5%
15	-	4	0.3 %	0.7%
16	-	10	0.7 %	1.7%
17	-	7	0.5 %	1.2%
18	-	3	0.2 %	0.5%
19	-	1	0.1 %	0.2%
20	-	11	0.8 %	1.9%
22	-	5	0.4 %	0.9%
24	-	7	0.5 %	1.2%
26	-	15	1.1 %	2.6%
27	-	2	0.1 %	0.3%
28	-	9	0.6 %	1.5%
30	-	7	0.5 %	1.2%
32	-	2	0.1 %	0.3%
34	-	2	0.1 %	0.3%
35	-	2	0.1 %	0.3%
36	-	3	0.2 %	0.5%
38	-	1	0.1 %	0.2%
40	-	5	0.4 %	0.9%
42	-	1	0.1 %	0.2%
46	-	1	0.1 %	0.2%
47	-	1	0.1 %	0.2%
50	-	2	0.1 %	0.3%
52	-	16	1.1 %	2.7%
54	-	2	0.1 %	0.3%

- Study 02258 -

<i>QP7A: Altogether number of weeks spent in jail</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
56	-	1	0.1 %	0.2%
57	-	1	0.1 %	0.2%
59	-	3	0.2 %	0.5%
60	-	3	0.2 %	0.5%
62	-	1	0.1 %	0.2%
66	-	1	0.1 %	0.2%
67	-	1	0.1 %	0.2%
68	-	1	0.1 %	0.2%
69	-	2	0.1 %	0.3%
72	-	4	0.3 %	0.7%
74	-	2	0.1 %	0.3%
75	-	1	0.1 %	0.2%
76	-	1	0.1 %	0.2%
80	-	4	0.3 %	0.7%
86	-	1	0.1 %	0.2%
87	-	1	0.1 %	0.2%
91	-	1	0.1 %	0.2%
100	-	2	0.1 %	0.3%
104	-	2	0.1 %	0.3%
110	-	2	0.1 %	0.3%
116	-	1	0.1 %	0.2%
125	-	1	0.1 %	0.2%
130	-	3	0.2 %	0.5%
156	-	2	0.1 %	0.3%
160	-	1	0.1 %	0.2%
164	-	1	0.1 %	0.2%
170	-	1	0.1 %	0.2%
182	-	2	0.1 %	0.3%
188	-	1	0.1 %	0.2%
197	-	1	0.1 %	0.2%
204	-	1	0.1 %	0.2%
236	-	1	0.1 %	0.2%
268	-	2	0.1 %	0.3%
301	-	1	0.1 %	0.2%
312	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	800	57.4 %	-
-2 (M)	Don't Know	6	0.4 %	-

Based upon 587 valid cases out of 1393 total cases.

- Study 02258 -

QP7B Altogether number of weeks spent in prison

Location: 1637-1639(width: 3; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -3 , -2 , -1
Question: Altogether, how many weeks have you spent . . .in prison?

<i>QP7B: Altogether number of weeks spent in prison</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 589 valid cases out of 1393 total cases.

QP8 How long after treatment first incarceration

Location: 1640-1642(width: 3; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -3 , -2 , -1
Question: How long after you left that treatment program was your first incarceration?

[If Less than 7 days enter 0]

<i>QP8: How long after treatment first incarceration</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 575 valid cases out of 1393 total cases.

QP9 Number of weeks incarcerated that time

Location: 1643-1645(width: 3; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -3 , -2 , -1
Question: For how many weeks were you incarcerated that time?

[If Less than 7 days enter 0]

- Study 02258 -

<i>QP9: Number of weeks incarcerated that time</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	254	18.2 %	43.9%
1	-	38	2.7 %	6.6%
2	-	31	2.2 %	5.4%
3	-	15	1.1 %	2.6%
4	-	31	2.2 %	5.4%
5	-	2	0.1 %	0.3%
6	-	7	0.5 %	1.2%
7	-	3	0.2 %	0.5%
8	-	7	0.5 %	1.2%
9	-	1	0.1 %	0.2%
10	-	2	0.1 %	0.3%
12	-	17	1.2 %	2.9%
13	-	5	0.4 %	0.9%
14	-	3	0.2 %	0.5%
15	-	2	0.1 %	0.3%
16	-	7	0.5 %	1.2%
17	-	1	0.1 %	0.2%
18	-	3	0.2 %	0.5%
20	-	5	0.4 %	0.9%
22	-	2	0.1 %	0.3%
24	-	7	0.5 %	1.2%
26	-	19	1.4 %	3.3%
28	-	6	0.4 %	1.0%
30	-	3	0.2 %	0.5%
32	-	1	0.1 %	0.2%
34	-	6	0.4 %	1.0%
35	-	1	0.1 %	0.2%
36	-	2	0.1 %	0.3%
38	-	1	0.1 %	0.2%
39	-	1	0.1 %	0.2%
40	-	7	0.5 %	1.2%
42	-	2	0.1 %	0.3%
48	-	1	0.1 %	0.2%
49	-	1	0.1 %	0.2%
50	-	1	0.1 %	0.2%
52	-	13	0.9 %	2.2%
54	-	1	0.1 %	0.2%
56	-	2	0.1 %	0.3%
64	-	1	0.1 %	0.2%

- Study 02258 -

<i>QP9: Number of weeks incarcerated that time</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
68	-	1	0.1 %	0.2%
72	-	2	0.1 %	0.3%
76	-	1	0.1 %	0.2%
77	-	1	0.1 %	0.2%
78	-	4	0.3 %	0.7%
80	-	1	0.1 %	0.2%
82	-	1	0.1 %	0.2%
84	-	1	0.1 %	0.2%
86	-	1	0.1 %	0.2%
90	-	2	0.1 %	0.3%
91	-	1	0.1 %	0.2%
94	-	1	0.1 %	0.2%
96	-	1	0.1 %	0.2%
100	-	3	0.2 %	0.5%
103	-	1	0.1 %	0.2%
104	-	8	0.6 %	1.4%
106	-	2	0.1 %	0.3%
116	-	2	0.1 %	0.3%
132	-	1	0.1 %	0.2%
144	-	2	0.1 %	0.3%
145	-	1	0.1 %	0.2%
146	-	1	0.1 %	0.2%
150	-	1	0.1 %	0.2%
156	-	3	0.2 %	0.5%
158	-	1	0.1 %	0.2%
164	-	1	0.1 %	0.2%
170	-	1	0.1 %	0.2%
172	-	1	0.1 %	0.2%
175	-	1	0.1 %	0.2%
182	-	2	0.1 %	0.3%
188	-	1	0.1 %	0.2%
194	-	1	0.1 %	0.2%
196	-	1	0.1 %	0.2%
200	-	1	0.1 %	0.2%
202	-	1	0.1 %	0.2%
206	-	1	0.1 %	0.2%
208	-	2	0.1 %	0.3%
234	-	3	0.2 %	0.5%
268	-	1	0.1 %	0.2%

- Study 02258 -

<i>QP9: Number of weeks incarcerated that time</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
286	-	1	0.1 %	0.2%
301	-	1	0.1 %	0.2%
308	-	1	0.1 %	0.2%
338	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	800	57.4 %	-
-2 (M)	Don't Know	14	1.0 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 578 valid cases out of 1393 total cases.

QP10 In jail or prison or other institution

Location: 1646-1647(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Were you in jail or prison or some other institution?

[IF RESPONDENT HAS BEEN INCARCERATED ONLY ONCE SINCE LEAVING THE TREATMENT PROGRAM, SKIP TO P14]

<i>QP10: In jail or prison or other institution</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Jail	466	33.5 %	78.6%
2	Prison	109	7.8 %	18.4%
3	Other	18	1.3 %	3.0%
-9 (M)	Legitimate Skip	800	57.4 %	-

Based upon 593 valid cases out of 1393 total cases.

QP11 Number of weeks ago last incarcerated

Location: 1648-1650(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many weeks ago were you last incarcerated?

[If Less than 7 days enter 0]

<i>QP11: Number of weeks ago last incarcerated</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing

- Study 02258 -

<i>QP11: Number of weeks ago last incarcerated</i>	
<i>Value</i>	<i>Label</i>
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 317 valid cases out of 1393 total cases.

QP12 Number of weeks incarcerated that time

Location: 1651-1653(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks were you incarcerated that time?

[If Less than 7 days enter 0]

<i>QP12: Number of weeks incarcerated that time</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	105	7.5 %	33.0%
1	-	28	2.0 %	8.8%
2	-	13	0.9 %	4.1%
3	-	6	0.4 %	1.9%
4	-	19	1.4 %	6.0%
5	-	6	0.4 %	1.9%
6	-	6	0.4 %	1.9%
7	-	1	0.1 %	0.3%
8	-	10	0.7 %	3.1%
10	-	2	0.1 %	0.6%
12	-	7	0.5 %	2.2%
14	-	3	0.2 %	0.9%
16	-	12	0.9 %	3.8%
17	-	1	0.1 %	0.3%
18	-	1	0.1 %	0.3%
20	-	4	0.3 %	1.3%
21	-	1	0.1 %	0.3%
22	-	4	0.3 %	1.3%
24	-	3	0.2 %	0.9%
26	-	13	0.9 %	4.1%
27	-	1	0.1 %	0.3%
28	-	4	0.3 %	1.3%
30	-	4	0.3 %	1.3%
32	-	3	0.2 %	0.9%

- Study 02258 -

<i>QP12: Number of weeks incarcerated that time</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
34	-	3	0.2 %	0.9%
36	-	3	0.2 %	0.9%
39	-	2	0.1 %	0.6%
40	-	4	0.3 %	1.3%
42	-	2	0.1 %	0.6%
44	-	3	0.2 %	0.9%
50	-	1	0.1 %	0.3%
52	-	7	0.5 %	2.2%
60	-	3	0.2 %	0.9%
64	-	1	0.1 %	0.3%
72	-	3	0.2 %	0.9%
86	-	1	0.1 %	0.3%
87	-	1	0.1 %	0.3%
88	-	1	0.1 %	0.3%
92	-	1	0.1 %	0.3%
104	-	4	0.3 %	1.3%
106	-	1	0.1 %	0.3%
114	-	1	0.1 %	0.3%
120	-	2	0.1 %	0.6%
124	-	1	0.1 %	0.3%
128	-	1	0.1 %	0.3%
130	-	1	0.1 %	0.3%
138	-	1	0.1 %	0.3%
150	-	1	0.1 %	0.3%
156	-	2	0.1 %	0.6%
164	-	1	0.1 %	0.3%
190	-	1	0.1 %	0.3%
194	-	1	0.1 %	0.3%
208	-	1	0.1 %	0.3%
216	-	1	0.1 %	0.3%
234	-	1	0.1 %	0.3%
260	-	1	0.1 %	0.3%
265	-	1	0.1 %	0.3%
268	-	1	0.1 %	0.3%
999	-	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1073	77.0 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 318 valid cases out of 1393 total cases.

- Study 02258 -

QP13 In jail or prison or other institution

Location: 1654-1655(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Were you in jail or prison or some other institution?

<i>QP13: In jail or prison or other institution</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Jail	243	17.4 %	76.2%
2	Prison	69	5.0 %	21.6%
3	Other	7	0.5 %	2.2%
-9 (M)	Legitimate Skip	1073	77.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 319 valid cases out of 1393 total cases.

QP14 Current incarceration

Location: 1656-1657(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: [IS RESPONDENT CURRENTLY INCARCERATED?]

<i>QP14: Current incarceration</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Jail	34	2.4 %	5.7%
2	Prison	40	2.9 %	6.7%
3	Other	6	0.4 %	1.0%
4	No	513	36.8 %	86.5%
-9 (M)	Legitimate Skip	800	57.4 %	-

Based upon 593 valid cases out of 1393 total cases.

QP15 Assigned to probation after leaving program

Location: 1658-1659(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Since you left (NAME OF PROGRAM) have you been assigned to probation, not including summary probation?

 If No -> Go to P29

- Study 02258 -

<i>QP15: Assigned to probation after leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	373	26.8 %	26.9%
2	No	1013	72.7 %	73.1%
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 1386 valid cases out of 1393 total cases.

QP16 Total weeks on probation since leaving program

Location: 1660-1662(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks total were you on probation since leaving that treatment?

<i>QP16: Total weeks on probation since leaving program</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 363 valid cases out of 1393 total cases.

QP17 Number of weeks after treatment assigned to probation

Location: 1663-1665(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks after you left that treatment did you first get assigned to probation?

[If Less than 7 days enter 0]

<i>QP17: Number of weeks after treatment assigned to probation</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 358 valid cases out of 1393 total cases.

QP18 Reported to probation officer as required

- Study 02258 -

Location: 1666-1667(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: While on probation that time did you report to your probation officer as required?

<i>QP18: Reported to probation officer as required</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	321	23.0 %	86.3%
2	No	51	3.7 %	13.7%
-9 (M)	Legitimate Skip	1020	73.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 372 valid cases out of 1393 total cases.

QP19 Urine tested as condition of probation

Location: 1668-1669(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did you get urine tested as a condition on probation?

 If No -> Go to P21

<i>QP19: Urine tested as condition of probation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	229	16.4 %	61.7%
2	No	142	10.2 %	38.3%
-9 (M)	Legitimate Skip	1020	73.2 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 371 valid cases out of 1393 total cases.

QP20 Total times urine tested

Location: 1670-1672(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many total times were you tested?

<i>QP20: Total times urine tested</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	18	1.3 %	8.8%
2	-	20	1.4 %	9.8%
3	-	15	1.1 %	7.3%
4	-	14	1.0 %	6.8%

- Study 02258 -

<i>QP20: Total times urine tested</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	-	10	0.7 %	4.9%
6	-	11	0.8 %	5.4%
7	-	1	0.1 %	0.5%
8	-	7	0.5 %	3.4%
9	-	1	0.1 %	0.5%
10	-	13	0.9 %	6.3%
11	-	1	0.1 %	0.5%
12	-	13	0.9 %	6.3%
13	-	1	0.1 %	0.5%
15	-	2	0.1 %	1.0%
16	-	2	0.1 %	1.0%
20	-	6	0.4 %	2.9%
21	-	2	0.1 %	1.0%
24	-	9	0.6 %	4.4%
25	-	2	0.1 %	1.0%
30	-	1	0.1 %	0.5%
32	-	1	0.1 %	0.5%
36	-	2	0.1 %	1.0%
40	-	2	0.1 %	1.0%
44	-	1	0.1 %	0.5%
48	-	7	0.5 %	3.4%
50	-	2	0.1 %	1.0%
52	-	5	0.4 %	2.4%
56	-	2	0.1 %	1.0%
60	-	4	0.3 %	2.0%
64	-	2	0.1 %	1.0%
70	-	1	0.1 %	0.5%
72	-	2	0.1 %	1.0%
75	-	1	0.1 %	0.5%
78	-	3	0.2 %	1.5%
100	-	4	0.3 %	2.0%
104	-	4	0.3 %	2.0%
108	-	1	0.1 %	0.5%
147	-	1	0.1 %	0.5%
150	-	1	0.1 %	0.5%
156	-	1	0.1 %	0.5%
168	-	1	0.1 %	0.5%
170	-	1	0.1 %	0.5%
200	-	1	0.1 %	0.5%

- Study 02258 -

<i>QP20: Total times urine tested</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
208	-	1	0.1 %	0.5%
250	-	2	0.1 %	1.0%
260	-	1	0.1 %	0.5%
300	-	1	0.1 %	0.5%
500	-	1	0.1 %	0.5%
-9 (M)	Legitimate Skip	1164	83.6 %	-
-2 (M)	Don't Know	24	1.7 %	-

Based upon 205 valid cases out of 1393 total cases.

QP21 Number of weeks this probation lasted

Location: 1673-1675(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks did this probation last?

<i>QP21: Number of weeks this probation lasted</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 361 valid cases out of 1393 total cases.

QP22 Assigned to probation since probation period

Location: 1676-1677(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Have you been assigned to probation since that probation period?
 If No -> Go to P29

<i>QP22: Assigned to probation since probation period</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	67	4.8 %	18.0%
2	No	305	21.9 %	82.0%
-9 (M)	Legitimate Skip	1020	73.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

- Study 02258 -

Based upon 372 valid cases out of 1393 total cases.

QP23 Number of weeks ago last assigned to probation

Location: 1678-1680(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many weeks ago were you last assigned to probation?

[If Less than 7 days enter 0]

<i>QP23: Number of weeks ago last assigned to probation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	13	0.9 %	20.3%
2	-	2	0.1 %	3.1%
4	-	1	0.1 %	1.6%
5	-	2	0.1 %	3.1%
6	-	1	0.1 %	1.6%
8	-	2	0.1 %	3.1%
12	-	5	0.4 %	7.8%
16	-	2	0.1 %	3.1%
17	-	1	0.1 %	1.6%
20	-	1	0.1 %	1.6%
26	-	3	0.2 %	4.7%
28	-	1	0.1 %	1.6%
35	-	1	0.1 %	1.6%
38	-	1	0.1 %	1.6%
40	-	2	0.1 %	3.1%
48	-	1	0.1 %	1.6%
52	-	1	0.1 %	1.6%
56	-	1	0.1 %	1.6%
68	-	1	0.1 %	1.6%
70	-	1	0.1 %	1.6%
78	-	2	0.1 %	3.1%
82	-	1	0.1 %	1.6%
92	-	1	0.1 %	1.6%
95	-	1	0.1 %	1.6%
104	-	3	0.2 %	4.7%
130	-	1	0.1 %	1.6%
139	-	1	0.1 %	1.6%
154	-	1	0.1 %	1.6%
156	-	2	0.1 %	3.1%
200	-	1	0.1 %	1.6%

- Study 02258 -

<i>QP23: Number of weeks ago last assigned to probation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
203	-	1	0.1 %	1.6%
204	-	1	0.1 %	1.6%
208	-	2	0.1 %	3.1%
234	-	1	0.1 %	1.6%
240	-	1	0.1 %	1.6%
259	-	1	0.1 %	1.6%
-9 (M)	Legitimate Skip	1326	95.2 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 64 valid cases out of 1393 total cases.

QP24 Reported to probation officer as required

Location: 1681-1682(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: While on probation that time did you report to your probation officer as required?

<i>QP24: Reported to probation officer as required</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	57	4.1 %	85.1%
2	No	10	0.7 %	14.9%
-9 (M)	Legitimate Skip	1326	95.2 %	-

Based upon 67 valid cases out of 1393 total cases.

QP25 Urine tested as condition of probation

Location: 1683-1684(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did you get urine tested as a condition of probation?

 If No -> Go to P27

<i>QP25: Urine tested as condition of probation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	40	2.9 %	59.7%
2	No	27	1.9 %	40.3%
-9 (M)	Legitimate Skip	1326	95.2 %	-

Based upon 67 valid cases out of 1393 total cases.

QP26 Total times urine tested

- Study 02258 -

Location: 1685-1687(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many total times were you tested?

<i>QP26: Total times urine tested</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	2	0.1 %	5.7%
1	-	3	0.2 %	8.6%
2	-	3	0.2 %	8.6%
3	-	4	0.3 %	11.4%
4	-	5	0.4 %	14.3%
12	-	3	0.2 %	8.6%
13	-	1	0.1 %	2.9%
15	-	3	0.2 %	8.6%
16	-	3	0.2 %	8.6%
35	-	1	0.1 %	2.9%
42	-	1	0.1 %	2.9%
50	-	2	0.1 %	5.7%
60	-	1	0.1 %	2.9%
76	-	1	0.1 %	2.9%
100	-	1	0.1 %	2.9%
130	-	1	0.1 %	2.9%
-9 (M)	Legitimate Skip	1353	97.1 %	-
-2 (M)	Don't Know	5	0.4 %	-

Based upon 35 valid cases out of 1393 total cases.

QP27 Number of weeks this probation lasted

Location: 1688-1690(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks did this probation last?

[If Less than 7 days enter 0]

<i>QP27: Number of weeks this probation lasted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	10	0.7 %	16.1%
2	-	1	0.1 %	1.6%
3	-	1	0.1 %	1.6%
4	-	1	0.1 %	1.6%

- Study 02258 -

<i>QP27: Number of weeks this probation lasted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	-	1	0.1 %	1.6%
12	-	2	0.1 %	3.2%
20	-	1	0.1 %	1.6%
24	-	1	0.1 %	1.6%
26	-	3	0.2 %	4.8%
28	-	3	0.2 %	4.8%
34	-	1	0.1 %	1.6%
35	-	1	0.1 %	1.6%
38	-	1	0.1 %	1.6%
43	-	1	0.1 %	1.6%
52	-	8	0.6 %	12.9%
56	-	1	0.1 %	1.6%
68	-	1	0.1 %	1.6%
77	-	1	0.1 %	1.6%
78	-	2	0.1 %	3.2%
86	-	1	0.1 %	1.6%
88	-	1	0.1 %	1.6%
92	-	1	0.1 %	1.6%
104	-	5	0.4 %	8.1%
108	-	1	0.1 %	1.6%
145	-	1	0.1 %	1.6%
156	-	4	0.3 %	6.5%
186	-	1	0.1 %	1.6%
208	-	1	0.1 %	1.6%
234	-	1	0.1 %	1.6%
259	-	1	0.1 %	1.6%
260	-	1	0.1 %	1.6%
312	-	2	0.1 %	3.2%
-9 (M)	Legitimate Skip	1326	95.2 %	-
-2 (M)	Don't Know	5	0.4 %	-

Based upon 62 valid cases out of 1393 total cases.

QP28

Currently on probation

Location: 1691-1692(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Are you currently on probation?

- Study 02258 -

<i>QP28: Currently on probation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	157	11.3 %	42.2%
2	No	215	15.4 %	57.8%
-9 (M)	Legitimate Skip	1020	73.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 372 valid cases out of 1393 total cases.

QP29 Assigned to parole since leaving program

Location: 1693-1694(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since you left (NAME OF PROGRAM) have you been assigned to parole?

If No -> Skip to P43

<i>QP29: Assigned to parole since leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	143	10.3 %	10.3%
2	No	1244	89.3 %	89.7%
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 1387 valid cases out of 1393 total cases.

QP30 Number of weeks on parole since leaving program

Location: 1695-1697(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks were you on parole since leaving that treatment?

<i>QP30: Number of weeks on parole since leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	2.2%
2	-	3	0.2 %	2.2%
3	-	1	0.1 %	0.7%
4	-	4	0.3 %	3.0%
6	-	1	0.1 %	0.7%
7	-	1	0.1 %	0.7%
10	-	1	0.1 %	0.7%
12	-	6	0.4 %	4.5%

- Study 02258 -

<i>QP30: Number of weeks on parole since leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
13	-	1	0.1 %	0.7%
16	-	5	0.4 %	3.7%
22	-	1	0.1 %	0.7%
24	-	2	0.1 %	1.5%
26	-	5	0.4 %	3.7%
28	-	1	0.1 %	0.7%
29	-	1	0.1 %	0.7%
30	-	2	0.1 %	1.5%
32	-	1	0.1 %	0.7%
34	-	1	0.1 %	0.7%
36	-	3	0.2 %	2.2%
39	-	1	0.1 %	0.7%
40	-	2	0.1 %	1.5%
42	-	1	0.1 %	0.7%
48	-	3	0.2 %	2.2%
49	-	1	0.1 %	0.7%
52	-	18	1.3 %	13.4%
53	-	1	0.1 %	0.7%
58	-	1	0.1 %	0.7%
60	-	3	0.2 %	2.2%
65	-	1	0.1 %	0.7%
68	-	2	0.1 %	1.5%
69	-	1	0.1 %	0.7%
76	-	1	0.1 %	0.7%
78	-	3	0.2 %	2.2%
80	-	2	0.1 %	1.5%
84	-	1	0.1 %	0.7%
90	-	1	0.1 %	0.7%
102	-	1	0.1 %	0.7%
104	-	9	0.6 %	6.7%
116	-	1	0.1 %	0.7%
120	-	1	0.1 %	0.7%
122	-	1	0.1 %	0.7%
126	-	1	0.1 %	0.7%
128	-	1	0.1 %	0.7%
130	-	4	0.3 %	3.0%
136	-	1	0.1 %	0.7%
144	-	1	0.1 %	0.7%
156	-	4	0.3 %	3.0%

- Study 02258 -

<i>QP30: Number of weeks on parole since leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
169	-	1	0.1 %	0.7%
182	-	2	0.1 %	1.5%
188	-	1	0.1 %	0.7%
208	-	3	0.2 %	2.2%
232	-	1	0.1 %	0.7%
242	-	1	0.1 %	0.7%
248	-	1	0.1 %	0.7%
260	-	2	0.1 %	1.5%
262	-	1	0.1 %	0.7%
272	-	1	0.1 %	0.7%
285	-	1	0.1 %	0.7%
286	-	1	0.1 %	0.7%
292	-	1	0.1 %	0.7%
312	-	1	0.1 %	0.7%
318	-	1	0.1 %	0.7%
320	-	1	0.1 %	0.7%
322	-	1	0.1 %	0.7%
336	-	1	0.1 %	0.7%
338	-	1	0.1 %	0.7%
-9 (M)	Legitimate Skip	1250	89.7 %	-
-2 (M)	Don't Know	9	0.6 %	-

Based upon 134 valid cases out of 1393 total cases.

QP31 Number of weeks after treatment first assigned to parol

Location: 1698-1700(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many weeks after you left that treatment did you first get assigned to parole?

[If Less than 7 days enter 0]

<i>QP31: Number of weeks after treatment first assigned to parol</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	39	2.8 %	29.1%
8	-	1	0.1 %	0.7%
9	-	1	0.1 %	0.7%
12	-	1	0.1 %	0.7%

- Study 02258 -

<i>QP31: Number of weeks after treatment first assigned to parol</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
20	-	1	0.1 %	0.7%
24	-	1	0.1 %	0.7%
26	-	4	0.3 %	3.0%
36	-	1	0.1 %	0.7%
40	-	2	0.1 %	1.5%
44	-	1	0.1 %	0.7%
52	-	5	0.4 %	3.7%
60	-	2	0.1 %	1.5%
66	-	1	0.1 %	0.7%
69	-	1	0.1 %	0.7%
70	-	1	0.1 %	0.7%
72	-	1	0.1 %	0.7%
74	-	1	0.1 %	0.7%
78	-	1	0.1 %	0.7%
84	-	1	0.1 %	0.7%
87	-	2	0.1 %	1.5%
96	-	3	0.2 %	2.2%
100	-	3	0.2 %	2.2%
104	-	2	0.1 %	1.5%
112	-	1	0.1 %	0.7%
116	-	1	0.1 %	0.7%
117	-	1	0.1 %	0.7%
123	-	1	0.1 %	0.7%
124	-	1	0.1 %	0.7%
130	-	1	0.1 %	0.7%
131	-	1	0.1 %	0.7%
142	-	1	0.1 %	0.7%
144	-	1	0.1 %	0.7%
146	-	1	0.1 %	0.7%
152	-	1	0.1 %	0.7%
156	-	3	0.2 %	2.2%
157	-	1	0.1 %	0.7%
162	-	1	0.1 %	0.7%
172	-	1	0.1 %	0.7%
176	-	1	0.1 %	0.7%
179	-	1	0.1 %	0.7%
182	-	1	0.1 %	0.7%
185	-	1	0.1 %	0.7%
203	-	1	0.1 %	0.7%

- Study 02258 -

<i>QP31: Number of weeks after treatment first assigned to parole</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
208	-	2	0.1 %	1.5%
210	-	2	0.1 %	1.5%
223	-	1	0.1 %	0.7%
224	-	1	0.1 %	0.7%
234	-	4	0.3 %	3.0%
242	-	1	0.1 %	0.7%
254	-	1	0.1 %	0.7%
256	-	1	0.1 %	0.7%
260	-	2	0.1 %	1.5%
262	-	1	0.1 %	0.7%
263	-	1	0.1 %	0.7%
264	-	1	0.1 %	0.7%
266	-	1	0.1 %	0.7%
270	-	1	0.1 %	0.7%
282	-	1	0.1 %	0.7%
284	-	1	0.1 %	0.7%
285	-	1	0.1 %	0.7%
286	-	3	0.2 %	2.2%
290	-	2	0.1 %	1.5%
292	-	1	0.1 %	0.7%
298	-	1	0.1 %	0.7%
310	-	1	0.1 %	0.7%
312	-	1	0.1 %	0.7%
320	-	2	0.1 %	1.5%
336	-	1	0.1 %	0.7%
999	-	1	0.1 %	0.7%
-9 (M)	Legitimate Skip	1250	89.7 %	-
-2 (M)	Don't Know	9	0.6 %	-

Based upon 134 valid cases out of 1393 total cases.

QP32 **Reported to parole officer as required**

Location: 1701-1702(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: While on parole that time did you report to your parole officer as required?

<i>QP32: Reported to parole officer as required</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	128	9.2 %	89.5%

- Study 02258 -

<i>QP32: Reported to parole officer as required</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	15	1.1 %	10.5%
-9 (M)	Legitimate Skip	1250	89.7 %	-

Based upon 143 valid cases out of 1393 total cases.

QP33 Urine tested as condition of parole

Location: 1703-1704(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you get urine tested as a condition of parole?

If No -> Go to P35

<i>QP33: Urine tested as condition of parole</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	111	8.0 %	77.6%
2	No	32	2.3 %	22.4%
-9 (M)	Legitimate Skip	1250	89.7 %	-

Based upon 143 valid cases out of 1393 total cases.

QP34 Total times urine tested

Location: 1705-1707(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total times were you tested?

<i>QP34: Total times urine tested</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	6	0.4 %	6.5%
2	-	10	0.7 %	10.8%
3	-	7	0.5 %	7.5%
4	-	7	0.5 %	7.5%
5	-	2	0.1 %	2.2%
6	-	4	0.3 %	4.3%
7	-	2	0.1 %	2.2%
8	-	2	0.1 %	2.2%
10	-	3	0.2 %	3.2%
12	-	2	0.1 %	2.2%
13	-	1	0.1 %	1.1%

- Study 02258 -

<i>QP34: Total times urine tested</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
15	-	1	0.1 %	1.1%
16	-	3	0.2 %	3.2%
18	-	1	0.1 %	1.1%
20	-	2	0.1 %	2.2%
24	-	5	0.4 %	5.4%
25	-	1	0.1 %	1.1%
26	-	2	0.1 %	2.2%
29	-	1	0.1 %	1.1%
30	-	2	0.1 %	2.2%
32	-	1	0.1 %	1.1%
36	-	1	0.1 %	1.1%
37	-	1	0.1 %	1.1%
48	-	1	0.1 %	1.1%
50	-	6	0.4 %	6.5%
52	-	2	0.1 %	2.2%
56	-	1	0.1 %	1.1%
60	-	1	0.1 %	1.1%
64	-	1	0.1 %	1.1%
78	-	3	0.2 %	3.2%
80	-	2	0.1 %	2.2%
96	-	1	0.1 %	1.1%
100	-	1	0.1 %	1.1%
116	-	1	0.1 %	1.1%
150	-	1	0.1 %	1.1%
156	-	1	0.1 %	1.1%
180	-	1	0.1 %	1.1%
208	-	2	0.1 %	2.2%
336	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1282	92.0 %	-
-2 (M)	Don't Know	18	1.3 %	-

Based upon 93 valid cases out of 1393 total cases.

QP35 Number of weeks this parole lasted

Location: 1708-1710(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks did this parole last?

- Study 02258 -

<i>QP35: Number of weeks this parole lasted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	2	0.1 %	1.6%
2	-	1	0.1 %	0.8%
3	-	1	0.1 %	0.8%
4	-	2	0.1 %	1.6%
7	-	1	0.1 %	0.8%
8	-	1	0.1 %	0.8%
10	-	1	0.1 %	0.8%
12	-	6	0.4 %	4.7%
13	-	1	0.1 %	0.8%
16	-	5	0.4 %	3.9%
22	-	1	0.1 %	0.8%
24	-	2	0.1 %	1.6%
26	-	8	0.6 %	6.2%
28	-	1	0.1 %	0.8%
30	-	1	0.1 %	0.8%
32	-	2	0.1 %	1.6%
34	-	1	0.1 %	0.8%
36	-	1	0.1 %	0.8%
37	-	1	0.1 %	0.8%
39	-	1	0.1 %	0.8%
40	-	2	0.1 %	1.6%
42	-	1	0.1 %	0.8%
48	-	4	0.3 %	3.1%
49	-	1	0.1 %	0.8%
52	-	12	0.9 %	9.3%
53	-	1	0.1 %	0.8%
58	-	1	0.1 %	0.8%
60	-	4	0.3 %	3.1%
68	-	2	0.1 %	1.6%
78	-	4	0.3 %	3.1%
80	-	1	0.1 %	0.8%
82	-	1	0.1 %	0.8%
84	-	1	0.1 %	0.8%
90	-	1	0.1 %	0.8%
96	-	1	0.1 %	0.8%
100	-	1	0.1 %	0.8%
102	-	1	0.1 %	0.8%
104	-	11	0.8 %	8.5%
108	-	1	0.1 %	0.8%

- Study 02258 -

<i>QP35: Number of weeks this parole lasted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
116	-	1	0.1 %	0.8%
122	-	1	0.1 %	0.8%
126	-	1	0.1 %	0.8%
130	-	5	0.4 %	3.9%
136	-	1	0.1 %	0.8%
144	-	1	0.1 %	0.8%
155	-	1	0.1 %	0.8%
156	-	4	0.3 %	3.1%
157	-	1	0.1 %	0.8%
169	-	1	0.1 %	0.8%
176	-	1	0.1 %	0.8%
208	-	4	0.3 %	3.1%
232	-	1	0.1 %	0.8%
248	-	1	0.1 %	0.8%
260	-	3	0.2 %	2.3%
272	-	1	0.1 %	0.8%
285	-	1	0.1 %	0.8%
286	-	1	0.1 %	0.8%
292	-	1	0.1 %	0.8%
312	-	1	0.1 %	0.8%
318	-	1	0.1 %	0.8%
322	-	1	0.1 %	0.8%
336	-	1	0.1 %	0.8%
338	-	1	0.1 %	0.8%
442	-	1	0.1 %	0.8%
520	-	1	0.1 %	0.8%
-9 (M)	Legitimate Skip	1250	89.7 %	-
-2 (M)	Don't Know	13	0.9 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 129 valid cases out of 1393 total cases.

QP36 Assigned to parole since that parole period

Location: 1711-1712(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Have you been assigned to parole since that parole period?

If No -> Go to P42

- Study 02258 -

<i>QP36: Assigned to parole since that parole period</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	23	1.7 %	16.2%
2	No	119	8.5 %	83.8%
-9 (M)	Legitimate Skip	1250	89.7 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 142 valid cases out of 1393 total cases.

QP37 Number of weeks ago last assigned to parole

Location: 1713-1715(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago were you last assigned to parole?

[If Less than 7 days enter 0]

<i>QP37: Number of weeks ago last assigned to parole</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	23.8%
1	-	1	0.1 %	4.8%
2	-	1	0.1 %	4.8%
6	-	1	0.1 %	4.8%
12	-	1	0.1 %	4.8%
26	-	1	0.1 %	4.8%
32	-	2	0.1 %	9.5%
34	-	1	0.1 %	4.8%
75	-	1	0.1 %	4.8%
90	-	1	0.1 %	4.8%
104	-	1	0.1 %	4.8%
105	-	1	0.1 %	4.8%
184	-	2	0.1 %	9.5%
230	-	1	0.1 %	4.8%
252	-	1	0.1 %	4.8%
-9 (M)	Legitimate Skip	1370	98.3 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 21 valid cases out of 1393 total cases.

QP38 That time reported to parole officer as required

Location: 1716-1717(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: While on parole that time did you report to your parole officer as required?

<i>QP38: That time reported to parole officer as required</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	22	1.6 %	95.7%
2	No	1	0.1 %	4.3%
-9 (M)	Legitimate Skip	1370	98.3 %	-

Based upon 23 valid cases out of 1393 total cases.

QP39 Urine tested as condition of parole

Location: 1718-1719(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you get urine tested as a condition of parole?

If No -> Go to P41

<i>QP39: Urine tested as condition of parole</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	17	1.2 %	73.9%
2	No	6	0.4 %	26.1%
-9 (M)	Legitimate Skip	1370	98.3 %	-

Based upon 23 valid cases out of 1393 total cases.

QP40 Total times urine tested

Location: 1720-1721(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many total times were you tested?

<i>QP40: Total times urine tested</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	2	0.1 %	13.3%
2	-	2	0.1 %	13.3%
3	-	1	0.1 %	6.7%
4	-	1	0.1 %	6.7%
5	-	2	0.1 %	13.3%
8	-	1	0.1 %	6.7%
16	-	1	0.1 %	6.7%
26	-	2	0.1 %	13.3%

- Study 02258 -

<i>QP40: Total times urine tested</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
29	-	1	0.1 %	6.7%
30	-	1	0.1 %	6.7%
80	-	1	0.1 %	6.7%
-9 (M)	Legitimate Skip	1376	98.8 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 15 valid cases out of 1393 total cases.

QP41 **Number of weeks parole lasted**

Location: 1722-1723(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks did this parole last?

[If Less than 7 days enter 0]

<i>QP41: Number of weeks parole lasted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	6	0.4 %	30.0%
3	-	1	0.1 %	5.0%
8	-	2	0.1 %	10.0%
16	-	1	0.1 %	5.0%
20	-	1	0.1 %	5.0%
26	-	1	0.1 %	5.0%
30	-	1	0.1 %	5.0%
34	-	1	0.1 %	5.0%
52	-	4	0.3 %	20.0%
56	-	1	0.1 %	5.0%
77	-	1	0.1 %	5.0%
-9 (M)	Legitimate Skip	1370	98.3 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 20 valid cases out of 1393 total cases.

QP42 **Currently on parole**

Location: 1724-1725(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Are you currently on parole?

- Study 02258 -

<i>QP42: Currently on parole</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	62	4.5 %	43.7%
2	No	80	5.7 %	56.3%
-9 (M)	Legitimate Skip	1250	89.7 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 142 valid cases out of 1393 total cases.

QP43 Received legal help since leaving program

Location: 1726-1727(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since leaving (NAME OF PROGRAM) have you received any help from a lawyer, legal aid, or agency for legal problems?

If No -> Go to Section Q

<i>QP43: Received legal help since leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	429	30.8 %	30.9%
2	No	959	68.8 %	69.1%
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 1388 valid cases out of 1393 total cases.

QP44 How long after leaving first get legal help

Location: 1728-1730(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How long after leaving (NAME OF PROGRAM) did you first get legal help?

[If Less than 7 days enter 0]

<i>QP44: How long after leaving first get legal help</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

- Study 02258 -

Based upon 416 valid cases out of 1393 total cases.

QP45_1 Reason for legal help - Representation in civil case

Location: 1731-1732(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason?

Representation in civil case (divorce, custody, etc.)

<i>QP45_1: Reason for legal help - Representation in civil case</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	49	3.5 %	11.5%
2	No	377	27.1 %	88.5%
-9 (M)	Legitimate Skip	964	69.2 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 426 valid cases out of 1393 total cases.

QP45_2 Reason for legal help - Representation in criminal case

Location: 1733-1734(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason?

Representation in criminal case

<i>QP45_2: Reason for legal help - Representation in criminal case</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	326	23.4 %	76.5%
2	No	100	7.2 %	23.5%
-9 (M)	Legitimate Skip	964	69.2 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 426 valid cases out of 1393 total cases.

QP45_3 Reason for legal help - Assistance with non-court legal matters

Location: 1735-1736(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

What was the reason?

Assistance with noncourt legal matters (will, deed, etc.)

<i>QP45_3: Reason for legal help - Assistance with non-court legal matters</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	13	0.9 %	3.1%
2	No	413	29.6 %	96.9%
-9 (M)	Legitimate Skip	964	69.2 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 426 valid cases out of 1393 total cases.

QP45_4 Reason for legal help - Referral to lawyer or for legal aid

Location: 1737-1738(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason?

Referral to lawyer or legal aid

<i>QP45_4: Reason for legal help - Referral to lawyer or for legal aid</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	11	0.8 %	2.6%
2	No	415	29.8 %	97.4%
-9 (M)	Legitimate Skip	964	69.2 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 426 valid cases out of 1393 total cases.

QP45_5 Reason for legal help - General legal

Location: 1739-1740(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason?

General legal

- Study 02258 -

<i>QP45_5: Reason for legal help - General legal</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	34	2.4 %	8.0%
2	No	392	28.1 %	92.0%
-9 (M)	Legitimate Skip	964	69.2 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 426 valid cases out of 1393 total cases.

QP46 Getting legal help own idea or did someone suggest it

Location: 1741-1742(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Was getting this help or service your own idea or did a program, a friend, a relative, or someone else suggest it?

<i>QP46: Getting legal help own idea or did someone suggest it</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Criminal justice system	145	10.4 %	33.9%
4	Private therapist or mental health center	2	0.1 %	0.5%
5	Community or social services agency	4	0.3 %	0.9%
6	Employment, school, or training agency	1	0.1 %	0.2%
7	Self	229	16.4 %	53.5%
8	Friend	13	0.9 %	3.0%
9	Relative	21	1.5 %	4.9%
10	Someone else	13	0.9 %	3.0%
-9 (M)	Legitimate Skip	964	69.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 428 valid cases out of 1393 total cases.

QP47 Source of legal assistance

Location: 1743-1744(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Where did you get these services or who did you talk to about these problems?

<i>QP47: Source of legal assistance</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Private lawyer	153	11.0 %	35.7%
2	Legal aid	47	3.4 %	11.0%
3	Public defender	222	15.9 %	51.9%
4	Other legal	6	0.4 %	1.4%

- Study 02258 -

<i>QP47: Source of legal assistance</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	964	69.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 428 valid cases out of 1393 total cases.

QP48 After first time received other legal help

Location: 1745-1746(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

After that first time, did you get any other help for a legal problem?

If No -> Go to Section Q

<i>QP48: After first time received other legal help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	179	12.8 %	41.7%
2	No	250	17.9 %	58.3%
-9 (M)	Legitimate Skip	964	69.2 %	-

Based upon 429 valid cases out of 1393 total cases.

QP49 Total times received legal help

Location: 1747-1748(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how many total times have you received help?

<i>QP49: Total times received legal help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	69	5.0 %	39.7%
3	-	30	2.2 %	17.2%
4	-	22	1.6 %	12.6%
5	-	13	0.9 %	7.5%
6	-	8	0.6 %	4.6%
7	-	9	0.6 %	5.2%
8	-	5	0.4 %	2.9%
9	-	1	0.1 %	0.6%
10	-	5	0.4 %	2.9%
12	-	2	0.1 %	1.1%
13	-	1	0.1 %	0.6%

- Study 02258 -

<i>QP50: Number of weeks ago first got help for legal problem</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
22	-	1	0.1 %	0.6%
23	-	1	0.1 %	0.6%
24	-	3	0.2 %	1.7%
26	-	7	0.5 %	4.0%
27	-	1	0.1 %	0.6%
28	-	6	0.4 %	3.4%
30	-	3	0.2 %	1.7%
32	-	2	0.1 %	1.1%
34	-	1	0.1 %	0.6%
36	-	3	0.2 %	1.7%
37	-	1	0.1 %	0.6%
38	-	2	0.1 %	1.1%
40	-	2	0.1 %	1.1%
42	-	1	0.1 %	0.6%
43	-	1	0.1 %	0.6%
44	-	2	0.1 %	1.1%
46	-	1	0.1 %	0.6%
52	-	5	0.4 %	2.8%
56	-	1	0.1 %	0.6%
60	-	1	0.1 %	0.6%
65	-	1	0.1 %	0.6%
68	-	1	0.1 %	0.6%
75	-	1	0.1 %	0.6%
78	-	6	0.4 %	3.4%
82	-	1	0.1 %	0.6%
85	-	1	0.1 %	0.6%
86	-	1	0.1 %	0.6%
90	-	1	0.1 %	0.6%
92	-	1	0.1 %	0.6%
95	-	1	0.1 %	0.6%
96	-	3	0.2 %	1.7%
101	-	1	0.1 %	0.6%
104	-	1	0.1 %	0.6%
108	-	2	0.1 %	1.1%
112	-	5	0.4 %	2.8%
116	-	1	0.1 %	0.6%
117	-	1	0.1 %	0.6%
120	-	2	0.1 %	1.1%
124	-	2	0.1 %	1.1%

- Study 02258 -

<i>QP50: Number of weeks ago first got help for legal problem</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
128	-	1	0.1 %	0.6%
130	-	2	0.1 %	1.1%
140	-	1	0.1 %	0.6%
156	-	3	0.2 %	1.7%
162	-	1	0.1 %	0.6%
164	-	1	0.1 %	0.6%
168	-	1	0.1 %	0.6%
174	-	1	0.1 %	0.6%
176	-	1	0.1 %	0.6%
182	-	1	0.1 %	0.6%
184	-	1	0.1 %	0.6%
185	-	1	0.1 %	0.6%
194	-	1	0.1 %	0.6%
196	-	1	0.1 %	0.6%
204	-	2	0.1 %	1.1%
206	-	1	0.1 %	0.6%
210	-	1	0.1 %	0.6%
216	-	1	0.1 %	0.6%
220	-	1	0.1 %	0.6%
223	-	1	0.1 %	0.6%
247	-	1	0.1 %	0.6%
248	-	1	0.1 %	0.6%
250	-	1	0.1 %	0.6%
264	-	1	0.1 %	0.6%
292	-	1	0.1 %	0.6%
298	-	1	0.1 %	0.6%
302	-	1	0.1 %	0.6%
999	-	1	0.1 %	0.6%
-9 (M)	Legitimate Skip	1214	87.2 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 176 valid cases out of 1393 total cases.

QP51_1

Reason for legal help - Representation in civil case

Location: 1752-1753(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason?

- Study 02258 -

Representation in civil case (divorce, custody, etc.)

<i>QP51_1: Reason for legal help - Representation in civil case</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	29	2.1 %	16.2%
2	No	150	10.8 %	83.8%
-9 (M)	Legitimate Skip	1214	87.2 %	-

Based upon 179 valid cases out of 1393 total cases.

QP51_2 Reason for legal help - Representation in criminal case

Location: 1754-1755(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason?

Representation in criminal case

<i>QP51_2: Reason for legal help - Representation in criminal case</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	130	9.3 %	72.6%
2	No	49	3.5 %	27.4%
-9 (M)	Legitimate Skip	1214	87.2 %	-

Based upon 179 valid cases out of 1393 total cases.

QP51_3 Reason for legal help - Assistance with non-court legal matters

Location: 1756-1757(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason?

Assistance with noncourt legal matters (will, deed, etc.)

<i>QP51_3: Reason for legal help - Assistance with non-court legal matters</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	8	0.6 %	4.5%
2	No	171	12.3 %	95.5%
-9 (M)	Legitimate Skip	1214	87.2 %	-

Based upon 179 valid cases out of 1393 total cases.

QP51_4 Reason for legal help - Referral to lawyer or for legal aid

- Study 02258 -

Location: 1758-1759(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What was the reason?

Referral to lawyer or legal aid

<i>QP51_4: Reason for legal help - Referral to lawyer or for legal aid</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	1.1%
2	No	177	12.7 %	98.9%
-9 (M)	Legitimate Skip	1214	87.2 %	-

Based upon 179 valid cases out of 1393 total cases.

QP51_5 Reason for legal help - General legal

Location: 1760-1761(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What was the reason?

General legal

<i>QP51_5: Reason for legal help - General legal</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	15	1.1 %	8.4%
2	No	164	11.8 %	91.6%
-9 (M)	Legitimate Skip	1214	87.2 %	-

Based upon 179 valid cases out of 1393 total cases.

QP52 Getting legal help own idea or did someone suggest it

Location: 1762-1763(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Was getting this help or service your own idea or did a program, a friend, a relative, or someone else suggest it?

<i>QP52: Getting legal help own idea or did someone suggest it</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Drug or alcohol problem	1	0.1 %	0.6%
2	Criminal justice system	60	4.3 %	33.5%
5	Community or social services agency	1	0.1 %	0.6%

- Study 02258 -

<i>QP52: Getting legal help own idea or did someone suggest it</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	Self	107	7.7 %	59.8%
8	Friend	1	0.1 %	0.6%
9	Relative	5	0.4 %	2.8%
10	Someone else	4	0.3 %	2.2%
-9 (M)	Legitimate Skip	1214	87.2 %	-

Based upon 179 valid cases out of 1393 total cases.

QP53 Source of legal assistance

Location: 1764-1765(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Where did you get these services or who did you talk to about these problems?

<i>QP53: Source of legal assistance</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Private lawyer	63	4.5 %	35.2%
2	Legal aid	16	1.1 %	8.9%
3	Public defender	97	7.0 %	54.2%
4	Other legal	3	0.2 %	1.7%
-9 (M)	Legitimate Skip	1214	87.2 %	-

Based upon 179 valid cases out of 1393 total cases.

QQ1 Attended program after treatment that is not self help

Location: 1766-1767(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: After leaving (NAME OF PROGRAM), have you been in a program or treatment for drug or alcohol problems, not counting self-help groups or sober living houses?

 If No -> Go to Section R

<i>QQ1: Attended program after treatment that is not self help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	557	40.0 %	40.1%
2	No	833	59.8 %	59.9%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 1390 valid cases out of 1393 total cases.

- Study 02258 -

Location: 1782-1783(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

ASK Q2 FOR EACH TYPE OF TREATMENT BEFORE ASKING Q3 AND Q4.

Since leaving (NAME OF PROGRAM), how many times have you been in any [TYPE OF TREATMENT PROGRAM] for treatment for alcohol abuse (not for drugs)?

Outpatient Drug Free, including Day Treatment

<i>QQ2_3: Number of times alcohol treatment OUTPATIENT DRUG FREE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	463	33.2 %	83.1%
1	-	81	5.8 %	14.5%
2	-	9	0.6 %	1.6%
4	-	1	0.1 %	0.2%
10	-	1	0.1 %	0.2%
12	-	1	0.1 %	0.2%
48	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ4_3

Number of weeks spent in detox OUTPATIENT DRUG FREE

Location: 1784-1786(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

ASK Q4 ONLY FOR TYPES OF TREATMENT WITH ONE OR MORE TIMES ENTERED IN Q2.

What is the total number of weeks you spent in that kind of treatment?

Outpatient Drug Free, including Day Treatment

<i>QQ4_3: Number of weeks spent in detox OUTPATIENT DRUG FREE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	5.4%
2	-	3	0.2 %	3.2%
3	-	4	0.3 %	4.3%
4	-	8	0.6 %	8.6%
6	-	1	0.1 %	1.1%

- Study 02258 -

QQ4_3: Number of weeks spent in detox OUTPATIENT DRUG FREE				
Value	Label	Unweighted Frequency	%	Valid %
7	-	2	0.1 %	2.2%
8	-	8	0.6 %	8.6%
9	-	1	0.1 %	1.1%
10	-	2	0.1 %	2.2%
12	-	7	0.5 %	7.5%
13	-	1	0.1 %	1.1%
16	-	3	0.2 %	3.2%
20	-	3	0.2 %	3.2%
24	-	1	0.1 %	1.1%
26	-	6	0.4 %	6.5%
28	-	1	0.1 %	1.1%
30	-	1	0.1 %	1.1%
34	-	1	0.1 %	1.1%
36	-	2	0.1 %	2.2%
47	-	1	0.1 %	1.1%
48	-	2	0.1 %	2.2%
50	-	1	0.1 %	1.1%
52	-	7	0.5 %	7.5%
78	-	2	0.1 %	2.2%
90	-	1	0.1 %	1.1%
99	-	1	0.1 %	1.1%
104	-	1	0.1 %	1.1%
108	-	1	0.1 %	1.1%
114	-	1	0.1 %	1.1%
141	-	1	0.1 %	1.1%
156	-	1	0.1 %	1.1%
164	-	1	0.1 %	1.1%
190	-	1	0.1 %	1.1%
194	-	1	0.1 %	1.1%
208	-	1	0.1 %	1.1%
217	-	1	0.1 %	1.1%
218	-	1	0.1 %	1.1%
224	-	1	0.1 %	1.1%
234	-	3	0.2 %	3.2%
244	-	1	0.1 %	1.1%
286	-	2	0.1 %	2.2%
-9 (M)	Legitimate Skip	1299	93.3 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 93 valid cases out of 1393 total cases.

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

ASK Q4 ONLY FOR TYPES OF TREATMENT WITH ONE OR MORE TIMES ENTERED IN Q2.

What is the total number of weeks you spent in that kind of treatment?

Other

QQ4_4: Number of weeks spent in detox OTHER				
Value	Label	Unweighted Frequency	%	Valid %
0	-	3	0.2 %	12.5%
1	-	2	0.1 %	8.3%
2	-	2	0.1 %	8.3%
3	-	2	0.1 %	8.3%
4	-	2	0.1 %	8.3%
6	-	1	0.1 %	4.2%
8	-	2	0.1 %	8.3%
12	-	1	0.1 %	4.2%
16	-	1	0.1 %	4.2%
20	-	1	0.1 %	4.2%
24	-	2	0.1 %	8.3%
26	-	1	0.1 %	4.2%
28	-	1	0.1 %	4.2%
36	-	1	0.1 %	4.2%
52	-	1	0.1 %	4.2%
96	-	1	0.1 %	4.2%
-9 (M)	Legitimate Skip	1369	98.3 %	-

Based upon 24 valid cases out of 1393 total cases.

QQ5_1 Number of times drug/alcohol treatment RESIDENTIAL TREATMENT

Location: 1793-1794(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

ASK Q5 FOR EACH TYPE OF TREATMENT BEFORE ASKING Q6 AND Q7.

Since leaving (NAME OF PROGRAM), how many times have you been in any [TYPE OF TREATMENT PROGRAM] program for drug treatment or treatment for both drugs and alcohol?

Residential Treatment

- Study 02258 -

What is the total number of weeks you spent in that kind of treatment?

Residential Treatment

<i>QQ7_1: Number of weeks spent in treatment RESIDENTIAL TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	14	1.0 %	7.6%
1	-	5	0.4 %	2.7%
2	-	6	0.4 %	3.2%
3	-	7	0.5 %	3.8%
4	-	17	1.2 %	9.2%
5	-	4	0.3 %	2.2%
6	-	3	0.2 %	1.6%
7	-	2	0.1 %	1.1%
8	-	6	0.4 %	3.2%
9	-	3	0.2 %	1.6%
10	-	2	0.1 %	1.1%
12	-	19	1.4 %	10.3%
13	-	2	0.1 %	1.1%
14	-	2	0.1 %	1.1%
16	-	9	0.6 %	4.9%
17	-	1	0.1 %	0.5%
18	-	2	0.1 %	1.1%
20	-	5	0.4 %	2.7%
22	-	1	0.1 %	0.5%
23	-	1	0.1 %	0.5%
24	-	10	0.7 %	5.4%
26	-	13	0.9 %	7.0%
28	-	5	0.4 %	2.7%
29	-	1	0.1 %	0.5%
30	-	3	0.2 %	1.6%
32	-	1	0.1 %	0.5%
34	-	1	0.1 %	0.5%
36	-	2	0.1 %	1.1%
37	-	1	0.1 %	0.5%
39	-	1	0.1 %	0.5%
40	-	5	0.4 %	2.7%
42	-	1	0.1 %	0.5%
46	-	1	0.1 %	0.5%
48	-	1	0.1 %	0.5%

- Study 02258 -

<i>QQ7_1: Number of weeks spent in treatment RESIDENTIAL TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
52	-	11	0.8 %	5.9%
56	-	4	0.3 %	2.2%
60	-	2	0.1 %	1.1%
64	-	1	0.1 %	0.5%
95	-	1	0.1 %	0.5%
96	-	2	0.1 %	1.1%
104	-	1	0.1 %	0.5%
110	-	1	0.1 %	0.5%
120	-	1	0.1 %	0.5%
196	-	1	0.1 %	0.5%
226	-	1	0.1 %	0.5%
240	-	1	0.1 %	0.5%
310	-	1	0.1 %	0.5%
-9 (M)	Legitimate Skip	1206	86.6 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 185 valid cases out of 1393 total cases.

QQ5_2

Number of times drug/alcohol treatment HOSPITAL INPATIENT

Location: 1800-1801(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

ASK Q5 FOR EACH TYPE OF TREATMENT BEFORE ASKING Q6 AND Q7.

Since leaving (NAME OF PROGRAM), how many times have you been in any [TYPE OF TREATMENT PROGRAM] program for drug treatment or treatment for both drugs and alcohol?

Hospital Inpatient

<i>QQ5_2: Number of times drug/alcohol treatment HOSPITAL INPATIENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	406	29.1 %	73.0%
1	-	93	6.7 %	16.7%
2	-	36	2.6 %	6.5%
3	-	10	0.7 %	1.8%
4	-	10	0.7 %	1.8%
5	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	837	60.1 %	-

Based upon 556 valid cases out of 1393 total cases.

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

ASK Q6 AND Q7 ONLY FOR TYPES OF TREATMENT WITH ONE OR MORE TIMES ENTERED IN B5.

What is the total number of weeks you spent in that kind of treatment?

Outpatient Drug Free, including Day Treatment

<i>QQ7_3: Number of weeks spent in drug OUTPATIENT DRUG FREE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	9.7%
2	-	4	0.3 %	12.9%
4	-	3	0.2 %	9.7%
6	-	1	0.1 %	3.2%
7	-	1	0.1 %	3.2%
8	-	4	0.3 %	12.9%
12	-	4	0.3 %	12.9%
14	-	1	0.1 %	3.2%
16	-	1	0.1 %	3.2%
20	-	2	0.1 %	6.5%
26	-	1	0.1 %	3.2%
47	-	1	0.1 %	3.2%
52	-	2	0.1 %	6.5%
78	-	1	0.1 %	3.2%
104	-	1	0.1 %	3.2%
130	-	1	0.1 %	3.2%
-9 (M)	Legitimate Skip	1205	86.5 %	-
-3 (M)	Missing	156	11.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 31 valid cases out of 1393 total cases.

QQ5_4 Number of times drug/alcohol treatment METHADONE

Location: 1811-1812(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

ASK Q5 FOR EACH TYPE OF TREATMENT BEFORE ASKING Q6 AND Q7.

Since leaving (NAME OF PROGRAM), how many times have you been in any [TYPE OF TREATMENT PROGRAM] program for drug treatment or treatment for both drugs and alcohol?

- Study 02258 -

TIMES ENTERED IN B5.

What is the total number of weeks you spent in that kind of treatment?

Methadone Treatment

<i>QQ7_4: Number of weeks spent in treatment METHADONE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	1	0.1 %	12.5%
2	-	1	0.1 %	12.5%
3	-	1	0.1 %	12.5%
10	-	1	0.1 %	12.5%
20	-	1	0.1 %	12.5%
26	-	1	0.1 %	12.5%
92	-	1	0.1 %	12.5%
104	-	1	0.1 %	12.5%
-9 (M)	Legitimate Skip	1198	86.0 %	-
-3 (M)	Missing	187	13.4 %	-

Based upon 8 valid cases out of 1393 total cases.

QQ5_5

Number of times drug/alcohol treatment OTHER

Location: 1818-1819(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

ASK Q5 FOR EACH TYPE OF TREATMENT BEFORE ASKING Q6 AND Q7.

Since leaving (NAME OF PROGRAM), how many times have you been in any [TYPE OF TREATMENT PROGRAM] program for drug treatment or treatment for both drugs and alcohol?

Other

<i>QQ5_5: Number of times drug/alcohol treatment OTHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	498	35.8 %	89.6%
1	-	40	2.9 %	7.2%
2	-	7	0.5 %	1.3%
3	-	3	0.2 %	0.5%
4	-	3	0.2 %	0.5%
5	-	1	0.1 %	0.2%
10	-	1	0.1 %	0.2%
12	-	1	0.1 %	0.2%

- Study 02258 -

Based upon 0 valid cases out of 1393 total cases.

QQ8 **Number of weeks after leaving program received first new treatment**

Location: 1824-1826(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

I'd like to ask you some questions about the first treatment you participated in after you left (NAME OF PROGRAM).

How many weeks after you left (NAME OF PROGRAM) did you enter this treatment?

<i>QQ8: Number of weeks after leaving program received first new treatment</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 541 valid cases out of 1393 total cases.

QQ9 **Number of weeks attended treatment**

Location: 1827-1829(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks did you attend?

[If Less than 7 days, Enter 0]

<i>QQ9: Number of weeks attended treatment</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 544 valid cases out of 1393 total cases.

QQ10 **Kind of facility first treatment**

Location: 1830-1831(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of facility did you enter that time?

- Study 02258 -

<i>QQ10: Kind of facility first treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hospital/Inpatient	99	7.1 %	17.8%
2	Residential/Therapeutic community	159	11.4 %	28.5%
3	Outpatient Drug Free, Including day treatment	115	8.3 %	20.6%
4	Methadone maintenance	146	10.5 %	26.2%
5	Methadone detox	11	0.8 %	2.0%
6	Other	27	1.9 %	4.8%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ11 Main reason entered first treatment

Location: 1832-1833(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the main reason you entered treatment at this time?

<i>QQ11: Main reason entered first treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Legal pressure	102	7.3 %	18.3%
2	Tired of addiction/lifestyle	335	24.0 %	60.1%
3	Family pressure	18	1.3 %	3.2%
4	Other	102	7.3 %	18.3%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ12 How was first treatment paid for

Location: 1834-1835(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How was the treatment paid for?

<i>QQ12: How was first treatment paid for</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Insurance paid all or most	140	10.1 %	25.2%
2	Respondent or family paid all or most	85	6.1 %	15.3%
3	Other	16	1.1 %	2.9%
4	Free, subsidized	315	22.6 %	56.7%
-9 (M)	Legitimate Skip	836	60.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 556 valid cases out of 1393 total cases.

- Study 02258 -

QQ13_1 First treatment for ALCOHOL

Location: 1836-1837(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What substances were you treated for?

Alcohol

QQ13_1: First treatment for ALCOHOL				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	176	12.6 %	31.6%
2	No	381	27.4 %	68.4%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_2 First treatment for MARIJUANA HASHISH THC

Location: 1838-1839(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What substances were you treated for?

Marijuana / Hashish / THC

QQ13_2: First treatment for MARIJUANA HASHISH THC				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	46	3.3 %	8.3%
2	No	511	36.7 %	91.7%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_3 First treatment for HALLUCINOGENS/PSYCHEDELICS

Location: 1840-1841(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What substances were you treated for?

Hallucinogens / Psychedelics

- Study 02258 -

<i>QQ13_3: First treatment for HALLUCINOGENS/PSYCHEDELICS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	0.9%
2	No	552	39.6 %	99.1%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_4 First treatment for COCAINE (POWDER)

Location: 1842-1843(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Cocaine (powder)

<i>QQ13_4: First treatment for COCAINE (POWDER)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	81	5.8 %	14.5%
2	No	476	34.2 %	85.5%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_5 First treatment for COCAINE (CRACK)

Location: 1844-1845(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Cocaine (Crack)

<i>QQ13_5: First treatment for COCAINE (CRACK)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	182	13.1 %	32.7%
2	No	375	26.9 %	67.3%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_6 First treatment for HEROIN

Location: 1846-1847(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?
 Heroin

<i>QQ13_6: First treatment for HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	236	16.9 %	42.4%
2	No	321	23.0 %	57.6%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_7 First treatment for HEROIN AND COCAINE TOGETHER

Location: 1848-1849(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?
 Heroin and Cocaine together

<i>QQ13_7: First treatment for HEROIN AND COCAINE TOGETHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	43	3.1 %	7.7%
2	No	514	36.9 %	92.3%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_8 First treatment for NARCOTICS/OPIATES/OPIOIDS

Location: 1850-1851(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?
 Narcotics / Opiates / Opioids

<i>QQ13_8: First treatment for NARCOTICS/OPIATES/OPIOIDS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	34	2.4 %	6.1%
2	No	523	37.5 %	93.9%

- Study 02258 -

<i>QQ13_8: First treatment for NARCOTICS/OPIATES/OPIODS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_9 First treatment for STREET OR ILLEGAL METHADONE

Location: 1852-1853(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?
 Street or illegal methadone

<i>QQ13_9: First treatment for STREET OR ILLEGAL METHADONE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	3	0.2 %	0.5%
2	No	554	39.8 %	99.5%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_10 First treatment for DOWNERS OR DEPRESSANTS (GENERAL)

Location: 1854-1855(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?
 Downers or depressants (general)

<i>QQ13_10: First treatment for DOWNERS OR DEPRESSANTS (GENERAL)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	0.2%
2	No	556	39.9 %	99.8%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_11 First treatment for SEDATIVES/SLEEPING PILLS

Location: 1856-1857(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

What substances were you treated for?

Sedatives / Sleeping pills

<i>QQ13_11: First treatment for SEDATIVES/SLEEPING PILLS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	3	0.2 %	0.5%
2	No	554	39.8 %	99.5%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_12

First treatment for BARBITURATES (NEMBUTAL SECONAL TUINAL)

Location: 1858-1859(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What substances were you treated for?

Barbiturates

<i>QQ13_12: First treatment for BARBITURATES (NEMBUTAL SECONAL TUINAL)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	4	0.3 %	0.7%
2	No	553	39.7 %	99.3%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_13

First treatment for BENZODIAZEPINES (VALIUM LIBRIUM)

Location: 1860-1861(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What substances were you treated for?

Benzodiazepines

<i>QQ13_13: First treatment for BENZODIAZEPINES (VALIUM LIBRIUM)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	10	0.7 %	1.8%
2	No	547	39.3 %	98.2%
-9 (M)	Legitimate Skip	836	60.0 %	-

- Study 02258 -

Based upon 557 valid cases out of 1393 total cases.

QQ13_14 First treatment for AMPHETAMINES (GENERAL)

Location: 1862-1863(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Amphetamines (general)

QQ13_14: First treatment for AMPHETAMINES (GENERAL)				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	6	0.4 %	1.1%
2	No	551	39.6 %	98.9%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_15 First treatment for METHAMPHETAMINES

Location: 1864-1865(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Methamphetamines

QQ13_15: First treatment for METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	19	1.4 %	3.4%
2	No	538	38.6 %	96.6%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_16 First treatment for INHALANTS (GLUE GASOLINE PAINT THINNER)

Location: 1866-1867(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Inhalants

- Study 02258 -

QQ13_16: First treatment for INHALANTS (GLUE GASOLINE PAINT THINNER)				
Value	Label	Unweighted Frequency	%	Valid %
2	No	557	40.0 %	100.0%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ13_17 First treatment for OTHER

Location: 1868-1869(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?
 Other

QQ13_17: First treatment for OTHER				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	6	0.4 %	1.1%
2	No	551	39.6 %	98.9%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ14 Did you live at first program

Location: 1870-1871(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did you live at the program?
 If Yes -> Go to Q17

QQ14: Did you live at first program				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	289	20.7 %	51.9%
2	No	268	19.2 %	48.1%
-9 (M)	Legitimate Skip	836	60.0 %	-

Based upon 557 valid cases out of 1393 total cases.

QQ15 Average number of days per month attended first program

Location: 1872-1873(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many days did you attend the program, on average, per month?

QQ15: Average number of days per month attended first program

Value	Label	Unweighted Frequency	%	Valid %
1	-	1	0.1 %	0.4%
2	-	8	0.6 %	3.0%
3	-	2	0.1 %	0.8%
4	-	21	1.5 %	7.9%
5	-	4	0.3 %	1.5%
6	-	3	0.2 %	1.1%
7	-	2	0.1 %	0.8%
8	-	27	1.9 %	10.2%
9	-	2	0.1 %	0.8%
10	-	3	0.2 %	1.1%
12	-	28	2.0 %	10.5%
13	-	2	0.1 %	0.8%
14	-	1	0.1 %	0.4%
15	-	2	0.1 %	0.8%
16	-	12	0.9 %	4.5%
17	-	1	0.1 %	0.4%
18	-	1	0.1 %	0.4%
20	-	24	1.7 %	9.0%
21	-	1	0.1 %	0.4%
24	-	14	1.0 %	5.3%
25	-	1	0.1 %	0.4%
26	-	8	0.6 %	3.0%
27	-	1	0.1 %	0.4%
28	-	4	0.3 %	1.5%
30	-	85	6.1 %	32.0%
31	-	8	0.6 %	3.0%
-9 (M)	Legitimate Skip	1125	80.8 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 266 valid cases out of 1393 total cases.

QQ16 Number of hours/day attended first program

Location: 1874-1875(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many hours per day did you attend?

- Study 02258 -

<i>QQ16: Number of hours/day attended first program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	33	2.4 %	12.5%
1	-	124	8.9 %	47.0%
2	-	40	2.9 %	15.2%
3	-	27	1.9 %	10.2%
4	-	21	1.5 %	8.0%
5	-	5	0.4 %	1.9%
6	-	3	0.2 %	1.1%
7	-	3	0.2 %	1.1%
8	-	5	0.4 %	1.9%
11	-	1	0.1 %	0.4%
24	-	2	0.1 %	0.8%
-9 (M)	Legitimate Skip	1125	80.8 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 264 valid cases out of 1393 total cases.

QQ17 Why did you leave first program

Location: 1876-1877(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Why did you leave that treatment?

If Still in treatment -> Go to Section R

<i>QQ17: Why did you leave first program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Completed treatment	304	21.8 %	54.7%
2	Discharged because of hospitalization, incarceration, other institutionalization	9	0.6 %	1.6%
3	Transferred to component of same program or another drug treatment program	8	0.6 %	1.4%
5	Involuntarily discharged for noncompliance	40	2.9 %	7.2%
6	Voluntarily dropped out before treatment completed for personal reasons	39	2.8 %	7.0%
7	Quit because of dissatisfaction with program	11	0.8 %	2.0%
8	Other	15	1.1 %	2.7%
9	Still in treatment	130	9.3 %	23.4%
-9 (M)	Legitimate Skip	836	60.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 556 valid cases out of 1393 total cases.

- Study 02258 -

QQ18 Number of weeks ago entered latest treatment

Location: 1878-1880(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: IF RESPONDENT HAD ONLY ONE TREATMENT EPISODE SINCE LEAVING THE DATOS TREATMENT, GO TO SECTION R.

Now let's talk about the last time you were in treatment since leaving the (NAME OF PROGRAM).

How many weeks ago did you enter that treatment?

(INCLUDE CURRENT TREATMENT, IF IT APPLIES)

[If Less than 7 days, Enter 0]

QQ18: Number of weeks ago entered latest treatment	
Value	Label
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 238 valid cases out of 1393 total cases.

QQ19 Number of weeks attended latest program

Location: 1881-1883(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many weeks did you attend?

[If Less than 7 days, Enter 0]

QQ19: Number of weeks attended latest program				
Value	Label	Unweighted Frequency	%	Valid %
0	-	21	1.5 %	8.6%
1	-	8	0.6 %	3.3%
2	-	16	1.1 %	6.6%
3	-	10	0.7 %	4.1%
4	-	21	1.5 %	8.6%
5	-	8	0.6 %	3.3%
6	-	3	0.2 %	1.2%

- Study 02258 -

<i>QQ19: Number of weeks attended latest program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	-	3	0.2 %	1.2%
8	-	20	1.4 %	8.2%
9	-	2	0.1 %	0.8%
10	-	3	0.2 %	1.2%
11	-	1	0.1 %	0.4%
12	-	20	1.4 %	8.2%
13	-	2	0.1 %	0.8%
16	-	9	0.6 %	3.7%
17	-	3	0.2 %	1.2%
18	-	2	0.1 %	0.8%
20	-	11	0.8 %	4.5%
22	-	4	0.3 %	1.6%
24	-	5	0.4 %	2.1%
25	-	1	0.1 %	0.4%
26	-	11	0.8 %	4.5%
28	-	6	0.4 %	2.5%
30	-	2	0.1 %	0.8%
32	-	1	0.1 %	0.4%
34	-	2	0.1 %	0.8%
36	-	4	0.3 %	1.6%
40	-	3	0.2 %	1.2%
42	-	1	0.1 %	0.4%
48	-	2	0.1 %	0.8%
52	-	8	0.6 %	3.3%
56	-	2	0.1 %	0.8%
58	-	1	0.1 %	0.4%
60	-	1	0.1 %	0.4%
64	-	1	0.1 %	0.4%
78	-	2	0.1 %	0.8%
92	-	1	0.1 %	0.4%
96	-	1	0.1 %	0.4%
104	-	4	0.3 %	1.6%
114	-	1	0.1 %	0.4%
120	-	1	0.1 %	0.4%
122	-	1	0.1 %	0.4%
123	-	1	0.1 %	0.4%
156	-	5	0.4 %	2.1%
182	-	1	0.1 %	0.4%
198	-	1	0.1 %	0.4%

- Study 02258 -

<i>QQ19: Number of weeks attended latest program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
208	-	1	0.1 %	0.4%
215	-	1	0.1 %	0.4%
224	-	1	0.1 %	0.4%
225	-	1	0.1 %	0.4%
232	-	1	0.1 %	0.4%
248	-	1	0.1 %	0.4%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	8	0.6 %	-

Based upon 243 valid cases out of 1393 total cases.

QQ20 Kind of treatment latest treatment

Location: 1884-1885(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What kind of treatment was it?

<i>QQ20: Kind of treatment latest treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Hospital/Inpatient	37	2.7 %	14.9%
2	Residential/Therapeutic community	76	5.5 %	30.5%
3	Outpatient Drug Free, Including day treatment	62	4.5 %	24.9%
4	Methadone maintenance	44	3.2 %	17.7%
5	Methadone detox	5	0.4 %	2.0%
6	Other	25	1.8 %	10.0%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 249 valid cases out of 1393 total cases.

QQ21 Main reason entered latest treatment

Location: 1886-1887(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the main reason you entered treatment at this time?

<i>QQ21: Main reason entered latest treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Legal pressure	52	3.7 %	20.9%
2	Tired of addiction/lifestyle	149	10.7 %	59.8%

- Study 02258 -

<i>QQ21: Main reason entered latest treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	Family pressure	7	0.5 %	2.8%
4	Other	41	2.9 %	16.5%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 249 valid cases out of 1393 total cases.

QQ22 **How was latest treatment paid for**

Location: 1888-1889(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How was the treatment paid for?

<i>QQ22: How was latest treatment paid for</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Insurance paid all or most	56	4.0 %	22.5%
2	Respondent or family paid all or most	45	3.2 %	18.1%
3	Other	6	0.4 %	2.4%
4	Free, subsidized	142	10.2 %	57.0%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 249 valid cases out of 1393 total cases.

QQ23_1 **Latest treatment for ALCOHOL**

Location: 1890-1891(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Alcohol

<i>QQ23_1: Latest treatment for ALCOHOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	95	6.8 %	38.3%
2	No	153	11.0 %	61.7%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

- Study 02258 -

QQ23_1: Latest treatment for ALCOHOL				
Value	Label	Unweighted Frequency	%	Valid %
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_2 Latest treatment for MARIJUANA HASHISH THC

Location: 1892-1893(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Marijuana / Hashish / THC

QQ23_2: Latest treatment for MARIJUANA HASHISH THC				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	25	1.8 %	10.1%
2	No	223	16.0 %	89.9%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_3 Latest treatment for HALLUCINOGENS/PSYCHEDELICS

Location: 1894-1895(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Hallucinogens / Psychedelics

QQ23_3: Latest treatment for HALLUCINOGENS/PSYCHEDELICS				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	5	0.4 %	2.0%
2	No	243	17.4 %	98.0%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_4 Latest treatment for COCAINE (POWDER)

- Study 02258 -

Location: 1896-1897(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?
 Cocaine (powder)

<i>QQ23_4: Latest treatment for COCAINE (POWDER)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	36	2.6 %	14.5%
2	No	212	15.2 %	85.5%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_5 Latest treatment for COCAINE (CRACK)

Location: 1898-1899(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?
 Cocaine (Crack)

<i>QQ23_5: Latest treatment for COCAINE (CRACK)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	91	6.5 %	36.7%
2	No	157	11.3 %	63.3%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_6 Latest treatment for HEROIN

Location: 1900-1901(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?

- Study 02258 -

Heroin

<i>QQ23_6: Latest treatment for HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	80	5.7 %	32.3%
2	No	168	12.1 %	67.7%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_7 Latest treatment for HEROIN AND COCAINE TOGETHER

Location: 1902-1903(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What substances were you treated for?

Heroin and Cocaine together

<i>QQ23_7: Latest treatment for HEROIN AND COCAINE TOGETHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	21	1.5 %	8.5%
2	No	227	16.3 %	91.5%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_8 Latest treatment for NARCOTICS/OPIATES/OPIOIDS

Location: 1904-1905(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What substances were you treated for?

Narcotics / Opiates / Opioids

<i>QQ23_8: Latest treatment for NARCOTICS/OPIATES/OPIOIDS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	12	0.9 %	4.8%
2	No	236	16.9 %	95.2%

- Study 02258 -

QQ23_8: Latest treatment for NARCOTICS/OPIATES/OPIODS				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_9 Latest treatment for STREET OR ILLEGAL METHADONE

Location: 1906-1907(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Street or illegal methadone

QQ23_9: Latest treatment for STREET OR ILLEGAL METHADONE				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	4	0.3 %	1.6%
2	No	244	17.5 %	98.4%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_10 Latest treatment for DOWNERS OR DEPRESSANTS (GENERAL)

Location: 1908-1909(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Downers or depressants (general)

QQ23_10: Latest treatment for DOWNERS OR DEPRESSANTS (GENERAL)				
Value	Label	Unweighted Frequency	%	Valid %
2	No	248	17.8 %	100.0%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

- Study 02258 -

QQ23_11 Latest treatment for SEDATIVES/SLEEPING PILLS

Location: 1910-1911(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?
 Sedatives / Sleeping pills

QQ23_11: Latest treatment for SEDATIVES/SLEEPING PILLS				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	1	0.1 %	0.4%
2	No	247	17.7 %	99.6%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_12 Latest treatment for BARBITURATES (NEMBUTAL SECONAL TUINAL)

Location: 1912-1913(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?
 Barbiturates

QQ23_12: Latest treatment for BARBITURATES (NEMBUTAL SECONAL TUINAL)				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	2	0.1 %	0.8%
2	No	246	17.7 %	99.2%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_13 Latest treatment for BENZODIAZEPINES (VALIUM LIBRIUM)

Location: 1914-1915(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What substances were you treated for?

- Study 02258 -

Benzodiazepines

QQ23_13: Latest treatment for BENZODIAZEPINES (VALIUM LIBRIUM)				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	6	0.4 %	2.4%
2	No	242	17.4 %	97.6%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_14 Latest treatment for AMPHETAMINES (GENERAL)

Location: 1916-1917(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What substances were you treated for?

Amphetamines (general)

QQ23_14: Latest treatment for AMPHETAMINES (GENERAL)				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	3	0.2 %	1.2%
2	No	245	17.6 %	98.8%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_15 Latest treatment for METHAMPHETAMINES

Location: 1918-1919(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What substances were you treated for?

Methamphetamines

QQ23_15: Latest treatment for METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	8	0.6 %	3.2%
2	No	240	17.2 %	96.8%

- Study 02258 -

QQ23_15: Latest treatment for METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_16 Latest treatment for INHALANTS (GLUE GASOLINE PAINT THINNER)

Location: 1920-1921(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Inhalants

QQ23_16: Latest treatment for INHALANTS (GLUE GASOLINE PAINT THINNER)				
Value	Label	Unweighted Frequency	%	Valid %
2	No	248	17.8 %	100.0%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

QQ23_17 Latest treatment for OTHER

Location: 1922-1923(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What substances were you treated for?

Other

QQ23_17: Latest treatment for OTHER				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	7	0.5 %	2.8%
2	No	241	17.3 %	97.2%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 248 valid cases out of 1393 total cases.

- Study 02258 -

QQ24 Live at program latest treatment

Location: 1924-1925(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you live at the program?

If Yes -> Go to Q27

<i>QQ24: Live at program latest treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	139	10.0 %	55.6%
2	No	111	8.0 %	44.4%
-9 (M)	Legitimate Skip	1142	82.0 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 250 valid cases out of 1393 total cases.

QQ25 Average number of days per month attended last program

Location: 1926-1927(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many days did you attend the program, on average, per month?

<i>QQ25: Average number of days per month attended last program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	4.6%
4	-	13	0.9 %	11.9%
5	-	1	0.1 %	0.9%
8	-	16	1.1 %	14.7%
10	-	3	0.2 %	2.8%
12	-	10	0.7 %	9.2%
13	-	1	0.1 %	0.9%
14	-	1	0.1 %	0.9%
15	-	1	0.1 %	0.9%
16	-	6	0.4 %	5.5%
18	-	1	0.1 %	0.9%
20	-	11	0.8 %	10.1%
22	-	2	0.1 %	1.8%
24	-	6	0.4 %	5.5%
26	-	3	0.2 %	2.8%
30	-	23	1.7 %	21.1%
31	-	6	0.4 %	5.5%

- Study 02258 -

QQ25: Average number of days per month attended last program				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	Legitimate Skip	1282	92.0 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 109 valid cases out of 1393 total cases.

QQ26 Number of hours/day attended last program

Location: 1928-1929(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many hours per day did you attend?

QQ26: Number of hours/day attended last program				
Value	Label	Unweighted Frequency	%	Valid %
0	-	11	0.8 %	10.1%
1	-	42	3.0 %	38.5%
2	-	16	1.1 %	14.7%
3	-	21	1.5 %	19.3%
4	-	8	0.6 %	7.3%
5	-	4	0.3 %	3.7%
6	-	2	0.1 %	1.8%
7	-	2	0.1 %	1.8%
8	-	3	0.2 %	2.8%
-9 (M)	Legitimate Skip	1281	92.0 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 109 valid cases out of 1393 total cases.

QQ27 Reason for leaving last treatment

Location: 1930-1931(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Why did you leave that treatment?

QQ27: Reason for leaving last treatment				
Value	Label	Unweighted Frequency	%	Valid %
1	Completed treatment	142	10.2 %	57.0%
2	Discharged because of hospitalization, incarceration, other institutionalization	7	0.5 %	2.8%
3	Transferred to component of same program or another drug treatment program	3	0.2 %	1.2%
5	Involuntarily discharged for noncompliance	16	1.1 %	6.4%

- Study 02258 -

<i>QR1: Number of overnight hospital admissions for physical health</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-1 (M)	Refused	1	0.1 %	-

Based upon 1384 valid cases out of 1393 total cases.

QR2	Number of weeks after leaving program first admitted
------------	---

Location: 1934-1936(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) were you first admitted?

[IF LESS THAN 7 DAYS, ENTER 0]

<i>QR2: Number of weeks after leaving program first admitted</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 296 valid cases out of 1393 total cases.

QR3_1	General code 1st medical disorder first time admitted
--------------	--

Location: 1937-1939(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis? (1st mention)

<i>QR3_1: General code 1st medical disorder first time admitted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	Heart & Circulatory Problems	39	2.8 %	12.4%
20	Respiratory System	32	2.3 %	10.2%
30	Skin Conditions	8	0.6 %	2.5%
40	Bone & Muscle	39	2.8 %	12.4%
50	Digestive System	27	1.9 %	8.6%
60	Glands, Nerves, Genito-Urinary Systems	18	1.3 %	5.7%
70	Hearing, Vision	1	0.1 %	0.3%
80	Trauma & Injury	54	3.9 %	17.1%
90	Women's Health Issues	30	2.2 %	9.5%
100	Infectious Diseases	12	0.9 %	3.8%

- Study 02258 -

<i>QR3_1: General code 1st medical disorder first time admitted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
110	Other Health Problems	55	3.9 %	17.5%
-9 (M)	Legitimate Skip	1078	77.4 %	-

Based upon 315 valid cases out of 1393 total cases.

QR3_10S1

Subcode 1st HEART AND CIRCULATORY SYSTMS

Location: 1940-1941(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Heart and Circulatory problems (1st mention)

<i>QR3_10S1: Subcode 1st HEART AND CIRCULATORY SYSTMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11	Damaged Heart Valves	5	0.4 %	12.8%
12	Tachycardia or Rapid Heart	1	0.1 %	2.6%
13	A Heart Murmur	2	0.1 %	5.1%
14	Any Other Heart Trouble	12	0.9 %	30.8%
15	An Aneurysm	2	0.1 %	5.1%
18	Phlebitis or Blood Clots	5	0.4 %	12.8%
19	Other	12	0.9 %	30.8%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QR3_20S1

Subcode 1st RESPIRATORY SYSTEM

Location: 1942-1943(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Respiratory system (1st mention)

<i>QR3_20S1: Subcode 1st RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
22	Asthma or Allergies	13	0.9 %	40.6%
23	Pneumonia	12	0.9 %	37.5%
26	Tuberculosis	2	0.1 %	6.2%

- Study 02258 -

<i>QR3_20S1: Subcode 1st RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
27	Other	5	0.4 %	15.6%
-9 (M)	Legitimate Skip	1361	97.7 %	-

Based upon 32 valid cases out of 1393 total cases.

QR3_30S1 Subcode 1st SKIN CONDITIONS

Location: 1944-1945(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Skin conditions (1st mention)

<i>QR3_30S1: Subcode 1st SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	A Tumor, Cyst, or Growth of the Skin	5	0.4 %	62.5%
34	Other	3	0.2 %	37.5%
-9 (M)	Legitimate Skip	1385	99.4 %	-

Based upon 8 valid cases out of 1393 total cases.

QR3_40S1 Subcode 1st BONE AND MUSCLE

Location: 1946-1947(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Bone and muscle (1st mention)

<i>QR3_40S1: Subcode 1st BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Arthritis or any Kind of Rheumatism	4	0.3 %	10.3%
43	Sciatica (Nerve Pain in Leg)	1	0.1 %	2.6%
44	A Slipped or Ruptured Disc	3	0.2 %	7.7%
45	Repeated Trouble With Neck, Back, or Spine	4	0.3 %	10.3%
47	Any Disease of the Muscles, Tendons, or Bones	2	0.1 %	5.1%
48	Other	25	1.8 %	64.1%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

- Study 02258 -

QR3_50S1 Subcode 1st DIGESTIVE SYSTEM

Location: 1948-1949(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (1st mention)

<i>QR3_50S1: Subcode 1st DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Gallstones or any Other Gallbladder Trouble	8	0.6 %	29.6%
52	Cirrhosis of the Liver	2	0.1 %	7.4%
54	An Ulcer, Hernia, or Rupture	6	0.4 %	22.2%
55	Frequent Indigestion or any Other Stomach Trouble	5	0.4 %	18.5%
56	Diverticulitis, Colitis, Enteritis	1	0.1 %	3.7%
57	Cancer of the Stomach, Intestines, Colon, or Rectum	2	0.1 %	7.4%
58	Other	3	0.2 %	11.1%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QR3_60S1 Subcode 1st GLANDS NERVES GENITO/URINARY

Location: 1950-1952(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (1st mention)

<i>QR3_60S1: Subcode 1st GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
61	A Goiter or Other Thyroid Trouble	1	0.1 %	5.6%
62	Diabetes	1	0.1 %	5.6%
64	Epilepsy, Repeated Seizures, Convulsions, or Blackouts	2	0.1 %	11.1%
67	Kidney Stones	2	0.1 %	11.1%
68	Repeated Kidney Infections	3	0.2 %	16.7%
162	Other	9	0.6 %	50.0%
-9 (M)	Legitimate Skip	1375	98.7 %	-

Based upon 18 valid cases out of 1393 total cases.

- Study 02258 -

QR3_70S1 Subcode 1st HEARING VISION

Location: 1953-1954(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Hearing and vision (1st mention)

<i>QR3_70S1: Subcode 1st HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
77	Other	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR3_80S1 Subcode 1st TRAUMA AND INJURY

Location: 1955-1956(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Trauma and injury (1st mention)

<i>QR3_80S1: Subcode 1st TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Broken Bone	11	0.8 %	20.4%
82	Cut or Laceration	9	0.6 %	16.7%
83	Gunshot Wound	5	0.4 %	9.3%
84	Head Injury	12	0.9 %	22.2%
85	Muscle or Ligament Damage	5	0.4 %	9.3%
86	Other	12	0.9 %	22.2%
-9 (M)	Legitimate Skip	1339	96.1 %	-

Based upon 54 valid cases out of 1393 total cases.

QR3_90S1 Subcode 1st WOMENS HEALTH ISSUES

Location: 1957-1958(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?

- Study 02258 -

Subcode for Women's health issues (1st mention)

<i>QR3_90S1: Subcode 1st WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
91	Pregnancy and Childbirth	18	1.3 %	60.0%
92	Breast, Uterine, Ovarian, or Other Cancer	2	0.1 %	6.7%
93	Gynecological Problem	7	0.5 %	23.3%
94	Other	3	0.2 %	10.0%
-9 (M)	Legitimate Skip	1363	97.8 %	-

Based upon 30 valid cases out of 1393 total cases.

QR3_100S1 Subcode 1st INFECTIOUS DISEASES

Location: 1959-1961(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Infectious diseases (1st mention)

<i>QR3_100S1: Subcode 1st INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
102	HIV / AIDS	4	0.3 %	33.3%
104	Other	8	0.6 %	66.7%
-9 (M)	Legitimate Skip	1381	99.1 %	-

Based upon 12 valid cases out of 1393 total cases.

QR3_2 General code 2nd medical disorder first time admitted

Location: 1962-1964(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis? (2nd mention)

<i>QR3_2: General code 2nd medical disorder first time admitted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No Other Medical Problems	262	18.8 %	83.2%
10	Heart & Circulatory Problems	2	0.1 %	0.6%
20	Respiratory System	6	0.4 %	1.9%
30	Skin Conditions	4	0.3 %	1.3%
40	Bone & Muscle	5	0.4 %	1.6%
50	Digestive System	4	0.3 %	1.3%
60	Glands, Nerves, Genito-Urinary Systems	4	0.3 %	1.3%

- Study 02258 -

<i>QR3_2: General code 2nd medical disorder first time admitted</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
80	Trauma & Injury	7	0.5 %	2.2%
90	Women's Health Issues	6	0.4 %	1.9%
100	Infectious Diseases	7	0.5 %	2.2%
110	Other Health Problems	8	0.6 %	2.5%
-9 (M)	Legitimate Skip	1078	77.4 %	-

Based upon 315 valid cases out of 1393 total cases.

QR3_10S2 Subcode 2nd HEART AND CIRCULATORY SYSTEMS

Location: 1965-1966(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Heart and Circulatory problems (2nd mention)

<i>QR3_10S2: Subcode 2nd HEART AND CIRCULATORY SYSTEMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
19	Other	2	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QR3_20S2 Subcode 2nd RESPIRATORY SYSTEM

Location: 1967-1968(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Respiratory system (2nd mention)

<i>QR3_20S2: Subcode 2nd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
22	Asthma or Allergies	2	0.1 %	33.3%
23	Pneumonia	3	0.2 %	50.0%
27	Other	1	0.1 %	16.7%
-9 (M)	Legitimate Skip	1387	99.6 %	-

Based upon 6 valid cases out of 1393 total cases.

QR3_30S2 Subcode 2nd SKIN CONDITIONS

- Study 02258 -

Location: 1969-1970(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (2nd mention)

<i>QR3_30S2: Subcode 2nd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	A Tumor, Cyst, or Growth of the Skin	2	0.1 %	50.0%
33	A Skin Ulcer	1	0.1 %	25.0%
34	Other	1	0.1 %	25.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QR3_40S2 Subcode 2nd BONE AND MUSCLE

Location: 1971-1972(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (2nd mention)

<i>QR3_40S2: Subcode 2nd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Arthritis or any Kind of Rheumatism	1	0.1 %	20.0%
44	A Slipped or Ruptured Disc	1	0.1 %	20.0%
47	Any Disease of the Muscles, Tendons, or Bones	1	0.1 %	20.0%
48	Other	2	0.1 %	40.0%
-9 (M)	Legitimate Skip	1388	99.6 %	-

Based upon 5 valid cases out of 1393 total cases.

QR3_50S2 Subcode 2nd DIGESTIVE SYSTEM

Location: 1973-1974(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (2nd mention)

- Study 02258 -

<i>QR3_50S2: Subcode 2nd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
53	Hepatitis, Yellow Jaundice, or any Other Liver Trouble	1	0.1 %	25.0%
54	An Ulcer, Hernia, or Rupture	1	0.1 %	25.0%
55	Frequent Indigestion or any Other Stomach Trouble	2	0.1 %	50.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QR3_60S2 Subcode 2nd GLANDS NERVES GENITO/URINARY

Location: 1975-1977(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (2nd mention)

<i>QR3_60S2: Subcode 2nd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
62	Diabetes	1	0.1 %	25.0%
69	Bladder Trouble	1	0.1 %	25.0%
162	Other	2	0.1 %	50.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QR3_70S2 Subcode 2nd HEARING VISION

Location: 1978-1979(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Hearing and vision (2nd mention)

<i>QR3_70S2: Subcode 2nd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR3_80S2 Subcode 2nd TRAUMA AND INJURY

- Study 02258 -

Location: 1980-1981(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Trauma and injury (2nd mention)

<i>QR3_80S2: Subcode 2nd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Broken Bone	1	0.1 %	14.3%
82	Cut or Laceration	2	0.1 %	28.6%
85	Muscle or Ligament Damage	2	0.1 %	28.6%
86	Other	2	0.1 %	28.6%
-9 (M)	Legitimate Skip	1386	99.5 %	-

Based upon 7 valid cases out of 1393 total cases.

QR3_90S2 Subcode 2nd WOMENS HEALTH ISSUES

Location: 1982-1983(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Women's health issues (2nd mention)

<i>QR3_90S2: Subcode 2nd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
91	Pregnancy and Childbirth	1	0.1 %	16.7%
93	Gynecological Problem	2	0.1 %	33.3%
94	Other	3	0.2 %	50.0%
-9 (M)	Legitimate Skip	1387	99.6 %	-

Based upon 6 valid cases out of 1393 total cases.

QR3_100S2 Subcode 2nd INFECTIOUS DISEASES

Location: 1984-1986(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Infectious diseases (2nd mention)

- Study 02258 -

Location: 1992-1993(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (3rd mention)

<i>QR3_20S3: Subcode 3rd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
27	Other	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR3_30S3 Subcode 3rd SKIN CONDITIONS

Location: 1994-1995(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (3rd mention)

<i>QR3_30S3: Subcode 3rd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR3_40S3 Subcode 3rd BONE AND MUSCLE

Location: 1996-1997(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (3rd mention)

<i>QR3_40S3: Subcode 3rd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
45	Repeated Trouble With Neck, Back, or Spine	1	0.1 %	50.0%
46	Bursitis	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

- Study 02258 -

Based upon 2 valid cases out of 1393 total cases.

QR3_50S3 Subcode 3rd DIGESTIVE SYSTEM

Location: 1998-1999(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (3rd mention)

<i>QR3_50S3: Subcode 3rd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
53	Hepatitis, Yellow Jaundice, or any Other Liver Trouble	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR3_60S3 Subcode 3rd GLANDS NERVES GENITO/URINARY

Location: 2000-2002(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (3rd mention)

<i>QR3_60S3: Subcode 3rd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR3_70S3 Subcode 3rd HEARING VISION

Location: 2003-2004(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Hearing and vision (3rd mention)

- Study 02258 -

<i>QR3_70S3: Subcode 3rd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
77	Other	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR3_80S3 Subcode 3rd TRAUMA AND INJURY

Location: 2005-2006(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Trauma and injury (3rd mention)

<i>QR3_80S3: Subcode 3rd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR3_90S3 Subcode 3rd WOMENS HEALTH ISSUES

Location: 2007-2008(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Women's health issues (3rd mention)

<i>QR3_90S3: Subcode 3rd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
94	Other	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR3_100S3 Subcode 3rd INFECTIOUS DISEASES

Location: 2009-2011(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

- Study 02258 -

Subcode for Infectious diseases (3rd mention)

<i>QR3_100S3: Subcode 3rd INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
102	HIV / AIDS	1	0.1 %	50.0%
104	Other	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QR4

Number days hospitalized

Location: 2012-2013(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many days did you stay?

<i>QR4: Number days hospitalized</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	-	65	4.7 %	20.7%
2	-	36	2.6 %	11.5%
3	-	33	2.4 %	10.5%
4	-	34	2.4 %	10.8%
5	-	26	1.9 %	8.3%
6	-	4	0.3 %	1.3%
7	-	32	2.3 %	10.2%
8	-	5	0.4 %	1.6%
9	-	9	0.6 %	2.9%
10	-	9	0.6 %	2.9%
11	-	3	0.2 %	1.0%
12	-	3	0.2 %	1.0%
13	-	1	0.1 %	0.3%
14	-	16	1.1 %	5.1%
15	-	2	0.1 %	0.6%
16	-	1	0.1 %	0.3%
17	-	1	0.1 %	0.3%
19	-	1	0.1 %	0.3%
21	-	9	0.6 %	2.9%
27	-	1	0.1 %	0.3%
28	-	1	0.1 %	0.3%
30	-	5	0.4 %	1.6%
35	-	1	0.1 %	0.3%
40	-	1	0.1 %	0.3%

- Study 02258 -

<i>QR4: Number days hospitalized</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
42	-	2	0.1 %	0.6%
45	-	5	0.4 %	1.6%
56	-	1	0.1 %	0.3%
60	-	4	0.3 %	1.3%
90	-	2	0.1 %	0.6%
98	-	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1078	77.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 314 valid cases out of 1393 total cases.

QR5 Who paid for treatment

Location: 2014-2015(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who paid for your treatment?

<i>QR5: Who paid for treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Insurance Paid All or Most	124	8.9 %	39.5%
2	Respondent or Family Paid All or Most	22	1.6 %	7.0%
3	Other	20	1.4 %	6.4%
4	Free / Subsidized (Medicaid)	148	10.6 %	47.1%
-9 (M)	Legitimate Skip	1078	77.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 314 valid cases out of 1393 total cases.

QR6 Number weeks ago last in hospital for physical health problem

Location: 2016-2018(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago were you last admitted to a hospital for a physical health problem? [If less than 7 days enter 0]

<i>QR6: Number weeks ago last in hospital for physical health problem</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	17	1.2 %	12.0%
7	-	2	0.1 %	1.4%
8	-	3	0.2 %	2.1%
9	-	1	0.1 %	0.7%
10	-	2	0.1 %	1.4%

- Study 02258 -

<i>QR6: Number weeks ago last in hospital for physical health problem</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12	-	1	0.1 %	0.7%
13	-	1	0.1 %	0.7%
14	-	1	0.1 %	0.7%
17	-	2	0.1 %	1.4%
18	-	1	0.1 %	0.7%
20	-	1	0.1 %	0.7%
21	-	2	0.1 %	1.4%
24	-	2	0.1 %	1.4%
25	-	1	0.1 %	0.7%
26	-	2	0.1 %	1.4%
29	-	1	0.1 %	0.7%
30	-	6	0.4 %	4.2%
52	-	1	0.1 %	0.7%
54	-	1	0.1 %	0.7%
56	-	1	0.1 %	0.7%
60	-	2	0.1 %	1.4%
75	-	1	0.1 %	0.7%
78	-	1	0.1 %	0.7%
82	-	1	0.1 %	0.7%
84	-	1	0.1 %	0.7%
90	-	3	0.2 %	2.1%
104	-	2	0.1 %	1.4%
120	-	7	0.5 %	4.9%
130	-	1	0.1 %	0.7%
132	-	1	0.1 %	0.7%
140	-	1	0.1 %	0.7%
148	-	1	0.1 %	0.7%
150	-	2	0.1 %	1.4%
154	-	1	0.1 %	0.7%
156	-	1	0.1 %	0.7%
164	-	1	0.1 %	0.7%
166	-	1	0.1 %	0.7%
188	-	1	0.1 %	0.7%
200	-	1	0.1 %	0.7%
210	-	2	0.1 %	1.4%
217	-	1	0.1 %	0.7%
219	-	1	0.1 %	0.7%
231	-	1	0.1 %	0.7%
240	-	2	0.1 %	1.4%

- Study 02258 -

<i>QR6: Number weeks ago last in hospital for physical health problem</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
241	-	1	0.1 %	0.7%
246	-	1	0.1 %	0.7%
248	-	1	0.1 %	0.7%
254	-	1	0.1 %	0.7%
255	-	1	0.1 %	0.7%
273	-	1	0.1 %	0.7%
275	-	1	0.1 %	0.7%
280	-	1	0.1 %	0.7%
294	-	1	0.1 %	0.7%
300	-	2	0.1 %	1.4%
306	-	1	0.1 %	0.7%
310	-	1	0.1 %	0.7%
312	-	1	0.1 %	0.7%
315	-	1	0.1 %	0.7%
323	-	1	0.1 %	0.7%
330	-	1	0.1 %	0.7%
350	-	1	0.1 %	0.7%
365	-	7	0.5 %	4.9%
370	-	1	0.1 %	0.7%
380	-	1	0.1 %	0.7%
385	-	1	0.1 %	0.7%
395	-	2	0.1 %	1.4%
400	-	2	0.1 %	1.4%
404	-	1	0.1 %	0.7%
425	-	1	0.1 %	0.7%
436	-	1	0.1 %	0.7%
448	-	1	0.1 %	0.7%
504	-	1	0.1 %	0.7%
535	-	1	0.1 %	0.7%
546	-	2	0.1 %	1.4%
570	-	1	0.1 %	0.7%
582	-	1	0.1 %	0.7%
605	-	1	0.1 %	0.7%
665	-	1	0.1 %	0.7%
690	-	1	0.1 %	0.7%
720	-	1	0.1 %	0.7%
725	-	1	0.1 %	0.7%
790	-	1	0.1 %	0.7%
912	-	1	0.1 %	0.7%

- Study 02258 -

<i>QR7_10S1: Subcode 1st HEART AND CIRCULATORY SYSTM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	Any Other Heart Trouble	4	0.3 %	30.8%
15	An Aneurysm	2	0.1 %	15.4%
19	Other	7	0.5 %	53.8%
-9 (M)	Legitimate Skip	1378	98.9 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 13 valid cases out of 1393 total cases.

QR7_20S1 Subcode 1st RESPIRATORY SYSTEM

Location: 2024-2025(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (1st mention)

<i>QR7_20S1: Subcode 1st RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
22	Asthma or Allergies	8	0.6 %	47.1%
23	Pneumonia	7	0.5 %	41.2%
26	Tuberculosis	1	0.1 %	5.9%
27	Other	1	0.1 %	5.9%
-9 (M)	Legitimate Skip	1376	98.8 %	-

Based upon 17 valid cases out of 1393 total cases.

QR7_30S1 Subcode 1st SKIN CONDITIONS

Location: 2026-2027(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (1st mention)

<i>QR7_30S1: Subcode 1st SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	A Tumor, Cyst, or Growth of the Skin	3	0.2 %	75.0%
33	A Skin Ulcer	1	0.1 %	25.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

- Study 02258 -

Based upon 4 valid cases out of 1393 total cases.

QR7_40S1 Subcode 1st BONE AND MUSCLE

Location: 2028-2029(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (1st mention)

<i>QR7_40S1: Subcode 1st BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Arthritis or any Kind of Rheumatism	3	0.2 %	13.0%
44	A Slipped or Ruptured Disc	3	0.2 %	13.0%
45	Repeated Trouble With Neck, Back, or Spine	7	0.5 %	30.4%
47	Any Disease of the Muscles, Tendons, or Bones	3	0.2 %	13.0%
48	Other	7	0.5 %	30.4%
-9 (M)	Legitimate Skip	1370	98.3 %	-

Based upon 23 valid cases out of 1393 total cases.

QR7_50S1 Subcode 1st DIGESTIVE SYSTEM

Location: 2030-2031(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (1st mention)

<i>QR7_50S1: Subcode 1st DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Gallstones or any Other Gallbladder Trouble	2	0.1 %	14.3%
52	Cirrhosis of the Liver	2	0.1 %	14.3%
53	Hepatitis, Yellow Jaundice, or any Other Liver Trouble	2	0.1 %	14.3%
54	An Ulcer, Hernia, or Rupture	3	0.2 %	21.4%
55	Frequent Indigestion or any Other Stomach Trouble	2	0.1 %	14.3%
56	Diverticulitis, Colitis, Enteritis	1	0.1 %	7.1%
58	Other	2	0.1 %	14.3%
-9 (M)	Legitimate Skip	1379	99.0 %	-

Based upon 14 valid cases out of 1393 total cases.

- Study 02258 -

QR7_60S1 Subcode 1st GLANDS NERVES GENITO/URINARY

Location: 2032-2034(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (1st mention)

<i>QR7_60S1: Subcode 1st GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
62	Diabetes	1	0.1 %	10.0%
64	Epilepsy, Repeated Seizures, Convulsions, or Blackouts	1	0.1 %	10.0%
67	Kidney Stones	2	0.1 %	20.0%
68	Repeated Kidney Infections	3	0.2 %	30.0%
69	Bladder Trouble	1	0.1 %	10.0%
162	Other	2	0.1 %	20.0%
-9 (M)	Legitimate Skip	1383	99.3 %	-

Based upon 10 valid cases out of 1393 total cases.

QR7_70S1 Subcode 1st HEARING VISION

Location: 2035-2036(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Hearing and vision (1st mention)

<i>QR7_70S1: Subcode 1st HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_80S1 Subcode 1st TRAUMA AND INJURY

Location: 2037-2038(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

- Study 02258 -

Subcode for Trauma and injury (1st mention)

<i>QR7_80S1: Subcode 1st TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Broken Bone	4	0.3 %	33.3%
82	Cut or Laceration	2	0.1 %	16.7%
83	Gunshot Wound	1	0.1 %	8.3%
84	Head Injury	4	0.3 %	33.3%
86	Other	1	0.1 %	8.3%
-9 (M)	Legitimate Skip	1381	99.1 %	-

Based upon 12 valid cases out of 1393 total cases.

QR7_90S1 Subcode 1st WOMENS HEALTH ISSUES

Location: 2039-2040(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Women's health issues (1st mention)

<i>QR7_90S1: Subcode 1st WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
91	Pregnancy and Childbirth	7	0.5 %	58.3%
92	Breast, Uterine, Ovarian, or Other Cancer	1	0.1 %	8.3%
93	Gynecological Problem	3	0.2 %	25.0%
94	Other	1	0.1 %	8.3%
-9 (M)	Legitimate Skip	1381	99.1 %	-

Based upon 12 valid cases out of 1393 total cases.

QR7_100S1 Subcode 1st INFECTIOUS DISEASES

Location: 2041-2043(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Infectious diseases (1st mention)

<i>QR7_100S1: Subcode 1st INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
101	Flu	1	0.1 %	25.0%

- Study 02258 -

Based upon 1 valid cases out of 1393 total cases.

QR7_20S2 Subcode 2nd RESPIRATORY SYSTEM

Location: 2049-2050(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (2nd mention)

<i>QR7_20S2: Subcode 2nd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
23	Pneumonia	2	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QR7_30S2 Subcode 2nd SKIN CONDITIONS

Location: 2051-2052(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (2nd mention)

<i>QR7_30S2: Subcode 2nd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
34	Other	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR7_40S2 Subcode 2nd BONE AND MUSCLE

Location: 2053-2054(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (2nd mention)

- Study 02258 -

<i>QR7_40S2: Subcode 2nd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Arthritis or any Kind of Rheumatism	1	0.1 %	33.3%
44	A Slipped or Ruptured Disc	1	0.1 %	33.3%
45	Repeated Trouble With Neck, Back, or Spine	1	0.1 %	33.3%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QR7_50S2 Subcode 2nd DIGESTIVE SYSTEM

Location: 2055-2056(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (2nd mention)

<i>QR7_50S2: Subcode 2nd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
54	An Ulcer, Hernia, or Rupture	1	0.1 %	33.3%
58	Other	2	0.1 %	66.7%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QR7_60S2 Subcode 2nd GLANDS NERVES GENITO/URINARY

Location: 2057-2059(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (2nd mention)

<i>QR7_60S2: Subcode 2nd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_70S2 Subcode 2nd HEARING VISION

Location: 2060-2061(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Hearing and vision (2nd mention)

<i>QR7_70S2: Subcode 2nd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_80S2 Subcode 2nd TRAUMA AND INJURY

Location: 2062-2063(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Trauma and injury (2nd mention)

<i>QR7_80S2: Subcode 2nd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
82	Cut or Laceration	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR7_90S2 Subcode 2nd WOMENS HEALTH ISSUES

Location: 2064-2065(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Women's health issues (2nd mention)

<i>QR7_90S2: Subcode 2nd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
94	Other	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR7_100S2 Subcode 2nd INFECTIOUS DISEASES

Location: 2066-2068(width: 3; decimal: 0)

- Study 02258 -

Location: 2074-2075(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (3rd mention)

<i>QR7_20S3: Subcode 3rd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_30S3 Subcode 3rd SKIN CONDITIONS

Location: 2076-2077(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (3rd mention)

<i>QR7_30S3: Subcode 3rd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_40S3 Subcode 3rd BONE AND MUSCLE

Location: 2078-2079(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (3rd mention)

<i>QR7_40S3: Subcode 3rd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_50S3 Subcode 3rd DIGESTIVE SYSTEM

- Study 02258 -

Location: 2080-2081(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (3rd mention)

<i>QR7_50S3: Subcode 3rd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_60S3 Subcode 3rd GLANDS NERVES GENITO/URINARY

Location: 2082-2084(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (3rd mention)

<i>QR7_60S3: Subcode 3rd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_70S3 Subcode 3rd HEARING VISION

Location: 2085-2086(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Hearing and vision (3rd mention)

<i>QR7_70S3: Subcode 3rd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_80S3 Subcode 3rd TRAUMA AND INJURY

Location: 2087-2088(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Trauma and injury (3rd mention)

<i>QR7_80S3: Subcode 3rd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_90S3 Subcode 3rd WOMENS HEALTH ISSUES

Location: 2089-2090(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Women's health issues (3rd mention)

<i>QR7_90S3: Subcode 3rd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR7_100S3 Subcode 3rd INFECTIOUS DISEASES

Location: 2091-2093(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Infectious diseases (3rd mention)

<i>QR7_100S3: Subcode 3rd INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR8 Number days hospitalized

Location: 2094-2096(width: 3; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many days did you stay?

<i>QR8: Number days hospitalized</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	13	0.9 %	9.0%
1	-	15	1.1 %	10.4%
2	-	14	1.0 %	9.7%
3	-	16	1.1 %	11.1%
4	-	17	1.2 %	11.8%
5	-	12	0.9 %	8.3%
6	-	1	0.1 %	0.7%
7	-	22	1.6 %	15.3%
8	-	1	0.1 %	0.7%
9	-	3	0.2 %	2.1%
10	-	4	0.3 %	2.8%
12	-	1	0.1 %	0.7%
14	-	5	0.4 %	3.5%
19	-	1	0.1 %	0.7%
21	-	5	0.4 %	3.5%
27	-	1	0.1 %	0.7%
28	-	2	0.1 %	1.4%
30	-	2	0.1 %	1.4%
45	-	1	0.1 %	0.7%
52	-	1	0.1 %	0.7%
60	-	1	0.1 %	0.7%
62	-	1	0.1 %	0.7%
72	-	1	0.1 %	0.7%
90	-	1	0.1 %	0.7%
95	-	1	0.1 %	0.7%
120	-	1	0.1 %	0.7%
240	-	1	0.1 %	0.7%
-9 (M)	Legitimate Skip	1247	89.5 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 144 valid cases out of 1393 total cases.

QR9 Who paid for the treatment

Location: 2097-2098(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Who paid for your treatment?

- Study 02258 -

<i>QR9: Who paid for the treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Insurance Paid All or Most	48	3.4 %	33.3%
2	Respondent or Family Paid All or Most	5	0.4 %	3.5%
3	Other	16	1.1 %	11.1%
4	Free / Subsidized (Medicaid)	75	5.4 %	52.1%
-9 (M)	Legitimate Skip	1247	89.5 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 144 valid cases out of 1393 total cases.

QR10 Number of times admitted to hospital for mental health problem

Location: 2099-2100(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since leaving the (NAME OF PROGRAM) how many times have you been admitted to a hospital for a MENTAL health problem?

[IF 0, SKIP TO R19]

<i>QR10: Number of times admitted to hospital for mental health problem</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1284	92.2 %	92.5%
1	-	59	4.2 %	4.3%
2	-	20	1.4 %	1.4%
3	-	12	0.9 %	0.9%
4	-	9	0.6 %	0.6%
5	-	2	0.1 %	0.1%
6	-	2	0.1 %	0.1%
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1388 valid cases out of 1393 total cases.

QR11 Number of weeks after left program first admitted for mental health

Location: 2101-2103(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) were you first admitted?

[IF LESS THAN 7 DAYS, ENTER 0]

- Study 02258 -

<i>QR11: Number of weeks after left program first admitted for mental health</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	3.2%
1	-	2	0.1 %	2.1%
2	-	1	0.1 %	1.1%
4	-	1	0.1 %	1.1%
12	-	2	0.1 %	2.1%
16	-	2	0.1 %	2.1%
26	-	1	0.1 %	1.1%
28	-	1	0.1 %	1.1%
30	-	1	0.1 %	1.1%
36	-	1	0.1 %	1.1%
37	-	1	0.1 %	1.1%
40	-	1	0.1 %	1.1%
47	-	1	0.1 %	1.1%
51	-	1	0.1 %	1.1%
52	-	7	0.5 %	7.4%
68	-	1	0.1 %	1.1%
80	-	1	0.1 %	1.1%
82	-	1	0.1 %	1.1%
86	-	1	0.1 %	1.1%
104	-	2	0.1 %	2.1%
110	-	2	0.1 %	2.1%
112	-	1	0.1 %	1.1%
116	-	1	0.1 %	1.1%
120	-	1	0.1 %	1.1%
122	-	1	0.1 %	1.1%
130	-	2	0.1 %	2.1%
134	-	1	0.1 %	1.1%
135	-	1	0.1 %	1.1%
136	-	2	0.1 %	2.1%
144	-	1	0.1 %	1.1%
146	-	1	0.1 %	1.1%
154	-	1	0.1 %	1.1%
156	-	4	0.3 %	4.2%
164	-	1	0.1 %	1.1%
182	-	4	0.3 %	4.2%
184	-	1	0.1 %	1.1%
200	-	1	0.1 %	1.1%
204	-	1	0.1 %	1.1%
206	-	1	0.1 %	1.1%

- Study 02258 -

<i>QR11: Number of weeks after left program first admitted for mental health</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
208	-	2	0.1 %	2.1%
212	-	2	0.1 %	2.1%
216	-	1	0.1 %	1.1%
223	-	1	0.1 %	1.1%
224	-	1	0.1 %	1.1%
225	-	1	0.1 %	1.1%
234	-	3	0.2 %	3.2%
235	-	1	0.1 %	1.1%
240	-	1	0.1 %	1.1%
243	-	1	0.1 %	1.1%
246	-	3	0.2 %	3.2%
248	-	1	0.1 %	1.1%
260	-	5	0.4 %	5.3%
261	-	2	0.1 %	2.1%
264	-	1	0.1 %	1.1%
266	-	1	0.1 %	1.1%
272	-	1	0.1 %	1.1%
276	-	1	0.1 %	1.1%
284	-	1	0.1 %	1.1%
286	-	1	0.1 %	1.1%
307	-	1	0.1 %	1.1%
317	-	1	0.1 %	1.1%
336	-	1	0.1 %	1.1%
353	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1289	92.5 %	-
-2 (M)	Don't Know	9	0.6 %	-

Based upon 95 valid cases out of 1393 total cases.

QR12_1	Reason/diagnosis 1st mental disorder for first hospitalization
---------------	---

Location: 2104-2105(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason/diagnosis? (1st mention)

<i>QR12_1: Reason/diagnosis 1st mental disorder for first hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	Schizophrenia or Other Psychotic Disorders	7	0.5 %	7.2%
4	Mood Disorders (Bipolar, Depression)	68	4.9 %	70.1%
5	Anxiety Disorders (Panic, Phobias, PTSD)	9	0.6 %	9.3%

- Study 02258 -

<i>QR12_1: Reason/diagnosis 1st mental disorder for first hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
9	Personality Disorders (Paranoid, Schizoid, Narcissistic)	1	0.1 %	1.0%
10	Other Psychological Problems	12	0.9 %	12.4%
-9 (M)	Legitimate Skip	1289	92.5 %	-
-2 (M)	Don't Know	5	0.4 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 97 valid cases out of 1393 total cases.

QR12_2

Reason/diagnosis 2nd mental disorder for first hospitalization

Location: 2106-2107(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason/diagnosis? (2nd mention)

<i>QR12_2: Reason/diagnosis 2nd mental disorder for first hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Attention Deficit Hyperactivity Disorder	2	0.1 %	2.0%
2	Eating Disorder (Anorexia, Bulimia)	1	0.1 %	1.0%
3	Schizophrenia or Other Psychotic Disorders	1	0.1 %	1.0%
4	Mood Disorders (Bipolar, Depression)	9	0.6 %	8.9%
5	Anxiety Disorders (Panic, Phobias, PTSD)	11	0.8 %	10.9%
10	Other Psychological Problems	3	0.2 %	3.0%
11	No Other Psychological Problems	74	5.3 %	73.3%
-9 (M)	Legitimate Skip	1289	92.5 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 101 valid cases out of 1393 total cases.

QR12_3

Reason/diagnosis 3rd mental disorder for first hospitalization

Location: 2108-2109(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason/diagnosis? (3rd mention)

<i>QR12_3: Reason/diagnosis 3rd mental disorder for first hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Eating Disorder (Anorexia, Bulimia)	1	0.1 %	3.7%
4	Mood Disorders (Bipolar, Depression)	11	0.8 %	40.7%
5	Anxiety Disorders (Panic, Phobias, PTSD)	3	0.2 %	11.1%
8	Sleep Disorders	1	0.1 %	3.7%

- Study 02258 -

<i>QR12_3: Reason/diagnosis 3rd mental disorder for first hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
9	Personality Disorders (Paranoid, Schizoid, Narcissistic)	1	0.1 %	3.7%
10	Other Psychological Problems	2	0.1 %	7.4%
11	No Other Psychological Problems	8	0.6 %	29.6%
-9 (M)	Legitimate Skip	1363	97.8 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QR13 Number of days first hospitalized for mental disorder

Location: 2110-2112(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many days did you stay?

<i>QR13: Number of days first hospitalized for mental disorder</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	1.0%
1	-	3	0.2 %	2.9%
2	-	3	0.2 %	2.9%
3	-	3	0.2 %	2.9%
4	-	6	0.4 %	5.8%
5	-	10	0.7 %	9.7%
7	-	18	1.3 %	17.5%
8	-	3	0.2 %	2.9%
9	-	2	0.1 %	1.9%
10	-	9	0.6 %	8.7%
12	-	1	0.1 %	1.0%
13	-	1	0.1 %	1.0%
14	-	24	1.7 %	23.3%
15	-	1	0.1 %	1.0%
21	-	7	0.5 %	6.8%
24	-	1	0.1 %	1.0%
30	-	4	0.3 %	3.9%
45	-	1	0.1 %	1.0%
60	-	1	0.1 %	1.0%
90	-	2	0.1 %	1.9%
94	-	1	0.1 %	1.0%
180	-	1	0.1 %	1.0%

- Study 02258 -

<i>QR13: Number of days first hospitalized for mental disorder</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1289	92.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 103 valid cases out of 1393 total cases.

QR14 Who paid for the treatment for mental disorder first hospitalization

Location: 2113-2114(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Who paid for your treatment?

[If Respondent has only been admitted once, Go to R19]

<i>QR14: Who paid for the treatment for mental disorder first hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Insurance Paid All or Most	27	1.9 %	26.0%
2	Respondent or Family Paid All or Most	5	0.4 %	4.8%
3	Other	14	1.0 %	13.5%
4	Free / Subsidized (Medicaid)	58	4.2 %	55.8%
-9 (M)	Legitimate Skip	1289	92.5 %	-

Based upon 104 valid cases out of 1393 total cases.

QR15 Number of weeks ago last hospitalized for mental health

Location: 2115-2117(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago were you last admitted to a hospital for a mental health problem? [If less than 7 days enter 0]

<i>QR15: Number of weeks ago last hospitalized for mental health</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	2	0.1 %	4.7%
3	-	1	0.1 %	2.3%
4	-	3	0.2 %	7.0%
6	-	1	0.1 %	2.3%
8	-	2	0.1 %	4.7%
16	-	2	0.1 %	4.7%
18	-	1	0.1 %	2.3%
20	-	2	0.1 %	4.7%
23	-	1	0.1 %	2.3%

- Study 02258 -

<i>QR15: Number of weeks ago last hospitalized for mental health</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
26	-	2	0.1 %	4.7%
27	-	1	0.1 %	2.3%
38	-	1	0.1 %	2.3%
40	-	2	0.1 %	4.7%
52	-	1	0.1 %	2.3%
53	-	1	0.1 %	2.3%
56	-	2	0.1 %	4.7%
60	-	1	0.1 %	2.3%
62	-	1	0.1 %	2.3%
68	-	1	0.1 %	2.3%
78	-	1	0.1 %	2.3%
84	-	1	0.1 %	2.3%
86	-	1	0.1 %	2.3%
88	-	1	0.1 %	2.3%
102	-	1	0.1 %	2.3%
122	-	1	0.1 %	2.3%
130	-	1	0.1 %	2.3%
173	-	1	0.1 %	2.3%
200	-	1	0.1 %	2.3%
224	-	1	0.1 %	2.3%
226	-	1	0.1 %	2.3%
238	-	1	0.1 %	2.3%
250	-	1	0.1 %	2.3%
260	-	1	0.1 %	2.3%
826	-	1	0.1 %	2.3%
-9 (M)	Legitimate Skip	1348	96.8 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 43 valid cases out of 1393 total cases.

QR16_1 Reason/diagnosis 1st mental disorder last hospitalization

Location: 2118-2119(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason/diagnosis?

<i>QR16_1: Reason/diagnosis 1st mental disorder last hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	Schizophrenia or Other Psychotic Disorders	5	0.4 %	11.6%
4	Mood Disorders (Bipolar, Depression)	31	2.2 %	72.1%

- Study 02258 -

<i>QR16_1: Reason/diagnosis 1st mental disorder last hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	Anxiety Disorders (Panic, Phobias, PTSD)	3	0.2 %	7.0%
10	Other Psychological Problems	4	0.3 %	9.3%
-9 (M)	Legitimate Skip	1348	96.8 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 43 valid cases out of 1393 total cases.

QR16_2 Reason/diagnosis 2nd mental disorder last hospitalization

Location: 2120-2121(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason/diagnosis? (2nd mention)

<i>QR16_2: Reason/diagnosis 2nd mental disorder last hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Attention Deficit Hyperactivity Disorder	1	0.1 %	2.3%
2	Eating Disorder (Anorexia, Bulimia)	2	0.1 %	4.5%
3	Schizophrenia or Other Psychotic Disorders	1	0.1 %	2.3%
4	Mood Disorders (Bipolar, Depression)	3	0.2 %	6.8%
5	Anxiety Disorders (Panic, Phobias, PTSD)	5	0.4 %	11.4%
10	Other Psychological Problems	2	0.1 %	4.5%
11	No Other Psychological Problems	30	2.2 %	68.2%
-9 (M)	Legitimate Skip	1348	96.8 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 44 valid cases out of 1393 total cases.

QR16_3 Reason/diagnosis 3rd mental disorder last hospitalization

Location: 2122-2123(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason/diagnosis? (3rd mention)

<i>QR16_3: Reason/diagnosis 3rd mental disorder last hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Eating Disorder (Anorexia, Bulimia)	2	0.1 %	15.4%
3	Schizophrenia or Other Psychotic Disorders	1	0.1 %	7.7%
4	Mood Disorders (Bipolar, Depression)	3	0.2 %	23.1%
5	Anxiety Disorders (Panic, Phobias, PTSD)	3	0.2 %	23.1%
8	Sleep Disorders	1	0.1 %	7.7%

- Study 02258 -

<i>QR16_3: Reason/diagnosis 3rd mental disorder last hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11	No Other Psychological Problems	3	0.2 %	23.1%
-9 (M)	Legitimate Skip	1378	98.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 13 valid cases out of 1393 total cases.

QR17 Number of days last hospitalized for mental disorder

Location: 2124-2126(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many days did you stay?

<i>QR17: Number of days last hospitalized for mental disorder</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	6.7%
1	-	2	0.1 %	4.4%
3	-	3	0.2 %	6.7%
4	-	2	0.1 %	4.4%
5	-	6	0.4 %	13.3%
7	-	5	0.4 %	11.1%
8	-	1	0.1 %	2.2%
9	-	3	0.2 %	6.7%
10	-	4	0.3 %	8.9%
11	-	1	0.1 %	2.2%
12	-	2	0.1 %	4.4%
13	-	1	0.1 %	2.2%
14	-	4	0.3 %	8.9%
21	-	2	0.1 %	4.4%
30	-	2	0.1 %	4.4%
90	-	1	0.1 %	2.2%
98	-	1	0.1 %	2.2%
266	-	1	0.1 %	2.2%
300	-	1	0.1 %	2.2%
-9 (M)	Legitimate Skip	1348	96.8 %	-

Based upon 45 valid cases out of 1393 total cases.

QR18 Who paid for the treatment for mental disorder last hospitalization

Location: 2127-2128(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Who paid for your treatment?

QR18: Who paid for the treatment for mental disorder last hospitalization

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Insurance Paid All or Most	8	0.6 %	17.8%
2	Respondent or Family Paid All or Most	1	0.1 %	2.2%
3	Other	4	0.3 %	8.9%
4	Free / Subsidized (Medicaid)	32	2.3 %	71.1%
-9 (M)	Legitimate Skip	1348	96.8 %	-

Based upon 45 valid cases out of 1393 total cases.

QR19 Number times received outpatient care for mental health

Location: 2129-2130(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since leaving (NAME OF PROGRAM) how many times have you received treatment or had visits as on OUTPATIENT for a MENTAL health problem from a clinic, mental health program, or a doctor?

If 0 -> Go to R30

QR19: Number times received outpatient care for mental health

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1189	85.4 %	86.2%
1	-	23	1.7 %	1.7%
2	-	17	1.2 %	1.2%
3	-	15	1.1 %	1.1%
4	-	13	0.9 %	0.9%
5	-	4	0.3 %	0.3%
6	-	4	0.3 %	0.3%
7	-	1	0.1 %	0.1%
8	-	3	0.2 %	0.2%
9	-	1	0.1 %	0.1%
10	-	7	0.5 %	0.5%
12	-	3	0.2 %	0.2%
13	-	1	0.1 %	0.1%
14	-	1	0.1 %	0.1%
15	-	3	0.2 %	0.2%
16	-	3	0.2 %	0.2%
18	-	1	0.1 %	0.1%

- Study 02258 -

<i>QR19: Number times received outpatient care for mental health</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
19	-	1	0.1 %	0.1%
20	-	7	0.5 %	0.5%
21	-	1	0.1 %	0.1%
23	-	1	0.1 %	0.1%
24	-	9	0.6 %	0.7%
25	-	2	0.1 %	0.1%
26	-	2	0.1 %	0.1%
30	-	1	0.1 %	0.1%
33	-	1	0.1 %	0.1%
36	-	4	0.3 %	0.3%
39	-	1	0.1 %	0.1%
40	-	1	0.1 %	0.1%
41	-	1	0.1 %	0.1%
42	-	1	0.1 %	0.1%
45	-	2	0.1 %	0.1%
48	-	6	0.4 %	0.4%
50	-	5	0.4 %	0.4%
52	-	4	0.3 %	0.3%
54	-	1	0.1 %	0.1%
55	-	2	0.1 %	0.1%
56	-	1	0.1 %	0.1%
57	-	1	0.1 %	0.1%
60	-	6	0.4 %	0.4%
70	-	1	0.1 %	0.1%
71	-	2	0.1 %	0.1%
78	-	2	0.1 %	0.1%
80	-	1	0.1 %	0.1%
90	-	1	0.1 %	0.1%
99	-	22	1.6 %	1.6%
-2 (M)	Don't Know	13	0.9 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1379 valid cases out of 1393 total cases.

QR20

Number of weeks after leaving program first received outpatient care

Location: 2131-2133(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How long after leaving (NAME OF PROGRAM) did you first get outpatient treatment?

- Study 02258 -

[IF LESS THAN 7 DAYS, ENTER 0]

<i>QR20: Number of weeks after leaving program first received outpatient care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	40	2.9 %	22.0%
1	-	5	0.4 %	2.7%
2	-	3	0.2 %	1.6%
3	-	1	0.1 %	0.5%
4	-	12	0.9 %	6.6%
8	-	5	0.4 %	2.7%
12	-	2	0.1 %	1.1%
16	-	1	0.1 %	0.5%
20	-	1	0.1 %	0.5%
24	-	1	0.1 %	0.5%
26	-	1	0.1 %	0.5%
28	-	1	0.1 %	0.5%
30	-	1	0.1 %	0.5%
39	-	1	0.1 %	0.5%
40	-	1	0.1 %	0.5%
44	-	2	0.1 %	1.1%
48	-	2	0.1 %	1.1%
50	-	1	0.1 %	0.5%
52	-	10	0.7 %	5.5%
56	-	1	0.1 %	0.5%
62	-	1	0.1 %	0.5%
64	-	1	0.1 %	0.5%
73	-	1	0.1 %	0.5%
78	-	3	0.2 %	1.6%
85	-	1	0.1 %	0.5%
92	-	1	0.1 %	0.5%
100	-	3	0.2 %	1.6%
104	-	7	0.5 %	3.8%
108	-	3	0.2 %	1.6%
120	-	2	0.1 %	1.1%
130	-	2	0.1 %	1.1%
135	-	1	0.1 %	0.5%
144	-	4	0.3 %	2.2%
145	-	1	0.1 %	0.5%
146	-	2	0.1 %	1.1%
147	-	1	0.1 %	0.5%
152	-	2	0.1 %	1.1%

- Study 02258 -

<i>QR20: Number of weeks after leaving program first received outpatient care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
155	-	1	0.1 %	0.5%
156	-	6	0.4 %	3.3%
160	-	1	0.1 %	0.5%
168	-	1	0.1 %	0.5%
188	-	1	0.1 %	0.5%
192	-	1	0.1 %	0.5%
193	-	1	0.1 %	0.5%
194	-	1	0.1 %	0.5%
195	-	1	0.1 %	0.5%
196	-	1	0.1 %	0.5%
204	-	1	0.1 %	0.5%
208	-	3	0.2 %	1.6%
216	-	1	0.1 %	0.5%
220	-	1	0.1 %	0.5%
224	-	1	0.1 %	0.5%
228	-	2	0.1 %	1.1%
230	-	2	0.1 %	1.1%
238	-	1	0.1 %	0.5%
240	-	1	0.1 %	0.5%
242	-	1	0.1 %	0.5%
243	-	1	0.1 %	0.5%
244	-	1	0.1 %	0.5%
247	-	1	0.1 %	0.5%
257	-	1	0.1 %	0.5%
260	-	6	0.4 %	3.3%
263	-	1	0.1 %	0.5%
264	-	1	0.1 %	0.5%
268	-	1	0.1 %	0.5%
274	-	1	0.1 %	0.5%
280	-	1	0.1 %	0.5%
282	-	1	0.1 %	0.5%
286	-	2	0.1 %	1.1%
297	-	1	0.1 %	0.5%
306	-	1	0.1 %	0.5%
308	-	1	0.1 %	0.5%
310	-	1	0.1 %	0.5%
319	-	1	0.1 %	0.5%
321	-	1	0.1 %	0.5%
408	-	1	0.1 %	0.5%

- Study 02258 -

<i>QR20: Number of weeks after leaving program first received outpatient care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1203	86.4 %	-
-2 (M)	Don't Know	8	0.6 %	-

Based upon 182 valid cases out of 1393 total cases.

QR21_1 Reason/diagnosis 1st mental disorder first outpatient mental health care

Location: 2134-2135(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason/diagnosis? (1st mention)

<i>QR21_1: Reason/diagnosis 1st mental disorder first outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Attention Deficit Hyperactivity Disorder	4	0.3 %	2.2%
3	Schizophrenia or Other Psychotic Disorders	15	1.1 %	8.1%
4	Mood Disorders (Bipolar, Depression)	116	8.3 %	62.7%
5	Anxiety Disorders (Panic, Phobias, PTSD)	15	1.1 %	8.1%
7	Sexual Disorders	3	0.2 %	1.6%
8	Sleep Disorders	1	0.1 %	0.5%
9	Personality Disorders (Paranoid, Schizoid, Narcissistic)	2	0.1 %	1.1%
10	Other Psychological Problems	29	2.1 %	15.7%
-9 (M)	Legitimate Skip	1203	86.4 %	-
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 185 valid cases out of 1393 total cases.

QR21_2 Reason/diagnosis 2nd mental disorder first outpatient mental health care

Location: 2136-2137(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason/diagnosis? (2nd mention)

<i>QR21_2: Reason/diagnosis 2nd mental disorder first outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Attention Deficit Hyperactivity Disorder	4	0.3 %	2.1%
3	Schizophrenia or Other Psychotic Disorders	2	0.1 %	1.1%
4	Mood Disorders (Bipolar, Depression)	17	1.2 %	9.1%
5	Anxiety Disorders (Panic, Phobias, PTSD)	13	0.9 %	7.0%
8	Sleep Disorders	3	0.2 %	1.6%
10	Other Psychological Problems	5	0.4 %	2.7%

- Study 02258 -

<i>QR21_2: Reason/diagnosis 2nd mental disorder first outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11	No Other Psychological Problems	143	10.3 %	76.5%
-9 (M)	Legitimate Skip	1203	86.4 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 187 valid cases out of 1393 total cases.

QR21_3 Reason/diagnosis 3rd mental disorder first outpatient mental health care

Location: 2138-2139(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason/diagnosis? (3rd mention)

<i>QR21_3: Reason/diagnosis 3rd mental disorder first outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Attention Deficit Hyperactivity Disorder	3	0.2 %	6.7%
3	Schizophrenia or Other Psychotic Disorders	1	0.1 %	2.2%
4	Mood Disorders (Bipolar, Depression)	2	0.1 %	4.4%
5	Anxiety Disorders (Panic, Phobias, PTSD)	8	0.6 %	17.8%
8	Sleep Disorders	2	0.1 %	4.4%
10	Other Psychological Problems	3	0.2 %	6.7%
11	No Other Psychological Problems	26	1.9 %	57.8%
-9 (M)	Legitimate Skip	1346	96.6 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 45 valid cases out of 1393 total cases.

QR22 Number of weeks received first outpatient mental health care

Location: 2140-2142(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: For how many weeks did you receive treatment?

[IF LESS THAN 7 DAYS, ENTER 0]

<i>QR22: Number of weeks received first outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	30	2.2 %	16.1%
1	-	4	0.3 %	2.2%
2	-	8	0.6 %	4.3%
3	-	5	0.4 %	2.7%

- Study 02258 -

<i>QR22: Number of weeks received first outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	-	11	0.8 %	5.9%
5	-	2	0.1 %	1.1%
6	-	6	0.4 %	3.2%
8	-	7	0.5 %	3.8%
9	-	1	0.1 %	0.5%
10	-	3	0.2 %	1.6%
12	-	5	0.4 %	2.7%
13	-	1	0.1 %	0.5%
15	-	1	0.1 %	0.5%
16	-	7	0.5 %	3.8%
20	-	3	0.2 %	1.6%
22	-	1	0.1 %	0.5%
24	-	3	0.2 %	1.6%
25	-	1	0.1 %	0.5%
26	-	2	0.1 %	1.1%
30	-	1	0.1 %	0.5%
36	-	1	0.1 %	0.5%
39	-	1	0.1 %	0.5%
40	-	1	0.1 %	0.5%
48	-	2	0.1 %	1.1%
50	-	1	0.1 %	0.5%
52	-	11	0.8 %	5.9%
60	-	1	0.1 %	0.5%
72	-	1	0.1 %	0.5%
78	-	3	0.2 %	1.6%
86	-	1	0.1 %	0.5%
104	-	4	0.3 %	2.2%
117	-	1	0.1 %	0.5%
124	-	1	0.1 %	0.5%
130	-	2	0.1 %	1.1%
140	-	1	0.1 %	0.5%
146	-	1	0.1 %	0.5%
151	-	1	0.1 %	0.5%
156	-	1	0.1 %	0.5%
164	-	1	0.1 %	0.5%
182	-	2	0.1 %	1.1%
198	-	1	0.1 %	0.5%
204	-	1	0.1 %	0.5%
208	-	6	0.4 %	3.2%

- Study 02258 -

<i>QR22: Number of weeks received first outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
217	-	1	0.1 %	0.5%
226	-	2	0.1 %	1.1%
234	-	2	0.1 %	1.1%
240	-	1	0.1 %	0.5%
250	-	1	0.1 %	0.5%
257	-	1	0.1 %	0.5%
260	-	5	0.4 %	2.7%
264	-	1	0.1 %	0.5%
270	-	1	0.1 %	0.5%
278	-	1	0.1 %	0.5%
283	-	1	0.1 %	0.5%
286	-	3	0.2 %	1.6%
291	-	1	0.1 %	0.5%
300	-	2	0.1 %	1.1%
303	-	1	0.1 %	0.5%
305	-	2	0.1 %	1.1%
312	-	5	0.4 %	2.7%
317	-	1	0.1 %	0.5%
324	-	1	0.1 %	0.5%
334	-	1	0.1 %	0.5%
338	-	2	0.1 %	1.1%
350	-	1	0.1 %	0.5%
351	-	1	0.1 %	0.5%
-9 (M)	Legitimate Skip	1203	86.4 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 186 valid cases out of 1393 total cases.

QR23 Who paid for the treatment in first outpatient mental health care

Location: 2143-2144(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who paid for your treatment?

<i>QR23: Who paid for the treatment in first outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Insurance Paid All or Most	50	3.6 %	26.5%
2	Respondent or Family Paid All or Most	11	0.8 %	5.8%
3	Other	15	1.1 %	7.9%
4	Free / Subsidized (Medicaid)	113	8.1 %	59.8%

- Study 02258 -

<i>QR23: Who paid for the treatment in first outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1203	86.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 189 valid cases out of 1393 total cases.

QR24 In continuous outpatient mental health treatment

Location: 2145-2146(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Have you been in outpatient mental health treatment continuously since that time?

If Yes -> Go to R30

<i>QR24: In continuous outpatient mental health treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	94	6.7 %	49.5%
2	No	96	6.9 %	50.5%
-9 (M)	Legitimate Skip	1203	86.4 %	-

Based upon 190 valid cases out of 1393 total cases.

QR25 Any other outpatient mental health treatment received

Location: 2147-2148(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

After that first outpatient treatment ended, did you get any other outpatient treatment for a mental health problem?

If No -> Go to R30

<i>QR25: Any other outpatient mental health treatment received</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	28	2.0 %	29.2%
2	No	68	4.9 %	70.8%
-9 (M)	Legitimate Skip	1297	93.1 %	-

Based upon 96 valid cases out of 1393 total cases.

QR26 Number of weeks since last outpatient mental health treatment

Location: 2149-2151(width: 3; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many weeks ago did you last receive treatment as an outpatient for a mental health problem?

[IF LESS THAN 7 DAYS, ENTER 0]

<i>QR26: Number of weeks since last outpatient mental health treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	2	0.1 %	7.1%
2	-	2	0.1 %	7.1%
3	-	1	0.1 %	3.6%
8	-	2	0.1 %	7.1%
10	-	1	0.1 %	3.6%
12	-	1	0.1 %	3.6%
21	-	1	0.1 %	3.6%
23	-	1	0.1 %	3.6%
26	-	3	0.2 %	10.7%
35	-	1	0.1 %	3.6%
52	-	1	0.1 %	3.6%
56	-	1	0.1 %	3.6%
60	-	2	0.1 %	7.1%
80	-	1	0.1 %	3.6%
95	-	1	0.1 %	3.6%
122	-	1	0.1 %	3.6%
142	-	1	0.1 %	3.6%
156	-	1	0.1 %	3.6%
164	-	2	0.1 %	7.1%
175	-	1	0.1 %	3.6%
200	-	1	0.1 %	3.6%
-9 (M)	Legitimate Skip	1365	98.0 %	-

Based upon 28 valid cases out of 1393 total cases.

QR27_1 Reason/diagnosis 1st mental disorder last outpatient mental health care

Location: 2152-2153(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis? 1st mention

<i>QR27_1: Reason/diagnosis 1st mental disorder last outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	Mood Disorders (Bipolar, Depression)	21	1.5 %	75.0%

- Study 02258 -

<i>QR27_1: Reason/diagnosis 1st mental disorder last outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	Other Psychological Problems	7	0.5 %	25.0%
-9 (M)	Legitimate Skip	1365	98.0 %	-

Based upon 28 valid cases out of 1393 total cases.

QR27_2 Reason/diagnosis 2nd mental disorder last outpatient mental health care

Location: 2154-2155(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis? 2nd mention

<i>QR27_2: Reason/diagnosis 2nd mental disorder last outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Attention Deficit Hyperactivity Disorder	1	0.1 %	3.6%
2	Eating Disorder (Anorexia, Bulimia)	1	0.1 %	3.6%
4	Mood Disorders (Bipolar, Depression)	2	0.1 %	7.1%
5	Anxiety Disorders (Panic, Phobias, PTSD)	3	0.2 %	10.7%
9	Personality Disorders (Paranoid, Shizoid, Narcissist)	1	0.1 %	3.6%
11	No other Psychological Problems	20	1.4 %	71.4%
-9 (M)	Legitimate Skip	1365	98.0 %	-

Based upon 28 valid cases out of 1393 total cases.

QR27_3 Reason/diagnosis 3rd mental disorder last outpatient mental health care

Location: 2156-2157(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis? 3rd mention

<i>QR27_3: Reason/diagnosis 3rd mental disorder last outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Eating Disorder (Anorexia, Bulimia)	1	0.1 %	12.5%
4	Mood Disorders (Bipolar, Depression)	1	0.1 %	12.5%
5	Anxiety Disorders (Panic, Phobias, PTSD)	1	0.1 %	12.5%
8	Sleep Disorders	1	0.1 %	12.5%
9	Personality Disorders (Paranoid, Schizoid, Narcissist)	1	0.1 %	12.5%
11	No Other Psychological Problems	3	0.2 %	37.5%
-9 (M)	Legitimate Skip	1385	99.4 %	-

Based upon 8 valid cases out of 1393 total cases.

- Study 02258 -

QR28 Number of weeks in last outpatient mental health care

Location: 2158-2160(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: For how many weeks did you receive treatment?

<i>QR28: Number of weeks in last outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	11.5%
2	-	3	0.2 %	11.5%
3	-	1	0.1 %	3.8%
4	-	4	0.3 %	15.4%
5	-	1	0.1 %	3.8%
6	-	1	0.1 %	3.8%
8	-	4	0.3 %	15.4%
10	-	1	0.1 %	3.8%
12	-	2	0.1 %	7.7%
26	-	2	0.1 %	7.7%
30	-	1	0.1 %	3.8%
52	-	2	0.1 %	7.7%
100	-	1	0.1 %	3.8%
-9 (M)	Legitimate Skip	1365	98.0 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 26 valid cases out of 1393 total cases.

QR29 Who paid for the treatment in last outpatient mental health care

Location: 2161-2162(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who paid for your treatment?

<i>QR29: Who paid for the treatment in last outpatient mental health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Insurance Paid All or Most	8	0.6 %	28.6%
2	Respondent or Family Paid All or Most	2	0.1 %	7.1%
4	Free / Subsidized (Medicaid)	18	1.3 %	64.3%
-9 (M)	Legitimate Skip	1365	98.0 %	-

Based upon 28 valid cases out of 1393 total cases.

QR30 Number of times received emergency treatment / no hospitalization

Location: 2163-2164(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since leaving (NAME OF PROGRAM) how many times have you received treatment or had visits to an emergency room at a hospital that did not lead to a hospitalization?

If Zero -> Go To R36

<i>QR30: Number of times received emergency treatment / no hospitalization</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	972	69.8 %	70.5%
1	-	176	12.6 %	12.8%
2	-	97	7.0 %	7.0%
3	-	37	2.7 %	2.7%
4	-	32	2.3 %	2.3%
5	-	12	0.9 %	0.9%
6	-	11	0.8 %	0.8%
7	-	7	0.5 %	0.5%
8	-	2	0.1 %	0.1%
10	-	13	0.9 %	0.9%
12	-	4	0.3 %	0.3%
14	-	1	0.1 %	0.1%
15	-	2	0.1 %	0.1%
20	-	6	0.4 %	0.4%
21	-	1	0.1 %	0.1%
25	-	1	0.1 %	0.1%
50	-	2	0.1 %	0.1%
70	-	1	0.1 %	0.1%
99	-	1	0.1 %	0.1%
-2 (M)	Don't Know	14	1.0 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1378 valid cases out of 1393 total cases.

QR31

Number of weeks after leaving program first receive emergency treatment

Location: 2165-2167(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How long after leaving (NAME OF PROGRAM) did you first visit the emergency room at a hospital?

[IF LESS THAN 7 DAYS, ENTER 0]

- Study 02258 -

<i>QR32_10S1: Subcode 1st HEART AND CIRCULATORY SYSTEMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
11	Damaged Heart Valves	4	0.3 %	18.2%
12	Tachycardia or Rapid Heart	3	0.2 %	13.6%
14	Any Other Heart Trouble	6	0.4 %	27.3%
19	Other	9	0.6 %	40.9%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	6	0.4 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 22 valid cases out of 1393 total cases.

QR32_20S1 Subcode 1st RESPIRATORY SYSTEM

Location: 2173-2174(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (1st mention)

<i>QR32_20S1: Subcode 1st RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Bronchitis	5	0.4 %	13.5%
22	Asthma or Allergies	11	0.8 %	29.7%
23	Pneumonia	7	0.5 %	18.9%
25	Emphysema	1	0.1 %	2.7%
26	Tuberculosis	2	0.1 %	5.4%
27	Other	11	0.8 %	29.7%
-9 (M)	Legitimate Skip	1356	97.3 %	-

Based upon 37 valid cases out of 1393 total cases.

QR32_30S1 Subcode 1st SKIN CONDITIONS

Location: 2175-2176(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (1st mention)

- Study 02258 -

<i>QR32_30S1: Subcode 1st SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	A Tumor, Cyst, or Growth of the Skin	4	0.3 %	33.3%
33	A Skin Ulcer	1	0.1 %	8.3%
34	Other	7	0.5 %	58.3%
-9 (M)	Legitimate Skip	1381	99.1 %	-

Based upon 12 valid cases out of 1393 total cases.

QR32_40S1 Subcode 1st BONE AND MUSCLE

Location: 2177-2178(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Bone and muscle (1st mention)

<i>QR32_40S1: Subcode 1st BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Arthritis or any Kind of Rheumatism	5	0.4 %	6.9%
43	Sciatica (Nerve Pain in Leg)	2	0.1 %	2.8%
44	A Slipped or Ruptured Disc	1	0.1 %	1.4%
45	Repeated Trouble With Neck, Back, or Spine	14	1.0 %	19.4%
46	Bursitis	1	0.1 %	1.4%
47	Any Disease of the Muscles, Tendons, or Bones	8	0.6 %	11.1%
48	Other	41	2.9 %	56.9%
-9 (M)	Legitimate Skip	1320	94.8 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 72 valid cases out of 1393 total cases.

QR32_50S1 Subcode 1st DIGESTIVE SYSTEM

Location: 2179-2180(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Digestive system (1st mention)

- Study 02258 -

<i>QR32_50S1: Subcode 1st DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Gallstones or any Other Gallbladder Trouble	2	0.1 %	5.7%
52	Cirrhosis of the Liver	1	0.1 %	2.9%
53	Hepatitis, Yellow Jaundice, or any Other Liver Trouble	1	0.1 %	2.9%
54	An Ulcer, Hernia, or Rupture	4	0.3 %	11.4%
55	Frequent Indigestion or any Other Stomach Trouble	14	1.0 %	40.0%
56	Diverticulitis, Colitis, Enteritis	2	0.1 %	5.7%
57	Cancer of the Stomach, Intestines, Colon, or Rectum	1	0.1 %	2.9%
58	Other	10	0.7 %	28.6%
-9 (M)	Legitimate Skip	1358	97.5 %	-

Based upon 35 valid cases out of 1393 total cases.

QR32_60S1 Subcode 1st GLANDS NERVES GENITO/URINARY

Location: 2181-2183(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (1st mention)

<i>QR32_60S1: Subcode 1st GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
62	Diabetes	3	0.2 %	16.7%
64	Epilepsy, Repeated Seizures, Convulsions, or Blackouts	1	0.1 %	5.6%
66	Migraine or Frequent Headaches	1	0.1 %	5.6%
67	Kidney Stones	5	0.4 %	27.8%
68	Repeated Kidney Infections	2	0.1 %	11.1%
69	Bladder Trouble	2	0.1 %	11.1%
162	Other	4	0.3 %	22.2%
-9 (M)	Legitimate Skip	1375	98.7 %	-

Based upon 18 valid cases out of 1393 total cases.

QR32_70S1 Subcode 1st HEARING VISION

Location: 2184-2185(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

What was the reason / diagnosis?

Subcode for Hearing and vision (1st mention)

<i>QR32_70S1: Subcode 1st HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
77	Other	2	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QR32_80S1

Subcode 1st TRAUMA AND INJURY

Location:

2186-2187(width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Trauma and injury (1st mention)

<i>QR32_80S1: Subcode 1st TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Broken Bone	22	1.6 %	22.0%
82	Cut or Laceration	42	3.0 %	42.0%
83	Gunshot Wound	2	0.1 %	2.0%
84	Head Injury	4	0.3 %	4.0%
85	Muscle or Ligament Damage	18	1.3 %	18.0%
86	Other	12	0.9 %	12.0%
-9 (M)	Legitimate Skip	1293	92.8 %	-

Based upon 100 valid cases out of 1393 total cases.

QR32_90S1

Subcode 1st WOMENS HEALTH ISSUES

Location:

2188-2189(width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Women's health issues (1st mention)

- Study 02258 -

<i>QR32_90S1: Subcode 1st WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
91	Pregnancy and Childbirth	12	0.9 %	60.0%
92	Breast, Uterine, Ovarian, or Other Cancer	2	0.1 %	10.0%
93	Gynecological Problem	4	0.3 %	20.0%
94	Other	2	0.1 %	10.0%
-9 (M)	Legitimate Skip	1373	98.6 %	-

Based upon 20 valid cases out of 1393 total cases.

QR32_100S1 Subcode 1st INFECTIOUS DISEASES

Location: 2190-2192(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Infectious diseases (1st mention)

<i>QR32_100S1: Subcode 1st INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
101	Flu	8	0.6 %	44.4%
102	HIV / AIDS	1	0.1 %	5.6%
104	Other	9	0.6 %	50.0%
-9 (M)	Legitimate Skip	1375	98.7 %	-

Based upon 18 valid cases out of 1393 total cases.

QR32_2 General code 2nd medical disorder first emergency treatment

Location: 2193-2195(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis? (2nd mention)

<i>QR32_2: General code 2nd medical disorder first emergency treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	Heart & Circulatory Problems	2	0.1 %	0.5%
20	Respiratory System	7	0.5 %	1.7%
40	Bone & Muscle	8	0.6 %	1.9%
50	Digestive System	4	0.3 %	1.0%
60	Glands, Nerves, Genito-Urinary Systems	1	0.1 %	0.2%
80	Trauma & Injury	6	0.4 %	1.4%
90	Women's Health Issues	5	0.4 %	1.2%

- Study 02258 -

<i>QR32_2: General code 2nd medical disorder first emergency treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
100	Infectious Diseases	2	0.1 %	0.5%
110	Other Health Problems	6	0.4 %	1.4%
111	No Other Medical Problems	377	27.1 %	90.2%
-9 (M)	Legitimate Skip	972	69.8 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 418 valid cases out of 1393 total cases.

QR32_10S2 Subcode 2nd HEART AND CIRCULATORY SYSTEMS

Location: 2196-2197(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Heart and Circulatory problems (2nd mention)

<i>QR32_10S2: Subcode 2nd HEART AND CIRCULATORY SYSTEMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
19	Other	2	0.1 %	100.0%
-9 (M)	Legitimate Skip	1388	99.6 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 2 valid cases out of 1393 total cases.

QR32_20S2 Subcode 2nd RESPIRATORY SYSTEM

Location: 2198-2199(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Respiratory system (2nd mention)

<i>QR32_20S2: Subcode 2nd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Bronchitis	2	0.1 %	28.6%
22	Asthma or Allergies	2	0.1 %	28.6%
27	Other	3	0.2 %	42.9%
-9 (M)	Legitimate Skip	1386	99.5 %	-

Based upon 7 valid cases out of 1393 total cases.

- Study 02258 -

QR32_30S2 Subcode 2nd SKIN CONDITIONS

Location: 2200-2201(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (2nd mention)

<i>QR32_30S2: Subcode 2nd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR32_40S2 Subcode 2nd BONE AND MUSCLE

Location: 2202-2203(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (2nd mention)

<i>QR32_40S2: Subcode 2nd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Arthritis or any Kind of Rheumatism	1	0.1 %	12.5%
45	Repeated Trouble With Neck, Back, or Spine	1	0.1 %	12.5%
47	Any Disease of the Muscles, Tendons, or Bones	1	0.1 %	12.5%
48	Other	5	0.4 %	62.5%
-9 (M)	Legitimate Skip	1385	99.4 %	-

Based upon 8 valid cases out of 1393 total cases.

QR32_50S2 Subcode 2nd DIGESTIVE SYSTEM

Location: 2204-2205(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (2nd mention)

- Study 02258 -

<i>QR32_50S2: Subcode 2nd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Gallstones or any Other Gallbladder Trouble	1	0.1 %	25.0%
53	Hepatitis, Yellow Jaundice, or any Other Liver Trouble	1	0.1 %	25.0%
55	Frequent Indigestion or any Other Stomach Trouble	1	0.1 %	25.0%
58	Other	1	0.1 %	25.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QR32_60S2 Subcode 2nd GLANDS NERVES GENITO/URINARY

Location: 2206-2208(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (2nd mention)

<i>QR32_60S2: Subcode 2nd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
162	Other	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR32_70S2 Subcode 2nd HEARING VISION

Location: 2209-2210(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Hearing and vision (2nd mention)

<i>QR32_70S2: Subcode 2nd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR32_80S2 Subcode 2nd TRAUMA AND INJURY

Location: 2211-2212(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Trauma and injury (2nd mention)

<i>QR32_80S2: Subcode 2nd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Broken Bone	1	0.1 %	16.7%
82	Cut or Laceration	1	0.1 %	16.7%
84	Head Injury	1	0.1 %	16.7%
85	Muscle or Ligament Damage	3	0.2 %	50.0%
-9 (M)	Legitimate Skip	1387	99.6 %	-

Based upon 6 valid cases out of 1393 total cases.

QR32_90S2 Subcode 2nd WOMENS HEALTH ISSUES

Location: 2213-2214(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Women's health issues (2nd mention)

<i>QR32_90S2: Subcode 2nd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
91	Pregnancy and Childbirth	3	0.2 %	60.0%
93	Gynecological Problem	1	0.1 %	20.0%
94	Other	1	0.1 %	20.0%
-9 (M)	Legitimate Skip	1388	99.6 %	-

Based upon 5 valid cases out of 1393 total cases.

QR32_100S2 Subcode 2nd INFECTIOUS DISEASES

Location: 2215-2217(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Infectious diseases (2nd mention)

- Study 02258 -

Location: 2223-2224(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (3rd mention)

<i>QR32_20S3: Subcode 3rd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
22	Asthma or Allergies	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR32_30S3 Subcode 3rd SKIN CONDITIONS

Location: 2225-2226(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (3rd mention)

<i>QR32_30S3: Subcode 3rd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR32_40S3 Subcode 3rd BONE AND MUSCLE

Location: 2227-2228(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (3rd mention)

<i>QR32_40S3: Subcode 3rd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
47	Any Disease of the Muscles, Tendons, or Bones	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

- Study 02258 -

QR32_50S3 Subcode 3rd DIGESTIVE SYSTEM

Location: 2229-2230(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Digestive system (3rd mention)

<i>QR32_50S3: Subcode 3rd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Gallstones or any Other Gallbladder Trouble	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR32_60S3 Subcode 3rd GLANDS NERVES GENITO/URINARY

Location: 2231-2233(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (3rd mention)

<i>QR32_60S3: Subcode 3rd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR32_70S3 Subcode 3rd HEARING VISION

Location: 2234-2235(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Hearing and vision (3rd mention)

<i>QR32_70S3: Subcode 3rd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

- Study 02258 -

QR32_80S3 Subcode 3rd TRAUMA AND INJURY

Location: 2236-2237(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Trauma and injury (3rd mention)

<i>QR32_80S3: Subcode 3rd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
85	Muscle or Ligament Damage	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR32_90S3 Subcode 3rd WOMENS HEALTH ISSUES

Location: 2238-2239(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Women's health issues (3rd mention)

<i>QR32_90S3: Subcode 3rd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR32_100S3 Subcode 3rd INFECTIOUS DISEASES

Location: 2240-2242(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Infectious diseases (3rd mention)

<i>QR32_100S3: Subcode 3rd INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

- Study 02258 -

QR33 Received emergency treatment after first visit

Location: 2243-2244(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

After that first visit to the emergency room, did you receive treatment or visit an emergency room at a hospital?

If No -> Go To R36

<i>QR33: Received emergency treatment after first visit</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	198	14.2 %	81.8%
2	No	44	3.2 %	18.2%
-9 (M)	Legitimate Skip	1148	82.4 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 242 valid cases out of 1393 total cases.

QR34 Number of weeks ago last visited emergency room

Location: 2245-2247(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last visit an emergency room?

[IF LESS THAN 7 DAYS, ENTER 0]

<i>QR34: Number of weeks ago last visited emergency room</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	4	0.3 %	2.2%
1	-	5	0.4 %	2.8%
2	-	12	0.9 %	6.6%
3	-	9	0.6 %	5.0%
4	-	7	0.5 %	3.9%
5	-	3	0.2 %	1.7%
6	-	2	0.1 %	1.1%
7	-	2	0.1 %	1.1%
8	-	7	0.5 %	3.9%
9	-	2	0.1 %	1.1%
10	-	3	0.2 %	1.7%
11	-	2	0.1 %	1.1%

- Study 02258 -

<i>QR34: Number of weeks ago last visited emergency room</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12	-	9	0.6 %	5.0%
13	-	1	0.1 %	0.6%
14	-	1	0.1 %	0.6%
16	-	2	0.1 %	1.1%
20	-	5	0.4 %	2.8%
22	-	2	0.1 %	1.1%
24	-	4	0.3 %	2.2%
26	-	5	0.4 %	2.8%
28	-	4	0.3 %	2.2%
30	-	1	0.1 %	0.6%
32	-	1	0.1 %	0.6%
36	-	2	0.1 %	1.1%
37	-	1	0.1 %	0.6%
38	-	1	0.1 %	0.6%
39	-	2	0.1 %	1.1%
40	-	4	0.3 %	2.2%
42	-	1	0.1 %	0.6%
43	-	1	0.1 %	0.6%
50	-	1	0.1 %	0.6%
52	-	11	0.8 %	6.1%
54	-	2	0.1 %	1.1%
55	-	1	0.1 %	0.6%
56	-	2	0.1 %	1.1%
59	-	1	0.1 %	0.6%
60	-	2	0.1 %	1.1%
62	-	1	0.1 %	0.6%
64	-	2	0.1 %	1.1%
66	-	1	0.1 %	0.6%
69	-	1	0.1 %	0.6%
72	-	1	0.1 %	0.6%
75	-	1	0.1 %	0.6%
78	-	6	0.4 %	3.3%
80	-	2	0.1 %	1.1%
82	-	2	0.1 %	1.1%
86	-	1	0.1 %	0.6%
88	-	2	0.1 %	1.1%
90	-	1	0.1 %	0.6%
92	-	1	0.1 %	0.6%
100	-	2	0.1 %	1.1%

- Study 02258 -

<i>QR34: Number of weeks ago last visited emergency room</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
104	-	8	0.6 %	4.4%
106	-	1	0.1 %	0.6%
117	-	1	0.1 %	0.6%
122	-	1	0.1 %	0.6%
126	-	1	0.1 %	0.6%
130	-	1	0.1 %	0.6%
135	-	1	0.1 %	0.6%
141	-	1	0.1 %	0.6%
146	-	2	0.1 %	1.1%
156	-	2	0.1 %	1.1%
165	-	1	0.1 %	0.6%
176	-	1	0.1 %	0.6%
182	-	1	0.1 %	0.6%
206	-	1	0.1 %	0.6%
209	-	1	0.1 %	0.6%
220	-	1	0.1 %	0.6%
221	-	1	0.1 %	0.6%
224	-	1	0.1 %	0.6%
242	-	1	0.1 %	0.6%
250	-	1	0.1 %	0.6%
256	-	1	0.1 %	0.6%
268	-	1	0.1 %	0.6%
276	-	1	0.1 %	0.6%
-9 (M)	Legitimate Skip	1195	85.8 %	-
-2 (M)	Don't Know	17	1.2 %	-

Based upon 181 valid cases out of 1393 total cases.

QR35_1	General code 1st medical disorder last emergency treatment
---------------	---

Location: 2248-2250(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis? (1st mention)

<i>QR35_1: General code 1st medical disorder last emergency treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	Heart & Circulatory Problems	8	0.6 %	4.1%
20	Respiratory System	19	1.4 %	9.8%
30	Skin Conditions	6	0.4 %	3.1%
40	Bone & Muscle	34	2.4 %	17.6%

- Study 02258 -

<i>QR35_1: General code 1st medical disorder last emergency treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
50	Digestive System	16	1.1 %	8.3%
60	Glands, Nerves, Genito-Urinary Systems	8	0.6 %	4.1%
70	Hearing, Vision	3	0.2 %	1.6%
80	Trauma & Injury	33	2.4 %	17.1%
90	Women's Health Issues	11	0.8 %	5.7%
100	Infectious Diseases	6	0.4 %	3.1%
110	Other Health Problems	49	3.5 %	25.4%
-9 (M)	Legitimate Skip	1195	85.8 %	-
-2 (M)	Don't Know	5	0.4 %	-

Based upon 193 valid cases out of 1393 total cases.

QR35_10S1 Subcode 1st HEART AND CIRCULATORY SYSTMS

Location: 2251-2252(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Heart and Circulatory problems (1st mention)

<i>QR35_10S1: Subcode 1st HEART AND CIRCULATORY SYSTMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	Any Other Heart Trouble	2	0.1 %	25.0%
19	Other	6	0.4 %	75.0%
-9 (M)	Legitimate Skip	1380	99.1 %	-
-2 (M)	Don't Know	5	0.4 %	-

Based upon 8 valid cases out of 1393 total cases.

QR35_20S1 Subcode 1st RESPIRATORY SYSTEM

Location: 2253-2254(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (1st mention)

- Study 02258 -

<i>QR35_20S1: Subcode 1st RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Bronchitis	7	0.5 %	36.8%
22	Asthma or Allergies	6	0.4 %	31.6%
23	Pneumonia	3	0.2 %	15.8%
27	Other	3	0.2 %	15.8%
-9 (M)	Legitimate Skip	1374	98.6 %	-

Based upon 19 valid cases out of 1393 total cases.

QR35_30S1 Subcode 1st SKIN CONDITIONS

Location: 2255-2256(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Skin conditions (1st mention)

<i>QR35_30S1: Subcode 1st SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	A Tumor, Cyst, or Growth of the Skin	3	0.2 %	50.0%
34	Other	3	0.2 %	50.0%
-9 (M)	Legitimate Skip	1387	99.6 %	-

Based upon 6 valid cases out of 1393 total cases.

QR35_40S1 Subcode 1st BONE AND MUSCLE

Location: 2257-2258(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Bone and muscle (1st mention)

<i>QR35_40S1: Subcode 1st BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Arthritis or any Kind of Rheumatism	4	0.3 %	11.8%
43	Sciatica (Nerve Pain in Leg)	2	0.1 %	5.9%
44	A Slipped or Ruptured Disc	1	0.1 %	2.9%
45	Repeated Trouble With Neck, Back, or Spine	4	0.3 %	11.8%
46	Bursitis	1	0.1 %	2.9%

- Study 02258 -

<i>QR35_40S1: Subcode 1st BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
47	Any Disease of the Muscles, Tendons, or Bones	6	0.4 %	17.6%
48	Other	16	1.1 %	47.1%
-9 (M)	Legitimate Skip	1359	97.6 %	-

Based upon 34 valid cases out of 1393 total cases.

QR35_50S1 Subcode 1st DIGESTIVE SYSTEM

Location: 2259-2260(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (1st mention)

<i>QR35_50S1: Subcode 1st DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Gallstones or any Other Gallbladder Trouble	1	0.1 %	6.2%
54	An Ulcer, Hernia, or Rupture	2	0.1 %	12.5%
55	Frequent Indigestion or any Other Stomach Trouble	3	0.2 %	18.8%
56	Diverticulitis, Colitis, Enteritis	1	0.1 %	6.2%
58	Other	9	0.6 %	56.2%
-9 (M)	Legitimate Skip	1377	98.9 %	-

Based upon 16 valid cases out of 1393 total cases.

QR35_60S1 Subcode 1st GLANDS NERVES GENITO/URINARY

Location: 2261-2263(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (1st mention)

<i>QR35_60S1: Subcode 1st GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
62	Diabetes	2	0.1 %	25.0%
64	Epilepsy, Repeated Seizures, Convulsions, or Blackouts	1	0.1 %	12.5%
67	Kidney Stones	2	0.1 %	25.0%

- Study 02258 -

<i>QR35_60S1: Subcode 1st GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
161	Any Other Prostate Trouble	1	0.1 %	12.5%
162	Other	2	0.1 %	25.0%
-9 (M)	Legitimate Skip	1385	99.4 %	-

Based upon 8 valid cases out of 1393 total cases.

QR35_70S1 Subcode 1st HEARING VISION

Location: 2264-2265(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Hearing and vision (1st mention)

<i>QR35_70S1: Subcode 1st HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
77	Other	3	0.2 %	100.0%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QR35_80S1 Subcode 1st TRAUMA AND INJURY

Location: 2266-2267(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Trauma and injury (1st mention)

<i>QR35_80S1: Subcode 1st TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Broken Bone	3	0.2 %	9.1%
82	Cut or Laceration	13	0.9 %	39.4%
84	Head Injury	3	0.2 %	9.1%
85	Muscle or Ligament Damage	5	0.4 %	15.2%
86	Other	9	0.6 %	27.3%
-9 (M)	Legitimate Skip	1360	97.6 %	-

Based upon 33 valid cases out of 1393 total cases.

QR35_90S1 Subcode 1st WOMENS HEALTH ISSUES

- Study 02258 -

Location: 2268-2269(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Women's health issues (1st mention)

<i>QR35_90S1: Subcode 1st WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
91	Pregnancy and Childbirth	6	0.4 %	54.5%
92	Breast, Uterine, Ovarian, or Other Cancer	1	0.1 %	9.1%
93	Gynecological Problem	3	0.2 %	27.3%
94	Other	1	0.1 %	9.1%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QR35_100S1 Subcode 1st INFECTIOUS DISEASES

Location: 2270-2272(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Infectious diseases (1st mention)

<i>QR35_100S1: Subcode 1st INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
101	Flu	3	0.2 %	50.0%
102	HIV / AIDS	1	0.1 %	16.7%
104	Other	2	0.1 %	33.3%
-9 (M)	Legitimate Skip	1387	99.6 %	-

Based upon 6 valid cases out of 1393 total cases.

QR35_2 General code 2nd medical disorder last emergency treatment

Location: 2273-2275(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis? (2nd mention)

- Study 02258 -

<i>QR35_2: General code 2nd medical disorder last emergency treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	Heart & Circulatory Problems	1	0.1 %	0.5%
20	Respiratory System	2	0.1 %	1.0%
40	Bone & Muscle	1	0.1 %	0.5%
50	Digestive System	2	0.1 %	1.0%
60	Glands, Nerves, Genito-Urinary Systems	1	0.1 %	0.5%
80	Trauma & Injury	3	0.2 %	1.5%
90	Women's Health Issues	2	0.1 %	1.0%
110	Other Health Problems	1	0.1 %	0.5%
111	No Other Medical Problems	183	13.1 %	93.4%
-9 (M)	Legitimate Skip	1195	85.8 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 196 valid cases out of 1393 total cases.

QR35_10S2 Subcode 2nd HEART AND CIRCULATORY SYSTEMS

Location: 2276-2278(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Heart and Circulatory problems (2nd mention)

<i>QR35_10S2: Subcode 2nd HEART AND CIRCULATORY SYSTEMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	Any Other Heart Trouble	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1390	99.8 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 1 valid cases out of 1393 total cases.

QR35_20S2 Subcode 2nd RESPIRATORY SYSTEM

Location: 2279-2280(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (2nd mention)

- Study 02258 -

<i>QR35_20S2: Subcode 2nd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Bronchitis	1	0.1 %	50.0%
22	Asthma or Allergies	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QR35_30S2 Subcode 2nd SKIN CONDITIONS

Location: 2281-2282(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (2nd mention)

<i>QR35_30S2: Subcode 2nd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR35_40S2 Subcode 2nd BONE AND MUSCLE

Location: 2283-2284(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (2nd mention)

<i>QR35_40S2: Subcode 2nd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
47	Any Disease of the Muscles, Tendons, or Bones	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR35_50S2 Subcode 2nd DIGESTIVE SYSTEM

Location: 2285-2286(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

- Study 02258 -

Subcode for Digestive system (2nd mention)

<i>QR35_50S2: Subcode 2nd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
55	Frequent Indigestion or any Other Stomach Trouble	2	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QR35_60S2 Subcode 2nd GLANDS NERVES GENITO/URINARY

Location: 2287-2289(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (2nd mention)

<i>QR35_60S2: Subcode 2nd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
68	Repeated Kidney Infections	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR35_70S2 Subcode 2nd HEARING VISION

Location: 2290-2291(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Hearing and vision (2nd mention)

<i>QR35_70S2: Subcode 2nd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR35_80S2 Subcode 2nd TRAUMA AND INJURY

Location: 2292-2293(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Trauma and injury (2nd mention)

<i>QR35_80S2: Subcode 2nd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Broken Bone	1	0.1 %	33.3%
82	Cut or Laceration	1	0.1 %	33.3%
85	Muscle or Ligament Damage	1	0.1 %	33.3%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QR35_90S2 Subcode 2nd WOMENS HEALTH ISSUES

Location: 2294-2295(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Women's health issues (2nd mention)

<i>QR35_90S2: Subcode 2nd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
91	Pregnancy and Childbirth	1	0.1 %	50.0%
93	Gynecological Problem	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QR35_100S2 Subcode 2nd INFECTIOUS DISEASES

Location: 2296-2298(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Infectious diseases (2nd mention)

<i>QR35_100S2: Subcode 2nd INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

- Study 02258 -

Based upon 0 valid cases out of 1393 total cases.

QR35_3 General code 3rd medical disorder last emergency treatment

Location: 2299-2301(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis? (3rd mention)

<i>QR35_3: General code 3rd medical disorder last emergency treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
50	Digestive System	1	0.1 %	7.1%
111	No Other Medical Problems	13	0.9 %	92.9%
-9 (M)	Legitimate Skip	1378	98.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 14 valid cases out of 1393 total cases.

QR35_10S3 Subcode 3rd HEART AND CIRCULATORY SYSTMS

Location: 2302-2303(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?

 Subcode for Heart and Circulatory problems (3rd mention)

<i>QR35_10S3: Subcode 3rd HEART AND CIRCULATORY SYSTMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1392	99.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 0 valid cases out of 1393 total cases.

QR35_20S3 Subcode 3rd RESPIRATORY SYSTEM

Location: 2304-2305(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?

 Subcode for Respiratory system (3rd mention)

<i>QR35_20S3: Subcode 3rd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

- Study 02258 -

Based upon 0 valid cases out of 1393 total cases.

QR35_30S3 Subcode 3rd SKIN CONDITIONS

Location: 2306-2307(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (3rd mention)

<i>QR35_30S3: Subcode 3rd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR35_40S3 Subcode 3rd BONE AND MUSCLE

Location: 2308-2309(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (3rd mention)

<i>QR35_40S3: Subcode 3rd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR35_50S3 Subcode 3rd DIGESTIVE SYSTEM

Location: 2310-2311(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (3rd mention)

<i>QR35_50S3: Subcode 3rd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
55	Frequent Indigestion or any Other Stomach Trouble	1	0.1 %	100.0%

- Study 02258 -

<i>QR35_50S3: Subcode 3rd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR35_60S3 Subcode 3rd GLANDS NERVES GENITO/URINARY

Location: 2312-2314(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Glands, nerves, genito/urinary (3rd mention)

<i>QR35_60S3: Subcode 3rd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR35_70S3 Subcode 3rd HEARING VISION

Location: 2315-2316(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Hearing and vision (3rd mention)

<i>QR35_70S3: Subcode 3rd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR35_80S3 Subcode 3rd TRAUMA AND INJURY

Location: 2317-2318(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Trauma and injury (3rd mention)

- Study 02258 -

<i>QR35_80S3: Subcode 3rd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR35_90S3 Subcode 3rd WOMENS HEALTH ISSUES

Location: 2319-2320(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Women's health issues (3rd mention)

<i>QR35_90S3: Subcode 3rd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR35_100S3 Subcode 3rd INFECTIOUS DISEASES

Location: 2321-2323(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Infectious diseases (3rd mention)

<i>QR35_100S3: Subcode 3rd INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR36 Number of times received outpatient care for physical health

Location: 2324-2325(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Since leaving (NAME OF PROGRAM) how many times have you received treatment or had visits as an outpatient for physical health care from a clinic, health program, or doctor?

- Study 02258 -

[IF 0, GO TO SECTION S]

<i>QR36: Number of times received outpatient care for physical health</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	871	62.5 %	64.4%
1	-	60	4.3 %	4.4%
2	-	48	3.4 %	3.6%
3	-	26	1.9 %	1.9%
4	-	29	2.1 %	2.1%
5	-	33	2.4 %	2.4%
6	-	29	2.1 %	2.1%
7	-	9	0.6 %	0.7%
8	-	13	0.9 %	1.0%
9	-	2	0.1 %	0.1%
10	-	25	1.8 %	1.8%
11	-	3	0.2 %	0.2%
12	-	27	1.9 %	2.0%
13	-	4	0.3 %	0.3%
14	-	5	0.4 %	0.4%
15	-	16	1.1 %	1.2%
16	-	3	0.2 %	0.2%
17	-	1	0.1 %	0.1%
18	-	6	0.4 %	0.4%
19	-	3	0.2 %	0.2%
20	-	18	1.3 %	1.3%
22	-	2	0.1 %	0.1%
24	-	8	0.6 %	0.6%
25	-	6	0.4 %	0.4%
26	-	1	0.1 %	0.1%
27	-	2	0.1 %	0.1%
28	-	1	0.1 %	0.1%
29	-	1	0.1 %	0.1%
30	-	14	1.0 %	1.0%
31	-	1	0.1 %	0.1%
33	-	1	0.1 %	0.1%
34	-	1	0.1 %	0.1%
36	-	2	0.1 %	0.1%
37	-	1	0.1 %	0.1%
40	-	5	0.4 %	0.4%
41	-	1	0.1 %	0.1%
42	-	1	0.1 %	0.1%

- Study 02258 -

<i>QR38_10S1: Subcode 1st HEART AND CIRCULATORY SYSTEMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
19	Other	18	1.3 %	62.1%
-9 (M)	Legitimate Skip	1353	97.1 %	-
-2 (M)	Don't Know	11	0.8 %	-

Based upon 29 valid cases out of 1393 total cases.

QR38_20S1 Subcode 1st RESPIRATORY SYSTEM

Location: 2334-2335(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (1st mention)

<i>QR38_20S1: Subcode 1st RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Bronchitis	7	0.5 %	25.9%
22	Asthma or Allergies	11	0.8 %	40.7%
23	Pneumonia	2	0.1 %	7.4%
25	Emphysema	1	0.1 %	3.7%
26	Tuberculosis	2	0.1 %	7.4%
27	Other	4	0.3 %	14.8%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QR38_30S1 Subcode 1st SKIN CONDITIONS

Location: 2336-2337(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (1st mention)

<i>QR38_30S1: Subcode 1st SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	A Tumor, Cyst, or Growth of the Skin	6	0.4 %	54.5%
33	A Skin Ulcer	1	0.1 %	9.1%
34	Other	4	0.3 %	36.4%

- Study 02258 -

<i>QR38_30S1: Subcode 1st SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QR38_40S1 Subcode 1st BONE AND MUSCLE

Location: 2338-2339(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (1st mention)

<i>QR38_40S1: Subcode 1st BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Arthritis or any Kind of Rheumatism	5	0.4 %	9.1%
43	Sciatica (Nerve Pain in Leg)	3	0.2 %	5.5%
44	A Slipped or Ruptured Disc	2	0.1 %	3.6%
45	Repeated Trouble With Neck, Back, or Spine	15	1.1 %	27.3%
46	Bursitis	1	0.1 %	1.8%
47	Any Disease of the Muscles, Tendons, or Bones	6	0.4 %	10.9%
48	Other	23	1.7 %	41.8%
-9 (M)	Legitimate Skip	1338	96.1 %	-

Based upon 55 valid cases out of 1393 total cases.

QR38_50S1 Subcode 1st DIGESTIVE SYSTEM

Location: 2340-2341(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (1st mention)

<i>QR38_50S1: Subcode 1st DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Gallstones or any Other Gallbladder Trouble	1	0.1 %	6.7%
52	Cirrhosis of the Liver	1	0.1 %	6.7%
53	Hepatitis, Yellow Jaundice, or any Other Liver Trouble	2	0.1 %	13.3%
54	An Ulcer, Hernia, or Rupture	4	0.3 %	26.7%

- Study 02258 -

<i>QR38_50S1: Subcode 1st DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
55	Frequent Indigestion or any Other Stomach Trouble	3	0.2 %	20.0%
56	Diverticulitis, Colitis, Enteritis	2	0.1 %	13.3%
58	Other	2	0.1 %	13.3%
-9 (M)	Legitimate Skip	1378	98.9 %	-

Based upon 15 valid cases out of 1393 total cases.

QR38_60S1 Subcode 1st GLANDS NERVES GENITO/URINARY

Location: 2342-2344(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (1st mention)

<i>QR38_60S1: Subcode 1st GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
61	A Goiter or Other Thyroid Trouble	4	0.3 %	16.0%
62	Diabetes	6	0.4 %	24.0%
64	Epilepsy, Repeated Seizures, Convulsions, or Blackouts	3	0.2 %	12.0%
66	Migraine or Frequent Headaches	1	0.1 %	4.0%
67	Kidney Stones	1	0.1 %	4.0%
68	Repeated Kidney Infections	1	0.1 %	4.0%
69	Bladder Trouble	1	0.1 %	4.0%
162	Other	8	0.6 %	32.0%
-9 (M)	Legitimate Skip	1368	98.2 %	-

Based upon 25 valid cases out of 1393 total cases.

QR38_70S1 Subcode 1st HEARING VISION

Location: 2345-2346(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Hearing and vision (1st mention)

- Study 02258 -

<i>QR38_70S1: Subcode 1st HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
71	Deafness or Trouble Hearing in One or Both Ears	1	0.1 %	20.0%
73	Cataracts	1	0.1 %	20.0%
77	Other	3	0.2 %	60.0%
-9 (M)	Legitimate Skip	1388	99.6 %	-

Based upon 5 valid cases out of 1393 total cases.

QR38_80S1 Subcode 1st TRAUMA AND INJURY

Location: 2347-2348(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Trauma and injury (1st mention)

<i>QR38_80S1: Subcode 1st TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Broken Bone	11	0.8 %	33.3%
82	Cut or Laceration	5	0.4 %	15.2%
84	Head Injury	4	0.3 %	12.1%
85	Muscle or Ligament Damage	7	0.5 %	21.2%
86	Other	6	0.4 %	18.2%
-9 (M)	Legitimate Skip	1360	97.6 %	-

Based upon 33 valid cases out of 1393 total cases.

QR38_90S1 Subcode 1st WOMENS HEALTH ISSUES

Location: 2349-2350(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Women's health issues (1st mention)

<i>QR38_90S1: Subcode 1st WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
91	Pregnancy and Childbirth	19	1.4 %	41.3%
92	Breast, Uterine, Ovarian, or Other Cancer	3	0.2 %	6.5%
93	Gynecological Problem	9	0.6 %	19.6%

- Study 02258 -

<i>QR38_90S1: Subcode 1st WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
94	Other	15	1.1 %	32.6%
-9 (M)	Legitimate Skip	1347	96.7 %	-

Based upon 46 valid cases out of 1393 total cases.

QR38_100S1 Subcode 1st INFECTIOUS DISEASES

Location: 2351-2353(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Infectious diseases (1st mention)

<i>QR38_100S1: Subcode 1st INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
101	Flu	9	0.6 %	23.1%
102	HIV / AIDS	20	1.4 %	51.3%
104	Other	10	0.7 %	25.6%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QR38_2 General code 2nd medical disorder first outpatient physical health care

Location: 2354-2356(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis? (2nd mention)

<i>QR38_2: General code 2nd medical disorder first outpatient physical health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	Heart & Circulatory Problems	5	0.4 %	1.0%
20	Respiratory System	5	0.4 %	1.0%
30	Skin Conditions	1	0.1 %	0.2%
40	Bone & Muscle	3	0.2 %	0.6%
50	Digestive System	2	0.1 %	0.4%
80	Trauma & Injury	1	0.1 %	0.2%
90	Women's Health Issues	8	0.6 %	1.7%
100	Infectious Diseases	4	0.3 %	0.8%
110	Other Health Problems	6	0.4 %	1.3%
111	No Other Medical Problems	442	31.7 %	92.7%

- Study 02258 -

<i>QR38_2: General code 2nd medical disorder first outpatient physical health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	912	65.5 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 477 valid cases out of 1393 total cases.

QR38_10S2 Subcode 2nd HEART AND CIRCULATORY SYSTEMS

Location: 2357-2358(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Heart and Circulatory problems (2nd mention)

<i>QR38_10S2: Subcode 2nd HEART AND CIRCULATORY SYSTEMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12	Tachycardia or Rapid Heart	1	0.1 %	14.3%
14	Any Other Heart Trouble	3	0.2 %	42.9%
19	Other	3	0.2 %	42.9%
-9 (M)	Legitimate Skip	1384	99.4 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 7 valid cases out of 1393 total cases.

QR38_20S2 Subcode 2nd RESPIRATORY SYSTEM

Location: 2359-2360(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Respiratory system (2nd mention)

<i>QR38_20S2: Subcode 2nd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Bronchitis	2	0.1 %	40.0%
22	Asthma or Allergies	2	0.1 %	40.0%
26	Tuberculosis	1	0.1 %	20.0%
-9 (M)	Legitimate Skip	1388	99.6 %	-

Based upon 5 valid cases out of 1393 total cases.

QR38_30S2 Subcode 2nd SKIN CONDITIONS

- Study 02258 -

Location: 2361-2362(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (2nd mention)

<i>QR38_30S2: Subcode 2nd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	A Tumor, Cyst, or Growth of the Skin	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR38_40S2 Subcode 2nd BONE AND MUSCLE

Location: 2363-2364(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (2nd mention)

<i>QR38_40S2: Subcode 2nd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Arthritis or any Kind of Rheumatism	2	0.1 %	66.7%
47	Any Disease of the Muscles, Tendons, or Bones	1	0.1 %	33.3%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QR38_50S2 Subcode 2nd DIGESTIVE SYSTEM

Location: 2365-2366(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (2nd mention)

<i>QR38_50S2: Subcode 2nd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
54	An Ulcer, Hernia, or Rupture	1	0.1 %	50.0%

- Study 02258 -

<i>QR38_50S2: Subcode 2nd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
58	Other	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QR38_60S2 Subcode 2nd GLANDS NERVES GENITO/URINARY

Location: 2367-2369(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (2nd mention)

<i>QR38_60S2: Subcode 2nd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR38_70S2 Subcode 2nd HEARING VISION

Location: 2370-2371(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Hearing and vision (2nd mention)

<i>QR38_70S2: Subcode 2nd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR38_80S2 Subcode 2nd TRAUMA AND INJURY

Location: 2372-2373(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Trauma and injury (2nd mention)

- Study 02258 -

<i>QR38_80S2: Subcode 2nd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Broken Bone	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR38_90S2 Subcode 2nd WOMENS HEALTH ISSUES

Location: 2374-2375(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Women's health issues (2nd mention)

<i>QR38_90S2: Subcode 2nd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
92	Breast, Uterine, Ovarian, or Other Cancer	3	0.2 %	37.5%
94	Other	5	0.4 %	62.5%
-9 (M)	Legitimate Skip	1385	99.4 %	-

Based upon 8 valid cases out of 1393 total cases.

QR38_100S2 Subcode 2nd INFECTIOUS DISEASES

Location: 2376-2378(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Infectious diseases (2nd mention)

<i>QR38_100S2: Subcode 2nd INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
102	HIV / AIDS	1	0.1 %	25.0%
104	Other	3	0.2 %	75.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QR38_3 General code 3rd medical disorder first outpatient physical health care

Location: 2379-2381(width: 3; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis? (3rd mention)

QR38_3: General code 3rd medical disorder first outpatient physical health care

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	Heart & Circulatory Problems	2	0.1 %	5.4%
50	Digestive System	2	0.1 %	5.4%
90	Women's Health Issues	1	0.1 %	2.7%
100	Infectious Diseases	1	0.1 %	2.7%
110	Other Health Problems	2	0.1 %	5.4%
111	No Other Medical Problems	29	2.1 %	78.4%
-9 (M)	Legitimate Skip	1354	97.2 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 37 valid cases out of 1393 total cases.

QR38_10S3 Subcode 3rd HEART AND CIRCULATORY SYSTEMS

Location: 2382-2383(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Heart and Circulatory problems (3rd mention)

QR38_10S3: Subcode 3rd HEART AND CIRCULATORY SYSTEMS

<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	Any Other Heart Trouble	1	0.1 %	50.0%
19	Other	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 2 valid cases out of 1393 total cases.

QR38_20S3 Subcode 3rd RESPIRATORY SYSTEM

Location: 2384-2385(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (3rd mention)

- Study 02258 -

<i>QR38_20S3: Subcode 3rd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR38_30S3 Subcode 3rd SKIN CONDITIONS

Location: 2386-2387(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Skin conditions (3rd mention)

<i>QR38_30S3: Subcode 3rd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR38_40S3 Subcode 3rd BONE AND MUSCLE

Location: 2388-2389(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Bone and muscle (3rd mention)

<i>QR38_40S3: Subcode 3rd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR38_50S3 Subcode 3rd DIGESTIVE SYSTEM

Location: 2390-2391(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Digestive system (3rd mention)

- Study 02258 -

<i>QR38_50S3: Subcode 3rd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
54	An Ulcer, Hernia, or Rupture	1	0.1 %	50.0%
58	Other	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QR38_60S3 Subcode 3rd GLANDS NERVES GENITO/URINARY

Location: 2392-2394(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (3rd mention)

<i>QR38_60S3: Subcode 3rd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR38_70S3 Subcode 3rd HEARING VISION

Location: 2395-2396(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Hearing and vision (3rd mention)

<i>QR38_70S3: Subcode 3rd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR38_80S3 Subcode 3rd TRAUMA AND INJURY

Location: 2397-2398(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

- Study 02258 -

Subcode for Trauma and injury (3rd mention)

<i>QR38_80S3: Subcode 3rd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR38_90S3 Subcode 3rd WOMENS HEALTH ISSUES

Location: 2399-2400(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Women's health issues (3rd mention)

<i>QR38_90S3: Subcode 3rd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
93	Gynecological Problem	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR38_100S3 Subcode 3rd INFECTIOUS DISEASES

Location: 2401-2403(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Infectious diseases (3rd mention)

<i>QR38_100S3: Subcode 3rd INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
104	Other	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR39 Number of weeks received first outpatient physical health care

Location: 2404-2406(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks did you receive health care? [If less than 7 days, enter 0]

- Study 02258 -

<i>QR39: Number of weeks received first outpatient physical health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	235	16.9 %	50.3%
1	-	16	1.1 %	3.4%
2	-	24	1.7 %	5.1%
3	-	10	0.7 %	2.1%
4	-	21	1.5 %	4.5%
5	-	1	0.1 %	0.2%
6	-	10	0.7 %	2.1%
7	-	1	0.1 %	0.2%
8	-	9	0.6 %	1.9%
9	-	2	0.1 %	0.4%
10	-	3	0.2 %	0.6%
12	-	7	0.5 %	1.5%
13	-	2	0.1 %	0.4%
14	-	1	0.1 %	0.2%
16	-	5	0.4 %	1.1%
20	-	5	0.4 %	1.1%
22	-	1	0.1 %	0.2%
24	-	2	0.1 %	0.4%
26	-	10	0.7 %	2.1%
30	-	1	0.1 %	0.2%
36	-	6	0.4 %	1.3%
38	-	3	0.2 %	0.6%
40	-	2	0.1 %	0.4%
44	-	2	0.1 %	0.4%
50	-	1	0.1 %	0.2%
52	-	16	1.1 %	3.4%
60	-	1	0.1 %	0.2%
72	-	1	0.1 %	0.2%
80	-	1	0.1 %	0.2%
83	-	1	0.1 %	0.2%
90	-	2	0.1 %	0.4%
104	-	3	0.2 %	0.6%
116	-	1	0.1 %	0.2%
134	-	1	0.1 %	0.2%
137	-	1	0.1 %	0.2%
138	-	1	0.1 %	0.2%
156	-	1	0.1 %	0.2%
168	-	1	0.1 %	0.2%
182	-	2	0.1 %	0.4%

- Study 02258 -

<i>QR39: Number of weeks received first outpatient physical health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
200	-	2	0.1 %	0.4%
205	-	1	0.1 %	0.2%
206	-	1	0.1 %	0.2%
207	-	1	0.1 %	0.2%
208	-	7	0.5 %	1.5%
212	-	1	0.1 %	0.2%
234	-	1	0.1 %	0.2%
242	-	1	0.1 %	0.2%
246	-	1	0.1 %	0.2%
248	-	1	0.1 %	0.2%
250	-	1	0.1 %	0.2%
260	-	2	0.1 %	0.4%
263	-	1	0.1 %	0.2%
264	-	1	0.1 %	0.2%
280	-	2	0.1 %	0.4%
281	-	1	0.1 %	0.2%
286	-	7	0.5 %	1.5%
288	-	1	0.1 %	0.2%
292	-	1	0.1 %	0.2%
294	-	2	0.1 %	0.4%
302	-	1	0.1 %	0.2%
308	-	1	0.1 %	0.2%
312	-	8	0.6 %	1.7%
318	-	1	0.1 %	0.2%
319	-	1	0.1 %	0.2%
324	-	1	0.1 %	0.2%
332	-	1	0.1 %	0.2%
336	-	1	0.1 %	0.2%
999	-	3	0.2 %	0.6%
-9 (M)	Legitimate Skip	912	65.5 %	-
-2 (M)	Don't Know	13	0.9 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 467 valid cases out of 1393 total cases.

QR40

Who paid for the treatment in first outpatient physical health care

Location: 2407-2408(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Who paid for your health care?

- Study 02258 -

<i>QR40: Who paid for the treatment in first outpatient physical health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Insurance Paid All or Most	186	13.4 %	38.7%
2	Respondent or Family Paid All or Most	42	3.0 %	8.7%
3	Other	27	1.9 %	5.6%
4	Free / Subsidized (Medicaid)	226	16.2 %	47.0%
-9 (M)	Legitimate Skip	912	65.5 %	-

Based upon 481 valid cases out of 1393 total cases.

QR41 Received continuous physical health care since then

Location: 2409-2410(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Have you been receiving treatment or care continuously since that time?

[If YES go to section S]

<i>QR41: Received continuous physical health care since then</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	189	13.6 %	39.3%
2	No	292	21.0 %	60.7%
-9 (M)	Legitimate Skip	912	65.5 %	-

Based upon 481 valid cases out of 1393 total cases.

QR42 Other outpatient health care after first treatment

Location: 2411-2412(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

After that first treatment or care ended, did you get any other outpatient health care?

[If NO go to section S]

<i>QR42: Other outpatient health care after first treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	147	10.6 %	50.3%
2	No	145	10.4 %	49.7%
-9 (M)	Legitimate Skip	1101	79.0 %	-

Based upon 292 valid cases out of 1393 total cases.

- Study 02258 -

<i>QR43: Number of weeks ago last received outpatient physical health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
50	-	1	0.1 %	0.7%
52	-	6	0.4 %	4.1%
56	-	4	0.3 %	2.8%
58	-	1	0.1 %	0.7%
60	-	1	0.1 %	0.7%
64	-	1	0.1 %	0.7%
66	-	1	0.1 %	0.7%
75	-	1	0.1 %	0.7%
76	-	1	0.1 %	0.7%
78	-	1	0.1 %	0.7%
80	-	1	0.1 %	0.7%
83	-	1	0.1 %	0.7%
85	-	1	0.1 %	0.7%
92	-	1	0.1 %	0.7%
96	-	1	0.1 %	0.7%
104	-	2	0.1 %	1.4%
156	-	2	0.1 %	1.4%
180	-	1	0.1 %	0.7%
181	-	1	0.1 %	0.7%
197	-	1	0.1 %	0.7%
208	-	1	0.1 %	0.7%
272	-	1	0.1 %	0.7%
312	-	1	0.1 %	0.7%
-9 (M)	Legitimate Skip	1246	89.4 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 145 valid cases out of 1393 total cases.

QR44_1	General code 1st medical disorder last outpatient physical health care
---------------	---

Location: 2416-2418(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis? (1st mention)

<i>QR44_1: General code 1st medical disorder last outpatient physical health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	Heart & Circulatory Problems	5	0.4 %	3.4%
20	Respiratory System	13	0.9 %	8.8%
30	Skin Conditions	6	0.4 %	4.1%
40	Bone & Muscle	20	1.4 %	13.6%

- Study 02258 -

<i>QR44_1: General code 1st medical disorder last outpatient physical health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
50	Digestive System	3	0.2 %	2.0%
60	Glands, Nerves, Genito-Urinary Systems	4	0.3 %	2.7%
70	Hearing, Vision	8	0.6 %	5.4%
80	Trauma & Injury	14	1.0 %	9.5%
90	Women's Health Issues	8	0.6 %	5.4%
100	Infectious Diseases	13	0.9 %	8.8%
110	Other Health Problems	53	3.8 %	36.1%
-9 (M)	Legitimate Skip	1246	89.4 %	-

Based upon 147 valid cases out of 1393 total cases.

QR44_10S1

Subcode 1st HEART AND CIRCULATORY SYSTEMS

Location: 2419-2420(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Heart and Circulatory problems (1st mention)

<i>QR44_10S1: Subcode 1st HEART AND CIRCULATORY SYSTEMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
14	Any Other Heart Trouble	1	0.1 %	20.0%
15	An Aneurysm	1	0.1 %	20.0%
18	Phlebitis or Blood Clots	1	0.1 %	20.0%
19	Other	2	0.1 %	40.0%
-9 (M)	Legitimate Skip	1388	99.6 %	-

Based upon 5 valid cases out of 1393 total cases.

QR44_20S1

Subcode 1st RESPIRATORY SYSTEM

Location: 2421-2422(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Respiratory system (1st mention)

- Study 02258 -

<i>QR44_20S1: Subcode 1st RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
21	Bronchitis	5	0.4 %	38.5%
22	Asthma or Allergies	4	0.3 %	30.8%
23	Pneumonia	3	0.2 %	23.1%
27	Other	1	0.1 %	7.7%
-9 (M)	Legitimate Skip	1380	99.1 %	-

Based upon 13 valid cases out of 1393 total cases.

QR44_30S1 Subcode 1st SKIN CONDITIONS

Location: 2423-2424(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Skin conditions (1st mention)

<i>QR44_30S1: Subcode 1st SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	A Tumor, Cyst, or Growth of the Skin	3	0.2 %	50.0%
34	Other	3	0.2 %	50.0%
-9 (M)	Legitimate Skip	1387	99.6 %	-

Based upon 6 valid cases out of 1393 total cases.

QR44_40S1 Subcode 1st BONE AND MUSCLE

Location: 2425-2426(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Bone and muscle (1st mention)

<i>QR44_40S1: Subcode 1st BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
41	Arthritis or any Kind of Rheumatism	1	0.1 %	5.0%
44	A Slipped or Ruptured Disc	1	0.1 %	5.0%
45	Repeated Trouble With Neck, Back, or Spine	10	0.7 %	50.0%
47	Any Disease of the Muscles, Tendons, or Bones	2	0.1 %	10.0%
48	Other	6	0.4 %	30.0%

- Study 02258 -

<i>QR44_40S1: Subcode 1st BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1373	98.6 %	-

Based upon 20 valid cases out of 1393 total cases.

QR44_50S1 Subcode 1st DIGESTIVE SYSTEM

Location: 2427-2428(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Digestive system (1st mention)

<i>QR44_50S1: Subcode 1st DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
53	Hepatitis, Yellow Jaundice, or any Other Liver Trouble	1	0.1 %	33.3%
55	Frequent Indigestion or any Other Stomach Trouble	2	0.1 %	66.7%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QR44_60S1 Subcode 1st GLANDS NERVES GENITO/URINARY

Location: 2429-2431(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Glands, nerves, genito/urinary (1st mention)

<i>QR44_60S1: Subcode 1st GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
61	A Goiter or Other Thyroid Trouble	1	0.1 %	25.0%
62	Diabetes	1	0.1 %	25.0%
69	Bladder Trouble	2	0.1 %	50.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QR44_70S1 Subcode 1st HEARING VISION

Location: 2432-2433(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Hearing and vision (1st mention)

<i>QR44_70S1: Subcode 1st HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
77	Other	8	0.6 %	100.0%
-9 (M)	Legitimate Skip	1385	99.4 %	-

Based upon 8 valid cases out of 1393 total cases.

QR44_80S1 Subcode 1st TRAUMA AND INJURY

Location: 2434-2435(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Trauma and injury (1st mention)

<i>QR44_80S1: Subcode 1st TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
81	Broken Bone	4	0.3 %	28.6%
82	Cut or Laceration	3	0.2 %	21.4%
84	Head Injury	1	0.1 %	7.1%
85	Muscle or Ligament Damage	4	0.3 %	28.6%
86	Other	2	0.1 %	14.3%
-9 (M)	Legitimate Skip	1379	99.0 %	-

Based upon 14 valid cases out of 1393 total cases.

QR44_90S1 Subcode 1st WOMENS HEALTH ISSUES

Location: 2436-2437(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Women's health issues (1st mention)

- Study 02258 -

<i>QR44_90S1: Subcode 1st WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
91	Pregnancy and Childbirth	4	0.3 %	50.0%
93	Gynecological Problem	2	0.1 %	25.0%
94	Other	2	0.1 %	25.0%
-9 (M)	Legitimate Skip	1385	99.4 %	-

Based upon 8 valid cases out of 1393 total cases.

QR44_100S1 Subcode 1st INFECTIOUS DISEASES

Location: 2438-2440(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Infectious diseases (1st mention)

<i>QR44_100S1: Subcode 1st INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
101	Flu	7	0.5 %	53.8%
102	HIV / AIDS	1	0.1 %	7.7%
104	Other	5	0.4 %	38.5%
-9 (M)	Legitimate Skip	1380	99.1 %	-

Based upon 13 valid cases out of 1393 total cases.

QR44_2 General code 2nd medical disorder last outpatient physical health care

Location: 2441-2443(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis? (2nd mention)

<i>QR44_2: General code 2nd medical disorder last outpatient physical health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
20	Respiratory System	2	0.1 %	1.4%
50	Digestive System	1	0.1 %	0.7%
90	Women's Health Issues	1	0.1 %	0.7%
100	Infectious Diseases	1	0.1 %	0.7%
111	No Other Medical Problems	142	10.2 %	96.6%
-9 (M)	Legitimate Skip	1246	89.4 %	-

Based upon 147 valid cases out of 1393 total cases.

QR44_10S2 Subcode 2nd HEART AND CIRCULATORY SYSTEMS

- Study 02258 -

Location: 2444-2445(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Heart and Circulatory problems (2nd mention)

<i>QR44_10S2: Subcode 2nd HEART AND CIRCULATORY SYSTMS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_20S2 Subcode 2nd RESPIRATORY SYSTEM

Location: 2446-2447(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (2nd mention)

<i>QR44_20S2: Subcode 2nd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
22	Asthma or Allergies	2	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QR44_30S2 Subcode 2nd SKIN CONDITIONS

Location: 2448-2449(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (2nd mention)

<i>QR44_30S2: Subcode 2nd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_40S2 Subcode 2nd BONE AND MUSCLE

- Study 02258 -

Location: 2450-2451(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (2nd mention)

<i>QR44_40S2: Subcode 2nd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_50S2 Subcode 2nd DIGESTIVE SYSTEM

Location: 2452-2453(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Digestive system (2nd mention)

<i>QR44_50S2: Subcode 2nd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
54	An Ulcer, Hernia, or Rupture	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR44_60S2 Subcode 2nd GLANDS NERVES GENITO/URINARY

Location: 2454-2456(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Glands, nerves, genito/urinary (2nd mention)

<i>QR44_60S2: Subcode 2nd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_70S2 Subcode 2nd HEARING VISION

- Study 02258 -

Location: 2457-2458(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Hearing and vision (2nd mention)

<i>QR44_70S2: Subcode 2nd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_80S2 Subcode 2nd TRAUMA AND INJURY

Location: 2459-2460(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Trauma and injury (2nd mention)

<i>QR44_80S2: Subcode 2nd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_90S2 Subcode 2nd WOMENS HEALTH ISSUES

Location: 2461-2462(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Women's health issues (2nd mention)

<i>QR44_90S2: Subcode 2nd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
93	Gynecological Problem	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR44_100S2 Subcode 2nd INFECTIOUS DISEASES

- Study 02258 -

Location: 2471-2472(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Respiratory system (3rd mention)

<i>QR44_20S3: Subcode 3rd RESPIRATORY SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_30S3 Subcode 3rd SKIN CONDITIONS

Location: 2473-2474(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Skin conditions (3rd mention)

<i>QR44_30S3: Subcode 3rd SKIN CONDITIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_40S3 Subcode 3rd BONE AND MUSCLE

Location: 2475-2476(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What was the reason / diagnosis?

Subcode for Bone and muscle (3rd mention)

<i>QR44_40S3: Subcode 3rd BONE AND MUSCLE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_50S3 Subcode 3rd DIGESTIVE SYSTEM

Location: 2477-2478(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Digestive system (3rd mention)

<i>QR44_50S3: Subcode 3rd DIGESTIVE SYSTEM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_60S3 Subcode 3rd GLANDS NERVES GENITO/URINARY

Location: 2479-2481(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Glands, nerves, genito/urinary (3rd mention)

<i>QR44_60S3: Subcode 3rd GLANDS NERVES GENITO/URINARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_70S3 Subcode 3rd HEARING VISION

Location: 2482-2483(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: What was the reason / diagnosis?
 Subcode for Hearing and vision (3rd mention)

<i>QR44_70S3: Subcode 3rd HEARING VISION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_80S3 Subcode 3rd TRAUMA AND INJURY

Location: 2484-2485(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Trauma and injury (3rd mention)

<i>QR44_80S3: Subcode 3rd TRAUMA AND INJURY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_90S3 Subcode 3rd WOMENS HEALTH ISSUES

Location: 2486-2487(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Women's health issues (3rd mention)

<i>QR44_90S3: Subcode 3rd WOMENS HEALTH ISSUES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1393	100.0 %	-

Based upon 0 valid cases out of 1393 total cases.

QR44_100S3 Subcode 3rd INFECTIOUS DISEASES

Location: 2488-2490(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What was the reason / diagnosis?

Subcode for Infectious diseases (3rd mention)

<i>QR44_100S3: Subcode 3rd INFECTIOUS DISEASES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
104	Other	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QR45 Number of weeks received outpatient physical health care

Location: 2491-2493(width: 3; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: For how many weeks did you receive health care? [If less than 7 days, enter 0]

<i>QR45: Number of weeks received outpatient physical health care</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	108	7.8 %	74.0%
1	-	11	0.8 %	7.5%
2	-	5	0.4 %	3.4%
3	-	4	0.3 %	2.7%
4	-	4	0.3 %	2.7%
6	-	2	0.1 %	1.4%
8	-	1	0.1 %	0.7%
12	-	3	0.2 %	2.1%
24	-	1	0.1 %	0.7%
36	-	1	0.1 %	0.7%
48	-	1	0.1 %	0.7%
52	-	2	0.1 %	1.4%
104	-	2	0.1 %	1.4%
116	-	1	0.1 %	0.7%
-9 (M)	Legitimate Skip	1246	89.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 146 valid cases out of 1393 total cases.

QR46 Who paid for the treatment

Location: 2494-2495(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Who paid for your health care?

<i>QR46: Who paid for the treatment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Insurance Paid All or Most	56	4.0 %	38.1%
2	Respondent or Family Paid All or Most	22	1.6 %	15.0%
3	Other	8	0.6 %	5.4%
4	Free / Subsidized (Medicaid)	61	4.4 %	41.5%
-9 (M)	Legitimate Skip	1246	89.4 %	-

Based upon 147 valid cases out of 1393 total cases.

QS1 Since leaving program have you used drugs/alcohol

Location: 2496-2497(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you used alcohol or any illicit drugs including marijuana?

If No -> Go to Section T

<i>QS1: Since leaving program have you used drugs/alcohol</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1060	76.1 %	76.1%
2	No	332	23.8 %	23.9%
-1 (M)	Refused	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QS2 Reason for starting again

Location: 2498-2499(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Why did you start using again the first time?

<i>QS2: Reason for starting again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Friends using / offered to respondent	207	14.9 %	19.8%
2	Easy to get	52	3.7 %	5.0%
3	Had more money / inexpensive	4	0.3 %	0.4%
4	Left treatment	307	22.0 %	29.4%
5	Liked the high	40	2.9 %	3.8%
6	Satisfied curiosity	116	8.3 %	11.1%
7	Needed more to get high	319	22.9 %	30.5%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	15	1.1 %	-

Based upon 1045 valid cases out of 1393 total cases.

QS3_1 ALCOHOL

Location: 2500-2501(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Which drug or drugs (including alcohol) have you used since leaving treatment?

Alcohol

- Study 02258 -

QS3_1: ALCOHOL				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	751	53.9 %	71.0%
2	No	307	22.0 %	29.0%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

QS4_1 **Number of weeks after leaving started using ALCOHOL**

Location: 2502-2504(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left that treatment did you first start using?

Alcohol

QS4_1: Number of weeks after leaving started using ALCOHOL	
Value	Label
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 717 valid cases out of 1393 total cases.

QS5_1 **Frequency of use ALCOHOL**

Location: 2505-2506(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How often were you using [DRUG] at that time?

Alcohol

QS5_1: Frequency of use ALCOHOL				
Value	Label	Unweighted Frequency	%	Valid %
1	Daily	167	12.0 %	22.4%
2	2-5 Days/Week	189	13.6 %	25.4%
3	Less than once a week	388	27.9 %	52.2%

- Study 02258 -

<i>QS5_1: Frequency of use ALCOHOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	642	46.1 %	-
-2 (M)	Don't Know	7	0.5 %	-

Based upon 744 valid cases out of 1393 total cases.

QS6_1 Route of drug use ALCOHOL

Location: 2507-2508(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you use the [DRUG]?

Alcohol

<i>QS6_1: Route of drug use ALCOHOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Oral	748	53.7 %	99.9%
2	Smoke	1	0.1 %	0.1%
-9 (M)	Legitimate Skip	642	46.1 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 749 valid cases out of 1393 total cases.

QS7_1 How much spent/month on ALCOHOL

Location: 2509-2512(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How much did you spent per month on average for [DRUG]?

Alcohol

<i>QS7_1: How much spent/month on ALCOHOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	89	6.4 %	13.0%
1	-	10	0.7 %	1.5%
2	-	12	0.9 %	1.8%
3	-	5	0.4 %	0.7%
4	-	4	0.3 %	0.6%
5	-	49	3.5 %	7.2%
6	-	2	0.1 %	0.3%

- Study 02258 -

<i>QS7_1: How much spent/month on ALCOHOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	-	2	0.1 %	0.3%
8	-	4	0.3 %	0.6%
9	-	1	0.1 %	0.1%
10	-	68	4.9 %	9.9%
11	-	1	0.1 %	0.1%
12	-	4	0.3 %	0.6%
14	-	2	0.1 %	0.3%
15	-	21	1.5 %	3.1%
18	-	2	0.1 %	0.3%
19	-	1	0.1 %	0.1%
20	-	83	6.0 %	12.1%
21	-	1	0.1 %	0.1%
24	-	2	0.1 %	0.3%
25	-	19	1.4 %	2.8%
30	-	31	2.2 %	4.5%
31	-	1	0.1 %	0.1%
32	-	1	0.1 %	0.1%
35	-	4	0.3 %	0.6%
40	-	30	2.2 %	4.4%
48	-	2	0.1 %	0.3%
50	-	47	3.4 %	6.9%
54	-	1	0.1 %	0.1%
60	-	22	1.6 %	3.2%
70	-	1	0.1 %	0.1%
75	-	5	0.4 %	0.7%
80	-	12	0.9 %	1.8%
90	-	1	0.1 %	0.1%
100	-	50	3.6 %	7.3%
112	-	1	0.1 %	0.1%
113	-	1	0.1 %	0.1%
120	-	5	0.4 %	0.7%
125	-	2	0.1 %	0.3%
140	-	1	0.1 %	0.1%
150	-	8	0.6 %	1.2%
160	-	1	0.1 %	0.1%
165	-	1	0.1 %	0.1%
180	-	2	0.1 %	0.3%
200	-	27	1.9 %	3.9%
240	-	1	0.1 %	0.1%

- Study 02258 -

Question:

Did you stop using at any time?

Alcohol

<i>QS9_1: Stopped using ALCOHOL</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	481	34.5 %	64.3%
2	No	267	19.2 %	35.7%
-9 (M)	Legitimate Skip	642	46.1 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 748 valid cases out of 1393 total cases.

QS10_1 Started using ALCOHOL again

Location: 2518-2519(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you start using this drug again after that?

Alcohol

<i>QS10_1: Started using ALCOHOL again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	346	24.8 %	71.9%
2	No	135	9.7 %	28.1%
-9 (M)	Legitimate Skip	912	65.5 %	-

Based upon 481 valid cases out of 1393 total cases.

QS13_1 Number of total weeks used ALCOHOL

Location: 2520-2522(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks did you use [DRUG] since leaving?

Alcohol

<i>QS13_1: Number of total weeks used ALCOHOL</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know

- Study 02258 -

QS13_1: Number of total weeks used ALCOHOL	
Value	Label
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 687 valid cases out of 1393 total cases.

QS14_1 **Number of weeks ago last used ALCOHOL**

Location: 2523-2525(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use [DRUG]?

Alcohol

QS14_1: Number of weeks ago last used ALCOHOL	
Value	Label
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 744 valid cases out of 1393 total cases.

QS3_2 **MARIJUANA HASHISH THC**

Location: 2526-2527(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

Marijuana / Hashish / THC

QS3_2: MARIJUANA HASHISH THC				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	463	33.2 %	43.8%
2	No	595	42.7 %	56.2%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

- Study 02258 -

Question:

How did you use the [DRUG]?

Marijuana / Hashish / THC

<i>QS6_2: Route of drug use MARIJUANA</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Oral	5	0.4 %	1.1%
2	Smoke	457	32.8 %	98.9%
-9 (M)	Legitimate Skip	930	66.8 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 462 valid cases out of 1393 total cases.

QS7_2

How much spent/month on MARIJUANA

Location: 2535-2538(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How much did you spent per month on average for [DRUG]?

Marijuana / Hashish / THC

<i>QS7_2: How much spent/month on MARIJUANA</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	167	12.0 %	38.3%
1	-	5	0.4 %	1.1%
2	-	2	0.1 %	0.5%
3	-	1	0.1 %	0.2%
5	-	9	0.6 %	2.1%
6	-	1	0.1 %	0.2%
10	-	30	2.2 %	6.9%
15	-	4	0.3 %	0.9%
20	-	45	3.2 %	10.3%
25	-	10	0.7 %	2.3%
30	-	14	1.0 %	3.2%
35	-	1	0.1 %	0.2%
40	-	21	1.5 %	4.8%
45	-	2	0.1 %	0.5%
50	-	23	1.7 %	5.3%
60	-	9	0.6 %	2.1%
70	-	1	0.1 %	0.2%
80	-	4	0.3 %	0.9%

- Study 02258 -

<i>QS7_2: How much spent/month on MARIJUANA</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
90	-	1	0.1 %	0.2%
100	-	30	2.2 %	6.9%
110	-	1	0.1 %	0.2%
120	-	5	0.4 %	1.1%
130	-	1	0.1 %	0.2%
140	-	2	0.1 %	0.5%
150	-	8	0.6 %	1.8%
160	-	5	0.4 %	1.1%
200	-	13	0.9 %	3.0%
240	-	1	0.1 %	0.2%
250	-	2	0.1 %	0.5%
300	-	4	0.3 %	0.9%
350	-	1	0.1 %	0.2%
400	-	3	0.2 %	0.7%
500	-	5	0.4 %	1.1%
600	-	1	0.1 %	0.2%
750	-	2	0.1 %	0.5%
1000	-	1	0.1 %	0.2%
1200	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	930	66.8 %	-
-2 (M)	Don't Know	26	1.9 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 436 valid cases out of 1393 total cases.

QS8_2 Number of weeks continued to use MARIJUANA

Location: 2539-2541 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

Marijuana / Hashish / THC

<i>QS8_2: Number of weeks continued to use MARIJUANA</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

- Study 02258 -

* Frequencies not displayed for this variable.

Based upon 428 valid cases out of 1393 total cases.

QS9_2 Stopped using MARIJUANA

Location: 2542-2543(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you stop using at any time?

Marijuana / Hashish / THC

<i>QS9_2: Stopped using MARIJUANA</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	290	20.8 %	62.8%
2	No	172	12.3 %	37.2%
-9 (M)	Legitimate Skip	930	66.8 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 462 valid cases out of 1393 total cases.

QS10_2 Started using MARIJUANA again

Location: 2544-2545(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you start using this drug again after that?

Marijuana / Hashish / THC

<i>QS10_2: Started using MARIJUANA again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	195	14.0 %	67.5%
2	No	94	6.7 %	32.5%
-9 (M)	Legitimate Skip	1103	79.2 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 289 valid cases out of 1393 total cases.

QS13_2 Number of total weeks used MARIJUANA

Location: 2546-2548(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many total weeks did you use [DRUG] since leaving?

- Study 02258 -

Marijuana / Hashish / THC

<i>QS13_2: Number of total weeks used MARIJUANA</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 431 valid cases out of 1393 total cases.

QS14_2

Number of weeks ago last used MARIJUANA

Location: 2549-2551(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use [DRUG]?

Marijuana / Hashish / THC

<i>QS14_2: Number of weeks ago last used MARIJUANA</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	184	13.2 %	40.2%
1	-	30	2.2 %	6.6%
2	-	35	2.5 %	7.6%
3	-	19	1.4 %	4.1%
4	-	20	1.4 %	4.4%
5	-	5	0.4 %	1.1%
6	-	7	0.5 %	1.5%
7	-	5	0.4 %	1.1%
8	-	10	0.7 %	2.2%
10	-	3	0.2 %	0.7%
11	-	1	0.1 %	0.2%
12	-	8	0.6 %	1.7%
13	-	1	0.1 %	0.2%
14	-	4	0.3 %	0.9%
16	-	4	0.3 %	0.9%
18	-	1	0.1 %	0.2%
20	-	3	0.2 %	0.7%
22	-	3	0.2 %	0.7%
23	-	1	0.1 %	0.2%

- Study 02258 -

<i>QS14_2: Number of weeks ago last used MARIJUANA</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
24	-	2	0.1 %	0.4%
26	-	6	0.4 %	1.3%
27	-	1	0.1 %	0.2%
28	-	1	0.1 %	0.2%
30	-	2	0.1 %	0.4%
34	-	1	0.1 %	0.2%
36	-	3	0.2 %	0.7%
37	-	1	0.1 %	0.2%
38	-	1	0.1 %	0.2%
40	-	2	0.1 %	0.4%
42	-	2	0.1 %	0.4%
44	-	2	0.1 %	0.4%
46	-	1	0.1 %	0.2%
48	-	1	0.1 %	0.2%
50	-	2	0.1 %	0.4%
51	-	1	0.1 %	0.2%
52	-	5	0.4 %	1.1%
53	-	1	0.1 %	0.2%
54	-	1	0.1 %	0.2%
56	-	1	0.1 %	0.2%
57	-	1	0.1 %	0.2%
58	-	1	0.1 %	0.2%
60	-	2	0.1 %	0.4%
63	-	2	0.1 %	0.4%
64	-	1	0.1 %	0.2%
65	-	2	0.1 %	0.4%
66	-	1	0.1 %	0.2%
70	-	1	0.1 %	0.2%
78	-	5	0.4 %	1.1%
80	-	1	0.1 %	0.2%
83	-	1	0.1 %	0.2%
86	-	1	0.1 %	0.2%
90	-	1	0.1 %	0.2%
92	-	1	0.1 %	0.2%
100	-	1	0.1 %	0.2%
104	-	4	0.3 %	0.9%
108	-	1	0.1 %	0.2%
112	-	1	0.1 %	0.2%
113	-	1	0.1 %	0.2%

- Study 02258 -

QS14_2: Number of weeks ago last used MARIJUANA				
Value	Label	Unweighted Frequency	%	Valid %
120	-	2	0.1 %	0.4%
125	-	1	0.1 %	0.2%
129	-	1	0.1 %	0.2%
130	-	2	0.1 %	0.4%
140	-	1	0.1 %	0.2%
150	-	1	0.1 %	0.2%
154	-	1	0.1 %	0.2%
155	-	1	0.1 %	0.2%
156	-	4	0.3 %	0.9%
158	-	1	0.1 %	0.2%
174	-	1	0.1 %	0.2%
178	-	1	0.1 %	0.2%
180	-	1	0.1 %	0.2%
182	-	2	0.1 %	0.4%
184	-	1	0.1 %	0.2%
194	-	1	0.1 %	0.2%
208	-	4	0.3 %	0.9%
224	-	1	0.1 %	0.2%
232	-	1	0.1 %	0.2%
234	-	2	0.1 %	0.4%
256	-	1	0.1 %	0.2%
260	-	4	0.3 %	0.9%
281	-	1	0.1 %	0.2%
286	-	2	0.1 %	0.4%
288	-	1	0.1 %	0.2%
292	-	1	0.1 %	0.2%
294	-	1	0.1 %	0.2%
298	-	1	0.1 %	0.2%
312	-	2	0.1 %	0.4%
320	-	3	0.2 %	0.7%
323	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	930	66.8 %	-
-2 (M)	Don't Know	5	0.4 %	-

Based upon 458 valid cases out of 1393 total cases.

QS3_3

HALLUCINOGENS/PSYCHEDELICS

Location: 2552-2553(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

Hallucinogens / Psychedelics

QS3_3: HALLUCINOGENS/PSYCHEDELICS				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	29	2.1 %	2.7%
2	No	1029	73.9 %	97.3%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

QS4_3

Number of weeks after leaving started using HALLUCINOGENS

Location: 2554-2556(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left that treatment did you first start using?

Hallucinogens / Psychedelics

QS4_3: Number of weeks after leaving started using HALLUCINOGENS				
Value	Label	Unweighted Frequency	%	Valid %
0	-	3	0.2 %	10.7%
8	-	1	0.1 %	3.6%
10	-	1	0.1 %	3.6%
12	-	1	0.1 %	3.6%
24	-	1	0.1 %	3.6%
28	-	1	0.1 %	3.6%
52	-	2	0.1 %	7.1%
86	-	1	0.1 %	3.6%
87	-	1	0.1 %	3.6%
100	-	1	0.1 %	3.6%
104	-	1	0.1 %	3.6%
134	-	1	0.1 %	3.6%
156	-	1	0.1 %	3.6%
182	-	1	0.1 %	3.6%
200	-	1	0.1 %	3.6%
208	-	1	0.1 %	3.6%

- Study 02258 -

<i>QS4_3: Number of weeks after leaving started using HALLUCINOGENS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
216	-	1	0.1 %	3.6%
220	-	1	0.1 %	3.6%
230	-	1	0.1 %	3.6%
234	-	1	0.1 %	3.6%
236	-	1	0.1 %	3.6%
252	-	1	0.1 %	3.6%
260	-	1	0.1 %	3.6%
266	-	1	0.1 %	3.6%
320	-	1	0.1 %	3.6%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 28 valid cases out of 1393 total cases.

QS5_3 Frequency of use HALLUCINOGENS

Location: 2557-2558(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How often were you using [DRUG] at that time?

Hallucinogens / Psychedelics

<i>QS5_3: Frequency of use HALLUCINOGENS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Daily	1	0.1 %	3.4%
2	2-5 Days/Week	1	0.1 %	3.4%
3	Less than once a week	27	1.9 %	93.1%
-9 (M)	Legitimate Skip	1364	97.9 %	-

Based upon 29 valid cases out of 1393 total cases.

QS6_3 Route of drug use HALLUCINOGENS

Location: 2559-2560(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How did you use the [DRUG]?

Hallucinogens / Psychedelics

- Study 02258 -

QS6_3: Route of drug use HALLUCINOGENS				
Value	Label	Unweighted Frequency	%	Valid %
1	Oral	26	1.9 %	92.9%
2	Smoke	2	0.1 %	7.1%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 28 valid cases out of 1393 total cases.

QS7_3 How much spent/month on HALLUCINOGENS

Location: 2561-2564(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How much did you spent per month on average for [DRUG]?

Hallucinogens / Psychedelics

QS7_3: How much spent/month on HALLUCINOGENS				
Value	Label	Unweighted Frequency	%	Valid %
0	-	16	1.1 %	59.3%
2	-	1	0.1 %	3.7%
5	-	3	0.2 %	11.1%
10	-	1	0.1 %	3.7%
20	-	1	0.1 %	3.7%
25	-	1	0.1 %	3.7%
30	-	1	0.1 %	3.7%
50	-	1	0.1 %	3.7%
80	-	1	0.1 %	3.7%
200	-	1	0.1 %	3.7%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QS8_3 Number of weeks continued to use HALLUCINOGENS

Location: 2565-2567(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

Hallucinogens / Psychedelics

- Study 02258 -

<i>QS8_3: Number of weeks continued to use HALLUCINOGENS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	17	1.2 %	63.0%
1	-	1	0.1 %	3.7%
2	-	1	0.1 %	3.7%
4	-	1	0.1 %	3.7%
8	-	1	0.1 %	3.7%
26	-	1	0.1 %	3.7%
52	-	1	0.1 %	3.7%
104	-	1	0.1 %	3.7%
152	-	1	0.1 %	3.7%
222	-	1	0.1 %	3.7%
278	-	1	0.1 %	3.7%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QS9_3 Stopped using HALLUCINOGENS

Location: 2568-2569(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did you stop using at any time?
 Hallucinogens / Psychedelics

<i>QS9_3: Stopped using HALLUCINOGENS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	25	1.8 %	86.2%
2	No	4	0.3 %	13.8%
-9 (M)	Legitimate Skip	1364	97.9 %	-

Based upon 29 valid cases out of 1393 total cases.

QS10_3 Started using HALLUCINOGENS again

Location: 2570-2571(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did you start using this drug again after that?
 Hallucinogens / Psychedelics

- Study 02258 -

Hallucinogens / Psychedelics

QS14_3: Number of weeks ago last used HALLUCINOGENS				
Value	Label	Unweighted Frequency	%	Valid %
0	-	2	0.1 %	7.7%
1	-	1	0.1 %	3.8%
3	-	1	0.1 %	3.8%
4	-	1	0.1 %	3.8%
6	-	2	0.1 %	7.7%
8	-	4	0.3 %	15.4%
11	-	1	0.1 %	3.8%
12	-	1	0.1 %	3.8%
24	-	1	0.1 %	3.8%
36	-	1	0.1 %	3.8%
38	-	1	0.1 %	3.8%
68	-	1	0.1 %	3.8%
80	-	1	0.1 %	3.8%
102	-	1	0.1 %	3.8%
104	-	1	0.1 %	3.8%
126	-	1	0.1 %	3.8%
150	-	1	0.1 %	3.8%
168	-	1	0.1 %	3.8%
208	-	1	0.1 %	3.8%
210	-	1	0.1 %	3.8%
265	-	1	0.1 %	3.8%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 26 valid cases out of 1393 total cases.

QS3_4

COCAINE (POWDER)

Location: 2578-2579(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

Cocaine (powder)

QS3_4: COCAINE (POWDER)				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	269	19.3 %	25.4%

- Study 02258 -

<i>QS3_4: COCAINE (POWDER)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	789	56.6 %	74.6%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

QS4_4 Number of weeks after leaving started using COCAINE

Location: 2580-2582(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many weeks after you left that treatment did you first start using?

Cocaine (powder)

<i>QS4_4: Number of weeks after leaving started using COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	62	4.5 %	24.6%
1	-	14	1.0 %	5.6%
2	-	9	0.6 %	3.6%
3	-	2	0.1 %	0.8%
4	-	12	0.9 %	4.8%
6	-	5	0.4 %	2.0%
8	-	9	0.6 %	3.6%
10	-	1	0.1 %	0.4%
12	-	7	0.5 %	2.8%
13	-	2	0.1 %	0.8%
16	-	4	0.3 %	1.6%
17	-	1	0.1 %	0.4%
18	-	2	0.1 %	0.8%
19	-	1	0.1 %	0.4%
20	-	3	0.2 %	1.2%
22	-	2	0.1 %	0.8%
24	-	3	0.2 %	1.2%
26	-	7	0.5 %	2.8%
28	-	1	0.1 %	0.4%
30	-	2	0.1 %	0.8%
32	-	2	0.1 %	0.8%

- Study 02258 -

<i>QS4_4: Number of weeks after leaving started using COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
34	-	1	0.1 %	0.4%
35	-	1	0.1 %	0.4%
36	-	1	0.1 %	0.4%
38	-	1	0.1 %	0.4%
40	-	1	0.1 %	0.4%
46	-	1	0.1 %	0.4%
52	-	13	0.9 %	5.2%
54	-	1	0.1 %	0.4%
56	-	1	0.1 %	0.4%
64	-	2	0.1 %	0.8%
68	-	2	0.1 %	0.8%
70	-	1	0.1 %	0.4%
73	-	1	0.1 %	0.4%
76	-	1	0.1 %	0.4%
77	-	1	0.1 %	0.4%
78	-	1	0.1 %	0.4%
82	-	1	0.1 %	0.4%
84	-	2	0.1 %	0.8%
88	-	1	0.1 %	0.4%
94	-	1	0.1 %	0.4%
104	-	10	0.7 %	4.0%
105	-	1	0.1 %	0.4%
106	-	1	0.1 %	0.4%
115	-	1	0.1 %	0.4%
119	-	1	0.1 %	0.4%
126	-	1	0.1 %	0.4%
130	-	1	0.1 %	0.4%
145	-	1	0.1 %	0.4%
156	-	2	0.1 %	0.8%
157	-	1	0.1 %	0.4%
158	-	2	0.1 %	0.8%
160	-	1	0.1 %	0.4%
162	-	1	0.1 %	0.4%
167	-	1	0.1 %	0.4%
169	-	1	0.1 %	0.4%
170	-	1	0.1 %	0.4%
182	-	1	0.1 %	0.4%
195	-	1	0.1 %	0.4%
204	-	1	0.1 %	0.4%

- Study 02258 -

QS4_4: Number of weeks after leaving started using COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
206	-	1	0.1 %	0.4%
208	-	2	0.1 %	0.8%
210	-	1	0.1 %	0.4%
216	-	1	0.1 %	0.4%
224	-	1	0.1 %	0.4%
234	-	4	0.3 %	1.6%
235	-	1	0.1 %	0.4%
240	-	1	0.1 %	0.4%
245	-	1	0.1 %	0.4%
248	-	1	0.1 %	0.4%
250	-	2	0.1 %	0.8%
252	-	1	0.1 %	0.4%
260	-	2	0.1 %	0.8%
267	-	1	0.1 %	0.4%
269	-	2	0.1 %	0.8%
270	-	1	0.1 %	0.4%
282	-	1	0.1 %	0.4%
286	-	2	0.1 %	0.8%
290	-	1	0.1 %	0.4%
300	-	1	0.1 %	0.4%
310	-	3	0.2 %	1.2%
312	-	2	0.1 %	0.8%
320	-	1	0.1 %	0.4%
324	-	1	0.1 %	0.4%
412	-	1	0.1 %	0.4%
-9 (M)	Legitimate Skip	1125	80.8 %	-
-2 (M)	Don't Know	15	1.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 252 valid cases out of 1393 total cases.

QS5_4

Frequency of use COCAINE

Location: 2583-2584(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How often were you using [DRUG] at that time?

Cocaine (powder)

- Study 02258 -

<i>QS7_4: How much spent/month on COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	1	0.1 %	0.4%
3	-	1	0.1 %	0.4%
5	-	2	0.1 %	0.8%
10	-	5	0.4 %	2.1%
12	-	1	0.1 %	0.4%
20	-	15	1.1 %	6.3%
25	-	1	0.1 %	0.4%
30	-	1	0.1 %	0.4%
40	-	8	0.6 %	3.4%
50	-	23	1.7 %	9.7%
90	-	1	0.1 %	0.4%
100	-	28	2.0 %	11.8%
120	-	2	0.1 %	0.8%
140	-	1	0.1 %	0.4%
150	-	3	0.2 %	1.3%
200	-	10	0.7 %	4.2%
250	-	1	0.1 %	0.4%
275	-	1	0.1 %	0.4%
300	-	16	1.1 %	6.8%
320	-	1	0.1 %	0.4%
340	-	1	0.1 %	0.4%
350	-	1	0.1 %	0.4%
400	-	7	0.5 %	3.0%
450	-	1	0.1 %	0.4%
500	-	7	0.5 %	3.0%
550	-	1	0.1 %	0.4%
600	-	5	0.4 %	2.1%
650	-	1	0.1 %	0.4%
700	-	2	0.1 %	0.8%
800	-	4	0.3 %	1.7%
900	-	2	0.1 %	0.8%
1000	-	10	0.7 %	4.2%
1200	-	5	0.4 %	2.1%
1500	-	5	0.4 %	2.1%
1800	-	2	0.1 %	0.8%
2000	-	3	0.2 %	1.3%
2500	-	1	0.1 %	0.4%
2800	-	1	0.1 %	0.4%
3000	-	6	0.4 %	2.5%

- Study 02258 -

<i>QS7_4: How much spent/month on COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5000	-	2	0.1 %	0.8%
8000	-	1	0.1 %	0.4%
-9 (M)	Legitimate Skip	1124	80.7 %	-
-2 (M)	Don't Know	31	2.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 237 valid cases out of 1393 total cases.

QS8_4

Number of weeks continued to use COCAINE

Location: 2591-2593(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

Cocaine (powder)

<i>QS8_4: Number of weeks continued to use COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	44	3.2 %	18.6%
1	-	7	0.5 %	3.0%
2	-	10	0.7 %	4.2%
3	-	4	0.3 %	1.7%
4	-	16	1.1 %	6.8%
5	-	2	0.1 %	0.8%
6	-	1	0.1 %	0.4%
8	-	6	0.4 %	2.5%
9	-	1	0.1 %	0.4%
10	-	2	0.1 %	0.8%
12	-	15	1.1 %	6.3%
13	-	2	0.1 %	0.8%
16	-	5	0.4 %	2.1%
18	-	1	0.1 %	0.4%
20	-	5	0.4 %	2.1%
24	-	3	0.2 %	1.3%
25	-	1	0.1 %	0.4%
26	-	4	0.3 %	1.7%
30	-	5	0.4 %	2.1%
32	-	2	0.1 %	0.8%

- Study 02258 -

<i>QS8_4: Number of weeks continued to use COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
35	-	1	0.1 %	0.4%
36	-	3	0.2 %	1.3%
38	-	1	0.1 %	0.4%
39	-	2	0.1 %	0.8%
40	-	2	0.1 %	0.8%
47	-	1	0.1 %	0.4%
52	-	8	0.6 %	3.4%
60	-	4	0.3 %	1.7%
67	-	1	0.1 %	0.4%
68	-	2	0.1 %	0.8%
76	-	1	0.1 %	0.4%
78	-	4	0.3 %	1.7%
80	-	2	0.1 %	0.8%
81	-	1	0.1 %	0.4%
82	-	1	0.1 %	0.4%
90	-	1	0.1 %	0.4%
92	-	1	0.1 %	0.4%
96	-	1	0.1 %	0.4%
100	-	1	0.1 %	0.4%
104	-	3	0.2 %	1.3%
105	-	1	0.1 %	0.4%
108	-	1	0.1 %	0.4%
112	-	1	0.1 %	0.4%
130	-	2	0.1 %	0.8%
135	-	1	0.1 %	0.4%
148	-	1	0.1 %	0.4%
150	-	1	0.1 %	0.4%
152	-	1	0.1 %	0.4%
156	-	6	0.4 %	2.5%
168	-	1	0.1 %	0.4%
172	-	1	0.1 %	0.4%
180	-	1	0.1 %	0.4%
182	-	1	0.1 %	0.4%
188	-	1	0.1 %	0.4%
192	-	1	0.1 %	0.4%
194	-	1	0.1 %	0.4%
204	-	1	0.1 %	0.4%
208	-	6	0.4 %	2.5%
215	-	1	0.1 %	0.4%

- Study 02258 -

<i>QS8_4: Number of weeks continued to use COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
217	-	1	0.1 %	0.4%
226	-	1	0.1 %	0.4%
230	-	2	0.1 %	0.8%
234	-	2	0.1 %	0.8%
240	-	1	0.1 %	0.4%
242	-	1	0.1 %	0.4%
248	-	1	0.1 %	0.4%
250	-	2	0.1 %	0.8%
254	-	2	0.1 %	0.8%
258	-	1	0.1 %	0.4%
260	-	3	0.2 %	1.3%
268	-	2	0.1 %	0.8%
276	-	1	0.1 %	0.4%
286	-	1	0.1 %	0.4%
296	-	1	0.1 %	0.4%
299	-	1	0.1 %	0.4%
310	-	1	0.1 %	0.4%
312	-	3	0.2 %	1.3%
316	-	1	0.1 %	0.4%
356	-	1	0.1 %	0.4%
380	-	1	0.1 %	0.4%
-9 (M)	Legitimate Skip	1124	80.7 %	-
-2 (M)	Don't Know	31	2.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 237 valid cases out of 1393 total cases.

QS9_4 Stopped using COCAINE

Location: 2594-2595(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you stop using at any time?

Cocaine (powder)

<i>QS9_4: Stopped using COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	201	14.4 %	75.0%
2	No	67	4.8 %	25.0%

- Study 02258 -

<i>QS9_4: Stopped using COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1124	80.7 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 268 valid cases out of 1393 total cases.

QS10_4 Started using COCAINE again

Location: 2596-2597(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you start using this drug again after that?

Cocaine (powder)

<i>QS10_4: Started using COCAINE again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	116	8.3 %	58.0%
2	No	84	6.0 %	42.0%
-9 (M)	Legitimate Skip	1192	85.6 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 200 valid cases out of 1393 total cases.

QS13_4 Number of total weeks used COCAINE

Location: 2598-2600(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks did you use [DRUG] since leaving?

Cocaine (powder)

<i>QS13_4: Number of total weeks used COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	21	1.5 %	8.8%
1	-	7	0.5 %	2.9%
2	-	8	0.6 %	3.3%
3	-	8	0.6 %	3.3%
4	-	8	0.6 %	3.3%
5	-	3	0.2 %	1.2%
6	-	5	0.4 %	2.1%

- Study 02258 -

<i>QS13_4: Number of total weeks used COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	-	1	0.1 %	0.4%
8	-	2	0.1 %	0.8%
9	-	1	0.1 %	0.4%
10	-	4	0.3 %	1.7%
12	-	7	0.5 %	2.9%
14	-	1	0.1 %	0.4%
16	-	3	0.2 %	1.2%
18	-	1	0.1 %	0.4%
20	-	6	0.4 %	2.5%
24	-	5	0.4 %	2.1%
25	-	1	0.1 %	0.4%
26	-	4	0.3 %	1.7%
28	-	1	0.1 %	0.4%
30	-	3	0.2 %	1.2%
32	-	1	0.1 %	0.4%
36	-	3	0.2 %	1.2%
38	-	1	0.1 %	0.4%
39	-	1	0.1 %	0.4%
40	-	6	0.4 %	2.5%
44	-	1	0.1 %	0.4%
46	-	2	0.1 %	0.8%
52	-	2	0.1 %	0.8%
60	-	4	0.3 %	1.7%
64	-	1	0.1 %	0.4%
67	-	2	0.1 %	0.8%
68	-	1	0.1 %	0.4%
69	-	1	0.1 %	0.4%
72	-	1	0.1 %	0.4%
76	-	1	0.1 %	0.4%
78	-	5	0.4 %	2.1%
80	-	1	0.1 %	0.4%
82	-	1	0.1 %	0.4%
83	-	1	0.1 %	0.4%
86	-	1	0.1 %	0.4%
104	-	6	0.4 %	2.5%
108	-	2	0.1 %	0.8%
109	-	1	0.1 %	0.4%
112	-	1	0.1 %	0.4%
117	-	1	0.1 %	0.4%

- Study 02258 -

<i>QS13_4: Number of total weeks used COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
120	-	2	0.1 %	0.8%
128	-	1	0.1 %	0.4%
130	-	3	0.2 %	1.2%
133	-	1	0.1 %	0.4%
135	-	1	0.1 %	0.4%
136	-	1	0.1 %	0.4%
142	-	2	0.1 %	0.8%
144	-	1	0.1 %	0.4%
150	-	2	0.1 %	0.8%
152	-	2	0.1 %	0.8%
156	-	5	0.4 %	2.1%
157	-	1	0.1 %	0.4%
160	-	1	0.1 %	0.4%
164	-	2	0.1 %	0.8%
168	-	1	0.1 %	0.4%
180	-	1	0.1 %	0.4%
182	-	3	0.2 %	1.2%
184	-	2	0.1 %	0.8%
188	-	1	0.1 %	0.4%
189	-	1	0.1 %	0.4%
200	-	1	0.1 %	0.4%
204	-	2	0.1 %	0.8%
206	-	1	0.1 %	0.4%
208	-	9	0.6 %	3.8%
222	-	1	0.1 %	0.4%
224	-	1	0.1 %	0.4%
226	-	1	0.1 %	0.4%
228	-	1	0.1 %	0.4%
230	-	1	0.1 %	0.4%
234	-	4	0.3 %	1.7%
236	-	1	0.1 %	0.4%
240	-	2	0.1 %	0.8%
242	-	1	0.1 %	0.4%
248	-	2	0.1 %	0.8%
250	-	3	0.2 %	1.2%
254	-	3	0.2 %	1.2%
258	-	1	0.1 %	0.4%
260	-	9	0.6 %	3.8%
268	-	2	0.1 %	0.8%

- Study 02258 -

QS13_4: Number of total weeks used COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
269	-	1	0.1 %	0.4%
272	-	1	0.1 %	0.4%
273	-	1	0.1 %	0.4%
278	-	1	0.1 %	0.4%
280	-	1	0.1 %	0.4%
300	-	1	0.1 %	0.4%
311	-	1	0.1 %	0.4%
312	-	3	0.2 %	1.2%
313	-	1	0.1 %	0.4%
380	-	1	0.1 %	0.4%
-9 (M)	Legitimate Skip	1124	80.7 %	-
-2 (M)	Don't Know	28	2.0 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 240 valid cases out of 1393 total cases.

QS14_4

Number of weeks ago last used COCAINE

Location: 2601-2603(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use [DRUG]?

Cocaine (powder)

QS14_4: Number of weeks ago last used COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
0	-	72	5.2 %	27.7%
1	-	15	1.1 %	5.8%
2	-	7	0.5 %	2.7%
3	-	3	0.2 %	1.2%
4	-	10	0.7 %	3.8%
5	-	2	0.1 %	0.8%
6	-	4	0.3 %	1.5%
7	-	2	0.1 %	0.8%
8	-	1	0.1 %	0.4%
10	-	4	0.3 %	1.5%
12	-	5	0.4 %	1.9%
13	-	3	0.2 %	1.2%
14	-	2	0.1 %	0.8%

- Study 02258 -

QS14_4: Number of weeks ago last used COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
16	-	3	0.2 %	1.2%
17	-	2	0.1 %	0.8%
18	-	1	0.1 %	0.4%
19	-	1	0.1 %	0.4%
20	-	3	0.2 %	1.2%
22	-	1	0.1 %	0.4%
23	-	1	0.1 %	0.4%
25	-	1	0.1 %	0.4%
26	-	10	0.7 %	3.8%
28	-	1	0.1 %	0.4%
32	-	1	0.1 %	0.4%
34	-	1	0.1 %	0.4%
36	-	4	0.3 %	1.5%
38	-	4	0.3 %	1.5%
40	-	2	0.1 %	0.8%
42	-	3	0.2 %	1.2%
44	-	2	0.1 %	0.8%
50	-	1	0.1 %	0.4%
51	-	2	0.1 %	0.8%
52	-	5	0.4 %	1.9%
57	-	1	0.1 %	0.4%
60	-	3	0.2 %	1.2%
65	-	1	0.1 %	0.4%
72	-	1	0.1 %	0.4%
78	-	3	0.2 %	1.2%
88	-	2	0.1 %	0.8%
92	-	1	0.1 %	0.4%
104	-	2	0.1 %	0.8%
106	-	1	0.1 %	0.4%
113	-	1	0.1 %	0.4%
115	-	1	0.1 %	0.4%
116	-	1	0.1 %	0.4%
120	-	1	0.1 %	0.4%
124	-	2	0.1 %	0.8%
129	-	1	0.1 %	0.4%
130	-	5	0.4 %	1.9%
132	-	1	0.1 %	0.4%
136	-	2	0.1 %	0.8%
140	-	1	0.1 %	0.4%

- Study 02258 -

QS14_4: Number of weeks ago last used COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
146	-	1	0.1 %	0.4%
150	-	1	0.1 %	0.4%
156	-	6	0.4 %	2.3%
164	-	3	0.2 %	1.2%
168	-	1	0.1 %	0.4%
172	-	1	0.1 %	0.4%
178	-	1	0.1 %	0.4%
182	-	3	0.2 %	1.2%
192	-	1	0.1 %	0.4%
200	-	1	0.1 %	0.4%
208	-	5	0.4 %	1.9%
215	-	1	0.1 %	0.4%
232	-	1	0.1 %	0.4%
234	-	2	0.1 %	0.8%
250	-	2	0.1 %	0.8%
252	-	2	0.1 %	0.8%
260	-	5	0.4 %	1.9%
261	-	1	0.1 %	0.4%
282	-	1	0.1 %	0.4%
284	-	1	0.1 %	0.4%
286	-	2	0.1 %	0.8%
290	-	1	0.1 %	0.4%
292	-	1	0.1 %	0.4%
296	-	1	0.1 %	0.4%
298	-	1	0.1 %	0.4%
301	-	1	0.1 %	0.4%
316	-	1	0.1 %	0.4%
323	-	1	0.1 %	0.4%
440	-	1	0.1 %	0.4%
-9 (M)	Legitimate Skip	1124	80.7 %	-
-2 (M)	Don't Know	6	0.4 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 260 valid cases out of 1393 total cases.

QS3_5

COCAINE (CRACK)

Location: 2604-2605(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

<i>QS5_5: Frequency of use CRACK</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Daily	136	9.8 %	32.5%
2	2-5 Days/Week	124	8.9 %	29.7%
3	Less than once a week	158	11.3 %	37.8%
-9 (M)	Legitimate Skip	973	69.8 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 418 valid cases out of 1393 total cases.

QS6_5 Route of drug use CRACK

Location: 2611-2612(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you use the [DRUG]?

Cocaine (Crack)

<i>QS6_5: Route of drug use CRACK</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Oral	1	0.1 %	0.2%
2	Smoke	389	27.9 %	92.8%
3	Inject	17	1.2 %	4.1%
4	Inhale	12	0.9 %	2.9%
-9 (M)	Legitimate Skip	973	69.8 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 419 valid cases out of 1393 total cases.

QS7_5 How much spent/month on CRACK

Location: 2613-2616(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How much did you spent per month on average for [DRUG]?

Cocaine (Crack)

<i>QS7_5: How much spent/month on CRACK</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	48	3.4 %	12.6%
5	-	3	0.2 %	0.8%

- Study 02258 -

<i>QS7_5: How much spent/month on CRACK</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	-	9	0.6 %	2.4%
20	-	11	0.8 %	2.9%
25	-	3	0.2 %	0.8%
30	-	2	0.1 %	0.5%
40	-	8	0.6 %	2.1%
50	-	16	1.1 %	4.2%
60	-	7	0.5 %	1.8%
80	-	6	0.4 %	1.6%
92	-	1	0.1 %	0.3%
100	-	36	2.6 %	9.4%
120	-	2	0.1 %	0.5%
125	-	1	0.1 %	0.3%
150	-	4	0.3 %	1.0%
160	-	1	0.1 %	0.3%
175	-	1	0.1 %	0.3%
200	-	36	2.6 %	9.4%
250	-	6	0.4 %	1.6%
300	-	27	1.9 %	7.1%
320	-	1	0.1 %	0.3%
350	-	1	0.1 %	0.3%
400	-	20	1.4 %	5.2%
450	-	1	0.1 %	0.3%
500	-	29	2.1 %	7.6%
600	-	11	0.8 %	2.9%
700	-	1	0.1 %	0.3%
750	-	2	0.1 %	0.5%
800	-	6	0.4 %	1.6%
850	-	1	0.1 %	0.3%
900	-	3	0.2 %	0.8%
1000	-	24	1.7 %	6.3%
1200	-	9	0.6 %	2.4%
1500	-	10	0.7 %	2.6%
1800	-	1	0.1 %	0.3%
2000	-	13	0.9 %	3.4%
2400	-	1	0.1 %	0.3%
2800	-	1	0.1 %	0.3%
3000	-	9	0.6 %	2.4%
4000	-	2	0.1 %	0.5%
5000	-	3	0.2 %	0.8%

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use [DRUG]?

Cocaine (Crack)

<i>QS14_5: Number of weeks ago last used CRACK</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 411 valid cases out of 1393 total cases.

QS3_6

HEROIN

Location: 2630-2631(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

Heroin

<i>QS3_6: HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	340	24.4 %	32.1%
2	No	718	51.5 %	67.9%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

QS4_6

Number of weeks after leaving started using HEROIN

Location: 2632-2634(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left that treatment did you first start using?

Heroin

- Study 02258 -

<i>QS4_6: Number of weeks after leaving started using HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	110	7.9 %	33.7%
1	-	11	0.8 %	3.4%
2	-	9	0.6 %	2.8%
3	-	5	0.4 %	1.5%
4	-	18	1.3 %	5.5%
6	-	3	0.2 %	0.9%
8	-	9	0.6 %	2.8%
10	-	1	0.1 %	0.3%
12	-	9	0.6 %	2.8%
16	-	4	0.3 %	1.2%
17	-	1	0.1 %	0.3%
20	-	7	0.5 %	2.1%
21	-	1	0.1 %	0.3%
22	-	1	0.1 %	0.3%
24	-	7	0.5 %	2.1%
26	-	10	0.7 %	3.1%
28	-	3	0.2 %	0.9%
30	-	1	0.1 %	0.3%
34	-	2	0.1 %	0.6%
36	-	3	0.2 %	0.9%
40	-	4	0.3 %	1.2%
45	-	1	0.1 %	0.3%
46	-	1	0.1 %	0.3%
48	-	1	0.1 %	0.3%
52	-	12	0.9 %	3.7%
54	-	1	0.1 %	0.3%
60	-	1	0.1 %	0.3%
62	-	2	0.1 %	0.6%
68	-	1	0.1 %	0.3%
72	-	1	0.1 %	0.3%
74	-	1	0.1 %	0.3%
76	-	2	0.1 %	0.6%
78	-	5	0.4 %	1.5%
80	-	1	0.1 %	0.3%
90	-	1	0.1 %	0.3%
94	-	1	0.1 %	0.3%
104	-	8	0.6 %	2.5%
108	-	2	0.1 %	0.6%
110	-	2	0.1 %	0.6%

- Study 02258 -

<i>QS4_6: Number of weeks after leaving started using HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
112	-	2	0.1 %	0.6%
115	-	1	0.1 %	0.3%
116	-	1	0.1 %	0.3%
128	-	1	0.1 %	0.3%
130	-	4	0.3 %	1.2%
134	-	1	0.1 %	0.3%
156	-	7	0.5 %	2.1%
162	-	1	0.1 %	0.3%
164	-	1	0.1 %	0.3%
165	-	1	0.1 %	0.3%
168	-	2	0.1 %	0.6%
169	-	1	0.1 %	0.3%
172	-	1	0.1 %	0.3%
178	-	1	0.1 %	0.3%
182	-	4	0.3 %	1.2%
187	-	1	0.1 %	0.3%
188	-	2	0.1 %	0.6%
190	-	1	0.1 %	0.3%
191	-	1	0.1 %	0.3%
192	-	1	0.1 %	0.3%
195	-	1	0.1 %	0.3%
196	-	1	0.1 %	0.3%
208	-	5	0.4 %	1.5%
214	-	1	0.1 %	0.3%
224	-	1	0.1 %	0.3%
228	-	1	0.1 %	0.3%
234	-	2	0.1 %	0.6%
236	-	1	0.1 %	0.3%
240	-	1	0.1 %	0.3%
253	-	1	0.1 %	0.3%
255	-	1	0.1 %	0.3%
260	-	3	0.2 %	0.9%
272	-	1	0.1 %	0.3%
286	-	1	0.1 %	0.3%
288	-	1	0.1 %	0.3%
290	-	1	0.1 %	0.3%
292	-	1	0.1 %	0.3%
293	-	1	0.1 %	0.3%
300	-	1	0.1 %	0.3%

- Study 02258 -

<i>QS4_6: Number of weeks after leaving started using HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
312	-	1	0.1 %	0.3%
412	-	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1053	75.6 %	-
-2 (M)	Don't Know	14	1.0 %	-

Based upon 326 valid cases out of 1393 total cases.

QS5_6 Frequency of use HEROIN

Location: 2635-2636(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How often were you using [DRUG] at that time?

Heroin

<i>QS5_6: Frequency of use HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Daily	178	12.8 %	53.0%
2	2-5 Days/Week	79	5.7 %	23.5%
3	Less than once a week	79	5.7 %	23.5%
-9 (M)	Legitimate Skip	1053	75.6 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 336 valid cases out of 1393 total cases.

QS6_6 Route of drug use HEROIN

Location: 2637-2638(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How did you use the [DRUG]?

Heroin

<i>QS6_6: Route of drug use HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Oral	4	0.3 %	1.2%
2	Smoke	12	0.9 %	3.5%
3	Inject	214	15.4 %	62.9%
4	Inhale	110	7.9 %	32.4%

- Study 02258 -

QS6_6: Route of drug use HEROIN				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	Legitimate Skip	1053	75.6 %	-

Based upon 340 valid cases out of 1393 total cases.

QS7_6 How much spent/month on HEROIN

Location: 2639-2643(width: 5; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How much did you spent per month on average for [DRUG]?

Heroin

QS7_6: How much spent/month on HEROIN				
Value	Label	Unweighted Frequency	%	Valid %
0	-	21	1.5 %	6.8%
5	-	2	0.1 %	0.6%
8	-	1	0.1 %	0.3%
10	-	3	0.2 %	1.0%
12	-	1	0.1 %	0.3%
15	-	3	0.2 %	1.0%
20	-	8	0.6 %	2.6%
25	-	1	0.1 %	0.3%
30	-	1	0.1 %	0.3%
35	-	1	0.1 %	0.3%
40	-	8	0.6 %	2.6%
50	-	8	0.6 %	2.6%
55	-	1	0.1 %	0.3%
60	-	6	0.4 %	1.9%
75	-	3	0.2 %	1.0%
80	-	4	0.3 %	1.3%
100	-	16	1.1 %	5.1%
120	-	2	0.1 %	0.6%
150	-	4	0.3 %	1.3%
160	-	3	0.2 %	1.0%
200	-	19	1.4 %	6.1%
240	-	1	0.1 %	0.3%
250	-	4	0.3 %	1.3%
300	-	20	1.4 %	6.4%
310	-	1	0.1 %	0.3%

- Study 02258 -

<i>QS7_6: How much spent/month on HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
340	-	1	0.1 %	0.3%
350	-	3	0.2 %	1.0%
400	-	11	0.8 %	3.5%
420	-	1	0.1 %	0.3%
500	-	26	1.9 %	8.4%
550	-	2	0.1 %	0.6%
560	-	1	0.1 %	0.3%
600	-	14	1.0 %	4.5%
700	-	4	0.3 %	1.3%
750	-	1	0.1 %	0.3%
800	-	7	0.5 %	2.3%
840	-	2	0.1 %	0.6%
900	-	7	0.5 %	2.3%
950	-	1	0.1 %	0.3%
1000	-	23	1.7 %	7.4%
1200	-	8	0.6 %	2.6%
1400	-	1	0.1 %	0.3%
1500	-	8	0.6 %	2.6%
1800	-	4	0.3 %	1.3%
2000	-	8	0.6 %	2.6%
2175	-	1	0.1 %	0.3%
2500	-	2	0.1 %	0.6%
3000	-	12	0.9 %	3.9%
3600	-	2	0.1 %	0.6%
4000	-	1	0.1 %	0.3%
4500	-	2	0.1 %	0.6%
4600	-	1	0.1 %	0.3%
5000	-	6	0.4 %	1.9%
6000	-	2	0.1 %	0.6%
7000	-	1	0.1 %	0.3%
9000	-	1	0.1 %	0.3%
10000	-	1	0.1 %	0.3%
10200	-	1	0.1 %	0.3%
12000	-	1	0.1 %	0.3%
14000	-	1	0.1 %	0.3%
18000	-	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1053	75.6 %	-
-2 (M)	Don't Know	29	2.1 %	-

Based upon 311 valid cases out of 1393 total cases.

- Study 02258 -

<i>QS8_6: Number of weeks continued to use HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
53	-	1	0.1 %	0.3%
54	-	1	0.1 %	0.3%
55	-	1	0.1 %	0.3%
56	-	1	0.1 %	0.3%
60	-	2	0.1 %	0.6%
64	-	1	0.1 %	0.3%
70	-	1	0.1 %	0.3%
76	-	1	0.1 %	0.3%
78	-	1	0.1 %	0.3%
80	-	2	0.1 %	0.6%
82	-	3	0.2 %	1.0%
92	-	2	0.1 %	0.6%
96	-	1	0.1 %	0.3%
100	-	1	0.1 %	0.3%
104	-	8	0.6 %	2.6%
110	-	1	0.1 %	0.3%
112	-	3	0.2 %	1.0%
120	-	1	0.1 %	0.3%
130	-	4	0.3 %	1.3%
148	-	1	0.1 %	0.3%
151	-	1	0.1 %	0.3%
156	-	8	0.6 %	2.6%
166	-	1	0.1 %	0.3%
168	-	1	0.1 %	0.3%
169	-	1	0.1 %	0.3%
180	-	1	0.1 %	0.3%
182	-	2	0.1 %	0.6%
188	-	1	0.1 %	0.3%
200	-	1	0.1 %	0.3%
202	-	1	0.1 %	0.3%
206	-	1	0.1 %	0.3%
208	-	11	0.8 %	3.5%
220	-	1	0.1 %	0.3%
234	-	4	0.3 %	1.3%
237	-	1	0.1 %	0.3%
240	-	2	0.1 %	0.6%
243	-	1	0.1 %	0.3%
254	-	1	0.1 %	0.3%
260	-	4	0.3 %	1.3%

- Study 02258 -

<i>QS8_6: Number of weeks continued to use HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
268	-	2	0.1 %	0.6%
270	-	1	0.1 %	0.3%
280	-	1	0.1 %	0.3%
286	-	1	0.1 %	0.3%
288	-	1	0.1 %	0.3%
299	-	1	0.1 %	0.3%
301	-	1	0.1 %	0.3%
306	-	1	0.1 %	0.3%
312	-	3	0.2 %	1.0%
320	-	1	0.1 %	0.3%
423	-	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1053	75.6 %	-
-2 (M)	Don't Know	27	1.9 %	-

Based upon 313 valid cases out of 1393 total cases.

QS9_6

Stopped using HEROIN

Location: 2647-2648(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Did you stop using at any time?

Heroin

<i>QS9_6: Stopped using HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	243	17.4 %	71.7%
2	No	96	6.9 %	28.3%
-9 (M)	Legitimate Skip	1053	75.6 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 339 valid cases out of 1393 total cases.

QS10_6

Started using HEROIN again

Location: 2649-2650(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Did you start using this drug again after that?

- Study 02258 -

Heroin

<i>QS10_6: Started using HEROIN again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	160	11.5 %	66.4%
2	No	81	5.8 %	33.6%
-9 (M)	Legitimate Skip	1150	82.6 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 241 valid cases out of 1393 total cases.

QS13_6 Number of total weeks used HEROIN

Location: 2651-2653(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks did you use [DRUG] since leaving?

Heroin

<i>QS13_6: Number of total weeks used HEROIN</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 309 valid cases out of 1393 total cases.

QS14_6 Number of weeks ago last used HEROIN

Location: 2654-2656(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use [DRUG]?

Heroin

<i>QS14_6: Number of weeks ago last used HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	123	8.8 %	36.7%
1	-	17	1.2 %	5.1%

- Study 02258 -

<i>QS14_6: Number of weeks ago last used HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	12	0.9 %	3.6%
3	-	4	0.3 %	1.2%
4	-	13	0.9 %	3.9%
5	-	3	0.2 %	0.9%
6	-	2	0.1 %	0.6%
7	-	1	0.1 %	0.3%
8	-	8	0.6 %	2.4%
12	-	9	0.6 %	2.7%
13	-	4	0.3 %	1.2%
14	-	1	0.1 %	0.3%
16	-	8	0.6 %	2.4%
20	-	4	0.3 %	1.2%
23	-	1	0.1 %	0.3%
24	-	2	0.1 %	0.6%
26	-	7	0.5 %	2.1%
28	-	3	0.2 %	0.9%
30	-	1	0.1 %	0.3%
32	-	6	0.4 %	1.8%
35	-	1	0.1 %	0.3%
36	-	5	0.4 %	1.5%
37	-	1	0.1 %	0.3%
38	-	2	0.1 %	0.6%
40	-	4	0.3 %	1.2%
42	-	1	0.1 %	0.3%
44	-	1	0.1 %	0.3%
48	-	2	0.1 %	0.6%
52	-	5	0.4 %	1.5%
54	-	2	0.1 %	0.6%
56	-	1	0.1 %	0.3%
57	-	1	0.1 %	0.3%
58	-	1	0.1 %	0.3%
61	-	2	0.1 %	0.6%
68	-	1	0.1 %	0.3%
70	-	1	0.1 %	0.3%
72	-	1	0.1 %	0.3%
78	-	3	0.2 %	0.9%
80	-	2	0.1 %	0.6%
83	-	1	0.1 %	0.3%
86	-	1	0.1 %	0.3%

- Study 02258 -

<i>QS14_6: Number of weeks ago last used HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
88	-	2	0.1 %	0.6%
98	-	1	0.1 %	0.3%
104	-	8	0.6 %	2.4%
106	-	1	0.1 %	0.3%
108	-	2	0.1 %	0.6%
112	-	2	0.1 %	0.6%
113	-	1	0.1 %	0.3%
115	-	1	0.1 %	0.3%
116	-	1	0.1 %	0.3%
120	-	1	0.1 %	0.3%
122	-	1	0.1 %	0.3%
124	-	1	0.1 %	0.3%
129	-	1	0.1 %	0.3%
130	-	2	0.1 %	0.6%
132	-	2	0.1 %	0.6%
135	-	1	0.1 %	0.3%
142	-	1	0.1 %	0.3%
146	-	1	0.1 %	0.3%
154	-	1	0.1 %	0.3%
156	-	3	0.2 %	0.9%
164	-	2	0.1 %	0.6%
168	-	1	0.1 %	0.3%
182	-	2	0.1 %	0.6%
185	-	1	0.1 %	0.3%
194	-	1	0.1 %	0.3%
200	-	1	0.1 %	0.3%
204	-	1	0.1 %	0.3%
208	-	5	0.4 %	1.5%
210	-	1	0.1 %	0.3%
215	-	1	0.1 %	0.3%
220	-	1	0.1 %	0.3%
230	-	1	0.1 %	0.3%
234	-	1	0.1 %	0.3%
242	-	1	0.1 %	0.3%
260	-	7	0.5 %	2.1%
280	-	1	0.1 %	0.3%
283	-	1	0.1 %	0.3%
286	-	2	0.1 %	0.6%
294	-	1	0.1 %	0.3%

- Study 02258 -

<i>QS14_6: Number of weeks ago last used HEROIN</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
320	-	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1054	75.7 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 335 valid cases out of 1393 total cases.

QS3_7 HEROIN AND COCAINE TOGETHER

Location: 2657-2658(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

Heroin and Cocaine together

<i>QS3_7: HEROIN AND COCAINE TOGETHER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	118	8.5 %	11.2%
2	No	940	67.5 %	88.8%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

QS4_7 Number of weeks after leaving started using HEROIN AND COCAINE

Location: 2659-2661(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left that treatment did you first start using?

Heroin and Cocaine together

<i>QS4_7: Number of weeks after leaving started using HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	38	2.7 %	33.3%
1	-	4	0.3 %	3.5%
2	-	7	0.5 %	6.1%
4	-	7	0.5 %	6.1%

- Study 02258 -

<i>QS4_7: Number of weeks after leaving started using HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
7	-	1	0.1 %	0.9%
8	-	4	0.3 %	3.5%
12	-	6	0.4 %	5.3%
16	-	2	0.1 %	1.8%
17	-	1	0.1 %	0.9%
20	-	2	0.1 %	1.8%
22	-	2	0.1 %	1.8%
24	-	1	0.1 %	0.9%
26	-	1	0.1 %	0.9%
28	-	2	0.1 %	1.8%
30	-	2	0.1 %	1.8%
36	-	1	0.1 %	0.9%
39	-	1	0.1 %	0.9%
54	-	1	0.1 %	0.9%
58	-	1	0.1 %	0.9%
59	-	1	0.1 %	0.9%
64	-	1	0.1 %	0.9%
68	-	1	0.1 %	0.9%
76	-	1	0.1 %	0.9%
91	-	1	0.1 %	0.9%
106	-	1	0.1 %	0.9%
108	-	1	0.1 %	0.9%
116	-	1	0.1 %	0.9%
128	-	1	0.1 %	0.9%
130	-	1	0.1 %	0.9%
152	-	1	0.1 %	0.9%
156	-	3	0.2 %	2.6%
160	-	1	0.1 %	0.9%
162	-	1	0.1 %	0.9%
180	-	1	0.1 %	0.9%
182	-	1	0.1 %	0.9%
184	-	1	0.1 %	0.9%
187	-	1	0.1 %	0.9%
200	-	1	0.1 %	0.9%
204	-	1	0.1 %	0.9%
208	-	1	0.1 %	0.9%
215	-	1	0.1 %	0.9%
244	-	1	0.1 %	0.9%
260	-	2	0.1 %	1.8%

- Study 02258 -

QS4_7: Number of weeks after leaving started using HEROIN AND COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
272	-	1	0.1 %	0.9%
300	-	1	0.1 %	0.9%
320	-	1	0.1 %	0.9%
-9 (M)	Legitimate Skip	1275	91.5 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 114 valid cases out of 1393 total cases.

QS5_7 Frequency of use HEROIN AND COCAINE

Location: 2662-2663(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How often were you using [DRUG] at that time?

Heroin and Cocaine together

QS5_7: Frequency of use HEROIN AND COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
1	Daily	49	3.5 %	42.2%
2	2-5 Days/Week	29	2.1 %	25.0%
3	Less than once a week	38	2.7 %	32.8%
-9 (M)	Legitimate Skip	1275	91.5 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 116 valid cases out of 1393 total cases.

QS6_7 Route of drug use HEROIN AND COCAINE

Location: 2664-2665(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you use the [DRUG]?

Heroin and Cocaine together

QS6_7: Route of drug use HEROIN AND COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
1	Oral	2	0.1 %	1.7%
2	Smoke	12	0.9 %	10.3%
3	Inject	89	6.4 %	76.1%

- Study 02258 -

<i>QS6_7: Route of drug use HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	Inhale	14	1.0 %	12.0%
-9 (M)	Legitimate Skip	1275	91.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 117 valid cases out of 1393 total cases.

QS7_7 How much spent/month on HEROIN AND COCAINE

Location: 2666-2669(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How much did you spent per month on average for [DRUG]?

Heroin and Cocaine together

<i>QS7_7: How much spent/month on HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	10	0.7 %	9.9%
20	-	3	0.2 %	3.0%
30	-	1	0.1 %	1.0%
40	-	2	0.1 %	2.0%
50	-	4	0.3 %	4.0%
60	-	1	0.1 %	1.0%
70	-	3	0.2 %	3.0%
75	-	1	0.1 %	1.0%
80	-	2	0.1 %	2.0%
90	-	1	0.1 %	1.0%
100	-	7	0.5 %	6.9%
150	-	1	0.1 %	1.0%
160	-	1	0.1 %	1.0%
180	-	1	0.1 %	1.0%
200	-	8	0.6 %	7.9%
240	-	2	0.1 %	2.0%
250	-	2	0.1 %	2.0%
300	-	3	0.2 %	3.0%
400	-	7	0.5 %	6.9%
450	-	1	0.1 %	1.0%
500	-	3	0.2 %	3.0%
550	-	1	0.1 %	1.0%
600	-	6	0.4 %	5.9%

- Study 02258 -

<i>QS7_7: How much spent/month on HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
800	-	2	0.1 %	2.0%
900	-	1	0.1 %	1.0%
1000	-	3	0.2 %	3.0%
1200	-	2	0.1 %	2.0%
1300	-	1	0.1 %	1.0%
1400	-	1	0.1 %	1.0%
1500	-	5	0.4 %	5.0%
1800	-	1	0.1 %	1.0%
2000	-	1	0.1 %	1.0%
2500	-	2	0.1 %	2.0%
3000	-	4	0.3 %	4.0%
3300	-	1	0.1 %	1.0%
4000	-	1	0.1 %	1.0%
4800	-	1	0.1 %	1.0%
5000	-	1	0.1 %	1.0%
6500	-	1	0.1 %	1.0%
7500	-	1	0.1 %	1.0%
9800	-	1	0.1 %	1.0%
-9 (M)	Legitimate Skip	1275	91.5 %	-
-2 (M)	Don't Know	17	1.2 %	-

Based upon 101 valid cases out of 1393 total cases.

QS8_7

Number of weeks continued to use HEROIN AND COCAINE

Location: 2670-2672(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

Heroin and Cocaine together

<i>QS8_7: Number of weeks continued to use HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	15	1.1 %	14.0%
1	-	2	0.1 %	1.9%
2	-	4	0.3 %	3.7%
3	-	2	0.1 %	1.9%
4	-	9	0.6 %	8.4%

- Study 02258 -

<i>QS8_7: Number of weeks continued to use HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	-	1	0.1 %	0.9%
6	-	2	0.1 %	1.9%
8	-	2	0.1 %	1.9%
12	-	5	0.4 %	4.7%
14	-	1	0.1 %	0.9%
16	-	3	0.2 %	2.8%
20	-	2	0.1 %	1.9%
26	-	3	0.2 %	2.8%
30	-	1	0.1 %	0.9%
36	-	2	0.1 %	1.9%
38	-	1	0.1 %	0.9%
42	-	1	0.1 %	0.9%
52	-	10	0.7 %	9.3%
56	-	2	0.1 %	1.9%
60	-	2	0.1 %	1.9%
76	-	1	0.1 %	0.9%
78	-	2	0.1 %	1.9%
82	-	2	0.1 %	1.9%
104	-	4	0.3 %	3.7%
108	-	1	0.1 %	0.9%
130	-	2	0.1 %	1.9%
136	-	1	0.1 %	0.9%
147	-	1	0.1 %	0.9%
148	-	1	0.1 %	0.9%
156	-	1	0.1 %	0.9%
166	-	1	0.1 %	0.9%
168	-	1	0.1 %	0.9%
172	-	1	0.1 %	0.9%
188	-	1	0.1 %	0.9%
200	-	3	0.2 %	2.8%
206	-	1	0.1 %	0.9%
208	-	3	0.2 %	2.8%
234	-	1	0.1 %	0.9%
243	-	1	0.1 %	0.9%
260	-	3	0.2 %	2.8%
262	-	1	0.1 %	0.9%
268	-	1	0.1 %	0.9%
299	-	1	0.1 %	0.9%
304	-	1	0.1 %	0.9%

- Study 02258 -

<i>QS8_7: Number of weeks continued to use HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
320	-	1	0.1 %	0.9%
-9 (M)	Legitimate Skip	1275	91.5 %	-
-2 (M)	Don't Know	11	0.8 %	-

Based upon 107 valid cases out of 1393 total cases.

QS9_7 Stopped using HEROIN AND COCAINE

Location: 2673-2674(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you stop using at any time?

Heroin and Cocaine together

<i>QS9_7: Stopped using HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	91	6.5 %	77.8%
2	No	26	1.9 %	22.2%
-9 (M)	Legitimate Skip	1275	91.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 117 valid cases out of 1393 total cases.

QS10_7 Started using HEROIN AND COCAINE again

Location: 2675-2676(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you start using this drug again after that?

Heroin and Cocaine together

<i>QS10_7: Started using HEROIN AND COCAINE again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	52	3.7 %	57.1%
2	No	39	2.8 %	42.9%
-9 (M)	Legitimate Skip	1302	93.5 %	-

Based upon 91 valid cases out of 1393 total cases.

QS13_7 Number of total weeks used HEROIN AND COCAINE

- Study 02258 -

Location: 2677-2679(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks did you use [DRUG] since leaving?

Heroin and Cocaine together

<i>QS13_7: Number of total weeks used HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	6	0.4 %	5.5%
1	-	3	0.2 %	2.8%
2	-	4	0.3 %	3.7%
3	-	1	0.1 %	0.9%
4	-	4	0.3 %	3.7%
6	-	2	0.1 %	1.8%
12	-	1	0.1 %	0.9%
16	-	1	0.1 %	0.9%
20	-	4	0.3 %	3.7%
25	-	1	0.1 %	0.9%
26	-	2	0.1 %	1.8%
30	-	1	0.1 %	0.9%
32	-	2	0.1 %	1.8%
36	-	2	0.1 %	1.8%
38	-	1	0.1 %	0.9%
40	-	1	0.1 %	0.9%
42	-	1	0.1 %	0.9%
52	-	4	0.3 %	3.7%
56	-	1	0.1 %	0.9%
60	-	1	0.1 %	0.9%
64	-	1	0.1 %	0.9%
69	-	1	0.1 %	0.9%
76	-	1	0.1 %	0.9%
78	-	1	0.1 %	0.9%
82	-	2	0.1 %	1.8%
100	-	2	0.1 %	1.8%
104	-	3	0.2 %	2.8%
108	-	2	0.1 %	1.8%
128	-	1	0.1 %	0.9%
130	-	1	0.1 %	0.9%
140	-	1	0.1 %	0.9%
144	-	1	0.1 %	0.9%

- Study 02258 -

<i>QS13_7: Number of total weeks used HEROIN AND COCAINE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
147	-	1	0.1 %	0.9%
148	-	1	0.1 %	0.9%
150	-	1	0.1 %	0.9%
154	-	1	0.1 %	0.9%
156	-	1	0.1 %	0.9%
160	-	1	0.1 %	0.9%
164	-	1	0.1 %	0.9%
168	-	1	0.1 %	0.9%
172	-	2	0.1 %	1.8%
175	-	1	0.1 %	0.9%
178	-	1	0.1 %	0.9%
180	-	2	0.1 %	1.8%
182	-	2	0.1 %	1.8%
184	-	1	0.1 %	0.9%
188	-	1	0.1 %	0.9%
206	-	1	0.1 %	0.9%
208	-	3	0.2 %	2.8%
212	-	1	0.1 %	0.9%
215	-	1	0.1 %	0.9%
216	-	1	0.1 %	0.9%
218	-	1	0.1 %	0.9%
220	-	1	0.1 %	0.9%
234	-	3	0.2 %	2.8%
240	-	1	0.1 %	0.9%
242	-	1	0.1 %	0.9%
243	-	1	0.1 %	0.9%
250	-	1	0.1 %	0.9%
252	-	1	0.1 %	0.9%
254	-	1	0.1 %	0.9%
260	-	5	0.4 %	4.6%
262	-	1	0.1 %	0.9%
268	-	1	0.1 %	0.9%
272	-	1	0.1 %	0.9%
273	-	1	0.1 %	0.9%
290	-	1	0.1 %	0.9%
300	-	1	0.1 %	0.9%
304	-	1	0.1 %	0.9%
311	-	1	0.1 %	0.9%
-9 (M)	Legitimate Skip	1275	91.5 %	-

- Study 02258 -

QS13_7: Number of total weeks used HEROIN AND COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
-2 (M)	Don't Know	9	0.6 %	-

Based upon 109 valid cases out of 1393 total cases.

QS14_7 Number of weeks ago last used HEROIN AND COCAINE

Location: 2680-2682(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use [DRUG]?

Heroin and Cocaine together

QS14_7: Number of weeks ago last used HEROIN AND COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
0	-	32	2.3 %	27.8%
1	-	5	0.4 %	4.3%
2	-	7	0.5 %	6.1%
4	-	5	0.4 %	4.3%
6	-	1	0.1 %	0.9%
7	-	2	0.1 %	1.7%
8	-	2	0.1 %	1.7%
10	-	1	0.1 %	0.9%
11	-	1	0.1 %	0.9%
12	-	4	0.3 %	3.5%
13	-	1	0.1 %	0.9%
14	-	1	0.1 %	0.9%
15	-	1	0.1 %	0.9%
24	-	1	0.1 %	0.9%
26	-	4	0.3 %	3.5%
28	-	1	0.1 %	0.9%
32	-	2	0.1 %	1.7%
38	-	1	0.1 %	0.9%
39	-	1	0.1 %	0.9%
40	-	2	0.1 %	1.7%
42	-	1	0.1 %	0.9%
44	-	1	0.1 %	0.9%
48	-	1	0.1 %	0.9%
50	-	1	0.1 %	0.9%
51	-	1	0.1 %	0.9%

- Study 02258 -

QS14_7: Number of weeks ago last used HEROIN AND COCAINE				
Value	Label	Unweighted Frequency	%	Valid %
57	-	2	0.1 %	1.7%
72	-	1	0.1 %	0.9%
76	-	1	0.1 %	0.9%
78	-	1	0.1 %	0.9%
86	-	1	0.1 %	0.9%
88	-	1	0.1 %	0.9%
90	-	1	0.1 %	0.9%
104	-	1	0.1 %	0.9%
112	-	1	0.1 %	0.9%
124	-	1	0.1 %	0.9%
129	-	1	0.1 %	0.9%
132	-	1	0.1 %	0.9%
144	-	1	0.1 %	0.9%
146	-	1	0.1 %	0.9%
152	-	1	0.1 %	0.9%
156	-	2	0.1 %	1.7%
160	-	1	0.1 %	0.9%
164	-	2	0.1 %	1.7%
165	-	1	0.1 %	0.9%
180	-	1	0.1 %	0.9%
182	-	1	0.1 %	0.9%
190	-	1	0.1 %	0.9%
192	-	1	0.1 %	0.9%
208	-	1	0.1 %	0.9%
215	-	2	0.1 %	1.7%
232	-	1	0.1 %	0.9%
238	-	1	0.1 %	0.9%
244	-	1	0.1 %	0.9%
260	-	1	0.1 %	0.9%
272	-	1	0.1 %	0.9%
293	-	1	0.1 %	0.9%
-9 (M)	Legitimate Skip	1275	91.5 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 115 valid cases out of 1393 total cases.

QS3_8

NARCOTICS / OPIATES / OPIOIDS

Location: 2683-2684(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

QS4_8: Number of weeks after leaving started using NARCOTICS				
Value	Label	Unweighted Frequency	%	Valid %
77	-	1	0.1 %	1.2%
78	-	1	0.1 %	1.2%
84	-	1	0.1 %	1.2%
87	-	1	0.1 %	1.2%
104	-	2	0.1 %	2.4%
108	-	1	0.1 %	1.2%
112	-	3	0.2 %	3.5%
144	-	1	0.1 %	1.2%
156	-	1	0.1 %	1.2%
161	-	1	0.1 %	1.2%
182	-	3	0.2 %	3.5%
184	-	1	0.1 %	1.2%
188	-	1	0.1 %	1.2%
200	-	1	0.1 %	1.2%
208	-	2	0.1 %	2.4%
212	-	1	0.1 %	1.2%
216	-	1	0.1 %	1.2%
230	-	1	0.1 %	1.2%
232	-	1	0.1 %	1.2%
240	-	1	0.1 %	1.2%
252	-	1	0.1 %	1.2%
254	-	1	0.1 %	1.2%
276	-	1	0.1 %	1.2%
280	-	1	0.1 %	1.2%
282	-	1	0.1 %	1.2%
287	-	1	0.1 %	1.2%
309	-	1	0.1 %	1.2%
312	-	1	0.1 %	1.2%
326	-	1	0.1 %	1.2%
358	-	1	0.1 %	1.2%
-9 (M)	Legitimate Skip	1302	93.5 %	-
-2 (M)	Don't Know	6	0.4 %	-

Based upon 85 valid cases out of 1393 total cases.

QS5_8 Frequency of use NARCOTICS

Location: 2688-2689(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

QS7_8: How much spent/month on NARCOTICS				
Value	Label	Unweighted Frequency	%	Valid %
0	-	33	2.4 %	39.3%
2	-	1	0.1 %	1.2%
10	-	6	0.4 %	7.1%
14	-	2	0.1 %	2.4%
15	-	1	0.1 %	1.2%
20	-	2	0.1 %	2.4%
25	-	2	0.1 %	2.4%
30	-	1	0.1 %	1.2%
40	-	1	0.1 %	1.2%
50	-	8	0.6 %	9.5%
60	-	1	0.1 %	1.2%
80	-	2	0.1 %	2.4%
85	-	1	0.1 %	1.2%
100	-	6	0.4 %	7.1%
200	-	3	0.2 %	3.6%
250	-	1	0.1 %	1.2%
300	-	1	0.1 %	1.2%
400	-	1	0.1 %	1.2%
500	-	1	0.1 %	1.2%
800	-	1	0.1 %	1.2%
1000	-	3	0.2 %	3.6%
1200	-	1	0.1 %	1.2%
1500	-	2	0.1 %	2.4%
2000	-	1	0.1 %	1.2%
3000	-	1	0.1 %	1.2%
5000	-	1	0.1 %	1.2%
-9 (M)	Legitimate Skip	1302	93.5 %	-
-2 (M)	Don't Know	7	0.5 %	-

Based upon 84 valid cases out of 1393 total cases.

QS8_8

Number of weeks continued to use NARCOTICS

Location: 2696-2698(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

Narcotics / Opiates / Opioids

- Study 02258 -

QS8_8: Number of weeks continued to use NARCOTICS				
Value	Label	Unweighted Frequency	%	Valid %
0	-	22	1.6 %	26.2%
1	-	4	0.3 %	4.8%
2	-	7	0.5 %	8.3%
3	-	1	0.1 %	1.2%
4	-	6	0.4 %	7.1%
6	-	1	0.1 %	1.2%
8	-	2	0.1 %	2.4%
10	-	1	0.1 %	1.2%
12	-	4	0.3 %	4.8%
16	-	2	0.1 %	2.4%
20	-	2	0.1 %	2.4%
26	-	3	0.2 %	3.6%
28	-	1	0.1 %	1.2%
36	-	1	0.1 %	1.2%
44	-	1	0.1 %	1.2%
47	-	1	0.1 %	1.2%
52	-	4	0.3 %	4.8%
78	-	2	0.1 %	2.4%
92	-	1	0.1 %	1.2%
130	-	2	0.1 %	2.4%
145	-	1	0.1 %	1.2%
156	-	2	0.1 %	2.4%
178	-	1	0.1 %	1.2%
182	-	1	0.1 %	1.2%
204	-	1	0.1 %	1.2%
222	-	1	0.1 %	1.2%
238	-	1	0.1 %	1.2%
242	-	1	0.1 %	1.2%
243	-	1	0.1 %	1.2%
250	-	1	0.1 %	1.2%
254	-	1	0.1 %	1.2%
268	-	1	0.1 %	1.2%
278	-	1	0.1 %	1.2%
280	-	1	0.1 %	1.2%
300	-	1	0.1 %	1.2%
-9 (M)	Legitimate Skip	1302	93.5 %	-
-2 (M)	Don't Know	7	0.5 %	-

Based upon 84 valid cases out of 1393 total cases.

- Study 02258 -

QS9_8 Stopped using NARCOTICS

Location: 2699-2700(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you stop using at any time?

Narcotics / Opiates / Opioids

<i>QS9_8: Stopped using NARCOTICS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	74	5.3 %	82.2%
2	No	16	1.1 %	17.8%
-9 (M)	Legitimate Skip	1302	93.5 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 90 valid cases out of 1393 total cases.

QS10_8 Started using NARCOTICS again

Location: 2701-2702(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you start using this drug again after that?

Narcotics / Opiates / Opioids

<i>QS10_8: Started using NARCOTICS again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	34	2.4 %	45.9%
2	No	40	2.9 %	54.1%
-9 (M)	Legitimate Skip	1319	94.7 %	-

Based upon 74 valid cases out of 1393 total cases.

QS13_8 Number of total weeks used NARCOTICS

Location: 2703-2705(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many total weeks did you use [DRUG] since leaving?

Narcotics / Opiates / Opioids

- Study 02258 -

<i>QS13_8: Number of total weeks used NARCOTICS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	17	1.2 %	19.8%
1	-	3	0.2 %	3.5%
2	-	6	0.4 %	7.0%
3	-	2	0.1 %	2.3%
4	-	3	0.2 %	3.5%
5	-	1	0.1 %	1.2%
6	-	1	0.1 %	1.2%
8	-	3	0.2 %	3.5%
10	-	1	0.1 %	1.2%
12	-	5	0.4 %	5.8%
16	-	1	0.1 %	1.2%
18	-	1	0.1 %	1.2%
20	-	3	0.2 %	3.5%
26	-	1	0.1 %	1.2%
32	-	1	0.1 %	1.2%
36	-	4	0.3 %	4.7%
52	-	2	0.1 %	2.3%
60	-	1	0.1 %	1.2%
72	-	1	0.1 %	1.2%
92	-	1	0.1 %	1.2%
104	-	3	0.2 %	3.5%
130	-	1	0.1 %	1.2%
142	-	1	0.1 %	1.2%
145	-	1	0.1 %	1.2%
150	-	1	0.1 %	1.2%
156	-	1	0.1 %	1.2%
168	-	1	0.1 %	1.2%
178	-	2	0.1 %	2.3%
182	-	2	0.1 %	2.3%
184	-	1	0.1 %	1.2%
188	-	1	0.1 %	1.2%
204	-	1	0.1 %	1.2%
208	-	1	0.1 %	1.2%
222	-	1	0.1 %	1.2%
238	-	1	0.1 %	1.2%
242	-	1	0.1 %	1.2%
243	-	1	0.1 %	1.2%
244	-	1	0.1 %	1.2%
250	-	1	0.1 %	1.2%

- Study 02258 -

QS13_8: Number of total weeks used NARCOTICS				
Value	Label	Unweighted Frequency	%	Valid %
254	-	1	0.1 %	1.2%
260	-	1	0.1 %	1.2%
278	-	1	0.1 %	1.2%
311	-	1	0.1 %	1.2%
312	-	1	0.1 %	1.2%
-9 (M)	Legitimate Skip	1302	93.5 %	-
-2 (M)	Don't Know	5	0.4 %	-

Based upon 86 valid cases out of 1393 total cases.

QS14_8

Number of weeks ago last used NARCOTICS

Location: 2706-2708(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many weeks ago did you last use [DRUG]?

Narcotics / Opiates / Opioids

QS14_8: Number of weeks ago last used NARCOTICS				
Value	Label	Unweighted Frequency	%	Valid %
0	-	19	1.4 %	21.8%
1	-	4	0.3 %	4.6%
2	-	3	0.2 %	3.4%
3	-	3	0.2 %	3.4%
4	-	2	0.1 %	2.3%
5	-	1	0.1 %	1.1%
8	-	4	0.3 %	4.6%
9	-	1	0.1 %	1.1%
12	-	4	0.3 %	4.6%
13	-	1	0.1 %	1.1%
16	-	2	0.1 %	2.3%
19	-	1	0.1 %	1.1%
20	-	2	0.1 %	2.3%
22	-	2	0.1 %	2.3%
26	-	3	0.2 %	3.4%
28	-	1	0.1 %	1.1%
29	-	1	0.1 %	1.1%
32	-	1	0.1 %	1.1%
39	-	1	0.1 %	1.1%

- Study 02258 -

QS14_8: Number of weeks ago last used NARCOTICS				
Value	Label	Unweighted Frequency	%	Valid %
44	-	1	0.1 %	1.1%
48	-	1	0.1 %	1.1%
57	-	1	0.1 %	1.1%
58	-	1	0.1 %	1.1%
61	-	1	0.1 %	1.1%
65	-	1	0.1 %	1.1%
66	-	1	0.1 %	1.1%
80	-	1	0.1 %	1.1%
100	-	1	0.1 %	1.1%
156	-	3	0.2 %	3.4%
164	-	1	0.1 %	1.1%
180	-	1	0.1 %	1.1%
182	-	1	0.1 %	1.1%
186	-	1	0.1 %	1.1%
201	-	1	0.1 %	1.1%
208	-	3	0.2 %	3.4%
211	-	1	0.1 %	1.1%
222	-	1	0.1 %	1.1%
232	-	1	0.1 %	1.1%
250	-	1	0.1 %	1.1%
260	-	1	0.1 %	1.1%
268	-	1	0.1 %	1.1%
272	-	1	0.1 %	1.1%
285	-	1	0.1 %	1.1%
298	-	1	0.1 %	1.1%
312	-	1	0.1 %	1.1%
323	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1302	93.5 %	-
-2 (M)	Don't Know	4	0.3 %	-

Based upon 87 valid cases out of 1393 total cases.

QS3_9

STREET OR ILLEGAL METHADONE

Location: 2709-2710(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

- Study 02258 -

<i>QS4_9: Number of weeks after leaving started using ILLEGAL METHADONE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
260	-	1	0.1 %	3.2%
262	-	1	0.1 %	3.2%
-9 (M)	Legitimate Skip	1361	97.7 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 31 valid cases out of 1393 total cases.

QS5_9 Frequency of use ILLEGAL METHADONE

Location: 2714-2715(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How often were you using [DRUG] at that time?

Street or illegal methadone

<i>QS5_9: Frequency of use ILLEGAL METHADONE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Daily	3	0.2 %	9.4%
2	2-5 Days/Week	3	0.2 %	9.4%
3	Less than once a week	26	1.9 %	81.2%
-9 (M)	Legitimate Skip	1361	97.7 %	-

Based upon 32 valid cases out of 1393 total cases.

QS6_9 Route of drug use ILLEGAL METHADONE

Location: 2716-2717(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How did you use the [DRUG]?

Street or illegal methadone

<i>QS6_9: Route of drug use ILLEGAL METHADONE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Oral	30	2.2 %	93.8%
3	Inject	1	0.1 %	3.1%
4	Inhale	1	0.1 %	3.1%
-9 (M)	Legitimate Skip	1361	97.7 %	-

Based upon 32 valid cases out of 1393 total cases.

- Study 02258 -

<i>QS8_9: Number of weeks continued to use ILLEGAL METHADONE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	6	0.4 %	20.0%
1	-	1	0.1 %	3.3%
6	-	2	0.1 %	6.7%
8	-	3	0.2 %	10.0%
12	-	1	0.1 %	3.3%
13	-	1	0.1 %	3.3%
26	-	5	0.4 %	16.7%
39	-	1	0.1 %	3.3%
52	-	1	0.1 %	3.3%
64	-	1	0.1 %	3.3%
120	-	1	0.1 %	3.3%
130	-	2	0.1 %	6.7%
156	-	1	0.1 %	3.3%
208	-	1	0.1 %	3.3%
240	-	1	0.1 %	3.3%
254	-	1	0.1 %	3.3%
268	-	1	0.1 %	3.3%
-9 (M)	Legitimate Skip	1361	97.7 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 30 valid cases out of 1393 total cases.

QS9_9 Stopped using ILLEGAL METHADONE

Location: 2725-2726(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you stop using at any time?

Street or illegal methadone

<i>QS9_9: Stopped using ILLEGAL METHADONE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	25	1.8 %	78.1%
2	No	7	0.5 %	21.9%
-9 (M)	Legitimate Skip	1361	97.7 %	-

Based upon 32 valid cases out of 1393 total cases.

QS10_9 Started using ILLEGAL METHADONE again

Location: 2727-2728(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Did you start using this drug again after that?

Street or illegal methadone

QS10_9: Started using ILLEGAL METHADONE again				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	15	1.1 %	60.0%
2	No	10	0.7 %	40.0%
-9 (M)	Legitimate Skip	1368	98.2 %	-

Based upon 25 valid cases out of 1393 total cases.

QS13_9 Number of total weeks used ILLEGAL METHADONE

Location: 2729-2731(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many total weeks did you use [DRUG] since leaving?

Street or illegal methadone

QS13_9: Number of total weeks used ILLEGAL METHADONE				
Value	Label	Unweighted Frequency	%	Valid %
0	-	7	0.5 %	23.3%
6	-	3	0.2 %	10.0%
12	-	2	0.1 %	6.7%
13	-	1	0.1 %	3.3%
15	-	1	0.1 %	3.3%
16	-	3	0.2 %	10.0%
26	-	1	0.1 %	3.3%
36	-	1	0.1 %	3.3%
40	-	1	0.1 %	3.3%
52	-	1	0.1 %	3.3%
120	-	2	0.1 %	6.7%
130	-	1	0.1 %	3.3%
182	-	1	0.1 %	3.3%
208	-	1	0.1 %	3.3%
240	-	1	0.1 %	3.3%
252	-	1	0.1 %	3.3%
254	-	1	0.1 %	3.3%

- Study 02258 -

<i>QS13_9: Number of total weeks used ILLEGAL METHADONE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
311	-	1	0.1 %	3.3%
-9 (M)	Legitimate Skip	1361	97.7 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 30 valid cases out of 1393 total cases.

QS14_9	Number of weeks ago last used ILLEGAL METHADONE
---------------	--

Location: 2732-2734(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use [DRUG]?

Street or illegal methadone

<i>QS14_9: Number of weeks ago last used ILLEGAL METHADONE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	8	0.6 %	25.8%
1	-	1	0.1 %	3.2%
2	-	1	0.1 %	3.2%
3	-	1	0.1 %	3.2%
4	-	1	0.1 %	3.2%
6	-	1	0.1 %	3.2%
8	-	2	0.1 %	6.5%
12	-	1	0.1 %	3.2%
13	-	1	0.1 %	3.2%
16	-	1	0.1 %	3.2%
26	-	1	0.1 %	3.2%
28	-	1	0.1 %	3.2%
44	-	1	0.1 %	3.2%
52	-	1	0.1 %	3.2%
57	-	1	0.1 %	3.2%
72	-	1	0.1 %	3.2%
132	-	1	0.1 %	3.2%
164	-	1	0.1 %	3.2%
180	-	1	0.1 %	3.2%
202	-	1	0.1 %	3.2%
220	-	1	0.1 %	3.2%
256	-	1	0.1 %	3.2%
302	-	1	0.1 %	3.2%

- Study 02258 -

QS14_9: Number of weeks ago last used ILLEGAL METHADONE				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	Legitimate Skip	1361	97.7 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 31 valid cases out of 1393 total cases.

QS3_10 DOWNERS OR DEPRESSANTS (GENERAL)

Location: 2735-2736(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

Downers or depressants (general)

QS3_10: DOWNERS OR DEPRESSANTS (GENERAL)				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	29	2.1 %	2.7%
2	No	1029	73.9 %	97.3%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

QS4_10 Number of weeks after leaving started using DEPRESSANTS

Location: 2737-2739(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left that treatment did you first start using?

Downers or depressants (general)

QS4_10: Number of weeks after leaving started using DEPRESSANTS				
Value	Label	Unweighted Frequency	%	Valid %
0	-	9	0.6 %	36.0%
1	-	1	0.1 %	4.0%
2	-	1	0.1 %	4.0%
4	-	1	0.1 %	4.0%
10	-	2	0.1 %	8.0%

- Study 02258 -

Downers or depressants (general)

<i>QS6_10: Route of drug use DEPRESSANTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Oral	27	1.9 %	96.4%
3	Inject	1	0.1 %	3.6%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 28 valid cases out of 1393 total cases.

QS7_10

How much spent/month on DEPRESSANTS

Location: 2744-2747(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How much did you spent per month on average for [DRUG]?

Downers or depressants (general)

<i>QS7_10: How much spent/month on DEPRESSANTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	10	0.7 %	40.0%
1	-	1	0.1 %	4.0%
5	-	1	0.1 %	4.0%
10	-	5	0.4 %	20.0%
20	-	1	0.1 %	4.0%
30	-	1	0.1 %	4.0%
40	-	1	0.1 %	4.0%
50	-	1	0.1 %	4.0%
80	-	1	0.1 %	4.0%
100	-	3	0.2 %	12.0%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 25 valid cases out of 1393 total cases.

QS8_10

Number of weeks continued to use DEPRESSANTS

Location: 2748-2750(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks did you continue to use [DRUG] at that

- Study 02258 -

rate before increasing/decreasing or stopping?

Downers or depressants (general)

<i>QS8_10: Number of weeks continued to use DEPRESSANTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	11.5%
1	-	1	0.1 %	3.8%
2	-	1	0.1 %	3.8%
4	-	2	0.1 %	7.7%
8	-	3	0.2 %	11.5%
12	-	2	0.1 %	7.7%
52	-	1	0.1 %	3.8%
101	-	1	0.1 %	3.8%
130	-	2	0.1 %	7.7%
142	-	1	0.1 %	3.8%
152	-	1	0.1 %	3.8%
182	-	2	0.1 %	7.7%
206	-	1	0.1 %	3.8%
208	-	1	0.1 %	3.8%
222	-	1	0.1 %	3.8%
240	-	1	0.1 %	3.8%
254	-	1	0.1 %	3.8%
268	-	1	0.1 %	3.8%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 26 valid cases out of 1393 total cases.

QS9_10 Stopped using DEPRESSANTS

Location: 2751-2752(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you stop using at any time?

Downers or depressants (general)

<i>QS9_10: Stopped using DEPRESSANTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	21	1.5 %	75.0%
2	No	7	0.5 %	25.0%
-9 (M)	Legitimate Skip	1364	97.9 %	-

- Study 02258 -

<i>QS9_10: Stopped using DEPRESSANTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-2 (M)	Don't Know	1	0.1 %	-

Based upon 28 valid cases out of 1393 total cases.

QS10_10 Started using DEPRESSANTS again

Location: 2753-2754(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you start using this drug again after that?

Downers or depressants (general)

<i>QS10_10: Started using DEPRESSANTS again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	7	0.5 %	33.3%
2	No	14	1.0 %	66.7%
-9 (M)	Legitimate Skip	1372	98.5 %	-

Based upon 21 valid cases out of 1393 total cases.

QS13_10 Number of total weeks used DEPRESSANTS

Location: 2755-2757(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many total weeks did you use [DRUG] since leaving?

Downers or depressants (general)

<i>QS13_10: Number of total weeks used DEPRESSANTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	2	0.1 %	7.7%
1	-	1	0.1 %	3.8%
3	-	1	0.1 %	3.8%
4	-	2	0.1 %	7.7%
8	-	2	0.1 %	7.7%
12	-	3	0.2 %	11.5%
26	-	1	0.1 %	3.8%
101	-	1	0.1 %	3.8%
130	-	1	0.1 %	3.8%

- Study 02258 -

<i>QS13_10: Number of total weeks used DEPRESSANTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
152	-	1	0.1 %	3.8%
182	-	3	0.2 %	11.5%
184	-	1	0.1 %	3.8%
204	-	1	0.1 %	3.8%
206	-	1	0.1 %	3.8%
222	-	1	0.1 %	3.8%
239	-	1	0.1 %	3.8%
254	-	1	0.1 %	3.8%
311	-	1	0.1 %	3.8%
312	-	1	0.1 %	3.8%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 26 valid cases out of 1393 total cases.

QS14_10

Number of weeks ago last used DEPRESSANTS

Location: 2758-2760(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use [DRUG]?

Downers or depressants (general)

<i>QS14_10: Number of weeks ago last used DEPRESSANTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	19.2%
1	-	2	0.1 %	7.7%
2	-	2	0.1 %	7.7%
3	-	1	0.1 %	3.8%
4	-	2	0.1 %	7.7%
6	-	1	0.1 %	3.8%
8	-	1	0.1 %	3.8%
12	-	1	0.1 %	3.8%
26	-	2	0.1 %	7.7%
44	-	1	0.1 %	3.8%
52	-	1	0.1 %	3.8%
57	-	1	0.1 %	3.8%
130	-	1	0.1 %	3.8%
156	-	2	0.1 %	7.7%

- Study 02258 -

QS14_10: Number of weeks ago last used DEPRESSANTS				
Value	Label	Unweighted Frequency	%	Valid %
208	-	1	0.1 %	3.8%
234	-	1	0.1 %	3.8%
242	-	1	0.1 %	3.8%
-9 (M)	Legitimate Skip	1364	97.9 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 26 valid cases out of 1393 total cases.

QS3_11 SEDATIVES/SLEEPING PILLS

Location: 2761-2762(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

Sedatives / Sleeping pills

QS3_11: SEDATIVES/SLEEPING PILLS				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	26	1.9 %	2.5%
2	No	1032	74.1 %	97.5%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

QS4_11 Number of weeks after leaving started using SEDATIVES

Location: 2763-2765(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left that treatment did you first start using?

Sedatives / Sleeping pills

QS4_11: Number of weeks after leaving started using SEDATIVES				
Value	Label	Unweighted Frequency	%	Valid %
0	-	9	0.6 %	39.1%
1	-	1	0.1 %	4.3%

- Study 02258 -

QS4_11: Number of weeks after leaving started using SEDATIVES				
Value	Label	Unweighted Frequency	%	Valid %
2	-	1	0.1 %	4.3%
10	-	1	0.1 %	4.3%
12	-	1	0.1 %	4.3%
16	-	1	0.1 %	4.3%
24	-	1	0.1 %	4.3%
34	-	1	0.1 %	4.3%
36	-	1	0.1 %	4.3%
52	-	1	0.1 %	4.3%
54	-	1	0.1 %	4.3%
100	-	1	0.1 %	4.3%
242	-	1	0.1 %	4.3%
256	-	1	0.1 %	4.3%
260	-	1	0.1 %	4.3%
-9 (M)	Legitimate Skip	1367	98.1 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 23 valid cases out of 1393 total cases.

QS5_11 Frequency of use SEDATIVES

Location: 2766-2767(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How often were you using [DRUG] at that time?
 Sedatives / Sleeping pills

QS5_11: Frequency of use SEDATIVES				
Value	Label	Unweighted Frequency	%	Valid %
1	Daily	6	0.4 %	25.0%
2	2-5 Days/Week	3	0.2 %	12.5%
3	Less than once a week	15	1.1 %	62.5%
-9 (M)	Legitimate Skip	1367	98.1 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 24 valid cases out of 1393 total cases.

QS6_11 Route of drug use SEDATIVES

Location: 2768-2769(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you use the [DRUG]?

Sedatives / Sleeping pills

<i>QS6_11: Route of drug use SEDATIVES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Oral	22	1.6 %	91.7%
2	Smoke	1	0.1 %	4.2%
3	Inject	1	0.1 %	4.2%
-9 (M)	Legitimate Skip	1367	98.1 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 24 valid cases out of 1393 total cases.

QS7_11

How much spent/month on SEDATIVES

Location: 2770-2773(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How much did you spent per month on average for [DRUG]?

Sedatives / Sleeping pills

<i>QS7_11: How much spent/month on SEDATIVES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	7	0.5 %	33.3%
1	-	1	0.1 %	4.8%
5	-	1	0.1 %	4.8%
10	-	2	0.1 %	9.5%
15	-	1	0.1 %	4.8%
17	-	1	0.1 %	4.8%
20	-	3	0.2 %	14.3%
30	-	2	0.1 %	9.5%
40	-	1	0.1 %	4.8%
100	-	1	0.1 %	4.8%
300	-	1	0.1 %	4.8%
-9 (M)	Legitimate Skip	1367	98.1 %	-
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 21 valid cases out of 1393 total cases.

- Study 02258 -

QS8_11 **Number of weeks continued to use SEDATIVES**

Location: 2774-2776(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

Sedatives / Sleeping pills

<i>QS8_11: Number of weeks continued to use SEDATIVES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	5.0%
1	-	3	0.2 %	15.0%
2	-	3	0.2 %	15.0%
8	-	1	0.1 %	5.0%
12	-	2	0.1 %	10.0%
20	-	1	0.1 %	5.0%
65	-	1	0.1 %	5.0%
78	-	2	0.1 %	10.0%
130	-	1	0.1 %	5.0%
206	-	1	0.1 %	5.0%
222	-	1	0.1 %	5.0%
236	-	1	0.1 %	5.0%
254	-	1	0.1 %	5.0%
260	-	1	0.1 %	5.0%
-9 (M)	Legitimate Skip	1367	98.1 %	-
-2 (M)	Don't Know	5	0.4 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 20 valid cases out of 1393 total cases.

QS9_11 **Stopped using SEDATIVES**

Location: 2777-2778(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you stop using at any time?

Sedatives / Sleeping pills

- Study 02258 -

<i>QS9_11: Stopped using SEDATIVES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	15	1.1 %	60.0%
2	No	10	0.7 %	40.0%
-9 (M)	Legitimate Skip	1367	98.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 25 valid cases out of 1393 total cases.

QS10_11 Started using SEDATIVES again

Location: 2779-2780(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you start using this drug again after that?

Sedatives / Sleeping pills

<i>QS10_11: Started using SEDATIVES again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	33.3%
2	No	10	0.7 %	66.7%
-9 (M)	Legitimate Skip	1378	98.9 %	-

Based upon 15 valid cases out of 1393 total cases.

QS13_11 Number of total weeks used SEDATIVES

Location: 2781-2783(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many total weeks did you use [DRUG] since leaving?

Sedatives / Sleeping pills

<i>QS13_11: Number of total weeks used SEDATIVES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	4.5%
1	-	2	0.1 %	9.1%
2	-	1	0.1 %	4.5%
4	-	1	0.1 %	4.5%
5	-	1	0.1 %	4.5%
7	-	1	0.1 %	4.5%

- Study 02258 -

<i>QS13_11: Number of total weeks used SEDATIVES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12	-	2	0.1 %	9.1%
20	-	1	0.1 %	4.5%
33	-	1	0.1 %	4.5%
80	-	1	0.1 %	4.5%
90	-	1	0.1 %	4.5%
104	-	1	0.1 %	4.5%
130	-	1	0.1 %	4.5%
142	-	1	0.1 %	4.5%
206	-	1	0.1 %	4.5%
222	-	1	0.1 %	4.5%
234	-	1	0.1 %	4.5%
236	-	1	0.1 %	4.5%
254	-	1	0.1 %	4.5%
260	-	1	0.1 %	4.5%
-9 (M)	Legitimate Skip	1367	98.1 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 22 valid cases out of 1393 total cases.

QS14_11 Number of weeks ago last used SEDATIVES

Location: 2784-2786(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many weeks ago did you last use [DRUG]?

Sedatives / Sleeping pills

<i>QS14_11: Number of weeks ago last used SEDATIVES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	21.7%
1	-	1	0.1 %	4.3%
2	-	2	0.1 %	8.7%
6	-	1	0.1 %	4.3%
8	-	2	0.1 %	8.7%
20	-	2	0.1 %	8.7%
26	-	1	0.1 %	4.3%
48	-	1	0.1 %	4.3%
57	-	1	0.1 %	4.3%

- Study 02258 -

<i>QS14_11: Number of weeks ago last used SEDATIVES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
60	-	1	0.1 %	4.3%
180	-	1	0.1 %	4.3%
206	-	1	0.1 %	4.3%
208	-	1	0.1 %	4.3%
242	-	1	0.1 %	4.3%
268	-	1	0.1 %	4.3%
299	-	1	0.1 %	4.3%
-9 (M)	Legitimate Skip	1367	98.1 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 23 valid cases out of 1393 total cases.

QS3_12 BARBITURATES

Location: 2787-2788(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

Barbiturates

<i>QS3_12: BARBITURATES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	4	0.3 %	0.4%
2	No	1054	75.7 %	99.6%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

QS4_12 Number of weeks after leaving started using BARBITURATES

Location: 2789-2791(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left that treatment did you first start using?

Barbiturates

- Study 02258 -

<i>QS4_12: Number of weeks after leaving started using BARBITURATES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	2	0.1 %	50.0%
104	-	1	0.1 %	25.0%
220	-	1	0.1 %	25.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QS5_12 Frequency of use BARBITURATES

Location: 2792-2793(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How often were you using [DRUG] at that time?

Barbiturates

<i>QS5_12: Frequency of use BARBITURATES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	2-5 Days/Week	1	0.1 %	25.0%
3	Less than once a week	3	0.2 %	75.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QS6_12 Route of drug use BARBITURATES

Location: 2794-2795(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How did you use the [DRUG]?

Barbiturates

<i>QS6_12: Route of drug use BARBITURATES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Oral	4	0.3 %	100.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-

Based upon 4 valid cases out of 1393 total cases.

QS7_12 How much spent/month on BARBITURATES

Location: 2796-2799(width: 4; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How much did you spent per month on average for [DRUG]?

Barbiturates

<i>QS7_12: How much spent/month on BARBITURATES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	2	0.1 %	66.7%
100	-	1	0.1 %	33.3%
-9 (M)	Legitimate Skip	1389	99.7 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 3 valid cases out of 1393 total cases.

QS8_12 Number of weeks continued to use BARBITURATES

Location: 2800-2802(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

Barbiturates

<i>QS8_12: Number of weeks continued to use BARBITURATES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	50.0%
4	-	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 2 valid cases out of 1393 total cases.

QS9_12 Stopped using BARBITURATES

Location: 2803-2804(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Did you stop using at any time?

Barbiturates

- Study 02258 -

<i>QS9_12: Stopped using BARBITURATES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	3	0.2 %	100.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 3 valid cases out of 1393 total cases.

QS10_12 Started using BARBITURATES again

Location: 2805-2806(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you start using this drug again after that?

Barbiturates

<i>QS10_12: Started using BARBITURATES again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	66.7%
2	No	1	0.1 %	33.3%
-9 (M)	Legitimate Skip	1390	99.8 %	-

Based upon 3 valid cases out of 1393 total cases.

QS13_12 Number of total weeks used BARBITURATES

Location: 2807-2809(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks did you use [DRUG] since leaving?

Barbiturates

<i>QS13_12: Number of total weeks used BARBITURATES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	50.0%
12	-	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1389	99.7 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 2 valid cases out of 1393 total cases.

QS14_12 Number of weeks ago last used BARBITURATES

- Study 02258 -

Benzodiazepines

<i>QS4_13: Number of weeks after leaving started using BENZODIAZEPINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	5.6%
4	-	1	0.1 %	5.6%
16	-	1	0.1 %	5.6%
24	-	1	0.1 %	5.6%
36	-	1	0.1 %	5.6%
52	-	1	0.1 %	5.6%
95	-	1	0.1 %	5.6%
190	-	1	0.1 %	5.6%
205	-	1	0.1 %	5.6%
208	-	2	0.1 %	11.1%
212	-	1	0.1 %	5.6%
234	-	1	0.1 %	5.6%
256	-	1	0.1 %	5.6%
260	-	1	0.1 %	5.6%
275	-	1	0.1 %	5.6%
276	-	2	0.1 %	11.1%
-9 (M)	Legitimate Skip	1373	98.6 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 18 valid cases out of 1393 total cases.

QS5_13 Frequency of use BENZODIAZEPINES

Location: 2818-2819(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How often were you using [DRUG] at that time?

Benzodiazepines

<i>QS5_13: Frequency of use BENZODIAZEPINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Daily	4	0.3 %	20.0%
2	2-5 Days/Week	2	0.1 %	10.0%
3	Less than once a week	14	1.0 %	70.0%
-9 (M)	Legitimate Skip	1373	98.6 %	-

Based upon 20 valid cases out of 1393 total cases.

QS6_13 Route of drug use BENZODIAZEPINES

- Study 02258 -

Location: 2820-2821(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How did you use the [DRUG]?

Benzodiazepines

QS6_13: Route of drug use BENZODIAZEPINES				
Value	Label	Unweighted Frequency	%	Valid %
1	Oral	19	1.4 %	95.0%
4	Inhale	1	0.1 %	5.0%
-9 (M)	Legitimate Skip	1373	98.6 %	-

Based upon 20 valid cases out of 1393 total cases.

QS7_13 How much spent/month on BENZODIAZEPINES

Location: 2822-2825(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How much did you spent per month on average for [DRUG]?

Benzodiazepines

QS7_13: How much spent/month on BENZODIAZEPINES				
Value	Label	Unweighted Frequency	%	Valid %
0	-	12	0.9 %	66.7%
2	-	1	0.1 %	5.6%
7	-	1	0.1 %	5.6%
20	-	2	0.1 %	11.1%
25	-	1	0.1 %	5.6%
60	-	1	0.1 %	5.6%
-9 (M)	Legitimate Skip	1373	98.6 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 18 valid cases out of 1393 total cases.

QS8_13 Number of weeks continued to use BENZODIAZEPINES

Location: 2826-2828(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

- Study 02258 -

Benzodiazepines

<i>QS8_13: Number of weeks continued to use BENZODIAZEPINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	7	0.5 %	41.2%
2	-	1	0.1 %	5.9%
5	-	1	0.1 %	5.9%
6	-	1	0.1 %	5.9%
12	-	1	0.1 %	5.9%
18	-	1	0.1 %	5.9%
20	-	1	0.1 %	5.9%
36	-	1	0.1 %	5.9%
104	-	1	0.1 %	5.9%
170	-	1	0.1 %	5.9%
335	-	1	0.1 %	5.9%
-9 (M)	Legitimate Skip	1373	98.6 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 17 valid cases out of 1393 total cases.

QS9_13 Stopped using BENZODIAZEPINES

Location: 2829-2830(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you stop using at any time?

Benzodiazepines

<i>QS9_13: Stopped using BENZODIAZEPINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	15	1.1 %	75.0%
2	No	5	0.4 %	25.0%
-9 (M)	Legitimate Skip	1373	98.6 %	-

Based upon 20 valid cases out of 1393 total cases.

QS10_13 Started using BENZODIAZEPINES again

Location: 2831-2832(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you start using this drug again after that?

- Study 02258 -

Question:

How many weeks ago did you last use [DRUG]?

Benzodiazepines

<i>QS14_13: Number of weeks ago last used BENZODIAZEPINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	26.3%
2	-	2	0.1 %	10.5%
4	-	2	0.1 %	10.5%
6	-	1	0.1 %	5.3%
8	-	1	0.1 %	5.3%
19	-	1	0.1 %	5.3%
20	-	1	0.1 %	5.3%
26	-	1	0.1 %	5.3%
44	-	1	0.1 %	5.3%
76	-	1	0.1 %	5.3%
96	-	1	0.1 %	5.3%
208	-	1	0.1 %	5.3%
323	-	1	0.1 %	5.3%
-9 (M)	Legitimate Skip	1373	98.6 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 19 valid cases out of 1393 total cases.

QS3_14 AMPHETAMINES (GENERAL)

Location: 2839-2840(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

Amphetamines (general)

<i>QS3_14: AMPHETAMINES (GENERAL)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	21	1.5 %	2.0%
2	No	1037	74.4 %	98.0%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

- Study 02258 -

QS5_14: Frequency of use AMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
1	Daily	8	0.6 %	38.1%
2	2-5 Days/Week	3	0.2 %	14.3%
3	Less than once a week	10	0.7 %	47.6%
-9 (M)	Legitimate Skip	1372	98.5 %	-

Based upon 21 valid cases out of 1393 total cases.

QS6_14 Route of drug use AMPHETAMINES

Location: 2846-2847(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How did you use the [DRUG]?

Amphetamines (general)

QS6_14: Route of drug use AMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
1	Oral	9	0.6 %	42.9%
2	Smoke	5	0.4 %	23.8%
3	Inject	3	0.2 %	14.3%
4	Inhale	4	0.3 %	19.0%
-9 (M)	Legitimate Skip	1372	98.5 %	-

Based upon 21 valid cases out of 1393 total cases.

QS7_14 How much spent/month on AMPHETAMINES

Location: 2848-2851(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How much did you spent per month on average for [DRUG]?

Amphetamines (general)

QS7_14: How much spent/month on AMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
0	-	6	0.4 %	30.0%
7	-	2	0.1 %	10.0%
9	-	1	0.1 %	5.0%
15	-	2	0.1 %	10.0%

- Study 02258 -

<i>QS8_14: Number of weeks continued to use AMPHETAMINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1372	98.5 %	-

Based upon 21 valid cases out of 1393 total cases.

QS9_14 Stopped using AMPHETAMINES

Location: 2855-2856(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did you stop using at any time?
 Amphetamines (general)

<i>QS9_14: Stopped using AMPHETAMINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	19	1.4 %	90.5%
2	No	2	0.1 %	9.5%
-9 (M)	Legitimate Skip	1372	98.5 %	-

Based upon 21 valid cases out of 1393 total cases.

QS10_14 Started using AMPHETAMINES again

Location: 2857-2858(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Did you start using this drug again after that?
 Amphetamines (general)

<i>QS10_14: Started using AMPHETAMINES again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	8	0.6 %	42.1%
2	No	11	0.8 %	57.9%
-9 (M)	Legitimate Skip	1374	98.6 %	-

Based upon 19 valid cases out of 1393 total cases.

QS13_14 Number of total weeks used AMPHETAMINES

Location: 2859-2861(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

How many total weeks did you use [DRUG] since leaving?

Amphetamines (general)

<i>QS13_14: Number of total weeks used AMPHETAMINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	4.8%
1	-	2	0.1 %	9.5%
2	-	1	0.1 %	4.8%
4	-	1	0.1 %	4.8%
5	-	1	0.1 %	4.8%
7	-	1	0.1 %	4.8%
8	-	3	0.2 %	14.3%
12	-	1	0.1 %	4.8%
26	-	1	0.1 %	4.8%
30	-	3	0.2 %	14.3%
48	-	1	0.1 %	4.8%
80	-	1	0.1 %	4.8%
132	-	1	0.1 %	4.8%
265	-	1	0.1 %	4.8%
268	-	1	0.1 %	4.8%
291	-	1	0.1 %	4.8%
-9 (M)	Legitimate Skip	1372	98.5 %	-

Based upon 21 valid cases out of 1393 total cases.

QS14_14	Number of weeks ago last used AMPHETAMINES
----------------	---

Location: 2862-2864(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use [DRUG]?

Amphetamines (general)

<i>QS14_14: Number of weeks ago last used AMPHETAMINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	4.8%
1	-	1	0.1 %	4.8%
4	-	1	0.1 %	4.8%
6	-	1	0.1 %	4.8%
7	-	1	0.1 %	4.8%

- Study 02258 -

QS14_14: Number of weeks ago last used AMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
8	-	4	0.3 %	19.0%
13	-	1	0.1 %	4.8%
21	-	1	0.1 %	4.8%
50	-	1	0.1 %	4.8%
52	-	1	0.1 %	4.8%
62	-	1	0.1 %	4.8%
117	-	1	0.1 %	4.8%
140	-	1	0.1 %	4.8%
172	-	1	0.1 %	4.8%
174	-	1	0.1 %	4.8%
182	-	1	0.1 %	4.8%
236	-	1	0.1 %	4.8%
280	-	1	0.1 %	4.8%
-9 (M)	Legitimate Skip	1372	98.5 %	-

Based upon 21 valid cases out of 1393 total cases.

QS3_15

METHAMPHETAMINES

Location: 2865-2866(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

Methamphetamines

QS3_15: METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	52	3.7 %	4.9%
2	No	1006	72.2 %	95.1%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

QS4_15

Number of weeks after leaving started using METHAMPHETAMINES

Location: 2867-2869(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

How many weeks after you left that treatment did you first start using?

Methamphetamines

<i>QS4_15: Number of weeks after leaving started using METHAMPHETAMINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	6	0.4 %	12.0%
2	-	2	0.1 %	4.0%
3	-	1	0.1 %	2.0%
4	-	3	0.2 %	6.0%
14	-	1	0.1 %	2.0%
16	-	2	0.1 %	4.0%
17	-	1	0.1 %	2.0%
20	-	2	0.1 %	4.0%
22	-	1	0.1 %	2.0%
34	-	1	0.1 %	2.0%
39	-	2	0.1 %	4.0%
41	-	1	0.1 %	2.0%
48	-	1	0.1 %	2.0%
50	-	1	0.1 %	2.0%
52	-	1	0.1 %	2.0%
57	-	1	0.1 %	2.0%
92	-	1	0.1 %	2.0%
100	-	1	0.1 %	2.0%
104	-	2	0.1 %	4.0%
112	-	1	0.1 %	2.0%
114	-	1	0.1 %	2.0%
151	-	1	0.1 %	2.0%
156	-	1	0.1 %	2.0%
168	-	1	0.1 %	2.0%
176	-	1	0.1 %	2.0%
191	-	1	0.1 %	2.0%
192	-	1	0.1 %	2.0%
208	-	1	0.1 %	2.0%
209	-	1	0.1 %	2.0%
224	-	1	0.1 %	2.0%
225	-	1	0.1 %	2.0%
252	-	1	0.1 %	2.0%
256	-	1	0.1 %	2.0%
260	-	2	0.1 %	4.0%

- Study 02258 -

QS4_15: Number of weeks after leaving started using METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
262	-	1	0.1 %	2.0%
291	-	1	0.1 %	2.0%
320	-	1	0.1 %	2.0%
-9 (M)	Legitimate Skip	1341	96.3 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 50 valid cases out of 1393 total cases.

QS5_15 Frequency of use METHAMPHETAMINES

Location: 2870-2871(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How often were you using [DRUG] at that time?

Methamphetamines

QS5_15: Frequency of use METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
1	Daily	11	0.8 %	21.6%
2	2-5 Days/Week	18	1.3 %	35.3%
3	Less than once a week	22	1.6 %	43.1%
-9 (M)	Legitimate Skip	1341	96.3 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 51 valid cases out of 1393 total cases.

QS6_15 Route of drug use METHAMPHETAMINES

Location: 2872-2873(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you use the [DRUG]?

Methamphetamines

QS6_15: Route of drug use METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
1	Oral	2	0.1 %	3.9%
2	Smoke	14	1.0 %	27.5%
3	Inject	11	0.8 %	21.6%

- Study 02258 -

Based upon 49 valid cases out of 1393 total cases.

QS8_15 Number of weeks continued to use METHAMPHETAMINES

Location: 2879-2881(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

Methamphetamines

QS8_15: Number of weeks continued to use METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
0	-	4	0.3 %	8.0%
1	-	1	0.1 %	2.0%
2	-	2	0.1 %	4.0%
4	-	4	0.3 %	8.0%
6	-	1	0.1 %	2.0%
8	-	1	0.1 %	2.0%
10	-	1	0.1 %	2.0%
12	-	2	0.1 %	4.0%
13	-	2	0.1 %	4.0%
14	-	1	0.1 %	2.0%
20	-	4	0.3 %	8.0%
21	-	1	0.1 %	2.0%
24	-	1	0.1 %	2.0%
26	-	2	0.1 %	4.0%
30	-	1	0.1 %	2.0%
34	-	1	0.1 %	2.0%
36	-	2	0.1 %	4.0%
38	-	1	0.1 %	2.0%
40	-	1	0.1 %	2.0%
43	-	1	0.1 %	2.0%
61	-	1	0.1 %	2.0%
68	-	1	0.1 %	2.0%
74	-	1	0.1 %	2.0%
82	-	1	0.1 %	2.0%
86	-	1	0.1 %	2.0%
96	-	1	0.1 %	2.0%
104	-	2	0.1 %	4.0%
110	-	1	0.1 %	2.0%
164	-	1	0.1 %	2.0%

- Study 02258 -

QS8_15: Number of weeks continued to use METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
230	-	1	0.1 %	2.0%
235	-	1	0.1 %	2.0%
240	-	1	0.1 %	2.0%
260	-	1	0.1 %	2.0%
286	-	1	0.1 %	2.0%
291	-	1	0.1 %	2.0%
-9 (M)	Legitimate Skip	1341	96.3 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 50 valid cases out of 1393 total cases.

QS9_15 Stopped using METHAMPHETAMINES

Location: 2882-2883(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Did you stop using at any time?

Methamphetamines

QS9_15: Stopped using METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	39	2.8 %	76.5%
2	No	12	0.9 %	23.5%
-9 (M)	Legitimate Skip	1341	96.3 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 51 valid cases out of 1393 total cases.

QS10_15 Started using METHAMPHETAMINES again

Location: 2884-2885(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Did you start using this drug again after that?

Methamphetamines

QS10_15: Started using METHAMPHETAMINES again				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	27	1.9 %	69.2%

- Study 02258 -

QS10_15: Started using METHAMPHETAMINES again				
Value	Label	Unweighted Frequency	%	Valid %
2	No	12	0.9 %	30.8%
-9 (M)	Legitimate Skip	1354	97.2 %	-

Based upon 39 valid cases out of 1393 total cases.

QS13_15

Number of total weeks used METHAMPHETAMINES

Location: 2886-2888(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks did you use [DRUG] since leaving?

Methamphetamines

QS13_15: Number of total weeks used METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
0	-	1	0.1 %	2.0%
1	-	2	0.1 %	4.0%
2	-	1	0.1 %	2.0%
3	-	1	0.1 %	2.0%
4	-	2	0.1 %	4.0%
9	-	1	0.1 %	2.0%
10	-	1	0.1 %	2.0%
12	-	2	0.1 %	4.0%
13	-	1	0.1 %	2.0%
16	-	1	0.1 %	2.0%
17	-	1	0.1 %	2.0%
20	-	1	0.1 %	2.0%
26	-	1	0.1 %	2.0%
36	-	1	0.1 %	2.0%
38	-	2	0.1 %	4.0%
39	-	1	0.1 %	2.0%
43	-	1	0.1 %	2.0%
44	-	1	0.1 %	2.0%
52	-	1	0.1 %	2.0%
56	-	1	0.1 %	2.0%
58	-	1	0.1 %	2.0%
68	-	1	0.1 %	2.0%
72	-	2	0.1 %	4.0%
74	-	1	0.1 %	2.0%

- Study 02258 -

<i>QS13_15: Number of total weeks used METHAMPHETAMINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
87	-	1	0.1 %	2.0%
88	-	1	0.1 %	2.0%
105	-	1	0.1 %	2.0%
112	-	1	0.1 %	2.0%
114	-	1	0.1 %	2.0%
130	-	1	0.1 %	2.0%
134	-	1	0.1 %	2.0%
156	-	1	0.1 %	2.0%
160	-	1	0.1 %	2.0%
164	-	1	0.1 %	2.0%
205	-	1	0.1 %	2.0%
224	-	1	0.1 %	2.0%
228	-	1	0.1 %	2.0%
230	-	1	0.1 %	2.0%
232	-	1	0.1 %	2.0%
240	-	1	0.1 %	2.0%
248	-	1	0.1 %	2.0%
265	-	1	0.1 %	2.0%
286	-	1	0.1 %	2.0%
288	-	1	0.1 %	2.0%
291	-	1	0.1 %	2.0%
-9 (M)	Legitimate Skip	1341	96.3 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 50 valid cases out of 1393 total cases.

QS14_15	Number of weeks ago last used METHAMPHETAMINES
----------------	---

Location: 2889-2891(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last use [DRUG]?

Methamphetamines

<i>QS14_15: Number of weeks ago last used METHAMPHETAMINES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	8	0.6 %	15.7%
1	-	4	0.3 %	7.8%
2	-	2	0.1 %	3.9%

- Study 02258 -

QS14_15: Number of weeks ago last used METHAMPHETAMINES				
Value	Label	Unweighted Frequency	%	Valid %
3	-	1	0.1 %	2.0%
4	-	1	0.1 %	2.0%
5	-	1	0.1 %	2.0%
6	-	2	0.1 %	3.9%
8	-	3	0.2 %	5.9%
16	-	3	0.2 %	5.9%
17	-	1	0.1 %	2.0%
18	-	1	0.1 %	2.0%
20	-	1	0.1 %	2.0%
24	-	1	0.1 %	2.0%
26	-	3	0.2 %	5.9%
29	-	1	0.1 %	2.0%
32	-	1	0.1 %	2.0%
35	-	1	0.1 %	2.0%
51	-	2	0.1 %	3.9%
52	-	1	0.1 %	2.0%
54	-	2	0.1 %	3.9%
60	-	1	0.1 %	2.0%
66	-	1	0.1 %	2.0%
79	-	1	0.1 %	2.0%
86	-	1	0.1 %	2.0%
130	-	1	0.1 %	2.0%
178	-	1	0.1 %	2.0%
181	-	1	0.1 %	2.0%
182	-	1	0.1 %	2.0%
225	-	1	0.1 %	2.0%
234	-	1	0.1 %	2.0%
260	-	1	0.1 %	2.0%
-9 (M)	Legitimate Skip	1341	96.3 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 51 valid cases out of 1393 total cases.

QS3_16

INHALANTS

Location: 2892-2893(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Which drug or drugs (including alcohol) have you used since leaving treatment?

- Study 02258 -

Inhalants

QS3_16: INHALANTS				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	1	0.1 %	0.1%
2	No	1057	75.9 %	99.9%
-9 (M)	Legitimate Skip	333	23.9 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1058 valid cases out of 1393 total cases.

QS4_16 Number of weeks after leaving started using INHALANTS

Location: 2894-2896(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left that treatment did you first start using?

Inhalants

QS4_16: Number of weeks after leaving started using INHALANTS				
Value	Label	Unweighted Frequency	%	Valid %
294	-	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QS5_16 Frequency of use INHALANTS

Location: 2897-2898(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How often were you using [DRUG] at that time?

Inhalants

QS5_16: Frequency of use INHALANTS				
Value	Label	Unweighted Frequency	%	Valid %
1	Daily	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

- Study 02258 -

QS6_16 Route of drug use INHALANTS

Location: 2899-2900(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you use the [DRUG]?

Inhalants

QS6_16: Route of drug use INHALANTS				
Value	Label	Unweighted Frequency	%	Valid %
4	Inhale	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QS7_16 How much spent/month on INHALANTS

Location: 2901-2904(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How much did you spent per month on average for [DRUG]?

Inhalants

QS7_16: How much spent/month on INHALANTS				
Value	Label	Unweighted Frequency	%	Valid %
0	-	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QS8_16 Number of weeks continued to use INHALANTS

Location: 2905-2907(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

Inhalants

QS8_16: Number of weeks continued to use INHALANTS				
Value	Label	Unweighted Frequency	%	Valid %
1	-	1	0.1 %	100.0%

- Study 02258 -

QS8_16: Number of weeks continued to use INHALANTS				
Value	Label	Unweighted Frequency	%	Valid %
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QS9_16 Stopped using INHALANTS

Location: 2908-2909(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you stop using at any time?

Inhalants

QS9_16: Stopped using INHALANTS				
Value	Label	Unweighted Frequency	%	Valid %
1	Yes	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QS10_16 Started using INHALANTS again

Location: 2910-2911(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Did you start using this drug again after that?

Inhalants

QS10_16: Started using INHALANTS again				
Value	Label	Unweighted Frequency	%	Valid %
2	No	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1392	99.9 %	-

Based upon 1 valid cases out of 1393 total cases.

QS13_16 Number of total weeks used INHALANTS

Location: 2912-2914(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many total weeks did you use [DRUG] since leaving?

- Study 02258 -

QS4_17 Number of weeks after leaving started using OTHER DRUGS

Location: 2920-2922(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left that treatment did you first start using?

Other

QS4_17: Number of weeks after leaving started using OTHER DRUGS				
Value	Label	Unweighted Frequency	%	Valid %
282	-	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1 valid cases out of 1393 total cases.

QS5_17 Frequency of use OTHER DRUGS

Location: 2923-2924(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How often were you using [DRUG] at that time?

Other

QS5_17: Frequency of use OTHER DRUGS				
Value	Label	Unweighted Frequency	%	Valid %
3	Less than once a week	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1 valid cases out of 1393 total cases.

QS6_17 Route of drug use OTHER DRUGS

Location: 2925-2926(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How did you use the [DRUG]?

Other

- Study 02258 -

<i>QS6_17: Route of drug use OTHER DRUGS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Oral	2	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QS7_17 How much spent/month on OTHER DRUGS

Location: 2927-2930(width: 4; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How much did you spent per month on average for [DRUG]?

Other

<i>QS7_17: How much spent/month on OTHER DRUGS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1 valid cases out of 1393 total cases.

QS8_17 Number of weeks continued to use OTHER DRUGS

Location: 2931-2933(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

For how many weeks did you continue to use [DRUG] at that rate before increasing/decreasing or stopping?

Other

<i>QS8_17: Number of weeks continued to use OTHER DRUGS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1 valid cases out of 1393 total cases.

QS9_17 Stopped using OTHER DRUGS

Location: 2934-2935(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you stop using at any time?

Other

<i>QS9_17: Stopped using OTHER DRUGS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QS10_17 Started using OTHER DRUGS again

Location: 2936-2937(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Did you start using this drug again after that?

Other

<i>QS10_17: Started using OTHER DRUGS again</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	50.0%
2	No	1	0.1 %	50.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-

Based upon 2 valid cases out of 1393 total cases.

QS13_17 Number of total weeks used OTHER DRUGS

Location: 2938-2940(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks did you use [DRUG] since leaving?

Other

<i>QS13_17: Number of total weeks used OTHER DRUGS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

- Study 02258 -

Based upon 1 valid cases out of 1393 total cases.

QS14_17 **Number of weeks ago last used OTHER DRUGS**

Location: 2941-2943(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did you last use [DRUG]?
 Other

<i>QS14_17: Number of weeks ago last used OTHER DRUGS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
12	-	1	0.1 %	100.0%
-9 (M)	Legitimate Skip	1391	99.9 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 1 valid cases out of 1393 total cases.

QT1_1 **Engaged in FORGERY**

Location: 2944-2945(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?
 Forgery (checks, bad/stolen credit card)

<i>QT1_1: Engaged in FORGERY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	97	7.0 %	7.0%
2	No	1289	92.5 %	93.0%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	6	0.4 %	-

Based upon 1386 valid cases out of 1393 total cases.

QT3_1 **Number weeks ago first engaged in FORGERY**

Location: 2946-2948(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

- Study 02258 -

Forgery (checks, bad/stolen credit card)

<i>QT3_1: Number weeks ago first engaged in FORGERY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	25	1.8 %	28.1%
1	-	1	0.1 %	1.1%
2	-	4	0.3 %	4.5%
3	-	1	0.1 %	1.1%
4	-	2	0.1 %	2.2%
5	-	2	0.1 %	2.2%
6	-	1	0.1 %	1.1%
8	-	4	0.3 %	4.5%
10	-	3	0.2 %	3.4%
13	-	1	0.1 %	1.1%
16	-	2	0.1 %	2.2%
24	-	1	0.1 %	1.1%
26	-	3	0.2 %	3.4%
30	-	1	0.1 %	1.1%
32	-	1	0.1 %	1.1%
50	-	1	0.1 %	1.1%
52	-	8	0.6 %	9.0%
56	-	1	0.1 %	1.1%
73	-	1	0.1 %	1.1%
86	-	1	0.1 %	1.1%
92	-	1	0.1 %	1.1%
104	-	1	0.1 %	1.1%
106	-	1	0.1 %	1.1%
156	-	6	0.4 %	6.7%
176	-	1	0.1 %	1.1%
200	-	2	0.1 %	2.2%
208	-	3	0.2 %	3.4%
210	-	2	0.1 %	2.2%
216	-	1	0.1 %	1.1%
260	-	1	0.1 %	1.1%
268	-	1	0.1 %	1.1%
291	-	1	0.1 %	1.1%
312	-	1	0.1 %	1.1%
318	-	1	0.1 %	1.1%
364	-	1	0.1 %	1.1%
365	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1296	93.0 %	-

- Study 02258 -

<i>QT3_1: Number weeks ago first engaged in FORGERY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 89 valid cases out of 1393 total cases.

QT4_1

Number weeks ago last engaged in FORGERY

Location: 2949-2951 (width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last engage in (crime)?

Forgery (checks, bad/stolen credit card)

<i>QT4_1: Number weeks ago last engaged in FORGERY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	18	1.3 %	20.7%
1	-	1	0.1 %	1.1%
2	-	2	0.1 %	2.3%
4	-	1	0.1 %	1.1%
7	-	1	0.1 %	1.1%
8	-	2	0.1 %	2.3%
10	-	2	0.1 %	2.3%
12	-	1	0.1 %	1.1%
13	-	1	0.1 %	1.1%
16	-	2	0.1 %	2.3%
20	-	1	0.1 %	1.1%
22	-	1	0.1 %	1.1%
25	-	1	0.1 %	1.1%
26	-	4	0.3 %	4.6%
28	-	1	0.1 %	1.1%
30	-	1	0.1 %	1.1%
32	-	1	0.1 %	1.1%
36	-	1	0.1 %	1.1%
40	-	2	0.1 %	2.3%
48	-	1	0.1 %	1.1%
50	-	1	0.1 %	1.1%
52	-	6	0.4 %	6.9%
59	-	1	0.1 %	1.1%
63	-	1	0.1 %	1.1%

- Study 02258 -

<i>QT4_1: Number weeks ago last engaged in FORGERY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
64	-	1	0.1 %	1.1%
66	-	2	0.1 %	2.3%
72	-	1	0.1 %	1.1%
78	-	1	0.1 %	1.1%
104	-	3	0.2 %	3.4%
106	-	1	0.1 %	1.1%
114	-	1	0.1 %	1.1%
124	-	1	0.1 %	1.1%
130	-	1	0.1 %	1.1%
132	-	1	0.1 %	1.1%
156	-	4	0.3 %	4.6%
183	-	1	0.1 %	1.1%
191	-	1	0.1 %	1.1%
194	-	1	0.1 %	1.1%
208	-	1	0.1 %	1.1%
210	-	1	0.1 %	1.1%
222	-	1	0.1 %	1.1%
252	-	1	0.1 %	1.1%
260	-	2	0.1 %	2.3%
270	-	1	0.1 %	1.1%
286	-	2	0.1 %	2.3%
295	-	1	0.1 %	1.1%
296	-	1	0.1 %	1.1%
302	-	1	0.1 %	1.1%
364	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1296	93.0 %	-
-2 (M)	Don't Know	5	0.4 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 87 valid cases out of 1393 total cases.

QT5_1

Number total times engaged in FORGERY

Location: 2952-2954(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total times did you do (crime)?

Forgery (checks, bad/stolen credit card)

- Study 02258 -

<i>QT5_1: Number total times engaged in FORGERY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	8	0.6 %	9.8%
1	-	22	1.6 %	26.8%
2	-	6	0.4 %	7.3%
3	-	2	0.1 %	2.4%
4	-	2	0.1 %	2.4%
5	-	2	0.1 %	2.4%
6	-	4	0.3 %	4.9%
7	-	2	0.1 %	2.4%
8	-	1	0.1 %	1.2%
10	-	8	0.6 %	9.8%
12	-	2	0.1 %	2.4%
20	-	1	0.1 %	1.2%
22	-	1	0.1 %	1.2%
25	-	1	0.1 %	1.2%
30	-	1	0.1 %	1.2%
33	-	2	0.1 %	2.4%
50	-	4	0.3 %	4.9%
60	-	1	0.1 %	1.2%
100	-	3	0.2 %	3.7%
156	-	1	0.1 %	1.2%
200	-	4	0.3 %	4.9%
300	-	1	0.1 %	1.2%
500	-	1	0.1 %	1.2%
999	-	2	0.1 %	2.4%
-9 (M)	Legitimate Skip	1296	93.0 %	-
-2 (M)	Don't Know	11	0.8 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 82 valid cases out of 1393 total cases.

QT6_1

Number total weeks involved in FORGERY

Location: 2955-2957(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks were you involved in (crime)?

Forgery (checks, bad/stolen credit card)

- Study 02258 -

QT6_1: Number total weeks involved in FORGERY				
Value	Label	Unweighted Frequency	%	Valid %
0	-	27	1.9 %	32.5%
1	-	9	0.6 %	10.8%
2	-	5	0.4 %	6.0%
4	-	5	0.4 %	6.0%
5	-	1	0.1 %	1.2%
6	-	2	0.1 %	2.4%
8	-	1	0.1 %	1.2%
9	-	1	0.1 %	1.2%
10	-	6	0.4 %	7.2%
12	-	2	0.1 %	2.4%
16	-	2	0.1 %	2.4%
20	-	1	0.1 %	1.2%
24	-	1	0.1 %	1.2%
26	-	1	0.1 %	1.2%
32	-	1	0.1 %	1.2%
40	-	1	0.1 %	1.2%
47	-	1	0.1 %	1.2%
48	-	1	0.1 %	1.2%
50	-	1	0.1 %	1.2%
52	-	5	0.4 %	6.0%
78	-	1	0.1 %	1.2%
100	-	1	0.1 %	1.2%
104	-	1	0.1 %	1.2%
138	-	1	0.1 %	1.2%
200	-	2	0.1 %	2.4%
230	-	1	0.1 %	1.2%
242	-	1	0.1 %	1.2%
999	-	1	0.1 %	1.2%
-9 (M)	Legitimate Skip	1296	93.0 %	-
-2 (M)	Don't Know	10	0.7 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 83 valid cases out of 1393 total cases.

QT1_2 Engaged in FORGED PRESCRIPTIONS

Location: 2958-2959(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

- Study 02258 -

Forged prescriptions

<i>QT1_2: Engaged in FORGED PRESCRIPTIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	35	2.5 %	2.5%
2	No	1350	96.9 %	97.5%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	7	0.5 %	-

Based upon 1385 valid cases out of 1393 total cases.

QT3_2

Number weeks ago first engaged in FRGD PRSCRPTS

Location: 2960-2962(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

Forged prescriptions

<i>QT3_2: Number weeks ago first engaged in FRGD PRSCRPTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	10	0.7 %	34.5%
1	-	1	0.1 %	3.4%
2	-	2	0.1 %	6.9%
4	-	2	0.1 %	6.9%
26	-	1	0.1 %	3.4%
28	-	1	0.1 %	3.4%
52	-	3	0.2 %	10.3%
104	-	1	0.1 %	3.4%
132	-	1	0.1 %	3.4%
208	-	1	0.1 %	3.4%
234	-	2	0.1 %	6.9%
260	-	2	0.1 %	6.9%
275	-	1	0.1 %	3.4%
999	-	1	0.1 %	3.4%
-9 (M)	Legitimate Skip	1358	97.5 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 29 valid cases out of 1393 total cases.

- Study 02258 -

Forged prescriptions

<i>QT5_2: Number total times engaged in FORGED PRESCRIPTIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	17.9%
1	-	4	0.3 %	14.3%
3	-	1	0.1 %	3.6%
4	-	1	0.1 %	3.6%
5	-	1	0.1 %	3.6%
9	-	1	0.1 %	3.6%
10	-	3	0.2 %	10.7%
12	-	1	0.1 %	3.6%
13	-	1	0.1 %	3.6%
20	-	1	0.1 %	3.6%
30	-	1	0.1 %	3.6%
50	-	3	0.2 %	10.7%
52	-	1	0.1 %	3.6%
150	-	1	0.1 %	3.6%
200	-	1	0.1 %	3.6%
500	-	1	0.1 %	3.6%
999	-	1	0.1 %	3.6%
-9 (M)	Legitimate Skip	1358	97.5 %	-
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 28 valid cases out of 1393 total cases.

QT6_2 Number total weeks involved in FORGED PRESCRIPTIONS

Location: 2969-2971(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many total weeks were you involved in (crime)?

Forged prescriptions

<i>QT6_2: Number total weeks involved in FORGED PRESCRIPTIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	8	0.6 %	27.6%
1	-	2	0.1 %	6.9%
2	-	1	0.1 %	3.4%
3	-	1	0.1 %	3.4%
8	-	3	0.2 %	10.3%

- Study 02258 -

<i>QT6_2: Number total weeks involved in FORGED PRESCRIPTIONS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
9	-	1	0.1 %	3.4%
26	-	1	0.1 %	3.4%
30	-	2	0.1 %	6.9%
34	-	1	0.1 %	3.4%
42	-	1	0.1 %	3.4%
52	-	3	0.2 %	10.3%
54	-	1	0.1 %	3.4%
64	-	1	0.1 %	3.4%
70	-	1	0.1 %	3.4%
242	-	1	0.1 %	3.4%
999	-	1	0.1 %	3.4%
-9 (M)	Legitimate Skip	1358	97.5 %	-
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 29 valid cases out of 1393 total cases.

QT1_3 Engaged in BURGLARY

Location: 2972-2973(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

Burglary (house, building, car)

<i>QT1_3: Engaged in BURGLARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	88	6.3 %	6.4%
2	No	1297	93.1 %	93.6%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	7	0.5 %	-

Based upon 1385 valid cases out of 1393 total cases.

QT3_3 Number weeks ago first engaged in BURGLARY

Location: 2974-2976(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many weeks after you left (NAME OF PROGRAM) did you

- Study 02258 -

first engage in (crime)?

Burglary (house, building, car)

<i>QT3_3: Number weeks ago first engaged in BURGLARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	21	1.5 %	26.9%
1	-	3	0.2 %	3.8%
4	-	2	0.1 %	2.6%
6	-	2	0.1 %	2.6%
7	-	1	0.1 %	1.3%
8	-	2	0.1 %	2.6%
10	-	4	0.3 %	5.1%
12	-	5	0.4 %	6.4%
15	-	1	0.1 %	1.3%
17	-	1	0.1 %	1.3%
20	-	1	0.1 %	1.3%
22	-	1	0.1 %	1.3%
24	-	1	0.1 %	1.3%
26	-	3	0.2 %	3.8%
30	-	1	0.1 %	1.3%
32	-	1	0.1 %	1.3%
36	-	1	0.1 %	1.3%
40	-	1	0.1 %	1.3%
48	-	1	0.1 %	1.3%
50	-	2	0.1 %	2.6%
52	-	9	0.6 %	11.5%
62	-	1	0.1 %	1.3%
67	-	1	0.1 %	1.3%
104	-	1	0.1 %	1.3%
106	-	1	0.1 %	1.3%
129	-	1	0.1 %	1.3%
148	-	1	0.1 %	1.3%
156	-	1	0.1 %	1.3%
172	-	1	0.1 %	1.3%
250	-	1	0.1 %	1.3%
260	-	1	0.1 %	1.3%
286	-	1	0.1 %	1.3%
299	-	1	0.1 %	1.3%
312	-	1	0.1 %	1.3%
552	-	1	0.1 %	1.3%
-9 (M)	Legitimate Skip	1305	93.7 %	-

- Study 02258 -

<i>QT3_3: Number weeks ago first engaged in BURGLARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-2 (M)	Don't Know	7	0.5 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 78 valid cases out of 1393 total cases.

QT4_3

Number weeks ago last engaged in BURGLARY

Location: 2977-2979(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last engage in (crime)?

Burglary (house, building, car)

<i>QT4_3: Number weeks ago last engaged in BURGLARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	16	1.1 %	20.3%
3	-	1	0.1 %	1.3%
4	-	2	0.1 %	2.5%
10	-	2	0.1 %	2.5%
12	-	3	0.2 %	3.8%
14	-	1	0.1 %	1.3%
16	-	1	0.1 %	1.3%
23	-	1	0.1 %	1.3%
25	-	1	0.1 %	1.3%
26	-	3	0.2 %	3.8%
28	-	1	0.1 %	1.3%
36	-	1	0.1 %	1.3%
40	-	1	0.1 %	1.3%
44	-	1	0.1 %	1.3%
48	-	1	0.1 %	1.3%
50	-	1	0.1 %	1.3%
51	-	1	0.1 %	1.3%
52	-	5	0.4 %	6.3%
54	-	1	0.1 %	1.3%
55	-	1	0.1 %	1.3%
57	-	1	0.1 %	1.3%
66	-	1	0.1 %	1.3%
67	-	1	0.1 %	1.3%
72	-	2	0.1 %	2.5%

- Study 02258 -

<i>QT4_3: Number weeks ago last engaged in BURGLARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
75	-	1	0.1 %	1.3%
78	-	1	0.1 %	1.3%
90	-	1	0.1 %	1.3%
92	-	1	0.1 %	1.3%
104	-	2	0.1 %	2.5%
105	-	1	0.1 %	1.3%
106	-	1	0.1 %	1.3%
112	-	1	0.1 %	1.3%
122	-	1	0.1 %	1.3%
126	-	1	0.1 %	1.3%
132	-	1	0.1 %	1.3%
140	-	1	0.1 %	1.3%
142	-	1	0.1 %	1.3%
150	-	1	0.1 %	1.3%
156	-	2	0.1 %	2.5%
180	-	2	0.1 %	2.5%
190	-	1	0.1 %	1.3%
194	-	1	0.1 %	1.3%
208	-	1	0.1 %	1.3%
244	-	1	0.1 %	1.3%
260	-	1	0.1 %	1.3%
278	-	1	0.1 %	1.3%
282	-	1	0.1 %	1.3%
301	-	1	0.1 %	1.3%
302	-	1	0.1 %	1.3%
401	-	1	0.1 %	1.3%
-9 (M)	Legitimate Skip	1305	93.7 %	-
-2 (M)	Don't Know	7	0.5 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 79 valid cases out of 1393 total cases.

QT5_3	Number total times engaged in BURGLARY
--------------	---

Location: 2980-2982(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many total times did you do (crime)?

Burglary (house, building, car)

- Study 02258 -

<i>QT5_3: Number total times engaged in BURGLARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	9	0.6 %	12.0%
1	-	23	1.7 %	30.7%
2	-	7	0.5 %	9.3%
3	-	4	0.3 %	5.3%
4	-	6	0.4 %	8.0%
5	-	4	0.3 %	5.3%
6	-	2	0.1 %	2.7%
9	-	1	0.1 %	1.3%
10	-	4	0.3 %	5.3%
12	-	1	0.1 %	1.3%
15	-	2	0.1 %	2.7%
20	-	2	0.1 %	2.7%
27	-	1	0.1 %	1.3%
50	-	2	0.1 %	2.7%
100	-	1	0.1 %	1.3%
150	-	1	0.1 %	1.3%
200	-	1	0.1 %	1.3%
225	-	1	0.1 %	1.3%
400	-	1	0.1 %	1.3%
500	-	1	0.1 %	1.3%
999	-	1	0.1 %	1.3%
-9 (M)	Legitimate Skip	1305	93.7 %	-
-2 (M)	Don't Know	11	0.8 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 75 valid cases out of 1393 total cases.

QT6_3

Number total weeks involved in BURGLARY

Location: 2983-2985(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks were you involved in (crime)?

Burglary (house, building, car)

<i>QT6_3: Number total weeks involved in BURGLARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	32	2.3 %	45.1%
1	-	8	0.6 %	11.3%

- Study 02258 -

<i>QT6_3: Number total weeks involved in BURGLARY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	4	0.3 %	5.6%
3	-	1	0.1 %	1.4%
4	-	5	0.4 %	7.0%
5	-	2	0.1 %	2.8%
6	-	1	0.1 %	1.4%
9	-	1	0.1 %	1.4%
10	-	1	0.1 %	1.4%
12	-	1	0.1 %	1.4%
16	-	2	0.1 %	2.8%
26	-	1	0.1 %	1.4%
50	-	1	0.1 %	1.4%
52	-	1	0.1 %	1.4%
60	-	1	0.1 %	1.4%
104	-	1	0.1 %	1.4%
108	-	1	0.1 %	1.4%
122	-	1	0.1 %	1.4%
156	-	1	0.1 %	1.4%
160	-	1	0.1 %	1.4%
208	-	3	0.2 %	4.2%
400	-	1	0.1 %	1.4%
-9 (M)	Legitimate Skip	1306	93.8 %	-
-2 (M)	Don't Know	13	0.9 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 71 valid cases out of 1393 total cases.

QT1_4 Engaged in ROBBERY (BUSINESS)

Location: 2986-2987(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

Robbery (business)

<i>QT1_4: Engaged in ROBBERY (BUSINESS)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	66	4.7 %	4.8%
2	No	1319	94.7 %	95.2%

- Study 02258 -

QT1_4: Engaged in ROBBERY (BUSINESS)				
Value	Label	Unweighted Frequency	%	Valid %
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	7	0.5 %	-

Based upon 1385 valid cases out of 1393 total cases.

QT3_4

Number weeks ago first engaged in ROBBERY (BUSINESS)

Location: 2988-2990(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

Robbery (business)

QT3_4: Number weeks ago first engaged in ROBBERY (BUSINESS)				
Value	Label	Unweighted Frequency	%	Valid %
0	-	15	1.1 %	27.3%
1	-	2	0.1 %	3.6%
3	-	1	0.1 %	1.8%
8	-	3	0.2 %	5.5%
10	-	2	0.1 %	3.6%
12	-	2	0.1 %	3.6%
20	-	2	0.1 %	3.6%
26	-	4	0.3 %	7.3%
28	-	1	0.1 %	1.8%
30	-	1	0.1 %	1.8%
32	-	1	0.1 %	1.8%
50	-	1	0.1 %	1.8%
52	-	5	0.4 %	9.1%
53	-	1	0.1 %	1.8%
67	-	1	0.1 %	1.8%
96	-	1	0.1 %	1.8%
104	-	1	0.1 %	1.8%
105	-	1	0.1 %	1.8%
110	-	1	0.1 %	1.8%
112	-	1	0.1 %	1.8%
120	-	1	0.1 %	1.8%
122	-	1	0.1 %	1.8%
200	-	1	0.1 %	1.8%

- Study 02258 -

<i>QT4_4: Number weeks ago last engaged in ROBBERY (BUSINESS)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
110	-	1	0.1 %	1.8%
112	-	1	0.1 %	1.8%
120	-	1	0.1 %	1.8%
122	-	1	0.1 %	1.8%
130	-	1	0.1 %	1.8%
132	-	1	0.1 %	1.8%
143	-	1	0.1 %	1.8%
156	-	1	0.1 %	1.8%
175	-	1	0.1 %	1.8%
182	-	1	0.1 %	1.8%
194	-	1	0.1 %	1.8%
198	-	1	0.1 %	1.8%
200	-	1	0.1 %	1.8%
234	-	2	0.1 %	3.6%
244	-	1	0.1 %	1.8%
260	-	1	0.1 %	1.8%
264	-	1	0.1 %	1.8%
268	-	1	0.1 %	1.8%
-9 (M)	Legitimate Skip	1328	95.3 %	-
-2 (M)	Don't Know	5	0.4 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 56 valid cases out of 1393 total cases.

QT5_4 Number total times engaged in ROBBERY (BUSINESS)

Location: 2994-2996(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many total times did you do (crime)?

Robbery (business)

<i>QT5_4: Number total times engaged in ROBBERY (BUSINESS)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	12	0.9 %	21.8%
1	-	17	1.2 %	30.9%
2	-	4	0.3 %	7.3%
3	-	1	0.1 %	1.8%
4	-	1	0.1 %	1.8%

- Study 02258 -

<i>QT5_4: Number total times engaged in ROBBERY (BUSINESS)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
5	-	3	0.2 %	5.5%
7	-	3	0.2 %	5.5%
9	-	1	0.1 %	1.8%
10	-	2	0.1 %	3.6%
15	-	1	0.1 %	1.8%
20	-	2	0.1 %	3.6%
25	-	2	0.1 %	3.6%
30	-	1	0.1 %	1.8%
50	-	1	0.1 %	1.8%
70	-	1	0.1 %	1.8%
100	-	1	0.1 %	1.8%
200	-	1	0.1 %	1.8%
999	-	1	0.1 %	1.8%
-9 (M)	Legitimate Skip	1327	95.3 %	-
-2 (M)	Don't Know	7	0.5 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 55 valid cases out of 1393 total cases.

QT6_4

Number total weeks involved in ROBBERY (BUSINESS)

Location: 2997-2999(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks were you involved in (crime)?

Robbery (business)

<i>QT6_4: Number total weeks involved in ROBBERY (BUSINESS)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	24	1.7 %	45.3%
1	-	5	0.4 %	9.4%
2	-	2	0.1 %	3.8%
3	-	2	0.1 %	3.8%
5	-	1	0.1 %	1.9%
7	-	1	0.1 %	1.9%
10	-	1	0.1 %	1.9%
12	-	1	0.1 %	1.9%
16	-	1	0.1 %	1.9%
17	-	1	0.1 %	1.9%

- Study 02258 -

QT6_4: Number total weeks involved in ROBBERY (BUSINESS)				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
20	-	1	0.1 %	1.9%
26	-	1	0.1 %	1.9%
30	-	2	0.1 %	3.8%
34	-	1	0.1 %	1.9%
44	-	1	0.1 %	1.9%
52	-	2	0.1 %	3.8%
56	-	1	0.1 %	1.9%
67	-	1	0.1 %	1.9%
72	-	1	0.1 %	1.9%
122	-	1	0.1 %	1.9%
156	-	1	0.1 %	1.9%
242	-	1	0.1 %	1.9%
-9 (M)	Legitimate Skip	1327	95.3 %	-
-2 (M)	Don't Know	7	0.5 %	-
-1 (M)	Refused	6	0.4 %	-

Based upon 53 valid cases out of 1393 total cases.

QT1_5 Engaged in ROBERRY (PERSON)

Location: 3000-3001(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

Robbery (person)

QT1_5: Engaged in ROBERRY (PERSON)				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	59	4.2 %	4.3%
2	No	1326	95.2 %	95.7%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	7	0.5 %	-

Based upon 1385 valid cases out of 1393 total cases.

QT3_5 Number weeks ago first engaged in ROBBERY (PERSON)

Location: 3002-3004(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

Robbery (person)

<i>QT3_5: Number weeks ago first engaged in ROBBERY (PERSON)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	14	1.0 %	28.6%
1	-	1	0.1 %	2.0%
2	-	1	0.1 %	2.0%
4	-	1	0.1 %	2.0%
6	-	1	0.1 %	2.0%
8	-	1	0.1 %	2.0%
9	-	1	0.1 %	2.0%
12	-	1	0.1 %	2.0%
24	-	3	0.2 %	6.1%
26	-	1	0.1 %	2.0%
30	-	1	0.1 %	2.0%
45	-	1	0.1 %	2.0%
48	-	1	0.1 %	2.0%
52	-	4	0.3 %	8.2%
60	-	1	0.1 %	2.0%
67	-	1	0.1 %	2.0%
78	-	1	0.1 %	2.0%
104	-	1	0.1 %	2.0%
110	-	1	0.1 %	2.0%
122	-	1	0.1 %	2.0%
126	-	1	0.1 %	2.0%
156	-	2	0.1 %	4.1%
168	-	1	0.1 %	2.0%
182	-	1	0.1 %	2.0%
208	-	1	0.1 %	2.0%
260	-	1	0.1 %	2.0%
264	-	1	0.1 %	2.0%
268	-	1	0.1 %	2.0%
275	-	1	0.1 %	2.0%
312	-	1	0.1 %	2.0%
-9 (M)	Legitimate Skip	1334	95.8 %	-
-2 (M)	Don't Know	6	0.4 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 49 valid cases out of 1393 total cases.

- Study 02258 -

<i>QT4_5: Number weeks ago last engaged in ROBBERY (PERSON)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-1 (M)	Refused	5	0.4 %	-

Based upon 47 valid cases out of 1393 total cases.

QT5_5 Number total times engaged in ROBBERY (PERSON)

Location: 3008-3010(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many total times did you do (crime)?

Robbery (person)

<i>QT5_5: Number total times engaged in ROBBERY (PERSON)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	6	0.4 %	12.8%
1	-	17	1.2 %	36.2%
2	-	2	0.1 %	4.3%
3	-	4	0.3 %	8.5%
4	-	2	0.1 %	4.3%
5	-	3	0.2 %	6.4%
6	-	1	0.1 %	2.1%
7	-	1	0.1 %	2.1%
10	-	3	0.2 %	6.4%
12	-	1	0.1 %	2.1%
20	-	1	0.1 %	2.1%
45	-	1	0.1 %	2.1%
100	-	1	0.1 %	2.1%
200	-	2	0.1 %	4.3%
500	-	1	0.1 %	2.1%
900	-	1	0.1 %	2.1%
-9 (M)	Legitimate Skip	1334	95.8 %	-
-2 (M)	Don't Know	6	0.4 %	-
-1 (M)	Refused	6	0.4 %	-

Based upon 47 valid cases out of 1393 total cases.

QT6_5 Number total weeks involved in ROBBERY (PERSON)

Location: 3011-3013(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

How many total weeks were you involved in (crime)?

Robbery (person)

<i>QT6_5: Number total weeks involved in ROBBERY (PERSON)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	22	1.6 %	47.8%
1	-	6	0.4 %	13.0%
2	-	2	0.1 %	4.3%
4	-	1	0.1 %	2.2%
6	-	1	0.1 %	2.2%
9	-	1	0.1 %	2.2%
15	-	1	0.1 %	2.2%
26	-	1	0.1 %	2.2%
28	-	1	0.1 %	2.2%
42	-	1	0.1 %	2.2%
52	-	1	0.1 %	2.2%
56	-	2	0.1 %	4.3%
67	-	1	0.1 %	2.2%
122	-	1	0.1 %	2.2%
136	-	1	0.1 %	2.2%
200	-	1	0.1 %	2.2%
222	-	1	0.1 %	2.2%
242	-	1	0.1 %	2.2%
-9 (M)	Legitimate Skip	1334	95.8 %	-
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 46 valid cases out of 1393 total cases.

QT1_6

Engaged in AUTO THEFT

Location: 3014-3015(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

Auto theft

<i>QT1_6: Engaged in AUTO THEFT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	42	3.0 %	3.0%

- Study 02258 -

<i>QT1_6: Engaged in AUTO THEFT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	1343	96.4 %	97.0%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	7	0.5 %	-

Based upon 1385 valid cases out of 1393 total cases.

QT3_6 Number weeks ago first engaged in AUTO THEFT

Location: 3016-3018(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

Auto theft

<i>QT3_6: Number weeks ago first engaged in AUTO THEFT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	14	1.0 %	38.9%
2	-	2	0.1 %	5.6%
3	-	1	0.1 %	2.8%
4	-	1	0.1 %	2.8%
5	-	1	0.1 %	2.8%
9	-	2	0.1 %	5.6%
12	-	1	0.1 %	2.8%
20	-	1	0.1 %	2.8%
26	-	2	0.1 %	5.6%
36	-	1	0.1 %	2.8%
55	-	1	0.1 %	2.8%
104	-	1	0.1 %	2.8%
106	-	1	0.1 %	2.8%
152	-	1	0.1 %	2.8%
156	-	1	0.1 %	2.8%
168	-	1	0.1 %	2.8%
220	-	1	0.1 %	2.8%
260	-	1	0.1 %	2.8%
268	-	1	0.1 %	2.8%
320	-	1	0.1 %	2.8%
-9 (M)	Legitimate Skip	1351	97.0 %	-
-2 (M)	Don't Know	4	0.3 %	-

- Study 02258 -

<i>QT3_6: Number weeks ago first engaged in AUTO THEFT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-1 (M)	Refused	2	0.1 %	-

Based upon 36 valid cases out of 1393 total cases.

QT4_6 Number weeks ago last engaged in AUTO THEFT

Location: 3019-3021(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: How many weeks ago did you last engage in (crime)?
 Auto theft

<i>QT4_6: Number weeks ago last engaged in AUTO THEFT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	12	0.9 %	33.3%
1	-	2	0.1 %	5.6%
3	-	1	0.1 %	2.8%
5	-	1	0.1 %	2.8%
12	-	1	0.1 %	2.8%
16	-	1	0.1 %	2.8%
22	-	1	0.1 %	2.8%
26	-	1	0.1 %	2.8%
36	-	1	0.1 %	2.8%
40	-	1	0.1 %	2.8%
52	-	3	0.2 %	8.3%
56	-	1	0.1 %	2.8%
59	-	1	0.1 %	2.8%
80	-	1	0.1 %	2.8%
104	-	3	0.2 %	8.3%
120	-	2	0.1 %	5.6%
260	-	2	0.1 %	5.6%
314	-	1	0.1 %	2.8%
-9 (M)	Legitimate Skip	1351	97.0 %	-
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 36 valid cases out of 1393 total cases.

QT5_6 Number total times engaged in AUTO THEFT

Location: 3022-3024(width: 3; decimal: 0)

- Study 02258 -

<i>QT6_6: Number total weeks involved in AUTO THEFT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
45	-	1	0.1 %	2.9%
104	-	1	0.1 %	2.9%
999	-	1	0.1 %	2.9%
-9 (M)	Legitimate Skip	1351	97.0 %	-
-2 (M)	Don't Know	5	0.4 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 35 valid cases out of 1393 total cases.

QT1_7 Engaged in NON AUTO THEFT / SHOPLIFTING

Location: 3028-3029(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

Non-auto theft, shoplifting

<i>QT1_7: Engaged in NON AUTO THEFT / SHOPLIFTING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	172	12.3 %	12.4%
2	No	1213	87.1 %	87.6%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	7	0.5 %	-

Based upon 1385 valid cases out of 1393 total cases.

QT3_7 Number weeks ago first engaged in NON AUTO THEFT/SHOPLIFTING

Location: 3030-3032(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

Non-auto theft, shoplifting

<i>QT3_7: Number weeks ago first engaged in NON AUTO THEFT/SHOPLIFTING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	49	3.5 %	32.5%
1	-	6	0.4 %	4.0%

- Study 02258 -

<i>QT3_7: Number weeks ago first engaged in NON AUTO THEFT/SHOPLIFTING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	5	0.4 %	3.3%
3	-	2	0.1 %	1.3%
4	-	5	0.4 %	3.3%
5	-	1	0.1 %	0.7%
6	-	2	0.1 %	1.3%
7	-	1	0.1 %	0.7%
8	-	5	0.4 %	3.3%
9	-	1	0.1 %	0.7%
10	-	2	0.1 %	1.3%
12	-	5	0.4 %	3.3%
16	-	2	0.1 %	1.3%
20	-	1	0.1 %	0.7%
22	-	1	0.1 %	0.7%
24	-	2	0.1 %	1.3%
26	-	2	0.1 %	1.3%
30	-	4	0.3 %	2.6%
32	-	1	0.1 %	0.7%
48	-	1	0.1 %	0.7%
50	-	1	0.1 %	0.7%
52	-	7	0.5 %	4.6%
56	-	1	0.1 %	0.7%
60	-	3	0.2 %	2.0%
70	-	1	0.1 %	0.7%
74	-	1	0.1 %	0.7%
78	-	1	0.1 %	0.7%
88	-	1	0.1 %	0.7%
89	-	1	0.1 %	0.7%
96	-	1	0.1 %	0.7%
98	-	1	0.1 %	0.7%
100	-	1	0.1 %	0.7%
102	-	1	0.1 %	0.7%
104	-	7	0.5 %	4.6%
106	-	1	0.1 %	0.7%
109	-	1	0.1 %	0.7%
116	-	1	0.1 %	0.7%
117	-	1	0.1 %	0.7%
130	-	2	0.1 %	1.3%
136	-	1	0.1 %	0.7%
156	-	2	0.1 %	1.3%

- Study 02258 -

<i>QT3_7: Number weeks ago first engaged in NON AUTO THEFT/SHOPLIFTING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
160	-	1	0.1 %	0.7%
210	-	1	0.1 %	0.7%
228	-	1	0.1 %	0.7%
230	-	1	0.1 %	0.7%
234	-	1	0.1 %	0.7%
250	-	1	0.1 %	0.7%
256	-	1	0.1 %	0.7%
260	-	1	0.1 %	0.7%
264	-	1	0.1 %	0.7%
272	-	2	0.1 %	1.3%
290	-	1	0.1 %	0.7%
295	-	1	0.1 %	0.7%
297	-	1	0.1 %	0.7%
299	-	1	0.1 %	0.7%
364	-	1	0.1 %	0.7%
-9 (M)	Legitimate Skip	1221	87.7 %	-
-2 (M)	Don't Know	16	1.1 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 151 valid cases out of 1393 total cases.

QT4_7

Number weeks ago last engaged in NON AUTO THEFT/SHOPLIFTING

Location: 3033-3035(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last engage in (crime)?

Non-auto theft, shoplifting

<i>QT4_7: Number weeks ago last engaged in NON AUTO THEFT/SHOPLIFTING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	37	2.7 %	24.0%
1	-	6	0.4 %	3.9%
2	-	4	0.3 %	2.6%
3	-	3	0.2 %	1.9%
4	-	5	0.4 %	3.2%
5	-	2	0.1 %	1.3%
6	-	2	0.1 %	1.3%
8	-	1	0.1 %	0.6%

- Study 02258 -

<i>QT4_7: Number weeks ago last engaged in NON AUTO THEFT/SHOPLIFTING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
10	-	2	0.1 %	1.3%
12	-	5	0.4 %	3.2%
14	-	1	0.1 %	0.6%
16	-	2	0.1 %	1.3%
20	-	3	0.2 %	1.9%
22	-	2	0.1 %	1.3%
24	-	1	0.1 %	0.6%
26	-	2	0.1 %	1.3%
30	-	2	0.1 %	1.3%
32	-	1	0.1 %	0.6%
36	-	1	0.1 %	0.6%
40	-	2	0.1 %	1.3%
52	-	6	0.4 %	3.9%
54	-	2	0.1 %	1.3%
57	-	1	0.1 %	0.6%
60	-	2	0.1 %	1.3%
63	-	2	0.1 %	1.3%
66	-	1	0.1 %	0.6%
70	-	1	0.1 %	0.6%
74	-	1	0.1 %	0.6%
75	-	1	0.1 %	0.6%
78	-	3	0.2 %	1.9%
90	-	1	0.1 %	0.6%
92	-	1	0.1 %	0.6%
98	-	2	0.1 %	1.3%
100	-	1	0.1 %	0.6%
104	-	2	0.1 %	1.3%
106	-	1	0.1 %	0.6%
108	-	1	0.1 %	0.6%
112	-	1	0.1 %	0.6%
114	-	1	0.1 %	0.6%
117	-	1	0.1 %	0.6%
120	-	1	0.1 %	0.6%
121	-	1	0.1 %	0.6%
130	-	1	0.1 %	0.6%
132	-	1	0.1 %	0.6%
136	-	1	0.1 %	0.6%
152	-	1	0.1 %	0.6%
156	-	4	0.3 %	2.6%

- Study 02258 -

QT4_7: Number weeks ago last engaged in NON AUTO THEFT/SHOPLIFTING				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
157	-	1	0.1 %	0.6%
162	-	1	0.1 %	0.6%
164	-	1	0.1 %	0.6%
170	-	1	0.1 %	0.6%
172	-	1	0.1 %	0.6%
173	-	1	0.1 %	0.6%
180	-	1	0.1 %	0.6%
184	-	1	0.1 %	0.6%
194	-	1	0.1 %	0.6%
200	-	1	0.1 %	0.6%
208	-	1	0.1 %	0.6%
224	-	1	0.1 %	0.6%
234	-	1	0.1 %	0.6%
236	-	1	0.1 %	0.6%
242	-	1	0.1 %	0.6%
260	-	1	0.1 %	0.6%
262	-	1	0.1 %	0.6%
268	-	1	0.1 %	0.6%
270	-	1	0.1 %	0.6%
292	-	1	0.1 %	0.6%
298	-	1	0.1 %	0.6%
300	-	2	0.1 %	1.3%
313	-	1	0.1 %	0.6%
324	-	1	0.1 %	0.6%
364	-	1	0.1 %	0.6%
365	-	1	0.1 %	0.6%
999	-	1	0.1 %	0.6%
-9 (M)	Legitimate Skip	1221	87.7 %	-
-2 (M)	Don't Know	12	0.9 %	-
-1 (M)	Refused	6	0.4 %	-

Based upon 154 valid cases out of 1393 total cases.

QT5_7

Number total times engaged in NON AUTO THEFT/SHOPLIFTING

Location: 3036-3038(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many total times did you do (crime)?

- Study 02258 -

Non-auto theft, shoplifting

<i>QT5_7: Number total times engaged in NON AUTO THEFT/SHOPLIFTING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	11	0.8 %	7.6%
1	-	27	1.9 %	18.8%
2	-	12	0.9 %	8.3%
3	-	6	0.4 %	4.2%
4	-	4	0.3 %	2.8%
5	-	8	0.6 %	5.6%
6	-	2	0.1 %	1.4%
7	-	4	0.3 %	2.8%
8	-	2	0.1 %	1.4%
9	-	2	0.1 %	1.4%
10	-	5	0.4 %	3.5%
12	-	1	0.1 %	0.7%
13	-	2	0.1 %	1.4%
15	-	1	0.1 %	0.7%
18	-	1	0.1 %	0.7%
20	-	7	0.5 %	4.9%
24	-	1	0.1 %	0.7%
25	-	1	0.1 %	0.7%
30	-	5	0.4 %	3.5%
34	-	1	0.1 %	0.7%
50	-	3	0.2 %	2.1%
60	-	2	0.1 %	1.4%
70	-	1	0.1 %	0.7%
78	-	1	0.1 %	0.7%
100	-	7	0.5 %	4.9%
120	-	2	0.1 %	1.4%
134	-	1	0.1 %	0.7%
150	-	1	0.1 %	0.7%
190	-	1	0.1 %	0.7%
200	-	4	0.3 %	2.8%
300	-	2	0.1 %	1.4%
497	-	1	0.1 %	0.7%
500	-	1	0.1 %	0.7%
625	-	1	0.1 %	0.7%
800	-	2	0.1 %	1.4%
900	-	1	0.1 %	0.7%
999	-	10	0.7 %	6.9%

- Study 02258 -

<i>QT5_7: Number total times engaged in NON AUTO THEFT/SHOPLIFTING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1221	87.7 %	-
-2 (M)	Don't Know	22	1.6 %	-
-1 (M)	Refused	6	0.4 %	-

Based upon 144 valid cases out of 1393 total cases.

QT6_7	Number total weeks involved in NON AUTO THEFT/SHOPLIFTING
--------------	--

Location: 3039-3041(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks were you involved in (crime)?

Non-auto theft, shoplifting

<i>QT6_7: Number total weeks involved in NON AUTO THEFT/SHOPLIFTING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	46	3.3 %	31.1%
1	-	14	1.0 %	9.5%
2	-	6	0.4 %	4.1%
3	-	2	0.1 %	1.4%
4	-	5	0.4 %	3.4%
5	-	3	0.2 %	2.0%
6	-	1	0.1 %	0.7%
7	-	1	0.1 %	0.7%
8	-	5	0.4 %	3.4%
9	-	1	0.1 %	0.7%
10	-	1	0.1 %	0.7%
12	-	1	0.1 %	0.7%
13	-	2	0.1 %	1.4%
15	-	1	0.1 %	0.7%
16	-	3	0.2 %	2.0%
18	-	1	0.1 %	0.7%
20	-	5	0.4 %	3.4%
24	-	2	0.1 %	1.4%
26	-	2	0.1 %	1.4%
28	-	1	0.1 %	0.7%
30	-	4	0.3 %	2.7%
32	-	1	0.1 %	0.7%
40	-	1	0.1 %	0.7%

- Study 02258 -

QT6_7: Number total weeks involved in NON AUTO THEFT/SHOPLIFTING				
Value	Label	Unweighted Frequency	%	Valid %
42	-	1	0.1 %	0.7%
44	-	1	0.1 %	0.7%
48	-	1	0.1 %	0.7%
49	-	1	0.1 %	0.7%
50	-	2	0.1 %	1.4%
52	-	5	0.4 %	3.4%
54	-	1	0.1 %	0.7%
56	-	1	0.1 %	0.7%
60	-	1	0.1 %	0.7%
71	-	1	0.1 %	0.7%
80	-	1	0.1 %	0.7%
100	-	2	0.1 %	1.4%
104	-	2	0.1 %	1.4%
126	-	1	0.1 %	0.7%
130	-	1	0.1 %	0.7%
156	-	2	0.1 %	1.4%
172	-	1	0.1 %	0.7%
182	-	1	0.1 %	0.7%
184	-	1	0.1 %	0.7%
195	-	1	0.1 %	0.7%
200	-	2	0.1 %	1.4%
208	-	1	0.1 %	0.7%
234	-	1	0.1 %	0.7%
242	-	1	0.1 %	0.7%
288	-	1	0.1 %	0.7%
318	-	1	0.1 %	0.7%
400	-	1	0.1 %	0.7%
900	-	1	0.1 %	0.7%
999	-	2	0.1 %	1.4%
-9 (M)	Legitimate Skip	1221	87.7 %	-
-2 (M)	Don't Know	20	1.4 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 148 valid cases out of 1393 total cases.

QT1_8 Engaged in A CON OR SCAM

Location: 3042-3043(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

Con, scam

<i>QT1_8: Engaged in A CON OR SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	129	9.3 %	9.3%
2	No	1255	90.1 %	90.7%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	8	0.6 %	-

Based upon 1384 valid cases out of 1393 total cases.

QT3_8

Number weeks ago first engaged in CON/SCAM

Location: 3044-3046(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

Con, scam

<i>QT3_8: Number weeks ago first engaged in CON/SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	38	2.7 %	32.8%
1	-	6	0.4 %	5.2%
2	-	5	0.4 %	4.3%
3	-	3	0.2 %	2.6%
4	-	4	0.3 %	3.4%
6	-	3	0.2 %	2.6%
7	-	1	0.1 %	0.9%
8	-	4	0.3 %	3.4%
9	-	2	0.1 %	1.7%
10	-	1	0.1 %	0.9%
12	-	2	0.1 %	1.7%
16	-	2	0.1 %	1.7%
20	-	8	0.6 %	6.9%
24	-	3	0.2 %	2.6%
28	-	1	0.1 %	0.9%
32	-	1	0.1 %	0.9%
36	-	1	0.1 %	0.9%

- Study 02258 -

<i>QT3_8: Number weeks ago first engaged in CON/SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	-	1	0.1 %	0.9%
50	-	1	0.1 %	0.9%
52	-	3	0.2 %	2.6%
73	-	1	0.1 %	0.9%
80	-	1	0.1 %	0.9%
82	-	1	0.1 %	0.9%
89	-	1	0.1 %	0.9%
100	-	2	0.1 %	1.7%
104	-	4	0.3 %	3.4%
108	-	1	0.1 %	0.9%
110	-	1	0.1 %	0.9%
112	-	1	0.1 %	0.9%
115	-	1	0.1 %	0.9%
138	-	1	0.1 %	0.9%
156	-	2	0.1 %	1.7%
200	-	1	0.1 %	0.9%
208	-	3	0.2 %	2.6%
272	-	3	0.2 %	2.6%
312	-	1	0.1 %	0.9%
365	-	1	0.1 %	0.9%
-9 (M)	Legitimate Skip	1264	90.7 %	-
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 116 valid cases out of 1393 total cases.

QT4_8	Number weeks ago last engaged in CON/SCAM
--------------	--

Location: 3047-3049(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last engage in (crime)?

Con, scam

<i>QT4_8: Number weeks ago last engaged in CON/SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	27	1.9 %	23.9%
1	-	3	0.2 %	2.7%
2	-	1	0.1 %	0.9%

- Study 02258 -

<i>QT4_8: Number weeks ago last engaged in CON/SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	-	6	0.4 %	5.3%
4	-	3	0.2 %	2.7%
6	-	1	0.1 %	0.9%
7	-	1	0.1 %	0.9%
8	-	3	0.2 %	2.7%
10	-	1	0.1 %	0.9%
11	-	1	0.1 %	0.9%
12	-	5	0.4 %	4.4%
16	-	3	0.2 %	2.7%
20	-	6	0.4 %	5.3%
22	-	2	0.1 %	1.8%
24	-	1	0.1 %	0.9%
25	-	1	0.1 %	0.9%
26	-	2	0.1 %	1.8%
30	-	1	0.1 %	0.9%
50	-	2	0.1 %	1.8%
52	-	1	0.1 %	0.9%
56	-	1	0.1 %	0.9%
57	-	1	0.1 %	0.9%
60	-	2	0.1 %	1.8%
63	-	1	0.1 %	0.9%
65	-	1	0.1 %	0.9%
66	-	1	0.1 %	0.9%
70	-	1	0.1 %	0.9%
72	-	1	0.1 %	0.9%
78	-	1	0.1 %	0.9%
88	-	1	0.1 %	0.9%
96	-	1	0.1 %	0.9%
104	-	2	0.1 %	1.8%
106	-	1	0.1 %	0.9%
114	-	1	0.1 %	0.9%
116	-	1	0.1 %	0.9%
126	-	1	0.1 %	0.9%
132	-	1	0.1 %	0.9%
156	-	4	0.3 %	3.5%
170	-	1	0.1 %	0.9%
172	-	1	0.1 %	0.9%
182	-	1	0.1 %	0.9%
200	-	2	0.1 %	1.8%

- Study 02258 -

<i>QT4_8: Number weeks ago last engaged in CON/SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
208	-	3	0.2 %	2.7%
234	-	1	0.1 %	0.9%
252	-	1	0.1 %	0.9%
260	-	3	0.2 %	2.7%
262	-	1	0.1 %	0.9%
282	-	1	0.1 %	0.9%
300	-	1	0.1 %	0.9%
302	-	1	0.1 %	0.9%
345	-	1	0.1 %	0.9%
999	-	1	0.1 %	0.9%
-9 (M)	Legitimate Skip	1264	90.7 %	-
-2 (M)	Don't Know	11	0.8 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 113 valid cases out of 1393 total cases.

QT5_8

Number total times engaged in CON/SCAM

Location: 3050-3052(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total times did you do (crime)?

Con, scam

<i>QT5_8: Number total times engaged in CON/SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	8	0.6 %	7.1%
1	-	15	1.1 %	13.4%
2	-	7	0.5 %	6.2%
3	-	9	0.6 %	8.0%
4	-	7	0.5 %	6.2%
5	-	5	0.4 %	4.5%
6	-	1	0.1 %	0.9%
9	-	2	0.1 %	1.8%
10	-	6	0.4 %	5.4%
11	-	1	0.1 %	0.9%
12	-	3	0.2 %	2.7%
15	-	4	0.3 %	3.6%
20	-	7	0.5 %	6.2%

- Study 02258 -

<i>QT5_8: Number total times engaged in CON/SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
25	-	3	0.2 %	2.7%
26	-	1	0.1 %	0.9%
35	-	1	0.1 %	0.9%
50	-	1	0.1 %	0.9%
60	-	2	0.1 %	1.8%
95	-	1	0.1 %	0.9%
100	-	8	0.6 %	7.1%
104	-	1	0.1 %	0.9%
145	-	1	0.1 %	0.9%
156	-	1	0.1 %	0.9%
200	-	4	0.3 %	3.6%
222	-	1	0.1 %	0.9%
300	-	1	0.1 %	0.9%
345	-	1	0.1 %	0.9%
500	-	2	0.1 %	1.8%
504	-	1	0.1 %	0.9%
564	-	1	0.1 %	0.9%
900	-	1	0.1 %	0.9%
999	-	5	0.4 %	4.5%
-9 (M)	Legitimate Skip	1264	90.7 %	-
-2 (M)	Don't Know	13	0.9 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 112 valid cases out of 1393 total cases.

QT6_8

Number total weeks involved in CON/SCAM

Location: 3053-3055(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks were you involved in (crime)?

Con, scam

<i>QT6_8: Number total weeks involved in CON/SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	28	2.0 %	25.9%
1	-	10	0.7 %	9.3%
2	-	10	0.7 %	9.3%
3	-	2	0.1 %	1.9%

- Study 02258 -

<i>QT6_8: Number total weeks involved in CON/SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	-	3	0.2 %	2.8%
5	-	2	0.1 %	1.9%
6	-	1	0.1 %	0.9%
8	-	1	0.1 %	0.9%
9	-	2	0.1 %	1.9%
10	-	2	0.1 %	1.9%
11	-	1	0.1 %	0.9%
12	-	3	0.2 %	2.8%
15	-	2	0.1 %	1.9%
16	-	2	0.1 %	1.9%
20	-	4	0.3 %	3.7%
23	-	1	0.1 %	0.9%
28	-	1	0.1 %	0.9%
30	-	1	0.1 %	0.9%
34	-	1	0.1 %	0.9%
36	-	1	0.1 %	0.9%
40	-	1	0.1 %	0.9%
50	-	1	0.1 %	0.9%
52	-	5	0.4 %	4.6%
55	-	1	0.1 %	0.9%
100	-	1	0.1 %	0.9%
104	-	3	0.2 %	2.8%
140	-	1	0.1 %	0.9%
152	-	1	0.1 %	0.9%
156	-	1	0.1 %	0.9%
184	-	1	0.1 %	0.9%
200	-	3	0.2 %	2.8%
222	-	1	0.1 %	0.9%
242	-	1	0.1 %	0.9%
245	-	1	0.1 %	0.9%
282	-	1	0.1 %	0.9%
288	-	1	0.1 %	0.9%
300	-	1	0.1 %	0.9%
314	-	1	0.1 %	0.9%
339	-	1	0.1 %	0.9%
345	-	1	0.1 %	0.9%
364	-	1	0.1 %	0.9%
999	-	1	0.1 %	0.9%
-9 (M)	Legitimate Skip	1264	90.7 %	-

- Study 02258 -

<i>QT6_8: Number total weeks involved in CON/SCAM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-2 (M)	Don't Know	17	1.2 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 108 valid cases out of 1393 total cases.

QT1_9 Engaged in ARSON / VANDALISM

Location: 3056-3057(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

Arson, vandalism

<i>QT1_9: Engaged in ARSON / VANDALISM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	17	1.2 %	1.2%
2	No	1367	98.1 %	98.8%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	8	0.6 %	-

Based upon 1384 valid cases out of 1393 total cases.

QT3_9 Number weeks ago first engaged in ARSON/VANDALISM

Location: 3058-3060(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

Arson, vandalism

<i>QT3_9: Number weeks ago first engaged in ARSON/VANDALISM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	33.3%
1	-	1	0.1 %	6.7%
4	-	1	0.1 %	6.7%
20	-	1	0.1 %	6.7%
52	-	2	0.1 %	13.3%
104	-	1	0.1 %	6.7%

- Study 02258 -

Arson, vandalism

<i>QT5_9: Number total times engaged in ARSON/VANDALISM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	31.2%
1	-	6	0.4 %	37.5%
3	-	1	0.1 %	6.2%
4	-	1	0.1 %	6.2%
6	-	1	0.1 %	6.2%
20	-	1	0.1 %	6.2%
200	-	1	0.1 %	6.2%
-9 (M)	Legitimate Skip	1376	98.8 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 16 valid cases out of 1393 total cases.

QT6_9 Number total weeks involved in ARSON/VANDALISM

Location: 3067-3069(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks were you involved in (crime)?

Arson, vandalism

<i>QT6_9: Number total weeks involved in ARSON/VANDALISM</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	10	0.7 %	62.5%
1	-	2	0.1 %	12.5%
2	-	2	0.1 %	12.5%
3	-	1	0.1 %	6.2%
222	-	1	0.1 %	6.2%
-9 (M)	Legitimate Skip	1376	98.8 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 16 valid cases out of 1393 total cases.

QT1_10 Engaged in PROSTITUTION / PIMPING

Location: 3070-3071(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

- Study 02258 -

Prostitution, pimping

<i>QT1_10: Engaged in PROSTITUTION / PIMPING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	99	7.1 %	7.2%
2	No	1285	92.2 %	92.8%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	8	0.6 %	-

Based upon 1384 valid cases out of 1393 total cases.

QT3_10

Number weeks ago first engaged in PROSTITUTION/PIMPING

Location: 3072-3074(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

Prostitution, pimping

<i>QT3_10: Number weeks ago first engaged in PROSTITUTION/PIMPING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	21	1.5 %	23.6%
1	-	6	0.4 %	6.7%
2	-	2	0.1 %	2.2%
3	-	3	0.2 %	3.4%
4	-	7	0.5 %	7.9%
5	-	3	0.2 %	3.4%
6	-	1	0.1 %	1.1%
7	-	1	0.1 %	1.1%
8	-	4	0.3 %	4.5%
12	-	1	0.1 %	1.1%
16	-	1	0.1 %	1.1%
20	-	2	0.1 %	2.2%
24	-	1	0.1 %	1.1%
25	-	1	0.1 %	1.1%
26	-	1	0.1 %	1.1%
30	-	2	0.1 %	2.2%
32	-	1	0.1 %	1.1%
40	-	1	0.1 %	1.1%
52	-	5	0.4 %	5.6%

- Study 02258 -

<i>QT3_10: Number weeks ago first engaged in PROSTITUTION/PIMPING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
62	-	1	0.1 %	1.1%
99	-	1	0.1 %	1.1%
100	-	1	0.1 %	1.1%
104	-	1	0.1 %	1.1%
106	-	1	0.1 %	1.1%
126	-	1	0.1 %	1.1%
132	-	1	0.1 %	1.1%
147	-	1	0.1 %	1.1%
156	-	6	0.4 %	6.7%
188	-	1	0.1 %	1.1%
200	-	1	0.1 %	1.1%
208	-	3	0.2 %	3.4%
215	-	1	0.1 %	1.1%
256	-	1	0.1 %	1.1%
272	-	1	0.1 %	1.1%
312	-	1	0.1 %	1.1%
350	-	1	0.1 %	1.1%
364	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1294	92.9 %	-
-2 (M)	Don't Know	5	0.4 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 89 valid cases out of 1393 total cases.

QT4_10

Number weeks ago last engaged in PROSTITUTION/PIMPING

Location: 3075-3077(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last engage in (crime)?

Prostitution, pimping

<i>QT4_10: Number weeks ago last engaged in PROSTITUTION/PIMPING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	24	1.7 %	26.4%
1	-	2	0.1 %	2.2%
2	-	2	0.1 %	2.2%
4	-	4	0.3 %	4.4%
5	-	1	0.1 %	1.1%

- Study 02258 -

<i>QT4_10: Number weeks ago last engaged in PROSTITUTION/PIMPING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
6	-	1	0.1 %	1.1%
7	-	1	0.1 %	1.1%
8	-	1	0.1 %	1.1%
12	-	2	0.1 %	2.2%
15	-	2	0.1 %	2.2%
16	-	1	0.1 %	1.1%
17	-	1	0.1 %	1.1%
18	-	1	0.1 %	1.1%
20	-	3	0.2 %	3.3%
22	-	2	0.1 %	2.2%
26	-	2	0.1 %	2.2%
30	-	1	0.1 %	1.1%
35	-	1	0.1 %	1.1%
37	-	1	0.1 %	1.1%
44	-	1	0.1 %	1.1%
48	-	1	0.1 %	1.1%
50	-	1	0.1 %	1.1%
52	-	3	0.2 %	3.3%
62	-	1	0.1 %	1.1%
63	-	1	0.1 %	1.1%
66	-	1	0.1 %	1.1%
68	-	1	0.1 %	1.1%
72	-	1	0.1 %	1.1%
78	-	2	0.1 %	2.2%
99	-	1	0.1 %	1.1%
104	-	5	0.4 %	5.5%
108	-	1	0.1 %	1.1%
112	-	1	0.1 %	1.1%
117	-	1	0.1 %	1.1%
132	-	1	0.1 %	1.1%
144	-	1	0.1 %	1.1%
152	-	1	0.1 %	1.1%
156	-	5	0.4 %	5.5%
180	-	1	0.1 %	1.1%
182	-	1	0.1 %	1.1%
208	-	1	0.1 %	1.1%
234	-	1	0.1 %	1.1%
250	-	1	0.1 %	1.1%
260	-	1	0.1 %	1.1%

- Study 02258 -

<i>QT4_10: Number weeks ago last engaged in PROSTITUTION/PIMPING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
312	-	1	0.1 %	1.1%
750	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1294	92.9 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 91 valid cases out of 1393 total cases.

QT5_10

Number total times engaged in PROSTITUTION/PIMPING

Location: 3078-3080(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total times did you do (crime)?

Prostitution, pimping

<i>QT5_10: Number total times engaged in PROSTITUTION/PIMPING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	5	0.4 %	6.7%
1	-	6	0.4 %	8.0%
2	-	5	0.4 %	6.7%
3	-	3	0.2 %	4.0%
5	-	4	0.3 %	5.3%
6	-	1	0.1 %	1.3%
7	-	1	0.1 %	1.3%
8	-	1	0.1 %	1.3%
9	-	2	0.1 %	2.7%
10	-	3	0.2 %	4.0%
11	-	1	0.1 %	1.3%
12	-	1	0.1 %	1.3%
17	-	1	0.1 %	1.3%
18	-	1	0.1 %	1.3%
20	-	6	0.4 %	8.0%
21	-	1	0.1 %	1.3%
40	-	1	0.1 %	1.3%
50	-	3	0.2 %	4.0%
56	-	1	0.1 %	1.3%
60	-	1	0.1 %	1.3%
80	-	1	0.1 %	1.3%

- Study 02258 -

<i>QT5_10: Number total times engaged in PROSTITUTION/PIMPING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
99	-	2	0.1 %	2.7%
100	-	5	0.4 %	6.7%
180	-	1	0.1 %	1.3%
200	-	4	0.3 %	5.3%
240	-	1	0.1 %	1.3%
250	-	1	0.1 %	1.3%
326	-	1	0.1 %	1.3%
350	-	1	0.1 %	1.3%
360	-	1	0.1 %	1.3%
420	-	1	0.1 %	1.3%
490	-	1	0.1 %	1.3%
500	-	2	0.1 %	2.7%
900	-	1	0.1 %	1.3%
999	-	4	0.3 %	5.3%
-9 (M)	Legitimate Skip	1295	93.0 %	-
-2 (M)	Don't Know	18	1.3 %	-
-1 (M)	Refused	5	0.4 %	-

Based upon 75 valid cases out of 1393 total cases.

QT6_10

Number total weeks involved in PROSTITUTION/PIMPING

Location: 3081-3083(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks were you involved in (crime)?

Prostitution, pimping

<i>QT6_10: Number total weeks involved in PROSTITUTION/PIMPING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	21	1.5 %	26.2%
1	-	3	0.2 %	3.8%
2	-	3	0.2 %	3.8%
3	-	3	0.2 %	3.8%
4	-	3	0.2 %	3.8%
5	-	2	0.1 %	2.5%
6	-	2	0.1 %	2.5%
8	-	4	0.3 %	5.0%
9	-	1	0.1 %	1.2%

- Study 02258 -

QT6_10: Number total weeks involved in PROSTITUTION/PIMPING				
Value	Label	Unweighted Frequency	%	Valid %
12	-	1	0.1 %	1.2%
14	-	1	0.1 %	1.2%
15	-	1	0.1 %	1.2%
20	-	3	0.2 %	3.8%
30	-	1	0.1 %	1.2%
34	-	1	0.1 %	1.2%
40	-	1	0.1 %	1.2%
44	-	1	0.1 %	1.2%
52	-	4	0.3 %	5.0%
60	-	1	0.1 %	1.2%
66	-	1	0.1 %	1.2%
67	-	1	0.1 %	1.2%
70	-	1	0.1 %	1.2%
78	-	2	0.1 %	2.5%
100	-	2	0.1 %	2.5%
104	-	1	0.1 %	1.2%
117	-	1	0.1 %	1.2%
126	-	1	0.1 %	1.2%
132	-	1	0.1 %	1.2%
152	-	1	0.1 %	1.2%
156	-	3	0.2 %	3.8%
200	-	1	0.1 %	1.2%
215	-	1	0.1 %	1.2%
260	-	2	0.1 %	2.5%
311	-	1	0.1 %	1.2%
312	-	1	0.1 %	1.2%
416	-	1	0.1 %	1.2%
999	-	1	0.1 %	1.2%
-9 (M)	Legitimate Skip	1294	92.9 %	-
-2 (M)	Don't Know	12	0.9 %	-
-1 (M)	Refused	7	0.5 %	-

Based upon 80 valid cases out of 1393 total cases.

QT1_11

Engaged in ASSAULT

Location: 3084-3085(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

- Study 02258 -

Assault

<i>QT1_11: Engaged in ASSAULT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	110	7.9 %	7.9%
2	No	1274	91.5 %	92.1%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	8	0.6 %	-

Based upon 1384 valid cases out of 1393 total cases.

QT3_11

Number weeks ago first engaged in ASSAULT

Location: 3086-3088(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

Assault

<i>QT3_11: Number weeks ago first engaged in ASSAULT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	9	0.6 %	9.9%
1	-	3	0.2 %	3.3%
2	-	2	0.1 %	2.2%
4	-	2	0.1 %	2.2%
5	-	1	0.1 %	1.1%
6	-	1	0.1 %	1.1%
8	-	2	0.1 %	2.2%
9	-	1	0.1 %	1.1%
10	-	2	0.1 %	2.2%
11	-	1	0.1 %	1.1%
12	-	3	0.2 %	3.3%
14	-	1	0.1 %	1.1%
20	-	1	0.1 %	1.1%
21	-	1	0.1 %	1.1%
24	-	2	0.1 %	2.2%
26	-	2	0.1 %	2.2%
28	-	2	0.1 %	2.2%
30	-	1	0.1 %	1.1%
32	-	1	0.1 %	1.1%

- Study 02258 -

<i>QT3_11: Number weeks ago first engaged in ASSAULT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
40	-	1	0.1 %	1.1%
48	-	1	0.1 %	1.1%
50	-	1	0.1 %	1.1%
52	-	9	0.6 %	9.9%
60	-	1	0.1 %	1.1%
72	-	1	0.1 %	1.1%
80	-	1	0.1 %	1.1%
96	-	1	0.1 %	1.1%
104	-	2	0.1 %	2.2%
120	-	1	0.1 %	1.1%
122	-	1	0.1 %	1.1%
124	-	1	0.1 %	1.1%
136	-	1	0.1 %	1.1%
139	-	1	0.1 %	1.1%
148	-	1	0.1 %	1.1%
154	-	1	0.1 %	1.1%
156	-	2	0.1 %	2.2%
160	-	1	0.1 %	1.1%
168	-	1	0.1 %	1.1%
172	-	1	0.1 %	1.1%
180	-	1	0.1 %	1.1%
183	-	1	0.1 %	1.1%
200	-	1	0.1 %	1.1%
208	-	6	0.4 %	6.6%
209	-	1	0.1 %	1.1%
224	-	1	0.1 %	1.1%
234	-	1	0.1 %	1.1%
260	-	2	0.1 %	2.2%
268	-	1	0.1 %	1.1%
281	-	1	0.1 %	1.1%
284	-	2	0.1 %	2.2%
286	-	1	0.1 %	1.1%
290	-	1	0.1 %	1.1%
299	-	1	0.1 %	1.1%
307	-	1	0.1 %	1.1%
319	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1283	92.1 %	-
-2 (M)	Don't Know	16	1.1 %	-
-1 (M)	Refused	3	0.2 %	-

- Study 02258 -

Based upon 91 valid cases out of 1393 total cases.

QT4_11 Number weeks ago last engaged in ASSAULT

Location: 3089-3091(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many weeks ago did you last engage in (crime)?

Assault

<i>QT4_11: Number weeks ago last engaged in ASSAULT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	12	0.9 %	13.2%
1	-	4	0.3 %	4.4%
3	-	1	0.1 %	1.1%
4	-	4	0.3 %	4.4%
5	-	1	0.1 %	1.1%
7	-	1	0.1 %	1.1%
10	-	2	0.1 %	2.2%
12	-	3	0.2 %	3.3%
13	-	1	0.1 %	1.1%
16	-	3	0.2 %	3.3%
20	-	1	0.1 %	1.1%
24	-	2	0.1 %	2.2%
26	-	1	0.1 %	1.1%
28	-	1	0.1 %	1.1%
32	-	2	0.1 %	2.2%
35	-	1	0.1 %	1.1%
36	-	1	0.1 %	1.1%
37	-	1	0.1 %	1.1%
40	-	2	0.1 %	2.2%
52	-	3	0.2 %	3.3%
55	-	1	0.1 %	1.1%
60	-	2	0.1 %	2.2%
66	-	1	0.1 %	1.1%
68	-	1	0.1 %	1.1%
76	-	1	0.1 %	1.1%
86	-	1	0.1 %	1.1%
90	-	1	0.1 %	1.1%
99	-	1	0.1 %	1.1%
104	-	3	0.2 %	3.3%
108	-	1	0.1 %	1.1%

- Study 02258 -

QT4_11: Number weeks ago last engaged in ASSAULT				
Value	Label	Unweighted Frequency	%	Valid %
110	-	1	0.1 %	1.1%
122	-	1	0.1 %	1.1%
124	-	1	0.1 %	1.1%
125	-	1	0.1 %	1.1%
156	-	2	0.1 %	2.2%
160	-	1	0.1 %	1.1%
170	-	1	0.1 %	1.1%
179	-	1	0.1 %	1.1%
180	-	1	0.1 %	1.1%
184	-	1	0.1 %	1.1%
197	-	1	0.1 %	1.1%
199	-	1	0.1 %	1.1%
200	-	2	0.1 %	2.2%
203	-	1	0.1 %	1.1%
204	-	1	0.1 %	1.1%
208	-	3	0.2 %	3.3%
232	-	1	0.1 %	1.1%
234	-	2	0.1 %	2.2%
240	-	1	0.1 %	1.1%
254	-	1	0.1 %	1.1%
268	-	2	0.1 %	2.2%
270	-	1	0.1 %	1.1%
272	-	1	0.1 %	1.1%
312	-	1	0.1 %	1.1%
502	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1283	92.1 %	-
-2 (M)	Don't Know	16	1.1 %	-
-1 (M)	Refused	3	0.2 %	-

Based upon 91 valid cases out of 1393 total cases.

QT5_11

Number total times engaged in ASSAULT

Location: 3092-3094(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total times did you do (crime)?

Assault

- Study 02258 -

<i>QT5_11: Number total times engaged in ASSAULT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	6	0.4 %	6.2%
1	-	49	3.5 %	50.5%
2	-	13	0.9 %	13.4%
3	-	11	0.8 %	11.3%
4	-	2	0.1 %	2.1%
5	-	2	0.1 %	2.1%
7	-	1	0.1 %	1.0%
8	-	2	0.1 %	2.1%
10	-	3	0.2 %	3.1%
14	-	1	0.1 %	1.0%
20	-	3	0.2 %	3.1%
50	-	1	0.1 %	1.0%
120	-	1	0.1 %	1.0%
200	-	1	0.1 %	1.0%
999	-	1	0.1 %	1.0%
-9 (M)	Legitimate Skip	1283	92.1 %	-
-2 (M)	Don't Know	9	0.6 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 97 valid cases out of 1393 total cases.

QT6_11 Number total weeks involved in ASSAULT

Location: 3095-3097(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks were you involved in (crime)?

Assault

<i>QT6_11: Number total weeks involved in ASSAULT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	51	3.7 %	53.7%
1	-	13	0.9 %	13.7%
2	-	7	0.5 %	7.4%
3	-	8	0.6 %	8.4%
4	-	3	0.2 %	3.2%
7	-	2	0.1 %	2.1%
8	-	1	0.1 %	1.1%
12	-	1	0.1 %	1.1%

- Study 02258 -

<i>QT6_11: Number total weeks involved in ASSAULT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
20	-	1	0.1 %	1.1%
28	-	1	0.1 %	1.1%
50	-	1	0.1 %	1.1%
104	-	1	0.1 %	1.1%
122	-	1	0.1 %	1.1%
156	-	1	0.1 %	1.1%
222	-	1	0.1 %	1.1%
266	-	1	0.1 %	1.1%
272	-	1	0.1 %	1.1%
-9 (M)	Legitimate Skip	1283	92.1 %	-
-2 (M)	Don't Know	11	0.8 %	-
-1 (M)	Refused	4	0.3 %	-

Based upon 95 valid cases out of 1393 total cases.

QT1_12 Engaged in RAPE

Location: 3098-3099(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

Rape

<i>QT1_12: Engaged in RAPE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	6	0.4 %	0.4%
2	No	1378	98.9 %	99.6%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	8	0.6 %	-

Based upon 1384 valid cases out of 1393 total cases.

QT3_12 Number weeks ago first engaged in RAPE

Location: 3100-3102(width: 3; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

- Study 02258 -

<i>QT3_14: Number weeks ago first engaged in DRUG DEALING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
74	-	1	0.1 %	0.5%
80	-	1	0.1 %	0.5%
100	-	3	0.2 %	1.4%
102	-	1	0.1 %	0.5%
104	-	4	0.3 %	1.9%
110	-	1	0.1 %	0.5%
112	-	1	0.1 %	0.5%
120	-	1	0.1 %	0.5%
122	-	1	0.1 %	0.5%
130	-	1	0.1 %	0.5%
132	-	1	0.1 %	0.5%
136	-	1	0.1 %	0.5%
147	-	1	0.1 %	0.5%
156	-	1	0.1 %	0.5%
160	-	2	0.1 %	0.9%
166	-	1	0.1 %	0.5%
170	-	1	0.1 %	0.5%
182	-	1	0.1 %	0.5%
200	-	1	0.1 %	0.5%
208	-	1	0.1 %	0.5%
225	-	1	0.1 %	0.5%
234	-	1	0.1 %	0.5%
240	-	1	0.1 %	0.5%
256	-	2	0.1 %	0.9%
260	-	1	0.1 %	0.5%
268	-	1	0.1 %	0.5%
269	-	2	0.1 %	0.9%
272	-	1	0.1 %	0.5%
273	-	1	0.1 %	0.5%
274	-	1	0.1 %	0.5%
299	-	1	0.1 %	0.5%
304	-	1	0.1 %	0.5%
309	-	1	0.1 %	0.5%
312	-	1	0.1 %	0.5%
352	-	1	0.1 %	0.5%
666	-	1	0.1 %	0.5%
999	-	1	0.1 %	0.5%
-9 (M)	Legitimate Skip	1152	82.7 %	-
-2 (M)	Don't Know	25	1.8 %	-

- Study 02258 -

<i>QT3_14: Number weeks ago first engaged in DRUG DEALING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-1 (M)	Refused	4	0.3 %	-

Based upon 212 valid cases out of 1393 total cases.

QT4_14 Number weeks ago last engaged in DRUG DEALING

Location: 3131-3133(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: How many weeks ago did you last engage in (crime)?

Drug dealing

<i>QT4_14: Number weeks ago last engaged in DRUG DEALING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	50	3.6 %	23.4%
1	-	11	0.8 %	5.1%
2	-	9	0.6 %	4.2%
3	-	3	0.2 %	1.4%
4	-	8	0.6 %	3.7%
5	-	2	0.1 %	0.9%
7	-	2	0.1 %	0.9%
8	-	6	0.4 %	2.8%
10	-	6	0.4 %	2.8%
12	-	7	0.5 %	3.3%
13	-	2	0.1 %	0.9%
15	-	1	0.1 %	0.5%
16	-	1	0.1 %	0.5%
18	-	1	0.1 %	0.5%
20	-	3	0.2 %	1.4%
22	-	1	0.1 %	0.5%
24	-	4	0.3 %	1.9%
25	-	1	0.1 %	0.5%
26	-	2	0.1 %	0.9%
27	-	1	0.1 %	0.5%
28	-	3	0.2 %	1.4%
30	-	4	0.3 %	1.9%
32	-	1	0.1 %	0.5%
40	-	2	0.1 %	0.9%
42	-	2	0.1 %	0.9%

- Study 02258 -

<i>QT4_14: Number weeks ago last engaged in DRUG DEALING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
44	-	1	0.1 %	0.5%
45	-	1	0.1 %	0.5%
50	-	1	0.1 %	0.5%
52	-	11	0.8 %	5.1%
54	-	3	0.2 %	1.4%
55	-	1	0.1 %	0.5%
57	-	1	0.1 %	0.5%
60	-	3	0.2 %	1.4%
64	-	1	0.1 %	0.5%
66	-	1	0.1 %	0.5%
72	-	1	0.1 %	0.5%
75	-	1	0.1 %	0.5%
80	-	1	0.1 %	0.5%
88	-	1	0.1 %	0.5%
92	-	1	0.1 %	0.5%
100	-	1	0.1 %	0.5%
104	-	5	0.4 %	2.3%
106	-	1	0.1 %	0.5%
110	-	1	0.1 %	0.5%
122	-	1	0.1 %	0.5%
124	-	1	0.1 %	0.5%
125	-	1	0.1 %	0.5%
130	-	1	0.1 %	0.5%
132	-	2	0.1 %	0.9%
150	-	1	0.1 %	0.5%
152	-	1	0.1 %	0.5%
155	-	1	0.1 %	0.5%
156	-	6	0.4 %	2.8%
162	-	1	0.1 %	0.5%
169	-	1	0.1 %	0.5%
170	-	1	0.1 %	0.5%
182	-	1	0.1 %	0.5%
194	-	1	0.1 %	0.5%
200	-	1	0.1 %	0.5%
204	-	1	0.1 %	0.5%
206	-	1	0.1 %	0.5%
208	-	2	0.1 %	0.9%
212	-	1	0.1 %	0.5%
221	-	1	0.1 %	0.5%

- Study 02258 -

<i>QT5_14: Number total times engaged in DRUG DEALING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
9	-	1	0.1 %	0.5%
10	-	5	0.4 %	2.7%
12	-	4	0.3 %	2.2%
14	-	1	0.1 %	0.5%
20	-	6	0.4 %	3.3%
21	-	1	0.1 %	0.5%
25	-	4	0.3 %	2.2%
28	-	1	0.1 %	0.5%
30	-	4	0.3 %	2.2%
31	-	1	0.1 %	0.5%
40	-	3	0.2 %	1.6%
50	-	9	0.6 %	4.9%
52	-	2	0.1 %	1.1%
60	-	1	0.1 %	0.5%
75	-	2	0.1 %	1.1%
80	-	1	0.1 %	0.5%
85	-	1	0.1 %	0.5%
95	-	1	0.1 %	0.5%
100	-	20	1.4 %	11.0%
120	-	1	0.1 %	0.5%
132	-	1	0.1 %	0.5%
150	-	1	0.1 %	0.5%
156	-	1	0.1 %	0.5%
175	-	1	0.1 %	0.5%
200	-	6	0.4 %	3.3%
240	-	1	0.1 %	0.5%
244	-	1	0.1 %	0.5%
288	-	1	0.1 %	0.5%
300	-	6	0.4 %	3.3%
308	-	1	0.1 %	0.5%
310	-	1	0.1 %	0.5%
321	-	1	0.1 %	0.5%
343	-	1	0.1 %	0.5%
350	-	1	0.1 %	0.5%
365	-	1	0.1 %	0.5%
500	-	2	0.1 %	1.1%
730	-	1	0.1 %	0.5%
750	-	1	0.1 %	0.5%
800	-	1	0.1 %	0.5%

- Study 02258 -

<i>QT5_14: Number total times engaged in DRUG DEALING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
900	-	2	0.1 %	1.1%
999	-	21	1.5 %	11.5%
-9 (M)	Legitimate Skip	1152	82.7 %	-
-2 (M)	Don't Know	51	3.7 %	-
-1 (M)	Refused	8	0.6 %	-

Based upon 182 valid cases out of 1393 total cases.

QT6_14

Number total weeks involved in DRUG DEALING

Location: 3137-3139(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many total weeks were you involved in (crime)?

Drug dealing

<i>QT6_14: Number total weeks involved in DRUG DEALING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	31	2.2 %	16.8%
1	-	14	1.0 %	7.6%
2	-	4	0.3 %	2.2%
3	-	3	0.2 %	1.6%
4	-	8	0.6 %	4.3%
5	-	5	0.4 %	2.7%
6	-	1	0.1 %	0.5%
7	-	1	0.1 %	0.5%
8	-	3	0.2 %	1.6%
10	-	5	0.4 %	2.7%
12	-	4	0.3 %	2.2%
15	-	1	0.1 %	0.5%
16	-	3	0.2 %	1.6%
20	-	2	0.1 %	1.1%
21	-	1	0.1 %	0.5%
25	-	3	0.2 %	1.6%
26	-	2	0.1 %	1.1%
28	-	1	0.1 %	0.5%
30	-	2	0.1 %	1.1%
34	-	1	0.1 %	0.5%
35	-	1	0.1 %	0.5%

- Study 02258 -

<i>QT6_14: Number total weeks involved in DRUG DEALING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
36	-	1	0.1 %	0.5%
40	-	4	0.3 %	2.2%
46	-	1	0.1 %	0.5%
50	-	3	0.2 %	1.6%
52	-	10	0.7 %	5.4%
57	-	1	0.1 %	0.5%
60	-	1	0.1 %	0.5%
62	-	1	0.1 %	0.5%
76	-	1	0.1 %	0.5%
78	-	3	0.2 %	1.6%
80	-	1	0.1 %	0.5%
82	-	1	0.1 %	0.5%
88	-	1	0.1 %	0.5%
100	-	2	0.1 %	1.1%
102	-	1	0.1 %	0.5%
104	-	4	0.3 %	2.2%
115	-	1	0.1 %	0.5%
120	-	1	0.1 %	0.5%
121	-	1	0.1 %	0.5%
122	-	1	0.1 %	0.5%
130	-	1	0.1 %	0.5%
138	-	1	0.1 %	0.5%
140	-	1	0.1 %	0.5%
148	-	1	0.1 %	0.5%
152	-	2	0.1 %	1.1%
155	-	1	0.1 %	0.5%
156	-	4	0.3 %	2.2%
164	-	1	0.1 %	0.5%
168	-	1	0.1 %	0.5%
182	-	1	0.1 %	0.5%
200	-	6	0.4 %	3.3%
208	-	1	0.1 %	0.5%
220	-	1	0.1 %	0.5%
222	-	1	0.1 %	0.5%
233	-	1	0.1 %	0.5%
234	-	1	0.1 %	0.5%
240	-	1	0.1 %	0.5%
242	-	1	0.1 %	0.5%
244	-	1	0.1 %	0.5%

- Study 02258 -

<i>QT6_14: Number total weeks involved in DRUG DEALING</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
254	-	1	0.1 %	0.5%
260	-	1	0.1 %	0.5%
264	-	1	0.1 %	0.5%
277	-	1	0.1 %	0.5%
283	-	1	0.1 %	0.5%
286	-	2	0.1 %	1.1%
288	-	2	0.1 %	1.1%
290	-	1	0.1 %	0.5%
300	-	2	0.1 %	1.1%
308	-	1	0.1 %	0.5%
320	-	1	0.1 %	0.5%
400	-	1	0.1 %	0.5%
500	-	1	0.1 %	0.5%
952	-	1	0.1 %	0.5%
999	-	3	0.2 %	1.6%
-9 (M)	Legitimate Skip	1152	82.7 %	-
-2 (M)	Don't Know	47	3.4 %	-
-1 (M)	Refused	10	0.7 %	-

Based upon 184 valid cases out of 1393 total cases.

QT1_15 Engaged in OTHER CRIMINAL ACTIVITIES

Location: 3140-3141(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since you left (NAME OF PROGRAM) in (MONTH/YEAR), have you engaged in any of the following activities?

Other

<i>QT1_15: Engaged in OTHER CRIMINAL ACTIVITIES</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	52	3.7 %	3.8%
2	No	1332	95.6 %	96.2%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	8	0.6 %	-

Based upon 1384 valid cases out of 1393 total cases.

QT3_15 Number weeks ago first engaged in OTHER CRIME ACTIVITY

- Study 02258 -

Location: 3142-3144(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after you left (NAME OF PROGRAM) did you first engage in (crime)?

Other

<i>QT3_15: Number weeks ago first engaged in OTHER CRIME ACTIVITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	10	0.7 %	20.8%
1	-	2	0.1 %	4.2%
2	-	3	0.2 %	6.2%
4	-	1	0.1 %	2.1%
12	-	1	0.1 %	2.1%
16	-	1	0.1 %	2.1%
20	-	1	0.1 %	2.1%
26	-	1	0.1 %	2.1%
35	-	1	0.1 %	2.1%
40	-	1	0.1 %	2.1%
51	-	1	0.1 %	2.1%
52	-	2	0.1 %	4.2%
72	-	1	0.1 %	2.1%
78	-	1	0.1 %	2.1%
82	-	1	0.1 %	2.1%
100	-	1	0.1 %	2.1%
104	-	2	0.1 %	4.2%
106	-	1	0.1 %	2.1%
134	-	1	0.1 %	2.1%
156	-	1	0.1 %	2.1%
208	-	1	0.1 %	2.1%
212	-	1	0.1 %	2.1%
214	-	1	0.1 %	2.1%
234	-	2	0.1 %	4.2%
250	-	1	0.1 %	2.1%
260	-	1	0.1 %	2.1%
268	-	1	0.1 %	2.1%
274	-	1	0.1 %	2.1%
291	-	1	0.1 %	2.1%
300	-	1	0.1 %	2.1%
309	-	1	0.1 %	2.1%

- Study 02258 -

<i>QT3_15: Number weeks ago first engaged in OTHER CRIME ACTIVITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
312	-	1	0.1 %	2.1%
340	-	1	0.1 %	2.1%
-9 (M)	Legitimate Skip	1341	96.3 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 48 valid cases out of 1393 total cases.

QT4_15

Number weeks ago last engaged in OTHER CRIME ACTIVITY

Location: 3145-3147(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last engage in (crime)?

Other

<i>QT4_15: Number weeks ago last engaged in OTHER CRIME ACTIVITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	9	0.6 %	18.4%
1	-	5	0.4 %	10.2%
2	-	4	0.3 %	8.2%
3	-	2	0.1 %	4.1%
4	-	1	0.1 %	2.0%
8	-	1	0.1 %	2.0%
12	-	1	0.1 %	2.0%
15	-	1	0.1 %	2.0%
20	-	1	0.1 %	2.0%
28	-	1	0.1 %	2.0%
31	-	1	0.1 %	2.0%
35	-	1	0.1 %	2.0%
40	-	1	0.1 %	2.0%
56	-	1	0.1 %	2.0%
60	-	1	0.1 %	2.0%
104	-	3	0.2 %	6.1%
120	-	1	0.1 %	2.0%
140	-	1	0.1 %	2.0%
152	-	2	0.1 %	4.1%
181	-	1	0.1 %	2.0%
182	-	1	0.1 %	2.0%

- Study 02258 -

<i>QT6_15: Number total wks involved in OTHER CRIME ACTIVITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
300	-	1	0.1 %	2.3%
999	-	1	0.1 %	2.3%
-9 (M)	Legitimate Skip	1341	96.3 %	-
-2 (M)	Don't Know	8	0.6 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 43 valid cases out of 1393 total cases.

QU1 Since leaving program have you worked legally

Location: 3154-3155(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since you left (NAME OF PROGRAM) have you worked at a legal job either part-time or full-time?

If only full-time student or in military, code No, Go to U10

<i>QU1: Since leaving program have you worked legally</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1026	73.7 %	73.8%
2	No	364	26.1 %	26.2%
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 1390 valid cases out of 1393 total cases.

QU2 Number weeks after treatment first employed

Location: 3156-3158(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks after leaving treatment were you first employed?

[IF LESS THAN 7 DAYS, ENTER 00]

<i>QU2: Number weeks after treatment first employed</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

- Study 02258 -

* Frequencies not displayed for this variable.

Based upon 994 valid cases out of 1393 total cases.

QU3 How much take-home pay/week

Location: 3159-3162(width: 4; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -3 , -2 , -1
Question: How much was your take home pay from that job per week?

<i>QU3: How much take-home pay/week</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 939 valid cases out of 1393 total cases.

QU4 Number weeks employed at that job

Location: 3163-3165(width: 3; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -3 , -2 , -1
Question: How many weeks were you employed at that job?

[IF LESS THAN 7 DAYS, ENTER 00]

<i>QU4: Number weeks employed at that job</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 976 valid cases out of 1393 total cases.

QU5 Are still employed at that job

Location: 3166-3167(width: 2; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -3 , -2 , -1
Question: Are you still employed at that job?

If Yes -> Go to End

- Study 02258 -

<i>QU5: Are still employed at that job</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	262	18.8 %	25.6%
2	No	762	54.7 %	74.4%
-9 (M)	Legitimate Skip	367	26.3 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 1024 valid cases out of 1393 total cases.

QU6 Had another job since then

Location: 3168-3169(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Have you had another job since then?

If No -> Go to End

<i>QU6: Had another job since then</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	641	46.0 %	84.1%
2	No	121	8.7 %	15.9%
-9 (M)	Legitimate Skip	629	45.2 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 762 valid cases out of 1393 total cases.

QU7 Number weeks ago last employed

Location: 3170-3172(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago were you last employed?

[IF LESS THAN 7 DAYS, ENTER 00]

<i>QU7: Number weeks ago last employed</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	396	28.4 %	62.6%
1	-	18	1.3 %	2.8%
2	-	9	0.6 %	1.4%

- Study 02258 -

<i>QU7: Number weeks ago last employed</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	-	12	0.9 %	1.9%
4	-	13	0.9 %	2.1%
5	-	4	0.3 %	0.6%
6	-	5	0.4 %	0.8%
8	-	19	1.4 %	3.0%
9	-	3	0.2 %	0.5%
10	-	3	0.2 %	0.5%
12	-	7	0.5 %	1.1%
13	-	2	0.1 %	0.3%
14	-	4	0.3 %	0.6%
15	-	1	0.1 %	0.2%
16	-	6	0.4 %	0.9%
18	-	1	0.1 %	0.2%
20	-	6	0.4 %	0.9%
21	-	1	0.1 %	0.2%
22	-	2	0.1 %	0.3%
23	-	1	0.1 %	0.2%
24	-	7	0.5 %	1.1%
26	-	5	0.4 %	0.8%
27	-	3	0.2 %	0.5%
28	-	4	0.3 %	0.6%
30	-	2	0.1 %	0.3%
32	-	3	0.2 %	0.5%
34	-	3	0.2 %	0.5%
36	-	2	0.1 %	0.3%
37	-	1	0.1 %	0.2%
39	-	1	0.1 %	0.2%
40	-	3	0.2 %	0.5%
42	-	2	0.1 %	0.3%
44	-	4	0.3 %	0.6%
48	-	3	0.2 %	0.5%
49	-	1	0.1 %	0.2%
52	-	7	0.5 %	1.1%
53	-	1	0.1 %	0.2%
54	-	5	0.4 %	0.8%
56	-	1	0.1 %	0.2%
57	-	1	0.1 %	0.2%
60	-	3	0.2 %	0.5%
64	-	2	0.1 %	0.3%

- Study 02258 -

<i>QU7: Number weeks ago last employed</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
68	-	1	0.1 %	0.2%
76	-	1	0.1 %	0.2%
78	-	3	0.2 %	0.5%
79	-	1	0.1 %	0.2%
86	-	1	0.1 %	0.2%
88	-	1	0.1 %	0.2%
90	-	1	0.1 %	0.2%
91	-	1	0.1 %	0.2%
96	-	1	0.1 %	0.2%
99	-	1	0.1 %	0.2%
104	-	6	0.4 %	0.9%
106	-	2	0.1 %	0.3%
108	-	1	0.1 %	0.2%
117	-	1	0.1 %	0.2%
120	-	1	0.1 %	0.2%
124	-	2	0.1 %	0.3%
130	-	1	0.1 %	0.2%
134	-	1	0.1 %	0.2%
136	-	1	0.1 %	0.2%
142	-	1	0.1 %	0.2%
156	-	3	0.2 %	0.5%
160	-	1	0.1 %	0.2%
164	-	2	0.1 %	0.3%
182	-	4	0.3 %	0.6%
200	-	1	0.1 %	0.2%
208	-	4	0.3 %	0.6%
224	-	1	0.1 %	0.2%
230	-	1	0.1 %	0.2%
234	-	2	0.1 %	0.3%
235	-	1	0.1 %	0.2%
236	-	1	0.1 %	0.2%
248	-	1	0.1 %	0.2%
273	-	1	0.1 %	0.2%
286	-	1	0.1 %	0.2%
288	-	1	0.1 %	0.2%
296	-	1	0.1 %	0.2%
347	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	752	54.0 %	-
-2 (M)	Don't Know	8	0.6 %	-

- Study 02258 -

Based upon 633 valid cases out of 1393 total cases.

QU8 How much take-home pay/week

Location: 3173-3176(width: 4; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -3 , -2 , -1
Question: How much was your take-home pay from that job per week?

<i>QU8: How much take-home pay/week</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 612 valid cases out of 1393 total cases.

QU9 Number weeks employed at that job

Location: 3177-3179(width: 3; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -3 , -2 , -1
Question: How many weeks were you employed at that job?

[IF LESS THAN 7 DAYS, ENTER 00]

<i>QU9: Number weeks employed at that job</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 629 valid cases out of 1393 total cases.

QU10 Number total weeks employed full time after program

Location: 3180-3182(width: 3; decimal: 0)
Variable Type: numeric
Range of Missing Values (M): -9 , -3 , -2 , -1
Question: How many total weeks have you been employed full-time since leaving (NAME OF PROGRAM)?

[IF LESS THAN 7 DAYS, ENTER 00]

- Study 02258 -

<i>QU10: Number total weeks employed full time after program</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 601 valid cases out of 1393 total cases.

QU11 Number weeks employed part time since leaving program

Location: 3183-3185(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks have you been employed part-time since leaving
(NAME OF PROGRAM)?

[IF LESS THAN 7 DAYS, ENTER 00]

<i>QU11: Number weeks employed part time since leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	390	28.0 %	64.7%
1	-	6	0.4 %	1.0%
2	-	4	0.3 %	0.7%
3	-	3	0.2 %	0.5%
4	-	3	0.2 %	0.5%
6	-	4	0.3 %	0.7%
8	-	7	0.5 %	1.2%
10	-	4	0.3 %	0.7%
12	-	18	1.3 %	3.0%
13	-	1	0.1 %	0.2%
16	-	3	0.2 %	0.5%
17	-	1	0.1 %	0.2%
20	-	4	0.3 %	0.7%
24	-	4	0.3 %	0.7%
25	-	1	0.1 %	0.2%
26	-	9	0.6 %	1.5%
28	-	5	0.4 %	0.8%
30	-	2	0.1 %	0.3%
32	-	3	0.2 %	0.5%
34	-	3	0.2 %	0.5%
36	-	1	0.1 %	0.2%

- Study 02258 -

<i>QU11: Number weeks employed part time since leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
38	-	1	0.1 %	0.2%
44	-	1	0.1 %	0.2%
46	-	1	0.1 %	0.2%
50	-	3	0.2 %	0.5%
52	-	21	1.5 %	3.5%
56	-	1	0.1 %	0.2%
57	-	1	0.1 %	0.2%
58	-	1	0.1 %	0.2%
60	-	4	0.3 %	0.7%
65	-	1	0.1 %	0.2%
66	-	1	0.1 %	0.2%
67	-	1	0.1 %	0.2%
68	-	1	0.1 %	0.2%
69	-	1	0.1 %	0.2%
70	-	1	0.1 %	0.2%
72	-	1	0.1 %	0.2%
78	-	6	0.4 %	1.0%
80	-	2	0.1 %	0.3%
82	-	1	0.1 %	0.2%
89	-	1	0.1 %	0.2%
90	-	3	0.2 %	0.5%
104	-	9	0.6 %	1.5%
106	-	1	0.1 %	0.2%
108	-	1	0.1 %	0.2%
112	-	1	0.1 %	0.2%
115	-	1	0.1 %	0.2%
116	-	1	0.1 %	0.2%
117	-	2	0.1 %	0.3%
118	-	1	0.1 %	0.2%
120	-	2	0.1 %	0.3%
123	-	1	0.1 %	0.2%
130	-	4	0.3 %	0.7%
132	-	1	0.1 %	0.2%
133	-	1	0.1 %	0.2%
136	-	1	0.1 %	0.2%
140	-	1	0.1 %	0.2%
156	-	5	0.4 %	0.8%
158	-	1	0.1 %	0.2%
168	-	2	0.1 %	0.3%

- Study 02258 -

<i>QU11: Number weeks employed part time since leaving program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
172	-	1	0.1 %	0.2%
190	-	1	0.1 %	0.2%
200	-	1	0.1 %	0.2%
208	-	2	0.1 %	0.3%
216	-	1	0.1 %	0.2%
219	-	1	0.1 %	0.2%
222	-	1	0.1 %	0.2%
226	-	1	0.1 %	0.2%
234	-	1	0.1 %	0.2%
235	-	1	0.1 %	0.2%
250	-	1	0.1 %	0.2%
259	-	1	0.1 %	0.2%
260	-	4	0.3 %	0.7%
262	-	1	0.1 %	0.2%
264	-	1	0.1 %	0.2%
280	-	1	0.1 %	0.2%
286	-	2	0.1 %	0.3%
292	-	1	0.1 %	0.2%
293	-	1	0.1 %	0.2%
294	-	1	0.1 %	0.2%
300	-	1	0.1 %	0.2%
312	-	6	0.4 %	1.0%
333	-	1	0.1 %	0.2%
347	-	1	0.1 %	0.2%
360	-	1	0.1 %	0.2%
364	-	1	0.1 %	0.2%
446	-	1	0.1 %	0.2%
-9 (M)	Legitimate Skip	752	54.0 %	-
-2 (M)	Don't Know	37	2.7 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 603 valid cases out of 1393 total cases.

QU12

Have received help in getting job/education after program

Location: 3186-3187(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since leaving (NAME OF PROGAM), have you received help in getting a job, education, or vocational training?

- Study 02258 -

<i>QU13: How long after leaving program first got help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
52	-	7	0.5 %	4.2%
56	-	3	0.2 %	1.8%
67	-	1	0.1 %	0.6%
68	-	1	0.1 %	0.6%
72	-	2	0.1 %	1.2%
73	-	1	0.1 %	0.6%
78	-	3	0.2 %	1.8%
85	-	1	0.1 %	0.6%
88	-	1	0.1 %	0.6%
104	-	4	0.3 %	2.4%
105	-	2	0.1 %	1.2%
108	-	1	0.1 %	0.6%
112	-	1	0.1 %	0.6%
124	-	2	0.1 %	1.2%
130	-	3	0.2 %	1.8%
134	-	1	0.1 %	0.6%
137	-	1	0.1 %	0.6%
140	-	2	0.1 %	1.2%
143	-	1	0.1 %	0.6%
156	-	6	0.4 %	3.6%
182	-	6	0.4 %	3.6%
186	-	1	0.1 %	0.6%
188	-	2	0.1 %	1.2%
192	-	1	0.1 %	0.6%
194	-	2	0.1 %	1.2%
204	-	1	0.1 %	0.6%
208	-	7	0.5 %	4.2%
220	-	2	0.1 %	1.2%
229	-	1	0.1 %	0.6%
233	-	1	0.1 %	0.6%
234	-	6	0.4 %	3.6%
240	-	1	0.1 %	0.6%
244	-	1	0.1 %	0.6%
246	-	1	0.1 %	0.6%
250	-	1	0.1 %	0.6%
254	-	1	0.1 %	0.6%
256	-	1	0.1 %	0.6%
260	-	3	0.2 %	1.8%
269	-	1	0.1 %	0.6%

- Study 02258 -

<i>QU13: How long after leaving program first got help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
273	-	1	0.1 %	0.6%
280	-	1	0.1 %	0.6%
286	-	1	0.1 %	0.6%
299	-	1	0.1 %	0.6%
312	-	1	0.1 %	0.6%
321	-	1	0.1 %	0.6%
324	-	1	0.1 %	0.6%
336	-	1	0.1 %	0.6%
381	-	1	0.1 %	0.6%
-9 (M)	Legitimate Skip	1217	87.4 %	-
-2 (M)	Don't Know	8	0.6 %	-

Based upon 168 valid cases out of 1393 total cases.

QU14_51 Help received - Guidance counseling

Location: 3191-3192(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Guidance counseling

<i>QU14_51: Help received - Guidance counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	19	1.4 %	10.8%
2	No	157	11.3 %	89.2%
-9 (M)	Legitimate Skip	1217	87.4 %	-

Based upon 176 valid cases out of 1393 total cases.

QU14_52 Help received - Help with basic education (English, reading, math)

Location: 3193-3194(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Help with basic education (English, Reading, Math)

- Study 02258 -

<i>QU14_52: Help received - Help with basic education (English, reading, math)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	11	0.8 %	6.2%
2	No	165	11.8 %	93.8%
-9 (M)	Legitimate Skip	1217	87.4 %	-

Based upon 176 valid cases out of 1393 total cases.

QU14_53 Help received - Referral to education program

Location: 3195-3196(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Referral to educational program

<i>QU14_53: Help received - Referral to education program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	20	1.4 %	11.4%
2	No	156	11.2 %	88.6%
-9 (M)	Legitimate Skip	1217	87.4 %	-

Based upon 176 valid cases out of 1393 total cases.

QU14_59 Help received - General education

Location: 3197-3198(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

General education

<i>QU14_59: Help received - General education</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	20	1.4 %	11.4%
2	No	156	11.2 %	88.6%
-9 (M)	Legitimate Skip	1217	87.4 %	-

Based upon 176 valid cases out of 1393 total cases.

QU14_61 Help received - Vocational assessment

Location: 3199-3200(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Vocational assessment

<i>QU14_61: Help received - Vocational assessment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	25	1.8 %	14.2%
2	No	151	10.8 %	85.8%
-9 (M)	Legitimate Skip	1217	87.4 %	-

Based upon 176 valid cases out of 1393 total cases.

QU14_62 Help received - Vocational counseling

Location: 3201-3202(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Vocational counseling

<i>QU14_62: Help received - Vocational counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	35	2.5 %	19.9%
2	No	141	10.1 %	80.1%
-9 (M)	Legitimate Skip	1217	87.4 %	-

Based upon 176 valid cases out of 1393 total cases.

QU14_63 Help received - Help in job placement / looking for work

Location: 3203-3204(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Help in job placement or looking for work

<i>QU14_63: Help received - Help in job placement / looking for work</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	65	4.7 %	36.9%
2	No	111	8.0 %	63.1%

- Study 02258 -

<i>QU14_63: Help received - Help in job placement / looking for work</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1217	87.4 %	-

Based upon 176 valid cases out of 1393 total cases.

QU14_64 Help received - Referral to JPTA, DVR, or other programs

Location: 3205-3206(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Referral to JPTA, DVR, or other programs

<i>QU14_64: Help received - Referral to JPTA, DVR, or other programs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	31	2.2 %	17.6%
2	No	145	10.4 %	82.4%
-9 (M)	Legitimate Skip	1217	87.4 %	-

Based upon 176 valid cases out of 1393 total cases.

QU14_69 Help received - General employment

Location: 3207-3208(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

General employment

<i>QU14_69: Help received - General employment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	21	1.5 %	11.9%
2	No	155	11.1 %	88.1%
-9 (M)	Legitimate Skip	1217	87.4 %	-

Based upon 176 valid cases out of 1393 total cases.

QU15 Getting help own idea or someone suggested getting it

Location: 3209-3210(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

Question:

Was getting this help or service your own idea or did a program, a friend, a relative or someone else suggest it?

<i>QU15: Getting help own idea or someone suggested getting it</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Drug or Alcohol program	16	1.1 %	9.1%
2	Criminal justice system (Attorney, Judge, Parole Officer)	8	0.6 %	4.5%
3	Doctor, hospital, or clinic	1	0.1 %	0.6%
4	Private therapist or mental health provider	1	0.1 %	0.6%
5	Community or social services agency	9	0.6 %	5.1%
6	Employment, school, or training agency	10	0.7 %	5.7%
7	Welfare or public assistance office	13	0.9 %	7.4%
8	Self	118	8.5 %	67.0%
-9 (M)	Legitimate Skip	1217	87.4 %	-

Based upon 176 valid cases out of 1393 total cases.

QU16

Job/education help source

Location:

3211-3212(width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -3 , -2 , -1

Question:

Where did you get these services or who did you talk to about jobs, training, or education?

<i>QU16: Job/education help source</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Regular public school	5	0.4 %	2.9%
52	Technical or vocational school	23	1.7 %	13.1%
53	Adult education or continuing education	18	1.3 %	10.3%
54	Private programs	21	1.5 %	12.0%
59	Other school	10	0.7 %	5.7%
61	State employment office	24	1.7 %	13.7%
62	JPTA program	12	0.9 %	6.9%
63	Department of vocational rehabilitation (DVR) program	20	1.4 %	11.4%
69	Other employment	42	3.0 %	24.0%
-9 (M)	Legitimate Skip	1217	87.4 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 175 valid cases out of 1393 total cases.

QU17

Since leaving program any other job/education help

Location:

3213-3214(width: 2; decimal: 0)

Variable Type:

numeric

Range of Missing Values (M):

-9 , -3 , -2 , -1

- Study 02258 -

<i>QU19: Number weeks ago last received job/education help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	6	0.4 %	23.1%
1	-	1	0.1 %	3.8%
3	-	1	0.1 %	3.8%
4	-	1	0.1 %	3.8%
5	-	1	0.1 %	3.8%
8	-	1	0.1 %	3.8%
10	-	2	0.1 %	7.7%
12	-	2	0.1 %	7.7%
16	-	1	0.1 %	3.8%
42	-	1	0.1 %	3.8%
52	-	1	0.1 %	3.8%
58	-	1	0.1 %	3.8%
86	-	1	0.1 %	3.8%
103	-	1	0.1 %	3.8%
116	-	1	0.1 %	3.8%
146	-	1	0.1 %	3.8%
182	-	1	0.1 %	3.8%
208	-	1	0.1 %	3.8%
280	-	1	0.1 %	3.8%
-9 (M)	Legitimate Skip	1366	98.1 %	-
-2 (M)	Don't Know	1	0.1 %	-

Based upon 26 valid cases out of 1393 total cases.

QU20_51 Help received - Guidance counseling

Location: 3220-3221(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Guidance counseling

<i>QU20_51: Help received - Guidance counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	7.4%
2	No	25	1.8 %	92.6%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QU20_52 Help received - Help with basic education (English, reading, math)

- Study 02258 -

Location: 3222-3223(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Help with basic education (English, Reading, Math)

<i>QU20_52: Help received - Help with basic education (English, reading, math)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	3.7%
2	No	26	1.9 %	96.3%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QU20_53 Help received - Referral to education program

Location: 3224-3225(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Referral to educational program

<i>QU20_53: Help received - Referral to education program</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	6	0.4 %	22.2%
2	No	21	1.5 %	77.8%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QU20_59 Help received - General education

Location: 3226-3227(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

General education

- Study 02258 -

<i>QU20_59: Help received - General education</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	18.5%
2	No	22	1.6 %	81.5%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QU20_61 Help received - Vocational assessment

Location: 3228-3229(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Vocational assessment

<i>QU20_61: Help received - Vocational assessment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	3	0.2 %	11.1%
2	No	24	1.7 %	88.9%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QU20_62 Help received - Vocational counseling

Location: 3230-3231(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Vocational counseling

<i>QU20_62: Help received - Vocational counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	4	0.3 %	14.8%
2	No	23	1.7 %	85.2%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QU20_63 Help received - Help in job placement / looking for work

Location: 3232-3233(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Help in job placement or looking for work

<i>QU20_63: Help received - Help in job placement / looking for work</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	7	0.5 %	25.9%
2	No	20	1.4 %	74.1%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QU20_64 Help received - Referral to JPTA, DVR, or other programs

Location: 3234-3235(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

Referral to JPTA, DVR, or other programs

<i>QU20_64: Help received - Referral to JPTA, DVR, or other programs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	4	0.3 %	14.8%
2	No	23	1.7 %	85.2%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QU20_69 Help received - General employment

Location: 3236-3237(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL THAT APPLY]

General employment

<i>QU20_69: Help received - General employment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	3	0.2 %	11.1%
2	No	24	1.7 %	88.9%

- Study 02258 -

<i>QU20_69: Help received - General employment</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QU21 Getting help own idea or someone suggested getting it

Location: 3238-3239(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Was getting this help or service your own idea or did a program, a friend, a relative, or someone else suggest it?

<i>QU21: Getting help own idea or someone suggested getting it</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Drug or Alcohol program	2	0.1 %	7.4%
6	Employment, school, or training agency	1	0.1 %	3.7%
7	Welfare or public assistance office	3	0.2 %	11.1%
8	Self	21	1.5 %	77.8%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

QU22 Job/education help source

Location: 3240-3241(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Where did you get these services or who did you talk to about jobs, training, or education?

<i>QU22: Job/education help source</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
51	Regular public school	1	0.1 %	3.7%
52	Technical or vocational school	2	0.1 %	7.4%
53	Adult education or continuing education	7	0.5 %	25.9%
54	Private programs	3	0.2 %	11.1%
59	Other school	2	0.1 %	7.4%
61	State employment office	5	0.4 %	18.5%
62	JPTA program	1	0.1 %	3.7%
63	Department of vocational rehabilitation (DVR) program	2	0.1 %	7.4%
69	Other employment	4	0.3 %	14.8%
-9 (M)	Legitimate Skip	1366	98.1 %	-

Based upon 27 valid cases out of 1393 total cases.

- Study 02258 -

QV1 After leaving program received help with basic needs

Location: 3242-3243(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since leaving (NAME OF PROGRAM) have you received help with basic needs such as food, clothing, housing, money, etc.?

If No -> Skip to Section W

<i>QV1: After leaving program received help with basic needs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	355	25.5 %	25.6%
2	No	1034	74.2 %	74.4%
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 1389 valid cases out of 1393 total cases.

QV2 Number weeks after leaving program first got help with basic needs

Location: 3244-3246(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How long after leaving (NAME OF PROGRAM) did you first get help?

[IF LESS THAN 7 DAYS, ENTER 00]

<i>QV2: Number weeks after leaving program first got help with basic needs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	159	11.4 %	46.4%
1	-	9	0.6 %	2.6%
2	-	8	0.6 %	2.3%
3	-	2	0.1 %	0.6%
4	-	15	1.1 %	4.4%
6	-	2	0.1 %	0.6%
8	-	5	0.4 %	1.5%
10	-	1	0.1 %	0.3%
12	-	9	0.6 %	2.6%
13	-	1	0.1 %	0.3%
16	-	2	0.1 %	0.6%
20	-	3	0.2 %	0.9%
21	-	1	0.1 %	0.3%

- Study 02258 -

<i>QV2: Number weeks after leaving program first got help with basic needs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
24	-	2	0.1 %	0.6%
26	-	5	0.4 %	1.5%
28	-	2	0.1 %	0.6%
30	-	1	0.1 %	0.3%
32	-	1	0.1 %	0.3%
35	-	1	0.1 %	0.3%
36	-	1	0.1 %	0.3%
40	-	1	0.1 %	0.3%
42	-	1	0.1 %	0.3%
52	-	19	1.4 %	5.5%
60	-	2	0.1 %	0.6%
64	-	2	0.1 %	0.6%
66	-	1	0.1 %	0.3%
68	-	1	0.1 %	0.3%
69	-	1	0.1 %	0.3%
72	-	1	0.1 %	0.3%
76	-	3	0.2 %	0.9%
78	-	4	0.3 %	1.2%
82	-	1	0.1 %	0.3%
91	-	2	0.1 %	0.6%
100	-	1	0.1 %	0.3%
102	-	1	0.1 %	0.3%
104	-	12	0.9 %	3.5%
116	-	1	0.1 %	0.3%
120	-	1	0.1 %	0.3%
121	-	1	0.1 %	0.3%
124	-	1	0.1 %	0.3%
126	-	1	0.1 %	0.3%
128	-	1	0.1 %	0.3%
130	-	1	0.1 %	0.3%
140	-	1	0.1 %	0.3%
144	-	1	0.1 %	0.3%
147	-	1	0.1 %	0.3%
154	-	1	0.1 %	0.3%
156	-	3	0.2 %	0.9%
164	-	1	0.1 %	0.3%
168	-	1	0.1 %	0.3%
172	-	1	0.1 %	0.3%
176	-	1	0.1 %	0.3%

- Study 02258 -

QV2: Number weeks after leaving program first got help with basic needs				
Value	Label	Unweighted Frequency	%	Valid %
178	-	1	0.1 %	0.3%
182	-	2	0.1 %	0.6%
184	-	3	0.2 %	0.9%
188	-	1	0.1 %	0.3%
199	-	1	0.1 %	0.3%
200	-	2	0.1 %	0.6%
204	-	1	0.1 %	0.3%
208	-	5	0.4 %	1.5%
212	-	1	0.1 %	0.3%
216	-	1	0.1 %	0.3%
220	-	1	0.1 %	0.3%
221	-	1	0.1 %	0.3%
224	-	2	0.1 %	0.6%
232	-	1	0.1 %	0.3%
234	-	4	0.3 %	1.2%
242	-	1	0.1 %	0.3%
247	-	1	0.1 %	0.3%
248	-	1	0.1 %	0.3%
260	-	3	0.2 %	0.9%
264	-	1	0.1 %	0.3%
268	-	1	0.1 %	0.3%
272	-	1	0.1 %	0.3%
276	-	2	0.1 %	0.6%
310	-	1	0.1 %	0.3%
312	-	2	0.1 %	0.6%
320	-	1	0.1 %	0.3%
-9 (M)	Legitimate Skip	1038	74.5 %	-
-2 (M)	Don't Know	11	0.8 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 343 valid cases out of 1393 total cases.

QV3_71

Help received - Food stamps

Location: 3247-3248(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Food stamps

- Study 02258 -

<i>QV3_71: Help received - Food stamps</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	255	18.3 %	72.4%
2	No	97	7.0 %	27.6%
-9 (M)	Legitimate Skip	1038	74.5 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 352 valid cases out of 1393 total cases.

QV3_72 Helped received - Housing assistance

Location: 3249-3250(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What kind of help did you receive? [CIRCLE ALL MENTIONS]

Housing assistance

<i>QV3_72: Helped received - Housing assistance</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	90	6.5 %	25.6%
2	No	262	18.8 %	74.4%
-9 (M)	Legitimate Skip	1038	74.5 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 352 valid cases out of 1393 total cases.

QV3_73 Help received - Credit for financial counseling

Location: 3251-3252(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: What kind of help did you receive? [CIRCLE ALL MENTIONS]

Credit for financial counseling

<i>QV3_73: Help received - Credit for financial counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	0.6%
2	No	350	25.1 %	99.4%
-9 (M)	Legitimate Skip	1038	74.5 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 352 valid cases out of 1393 total cases.

- Study 02258 -

QV3_74 Help received - Referral to social services (welfare)

Location: 3253-3254(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Referral to social services (welfare)

<i>QV3_74: Help received - Referral to social services (welfare)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	69	5.0 %	19.6%
2	No	283	20.3 %	80.4%
-9 (M)	Legitimate Skip	1038	74.5 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 352 valid cases out of 1393 total cases.

QV3_76 Help received - Transportation

Location: 3255-3256(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Transportation

<i>QV3_76: Help received - Transportation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	27	1.9 %	7.7%
2	No	325	23.3 %	92.3%
-9 (M)	Legitimate Skip	1038	74.5 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 352 valid cases out of 1393 total cases.

QV3_79 Help received - General financial

Location: 3257-3258(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

General financial

- Study 02258 -

<i>QV3_79: Help received - General financial</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	150	10.8 %	42.6%
2	No	202	14.5 %	57.4%
-9 (M)	Legitimate Skip	1038	74.5 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 352 valid cases out of 1393 total cases.

QV4 Getting help own idea or someone suggested getting it

Location: 3259-3260(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Was getting this help or service your own idea or did a program, a friend, a relative or someone else suggest it?

<i>QV4: Getting help own idea or someone suggested getting it</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Drug or alcohol problem	20	1.4 %	5.7%
2	Criminal justice system	6	0.4 %	1.7%
3	Doctor, hospital, or clinic	16	1.1 %	4.5%
4	Private therapist or mental health center	5	0.4 %	1.4%
5	Community or social services agency	24	1.7 %	6.8%
6	Employment, school, or training agency	3	0.2 %	0.9%
7	Welfare or public assistance office	16	1.1 %	4.5%
8	Self	262	18.8 %	74.4%
-9 (M)	Legitimate Skip	1038	74.5 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 352 valid cases out of 1393 total cases.

QV5 Source of services/help

Location: 3261-3262(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Where did you get these services or who did you talk to about these problems?

<i>QV5: Source of services/help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
71	Welfare or public assistance office	251	18.0 %	71.3%
72	Social security office	36	2.6 %	10.2%
73	Unemployment office	3	0.2 %	0.9%
74	Employer / Union	2	0.1 %	0.6%
75	Charitable agency	23	1.7 %	6.5%

- Study 02258 -

<i>QV5: Source of services/help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
76	Homeless shelter	3	0.2 %	0.9%
79	Other financial	34	2.4 %	9.7%
-9 (M)	Legitimate Skip	1038	74.5 %	-
-2 (M)	Don't Know	3	0.2 %	-

Based upon 352 valid cases out of 1393 total cases.

QV6 After first time any other help with basic needs

Location: 3263-3264(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: After that first time did you get any other help for food, housing, or financial problems?

If No -> Skip to V12

<i>QV6: After first time any other help with basic needs</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	104	7.5 %	29.3%
2	No	251	18.0 %	70.7%
-9 (M)	Legitimate Skip	1038	74.5 %	-

Based upon 355 valid cases out of 1393 total cases.

QV7 Number times received basic needs help

Location: 3265-3267(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: About how many times have you received help?

<i>QV7: Number times received basic needs help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	31	2.2 %	34.4%
3	-	10	0.7 %	11.1%
4	-	10	0.7 %	11.1%
5	-	7	0.5 %	7.8%
6	-	3	0.2 %	3.3%
7	-	1	0.1 %	1.1%
10	-	1	0.1 %	1.1%
12	-	1	0.1 %	1.1%
20	-	1	0.1 %	1.1%

- Study 02258 -

<i>QV7: Number times received basic needs help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
24	-	3	0.2 %	3.3%
30	-	1	0.1 %	1.1%
48	-	1	0.1 %	1.1%
50	-	1	0.1 %	1.1%
60	-	3	0.2 %	3.3%
67	-	1	0.1 %	1.1%
69	-	1	0.1 %	1.1%
72	-	1	0.1 %	1.1%
79	-	1	0.1 %	1.1%
81	-	1	0.1 %	1.1%
100	-	1	0.1 %	1.1%
104	-	1	0.1 %	1.1%
156	-	1	0.1 %	1.1%
182	-	1	0.1 %	1.1%
301	-	1	0.1 %	1.1%
311	-	1	0.1 %	1.1%
312	-	1	0.1 %	1.1%
468	-	1	0.1 %	1.1%
720	-	1	0.1 %	1.1%
999	-	2	0.1 %	2.2%
-9 (M)	Legitimate Skip	1289	92.5 %	-
-2 (M)	Don't Know	14	1.0 %	-

Based upon 90 valid cases out of 1393 total cases.

QV8	Number weeks ago last got basic needs help
------------	---

Location: 3268-3270(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last get help for food, housing, or financial problems?

[IF LESS THAN 7 DAYS, ENTER 00]

<i>QV8: Number weeks ago last got basic needs help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	48	3.4 %	48.5%
1	-	6	0.4 %	6.1%
2	-	6	0.4 %	6.1%

- Study 02258 -

<i>QV8: Number weeks ago last got basic needs help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
3	-	6	0.4 %	6.1%
4	-	2	0.1 %	2.0%
8	-	2	0.1 %	2.0%
13	-	1	0.1 %	1.0%
16	-	2	0.1 %	2.0%
20	-	1	0.1 %	1.0%
22	-	1	0.1 %	1.0%
26	-	4	0.3 %	4.0%
27	-	1	0.1 %	1.0%
28	-	1	0.1 %	1.0%
34	-	1	0.1 %	1.0%
39	-	1	0.1 %	1.0%
40	-	2	0.1 %	2.0%
52	-	1	0.1 %	1.0%
56	-	1	0.1 %	1.0%
78	-	1	0.1 %	1.0%
112	-	1	0.1 %	1.0%
120	-	1	0.1 %	1.0%
182	-	4	0.3 %	4.0%
194	-	1	0.1 %	1.0%
208	-	1	0.1 %	1.0%
236	-	1	0.1 %	1.0%
311	-	1	0.1 %	1.0%
312	-	1	0.1 %	1.0%
-9 (M)	Legitimate Skip	1289	92.5 %	-
-2 (M)	Don't Know	5	0.4 %	-

Based upon 99 valid cases out of 1393 total cases.

QV9_71

Help received - Food stamps

Location: 3271-3272(width: 2; decimal: 1)

Variable Type: numeric

Range of Missing Values (M): -9.0 , -3.0 , -2.0 , -1.0

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Food stamps

- Study 02258 -

<i>QV9_71: Help received - Food stamps</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-0.9	-	1289	92.5 %	92.5%
0.1	-	71	5.1 %	5.1%
0.2	-	33	2.4 %	2.4%

Based upon 1393 valid cases out of 1393 total cases.

QV9_72 Helped received - Housing assistance

Location: 3273-3274(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Housing assistance

<i>QV9_72: Helped received - Housing assistance</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	25	1.8 %	24.0%
2	No	79	5.7 %	76.0%
-9 (M)	Legitimate Skip	1289	92.5 %	-

Based upon 104 valid cases out of 1393 total cases.

QV9_73 Help received - Credit for financial counseling

Location: 3275-3276(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Credit for financial counseling

<i>QV9_73: Help received - Credit for financial counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	1.0%
2	No	103	7.4 %	99.0%
-9 (M)	Legitimate Skip	1289	92.5 %	-

Based upon 104 valid cases out of 1393 total cases.

QV9_74 Help received - Referral to social services (welfare)

Location: 3277-3278(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Referral to social services (welfare)

<i>QV9_74: Help received - Referral to social services (welfare)</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	10	0.7 %	9.6%
2	No	94	6.7 %	90.4%
-9 (M)	Legitimate Skip	1289	92.5 %	-

Based upon 104 valid cases out of 1393 total cases.

QV9_76 Help received - Transportation

Location: 3279-3280(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Transportation

<i>QV9_76: Help received - Transportation</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	4.8%
2	No	99	7.1 %	95.2%
-9 (M)	Legitimate Skip	1289	92.5 %	-

Based upon 104 valid cases out of 1393 total cases.

QV9_79 Help received - General financial

Location: 3281-3282(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

General financial

<i>QV9_79: Help received - General financial</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	42	3.0 %	40.4%
2	No	62	4.5 %	59.6%

- Study 02258 -

<i>QV9_79: Help received - General financial</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1289	92.5 %	-

Based upon 104 valid cases out of 1393 total cases.

QV10 Getting help own idea or someone suggested getting it

Location: 3283-3284(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Was getting this help or service your own idea or did a program, a friend, a relative, or someone else suggest it?

<i>QV10: Getting help own idea or someone suggested getting it</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Drug or alcohol problem	7	0.5 %	6.9%
2	Criminal justice system	1	0.1 %	1.0%
3	Doctor, hospital, or clinic	2	0.1 %	2.0%
5	Community or social services agency	7	0.5 %	6.9%
7	Welfare or public assistance office	5	0.4 %	4.9%
8	Self	80	5.7 %	78.4%
-9 (M)	Legitimate Skip	1289	92.5 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 102 valid cases out of 1393 total cases.

QV11 Source of services/help

Location: 3285-3286(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1
 Question: Where did you get these services or who did you talk to about these problems?

<i>QV11: Source of services/help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
71	Welfare or public assistance office	69	5.0 %	67.6%
72	Social security office	7	0.5 %	6.9%
75	Charitable agency	11	0.8 %	10.8%
76	Homeless shelter	1	0.1 %	1.0%
79	Other financial	14	1.0 %	13.7%
-9 (M)	Legitimate Skip	1289	92.5 %	-
-2 (M)	Don't Know	1	0.1 %	-
-1 (M)	Refused	1	0.1 %	-

Based upon 102 valid cases out of 1393 total cases.

- Study 02258 -

QV12 Total number weeks received basic needs help

Location: 3287-3289(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

In total about how many weeks did you get help for food, housing, clothing, or money since you left (NAME OF PROGRAM)?

[IF LESS THAN 7 DAYS, ENTER 00]

<i>QV12: Total number weeks received basic needs help</i>	
<i>Value</i>	<i>Label</i>
-9 (M)	Legitimate Skip
-3 (M)	Missing
-2 (M)	Don't Know
-1 (M)	Refused

* Frequencies not displayed for this variable.

Based upon 325 valid cases out of 1393 total cases.

QW1 After left program received help with family/childcare

Location: 3290-3291(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

Since leaving (NAME OF PROGRAM) have you received help with family or childcare problems?

If No -> End of Interview

<i>QW1: After left program received help with family/childcare</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	73	5.2 %	5.3%
2	No	1316	94.5 %	94.7%
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 1389 valid cases out of 1393 total cases.

QW2 Number weeks after leaving program received help with family/childcare

Location: 3292-3294(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How long after leaving (NAME OF PROGRAM) did you first get help?

- Study 02258 -

[IF LESS THAN 7 DAYS, ENTER 00]

<i>QW2: Number weeks after leaving program received help with family/childcare</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	17	1.2 %	25.0%
1	-	1	0.1 %	1.5%
2	-	1	0.1 %	1.5%
4	-	2	0.1 %	2.9%
8	-	1	0.1 %	1.5%
12	-	1	0.1 %	1.5%
14	-	1	0.1 %	1.5%
24	-	2	0.1 %	2.9%
26	-	1	0.1 %	1.5%
44	-	1	0.1 %	1.5%
52	-	5	0.4 %	7.4%
64	-	1	0.1 %	1.5%
65	-	1	0.1 %	1.5%
78	-	4	0.3 %	5.9%
84	-	1	0.1 %	1.5%
104	-	2	0.1 %	2.9%
144	-	1	0.1 %	1.5%
156	-	3	0.2 %	4.4%
182	-	1	0.1 %	1.5%
200	-	1	0.1 %	1.5%
208	-	3	0.2 %	4.4%
213	-	1	0.1 %	1.5%
218	-	1	0.1 %	1.5%
234	-	1	0.1 %	1.5%
260	-	6	0.4 %	8.8%
280	-	1	0.1 %	1.5%
294	-	1	0.1 %	1.5%
296	-	1	0.1 %	1.5%
299	-	1	0.1 %	1.5%
303	-	1	0.1 %	1.5%
312	-	2	0.1 %	2.9%
318	-	1	0.1 %	1.5%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	7	0.5 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 68 valid cases out of 1393 total cases.

- Study 02258 -

QW3_31 Help received - Individual family counseling

Location: 3295-3296(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Individual family counseling

<i>QW3_31: Help received - Individual family counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	13	0.9 %	18.1%
2	No	59	4.2 %	81.9%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 72 valid cases out of 1393 total cases.

QW3_32 Help received - Group family counseling

Location: 3297-3298(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Group family counseling

<i>QW3_32: Help received - Group family counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	12	0.9 %	16.7%
2	No	60	4.3 %	83.3%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 72 valid cases out of 1393 total cases.

QW3_33 Help received - Childcare

Location: 3299-3300(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

- Study 02258 -

Childcare

<i>QW3_33: Help received - Childcare</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	31	2.2 %	43.1%
2	No	41	2.9 %	56.9%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 72 valid cases out of 1393 total cases.

QW3_34 Help received - Sex education or sexuality counseling

Location: 3301-3302(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Sex education or sexuality counseling

<i>QW3_34: Help received - Sex education or sexuality counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	2.8%
2	No	70	5.0 %	97.2%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 72 valid cases out of 1393 total cases.

QW3_35 Help received - Referral to service / agency

Location: 3303-3304(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Referral to service agency

<i>QW3_35: Help received - Referral to service / agency</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	11	0.8 %	15.3%
2	No	61	4.4 %	84.7%

- Study 02258 -

<i>QW3_35: Help received - Referral to service / agency</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 72 valid cases out of 1393 total cases.

QW3_36 Help received - Referral to child protective services

Location: 3305-3306(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Referral to child protective services

<i>QW3_36: Help received - Referral to child protective services</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	7	0.5 %	9.7%
2	No	65	4.7 %	90.3%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 72 valid cases out of 1393 total cases.

QW3_39 Help received - General family

Location: 3307-3308(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

General family

<i>QW3_39: Help received - General family</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	17	1.2 %	23.6%
2	No	55	3.9 %	76.4%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	2	0.1 %	-

- Study 02258 -

Based upon 72 valid cases out of 1393 total cases.

QW4 Getting help own idea or someone suggested getting it

Location: 3309-3310(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Was getting this help or service your own idea or did a program, a friend, a relative, or someone else suggest it?

<i>QW4: Getting help own idea or someone suggested getting it</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Drug or alcohol problem	5	0.4 %	6.9%
2	Criminal justice system	5	0.4 %	6.9%
3	Doctor, hospital, or clinic	4	0.3 %	5.6%
4	Private therapist or mental health center	2	0.1 %	2.8%
5	Community or social services agency	9	0.6 %	12.5%
6	Employment, school, or training agency	1	0.1 %	1.4%
7	Welfare or public assistance office	6	0.4 %	8.3%
8	Self	40	2.9 %	55.6%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	3	0.2 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 72 valid cases out of 1393 total cases.

QW5 Family/childcare help source

Location: 3311-3312(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Where did you get these services or who did you talk to about these problems?

<i>QW5: Family/childcare help source</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	Private marital or family counselor	3	0.2 %	4.2%
32	Social worker or family services program	31	2.2 %	43.7%
33	Mental health center	3	0.2 %	4.2%
34	Church	3	0.2 %	4.2%
35	Child protective services	10	0.7 %	14.1%
39	Other family	21	1.5 %	29.6%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	4	0.3 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 71 valid cases out of 1393 total cases.

- Study 02258 -

QW6 Any other help after first time

Location: 3313-3314(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

After that first time did you get any other help for family or childcare problems?

If No -> Go to W12

<i>QW6: Any other help after first time</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	11	0.8 %	15.1%
2	No	62	4.5 %	84.9%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	2	0.1 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 73 valid cases out of 1393 total cases.

QW7 Number times received family/childcare help

Location: 3315-3316(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

About how many times have you received help?

<i>QW7: Number times received family/childcare help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	-	6	0.4 %	66.7%
3	-	1	0.1 %	11.1%
10	-	1	0.1 %	11.1%
15	-	1	0.1 %	11.1%
-9 (M)	Legitimate Skip	1382	99.2 %	-
-2 (M)	Don't Know	2	0.1 %	-

Based upon 9 valid cases out of 1393 total cases.

QW8 Number weeks ago last received family/childcare help

Location: 3317-3319(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

How many weeks ago did you last get help for family or childcare problems?

- Study 02258 -

[IF LESS THAN 7 DAYS, ENTER 00]

<i>QW8: Number weeks ago last received family/childcare help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	3	0.2 %	27.3%
1	-	1	0.1 %	9.1%
4	-	1	0.1 %	9.1%
8	-	1	0.1 %	9.1%
10	-	1	0.1 %	9.1%
52	-	1	0.1 %	9.1%
104	-	1	0.1 %	9.1%
142	-	1	0.1 %	9.1%
208	-	1	0.1 %	9.1%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QW9_31 Help received - Individual family counseling

Location: 3320-3321(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Individual family counseling

<i>QW9_31: Help received - Individual family counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	18.2%
2	No	9	0.6 %	81.8%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QW9_32 Help received - Group family counseling

Location: 3322-3323(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Group family counseling

- Study 02258 -

<i>QW9_32: Help received - Group family counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	2	0.1 %	18.2%
2	No	9	0.6 %	81.8%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QW9_33 Help received - Childcare

Location: 3324-3325(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Child care

<i>QW9_33: Help received - Childcare</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	5	0.4 %	45.5%
2	No	6	0.4 %	54.5%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QW9_34 Help received - Sex education or sexuality counseling

Location: 3326-3327(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Sex education or sexuality counseling

<i>QW9_34: Help received - Sex education or sexuality counseling</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	11	0.8 %	100.0%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QW9_35 Help received - Referral to service / agency

Location: 3328-3329(width: 2; decimal: 0)

Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Referral to service agency

<i>QW9_35: Help received - Referral to service / agency</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	No	11	0.8 %	100.0%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QW9_36 Help received - Referral to child protective services

Location: 3330-3331(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

Referral to child protective services

<i>QW9_36: Help received - Referral to child protective services</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	9.1%
2	No	10	0.7 %	90.9%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QW9_39 Help received - General family

Location: 3332-3333(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question:

What kind of help did you receive? [CIRCLE ALL MENTIONS]

General family

<i>QW9_39: Help received - General family</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	1	0.1 %	9.1%
2	No	10	0.7 %	90.9%
-9 (M)	Legitimate Skip	1382	99.2 %	-

- Study 02258 -

Based upon 11 valid cases out of 1393 total cases.

QW10 Getting help own idea or someone suggested getting it

Location: 3334-3335(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Was getting this help or service your own idea or did a program, a friend, a relative, or someone else suggest it?

<i>QW10: Getting help own idea or someone suggested getting it</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
2	Criminal justice system	1	0.1 %	9.1%
5	Community or social services agency	3	0.2 %	27.3%
7	Welfare or public assistance office	2	0.1 %	18.2%
8	Self	5	0.4 %	45.5%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QW11 Family/childcare help source

Location: 3336-3337(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: Where did you get these services or who did you talk to about these problems?

<i>QW11: Family/childcare help source</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
31	Private marital or family counselor	1	0.1 %	9.1%
32	Social worker or family services program	4	0.3 %	36.4%
33	Mental health center	1	0.1 %	9.1%
35	Child protective services	1	0.1 %	9.1%
39	Other family	4	0.3 %	36.4%
-9 (M)	Legitimate Skip	1382	99.2 %	-

Based upon 11 valid cases out of 1393 total cases.

QW12 Total number of weeks received family/childcare help

Location: 3338-3340(width: 3; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

Question: In total about how many weeks did you get help for family or childcare problems since you left (NAME OF PROGRAM)?

[IF LESS THAN 7 DAYS, ENTER 00]

- Study 02258 -

<i>QW12: Total number of weeks received family/childcare help</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	6	0.4 %	9.2%
1	-	1	0.1 %	1.5%
2	-	2	0.1 %	3.1%
3	-	1	0.1 %	1.5%
4	-	2	0.1 %	3.1%
5	-	2	0.1 %	3.1%
6	-	1	0.1 %	1.5%
7	-	1	0.1 %	1.5%
8	-	4	0.3 %	6.2%
12	-	2	0.1 %	3.1%
17	-	1	0.1 %	1.5%
24	-	3	0.2 %	4.6%
26	-	1	0.1 %	1.5%
28	-	2	0.1 %	3.1%
32	-	1	0.1 %	1.5%
36	-	1	0.1 %	1.5%
45	-	1	0.1 %	1.5%
52	-	8	0.6 %	12.3%
64	-	1	0.1 %	1.5%
78	-	1	0.1 %	1.5%
96	-	1	0.1 %	1.5%
104	-	9	0.6 %	13.8%
110	-	1	0.1 %	1.5%
112	-	1	0.1 %	1.5%
156	-	2	0.1 %	3.1%
194	-	1	0.1 %	1.5%
219	-	1	0.1 %	1.5%
224	-	1	0.1 %	1.5%
234	-	1	0.1 %	1.5%
243	-	1	0.1 %	1.5%
292	-	1	0.1 %	1.5%
303	-	1	0.1 %	1.5%
312	-	1	0.1 %	1.5%
374	-	1	0.1 %	1.5%
-9 (M)	Legitimate Skip	1316	94.5 %	-
-2 (M)	Don't Know	10	0.7 %	-
-1 (M)	Refused	2	0.1 %	-

Based upon 65 valid cases out of 1393 total cases.

- Study 02258 -

AGE	Age at Admission
------------	-------------------------

Location: 3341-3342(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>AGE: Age at Admission</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
17	-	1	0.1 %	0.1%
18	-	7	0.5 %	0.5%
19	-	11	0.8 %	0.8%
20	-	20	1.4 %	1.4%
21	-	23	1.7 %	1.7%
22	-	27	1.9 %	1.9%
23	-	29	2.1 %	2.1%
24	-	37	2.7 %	2.7%
25	-	28	2.0 %	2.0%
26	-	39	2.8 %	2.8%
27	-	55	3.9 %	3.9%
28	-	56	4.0 %	4.0%
29	-	62	4.5 %	4.5%
30	-	61	4.4 %	4.4%
31	-	90	6.5 %	6.5%
32	-	79	5.7 %	5.7%
33	-	74	5.3 %	5.3%
34	-	80	5.7 %	5.7%
35	-	64	4.6 %	4.6%
36	-	52	3.7 %	3.7%
37	-	78	5.6 %	5.6%
38	-	67	4.8 %	4.8%
39	-	42	3.0 %	3.0%
40	-	47	3.4 %	3.4%
41	-	39	2.8 %	2.8%
42	-	52	3.7 %	3.7%
43	-	34	2.4 %	2.4%
44	-	26	1.9 %	1.9%
45	-	17	1.2 %	1.2%
46	-	14	1.0 %	1.0%
47	-	12	0.9 %	0.9%
48	-	13	0.9 %	0.9%
49	-	12	0.9 %	0.9%
50	-	10	0.7 %	0.7%
51	-	3	0.2 %	0.2%

- Study 02258 -

<i>AGE: Age at Admission</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
52	-	8	0.6 %	0.6%
53	-	3	0.2 %	0.2%
54	-	3	0.2 %	0.2%
55	55 OR OLDER	18	1.3 %	1.3%

Based upon 1393 valid cases out of 1393 total cases.

QAV_AGE **Age at Followup**

Location: 3343-3344(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QAV_AGE: Age at Followup</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	20 and Under	1	0.1 %	0.1%
2	21 to 25	24	1.7 %	1.7%
3	26 to 30	131	9.4 %	9.5%
4	31 to 35	235	16.9 %	17.0%
5	36 to 40	375	26.9 %	27.1%
6	41 or Older	620	44.5 %	44.7%
-3 (M)	Missing	7	0.5 %	-

Based upon 1386 valid cases out of 1393 total cases.

QAV_RACE **Race/Ethnicity**

Location: 3345-3346(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QAV_RACE: Race/Ethnicity</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Caucasian / White	592	42.5 %	42.6%
2	Afro-American / Black	635	45.6 %	45.7%
3	Hispanic	128	9.2 %	9.2%
4	Other	36	2.6 %	2.6%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

MSTAT **Marital Status at Intake**

Location: 3347-3348(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

<i>MSTAT: Marital Status at Intake</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Married	259	18.6 %	18.6%
2	Legally Separated	105	7.5 %	7.5%
3	Divorced	194	13.9 %	13.9%
4	Widowed	21	1.5 %	1.5%
5	Living with someone as married (but not legally married)	197	14.1 %	14.2%
6	Never Married	615	44.1 %	44.2%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QAV_MST

Marital Status at Followup

Location: 3349-3350(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QAV_MST: Marital Status at Followup</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Married	314	22.5 %	22.6%
2	Legally Separated	109	7.8 %	7.8%
3	Divorced	243	17.4 %	17.5%
4	Widowed	33	2.4 %	2.4%
5	Living with someone as married (but not legally married)	177	12.7 %	12.7%
6	Never Married	516	37.0 %	37.1%
-3 (M)	Missing	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

CJ_STAT

Criminal Justice Status

Location: 3351-3352(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>CJ_STAT: Criminal Justice Status</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No Legal Status	792	56.9 %	56.9%
1	In Jail / Detention	97	7.0 %	7.0%
2	Probation	325	23.3 %	23.4%
3	Parole	109	7.8 %	7.8%
4	Case Pending	68	4.9 %	4.9%

- Study 02258 -

<i>CJ_STAT: Criminal Justice Status</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QAV_CJS Criminal Justice Status at Followup

Location: 3353-3354(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QAV_CJS: Criminal Justice Status at Followup</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No Legal Status	1057	75.9 %	76.0%
1	In Jail / Detention	72	5.2 %	5.2%
2	Probation	150	10.8 %	10.8%
3	Parole	63	4.5 %	4.5%
4	Case Pending	49	3.5 %	3.5%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

EDLEV Educational Level

Location: 3355-3356(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>EDLEV: Educational Level</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	GRADE SCHOOL OR LESS	51	3.7 %	3.7%
2	HIGH SCHOOL	357	25.6 %	25.6%
3	HIGH SCHOOL DEGREE	580	41.6 %	41.6%
4	SOME COLLEGE	258	18.5 %	18.5%
5	JR COLLEGE/ASSOCIATE DEGREE	74	5.3 %	5.3%
6	COLLEGE DEGREE	64	4.6 %	4.6%
7	ADVANCED DEGREE	9	0.6 %	0.6%

Based upon 1393 valid cases out of 1393 total cases.

QDV_DEG Highest Degree Received in Followup Year

Location: 3357-3358(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

<i>QDV_DEG: Highest Degree Received in Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	226	16.2 %	16.2%
1	Certificate or license	77	5.5 %	5.5%
2	High school degree or GED	905	65.0 %	65.0%
3	Jr College or AA degree	98	7.0 %	7.0%
4	Bachelors degree	75	5.4 %	5.4%
5	Advanced degree	12	0.9 %	0.9%

Based upon 1393 valid cases out of 1393 total cases.

QDV_ENRL	School Enrolled in Followup Year
-----------------	---

Location: 3359-3360(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QDV_ENRL: School Enrolled in Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	1216	87.3 %	87.3%
1	Other, job corps, spec ed	35	2.5 %	2.5%
3	Adult Basic education	5	0.4 %	0.4%
4	Technical or trade school	50	3.6 %	3.6%
5	GED / High school	18	1.3 %	1.3%
6	Jr college	43	3.1 %	3.1%
7	College or graduate school	26	1.9 %	1.9%

Based upon 1393 valid cases out of 1393 total cases.

EMPSTAT	EMPLOYMENT STATUS THE WEEK BEFORE ADMISSION
----------------	--

Location: 3361-3362(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>EMPSTAT: EMPLOYMENT STATUS THE WEEK BEFORE ADMISSION</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Working	414	29.7 %	30.7%
2	Looking for work or going to school	158	11.3 %	11.7%
3	Keeping house	166	11.9 %	12.3%
4	Disabled or retired	69	5.0 %	5.1%
5	In jail, residential treatment, or other institution	195	14.0 %	14.4%
6	Drug related or illegal activities	202	14.5 %	15.0%
7	Other or multiple	146	10.5 %	10.8%
-3 (M)	Missing	43	3.1 %	-

- Study 02258 -

<i>QHV_FTWK: Weeks Full-time Work Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
-3 (M)	Missing	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

MAJSRC MAJOR SOURCE OF INCOME

Location: 3369-3370(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>MAJSRC: MAJOR SOURCE OF INCOME</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO INCOME	54	3.9 %	4.1%
1	LEGAL WORK	536	38.5 %	40.2%
2	PUB ASSISTANCE	354	25.4 %	26.6%
3	SOCIAL SECURITY	67	4.8 %	5.0%
4	FAMILY, FRIENDS	100	7.2 %	7.5%
5	ILLEGAL SOURCES	204	14.6 %	15.3%
6	OTHER SOURCES	17	1.2 %	1.3%
-8 (M)	BLANK	61	4.4 %	-

Based upon 1332 valid cases out of 1393 total cases.

QJV_SRC Major Source of Income-Followup Year

Location: 3371-3372(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QJV_SRC: Major Source of Income-Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No Income	157	11.3 %	11.3%
1	Legal Work	735	52.8 %	52.8%
2	Public Assistance	260	18.7 %	18.7%
3	Social Security	87	6.2 %	6.2%
4	Family / Friends	73	5.2 %	5.2%
5	Illegal Sources	72	5.2 %	5.2%
6	Other Sources	9	0.6 %	0.6%

Based upon 1393 valid cases out of 1393 total cases.

HLTHINS HEALTH INSURANCE

Location: 3373-3374(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>HLTHINS: HEALTH INSURANCE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NONE	500	35.9 %	36.3%
1	PRIV/OTHER	306	22.0 %	22.2%
2	PUB	573	41.1 %	41.6%
-3 (M)	Missing	14	1.0 %	-

Based upon 1379 valid cases out of 1393 total cases.

REFER REFERRAL SOURCE

Location: 3375-3376(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>REFER: REFERRAL SOURCE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	SELF-REFERRAL	492	35.3 %	35.3%
1	MEDICAL SERVICE	41	2.9 %	2.9%
10	COMMUNITY AGENCY	84	6.0 %	6.0%
20	LEGAL SYSTEM (NOT PROBAT/PAROLE)	70	5.0 %	5.0%
30	PROBATION/PAROLE	220	15.8 %	15.8%
40	PRISON SYSTEM	6	0.4 %	0.4%
50	FAMILY OR FRIENDS	410	29.4 %	29.5%
60	SCHOOL	15	1.1 %	1.1%
70	EMPLOYER	38	2.7 %	2.7%
80	VETERAN	11	0.8 %	0.8%
90	OTHER	5	0.4 %	0.4%
-3 (M)	Missing	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

RESTRICT WKS RESTRICTED PAST YR, BRACKETED

Location: 3377-3378(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>RESTRICT: WKS RESTRICTED PAST YR, BRACKETED</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NO WKS RESTRICTED	669	48.0 %	49.8%
1	1-4 WKS RESTRICTED	284	20.4 %	21.1%
2	5-13 WKS RESTRICTED	107	7.7 %	8.0%
3	14-26 WKS RESTRICTED	116	8.3 %	8.6%

- Study 02258 -

<i>RESTRICT: WKS RESTRICTED PAST YR, BRACKETED</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
4	27-39 WKS RESTRICTED	60	4.3 %	4.5%
5	40-50 WKS RESTRICTED	37	2.7 %	2.8%
6	51-52 WKS RESTRICTED	71	5.1 %	5.3%
-3 (M)	Missing	49	3.5 %	-

Based upon 1344 valid cases out of 1393 total cases.

PDT NUMBER OF PRIOR DRUG TREATMENTS

Location: 3379-3380(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>PDT: NUMBER OF PRIOR DRUG TREATMENTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	572	41.1 %	41.1%
1	1 or 2	439	31.5 %	31.6%
2	3 or more	380	27.3 %	27.3%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QMV_DT SUBSEQUENT DRUG TREATMENT

Location: 3381-3382(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QMV_DT: SUBSEQUENT DRUG TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	979	70.3 %	70.4%
1	1 admission	206	14.8 %	14.8%
2	2 to 3 admissions	150	10.8 %	10.8%
3	4 or more admissions	56	4.0 %	4.0%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

DRUGPAT Drug Use Pattern

Location: 3383-3384(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

<i>DRUGPAT: Drug Use Pattern</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HEROIN/NARCOTIC/NO COKE	289	20.7 %	20.7%
2	COKE W/HEROIN OR NARCOTICS	277	19.9 %	19.9%
3	COKE ONLY	121	8.7 %	8.7%
4	COKE AND ALCOHOL	178	12.8 %	12.8%
5	COKE PLUS OTHER DRUGS	134	9.6 %	9.6%
6	MARIJUANA AND/OR ALCOHOL	212	15.2 %	15.2%
7	RESIDUAL	182	13.1 %	13.1%

Based upon 1393 valid cases out of 1393 total cases.

QEV_PAT Drug Use Pattern in Followup Year

Location: 3385-3386(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_PAT: Drug Use Pattern in Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	HEROIN/NARCOTIC/NO COKE	113	8.1 %	8.1%
2	COKE W/ HEROIN OR NARCOTICS	108	7.8 %	7.8%
3	COKE ONLY	66	4.7 %	4.7%
4	COKE AND ALCOHOL	56	4.0 %	4.0%
5	COKE PLUS OTHER DRUGS	52	3.7 %	3.7%
6	MARIJUANA AND/OR ALCOHOL	304	21.8 %	21.8%
7	RESIDUAL	694	49.8 %	49.8%

Based upon 1393 valid cases out of 1393 total cases.

QEV_PDRG Primary Drug in Followup Year

Location: 3387-3388(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_PDRG: Primary Drug in Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	843	60.5 %	60.6%
20	Marijuana	25	1.8 %	1.8%
30	Hallucinogens	1	0.1 %	0.1%
40	Cocaine	85	6.1 %	6.1%
41	Crack	154	11.1 %	11.1%
50	Heroin/speedball	188	13.5 %	13.5%
60	Narcotics or opiates	13	0.9 %	0.9%

- Study 02258 -

<i>QEV_PDRG: Primary Drug in Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
70	Sedative/Barbituates	5	0.4 %	0.4%
80	Amphetamines	18	1.3 %	1.3%
90	Other drugs	59	4.2 %	4.2%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QEV_NDRG Number Drugs Used Weekly

Location: 3389-3390(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_NDRG: Number Drugs Used Weekly</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	-	682	49.0 %	49.0%
1	-	352	25.3 %	25.3%
2	-	237	17.0 %	17.0%
3	-	94	6.7 %	6.7%
4	-	23	1.7 %	1.7%
5	-	2	0.1 %	0.1%
6	-	2	0.1 %	0.1%
7	-	1	0.1 %	0.1%

Based upon 1393 valid cases out of 1393 total cases.

HVY_ALC HEAVY ALCOHOL USER PAST YR

Location: 3391-3392(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>HVY_ALC: HEAVY ALCOHOL USER PAST YR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NOT A HEAVY USER	946	67.9 %	68.0%
1	HEAVY ALCOHOL USER	445	31.9 %	32.0%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QEV_HALC HEAVY ALCOHOL USE-in Followup Year

Location: 3393-3394(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

<i>QEV_HALC: HEAVY ALCOHOL USE-in Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1208	86.7 %	86.8%
1	Yes	183	13.1 %	13.2%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

ALCR ALCOHOL USE

Location: 3395-3396(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>ALCR: ALCOHOL USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	365	26.2 %	26.2%
1	Monthly	372	26.7 %	26.7%
2	Weekly	401	28.8 %	28.8%
3	Daily	255	18.3 %	18.3%

Based upon 1393 valid cases out of 1393 total cases.

QEV_ALC ALCOHOL USE

Location: 3397-3398(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_ALC: ALCOHOL USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	549	39.4 %	39.4%
1	Monthly	428	30.7 %	30.7%
2	Weekly	304	21.8 %	21.8%
3	Daily	112	8.0 %	8.0%

Based upon 1393 valid cases out of 1393 total cases.

MARR MARIJUANA USE

Location: 3399-3400(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>MARR: MARIJUANA USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	661	47.5 %	47.5%

- Study 02258 -

<i>MARR: MARIJUANA USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Monthly	392	28.1 %	28.2%
2	Weekly	181	13.0 %	13.0%
3	Daily	157	11.3 %	11.3%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QEV_MRJ MARIJUANA USE

Location: 3401-3402(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_MRJ: MARIJUANA USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	923	66.3 %	66.4%
1	Monthly	249	17.9 %	17.9%
2	Weekly	131	9.4 %	9.4%
3	Daily	88	6.3 %	6.3%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

COCR COCAINE USE

Location: 3403-3404(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>COCR: COCAINE USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	425	30.5 %	30.6%
1	Monthly	256	18.4 %	18.4%
2	Weekly	321	23.0 %	23.1%
3	Daily	389	27.9 %	28.0%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QEV_COC COCAINE USE

Location: 3405-3406(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

<i>QEV_COC: COCAINE USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	897	64.4 %	64.5%
1	Monthly	212	15.2 %	15.2%
2	Weekly	156	11.2 %	11.2%
3	Daily	126	9.0 %	9.1%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

COCHX HISTORY OF COCAINE USE

Location: 3407-3408(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>COCHX: HISTORY OF COCAINE USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER USED	79	5.7 %	5.7%
1	1-5 TIMES ONLY	108	7.8 %	7.8%
2	SPORADICALLY/MONTHLY	181	13.0 %	13.0%
3	>4 WKS ON WEEKLY BASIS	262	18.8 %	18.8%
4	>4 WKS ON DAILY BASIS	760	54.6 %	54.7%
-3 (M)	Missing	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QEV_CRK CRACK USE

Location: 3409-3410(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_CRK: CRACK USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	1074	77.1 %	77.2%
1	Monthly	117	8.4 %	8.4%
2	Weekly	115	8.3 %	8.3%
3	Daily	86	6.2 %	6.2%
-3 (M)	Missing	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

HERR HEROIN USE

Location: 3411-3412(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

<i>HERR: HEROIN USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	824	59.2 %	59.2%
1	Monthly	65	4.7 %	4.7%
2	Weekly	57	4.1 %	4.1%
3	Daily	445	31.9 %	32.0%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

QEV_HER HEROIN USE

Location: 3413-3414(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_HER: HEROIN USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	1077	77.3 %	77.6%
1	Monthly	115	8.3 %	8.3%
2	Weekly	68	4.9 %	4.9%
3	Daily	128	9.2 %	9.2%
-3 (M)	Missing	5	0.4 %	-

Based upon 1388 valid cases out of 1393 total cases.

HERHX HISTORY OF HEROIN USE

Location: 3415-3416(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

<i>HERHX: HISTORY OF HEROIN USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	NEVER USED	570	40.9 %	40.9%
1	USED 1-5 TIMES ONLY	121	8.7 %	8.7%
2	USED SPORADICALLY OR MONTHLY	86	6.2 %	6.2%
3	USED MORE THAN 4 WKS ON WEEKLY BASIS	22	1.6 %	1.6%
4	USED MORE THAN 4 WKS ON DAILY BASIS	593	42.6 %	42.6%
-3 (M)	Missing	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

NARR OTHER OPIOID USE

Location: 3417-3418(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>NARR: OTHER OPIOID USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	1107	79.5 %	79.7%
1	Monthly	114	8.2 %	8.2%
2	Weekly	67	4.8 %	4.8%
3	Daily	101	7.3 %	7.3%
-3 (M)	Missing	4	0.3 %	-

Based upon 1389 valid cases out of 1393 total cases.

QEV_NAR OTHER OPIOID USE

Location: 3419-3420(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_NAR: OTHER OPIOID USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	1283	92.1 %	92.3%
1	Monthly	57	4.1 %	4.1%
2	Weekly	18	1.3 %	1.3%
3	Daily	32	2.3 %	2.3%
-3 (M)	Missing	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

SEDR SEDATIVE OR BARBITURATE USE

Location: 3421-3422(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>SEDR: SEDATIVE OR BARBITURATE USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	1162	83.4 %	83.6%
1	Monthly	137	9.8 %	9.9%
2	Weekly	45	3.2 %	3.2%
3	Daily	46	3.3 %	3.3%
-3 (M)	Missing	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QEV_SED SEDATIVE OR BARBITURATE USE

Location: 3423-3424(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_SED: SEDATIVE OR BARBITURATE USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	1299	93.3 %	93.4%
1	Monthly	49	3.5 %	3.5%
2	Weekly	14	1.0 %	1.0%
3	Daily	29	2.1 %	2.1%
-3 (M)	Missing	2	0.1 %	-

Based upon 1391 valid cases out of 1393 total cases.

AMPR AMPHETAMINE USE

Location: 3425-3426(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>AMPR: AMPHETAMINE USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	1268	91.0 %	91.8%
1	Monthly	54	3.9 %	3.9%
2	Weekly	30	2.2 %	2.2%
3	Daily	30	2.2 %	2.2%
-3 (M)	Missing	11	0.8 %	-

Based upon 1382 valid cases out of 1393 total cases.

QEV_AMP AMPHETAMINE USE

Location: 3427-3428(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_AMP: AMPHETAMINE USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	1333	95.7 %	95.8%
1	Monthly	37	2.7 %	2.7%
2	Weekly	12	0.9 %	0.9%
3	Daily	10	0.7 %	0.7%
-3 (M)	Missing	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QEV_HAL HALLUCINOGEN USE

Location: 3429-3430(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_HAL: HALLUCINOGEN USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No use	1368	98.2 %	98.2%
1	Monthly	24	1.7 %	1.7%
2	Weekly	1	0.1 %	0.1%

Based upon 1393 valid cases out of 1393 total cases.

QEV_INJ Injection Drug Use-in Followup Year

Location: 3431-3432(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QEV_INJ: Injection Drug Use-in Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1186	85.1 %	85.1%
1	Yes	207	14.9 %	14.9%

Based upon 1393 valid cases out of 1393 total cases.

DEP_YR DEPRESSIVE SYMPTOMS PAST YEAR

Location: 3433-3434(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>DEP_YR: DEPRESSIVE SYMPTOMS PAST YEAR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No signs of depression	1040	74.7 %	74.7%
1	Felt depressed	54	3.9 %	3.9%
2	Suicidal thoughts	209	15.0 %	15.0%
3	Suicidal attempt(s)	90	6.5 %	6.5%

Based upon 1393 valid cases out of 1393 total cases.

MH_HOSP HX MENTAL HEALTH TREATMENT

Location: 3435-3436(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>MH_HOSP: HX MENTAL HEALTH TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1230	88.3 %	88.5%

- Study 02258 -

<i>MH_HOSP: HX MENTAL HEALTH TREATMENT</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
1	Yes	160	11.5 %	11.5%
-3 (M)	Missing	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

ASP ANTISOCIAL PERSONALITY

Location: 3437-3438(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>ASP: ANTISOCIAL PERSONALITY</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	891	64.0 %	64.1%
1	Yes	499	35.8 %	35.9%
-3 (M)	Missing	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

DEP MAJOR DEPRESSIVE EPISODE

Location: 3439-3440(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>DEP: MAJOR DEPRESSIVE EPISODE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1247	89.5 %	89.5%
1	Yes	146	10.5 %	10.5%

Based upon 1393 valid cases out of 1393 total cases.

GAD GENERAL ANXIETY DISORDER

Location: 3441-3442(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>GAD: GENERAL ANXIETY DISORDER</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1349	96.8 %	96.8%
1	Yes	44	3.2 %	3.2%

Based upon 1393 valid cases out of 1393 total cases.

QFV_SUIC Suicidal T/A - Followup Year

- Study 02258 -

Location: 3443-3444(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QFV_SUIC: Suicidal T/A - Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No suicidal thoughts or attempts	1194	85.7 %	85.7%
1	Suicidal thoughts	170	12.2 %	12.2%
2	Suicidal attempts	29	2.1 %	2.1%

Based upon 1393 valid cases out of 1393 total cases.

IAPY FREQUENCY OF ILLEGAL ACTIVITY PAST YEAR

Location: 3445-3446(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>IAPY: FREQUENCY OF ILLEGAL ACTIVITY PAST YEAR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	808	58.0 %	58.8%
1	Monthly	149	10.7 %	10.8%
2	Weekly	169	12.1 %	12.3%
3	Daily	248	17.8 %	18.0%
-3 (M)	Missing	19	1.4 %	-

Based upon 1374 valid cases out of 1393 total cases.

IAY_SIA SERIOUS ILLEGAL ACTS

Location: 3447-3448(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>IAY_SIA: SERIOUS ILLEGAL ACTS</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	954	68.5 %	71.4%
1	1 or 2 acts	97	7.0 %	7.3%
2	3 to 10 acts	123	8.8 %	9.2%
3	10 or more acts	163	11.7 %	12.2%
-3 (M)	Missing	56	4.0 %	-

Based upon 1337 valid cases out of 1393 total cases.

QGV_SIA Serious Illegal Acts Followup Year

Location: 3449-3450(width: 2; decimal: 0)
 Variable Type: numeric

- Study 02258 -

Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QGV_SIA: Serious Illegal Acts Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	1240	89.0 %	89.0%
1	1 to 2 acts	42	3.0 %	3.0%
2	3 to 5 acts	21	1.5 %	1.5%
3	6 to 10 acts	20	1.4 %	1.4%
4	11 to 25 acts	22	1.6 %	1.6%
5	Over 25 acts	48	3.4 %	3.4%

Based upon 1393 valid cases out of 1393 total cases.

QGV_DR DRUG RELATED ARRESTS FOLLOWUP YEAR

Location: 3451-3452(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QGV_DR: DRUG RELATED ARRESTS FOLLOWUP YEAR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	1294	92.9 %	92.9%
1	1 to 2 arrests	88	6.3 %	6.3%
2	3 or more arrests	11	0.8 %	0.8%

Based upon 1393 valid cases out of 1393 total cases.

QGV_DWI DWI/DUI ARRESTS FOLLOWUP YEAR

Location: 3453-3454(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QGV_DWI: DWI/DUI ARRESTS FOLLOWUP YEAR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	1365	98.0 %	98.1%
1	1 to 2 arrests	27	1.9 %	1.9%
-3 (M)	Missing	1	0.1 %	-

Based upon 1392 valid cases out of 1393 total cases.

QGV_NDR NONDRUG ARRESTS FOLLOWUP YEAR

Location: 3455-3456(width: 2; decimal: 0)

Variable Type: numeric

Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

<i>QGV_NDR: NONDRUG ARRESTS FOLLOWUP YEAR</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	1219	87.5 %	87.5%
1	1 to 2 arrests	147	10.6 %	10.6%
2	3 or more arrests	27	1.9 %	1.9%

Based upon 1393 valid cases out of 1393 total cases.

QGV_JAIL Days in Jail-in Followup Year

Location: 3457-3458(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QGV_JAIL: Days in Jail-in Followup Year</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	None	1166	83.7 %	83.7%
1	1 to 10 days	114	8.2 %	8.2%
2	11 to 30 days	72	5.2 %	5.2%
3	31 to 91 days	29	2.1 %	2.1%
4	92 to 182 days	5	0.4 %	0.4%
5	183 days or more	7	0.5 %	0.5%

Based upon 1393 valid cases out of 1393 total cases.

SEXBEH SEX PARTNERS /CONDOM USE

Location: 3459-3460(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>SEXBEH: SEX PARTNERS /CONDOM USE</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	Not active	163	11.7 %	11.8%
1	1 partner, always use condom	75	5.4 %	5.4%
2	1 partner, sometimes/never use condom	517	37.1 %	37.4%
3	2-4 partners, always use condoms	87	6.2 %	6.3%
4	2-4 partners, sometimes/never use condoms	341	24.5 %	24.7%
5	5 or more partners, always use condoms	46	3.3 %	3.3%
6	5 or more partners, sometimes/never use condoms	153	11.0 %	11.1%
-3 (M)	Missing	11	0.8 %	-

Based upon 1382 valid cases out of 1393 total cases.

QLV_SEXB Partners /Condom Use

Location: 3461-3462(width: 2; decimal: 0)

- Study 02258 -

Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QLV_SEXB: Partners /Condom Use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	Not active	286	20.5 %	20.6%
1	1 partner, always use condoms	106	7.6 %	7.6%
2	1 partner, some/never use condoms	599	43.0 %	43.1%
3	2-4 partners, always use condoms	83	6.0 %	6.0%
4	2-4 partners, some/never use condoms	225	16.2 %	16.2%
5	5 or more partners, always use condoms	32	2.3 %	2.3%
6	5 or more partners, sometimes/ never use condoms	59	4.2 %	4.2%
-3 (M)	Missing	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QLV_RSK1 Partner exchanged Money/Drugs for Sex

Location: 3463-3464(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QLV_RSK1: Partner exchanged Money/Drugs for Sex</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1282	92.0 %	92.0%
1	Yes	111	8.0 %	8.0%

Based upon 1393 valid cases out of 1393 total cases.

QLV_RSK2 You take Money/Drugs for Sex

Location: 3465-3466(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QLV_RSK2: You take Money/Drugs for Sex</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1303	93.5 %	93.5%
1	Yes	90	6.5 %	6.5%

Based upon 1393 valid cases out of 1393 total cases.

QLV_RSK3 Sex w/Needle User

Location: 3467-3468(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

- Study 02258 -

<i>QLV_RSK3: Sex w/Needle User</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1234	88.6 %	88.6%
1	Yes	159	11.4 %	11.4%

Based upon 1393 valid cases out of 1393 total cases.

QLV_RSK4 Sex w/HIV + partner

Location: 3469-3470(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QLV_RSK4: Sex w/HIV + partner</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1370	98.3 %	98.3%
1	Yes	23	1.7 %	1.7%

Based upon 1393 valid cases out of 1393 total cases.

QLV_RSK5 Mult Partners No/low condom use

Location: 3471-3472(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QLV_RSK5: Mult Partners No/low condom use</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1106	79.4 %	79.6%
1	Yes	284	20.4 %	20.4%
-3 (M)	Missing	3	0.2 %	-

Based upon 1390 valid cases out of 1393 total cases.

QLV_RSK6 Partner had Sex w/Prostitute

Location: 3473-3474(width: 2; decimal: 0)
 Variable Type: numeric
 Range of Missing Values (M): -9 , -3 , -2 , -1

<i>QLV_RSK6: Partner had Sex w/Prostitute</i>				
<i>Value</i>	<i>Label</i>	<i>Unweighted Frequency</i>	<i>%</i>	<i>Valid %</i>
0	No	1310	94.0 %	94.0%
1	Yes	83	6.0 %	6.0%

Based upon 1393 valid cases out of 1393 total cases.

APPENDIX A: Publications

1999 Publications

- Broome, K. M., Flynn, P. M., & Simpson, D. D. (1999). Psychiatric comorbidity measures as predictors of retention in drug abuse treatment programs. *Health Services Research, 34*(3), 791-806.
- Broome, K. M., Joe, G. W., & Simpson, D. D. (1999). HIV risk reduction in outpatient drug abuse treatment: Individual and geographic differences. *AIDS Education and Prevention, 11*(4), 293-306.
- Broome, K. M., Simpson, D. D., & Joe, G. W. (1999). Patient and program attributes related to treatment process indicators in DATOS. *Drug and Alcohol Dependence, 57*, 127-135.
- Etheridge, R. M., Craddock, S. G., Hubbard, R. L., Rounds-Bryant, J. L. (1999). The relationship of treatment and self-help participation to patient outcomes in DATOS. *Drug and Alcohol Dependence, 57*, 99-112.
- Fletcher, B. W., & Battjes, R. J. (1999). Introduction to the special issue: Treatment process in DATOS. *Drug and Alcohol Dependence, 57*, 81-87.
- Flynn, P. M., Kristiansen, P. L., Porto, J. V., & Hubbard, R. L. (1999). Costs and benefits of treatment for cocaine addiction in DATOS. *Drug and Alcohol Dependence, 57*, 167-174.
- Gossop, M., Marsden, J., Stewart, D., & Rolfe, A. (1999). Treatment retention and 1 year outcomes for residential programmes in England. *Drug and Alcohol Dependence, 57*, 89-98.
- Grella, C. E., Hser, Y., Joshi, V., & Anglin, M. D. (1999). Patient histories, retention, and outcome models for younger and older adults in DATOS. *Drug and Alcohol Dependence, 57*, 151-166.
- Grella, C. E., and Joshi, V. (1999). Gender differences in drug treatment careers among clients in the national Drug Abuse Treatment Outcome Study. *American Journal of Drug and Alcohol Abuse, 25*(3), 385-406.
- Hser, Y., Grella, C. E., Hsieh, S., Anglin, M. D., & Brown, B. S. (1999). Prior treatment experience related to process and outcomes in DATOS. *Drug and Alcohol Dependence, 57*, 137-150.
- Hser, Y.I., Joshi, V., Anglin, M.D., and Fletcher, B. (1999). Predicting post-treatment cocaine abstinence: What works for first-time admissions and treatment repeaters. *American Journal of Public Health, 89*(5), 666-671.

- Joe, G. W., Simpson, D. D., & Broome, K. M. (1999). Retention and patient engagement models for different treatment modalities in DATOS. *Drug and Alcohol Dependence*, 57, 113-125.
- Rounds-Bryant, J. L., Kristiansen, P. L., & Hubbard, R. L. (1999). Drug Abuse Treatment Outcome Study of adolescents: A comparison of client characteristics and pretreatment behaviors in three treatment modalities. *American Journal of Drug and Alcohol Abuse*, 25(4), 573-591.
- Simpson, D. D., Joe, G. W., Fletcher, B. W., Hubbard, R. L., & Anglin, M. D. *Archives of General Psychiatry*, 56, 507-514.
- Simpson, D. D. & Brown, B. (Eds.) (December, 1999). Special issue on treatment process and outcome studies from DATOS. *Drug and Alcohol Dependence*.

1999 "In Press"

- Grella, C. E., Etheridge, R. M., Joshi, V., & Anglin, M. D. (in press). Delivery of HIV risk reduction services in drug treatment programs. *Journal of Substance Abuse Treatment*.
- Grella, C. E., Joshi, V., & Anglin, M. D. (in press). Gender differences Outcome Study. *Journal of Maintenance in the Addictions*.
- Hser, Y., Shen, H., Grella, C., & Anglin, M. D. (in press). Lifetime severity index for cocaine use disorder (LSI-Cocaine): A predictor of treatment outcomes. *Journal of Nervous and Mental Disease*.
- Knight, K., Hiller, M. L., Broome, K. M., & Simpson, D. D. (in press). Legal pressure, treatment readiness, and engagement in long-term residential programs. *Journal of Offender Rehabilitation*.
- Melnick, G., De Leon, G., Hiller, M. L., & Knight, K. (in press). Therapeutic communities: Diversity in treatment elements. *Substance Use & Misuse*.
- Rounds-Bryant, J. (in press). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*.
- Rowan-Szal, G. A., Joe, G. W., & Simpson, D. D. (in press). Treatment retention of crack and cocaine users in a national sample of long term residential clients. *Addiction Research*.

1998 Publications

- Hiller, M. L., Knight, K., Broome, K. M., & Simpson, D. D. (1998). Legal pressure and treatment retention in a national sample of long-term residential programs. *Criminal Justice and Behavior*, 25(4), 463-481.
- Hser, Y. I., Anglin, M. D., & Fletcher, B. W. (1998). Comparative treatment effectiveness: Effects of program modality and client drug dependence history on drug use reduction. *Journal of Substance Abuse Treatment*, 15(6), 513-523.
- Hser, Y. I., Grella, C. E., Chou, C. P., & Anglin, M. D. (1998). Relationships between drug treatment careers and outcomes: Findings from the national Drug Abuse Treatment Outcome Study. *Evaluation Review*, 22(4), 496-519.
- Joe, G. W., Simpson, D. D., & Broome, K. M. (1998). Effects of readiness for drug abuse treatment on client retention and assessment of process. *Addiction*, 93(8), 1177-1190.
- Longshore, D. & Hsieh, S. (1998). Drug abuse treatment and risky sex: Evidence for a cumulative treatment effect? *American Journal of Drug and Alcohol Abuse*, 24(3), 439-451.

1997 Publications

- Anglin, M. D., Hser, Y. I., & Grella, C. E. (1997). Drug addiction and treatment careers among clients in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 308-323.
- Craddock, S. G., Rounds-Bryant, J. L., Flynn, P. M., & Hubbard, R. L. (1997). Characteristics and pretreatment behaviors of clients entering drug abuse treatment: 1969 to 1993. *American Journal of Drug and Alcohol Abuse*, 23(1), 43-59.
- Etheridge, R. M., Hubbard, R. L., Anderson, J., Craddock, S. G., & Flynn, P. M. (1997). Treatment structure and program services in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 244-260.
- Fletcher, B. W., Tims, F. M., & Brown, B. S. (1997). The Drug Abuse Treatment Outcome Study (DATOS): Treatment evaluation research in the United States. *Psychology of Addictive Behaviors*, 11(4), 216-229.
- Flynn, P. M., Craddock, S. G., Hubbard, R. L., Anderson, J., & Etheridge, R. M. (1997). Methodological overview and research design for the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 230-243.
- Hubbard, R. L., Craddock, S. G., Flynn, P. M., Anderson, J., & Etheridge, R. M. (1997). Overview of 1-year follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 261-278.

- Leshner, A. I. (1997). Introduction to the Special Issue: the National Institute on Drug Abuse's (NIDA's) Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 211-215.
- Rounds-Bryant, J. L., Flynn, P. M., & Craighead, L. W. (1997). Relationship between self-efficacy perceptions and in-treatment drug use among regular cocaine users. *American Journal of Drug and Alcohol Abuse*, 23(3), 383-395.
- Simpson, D. D., & Curry, S. J. (Eds.) (1997). Special Issue: Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4).
- Simpson, D. D., Joe, G. W., Broome, K. M., Hiller, M. L., Knight, K., & Rowan-Szal, G. A. (1997). Program diversity and treatment retention rates in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 279-293.
- Simpson, D. D., Joe, G. W., & Brown, B. S. (1997). Treatment retention and follow-up outcomes in the Drug Abuse Treatment Outcome Study (DATOS). *Psychology of Addictive Behaviors*, 11(4), 294-307.

1995-1996 Publications

- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1995). Assessing consistency of response to questions on cocaine use. *Addiction*, 90(11), 1497-1502.
- Adair, E. B., Craddock, S. G., Miller, H. G., & Turner, C. F. (1996). Quality of treatment data: Reliability over time of self-reports given by clients in treatment for substance abuse. *Journal of Substance Abuse Treatment*, 13, 145-149.
- Etheridge, R. M., Craddock, S. G., Dunteman, G. H., & Hubbard, R. L. (1995). Treatment services in two national studies of community-based drug abuse treatment programs. *Journal of Substance Abuse*, 7(1), 9-26.
- Flynn, P. M., Craddock, S. G., Luckey, J. W., Hubbard, R. L., & Dunteman, G. H. (1996). Comorbidity of antisocial personality and mood disorders among psychoactive substance-dependent treatment clients. *Journal of Personality Disorders*, 10(1), 56-67.
- Poole, W. K., Flynn, P. M., Rao, A. V., & Cooley, P. C. (1996). Estimating prevalence of drug use from self-report measures in a cohort for which biological measures are available for a subsample. *American Journal of Epidemiology*, 144, 4, 413-420.
- Turner, C. F. & Hubbard, R. L. (1995). Quality of alcohol histories collected at intake to substance users treatment. *International Journal of the Addictions*, 30 (8), 963-989.