

**Drug Abuse Treatment Outcome
Study--Adolescent (DATOS-A),
1993-1995: [United States]**

*United States Department of Health and
Human Services. National Institute on
Drug Abuse*

Codebook for Intake 1 Data

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

TABLE OF CONTENTS

INTRODUCTION	1
A. Background	1
B. Research Design	1
C. Program Sample	2
D. Instrumentation	3
E. Data Collection Procedures	3
F. SAMHDA Data Cleaning and Processing	4
G. User Responsibility	7
H. Processor Notes	7
FREQUENCIES	9
IDENTIFICATION	9
INTERVIEW INFORMATION	10
DEMOGRAPHICS AND BACKGROUND	11
EDUCATION AND TRAINING	23
ADMISSION	43
ALCOHOL AND TOBACCO USE	68
DRUG USE	103
MENTAL HEALTH STATUS	294
ILLEGAL INVOLVEMENT	336
EMPLOYMENT/SUPPORT STATUS	410
INCOME AND EXPENDITURES	468
DRUG AND ALCOHOL DEPENDENCE	491
INTERVIEWER OBSERVATIONS	734
MINIMENTAL STATUS EXAM	744
FEELINGS AND BELIEFS	759
INTERVIEW COMPLETION	793
RECODED VARIABLES: CLIENT CHARACTERISTICS	794
RECODED VARIABLES: SUBSTANCE USE	802
RECODED VARIABLES: TREATMENT	812
APPENDIX A: Publications	813

DRUG ABUSE TREATMENT OUTCOME STUDY-ADOLESCENT

INTRODUCTION

A. Background

The family of Drug Abuse Treatment Outcome Studies is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The family of Drug Abuse Treatment Outcome Studies consists of the adult component (DATOS), the adolescent component (DATOS-A), and the Cocaine Treatment Outcome Study (CTOS). DATOS-A is the first study designed specifically to conduct an in-depth, systematic investigation of the outcomes and effectiveness of drug treatment programs for adolescents.¹

The major objectives of DATOS-A are to (1) develop current and more comprehensive information about the effectiveness of adolescent drug treatment; (2) investigate the characteristics of adolescents entering treatment; (3) investigate the characteristics of the structure and process of drug abuse treatment in adolescent programs; (4) assess the contributions to client outcomes of program type, client characteristics, and treatment received.

DATOS-A is a comprehensive, multiyear, multi-site prospective cohort study of clients entering treatment from 1993 to 1995. Approximately 3,400 clients from 37 programs in 6 cities were assessed at intake. Re-interviews were completed at 1, 3, and 6 months during treatment with clients who continued their treatment. A follow-up sample of about 3,000 clients (12-months after treatment) was selected for locating and interviewing in the community.

B. Research Design

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. DATOS-A used a naturalistic, longitudinal, prospective cohort design. This design is highly suitable for gathering descriptive information on study populations and for investigating causal relationships in studies based on measurement of naturally occurring events rather than planned interventions (Cook & Campbell, 1979; Singer, 1986). Moreover, this design is quite appropriate for developing baseline measures for long-term longitudinal studies of adolescents, where maturation is likely a key factor affecting behavior change (Newcomb & Bentler, 1989).

¹ Sections of the Introduction were taken from the following source: Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

C. Program Sample

The DATOS-A study design specified a sample of programs that treated an adolescent population separately from an adult population. A further consideration was the data collection infrastructure developed for the adult study. The decision was also made to limit the sample to programs in the cities where the adult data collection was being conducted. In those locations, programs specializing in adolescent treatment and judged to be typically community-based treatment organizations in existence for at least 2 to 3 years and expected to remain as stable, viable organizations throughout the period of the study were identified. The programs with sufficient projected patient admissions of at least five patients per month were purposely selected for participation in the study. In addition, selection of programs was limited to programs committed to the research and ones that would permit efficient collection of detailed data about patient behaviors and treatment.

Six cities located in different sections of the United States were selected for DATOS-A because these cities each had a sufficient number of adolescent programs to support the DATOS research design. All six cities were medium to large metropolitan areas with established treatment systems. The selection of the six cities also enabled us to realize significant savings with respect to fieldwork costs and to obtain a more complete picture of patient characteristics and treatment services within the selected areas. The six cities also had the most experienced data collection staff members who had worked on the DATOS adult study. In most of the cities, the programs selected served most if not all the adolescents seeking treatment in the area. No programs selected to participate refused.

Programs in the sample represented the following three major modalities treating adolescents: therapeutic community or residential programs, chemical dependency or short-term inpatient programs, and outpatient drug-free programs. The programs differed primarily in their therapeutic orientation and planned duration. During the study, however, planned duration was reduced in many of the programs to address concerns about cost containment. The residential modality included traditional, modified, and short-term therapeutic community programs as well as halfway houses and shelter programs. These programs required patients to live in the treatment setting and included traditional treatment interventions along with those designed to resocialize patients. Planned duration of stay was much shorter than the long term residential treatment for adults. The planned durations initially varied from 3 months to 1 year (median = 5 months) compared to 4 months to 2 years for adult programs (median = 11 months). Short-term inpatient programs provided such treatment interventions as individual, group, and family counseling as well as 12-step counseling. Planned duration of stay was no more than 35 days, but more often it was fewer than 14 days. The outpatient drug-free modality included regular and intensive outpatient and day treatment programs. The type of program was distinguished by the range of services offered and the duration and frequency of treatment sessions. Planned duration of stay varied from 1 month to 2 years.

D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires.

Intake 1. The Intake 1 Questionnaire's function was to obtain baseline measures of patient characteristics and behaviors. The instrument took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment/support status, Income and expenditures, Hostility, Empathic concern/perspective taking, and Sociability/self-worth.

Intake 2. The Intake 2 Questionnaire was administered approximately one week after the Intake 1 Questionnaire. This interview averaged 2 hours to complete. Because of the instrument's length and the age of the respondents, the interviewers allowed respondents frequent breaks. It contained sections on Health, Cognitive impairment, Religiosity and self-concept, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

In-treatment. Interviewers administered in-treatment instruments to patients 1, 3, and 6 months after admission to treatment. Patients were interviewed only if they remained in treatment at the time an interview was due. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

Follow-up. Interviews were administered at 12-months after treatment termination. The 12-month follow-up instrument required approximately 90 minutes to complete. The instrument focused on patient behaviors and experiences during the past 12 months. Anchors based on key events and calendars were employed to focus patients on the time periods of interest. Descriptive and behavioral measures complemented those obtained through earlier interviews.

E. Data Collection Procedures

Trained professional data collectors were assigned the role of Program Researchers (PRs) for each participating program. PRs administered the intake and in-treatment instruments to patients within the program's physical facilities. Programs received compensation for interviewing space and clerical time required to refer new patients to the PR. During a weeklong training session, experienced trainers instructed PRs on how to work with the programs and administer the instruments. Before PRs were certified to begin interviewing, they had to demonstrate their ability to conduct the interviews. Throughout data collection, PRs were closely monitored by a continuous review of interviews received and weekly phone communication with the PRs. Each month, two interviews completed by each PR were selected randomly for quality control review. In addition, supervisors made quarterly site visits to monitor data collection.

All patients entering the selected programs who had not reached their 19th birthday at the time of admission were included in the sample frame. Data collection for admissions began during late November 1993, and the final intake assessments were completed by December 1995. Upon

admission to treatment, program staff members asked patients to speak with a PR about participating in the study. Procedures called for obtaining permission to participate in the study from a parent or guardian of anyone younger than 18 and assent from the adolescent. Informed consent was obtained directly from youth aged 18 years or older. Patients were offered \$10 for each intake or intreatment interview and \$15 for a follow-up interview.

For a more complete discussion of the DATOS methodology, see

Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>

F. SAMHDA Data Cleaning and Processing

This is to document the steps taken to clean and process the Drug Abuse Treatment Outcome Study – Adolescent (DATOS-A) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors referenced solutions to similar problems from the DATOS-adult study and also worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve

variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS-A variables included city, treatment program, and date of birth. Overall, the data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

City and program names: The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-3,382.

Date of birth: Date of birth (DOB) was deleted from the files. Age at time of interview was also on the files and was preserved. The age variable was top-coded at 18 or older and it was bottom-coded at 12 or younger.

Age at time of ... : Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

Legal status (criminal involvement) at time of admission, "Other; specify": The details provided in "specify" were deleted; value coded as "Circled."

Have other health plan: Plans offered in a limited geographic area were coded as "Other."

Occupation: Highly detailed occupation codes were combined into larger categories.

Race: These codes were re-coded as "White," "Black," "Hispanic," and "Other."

Ethnicity: Detailed ethnicity codes and variables were collapsed or deleted.

Description of ethnic/cultural background (Hispanic): Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

What other languages do you speak: Coded as “German,” “Spanish,” “French,” all others coded or re-coded as “Other.”

Number of children/relatives: Many questions that ask for a number of children/relatives (e.g. number of children to whom you gave birth or fathered, number of biological brothers/sisters you have, or number of biological brothers/sisters who lived with you) were top-coded (3 or more, 6 or more, 7 or more) based on frequencies.

Date of admission: The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

Date of interview: This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

ICD-9/DSM diagnosis codes: These were re-coded as “substance-related condition,” “mental health condition,” and “all other conditions.”

Drug Names: Variables regarding specific drugs used (e.g., primary drug used or which drug caused you this problem) had some responses that were potentially identifying. These were re-coded into major drug categories (e.g., alcohol, narcotics/opiates, inhalants, etc.).

Number of months currently pregnant: Re-coded by trimester.

Reason felt worthless/sinful/guilty verbatim: This variable had verbatim responses and was therefore deleted.

Presence of a specific physical handicap: Many variables related to a specific physical handicap (e.g., blindness, deafness, or over/under weight) were potentially identifying. Therefore, they were all combined into one new variable (Abnormality: Blind, Deaf, Weight, Speech Impediment, Other).

Questions respondent did not understand: These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

Administrative variables: For time checkpoint variables, the month was re-coded as quarter and day of the month was deleted. “Batch,” and all other remaining variables related to the administration of the questionnaire were deleted from the files.

Other variables: Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. “Program type” was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks

respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

G. User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

H. Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

3,382 cases (Range of valid codes: 1-3382)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1-4

MODALITY TREATMENT MODALITY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	48.1	1,627	1	RESIDENTIAL
27.5	27.5	929	2	SHORT-TERM INPATIENT
0.0	0.0	0	3	METHADONE MAINTENANCE
24.4	24.4	826	4	OUTPATIENT DRUG FREE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Column: 2519

INTERVIEW INFORMATION

ADC1	DATE COMPLETED: MONTH
-------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.5	760	1	JAN. - MARCH
26.1	26.0	881	2	APR. - JUNE
22.9	22.9	775	3	JULY - SEPT.
28.5	28.5	965	4	OCT. - DEC.
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 5-6

ADC3	DATE COMPLETED: YEAR
-------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	90	
0.1	0.1	3	92	
1.3	1.3	43	93	
43.8	43.8	1,480	94	
54.7	54.6	1,848	95	
0.1	0.1	2	96	
0.0	0.0	1	97	
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 7-8

DEMOGRAPHICS AND BACKGROUND

AA4 HISPANIC OR SPANISH ORIGIN OR DESCENT

Are you of Hispanic or Spanish origin or descent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	20.5	694	1	YES
79.4	79.3	2,681	2	NO
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 9-10

AA4A DESCRIPTION OF ETHNIC/CULTURAL BACKGROUND

Please tell me which group best describes your ethnic or cultural background.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	10.2	344	1	PUERTO RICAN
13.8	2.8	94	2	MEXICAN
7.5	1.5	51	3	CUBAN
0.0	0.0	0	4	CARIBBEAN
0.0	0.0	0	5	CENTRAL AMERICAN
0.0	0.0	0	6	SOUTH AMERICAN
20.3	4.1	138	7	OTHER
7.9	1.6	54	15	MIXED
	79.2	2,677	-9	LEGITIMATE NONRESPONSE
	0.6	21	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 11-12

AA4B**BEST DESCRIPTION OF GROUP NAME**

Please tell me the name of the group that best describes you.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALASKAN NATIVE
0.0	0.0	0	2	AMERICAN INDIAN
0.0	0.0	0	3	ASIAN OR PACIFIC ISLANDER
27.1	27.0	912	4	BLACK OR AFRICAN AMERICAN
62.9	62.5	2,115	5	WHITE OR CAUCASIAN
7.9	7.9	266	6	OTHER
2.0	2.0	67	7	HISPANIC
	0.6	20	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 13-14

AA8**LANGUAGE OTHER THAN ENGLISH SPOKEN IN HOME**

What languages other than English were spoken in your home while you were growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	77.0	2,604	1	ONLY ENGLISH
18.2	18.1	613	2	ENGLISH AND OTHER LANGUAGE(S)
4.3	4.3	146	3	ONLY OTHER LANGUAGE(S)
	0.5	18	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 15-16

AA9	SPEAK ANY LANGUAGE OTHER THAN ENGLISH
------------	--

Do you speak any languages other than English?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	24.7	835	1	YES
75.3	75.1	2,540	2	NO
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 17-18

AA9A	WHAT OTHER LANGUAGES DO YOU SPEAK?
-------------	---

What other languages do you speak?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.3	18.8	637	1	SPANISH
5.5	1.3	45	2	FRENCH
4.6	1.1	38	3	GERMAN
12.6	3.1	104	4	OTHER
	75.1	2,539	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.1	4	-6	MULTIPLE RESPONSE
	0.1	4	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 19-20

AA9B**PREFERRED LANGUAGE TO SPEAK**

What language do you prefer to speak most of the time?
Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.8	26	1	ONLY (OTHER LANGUAGE FORM A9A)
6.7	1.6	55	2	MOSTLY (OTHER LANGUAGE FROM A9A)
41.4	10.1	340	3	ONLY ENGLISH
33.3	8.1	274	4	MOSTLY ENGLISH
15.5	3.8	127	5	(OTHER LANGUAGE FROM A9A) AND ENGLISH
	75.0	2,537	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 21-22

AA10**MARITAL STATUS AT TIME ADMITTED TO PROGRAM**

At the time you were admitted to this program, were you married, legally separated, divorced, widowed, living with someone as married (but not legally married), or had you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	8	1	MARRIED
0.0	0.0	1	2	LEGALLY SEPARATED
0.0	0.0	0	3	DIVORCED
0.0	0.0	0	4	WIDOWED
0.5	0.5	18	5	LIVING WITH SOMEONE AS MARRIED
99.2	99.0	3,349	6	NEVER MARRIED
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 23-24

AA10B SPOUSE/PARTNER HISPANIC/SPANISH ORIGIN

Is your (husband/wife/partner) of Hispanic or Spanish origin or descent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	0.4	14	1	YES
44.0	0.3	11	2	NO
	99.1	3,350	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 25-26

AA11_3 LENGTH OF MARITAL STATUS IN WEEKS

How long had you been (REPEAT STATUS GIVEN IN A10)?

_____ WEEKS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.0	1	3	
7.7	0.1	2	9	
7.7	0.1	2	17	
11.5	0.1	3	22	
30.8	0.2	8	26	
7.7	0.1	2	30	
3.8	0.0	1	35	
11.5	0.1	3	52	
3.8	0.0	1	130	
7.7	0.1	2	156	
3.8	0.0	1	364	
	99.0	3,349	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 27-29

AA12

TYPE OF RESIDENCE WHEN ENTERED PROGRAM

Please tell me what type of residence or other place you lived in when you entered this program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.6	53.5	1,810	1	A ONE-FAMILY HOUSE/DUPLEX/CONDO
1.3	1.3	43	2	A MOBILE HOME OR TRAILER
29.4	29.4	994	3	AN APARTMENT BUILDING/MULTIPLE DWELLING
0.1	0.1	4	4	A HOTEL, ROOMING HOUSE/OR BOARDING HOUSE
1.0	1.0	35	5	A HOSPITAL OR MEDICAL INSTITUTION
7.9	7.9	268	6	IN JAIL, PRISON, OR JUVENILE DETENTION
1.7	1.7	58	7	A RESIDENTIAL DRUG TREATMENT CENTER
2.9	2.9	97	8	OTHER GROUP RESIDENCE/HALFWAY HOUSE
0.6	0.6	21	9	IN A HOMELESS SHELTER
0.9	0.9	32	10	ON THE STREET (NO REGULAR PLACE)
0.5	0.5	17	11	(IF VOL. :) OTHER
	0.1	2	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 30-31

AA13 WHO LIVED WITH WHEN ENTERED PROGRAM-CIRCLE1

Who did you live with when you entered this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	7	1	WITH SPOUSE OR SEXUAL PARTNER/CHILDREN
0.3	0.3	10	2	WITH SPOUSE OR SEXUAL PARTNER ONLY
0.0	0.0	1	3	WITH CHILDREN ONLY
9.9	8.4	285	4	WITH BOTH PARENTS
12.5	10.6	359	5	WITH MOTHER ONLY
3.1	2.7	90	6	WITH FATHER ONLY
2.3	1.9	65	7	WITH PARENT(S) AND OWN CHILDREN
59.1	50.1	1,695	8	W/OTHER FAMILY ONLY/COMBINATION 01-07
1.2	1.0	35	9	WITH FOSTER PARENTS
7.1	6.0	204	10	WITH FAMILY/FRIENDS/BOARDERS/ROOMMATE
1.9	1.6	55	11	WITH FRIENDS OR ROOMMATE ONLY
0.2	0.1	5	12	ALONE
0.9	0.8	27	13	INSTITUTION OR CLOSED FACILITY
0.1	0.1	4	14	NO STABLE ARRANGEMENT
0.9	0.8	27	15	OTHER
	15.1	510	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 32-33

AA14_1 RESPONDENT MAKES HOUSEHOLD DECISIONS

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Respondent

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	62	1	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	80.0	2,707	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 34-35

AA14_2**SPOUSE/PARTNER MAKES HOUSEHOLD DECISIONS**

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Spouse or partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	24	2	CIRCLED
	18.1	613	-9	LEGITIMATE NONRESPONSE
	81.1	2,743	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 36-37

AA14_3**PARENT MAKES HOUSEHOLD DECISIONS**

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Parent

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	71.6	2,420	3	CIRCLED
	17.9	605	-9	LEGITIMATE NONRESPONSE
	10.5	355	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 38-39

AA14_4 OTHER FAMILY MAKES HOUSEHOLD DECISIONS

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Other family members

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.7	261	4	CIRCLED
	18.2	614	-9	LEGITIMATE NONRESPONSE
	74.1	2,505	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 40-41

AA14_5 FRIEND MAKES HOUSEHOLD DECISIONS

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Friend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	22	5	CIRCLED
	17.9	605	-9	LEGITIMATE NONRESPONSE
	81.4	2,753	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 42-43

AA14_6**OTHERS MAKE HOUSEHOLD DECISIONS**

Who makes the important decisions for this household (such as where you will live or whether to make a major purchase)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	74	6	CIRCLED
	17.9	606	-9	LEGITIMATE NONRESPONSE
	79.8	2,700	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 44-45

AA15**SPOKE LANGUAGE OTHER THAN ENGLISH**

When you lied with these people, did they speak any language other than English?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	15.5	523	1	YES
81.2	66.7	2,257	2	NO
	17.2	582	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 46-47

AA15B	WHEN LIVED WITH THESE PEOPLE SPOKE
--------------	---

When you lived with these people, did you speak . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	1.1	37	1	ONLY (OTHER LANGUAGE FROM A9A)
17.9	2.7	92	2	MOSTLY (OTHER LANGUAGE FROM A9A)
17.3	2.6	89	3	ONLY ENGLISH
34.0	5.2	175	4	MOSTLY ENGLISH
23.7	3.6	122	5	(OTHER LANGUAGE FROM A9A) AND ENGLISH
	83.9	2,838	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 48-49

AA16	LIVING BY HISPANIC/INDIAN/ALASKAN/ASIAN CULTURE
-------------	--

When you were admitted, how much would you say you were living by the (HISPANIC ETHNICITY FROM A4a; AMERICAN INDIAN OR ALASKAN NATIVE FROM A4b; OR ASIAN PACIFIC ISLAND ETHNICITY FROM A&) culture or way of life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	4.8	162	0	NOT AT ALL
44.1	7.5	253	1	SOMEWHAT
27.7	4.7	159	2	VERY MUCH
	78.0	2,638	-9	LEGITIMATE NONRESPONSE
	5.0	168	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 50-51

AA17_3**WEEKS OF RESTRICTED MOVEMENT PAST 12 MONTHS**

In the past 12 months, how long did you live in places where you could not come and go as you pleased, such as a jail, juvenile detention center, hospital, or therapeutic community?

_____ WEEKS

3,382 cases (Range of valid codes: 0-78)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 52-53

EDUCATION AND TRAINING

AB1 HIGHEST GRADE ATTENDED WHEN ADMITTED

Now, I'd like to ask you about your education. At the time you were admitted to this program, what was the highest grade or year of school you had attended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	
0.0	0.0	1	2	
0.0	0.0	1	4	
0.1	0.1	2	5	
1.2	1.2	42	6	
5.1	5.1	172	7	
13.4	13.4	453	8	
29.7	29.7	1,004	9	
26.3	26.3	890	10	
17.7	17.7	599	11	
5.7	5.7	193	12	
0.5	0.5	18	13	
0.1	0.1	2	14	
0.0	0.0	1	15	
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 54-55

AB1A	DID YOU COMPLETE THAT (GRADE/YEAR)?
-------------	--

Did you complete that (grade/year)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	19.4	656	1	YES
80.5	80.1	2,709	2	NO
	0.2	8	-8	MISSING
	0.2	8	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 56-57

AB1B	CURRENTLY IN SCHOOL
-------------	----------------------------

Are you currently in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	66.7	2,256	1	YES
33.3	33.2	1,124	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 58-59

AB1C	TYPE SCHOOL/TRAINING PROGRAM ATTENDED
-------------	--

What kind of school or training program are you attending?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	11.1	375	1	MIDDLE SCHOOL (JUNIOR HIGH)
63.9	42.7	1,444	2	HIGH SCHOOL
0.5	0.4	12	3	JUNIOR (2-YEAR) COLLEGE
0.3	0.2	6	4	4-YEAR COLLEGE OR UNIVERSITY
0.5	0.3	11	5	TECHNICAL/TRADE/VOCATIONAL
0.1	0.1	3	6	JOB CORPS PROGRAM
6.1	4.1	138	7	SPECIAL EDUCATION PROGRAM
12.0	8.0	272	8	OTHER
	33.0	1,115	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 60-61

AB2	HIGH SCHOOL DIPLOMA/GED PRIOR TO PROGRAM
------------	---

Prior to your admission to this program, did you get a high school diploma or pass a high school equivalency (GED) test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	2.7	90	1	YES
94.7	47.9	1,621	2	NO
	49.2	1,664	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 62-63

AB2A	WHICH ONE DID YOU GET?
-------------	-------------------------------

Which one did you get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	1.2	40	1	DIPLOMA
55.6	1.5	50	2	GED
	97.1	3,285	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 64-65

AB3_1	NO OTHER DIPLOMAS RECEIVED
--------------	-----------------------------------

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

None

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	49.9	1,687	0	CIRCLED
	49.5	1,673	-9	LEGITIMATE NONRESPONSE
	0.7	22	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 66-67

AB3_2	JUNIOR COLLEGE/ASSOCIATE DEGREE RECEIVED
--------------	---

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

Junior college degree or associate degree program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	53.8	1,819	-9	LEGITIMATE NONRESPONSE
	46.2	1,561	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 68-69

AB3_3	BACHELOR DEGREE RECEIVED
--------------	---------------------------------

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

Bachelor's degree

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	53.8	1,819	-9	LEGITIMATE NONRESPONSE
	46.2	1,563	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 70-71

AB3_4**ADVANCE COLLEGE DEGREE RECEIVED**

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

Advanced college degree (Master's or Ph.D.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	53.8	1,819	-9	LEGITIMATE NONRESPONSE
	46.2	1,563	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 72-73

AB3_5**VOCATIONAL/TRADE SCHOOL CERTIFICATE RECEIVED**

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

Certificate from a vocational or trade school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	4	CIRCLED
	53.8	1,819	-9	LEGITIMATE NONRESPONSE
	45.9	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 74-75

AB3_6 LICENSE TO PRACTICE TRADE RECEIVED

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

License to practice a trade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	53.8	1,819	-9	LEGITIMATE NONRESPONSE
	46.2	1,563	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 76-77

AB3_7 OTHER DEGREE/LICENSE RECEIVED

(Besides a high school diploma or a GED), what other diplomas, degrees, or licenses had you received?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	6	CIRCLED
	53.8	1,819	-9	LEGITIMATE NONRESPONSE
	46.1	1,560	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 78-79

AB4	HOW WERE YOUR GRADES IN SCHOOL
------------	---------------------------------------

How (were/are) your grades in school - better than average, average, or not so good?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	12.8	434	1	BETTER THAN AVERAGE
42.8	42.6	1,442	2	AVERAGE
44.3	44.1	1,492	3	NOT SO GOOD
	0.1	5	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 80-81

AB4A	TEACHERS THOUGHTS ON INITIATIVE
-------------	--

Did your teachers think you did about as well as you could, or did they think you had the ability to do much better?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	2.4	80	1	DID AS WELL AS COULD
94.6	41.8	1,412	2	COULD HAVE DONE BETTER
	55.1	1,863	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-5	BAD DATA
	0.5	17	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 82-83

AB4B	AGE WHEN TEACHERS 1ST FELT THAT WAY
-------------	--

How old were you when your teachers first felt that way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
0.1	0.0	1	3	
0.1	0.1	2	4	
1.5	0.6	21	5	
3.9	1.6	55	6	
3.7	1.5	52	7	
5.5	2.3	77	8	
4.9	2.0	69	9	
8.5	3.5	120	10	
8.9	3.7	125	11	
15.3	6.4	215	12	
16.0	6.7	226	13	
13.9	5.8	196	14	
9.9	4.1	140	15	
3.7	1.5	52	16	
0.7	0.3	10	17	
0.1	0.0	1	18	
3.2	1.3	45	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.1	0.0	1	95	DON'T KNOW, BUT 15 OR OLDER
	57.2	1,935	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.6	20	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 84-85

AB5	DID YOU EVER REPEAT A GRADE?
------------	-------------------------------------

Did you ever repeat a grade?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	43.6	1,476	1	YES
56.3	56.3	1,903	2	NO
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 86-87

AB5A	HOW MANY TIMES DID YOU GET HELD BACK?
-------------	--

How many times did you get held back?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
75.3	32.9	1,111	1	
18.8	8.2	277	2	
4.8	2.1	71	3	
1.0	0.4	15	4	4 OR MORE
	56.2	1,901	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 88-89

AB6	FREQUENTLY GET INTO TROUBLE IN SCHOOL
------------	--

Did you frequently get into trouble with the teacher or principal for misbehaving in school (elementary, junior high, or high school)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	60.0	2,028	1	YES
39.9	39.9	1,349	2	NO
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 90-91

AB6A**AGE WHEN GOT INTO FIRST TROUBLE IN SCHOOL**

How old were you when you first got into trouble for misbehaving in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	3	
0.4	0.2	8	4	
5.2	3.1	104	5	
8.9	5.3	179	6	
6.9	4.1	139	7	
8.9	5.3	178	8	
7.5	4.4	150	9	
9.1	5.4	183	10	
9.3	5.5	187	11	
16.4	9.7	328	12	
11.8	7.0	237	13	
7.6	4.5	153	14	
4.2	2.5	84	15	
0.9	0.5	18	16	
0.3	0.2	7	17	
2.3	1.4	46	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.0	0.0	1	95	DON'T KNOW, BUT 15 OR OLDER
	39.8	1,345	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
	0.9	29	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 92-93

AB7**WERE YOU EXPELLED/SUSPENDED FROM SCHOOL?**

Were you ever expelled or suspended from school (elementary, junior high, or high school)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	82.6	2,794	1	YES
17.3	17.3	584	2	NO
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 94-95

AB7A	AGE WHEN EXPELLED/SUSPENDED FROM SCHOOL
-------------	--

How old were you when you were first expelled or suspended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	0	
0.1	0.1	2	2	
0.1	0.1	3	3	
0.0	0.0	1	4	
0.6	0.5	16	5	
1.0	0.8	28	6	
2.0	1.7	56	7	
3.2	2.7	90	8	
4.5	3.7	126	9	
7.0	5.7	193	10	
9.8	8.0	272	11	
16.7	13.7	462	12	
20.5	16.8	569	13	
15.0	12.3	417	14	
11.0	9.0	305	15	
4.8	3.9	132	16	
1.2	1.0	33	17	
0.2	0.2	6	18	
2.0	1.6	55	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.2	0.1	5	95	DON'T KNOW, BUT 15 OR OLDER
	17.2	581	-9	LEGITIMATE NONRESPONSE
	0.0	1	-5	BAD DATA
	0.8	28	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 96-97

AB7B

NUMBER OF TIMES SUSPENDED FROM SCHOOL

How many times were you suspended from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.7	25	0	
16.2	13.0	438	1	
13.4	10.8	364	2	
9.1	7.2	245	3	
6.6	5.3	178	4	
6.6	5.3	178	5	
4.3	3.4	116	6	
3.2	2.5	86	7	
2.6	2.1	70	8	
1.4	1.2	39	9	
8.4	6.7	228	10	
0.7	0.6	19	11	
2.1	1.7	57	12	
0.6	0.5	17	13	
0.5	0.4	14	14	
4.4	3.5	120	15	
0.4	0.3	10	16	
0.3	0.2	7	17	
0.2	0.2	6	18	
0.1	0.1	2	19	
18.0	14.4	488	20	20 OR MORE
	17.1	580	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.2	8	-5	BAD DATA
	2.5	84	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 98-99

AB7C LAST TIME SUSPENDED FROM SCHOOL

When was the last time you were suspended from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	14.0	472	1	WITHIN THE MONTH BEFORE ADMISSION
36.6	29.6	1,002	2	WITHIN THE PAST 12 MONTHS
46.1	37.3	1,260	3	MORE THAN 1 YEAR AGO
	17.2	581	-9	LEGITIMATE NONRESPONSE
	0.7	25	-8	MISSING
	1.2	42	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 100-101

AB7C_M MONTHS AGO LAST SUSPENDED FROM SCHOOL

When was the last time you were suspended from school?
 (recode)

3,382 cases (Range of valid codes: 0-174)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2523-2525

AB7D # OF TIMES EXPELLED FROM SCHOOL

How many times were you expelled from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	56.9	1,925	0	
20.5	16.9	572	1	
6.0	4.9	167	2	
1.9	1.6	53	3	
2.6	2.2	73	4	4 OR MORE
	17.0	575	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 102-103

AB7E	LAST TIME EXPELLED FROM SCHOOL
-------------	---------------------------------------

When was the last time you were expelled from school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	2.6	87	1	WITHIN THE MONTH BEFORE ADMISSION
33.0	8.5	289	2	WITHIN THE PAST 12 MONTHS
57.0	14.8	499	3	MORE THAN 1 YEAR AGO
	73.7	2,491	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 104-105

AB7E_M	MONTHS AGO LAST EXPELLED FROM SCHOOL
---------------	---

When was the last time you were expelled from school?
(recode)

3,382 cases (Range of valid codes: 0-174)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2526-2528

AB8	SKIP SCHOOL AT LEAST TWICE IN 1 YEAR
------------	---

Did you ever skip school or play hooky at least twice in
1 year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	90.3	3,055	1	YES
9.4	9.4	318	2	NO
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 106-107

AB8A SKIPPED SCHOOL LAST YEAR OR BEFORE THAT

Was that only in your last year in school or before that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	17.6	594	1	LAST YEAR ONLY
80.5	72.6	2,457	2	BEFORE LAST YEAR
	9.3	316	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 108-109

AB8B SKIPPED 5 DAYS A YR IN 2 SCHOOL YRS

Did you skip school or play hooky as much as 5 days a year in at least 2 school years, not counting your last year in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	66.4	2,244	1	YES
9.7	7.1	240	2	NO
	26.1	883	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 110-111

AB8C**AGE WHEN YOU FIRST SKIPPED SCHOOL**

How old were you when you first skipped school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	10	5	
0.8	0.6	19	6	
1.5	1.1	36	7	
2.7	2.0	66	8	
3.8	2.7	93	9	
5.9	4.3	146	10	
9.4	6.8	231	11	
18.7	13.6	460	12	
22.3	16.2	548	13	
18.9	13.7	465	14	
10.3	7.5	252	15	
3.3	2.4	80	16	
0.3	0.2	8	17	
0.0	0.0	1	18	
1.5	1.1	37	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.1	0.1	2	95	DON'T KNOW, BUT 15 OR OLDER
	26.1	882	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
	0.1	3	-5	BAD DATA
	0.7	23	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 112-113

AB9**12 MONTHS BEFORE PROGRAM ENROLLED TEC/VOC SCHOOL**

In the 12 months before admission to this program, were you enrolled in any vocational or technical schools, colleges, or other schools, or were you receiving any job training or skills development?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	15.5	524	1	YES
84.5	84.3	2,852	2	NO
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 114-115

AB10 HAVE YOU EVER HAD A DRIVER'S LICENSE

Have you ever had a driver's license?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.1	408	1	YES
87.9	87.9	2,974	2	NO
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Column: 116

AB10A AT ADMISSION WAS DRIVER'S LICENSE VALID

At the time you were admitted, was your driver's license valid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.8	10.3	350	1	YES
14.2	1.7	58	2	NO
	87.9	2,972	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 117-118

AB10B AT ADMISSION WAS DRIVER'S LICENSE

At the time you were admitted, was your driver's license . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	0.2	7	1	EXPIRED
67.8	1.2	40	2	SUSPENDED
20.3	0.4	12	3	REVOKED
	98.2	3,321	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 119-120

AB11

AT ADMISSION WAS VEHICLE AVAILABLE TO YOU

At the time you were admitted to this program, was there a dependable vehicle, such as a car, truck, or motorcycle, available for (you/your household) to use . . .?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.8	41.7	1,411	0	NONE
6.0	6.0	202	1	SOME
52.2	52.2	1,764	2	ALL OF THE TIME
	0.1	2	-8	MISSING
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 121-122

ADMISSION

AC1 FIRST TIME ADMITTED TO THIS PROGRAM

Next, I'd like to know something about your current contacts with this program. Is this the first time you have been admitted to this program for treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	91.0	3,078	1	YES
6.2	6.1	205	2	NO
	2.9	99	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 123-124

AC1A1 MONTH APPLIED FOR CURRENT ADMISSION

When did you first apply for admission to this program (this time)?

_____ MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	22.3	753	1	JAN. - MARCH
25.0	23.2	784	2	APR. - JUNE
23.1	21.4	725	3	JULY - SEPT.
27.8	25.8	873	4	OCT. - DEC.
	0.3	11	-8	MISSING
	0.1	3	-5	BAD DATA
	6.8	230	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 125-126

AC1A3**YEAR APPLIED FOR CURRENT ADMISSION**

When did you first apply for admission to this program
(this time)?

```

_____ YEAR

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
  0.0    0.0      1    91
  3.0    2.8     96    93
 46.1   43.2  1,461    94
 50.8   47.5  1,607    95
  0.0    0.0      1    98
           0.4     12   -8  MISSING
           0.1      5   -5  BAD DATA
           5.8    196   -4  DON'T KNOW
           0.1      3   -3  NOT APPLICABLE
-----
100.0  100.0  3,382 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 127-128

AC1B1**MONTH BEGAN RECEIVING CURRENT TREATMENT**

When did you start receiving treatment at this program
(this time)?

```

_____ MONTH

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
 23.2   23.1     780     1  JAN. - MARCH
 26.2   26.0     880     2  APR. - JUNE
 22.9   22.7     769     3  JULY - SEPT.
 27.6   27.4     927     4  OCT. - DEC.
           0.5     16   -8  MISSING
           0.1      5   -5  BAD DATA
           0.1      5   -4  DON'T KNOW
-----
100.0  100.0  3,382 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 129-130

AC1B3	YEAR BEGAN RECEIVING CURRENT TREATMENT
--------------	---

When did you start receiving treatment at this program
(this time)?

_____ YEAR				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	63	93	
44.6	44.1	1,493	94	
53.5	53.0	1,793	95	
	0.5	17	-8	MISSING
	0.4	12	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 131-132

AC2_1	MOST IMPORTANT REASON ENROLLED-CODE
--------------	--

What was the most important reason you enrolled in
treatment at this time?

3,382 cases (Range of valid codes: 1-91)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 133-134

AC2_1CT**MOST IMPORTANT REASON ENROLLED-CATEGORIZED**

What was the most important reason you enrolled in treatment at this time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	44.4	1,501	1	CHANGE IN ATTITUDE/LIFESTYLE
0.0	0.0	1	2	DRUG AVAILABILITY/QUALITY
15.3	15.3	516	3	FAMILY, FRIENDS, HUSBAND/WIFE, PARTNER
28.0	27.9	942	4	LEGAL REASONS
0.1	0.1	3	5	PERSONAL FINANCES OR COST OF DRUGS
2.0	2.0	66	6	PHYSICAL/MENTAL HEALTH RELATED
6.6	6.5	221	7	WORK/JOB/SCHOOL RELATED
0.5	0.5	18	8	TREATMENT STAFF/CLIENTS
3.0	3.0	101	9	OTHER
	0.1	3	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 135-136

AC2A1**1ST OTHER REASON ENROLLED IN TREATMENT-CODE**

What other reasons did you have for enrolling in treatment at this time?

3,382 cases (Range of valid codes: 11-91)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 137-138

AC2A1CT 1ST OTHER REASON ENROLLED IN TREATMENT-CATEGORIZED

What other reasons did you have for enrolling in treatment at this time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	19.9	672	1	CHANGE IN ATTITUDE/LIFESTYLE
0.0	0.0	0	2	DRUG AVAILABILITY/QUALITY
21.2	10.4	353	3	FAMILY, FRIENDS, HUSBAND/WIFE, PARTNER
17.5	8.6	291	4	LEGAL REASONS
0.4	0.2	6	5	PERSONAL FINANCES OR COST OF DRUGS
5.0	2.5	83	6	PHYSICAL/MENTAL HEALTH RELATED
11.7	5.7	194	7	WORK/JOB/SCHOOL RELATED
0.4	0.2	7	8	TREATMENT STAFF/CLIENTS
3.5	1.7	58	9	OTHER
	50.6	1,712	-8	MISSING
	0.1	2	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 139-140

AC2A2 2ND OTHER REASON ENROLLED IN TREATMENT-CODE

What other reasons did you have for enrolling in treatment at this time?

3,382 cases (Range of valid codes: 2-91)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 141-142

AC2A2CT	2ND OTHER REASON ENROLLED IN TREATMENT-CATEGORIZED
----------------	---

What other reasons did you have for enrolling in treatment at this time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.4	3.8	129	1	CHANGE IN ATTITUDE/LIFESTYLE
0.3	0.0	1	2	DRUG AVAILABILITY/QUALITY
28.8	3.1	105	3	FAMILY, FRIENDS, HUSBAND/WIFE, PARTNER
12.6	1.4	46	4	LEGAL REASONS
1.1	0.1	4	5	PERSONAL FINANCES OR COST OF DRUGS
4.9	0.5	18	6	PHYSICAL/MENTAL HEALTH RELATED
12.9	1.4	47	7	WORK/JOB/SCHOOL RELATED
0.5	0.1	2	8	TREATMENT STAFF/CLIENTS
3.3	0.4	12	9	OTHER
	89.1	3,012	-8	MISSING
	0.1	4	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-2	RESPONSE ILLEGIBLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 143-144

AC2A3	3RD OTHER REASON ENROLLED IN TREATMENT-CODE
--------------	--

What other reasons did you have for enrolling in treatment at this time?

3,382 cases (Range of valid codes: 21-91)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 145-146

AC2A3CT 3RD OTHER REASON ENROLLED IN TREATMENT-CATEGORIZED

What other reasons did you have for enrolling in treatment at this time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	0.7	24	1	CHANGE IN ATTITUDE/LIFESTYLE
0.0	0.0	0	2	DRUG AVAILABILITY/QUALITY
26.8	0.6	19	3	FAMILY, FRIENDS, HUSBAND/WIFE, PARTNER
9.9	0.2	7	4	LEGAL REASONS
0.0	0.0	0	5	PERSONAL FINANCES OR COST OF DRUGS
7.0	0.1	5	6	PHYSICAL/MENTAL HEALTH RELATED
19.7	0.4	14	7	WORK/JOB/SCHOOL RELATED
0.0	0.0	0	8	TREATMENT STAFF/CLIENTS
2.8	0.1	2	9	OTHER
	97.8	3,306	-8	MISSING
	0.1	3	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-2	RESPONSE ILLEGIBLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 147-148

AC3 TREATMENT YOUR IDEA OR SOMEONE ELSE'S

Was coming to treatment your own idea or someone else's idea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.4	25.3	855	1	YOUR OWN IDEA
74.6	74.4	2,517	2	SOMEONE ELSE'S IDEA
	0.2	8	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 149-150

AC3A**WHO MOST IMPORTANT GET YOU IN TREATMENT-CODE**

Who was most important in getting you to come to treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.1	36	0	SELF-REFERRAL
2.2	1.7	57	1	MEDICAL SERVICE
7.7	5.8	197	10	COMMUNITY AGENCY
11.7	8.9	301	20	LEGAL SYSTEM (NOT PROBATION OR PAROLE)
24.5	18.6	628	30	PROBATION AND PAROLE
3.8	2.9	98	40	PRISON SYSTEM
44.3	33.6	1,137	50	FAMILY OR FRIENDS
3.9	2.9	99	60	SCHOOL
0.1	0.1	2	70	EMPLOYER
0.0	0.0	0	80	VETERAN
0.4	0.3	10	90	OTHER
	23.9	808	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 151-152

AC4**SOMEONE ELSE SUGGEST TREATMENT**

Did anyone (else) tell you or suggest that you come to treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	55.2	1,866	1	YES
42.3	40.5	1,369	2	NO
	4.2	141	-8	MISSING
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 153-154

AC4A1	WHO ELSE SUGGESTED IT-2ND SOURCE CODE
--------------	--

Who (else) suggested it? Second source

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	9	0	SELF-REFERRAL
4.9	2.9	98	1	MEDICAL SERVICE
12.5	7.4	250	10	COMMUNITY AGENCY
5.3	3.1	106	20	LEGAL SYSTEM (NOT PROBATION OR PAROLE)
12.9	7.7	259	30	PROBATION AND PAROLE
1.3	0.8	26	40	PRISON SYSTEM
51.8	30.8	1,040	50	FAMILY OR FRIENDS
9.9	5.9	198	60	SCHOOL
0.3	0.2	6	70	EMPLOYER
0.0	0.0	0	80	VETERAN
0.7	0.4	14	90	OTHER
	40.4	1,365	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 155-156

AC4A2	WHO ELSE SUGGESTED IT-3RD SOURCE CODE
--------------	--

Who (else) suggested it? Third source

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	0	SELF-REFERRAL
5.6	0.8	26	1	MEDICAL SERVICE
12.6	1.7	59	10	COMMUNITY AGENCY
5.6	0.8	26	20	LEGAL SYSTEM (NOT PROBATION OR PAROLE)
13.1	1.8	61	30	PROBATION AND PAROLE
0.0	0.0	0	40	PRISON SYSTEM
51.6	7.1	241	50	FAMILY OR FRIENDS
10.7	1.5	50	60	SCHOOL
0.0	0.0	0	70	EMPLOYER
0.0	0.0	0	80	VETERAN
0.4	0.1	2	90	OTHER
	40.4	1,368	-9	LEGITIMATE NONRESPONSE
	45.7	1,547	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 157-158

AC5	YOU/SOMEONE ELSE ARRANGE THIS ADMISSION
------------	--

Did you arrange for admission to this program yourself, or did someone else arrange for your admission to this program (this time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.8	398	1	SELF
88.2	87.8	2,970	2	SOMEONE ELSE
	0.3	10	-8	MISSING
	0.1	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 159-160

AC6	WANTED THIS TREATMENT OR SOME OTHER TYPE
------------	---

What type of treatment program did you want, this type or some other type?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	56.7	1,918	1	WANTED THIS TYPE
23.0	22.6	764	2	DID NOT CARE WHICH TYPE
19.3	19.0	642	3	WANTED ANOTHER TYPE
	0.8	28	-8	MISSING
	0.0	1	-7	REFUSAL
	0.4	13	-5	BAD DATA
	0.4	13	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 161-162

AC6A	TYPE OF DRUG TREATMENT PROGRAM WANTED
-------------	--

What of drug treatment program did you want to go to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.4	12	1	METHADONE MAINTENANCE
2.4	0.5	16	2	THERAPEUTIC COMMUNITY OR RESIDENTIAL
11.1	2.2	73	3	SHORT-TERM INPATIENT
56.4	11.0	372	4	A NON-METHADONE OUTPATIENT
28.3	5.5	187	5	OTHER
	79.1	2,676	-9	LEGITIMATE NONRESPONSE
	1.2	40	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 163-164

AC7	HAVE HEALTH PLAN OR HEALTH INSURANCE
------------	---

Are you covered by a health plan or do you have any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	76.8	2,598	1	YES
16.5	15.2	515	2	NO
	1.0	34	-8	MISSING
	6.9	235	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 165-166

AC7A_2**HAVE PRIVATE INSURANCE**

What type of health plan or insurance do you have?

Other private insurance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.0	710	2	CIRCLED
	15.2	514	-9	LEGITIMATE NONRESPONSE
	51.4	1,738	-8	MISSING
	0.0	1	-5	BAD DATA
	12.4	419	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 167-168

AC7A_3**HAVE HEALTH PLAN (HMO, PPO)**

What type of health plan or insurance do you have?

Health plan (HMO, PPO)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.4	385	3	CIRCLED
	15.2	515	-9	LEGITIMATE NONRESPONSE
	61.0	2,062	-8	MISSING
	0.0	1	-5	BAD DATA
	12.4	419	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 169-170

AC7A_4	HAVE MEDICAID OR MEDICAL ASSISTANCE
---------------	--

What type of health plan or insurance do you have?

Medicaid or medical assistance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	29.6	1,001	4	CIRCLED
	15.2	514	-9	LEGITIMATE NONRESPONSE
	42.8	1,447	-8	MISSING
	0.0	1	-5	BAD DATA
	12.4	419	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 171-172

AC7A_5	HAVE MEDICARE
---------------	----------------------

What type of health plan or insurance do you have?

Medicare

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	70	5	CIRCLED
	15.2	515	-9	LEGITIMATE NONRESPONSE
	70.3	2,377	-8	MISSING
	0.0	1	-5	BAD DATA
	12.4	419	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 173-174

AC7A_6**HAVE CHAMPUS/CHAMPVA, VA/MILITARY CARE**

What type of health plan or insurance do you have?

Champus, or ChampVA, The VA, or Military health care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	14	6	CIRCLED
	15.2	515	-9	LEGITIMATE NONRESPONSE
	71.9	2,433	-8	MISSING
	0.0	1	-5	BAD DATA
	12.4	419	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 175-176

AC7A_7**HAVE OTHER HEALTH PLAN**

What type of health plan or insurance do you have?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.7	158	7	CIRCLED
	15.2	513	-9	LEGITIMATE NONRESPONSE
	67.6	2,286	-8	MISSING
	0.0	1	-5	BAD DATA
	12.5	424	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 177-178

AC7B PLAN IN YOUR NAME OR OTHER FAMILY MEMBER

Is the coverage in your own name or in the name of some other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	30.2	1,022	1	OWN NAME
58.3	42.2	1,427	2	OTHER FAMILY MEMBER
	15.2	514	-9	LEGITIMATE NONRESPONSE
	4.1	138	-8	MISSING
	0.1	3	-6	MULTIPLE RESPONSE
	8.2	278	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 179-180

AC7C ARE COSTS COVERED BY INSURANCE/PLAN

Are any costs of drug treatment covered by this health plan or insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.2	55.7	1,885	1	YES
13.4	8.7	293	2	NO
0.4	0.2	8	3	PROGRAM CHARGES NO FEE
	15.2	513	-9	LEGITIMATE NONRESPONSE
	3.8	128	-8	MISSING
	16.4	555	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 181-182

AC7D	COST OF TREATMENT INSURANCE WILL COVER
-------------	---

About how much of the costs of your drug treatment will your health plan or insurance cover?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.2	8	0	NONE
1.7	0.8	28	1	LESS THAN HALF
11.5	5.4	184	2	HALF OR MORE
86.3	40.9	1,382	3	ALL
0.0	0.0	0	4	(IF VOL:) PROGRAM CHARGES NO FEES
	23.9	808	-9	LEGITIMATE NONRESPONSE
	8.5	289	-8	MISSING
	0.0	1	-5	BAD DATA
	20.2	682	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 183-184

AC7E	EXCLUDING INSURANCE PRIMARY TREATMENT FUNDS
-------------	--

(Excluding your health plan or insurance coverage), what will be your primary source of funds to pay for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	1.3	44	1	SELF PAY (YOUR MONEY)
54.0	18.9	640	2	FAMILY, RELATIVES
0.0	0.0	0	3	WORKER'S COMPENSATION
42.3	14.8	502	4	OTHER (SPECIFY)
	41.0	1,386	-9	LEGITIMATE NONRESPONSE
	3.9	133	-8	MISSING
	0.1	4	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	19.8	671	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 185-186

AC8_0 **WHEN ADMITTED NO CRIMINAL STATUS**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

No -> Go To C10

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	44.2	1,496	0	CIRCLED
	55.5	1,877	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 187-188

AC8_1 **WHEN ADMITTED ON PROBATION**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Probation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	38.7	1,310	1	CIRCLED
	44.2	1,496	-9	LEGITIMATE NONRESPONSE
	16.8	569	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 189-190

AC8_2**WHEN ADMITTED ON PAROLE**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Parole

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	62	2	CIRCLED
	44.2	1,496	-9	LEGITIMATE NONRESPONSE
	53.7	1,817	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 191-192

AC8_3**WHEN ADMITTED AWAITING TRIAL**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention: Awaiting trial

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.9	131	3	CIRCLED
	44.2	1,496	-9	LEGITIMATE NONRESPONSE
	51.7	1,748	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 193-194

AC8_4	WHEN ADMITTED AWAITING SENTENCING
--------------	--

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention: Awaiting sentencing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.8	161	4	CIRCLED
	44.2	1,496	-9	LEGITIMATE NONRESPONSE
	50.8	1,718	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 195-196

AC8_5	WHEN ADMITTED SERVING A SENTENCE
--------------	---

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention: Serving a sentence

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	134	5	CIRCLED
	44.2	1,496	-9	LEGITIMATE NONRESPONSE
	51.6	1,745	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 197-198

AC8_6**WHEN ADMITTED ON BAIL AWAITING TRIAL**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending: On bail awaiting trial

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	77	6	CIRCLED
	44.2	1,496	-9	LEGITIMATE NONRESPONSE
	53.3	1,802	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 199-200

AC8_7**WHEN ADMITTED ON BAIL AWAITING SENTENCING**

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending: On bail awaiting sentencing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	32	7	CIRCLED
	44.2	1,496	-9	LEGITIMATE NONRESPONSE
	54.6	1,847	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 201-202

AC8_8	WHEN ADMITTED RELEASED/CASE PENDING
--------------	--

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending: Released on own recognizance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.0	237	8	CIRCLED
	44.2	1,496	-9	LEGITIMATE NONRESPONSE
	48.6	1,642	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 203-204

AC8_9	WHEN ADMITTED ON OTHER STATUS
--------------	--------------------------------------

When you were admitted to this program, were you on probation, on parole, in jail or detention, or did you have any pending criminal (or juvenile justice system) charges or cases against you?

Case pending: Other status

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	55.4	1,873	9	CIRCLED
	44.2	1,496	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 205-206

AC9**AUTHORITIES AWARE OF YOUR DRUG PROBLEM**

Were any criminal (juvenile) justice authorities, such as a judge, a probation officer, or a parole officer, aware of your drug problem before you entered this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	45.3	1,532	1	YES
15.8	8.8	296	2	NO
2.6	1.4	48	3	UNCERTAIN
	44.0	1,489	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 207-208

AC9A**ADMISSION REQUIRED/SUGGESTED BY JUSTICE SYSTEM**

Was your admission to this program actually required or suggested by the criminal (juvenile) justice system (i.e., courts or correctional authorities)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	39.0	1,320	1	YES
14.5	6.6	223	2	NO
	54.0	1,827	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.0	1	-7	REFUSAL

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 209-210

AC9B WAS IT REQUIRED OR SUGGESTED?

Was it required or suggested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.5	30.0	1,016	1	REQUIRED, STIPULATED
23.5	9.2	312	2	SUGGESTED, ENCOURAGES
	60.6	2,048	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 211-212

AC9C ENTERED DRUG TREATMENT W/OUT PRESSURE

Do you think you would have entered drug treatment at this time, without pressure from the criminal (juvenile) justice authorities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	11.4	385	1	YES
70.9	27.7	937	2	NO
	60.6	2,048	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	7	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 213-214

AC9D	DRUG TESTING BY CRIMINAL JUSTICE SYSTEM
-------------	--

Will anyone from the criminal (juvenile) justice system be testing you for drug use or reviewing the results from drug tests that you may have?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	25.2	853	1	YES
40.8	17.4	589	2	NO
	54.0	1,827	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
	0.0	1	-7	REFUSAL
	3.1	106	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 215-216

AC9E	RESULT IF TESTS SHOW DRUG USE
-------------	--------------------------------------

What will happen if your tests show drug use?
 [CIRCLE THE ONE MOST SERIOUS CONSEQUENCE.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	3.2	109	1	NOTHING/I WILL BE GIVEN ANOTHER CHANGE
6.4	1.3	45	2	GIVEN A TECHNICAL VIOLATION
5.8	1.2	41	3	INCREASED SUPERVISION OR MONITORING
54.7	11.4	386	4	RETURNED TO (JAIL/PRISON)
17.7	3.7	125	5	OTHER (SPECIFY)
	71.4	2,414	-9	LEGITIMATE NONRESPONSE
	1.2	42	-8	MISSING
	0.0	1	-7	REFUSAL
	6.4	218	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 217-218

AC10 METHOD OF GETTING TO TREATMENT PROGRAM

How do you plan to get to this treatment program for counseling? [CIRCLE THE MOST FREQUENT METHOD.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	75.8	2,562	0	LIVING AT THE TREATMENT FACILITY
0.5	0.5	16	1	WALK
1.0	1.0	35	2	DRIVE
9.9	9.8	333	3	PUBLIC TRANSPORTATION
5.9	5.8	197	4	RIDE FROM FAMILY/FRIEND
0.2	0.2	8	5	TAXI CAB
5.7	5.7	193	6	PROGRAM WILL PROVIDE TRANSPORTATION
0.4	0.4	14	7	OTHER (SPECIFY)
	0.5	16	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	7	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 219-220

AC11 CHANCES TO REDUCE/QUIT DRUG USE

What do you think your chances are of greatly reducing or quitting your use of drugs because of this treatment? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.9	200	1	POOR
18.2	17.5	593	2	FAIR
35.9	34.6	1,171	3	GOOD
39.8	38.4	1,297	4	VERY GOOD
	1.0	33	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	11	-5	BAD DATA
	1.1	36	-4	DON'T KNOW
	1.2	39	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 221-222

ALCOHOL AND TOBACCO USE

AD1

AGE WHEN HAD MORE THAN SIP OF ALCOHOL

Now, I'd like to ask about your use of alcoholic beverages, including beer, wine, and hard liquor, such as whiskey and mixed drinks. How old were you when you first had more than a sip of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	8.5	288	0	NEVER
0.2	0.2	8	1	
0.4	0.4	13	2	
0.6	0.6	19	3	
0.7	0.7	25	4	
1.5	1.5	52	5	
2.0	2.0	68	6	
2.6	2.6	89	7	
3.4	3.4	115	8	
4.0	4.0	136	9	
6.7	6.7	225	10	
9.3	9.3	313	11	
16.6	16.5	559	12	
17.3	17.2	583	13	
13.4	13.3	451	14	
8.5	8.4	285	15	
3.2	3.1	106	16	
0.9	0.9	29	17	
0.0	0.0	1	18	
	0.1	4	-8	MISSING
	0.0	1	-5	BAD DATA
	0.4	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 223-224

AD1A	AGE HAD ALCOHOL ONCE A MONTH FOR 6 MONTHS/MORE
-------------	---

How old were you when you first had any beer, wine, or other alcohol at least once a month for 6 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	21.3	722	0	NEVER
0.0	0.0	1	3	
0.1	0.1	2	4	
0.1	0.1	2	5	
0.2	0.2	6	6	
0.3	0.2	8	7	
0.7	0.7	23	8	
1.2	1.1	38	9	
2.4	2.2	74	10	
5.0	4.5	153	11	
11.5	10.5	354	12	
17.5	16.0	541	13	
16.8	15.3	518	14	
11.9	10.9	368	15	
6.0	5.4	184	16	
1.7	1.5	51	17	
0.2	0.2	7	18	
0.9	0.9	29	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.3	0.2	8	95	DON'T KNOW, BUT 15 OR OLDER
	8.3	281	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.1	2	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 225-226

AD2	MOST NUMBER OF DRINKS HAD IN ONE DAY
------------	---

What is the most number of drinks that you've ever drunk in 1 day? By a drink, we mean a can or bottle of beer, a glass of wine or champagne, a wine cooler, a shot glass of hard liquor, or a mixed drink like a glass of gin and tonic.

3,382 cases (Range of valid codes: 0-288)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 227-229

AD2A	AGE WHEN HAD MOST # OF DRINKS IN ONE DAY
-------------	---

How old were you when you first had as much as (NUMBER OF DRINKS FROM D2) in 1 day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	3	
0.0	0.0	1	6	
0.1	0.1	2	7	
0.1	0.1	2	8	
0.2	0.1	4	9	
0.8	0.5	18	10	
1.3	0.9	31	11	
5.5	3.8	129	12	
14.5	10.1	342	13	
24.3	16.9	571	14	
24.7	17.1	580	15	
19.5	13.5	458	16	
7.4	5.1	174	17	
1.7	1.2	39	18	
	29.9	1,012	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 230-231

AD2B	LAST TIME HAD THAT MUCH TO DRINK
-------------	---

When was the last time you had that much to drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	20.8	703	1	WITHIN THE MONTH BEFORE ADMISSION
46.0	31.9	1,078	2	WITHIN THE PAST 12 MONTHS
24.0	16.6	562	3	MORE THAN 1 YEAR AGO
	30.0	1,013	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 232-233

AD2B_M	MONTHS AGO LAST HAD THAT MUCH TO DRINK
---------------	---

When was the last time you had that much to drink?
(recode)

3,382 cases (Range of valid codes: 0-70)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2529-2530

AD3	>=5 DRINKS 1 DAY A WEEK FOR 2 MONTHS/MORE
------------	---

Has there ever been a couple of months or more when at least 1 day a week you drank 5 or more drinks, bottles of beer, or glasses of wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	35.5	1,199	1	YES
49.0	34.0	1,150	2	NO
	29.8	1,009	-9	LEGITIMATE NONRESPONSE
	0.6	21	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 234-235

AD3A**AGE WHEN FIRST DRANK THAT MUCH**

How old were you when you first drank that much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	7	
0.4	0.1	5	8	
0.3	0.1	4	9	
1.3	0.4	15	10	
2.3	0.8	27	11	
6.4	2.3	77	12	
16.9	6.0	203	13	
25.1	8.9	301	14	
24.1	8.5	289	15	
16.9	6.0	202	16	
4.8	1.7	58	17	
1.3	0.4	15	18	
0.1	0.0	1	19	
	63.8	2,157	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 236-237

AD3B**WHEN DRANK 5/MORE DRINKS ONCE A WEEK**

When did you last drink 5 or more drinks at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	18.0	610	1	WITHIN THE MONTH BEFORE ADMISSION
36.1	12.7	429	2	WITH THE PAST YEAR
12.6	4.4	150	3	MORE THAN 1 YEAR AGO
	63.7	2,155	-9	LEGITIMATE NONRESPONSE
	1.0	34	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 238-239

AD3B_M	MONTHS AGO LAST DRANK 5 DRINKS/WEEK
---------------	--

When did you last drink 5 or more drinks at least once a week? (recode)

3,382 cases (Range of valid codes: 0-175)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2531-2533

AD4	2 WEEK PERIOD EVERY DAY HAD >=5 DRINKS
------------	--

Has there ever been a period of 2 weeks when every day you were drinking at least 5 drinks-that could include beers, glasses of wine, or drinks containing any kind of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	15.3	518	1	YES
57.6	20.8	703	2	NO
	63.1	2,133	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 240-241

AD4A	AGE 1ST HAD 2 WK PERIOD DRANK THAT MUCH
-------------	--

How old were you when you first had a period of 2 straight weeks when you drank at least that much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	3	8	
0.6	0.1	3	9	
1.4	0.2	7	10	
1.0	0.1	5	11	
5.2	0.8	27	12	
10.8	1.7	56	13	
21.8	3.3	113	14	
26.8	4.1	139	15	
23.2	3.5	120	16	
6.8	1.0	35	17	
1.9	0.3	10	18	
	83.8	2,835	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 242-243

AD4B	LAST PERIOD WHEN DRINK AT LEAST THAT MUCH
-------------	--

When did you last have a period when you drank at least that much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	6.2	211	1	WITHIN THE MONTH BEFORE ADMISSION
44.3	6.7	228	2	WITHIN THE PAST 12 MONTHS
14.8	2.2	76	3	MORE THAN 1 YEAR AGO
	83.8	2,835	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 244-245

AD4B_M	MONTHS AGO LAST DRANK 5 DRINKS/DAY/2 WKS
---------------	---

When did you last have a period when you drank at least that much? (recode)

3,382 cases (Range of valid codes: 0-56)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2534-2535

AD5	HAVE YOU EVER BEEN DRUNK?
------------	----------------------------------

Have you ever been drunk?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	80.0	2,706	1	YES
12.3	11.3	381	2	NO
	8.4	284	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 246-247

AD5A**AGE WHEN FIRST GOT DRUNK**

How old were you when you first got drunk?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	
0.0	0.0	1	2	
0.1	0.1	3	3	
0.2	0.1	5	4	
0.4	0.3	11	5	
0.8	0.7	22	6	
0.9	0.7	24	7	
1.6	1.3	44	8	
2.1	1.7	56	9	
3.7	3.0	101	10	
7.2	5.8	196	11	
15.5	12.4	418	12	
23.3	18.6	629	13	
21.6	17.3	585	14	
13.2	10.6	358	15	
7.2	5.7	194	16	
1.7	1.4	46	17	
0.3	0.3	9	18	
	19.5	658	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 248-249

AD6**EVER DRUNK FOR SEVERAL DAYS IN A ROW**

Have you ever been drunk for several days in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	22.8	772	1	YES
71.6	57.5	1,945	2	NO
	19.3	654	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 250-251

AD7 DURING 12 MONTHS BEFORE ADMISSION # DAYS DRUNK

On how many days were you drunk during the 12 months before admission?

3,382 cases (Range of valid codes: 0-365)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 252-254

AD8 FREQUENCY DRANK ALCOHOL 12 MONTHS BEFORE ADMISSION

In the 12 months before admission, (on the average) how often did you drink any alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	8.3	282	0	DID NOT DRINK BEER/WINE OR LIQUOR
24.0	21.8	738	1	LESS THAN 1 DAY A MONTH
21.5	19.5	661	2	1 TO 3 DAYS A MONTH
20.6	18.7	633	3	1 TO 2 DAYS A WEEK
12.2	11.1	375	4	3 TO 4 DAYS A WEEK
3.4	3.1	104	5	5 TO 6 DAYS A WEEK
5.9	5.4	183	6	DAILY OR ALMOST EVERY DAY
1.7	1.5	52	7	2 TO 3 TIMES A DAY
1.7	1.5	52	8	4 OR MORE TIMES A DAY
	8.4	284	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 255-256

AD8A AVERAGE # OF DRINKS IN 24 HRS PAST YEAR

On days when you drank alcohol in the past year, about how many drinks did you usually have in a single day? Please count drinks as shown on this card. [CARD 6]

3,382 cases (Range of valid codes: 0-60)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 257-258

AD9

TIME LAST DRANK ALCOHOL BEFORE ADMISSION

When did you last drink any alcohol before you were admitted to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	47.5	1,608	1	WITHIN THE MONTH BEFORE ADMISSION
40.8	33.7	1,139	2	WITHIN THE PAST 12 MONTHS
1.6	1.3	45	3	MORE THAN ONE YEAR AGO
	16.6	562	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-5	BAD DATA
	0.2	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 259-260

AD9_M	MONTHS AGO LAST DRANK ANY ALCOHOL
--------------	--

When did you last drink any alcohol before you were admitted to this program? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	47.5	1,608	0	
1.8	1.4	49	1	
13.3	10.9	370	2	
8.2	6.7	228	3	
5.1	4.2	142	4	
3.3	2.7	91	5	
3.4	2.8	96	6	
1.5	1.3	43	7	
1.6	1.3	44	8	
0.9	0.7	25	9	
0.9	0.7	25	10	
1.2	1.0	33	11	
0.3	0.3	9	12	
0.0	0.0	1	13	
0.1	0.1	2	14	
0.1	0.1	2	16	
0.1	0.1	3	17	
0.1	0.1	4	18	
0.0	0.0	1	20	
0.1	0.1	2	21	
0.0	0.0	1	23	
0.0	0.0	1	24	
0.1	0.1	2	28	
0.1	0.1	2	29	
0.0	0.0	1	30	
0.0	0.0	1	36	
0.0	0.0	1	43	
0.0	0.0	1	49	
	16.6	562	-9	LEGITIMATE NONRESPONSE
	0.9	32	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2536-2537

AD9A

HOW OFTEN DID YOU DRINK BEER?

Around that time, how often did you drink beer?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	10.9	368	0	NEVER
23.3	19.3	653	1	LESS THAN 1 DAY A MONTH
22.0	18.2	616	2	1 TO 3 DAYS A MONTH
19.3	16.0	541	3	1 TO 2 DAYS A WEEK
10.4	8.6	291	4	3 TO 4 DAYS A WEEK
3.0	2.5	85	5	5 TO 6 DAYS A WEEK
6.3	5.2	177	6	DAILY OR ALMOST EVERY DAY
1.1	0.9	30	7	2 TO 3 TIMES A DAY
1.4	1.2	39	8	4 OR MORE TIMES A DAY
	16.6	563	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 261-262

AD9B	# OF DRINKS OF BEER ON AN AVERAGE DAY
-------------	--

About how much beer did you drink on an average day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	3.4	114	0	
11.3	8.0	271	1	
13.3	9.4	319	2	
14.8	10.5	355	3	
10.3	7.3	246	4	
7.0	5.0	168	5	
14.1	10.0	337	6	
3.5	2.5	84	7	
5.3	3.8	127	8	
1.7	1.2	40	9	
3.7	2.6	89	10	
0.3	0.2	7	11	
5.7	4.0	136	12	
0.1	0.1	2	13	
0.3	0.2	6	14	
1.3	0.9	30	15	
0.3	0.2	7	16	
0.1	0.1	2	17	
0.2	0.1	4	18	
0.7	0.5	17	20	
1.3	0.9	30	24	
0.0	0.0	1	25	
0.0	0.0	1	26	
0.0	0.0	1	30	
0.0	0.0	1	35	
0.0	0.0	1	36	
0.0	0.0	1	44	
0.0	0.0	1	48	
	27.4	928	-9	LEGITIMATE NONRESPONSE
	1.3	45	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 263-264

AD9C

HOW OFTEN DID YOU DRINK WINE?

Around that time, how often did you drink wine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	60.9	2,060	0	NEVER
13.9	11.4	387	1	LESS THAN 1 DAY A MONTH
6.2	5.1	172	2	1 TO 3 DAYS A MONTH
3.9	3.2	109	3	1 TO 2 DAYS A WEEK
1.1	0.9	32	4	3 TO 4 DAYS A WEEK
0.1	0.1	4	5	5 TO 6 DAYS A WEEK
0.6	0.5	18	6	DAILY OR ALMOST EVERY DAY
0.2	0.1	5	7	2 TO 3 TIMES A DAY
0.0	0.0	1	8	4 OR MORE TIMES A DAY
	16.6	562	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 265-266

AD9D	# OF DRINKS OF WINE ON AN AVERAGE DAY
-------------	--

About how much wine did you drink on an average day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	2.2	74	0	
24.0	5.2	176	1	
17.5	3.8	128	2	
13.0	2.8	95	3	
8.2	1.8	60	4	
4.5	1.0	33	5	
13.8	3.0	101	6	
1.0	0.2	7	7	
0.7	0.1	5	8	
0.3	0.1	2	9	
1.8	0.4	13	10	
3.4	0.7	25	12	
0.1	0.0	1	15	
0.4	0.1	3	18	
0.7	0.1	5	20	
0.7	0.1	5	24	
	77.2	2,612	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 267-268

AD9E

HOW OFTEN DID YOU DRINK LIQUOR?

Around that time, how often did you drink liquor,
including whiskey and mixed drinks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.4	30.9	1,044	0	NEVER
20.3	16.8	567	1	LESS THAN 1 DAY A MONTH
17.4	14.4	487	2	1 TO 3 DAYS A MONTH
12.4	10.2	346	3	1 TO 2 DAYS A WEEK
6.4	5.3	180	4	3 TO 4 DAYS A WEEK
1.9	1.5	52	5	5 TO 6 DAYS A WEEK
2.9	2.4	80	6	DAILY OR ALMOST EVERY DAY
0.7	0.6	20	7	2 TO 3 TIMES A DAY
0.6	0.5	18	8	4 OR MORE TIMES A DAY
	16.6	562	-9	LEGITIMATE NONRESPONSE
	0.7	22	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 269-270

AD9F	# OF DRINKS OF LIQUOR ON AN AVERAGE DAY
-------------	--

About how much liquor did you drink on an average day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	2.6	87	0	
11.4	5.9	198	1	
15.2	7.8	265	2	
11.9	6.1	207	3	
9.7	5.0	169	4	
8.2	4.2	142	5	
12.0	6.2	209	6	
1.8	0.9	32	7	
2.9	1.5	50	8	
1.1	0.6	19	9	
4.9	2.5	86	10	
0.5	0.2	8	11	
7.3	3.8	127	12	
0.3	0.1	5	13	
0.1	0.0	1	14	
1.2	0.6	21	15	
0.3	0.1	5	16	
0.1	0.0	1	17	
0.3	0.2	6	18	
3.5	1.8	60	20	
0.1	0.1	2	21	
1.3	0.7	22	24	
0.1	0.0	1	25	
0.1	0.0	1	26	
0.1	0.0	1	28	
0.3	0.1	5	30	
0.1	0.0	1	34	
0.1	0.0	1	36	
0.1	0.0	1	40	
0.1	0.0	1	48	
0.1	0.1	2	50	
0.1	0.1	2	96	
	47.5	1,605	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.1	2	-5	BAD DATA
	0.3	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 271-272

AD10	PERIOD DRINK MORE THAN 12MONTHS BEFORE ADMISSION
-------------	---

Has there ever been a period in your life when you drank more than you did during the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	17.4	588	1	YES
80.9	73.6	2,488	2	NO
	8.4	283	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.1	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 273-274

AD10A	FREQUENCY OF DRINKING WHEN DRINKING MOST
--------------	---

Think about the period of time when you were drinking most (heaviest), how frequently did you drink?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	1.7	56	1	LESS THAN 1 DAY A MONTH
13.8	2.4	82	2	1 TO 3 DAYS A MONTH
18.2	3.2	108	3	1 TO 2 DAYS A WEEK
18.4	3.2	109	4	3 TO 4 DAYS A WEEK
9.6	1.7	57	5	5 TO 6 DAYS A WEEK
20.2	3.5	120	6	DAILY OR ALMOST EVERY DAY
3.7	0.7	22	7	2 TO 3 TIMES A DAY
6.6	1.2	39	8	4 OR MORE TIMES A DAY
	81.8	2,768	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 275-276

AD10B	PERIOD OF MOST DRINKING # DRINKS A DAY
--------------	---

During that period when you were drinking the most, about how many drinks would you usually have in a single day?

3,382 cases (Range of valid codes: 0-64)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 277-278

AD10C	AGE WHEN 1ST DRANK THAT # DRINKS IN 1 DAY
--------------	--

How old were you when you first drank that many drinks in a single day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	3	
0.3	0.1	2	6	
0.2	0.0	1	7	
0.5	0.1	3	8	
0.5	0.1	3	9	
1.0	0.2	6	10	
2.4	0.4	14	11	
7.8	1.4	46	12	
18.9	3.3	112	13	
30.2	5.3	179	14	
20.9	3.7	124	15	
14.0	2.5	83	16	
2.9	0.5	17	17	
0.3	0.1	2	18	
0.0	0.0	0	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.0	0.0	0	95	DON'T KNOW, BUT 15 OR OLDER
	81.8	2,767	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 279-280

AD10D**LAST TIME DRANK THAT MANY DRINKS IN 1 DAY**

When did you last drink that many drinks in a single day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	3.5	117	1	WITHIN THE MONTH BEFORE ADMISSION
32.3	5.6	189	2	WITHIN THE PAST 12 MONTHS
47.8	8.3	280	3	MORE THAN 1 YEAR AGO
	81.8	2,768	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 281-282

AD10D_M**MONTHS AGO LAST DRANK HEAVIEST**

When did you last drink that many drinks in a single day?
(recode)

3,382 cases (Range of valid codes: 0-78)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2538-2539

AD11

12MNNTS BEFORE ADMISSION BOTHERED BY ALCOHOL PROBLEM

How troubled or bothered were you in the 12 months before admission by any alcohol problem you may have had? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	65.5	2,214	0	NOT AT ALL
19.6	17.8	603	1	SOMEWHAT
8.5	7.7	261	2	VERY MUCH
	8.4	283	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 283-284

AD12**IMPORTANCE OF TREATMENT FOR ALCOHOL PROBLEM**

How important to you now is treatment or counseling for your alcohol problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	51.5	1,741	0	NOT AT ALL
16.3	14.8	500	1	SOMEWHAT
27.1	24.6	832	2	VERY MUCH
	8.4	283	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
	0.1	3	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 285-286

AD13**OTHER TREATMENT FOR ALCOHOL PROBLEM**

Now, I'd like to ask you about your experience with alcohol treatment programs. Not counting treatment you have received since admission to this program (this time), had you ever received any treatment that was primarily for an alcohol problem? Please do not include Alcoholics Anonymous (AA).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	6.5	220	1	YES
92.9	84.7	2,864	2	NO
	8.4	283	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 287-288

AD13A	AGE WHEN ENTERED ALCOHOL PROBLEM TREATMENT
--------------	---

How old were you the first time you entered a treatment program that was primarily for an alcohol problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.1	4	11	
4.1	0.3	9	12	
14.5	0.9	32	13	
20.5	1.3	45	14	
24.1	1.6	53	15	
25.5	1.7	56	16	
7.7	0.5	17	17	
1.8	0.1	4	18	
0.0	0.0	0	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.0	0.0	0	95	DON'T KNOW, BUT 15 OR OLDER
	93.0	3,146	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 289-290

AD14A	#TIMES AT SHORT-TERM INPATIENT TREATMENT UNIT
--------------	--

How many times have you been admitted for treatment primarily for alcohol problems at a 28-day or other short-term inpatient treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	2.2	73	0	
46.9	2.2	76	1	
8.0	0.4	13	2	2 OR MORE TIMES
	93.0	3,145	-9	LEGITIMATE NONRESPONSE
	2.2	75	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 291-292

AD14B**#TIMES AT LONG-TERM INPATIENT TREATMENT UNIT**

How many times have you been admitted for treatment primarily for alcohol problems at a therapeutic community or other long-term residential treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	3.1	105	0	
27.3	1.3	45	1	
9.1	0.4	15	2	2 OR MORE TIMES
	93.0	3,145	-9	LEGITIMATE NONRESPONSE
	2.1	72	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 293-294

AD14C**# TIMES AT A HALF-WAY HOUSE**

How many times have you been admitted for treatment primarily for alcohol problems at a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	3.9	131	0	
4.4	0.2	6	1	1 OR 2 TIMES
	93.0	3,145	-9	LEGITIMATE NONRESPONSE
	3.0	100	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 295-296

AD14D # TIMES AT OUTPATIENT TREATMENT UNIT

How many times have you been admitted for treatment primarily for alcohol problems at an outpatient alcohol treatment unit?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	2.1	70	0	
45.9	2.3	78	1	
12.9	0.7	22	2	2 OR MORE TIMES
	93.0	3,146	-9	LEGITIMATE NONRESPONSE
	1.9	65	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 297-298

AD14E #TIMES AT OTHER TYPE OF ALCOHOL TREATMENT

How many times have you been admitted for treatment primarily for alcohol problems from any other type of alcohol treatment, excluding AA?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	3.6	122	0	
10.4	0.4	15	1	
4.9	0.2	7	2	2 OR MORE TIMES
	93.0	3,145	-9	LEGITIMATE NONRESPONSE
	2.7	93	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 299-300

AD15 #WEEKS SPENT IN ALCOHOL TREATMENT IN LIFE

Altogether, in your life, how many weeks have you spent in treatment primarily for alcohol problems?

3,382 cases (Range of valid codes: 1-160)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 301-303

AD15A

#WKS TREATED IN 12 MONTHS BEFORE ADMISSION

How many weeks were you treated in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	1.6	55	0	
6.8	0.4	15	1	
8.2	0.5	18	2	
7.7	0.5	17	3	
9.1	0.6	20	4	
1.8	0.1	4	5	
5.0	0.3	11	6	
0.5	0.0	1	7	
5.9	0.4	13	8	
0.5	0.0	1	9	
1.8	0.1	4	10	
0.5	0.0	1	11	
8.2	0.5	18	12	
0.9	0.1	2	14	
1.4	0.1	3	16	
0.5	0.0	1	17	
0.9	0.1	2	18	
2.7	0.2	6	20	
2.7	0.2	6	24	
0.9	0.1	2	26	
2.3	0.1	5	28	
1.4	0.1	3	30	
2.3	0.1	5	36	
0.5	0.0	1	37	
0.5	0.0	1	40	
0.5	0.0	1	44	
1.8	0.1	4	52	
	93.0	3,146	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 304-305

AD16 LAST TIME TREATED FOR ALCOHOL PROBLEMS

When was the last time you were treated for alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	1.6	54	1	WITHIN THE MONTH BEFORE ADMISSION
46.8	3.0	103	2	WITHIN THE PAST 12 MONTHS
28.6	1.9	63	3	MORE THAN 1 YEAR AGO
	93.0	3,144	-9	LEGITIMATE NONRESPONSE
	0.5	17	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 306-307

AD16_M MONTHS AGO LAST TREATED ALCOHOL PROBLEMS

When was the last time you were treated for alcohol problems? (recode)

3,382 cases (Range of valid codes: 0-50)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2540-2541

AD16A	WHAT TYPE OF PROGRAM WAS THAT?
--------------	---------------------------------------

What type of program was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	2.0	69	1	SHORT-TERM INPATIENT
19.3	1.2	42	2	LON-TERM RESIDENTIAL
1.8	0.1	4	3	HALFWAY HOUSE
39.4	2.5	86	4	OUTPATIENT
7.8	0.5	17	5	OTHER
	93.0	3,144	-9	LEGITIMATE NONRESPONSE
	0.5	17	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 308-309

AD17	HAVE YOU EVER ATTENDED AA MEETINGS?
-------------	--

Have you ever attended Alcoholics Anonymous or AA meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	23.8	805	1	YES
73.8	67.1	2,269	2	NO
	8.4	283	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 310-311

AD17A	WHEN WAS THE LAST TIME YOU ATTENDED?
--------------	---

When was the last time you attended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	8.8	298	1	WITHIN THE MONTH BEFORE ADMISSION
42.5	10.0	339	2	WITHIN THE PAST 12 MONTHS
20.2	4.8	161	3	MORE THAN 1 YEAR AGO
	75.4	2,551	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 312-313

AD17A_M	MONTHS AGO LAST ATTENDED AA MEETINGS
----------------	---

When was the last time you attended? (recode)

3,382 cases (Range of valid codes: 0-136)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2542-2544

AD17B3	TIME PERIOD ATTENDED AA MEETINGS-WEEKS
---------------	---

What was the longest period of time you attended AA meetings?

_____ WEEKS

3,382 cases (Range of valid codes: 0-780)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 314-316

AD18	ANTABUSE PRESCRIBED FOR ALCOHOL PROBLEM
-------------	--

At any time before admission, did a doctor or program ever prescribe Antabuse for an alcohol problem you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	4	1	YES
99.9	90.3	3,054	2	NO
	8.4	283	-9	LEGITIMATE NONRESPONSE
	1.2	39	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 317-318

AD18A	LAST TIME ANTABUSE PRESCRIBED FOR YOU
--------------	--

When was the last time Antabuse was prescribed for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	WITHIN THE MONTH BEFORE ADMISSION
57.1	0.1	4	2	WITHIN THE PAST 12 MONTHS
42.9	0.1	3	3	MORE THAN 1 YEAR AGO
	98.7	3,337	-9	LEGITIMATE NONRESPONSE
	1.1	37	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 319-320

AD18A_M	MONTHS AGO LAST ANTABUSE PRESCRIBED
----------------	--

When was the last time Antabuse was prescribed for you?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	2	6	
16.7	0.0	1	9	
16.7	0.0	1	13	
16.7	0.0	1	18	
16.7	0.0	1	30	
	98.7	3,337	-9	LEGITIMATE NONRESPONSE
	1.2	39	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2545-2546

AD19	DO YOU CURRENTLY SMOKE CIGARETTES?
-------------	---

Now, I'd like to ask you about your use of tobacco.
 Do you currently smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	81.0	2,740	1	YES
18.8	18.7	634	2	NO
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 321-322

AD19A**HOW MANY CIGARETTES DO YOU SMOKE PER DAY**

About how many cigarettes do you smoke per day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	21.6	729	1	LESS THAN 1/2 PACK A DAY
29.4	23.8	806	2	ABOUT 1/2 PACK A DAY
31.5	25.6	866	3	ABOUT A PACK A DAY
7.4	6.0	204	4	ABOUT 1-1/2 PACKS A DAY
5.1	4.2	141	5	ABOUT 2 PACKS OR MORE A DAY
	18.7	631	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 323-324

AD20_0**NOT USE CIGAR/PIPE SMOKELESS TOBACCO**

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

None

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	88.9	3,005	0	CIRCLED
	11.1	377	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 325-326

AD20_1 DO YOU SMOKE CIGARS?

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Cigars

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.4	184	1	CIRCLED
	88.9	3,005	-9	LEGITIMATE NONRESPONSE
	5.7	193	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 327-328

AD20_2 DO YOU SMOKE A PIPE?

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Pipe

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	30	2	CIRCLED
	88.9	3,005	-9	LEGITIMATE NONRESPONSE
	10.3	347	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 329-330

AD20_3**DO YOU USE SMOKELESS TOBACCO?**

Do you smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

Smokeless tobacco or snuff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.3	213	3	CIRCLED
	88.8	3,004	-9	LEGITIMATE NONRESPONSE
	4.9	165	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 331-332

DRUG USE

AE1 # TIMES IN LIFE USED MARIJUANA/HASH/THC

In this section, I'd like to ask about your use of drugs other than alcohol. About how many times in your life have you used marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	91	0	NEVER
2.2	2.2	74	1	1 OR 2 TIMES
2.6	2.6	89	2	3 TO 5 TIMES
2.5	2.5	84	3	6 TO 10 TIMES
7.9	7.9	268	4	11 TO 49 TIMES
7.6	7.6	256	5	50 TO 99 TIMES
9.7	9.6	326	6	100 TO 199 TIMES
64.8	64.6	2,185	7	200 OR MORE TIMES
	0.1	5	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 333-334

AE1A	AGE FIRST TIME USED IT
-------------	-------------------------------

About how old were you the first time you used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	
0.0	0.0	1	2	
0.1	0.1	3	3	
0.2	0.2	6	4	
0.3	0.3	10	5	
0.4	0.4	14	6	
1.2	1.1	38	7	
1.1	1.0	33	8	
3.0	2.7	92	9	
4.5	4.1	139	10	
8.6	7.9	267	11	
16.6	15.3	517	12	
23.5	21.6	731	13	
21.2	19.5	661	14	
13.2	12.2	411	15	
4.9	4.6	154	16	
1.0	0.9	31	17	
0.1	0.1	4	18	
	7.4	251	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 335-336

AE1B 12 MONTH AVERAGE USE OF MARIJUANA/HASH/THC

On the average, how often did you use marijuana, hashish, or THC in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.5	50	0	NOT USED AT ALL OVER THE PERIOD
3.9	3.6	121	1	LESS THAN ONCE A MONTH
6.7	6.2	210	2	1 - 3 TIMES A MONTH
10.1	9.3	316	3	1 - 2 TIMES A WEEK
13.8	12.7	430	4	3 - 4 TIMES A WEEK
5.9	5.4	183	5	5 - 6 TIMES A WEEK
19.6	18.1	612	6	DAILY OR ALMOST EVERY DAY
11.8	10.9	368	7	2 - 3 TIMES A DAY
26.7	24.7	834	8	4 OR MORE TIMES A DAY
	7.5	252	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 337-338

AE1C FREQUENCY OF HEAVIEST MARIJUANA/HASH USE

Think about the time when you were using it the most (heaviest). About how often were you using it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	1.0	33	1	LESS THAN ONCE A MONTH
7.9	3.3	113	2	1 - 3 TIMES A MONTH
13.5	5.7	193	3	1 - 2 TIMES A WEEK
18.8	8.0	269	4	3 - 4 TIMES A WEEK
10.6	4.5	152	5	5 - 6 TIMES A WEEK
20.2	8.6	290	6	DAILY OR ALMOST EVERY DAY
12.0	5.1	172	7	2 - 3 TIMES A DAY
14.7	6.2	211	8	4 OR MORE TIMES A DAY
	57.3	1,939	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 339-340

AE1D**AGE WHEN FIRST USED IT REGULARLY**

How old were you the first time you used it regularly (at least once a week)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	0	
0.1	0.1	2	5	
0.1	0.1	4	6	
0.1	0.1	4	7	
0.3	0.2	8	8	
0.8	0.7	25	9	
2.0	1.8	60	10	
4.8	4.2	143	11	
11.1	9.8	330	12	
21.7	19.1	645	13	
24.8	21.9	739	14	
19.6	17.3	584	15	
11.8	10.3	350	16	
2.3	2.0	67	17	
0.4	0.4	13	18	
	11.6	393	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 341-342

AE1E**LAST TIME YOU USED IT REGULARLY**

When was the last time you used it regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	60.3	2,038	1	WITHIN THE MONTH BEFORE ADMISSION
25.3	22.1	746	2	WITHIN THE PAST 12 MONTHS
5.4	4.7	160	3	MORE THAN 1 YEAR AGO
	11.6	393	-9	LEGITIMATE NONRESPONSE
	1.1	36	-8	MISSING
	0.1	4	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 343-344

AE1E_M	MONTHS AGO LAST USED MARIJUANA REGULARLY
---------------	---

When was the last time you used it regularly? (recode)

3,382 cases (Range of valid codes: 0-72)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2547-2548

AE1F	MOST RECENT TIME USED MARIJUANA
-------------	--

When was the most recent time you used marijuana?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.9	17.6	596	1	WITHIN THE MONTH BEFORE ADMISSION
50.7	19.9	673	2	WITHIN THE PAST 12 MONTHS
4.4	1.7	58	3	MORE THAN 1 YEAR AGO
	59.7	2,020	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
	0.2	7	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 345-346

AE1F_M	MONTHS AGO LAST USED MARIJUANA
---------------	---------------------------------------

When was the most recent time you used marijuana? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	17.6	596	0	
4.2	1.6	55	1	
18.2	7.1	240	2	
8.5	3.3	112	3	
5.8	2.2	76	4	
4.4	1.7	58	5	
4.3	1.7	57	6	
1.8	0.7	24	7	
1.7	0.7	22	8	
1.1	0.4	14	9	
1.4	0.6	19	10	
1.0	0.4	13	11	
0.2	0.1	2	12	
0.2	0.1	2	13	
0.2	0.1	3	14	
0.1	0.0	1	15	
0.4	0.1	5	16	
0.2	0.1	3	17	
0.1	0.0	1	18	
0.4	0.1	5	19	
0.1	0.0	1	20	
0.2	0.1	2	22	
0.1	0.0	1	23	
0.1	0.0	1	25	
0.2	0.1	3	26	
0.1	0.0	1	27	
0.1	0.0	1	28	
0.1	0.0	1	29	
0.1	0.0	1	34	
0.1	0.0	1	40	
	59.7	2,020	-9	LEGITIMATE NONRESPONSE
	1.2	41	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2549-2550

AE1G	FREQUENCY OF USE AROUND THAT TIME
-------------	--

About how often did you use it around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	5.2	176	1	LESS THAN ONCE A MONTH
9.3	8.6	290	2	1 - 3 TIMES A MONTH
12.2	11.3	381	3	1 - 2 TIMES A WEEK
11.0	10.1	343	4	3 - 4 TIMES A WEEK
4.4	4.1	138	5	5 - 6 TIMES A WEEK
20.2	18.6	629	6	DAILY OR ALMOST EVERY DAY
11.7	10.8	364	7	2 - 3 TIMES A DAY
25.5	23.5	795	8	4 OR MORE TIMES A DAY
	7.5	252	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 347-348

AE2	# TIMES IN LIFE USED COCAINE IN ANY FORM
------------	---

About how many times in your life have you used cocaine in any form such as powder, 'crack,' free base, and coca paste?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	60.0	2,029	0	NEVER USED
13.4	13.3	451	1	1 OR 2 TIMES
6.5	6.5	219	2	3 TO 5 TIMES
3.2	3.2	108	3	6 TO 10 TIMES
5.8	5.8	195	4	11 TO 49 TIMES
3.1	3.1	106	5	50 TO 99 TIMES
2.7	2.7	91	6	100 TO 199 TIMES
5.3	5.3	179	7	200 OR MORE TIMES
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 349-350

AE2A	AGE FIRST TIME USED COCAINE
-------------	------------------------------------

About how old were you the first time you used cocaine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
0.3	0.1	2	7	
0.1	0.0	1	9	
0.6	0.1	4	10	
1.8	0.4	12	11	
3.4	0.7	23	12	
9.4	1.9	64	13	
18.4	3.7	125	14	
28.3	5.7	192	15	
24.6	4.9	167	16	
10.8	2.2	73	17	
2.1	0.4	14	18	
	79.8	2,698	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 351-352

AE2B	AVERAGE USE COCAINE 12 MONTHS PRIOR ADMISSION
-------------	--

On the average, how often did you use cocaine in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	1.2	40	0	NOT USED AT ALL OVER THE PERIOD
14.0	2.8	95	1	LESS THAN ONCE A MONTH
18.6	3.7	126	2	1 - 3 TIMES A MONTH
19.1	3.8	130	3	1 - 2 TIMES A WEEK
12.5	2.5	85	4	3 - 4 TIMES A WEEK
5.2	1.0	35	5	5 - 6 TIMES A WEEK
10.8	2.2	73	6	DAILY OR ALMOST EVERY DAY
3.8	0.8	26	7	2 - 3 TIMES A DAY
10.2	2.0	69	8	4 OR MORE TIMES A DAY
	79.8	2,699	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 353-354

AE2C**FREQUENCY OF HEAVIEST COCAINE USE**

Think about the time when you were using cocaine the most (heaviest). About how often were you using it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	1.7	56	1	LESS THAN ONCE A MONTH
18.2	2.8	95	2	1 - 3 TIMES A MONTH
19.0	2.9	99	3	1 - 2 TIMES A WEEK
17.3	2.7	90	4	3 - 4 TIMES A WEEK
7.7	1.2	40	5	5 - 6 TIMES A WEEK
15.4	2.4	80	6	DAILY OR ALMOST EVERY DAY
5.6	0.9	29	7	2 - 3 TIMES A DAY
6.1	0.9	32	8	4 OR MORE TIMES A DAY
	84.5	2,857	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 355-356

AE2D**AGE WHEN FIRST USED COCAINE DAILY**

How old were you the first time you used cocaine daily3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.1	2	0	
0.7	0.1	2	7	
0.3	0.0	1	10	
0.3	0.0	1	11	
3.0	0.3	9	12	
6.6	0.6	20	13	
13.0	1.2	39	14	
24.6	2.2	74	15	
30.2	2.7	91	16	
16.3	1.4	49	17	
4.3	0.4	13	18	
	90.9	3,075	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 357-358

AE2E**AGE WHEN FIRST USED COCAINE REGULARLY**

How old were you when you started using cocaine regularly
(at least once a week)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	3	0	
0.4	0.1	2	7	
0.6	0.1	3	10	
0.9	0.1	5	11	
1.9	0.3	10	12	
6.6	1.0	35	13	
15.5	2.4	82	14	
27.4	4.3	145	15	
30.1	4.7	159	16	
13.0	2.0	69	17	
3.0	0.5	16	18	
	84.2	2,848	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 359-360

AE2F3**LONGEST PERIOD TIME USE COKE 1DY/WK IN WKS**

How long was the longest period of time you used cocaine
at least once a week?

_____ WEEKS

3,382 cases (Range of valid codes: 0-520)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 361-363

AE2G	HOW COCAINE USED DURING THIS TIME
-------------	--

How did you usually use cocaine during this time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	1	BY MOUTH
25.2	3.9	131	2	BY SMOKING IT (CRACK)
66.9	10.3	348	3	BY INHALING, SNORTING/SNIFFING IT
3.3	0.5	17	4	BY INJECTING IT INTO A VEIN
0.2	0.0	1	5	BY INJECTING IT SOMEWHERE
2.7	0.4	14	6	FREEBASE
1.5	0.2	8	7	SOME OTHER WAY (SPECIFY)
	84.2	2,848	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.3	9	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 364-365

AE2H	DAILY COST OF COCAINE
-------------	------------------------------

About how much did the cocaine you used cost you each day during this time?

3,382 cases (Range of valid codes: 0-9,999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 366-369

AE2I	# TIMES STOPPED USING COKE >=30 DAYS
-------------	--

Since you started using cocaine regularly (at least once a week), how many times did you stop using cocaine for 30 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	6.4	216	0	
35.7	5.6	188	1	
11.2	1.7	59	2	
5.3	0.8	28	3	
2.1	0.3	11	4	
1.7	0.3	9	5	
1.0	0.1	5	6	
0.2	0.0	1	7	
0.2	0.0	1	9	
1.1	0.2	6	10	
0.2	0.0	1	14	
0.2	0.0	1	25	
	84.2	2,849	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 370-371

AE2J3	LONGEST TIME WENT W/OUT COCAINE IN WKS
--------------	---

Since you started using cocaine regularly, what is the longest time you went without using cocaine?

_____ WEEKS

3,382 cases (Range of valid codes: 1-160)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 372-374

AE2K	REASON STOPPED USING COCAINE
-------------	-------------------------------------

At that time, were you in a treatment program: in jail, prison, or juvenile detention; or did you stop on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	1.6	55	1	IN A TREATMENT PROGRAM
17.0	1.7	56	2	IN JAIL/PRISON/JUVENILE DETENTION
63.5	6.2	209	3	STOPPED ON OWN
2.7	0.3	9	4	OTHER
	90.1	3,048	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 375-376

AE2L	HOW OLD WERE YOU AT THIS TIME?
-------------	---------------------------------------

How old were you at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	1	
0.3	0.0	1	10	
0.3	0.0	1	12	
6.3	0.6	21	13	
9.6	0.9	32	14	
22.6	2.2	75	15	
34.3	3.4	114	16	
20.2	2.0	67	17	
6.0	0.6	20	18	
	90.1	3,046	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 377-378

AE2M

LAST TIME YOU USED IT COCAINE REGULARLY

When was the last time you used cocaine regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	7.6	258	1	WITHIN THE MONTH BEFORE ADMISSION
40.3	6.3	212	2	WITHIN THE PAST 12 MONTHS
10.6	1.7	56	3	MORE THAN 1 YEAR AGO
	84.2	2,849	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 379-380

AE2M_M	MONTHS AGO LAST USED COCAINE REGULARLY
---------------	---

When was the last time you used cocaine regularly?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	7.6	258	0	
1.5	0.2	8	1	
12.5	2.0	66	2	
5.7	0.9	30	3	
6.5	1.0	34	4	
3.0	0.5	16	5	
4.4	0.7	23	6	
2.1	0.3	11	7	
3.4	0.5	18	8	
1.5	0.2	8	9	
1.5	0.2	8	10	
1.0	0.1	5	11	
0.6	0.1	3	12	
1.1	0.2	6	13	
0.8	0.1	4	14	
0.4	0.1	2	15	
0.6	0.1	3	16	
0.4	0.1	2	17	
0.4	0.1	2	18	
0.4	0.1	2	19	
1.0	0.1	5	21	
0.2	0.0	1	22	
0.4	0.1	2	23	
0.2	0.0	1	25	
0.4	0.1	2	26	
0.4	0.1	2	27	
0.4	0.1	2	28	
0.4	0.1	2	30	
	84.2	2,849	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2551-2552

AE2N**MOST RECENT TIME USED COCAINE IN ANY FORM**

When was the most recent time that you used cocaine in any form?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	3.7	125	1	WITHIN THE MONTH BEFORE ADMISSION
60.0	8.1	273	2	WITHIN THE PAST 12 MONTHS
12.5	1.7	57	3	MORE THAN 1 YEAR AGO
	86.4	2,922	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 381-382

AE2N_M	MONTHS AGO LAST USED ANY TYPE COCAINE
---------------	--

When was the most recent time that you used cocaine in any form? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	3.7	125	0	
2.2	0.3	10	1	
19.8	2.7	90	2	
9.2	1.2	42	3	
9.5	1.3	43	4	
3.7	0.5	17	5	
7.0	0.9	32	6	
3.1	0.4	14	7	
4.0	0.5	18	8	
1.1	0.1	5	9	
2.0	0.3	9	10	
1.3	0.2	6	11	
1.5	0.2	7	12	
0.9	0.1	4	13	
0.9	0.1	4	14	
0.9	0.1	4	15	
0.7	0.1	3	16	
0.4	0.1	2	17	
0.7	0.1	3	18	
0.4	0.1	2	19	
0.9	0.1	4	21	
0.4	0.1	2	22	
0.4	0.1	2	23	
0.2	0.0	1	25	
0.2	0.0	1	26	
0.4	0.1	2	27	
0.2	0.0	1	28	
0.4	0.1	2	30	
	86.4	2,922	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2553-2554

AE20

FREQUENCY OF COCAINE USE AROUND THAT TIME

About how often did you use it around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	2.7	91	1	LESS THAN ONCE A MONTH
20.7	4.1	140	2	1 - 3 TIMES A MONTH
21.0	4.2	142	3	1 - 2 TIMES A WEEK
9.3	1.9	63	4	3 - 4 TIMES A WEEK
4.4	0.9	30	5	5 - 6 TIMES A WEEK
15.4	3.1	104	6	DAILY OR ALMOST EVERY DAY
4.3	0.9	29	7	2 - 3 TIMES A DAY
11.5	2.3	78	8	4 OR MORE TIMES A DAY
	79.8	2,699	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.1	2	-4	DON'T KNOW

 100.0 100.0 3,382 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 383-384

AE2P	HOW DID YOU USUALLY TAKE COCAINE?
-------------	--

How did you usually take it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.1	5	1	BY MOUTH (EAT, CHEW)
25.1	5.0	170	2	BY SMOKING IT (CRACK)
66.4	13.3	449	3	BY INHALING, SNORTING OR SNIFFING IT
3.1	0.6	21	4	BY INJECTING IT INTO A VEIN
0.1	0.0	1	5	BY INJECTING IT SOMEWHERE ELSE
2.5	0.5	17	6	BY FREEBASING
0.6	0.1	4	7	SOME OTHER WAY (SPECIFY)
0.0	0.0	0	8	USED ONCE
0.4	0.1	3	9	LACED WITH MARIJUANA
0.0	0.0	0	10	RUSHES
0.9	0.2	6	11	PRIMOS
0.0	0.0	0	12	DRINKING
0.0	0.0	0	13	ON SKIN
0.0	0.0	0	14	SMOKE AND INJECT IN VEIN AT SAME TIME
0.0	0.0	0	15	WHOLERS
	79.8	2,699	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.1	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 385-386

AE2Q**AGE WHEN FIRST USED CRACK COCAINE**

How old were you when you first used the form of cocaine known as crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	9.5	321	0	NEVER
0.1	0.0	1	7	
0.1	0.0	1	10	
0.9	0.2	6	11	
1.0	0.2	7	12	
2.9	0.6	20	13	
8.7	1.7	59	14	
14.0	2.8	95	15	
14.6	2.9	99	16	
8.1	1.6	55	17	
2.4	0.5	16	18	
	79.8	2,698	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 387-388

AE2R**MOST RECENT TIME USED CRACK COCAINE**

When was the most recent time you used crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	3.9	133	1	WITHIN THE MONTH BEFORE ADMISSION
46.8	4.9	166	2	WITHIN THE PAST 12 MONTHS
15.8	1.7	56	3	MORE THAN 1 YEAR AGO
	89.3	3,019	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 389-390

AE2R_M	MONTHS AGO LAST USED CRACK
---------------	-----------------------------------

When was the most recent time you used crack? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	3.9	133	0	
1.1	0.1	4	1	
11.6	1.2	41	2	
7.9	0.8	28	3	
8.5	0.9	30	4	
3.4	0.4	12	5	
6.2	0.7	22	6	
1.1	0.1	4	7	
3.4	0.4	12	8	
2.0	0.2	7	9	
3.7	0.4	13	10	
2.5	0.3	9	11	
1.1	0.1	4	12	
1.4	0.1	5	13	
1.1	0.1	4	14	
0.3	0.0	1	15	
0.8	0.1	3	16	
0.3	0.0	1	17	
0.8	0.1	3	18	
0.6	0.1	2	19	
0.6	0.1	2	20	
0.3	0.0	1	21	
0.3	0.0	1	24	
0.6	0.1	2	25	
0.6	0.1	2	26	
0.3	0.0	1	27	
0.3	0.0	1	28	
0.6	0.1	2	31	
0.3	0.0	1	32	
0.3	0.0	1	35	
0.3	0.0	1	37	
0.3	0.0	1	40	
	89.3	3,019	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2555-2556

AE2S	FREQUENCY OF CRACK USE AROUND THAT TIME
-------------	--

About how often did you use crack around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	3.3	112	1	LESS THAN ONCE A MONTH
17.1	1.8	61	2	1 - 3 TIMES A MONTH
11.8	1.2	42	3	1 - 2 TIMES A WEEK
9.3	1.0	33	4	3 - 4 TIMES A WEEK
3.1	0.3	11	5	5 - 6 TIMES A WEEK
11.0	1.2	39	6	DAILY OR ALMOST EVERY DAY
3.9	0.4	14	7	2 - 3 TIMES A DAY
12.4	1.3	44	8	4 OR MORE TIMES A DAY
	89.3	3,019	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 391-392

AE3	#TIMES IN LIFE USED HEROIN ALONE/COMBINED
------------	--

About how many times in your life have you used heroin either alone or combined with another drug (speedball)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	89.2	3,018	0	NEVER USED
5.0	5.0	168	1	1 OR 2 TIMES
1.5	1.5	52	2	3 TO 5 TIMES
0.5	0.5	17	3	6 TO 10 TIMES
0.9	0.9	32	4	11 TO 49 TIMES
0.4	0.4	15	5	50 TO 99 TIMES
0.5	0.5	17	6	100 TO 199 TIMES
1.6	1.6	54	7	200 OR MORE TIMES
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 393-394

AE3A	AGE FIRST TIME USED HEROIN
-------------	-----------------------------------

About how old were you the first time you used heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.1	4	12	
8.8	0.4	12	13	
18.2	0.7	25	14	
29.9	1.2	41	15	
27.0	1.1	37	16	
9.5	0.4	13	17	
3.6	0.1	5	18	
	95.7	3,235	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 395-396

AE3B	AVERAGE USE HEROIN 12 MONTHS PRIOR ADMISSION
-------------	---

On the average, how often did you use heroin in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.1	5	0	NOT USED AT ALL OVER THE PERIOD
10.8	0.4	15	1	LESS THAN ONCE A MONTH
10.8	0.4	15	2	1 - 3 TIMES A MONTH
15.8	0.7	22	3	1 - 2 TIMES A WEEK
15.1	0.6	21	4	3 - 4 TIMES A WEEK
2.2	0.1	3	5	5 - 6 TIMES A WEEK
15.1	0.6	21	6	DAILY OR ALMOST EVERY DAY
15.8	0.7	22	7	2 - 3 TIMES A DAY
10.8	0.4	15	8	4 OR MORE TIMES A DAY
	95.6	3,234	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 397-398

AE3C**FREQUENCY OF HEAVIEST HEROIN USE**

Think about the time when you were using heroin the most (heaviest). About how often were you using it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	0.3	10	1	LESS THAN ONCE A MONTH
19.5	0.5	17	2	1 - 3 TIMES A MONTH
20.7	0.5	18	3	1 - 2 TIMES A WEEK
12.6	0.3	11	4	3 - 4 TIMES A WEEK
10.3	0.3	9	5	5 - 6 TIMES A WEEK
11.5	0.3	10	6	DAILY OR ALMOST EVERY DAY
8.0	0.2	7	7	2 - 3 TIMES A DAY
5.7	0.1	5	8	4 OR MORE TIMES A DAY
	97.2	3,286	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 399-400

AE3D**AGE WHEN FIRST USED HEROIN DAILY**

How old were you when you began using heroin daily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.0	1	12	
10.7	0.2	8	13	
6.7	0.1	5	14	
26.7	0.6	20	15	
38.7	0.9	29	16	
13.3	0.3	10	17	
2.7	0.1	2	18	
	97.5	3,297	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 401-402

AE3E	AGE WHEN FIRST USED HEROIN REGULARLY
-------------	---

How old were you when you began using heroin regularly
(at least once a week)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.1	2	12	
7.3	0.2	8	13	
15.6	0.5	17	14	
27.5	0.9	30	15	
34.9	1.1	38	16	
8.3	0.3	9	17	
4.6	0.1	5	18	
	96.4	3,261	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 403-404

AE3F3

LONGEST PERIOD USE HEROIN ONCE A WEEK-WKS

How long was the longest period of time you used heroin
at least once a week?

_____ WEEKS				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.0	1	0	
2.8	0.1	3	2	
0.9	0.0	1	3	
11.0	0.4	12	4	
0.9	0.0	1	6	
6.4	0.2	7	9	
1.8	0.1	2	10	
7.3	0.2	8	13	
1.8	0.1	2	15	
3.7	0.1	4	17	
0.9	0.0	1	22	
7.3	0.2	8	26	
2.8	0.1	3	30	
1.8	0.1	2	35	
3.7	0.1	4	39	
1.8	0.1	2	43	
1.8	0.1	2	48	
20.2	0.7	22	52	
0.9	0.0	1	69	
0.9	0.0	1	74	
4.6	0.1	5	78	
0.9	0.0	1	87	
11.0	0.4	12	104	
1.8	0.1	2	130	
0.9	0.0	1	156	
0.9	0.0	1	208	
	96.4	3,261	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 405-407

AE3G	HOW HEROIN USED DURING THIS TIME
-------------	---

How did you usually use heroin during this time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.0	1	1	BY MOUTH
5.5	0.2	6	2	BY SMOKING IT (CRACK)
59.1	1.9	65	3	BY INHALING, SNORTING OR SNIFFING IT
31.8	1.0	35	4	BY INJECTING IT INTO A VEIN
1.8	0.1	2	5	BY INJECTING IT SOMEWHERE ELSE
0.9	0.0	1	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY (SPECIFY)
	96.4	3,261	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 408-409

AE3H	DAILY COST OF HEROIN
-------------	-----------------------------

About how much did the heroin cost you each day during this time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	0.5	16	0	
1.8	0.1	2	4	
0.9	0.0	1	5	
0.9	0.0	1	7	
7.3	0.2	8	10	
12.8	0.4	14	20	
1.8	0.1	2	25	
5.5	0.2	6	30	
0.9	0.0	1	35	
4.6	0.1	5	40	
9.2	0.3	10	50	
6.4	0.2	7	60	
3.7	0.1	4	70	
0.9	0.0	1	75	
4.6	0.1	5	80	
0.9	0.0	1	90	
9.2	0.3	10	100	
4.6	0.1	5	150	
0.9	0.0	1	175	
2.8	0.1	3	200	
2.8	0.1	3	250	
0.9	0.0	1	500	
0.9	0.0	1	800	
0.9	0.0	1	1000	
	96.4	3,261	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 410-413

AE3I**# TIMES STOPPED USING HEROIN >=30 DAYS**

Since you started using heroin regularly (at least once a week), how many times did you stop using heroin for a period of 30 days or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	1.4	46	0	
42.3	1.4	47	1	
7.2	0.2	8	2	
6.3	0.2	7	3	
1.8	0.1	2	4	
0.9	0.0	1	6	
	96.4	3,261	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 414-415

AE3J3

LONGEST TIME WENT W/OUT HEROIN IN WKS

Since you started using heroin regularly, what is the longest period of time you did not use heroin?

_____ WEEKS				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.1	2	1	
8.5	0.2	6	2	
7.0	0.1	5	3	
14.1	0.3	10	4	
4.2	0.1	3	5	
7.0	0.1	5	6	
8.5	0.2	6	9	
1.4	0.0	1	10	
2.8	0.1	2	11	
7.0	0.1	5	13	
7.0	0.1	5	17	
4.2	0.1	3	22	
8.5	0.2	6	26	
1.4	0.0	1	30	
4.2	0.1	3	35	
4.2	0.1	3	39	
1.4	0.0	1	43	
1.4	0.0	1	48	
1.4	0.0	1	52	
1.4	0.0	1	56	
1.4	0.0	1	104	
	97.6	3,301	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 416-418

AE3K	REASON STOPPED USING HEROIN
-------------	------------------------------------

At that time were you in a treatment program; in jail, prison, or juvenile detention; or did you stop on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	0.7	23	1	IN A TREATMENT PROGRAM
15.3	0.3	11	2	IN JAIL
50.0	1.1	36	3	STOPPED ON YOUR OWN
2.8	0.1	2	4	OTHER
	97.6	3,301	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 419-420

AE3L	HOW OLD WERE YOU AT THIS TIME?
-------------	---------------------------------------

How old were you at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.1	3	13	
9.7	0.2	7	14	
25.0	0.5	18	15	
34.7	0.7	25	16	
23.6	0.5	17	17	
2.8	0.1	2	18	
	97.6	3,301	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 421-422

AE3M	LAST TIME YOU USED IT HEROIN REGULARLY
-------------	---

When was the last time you used heroin regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	1.6	53	1	WITHIN THE MONTH BEFORE ADMISSION
41.8	1.4	46	2	WITHIN THE PAST 12 MONTHS
10.0	0.3	11	3	MORE THAN 1 YEAR AGO
	96.5	3,262	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 423-424

AE3M_M	MONTHS AGO LAST USED HEROIN REGULARLY
---------------	--

When was the last time you used heroin regularly? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	1.6	53	0	
1.8	0.1	2	1	
10.9	0.4	12	2	
6.4	0.2	7	3	
3.6	0.1	4	4	
1.8	0.1	2	5	
5.5	0.2	6	6	
3.6	0.1	4	7	
6.4	0.2	7	8	
2.7	0.1	3	9	
1.8	0.1	2	10	
0.9	0.0	1	11	
0.9	0.0	1	12	
0.9	0.0	1	14	
0.9	0.0	1	15	
0.9	0.0	1	16	
0.9	0.0	1	19	
0.9	0.0	1	24	
0.9	0.0	1	25	
	96.5	3,262	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2557-2558

AE3N	MOST RECENT TIME USED HEROIN IN ANY FORM
-------------	---

When was the most recent time you used heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	0.8	26	1	WITHIN THE MONTH BEFORE ADMISSION
63.5	1.8	61	2	WITHIN THE PAST 12 MONTHS
9.4	0.3	9	3	MORE THAN 1 YEAR AGO
	96.9	3,276	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 425-426

AE3N_M	MONTHS AGO LAST USED HEROIN
---------------	------------------------------------

When was the most recent time you used heroin? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	0.8	26	0	
2.1	0.1	2	1	
16.8	0.5	16	2	
7.4	0.2	7	3	
7.4	0.2	7	4	
5.3	0.1	5	5	
9.5	0.3	9	6	
3.2	0.1	3	7	
8.4	0.2	8	8	
2.1	0.1	2	9	
2.1	0.1	2	10	
2.1	0.1	2	11	
1.1	0.0	1	12	
1.1	0.0	1	13	
1.1	0.0	1	14	
1.1	0.0	1	17	
1.1	0.0	1	19	
1.1	0.0	1	25	
	96.9	3,276	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2559-2560

AE30

FREQUENCY OF HEROIN USE AROUND THAT TIME

About how often did you use it around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	0.4	15	1	LESS THAN ONCE A MONTH
17.4	0.7	24	2	1 - 3 TIMES A MONTH
18.1	0.7	25	3	1 - 2 TIMES A WEEK
9.4	0.4	13	4	3 - 4 TIMES A WEEK
2.2	0.1	3	5	5 - 6 TIMES A WEEK
18.8	0.8	26	6	DAILY OR ALMOST EVERY DAY
15.2	0.6	21	7	2 - 3 TIMES A DAY
8.0	0.3	11	8	4 OR MORE TIMES A DAY
	95.7	3,235	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 427-428

AE3P	HOW DID YOU USUALLY TAKE HEROIN?
-------------	---

How did you usually use heroin around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.1	2	1	BY MOUTH (EAT, CHEW)
5.8	0.2	8	2	BY SMOKING IT (CRACK)
59.1	2.4	81	3	BY INHALING, SNORTING OR SNIFFING IT
32.1	1.3	44	4	BY INJECTING IT INTO A VEIN
0.7	0.0	1	5	BY INJECTING IT SOMEWHERE ELSE
0.7	0.0	1	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY (SPECIFY)
0.0	0.0	0	8	USED ONCE
0.0	0.0	0	9	LACED WITH MARIJUANA
0.0	0.0	0	10	RUSHES
0.0	0.0	0	11	PRIMOS
0.0	0.0	0	12	DRINKING
0.0	0.0	0	13	ON SKIN
0.0	0.0	0	14	SMOKE AND INJECT IN VEIN AT SAME TIME
0.0	0.0	0	15	WHOLERS
	95.7	3,235	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 429-430

AE3Q	AGE WHEN 1ST USED HEROIN/COCAINE TOGETHER
-------------	--

How old were you when you first used heroin and cocaine together (speedball)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	1.9	64	0	NEVER
1.5	0.1	2	12	
2.9	0.1	4	13	
8.8	0.4	12	14	
16.1	0.7	22	15	
16.1	0.7	22	16	
4.4	0.2	6	17	
3.6	0.1	5	18	
	95.7	3,235	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 431-432

AE3R	MOST RECENT TIME USED HEROIN/COKE TOGETHER
-------------	---

When was the most recent time you used heroin and cocaine together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	0.6	20	1	WITHIN THE MONTH BEFORE ADMISSION
56.9	1.2	41	2	WITHIN THE PAST 12 MONTHS
15.3	0.3	11	3	MORE THAN 1 YEAR AGO
	97.5	3,299	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 433-434

AE3R_M	MONTHS AGO LAST USED HEROIN AND COCAINE
---------------	--

When was the most recent time you used heroin and cocaine together? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	0.6	20	0	
1.4	0.0	1	1	
15.3	0.3	11	2	
8.3	0.2	6	3	
13.9	0.3	10	4	
2.8	0.1	2	5	
6.9	0.1	5	6	
4.2	0.1	3	7	
6.9	0.1	5	8	
1.4	0.0	1	9	
1.4	0.0	1	10	
1.4	0.0	1	11	
1.4	0.0	1	14	
1.4	0.0	1	15	
1.4	0.0	1	16	
1.4	0.0	1	17	
1.4	0.0	1	22	
1.4	0.0	1	27	
	97.5	3,299	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2561-2562

AE3S**FREQUENCY HEROIN/COKE USE AROUND THAT TIME**

About how often did you use heroin and cocaine together around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	0.7	25	1	LESS THAN ONCE A MONTH
26.4	0.6	19	2	1 - 3 TIMES A MONTH
16.7	0.4	12	3	1 - 2 TIMES A WEEK
5.6	0.1	4	4	3 - 4 TIMES A WEEK
1.4	0.0	1	5	5 - 6 TIMES A WEEK
5.6	0.1	4	6	DAILY OR ALMOST EVERY DAY
8.3	0.2	6	7	2 - 3 TIMES A DAY
1.4	0.0	1	8	4 OR MORE TIMES A DAY
	97.5	3,299	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 435-436

AE3T**HOW DID YOU USUALLY TAKE HEROIN/COCAINE?**

How did you usually use heroin and cocaine together around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.1	3	1	BY MOUTH (EAT, CHEW)
5.7	0.1	4	2	BY SMOKING IT
45.7	0.9	32	3	BY INHALING, SNORTING OR SNIFFING IT
37.1	0.8	26	4	BY INJECTING IT INTO A VEIN
2.9	0.1	2	5	BY INJECTING IT SOMEWHERE ELSE
1.4	0.0	1	6	BY FREEBASING
2.9	0.1	2	7	SOME OTHER WAY (SPECIFY)
	97.5	3,299	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.1	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 437-438

AE4**NARCOTIC/OPIATE ANALGESICS PRESCRIBED**

Now, I'd like to ask you about some drugs that can be legally prescribed. Has a doctor ever prescribed any narcotic or opiate analgesics for you for a physical or medical problem or condition in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.4	250	1	YES
92.6	92.4	3,125	2	NO
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 439-440

AE4A1**1ST NARCOTIC/OPIATE PRESCRIBED/12 MONTHS**

Which narcotics or opiates were prescribed in these 12 months? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.9	0.1	2	1	DAVRON
0.4	0.0	1	2	DOLENE
1.8	0.1	4	3	SK-65
0.4	0.0	1	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
9.8	0.7	22	6	PERCODAN
6.2	0.4	14	7	DEMEROL
0.4	0.0	1	8	DILAUDID
60.0	4.0	135	9	TYLENOL W/CODEINE
3.1	0.2	7	10	PHENAPHEN W/CODEINE
1.8	0.1	4	11	TALWIN
0.9	0.1	2	12	TALWIN NX
2.2	0.1	5	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
8.9	0.6	20	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
1.8	0.1	4	17	MORPHINE
0.0	0.0	0	18	METHADONE
0.0	0.0	0	19	STADOL
1.3	0.1	3	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	92.4	3,124	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
	0.0	1	-5	BAD DATA
	0.4	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 441-442

AE4A2	2ND NARCOTIC/OPIATE PRESCRIBED/12 MONTHS
--------------	---

Which narcotics or opiates were prescribed in these 12 months? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	0.4	15	0	NONE
3.8	0.1	2	1	DAVRON
1.9	0.0	1	2	DOLENE
1.9	0.0	1	3	SK-65
0.0	0.0	0	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
5.8	0.1	3	6	PERCODAN
9.6	0.1	5	7	DEMEROL
0.0	0.0	0	8	DILAUDID
19.2	0.3	10	9	TYLENOL W/CODEINE
1.9	0.0	1	10	PHENAPHEN W/CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
11.5	0.2	6	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
13.5	0.2	7	17	MORPHINE
0.0	0.0	0	18	METHADONE
0.0	0.0	0	19	STADOL
1.9	0.0	1	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	92.4	3,125	-9	LEGITIMATE NONRESPONSE
	5.6	191	-8	MISSING
	0.0	1	-5	BAD DATA
	0.4	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 443-444

AE4A3

3RD NARCOTIC/OPIATE PRESCRIBED/12 MONTHS

Which narcotics or opiates were prescribed in these 12 months? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	0.5	18	0	NONE
0.0	0.0	0	1	DAVRON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
7.7	0.1	2	6	PERCODAN
0.0	0.0	0	7	DEMEROL
0.0	0.0	0	8	DILAUDID
0.0	0.0	0	9	TYLENOL W/CODEINE
7.7	0.1	2	10	PHENAPHEN W/CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
3.8	0.0	1	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
7.7	0.1	2	17	MORPHINE
3.8	0.0	1	18	METHADONE
0.0	0.0	0	19	STADOL
0.0	0.0	0	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	92.4	3,125	-9	LEGITIMATE NONRESPONSE
	6.4	217	-8	MISSING
	0.0	1	-5	BAD DATA
	0.4	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 445-446

AE4B	IN 12 MONTHS # WKS USED NARCOTICS/OPIATES
-------------	--

In these 12 months, about how many weeks did you use narcotics or opiates as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.2	6	0	
34.3	2.5	84	1	
25.3	1.8	62	2	
10.6	0.8	26	3	
11.0	0.8	27	4	
0.8	0.1	2	5	
3.3	0.2	8	6	
0.8	0.1	2	7	
3.7	0.3	9	8	
1.6	0.1	4	10	
1.6	0.1	4	12	
0.4	0.0	1	14	
0.8	0.1	2	18	
0.4	0.0	1	20	
0.4	0.0	1	22	
0.4	0.0	1	30	
2.0	0.1	5	52	
	92.4	3,124	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 447-448

AE5	#TIMES USED NARCOTICS/OPIATES W/OUT PRESCRIPTION
------------	---

About how many times in your life have you used narcotics or opiates on your own, without a prescription from a doctor, more than prescribed, or for any other reasons such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	83.8	2,835	0	NEVER USED NONMEDICALLY
5.6	5.5	187	1	1 OR 2 TIMES
3.7	3.6	123	2	3 TO 5 TIMES
1.6	1.6	55	3	6 TO 10 TIMES
2.5	2.5	83	4	11 TO 49 TIMES
0.9	0.9	30	5	50 TO 99 TIMES
0.5	0.5	16	6	100 TO 199 TIMES
0.8	0.8	26	7	200 OR MORE TIMES
	0.8	26	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 449-450

AE5A	AGE FIRST TIME USED OPIATES/NARCOTICS
-------------	--

About how old were you the first time you actually used opiates or narcotics on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	4	
0.5	0.0	1	9	
1.9	0.1	4	10	
1.4	0.1	3	11	
5.1	0.3	11	12	
17.8	1.1	38	13	
20.6	1.3	44	14	
21.0	1.3	45	15	
24.8	1.6	53	16	
6.5	0.4	14	17	
	92.9	3,142	-9	LEGITIMATE NONRESPONSE
	0.8	26	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 451-452

AE5B AVERAGE USE OPIATES/NARCOTICS 12MONTHS PRIOR ADMISSION

On the average, how often did you use opiates or narcotics on your own in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.8	28	0	NOT USED AT ALL OVER THE PERIOD
19.5	1.2	41	1	LESS THAN ONCE A MONTH
33.8	2.1	71	2	1 - 3 TIMES PER MONTH
15.7	1.0	33	3	1 - 2 TIMES PER WEEK
7.6	0.5	16	4	3 - 4 TIMES PER WEEK
1.4	0.1	3	5	5 - 6 TIMES A WEEK
7.1	0.4	15	6	DAILY OR ALMOST EVERY DAY
0.5	0.0	1	7	2 - 3 TIMES A DAY
1.0	0.1	2	8	4 OR MORE TIMES A DAY
	93.0	3,144	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 453-454

AE5C FREQUENCY OF HEAVIEST OPIATES/NARCOTICS USE

Think about the time when you were using narcotics or opiates the most (heaviest). About how often were you using it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	0.8	27	1	LESS THAN ONCE A MONTH
32.8	1.9	64	2	1 - 3 TIMES A MONTH
21.5	1.2	42	3	1 - 2 TIMES A WEEK
11.8	0.7	23	4	3 - 4 TIMES A WEEK
3.6	0.2	7	5	5 - 6 TIMES A WEEK
12.3	0.7	24	6	DAILY OR ALMOST EVERY DAY
2.6	0.1	5	7	2 - 3 TIMES A DAY
1.5	0.1	3	8	4 OR MORE TIMES A DAY
	93.4	3,160	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 455-456

AE5D	AGE WHEN 1ST USED NARCOTICS/OPIATES DAILY
-------------	--

How old were you when you began using narcotics or opiates daily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.1	3	0	
1.9	0.0	1	12	
16.7	0.3	9	13	
18.5	0.3	10	14	
20.4	0.3	11	15	
33.3	0.5	18	16	
3.7	0.1	2	17	
	97.6	3,301	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 457-458

AE5E	AGE WHEN 1ST USED NARCOTICS/OPIATES REGULARLY
-------------	--

How old were you when you began using narcotics or opiates regularly (at least once a week)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.1	2	0	
1.7	0.1	2	10	
0.8	0.0	1	11	
2.5	0.1	3	12	
13.4	0.5	16	13	
21.0	0.7	25	14	
26.1	0.9	31	15	
25.2	0.9	30	16	
7.6	0.3	9	17	
	95.7	3,235	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 459-460

AE5F3	LONGEST PERIOD USE NARCOTICS/OPIATES ONCE/WKS
--------------	--

How long was the longest period of time when you used narcotics or opiates at least once a week?

_____ WEEKS				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.1	4	1	
5.1	0.2	6	2	
4.2	0.1	5	3	
16.1	0.6	19	4	
0.8	0.0	1	5	
2.5	0.1	3	6	
9.3	0.3	11	9	
16.1	0.6	19	13	
0.8	0.0	1	15	
1.7	0.1	2	17	
0.8	0.0	1	22	
5.9	0.2	7	26	
2.5	0.1	3	30	
4.2	0.1	5	35	
2.5	0.1	3	39	
0.8	0.0	1	43	
9.3	0.3	11	52	
5.1	0.2	6	78	
0.8	0.0	1	95	
3.4	0.1	4	104	
0.8	0.0	1	130	
2.5	0.1	3	156	
0.8	0.0	1	157	
	95.7	3,236	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 461-463

AE5G**HOW NARCOTICS/OPIATES USED DURING THIS TIME**

How did you usually use narcotics or opiates during this period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.3	3.1	106	1	BY MOUTH (EAT, CHEW)
3.3	0.1	4	2	BY SMOKING IT
6.7	0.2	8	3	BY INHALING, SNORTING OR SNIFFING IT
1.7	0.1	2	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY (SPECIFY)
	95.7	3,235	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 464-465

AE5H3	LONGEST TIME W/OUT NARCOTICS/OPIATES IN WKS
--------------	--

Since you started using narcotics or opiates regularly (at least once a week), what is the longest period of time you did not use narcotics or opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	0.3	11	0	
4.3	0.1	5	1	
4.3	0.1	5	2	
3.4	0.1	4	3	
12.0	0.4	14	4	
0.9	0.0	1	5	
0.9	0.0	1	7	
12.8	0.4	15	9	
6.0	0.2	7	13	
7.7	0.3	9	17	
1.7	0.1	2	22	
8.5	0.3	10	26	
3.4	0.1	4	30	
1.7	0.1	2	35	
3.4	0.1	4	39	
0.9	0.0	1	43	
6.0	0.2	7	52	
1.7	0.1	2	56	
0.9	0.0	1	61	
0.9	0.0	1	65	
0.9	0.0	1	74	
2.6	0.1	3	78	
6.0	0.2	7	104	
	95.7	3,236	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.1	2	-4	DON'T KNOW
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 466-468

AE5I	REASON STOPPED USING NARCOTICS/OPIATES
-------------	---

At that time, were you in a treatment program; in jail, prison, or juvenile detention; or did you stop on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	0.4	14	1	IN A TREATMENT PROGRAM
4.5	0.1	5	2	IN JAIL
73.6	2.4	81	3	STOPPED ON YOUR OWN
9.1	0.3	10	4	OTHER
	93.0	3,144	-9	LEGITIMATE NONRESPONSE
	3.6	121	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 469-470

AE5J	HOW OLD WERE YOU AT THIS TIME?
-------------	---------------------------------------

How old were you at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.1	2	12	
8.3	0.3	9	13	
12.8	0.4	14	14	
25.7	0.8	28	15	
30.3	1.0	33	16	
19.3	0.6	21	17	
1.8	0.1	2	18	
	93.0	3,144	-9	LEGITIMATE NONRESPONSE
	3.7	124	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 471-472

AE5K	LAST TIME USED NARCOTICS/OPIATES REGULARLY
-------------	---

When was the last time you used narcotics or opiates regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	1.1	38	1	WITHIN THE MONTH BEFORE ADMISSION
42.9	1.5	51	2	WITHIN THE PAST 12 MONTHS
25.2	0.9	30	3	MORE THAN 1 YEAR AGO
	93.0	3,144	-9	LEGITIMATE NONRESPONSE
	3.5	118	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 473-474

AE5K_M	MONTHS AGO LAST USED NARCOTICS REGULARLY
--------	--

When was the last time you used narcotics or opiates regularly? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	1.1	38	0	
0.9	0.0	1	1	
7.7	0.3	9	2	
3.4	0.1	4	3	
8.5	0.3	10	4	
5.1	0.2	6	5	
6.0	0.2	7	6	
3.4	0.1	4	7	
3.4	0.1	4	8	
3.4	0.1	4	9	
2.6	0.1	3	10	
2.6	0.1	3	11	
1.7	0.1	2	12	
2.6	0.1	3	13	
1.7	0.1	2	14	
0.9	0.0	1	15	
1.7	0.1	2	16	
1.7	0.1	2	17	
1.7	0.1	2	19	
1.7	0.1	2	21	
1.7	0.1	2	22	
0.9	0.0	1	23	
0.9	0.0	1	25	
0.9	0.0	1	27	
0.9	0.0	1	28	
0.9	0.0	1	34	
0.9	0.0	1	37	
	93.0	3,144	-9	LEGITIMATE NONRESPONSE
	3.6	121	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2563-2564

AE5L	MOST RECENT TIME USED NARCOTICS/OPIATES
-------------	--

When was the most recent time you used any narcotics or opiates on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	0.9	32	1	WITHIN THE MONTH BEFORE ADMISSION
60.3	3.2	108	2	WITHIN THE PAST 12 MONTHS
21.8	1.2	39	3	MORE THAN 1 YEAR AGO
	93.9	3,176	-9	LEGITIMATE NONRESPONSE
	0.8	26	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 475-476

AE5L_M	MONTHS AGO LAST USED ANY NARCOTICS
--------	------------------------------------

When was the most recent time you used any narcotics or opiates on your own? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.9	32	0	
1.7	0.1	3	1	
15.3	0.8	27	2	
6.2	0.3	11	3	
9.7	0.5	17	4	
8.0	0.4	14	5	
9.7	0.5	17	6	
4.0	0.2	7	7	
5.7	0.3	10	8	
1.7	0.1	3	9	
1.1	0.1	2	10	
0.6	0.0	1	11	
2.3	0.1	4	12	
2.3	0.1	4	13	
1.1	0.1	2	14	
1.1	0.1	2	15	
2.3	0.1	4	16	
0.6	0.0	1	17	
1.1	0.1	2	18	
1.1	0.1	2	19	
1.1	0.1	2	20	
0.6	0.0	1	21	
1.1	0.1	2	22	
0.6	0.0	1	23	
1.1	0.1	2	24	
0.6	0.0	1	25	
0.6	0.0	1	31	
0.6	0.0	1	34	
	93.9	3,176	-9	LEGITIMATE NONRESPONSE
	0.9	30	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2565-2566

AE5M	FREQUENCY NARCOTICS/OPIATES USE AT THAT TIME
-------------	---

About how often did you use narcotics or opiates around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	1.4	49	1	LESS THAN ONCE A MONTH
32.1	2.0	67	2	1 - 3 TIMES A MONTH
18.2	1.1	38	3	1 - 2 TIMES A WEEK
10.5	0.7	22	4	3 - 4 TIMES A WEEK
2.4	0.1	5	5	5 - 6 TIMES A WEEK
10.5	0.7	22	6	DAILY OR ALMOST EVERY DAY
1.4	0.1	3	7	2 - 3 TIMES A DAY
1.4	0.1	3	8	4 OR MORE TIMES A DAY
	93.0	3,144	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 477-478

AE5N

HOW NARCOTICS/OPIATES USUALLY USED

How did you usually use narcotics or opiates around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	5.4	183	1	BY MOUTH (EAT, CHEW)
4.7	0.3	10	2	BY SMOKING IT
6.2	0.4	13	3	BY INHALING, SNORTING OR SNIFFING IT
1.9	0.1	4	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY (SPECIFY)
0.0	0.0	0	8	USED ONCE
0.5	0.0	1	9	LACED WITH MARIJUANA
0.0	0.0	0	10	RUSHES
0.0	0.0	0	11	PRIMOS
0.0	0.0	0	12	DRINKING
0.0	0.0	0	13	ON SKIN
0.0	0.0	0	14	SMOKE AND INJECT IN VEIN AT SAME TIME
0.0	0.0	0	15	WHOLERS
	93.0	3,144	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 479-480

AE50	AGE WHEN 1ST USED ILLEGAL METHADONE
-------------	--

How old were you when you first used illegal or street methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	5.4	181	0	NEVER
0.5	0.0	1	10	
0.5	0.0	1	11	
1.0	0.1	2	12	
2.4	0.1	5	13	
3.3	0.2	7	14	
2.9	0.2	6	15	
1.4	0.1	3	16	
1.4	0.1	3	17	
	93.0	3,144	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 481-482

AE5P	MOST RECENT TIME USED ILLEGAL METHADONE
-------------	--

When was the most recent time you used illegal or street methadone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.0	1	1	WITHIN THE MONTH BEFORE ADMISSION
46.4	0.4	13	2	WITHIN THE PAST 12 MONTHS
50.0	0.4	14	3	MORE THAN 1 YEAR AGO
	98.3	3,325	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 483-484

AE5P_M	MONTHS AGO LAST USED ILLEGAL METHADONE
---------------	---

When was the most recent time you used illegal or street methadone? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.0	1	0	
7.1	0.1	2	2	
10.7	0.1	3	3	
10.7	0.1	3	4	
14.3	0.1	4	6	
10.7	0.1	3	7	
3.6	0.0	1	8	
3.6	0.0	1	10	
3.6	0.0	1	13	
3.6	0.0	1	14	
3.6	0.0	1	15	
3.6	0.0	1	16	
3.6	0.0	1	19	
3.6	0.0	1	24	
3.6	0.0	1	34	
3.6	0.0	1	37	
3.6	0.0	1	45	
3.6	0.0	1	58	
	98.3	3,325	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2567-2568

AE5Q	FREQUENCY USE ILLEGAL METHADONE AT THAT TIME
-------------	---

About how often did you use illegal or street methadone around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.3	10	1	LESS THAN ONCE A MONTH
35.7	0.3	10	2	1 - 3 TIMES A MONTH
14.3	0.1	4	3	1 - 2 TIMES A WEEK
3.6	0.0	1	4	3 - 4 TIMES A WEEK
0.0	0.0	0	5	5 - 6 TIMES A WEEK
3.6	0.0	1	6	DAILY OR ALMOST EVERY DAY
3.6	0.0	1	7	2 - 3 TIMES A DAY
3.6	0.0	1	8	4 OR MORE TIMES A DAY
	98.3	3,325	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 485-486

AE6	SEDATIVES/TRANQUILIZERS PRESCRIBED
------------	---

Has a doctor ever legitimately prescribed any sedatives or tranquilizers for you for a physical or emotional problem or condition in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	80	1	YES
97.6	97.3	3,291	2	NO
	0.3	10	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 487-488

AE6A**#PRESCRIPTIONS FOR SEDATIVES/TRANQUILIZERS**

How many prescriptions for sedatives or tranquilizers did you get in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.0	1	0	
61.8	1.4	47	1	
19.7	0.4	15	2	
7.9	0.2	6	3	
1.3	0.0	1	4	
1.3	0.0	1	5	
1.3	0.0	1	10	
1.3	0.0	1	11	
3.9	0.1	3	12	
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 489-490

AE6BS1	FIRST SEDATIVE PRESCRIBED
---------------	----------------------------------

Which sedatives and tranquilizers were prescribed?

Sedatives - First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	2	0	NONE
7.1	0.0	1	1	BUTISOL
7.1	0.0	1	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
21.4	0.1	3	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
21.4	0.1	3	9	SECONAL
0.0	0.0	0	10	TUINAL
14.3	0.1	2	11	DALMANE
7.1	0.0	1	12	RESTORIL
0.0	0.0	0	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
0.0	0.0	0	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
7.1	0.0	1	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	2.0	69	-8	MISSING
	0.1	4	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 491-492

AE6BS2

SECOND SEDATIVE PRESCRIBED

Which sedatives and tranquilizers were prescribed?

Sedatives - Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
0.0	0.0	0	9	SECONAL
0.0	0.0	0	10	TUINAL
25.0	0.0	1	11	DALMANE
0.0	0.0	0	12	RESTORIL
0.0	0.0	0	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
0.0	0.0	0	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	2.5	83	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 493-494

AE6BS3	THIRD SEDATIVE PRESCRIBED
---------------	----------------------------------

Which sedatives and tranquilizers were prescribed?

Sedatives - Third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
0.0	0.0	0	9	SECONAL
0.0	0.0	0	10	TUINAL
0.0	0.0	0	11	DALMANE
0.0	0.0	0	12	RESTORIL
0.0	0.0	0	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
25.0	0.0	1	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	2.5	83	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 495-496

AE6BT1**FIRST TRANQUILIZER PRESCRIBED**

Which sedatives and tranquilizers were prescribed?

Tranquilizers - First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
15.5	0.3	9	1	VALIUM
6.9	0.1	4	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
1.7	0.0	1	4	MENRIUM
0.0	0.0	0	5	SERAX
1.7	0.0	1	6	TRANXENE
13.8	0.2	8	7	ATIVAN
1.7	0.0	1	8	CENTRAX
13.8	0.2	8	9	XANAX
0.0	0.0	0	10	PAXIPAM
10.3	0.2	6	11	BUSPAR
0.0	0.0	0	12	MILTOWN
1.7	0.0	1	13	EQUANIL
0.0	0.0	0	14	DEPROL
5.2	0.1	3	15	VISTARIL
1.7	0.0	1	16	ATARAX
0.0	0.0	0	17	DURRAX
1.7	0.0	1	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
1.7	0.0	1	21	HYDROXYZINE
19.0	0.3	11	22	BENADRYL
0.0	0.0	0	23	CLONAZEPAN
3.4	0.1	2	24	KLONOPIN
	97.3	3,290	-9	LEGITIMATE NONRESPONSE
	0.8	28	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 497-498

AE6BT2	SECOND TRANQUILIZER PRESCRIBED
---------------	---------------------------------------

Which sedatives and tranquilizers were prescribed?

Tranquilizers - Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	2	0	NONE
0.0	0.0	0	1	VALIUM
30.0	0.1	3	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
0.0	0.0	0	5	SERAX
0.0	0.0	0	6	TRANXENE
10.0	0.0	1	7	ATIVAN
0.0	0.0	0	8	CENTRAX
20.0	0.1	2	9	XANAX
0.0	0.0	0	10	PAXIPAM
0.0	0.0	0	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
10.0	0.0	1	15	VISTARIL
0.0	0.0	0	16	ATARAX
0.0	0.0	0	17	DURRAX
0.0	0.0	0	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.0	0.0	0	21	HYDROXYZINE
0.0	0.0	0	22	BENADRYL
10.0	0.0	1	23	CLONAZEPAN
0.0	0.0	0	24	KLONOPIN
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	2.2	76	-8	MISSING
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 499-500

AE6BT3**THIRD TRANQUILIZER PRESCRIBED**

Which sedatives and tranquilizers were prescribed?

Tranquilizers - Third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	0	NONE
0.0	0.0	0	1	VALIUM
0.0	0.0	0	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
0.0	0.0	0	5	SERAX
0.0	0.0	0	6	TRANXENE
0.0	0.0	0	7	ATIVAN
0.0	0.0	0	8	CENTRAX
0.0	0.0	0	9	XANAX
0.0	0.0	0	10	PAXIPAM
0.0	0.0	0	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
0.0	0.0	0	15	VISTARIL
0.0	0.0	0	16	ATARAX
0.0	0.0	0	17	DURRAX
0.0	0.0	0	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.0	0.0	0	21	HYDROXYZINE
0.0	0.0	0	22	BENADRYL
0.0	0.0	0	23	CLONAZEPAN
0.0	0.0	0	24	KLONOPIN
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	2.5	83	-8	MISSING
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 501-502

AE6C	#WKS USED SEDATIVES/TRANQUILIZERS IN 12 MONTHS
-------------	---

In these 12 months, about how many weeks did you use sedatives or tranquilizers as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	2	0	
30.8	0.7	24	1	
12.8	0.3	10	2	
6.4	0.1	5	3	
11.5	0.3	9	4	
2.6	0.1	2	5	
5.1	0.1	4	6	
9.0	0.2	7	8	
1.3	0.0	1	10	
3.8	0.1	3	12	
2.6	0.1	2	16	
1.3	0.0	1	20	
1.3	0.0	1	24	
1.3	0.0	1	26	
1.3	0.0	1	36	
2.6	0.1	2	40	
3.8	0.1	3	52	
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 503-504

AE7	#TIMES USED SEDATIVES/TRANQUILIZERS W/OUT PRESCRIPTION
------------	---

About how many times in your life have you used sedatives or tranquilizers on your own, without a prescription from a doctor, more than prescribed, or for any nonmedical reason such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	87.2	2,950	0	NEVER USED
4.5	4.5	153	1	1 OR 2 TIMES
3.3	3.3	111	2	3 TO 5 TIMES
1.1	1.1	38	3	6 TO 10 TIMES
2.0	2.0	68	4	11 TO 49 TIMES
0.7	0.7	24	5	50 TO 99 TIMES
0.4	0.4	12	6	100 TO 199 TIMES
0.6	0.6	20	7	200 OR MORE TIMES
	0.1	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 505-506

AE7A	AGE 1ST USED SEDATIVES/TRANQUILIZERS
-------------	---

About how old were you the first time you used sedatives or tranquilizers on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.0	1	10	
1.2	0.1	2	11	
6.1	0.3	10	12	
11.0	0.5	18	13	
23.3	1.1	38	14	
29.4	1.4	48	15	
19.0	0.9	31	16	
8.0	0.4	13	17	
1.2	0.1	2	18	
	95.0	3,212	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 507-508

AE7B AVERAGE USE SEDATIVES/TRANQUILIZERS 12MONTHS PRIOR ADMISSION

On the average, how often did you use sedatives or tranquilizers on your own in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	0.5	18	0	NOT USED AT ALL OVER THE PERIOD
22.1	1.1	36	1	LESS THAN ONCE A MONTH
24.5	1.2	40	2	1 - 3 TIMES PER MONTH
22.7	1.1	37	3	1 - 2 TIMES PER WEEK
8.6	0.4	14	4	3 - 4 TIMES PER WEEK
2.5	0.1	4	5	5 - 6 TIMES A WEEK
7.4	0.4	12	6	DAILY OR ALMOST EVERY DAY
0.6	0.0	1	7	2 - 3 TIMES A DAY
0.6	0.0	1	8	4 OR MORE TIMES A DAY
	95.0	3,212	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 509-510

AE7C FREQUENCY OF HEAVIEST SEDATIVES/TRANQUILIZERS USE

Think about the time when you were using sedatives or tranquilizers the most (heaviest) on your own. About how often were you using them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	0.5	18	1	LESS THAN ONCE A MONTH
32.7	1.4	49	2	1 - 3 TIMES A MONTH
22.0	1.0	33	3	1 - 2 TIMES A WEEK
15.3	0.7	23	4	3 - 4 TIMES A WEEK
8.7	0.4	13	5	5 - 6 TIMES A WEEK
8.0	0.4	12	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 - 3 TIMES A DAY
1.3	0.1	2	8	4 OR MORE TIMES A DAY
	95.4	3,225	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 511-512

AE7D	AGE WHEN 1ST USED SEDATIVES/TRANQUILIZERS DAILY
-------------	--

How old were you when you began using sedatives or tranquilizers daily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.0	1	0	
6.7	0.1	2	12	
10.0	0.1	3	13	
20.0	0.2	6	14	
26.7	0.2	8	15	
23.3	0.2	7	16	
6.7	0.1	2	17	
3.3	0.0	1	18	
	98.9	3,345	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 513-514

AE7E	AGE WHEN 1ST USED SEDATIVES/TRANQUILIZERS REGULARLY
-------------	--

How old were you when you began using sedatives or tranquilizers regularly (at least once a week)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.1	2	0	
5.2	0.1	5	12	
8.3	0.2	8	13	
20.8	0.6	20	14	
26.0	0.7	25	15	
21.9	0.6	21	16	
12.5	0.4	12	17	
3.1	0.1	3	18	
	96.9	3,278	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 515-516

AE7F3	LONGEST PERIOD USE SEDATIVES/TRANQUILIZERS ONCE/WK
--------------	---

How long was the longest period of time when you used sedatives or tranquilizers at least once a week?

_____	WEEKS				
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
1.1	0.0	1	0		
5.5	0.1	5	1		
5.5	0.1	5	2		
5.5	0.1	5	3		
8.8	0.2	8	4		
1.1	0.0	1	6		
1.1	0.0	1	8		
11.0	0.3	10	9		
11.0	0.3	10	13		
4.4	0.1	4	17		
3.3	0.1	3	22		
5.5	0.1	5	26		
2.2	0.1	2	30		
3.3	0.1	3	35		
2.2	0.1	2	39		
1.1	0.0	1	43		
14.3	0.4	13	52		
1.1	0.0	1	78		
1.1	0.0	1	87		
6.6	0.2	6	104		
2.2	0.1	2	156		
1.1	0.0	1	208		
1.1	0.0	1	316		
	97.0	3,279	-9	LEGITIMATE NONRESPONSE	
	0.3	9	-8	MISSING	
	0.1	3	-4	DON'T KNOW	
-----	-----	-----			
100.0	100.0	3,382	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 517-519

AE7G

HOW SEDATIVES/TRANQUILIZERS USED DURING THIS TIME

How did you usually use sedatives or tranquilizers during this period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.8	2.7	91	1	BY MOUTH (EAT, CHEW)
1.0	0.0	1	2	BY SMOKING IT
4.2	0.1	4	3	BY INHALING, SNORTING OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY (SPECIFY)
	97.0	3,279	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 520-521

AE7H3	LONGEST TIME W/OUT SEDATIVES/TRANQUILIZERS IN WKS
--------------	--

Since you started using sedatives or tranquilizers regularly (at least once a week), what is the longest period of time you did not use sedatives or tranquilizers on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	0.3	10	0	
2.1	0.1	2	1	
6.4	0.2	6	2	
3.2	0.1	3	3	
12.8	0.4	12	4	
1.1	0.0	1	5	
1.1	0.0	1	6	
1.1	0.0	1	7	
8.5	0.2	8	9	
1.1	0.0	1	10	
7.4	0.2	7	13	
4.3	0.1	4	17	
6.4	0.2	6	22	
9.6	0.3	9	26	
2.1	0.1	2	35	
2.1	0.1	2	39	
1.1	0.0	1	43	
1.1	0.0	1	48	
10.6	0.3	10	52	
4.3	0.1	4	78	
1.1	0.0	1	104	
1.1	0.0	1	156	
1.1	0.0	1	334	
	97.0	3,279	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.1	3	-4	DON'T KNOW
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 522-524

AE7I**REASON STOPPED USING SEDATIVES/TRANQUILIZERS**

At that time, were you in a treatment program; in jail, prison, or juvenile detention; or did you stop on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.4	15	1	IN A TREATMENT PROGRAM
5.6	0.1	5	2	IN JAIL
70.0	1.9	63	3	STOPPED ON YOUR OWN
7.8	0.2	7	4	OTHER
	95.0	3,214	-9	LEGITIMATE NONRESPONSE
	2.2	74	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 525-526

AE7J**HOW OLD WERE YOU AT THIS TIME?**

How old were you at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.1	2	12	
6.6	0.2	6	13	
11.0	0.3	10	14	
25.3	0.7	23	15	
33.0	0.9	30	16	
16.5	0.4	15	17	
5.5	0.1	5	18	
	95.0	3,214	-9	LEGITIMATE NONRESPONSE
	2.2	74	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 527-528

AE7K	LAST TIME USED SEDATIVES/TRANQUILIZERS REGULARLY
-------------	---

When was the last time you used sedatives or tranquilizers regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	1.1	36	1	WITHIN THE MONTH BEFORE ADMISSION
47.4	1.4	46	2	WITHIN THE PAST 12 MONTHS
15.5	0.4	15	3	MORE THAN 1 YEAR AGO
	95.0	3,214	-9	LEGITIMATE NONRESPONSE
	2.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 529-530

AE7K_M	MONTHS AGO LAST USED SEDATIVES REGULARLY
---------------	---

When was the last time You used sedatives or tranquilizers regularly? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	1.1	36	0	
12.4	0.4	12	2	
5.2	0.1	5	3	
5.2	0.1	5	4	
4.1	0.1	4	5	
6.2	0.2	6	6	
4.1	0.1	4	7	
4.1	0.1	4	8	
1.0	0.0	1	9	
4.1	0.1	4	10	
2.1	0.1	2	11	
4.1	0.1	4	12	
1.0	0.0	1	13	
3.1	0.1	3	16	
2.1	0.1	2	18	
1.0	0.0	1	19	
1.0	0.0	1	22	
1.0	0.0	1	28	
1.0	0.0	1	34	
	95.0	3,214	-9	LEGITIMATE NONRESPONSE
	2.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2569-2570

AE7L

MOST RECENT TIME USED SEDATIVES/TRANQUILIZERS

When was the most recent time you used sedatives or tranquilizers on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	0.6	20	1	WITHIN THE MONTH BEFORE ADMISSION
65.2	2.5	86	2	WITHIN THE PAST 12 MONTHS
19.7	0.8	26	3	MORE THAN 1 YEAR AGO
	95.9	3,243	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 531-532

AE7L_M	MONTHS AGO LAST USED SEDATIVES
---------------	---------------------------------------

When was the most recent time you used sedatives or tranquilizers on your own? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	0.6	20	0	
18.2	0.7	24	2	
9.8	0.4	13	3	
7.6	0.3	10	4	
6.1	0.2	8	5	
9.8	0.4	13	6	
4.5	0.2	6	7	
3.8	0.1	5	8	
3.8	0.1	5	9	
3.8	0.1	5	10	
2.3	0.1	3	11	
2.3	0.1	3	12	
1.5	0.1	2	13	
1.5	0.1	2	16	
2.3	0.1	3	17	
2.3	0.1	3	18	
1.5	0.1	2	19	
0.8	0.0	1	22	
0.8	0.0	1	28	
0.8	0.0	1	29	
0.8	0.0	1	34	
0.8	0.0	1	57	
	95.9	3,243	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2571-2572

AE7M	FREQUENCY SEDATIVES/TRANQUILIZERS USE AT THAT TIME
-------------	---

About how often did you use sedatives or tranquilizers around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	0.9	30	1	LESS THAN ONCE A MONTH
32.5	1.6	53	2	1 - 3 TIMES A MONTH
25.2	1.2	41	3	1 - 2 TIMES A WEEK
10.4	0.5	17	4	3 - 4 TIMES A WEEK
3.7	0.2	6	5	5 - 6 TIMES A WEEK
8.0	0.4	13	6	DAILY OR ALMOST EVERY DAY
1.2	0.1	2	7	2 - 3 TIMES A DAY
0.6	0.0	1	8	4 OR MORE TIMES A DAY
	95.0	3,212	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 533-534

AE7N	HOW SEDATIVES/TRANQUILIZERS USUALLY USED
-------------	---

How did you usually use sedatives or tranquilizers around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	4.6	156	1	BY MOUTH (EAT, CHEW)
0.6	0.0	1	2	BY SMOKING IT
3.1	0.1	5	3	BY INHALING, SNORTING OR SNIFFING IT
0.6	0.0	1	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY (SPECIFY)
0.0	0.0	0	8	USED ONCE
0.0	0.0	0	9	LACED WITH MARIJUANA
0.0	0.0	0	10	RUSHES
0.0	0.0	0	11	PRIMOS
0.0	0.0	0	12	DRINKING
0.0	0.0	0	13	ON SKIN
0.0	0.0	0	14	SMOKE AND INJECT IN VEIN AT SAME TIME
0.0	0.0	0	15	WHOLERS
	95.0	3,212	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 535-536

AE7071	TAKING SEDATIVES AND SLEEPING PILLS
---------------	--

What types of sedatives and tranquilizers were you taking around that time?

Sedatives and sleeping pills

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	42	71	CIRCLED
	95.0	3,214	-9	LEGITIMATE NONRESPONSE
	3.7	125	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 537-538

AE7072	TAKING BARBITURATES
---------------	----------------------------

What types of sedatives and tranquilizers were you taking around that time?

Barbiturates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	17	72	CIRCLED
	95.0	3,214	-9	LEGITIMATE NONRESPONSE
	4.4	150	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 539-540

AE7073	TAKING BENZODIAZEPINES
---------------	-------------------------------

What types of sedatives and tranquilizers were you taking around that time?

Benzodiazapenes, such as Xanax, Valium, or Librium

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	122	73	CIRCLED
	95.0	3,213	-9	LEGITIMATE NONRESPONSE
	1.4	46	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 541-542

AE7074	TAKING OTHER TRANQUILIZERS
---------------	-----------------------------------

What types of sedatives and tranquilizers were you taking around that time?

Other tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	26	74	CIRCLED
	95.0	3,214	-9	LEGITIMATE NONRESPONSE
	4.2	141	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 543-544

AE7P	WHICH TYPE SEDATIVE MOST OFTEN USED
-------------	--

Which type did you use most often around that time for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	0.3	9	71	SEDATIVES AND SLEEPING PILLS
7.1	0.1	3	72	BARBITURATES
59.5	0.7	25	73	BENZODIAZAPENES
11.9	0.1	5	74	OTHER TRANQUILIZERS
	98.8	3,340	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 545-546

AE8	ANY STIMULANTS PRESCRIBED
------------	----------------------------------

Has a doctor ever legitimately prescribed any stimulants for you for a physical or emotional problem or condition in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.1	140	1	YES
95.8	94.7	3,204	2	NO
	1.1	38	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 547-548

AE8A	# OF PRESCRIPTIONS FOR STIMULANTS
-------------	--

How many prescriptions for stimulants did you get in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	1.5	52	1	
17.3	0.7	22	2	
12.6	0.5	16	3	
4.7	0.2	6	4	
1.6	0.1	2	5	
4.7	0.2	6	6	
1.6	0.1	2	8	
3.9	0.1	5	10	
10.2	0.4	13	12	
0.8	0.0	1	14	
0.8	0.0	1	18	
0.8	0.0	1	25	
	94.7	3,202	-9	LEGITIMATE NONRESPONSE
	1.2	40	-8	MISSING
	0.4	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 549-550

AE8B1

FIRST STIMULANT PRESCRIBED IN 12 MONTHS

Which stimulants were prescribed in these 12 months?

First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
15.3	0.6	20	1	DEXEDRINE
1.5	0.1	2	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.8	0.0	1	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.8	0.0	1	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
72.5	2.8	95	18	RITALIN
7.6	0.3	10	19	CYLERT
0.8	0.0	1	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.8	0.0	1	22	METHAMPHETAMINE ('SPEED' OR 'CRANK')
0.0	0.0	0	23	OBEDRIN-L.A.
	94.7	3,202	-9	LEGITIMATE NONRESPONSE
	1.2	42	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 551-552

AE8B2	SECOND STIMULANT PRESCRIBED IN 12 MONTHS
--------------	---

Which stimulants were prescribed in these 12 months?

Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	0.3	10	0	NONE
17.4	0.1	4	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
21.7	0.1	5	18	RITALIN
13.0	0.1	3	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
4.3	0.0	1	22	METHAMPHETAMINE ('SPEED' OR 'CRANK')
0.0	0.0	0	23	OBEDRIN-L.A.
	94.7	3,204	-9	LEGITIMATE NONRESPONSE
	4.4	149	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 553-554

AE8B3

THIRD STIMULANT PRESCRIBED IN 12 MONTHS

Which stimulants were prescribed in these 12 months?

Third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.4	12	0	NONE
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
7.1	0.0	1	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
7.1	0.0	1	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMINE
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE ('SPEED' OR 'CRANK')
0.0	0.0	0	23	OBEDRIN-L.A.
	94.7	3,204	-9	LEGITIMATE NONRESPONSE
	4.7	158	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 555-556

AE8C	# WEEKS USED STIMULANTS IN 12 MONTHS
-------------	---

In these 12 months, about how many weeks did you use stimulants as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.1	5	0	
5.1	0.2	7	1	
5.8	0.2	8	2	
5.1	0.2	7	3	
8.8	0.4	12	4	
0.7	0.0	1	5	
5.8	0.2	8	8	
2.2	0.1	3	9	
2.2	0.1	3	10	
3.6	0.1	5	12	
0.7	0.0	1	13	
1.5	0.1	2	16	
0.7	0.0	1	17	
0.7	0.0	1	18	
5.1	0.2	7	20	
0.7	0.0	1	22	
5.8	0.2	8	24	
0.7	0.0	1	25	
2.2	0.1	3	26	
3.6	0.1	5	28	
2.2	0.1	3	30	
2.9	0.1	4	32	
2.9	0.1	4	36	
0.7	0.0	1	40	
0.7	0.0	1	46	
0.7	0.0	1	50	
24.8	1.0	34	52	
	94.6	3,200	-9	LEGITIMATE NONRESPONSE
	1.2	42	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 557-558

AE9**#TIMES USED AMPHETAMINES/STIMULANTS NONMED REASON**

About how many times in your life have you used amphetamines
or other stimulants for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	79.2	2,680	0	NEVER USED NONMEDICALLY
5.0	5.0	168	1	1 OR 2 TIMES
3.6	3.6	122	2	3 TO 5 TIMES
1.4	1.4	48	3	6 TO 10 TIMES
3.4	3.4	116	4	11 TO 49 TIMES
1.9	1.9	65	5	50 TO 99 TIMES
1.5	1.5	50	6	100 TO 199 TIMES
3.7	3.7	124	7	200 OR MORE TIMES
	0.2	7	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 559-560

AE9A	AGE 1ST USED AMPHETAMINES/STIMULANTS
-------------	---

About how old were you the first time you actually used amphetamines or stimulants for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	0	
0.2	0.0	1	6	
0.5	0.1	2	7	
0.2	0.0	1	8	
0.2	0.0	1	9	
1.5	0.2	6	10	
1.2	0.1	5	11	
8.4	1.0	34	12	
15.3	1.8	62	13	
25.6	3.1	104	14	
25.9	3.1	105	15	
15.8	1.9	64	16	
4.9	0.6	20	17	
	87.7	2,967	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 561-562

AE9B	AVERAGE USE AMPHETAMINES/STIMULANTS 12MONTHS PRIOR ADMISSION
-------------	---

On the average, how often did you use amphetamines or other stimulants in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.8	28	0	NOT USED AT ALL OVER THE PERIOD
12.6	1.5	51	1	LESS THAN ONCE A MONTH
19.1	2.3	77	2	1 - 3 TIMES PER MONTH
18.3	2.2	74	3	1 - 2 TIMES PER WEEK
10.6	1.3	43	4	3 - 4 TIMES PER WEEK
3.5	0.4	14	5	5 - 6 TIMES A WEEK
16.6	2.0	67	6	DAILY OR ALMOST EVERY DAY
5.2	0.6	21	7	2 - 3 TIMES A DAY
7.2	0.9	29	8	4 OR MORE TIMES A DAY
	87.8	2,968	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 563-564

AE9C	FREQUENCY OF HEAVIEST AMPHETAMINES/STIMULANTS USE
-------------	--

Think about the time when you were using amphetamines or stimulants the most (heaviest). About how often were you using them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	0.6	20	1	LESS THAN ONCE A MONTH
18.2	1.6	55	2	1 - 3 TIMES A MONTH
23.4	2.1	71	3	1 - 2 TIMES A WEEK
14.9	1.3	45	4	3 - 4 TIMES A WEEK
8.6	0.8	26	5	5 - 6 TIMES A WEEK
17.8	1.6	54	6	DAILY OR ALMOST EVERY DAY
6.6	0.6	20	7	2 - 3 TIMES A DAY
4.0	0.4	12	8	4 OR MORE TIMES A DAY
	90.8	3,070	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 565-566

AE9D	AGE WHEN 1ST USED AMPHETAMINES/STIMULANTS DAILY
-------------	--

How old were you when you began using amphetamines or stimulants daily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.2	6	0	
0.5	0.0	1	7	
0.5	0.0	1	8	
0.5	0.0	1	10	
5.4	0.3	11	12	
8.3	0.5	17	13	
19.1	1.2	39	14	
29.9	1.8	61	15	
22.5	1.4	46	16	
10.3	0.6	21	17	
	93.7	3,169	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 567-568

AE9E**AGE WHEN 1ST USED AMPHETAMINES/STIMULANTS REGULARLY**

How old were you when you began using amphetamines or stimulants regularly (at least once a week)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	3	0	
0.3	0.0	1	7	
0.3	0.0	1	8	
0.6	0.1	2	10	
0.9	0.1	3	11	
3.9	0.4	13	12	
13.3	1.3	44	13	
21.2	2.1	70	14	
30.0	2.9	99	15	
20.0	2.0	66	16	
8.5	0.8	28	17	
	90.0	3,043	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 569-570

AE9F3	LONGEST PERIOD USE AMPHETAMINES/STIMULANTS ONCE/WK
--------------	---

How long was the longest period of time when you used amphetamines or stimulants at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
3.6	0.4	12	1	
6.6	0.7	22	2	
3.3	0.3	11	3	
9.7	0.9	32	4	
0.9	0.1	3	5	
1.5	0.1	5	6	
10.6	1.0	35	9	
0.3	0.0	1	11	
8.5	0.8	28	13	
6.3	0.6	21	17	
0.3	0.0	1	19	
2.7	0.3	9	22	
9.4	0.9	31	26	
3.0	0.3	10	30	
2.7	0.3	9	35	
0.9	0.1	3	39	
0.3	0.0	1	41	
0.6	0.1	2	43	
0.3	0.0	1	48	
14.2	1.4	47	52	
0.6	0.1	2	65	
3.0	0.3	10	78	
0.3	0.0	1	91	
0.3	0.0	1	95	
5.1	0.5	17	104	
0.6	0.1	2	130	
2.4	0.2	8	156	
0.6	0.1	2	208	
0.3	0.0	1	312	
0.3	0.0	1	416	
0.3	0.0	1	468	
	89.9	3,042	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 571-573

AE9G**HOW AMPHETAMINES/STIMULANTS USED DURING THIS TIME**

How did you usually use amphetamines and stimulants during this period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	3.5	117	1	BY MOUTH (EAT, CHEW)
4.6	0.4	15	2	BY SMOKING IT
53.1	5.1	173	3	BY INHALING, SNORTING OR SNIFFING IT
6.4	0.6	21	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY (SPECIFY)
	89.9	3,042	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.2	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 574-575

AE9H3	LONGEST TIME W/OUT AMPHETAMINES/STIMULANTS IN WKS
--------------	--

Since you started using amphetamines or stimulants regularly (at least once a week), what is the longest period of time you did not use amphetamines or stimulants on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	0.7	25	0	
8.5	0.8	28	1	
10.9	1.1	36	2	
5.4	0.5	18	3	
11.2	1.1	37	4	
0.6	0.1	2	5	
2.1	0.2	7	6	
0.6	0.1	2	7	
10.9	1.1	36	9	
0.6	0.1	2	11	
0.3	0.0	1	12	
7.9	0.8	26	13	
6.0	0.6	20	17	
0.6	0.1	2	19	
5.4	0.5	18	22	
0.3	0.0	1	23	
4.8	0.5	16	26	
0.3	0.0	1	28	
1.2	0.1	4	30	
1.8	0.2	6	35	
1.5	0.1	5	39	
0.6	0.1	2	43	
0.6	0.1	2	48	
5.4	0.5	18	52	
0.6	0.1	2	56	
0.3	0.0	1	65	
1.2	0.1	4	78	
0.3	0.0	1	91	
1.8	0.2	6	104	
0.3	0.0	1	156	
0.3	0.0	1	260	
	89.9	3,042	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 576-578

AE9I**REASON STOPPED USING AMPHETAMINES/STIMULANTS**

At that time, were you in a treatment program: in jail,
prison, or juvenile detention: or did you stop on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	1.7	56	1	IN A TREATMENT PROGRAM
7.0	0.7	22	2	IN JAIL
69.1	6.4	217	3	STOPPED ON YOUR OWN
6.1	0.6	19	4	OTHER
	87.8	2,970	-9	LEGITIMATE NONRESPONSE
	2.5	86	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
	0.2	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 579-580

AE9J**HOW OLD WERE YOU AT THIS TIME?**

How old were you at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
0.6	0.1	2	11	
0.3	0.0	1	12	
6.6	0.6	21	13	
17.2	1.6	55	14	
28.2	2.7	90	15	
26.3	2.5	84	16	
19.1	1.8	61	17	
1.3	0.1	4	18	
	87.8	2,969	-9	LEGITIMATE NONRESPONSE
	2.6	89	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 581-582

AE9K	LAST TIME USED AMPHETAMINES/STIMULANTS REGULARLY
-------------	---

When was the last time you used amphetamines or stimulants regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	4.0	134	1	WITHIN THE MONTH BEFORE ADMISSION
46.1	4.5	153	2	WITHIN THE PAST 12 MONTHS
13.6	1.3	45	3	MORE THAN 1 YEAR AGO
	87.8	2,969	-9	LEGITIMATE NONRESPONSE
	2.4	81	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 583-584

AE9K_M	MONTHS AGO LAST USED AMPHETAMINES REGULARLY
---------------	--

When was the last time you used amphetamines or stimulants regularly (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	4.0	134	0	
1.8	0.2	6	1	
12.1	1.2	40	2	
7.9	0.8	26	3	
5.4	0.5	18	4	
5.4	0.5	18	5	
4.8	0.5	16	6	
2.7	0.3	9	7	
2.7	0.3	9	8	
2.7	0.3	9	9	
3.3	0.3	11	10	
0.6	0.1	2	11	
1.2	0.1	4	12	
0.9	0.1	3	13	
0.6	0.1	2	15	
1.5	0.1	5	16	
0.9	0.1	3	17	
0.9	0.1	3	18	
0.6	0.1	2	19	
0.3	0.0	1	22	
0.3	0.0	1	25	
0.3	0.0	1	26	
0.3	0.0	1	28	
0.3	0.0	1	33	
0.6	0.1	2	34	
0.3	0.0	1	36	
0.3	0.0	1	39	
0.3	0.0	1	40	
0.3	0.0	1	42	
	87.8	2,969	-9	LEGITIMATE NONRESPONSE
	2.4	82	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2573-2574

AE9L	MOST RECENT TIME USED AMPHETAMINES/STIMULANTS
-------------	--

When was the most recent time you used amphetamines or stimulants on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	2.7	91	1	WITHIN THE MONTH BEFORE ADMISSION
56.8	5.2	176	2	WITHIN THE PAST 12 MONTHS
13.9	1.3	43	3	MORE THAN 1 YEAR AGO
	90.6	3,063	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 585-586

AE9L_M	MONTHS AGO LAST USED AMPHETAMINES
---------------	--

When was the most recent time you used amphetamines or stimulants on your own? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.4	2.7	91	0	
2.9	0.3	9	1	
17.1	1.6	53	2	
7.1	0.7	22	3	
5.5	0.5	17	4	
7.1	0.7	22	5	
7.4	0.7	23	6	
3.2	0.3	10	7	
3.5	0.3	11	8	
1.9	0.2	6	9	
3.5	0.3	11	10	
1.0	0.1	3	11	
1.0	0.1	3	12	
1.0	0.1	3	13	
1.0	0.1	3	15	
1.6	0.1	5	16	
1.0	0.1	3	17	
1.0	0.1	3	18	
0.3	0.0	1	19	
0.6	0.1	2	22	
0.3	0.0	1	25	
0.6	0.1	2	26	
0.3	0.0	1	28	
0.3	0.0	1	31	
0.3	0.0	1	34	
0.3	0.0	1	39	
0.3	0.0	1	40	
0.3	0.0	1	42	
	90.6	3,063	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2575-2576

AE9M FREQUENCY AMPHETAMINES/STIMULANTS USE AT THAT TIME

About how often did you use amphetamines or stimulants around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	1.7	56	1	LESS THAN ONCE A MONTH
22.2	2.7	90	2	1 - 3 TIMES A MONTH
16.0	1.9	65	3	1 - 2 TIMES A WEEK
11.3	1.4	46	4	3 - 4 TIMES A WEEK
5.4	0.7	22	5	5 - 6 TIMES A WEEK
19.5	2.3	79	6	DAILY OR ALMOST EVERY DAY
4.9	0.6	20	7	2 - 3 TIMES A DAY
6.9	0.8	28	8	4 OR MORE TIMES A DAY
	87.8	2,968	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 587-588

AE9N HOW AMPHETAMINES/STIMULANTS USUALLY USED

How did you usually use amphetamines or stimulants around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	4.8	164	1	BY MOUTH (EAT, CHEW)
4.0	0.5	16	2	BY SMOKING IT
48.9	5.8	196	3	BY INHALING, SNORTING OR SNIFFING IT
6.0	0.7	24	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.2	0.0	1	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY (SPECIFY)
	87.8	2,969	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.1	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 589-590

AE90**AGE WHEN FIRST USED METHAMPHETAMINE**

How old were you when you first used methamphetamine or ice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	4.7	159	0	NEVER
0.2	0.0	1	6	
0.5	0.1	2	7	
0.2	0.0	1	8	
1.0	0.1	4	10	
0.2	0.0	1	11	
4.2	0.5	17	12	
6.7	0.8	27	13	
13.9	1.7	56	14	
16.3	2.0	66	15	
12.1	1.4	49	16	
5.2	0.6	21	17	
	87.8	2,968	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 591-592

AE9P**MOST RECENT TIME USED METHAMPHETAMINE**

When was the most recent time you used methamphetamine or ice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	3.8	128	1	WITHIN THE MONTH BEFORE ADMISSION
42.0	3.0	102	2	WITHIN THE PAST 12 MONTHS
5.3	0.4	13	3	MORE THAN 1 YEAR AGO
	92.5	3,128	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 593-594

AE9P_M	MONTHS AGO LAST USED METHADONE/ICE
---------------	---

When was the most recent time you used methamphetamine or ice? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	3.8	128	0	
2.5	0.2	6	1	
14.9	1.1	36	2	
5.0	0.4	12	3	
4.1	0.3	10	4	
4.1	0.3	10	5	
4.6	0.3	11	6	
1.7	0.1	4	7	
2.9	0.2	7	8	
0.4	0.0	1	9	
1.2	0.1	3	10	
0.8	0.1	2	11	
0.4	0.0	1	12	
1.2	0.1	3	13	
0.4	0.0	1	14	
0.4	0.0	1	15	
0.4	0.0	1	16	
0.8	0.1	2	19	
0.4	0.0	1	20	
0.4	0.0	1	26	
	92.5	3,128	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2577-2578

AE9Q**FREQUENCY METHAMPHETAMINE USE AT THAT TIME**

About how often did you use methamphetamine or ice around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	1.1	38	1	LESS THAN ONCE A MONTH
19.7	1.4	48	2	1 - 3 TIMES A MONTH
15.2	1.1	37	3	1 - 2 TIMES A WEEK
11.1	0.8	27	4	3 - 4 TIMES A WEEK
4.5	0.3	11	5	5 - 6 TIMES A WEEK
19.7	1.4	48	6	DAILY OR ALMOST EVERY DAY
6.1	0.4	15	7	2 - 3 TIMES A DAY
8.2	0.6	20	8	4 OR MORE TIMES A DAY
	92.5	3,127	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 595-596

AE9R**HOW METHAMPHETAMINE USUALLY USED**

How did you use methamphetamine or ice around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	0.7	22	1	BY MOUTH (EAT, CHEW)
9.2	0.7	22	2	BY SMOKING IT
71.2	5.1	171	3	BY INHALING, SNORTING OR SNIFFING IT
9.6	0.7	23	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.4	0.0	1	6	BY FREEBASING
0.4	0.0	1	7	SOME OTHER WAY (SPECIFY)
	92.5	3,128	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	4	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 597-598

AE10	TRANQUILIZERS PRESCRIBED BY DOCTOR
-------------	---

Has a doctor ever prescribed major tranquilizers such as Thorazine, Stelazine, or Lithium or major antidepressants such as Elavil or Prozac?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	85.4	2,889	0	NEITHER
2.5	2.4	82	1	MAJOR TRANQUILIZERS
9.0	8.9	300	2	MAJOR ANTIDEPRESSANTS
1.5	1.5	50	3	BOTH
	1.6	54	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 599-600

AE10A	USE TRANQUILIZERS/ANTIDEPRESSANTS IN 12 MONTHS
--------------	---

Did you use either major tranquilizers or major antidepressants in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	3.3	111	0	NEITHER
12.4	1.6	54	1	MAJOR TRANQUILIZERS
56.7	7.3	247	2	MAJOR ANTIDEPRESSANTS
5.5	0.7	24	3	BOTH
	85.3	2,886	-9	LEGITIMATE NONRESPONSE
	1.6	54	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 601-602

AE11**#TIMES USED HALLUCINOGENS OR PSYCHEDELIC**

About how many times in your life have you used LSD, PCP, or
any other hallucinogen or psychedelic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	49.4	1,672	0	NEVER USED
12.1	12.1	408	1	1 OR 2 TIMES
8.6	8.5	289	2	3 TO 5 TIMES
5.7	5.7	192	3	6 TO 10 TIMES
11.0	11.0	371	4	11 TO 49 TIMES
4.4	4.4	150	5	50 TO 99 TIMES
3.7	3.7	124	6	100 TO 199 TIMES
5.0	5.0	168	7	200 OR MORE TIMES
	0.0	1	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 603-604

AE11A	AGE 1ST USED HALLUCINOGENS/PSYCHEDELICS
--------------	--

About how old were you the first time you actually used hallucinogens or psychedelics?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	2	
0.2	0.1	2	7	
0.1	0.0	1	8	
0.2	0.1	2	9	
0.6	0.2	6	10	
2.4	0.7	24	11	
7.3	2.2	74	12	
17.2	5.1	173	13	
26.6	7.9	268	14	
24.9	7.4	251	15	
17.1	5.1	172	16	
3.2	0.9	32	17	
0.1	0.0	1	18	
	70.0	2,367	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 605-606

AE11B	AVERAGE USE HALLUCINOGENS 12 MONTHS PRIOR ADMISSION
--------------	--

On the average, how often did you use hallucinogens in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	1.8	62	0	NOT USED AT ALL OVER THE PERIOD
23.9	7.1	241	1	LESS THAN ONCE A MONTH
29.2	8.7	294	2	1 - 3 TIMES PER MONTH
21.8	6.5	220	3	1 - 2 TIMES PER WEEK
9.8	2.9	99	4	3 - 4 TIMES PER WEEK
3.1	0.9	31	5	5 - 6 TIMES A WEEK
3.9	1.2	39	6	DAILY OR ALMOST EVERY DAY
1.5	0.4	15	7	2 - 3 TIMES A DAY
0.6	0.2	6	8	4 OR MORE TIMES A DAY
	70.0	2,367	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 607-608

AE11C	FREQUENCY OF HEAVIEST HALLUCINOGENS USE
--------------	--

Think about the time when you were using hallucinogens the most (heaviest). About how often were you using them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	3.9	132	1	LESS THAN ONCE A MONTH
27.2	7.6	258	2	1 - 3 TIMES A MONTH
25.1	7.0	238	3	1 - 2 TIMES A WEEK
19.6	5.5	186	4	3 - 4 TIMES A WEEK
5.6	1.6	53	5	5 - 6 TIMES A WEEK
6.2	1.7	59	6	DAILY OR ALMOST EVERY DAY
1.3	0.4	12	7	2 - 3 TIMES A DAY
1.1	0.3	10	8	4 OR MORE TIMES A DAY
	71.7	2,425	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 609-610

AE11D	AGE WHEN FIRST USED HALLUCINOGENS DAILY
--------------	--

How old were you when you began using hallucinogens daily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	0.2	7	0	
0.7	0.0	1	9	
1.3	0.1	2	11	
7.2	0.3	11	12	
9.8	0.4	15	13	
19.0	0.9	29	14	
32.7	1.5	50	15	
20.9	0.9	32	16	
3.3	0.1	5	17	
0.7	0.0	1	18	
	95.2	3,221	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 611-612

AE11E**AGE WHEN 1ST USED HALLUCINOGENS REGULARLY**

How old were you when you began using hallucinogens regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	0	
0.2	0.0	1	9	
0.3	0.1	2	10	
1.1	0.2	7	11	
4.7	0.9	29	12	
12.6	2.3	78	13	
24.8	4.5	153	14	
27.7	5.1	171	15	
23.0	4.2	142	16	
5.0	0.9	31	17	
0.5	0.1	3	18	
	81.4	2,752	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 613-614

AE11F3	LONGEST PERIOD USE HALLUCINOGENS ONCE/WK
---------------	---

How long was the longest period of time when you used hallucinogens at least once a week?

_____ WEEKS

3,382 cases (Range of valid codes: 0-624)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 615-617

AE11G	HOW HALLUCINOGENS USED DURING THIS TIME
--------------	--

How did you usually use hallucinogens during this period?

PCT VALID	PCT ALL	N	VALUE	LABEL
90.0	16.5	557	1	BY MOUTH (EAT, CHEW)
8.6	1.6	53	2	BY SMOKING IT
0.6	0.1	4	3	BY INHALING, SNORTING OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.8	0.1	5	7	SOME OTHER WAY (SPECIFY)
	81.3	2,749	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.2	7	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 618-619

AE11H	LAST TIME USED HALLUCINOGENS REGULARLY
--------------	---

When was the last time you used hallucinogens regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	7.9	268	1	WITHIN THE MONTH BEFORE ADMISSION
43.6	8.1	273	2	WITHIN THE PAST 12 MONTHS
13.6	2.5	85	3	MORE THAN 1 YEAR AGO
	81.2	2,747	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 620-621

AE11H_M	MONTHS AGO LAST HALLUCINOGENS REGULARLY
----------------	--

When was the last time you used hallucinogens regularly?
(recode)

3,382 cases (Range of valid codes: 0-59)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2579-2580

AE11I	MOST RECENT TIME USED HALLUCINOGENS
--------------	--

When was the most recent time you used any hallucinogens?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.2	5.8	196	1	WITHIN THE MONTH BEFORE ADMISSION
61.7	13.6	461	2	WITHIN THE PAST 12 MONTHS
12.0	2.7	90	3	MORE THAN 1 YEAR AGO
	70.0	2,368	-9	LEGITIMATE NONRESPONSE
	7.8	265	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 622-623

AE11I_M	MONTHS AGO LAST USED ANY HALLUCINOGENS
----------------	---

When was the most recent time you used any hallucinogens?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	5.8	197	0	
1.7	0.4	13	1	
16.0	3.5	119	2	
12.7	2.8	95	3	
9.7	2.1	72	4	
5.1	1.1	38	5	
7.4	1.6	55	6	
2.7	0.6	20	7	
3.9	0.9	29	8	
1.1	0.2	8	9	
2.1	0.5	16	10	
2.3	0.5	17	11	
0.5	0.1	4	12	
0.9	0.2	7	13	
0.9	0.2	7	14	
0.7	0.1	5	15	
1.3	0.3	10	16	
0.4	0.1	3	17	
0.4	0.1	3	18	
0.8	0.2	6	19	
0.7	0.1	5	21	
0.3	0.1	2	22	
0.3	0.1	2	24	
0.1	0.0	1	25	
0.1	0.0	1	26	
0.3	0.1	2	28	
0.1	0.0	1	29	
0.4	0.1	3	30	
0.3	0.1	2	31	
0.1	0.0	1	32	
0.1	0.0	1	34	
0.1	0.0	1	59	
	70.0	2,368	-9	LEGITIMATE NONRESPONSE
	7.9	268	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2581-2582

AE11J	FREQUENCY HALLUCINOGENS USE AT THAT TIME
--------------	---

About how often did you use hallucinogens around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	6.7	226	1	LESS THAN ONCE A MONTH
30.4	8.9	300	2	1 - 3 TIMES A MONTH
24.2	7.1	239	3	1 - 2 TIMES A WEEK
11.9	3.5	117	4	3 - 4 TIMES A WEEK
2.7	0.8	27	5	5 - 6 TIMES A WEEK
5.5	1.6	54	6	DAILY OR ALMOST EVERY DAY
1.8	0.5	18	7	2 - 3 TIMES A DAY
0.6	0.2	6	8	4 OR MORE TIMES A DAY
	70.0	2,369	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 624-625

AE11K	HOW HALLUCINOGENS USUALLY USED
--------------	---------------------------------------

How did you usually use hallucinogens around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.0	26.3	890	1	BY MOUTH (EAT, CHEW)
7.6	2.2	74	2	BY SMOKING IT
0.6	0.2	6	3	BY INHALING, SNORTING OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.8	0.2	8	7	SOME OTHER WAY (SPECIFY)
	70.0	2,369	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.2	8	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 626-627

AE11L	AGE WHEN FIRST USED PCP
--------------	--------------------------------

How old were you when you first used PCP?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	19.0	642	0	NEVER
0.6	0.2	6	11	
1.1	0.3	11	12	
3.9	1.2	39	13	
8.3	2.5	84	14	
10.4	3.1	105	15	
7.7	2.3	78	16	
3.4	1.0	34	17	
0.8	0.2	8	18	
	69.9	2,365	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 628-629

AE11M	MOST RECENT TIME USED PCP
--------------	----------------------------------

When was the most recent time you used PCP?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	3.1	105	1	WITHIN THE MONTH BEFORE ADMISSION
47.7	5.2	175	2	WITHIN THE PAST 12 MONTHS
23.7	2.6	87	3	MORE THAN 1 YEAR AGO
	88.9	3,006	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 630-631

AE11M_M	MONTHS AGO LAST USED PCP
----------------	---------------------------------

When was the most recent time you used PCP? (recode)

3,382 cases (Range of valid codes: 0-73)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2583-2584

AE11N	FREQUENCY OF PCP USE AT THAT TIME
--------------	--

About how often did you use PCP around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.7	4.6	155	1	LESS THAN ONCE A MONTH
22.6	2.4	82	2	1 - 3 TIMES A MONTH
15.4	1.7	56	3	1 - 2 TIMES A WEEK
7.7	0.8	28	4	3 - 4 TIMES A WEEK
2.5	0.3	9	5	5 - 6 TIMES A WEEK
5.2	0.6	19	6	DAILY OR ALMOST EVERY DAY
2.2	0.2	8	7	2 - 3 TIMES A DAY
1.7	0.2	6	8	4 OR MORE TIMES A DAY
	88.9	3,007	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 632-633

AE110 HOW PCP USUALLY USED

How did you usually use PCP?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	1.9	64	1	BY MOUTH (EAT, CHEW)
76.4	8.2	279	2	BY SMOKING IT
5.2	0.6	19	3	BY INHALING, SNORTING OR SNIFFING IT
0.3	0.0	1	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.3	0.0	1	6	BY FREEBASING
0.3	0.0	1	7	SOME OTHER WAY (SPECIFY)
	88.9	3,007	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 634-635

AE12 # OF TIMES USED INHALANTS

About how many times in your life have you used inhalants or things you sniff such as glue, gasoline, paint thinner, or aerosol sprays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	75.2	2,543	0	NEVER
8.6	8.6	292	1	1 OR 2 TIMES
4.4	4.4	150	2	3 TO 5 TIMES
2.7	2.7	91	3	6 TO 10 TIMES
4.5	4.5	152	4	11 TO 49 TIMES
1.9	1.9	63	5	50 TO 99 TIMES
1.0	1.0	35	6	100 TO 199 TIMES
1.5	1.5	51	7	200 OR MORE TIMES
	0.1	4	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 636-637

AE12A

AGE FIRST TIME USED INHALANTS

About how old were you the first time you used inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	2	5	
0.8	0.1	3	6	
0.5	0.1	2	7	
1.8	0.2	7	8	
2.3	0.3	9	9	
5.6	0.7	22	10	
4.1	0.5	16	11	
13.7	1.6	54	12	
17.6	2.0	69	13	
18.6	2.2	73	14	
17.8	2.1	70	15	
12.2	1.4	48	16	
3.6	0.4	14	17	
1.0	0.1	4	18	
	88.1	2,981	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 638-639

AE12B AVERAGE USE INHALANTS 12 MONTHS PRIOR ADMISSION

On the average, how often did you use inhalants in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	2.9	99	0	NOT USED AT ALL OVER THE PERIOD
24.4	2.8	96	1	LESS THAN ONCE A MONTH
21.3	2.5	84	2	1 - 3 TIMES PER MONTH
12.7	1.5	50	3	1 - 2 TIMES PER WEEK
5.8	0.7	23	4	3 - 4 TIMES PER WEEK
4.1	0.5	16	5	5 - 6 TIMES A WEEK
4.1	0.5	16	6	DAILY OR ALMOST EVERY DAY
0.5	0.1	2	7	2 - 3 TIMES A DAY
2.0	0.2	8	8	4 OR MORE TIMES A DAY
	88.2	2,982	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 640-641

AE12C FREQUENCY OF HEAVIEST INHALANTS USE

Think about the time when you were using them the most (heaviest). About how often were you using them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	1.7	56	1	LESS THAN ONCE A MONTH
21.8	2.4	81	2	1 - 3 TIMES A MONTH
20.4	2.2	76	3	1 - 2 TIMES A WEEK
14.2	1.6	53	4	3 - 4 TIMES A WEEK
5.4	0.6	20	5	5 - 6 TIMES A WEEK
14.2	1.6	53	6	DAILY OR ALMOST EVERY DAY
5.1	0.6	19	7	2 - 3 TIMES A DAY
3.8	0.4	14	8	4 OR MORE TIMES A DAY
	88.8	3,004	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 642-643

AE12D	AGE WHEN FIRST USED INHALANTS REGULARLY
--------------	--

How old were you the first time you used inhalants regularly (at least once a week)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	3	0	
0.4	0.0	1	5	
0.4	0.0	1	7	
1.2	0.1	3	8	
1.5	0.1	4	9	
3.5	0.3	9	10	
5.4	0.4	14	11	
12.3	0.9	32	12	
18.1	1.4	47	13	
25.8	2.0	67	14	
14.2	1.1	37	15	
12.7	1.0	33	16	
2.7	0.2	7	17	
0.8	0.1	2	18	
	92.1	3,116	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 644-645

AE12E	LAST TIME USED INHALANTS REGULARLY
--------------	---

When was the last time you used inhalants regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	1.9	65	1	WITHIN THE MONTH BEFORE ADMISSION
30.8	2.4	81	2	WITHIN THE PAST 12 MONTHS
44.5	3.5	117	3	MORE THAN 1 YEAR AGO
	92.0	3,112	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 646-647

AE12E_M MONTHS AGO LAST USED INHALANTS REGULARLY

When was the last time you used inhalants regularly?
(recode)

3,382 cases (Range of valid codes: 0-86)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2585-2586

AE12F MOST RECENT TIME USED INHALANTS

When was the most recent time you used inhalants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	1.4	48	1	WITHIN THE MONTH BEFORE ADMISSION
48.1	4.8	164	2	WITHIN THE PAST 12 MONTHS
37.8	3.8	129	3	MORE THAN 1 YEAR AGO
	89.7	3,033	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 648-649

AE12F_M MONTHS AGO LAST USED INHALANTS

When was the most recent time you used inhalants? (recode)

3,382 cases (Range of valid codes: 0-81)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2587-2588

AE12G

FREQUENCY OF INHALANTS USE AT THAT TIME

About how often did you use inhalants around that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	2.9	98	1	LESS THAN ONCE A MONTH
26.7	3.1	105	2	1 - 3 TIMES A MONTH
17.0	2.0	67	3	1 - 2 TIMES A WEEK
8.9	1.0	35	4	3 - 4 TIMES A WEEK
3.8	0.4	15	5	5 - 6 TIMES A WEEK
10.4	1.2	41	6	DAILY OR ALMOST EVERY DAY
3.8	0.4	15	7	2 - 3 TIMES A DAY
4.3	0.5	17	8	4 OR MORE TIMES A DAY
	88.2	2,983	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 650-651

AE13	DRUG OF CHOICE 12 MONTHS BEFORE ADMISSION
-------------	--

During the 12 months before admission, what type of drug that you used would you say was your favorite drug for taking regularly? Some people call this their "drug of choice."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	192	0	NONE
9.6	9.6	323	10	ALCOHOL
65.4	65.1	2,201	20	MARIJUANA, HASHISH, THC
6.7	6.6	224	30	HALLUCINOGENS/PSYCHEDELICS
4.4	4.4	149	40	COCAINE IN ANY FORM
2.0	2.0	68	41	CRACK
1.5	1.5	51	50	HEROIN ALONE, WITH OTHER DRUGS
0.2	0.2	6	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	1	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.1	0.1	5	70	DOWNERS/DEPRESSANTS
0.5	0.5	18	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
3.0	3.0	100	81	METHAMPHETAMINES/ICE
0.3	0.3	11	90	ANY OTHER DRUGS
0.4	0.4	15	91	INHALANTS
	0.3	11	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	6	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 652-653

AE14**PRIMARY PROBLEM DRUG 12 MONTHS BEFORE ADMISSION**

During the 12 months before admission, what type of drug that you used caused you the most serious problems, such as problems with family, friends, school, or the law; problems feeling dependent on the drug; or health or emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	15.1	509	0	NONE
13.4	13.3	450	10	ALCOHOL
49.3	49.0	1,658	20	MARIJUANA, HASHISH, THC
5.6	5.6	189	30	HALLUCINOGENS/PSYCHEDELICS
6.5	6.4	218	40	COCAINE IN ANY FORM
2.9	2.9	97	41	CRACK
1.7	1.7	58	50	HEROIN ALONE, WITH OTHER DRUGS
0.1	0.1	4	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.1	0.1	4	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.2	0.2	6	70	DOWNERS/DEPRESSANTS
0.6	0.6	21	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
3.3	3.3	111	81	METHAMPHETAMINES/ICE
0.4	0.4	12	90	ANY OTHER DRUGS
0.8	0.8	26	91	INHALANTS
	0.4	14	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 654-655

AE14A	# TIMES USED PRIMARY PROBLEM DRUG
--------------	--

How many times have you used (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
8.5	0.4	12	1	1 OR 2 TIMES
9.2	0.4	13	2	3 TO 5 TIMES
9.9	0.4	14	3	6 TO 10 TIMES
26.1	1.1	37	4	11 TO 49 TIMES
17.6	0.7	25	5	50 TO 99 TIMES
7.7	0.3	11	6	100 TO 199 TIMES
21.1	0.9	30	7	200 OR MORE TIMES
	15.1	509	-9	LEGITIMATE NONRESPONSE
	80.8	2,731	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 656-657

AE14B	AGE FIRST TIME USED PRIMARY PROBLEM DRUG
--------------	---

How old were you the first time you used (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.0	1	9	
0.7	0.0	1	10	
4.3	0.2	6	11	
5.0	0.2	7	12	
15.7	0.7	22	13	
25.0	1.0	35	14	
30.7	1.3	43	15	
11.4	0.5	16	16	
6.4	0.3	9	17	
	15.1	509	-9	LEGITIMATE NONRESPONSE
	80.8	2,733	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 658-659

AE14C	AGE BEGAN USING PRIMARY DRUG REGULARLY
--------------	---

How old were you when you began using it regularly (once a week or more often)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	1.2	42	0	NEVER
0.7	0.0	1	9	
0.7	0.0	1	10	
2.2	0.1	3	11	
3.6	0.1	5	12	
7.9	0.3	11	13	
12.9	0.5	18	14	
23.7	1.0	33	15	
11.5	0.5	16	16	
6.5	0.3	9	17	
	15.1	509	-9	LEGITIMATE NONRESPONSE
	80.8	2,734	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 660-661

AE14D	HOW DID YOU USUALLY TAKE PRIMARY DRUG?
--------------	---

Thinking of the whole period since you started using it regularly, how did you take it most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.5	2.7	90	1	BY MOUTH (EAT, CHEW)
6.7	0.2	7	2	BY SMOKING IT (CRACK)
5.8	0.2	6	3	BY INHALING, SNORTING OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
1.0	0.0	1	7	SOME OTHER WAY (SPECIFY)
	16.1	546	-9	LEGITIMATE NONRESPONSE
	80.8	2,732	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 662-663

AE14E	LAST TIME USED PRIMARY DRUG
--------------	------------------------------------

When did you last use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	2.3	77	1	WITHIN THE MONTH BEFORE ADMISSION
42.6	1.8	60	2	WITHIN THE PAST 12 MONTHS
2.8	0.1	4	3	MORE THAN 1 YEAR AGO
	15.1	509	-9	LEGITIMATE NONRESPONSE
	80.8	2,732	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 664-665

AE14E_M	MONTHS AGO LAST USED PRIMARY PROBLEM DRUG
----------------	--

When did you last use (PRIMARY PROBLEM DRUG)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	2.3	77	0	
0.7	0.0	1	1	
13.5	0.6	19	2	
10.6	0.4	15	3	
4.3	0.2	6	4	
5.7	0.2	8	5	
5.7	0.2	8	6	
0.7	0.0	1	8	
2.1	0.1	3	10	
0.7	0.0	1	11	
0.7	0.0	1	15	
0.7	0.0	1	30	
	15.1	509	-9	LEGITIMATE NONRESPONSE
	80.8	2,732	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2589-2590

AE14F	FREQUENCY PRIMARY DRUG USE AT THAT TIME
--------------	--

How often did you use it at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	1.0	33	1	LESS THAN ONCE A MONTH
24.8	1.0	35	2	1 - 3 TIMES A MONTH
17.0	0.7	24	3	1 - 2 TIMES A WEEK
15.6	0.7	22	4	3 - 4 TIMES A WEEK
2.8	0.1	4	5	5 - 6 TIMES A WEEK
10.6	0.4	15	6	DAILY OR ALMOST EVERY DAY
2.1	0.1	3	7	2 - 3 TIMES A DAY
3.5	0.1	5	8	4 OR MORE TIMES A DAY
	15.1	509	-9	LEGITIMATE NONRESPONSE
	80.8	2,732	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 666-667

AE14G	HOW PRIMARY DRUG USUALLY TAKEN
--------------	---------------------------------------

During the most recent period when you used it, how did you usually take it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	3.7	126	1	BY MOUTH (EAT, CHEW)
6.4	0.3	9	2	BY SMOKING IT
3.5	0.1	5	3	BY INHALING, SNORTING OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.7	0.0	1	7	SOME OTHER WAY (SPECIFY)
	15.1	509	-9	LEGITIMATE NONRESPONSE
	80.8	2,732	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 668-669

AE14H AVERAGE USE PRIMARY DRUG 12 MONTHS PRIOR ADMISSION

On the average, how often did you use (PRIMARY PROBLEM DRUG) in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	2	0	NOT USED AT ALL OVER THE PERIOD
27.0	1.1	38	1	LESS THAN ONCE A MONTH
24.1	1.0	34	2	1 - 3 TIMES PER MONTH
18.4	0.8	26	3	1 - 2 TIMES PER WEEK
12.1	0.5	17	4	3 - 4 TIMES PER WEEK
3.5	0.1	5	5	5 - 6 TIMES A WEEK
7.8	0.3	11	6	DAILY OR ALMOST EVERY DAY
2.1	0.1	3	7	2 - 3 TIMES A DAY
3.5	0.1	5	8	4 OR MORE TIMES A DAY
	15.1	509	-9	LEGITIMATE NONRESPONSE
	80.8	2,732	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 670-671

AE15 DID OTHER DRUG CAUSE PROBLEM PAST 12 MONTHS?

You said that (PRIMARY PROBLEM DRUG) caused you the most serious problems. During the past 12 months, did using any other drug cause you to have problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	22.7	768	1	YES
74.1	64.9	2,194	2	NO
	11.4	384	-9	LEGITIMATE NONRESPONSE
	1.0	35	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 672-673

AE15A**WHICH DRUG CAUSED YOU THESE PROBLEMS?**

Which drug caused you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	NONE
27.7	6.4	215	10	ALCOHOL
34.9	8.0	271	20	MARIJUANA, HASHISH, THC
15.6	3.6	121	30	HALLUCINOGENS/PSYCHEDELICS
9.0	2.1	70	40	COCAINE IN ANY FORM
2.2	0.5	17	41	CRACK
1.5	0.4	12	50	HEROIN ALONE, WITH OTHER DRUGS
0.3	0.1	2	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.3	0.1	2	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
1.0	0.2	8	70	DOWNERS/DEPRESSANTS
2.3	0.5	18	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
3.0	0.7	23	81	METHAMPHETAMINES/ICE
0.8	0.2	6	90	ANY OTHER DRUGS
1.3	0.3	10	91	INHALANTS
	76.1	2,575	-9	LEGITIMATE NONRESPONSE
	0.9	31	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 674-675

AE15B**# TIMES USED SECOND PROBLEM DRUG**

How many times have you used (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
10.3	0.4	13	1	1 - 2 TIMES
9.5	0.4	12	2	3 - 5 TIMES
8.7	0.3	11	3	6 - 10 TIMES
24.6	0.9	31	4	11 - 49 TIMES
11.9	0.4	15	5	50 - 99 TIMES
11.1	0.4	14	6	100 - 199 TIMES
23.8	0.9	30	7	200 OR MORE TIMES
	76.3	2,580	-9	LEGITIMATE NONRESPONSE
	20.0	676	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 676-677

AE15C	AGE FIRST TIME USED SECOND PROBLEM DRUG
--------------	--

How old were you the first time you used (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	1	7	
0.8	0.0	1	8	
0.8	0.0	1	9	
0.8	0.0	1	10	
3.2	0.1	4	11	
5.6	0.2	7	12	
16.1	0.6	20	13	
28.2	1.0	35	14	
22.6	0.8	28	15	
14.5	0.5	18	16	
5.6	0.2	7	17	
0.8	0.0	1	18	
	76.3	2,580	-9	LEGITIMATE NONRESPONSE
	20.0	678	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 678-679

AE15D

AGE BEGAN USING SECOND DRUG REGULARLY

How old were you when you began using it regularly (once a week or more often)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	0.9	32	0	NEVER
0.8	0.0	1	9	
0.8	0.0	1	10	
0.8	0.0	1	11	
4.0	0.1	5	12	
11.2	0.4	14	13	
15.2	0.6	19	14	
23.2	0.9	29	15	
11.2	0.4	14	16	
7.2	0.3	9	17	
	76.3	2,580	-9	LEGITIMATE NONRESPONSE
	20.0	677	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 680-681

AE15E	LAST TIME USED SECONDARY DRUG
--------------	--------------------------------------

When did you last use (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	2.0	66	1	WITHIN THE MONTH BEFORE ADMISSION
40.5	1.5	51	2	WITHIN THE PAST 12 MONTHS
7.1	0.3	9	3	MORE THAN 1 YEAR AGO
	76.3	2,580	-9	LEGITIMATE NONRESPONSE
	20.0	676	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 682-683

AE15E_M	MONTHS AGO LAST USED SECOND PROBLEM DRUG
----------------	---

When did you last use (SECOND PROBLEM DRUG)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	2.0	66	0	
0.8	0.0	1	1	
15.1	0.6	19	2	
7.1	0.3	9	3	
4.8	0.2	6	4	
4.0	0.1	5	5	
4.8	0.2	6	6	
0.8	0.0	1	7	
2.4	0.1	3	8	
1.6	0.1	2	9	
0.8	0.0	1	10	
0.8	0.0	1	11	
1.6	0.1	2	13	
0.8	0.0	1	14	
0.8	0.0	1	16	
0.8	0.0	1	17	
0.8	0.0	1	26	
	76.3	2,580	-9	LEGITIMATE NONRESPONSE
	20.0	676	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2591-2592

AE15F	FREQUENCY SECONDARY DRUG USE AT THAT TIME
--------------	--

How often did you use it at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	0.8	26	1	LESS THAN ONCE A MONTH
27.2	1.0	34	2	1 - 3 TIMES A MONTH
21.6	0.8	27	3	1 - 2 TIMES A WEEK
14.4	0.5	18	4	3 - 4 TIMES A WEEK
1.6	0.1	2	5	5 - 6 TIMES A WEEK
6.4	0.2	8	6	DAILY OR ALMOST EVERY DAY
4.8	0.2	6	7	2 - 3 TIMES A DAY
3.2	0.1	4	8	4 OR MORE TIMES A DAY
	76.3	2,580	-9	LEGITIMATE NONRESPONSE
	20.0	677	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 684-685

AE15G	HOW SECONDARY DRUG USUALLY TAKEN
--------------	---

During the most recent period when you used it, how did you usually take it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.8	3.1	106	1	BY MOUTH (EAT, CHEW)
9.6	0.4	12	2	BY SMOKING IT
4.0	0.1	5	3	BY INHALING, SNORTING OR SNIFFING IT
0.8	0.0	1	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.8	0.0	1	7	SOME OTHER WAY (SPECIFY)
	76.3	2,580	-9	LEGITIMATE NONRESPONSE
	20.0	677	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 686-687

AE15H	AVERAGE USE SECOND DRUG 12 MONTHS PRIOR ADMISSION
--------------	--

On the average how often did you use (SECOND PROBLEM DRUG) in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	0.2	8	0	NOT USED AT ALL OVER THE PERIOD
22.4	0.8	28	1	LESS THAN ONCE A MONTH
21.6	0.8	27	2	1 - 3 TIMES PER MONTH
25.6	0.9	32	3	1 - 2 TIMES PER WEEK
9.6	0.4	12	4	3 - 4 TIMES PER WEEK
3.2	0.1	4	5	5 - 6 TIMES A WEEK
4.8	0.2	6	6	DAILY OR ALMOST EVERY DAY
3.2	0.1	4	7	2 - 3 TIMES A DAY
3.2	0.1	4	8	4 OR MORE TIMES A DAY
	76.3	2,580	-9	LEGITIMATE NONRESPONSE
	20.0	677	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 688-689

AE16	DID OTHER DRUG CAUSE PROBLEM PAST 12 MONTHS?
-------------	---

Did any other drugs cause you problems during the past year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	5.0	169	1	YES
78.4	18.2	615	2	NO
	14.8	502	-9	LEGITIMATE NONRESPONSE
	62.0	2,096	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 690-691

AE16A

WHICH DRUG CAUSED YOU THESE PROBLEMS?

Which drug caused you the next most serious problems during the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
27.1	1.4	46	10	ALCOHOL
19.4	1.0	33	20	MARIJUANA, HASHISH, THC
27.6	1.4	47	30	HALLUCINOGENS/PSYCHEDELICS
10.0	0.5	17	40	COCAINE IN ANY FORM
2.4	0.1	4	41	CRACK
1.2	0.1	2	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.6	0.0	1	60	NARCOTICS/OPIATES
0.6	0.0	1	61	STREET/ILLEGAL METHADONE
0.0	0.0	0	70	DOWNERS/DEPRESSANTS
4.1	0.2	7	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
4.1	0.2	7	81	METHAMPHETAMINES/ICE
1.8	0.1	3	90	ANY OTHER DRUGS
1.2	0.1	2	91	INHALANTS
	33.0	1,117	-9	LEGITIMATE NONRESPONSE
	61.9	2,094	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 692-693

AE16B	# TIMES USED THIRD PROBLEM DRUG
--------------	--

How many times have you used (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
2.9	0.0	1	1	1 OR 2 TIMES
11.8	0.1	4	2	3 TO 5 TIMES
5.9	0.1	2	3	6 TO 10 TIMES
29.4	0.3	10	4	11 TO 49 TIMES
14.7	0.1	5	5	50 TO 99 TIMES
8.8	0.1	3	6	100 TO 199 TIMES
26.5	0.3	9	7	200 OR MORE TIMES
	33.0	1,117	-9	LEGITIMATE NONRESPONSE
	66.0	2,231	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 694-695

AE16C	AGE FIRST TIME USED THIRD PROBLEM DRUG
--------------	---

How old were you the first time you used (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.0	1	7	
20.6	0.2	7	12	
14.7	0.1	5	13	
23.5	0.2	8	14	
26.5	0.3	9	15	
8.8	0.1	3	16	
2.9	0.0	1	17	
	33.0	1,117	-9	LEGITIMATE NONRESPONSE
	66.0	2,231	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 696-697

AE16D	AGE BEGAN USING THIRD DRUG REGULARLY
--------------	---

How old were you when you began using it regularly (once a week or more often)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	0.2	6	0	NEVER
2.9	0.0	1	7	
5.9	0.1	2	12	
11.8	0.1	4	13	
17.6	0.2	6	14	
26.5	0.3	9	15	
17.6	0.2	6	16	
	33.0	1,117	-9	LEGITIMATE NONRESPONSE
	66.0	2,231	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 698-699

AE16E	LAST TIME USED THIRD DRUG
--------------	----------------------------------

When did you last use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	0.4	12	1	WITHIN THE MONTH BEFORE ADMISSION
64.7	0.7	22	2	WITHIN THE PAST 12 MONTHS
0.0	0.0	0	3	MORE THAN 1 YEAR AGO
	33.0	1,117	-9	LEGITIMATE NONRESPONSE
	66.0	2,231	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 700-701

AE16E_M	MONTHS AGO LAST USED THIRD PROBLEM DRUG
----------------	--

When did you last use (THIRD PROBLEM DRUG)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	0.4	12	0	
5.9	0.1	2	1	
8.8	0.1	3	2	
17.6	0.2	6	3	
11.8	0.1	4	4	
8.8	0.1	3	5	
2.9	0.0	1	9	
5.9	0.1	2	10	
2.9	0.0	1	11	
	33.0	1,117	-9	LEGITIMATE NONRESPONSE
	66.0	2,231	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2593-2594

AE16F	FREQUENCY THIRD DRUG USE AT THAT TIME
--------------	--

How often did you use it at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	0.3	11	1	LESS THAN ONCE A MONTH
20.0	0.2	7	2	1 - 3 TIMES A MONTH
22.9	0.2	8	3	1 - 2 TIMES A WEEK
11.4	0.1	4	4	3 - 4 TIMES A WEEK
8.6	0.1	3	5	5 - 6 TIMES A WEEK
2.9	0.0	1	6	DAILY OR ALMOST EVERY DAY
2.9	0.0	1	7	2 - 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	33.0	1,117	-9	LEGITIMATE NONRESPONSE
	65.9	2,230	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 702-703

AE16G	HOW THIRD DRUG USUALLY TAKEN
--------------	-------------------------------------

During the most recent period when you used it, how did you usually take it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	0.9	31	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
8.8	0.1	3	3	BY INHALING, SNORTING OR SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY (SPECIFY)
	33.0	1,117	-9	LEGITIMATE NONRESPONSE
	66.0	2,231	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 704-705

AE16H	AVERAGE USE THIRD DRUG 12 MONTHS PRIOR ADMISSION
--------------	---

On the average, how often did you use (THIRD PROBLEM DRUG) in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT USED AT ALL OVER THE PERIOD
37.1	0.4	13	1	LESS THAN ONCE A MONTH
22.9	0.2	8	2	1 - 3 TIMES PER MONTH
11.4	0.1	4	3	1 - 2 TIMES PER WEEK
14.3	0.1	5	4	3 - 4 TIMES PER WEEK
5.7	0.1	2	5	5 - 6 TIMES A WEEK
5.7	0.1	2	6	DAILY OR ALMOST EVERY DAY
2.9	0.0	1	7	2 - 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	33.0	1,117	-9	LEGITIMATE NONRESPONSE
	65.9	2,230	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 706-707

AE17 WITH WHOM DRUGS TAKEN

When you were using drugs, did you generally take them . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.7	294	1	BY YOURSELF
46.6	45.2	1,527	2	WITH 1 OR 2 OTHER PEOPLE
44.4	43.1	1,456	3	IN A GROUP
	0.5	18	-8	MISSING
	0.0	1	-7	REFUSAL
	0.9	29	-6	MULTIPLE RESPONSE
	0.2	6	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
	1.4	48	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 708-709

AE18 WHERE DID YOU USUALLY TAKE DRUGS?

Where did you usually take drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.1	377	1	AT HOME
37.0	35.5	1,201	2	AT FRIEND'S OR RELATIVE'S HOME
0.2	0.2	7	3	AT A 'SHOOTING GALLERY'
33.8	32.4	1,097	4	ON THE STREET
7.5	7.2	245	5	IN A MOTOR VEHICLE
9.9	9.5	320	6	SOME OTHER PLACE
	0.8	26	-8	MISSING
	0.1	3	-7	REFUSAL
	1.6	54	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
	1.3	45	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 710-711

AE19	HAVE YOU EVER OVERDOSED ON DRUGS?
-------------	--

Have you ever overdosed on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	12.4	420	1	YES
87.5	87.3	2,951	2	NO
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 712-713

AE19A	NUMBER OF TIMES OVERDOSED
--------------	----------------------------------

How many times have you ever overdosed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	6.9	234	1	
19.9	2.5	83	2	
11.0	1.4	46	3	
3.6	0.4	15	4	
1.9	0.2	8	5	
1.7	0.2	7	6	
0.5	0.1	2	7	
0.2	0.0	1	8	
1.9	0.2	8	10	
0.2	0.0	1	11	
0.2	0.0	1	12	
0.2	0.0	1	13	
1.0	0.1	4	15	
0.2	0.0	1	18	
1.0	0.1	4	20	
0.2	0.0	1	50	
	87.3	2,951	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 714-715

AE19B	# TIMES OD IN 12 MONTHS PRIOR TO ADMISSION
--------------	---

How many times did you overdose on drugs in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.6	3.0	103	0	
45.1	5.6	189	1	
14.8	1.8	62	2	
7.4	0.9	31	3	
2.1	0.3	9	4	
1.7	0.2	7	5	
0.7	0.1	3	6	
0.5	0.1	2	7	
0.2	0.0	1	8	
1.7	0.2	7	10	
0.2	0.0	1	13	
0.2	0.0	1	15	
0.2	0.0	1	20	
0.2	0.0	1	60	
0.2	0.0	1	81	
	87.3	2,951	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 716-717

AE19C1

FIRST DRUG OVERDOSE IN 12 MONTHS

On which drugs did you overdose in those 12 months?

First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
29.8	2.9	97	10	ALCOHOL
12.6	1.2	41	20	MARIJUANA, HASHISH, THC
13.8	1.3	45	30	HALLUCINOGENS/PSYCHEDELICS
9.2	0.9	30	40	COCAINE IN ANY FORM
3.1	0.3	10	41	CRACK
2.5	0.2	8	50	HEROIN ALONE, WITH OTHER DRUGS
0.3	0.0	1	51	HEROIN/COCAINE TOGETHER AT SAME TIME
1.8	0.2	6	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
4.3	0.4	14	70	DOWNERS/DEPRESSANTS
4.3	0.4	14	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
10.1	1.0	33	81	METHAMPHETAMINES/ICE
7.7	0.7	25	90	ANY OTHER DRUGS
0.6	0.1	2	91	INHALANTS
	89.5	3,028	-9	LEGITIMATE NONRESPONSE
	0.5	17	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	6	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 718-719

AE19C2	SECOND DRUG OVERDOSE IN 12 MONTHS
---------------	--

On which drugs did you overdose in those 12 months?

Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	0.5	18	0	NONE
15.4	0.5	16	10	ALCOHOL
14.4	0.4	15	20	MARIJUANA, HASHISH, THC
21.2	0.7	22	30	HALLUCINOGENS/PSYCHEDELICS
7.7	0.2	8	40	COCAINE IN ANY FORM
2.9	0.1	3	41	CRACK
3.8	0.1	4	50	HEROIN ALONE, WITH OTHER DRUGS
2.9	0.1	3	51	HEROIN/COCAINE TOGETHER AT SAME TIME
1.0	0.0	1	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
4.8	0.1	5	70	DOWNERS/DEPRESSANTS
1.0	0.0	1	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
1.9	0.1	2	81	METHAMPHETAMINES/ICE
4.8	0.1	5	90	ANY OTHER DRUGS
1.0	0.0	1	91	INHALANTS
	90.1	3,048	-9	LEGITIMATE NONRESPONSE
	6.7	228	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 720-721

AE19C3**THIRD DRUG OVERDOSE IN 12 MONTHS**

On which drugs did you overdose in those 12 months?

Third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.6	20	0	NONE
14.0	0.2	7	10	ALCOHOL
4.0	0.1	2	20	MARIJUANA, HASHISH, THC
10.0	0.1	5	30	HALLUCINOGENS/PSYCHEDELICS
6.0	0.1	3	40	COCAINE IN ANY FORM
0.0	0.0	0	41	CRACK
2.0	0.0	1	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
2.0	0.0	1	70	DOWNERS/DEPRESSANTS
8.0	0.1	4	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
4.0	0.1	2	81	METHAMPHETAMINES/ICE
8.0	0.1	4	90	ANY OTHER DRUGS
2.0	0.0	1	91	INHALANTS
	90.2	3,051	-9	LEGITIMATE NONRESPONSE
	8.2	279	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 722-723

AE20**AMOUNT SPENT ON DRUGS EXCLUDING ALCOHOL**

In the 12 months before admission, how much would you say you spent on drugs for your own nonmedical use, excluding alcohol?

3,382 cases (Range of valid codes: 0-350,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 724-729

AE21 12 MONTHS BEFORE ADMISSION USED DRUGS W/OUT PAYING

In the 12 months before admission, did you use any drugs that you did not pay for with money, such as drugs given to you by friends, drugs you got for free because you were selling them, or drugs that were given to you in exchange for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	84.0	2,842	1	YES
15.5	15.4	522	2	NO
	0.3	11	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 730-731

AE21A COST OF FREE DRUGS RECEIVED

If you had paid for the drugs you got for free in the 12 months before admission, about how much would they have cost you?

3,382 cases (Range of valid codes: 0-999,999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 732-737

AE22 DRUGS USED WITH NEEDLE/SYRINGE/WORKS

In the 12 months before admission to this program, did you ever use drugs with a needle, syringe, or "works"?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	117	1	YES
96.5	96.1	3,251	2	NO
	0.4	13	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 738-739

AE22A**USED PREVIOUSLY USED NEEDLE/SHOOT DRUGS**

In the 12 months before admission, did you ever use a needle, syringe, or "works" to shoot up drugs after anyone else had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	0.9	31	1	YES
76.5	3.0	101	2	NO
	95.9	3,242	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 740-741

AE22B1**#TIMES USED WORKS AFTER SEX PARTNER/SPOUSE**

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after your regular sexual partner or spouse had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	0.5	17	0	
6.9	0.1	2	1	
6.9	0.1	2	2	
10.3	0.1	3	3	
10.3	0.1	3	5	
3.4	0.0	1	50	
3.4	0.0	1	99	99 OR MORE
	98.8	3,343	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 742-743

AE22B2 #TIMES USED WORKS AFTER STRANGER HAD SEX WITH

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after anyone you had sex with but hadn't known very long had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	0.8	27	0	
3.3	0.0	1	1	
3.3	0.0	1	2	
3.3	0.0	1	3	
	98.8	3,343	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 744-745

AE22B3 #TIMES USED WORKS AFTER A PROSTITUTE

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after a prostitute had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	0.8	28	0	
3.3	0.0	1	1	
3.3	0.0	1	2	
	98.8	3,343	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 746-747

AE22B4**#TIMES USED WORKS AFTER SOMEONE W/AIDS**

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after someone you know or thought had AIDS or had a positive HIV test had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	0.8	27	0	
6.7	0.1	2	1	
3.3	0.0	1	3	
	98.8	3,343	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 748-749

AE22B5**#TIMES USED WORKS AFTER HOMOSEXUAL/BISEXUAL**

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after a man you know or thought was homosexual or bisexual had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.3	0.7	23	0	
6.9	0.1	2	1	
6.9	0.1	2	3	
3.4	0.0	1	4	
3.4	0.0	1	12	
	98.8	3,343	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 750-751

AE22B6 #TIMES USED WORKS AFTER STRANGERS

In the 12 months before admission, how many times did you use a needle, syringe, or "works" to shoot up drugs after people you didn't know very long or strangers had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	0.7	22	0	
6.5	0.1	2	1	
12.9	0.1	4	2	
3.2	0.0	1	6	
3.2	0.0	1	20	
3.2	0.0	1	65	
	98.8	3,343	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 752-753

AE23 CLEANED NEEDLES OTHERS USED BEFORE USING

In the 12 months before admission, did you try to clean the needles and syringes other people had used before you used them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.7	0.6	21	1	YES
32.3	0.3	10	2	NO
	98.8	3,343	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 754-755

AE24A**CLEAN NEEDLES W/ALCOHOL & RINSE W/WATER**

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you use alcohol and rinse with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	0.3	11	0	NEVER
10.5	0.1	2	1	RARELY
10.5	0.1	2	2	SOMETIMES
0.0	0.0	0	3	OFTEN
21.1	0.1	4	4	ALWAYS
	99.1	3,353	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 756-757

AE24B**CLEAN NEEDLES W/BLEACH/CLOROX & RINSE W/WATER**

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you use bleach or Clorox and rinse with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	7	0	NEVER
9.5	0.1	2	1	RARELY
19.0	0.1	4	2	SOMETIMES
9.5	0.1	2	3	OFTEN
28.6	0.2	6	4	ALWAYS
	99.1	3,353	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 758-759

AE24C CLEAN NEEDLES BY BOILING IN WATER ONLY

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you boil them in water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	19	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	99.1	3,353	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 760-761

AE24D RINSE IN PREVIOUSLY USED WATER FOR NEEDLES

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you rinse them in water that someone else had used to clean needles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	0.4	15	0	NEVER
0.0	0.0	0	1	RARELY
10.5	0.1	2	2	SOMETIMES
10.5	0.1	2	3	OFTEN
0.0	0.0	0	4	ALWAYS
	99.1	3,353	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 762-763

AE24E**RINSE NEEDLES IN CLEAN WATER ONLY**

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you rinse them in clean water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	0.2	8	0	NEVER
10.5	0.1	2	1	RARELY
15.8	0.1	3	2	SOMETIMES
15.8	0.1	3	3	OFTEN
15.8	0.1	3	4	ALWAYS
	99.1	3,353	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 764-765

AE24F**CLEAN NEEDLES BY SOME OTHER METHOD**

In the 12 months before admission, when you cleaned needles and syringes after others had used them, how often did you use some other method?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	0.5	18	0	NEVER
5.3	0.0	1	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	99.1	3,353	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 766-767

AE25 RECEIVED OTHER TREATMENT FOR DRUG ABUSE/ADDICTION

Excluding your treatment here (this time), had you ever received any treatment that was primarily for the abuse or addiction of drugs other than alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	30.2	1,020	1	YES
69.8	69.7	2,356	2	NO
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 768-769

AE25A AGE WHEN 1ST ENTERED DRUG TREATMENT PROGRAM

How old were you the first time you entered a treatment program that was primarily for drugs other than alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	2	
0.1	0.0	1	10	
1.2	0.4	12	11	
3.2	0.9	32	12	
10.1	3.0	102	13	
17.5	5.2	176	14	
28.9	8.6	291	15	
24.7	7.3	248	16	
11.0	3.3	111	17	
3.2	0.9	32	18	
	69.6	2,355	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 770-771

AE26A	TREATED AT 28-DAY/OTHR TREATMENT PROGRAM
--------------	---

Have you been treated primarily for drug problems at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	10.6	357	1	YES
63.2	18.2	614	2	NO
	69.5	2,351	-9	LEGITIMATE NONRESPONSE
	1.8	60	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 772-773

AE26AA	AGE 1ST TREATMENT AT 28-DAY TREATMENT PROGRAM
---------------	--

How old were you when you first received treatment that was primarily for drug problems at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.2	7	11	
3.9	0.4	14	12	
10.7	1.1	38	13	
15.2	1.6	54	14	
30.6	3.2	109	15	
24.4	2.6	87	16	
11.0	1.2	39	17	
2.2	0.2	8	18	
	87.7	2,965	-9	LEGITIMATE NONRESPONSE
	1.7	59	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 774-775

AE26AB # ADMISSIONS AT 28-DAY TREATMENT PROGRAM

How many different times were you admitted to a 28-day or other short-term inpatient or chemical dependency treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	8.8	297	1	
13.1	1.4	47	2	
2.2	0.2	8	3	
1.4	0.1	5	4	
0.3	0.0	1	5	
	87.7	2,965	-9	LEGITIMATE NONRESPONSE
	1.7	59	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 776-777

AE26AC

WEEKS IN 28-DAY TREATMENT PROGRAM

Altogether, how many weeks have you spent at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	1.3	43	1	
21.9	2.3	78	2	
19.7	2.1	70	3	
28.1	3.0	100	4	
3.9	0.4	14	5	
3.9	0.4	14	6	
0.6	0.1	2	7	
4.2	0.4	15	8	
0.8	0.1	3	9	
1.4	0.1	5	10	
1.4	0.1	5	12	
0.3	0.0	1	14	
0.3	0.0	1	16	
0.3	0.0	1	20	
0.3	0.0	1	24	
0.3	0.0	1	32	
0.3	0.0	1	64	
0.3	0.0	1	68	
	87.7	2,965	-9	LEGITIMATE NONRESPONSE
	1.7	59	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 778-779

AE26AD1

MONTH OF LAST DISCHARGE IN 28-DAY PROGRAM

What was the date of your last discharge from drug treatment at a 28-day or other short-term inpatient or chemical dependency treatment program? MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	2.0	66	1	JAN. - MARCH
29.2	2.9	97	2	APR. - JUNE
26.5	2.6	88	3	JULY - SEPT.
24.4	2.4	81	4	OCT. - DEC.
	87.7	2,965	-9	LEGITIMATE NONRESPONSE
	1.8	60	-8	MISSING
	0.0	1	-5	BAD DATA
	0.7	24	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 780-781

AE26AD2

YR OF LAST DISCHARGE IN 28-DAY PROGRAM

What was the date of your last discharge from drug treatment at a 28-day or other short-term inpatient or chemical dependency treatment program? YEAR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	89	
1.4	0.1	5	90	
2.6	0.3	9	91	
6.6	0.7	23	92	
20.7	2.1	72	93	
35.4	3.6	123	94	
32.9	3.4	114	95	
	87.7	2,965	-9	LEGITIMATE NONRESPONSE
	1.8	60	-8	MISSING
	0.1	4	-5	BAD DATA
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 782-783

AE26AE	REASON FOR DISCHARGE IN 28-DAY PROGRAM
---------------	---

What was the reason for your last discharge from drug treatment at a 28-day or other short-term inpatient or chemical dependency treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.6	6.0	202	1	COMPLETED TREATMENT
2.8	0.3	10	2	DISCHARGED BY STAFF
14.6	1.5	52	3	TRANSFERRED TO COMPONENT OF SAME PROGRAM
2.0	0.2	7	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
10.4	1.1	37	5	INVOLUNTARILY DISCHARGED
8.7	0.9	31	6	VOLUNTARILY DROPPED OUT
2.2	0.2	8	7	QUIT BECAUSE OF DISSATISFACTION
2.8	0.3	10	8	OTHER
	87.7	2,965	-9	LEGITIMATE NONRESPONSE
	1.8	60	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 784-785

AE26B	TREATED AT RESIDENTIAL TREATMENT PROGRAM
--------------	---

Have you been treated primarily for drug problems at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	7.2	242	1	YES
74.8	21.3	720	2	NO
	69.5	2,351	-9	LEGITIMATE NONRESPONSE
	2.0	68	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 786-787

AE26BA AGE 1ST TREATMENT AT RESIDENTIAL TREATMENT PROGRAM

How old were you when you first received treatment that was primarily for drug problems at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	1	
0.4	0.0	1	10	
0.8	0.1	2	11	
1.7	0.1	4	12	
14.0	1.0	34	13	
21.5	1.5	52	14	
26.0	1.9	63	15	
22.7	1.6	55	16	
10.7	0.8	26	17	
1.7	0.1	4	18	
	90.8	3,071	-9	LEGITIMATE NONRESPONSE
	2.0	68	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 788-789

AE26BB # ADMISSIONS AT RESIDENTIAL TREATMENT PROGRAM

How many different times were you admitted to a therapeutic community or other long-term residential treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	0	
78.5	5.6	190	1	
14.5	1.0	35	2	
4.5	0.3	11	3	
1.7	0.1	4	4	
0.4	0.0	1	6	
	90.8	3,071	-9	LEGITIMATE NONRESPONSE
	2.0	68	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 790-791

AE26BC**# WEEKS IN RESIDENTIAL TREATMENT PROGRAM**

Altogether, how many weeks have you spent at a therapeutic community or other long-term residential treatment program?

3,382 cases (Range of valid codes: 1-360)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 792-794

AE26BD1**MONTH OF LAST DISCHARGE IN RESIDENTIAL PROGRAM**

What was the date of your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program? MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	1.4	49	1	JAN. - MARCH
33.9	2.2	76	2	APR. - JUNE
23.2	1.5	52	3	JULY - SEPT.
21.0	1.4	47	4	OCT. - DEC.
	90.8	3,071	-9	LEGITIMATE NONRESPONSE
	2.1	70	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.5	16	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 795-796

AE26BD2	YR OF LAST DISCHARGE IN RESIDENTIAL PROGRAM
----------------	--

What was the date of your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program? YEAR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	0.1	5	91	
7.2	0.5	17	92	
28.5	2.0	67	93	
39.6	2.7	93	94	
22.6	1.6	53	95	
	90.8	3,071	-9	LEGITIMATE NONRESPONSE
	2.0	69	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 797-798

AE26BE	REASON FOR DISCHARGE IN RESIDENTIAL PROGRAM
---------------	--

What was the reason for your last discharge from drug treatment at a therapeutic community or other long-term residential treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.5	2.2	75	1	COMPLETED TREATMENT
2.9	0.2	7	2	DISCHARGED BY STAFF
7.1	0.5	17	3	TRANSFERRED TO COMPONENT OF SAME PROGRAM
1.3	0.1	3	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
26.9	1.9	64	5	INVOLUNTARILY DISCHARGED
18.5	1.3	44	6	VOLUNTARILY DROPPED OUT
8.0	0.6	19	7	QUIT BECAUSE OF DISSATISFACTION
3.8	0.3	9	8	OTHER
	90.8	3,071	-9	LEGITIMATE NONRESPONSE
	2.1	72	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 799-800

AE26C	TREATED AT METHADONE TREATMENT PROGRAM
--------------	---

Have you been treated primarily for drug problems at a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	4	1	YES
99.6	27.8	940	2	NO
	69.5	2,351	-9	LEGITIMATE NONRESPONSE
	2.6	87	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 801-802

AE26CA	AGE 1ST TREATMENT AT METHADONE TREATMENT PROGRAM
---------------	---

How old were you when you first received treatment that was primarily for drug problems at a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	14	
20.0	0.0	1	15	
40.0	0.1	2	16	
20.0	0.0	1	17	
	97.3	3,289	-9	LEGITIMATE NONRESPONSE
	2.6	88	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 803-804

AE26CB # ADMISSIONS AT METHADONE TREATMENT PROGRAM

How many different times were you admitted to a methadone program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.1	3	1	
20.0	0.0	1	2	
20.0	0.0	1	5	
	97.3	3,289	-9	LEGITIMATE NONRESPONSE
	2.6	88	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 805-806

AE26CC # WEEKS IN METHADONE TREATMENT PROGRAM

Altogether, how many weeks have you spent at a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	2	
20.0	0.0	1	5	
40.0	0.1	2	7	
	97.3	3,289	-9	LEGITIMATE NONRESPONSE
	2.6	88	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 807-808

AE26CD1	MONTH OF LAST DISCHARGE IN METHADONE PROGRAM
----------------	---

What was the date of your last discharge from drug treatment at a methadone program? MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	JAN. - MARCH
20.0	0.0	1	2	APR. - JUNE
60.0	0.1	3	3	JULY - SEPT.
20.0	0.0	1	4	OCT. - DEC.
	97.3	3,289	-9	LEGITIMATE NONRESPONSE
	2.6	88	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 809-810

AE26CD2	YR OF LAST DISCHARGE IN METHADONE PROGRAM
----------------	--

What was the date of your last discharge from drug treatment at a methadone program? YEAR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.1	3	93	
20.0	0.0	1	94	
20.0	0.0	1	95	
	97.3	3,289	-9	LEGITIMATE NONRESPONSE
	2.6	88	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 811-812

AE26CE REASON FOR DISCHARGE IN METHADONE PROGRAM

What was the reason for your last discharge from drug treatment at a methadone program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	1	COMPLETED TREATMENT
0.0	0.0	0	2	DISCHARGED BY STAFF
0.0	0.0	0	3	TRANSFERRED TO COMPONENT OF SAME PROGRAM
0.0	0.0	0	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
20.0	0.0	1	5	INVOLUNTARILY DISCHARGED
60.0	0.1	3	6	VOLUNTARILY DROPPED OUT
0.0	0.0	0	7	QUIT BECAUSE OF DISSATISFACTION
0.0	0.0	0	8	OTHER
	97.3	3,289	-9	LEGITIMATE NONRESPONSE
	2.6	88	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 813-814

AE26D TREATED AT OUTPATIENT TREATMENT PROGRAM

Have you been treated primarily for drug problems at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	17.8	602	1	YES
38.5	11.1	377	2	NO
	69.5	2,351	-9	LEGITIMATE NONRESPONSE
	1.5	52	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 815-816

AE26DA	AGE 1ST TREATMENT AT OUTPATIENT TREATMENT PROGRAM
---------------	--

How old were you when you first received treatment that was primarily for drug problems at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	1	
0.7	0.1	4	11	
3.3	0.6	20	12	
7.7	1.4	47	13	
17.6	3.2	107	14	
31.0	5.6	188	15	
24.1	4.3	146	16	
11.2	2.0	68	17	
4.3	0.8	26	18	
	80.6	2,725	-9	LEGITIMATE NONRESPONSE
	1.4	49	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 817-818

AE26DB	# ADMISSIONS AT OUTPATIENT TREATMENT PROGRAM
---------------	---

How many different times were you admitted to an outpatient drug treatment program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	15.2	513	1	
11.2	2.0	68	2	
2.3	0.4	14	3	
0.3	0.1	2	4	
0.7	0.1	4	5	
0.2	0.0	1	6	
0.3	0.1	2	7	
0.2	0.0	1	9	
0.2	0.0	1	24	
0.2	0.0	1	36	
	80.6	2,725	-9	LEGITIMATE NONRESPONSE
	1.4	49	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 819-820

AE26DC	# WEEKS IN OUTPATIENT TREATMENT PROGRAM
---------------	--

Altogether, how many weeks have you spent at an outpatient drug treatment program?

3,382 cases (Range of valid codes: 0-156)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 821-823

AE26DD1	MONTH OF LAST DISCHARGE IN OUTPATIENT PROGRAM
----------------	--

What was the date of your last discharge from drug treatment at an outpatient drug treatment program? MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	3.5	118	1	JAN. - MARCH
30.0	5.0	168	2	APR. - JUNE
25.0	4.1	140	3	JULY - SEPT.
23.9	4.0	134	4	OCT. - DEC.
	80.6	2,726	-9	LEGITIMATE NONRESPONSE
	1.6	53	-8	MISSING
	0.0	1	-5	BAD DATA
	1.2	42	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 824-825

AE26DD2	YR OF LAST DISCHARGE IN OUTPATIENT PROGRAM
----------------	---

What was the date of your last discharge from drug treatment at an outpatient drug treatment program? YEAR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	89	
0.7	0.1	4	90	
1.0	0.2	6	91	
4.9	0.9	29	92	
14.1	2.5	83	93	
37.3	6.5	219	94	
41.7	7.2	245	95	
	80.6	2,726	-9	LEGITIMATE NONRESPONSE
	1.5	52	-8	MISSING
	0.2	7	-5	BAD DATA
	0.3	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 826-827

AE26DE	REASON FOR DISCHARGE IN OUTPATIENT PROGRAM
---------------	---

What was the reason for your last discharge from drug treatment at an outpatient drug treatment program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	2.7	90	1	COMPLETED TREATMENT
4.3	0.8	26	2	DISCHARGED BY STAFF
34.9	6.2	211	3	TRANSFERRED TO COMPONENT OF SAME PROGRAM
2.8	0.5	17	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
17.7	3.2	107	5	INVOLUNTARILY DISCHARGED
17.0	3.0	103	6	VOLUNTARILY DROPPED OUT
6.0	1.1	36	7	QUIT BECAUSE OF DISSATISFACTION
2.5	0.4	15	8	OTHER
	80.6	2,725	-9	LEGITIMATE NONRESPONSE
	1.5	52	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 828-829

AE26E	TREATED AT OTHER TYPE TREATMENT PROGRAM
--------------	--

Have you been treated primarily for drug problems at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	1.0	34	1	YES
96.3	26.5	897	2	NO
	69.5	2,351	-9	LEGITIMATE NONRESPONSE
	3.0	100	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 830-831

AE26EA	AGE 1ST TREATMENT AT OTHER TYPE TREATMENT PROGRAM
---------------	--

How old were you when you first received treatment that was primarily for drug problems at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.2	6	13	
12.1	0.1	4	14	
21.2	0.2	7	15	
30.3	0.3	10	16	
12.1	0.1	4	17	
6.1	0.1	2	18	
	96.0	3,246	-9	LEGITIMATE NONRESPONSE
	3.0	102	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 832-833

AE26EB	# ADMISSIONS AT OTHER TYPE TREATMENT PROGRAM
---------------	---

How many different times were you admitted to any other type of drug treatment such as a halfway house primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	0.9	31	1	
5.9	0.1	2	2	
2.9	0.0	1	3	
	96.0	3,246	-9	LEGITIMATE NONRESPONSE
	3.0	102	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 834-835

AE26EC	# WEEKS IN OTHER TYPE TREATMENT PROGRAM
---------------	--

Altogether, how many weeks have you spent at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	0.1	4	1	
12.1	0.1	4	2	
3.0	0.0	1	3	
15.2	0.1	5	4	
9.1	0.1	3	5	
3.0	0.0	1	6	
3.0	0.0	1	7	
6.1	0.1	2	8	
3.0	0.0	1	10	
6.1	0.1	2	12	
6.1	0.1	2	16	
6.1	0.1	2	24	
3.0	0.0	1	26	
3.0	0.0	1	32	
6.1	0.1	2	36	
3.0	0.0	1	52	
	96.0	3,246	-9	LEGITIMATE NONRESPONSE
	3.0	102	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 836-837

AE26ED1	MONTH OF LAST DISCHARGE IN OTHER TYPE PROGRAM
----------------	--

What was the date of your last discharge from drug treatment at any other type of drug treatment such as a halfway house? MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	0.3	9	1	JAN. - MARCH
35.5	0.3	11	2	APR. - JUNE
19.4	0.2	6	3	JULY - SEPT.
16.1	0.1	5	4	OCT. - DEC.
	96.0	3,246	-9	LEGITIMATE NONRESPONSE
	3.0	102	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 838-839

AE26ED2	YR OF LAST DISCHARGE IN OTHER TYPE PROGRAM
----------------	---

What was the date of your last discharge from drug treatment at any other type of drug treatment such as a halfway house? YEAR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	0.1	4	93	
51.5	0.5	17	94	
36.4	0.4	12	95	
	96.0	3,246	-9	LEGITIMATE NONRESPONSE
	3.0	102	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 840-841

AE26EE REASON FOR DISCHARGE IN OTHER TYPE PROGRAM

What was the reason for your last discharge from drug treatment at any other type of drug treatment such as a halfway house?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	0.3	11	1	COMPLETED TREATMENT
0.0	0.0	0	2	DISCHARGED BY STAFF
11.8	0.1	4	3	TRANSFERRED TO COMPONENT OF SAME PROGRAM
5.9	0.1	2	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
17.6	0.2	6	5	INVOLUNTARILY DISCHARGED
20.6	0.2	7	6	VOLUNTARILY DROPPED OUT
2.9	0.0	1	7	QUIT BECAUSE OF DISSATISFACTION
8.8	0.1	3	8	OTHER
	96.0	3,246	-9	LEGITIMATE NONRESPONSE
	3.0	102	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 842-843

AE26F TREATED AT SHORT-TERM DETOX TREATMENT PROGRAM

Have you been treated primarily for drug problems at short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	1.7	56	1	YES
94.0	25.9	877	2	NO
	69.5	2,351	-9	LEGITIMATE NONRESPONSE
	2.9	98	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 844-845

AE26FA	AGE 1ST TREATMENT AT SHORT-TERM DETOX TREATMENT PROGRAM
---------------	--

How old were you when you first received treatment that was primarily for drug problems at short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.0	1	1	
3.6	0.1	2	13	
12.5	0.2	7	14	
21.4	0.4	12	15	
21.4	0.4	12	16	
30.4	0.5	17	17	
8.9	0.1	5	18	
	95.4	3,226	-9	LEGITIMATE NONRESPONSE
	2.9	99	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 846-847

AE26FB	# ADMISSIONS AT SHORT-TERM DETOX TREATMENT PROGRAM
---------------	---

How many different times were you admitted to short-term (21 days or less) detoxification program primarily for the treatment of drug problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.2	1.2	41	1	
21.4	0.4	12	2	
1.8	0.0	1	4	
1.8	0.0	1	5	
1.8	0.0	1	18	
	95.4	3,226	-9	LEGITIMATE NONRESPONSE
	2.9	99	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 848-849

AE26FC	# WEEKS IN SHORT-TERM DETOX TREATMENT PROGRAM
---------------	--

Altogether, how many weeks have you spent at short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	0.6	21	1	
32.7	0.5	18	2	
16.4	0.3	9	3	
5.5	0.1	3	4	
3.6	0.1	2	5	
1.8	0.0	1	6	
1.8	0.0	1	7	
	95.4	3,226	-9	LEGITIMATE NONRESPONSE
	2.9	99	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 850-851

AE26FD1	MONTH OF LAST DISCHARGE IN SHORT-TERM DETOX PROGRAM
----------------	--

What was the date of your last discharge from drug treatment at short-term (21 days or less) detoxification program? MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	0.6	19	1	JAN. - MARCH
21.4	0.4	12	2	APR. - JUNE
16.1	0.3	9	3	JULY - SEPT.
28.6	0.5	16	4	OCT. - DEC.
	95.4	3,226	-9	LEGITIMATE NONRESPONSE
	2.9	99	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 852-853

AE26FD2**YR OF LAST DISCHARGE IN SHORT-TERM DETOX PMG**

What was the date of your last discharge from drug treatment at short-term (21 days or less) detoxification program? YEAR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.0	1	91	
1.8	0.0	1	92	
14.3	0.2	8	93	
50.0	0.8	28	94	
32.1	0.5	18	95	
	95.4	3,226	-9	LEGITIMATE NONRESPONSE
	2.9	99	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 854-855

AE26FE**REASON FOR DISCHARGE IN SHORT-TERM DETOX PROGRAM**

What was the reason for your last discharge from drug treatment at short-term (21 days or less) detoxification program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	1.1	36	1	COMPLETED TREATMENT
3.5	0.1	2	2	DISCHARGED BY STAFF
19.3	0.3	11	3	TRANSFERRED TO COMPONENT OF SAME PROGRAM
1.8	0.0	1	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
1.8	0.0	1	5	INVOLUNTARILY DISCHARGED
8.8	0.1	5	6	VOLUNTARILY DROPPED OUT
0.0	0.0	0	7	QUIT BECAUSE OF DISSATISFACTION
1.8	0.0	1	8	OTHER
	95.4	3,226	-9	LEGITIMATE NONRESPONSE
	2.9	99	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 856-857

AE27_3	# OF WEEKS IN DRUG TREATMENT PROGRAM
---------------	---

What is the longest time you ever stayed in a drug treatment program (excluding AA, NA, or CA, any 12-step program, or private physician)?

_____ WEEKS

3,382 cases (Range of valid codes: 0-278)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 858-860

AE28	WHAT TYPE OF PROGRAM WAS IT?
-------------	-------------------------------------

What type of program was it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	7.5	254	1	SHORT-TERM INPATIENT
21.2	6.4	216	2	LONG-TERM RESIDENTIAL COMMUNITY
0.1	0.0	1	3	METHADONE
50.2	15.1	512	4	OUTPATIENT
1.8	0.5	18	5	OTHER (SPECIFY)
1.9	0.6	19	6	DETOXIFICATION
0.0	0.0	0	7	STILL IN LONG-TERM MAINTENANCE
	69.5	2,352	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 861-862

AE29**WHY DID YOU LEAVE?**

Why did you leave?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	9.6	324	1	COMPLETED TREATMENT
3.8	1.2	39	2	DISCHARGED BY STAFF
24.7	7.4	251	3	TRANSFERRED TO COMPONENT OF SAME PROGRAM
2.8	0.8	28	4	TRANSFERRED TO ANOTHER SOCIAL SERVICE
15.5	4.7	158	5	INVOLUNTARILY DISCHARGED
13.3	4.0	135	6	VOLUNTARILY DROPPED OUT
4.7	1.4	48	7	QUIT BECAUSE OF DISSATISFACTION
3.3	1.0	34	8	OTHER (SPECIFY)
	69.6	2,353	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 863-864

AE30**WHEN DID YOU LEAVE?**

When did you leave?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	11.8	398	1	WITHIN THE MONTH BEFORE ADMISSION
39.4	11.8	398	2	WITHIN THE PAST 12 MONTHS
21.3	6.4	215	3	MORE THAN 1 YEAR AGO
	69.6	2,353	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 865-866

AE30_M	MONTHS AGO LEFT LONGEST DRUG TREATMENT
---------------	---

When did you leave? (recode)

3,382 cases (Range of valid codes: 0-65)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2595-2596

AE31	RECEIVED DRUG PROBLEM HELP/PRIVATE SOURCE
-------------	--

Have you ever received help primarily for drug problems from a private physician, psychiatrist, psychologist, or counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	12.7	429	1	YES
87.3	86.9	2,940	2	NO
	0.4	12	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 867-868

AE31A**LAST RECEIVED DRUG PROBLEM TREATMENT**

When did you last receive any treatment for drug problems from one of these professionals?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	4.7	160	1	WITHIN THE MONTH BEFORE ADMISSION
46.2	5.9	199	2	WITHIN THE PAST 12 MONTHS
16.7	2.1	72	3	MORE THAN 1 YEAR AGO
	86.9	2,938	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 869-870

AE31A_M**MONTHS AGO LAST RECEIVED HELP FOR PROBLEM**

When did you last receive any treatment for drug problems from one of these professionals? (recode)

3,382 cases (Range of valid codes: 0-150)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2597-2599

AE32 **EVER ATTENDED NARCOTICS/COCAINE ANONYMOUS**

Before this admission, did you ever attend Narcotics Anonymous (NA) or Cocaine Anonymous (CA)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	16.1	544	1	YES
83.7	82.6	2,795	2	NO
	1.3	43	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 871-872

AE32A3 **# WKS ATTENDED NARCOTICS/COCAINE ANONYMOUS**

What was the longest single period that you attended NA or CA?

_____ WEEKS

3,382 cases (Range of valid codes: 0-728)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 873-875

AE32B **LAST TIME ATTENDED NA/CA MEETINGS**

When was the last time you attended one of these meetings?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	6.5	219	1	WITHIN THE MONTH BEFORE ADMISSION
42.0	6.7	228	2	WITHIN THE PAST 12 MONTHS
17.7	2.8	96	3	MORE THAN 1 YEAR AGO
	82.6	2,795	-9	LEGITIMATE NONRESPONSE
	1.3	43	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 876-877

AE32B_M MONTHS AGO LAST ATTENDED NA MEETING

When was the last time you attended one of these meetings?
(recode)

3,382 cases (Range of valid codes: 0-61)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2600-2601

AE33 RELATIVES WITH DRUG/ALCOHOL PROBLEM

Have any of your relatives, including parents, grandparents, aunts, uncles, brothers, and sisters, ever had a problem with drugs or alcohol? Just include those who are related to you by blood.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	68.9	2,329	1	YES
29.2	28.4	960	2	NO
	2.0	68	-8	MISSING
	0.1	5	-7	REFUSAL
	0.6	20	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 878-879

AE33AA DID MOTHER HAVE PROBLEM?

Please tell me who had such a problem.

Mother

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	24.3	822	1	YES
	28.3	958	-9	LEGITIMATE NONRESPONSE
	47.0	1,591	-8	MISSING
	0.2	6	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 880-881

AE33BA	TYPE OF MOTHER'S PROBLEM
---------------	---------------------------------

Was your mother's problem with alcohol, drugs, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	6.6	222	1	ALCOHOL
27.7	6.8	230	2	DRUG
45.5	11.1	377	3	BOTH
	28.3	958	-9	LEGITIMATE NONRESPONSE
	46.8	1,583	-8	MISSING
	0.1	5	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 882-883

AE33CA	DID MOTHER RECEIVE TREATMENT?
---------------	--------------------------------------

Did your mother ever receive professional treatment for the (alcohol/drugs/alcohol or drugs) problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	13.6	460	1	YES
42.0	9.8	333	2	NO
	28.3	958	-9	LEGITIMATE NONRESPONSE
	46.9	1,586	-8	MISSING
	0.1	5	-7	REFUSAL
	1.2	40	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 884-885

AE33AB	DID FATHER HAVE PROBLEM?
---------------	---------------------------------

Please tell me who had such a problem.

Father

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	38.4	1,297	1	YES
	28.4	959	-9	LEGITIMATE NONRESPONSE
	32.3	1,093	-8	MISSING
	0.2	6	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 886-887

AE33BB	TYPE OF FATHER'S PROBLEM
---------------	---------------------------------

Was your father's problem with alcohol, drugs, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	15.2	514	1	ALCOHOL
15.3	5.9	199	2	DRUG
45.3	17.5	591	3	BOTH
	28.4	959	-9	LEGITIMATE NONRESPONSE
	32.2	1,088	-8	MISSING
	0.1	5	-7	REFUSAL
	0.1	3	-6	MULTIPLE RESPONSE
	0.7	23	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 888-889

AE33CB DID FATHER RECEIVE TREATMENT?

Did your father ever receive professional treatment for the (alcohol/drugs/alcohol or drugs) problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	14.9	505	1	YES
58.1	20.7	700	2	NO
	28.4	959	-9	LEGITIMATE NONRESPONSE
	32.4	1,095	-8	MISSING
	0.1	5	-7	REFUSAL
	3.5	118	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 890-891

AE33AC MOTHER'S MOTHER/FATHER/BROTHER/SISTER PROBLEM

Please tell me who had such a problem.

Mother's mother, father, brother, or sister

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	34.2	1,158	1	YES
	28.4	960	-9	LEGITIMATE NONRESPONSE
	36.5	1,234	-8	MISSING
	0.2	6	-7	REFUSAL
	0.7	24	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 892-893

AE33BC	TYPE MOTHERS MOTHER/FATHER/BROTHER/SISTER PROBLEM
---------------	--

Was your mother's mother, father, brother, or sister problem with alcohol, drugs, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	15.4	521	1	ALCOHOL
15.6	5.3	180	2	DRUG
39.4	13.5	456	3	BOTH
	28.4	960	-9	LEGITIMATE NONRESPONSE
	36.5	1,236	-8	MISSING
	0.1	5	-7	REFUSAL
	0.2	8	-6	MULTIPLE RESPONSE
	0.5	16	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 894-895

AE33CC	DID MOTHERS MOTHER/FATHER/BROTHER/SISTER TREATMENT
---------------	---

Did your mother's mother, father, brother, or sister ever receive professional treatment for the (alcohol/drugs/ alcohol or drugs) problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	13.2	447	1	YES
58.6	18.7	634	2	NO
	28.4	960	-9	LEGITIMATE NONRESPONSE
	36.8	1,244	-8	MISSING
	0.1	5	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	2.7	91	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 896-897

AE33AD FATHER'S MOTHER/FATHER/BROTHER/SISTER PROBLEM

Please tell me who had such a problem.

Father's mother, father, brother, or sister

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	23.0	778	1	YES
	28.4	959	-9	LEGITIMATE NONRESPONSE
	46.4	1,569	-8	MISSING
	0.2	6	-7	REFUSAL
	0.0	1	-5	BAD DATA
	2.0	69	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 898-899

AE33BD TYPE FATHERS MOTHER/FATHER/BROTHER/SISTER PROBLEM

Was your father's mother, father, brother, or sister problem with alcohol, drugs, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	12.4	420	1	ALCOHOL
10.4	2.4	82	2	DRUG
36.1	8.4	283	3	BOTH
	28.4	959	-9	LEGITIMATE NONRESPONSE
	46.7	1,579	-8	MISSING
	0.1	5	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	1.5	52	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 900-901

AE33CD	DID FATHERS MOTHER/FATHER/BROTHER/SISTER TREATMENT
---------------	---

Did your father's mother, father, brother, or sister ever receive professional treatment for the (alcohol/drugs/ alcohol or drugs) problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	7.1	240	1	YES
66.5	14.1	477	2	NO
	28.4	959	-9	LEGITIMATE NONRESPONSE
	46.9	1,586	-8	MISSING
	0.1	5	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	3.4	114	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 902-903

AE33AE	DID BROTHER/SISTER HAVE PROBLEM?
---------------	---

Please tell me who had such a problem.

Brother or sister

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	19.4	656	1	YES
	28.4	960	-9	LEGITIMATE NONRESPONSE
	51.7	1,748	-8	MISSING
	0.2	6	-7	REFUSAL
	0.3	9	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 904-905

AE33BE	TYPE OF BROTHER/SISTER'S PROBLEM
---------------	---

Was your brother's or sister's problem with alcohol, drugs, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	2.1	71	1	ALCOHOL
33.1	6.4	218	2	DRUG
56.1	10.9	369	3	BOTH
	28.4	960	-9	LEGITIMATE NONRESPONSE
	51.6	1,745	-8	MISSING
	0.1	5	-7	REFUSAL
	0.1	4	-6	MULTIPLE RESPONSE
	0.2	8	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 906-907

AE33CE	DID BROTHER RECEIVE TREATMENT?
---------------	---------------------------------------

Did your brother or sister ever receive professional treatment for the (alcohol/drugs/alcohol or drugs) problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	8.4	285	1	YES
56.5	10.9	370	2	NO
	28.4	960	-9	LEGITIMATE NONRESPONSE
	51.7	1,747	-8	MISSING
	0.1	5	-7	REFUSAL
	0.4	13	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 908-909

MENTAL HEALTH STATUS

AF1	1 PERIOD OF 4 WEEKS WERE ANXIOUS/TREMBLING
------------	---

Now, I'd like to ask you a few questions about any problems you may have had with emotions, nerves, or your mental health. In your lifetime, have you had at least one period of 4 weeks or more when you were very anxious, tense, or nervous and had other problems at the same time, such as trembling, shaking, your heart beating fast, or feeling something bad was going to happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	17.6	594	1	YES
82.4	82.2	2,780	2	NO
	0.2	6	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 910-911

AF1A	# PERIODS 4 WKS/MORE HAD WHEN ANXIOUS
-------------	--

How many periods of 4 weeks or more have you had when you were very anxious, tense, or nervous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	5.9	201	1	
22.0	3.8	127	2	
16.4	2.8	95	3	
5.7	1.0	33	4	
5.2	0.9	30	5	
2.8	0.5	16	6	
0.9	0.1	5	7	
1.4	0.2	8	8	
0.3	0.1	2	9	
3.8	0.7	22	10	
0.2	0.0	1	11	
1.2	0.2	7	12	
0.2	0.0	1	13	
0.2	0.0	1	14	
0.3	0.1	2	15	
0.3	0.1	2	16	
0.3	0.1	2	18	
1.6	0.3	9	20	
0.2	0.0	1	21	
0.2	0.0	1	24	
0.9	0.1	5	30	
0.2	0.0	1	50	
0.2	0.0	1	60	
0.2	0.0	1	65	
0.7	0.1	4	99	99 OR MORE
	82.1	2,778	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.1	2	-5	BAD DATA
	0.4	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 912-913

AF1B	PERIOD RESULT OF ALCOHOL/DRUG USE
-------------	--

Was this period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	6.5	219	1	YES
40.0	4.3	146	2	NO
	88.6	2,997	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 914-915

AF1C	ALL/SOME/NONE PERIODS RESULT OF ALCOHOL/DRUGS
-------------	--

Were all, some, or none of these periods a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	2.7	92	1	ALL
33.6	2.3	79	2	SOME
27.2	1.9	64	3	NONE
	92.6	3,133	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 916-917

AF1D	AGE WHEN 1ST FLT ANXIOUS/NOT DRUG RELATED
-------------	--

How old were you when you first felt very anxious or tense and it was not a result of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	2	
0.7	0.1	2	4	
2.1	0.2	6	5	
3.2	0.3	9	6	
3.2	0.3	9	7	
3.2	0.3	9	8	
3.9	0.3	11	9	
6.4	0.5	18	10	
6.7	0.6	19	11	
12.4	1.0	35	12	
12.0	1.0	34	13	
14.8	1.2	42	14	
12.4	1.0	35	15	
13.8	1.2	39	16	
4.2	0.4	12	17	
0.7	0.1	2	18	
	91.1	3,081	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 918-919

AF1E**LAST FELT ANXIOUS/NOT RESULT OF DRUGS**

How long has it been since you (last) felt very anxious or tense and it was not a result of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	4.3	147	1	WITHIN THE MONTH BEFORE ADMISSION
28.0	2.3	79	2	WITHIN THE PAST 12 MONTHS
19.9	1.7	56	3	MORE THAN 1 YEAR AGO
	91.2	3,083	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.1	2	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 920-921

AF1E_M**MONTHS AGO LAST FELT ANXIOUS**

How long has it been since you (last) felt very anxious or tense and it was a as a result of drugs or alcohol? (recode)

3,382 cases (Range of valid codes: 0-101)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2602-2604

AF2 DURING LIFE 2 WEEKS FELT VERY DEPRESSED

In your lifetime, have you had at least 2 weeks during which you felt very sad, blue, depressed, or you lost interest and pleasure in things you usually cared about or enjoyed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	45.4	1,536	1	YES
54.5	54.4	1,841	2	NO
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 922-923

AF2A HAVE OTHER PROBLEMS AT SAME TIME

Did you have other problems at the same time, for example, difficulty sleeping, loss of appetite, feeling hopeless or guilty, or having thoughts of ending your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	36.3	1,228	1	YES
20.0	9.1	307	2	NO
	54.4	1,840	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 924-925

AF2B	PERIODS 2WKS OR MORE FELT DEPRESSED W/OTHER PROBLEMS
-------------	---

How many periods of 2 weeks or more have you had when you felt very sad, blue, depressed, or lost interest in things and also had some of these other problems at the same time?

3,382 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 926-927

AF2C	WAS PERIOD RESULT OF ALCOHOL/DRUG USE
-------------	--

Was this period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	8.6	290	1	YES
55.5	10.7	362	2	NO
	63.4	2,144	-9	LEGITIMATE NONRESPONSE
	17.1	578	-8	MISSING
	0.2	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 928-929

AF2D	ALL/SOME/NONE PERIODS RESULT OF
-------------	--

Were all, some, or none of these periods a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	4.8	164	1	ALL
43.4	8.0	271	2	SOME
30.3	5.6	189	3	NONE
	81.0	2,740	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.2	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 930-931

AF2E AGE WHEN 1ST FLT DEPRESSED/NOT DRUG RELATED

How old were you when you first felt very sad, blue, or depressed for 2 weeks or more and had some of these other problems when it was not the direct result of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	2	
0.1	0.0	1	3	
0.4	0.1	3	4	
1.2	0.3	10	5	
2.2	0.5	18	6	
2.1	0.5	17	7	
3.3	0.8	27	8	
4.7	1.1	38	9	
5.3	1.3	43	10	
7.7	1.8	62	11	
14.2	3.4	115	12	
17.9	4.3	145	13	
12.7	3.0	103	14	
13.2	3.2	107	15	
10.0	2.4	81	16	
4.1	1.0	33	17	
0.4	0.1	3	18	
	75.5	2,554	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.3	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 932-933

AF2F WAS IT AFTER SOMEONE CLOSE TO YOU DIED?

Was it right after someone close to you died?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	6.9	235	1	YES
71.4	17.3	586	2	NO
	75.5	2,553	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 934-935

AF2G	WAS IT ALWAYS RESULT OF PHYSICAL ILLNESS
-------------	---

(Was it/Were they) always the result of a physical illness?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.7	24	1	YES
95.9	16.7	565	2	NO
	82.3	2,785	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 936-937

AF2H	LAST DEPRESSED NOT DUE TO ALCOHOL/DRUGS
-------------	--

When was the last time you felt very sad, blue, or depressed and it was not a result of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	12.5	424	1	WITHIN THE MONTH BEFORE ADMISSION
27.8	6.6	223	2	WITHIN THE PAST 12 MONTHS
19.4	4.6	156	3	MORE THAN 1 YEAR AGO
	75.5	2,555	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.2	8	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 938-939

AF2H_M	MONTHS AGO LAST FELT SAD/BLUE/DEPRESSED
---------------	--

When was the last time you felt very sad, blue, or depressed and it was not a result of drugs or alcohol?
 (recode)

3,382 cases (Range of valid codes: 0-160)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2605-2607

AF3 **EVER THINK A LOT ABOUT COMMITTING SUICIDE**

In your lifetime, have you ever thought a lot about ending your life or committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	31.1	1,051	1	YES
68.8	68.7	2,322	2	NO
	0.2	8	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 940-941

AF3A **LAST TIME THOUGHT ABOUT COMMITTING SUICIDE**

When was the last time you thought about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	13.1	444	1	WITHIN THE MONTH BEFORE ADMISSION
32.8	10.0	339	2	WITHIN THE PAST 12 MONTHS
24.3	7.4	251	3	MORE THAN 1 YEAR AGO
	68.7	2,322	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 942-943

AF3A_M **MONTHS AGO LAST THOUGHT ABOUT SUICIDE**

When was the last time you thought about committing suicide? (recode)

3,382 cases (Range of valid codes: 0-107)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2608-2610

AF3B	SUICIDE THOUGHTS RESULT OF DRUGS/ALCOHOL
-------------	---

Have your thoughts of suicide always been the direct result of the effects of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	7.0	237	1	YES
76.0	22.1	749	2	NO
	68.4	2,314	-9	LEGITIMATE NONRESPONSE
	2.2	75	-8	MISSING
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 944-945

AF4	DID YOU EVER ATTEMPT SUICIDE?
------------	--------------------------------------

In your lifetime, have you ever attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	19.4	656	1	YES
80.5	80.2	2,712	2	NO
	0.4	14	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 946-947

AF4A NUMBER OF TIMES ATTEMPTED SUICIDE

How many times have you ever attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	8.6	290	1	
22.7	4.4	148	2	
12.6	2.4	82	3	
6.0	1.2	39	4	
4.3	0.8	28	5	
2.6	0.5	17	6	
2.0	0.4	13	7	
0.9	0.2	6	8	
0.6	0.1	4	9	
1.4	0.3	9	10	
0.5	0.1	3	12	
0.5	0.1	3	15	
0.2	0.0	1	17	
0.8	0.1	5	20	
0.2	0.0	1	25	
0.2	0.0	1	28	
0.3	0.1	2	50	
	80.2	2,712	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 948-949

AF4B WHEN WAS LAST TIME ATTEMPTED SUICIDE

When was the last time you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	3.9	133	1	WITHIN THE MONTH BEFORE ADMISSION
38.9	7.5	253	2	WITHIN THE PAST 12 MONTHS
40.6	7.8	264	3	MORE THAN 1 YEAR AGO
	80.2	2,712	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 950-951

AF4B_M	MONTHS AGO LAST ATTEMPTED SUICIDE
---------------	--

When was the last time you attempted suicide? (recode)

3,382 cases (Range of valid codes: 0-142)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2611-2613

AF4C	SUICIDE ATTEMPTS RESULT OF DRUGS/ALCOHOL
-------------	---

Have your attempts always been the direct result of the effects of drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	4.2	143	1	YES
77.5	14.6	493	2	NO
	80.2	2,711	-9	LEGITIMATE NONRESPONSE
	0.9	30	-8	MISSING
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 952-953

AF5	EVER HAD TROUBLE CONTROLLING YOUR TEMPER
------------	---

In your lifetime, have you ever had trouble controlling your temper or violent behavior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	68.4	2,312	1	YES
31.5	31.5	1,064	2	NO
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 954-955

AF5A TEMPER OUTBURSTS RESULT OF DRUGS/ALCOHOL

Were all, some, or none of your temper outbursts or violent behavior the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.9	9.5	320	1	ALL
42.1	28.7	971	2	SOME
44.1	30.1	1,018	3	NONE
	31.3	1,060	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 956-957

AF5B LAST TIME HAD TEMPER OUTBURSTS

When was the last time you had trouble with your temper outbursts or violent behavior and it was not the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.9	38.1	1,287	1	WITHIN THE MONTH BEFORE ADMISSION
25.0	14.5	489	2	WITHIN THE PAST 12 MONTHS
9.1	5.3	178	3	MORE THAN 1 YEAR AGO
	40.7	1,377	-9	LEGITIMATE NONRESPONSE
	0.7	22	-8	MISSING
	0.3	9	-5	BAD DATA
	0.6	20	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 958-959

AF5B_M	MONTHS AGO LAST HAD TEMPER OUTBURSTS
---------------	---

When was the last time you had trouble with your temper outbursts or violent behavior and it was not the direct result of your drug or alcohol use? (recode)

3,382 cases (Range of valid codes: 0-119)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2614-2616

AF6	EVER FELT SUSPICIOUS OF OTHER PEOPLE
------------	---

In your lifetime, have you ever felt very suspicious of other people or what they might be up to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	61.0	2,064	1	YES
38.8	38.7	1,309	2	NO
	0.2	6	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 960-961

AF6A	FEELINGS RESULT OF ALCOHOL/DRUG USE
-------------	--

Was this feeling always the direct result of the effects of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	19.5	658	1	YES
68.1	41.5	1,405	2	NO
	38.6	1,304	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 962-963

AF6B

SUSPICIOUSNESS DUE TO ILLEGAL ACTIVITIES

When this suspiciousness was not the result of the effects of drugs or alcohol, was it always because you were involved in illegal activities and were afraid of the police or others who were involved in illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.0	20.4	691	1	YES
51.0	21.2	718	2	NO
	57.7	1,950	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 964-965

AF6C

SUSPICION NOT DUE TO ILLEGAL ACTIVITIES

When was the last time you felt very suspicious of other people and it was not the result of drugs, alcohol, or being worried about your illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	14.8	499	1	WITHIN THE MONTH BEFORE ADMISSION
24.7	5.3	178	2	WITHIN THE PAST 12 MONTHS
6.0	1.3	43	3	MORE THAN 1 YEAR AGO
	77.3	2,613	-9	LEGITIMATE NONRESPONSE
	0.8	28	-8	MISSING
	0.3	9	-5	BAD DATA
	0.4	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 966-967

AF6C_M**MONTHS AGO LAST SUSPICIOUS OF PEOPLE**

When was the last time you felt very suspicious of other people and it was net the result of drugs, alcohol, or being worried about your illegal activities? (recode)

3,382 cases (Range of valid codes: 0-65)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2617-2618

AF7**EVER HAD HALLUCINATIONS**

In your lifetime. have you ever thought someone could control your thoughts or had hallucinations, that is, you saw or heard things that no one else could see or hear?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	33.9	1,146	1	YES
66.0	65.9	2,229	2	NO
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 968-969

AF7A**HALLUCINATIONS DUE TO ALCOHOL/DRUG USE**

Were all, some, or none of these hallucinations a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	25.0	844	1	ALL
18.8	6.4	215	2	SOME
7.4	2.5	85	3	NONE
	65.8	2,227	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 970-971

AF7B LAST TIME HALLUCINATES NOT DUE ALCOHOL/DRUGS

When was the last time you had hallucinations, that is, you saw or heard things no one else could see or hear, when it was not the result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.5	5.3	179	1	WITHIN THE MONTH BEFORE ADMISSION
28.1	2.5	86	2	WITHIN THE PAST 12 MONTHS
13.4	1.2	41	3	MORE THAN 1 YEAR AGO
	90.5	3,062	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 972-973

AF7B_M MONTHS AGO LAST HAD HALLUCINATIONS

When was the last time you had hallucinations, that is, you saw or heard things no one else could see or hear, when it was the result of your drug or alcohol use? (recode)

3,382 cases (Range of valid codes: 0-128)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2619-2621

AF8 TROUBLE UNDERSTANDING/CONCENTRATING/REMEMBERING

Have you ever had trouble understanding, concentrating, or remembering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	61.1	2,066	1	YES
38.8	38.8	1,311	2	NO
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 974-975

AF8A**DIRECT RESULT OF ALCOHOL OR DRUG USE**

Was this always a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	39.0	1,319	1	YES
35.6	21.5	728	2	NO
	38.6	1,305	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.7	24	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 976-977

AF9**RECEIVED PAYMENTS FOR PSYCHIATRIC DISABILITY**

Have you ever received any disability payments, benefits, or a pension for a psychiatric disability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	44	1	YES
98.7	97.8	3,308	2	NO
	0.8	26	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 978-979

AF10**REGULAR MEDICATION FOR EMOTIONAL PROBLEMS**

During the 12 months before admission, did you take any prescribed medication on a regular basis for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	13.9	471	1	YES
86.0	85.8	2,903	2	NO
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 980-981

AF11**TAKING MEDICATION FOR EMOTIONAL PROBLEMS**

Are you currently taking any medication prescribed by a doctor for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	11.0	371	1	YES
89.0	88.8	3,004	2	NO
	0.1	5	-8	MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 982-983

AF12	OVERNIGHT TREATMENT FOR EMOTIONAL PROBLEMS
-------------	---

Have you ever stayed overnight anywhere for treatment of emotional or mental health problems other than problems associated with drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	14.1	477	1	YES
85.9	85.7	2,899	2	NO
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 984-985

AF12A	AGE 1ST ADMITTED FOR MENTAL HEALTH PROBLEM
--------------	---

How old were you the first time you were admitted or stayed overnight somewhere for treatment of a mental health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	2	
0.2	0.0	1	5	
0.8	0.1	4	6	
1.1	0.1	5	7	
1.3	0.2	6	8	
1.9	0.3	9	9	
1.9	0.3	9	10	
2.7	0.4	13	11	
11.0	1.5	52	12	
17.9	2.5	85	13	
22.2	3.1	105	14	
20.0	2.8	95	15	
10.3	1.4	49	16	
6.3	0.9	30	17	
2.1	0.3	10	18	
	85.7	2,899	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 986-987

AF13A # TIMES: COMMUNITY MENTAL HEALTH CENTER

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at a community mental health center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	9.5	322	0	
5.7	0.6	20	1	
1.7	0.2	6	2	
0.6	0.1	2	3	
0.3	0.0	1	7	
	85.7	2,899	-9	LEGITIMATE NONRESPONSE
	3.9	131	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 988-989

AF13B

TIMES: PRIVATE PSYCHIATRIC HOSPITAL

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at a private psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	5.3	178	0	
34.3	4.2	141	1	
11.4	1.4	47	2	
4.1	0.5	17	3	
1.9	0.2	8	4	
1.9	0.2	8	5	
0.7	0.1	3	6	
0.7	0.1	3	7	
0.2	0.0	1	10	
0.5	0.1	2	14	
0.2	0.0	1	16	
0.2	0.0	1	21	
0.2	0.0	1	25	
	85.7	2,899	-9	LEGITIMATE NONRESPONSE
	2.1	70	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 990-991

AF13C # TIMES: PUBLIC/STATE PSYCHIATRIC HOSPITAL

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at a public or State psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	8.1	275	0	
17.8	2.0	66	1	
3.5	0.4	13	2	
1.3	0.1	5	3	
1.9	0.2	7	4	
0.5	0.1	2	5	
0.3	0.0	1	6	
0.3	0.0	1	7	
0.3	0.0	1	16	
	85.7	2,899	-9	LEGITIMATE NONRESPONSE
	3.3	111	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 992-993

AF13D # TIMES: ANY OTHER HOSPITAL

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at any other hospital, including any general or VA hospital?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.3	7.5	254	0	
22.6	2.5	84	1	
5.1	0.6	19	2	
1.6	0.2	6	3	
1.3	0.1	5	4	
0.5	0.1	2	5	
0.3	0.0	1	11	
0.3	0.0	1	60	
	85.7	2,899	-9	LEGITIMATE NONRESPONSE
	3.3	110	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 994-995

AF13E	# TIMES: EMERGENCY ROOM/CRISIS CENTER
--------------	--

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at an emergency room or crisis center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	9.8	330	0	
4.0	0.4	14	1	
0.6	0.1	2	2	
0.3	0.0	1	3	
0.3	0.0	1	4	
0.3	0.0	1	8	
	85.7	2,899	-9	LEGITIMATE NONRESPONSE
	3.9	132	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 996-997

AF13F	# TIMES: ANY OTHER PLACE
--------------	---------------------------------

How many times have you ever stayed overnight for treatment of emotions, nerves, or your mental health at any other place for emotional or mental health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	9.7	329	0	
4.8	0.5	17	1	
0.3	0.0	1	2	
0.6	0.1	2	3	
0.3	0.0	1	7	
0.3	0.0	1	10	
0.3	0.0	1	25	
	85.7	2,899	-9	LEGITIMATE NONRESPONSE
	3.8	129	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 998-999

AF14 #DAYS OVERNIGHT FOR TREATMENT MENTAL HEALTH

Altogether in your lifetime, what is the total number of days you have stayed overnight for treatment primarily for emotions, nerves, or mental health?

3,382 cases (Range of valid codes: 1-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1000-1002

AF14A #DAYS OVERNIGHT IN 12MONTHS BEFORE ADMISSION

How many days have you stayed overnight for treatment primarily for emotions, nerves, or mental health in the 12 months before admission to this program?

3,382 cases (Range of valid codes: 0-330)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1003-1005

AF15 LAST TIM OVERNIGHT FOR TREATMENT MENTAL HEALTH

When was the last time you stayed overnight for treatment of emotions, nerves, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	3.8	129	1	WITHIN THE MONTH BEFORE ADMISSION
36.1	5.1	172	2	WITHIN THE PAST 12 MONTHS
36.8	5.2	175	3	MORE THAN 1 YEAR AGO
	85.7	2,899	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1006-1007

AF15_M	MONTHS AGO LAST HAD OVERNIGHT MENTAL HEALTH TREATMENT
---------------	--

When was the last time you stayed overnight for treatment of emotions, nerves, or mental health? (recode)

3,382 cases (Range of valid codes: 0-146)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2622-2624

AF15A	WHAT TYPE OF PROGRAM WAS THAT?
--------------	---------------------------------------

What type of program was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	0.7	24	1	A COMMUNITY MENTAL HEALTH CENTER
45.9	6.4	218	2	A PRIVATE PSYCHIATRIC HOSPITAL
18.3	2.6	87	3	A PUBLIC/STATE PSYCHIATRIC HOSPITAL
23.4	3.3	111	4	ANY OTHER HOSPITAL
2.1	0.3	10	5	AN EMERGENCY ROOM OR CRISIS CENTER
5.3	0.7	25	6	ANY OTHER PLACE FOR EMOTIONAL PROBLEMS
	85.7	2,899	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1008-1009

AF16	EVER HAD OUTPATIENT TREATMENT/COUNSELING
-------------	---

Have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	19.5	659	1	YES
80.4	79.8	2,700	2	NO
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1010-1011

AF17A # TIMES: COMMUNITY MENTAL HEALTH CENTER

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use at a community mental health center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.2	9.3	314	0	
19.2	2.7	91	1	
4.6	0.7	22	2	
1.7	0.2	8	3	
1.5	0.2	7	4	
0.6	0.1	3	5	
0.6	0.1	3	6	
0.2	0.0	1	8	
0.8	0.1	4	10	
0.2	0.0	1	12	
0.2	0.0	1	13	
0.2	0.0	1	15	
0.4	0.1	2	20	
0.4	0.1	2	26	
0.2	0.0	1	30	
0.2	0.0	1	32	
0.2	0.0	1	40	
0.4	0.1	2	48	
0.6	0.1	3	50	
0.2	0.0	1	52	
0.6	0.1	3	90	
0.4	0.1	2	99	99 OR MORE
	79.8	2,698	-9	LEGITIMATE NONRESPONSE
	5.9	201	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1012-1013

AF17B

TIMES: PRIVATE THERAPIST/PSYCHIATRIST

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use from a private therapist, psychiatrist, psychologist, social worker, or counselor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	4.2	141	0	
30.1	4.9	166	1	
8.3	1.4	46	2	
5.3	0.9	29	3	
5.4	0.9	30	4	
3.1	0.5	17	5	
0.5	0.1	3	6	
1.5	0.2	8	7	
2.2	0.4	12	8	
0.2	0.0	1	9	
2.7	0.4	15	10	
0.2	0.0	1	11	
0.5	0.1	3	12	
0.4	0.1	2	13	
0.2	0.0	1	14	
0.5	0.1	3	15	
1.1	0.2	6	16	
3.1	0.5	17	20	
0.7	0.1	4	24	
0.4	0.1	2	25	
1.1	0.2	6	30	
0.2	0.0	1	34	
0.2	0.0	1	36	
0.5	0.1	3	40	
1.6	0.3	9	50	
0.7	0.1	4	52	
0.2	0.0	1	60	
0.4	0.1	2	75	
0.4	0.1	2	80	
0.2	0.0	1	95	
0.2	0.0	1	96	
2.4	0.4	13	99	99 OR MORE
	79.8	2,698	-9	LEGITIMATE NONRESPONSE
	3.6	121	-8	MISSING
	0.1	2	-5	BAD DATA
	0.3	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1014-1015

AF17C # TIMES: FAMILY PHYSICIAN/MEDICAL DOCTOR

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use from a family physician or other medical doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	12.3	417	0	
0.9	0.1	4	1	
0.2	0.0	1	2	
0.2	0.0	1	5	
0.5	0.1	2	7	
0.2	0.0	1	10	
0.2	0.0	1	14	
0.2	0.0	1	20	
0.5	0.1	2	26	
0.2	0.0	1	40	
0.2	0.0	1	60	
0.2	0.0	1	78	
0.2	0.0	1	99	99 OR MORE
	79.8	2,698	-9	LEGITIMATE NONRESPONSE
	7.2	244	-8	MISSING
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1016-1017

AF17D

TIMES: PRIVATE PSYCHIATRIC HOSPITAL

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use at a private psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.6	11.7	397	0	
4.8	0.6	21	1	
0.7	0.1	3	2	
0.5	0.1	2	3	
0.2	0.0	1	4	
0.5	0.1	2	5	
0.2	0.0	1	6	
0.2	0.0	1	12	
0.2	0.0	1	14	
0.2	0.0	1	24	
0.7	0.1	3	30	
0.5	0.1	2	52	
0.7	0.1	3	99	99 OR MORE
	79.8	2,699	-9	LEGITIMATE NONRESPONSE
	7.0	238	-8	MISSING
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1018-1019

AF17E # TIMES: PUBLIC/STATE PSYCHIATRIC HOSPITAL

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use at a public or State psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	11.8	399	0	
6.7	0.9	29	1	
0.2	0.0	1	2	
0.5	0.1	2	3	
0.2	0.0	1	5	
0.2	0.0	1	6	
0.2	0.0	1	8	
0.2	0.0	1	12	
	79.8	2,698	-9	LEGITIMATE NONRESPONSE
	7.2	243	-8	MISSING
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1020-1021

AF17F # TIMES: OTHER HOSPITALS/GENERAL/VA

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use at any other hospital, including any general or VA hospital?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	12.2	411	0	
3.0	0.4	13	1	
1.2	0.1	5	2	
0.2	0.0	1	16	
0.2	0.0	1	50	
	79.8	2,698	-9	LEGITIMATE NONRESPONSE
	7.3	246	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1022-1023

AF17G**# TIMES: TREATMENT ANYWHERE ELSE**

How many times have you ever had outpatient treatment or counseling for a mental health or emotional problem other than those associated with drug or alcohol use from anywhere else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	12.2	411	0	
3.8	0.5	17	1	
1.1	0.1	5	2	
0.2	0.0	1	3	
0.5	0.1	2	4	
0.2	0.0	1	5	
0.2	0.0	1	8	
0.2	0.0	1	9	
0.5	0.1	2	10	
0.2	0.0	1	12	
0.2	0.0	1	40	
	79.8	2,698	-9	LEGITIMATE NONRESPONSE
	6.9	234	-8	MISSING
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1024-1025

AF18**# OUTPATIENT VISITS FOR MENTAL HEALTH**

Altogether in your lifetime, approximately how many outpatient visits have you had for treatment for nerves, emotions, or mental health?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1026-1028

AF18A # VISITS IN 12 MONTHS BEFORE ADMISSION

How many of these visits were in the 12 months before admission to this program?

3,382 cases (Range of valid codes: 0-250)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1029-1031

AF19 LAST RECEIVED OUTPATIENT TREATMENT MENTAL HEALTH

When was the last time you received outpatient treatment for nerves, emotions, or mental health?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	7.1	241	1	WITHIN THE MONTH BEFORE ADMISSION
31.1	6.1	205	2	WITHIN THE PAST 12 MONTHS
32.3	6.3	213	3	MORE THAN 1 YEAR AGO
	79.8	2,700	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1032-1033

AF19_M MONTHS AGO LAST HAD OUTPATIENT MENTAL HEALTH TREATMENT

When was the last time you received outpatient treatment for nerves, emotions, or mental health? (recode)

3,382 cases (Range of valid codes: 0-158)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2625-2627

AF20**WHAT TYPE OF PROGRAM WAS THAT?**

What type of program was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	4.3	144	1	A COMMUNITY MENTAL HEALTH CENTER
59.6	11.6	393	2	A PRIVATE THERAPIST
2.0	0.4	13	3	A FAMILY PHYSICIAN OR OTHER DOCTOR
4.4	0.9	29	4	A PRIVATE PSYCHIATRIC HOSPITAL
4.2	0.8	28	5	A PUBLIC/STATE PSYCHIATRIC HOSPITAL
3.6	0.7	24	6	ANY OTHER HOSPITAL
4.2	0.8	28	7	ANYWHERE ELSE
	79.8	2,699	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.1	5	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1034-1035

AF21**HOW TROUBLED BY EMOTIONAL PROBLEMS**

How troubled or distressed (bothered) are you now by emotional or psychological problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	53.3	1,804	0	NOT AT ALL
36.4	36.1	1,222	1	SOMEWHAT
9.8	9.7	329	2	VERY TROUBLED
	0.6	20	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1036-1037

AF22	MENTAL HEALTH PROBLEMS DUE ALCOHOL/DRUG USE
-------------	--

In the 12 months before admission to this program, did you have any mental health or emotional problems because of your alcohol or drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	25.6	867	1	YES
74.2	73.5	2,487	2	NO
	0.6	19	-8	MISSING
	0.3	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1038-1039

AF22A	HOW SERIOUS PROBLEMS DUE ALCOHOL/DRUG USE
--------------	--

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	1.9	65	1	NOT AT ALL
65.9	17.0	575	2	SOMEWHAT
26.7	6.9	233	3	VERY SERIOUS
	73.4	2,482	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.1	3	-6	MULTIPLE RESPONSE
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1040-1041

AF23	AMOUNT TREATMENT NEEDED FOR MENTAL HEALTH PROBLEM
-------------	--

How important to you now is treatment or counseling for emotional, nervous, or mental health problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	48.6	1,642	0	NOT AT ALL
25.1	24.7	835	1	SOMEWHAT
25.4	25.0	844	2	VERY TROUBLED
	1.7	56	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1042-1043

AF24	RELATIVES WITH MENTAL HEALTH PROBLEMS
-------------	--

Have any of your relatives ever had any mental health or emotional problems? Just include those who are related to you by blood.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	27.0	912	1	YES
72.4	70.6	2,389	2	NO
	0.5	16	-8	MISSING
	1.9	65	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1044-1045

AF24AA DID MOTHER HAVE PROBLEM?

Please tell me who had such a problem.

Mother

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.9	403	1	YES
	70.6	2,387	-9	LEGITIMATE NONRESPONSE
	17.2	583	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1046-1047

AF24BA WAS MOTHER HOSPITALIZED?

Was your mother ever hospitalized for the problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	5.3	180	1	YES
54.0	6.2	211	2	NO
	70.6	2,388	-9	LEGITIMATE NONRESPONSE
	17.2	581	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.6	20	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1048-1049

AF24AB	DID FATHER HAVE PROBLEM?
---------------	---------------------------------

Please tell me who had such a problem.

Father

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.2	176	1	YES
	70.6	2,389	-9	LEGITIMATE NONRESPONSE
	23.4	793	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.7	22	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1050-1051

AF24BB	WAS FATHER HOSPITALIZED?
---------------	---------------------------------

Was your father ever hospitalized for the problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	2.0	68	1	YES
60.0	3.0	102	2	NO
	70.6	2,389	-9	LEGITIMATE NONRESPONSE
	23.6	797	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.7	24	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1052-1053

AF24AC MOTHER'S MOTHER/FATHER/BROTHER/SISTER PROBLEM

Please tell me who had such a problem.

Mother's mother, father, brother or sister

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.0	339	1	YES
	70.6	2,389	-9	LEGITIMATE NONRESPONSE
	18.6	629	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.7	23	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1054-1055

AF24BC MOTHERS MOTHER/FATHER/BROTHER/SISTER HOSPITALIZED

Was your mother's mother, father, brother or sister ever hospitalized for the problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.4	6.3	214	1	YES
34.6	3.3	113	2	NO
	70.6	2,389	-9	LEGITIMATE NONRESPONSE
	18.6	629	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	1.0	35	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1056-1057

AF24AD**FATHER'S MOTHER/FATHER/BROTHER/SISTER PROBLEM**

Please tell me who had such a problem.

Father's mother, father, brother, or sister

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.4	184	1	YES
	70.6	2,389	-9	LEGITIMATE NONRESPONSE
	22.8	770	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	1.1	37	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1058-1059

AF24BD**FATHERS MOTHER/FATHER/BROTHER/SISTER HOSPITALIZED**

Was your father's mother, father, brother, or sister ever hospitalized for the problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	2.9	97	1	YES
41.6	2.0	69	2	NO
	70.6	2,389	-9	LEGITIMATE NONRESPONSE
	23.0	777	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	1.4	48	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1060-1061

AF24AE DID BROTHER/SISTER HAVE PROBLEM?

Please tell me who had such a problem.

Brother or sister

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.7	193	1	YES
	70.6	2,388	-9	LEGITIMATE NONRESPONSE
	23.3	787	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.4	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1062-1063

AF24BE WAS BROTHER/SISTER HOSPITALIZED?

Was your brother or sister ever hospitalized for the problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	3.3	111	1	YES
42.2	2.4	81	2	NO
	70.6	2,388	-9	LEGITIMATE NONRESPONSE
	23.3	787	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.4	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1064-1065

ILLEGAL INVOLVEMENT

AG1	# OF TRAFFIC TICKETS EVER RECEIVED
------------	---

Now, I'd like to ask about your involvement with the police, courts, and illegal activities. Let me remind you that this information will remain confidential. How many traffic tickets have you received in your lifetime for moving violations, such as speeding, running a light, or causing an accident? [DO NOT COUNT DWI OR DUI.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	84.9	2,871	0	NONE
10.7	10.7	362	1	1 TO 3 TICKETS
2.0	2.0	67	2	4 TO 5 TICKETS
1.3	1.3	43	3	6 TO 10 TICKETS
0.8	0.8	26	4	11 TO 49 TICKETS
0.1	0.1	2	5	50 TO 99 TICKETS
0.0	0.0	0	6	100 TO 199 TICKETS
0.0	0.0	0	7	200 OR MORE
	0.2	7	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1066-1067

AG1A	AGE WHEN GIVEN FIRST TRAFFIC TICKET
-------------	--

How old were you the first time you were given a traffic ticket?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.0	1	0	
0.7	0.0	1	8	
4.1	0.2	6	12	
6.8	0.3	10	13	
15.1	0.7	22	14	
17.1	0.7	25	15	
39.7	1.7	58	16	
12.3	0.5	18	17	
3.4	0.1	5	18	
	95.4	3,225	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1068-1069

AG1B	LAST TIME GIVEN A TRAFFIC TICKET
-------------	---

When was the last time you were given a traffic ticket?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	0.8	27	1	WITHIN THE MONTH BEFORE ADMISSION
52.4	2.3	77	2	WITHIN THE PAST 12 MONTHS
29.3	1.3	43	3	MORE THAN 1 YEAR AGO
	95.3	3,224	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1070-1071

AG1B_M	MONTHS AGO LAST HAD TRAFFIC TICKET
--------	------------------------------------

When was the last time you were given a traffic ticket?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	0.8	27	0	
0.7	0.0	1	1	
8.2	0.4	12	2	
6.1	0.3	9	3	
8.2	0.4	12	4	
6.1	0.3	9	5	
8.8	0.4	13	6	
6.1	0.3	9	7	
4.1	0.2	6	8	
5.4	0.2	8	9	
6.8	0.3	10	10	
2.7	0.1	4	11	
2.7	0.1	4	12	
0.7	0.0	1	13	
2.0	0.1	3	14	
0.7	0.0	1	16	
1.4	0.1	2	17	
2.0	0.1	3	18	
2.7	0.1	4	19	
0.7	0.0	1	20	
1.4	0.1	2	25	
0.7	0.0	1	26	
0.7	0.0	1	28	
0.7	0.0	1	32	
0.7	0.0	1	35	
0.7	0.0	1	45	
0.7	0.0	1	50	
	95.3	3,224	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2628-2629

AG1C	# TIMES ARRESTED FOR DRIVING INTOXICATED
-------------	---

How many times have you ever been arrested for driving while intoxicated or driving under the influence?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	94.5	3,197	0	NONE
3.4	3.4	114	1	1 TO 2 TIMES
0.4	0.4	13	2	3 TO 5 TIMES
0.1	0.1	2	3	6 TO 10 TIMES
0.0	0.0	1	4	11 TO 49 TIMES
0.0	0.0	0	5	50 TO 99 TIMES
0.0	0.0	0	6	100 TO 199 TIMES
0.0	0.0	0	7	200 OR MORE TIMES
	1.5	52	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1072-1073

AG1D	#TIMES ARRESTED FOR DWI/DUI 12MONTHS BEFORE ADMISSION
-------------	--

How many times were you arrested for DWI or DUI in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.1	1.2	42	0	
46.6	1.8	61	1	
9.9	0.4	13	2	
3.8	0.1	5	3	
1.5	0.1	2	5	
0.8	0.0	1	6	
0.8	0.0	1	13	
0.8	0.0	1	15	
0.8	0.0	1	16	
2.3	0.1	3	17	
0.8	0.0	1	18	
	94.5	3,196	-9	LEGITIMATE NONRESPONSE
	1.5	51	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1074-1075

AG2

#TIMES ARRESTED/BOOKED NON TRAFFIC VIOLATION

In your lifetime, how many times had you ever been arrested and booked (including fingerprinting) for something other than a traffic violation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	34.2	1,157	0	NONE
27.3	27.1	917	1	1 TO 2 TIMES
16.7	16.6	561	2	3 TO 5 TIMES
10.9	10.8	365	3	6 TO 10 TIMES
9.6	9.6	323	4	11 TO 49 TIMES
0.8	0.8	27	5	50 TO 99 TIMES
0.1	0.1	4	6	100 TO 199 TIMES
0.0	0.0	1	7	200 OR MORE TIMES
	0.3	10	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.3	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1076-1077

AG3 **AGE WHEN 1ST ARRESTED/SENT JUVENILE CRT**

How old were you the first time you were (arrested or sent to juvenile court)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	5	
0.3	0.2	6	6	
0.3	0.2	6	7	
1.2	0.8	26	8	
1.3	0.8	28	9	
2.7	1.8	60	10	
5.0	3.2	109	11	
11.5	7.4	251	12	
17.9	11.6	392	13	
21.8	14.1	477	14	
16.2	10.5	355	15	
14.1	9.1	308	16	
5.8	3.8	127	17	
1.2	0.8	27	18	
0.7	0.4	15	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.1	0.1	3	95	DON'T KNOW, BUT 15 OR OLDER
	34.2	1,157	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.1	3	-7	REFUSAL
	0.6	19	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1078-1079

AG4 **EVER ARRESTED BEFORE AGE 18**

Had you been arrested before age 18 (not including traffic violations)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	2.0	67	1	YES
27.2	0.7	25	2	NO
	34.2	1,157	-9	LEGITIMATE NONRESPONSE
	63.0	2,131	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1080-1081

AG4A	EVER BEEN SENT TO JUVENILE COURT
-------------	---

Have you ever been sent to juvenile court?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	4	1	YES
87.5	0.8	28	2	NO
	36.0	1,218	-9	LEGITIMATE NONRESPONSE
	63.0	2,130	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1082-1083

AG5	# OF TIMES ARRESTED BY AGE 18
------------	--------------------------------------

How many times were you arrested or sent to juvenile court before age 18?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.2	6	0	NEVER
44.6	2.9	99	1	1 OR 2 TIMES
31.5	2.1	70	2	3 TO 5 TIMES
14.0	0.9	31	3	6 TO 10 TIMES
6.3	0.4	14	4	11 TO 49 TIMES
0.0	0.0	0	5	50 TO 99 TIMES
0.5	0.0	1	6	100 TO 199 TIMES
0.5	0.0	1	7	200 OR MORE TIMES
	35.0	1,184	-9	LEGITIMATE NONRESPONSE
	58.2	1,968	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1084-1085

AG6 #TIMES ARRESTED SINCE 18/NOT TRAFFIC VIOLATION

How many times have you been arrested since age 18 for anything besides a traffic violation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	2.7	91	0	NEVER
41.7	2.5	85	1	1 OR 2 TIMES
9.8	0.6	20	2	3 TO 5 TIMES
2.9	0.2	6	3	6 TO 10 TIMES
1.0	0.1	2	4	11 TO 49 TIMES
0.0	0.0	0	5	50 TO 99 TIMES
0.0	0.0	0	6	100 TO 199 TIMES
0.0	0.0	0	7	200 OR MORE TIMES
	34.1	1,152	-9	LEGITIMATE NONRESPONSE
	59.8	2,021	-8	MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1086-1087

AG6A AGE 1ST ARRESTED SINCE 18/NOT TRAFFIC VIOLATION

How old were you the first time you were arrested since you were 18 years old for anything besides a traffic violation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.1	104	18	
	36.8	1,243	-9	LEGITIMATE NONRESPONSE
	58.7	1,984	-8	MISSING
	0.1	3	-7	REFUSAL
	1.2	42	-5	BAD DATA
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1088-1089

AG6B**LAST TIM ARRESTED FOR ANYTHING/NOT TRAFFIC**

When was the last time you were arrested for anything besides a traffic violation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	19.3	653	1	WITHIN THE MONTH BEFORE ADMISSION
54.5	33.9	1,145	2	WITHIN THE PAST 12 MONTHS
14.4	9.0	303	3	MORE THAN 1 YEAR AGO
	36.6	1,239	-9	LEGITIMATE NONRESPONSE
	0.8	28	-8	MISSING
	0.1	5	-7	REFUSAL
	0.3	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1090-1091

AG6B_M**MONTHS AGO LAST ARRESTED**

When was the last time you were arrested for anything besides a traffic violation? (recode)

3,382 cases (Range of valid codes: 0-113)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2630-2632

AG7_1**EVER ARRESTED: USE/POSSESSION DRUGS**

Have you ever been arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.2	27.3	924	1	YES
57.8	37.5	1,267	2	NO
	33.8	1,144	-9	LEGITIMATE NONRESPONSE
	1.2	41	-8	MISSING
	0.2	6	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1092-1093

AG8_1	# ARRESTS: USE/POSSESSION DRUGS
--------------	--

How many times had you ever been arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	4	0	
58.2	15.8	536	1	
20.0	5.4	184	2	
7.6	2.1	70	3	
4.5	1.2	41	4	
3.1	0.9	29	5	
1.5	0.4	14	6	
0.5	0.1	5	7	
0.5	0.1	5	8	
0.3	0.1	3	9	
1.2	0.3	11	10	
0.3	0.1	3	11	
0.1	0.0	1	12	
0.2	0.1	2	13	
0.2	0.1	2	14	
0.7	0.2	6	15	
0.1	0.0	1	18	
0.1	0.0	1	20	
0.1	0.0	1	30	
0.1	0.0	1	50	
0.1	0.0	1	80	
	71.2	2,408	-9	LEGITIMATE NONRESPONSE
	1.4	46	-8	MISSING
	0.1	5	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1094-1095

AG9_1**#ARRESTS 12MONTHS BEFORE: USE/POSSESSION DRUGS**

How many times were you arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	5.5	185	0	
55.6	15.1	510	1	
13.3	3.6	122	2	
5.0	1.4	46	3	
2.1	0.6	19	4	
1.1	0.3	10	5	
1.2	0.3	11	6	
0.2	0.1	2	7	
0.8	0.2	7	8	
0.3	0.1	3	10	
0.1	0.0	1	20	
0.1	0.0	1	50	
	71.2	2,407	-9	LEGITIMATE NONRESPONSE
	1.5	50	-8	MISSING
	0.1	5	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1096-1097

AG7_2**EVER ARRESTED: SALE/MANUFACTURE NARCOTICS**

Have you ever been arrested or sent to juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	12.1	410	1	YES
81.2	52.4	1,773	2	NO
	33.9	1,146	-9	LEGITIMATE NONRESPONSE
	1.4	47	-8	MISSING
	0.2	6	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1098-1099

AG8_2	# ARRESTS: SALE/MANUFACTURE NARCOTICS
--------------	--

How many times had you ever been arrested or sent to juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	4	0	
56.0	6.8	229	1	
21.8	2.6	89	2	
8.3	1.0	34	3	
4.2	0.5	17	4	
1.5	0.2	6	5	
2.9	0.4	12	6	
0.2	0.0	1	7	
1.0	0.1	4	8	
1.2	0.1	5	10	
0.5	0.1	2	11	
0.5	0.1	2	14	
0.5	0.1	2	15	
0.2	0.0	1	17	
0.2	0.0	1	50	
	86.2	2,916	-9	LEGITIMATE NONRESPONSE
	1.5	51	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1100-1101

AG9_2**#ARRESTS 12MONTHS BEFORE: SALE/MANUFACTURE NARCOTICS**

How many times were you arrested or sent to juvenile court for sale or manufacture of drugs in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	3.1	106	0	
52.5	6.3	213	1	
13.5	1.6	55	2	
2.5	0.3	10	3	
2.7	0.3	11	4	
0.5	0.1	2	5	
1.0	0.1	4	6	
0.2	0.0	1	7	
0.5	0.1	2	8	
0.2	0.0	1	17	
0.2	0.0	1	50	
	86.2	2,916	-9	LEGITIMATE NONRESPONSE
	1.6	54	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1102-1103

AG7_3**EVER ARRESTED: FORGERY/FRAUD**

Have you ever been arrested or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	10.2	346	1	YES
84.0	53.9	1,823	2	NO
	33.9	1,146	-9	LEGITIMATE NONRESPONSE
	1.8	61	-8	MISSING
	0.2	6	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1104-1105

AG8_3

ARRESTS: FORGERY/FRAUD

How many times had you ever been arrested or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or obsession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
59.2	6.1	205	1	
19.1	2.0	66	2	
7.8	0.8	27	3	
6.1	0.6	21	4	
3.2	0.3	11	5	
0.6	0.1	2	6	
0.9	0.1	3	7	
0.9	0.1	3	8	
0.6	0.1	2	9	
0.3	0.0	1	10	
0.3	0.0	1	11	
0.3	0.0	1	12	
0.6	0.1	2	13	
	87.7	2,967	-9	LEGITIMATE NONRESPONSE
	1.9	64	-8	MISSING
	0.1	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1106-1107

AG9_3**# ARRESTS 12 MONTHS BEFORE: FORGERY/FRAUD**

How many times were you arrested or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing) in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	3.7	125	0	
42.7	4.3	146	1	
10.8	1.1	37	2	
4.7	0.5	16	3	
2.9	0.3	10	4	
0.6	0.1	2	5	
0.6	0.1	2	6	
0.6	0.1	2	7	
0.3	0.0	1	9	
0.3	0.0	1	13	
	87.8	2,968	-9	LEGITIMATE NONRESPONSE
	2.0	67	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1108-1109

AG7_4**EVER ARRESTED: BURGLARY**

Have you ever been arrested or sent to juvenile court for burglary - breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	18.8	636	1	YES
70.7	45.3	1,531	2	NO
	33.9	1,146	-9	LEGITIMATE NONRESPONSE
	1.9	63	-8	MISSING
	0.2	6	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1110-1111

AG8_4 **# ARRESTS: BURGLARY**

How many times had you ever been arrested or sent to juvenile court for burglary - breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	0	
63.2	11.9	402	1	
16.8	3.2	107	2	
6.6	1.2	42	3	
4.7	0.9	30	4	
2.8	0.5	18	5	
1.3	0.2	8	6	
0.6	0.1	4	7	
0.6	0.1	4	8	
0.5	0.1	3	9	
0.8	0.1	5	10	
0.5	0.1	3	11	
0.2	0.0	1	13	
0.2	0.0	1	14	
0.5	0.1	3	15	
0.2	0.0	1	16	
0.2	0.0	1	20	
0.2	0.0	1	26	
0.2	0.0	1	100	
	79.1	2,676	-9	LEGITIMATE NONRESPONSE
	1.9	65	-8	MISSING
	0.1	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1112-1114

AG9_4**# ARRESTS 12 MONTHS BEFORE: BURGLARY**

How many times were you arrested or sent to juvenile court burglary - breaking and entering, unlawful entry, housebreaking, or safecracking in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	6.7	226	0	
46.1	8.6	292	1	
8.8	1.7	56	2	
4.4	0.8	28	3	
2.2	0.4	14	4	
0.9	0.2	6	5	
0.5	0.1	3	6	
0.6	0.1	4	7	
0.2	0.0	1	8	
0.2	0.0	1	9	
0.2	0.0	1	16	
0.2	0.0	1	20	
	79.2	2,677	-9	LEGITIMATE NONRESPONSE
	2.0	67	-8	MISSING
	0.1	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1115-1116

AG7_5**EVER ARRESTED: LARCENY**

Have you ever been arrested or sent to juvenile court for larceny - theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	26.4	893	1	YES
59.0	37.9	1,283	2	NO
	33.9	1,146	-9	LEGITIMATE NONRESPONSE
	1.6	54	-8	MISSING
	0.2	6	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1117-1118

AG8_5 # ARRESTS: LARCENY

How many times had you ever been arrested or sent to juvenile court for larceny - theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
50.3	13.2	448	1	
24.0	6.3	214	2	
8.9	2.3	79	3	
6.2	1.6	55	4	
2.8	0.7	25	5	
2.1	0.6	19	6	
1.1	0.3	10	7	
0.9	0.2	8	8	
0.1	0.0	1	9	
1.3	0.4	12	10	
0.2	0.1	2	11	
0.1	0.0	1	12	
0.1	0.0	1	13	
0.6	0.1	5	15	
0.1	0.0	1	17	
0.2	0.1	2	20	
0.1	0.0	1	30	
0.1	0.0	1	35	
0.3	0.1	3	40	
0.1	0.0	1	100	
0.1	0.0	1	200	
	71.8	2,429	-9	LEGITIMATE NONRESPONSE
	1.7	56	-8	MISSING
	0.1	5	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1119-1121

AG9_5

ARRESTS 12 MONTHS BEFORE: LARCENY

How many times were you arrested or sent to juvenile court for larceny - theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	10.3	349	0	
37.9	9.9	335	1	
12.1	3.2	107	2	
5.3	1.4	47	3	
1.8	0.5	16	4	
1.5	0.4	13	5	
0.6	0.1	5	6	
0.2	0.1	2	7	
0.5	0.1	4	8	
0.1	0.0	1	10	
0.1	0.0	1	13	
0.1	0.0	1	16	
0.2	0.1	2	20	
0.1	0.0	1	50	
	71.8	2,429	-9	LEGITIMATE NONRESPONSE
	1.8	62	-8	MISSING
	0.1	5	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1122-1123

AG7_7 **EVER ARRESTED: ROBBERY**

Have you ever been arrested or sent to juvenile court for robbery - bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	11.0	371	1	YES
83.0	53.4	1,806	2	NO
	33.9	1,146	-9	LEGITIMATE NONRESPONSE
	1.6	53	-8	MISSING
	0.2	6	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1124-1125

AG8_7 **# ARRESTS: ROBBERY**

How many times had you ever been arrested or sent to juvenile court for robbery - bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
74.2	8.1	273	1	
15.2	1.7	56	2	
5.7	0.6	21	3	
1.9	0.2	7	4	
1.9	0.2	7	5	
0.3	0.0	1	6	
0.3	0.0	1	10	
0.3	0.0	1	20	
	87.3	2,951	-9	LEGITIMATE NONRESPONSE
	1.7	56	-8	MISSING
	0.1	5	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1126-1127

AG9_7**# ARRESTS 12 MONTHS BEFORE: ROBBERY**

How many times were you arrested or sent to juvenile court for robbery - bank, mugging, armed robbery, or purse snatching with force in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	3.9	132	0	
53.0	5.7	194	1	
7.9	0.9	29	2	
1.6	0.2	6	3	
0.5	0.1	2	4	
0.3	0.0	1	5	
0.3	0.0	1	6	
0.3	0.0	1	7	
	87.3	2,951	-9	LEGITIMATE NONRESPONSE
	1.7	57	-8	MISSING
	0.1	5	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1128-1129

AG7_8**EVER ARRESTED: ATTACKS OF PERSONS**

Have you ever been arrested or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	14.0	474	1	YES
78.2	50.2	1,697	2	NO
	33.9	1,146	-9	LEGITIMATE NONRESPONSE
	1.7	58	-8	MISSING
	0.2	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1130-1131

AG8_8	# ARRESTS: ATTACKS ON PERSONS
--------------	--------------------------------------

How many times had you ever been arrested or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	4	0	
64.6	9.0	305	1	
18.6	2.6	88	2	
8.7	1.2	41	3	
2.8	0.4	13	4	
1.5	0.2	7	5	
1.3	0.2	6	6	
0.4	0.1	2	7	
0.2	0.0	1	8	
0.2	0.0	1	9	
0.2	0.0	1	10	
0.2	0.0	1	13	
0.4	0.1	2	30	
	84.0	2,841	-9	LEGITIMATE NONRESPONSE
	1.8	62	-8	MISSING
	0.2	6	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1132-1133

AG9_8**#ARRESTS 12MONTHS BEFORE: ATTACKS ON PERSONS**

How many times were you arrested or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	5.5	185	0	
47.2	6.6	222	1	
8.9	1.2	42	2	
2.3	0.3	11	3	
0.9	0.1	4	4	
0.4	0.1	2	5	
0.2	0.0	1	6	
0.4	0.1	2	7	
0.2	0.0	1	17	
	84.0	2,841	-9	LEGITIMATE NONRESPONSE
	1.9	64	-8	MISSING
	0.2	6	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1134-1135

AG7_9**EVER ARRESTED: OTHER PEOPLE OFFENSES**

Have you ever been arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	10.6	360	1	YES
83.4	53.3	1,803	2	NO
	33.9	1,146	-9	LEGITIMATE NONRESPONSE
	2.0	67	-8	MISSING
	0.2	6	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1136-1137

AG8_9 # ARRESTS: OTHER PEOPLE OFFENSES

How many times had you ever been arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.5	6.3	213	1	
20.4	2.2	73	2	
6.7	0.7	24	3	
3.6	0.4	13	4	
2.5	0.3	9	5	
2.0	0.2	7	6	
1.1	0.1	4	7	
1.4	0.1	5	8	
0.6	0.1	2	9	
1.1	0.1	4	10	
0.3	0.0	1	12	
0.3	0.0	1	15	
0.3	0.0	1	30	
0.3	0.0	1	40	
	87.2	2,949	-9	LEGITIMATE NONRESPONSE
	2.1	71	-8	MISSING
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1138-1139

AG9_9**#ARRESTS 12MONTHS BEFORE: OTHER PEOPLE OFFENSES**

How many times were you arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	3.7	126	0	
47.3	4.9	167	1	
11.0	1.2	39	2	
2.3	0.2	8	3	
1.7	0.2	6	4	
0.6	0.1	2	5	
0.3	0.0	1	6	
0.3	0.0	1	7	
0.6	0.1	2	8	
0.3	0.0	1	15	
	87.2	2,949	-9	LEGITIMATE NONRESPONSE
	2.2	74	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1140-1141

AG7_10**EVER ARRESTED: STATUS OFFENSES**

Have you ever been arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.5	19.5	661	1	YES
69.5	44.6	1,507	2	NO
	33.9	1,146	-9	LEGITIMATE NONRESPONSE
	1.8	62	-8	MISSING
	0.2	6	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1142-1143

AG8_10 # ARRESTS: STATUS OFFENSES

How many times had you ever been arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	0	
33.9	6.6	222	1	
16.4	3.2	107	2	
10.7	2.1	70	3	
8.7	1.7	57	4	
7.8	1.5	51	5	
4.1	0.8	27	6	
2.3	0.4	15	7	
0.8	0.1	5	8	
1.4	0.3	9	9	
3.8	0.7	25	10	
0.3	0.1	2	11	
0.8	0.1	5	12	
0.5	0.1	3	14	
1.2	0.2	8	15	
0.2	0.0	1	16	
0.2	0.0	1	18	
3.1	0.6	20	20	
0.3	0.1	2	25	
1.7	0.3	11	30	
1.1	0.2	7	50	
0.2	0.0	1	99	
0.5	0.1	3	100	
0.2	0.0	1	999	999 OR MORE
	78.4	2,652	-9	LEGITIMATE NONRESPONSE
	2.0	67	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1144-1146

AG9_10

ARRESTS 12 MONTHS BEFORE: STATUS OFFENSES

How many times were you arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc. in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	6.4	217	0	
31.0	5.9	200	1	
12.2	2.3	79	2	
7.9	1.5	51	3	
4.0	0.8	26	4	
3.9	0.7	25	5	
0.9	0.2	6	6	
0.5	0.1	3	7	
0.6	0.1	4	8	
0.2	0.0	1	9	
1.5	0.3	10	10	
0.2	0.0	1	11	
0.2	0.0	1	14	
1.4	0.3	9	15	
1.1	0.2	7	20	
0.2	0.0	1	25	
0.3	0.1	2	30	
0.5	0.1	3	50	
	78.4	2,653	-9	LEGITIMATE NONRESPONSE
	2.2	73	-8	MISSING
	0.1	4	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1147-1148

AG7_11	EVER ARRESTED: OTHER OFFENSES
---------------	--------------------------------------

Have you ever been arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	32.7	1,107	1	YES
49.3	31.8	1,076	2	NO
	33.9	1,146	-9	LEGITIMATE NONRESPONSE
	1.3	45	-8	MISSING
	0.2	6	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1149-1150

AG8_11	# ARRESTS: OTHER OFFENSES
---------------	----------------------------------

How many times had you ever been arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

3,382 cases (Range of valid codes: 0-70)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1151-1152

AG9_11**# ARRESTS 12 MONTHS BEFORE: OTHER OFFENSES**

How many times were you arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc. in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	8.2	276	0	
45.1	14.7	497	1	
13.5	4.4	149	2	
6.6	2.2	73	3	
3.5	1.2	39	4	
1.7	0.6	19	5	
0.7	0.2	8	6	
1.3	0.4	14	7	
0.5	0.1	5	8	
0.3	0.1	3	9	
0.5	0.1	5	10	
0.3	0.1	3	12	
0.1	0.0	1	13	
0.3	0.1	3	15	
0.3	0.1	3	17	
0.2	0.1	2	20	
0.1	0.0	1	25	
0.1	0.0	1	30	
	65.4	2,213	-9	LEGITIMATE NONRESPONSE
	1.5	51	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.3	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1153-1154

AG10**# TIMES ARRESTED 12 MONTHS BEFORE ADMISSION**

In the 12 months before admission to this program, how many times were you arrested or sent to juvenile court regardless of the charge?

3,382 cases (Range of valid codes: 0-77)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1155-1156

AG11

INFLUENCE OF DRUGS LED TO ARREST(S)

Were you high or under the influence of drugs or alcohol at a time when you did things that led to your arrest(s) or being sent to juvenile court?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	35.1	1,188	1	YES
46.3	30.3	1,024	2	NO
	34.0	1,151	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1157-1158

AG12	# OR ARRESTS RESULTING IN CONVICTIONS
-------------	--

In your lifetime, how many of your arrests and charges resulted in convictions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	25.6	866	0	
24.9	16.0	542	1	
13.4	8.6	291	2	
7.1	4.6	155	3	
3.9	2.5	85	4	
2.5	1.6	55	5	
1.8	1.2	40	6	
0.7	0.5	16	7	
1.1	0.7	23	8	
0.6	0.4	13	9	
1.1	0.7	23	10	
0.3	0.2	6	11	
0.5	0.3	11	12	
0.3	0.2	7	13	
0.3	0.2	7	14	
0.4	0.2	8	15	
0.1	0.1	2	17	
0.1	0.1	3	18	
0.3	0.2	6	20	
0.0	0.0	1	21	
0.1	0.1	2	22	
0.2	0.1	4	25	
0.0	0.0	1	26	
0.0	0.0	1	30	
0.1	0.1	2	40	
0.0	0.0	1	43	
0.0	0.0	1	50	
0.0	0.0	1	60	
0.0	0.0	1	70	
0.0	0.0	1	200	
	34.0	1,151	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	3	-5	BAD DATA
	1.0	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1159-1161

AG13 WERE YOU EVER CONVICTED OF A FELONY?

Now, I'm going to ask you about felony convictions. These include times that you may have been judged delinquent in juvenile court for a felony. Were you ever convicted of a felony?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	24.2	817	1	YES
62.7	40.6	1,372	2	NO
	34.0	1,151	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.1	4	-7	REFUSAL
	0.7	23	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1162-1163

AG13A AGE WHEN FIRST CONVICTED OF A FELONY

How old were you the first time you were convicted of a felony?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	1	
0.1	0.0	1	8	
0.4	0.1	3	9	
0.7	0.2	6	10	
1.7	0.4	14	11	
4.6	1.1	37	12	
12.1	2.9	98	13	
20.3	4.8	164	14	
23.0	5.5	186	15	
22.3	5.3	180	16	
12.0	2.9	97	17	
2.6	0.6	21	18	
	74.6	2,522	-9	LEGITIMATE NONRESPONSE
	1.1	36	-8	MISSING
	0.1	4	-7	REFUSAL
	0.4	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1164-1165

AG13B LAST TIME CONVICTED OF A FELONY

When was the last time you were convicted of a felony?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	3.7	126	1	WITHIN THE MONTH BEFORE ADMISSION
50.9	12.2	412	2	WITHIN THE PAST 12 MONTHS
33.5	8.0	271	3	MORE THAN 1 YR AGO
	74.6	2,522	-9	LEGITIMATE NONRESPONSE
	1.1	37	-8	MISSING
	0.1	4	-7	REFUSAL
	0.3	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1166-1167

AG13B_M MONTHS AGO LAST CONVICTED OF FELONY

When was the last time you were convicted of a felony?
 (recode)

3,382 cases (Range of valid codes: 0-63)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2633-2634

AG14 TIME IN DETENTION/JAIL/PRISON/REFORMATORY

Have you ever spent time in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.4	39.9	1,349	1	YES
38.6	25.0	847	2	NO
	34.0	1,151	-9	LEGITIMATE NONRESPONSE
	0.9	31	-8	MISSING
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1168-1169

AG14A3**WKS IN DETENTION/JAIL/PRISON/REFORMATORY**

Altogether, how much time did you spend in jail, prison,
or a juvenile detention home before age 18?

_____ WEEKS

3,382 cases (Range of valid codes: 0-312)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1170-1172

AG14B3

WKS AFTER 18 DETENTION/JAIL/PRISON/REFORMATORY

Since you were 18, how much time have you went in jail,
prison, or a juvenile detention home?

_____ WEEKS				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	1.6	54	0	
12.3	0.5	17	1	
5.8	0.2	8	2	
2.9	0.1	4	3	
3.6	0.1	5	4	
0.7	0.0	1	5	
4.3	0.2	6	6	
10.1	0.4	14	9	
1.4	0.1	2	11	
5.1	0.2	7	13	
1.4	0.1	2	15	
0.7	0.0	1	16	
4.3	0.2	6	17	
0.7	0.0	1	19	
0.7	0.0	1	20	
0.7	0.0	1	24	
2.2	0.1	3	26	
0.7	0.0	1	35	
1.4	0.1	2	39	
0.7	0.0	1	43	
0.7	0.0	1	52	
	34.2	1,157	-9	LEGITIMATE NONRESPONSE
	61.6	2,084	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1173-1174

AG14C3 WKS-12MNTH BFRE ADMISSION: DETENTION/JAIL/PRISON/REFORMATORY

How much time did you spend in jail, prison, or a juvenile detention home during the 12 months before admission to this program?

_____ WEEKS

3,382 cases (Range of valid codes: 0-78)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1175-1176

AG15

LAST DETENTION, JAIL, PRISON, REFORMATORY SENTENCE FOR

What was your last jail, prison, or juvenile detention home sentence for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	5.8	196	1	USE/POSSESSION OF DRUGS, LIQUOR LAW VIOL., DRUNK & DISORD.
9.4	3.7	124	2	SALE OR MANUFACTURE OF DRUGS
2.5	1.0	33	3	FORGERY, FRAUD, BUYING/RECEIVING/ POSSESSION OF STOLEN PROP.
12.3	4.8	162	4	BURGLARY--BREAK & ENTER, UNLAWFUL ENTRY, OR SAFECRACKING
10.3	4.0	135	5	LARCENY: THEFT, PICKPOCKET, PURSE SNATCHING W/O FORCE, ETC.
0.1	0.0	1	6	PIMPING, PROSTITUTION, COMMERCIALIZED VICE
8.7	3.4	114	7	ROBBERY, BANK, MUGGING, ARMED, PURSE SNATCHING W/FORCE
8.4	3.3	110	8	HOMICIDES, MANSLAUGHTER, AGGR. ASSAULT, RAPE, KIDNAPPING
4.5	1.7	59	9	OTHER OFFENSES WHERE PEOPLE MAY BE INJURED, SIMPLE ASSAULT
5.0	2.0	66	10	STATUS OFFENSES: RUNNING AWAY, BROKE CURFEW, TRUANCY, ETC.
23.8	9.3	313	11	ANY OTHER OFFENSES: GAMBLING , BOOKMAKING, WEAPONS, ETC.
	34.2	1,155	-9	LEGITIMATE NONRESPONSE
	26.3	891	-8	MISSING
	0.2	7	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	10	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1177-1178

AG15A3 WKS IN JAIL, DETENTION, PRISON, REFORMATORY

How long was your last stay in jail, prison, or juvenile detention home?

_____ WEEKS

3,382 cases (Range of valid codes: 0-250)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1179-1181

AG15B LAST RELEASED FORM DETENTION, JAIL, PRISON, REFORMATORY

When were you last released from jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	22.3	754	1	WITHIN THE MONTH BEFORE ADMISSION
34.8	13.8	468	2	WITHIN THE PAST 12 MONTHS
9.2	3.7	124	3	MORE THAN 1 YEAR AGO
	34.2	1,155	-9	LEGITIMATE NONRESPONSE
	25.8	872	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE

 100.0 100.0 3,382 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1182-1183

AG15B_M MONTHS AGO LAST RELEASED FROM PRISON

When were you last released from jail, prison, or a juvenile detention home? (recode)

3,382 cases (Range of valid codes: 0-72)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2635-2636

AG15C	USE ILLEGAL DRUGS LAST STAY
--------------	------------------------------------

Did you use illegal drugs during your last stay in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	5.2	177	1	YES
86.9	34.8	1,177	2	NO
	34.2	1,155	-9	LEGITIMATE NONRESPONSE
	25.7	869	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1184-1185

AG15D	RECEIVE DRUG TREATMENT DURING LAST STAY
--------------	--

Did you get any drug treatment during your last stay in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	2.6	88	1	YES
93.5	37.4	1,266	2	NO
	34.2	1,155	-9	LEGITIMATE NONRESPONSE
	25.7	869	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1186-1187

AG16 12MONTHS BEFORE ADMISSION TROUBLED BY LEGAL PROBLEMS

In the 12 months before admission, how troubled were you by police or legal problems, excluding civil problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	47.1	1,594	0	NOT AT ALL
31.7	31.5	1,064	1	SOMEWHAT
20.9	20.7	701	2	VERY TROUBLED
	0.6	21	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1188-1189

AG17 IMPORTANCE OF COUNSELING FOR LEGAL PROBLEMS

How important to you now is counseling or referral for legal problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	60.2	2,035	0	NOT AT ALL
19.8	19.6	664	1	SOMEWHAT
19.4	19.2	650	2	VERY IMPORTANT
	0.8	26	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1190-1191

AG18	12MONTH BEFORE ADMISSION LEGAL PROBLEMS DUE DRUGS/ALCOHOL
-------------	--

In the 12 months before admission, did you have any police or legal problems because of using drugs or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	31.4	1,063	1	YES
68.4	67.9	2,297	2	NO
	0.5	18	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1192-1193

AG18A	HOW SERIOUS LEGAL PROBLEMS DUE DRUGS/ALCOHOL
--------------	---

How serious were the police or legal problems you had because of using drugs or alcohol? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	3.2	107	1	NOT AT ALL
53.5	16.9	572	2	SOMEWHAT
36.5	11.5	390	3	VERY SERIOUS
	67.7	2,289	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1194-1195

AG19 DO YOU HAVE LEGAL SERVICES (AN ATTORNEY)?

Do you have legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	30.0	1,014	1	YES
69.6	68.8	2,327	2	NO
	0.6	20	-8	MISSING
	0.1	3	-7	REFUSAL
	0.5	18	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1196-1197

AG19A DO YOU NEED LEGAL SERVICES (AN ATTORNEY)?

Do you need legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	4.4	148	1	YES
93.6	64.5	2,182	2	NO
	29.7	1,005	-9	LEGITIMATE NONRESPONSE
	1.0	34	-8	MISSING
	0.1	3	-7	REFUSAL
	0.3	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1198-1199

AG20**SUPPORT SELF FORM ILLEGAL ACTIVITY AT LAST 1YR**

Did you ever support yourself mainly from illegal activity
for at least 1 year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.4	556	1	YES
83.4	82.7	2,798	2	NO
	0.5	17	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1200-1201

AG20A3**WKS SUPPORT YOURSELF WITH ILLEGAL ACTIVITY**

What is the longest time you supported yourself mainly
with illegal activity?

_____ WEEKS

3,382 cases (Range of valid codes: 0-520)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1202-1204

AG20B1 SUPPORT SELF: VARIETY, NO SPECIFIC TYPE

What kinds of things did YOU usually do to support yourself?

Variety, no specific type

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	17	0	CIRCLED
	82.7	2,797	-9	LEGITIMATE NONRESPONSE
	16.4	555	-8	MISSING
	0.2	7	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1205-1206

AG20B2	SUPPORT SELF: DEALING
---------------	------------------------------

What kinds of things did YOU usually do to support yourself?

Dealing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.6	459	1	CIRCLED
	82.6	2,794	-9	LEGITIMATE NONRESPONSE
	3.5	117	-8	MISSING
	0.2	6	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1207-1208

AG20B3	SUPPORT SELF: HUSTLING
---------------	-------------------------------

What kinds of things did YOU usually do to support yourself?

Hustling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	98	2	CIRCLED
	82.7	2,798	-9	LEGITIMATE NONRESPONSE
	14.0	474	-8	MISSING
	0.2	6	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1209-1210

AG20B4 SUPPORT SELF: LARCENY, ROBBERY, BURGLARY

What kinds of things did YOU usually do to support yourself?

Larceny, robbery, burglary

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.4	184	3	CIRCLED
	82.7	2,796	-9	LEGITIMATE NONRESPONSE
	11.5	390	-8	MISSING
	0.2	6	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1211-1212

AG20B5 SUPPORT SELF: FORGERY, FRAUD, EMBEZZLEMENT

What kinds of things did YOU usually do to support yourself?

Forgery, fraud, embezzlement

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	22	4	CIRCLED
	82.7	2,798	-9	LEGITIMATE NONRESPONSE
	16.3	550	-8	MISSING
	0.2	6	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1213-1214

AG20B6**SUPPORT SELF: PIMPING, PROSTITUTION**

What kinds of things did YOU usually do to support yourself?

Pimping, prostitution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	13	5	CIRCLED
	82.7	2,798	-9	LEGITIMATE NONRESPONSE
	16.5	559	-8	MISSING
	0.2	6	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1215-1216

AG20B7**SUPPORT SELF: OTHER (SPECIFY)**

What kinds of things did YOU usually do to support yourself?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	33	6	CIRCLED
	82.7	2,798	-9	LEGITIMATE NONRESPONSE
	15.9	539	-8	MISSING
	0.2	6	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1217-1218

AG20C

LAST TIME SUPPORT SELF W/ILLEGAL ACTIVITY

When was the last time you supported yourself mainly from illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.5	6.7	228	1	WITHIN THE MONTH BEFORE ADMISSION
46.4	7.5	255	2	WITHIN THE PAST 12 MONTHS
12.2	2.0	67	3	MORE THAN 1 YEAR AGO
	82.6	2,793	-9	LEGITIMATE NONRESPONSE
	0.7	25	-8	MISSING
	0.1	5	-7	REFUSAL
	0.3	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1219-1220

AG20C_M	MONTHS AGO LAST SUPPORTED SELF ILLEGALLY
----------------	---

When was the last time you supported yourself mainly from illegal activities? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	6.7	228	0	
1.6	0.3	9	1	
9.0	1.4	49	2	
6.2	1.0	34	3	
7.1	1.2	39	4	
4.0	0.7	22	5	
7.1	1.2	39	6	
3.5	0.6	19	7	
5.1	0.8	28	8	
1.3	0.2	7	9	
2.0	0.3	11	10	
1.8	0.3	10	11	
0.7	0.1	4	12	
0.5	0.1	3	13	
0.7	0.1	4	14	
1.1	0.2	6	15	
1.3	0.2	7	16	
0.4	0.1	2	17	
0.9	0.1	5	18	
0.5	0.1	3	19	
0.4	0.1	2	20	
0.2	0.0	1	22	
0.5	0.1	3	23	
0.4	0.1	2	24	
0.2	0.0	1	25	
0.4	0.1	2	27	
0.4	0.1	2	28	
0.2	0.0	1	29	
0.2	0.0	1	36	
0.2	0.0	1	39	
0.2	0.0	1	48	
0.2	0.0	1	80	
	82.6	2,793	-9	LEGITIMATE NONRESPONSE
	1.2	42	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2637-2638

AG21 CRIMINAL ACTIVITY FOR DRUG MONEY 12MONTH BEFORE ADMISSION

In the 12 months before admission, how often were you involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	42.9	1,450	0	NONE
12.3	12.1	408	1	LESS THAN ONCE A MONTH
8.8	8.7	293	2	1 - 3 TIMES A MONTH
7.5	7.3	248	3	1 - 2 TIMES A WEEK
6.8	6.7	226	4	3 - 4 TIMES A WEEK
2.6	2.5	86	5	5 - 6 TIMES A WEEK
11.5	11.3	383	6	DAILY OR ALMOST EVERY DAY
2.1	2.1	70	7	2 - 3 TIMES A DAY
4.8	4.8	161	8	4 OR MORE TIMES A DAY
	0.9	30	-8	MISSING
	0.4	12	-7	REFUSAL
	0.1	3	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.3	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1221-1222

IDATE_M MONTH/INTERVIEW DATE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	22.3	754	1	JAN. - MARCH
25.9	25.8	871	2	APR. - JUNE
23.1	22.9	776	3	JULY - SEPT.
28.6	28.4	960	4	OCT. - DEC.
	0.6	21	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2306-2307

IDATE_Y	YEAR/INTERVIEW DATE			
----------------	----------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	41	93	
43.9	43.6	1,476	94	
54.8	54.5	1,842	95	
0.0	0.0	1	96	
0.0	0.0	1	97	
	0.6	21	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2308-2309

AI1_1	EVER INVOLVED IN AGGRAVATED ASSAULT			
--------------	--	--	--	--

Were you ever involved in or did you ever do this?

Aggravated assault

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	34.2	1,156	1	YES
63.2	58.8	1,989	2	NO
	4.1	139	-8	MISSING
	2.4	80	-7	REFUSAL
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2310-2311

AI1_2	AGE/FIRST TIME AGGRAVATED ASSAULT
--------------	--

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	3	0	
0.3	0.1	3	1	
0.1	0.0	1	2	
0.2	0.1	2	5	
0.3	0.1	3	6	
0.6	0.2	7	7	
0.8	0.3	9	8	
0.3	0.1	4	9	
1.8	0.6	21	10	
5.2	1.8	60	11	
11.2	3.8	130	12	
20.3	6.9	235	13	
24.6	8.4	284	14	
18.3	6.3	212	15	
10.7	3.7	124	16	
4.2	1.4	48	17	
0.9	0.3	10	18	
	58.5	1,979	-9	LEGITIMATE NONRESPONSE
	6.3	214	-8	MISSING
	0.3	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2312-2313

AI1_3	#DAYS/TIMES YOU EVER AGGRAVATED ASSAULT
--------------	--

About how many times did you EVER do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2314-2316

AI1_4	#DAYS/TIMES AGGRAVATED ASSAULT/12 MONTHS
--------------	---

In the 12 months before admission, about how many days or times did you do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2317-2319

AI2_1	EVER INVOLVED IN BURGLARY
--------------	----------------------------------

Were you ever involved in or did you ever do this?

Burglary

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.1	32.7	1,105	1	YES
64.9	60.3	2,040	2	NO
	4.1	138	-8	MISSING
	2.3	79	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2320-2321

AI2_2	AGE/FIRST TIME DID BURGLARY
--------------	------------------------------------

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.2	6	0	
0.1	0.0	1	2	
0.1	0.0	1	3	
0.4	0.1	4	6	
0.3	0.1	3	7	
0.5	0.2	6	8	
0.8	0.3	9	9	
1.8	0.6	20	10	
3.5	1.1	38	11	
9.7	3.2	107	12	
17.7	5.8	195	13	
24.1	7.8	265	14	
21.7	7.1	239	15	
14.1	4.6	155	16	
4.2	1.4	46	17	
0.5	0.2	6	18	
	60.0	2,029	-9	LEGITIMATE NONRESPONSE
	6.5	219	-8	MISSING
	0.3	9	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2322-2323

AI2_3	#DAYS/TIMES YOU EVER DID BURGLARY
--------------	--

About how many times did you EVER do this?

3,382 cases (Range of valid codes: 0-365)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2324-2326

AI2_4	#DAYS/TIMES DID BURGLARY/12 MONTHS
--------------	---

In the 12 months before admission, about how many days or times did you do this?

3,382 cases (Range of valid codes: 0-365)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2327-2329

AI3_1	EVER INVOLVED IN THEFT
--------------	-------------------------------

Were you ever involved in or did you ever do this?

Theft

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	56.1	1,896	1	YES
40.0	37.4	1,266	2	NO
	3.5	119	-8	MISSING
	2.4	82	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2330-2331

AI3_2	AGE/FIRST TIME DID THEFT
--------------	---------------------------------

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	3	0	
0.1	0.1	2	2	
0.2	0.1	4	3	
0.2	0.1	3	4	
0.9	0.5	17	5	
0.9	0.5	16	6	
1.7	0.9	31	7	
2.4	1.3	44	8	
2.1	1.2	40	9	
4.5	2.5	84	10	
5.7	3.2	107	11	
14.8	8.1	275	12	
18.8	10.3	350	13	
19.8	10.9	368	14	
16.0	8.8	298	15	
8.4	4.6	157	16	
2.8	1.5	52	17	
0.6	0.3	11	18	
	37.3	1,263	-9	LEGITIMATE NONRESPONSE
	6.2	209	-8	MISSING
	0.3	11	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-5	BAD DATA
	0.4	12	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.0	1	-2	RESPONSE ILLEGIBLE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2332-2333

AI3_3	#DAYS/TIMES YOU EVER DID THEFT
--------------	---------------------------------------

About how many times did you EVER do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2334-2336

AI3_4**#DAYS/TIMES DID THEFT/12 MONTHS**

In the 12 months before admission, about how many days or times did you do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2337-2339

AI4_1**EVER INVOLVED IN ROBBERY**

Were you ever involved in or did you ever do this?

Robbery

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	25.9	876	1	YES
71.6	65.2	2,206	2	NO
	6.0	202	-8	MISSING
	2.4	80	-7	REFUSAL
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2340-2341

AI4_2	AGE/FIRST TIME DID ROBBERY
--------------	-----------------------------------

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.3	9	0	
0.1	0.0	1	1	
0.1	0.0	1	2	
0.1	0.0	1	3	
0.1	0.0	1	5	
0.2	0.1	2	6	
0.5	0.1	4	7	
0.1	0.0	1	8	
0.6	0.1	5	9	
1.2	0.3	10	10	
3.3	0.9	29	11	
8.8	2.2	76	12	
12.4	3.2	108	13	
23.7	6.1	206	14	
24.7	6.3	214	15	
15.4	4.0	134	16	
6.1	1.6	53	17	
1.5	0.4	13	18	
	64.8	2,190	-9	LEGITIMATE NONRESPONSE
	8.6	291	-8	MISSING
	0.3	9	-7	REFUSAL
	0.1	4	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2342-2343

AI4_3	#DAYS/TIMES YOU EVER DID ROBBERY
--------------	---

About how many times did you EVER do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2344-2346

AI4_4 #DAYS/TIMES DID ROBBERY/12 MONTHS

In the 12 months before admission, about how many days or times did you do this?

3,382 cases (Range of valid codes: 0-730)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2347-2349

AI5_1 EVER INVOLVED IN FORGERY

Were you ever involved in or did you ever do this?

Forgery / embezzlement

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	11.3	381	1	YES
87.4	78.3	2,649	2	NO
	7.5	252	-8	MISSING
	2.4	81	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION

 100.0 100.0 3,382 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2350-2351

AI5_2	AGE/FIRST TIME DID FORGERY
--------------	-----------------------------------

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.3	11	0	
0.5	0.1	2	7	
0.3	0.0	1	8	
0.5	0.1	2	9	
2.3	0.3	9	10	
3.3	0.4	13	11	
7.7	0.9	30	12	
12.8	1.5	50	13	
17.7	2.0	69	14	
23.6	2.7	92	15	
16.9	2.0	66	16	
9.2	1.1	36	17	
2.3	0.3	9	18	
	77.8	2,632	-9	LEGITIMATE NONRESPONSE
	9.7	328	-8	MISSING
	0.3	9	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2352-2353

AI5_3	#DAYS/TIMES YOU EVER DID FORGERY
--------------	---

About how many times did you EVER do this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.1	0.4	15	0	
25.3	2.7	93	1	
18.8	2.0	69	2	
10.6	1.2	39	3	
5.2	0.6	19	4	
5.2	0.6	19	5	
3.0	0.3	11	6	
1.9	0.2	7	7	
1.4	0.1	5	8	
0.3	0.0	1	9	
6.3	0.7	23	10	
0.3	0.0	1	11	
0.8	0.1	3	12	
0.5	0.1	2	13	
0.3	0.0	1	14	
3.0	0.3	11	15	
4.6	0.5	17	20	
0.3	0.0	1	24	
1.1	0.1	4	25	
0.3	0.0	1	29	
1.9	0.2	7	30	
0.3	0.0	1	35	
0.3	0.0	1	38	
0.5	0.1	2	40	
1.9	0.2	7	50	
1.4	0.1	5	100	
0.3	0.0	1	200	
0.3	0.0	1	365	
0.0	0.0	0	999	999 OR MORE
	77.9	2,633	-9	LEGITIMATE NONRESPONSE
	9.8	331	-8	MISSING
	0.3	10	-7	REFUSAL
	0.4	15	-5	BAD DATA
	0.2	7	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2354-2356

AI5_4	#DAYS/TIMES DID FORGERY/12 MONTHS
--------------	--

In the 12 months before admission, about how many days or times did you do this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	2.8	95	0	
23.5	2.5	85	1	
14.4	1.5	52	2	
8.6	0.9	31	3	
2.2	0.2	8	4	
5.0	0.5	18	5	
2.2	0.2	8	6	
1.1	0.1	4	7	
0.8	0.1	3	8	
0.3	0.0	1	9	
3.9	0.4	14	10	
0.3	0.0	1	11	
0.3	0.0	1	12	
0.3	0.0	1	14	
1.1	0.1	4	15	
4.7	0.5	17	20	
0.8	0.1	3	25	
1.1	0.1	4	30	
0.6	0.1	2	35	
0.8	0.1	3	50	
0.3	0.0	1	52	
1.1	0.1	4	100	
0.3	0.0	1	200	
0.0	0.0	0	999	999 OR MORE
	77.7	2,629	-9	LEGITIMATE NONRESPONSE
	10.3	347	-8	MISSING
	0.3	10	-7	REFUSAL
	0.2	7	-5	BAD DATA
	0.3	9	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2357-2359

AI6_1

EVER INVOLVED DEALING IN STOLEN PROPERTY

Were you ever involved in or did you ever do this?

Dealing in stolen property / fencing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	26.0	878	1	YES
71.6	65.5	2,216	2	NO
	5.6	190	-8	MISSING
	2.4	80	-7	REFUSAL
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2360-2361

AI6_2	AGE/FIRST TIME DEALING IN STOLEN PROPERTY
--------------	--

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.2	6	0	
0.1	0.0	1	1	
0.1	0.0	1	3	
0.1	0.0	1	7	
0.3	0.1	3	8	
0.7	0.2	6	9	
1.5	0.4	13	10	
2.5	0.7	22	11	
7.5	1.9	65	12	
17.6	4.5	152	13	
23.8	6.1	206	14	
24.1	6.2	209	15	
14.9	3.8	129	16	
5.0	1.3	43	17	
1.0	0.3	9	18	
	65.3	2,207	-9	LEGITIMATE NONRESPONSE
	8.0	271	-8	MISSING
	0.3	11	-7	REFUSAL
	0.1	3	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2362-2363

AI6_3	#DAYS/TIMES EVER DEALT IN STOLEN PROPERTY
--------------	--

About how many times did you EVER do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2364-2366

AI6_4**#DAYS/TIMES DID FENCING /12 MONTHS**

In the 12 months before admission, about how many days or times did you do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2367-2369

AI7_1**EVER INVOLVED IN GAMBLING**

Were you ever involved in or did you ever do this?

Gambling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	22.1	748	1	YES
75.5	68.3	2,310	2	NO
	6.7	226	-8	MISSING
	2.4	80	-7	REFUSAL
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2370-2371

AI7_2	AGE/FIRST TIME DID GAMBLING
--------------	------------------------------------

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.1	5	0	
0.1	0.0	1	2	
0.1	0.0	1	5	
0.1	0.0	1	6	
0.4	0.1	3	7	
0.7	0.1	5	8	
1.0	0.2	7	9	
3.6	0.8	26	10	
5.4	1.2	39	11	
11.7	2.5	85	12	
22.3	4.8	162	13	
21.0	4.5	152	14	
17.9	3.8	130	15	
9.9	2.1	72	16	
4.6	1.0	33	17	
0.4	0.1	3	18	
	68.1	2,304	-9	LEGITIMATE NONRESPONSE
	9.4	317	-8	MISSING
	0.3	10	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.2	6	-4	DON'T KNOW
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2372-2373

AI7_3	#DAYS/TIMES YOU EVER DID GAMBLING
--------------	--

About how many times did you EVER do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2374-2376

AI7_4	#DAYS/TIMES DID /12 MONTHS GAMBLING
--------------	--

In the 12 months before admission, about how many days or times did you do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2377-2379

AI8_1	EVER INVOLVED IN PIMPING/PROSTITUTION
--------------	--

Were you ever involved in or did you ever do this?

Pimping / prostitution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	3.2	107	1	YES
96.4	85.5	2,893	2	NO
	8.4	284	-8	MISSING
	2.4	80	-7	REFUSAL
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2380-2381

AI8_2	AGE/FIRST TIME DID PIMPING/PROSTITUTION
--------------	--

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.0	1	9	
3.4	0.1	4	12	
10.3	0.4	12	13	
19.8	0.7	23	14	
33.6	1.2	39	15	
23.3	0.8	27	16	
8.6	0.3	10	17	
	84.9	2,872	-9	LEGITIMATE NONRESPONSE
	10.5	356	-8	MISSING
	0.2	7	-7	REFUSAL
	0.3	11	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2382-2383

AI8_3	#DAYS/TIMES EVER DID PIMPING/PROSTITUTION
--------------	--

About how many times did you EVER do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2384-2386

AI8_4	#DAYS/TIMES DID /12 MONTHS PIMPING/PROSTITUTION
--------------	--

In the 12 months before admission, about how many days or times did you do this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	1.2	39	0	
11.0	0.4	13	1	
3.4	0.1	4	2	
5.9	0.2	7	3	
4.2	0.1	5	4	
2.5	0.1	3	5	
1.7	0.1	2	6	
1.7	0.1	2	7	
1.7	0.1	2	8	
3.4	0.1	4	10	
0.8	0.0	1	11	
1.7	0.1	2	14	
4.2	0.1	5	15	
0.8	0.0	1	16	
4.2	0.1	5	20	
0.8	0.0	1	21	
0.8	0.0	1	26	
0.8	0.0	1	29	
2.5	0.1	3	30	
0.8	0.0	1	35	
0.8	0.0	1	50	
1.7	0.1	2	60	
0.8	0.0	1	65	
0.8	0.0	1	90	
0.8	0.0	1	100	
1.7	0.1	2	150	
0.8	0.0	1	151	
1.7	0.1	2	200	
4.2	0.1	5	365	
0.0	0.0	0	999	999 OR MORE
	85.0	2,874	-9	LEGITIMATE NONRESPONSE
	10.6	359	-8	MISSING
	0.2	6	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2387-2389

AI9_1	EVER INVOLVED IN SELLING ILLEGAL DRUGS
--------------	---

Were you ever involved in or did you ever do this?

Selling illegal drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.5	54.7	1,850	1	YES
41.5	38.8	1,313	2	NO
	3.6	121	-8	MISSING
	2.4	80	-7	REFUSAL
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2390-2391

AI9_2**AGE/FIRST TIME SOLD ILLEGAL DRUGS**

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	5	0	
0.1	0.0	1	1	
0.1	0.1	2	5	
0.2	0.1	4	7	
0.2	0.1	4	8	
0.2	0.1	4	9	
0.5	0.3	9	10	
1.8	0.9	32	11	
6.0	3.2	109	12	
14.6	7.8	265	13	
23.6	12.6	427	14	
25.4	13.6	459	15	
19.9	10.6	360	16	
6.3	3.4	114	17	
0.7	0.4	13	18	
0.1	0.0	1	20	
	38.6	1,307	-9	LEGITIMATE NONRESPONSE
	6.5	220	-8	MISSING
	0.4	12	-7	REFUSAL
	0.2	8	-5	BAD DATA
	0.2	8	-4	DON'T KNOW
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2392-2393

AI9_3**#DAYS/TIMES YOU EVER SOLD ILLEGAL DRUGS**

About how many times did you EVER do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2394-2396

AI9_4	#DAYS/TIMES /12 MONTHS SOLD ILLEGAL DRUGS
--------------	--

In the 12 months before admission, about how many days or times did you do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2397-2399

AI10_1	EVER INVOLVED IN INTOXICATED DRIVING
---------------	---

Were you ever involved in or did you ever do this?

Driving while intoxicated

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	20.8	702	1	YES
77.1	69.9	2,364	2	NO
	6.4	217	-8	MISSING
	2.4	81	-7	REFUSAL
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL
				ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2400-2401

AI10_2**AGE/FIRST TIME DROVE WHILE INTOXICATED**

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.2	7	0	
0.1	0.0	1	1	
0.1	0.0	1	2	
0.1	0.0	1	9	
0.1	0.0	1	10	
1.0	0.2	7	11	
2.4	0.5	17	12	
8.2	1.7	57	13	
16.2	3.3	113	14	
25.4	5.2	177	15	
33.8	6.9	235	16	
9.8	2.0	68	17	
1.6	0.3	11	18	
	69.6	2,355	-9	LEGITIMATE NONRESPONSE
	8.8	299	-8	MISSING
	0.3	9	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
	0.5	18	-1	DID NOT COMPLETE INTAKE 1 ILLEGAL ACTIVITIES SECTION
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2402-2403

AI10_3**#DAYS/TIMES EVER DID INTOXICATED DRIVING**

About how many times did you EVER do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2404-2406

AI10_4**#DAYS/TIMES DID/12 MONTHS INTOXICATED DRIVING**

In the 12 months before admission, about how many days or times did you do this?

3,382 cases (Range of valid codes: 0-999)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2407-2409

EMPLOYMENT / SUPPORT STATUS

AH1 WHAT DOING WEEK BEFORE ADMISSION TO PROGRAM

Now, I'd like to ask some questions regarding your employment status and history. I will ask several questions regarding legitimate jobs. By "legitimate jobs," I mean jobs for pay that do not involve illegal activities. They do include part-time jobs, working for yourself, and jobs paid off the books or under the table. What were you doing most of the week before admission to this program? Were you working, looking for work, keeping house, going to school, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.4	217	1	WORKING AT A LEGITIMATE JOB
0.4	0.4	12	2	HAD A JOB BUT WAS NOT WORKING
3.0	3.0	101	3	LOOKING FOR WORK
1.9	1.9	65	4	KEEPING HOUSE FOR YOURSELF
25.1	24.8	839	5	GOING TO SCHOOL OR TRAINING PROGRAM
0.1	0.1	3	6	UNABLE TO WORK, DISABLED
0.0	0.0	0	7	RETIRED
24.1	23.8	806	8	IN JAIL, RESIDENTIAL TREATMENT PROGRAM
16.8	16.6	562	9	INVOLVED IN DRUG-RELATED ACTIVITIES
1.1	1.1	36	10	INVOLVED IN OTHER ILLEGAL ACTIVITIES
17.2	17.0	574	11	NOT WORKING AND NOT INTERESTED IN WORK
3.9	3.9	131	12	OTHER (SPECIFY)
	0.4	14	-8	MISSING
	0.0	1	-7	REFUSAL
	0.5	16	-6	MULTIPLE RESPONSE
	0.1	4	-5	BAD DATA
	0.0	1	-2	RESPONSE ILLEGIBLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1223-1224

AH2 WORK FOR PAY NOT INVOLVING ILLEGAL ACTS

Did you work for pay at all that week at any job or task that did not involve illegal activities (including working for yourself)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.0	170	1	YES
94.6	88.6	2,997	2	NO
	5.9	200	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1225-1226

AH2A WEEK BEFORE ADMISSION EARN MONEY LEGALLY

In the week before admission, did you earn any money legally?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	87.3	2,951	1	DID NOT EARN MONEY LEGALLY
2.6	2.3	78	2	DID EARN MONEY LEGALLY
	10.0	339	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1227-1228

AH2B

DID YOU TAKE TIME OFF FOR ANY REASON

Did you lose any time or take any time off for any reason that week such as for an illness, a vacation, or slack work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	1.9	65	1	YES
84.9	10.8	366	2	NO
	86.8	2,936	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1229-1230

AH2C	HOW MANY HOURS DID YOU MISS?
-------------	-------------------------------------

How many hours did you miss?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	0.1	4	2	
4.8	0.1	3	3	
4.8	0.1	3	4	
3.2	0.1	2	5	
4.8	0.1	3	6	
19.0	0.4	12	8	
1.6	0.0	1	9	
9.5	0.2	6	10	
7.9	0.1	5	12	
1.6	0.0	1	13	
3.2	0.1	2	15	
6.3	0.1	4	16	
1.6	0.0	1	17	
6.3	0.1	4	18	
9.5	0.2	6	20	
1.6	0.0	1	25	
1.6	0.0	1	30	
4.8	0.1	3	40	
1.6	0.0	1	60	
	97.6	3,302	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1231-1232

AH2D	WK BEFORE ADMISSION # HRS WORKED FOR LEGAL PAY
-------------	---

In the week before admission, how many hours did you actually work for pay at jobs or tasks that did not involve illegal activities?

3,382 cases (Range of valid codes: 0-84)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1233-1234

AH2E

WHY WORK <35 HOURS WEEK BEFORE ADMISSION

What is the main reason you worked less than 35 hours or lost or took time from work the week before your admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.5	16	1	SLACK WORK, LAYOFFS, STRIKE
0.3	0.0	1	2	SEASONAL WORKER
0.9	0.1	3	3	JOB TERMINATED DURING WEEK
0.9	0.1	3	4	NEW JOB STARTED DURING WEEK
20.6	2.1	70	5	COULD ONLY FIND PART-TIME WORK
4.4	0.4	15	6	DRUG OR ALCOHOL PROBLEM
1.5	0.1	5	7	ILLNESS
1.2	0.1	4	8	VACATION
30.1	3.0	102	9	BUSY W/OTHER ACTIVITIES
5.3	0.5	18	10	DID NOT WANT/NEED FULL-TIME WORK
6.8	0.7	23	11	WORK WEEK USUALLY UNDER 35 HOURS
0.6	0.1	2	12	UNABLE TO WORK
0.0	0.0	0	13	RETIRED
10.9	1.1	37	14	IN JAIL, RESIDENTIAL TREATMENT PROGRAM
1.8	0.2	6	15	INVOLVED IN ILLEGAL ACTIVITIES
10.0	1.0	34	16	OTHER (SPECIFY)
	89.2	3,018	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1235-1236

AH2F	WORK 35HRS WK AT JOB NOT INVOLVING ILLEGAL ACT
-------------	---

Did you usually work 35 hours or more a week at a paid job that did not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.3	246	1	YES
92.5	89.1	3,014	2	NO
	2.7	92	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1237-1238

AH2G**WHY DID YOU WORK LESS THAN 35 HRS A WEEK**

Why did you usually work less than 35 hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.5	18	1	SLACK WORK, LAYOFFS, STRIKE
0.0	0.0	1	2	SEASONAL WORKER
0.0	0.0	0	3	JOB TERMINATED DURING WEEK
0.0	0.0	1	4	NEW JOB STARTED DURING WEEK
3.7	3.2	109	5	COULD ONLY FIND PART-TIME WORK
6.3	5.5	187	6	DRUG OR ALCOHOL PROBLEM
0.0	0.0	1	7	ILLNESS
0.1	0.1	2	8	VACATION
49.6	43.4	1,468	9	BUSY W/OTHER ACTIVITIES
8.4	7.4	249	10	DID NOT WANT/NEED FULL-TIME WORK
1.0	0.9	29	11	WORK WEEK USUALLY UNDER 35 HOURS
0.2	0.1	5	12	UNABLE TO WORK
0.0	0.0	0	13	RETIRED
8.2	7.2	243	14	IN JAIL, RESIDENTIAL TREATMENT PROGRAM
9.3	8.2	276	15	INVOLVED IN ILLEGAL ACTIVITIES
12.6	11.0	372	16	OTHER (SPECIFY)
	9.9	334	-9	LEGITIMATE NONRESPONSE
	1.1	37	-8	MISSING
	0.1	2	-7	REFUSAL
	1.4	47	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1239-1240

AH3**LOOK FOR WORK/DIFFERENT JOB 12MONTH BEFORE ADMISSION**

Did you (look for work/look for a different job) at all during the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	35.9	1,213	1	YES
63.9	63.6	2,150	2	NO
	0.5	17	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1241-1242

AH3_01	NO METHOD USED TO FIND WORK
---------------	------------------------------------

What did you do during those 12 months to find work?

No methods used

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	1	CIRCLED
	63.6	2,150	-9	LEGITIMATE NONRESPONSE
	36.2	1,223	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1243-1244

AH3_02	PUBLIC EMPLOYMENT AGENCY USED TO FIND WORK
---------------	---

What did you do during those 12 months to find work?

Public employment agency

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	69	2	CIRCLED
	63.6	2,150	-9	LEGITIMATE NONRESPONSE
	34.3	1,161	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1245-1246

AH3_03**PRIVATE EMPLOYMENT AGENCY USED TO FIND WORK**

What did you do during those 12 months to find work?

Private employment agency

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	22	3	CIRCLED
	63.6	2,150	-9	LEGITIMATE NONRESPONSE
	35.7	1,208	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1247-1248

AH3_04**EMPLOYERS DIRECTLY APPROACHED TO FIND WORK**

What did you do during those 12 months to find work?

Employers directly approached

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	26.4	894	4	CIRCLED
	63.5	2,149	-9	LEGITIMATE NONRESPONSE
	10.0	337	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1249-1250

AH3_05	TALKED W/FRIENDS/RELATIVES TO FIND WORK
---------------	--

What did you do during those 12 months to find work?

Talked with friends or relatives

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.5	286	5	CIRCLED
	63.6	2,150	-9	LEGITIMATE NONRESPONSE
	27.9	944	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1251-1252

AH3_06	PLACED OR ANSWERED ADS TO FIND WORK
---------------	--

What did you do during those 12 months to find work?

Placed or answered ads

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.1	308	6	CIRCLED
	63.6	2,150	-9	LEGITIMATE NONRESPONSE
	27.3	922	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1253-1254

AH3_07**USED OTHER METHODS TO FIND WORK**

What did you do during those 12 months to find work?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	46	7	CIRCLED
	63.6	2,150	-9	LEGITIMATE NONRESPONSE
	35.0	1,184	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1255-1256

AH3B**TROUBLE/PROBLEMS FINDING WORK AT THIS TIME**

Did you have trouble or problems finding (work/a different job) during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	18.1	612	1	YES
50.0	18.1	611	2	NO
	63.4	2,143	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1257-1258

AH3C1 PROBLEMS: NO JOBS AVAILABLE

Why do you think you had problems finding (a job/a different job)?

No jobs available

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.4	182	1	CIRCLED
	81.5	2,755	-9	LEGITIMATE NONRESPONSE
	12.3	416	-8	MISSING
	0.0	1	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1259-1260

AH3C2 PROBLEMS: LACK EDUCATION/SKILLS/EXPERIENCE

Why do you think you had problems finding (a job/a different job)?

Lack of education, skills, or experience

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	93	2	CIRCLED
	81.5	2,756	-9	LEGITIMATE NONRESPONSE
	14.9	504	-8	MISSING
	0.0	1	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1261-1262

AH3C3	PROBLEMS: LANGUAGE PROBLEM
--------------	-----------------------------------

Why do you think you had problems finding (a job/a different job)?

Language problem (doesn't speak English well)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	81.5	2,756	-9	LEGITIMATE NONRESPONSE
	17.6	595	-8	MISSING
	0.0	1	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1263-1264

AH3C4	PROBLEMS: TOO YOUNG OR TO OLD
--------------	--------------------------------------

Why do you think you had problems finding (a job/a different job)?

Too young or too old

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.9	233	4	CIRCLED
	92.3	3,120	-8	MISSING
	0.0	1	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1265-1266

AH3C5 PROBLEMS: ARREST RECORD

Why do you think you had problems finding (a job/a different job)?

Arrest record

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	24	5	CIRCLED
	81.5	2,756	-9	LEGITIMATE NONRESPONSE
	16.9	573	-8	MISSING
	0.0	1	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1267-1268

AH3C6 PROBLEMS: DRUG HISTORY

Why do you think you had problems finding (a job/a different job)?

Drug history

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	23	6	CIRCLED
	81.5	2,756	-9	LEGITIMATE NONRESPONSE
	17.0	574	-8	MISSING
	0.0	1	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1269-1270

AH3C7**PROBLEMS: OTHER PERSONAL HANDICAPS**

Why do you think you had problems finding (a job/a different job)?

Other personal handicaps

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	5	7	CIRCLED
	81.5	2,756	-9	LEGITIMATE NONRESPONSE
	17.5	592	-8	MISSING
	0.0	1	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1271-1272

AH3C8**PROBLEMS: ILL HEALTH**

Why do you think you had problems finding (a job/a different job)?

Ill health

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	81.5	2,756	-9	LEGITIMATE NONRESPONSE
	17.7	597	-8	MISSING
	0.0	1	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1273-1274

AH3C9 PROBLEMS: IMMIGRATION STATUS

Why do you think you had problems finding (a job/a different job)?

Immigration status

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	81.5	2,756	-9	LEGITIMATE NONRESPONSE
	17.7	597	-8	MISSING
	0.0	1	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1275-1276

AH3C10 PROBLEMS: PERCEIVED DISCRIMINATION

Why do you think you had problems finding (a job/a different job)?

Perceived discrimination

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	25	10	CIRCLED
	81.5	2,756	-9	LEGITIMATE NONRESPONSE
	16.9	572	-8	MISSING
	0.0	1	-7	REFUSAL
	0.8	27	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1277-1278

AH3C11	PROBLEMS: OTHER
---------------	------------------------

Why do you think you had problems finding (a job/a different job)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	116	11	CIRCLED
	81.5	2,755	-9	LEGITIMATE NONRESPONSE
	14.2	480	-8	MISSING
	0.0	1	-7	REFUSAL
	0.9	29	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1279-1280

AH3D1	REASON: NO REASONS
--------------	---------------------------

What were your reasons for not looking for (work/a different job)?

No reasons

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.4	251	0	CIRCLED
	17.9	607	-9	LEGITIMATE NONRESPONSE
	74.5	2,521	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1281-1282

AH3D2 REASON: SATISFIED WITH PRESENT JOB

What were your reasons for not looking for (work/a different job)?

Satisfied with present job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.9	232	1	CIRCLED
	93.1	3,147	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1283-1284

AH3D3 REASON: NO JOBS AVAILABLE IN LINE OF WORK

What were your reasons for not looking for (work/a different job)?

Believes no jobs available in line of work or area

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	2	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	81.5	2,758	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1285-1286

AH3D4**REASON: COULD NOT FIND ANY WORK**

What were your reasons for not looking for (work/a different job)?

Couldn't find any work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	19	3	CIRCLED
	81.0	2,738	-9	LEGITIMATE NONRESPONSE
	18.4	623	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1287-1288

AH3D5**REASON: LACKS NECESSARY SCHOOLING**

What were your reasons for not looking for (work/a different job)?

Lacks necessary schooling, training, skills, or experience

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	52	4	CIRCLED
	18.0	610	-9	LEGITIMATE NONRESPONSE
	80.3	2,717	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1289-1290

AH3D6 REASON: EMPLOYERS THINK TOO YOUNG/OLD

What were your reasons for not looking for (work/a different job)?

Employers think too young / old

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.7	193	5	CIRCLED
	18.0	610	-9	LEGITIMATE NONRESPONSE
	76.2	2,576	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1291-1292

AH3D7 REASON: OTHER PERSONAL HANDICAP

What were your reasons for not looking for (work/a different job)?

Other personal handicaps including drug history

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	6	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	81.8	2,765	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1293-1294

AH3D8**REASON: FAMILY RESPONSIBILITIES**

What were your reasons for not looking for (work/a different job)?

Family responsibilities, child care problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	11	7	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	81.5	2,757	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1295-1296

AH3D9**REASON: IN SCHOOL OR OTHER TRAINING**

What were your reasons for not looking for (work/a different job)?

In school or other training

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	23.1	781	8	CIRCLED
	17.9	606	-9	LEGITIMATE NONRESPONSE
	58.9	1,992	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1297-1298

AH3D10 REASON: ILL HEALTH/PHYSICAL DISABILITY

What were your reasons for not looking for (work/a different job)?

Ill health or physical disability other than drug use

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	9	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	81.8	2,766	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1299-1300

AH3D11 REASON: IN JAIL OR OTHER INSTITUTION

What were your reasons for not looking for (work/a different job)?

In jail or other institution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.1	239	10	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	74.8	2,529	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1301-1302

AH3D12	REASON: DRUG ACTIVITIES/DRUG EFFECTS
---------------	---

What were your reasons for not looking for (work/a different job)?

Drug activities or drug effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.8	399	11	CIRCLED
	18.0	610	-9	LEGITIMATE NONRESPONSE
	70.0	2,369	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1303-1304

AH3D13	REASON: ILLEGAL ACTIVITIES
---------------	-----------------------------------

What were your reasons for not looking for (work/a different job)?

Illegal activities such as hustling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.2	209	12	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	75.7	2,559	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1305-1306

AH3D14

REASON: SUPPORTED BY OTHER PERSON

What were your reasons for not looking for (work/a different job)?

Supported by other program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	13	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	81.8	2,765	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1307-1308

AH3D15

REASON: LANGUAGE PROBLEMS

What were your reasons for not looking for (work/a different job)?

Language problem (trouble speaking English)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	14	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	81.8	2,768	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1309-1310

AH3D16	REASON: CONCERN ABOUT IMMIGRATION STATUS
---------------	---

What were your reasons for not looking for (work/a different job)?

Concern about immigration status in U.S. (i.e., has a job without papers and making switch would be risky)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	15	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	81.8	2,768	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1311-1312

AH3D17	REASON: OTHER
---------------	----------------------

What were your reasons for not looking for (work/a different job)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.6	190	16	CIRCLED
	18.1	611	-9	LEGITIMATE NONRESPONSE
	76.2	2,578	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1313-1314

AH4	DISABILITY THAT INTERFERES WITH WORK
------------	---

Do you have any disability that would interfere with your working?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	77	1	YES
97.7	97.0	3,279	2	NO
	0.7	25	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1315-1316

AH4A1	1ST TYPE OF DISABILITY - RECODED
--------------	---

What kind of disability is that? First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
3.9	0.1	3	1	SUBSTANCE-RELATED CONDITIONS
29.9	0.7	23	2	MENTAL HEALTH CONDITIONS
66.2	1.5	51	3	ALL OTHER CONDITIONS
	97.7	3,304	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1317-1318

AH4A2	2ND TYPE OF DISABILITY - RECODED
--------------	---

What kind of disability is that? Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
0.0	0.0	0	1	SUBSTANCE-RELATED CONDITIONS
60.0	0.2	6	2	MENTAL HEALTH CONDITIONS
40.0	0.1	4	3	ALL OTHER CONDITIONS
	99.7	3,371	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1319-1320

AH4A3	3RD TYPE OF DISABILITY - RECODED
--------------	---

What kind of disability is that? Third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
100.0	0.0	1	1	SUBSTANCE-RELATED CONDITIONS
0.0	0.0	0	2	MENTAL HEALTH CONDITIONS
0.0	0.0	0	3	ALL OTHER CONDITIONS
	99.9	3,380	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1321-1322

AH4B**HOW SEVERELY DO YOU THINK YOU ARE DISABLED**

Overall, how severely disabled do you think you are? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	1.1	37	1	SLIGHTLY
34.7	0.8	26	2	MODERATELY
9.3	0.2	7	3	SEVERELY
6.7	0.1	5	4	VERY SEVERELY
	97.0	3,279	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1323-1324

AH4C**DISABILITY WILL**

Do you think your disability will get better, stay about the same, stay the same as long as you are careful about diet and treatment, slowly get worse, or become much worse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	1.2	40	0	IT WILL GET BETTER
30.1	0.7	22	1	IT WILL STAY ABOUT THE SAME
5.5	0.1	4	2	IT WILL STAY THE SAME IF CAREFUL
8.2	0.2	6	3	IT WILL SLOWLY GET WORSE IN TIME
1.4	0.0	1	4	IT MAY GET MUCH WORSE IN FUTURE
	97.0	3,279	-9	LEGITIMATE NONRESPONSE
	0.7	25	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1325-1326

AH4D

DIFFICULTY FIND WORK W/OUT SPECIAL CONDITIONS

Taking into account any disabilities or health problems you may have, how difficult is it for you to work in a normal job without special working conditions like a wheelchair ramp or special dust filters? Is it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	2	1	ALMOST IMPOSSIBLE
3.9	0.1	3	2	VERY DIFFICULT
9.2	0.2	7	3	A LITTLE DIFFICULT
84.2	1.9	64	4	NOT DIFFICULT
	97.0	3,279	-9	LEGITIMATE NONRESPONSE
	0.7	25	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1327-1328

AH5 # DIFFERENT LEGITIMATE JOBS 12 MONTHS BEFORE ADMISSION

In the 12 months before admission, for how many different employers or businesses did you work legitimate jobs? If you worked for yourself, such as doing in-home child care or odd jobs and yard work, count this as one employer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	59.4	2,008	0	
22.3	22.2	752	1	
10.5	10.4	352	2	
4.3	4.3	145	3	
1.9	1.9	64	4	
0.6	0.6	21	5	
0.3	0.3	10	6	
0.1	0.1	4	7	
0.1	0.1	5	8	
0.0	0.0	1	9	
0.1	0.1	2	10	
0.0	0.0	1	11	
0.0	0.0	1	16	
0.0	0.0	1	26	
0.0	0.0	1	36	
	0.4	13	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1329-1330

AH6 #WKS FULL/PART TIME JOBS 12 MONTHS BEFORE ADMISSION

In the 12 months before admission, how many weeks were you employed in either full- or part-time jobs?

3,382 cases (Range of valid codes: 0-52)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1331-1332

AH7	#WKS WORKED >=35 HRS WK 12 MONTHS BEFORE ADMISSION
------------	--

In the 12 months before admission, how many weeks did you work 35 or more hours a week?

3,382 cases (Range of valid codes: 0-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1333-1334

AH8	#WKS WORKED FULL-TIME JOB 12 MONTHS BEFORE ADMISSION
------------	---

For how many weeks did you hold any one full-time job (35 hours or more a week) in the 12 months before admission?

3,382 cases (Range of valid codes: 0-52)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1335-1336

AH9	WHAT TYPE OF JOB OR OCCUPATION WAS THIS?
------------	---

What type of job was this or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	2	1	PROFESSIONAL AND TECHNICAL
0.2	0.0	1	2	MANAGER AND ADMINISTRATOR
9.7	1.5	51	3	SALES
5.0	0.8	26	4	CLERICAL OR OFFICE WORKER
8.4	1.3	44	5	CRAFT AND KINDRED
3.6	0.6	19	6	OPERATIVES
0.6	0.1	3	7	TRANSPORTATION EQUIPMENT OPERATIVES
25.4	3.9	133	8	LABORERS (FARM & NONFARM)
44.3	6.9	232	10	SERVICE WORKER
2.5	0.4	13	86	OTHER
	83.3	2,816	-9	LEGITIMATE NONRESPONSE
	1.2	40	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1337-1338

AH9A **WHAT TYPE OF BUSINESS/INDUSTRY WAS THIS?**

What type of business or industry was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.5	18	1	AGRICULTURE/FORESTRY/FISHERIES
12.0	1.8	61	2	CONSTRUCTION
6.3	0.9	32	3	MANUFACTURING
2.4	0.4	12	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
1.8	0.3	9	5	WHOLESALE TRADE
49.4	7.5	252	6	RETAIL TRADE
1.2	0.2	6	7	FINANCE/INSUR./REAL ESTATE
7.3	1.1	37	8	BUSINESS/REPAIR SERVICES
3.7	0.6	19	9	PERSONAL SERVICES
4.9	0.7	25	10	ENTERTAINMENT/REC. SVCS
7.1	1.1	36	11	PROF./RELATED SVCS
0.6	0.1	3	12	PUBLIC ADMIN.
0.0	0.0	0	13	INDUSTRY NOT REPORTED
	83.2	2,814	-9	LEGITIMATE NONRESPONSE
	1.2	39	-8	MISSING
	0.0	1	-7	REFUSAL
	0.5	18	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1339-1340

AH9B **WAS THIS YOUR USUAL OCCUPATION?**

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	13.5	458	1	YES
12.6	2.0	66	2	NO
	83.2	2,815	-9	LEGITIMATE NONRESPONSE
	1.2	41	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1341-1342

AH9B1**OCCUPATION CODE FOR USUAL OCCUPATION**

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROFESSIONAL AND TECHNICAL
0.0	0.0	0	2	MANAGER AND ADMINISTRATOR
3.7	0.1	2	3	SALES
0.0	0.0	0	4	CLERICAL OR OFFICE WORKER
11.1	0.2	6	5	CRAFT AND KINDRED
11.1	0.2	6	6	OPERATIVES
1.9	0.0	1	7	TRANSPORTATION EQUIPMENT OPERATIVES
22.2	0.4	12	8	LABORERS (FARM & NONFARM)
24.1	0.4	13	10	SERVICE WORKER
25.9	0.4	14	86	OTHER
	98.3	3,325	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1343-1344

AH9C1**RATE OF PAY BEFORE TAXES**

What was your wage, salary, or rate of pay before taxes?

3,382 cases (Range of valid codes: 2.00-5000.00)

Data type: numeric

Decimals: 4

Missing-data codes: lowest thru -1.0000

Columns: 1345-1353

AH9C2	CODE FOR THE RATE GIVEN
--------------	--------------------------------

How frequently were you paid this wage or salary?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	12.4	419	1	HOUR
15.5	2.4	81	2	WEEK
1.3	0.2	7	3	2 WEEKS
0.4	0.1	2	4	MONTH
0.2	0.0	1	5	YEAR
2.3	0.4	12	6	OTHER
	83.2	2,814	-9	LEGITIMATE NONRESPONSE
	1.3	44	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1354-1355

AH9D3	NUMBER OF WEEKS HELD THAT JOB
--------------	--------------------------------------

How long had you held that job?

_____ WEEKS

3,382 cases (Range of valid codes: 1-364)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1356-1358

AH9E	IS THIS THE LONGEST YOU EVER HELD A JOB?
-------------	---

Is this the longest you ever held a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.4	12.4	420	1	YES
20.6	3.2	109	2	NO
	83.2	2,815	-9	LEGITIMATE NONRESPONSE
	1.1	37	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1359-1360

AH10	LAST WORKED AT A LEGITIMATE FULL-TIME JOB
-------------	--

When did you last work at a legitimate full-time job (35 hours or more per week)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.4	80.5	2,722	0	NEVER HAD A FULL TIME JOB
0.4	0.3	11	1	WITHIN THE MONTH BEFORE ADMISSION
1.0	0.8	28	2	WITHIN THE PAST 12 MONTHS
3.2	2.7	92	3	MORE THAN ONE YEAR AGO
	15.6	526	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1361-1362

AH10_M	MONTHS AGO LAST WORKED FT JOB
---------------	--------------------------------------

When did you last work at a legitimate full-time job (35 hours or more per week)? (recode)

3,382 cases (Range of valid codes: 0-46)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2639-2640

AH10A	WHAT TYPE OF JOB/OCCUPATION WAS THIS?
--------------	--

What type of job was this, or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	1	1	PROFESSIONAL AND TECHNICAL
0.0	0.0	0	2	MANAGER AND ADMINISTRATOR
8.7	0.3	11	3	SALES
5.5	0.2	7	4	CLERICAL OR OFFICE WORKER
7.9	0.3	10	5	CRAFT AND KINDRED
3.9	0.1	5	6	OPERATIVES
2.4	0.1	3	7	TRANSPORTATION EQUIPMENT OPERATIVES
33.9	1.3	43	8	LABORERS (FARM & NONFARM)
30.7	1.2	39	10	SERVICE WORKER
6.3	0.2	8	86	OTHER
	80.5	2,722	-9	LEGITIMATE NONRESPONSE
	15.7	532	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1363-1364

AH10B	WHAT TYPE OF INDUSTRY WAS THIS?
--------------	--

What type of industry was this? (SPECIFY)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.3	9	1	AGRICULTURE/FORESTRY/FISHERIES
9.5	0.4	12	2	CONSTRUCTION
5.6	0.2	7	3	MANUFACTURING
2.4	0.1	3	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
4.8	0.2	6	5	WHOLESALE TRADE
39.7	1.5	50	6	RETAIL TRADE
0.8	0.0	1	7	FINANCE/INSUR./REAL ESTATE
7.1	0.3	9	8	BUSINESS/REPAIR SERVICES
4.0	0.1	5	9	PERSONAL SERVICES
4.0	0.1	5	10	ENTERTAINMENT/REC. SVCS
13.5	0.5	17	11	PROF./RELATED SVCS
1.6	0.1	2	12	PUBLIC ADMIN.
0.0	0.0	0	13	INDUSTRY NOT REPORTED
	80.5	2,722	-9	LEGITIMATE NONRESPONSE
	15.8	533	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1365-1366

AH10C1	RATE OF PAY BEFORE TAXES
---------------	---------------------------------

What was your wage, salary, or rate of pay at that job before taxes?

3,382 cases (Range of valid codes: 2.61-250.00)

Data type: numeric

Decimals: 4

Missing-data codes: lowest thru -1.0000

Columns: 1367-1374

AH10C2	CODE FOR THE RATE GIVEN
---------------	--------------------------------

How frequently were you paid this wage or salary?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.6	2.9	99	1	HOUR
12.7	0.5	16	2	WEEK
6.3	0.2	8	3	2 WEEKS
0.0	0.0	0	4	MONTH
0.0	0.0	0	5	YEAR
2.4	0.1	3	6	OTHER
	80.5	2,722	-9	LEGITIMATE NONRESPONSE
	15.8	533	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1375-1376

AH10D3

NUMBER OF WEEKS HELD THAT JOB

How long did you hold that job?

_____		WEEKS			
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
3.1	0.1	4	1		
6.2	0.2	8	2		
0.8	0.0	1	3		
11.6	0.4	15	4		
0.8	0.0	1	5		
1.6	0.1	2	6		
0.8	0.0	1	8		
13.2	0.5	17	9		
0.8	0.0	1	10		
2.3	0.1	3	11		
0.8	0.0	1	12		
14.7	0.6	19	13		
0.8	0.0	1	14		
0.8	0.0	1	15		
7.8	0.3	10	17		
3.9	0.1	5	22		
9.3	0.4	12	26		
1.6	0.1	2	30		
0.8	0.0	1	39		
7.0	0.3	9	52		
1.6	0.1	2	78		
4.7	0.2	6	104		
3.9	0.1	5	156		
0.8	0.0	1	208		
0.8	0.0	1	321		
	80.5	2,722	-9	LEGITIMATE NONRESPONSE	
	15.7	530	-8	MISSING	
	0.0	1	-7	REFUSAL	
-----	-----	-----			
100.0	100.0	3,382	cases		

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1377-1379

AH10E	IS THIS THE LONGEST YOU EVER HELD A JOB?
--------------	---

Is this the longest you ever held a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	3.5	120	1	YES
7.7	0.3	10	2	NO
	80.5	2,722	-9	LEGITIMATE NONRESPONSE
	15.6	529	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1380-1381

AH11_1	# OF YEARS HELD LEGITIMATE FULL-TIME JOB
---------------	---

What was the longest you ever held any one legitimate, full-time job?

_____ YEARS				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	2.4	81	0	
14.3	0.5	16	1	
6.2	0.2	7	2	
2.7	0.1	3	3	
1.8	0.1	2	4	
0.9	0.0	1	5	
1.8	0.1	2	9	
	84.0	2,842	-9	LEGITIMATE NONRESPONSE
	12.6	427	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1382-1383

AH11_2	# MONTHS HELD LEGITIMATE FULL-TIME JOB
---------------	---

What was the longest you ever held any one legitimate, full-time job?

MONTHS			VALUE	LABEL
PCT	PCT	N		
VALID	ALL			
25.0	0.8	28	0	
6.2	0.2	7	1	
8.9	0.3	10	2	
10.7	0.4	12	3	
9.8	0.3	11	4	
4.5	0.1	5	5	
18.8	0.6	21	6	
0.9	0.0	1	7	
8.0	0.3	9	8	
1.8	0.1	2	9	
1.8	0.1	2	10	
0.9	0.0	1	11	
0.9	0.0	1	14	
1.8	0.1	2	18	
	84.0	2,841	-9	LEGITIMATE NONRESPONSE
	12.7	428	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1384-1385

AH11_3	# OF WEEKS HELD LEGITIMATE FULL-TIME JOB
---------------	---

What was the longest you ever held any one legitimate, full-time job?

		WEEKS		
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	3.0	103	0	
2.7	0.1	3	2	
2.7	0.1	3	3	
0.9	0.0	1	6	
0.9	0.0	1	14	
	84.0	2,842	-9	LEGITIMATE NONRESPONSE
	12.7	428	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1386-1387

AH11A	WHEN LAST WORKED ON THAT FULL-TIME JOB
--------------	---

When did you last work on that full-time job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.1	5	1	WITHIN THE MONTH BEFORE ADMISSION
34.5	1.2	39	2	WITHIN THE PAST 12 MONTHS
61.1	2.0	69	3	MORE THAN ONE YEAR AGO
	84.0	2,841	-9	LEGITIMATE NONRESPONSE
	12.6	426	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1388-1389

AH11A_M	MONTHS AGO LAST WORKED LONGEST FT JOB
----------------	--

When did you last work on that full-time job? (recode)

3,382 cases (Range of valid codes: 0-77)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2641-2642

AH11B	WHAT TYPE OF JOB/OCCUPATION WAS THIS?
--------------	--

What type of job or occupation was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROFESSIONAL AND TECHNICAL
0.9	0.0	1	2	MANAGER AND ADMINISTRATOR
8.9	0.3	10	3	SALES
4.5	0.1	5	4	CLERICAL OR OFFICE WORKER
10.7	0.4	12	5	CRAFT AND KINDRED
4.5	0.1	5	6	OPERATIVES
2.7	0.1	3	7	TRANSPORTATION EQUIPMENT OPERATIVES
24.1	0.8	27	8	LABORERS (FARM & NONFARM)
42.0	1.4	47	10	SERVICE WORKER
1.8	0.1	2	86	OTHER
	84.0	2,842	-9	LEGITIMATE NONRESPONSE
	12.6	427	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1390-1391

AH11C	WHAT TYPE OF INDUSTRY WAS THAT?
--------------	--

What type of industry was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.2	7	1	AGRICULTURE/FORESTRY/FISHERIES
11.1	0.4	12	2	CONSTRUCTION
4.6	0.1	5	3	MANUFACTURING
0.9	0.0	1	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
1.9	0.1	2	5	WHOLESALE TRADE
52.8	1.7	57	6	RETAIL TRADE
0.9	0.0	1	7	FINANCE/INSUR./REAL ESTATE
4.6	0.1	5	8	BUSINESS/REPAIR SERVICES
4.6	0.1	5	9	PERSONAL SERVICES
1.9	0.1	2	10	ENTERTAINMENT/REC. SVCS
10.2	0.3	11	11	PROF./RELATED SVCS
0.0	0.0	0	12	PUBLIC ADMIN.
0.0	0.0	0	13	INDUSTRY NOT REPORTED
	84.0	2,842	-9	LEGITIMATE NONRESPONSE
	12.7	431	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1392-1393

AH11D1	HIGHEST RATE OF PAY BEFORE TAXES
---------------	---

What was your highest wage, salary, or rate of pay at that job before taxes?

3,382 cases (Range of valid codes: 3.50-5000.00)

Data type: numeric
 Decimals: 4
 Missing-data codes: lowest thru -1.0000
 Columns: 1394-1402

AH11D2	CODE FOR THE RATE GIVEN
---------------	--------------------------------

How frequently were you paid this wage or salary?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.6	2.7	93	1	HOURLY
8.8	0.3	10	2	WEEK
0.0	0.0	0	3	2 WEEKS
2.6	0.1	3	4	MONTH
0.9	0.0	1	5	YEAR
6.1	0.2	7	6	OTHER
	84.0	2,841	-9	LEGITIMATE NONRESPONSE
	12.5	424	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1403-1404

AH12	HOW WELL GOT ALONG W/SUPERVISOR AT WORK
-------------	--

How well did you usually get along with your supervisors at work? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.3	9	1	VERY POORLY
2.8	0.5	18	2	SOMEWHAT POORLY
7.1	1.3	45	3	A LITTLE LESS THAN AVERAGE
88.7	16.6	563	4	WELL OR VERY WELL
	80.5	2,721	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1405-1406

AH13	HOW WELL GOT ALONG WITH CO-WORKERS
-------------	---

How well did you usually get along with other co-workers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	3	1	VERY POORLY
1.9	0.4	12	2	SOMEWHAT POORLY
4.8	0.9	30	3	A LITTLE LESS THAN AVERAGE
92.9	17.3	585	4	WELL OR VERY WELL
	80.5	2,721	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1407-1408

AH14	SINCE 18 3/MORE DIFFERENT JOBS WITHIN 5YR PERIOD
-------------	---

Now, I have a few more questions about your work experience. Since you were 18, did you ever hold 3 or more different jobs within a 5-year period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	1.0	33	1	YES
79.9	7.4	250	2	NO
9.6	0.9	30	3	NEVER HAD A JOB
	90.7	3,068	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1409-1410

AH14A**HAD 3 OR MORE JOBS IN THE LAST 5 YEARS**

Have you had 3 or more jobs in the last 5 years?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	0.9	32	1	YES
3.0	0.0	1	2	NO
	7.4	250	-9	LEGITIMATE NONRESPONSE
	91.6	3,098	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1411-1412

AH15**EVER BEEN FIRED FROM MORE THAN 1 JOB**

Have you (ever) been fired from more than 1 job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.5	18	1	YES
93.5	7.7	259	2	NO
	91.8	3,104	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1413-1414

AH15A	AGE WHEN FIRST FIRED
--------------	-----------------------------

How old were you the first time that you were fired?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.0	1	13	
5.6	0.0	1	14	
27.8	0.1	5	15	
27.8	0.1	5	16	
16.7	0.1	3	17	
16.7	0.1	3	18	
	7.7	259	-9	LEGITIMATE NONRESPONSE
	91.8	3,104	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1415-1416

AH15B	WHEN WAS THE LAST TIME?
--------------	--------------------------------

When was the last time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	2	1	WITHIN THE MONTH BEFORE ADMISSION
60.0	0.4	12	2	WITHIN THE PAST 12 MONTHS
30.0	0.2	6	3	MORE THAN 1 YEAR AGO
	7.7	259	-9	LEGITIMATE NONRESPONSE
	91.7	3,102	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1417-1418

AH15B_M	MONTHS AGO LAST FIRED FROM JOB
----------------	---------------------------------------

When was the last time? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	2	0	
10.0	0.1	2	2	
10.0	0.1	2	3	
5.0	0.0	1	4	
20.0	0.1	4	6	
15.0	0.1	3	7	
5.0	0.0	1	8	
5.0	0.0	1	9	
5.0	0.0	1	11	
5.0	0.0	1	17	
5.0	0.0	1	27	
5.0	0.0	1	29	
	7.7	259	-9	LEGITIMATE NONRESPONSE
	91.8	3,103	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2643-2644

AH16	SINCE 18 QUIT 3 JOBS BEFORE HAD ANOTHER JOB
-------------	--

Since you were 18, have you quit a job 3 times or more before you already had another job lined up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.4	14	1	YES
95.0	7.9	266	2	NO
	91.7	3,101	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1419-1420

AH16A	AGE 1ST QUIT JOB BEFORE HAD ANOTHER JOB
--------------	--

How old were you the first time you quit a job without another lined up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.0	1	2	
6.7	0.0	1	13	
13.3	0.1	2	15	
46.7	0.2	7	16	
13.3	0.1	2	17	
13.3	0.1	2	18	
	7.9	266	-9	LEGITIMATE NONRESPONSE
	91.7	3,100	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1421-1422

AH16B	WHEN WAS THE LAST TIME?
--------------	--------------------------------

When was the last time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.1	2	1	WITHIN THE MONTH BEFORE ADMISSION
53.3	0.2	8	2	WITHIN THE PAST 12 MONTHS
33.3	0.1	5	3	MORE THAN 1 YEAR AGO
	7.9	266	-9	LEGITIMATE NONRESPONSE
	91.7	3,100	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1423-1424

AH16B_M	MONTHS AGO LAST QUIT JOB
----------------	---------------------------------

When was the last time? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.1	2	0	
6.7	0.0	1	2	
6.7	0.0	1	3	
20.0	0.1	3	4	
13.3	0.1	2	6	
13.3	0.1	2	7	
6.7	0.0	1	11	
6.7	0.0	1	12	
6.7	0.0	1	14	
6.7	0.0	1	30	
	7.9	266	-9	LEGITIMATE NONRESPONSE
	91.7	3,101	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2645-2646

AH17	SINCE 18 LATE/ABSENT 3 DAYS A MONTH OR MORE
-------------	--

On any job you have had since you were 18, were you late or absent an average of 3 days a month or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	1.0	33	1	YES
88.3	7.4	249	2	NO
	91.6	3,099	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1425-1426

AH17A TELL DOCTOR ABOUT FREQUENT WORK ABSENCES

Did you tell a doctor about frequently being late or absent from work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.1	3	1	YES
90.9	0.9	30	2	NO
	7.4	249	-9	LEGITIMATE NONRESPONSE
	91.6	3,099	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1427-1428

AH17B WHAT WAS THE DOCTORS DIAGNOSIS?

When you told the doctor, what was the diagnosis? (What did he or she say was causing this missing or being absent from work?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PHYSICAL ILLNESS/INJURY
33.3	0.0	1	2	MEDICATION/DRUG/ALCOHOL
0.0	0.0	0	3	NERVES, ANXIETY, STRESS, DEPRESSION
66.7	0.1	2	4	NO DEFINITE DIAGNOSIS
	8.2	279	-9	LEGITIMATE NONRESPONSE
	91.6	3,099	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1429-1430

AH17C**ABNORMAL FINDING FROM EXAM/TESTS/X-RAYS**

Did the doctor find anything abnormal when he examined you
or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	YES
50.0	0.0	1	2	NO
	8.3	280	-9	LEGITIMATE NONRESPONSE
	91.6	3,099	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1431-1432

AH17D**MISS/LATE FOR WORK RESULT OF ILLNESS/INJURY**

Was your missing work or being late for work ever the
result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	0.1	3	1	YES
90.3	0.8	28	2	NO
	7.4	251	-9	LEGITIMATE NONRESPONSE
	91.6	3,099	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1433-1434

AH17E MISSING WORK ALWAYS RESULT OF ILLNESS/INJURY

Was your frequently missing work or being late for work always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	YES
25.0	0.0	1	2	NO
	8.2	278	-9	LEGITIMATE NONRESPONSE
	91.6	3,099	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1435-1436

AH18 LAST 5 YRS # OF MONTHS WITHOUT A JOB

During the last 5 years, how many months have you been without a job?

3,382 cases (Range of valid codes: 0-70)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1437-1438

AH18A OUT JOB MARKET BECAUSE RETIRED/SCHOOL/ILL

During any of those (MONTHS IN H18) months when you were not working in the last 5 years, were you out of the job market because you were retired, in school full-time, (a full-time homemaker), or too physically ill to work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	6.1	205	1	YES
27.0	2.2	76	2	NO
	91.6	3,097	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1439-1440

AH18B3**WKS OUT MARKET BECAUSE RETIRED/SCHOOL/ILL**

Altogether, how long were you out of the job market because you were retired, in school full-time, (a full-time homemaker), or too physically ill to work?

_____ WEEKS

3,382 cases (Range of valid codes: 0-936)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1441-1443

AH19**DOES J18 MINUS J18B = 6 MONTHS OR MORE?**

DOES H18 MINUS H18b = 6 MONTHS OR MORE?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	4.0	135	1	NO, LESS THAN 6 MONTHS
51.4	4.2	143	2	YES, 6 MONTHS OR MORE
	91.6	3,099	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1444-1445

AH19A LAST TIME OUT WORK NOT RETIRED/SCHOOL/ILL

When was the last time you were out of work (when you were not in school, or physically ill, retired or a full-time homemaker)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	3.3	112	1	WITHIN THE MONTH BEFORE ADMISSION
8.8	0.4	12	2	WITHIN THE PAST 12 MONTHS
9.5	0.4	13	3	MORE THAN 1 YEAR AGO
	95.5	3,230	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1446-1447

AH19A_M MONTHS AGO LAST OUT OF WORK

When was the last time you were out of work (when you were not in school, or physically ill, retired or a full-time homemaker)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	3.3	112	0	
3.6	0.1	5	3	
0.7	0.0	1	4	
0.7	0.0	1	5	
2.2	0.1	3	6	
1.5	0.1	2	8	
2.2	0.1	3	9	
1.5	0.1	2	11	
0.7	0.0	1	13	
1.5	0.1	2	14	
1.5	0.1	2	17	
0.7	0.0	1	18	
0.7	0.0	1	25	
0.7	0.0	1	27	
	95.5	3,230	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2647-2648

AH20**TROUBLES HOLDING JOB 12 MONTHS BEFORE ADMISSION**

In the 12 months before admission, how troubled were you by problems getting, holding, or working a job? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	76.3	2,579	0	NOT AT ALL
15.8	15.5	523	1	SOMEWHAT
6.5	6.4	217	2	VERY MUCH
	1.7	58	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1448-1449

AH21**IMPORTANCE REFERRAL EMPLOYMENT/TRAINING**

How important to you now is help or referral for employment, training, or vocational counseling? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.4	46.5	1,574	0	NOT AT ALL
20.8	20.4	689	1	SOMEWHAT
31.8	31.3	1,057	2	VERY MUCH
	1.6	54	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	3	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1450-1451

AH22 PROBLEMS DUE DRUGS GETTING/HOLDING/WORKING JOB

Did you experience any problems getting, holding, or working a job because of drug or a alcohol use in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	9.3	314	1	YES
90.6	89.1	3,013	2	NO
	1.5	51	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1452-1453

AH22A HOW SERIOUS JOB PROBLEMS DUE DRUGS/ALCOHOL

How serious were the job problems you had because of using drugs or alcohol? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	0.8	26	1	NOT AT ALL
51.4	4.8	164	2	SOMEWHAT
40.4	3.8	129	3	VERY MUCH
	89.0	3,010	-9	LEGITIMATE NONRESPONSE
	1.5	51	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1454-1455

INCOME AND EXPENDITURES

AJ1A	INCOME SOURCE: WORK/NO ILLEGAL ACTIVITIES
-------------	--

In this section, I'd like some information on your personal sources of income and expenses. In the 12 months before your admission to this program, did you yourself receive any income from work that did not include illegal activities, including jobs paid off the books or under the table?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	42.7	1,444	1	YES
56.9	56.4	1,906	2	NO
	0.8	26	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1456-1457

AJ2A	AMOUNT: WORK/NO ILLEGAL ACTIVITIES
-------------	---

In the 12 months before admission, how much income did you personally receive before taxes from work that did not include illegal activities, including jobs paid off the books or under the table?

3,382 cases (Range of valid codes: 0-99,999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1458-1462

AJ1B INCOME SOURCE: SSI BECAUSE OF LOW INCOME

In this section, I'd like some information on your personal sources of income and expenses. In the 12 months before your admission to this program, did you yourself receive any income from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.7	159	1	YES
95.2	94.2	3,186	2	NO
	0.9	32	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1463-1464

AJ2B AMOUNT: SSI BECAUSE OF LOW INCOME

In the 12 months before admission, how much income did you personally receive before taxes from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

3,382 cases (Range of valid codes: 0-13,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1465-1469

AJ1C**INCOME SOURCE: EARNED SSI**

In this section, I'd like some information on your personal sources of income and expenses. In the 12 months before your admission to this program, did you yourself receive any income from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.2	76	1	YES
97.7	96.5	3,265	2	NO
	1.1	36	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1470-1471

AJ2C**AMOUNT: EARNED SSI**

In the 12 months before admission, how much income did you personally receive before taxes from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

3,382 cases (Range of valid codes: 0-10,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1472-1476

AJ1D INCOME SOURCE: SPOUSE/FAMILY/FRIENDS

In this section, I'd like some information on your personal sources of income and expenses. In the 12 months before your admission to this program, did you yourself receive any income from a spouse, family members, or friends, including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	60.3	2,041	1	YES
38.7	38.1	1,290	2	NO
	1.2	42	-8	MISSING
	0.1	2	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1477-1478

AJ2D AMOUNT: SPOUSE/FAMILY/FRIENDS

In the 12 months before admission, how much income did you personally receive before taxes from a spouse, family members, or friends, including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments?

3,382 cases (Range of valid codes: 0-45,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1479-1483

AJ1E	INCOME SOURCE: (POSSIBLY) ILLEGAL SOURCES
-------------	--

In this section, I'd like some information on your personal sources of income and expenses. In the 12 months before your admission to this program, did you yourself receive any income from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	51.1	1,727	1	YES
47.9	47.0	1,589	2	NO
	1.6	54	-8	MISSING
	0.2	6	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1484-1485

AJ2E	AMOUNT: (POSSIBLY) ILLEGAL SOURCES
-------------	---

In the 12 months before admission, how much income did you personally receive before taxes from illegal or possibly illegal sources such as hustling or dealing?

3,382 cases (Range of valid codes: 0-99,999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1486-1490

AJ1F INCOME SOURCE: ANY OTHER SOURCES

In this section, I'd like some information on your personal sources of income and expenses. In the 12 months before your admission to this program, did you yourself receive any income from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	44	1	YES
98.7	95.3	3,223	2	NO
	3.3	110	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1491-1492

AJ2F AMOUNT: ANY OTHER SOURCES

In the 12 months before admission, how much income did you personally receive before taxes from (any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you)?

3,382 cases (Range of valid codes: 0-52,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1493-1497

AJ2_TOT TOTAL OF COLUMN K2

In the 12 months before admission, how much income did you personally receive before taxes?

[TOTAL COLUMN J2 IN CHART AND RECORD BELOW]

3,382 cases (Range of valid codes: 0-999999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1498-1503

AJ3

TOTAL INCOME BEFORE TAXES 12MONTHS BEFORE ADMISSION

During the 12 months before admission, which code on this card best indicates your own total dollar income before taxes from all sources? [HAND RESPONDENT SHOW CARD #17]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.0	339	0	NO INCOME
41.2	38.1	1,287	1	\$1-1,999
10.0	9.2	312	2	2,000-2,999
5.3	4.9	167	3	3,000-3,999
4.3	4.0	135	4	4,000-4,999
4.8	4.4	150	5	5,000-5,999
2.9	2.7	92	6	6,000-6,999
2.3	2.1	72	7	7,000-7,999
1.4	1.3	45	8	8,000-8,999
1.2	1.1	36	9	9,000-9,999
2.9	2.7	92	10	10,000-11,999
2.0	1.8	62	12	12,000-13,999
1.2	1.2	39	14	14,000-15,999
0.7	0.6	21	16	16,000-17,999
0.6	0.5	18	18	18,000-19,999
1.8	1.7	57	20	20,000-23,999
1.1	1.0	33	24	24,000-29,999
1.5	1.4	48	30	30,000-39,999
0.6	0.6	19	40	40,000-49,999
2.1	2.0	66	50	50,000-99,999
1.1	1.0	34	100	100,000 OR MORE
	1.0	33	-8	MISSING
	0.0	1	-7	REFUSAL
	6.5	221	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1504-1506

AJ4 AT TIME ADMITTED WERE YOU LIVING ALONE?

At the time you were admitted, were you living alone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.4	81	1	YES
97.6	97.0	3,280	2	NO
	0.5	18	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1507-1508

AJ5 SHARING INCOME/EXPENSES W/PEOPLE LIVED WITH

Were you sharing your income and expenses with any of the people you lived with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	25.6	866	1	YES
73.5	70.9	2,397	2	NO
	3.2	109	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
	0.2	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1509-1510

AJ5A

PEOPLE SHARED INCOME/EXPENSES WITH

How many of these people did you share your income and expenses with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.2	6	0	
26.1	6.8	229	1	
31.4	8.1	275	2	
19.6	5.1	172	3	
12.5	3.3	110	4	
5.2	1.4	46	5	
2.4	0.6	21	6	
0.8	0.2	7	7	
0.1	0.0	1	8	
0.3	0.1	3	9	
0.2	0.1	2	10	
0.2	0.1	2	11	
0.1	0.0	1	15	
0.1	0.0	1	20	
0.1	0.0	1	24	
	70.6	2,388	-9	LEGITIMATE NONRESPONSE
	3.3	111	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1511-1512

AJ6	TOTAL INCOME BEFORE TAXES OF YOU/THESE PEOPLE
------------	--

Please look at this card. Which code shows the amount that is closest to the total combined dollar income before taxes of you and these (NUMBER FROM J5a) people in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.2	6	0	NO INCOME
2.1	0.2	8	1	\$1-1,999
1.3	0.1	5	2	2,000-2,999
1.6	0.2	6	3	3,000-3,999
1.6	0.2	6	4	4,000-4,999
1.3	0.1	5	5	5,000-5,999
2.1	0.2	8	6	6,000-6,999
1.6	0.2	6	7	7,000-7,999
1.3	0.1	5	8	8,000-8,999
0.5	0.1	2	9	9,000-9,999
1.6	0.2	6	10	10,000-11,999
3.9	0.4	15	12	12,000-13,999
3.9	0.4	15	14	14,000-15,999
0.8	0.1	3	16	16,000-17,999
1.8	0.2	7	18	18,000-19,999
4.2	0.5	16	20	20,000-23,999
5.2	0.6	20	24	24,000-29,999
9.6	1.1	37	30	30,000-39,999
11.9	1.4	46	40	40,000-49,999
28.8	3.3	111	50	50,000-99,999
13.5	1.5	52	100	100,000 OR MORE
	70.5	2,384	-9	LEGITIMATE NONRESPONSE
	3.3	110	-8	MISSING
	14.7	497	-4	DON'T KNOW
	0.2	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1513-1515

AJ7A1**SPENDING FOR HOUSING 12MONTHS BEFORE ADMISSION**

In the 12 months before admission to this program, please tell me about how much (you/you and these (NUMBER FROM J5a) members of the household together) spent for housing, including rent or mortgage payments and utilities, either per month or per year?

3,382 cases (Range of valid codes: 0-20,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1516-1520

AJ7A2**MONTH OR YEAR FOR HOUSING**

Was that for a month or year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	16.3	550	1	MONTH
10.3	1.9	63	2	YEAR
	19.1	647	-8	MISSING
	0.0	1	-7	REFUSAL
	62.0	2,097	-4	DON'T KNOW
	0.7	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1521-1522

AJ7B1	SPENDING MEDICAL EXPENSES 12MONTHS BEFORE ADMISSION
--------------	--

In the 12 months before admission to this program, please tell me about how much (you/you and these (NUMBER FROM J5a) members of the household together) spent for medical expenses, including prescriptions, health insurance, and payments for HMO costs ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	28.1	951	0	
0.1	0.0	1	12	
0.1	0.0	1	15	
0.1	0.0	1	18	
0.3	0.1	3	20	
0.1	0.0	1	40	
0.4	0.1	4	50	
0.2	0.1	2	70	
0.1	0.0	1	90	
0.8	0.2	8	100	
0.9	0.3	9	200	
0.2	0.1	2	300	
0.1	0.0	1	400	
0.3	0.1	3	500	
0.1	0.0	1	600	
0.1	0.0	1	700	
0.7	0.2	7	1000	
0.3	0.1	3	2000	
0.1	0.0	1	2500	
0.1	0.0	1	3000	
0.1	0.0	1	4000	
0.2	0.1	2	5000	
0.1	0.0	1	5500	
	4.4	150	-8	MISSING
	65.2	2,205	-4	DON'T KNOW
	0.6	21	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1523-1526

AJ7B2	MONTH OR YEAR FOR MEDICAL EXPENSES
--------------	---

Was that for a month or a year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	8.0	272	1	MONTH
22.5	2.3	79	2	YEAR
	25.8	873	-8	MISSING
	63.2	2,138	-4	DON'T KNOW
	0.6	20	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1527-1528

AJ7C1	SPENDING FOOD/CLOTHING 12MONTHS BEFORE ADMISSION
--------------	---

In the 12 months before admission to this program, please tell me about how much (you/you and these (NUMBER FROM J5a) members of the household together) spent for food, clothing, and living expenses

3,382 cases (Range of valid codes: 0-40,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1529-1533

AJ7C2	MONTH OR YEAR FOR FOOD/CLOTHING EXPENSES
--------------	---

Was that for a month or a year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	18.4	622	1	MONTH
22.4	5.3	180	2	YEAR
	13.7	464	-8	MISSING
	0.0	1	-5	BAD DATA
	61.8	2,091	-4	DON'T KNOW
	0.7	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1534-1535

AJ7D1	OTHER SPENDING 12 MONTHS BEFORE ADMISSION
--------------	--

In the 12 months before admission to this program, please tell me about how much (you/you and these (NUMBER FROM J5a) members of the household together) spent for other expenses, including things like gifts, loans, entertainment, and other debts

3,382 cases (Range of valid codes: 0-50,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1536-1540

AJ7D2	MONTH OR YEAR FOR OTHER SPENDING
--------------	---

Was that for a month or a year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	15.5	525	1	MONTH
26.0	5.4	184	2	YEAR
	15.8	536	-8	MISSING
	62.6	2,117	-4	DON'T KNOW
	0.6	20	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1541-1542

AJ8	#MONTHS NOT ABLE TO PAY BILLS 12MNS BEFORE ADMISSION
------------	---

In the 12 months before admission, how many months, if any, did you not have enough money to pay your bills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	85.2	2,883	0	
1.5	1.5	50	1	
1.4	1.4	46	2	
1.1	1.1	36	3	
1.2	1.2	40	4	
0.5	0.4	15	5	
1.0	1.0	33	6	
0.2	0.2	6	7	
0.4	0.4	13	8	
0.2	0.2	8	9	
0.2	0.1	5	10	
0.1	0.1	4	11	
4.2	4.1	139	12	
	1.2	39	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-5	BAD DATA
	1.7	56	-4	DON'T KNOW
	0.2	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1543-1544

AJ9	BOTHERED BY MONEY PROBLEMS 12MONTHS BEFORE ADMISSION
------------	---

How troubled or bothered were you in the 12 months before admission by any financial or money problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	69.7	2,358	0	NOT AT ALL
20.7	20.5	694	1	SOMEWHAT
9.0	8.9	301	2	VERY MUCH
	0.5	16	-8	MISSING
	0.1	2	-7	REFUSAL
	0.2	7	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1545-1546

AJ10**MONEY PROBLEMS BECAUSE OF ALCOHOL/DRUGS**

Did you have any financial or money problems because of your alcohol or drug use in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	17.5	593	1	YES
82.4	81.8	2,768	2	NO
	0.4	14	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1547-1548

AJ10A**HOW SERIOUS WERE PROBLEMS DUE ALCOHOL/DRUGS**

In those 12 months, how serious were these problems you had because of using alcohol or drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	2.1	72	1	NOT AT ALL
54.8	10.1	343	2	SOMEWHAT
33.7	6.2	211	3	VERY MUCH
	80.9	2,735	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1549-1550

AJ11	IMPORTANCE OF COUNSELING FOR MONEY PROBLEMS
-------------	--

How important to you now is counseling for financial or money problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.3	78.4	2,650	0	NOT AT ALL
10.9	10.8	365	1	SOMEWHAT
9.8	9.6	326	2	VERY MUCH
	1.0	33	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1551-1552

AJ12	MOVED TO AVOID RENT/MADE NO PAYMENTS
-------------	---

Have you ever moved to avoid paying rent or borrowed money without making any payments on it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.7	124	1	YES
96.3	95.8	3,239	2	NO
	0.4	15	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1553-1554

AJ12A

LAST TIME DID EITHER OF THESE THINGS

When was the last time you did either of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	0.9	29	1	WITHIN THE MONTH BEFORE ADMISSION
59.0	2.0	69	2	WITHIN THE PAST 12 MONTHS
16.2	0.6	19	3	MORE THAN 1 YEAR AGO
	95.7	3,238	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1555-1556

AJ12A_M	MONTHS AGO LAST MOVED TO AVOID PAYING RENT
----------------	---

When was the last time you did either of these things?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.9	29	0	
1.7	0.1	2	1	
7.8	0.3	9	2	
9.5	0.3	11	3	
10.3	0.4	12	4	
5.2	0.2	6	5	
12.1	0.4	14	6	
5.2	0.2	6	7	
1.7	0.1	2	8	
1.7	0.1	2	9	
2.6	0.1	3	10	
5.2	0.2	6	11	
1.7	0.1	2	12	
0.9	0.0	1	14	
2.6	0.1	3	15	
0.9	0.0	1	16	
3.4	0.1	4	18	
0.9	0.0	1	19	
0.9	0.0	1	20	
0.9	0.0	1	25	
	95.7	3,238	-9	LEGITIMATE NONRESPONSE
	0.8	28	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2649-2650

AJ12B**DOING THIS WAS OK BECAUSE MISTREATED**

Did you feel that doing that was okay because you had been mistreated or the person deserved it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	1.0	35	1	YES
65.3	2.3	77	2	NO
5.1	0.2	6	3	FELT BAD ABOUT SOME, NOT OTHERS
	95.7	3,237	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1557-1558

AJ13**SUED FOR BAD DEBT/THINGS TAKEN BACK**

Have you ever been sued for a bad debt or had things you bought taken back because you didn't meet the payments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	19	1	YES
99.4	98.8	3,342	2	NO
	0.5	18	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1559-1560

AJ14	AGE WHEN FIRST DID ANY OF THESE THINGS
-------------	---

You have mentioned during this interview that you have [READ ALL CHECKED ITEMS ON TALLY SHEET Y]. How old were you the first time you did any of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	8	
0.4	0.1	3	9	
0.6	0.1	5	10	
1.8	0.4	14	11	
4.7	1.1	36	12	
11.9	2.7	92	13	
20.0	4.6	154	14	
20.1	4.6	155	15	
24.5	5.6	189	16	
12.3	2.8	95	17	
3.4	0.8	26	18	
	68.5	2,317	-9	LEGITIMATE NONRESPONSE
	8.7	293	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1561-1562

AJ14A**AGE LAST TIME DID ANY OF THESE THINGS**

How old were you the last time you did any of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	3	11	
1.7	0.4	13	12	
6.4	1.4	49	13	
12.7	2.9	97	14	
20.1	4.5	153	15	
24.6	5.6	188	16	
19.8	4.5	151	17	
14.2	3.2	108	18	
0.1	0.0	1	19	
	68.5	2,317	-9	LEGITIMATE NONRESPONSE
	8.9	300	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1563-1564

AJ14B	DID ANY OF THESE THINGS BETWEEN 18 AND 25
--------------	--

Did any of these things happen between the ages of 18 and 25?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.6	21	1	YES
72.7	1.7	56	2	NO
	68.7	2,323	-9	LEGITIMATE NONRESPONSE
	28.8	974	-8	MISSING
	0.2	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1565-1566

DRUG AND ALCOHOL DEPENDENCE

AK1	USED LARGER AMOUNT ALCOHOL/DRUGS THAN INTENDED
------------	---

Have you often used much larger amounts of alcohol or (this drug/any of these drugs) than you intended to when you began?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.0	58.6	1,982	1	YES
39.0	37.5	1,269	2	NO
	3.8	127	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1567-1568

AK2	USED LONGER TIME ALCOHOL/DRUGS THAN INTENDED
------------	---

Have you used alcohol or (this drug/any of these drugs) for a longer period of time than you intended to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	6.2	209	1	YES
82.9	30.0	1,016	2	NO
	57.9	1,958	-9	LEGITIMATE NONRESPONSE
	5.8	197	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1569-1570

AK12A1 ALCOHOL: LONGER/LARGER AMOUNTS

Which of these have you often used in larger amounts than you intended to?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.1	32.6	1,101	1	YES
34.9	17.4	590	2	NO
	47.0	1,590	-9	LEGITIMATE NONRESPONSE
	3.0	100	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1571-1572

AK12B1 ALCOHOL: REGENCY

When was the last time you used alcohol for a longer period of time than you had intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	29.3	992	2	WITHIN THE PAST 12 MONTHS
10.2	3.3	113	3	MORE THAN ONE YEAR AGO
	47.5	1,605	-9	LEGITIMATE NONRESPONSE
	19.8	671	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1573-1574

AK12B1_M MONTHS AGO USED LARGER AMOUNT OF ALCOHOL

When was the last time you used [CATEGORY] in larger amounts than you intended? (recode)

3,382 cases (Range of valid codes: 1-176)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2651-2653

AK12A2**MARIJUANA/HASH/THC: LONGER/LARGER AMOUNTS**

Which of these have you used for a longer period of time than you had intended to?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.6	50.7	1,715	1	YES
17.4	10.7	362	2	NO
	35.2	1,191	-9	LEGITIMATE NONRESPONSE
	3.3	113	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1575-1576

AK12B2**MARIJUANA/HASH/THC: RECENCY**

When was the last time you used marijuana, hashish, or THC for a longer period of time than you had intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	47.5	1,607	2	WITHIN THE PAST 12 MONTHS
6.2	3.1	106	3	MORE THAN ONE YEAR AGO
	35.5	1,201	-9	LEGITIMATE NONRESPONSE
	13.8	466	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1577-1578

AK12B2_M**MONTHS AGO USED LARGER AMOUNT OF MARIJUANA.**

When was the last time you used [CATEGORY] in larger amounts than you intended? (recode)

3,382 cases (Range of valid codes: 1-144)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2654-2656

AK12A4 COCAINE/CRACK: LONGER/LARGER AMOUNTS

Which of these have you used for a longer period of time than you had intended to?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	12.6	426	1	YES
24.9	4.2	141	2	NO
	82.6	2,795	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1579-1580

AK12B4 COCAINE/CRACK: RECENCY

When was the last time you used cocaine or crack for a longer period of time than you had intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	11.7	396	2	WITHIN THE PAST 12 MONTHS
6.8	0.9	29	3	MORE THAN ONE YEAR AGO
	83.4	2,821	-9	LEGITIMATE NONRESPONSE
	4.0	135	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1581-1582

AK12B4_M

MONTHS AGO USED LARGER AMOUNT OF COCAINE/CRACK.

When was the last time you used [CATEGORY] in larger amounts than you intended? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	6.2	209	1	
11.9	1.5	50	2	
9.5	1.2	40	3	
6.7	0.8	28	4	
3.8	0.5	16	5	
4.3	0.5	18	6	
1.2	0.1	5	7	
2.6	0.3	11	8	
1.2	0.1	5	9	
1.7	0.2	7	10	
1.2	0.1	5	11	
1.0	0.1	4	12	
0.5	0.1	2	13	
0.2	0.0	1	14	
0.5	0.1	2	15	
0.5	0.1	2	18	
0.2	0.0	1	19	
0.5	0.1	2	21	
0.5	0.1	2	22	
0.2	0.0	1	26	
0.7	0.1	3	27	
0.2	0.0	1	28	
0.2	0.0	1	29	
0.2	0.0	1	30	
0.2	0.0	1	31	
0.2	0.0	1	40	
	83.4	2,821	-9	LEGITIMATE NONRESPONSE
	4.2	142	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2657-2658

AK12A5 HEROIN: LONGER/LARGER AMOUNTS

Which of these have you used for a longer period of time than you had intended to?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.5	2.2	76	1	YES
44.5	1.8	61	2	NO
	95.6	3,234	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1583-1584

AK12B5 HEROIN: REGENCY

When was the last time you used heroin for a longer period of time than you had intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	2.1	71	2	WITHIN THE PAST 12 MONTHS
6.6	0.1	5	3	MORE THAN ONE YEAR AGO
	96.4	3,261	-9	LEGITIMATE NONRESPONSE
	1.3	45	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1585-1586

AK12B5_M	MONTHS AGO USED LARGER AMOUNT OF HEROIN
-----------------	--

When was the last time you used [CATEGORY] in larger amounts than you intended? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	1.0	35	1	
16.0	0.4	12	2	
5.3	0.1	4	3	
6.7	0.1	5	4	
1.3	0.0	1	5	
5.3	0.1	4	6	
1.3	0.0	1	7	
4.0	0.1	3	8	
4.0	0.1	3	9	
2.7	0.1	2	10	
2.7	0.1	2	12	
1.3	0.0	1	15	
1.3	0.0	1	16	
1.3	0.0	1	28	
	96.4	3,261	-9	LEGITIMATE NONRESPONSE
	1.4	46	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2659-2660

AK12A6	NARCOTICS/OPIATES: LONGER/LARGER AMOUNTS
---------------	---

Which of these have you used for a longer period of time than you had intended to?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	1.9	64	1	YES
67.7	4.0	134	2	NO
	93.2	3,151	-9	LEGITIMATE NONRESPONSE
	1.0	33	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1587-1588

AK12B6 NARCOTICS/OPIATES: RECENCY

When was the last time you used narcotics or opiates for a longer period of time than you had intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	1.4	48	2	WITHIN THE PAST 12 MONTHS
25.0	0.5	16	3	MORE THAN ONE YEAR AGO
	94.0	3,178	-9	LEGITIMATE NONRESPONSE
	4.1	140	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1589-1590

AK12B6_M MONTHS AGO USED LARGER AMOUNT OF NARCOTICS

When was the last time you used [CATEGORY] in larger amounts than you intended? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	0.6	20	1	
23.4	0.4	15	2	
6.2	0.1	4	3	
1.6	0.0	1	4	
1.6	0.0	1	5	
7.8	0.1	5	6	
1.6	0.0	1	8	
3.1	0.1	2	10	
1.6	0.0	1	11	
3.1	0.1	2	12	
1.6	0.0	1	13	
3.1	0.1	2	14	
1.6	0.0	1	15	
3.1	0.1	2	16	
1.6	0.0	1	17	
3.1	0.1	2	19	
1.6	0.0	1	24	
1.6	0.0	1	29	
1.6	0.0	1	55	
	94.0	3,178	-9	LEGITIMATE NONRESPONSE
	4.1	140	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2661-2662

AK12A7**SEDATIVES/TRANQUILIZERS: LONGER/LARGER AMOUNTS**

Which of these have you used for a longer period of time than you had intended to?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	1.6	55	1	YES
65.0	3.0	102	2	NO
	95.0	3,213	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1591-1592

AK12B7**SEDATIVES/TRANQUILIZERS: RECENCY**

When was the last time you used sedatives or tranquilizers for a longer period of time than you had intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	1.4	47	2	WITHIN THE PAST 12 MONTHS
14.5	0.2	8	3	MORE THAN ONE YEAR AGO
	95.8	3,241	-9	LEGITIMATE NONRESPONSE
	2.5	86	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1593-1594

AK12B7_M MONTHS AGO USED LARGER AMOUNT OF SEDATIVES

When was the last time you used [CATEGORY] in larger amounts than you intended? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	0.6	21	1	
25.9	0.4	14	2	
1.9	0.0	1	3	
1.9	0.0	1	4	
1.9	0.0	1	5	
9.3	0.1	5	6	
3.7	0.1	2	7	
5.6	0.1	3	10	
1.9	0.0	1	12	
1.9	0.0	1	13	
1.9	0.0	1	15	
3.7	0.1	2	16	
1.9	0.0	1	24	
	95.8	3,241	-9	LEGITIMATE NONRESPONSE
	2.6	87	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2663-2664

AK12A8 AMPHETAMINES/STIMULANTS: LONGER/LARGER AMOUNTS

Which of these have you used for a longer period of time than you had intended to?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	6.6	222	1	YES
35.8	3.7	124	2	NO
	89.1	3,012	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1595-1596

AK12B8

AMPHETAMINES/STIMULANTS: RECENCY

When was the last time you used amphetamines or other stimulants for a longer period of time than you had intended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	5.9	200	2	WITHIN THE PAST 12 MONTHS
11.1	0.7	25	3	MORE THAN ONE YEAR AGO
	89.8	3,036	-9	LEGITIMATE NONRESPONSE
	3.6	121	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1597-1598

AK12B8_M	MONTHS AGO USED LARGER AMOUNT OF STIMULANTS
-----------------	--

When was the last time you used [CATEGORY] in larger amounts than you intended? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	3.2	107	1	
13.0	0.8	28	2	
5.6	0.4	12	3	
3.2	0.2	7	4	
4.2	0.3	9	5	
6.0	0.4	13	6	
1.9	0.1	4	7	
2.8	0.2	6	8	
1.4	0.1	3	9	
1.9	0.1	4	10	
2.3	0.1	5	12	
0.5	0.0	1	13	
0.5	0.0	1	14	
1.4	0.1	3	15	
1.4	0.1	3	16	
0.5	0.0	1	17	
0.5	0.0	1	19	
0.9	0.1	2	20	
0.5	0.0	1	23	
0.9	0.1	2	24	
0.5	0.0	1	26	
0.5	0.0	1	28	
0.5	0.0	1	31	
	89.8	3,036	-9	LEGITIMATE NONRESPONSE
	3.8	130	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2665-2666

AK3	ALCOHOL/DRUGS USED UNTIL INTOXICATED
------------	---

Have you often started using alcohol or (this drug/any of these drugs) and found it difficult to stop before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.4	48.4	1,636	1	YES
49.6	47.6	1,611	2	NO
	3.9	131	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1599-1600

AK3A1	ALCOHOL: USED UNTIL INTOXICATED
--------------	--

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.5	24.6	831	1	YES
36.5	14.1	477	2	NO
	59.8	2,024	-9	LEGITIMATE NONRESPONSE
	1.4	49	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1601-1602

AK3B1	ALCOHOL: RECENCY
--------------	-------------------------

When was the last time you found it difficult to stop using alcohol before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	22.6	766	2	WITHIN THE PAST 12 MONTHS
7.8	1.9	65	3	MORE THAN ONE YEAR AGO
	73.9	2,500	-9	LEGITIMATE NONRESPONSE
	1.5	50	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1603-1604

AK3B1_M

MONTHS AGO DIFFICULT TO STOP ALCOHOL

When was the last time you found it difficult to stop using [CATEGORY] before you became completely intoxicated or high? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	12.3	416	1	
16.6	4.0	136	2	
7.1	1.7	58	3	
4.5	1.1	37	4	
3.7	0.9	30	5	
3.7	0.9	30	6	
1.6	0.4	13	7	
1.7	0.4	14	8	
1.2	0.3	10	9	
1.3	0.3	11	10	
0.7	0.2	6	11	
0.5	0.1	4	12	
0.5	0.1	4	13	
0.2	0.1	2	15	
1.0	0.2	8	16	
0.4	0.1	3	17	
0.7	0.2	6	18	
0.2	0.1	2	19	
0.2	0.1	2	20	
0.4	0.1	3	21	
0.6	0.1	5	22	
0.1	0.0	1	23	
0.4	0.1	3	25	
0.1	0.0	1	26	
0.4	0.1	3	27	
0.1	0.0	1	29	
0.4	0.1	3	30	
0.1	0.0	1	31	
0.1	0.0	1	34	
0.1	0.0	1	41	
0.1	0.0	1	51	
0.1	0.0	1	142	
	73.9	2,500	-9	LEGITIMATE NONRESPONSE
	1.9	65	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2667-2669

AK3A2 MARIJUANA/HASH/THC: USED UNTIL INTOXICATED

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	37.5	1,269	1	YES
19.6	9.2	310	2	NO
	51.9	1,756	-9	LEGITIMATE NONRESPONSE
	1.4	46	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1605-1606

AK3B2 MARIJUANA/HASH/THC: RECENCY

When was the last time you found it difficult to stop using marijuana, hashish, or THC before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	36.0	1,216	2	WITHIN THE PAST 12 MONTHS
4.0	1.5	51	3	MORE THAN ONE YEAR AGO
	61.1	2,065	-9	LEGITIMATE NONRESPONSE
	1.4	49	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1607-1608

AK3B2_M

MONTHS AGO DIFFICULT TO STOP MARIJUANA

When was the last time you found it difficult to stop using [CATEGORY] before you became completely intoxicated or high? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	23.4	791	1	
12.6	4.6	155	2	
6.7	2.5	83	3	
3.7	1.4	46	4	
2.3	0.9	29	5	
2.9	1.1	36	6	
1.1	0.4	13	7	
1.0	0.4	12	8	
0.6	0.2	8	9	
0.9	0.3	11	10	
0.8	0.3	10	11	
0.2	0.1	3	12	
0.3	0.1	4	13	
0.2	0.1	3	14	
0.3	0.1	4	15	
0.5	0.2	6	16	
0.2	0.1	2	17	
0.2	0.1	3	18	
0.3	0.1	4	19	
0.1	0.0	1	20	
0.1	0.0	1	22	
0.1	0.0	1	23	
0.1	0.0	1	25	
0.1	0.0	1	26	
0.1	0.0	1	27	
0.1	0.0	1	30	
0.1	0.0	1	33	
0.1	0.0	1	34	
0.1	0.0	1	39	
0.1	0.0	1	43	
0.1	0.0	1	53	
	61.1	2,065	-9	LEGITIMATE NONRESPONSE
	2.4	82	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2670-2671

AK3A4 COCAINE/CRACK: USED UNTIL INTOXICATED

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.9	11.0	373	1	YES
22.1	3.1	106	2	NO
	85.3	2,886	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1609-1610

AK3B4 COCAINE/CRACK: REGENCY

When was the last time you found it difficult to stop using cocaine or crack before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	10.2	345	2	WITHIN THE PAST 12 MONTHS
7.3	0.8	27	3	MORE THAN ONE YEAR AGO
	88.4	2,991	-9	LEGITIMATE NONRESPONSE
	0.5	17	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1611-1612

AK3B4_M	MONTHS AGO DIFFICULT TO STOP COCAINE/
----------------	--

When was the last time you found it difficult to stop using [CATEGORY] before you became completely intoxicated or high? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	5.3	180	1	
13.4	1.4	49	2	
7.9	0.9	29	3	
6.6	0.7	24	4	
4.1	0.4	15	5	
5.2	0.6	19	6	
1.1	0.1	4	7	
2.5	0.3	9	8	
1.1	0.1	4	9	
1.1	0.1	4	10	
1.1	0.1	4	11	
0.8	0.1	3	12	
0.8	0.1	3	13	
0.8	0.1	3	14	
0.5	0.1	2	16	
0.5	0.1	2	18	
0.3	0.0	1	19	
0.5	0.1	2	21	
0.5	0.1	2	22	
0.3	0.0	1	23	
0.3	0.0	1	26	
0.3	0.0	1	27	
0.3	0.0	1	28	
0.3	0.0	1	31	
0.3	0.0	1	40	
	88.4	2,991	-9	LEGITIMATE NONRESPONSE
	0.8	26	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2672-2673

AK3A5 HEROIN: USED UNTIL INTOXICATED

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.1	2.4	80	1	YES
27.9	0.9	31	2	NO
	96.6	3,266	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1613-1614

AK3B5 HEROIN: REGENCY

When was the last time you found it difficult to stop using heroin before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	2.3	77	2	WITHIN THE PAST 12 MONTHS
3.8	0.1	3	3	MORE THAN ONE YEAR AGO
	97.5	3,297	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1615-1616

AK3B5_M	MONTHS AGO DIFFICULT TO STOP HEROIN
----------------	--

When was the last time you found it difficult to stop using [CATEGORY] before you became completely intoxicated or high? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.6	1.2	40	1	
16.5	0.4	13	2	
6.3	0.1	5	3	
5.1	0.1	4	4	
3.8	0.1	3	5	
5.1	0.1	4	6	
2.5	0.1	2	8	
1.3	0.0	1	9	
5.1	0.1	4	10	
2.5	0.1	2	12	
1.3	0.0	1	15	
	97.5	3,297	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2674-2675

AK3A6	NARCOTICS/OPIATES: USED UNTIL INTOXICATED
--------------	--

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	1.5	50	1	YES
67.3	3.0	103	2	NO
	94.8	3,206	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1617-1618

AK3B6 NARCOTICS/OPIATES: RECENCY

When was the last time you found it difficult to stop using narcotics or opiates before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.0	1.2	41	2	WITHIN THE PAST 12 MONTHS
18.0	0.3	9	3	MORE THAN ONE YEAR AGO
	97.8	3,309	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1619-1620

AK3B6_M MONTHS AGO DIFFICULT TO STOP NARCOTICS

When was the last time you found it difficult to stop using [CATEGORY] before you became completely intoxicated or high? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	0.7	24	1	
20.0	0.3	10	2	
2.0	0.0	1	3	
4.0	0.1	2	5	
4.0	0.1	2	6	
2.0	0.0	1	8	
2.0	0.0	1	10	
2.0	0.0	1	11	
2.0	0.0	1	13	
2.0	0.0	1	14	
2.0	0.0	1	15	
2.0	0.0	1	17	
2.0	0.0	1	24	
2.0	0.0	1	25	
2.0	0.0	1	26	
2.0	0.0	1	55	
	97.8	3,309	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2676-2677

AK3A7**SEDATIVES/TRANQUILIZERS: USED UNTIL INTOXICATED**

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	1.1	37	1	YES
69.7	2.5	85	2	NO
	96.0	3,247	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1621-1622

AK3B7**SEDATIVES/TRANQUILIZERS: RECENCY**

When was the last time you found it difficult to stop using sedatives or tranquilizers before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.6	0.9	31	2	WITHIN THE PAST 12 MONTHS
18.4	0.2	7	3	MORE THAN ONE YEAR AGO
	98.5	3,331	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1623-1624

AK3B7_M

MONTHS AGO DIFFICULT TO STOP SEDATIVES

When was the last time you found it difficult to stop using [CATEGORY] before you became completely intoxicated or high? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	0.5	17	1	
25.0	0.3	9	2	
5.6	0.1	2	4	
2.8	0.0	1	5	
5.6	0.1	2	6	
5.6	0.1	2	10	
2.8	0.0	1	12	
2.8	0.0	1	13	
2.8	0.0	1	36	
	98.5	3,331	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2678-2679

AK3A8

AMPHETAMINES/STIMULANTS: USED UNTIL INTOXICATED

Which of these have you found it difficult to stop using before you became completely intoxicated or high?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	4.6	154	1	YES
42.3	3.3	113	2	NO
	91.5	3,095	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1625-1626

AK3B8	AMPHETAMINES/STIMULANTS: RECENCY
--------------	---

When was the last time you found it difficult to stop using amphetamines or other stimulants before you became completely intoxicated or high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	4.4	148	2	WITHIN THE PAST 12 MONTHS
3.9	0.2	6	3	MORE THAN ONE YEAR AGO
	94.8	3,207	-9	LEGITIMATE NONRESPONSE
	0.6	21	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1627-1628

AK3B8_M	MONTHS AGO DIFFICULT TO STOP STIMULANTS
----------------	--

When was the last time you found it difficult to stop using [CATEGORY] before you became completely intoxicated or high? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	2.6	88	1	
11.4	0.5	17	2	
3.4	0.1	5	3	
4.7	0.2	7	4	
6.0	0.3	9	5	
5.4	0.2	8	6	
2.0	0.1	3	7	
1.3	0.1	2	8	
1.3	0.1	2	9	
1.3	0.1	2	10	
1.3	0.1	2	12	
0.7	0.0	1	18	
0.7	0.0	1	19	
0.7	0.0	1	20	
0.7	0.0	1	28	
	94.8	3,207	-9	LEGITIMATE NONRESPONSE
	0.8	26	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2680-2681

AK4 **COULD NOT STOP/CUT DOWN ALCOHOL/DRUG USE**

Have you ever wanted or tried to stop or cut down on alcohol or (this drug/any of these drugs), but found that you couldn't?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	36.3	1,229	1	YES
62.1	59.4	2,010	2	NO
	4.2	141	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1629-1630

AK4A1 **ALCOHOL: COULD NOT STOP/CUT DOWN USE**

Which of these have you tried to cut down on or stop taking more than once?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	14.2	479	1	YES
51.2	14.8	502	2	NO
	69.2	2,341	-9	LEGITIMATE NONRESPONSE
	1.7	59	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1631-1632

AK4B1

ALCOHOL: RECENCY

When was the last time you tried to cut down on or stop taking alcohol when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	13.1	442	2	WITHIN THE PAST 12 MONTHS
7.7	1.1	37	3	MORE THAN ONE YEAR AGO
	84.1	2,843	-9	LEGITIMATE NONRESPONSE
	1.7	59	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1633-1634

AK4B1_M	MONTHS AGO LAST TRIED TO CUT ALCOHOL
----------------	---

When was the last time you tried to cut down on or stop taking (CATEGORY) when you were taking it on your own? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	6.4	216	1	
13.1	1.8	62	2	
6.5	0.9	31	3	
7.2	1.0	34	4	
5.3	0.7	25	5	
6.5	0.9	31	6	
3.6	0.5	17	7	
1.7	0.2	8	8	
2.3	0.3	11	9	
1.1	0.1	5	10	
1.5	0.2	7	11	
0.4	0.1	2	12	
0.8	0.1	4	13	
0.4	0.1	2	15	
0.4	0.1	2	16	
0.2	0.0	1	17	
0.4	0.1	2	18	
0.6	0.1	3	20	
0.6	0.1	3	22	
0.2	0.0	1	23	
0.2	0.0	1	24	
0.2	0.0	1	27	
0.2	0.0	1	29	
0.2	0.0	1	30	
0.2	0.0	1	34	
0.2	0.0	1	42	
0.2	0.0	1	74	
0.2	0.0	1	137	
	84.1	2,843	-9	LEGITIMATE NONRESPONSE
	1.9	64	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2682-2684

AK4A2**MARIJUANA/HASH/THC: COULD NOT STOP/CUT USE**

Which of these have you tried to cut down on or stop taking more than once?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	25.9	876	1	YES
26.1	9.2	310	2	NO
	63.3	2,142	-9	LEGITIMATE NONRESPONSE
	1.6	53	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1635-1636

AK4B2**MARIJUANA/HASH/THC: RECENCY**

When was the last time you tried to cut down on or stop taking marijuana, hashish, or THC when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	24.3	822	2	WITHIN THE PAST 12 MONTHS
6.7	1.7	59	3	MORE THAN ONE YEAR AGO
	72.4	2,448	-9	LEGITIMATE NONRESPONSE
	1.5	52	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1637-1638

AK4B2_M	MONTHS AGO LAST TRIED TO CUT MARIJUANA
----------------	---

When was the last time you tried to cut down on or stop taking (CATEGORY) when you were taking it on your own? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	12.4	420	1	
14.4	3.7	125	2	
8.5	2.2	74	3	
6.3	1.6	55	4	
3.1	0.8	27	5	
6.1	1.6	53	6	
2.6	0.7	23	7	
1.6	0.4	14	8	
1.7	0.4	15	9	
0.8	0.2	7	10	
1.0	0.3	9	11	
0.8	0.2	7	12	
0.5	0.1	4	13	
0.5	0.1	4	14	
0.3	0.1	3	15	
0.5	0.1	4	16	
0.6	0.1	5	17	
0.3	0.1	3	18	
0.1	0.0	1	19	
0.5	0.1	4	20	
0.1	0.0	1	22	
0.1	0.0	1	23	
0.3	0.1	3	26	
0.1	0.0	1	27	
0.3	0.1	3	30	
0.2	0.1	2	33	
0.1	0.0	1	39	
0.1	0.0	1	41	
0.1	0.0	1	50	
	72.4	2,448	-9	LEGITIMATE NONRESPONSE
	1.9	63	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2685-2686

AK4A4	COCAINE/CRACK: COULD NOT STOP/CUT USE
--------------	--

Which of these have you tried to cut down on or stop taking more than once?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	8.1	275	1	YES
31.4	3.7	126	2	NO
	87.7	2,965	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1639-1640

AK4B4	COCAINE/CRACK: REGENCY
--------------	-------------------------------

When was the last time you tried to cut down on or stop taking cocaine or crack when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	7.8	263	2	WITHIN THE PAST 12 MONTHS
4.4	0.4	12	3	MORE THAN ONE YEAR AGO
	91.4	3,090	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1641-1642

AK4B4_M	MONTHS AGO LAST TRIED TO CUT COCAINE/CRACK
----------------	---

When was the last time you tried to cut down on or stop taking (CATEGORY) when you were taking it on your own? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	4.1	139	1	
11.4	0.9	31	2	
7.7	0.6	21	3	
6.6	0.5	18	4	
4.0	0.3	11	5	
6.6	0.5	18	6	
2.6	0.2	7	7	
4.4	0.4	12	8	
0.7	0.1	2	9	
0.7	0.1	2	10	
0.7	0.1	2	11	
0.4	0.0	1	12	
0.7	0.1	2	13	
0.4	0.0	1	14	
0.7	0.1	2	16	
0.4	0.0	1	27	
0.7	0.1	2	28	
0.4	0.0	1	40	
	91.4	3,090	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2687-2688

AK4A5**HEROIN: COULD NOT STOP/CUT DOWN USE**

Which of these have you tried to cut down on or stop taking more than once?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	2.2	75	1	YES
33.6	1.1	38	2	NO
	96.4	3,261	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1643-1644

AK4B5**HEROIN: REGENCY**

When was the last time you tried to cut down on or stop taking heroin when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	2.1	70	2	WITHIN THE PAST 12 MONTHS
5.4	0.1	4	3	MORE THAN ONE YEAR AGO
	97.5	3,299	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1645-1646

AK4B5_M MONTHS AGO LAST TRIED TO CUT HEROIN

When was the last time you tried to cut down on or stop taking (CATEGORY) when you were taking it on your own? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	1.0	35	1	
13.7	0.3	10	2	
4.1	0.1	3	3	
6.8	0.1	5	4	
6.8	0.1	5	5	
8.2	0.2	6	6	
1.4	0.0	1	7	
5.5	0.1	4	8	
1.4	0.0	1	10	
1.4	0.0	1	12	
1.4	0.0	1	15	
1.4	0.0	1	28	
	97.5	3,299	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2689-2690

AK4A6 NARCOTICS/OPIATES: COULD NOT STOP/CUT USE

Which of these have you tried to cut down on or stop taking more than once?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	0.7	25	1	YES
77.9	2.6	88	2	NO
	96.1	3,251	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1647-1648

AK4B6	NARCOTICS/OPIATES: RECENCY
--------------	-----------------------------------

When was the last time you tried to cut down on or stop taking narcotics or opiates when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	0.5	17	2	WITHIN THE PAST 12 MONTHS
32.0	0.2	8	3	MORE THAN ONE YEAR AGO
	98.7	3,339	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1649-1650

AK4B6_M	MONTHS AGO LAST TRIED TO CUT NARCOTICS
----------------	---

When was the last time you tried to cut down on or stop taking (CATEGORY) when you were taking it on your own?
 (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	0.2	8	1	
16.0	0.1	4	2	
8.0	0.1	2	4	
4.0	0.0	1	5	
8.0	0.1	2	6	
4.0	0.0	1	10	
8.0	0.1	2	11	
4.0	0.0	1	13	
4.0	0.0	1	16	
4.0	0.0	1	17	
8.0	0.1	2	24	
	98.7	3,339	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2691-2692

AK4A7 SEDATIVES/TRANQUILIZERS: NOT STOP/CUT USE

Which of these have you tried to cut down on or stop taking more than once?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	0.6	21	1	YES
76.1	2.0	67	2	NO
	97.0	3,279	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1651-1652

AK4B7 SEDATIVES/TRANQUILIZERS: RECENCY

When was the last time you tried to cut down on or stop taking sedatives or tranquilizers when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.0	0.5	17	2	WITHIN THE PAST 12 MONTHS
19.0	0.1	4	3	MORE THAN ONE YEAR AGO
	98.9	3,346	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1653-1654

AK4B7_M**MONTHS AGO LAST TRIED TO CUT SEDATIVES**

When was the last time you tried to cut down on or stop taking (CATEGORY) when you were taking it on your own? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	0.2	8	1	
23.8	0.1	5	2	
4.8	0.0	1	4	
14.3	0.1	3	6	
4.8	0.0	1	9	
4.8	0.0	1	10	
4.8	0.0	1	13	
4.8	0.0	1	24	
	98.9	3,346	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2693-2694

AK4A8**AMPHETAMINES/STIMULANTS: NOT STOP/CUT USE**

Which of these have you tried to cut down on or stop taking more than once?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.6	3.7	126	1	YES
49.4	3.6	123	2	NO
	92.1	3,114	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1655-1656

AK4B8 **AMPHETAMINES/STIMULANTS: RECENCY**

When was the last time you tried to cut down on or stop taking amphetamines or other stimulants when you were taking it on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	3.6	121	2	WITHIN THE PAST 12 MONTHS
3.2	0.1	4	3	MORE THAN ONE YEAR AGO
	95.7	3,237	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1657-1658

AK4B8_M **MONTHS AGO LAST TRIED TO CUT STIMULANTS**

When was the last time you tried to cut down on or stop taking (CATEGORY) when you were taking it on your own? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	2.0	69	1	
11.4	0.4	14	2	
10.6	0.4	13	3	
2.4	0.1	3	4	
1.6	0.1	2	5	
8.1	0.3	10	6	
3.3	0.1	4	7	
2.4	0.1	3	8	
0.8	0.0	1	9	
0.8	0.0	1	12	
0.8	0.0	1	19	
0.8	0.0	1	22	
0.8	0.0	1	24	
	95.7	3,237	-9	LEGITIMATE NONRESPONSE
	0.7	22	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2695-2696

AK5**DESIRE FOR ALCOHOL/DRUGS IRRESISTIBLE**

Have you ever felt such a strong desire or urge to use alcohol or (this drug/any of these drugs) that you could not resist it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	45.5	1,539	1	YES
52.7	50.7	1,713	2	NO
	3.7	124	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1659-1660

AK6**NEED FOR ALCOHOL/DRUGS ALL COULD THINK OF**

Did you ever need alcohol or (this drug/any of these drugs) so badly that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	2.6	88	1	YES
94.4	44.0	1,489	2	NO
	45.1	1,524	-9	LEGITIMATE NONRESPONSE
	8.3	280	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1661-1662

AK56A1	ALCOHOL: DESIRE/NEED IRRESISTIBLE
---------------	--

Which of these did you need so badly that you couldn't think of anything else?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	16.9	570	1	YES
55.7	21.2	717	2	NO
	58.2	1,970	-9	LEGITIMATE NONRESPONSE
	3.7	124	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1663-1664

AK56B1	ALCOHOL: REGENCY
---------------	-------------------------

When was the last time you had such a need for alcohol that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	16.0	541	2	WITHIN THE PAST 12 MONTHS
4.8	0.8	27	3	MORE THAN ONE YEAR AGO
	79.4	2,686	-9	LEGITIMATE NONRESPONSE
	3.7	125	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1665-1666

AK56B1_M

MONTHS AGO LAST DESIRE FOR ALCOHOL

When was the last time you had such a need for (CATEGORY)
that you couldn't think of anything else? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.7	9.7	327	1	
15.1	2.5	83	2	
6.8	1.1	37	3	
4.6	0.7	25	4	
3.3	0.5	18	5	
2.6	0.4	14	6	
0.9	0.1	5	7	
0.9	0.1	5	8	
0.4	0.1	2	9	
1.3	0.2	7	10	
0.7	0.1	4	11	
0.2	0.0	1	13	
0.4	0.1	2	14	
0.4	0.1	2	15	
0.4	0.1	2	16	
0.2	0.0	1	17	
0.5	0.1	3	18	
0.2	0.0	1	20	
0.4	0.1	2	21	
0.4	0.1	2	25	
0.2	0.0	1	26	
0.2	0.0	1	27	
0.2	0.0	1	28	
0.2	0.0	1	35	
0.2	0.0	1	41	
	79.4	2,686	-9	LEGITIMATE NONRESPONSE
	4.4	148	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2697-2698

AK56A2 MARIJUANA/HASH/THC: DESIRE/NEED IRRESISTIBLE

Which of these did you need so badly that you couldn't think of anything else?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	35.9	1,215	1	YES
21.2	9.6	326	2	NO
	48.7	1,648	-9	LEGITIMATE NONRESPONSE
	5.7	192	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1667-1668

AK56B2 MARIJUANA/HASH/THC: RECENCY

When was the last time you had such a need for marijuana, hashish, or THC that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.8	35.1	1,188	2	WITHIN THE PAST 12 MONTHS
2.2	0.8	27	3	MORE THAN ONE YEAR AGO
	58.3	1,972	-9	LEGITIMATE NONRESPONSE
	5.7	193	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1669-1670

AK56B2_M

MONTHS AGO LAST DESIRE FOR MARIJUANA

When was the last time you had such a need for (CATEGORY)
that you couldn't think of anything else? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	23.6	799	1	
13.1	4.5	151	2	
5.7	2.0	66	3	
2.7	0.9	31	4	
2.2	0.7	25	5	
2.2	0.7	25	6	
1.0	0.4	12	7	
0.7	0.2	8	8	
0.6	0.2	7	9	
0.8	0.3	9	10	
0.3	0.1	4	11	
0.2	0.1	2	12	
0.3	0.1	3	13	
0.2	0.1	2	14	
0.1	0.0	1	15	
0.1	0.0	1	16	
0.1	0.0	1	17	
0.2	0.1	2	18	
0.1	0.0	1	20	
0.2	0.1	2	26	
0.1	0.0	1	30	
0.1	0.0	1	38	
0.1	0.0	1	53	
	58.3	1,972	-9	LEGITIMATE NONRESPONSE
	7.5	255	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2699-2700

AK56A4 COCAINE/CRACK: DESIRE/NEED IRRESISTIBLE

Which of these did you need so badly that you couldn't think of anything else?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	10.0	339	1	YES
29.7	4.2	143	2	NO
	84.7	2,863	-9	LEGITIMATE NONRESPONSE
	1.1	36	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1671-1672

AK56B4 COCAINE/CRACK: REGENCY

When was the last time you had such a need for cocaine or crack that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	9.7	329	2	WITHIN THE PAST 12 MONTHS
2.9	0.3	10	3	MORE THAN ONE YEAR AGO
	88.9	3,005	-9	LEGITIMATE NONRESPONSE
	1.1	37	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1673-1674

AK56B4_M	MONTHS AGO LAST DESIRE FOR COCAINE/CRACK
-----------------	---

When was the last time you had such a need for (CATEGORY) that you couldn't think of anything else? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	5.7	192	1	
11.2	1.1	37	2	
7.6	0.7	25	3	
5.5	0.5	18	4	
3.9	0.4	13	5	
3.6	0.4	12	6	
1.2	0.1	4	7	
2.4	0.2	8	8	
1.8	0.2	6	9	
0.9	0.1	3	10	
0.9	0.1	3	11	
0.3	0.0	1	12	
0.3	0.0	1	13	
0.3	0.0	1	16	
0.3	0.0	1	17	
0.3	0.0	1	18	
0.3	0.0	1	22	
0.3	0.0	1	26	
0.3	0.0	1	27	
0.3	0.0	1	30	
	88.9	3,005	-9	LEGITIMATE NONRESPONSE
	1.4	47	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2701-2702

AK56A5	HEROIN: DESIRE/NEED IRRESISTIBLE
---------------	---

Which of these did you need so badly that you couldn't think of anything else?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	2.5	84	1	YES
31.1	1.1	38	2	NO
	96.1	3,249	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1675-1676

AK56B5	HEROIN: REGENCY
---------------	------------------------

When was the last time you had such a need for heroin that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	2.4	81	2	WITHIN THE PAST 12 MONTHS
2.4	0.1	2	3	MORE THAN ONE YEAR AGO
	97.2	3,287	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1677-1678

AK56B5_M**MONTHS AGO LAST DESIRE FOR HEROIN**

When was the last time you had such a need for (CATEGORY)
that you couldn't think of anything else? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	1.4	46	1	
14.6	0.4	12	2	
3.7	0.1	3	3	
7.3	0.2	6	4	
3.7	0.1	3	5	
4.9	0.1	4	6	
2.4	0.1	2	8	
2.4	0.1	2	9	
1.2	0.0	1	10	
1.2	0.0	1	12	
1.2	0.0	1	15	
1.2	0.0	1	16	
	97.2	3,287	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2703-2704

AK56A6**NARCOTICS/OPIATES: DESIRE/NEED IRRESISTIBLE**

Which of these did you need so badly that you couldn't
think of anything else?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	1.0	34	1	YES
78.5	3.7	124	2	NO
	94.4	3,194	-9	LEGITIMATE NONRESPONSE
	0.9	30	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1679-1680

AK56B6 NARCOTICS/OPIATES: RECENCY

When was the last time you had such a need for narcotics or opiates that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.3	0.9	29	2	WITHIN THE PAST 12 MONTHS
14.7	0.1	5	3	MORE THAN ONE YEAR AGO
	98.1	3,318	-9	LEGITIMATE NONRESPONSE
	0.9	30	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1681-1682

AK56B6_M MONTHS AGO LAST DESIRE FOR NARCOTICS

When was the last time you had such a need for (CATEGORY) that you couldn't think of anything else? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	0.5	18	1	
11.8	0.1	4	2	
2.9	0.0	1	3	
2.9	0.0	1	5	
8.8	0.1	3	6	
2.9	0.0	1	7	
2.9	0.0	1	10	
5.9	0.1	2	11	
2.9	0.0	1	15	
2.9	0.0	1	24	
2.9	0.0	1	187	
	98.1	3,318	-9	LEGITIMATE NONRESPONSE
	0.9	30	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2705-2707

AK56A7**SEDATIVES/TRANQUILIZERS: DESIRE/NEEDS IRRESISTIBLE**

Which of these did you need so badly that you couldn't think of anything else?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	0.8	28	1	YES
76.7	2.7	92	2	NO
	95.9	3,242	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1683-1684

AK56B7**SEDATIVES/TRANQUILIZERS: RECENCY**

When was the last time you had such a need for sedatives or tranquilizers that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	0.7	25	2	WITHIN THE PAST 12 MONTHS
10.7	0.1	3	3	MORE THAN ONE YEAR AGO
	98.6	3,334	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1685-1686

AK56B7_M MONTHS AGO LAST DESIRE FOR SEDATIVES

When was the last time you had such a need for (CATEGORY) that you couldn't think of anything else? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	0.5	17	1	
11.1	0.1	3	2	
3.7	0.0	1	3	
3.7	0.0	1	5	
7.4	0.1	2	6	
3.7	0.0	1	10	
3.7	0.0	1	11	
3.7	0.0	1	36	
	98.6	3,334	-9	LEGITIMATE NONRESPONSE
	0.6	21	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2708-2709

AK56A8 AMPHETAMINES/STIMULANTS: DESIRE/NEED IRRESISTIBLE

Which of these did you need so badly that you couldn't think of anything else?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	5.3	178	1	YES
42.2	3.8	130	2	NO
	90.4	3,057	-9	LEGITIMATE NONRESPONSE
	0.5	17	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1687-1688

AK56B8	AMPHETAMINES/STIMULANTS: RECENCY
---------------	---

When was the last time you had such a need for amphetamines or other stimulants that you couldn't think of anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	5.1	173	2	WITHIN THE PAST 12 MONTHS
2.3	0.1	4	3	MORE THAN ONE YEAR AGO
	94.2	3,187	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1689-1690

AK56B8_M	MONTHS AGO LAST DESIRE FOR STIMULANTS
-----------------	--

When was the last time you had such a need for (CATEGORY) that you couldn't think of anything else? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	3.0	103	1	
12.5	0.6	21	2	
7.1	0.4	12	3	
3.6	0.2	6	4	
3.6	0.2	6	5	
3.0	0.1	5	6	
3.0	0.1	5	7	
1.8	0.1	3	8	
1.8	0.1	3	9	
0.6	0.0	1	10	
0.6	0.0	1	13	
0.6	0.0	1	40	
0.6	0.0	1	133	
	94.2	3,187	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2710-2712

AK7 NEED MORE ALCOHOL/DRUGS FOR SAME AFFECT

Did you ever find that you began to need much more alcohol or (this drug/any of these drugs) than usual to get the same effect?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.3	49.4	1,671	1	YES
48.7	46.9	1,585	2	NO
	3.7	124	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1691-1692

AK8 SAME AMOUNT ALCOHOL/DRUGS HAD LESS EFFECT

Did you ever find that the same amount of alcohol or (this drug/any of these drugs) had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	5.9	201	1	YES
86.4	37.9	1,282	2	NO
	48.6	1,644	-9	LEGITIMATE NONRESPONSE
	7.5	252	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1693-1694

AK78A1	ALCOHOL: NEED MORE/LESS EFFECT
---------------	---------------------------------------

Which of these gave you less effect after using the same amount as before?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.5	23.2	786	1	YES
47.5	21.0	710	2	NO
	52.8	1,785	-9	LEGITIMATE NONRESPONSE
	3.0	100	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1695-1696

AK78B1	ALCOHOL: REGENCY
---------------	-------------------------

When was the last time you found that the same amount of alcohol had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	21.2	718	2	WITHIN THE PAST 12 MONTHS
8.2	1.9	64	3	MORE THAN ONE YEAR AGO
	73.8	2,495	-9	LEGITIMATE NONRESPONSE
	3.1	104	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1697-1698

AK78B1_M MONTHS AGO MORE TO GET EFFECT: ALCOHOL

When was the last time you found that the same amount of (CATEGORY) had less effect on you than before? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	10.1	342	1	
15.8	3.6	122	2	
8.3	1.9	64	3	
5.2	1.2	40	4	
4.5	1.0	35	5	
6.4	1.4	49	6	
2.3	0.5	18	7	
1.0	0.2	8	8	
1.9	0.4	15	9	
2.3	0.5	18	10	
0.6	0.1	5	11	
1.0	0.2	8	12	
0.8	0.2	6	13	
0.4	0.1	3	14	
0.5	0.1	4	15	
0.6	0.1	5	16	
0.8	0.2	6	17	
0.5	0.1	4	18	
0.3	0.1	2	19	
0.1	0.0	1	20	
0.1	0.0	1	21	
0.1	0.0	1	22	
0.1	0.0	1	23	
0.1	0.0	1	24	
0.4	0.1	3	25	
0.1	0.0	1	26	
0.3	0.1	2	27	
0.1	0.0	1	30	
0.1	0.0	1	31	
0.1	0.0	1	36	
0.1	0.0	1	50	
0.1	0.0	1	52	
	73.8	2,495	-9	LEGITIMATE NONRESPONSE
	3.5	117	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2713-2714

AK78A2**MARIJUANA/HASH/THC: NEED MORE/LESS EFFECT**

Which of these gave you less effect after using the same amount as before?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.6	43.6	1,473	1	YES
17.4	9.2	311	2	NO
	43.0	1,454	-9	LEGITIMATE NONRESPONSE
	4.2	143	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1699-1700

AK78B2**MARIJUANA/HASH/THC: RECENCY**

When was the last time you found that the same amount of marijuana, hashish, or THC had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	40.4	1,368	2	WITHIN THE PAST 12 MONTHS
7.0	3.0	103	3	MORE THAN ONE YEAR AGO
	52.2	1,765	-9	LEGITIMATE NONRESPONSE
	4.3	144	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1701-1702

AK78B2_M MONTHS AGO MORE TO GET EFFECT: MARIJUANA

When was the last time you found that the same amount of (CATEGORY) had less effect on you than before? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	23.0	777	1	
13.7	5.8	195	2	
7.2	3.0	103	3	
4.0	1.7	57	4	
3.9	1.6	55	5	
4.2	1.8	60	6	
1.4	0.6	20	7	
1.1	0.5	16	8	
1.1	0.5	16	9	
2.2	0.9	31	10	
1.2	0.5	17	11	
0.6	0.2	8	12	
0.6	0.2	8	13	
0.4	0.1	5	14	
0.6	0.2	8	15	
0.6	0.3	9	16	
0.6	0.2	8	17	
0.2	0.1	3	18	
0.3	0.1	4	19	
0.4	0.2	6	20	
0.1	0.1	2	21	
0.1	0.1	2	22	
0.1	0.1	2	25	
0.1	0.1	2	26	
0.3	0.1	4	27	
0.1	0.1	2	28	
0.1	0.0	1	38	
0.1	0.0	1	39	
0.1	0.0	1	42	
0.1	0.0	1	48	
0.1	0.0	1	185	
	52.2	1,765	-9	LEGITIMATE NONRESPONSE
	5.7	192	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2715-2717

AK78A4**COCAINE/CRACK: NEED MORE/LESS EFFECT**

Which of these gave you less effect after using the same amount as before?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	9.0	306	1	YES
41.4	6.4	216	2	NO
	83.7	2,830	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1703-1704

AK78B4**COCAINE/CRACK: RECENCY**

When was the last time you found that the same amount of cocaine or crack had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	8.6	290	2	WITHIN THE PAST 12 MONTHS
6.8	0.6	21	3	MORE THAN ONE YEAR AGO
	89.9	3,041	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1705-1706

AK78B4_M	MONTHS AGO MORE TO GET EFFECT: COCAINE
-----------------	---

When was the last time you found that the same amount of (CATEGORY) had less effect on you than before? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	4.7	158	1	
9.2	0.8	28	2	
8.2	0.7	25	3	
7.5	0.7	23	4	
3.3	0.3	10	5	
4.9	0.4	15	6	
1.6	0.1	5	7	
3.3	0.3	10	8	
2.6	0.2	8	9	
1.3	0.1	4	10	
1.0	0.1	3	11	
0.3	0.0	1	12	
0.7	0.1	2	13	
0.3	0.0	1	14	
0.3	0.0	1	15	
0.7	0.1	2	16	
0.3	0.0	1	18	
0.3	0.0	1	19	
0.3	0.0	1	21	
0.3	0.0	1	25	
0.7	0.1	2	27	
0.7	0.1	2	28	
0.3	0.0	1	40	
	89.9	3,041	-9	LEGITIMATE NONRESPONSE
	1.1	36	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2718-2719

AK78A5**HEROIN: NEED MORE/LESS EFFECT**

Which of these gave you less effect after using the same amount as before?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	2.2	76	1	YES
42.9	1.7	57	2	NO
	95.6	3,234	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1707-1708

AK78B5**HEROIN: REGENCY**

When was the last time you found that the same amount of heroin had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	2.0	69	2	WITHIN THE PAST 12 MONTHS
8.0	0.2	6	3	MORE THAN ONE YEAR AGO
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1709-1710

AK78B5_M MONTHS AGO MORE TO GET EFFECT: HEROIN

When was the last time you found that the same amount of (CATEGORY) had less effect on you than before? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	1.0	35	1	
9.6	0.2	7	2	
8.2	0.2	6	3	
5.5	0.1	4	4	
5.5	0.1	4	5	
5.5	0.1	4	6	
1.4	0.0	1	7	
4.1	0.1	3	8	
4.1	0.1	3	9	
2.7	0.1	2	10	
1.4	0.0	1	13	
1.4	0.0	1	15	
1.4	0.0	1	16	
1.4	0.0	1	18	
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2720-2721

AK78A6 NARCOTICS/OPIATES: NEED MORE/LESS EFFECT

Which of these gave you less effect after using the same amount as before?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	1.1	38	1	YES
80.9	4.8	161	2	NO
	93.2	3,153	-9	LEGITIMATE NONRESPONSE
	0.9	30	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1711-1712

AK78B6	NARCOTICS/OPIATES: RECENCY
---------------	-----------------------------------

When was the last time you found that the same amount of narcotics or opiates had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	0.9	32	2	WITHIN THE PAST 12 MONTHS
15.8	0.2	6	3	MORE THAN ONE YEAR AGO
	98.0	3,314	-9	LEGITIMATE NONRESPONSE
	0.9	30	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1713-1714

AK78B6_M	MONTHS AGO MORE TO GET EFFECT: NARCOTICS
-----------------	---

When was the last time you found that the same amount of (CATEGORY) had less effect on you than before? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.7	0.5	17	1	
13.2	0.1	5	2	
5.3	0.1	2	3	
5.3	0.1	2	5	
10.5	0.1	4	6	
2.6	0.0	1	7	
2.6	0.0	1	8	
2.6	0.0	1	10	
2.6	0.0	1	11	
2.6	0.0	1	16	
2.6	0.0	1	17	
2.6	0.0	1	24	
2.6	0.0	1	55	
	98.0	3,314	-9	LEGITIMATE NONRESPONSE
	0.9	30	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2722-2723

AK78B7_M**MONTHS AGO MORE TO GET EFFECT: SEDATIVES**

When was the last time you found that the same amount of
(CATEGORY) had less effect on you than before? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	15	1	
13.3	0.1	4	2	
10.0	0.1	3	3	
6.7	0.1	2	5	
10.0	0.1	3	6	
3.3	0.0	1	9	
3.3	0.0	1	10	
3.3	0.0	1	36	
	98.6	3,334	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2724-2725

AK78A8**AMPHETAMINES/STIMULANTS: NEED MORE/LESS EFFECT**

Which of these gave you less effect after using the same
amount as before?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	4.6	154	1	YES
51.3	4.8	162	2	NO
	90.1	3,046	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1719-1720

AK78B8

AMPHETAMINES/STIMULANTS: RECENCY

When was the last time you found that the same amount of amphetamines or other stimulants had less effect on you than before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	4.3	144	2	WITHIN THE PAST 12 MONTHS
6.5	0.3	10	3	MORE THAN ONE YEAR AGO
	94.9	3,208	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1721-1722

AK78B8_M

MONTHS AGO MORE TO GET EFFECT: STIMULANTS

When was the last time you found that the same amount of
(CATEGORY) had less effect on you than before? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	2.2	76	1	
13.9	0.6	21	2	
6.0	0.3	9	3	
4.6	0.2	7	4	
6.6	0.3	10	5	
6.0	0.3	9	6	
2.6	0.1	4	7	
1.3	0.1	2	8	
0.7	0.0	1	9	
2.0	0.1	3	10	
0.7	0.0	1	11	
0.7	0.0	1	13	
0.7	0.0	1	15	
0.7	0.0	1	16	
0.7	0.0	1	17	
0.7	0.0	1	19	
0.7	0.0	1	20	
0.7	0.0	1	25	
0.7	0.0	1	55	
	94.9	3,208	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2726-2727

AK9 ALCOHOL/DRUGS INCREASE CHANCE OF INJURY

Have you often been under the effects of alcohol or (this drug/any of these drugs) or feeling (its/their) aftereffects in a situation that increased your chances of getting hurt - like driving a car or boat; using knives, machinery, or guns; crossing against heavy traffic; or climbing or swimming?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	41.5	1,404	1	YES
56.7	54.5	1,842	2	NO
	4.0	135	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1723-1724

AK9A1 ALCOHOL: INCREASE CHANCE OF INJURY

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	25.8	871	1	YES
26.2	9.1	309	2	NO
	63.9	2,161	-9	LEGITIMATE NONRESPONSE
	1.2	39	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1725-1726

AK9B1**ALCOHOL: RECENCY**

When was the last time you used alcohol in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	23.7	803	2	WITHIN THE PAST 12 MONTHS
7.7	2.0	67	3	MORE THAN ONE YEAR AGO
	73.0	2,469	-9	LEGITIMATE NONRESPONSE
	1.2	41	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1727-1728

AK9B1_M**MONTHS AGO CHANCE OF INJURY: ALCOHOL**

When was the last time you used (CATEGORY) in any of these situations? (recode)

3,382 cases (Range of valid codes: 1-158)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2728-2730

AK9A2 **MARIJUANA/HASH/THC: INCREASE CHANCE/INJURY**

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	34.4	1,165	1	YES
15.3	6.2	211	2	NO
	58.4	1,976	-9	LEGITIMATE NONRESPONSE
	0.8	28	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1729-1730

AK9B2 **MARIJUANA/HASH/THC: RECENCY**

When was the last time you used marijuana, hashish, or THC in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	33.1	1,119	2	WITHIN THE PAST 12 MONTHS
3.9	1.3	45	3	MORE THAN ONE YEAR AGO
	64.6	2,185	-9	LEGITIMATE NONRESPONSE
	0.9	31	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1731-1732

AK9B2_M	MONTHS AGO CHANCE OF INJURY: MARIJUANA
----------------	---

When was the last time you used (CATEGORY) in any of these situations? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	19.0	641	1	
14.5	4.9	165	2	
7.2	2.4	82	3	
4.7	1.6	54	4	
3.8	1.3	43	5	
4.1	1.4	47	6	
1.1	0.4	13	7	
1.8	0.6	20	8	
1.1	0.4	13	9	
1.1	0.4	12	10	
0.6	0.2	7	11	
0.6	0.2	7	12	
0.5	0.2	6	13	
0.4	0.1	4	14	
0.4	0.1	4	15	
0.4	0.1	4	17	
0.3	0.1	3	18	
0.2	0.1	2	19	
0.1	0.0	1	22	
0.1	0.0	1	23	
0.1	0.0	1	24	
0.2	0.1	2	26	
0.2	0.1	2	27	
0.2	0.1	2	29	
0.1	0.0	1	30	
0.1	0.0	1	37	
	64.6	2,185	-9	LEGITIMATE NONRESPONSE
	1.7	59	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2731-2732

AK9A4 COCAINE/CRACK: INCREASE CHANCE OF INJURY

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	7.8	265	1	YES
32.1	3.7	125	2	NO
	88.0	2,977	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1733-1734

AK9B4 COCAINE/CRACK: RECENCY

When was the last time you used cocaine or crack in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	7.5	252	2	WITHIN THE PAST 12 MONTHS
4.2	0.3	11	3	MORE THAN ONE YEAR AGO
	91.7	3,102	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1735-1736

AK9B4_M

MONTHS AGO CHANCE OF INJURY: COCAINE

When was the last time you used (CATEGORY) in any of these situations? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	3.8	130	1	
14.1	1.1	36	2	
9.0	0.7	23	3	
7.8	0.6	20	4	
3.5	0.3	9	5	
4.3	0.3	11	6	
0.4	0.0	1	7	
1.2	0.1	3	8	
2.0	0.1	5	9	
2.7	0.2	7	10	
0.4	0.0	1	11	
0.4	0.0	1	12	
0.4	0.0	1	14	
0.4	0.0	1	18	
0.4	0.0	1	19	
0.4	0.0	1	22	
0.8	0.1	2	27	
0.4	0.0	1	28	
0.4	0.0	1	40	
	91.7	3,102	-9	LEGITIMATE NONRESPONSE
	0.7	25	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2733-2734

AK9A5 HEROIN: INCREASE CHANCE OF INJURY

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.7	1.6	54	1	YES
39.3	1.0	35	2	NO
	97.2	3,286	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1737-1738

AK9B5 HEROIN: REGENCY

When was the last time you used heroin in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	1.5	50	2	WITHIN THE PAST 12 MONTHS
7.4	0.1	4	3	MORE THAN ONE YEAR AGO
	98.2	3,321	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1739-1740

AK9B5_M	MONTHS AGO CHANCE OF INJURY: HEROIN
----------------	--

When was the last time you used (CATEGORY) in any of these situations? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	0.7	22	1	
19.6	0.3	10	2	
5.9	0.1	3	3	
3.9	0.1	2	4	
7.8	0.1	4	5	
5.9	0.1	3	6	
2.0	0.0	1	8	
3.9	0.1	2	9	
2.0	0.0	1	10	
2.0	0.0	1	14	
2.0	0.0	1	16	
2.0	0.0	1	28	
	98.2	3,321	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2735-2736

AK9A6	NARCOTICS/OPIATES: INCREASE CHANCE INJURY
--------------	--

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	1.4	48	1	YES
68.6	3.1	105	2	NO
	94.7	3,202	-9	LEGITIMATE NONRESPONSE
	0.8	26	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1741-1742

AK9B6 NARCOTICS/OPIATES: RECENCY

When was the last time you used narcotics or opiates in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.6	1.1	38	2	WITHIN THE PAST 12 MONTHS
17.4	0.2	8	3	MORE THAN ONE YEAR AGO
	97.8	3,307	-9	LEGITIMATE NONRESPONSE
	0.8	28	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1743-1744

AK9B6_M MONTHS AGO CHANCE OF INJURY: NARCOTICS

When was the last time you used (CATEGORY) in any of these situations? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.3	0.6	19	1	
13.0	0.2	6	2	
8.7	0.1	4	3	
2.2	0.0	1	4	
10.9	0.1	5	5	
2.2	0.0	1	6	
2.2	0.0	1	8	
2.2	0.0	1	11	
4.3	0.1	2	12	
2.2	0.0	1	17	
2.2	0.0	1	21	
2.2	0.0	1	24	
2.2	0.0	1	26	
2.2	0.0	1	55	
2.2	0.0	1	187	
	97.8	3,307	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2737-2739

AK9A7**SEDATIVES/TRANQUILIZERS: INCREASE CHANCE INJURY**

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	1.1	38	1	YES
66.4	2.2	75	2	NO
	96.4	3,259	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1745-1746

AK9B7**SEDATIVES/TRANQUILIZERS: RECENCY**

When was the last time you used sedatives or tranquilizers in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	0.9	32	2	WITHIN THE PAST 12 MONTHS
17.9	0.2	7	3	MORE THAN ONE YEAR AGO
	98.5	3,332	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1747-1748

AK9B7_M MONTHS AGO CHANCE OF INJURY: SEDATIVES

When was the last time you used (CATEGORY) in any of these situations? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	0.4	15	1	
18.9	0.2	7	2	
5.4	0.1	2	3	
2.7	0.0	1	4	
5.4	0.1	2	5	
5.4	0.1	2	6	
5.4	0.1	2	10	
2.7	0.0	1	11	
5.4	0.1	2	12	
2.7	0.0	1	13	
2.7	0.0	1	21	
2.7	0.0	1	24	
	98.5	3,332	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2740-2741

AK9A8 AMPHETAMINES/STIMULANTS: INCREASE CHANCE INJURY

Which of these have you often been under the effects of in a situation that increased your chances of getting hurt?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	3.8	129	1	YES
45.8	3.2	109	2	NO
	92.5	3,128	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1749-1750

AK9B8

AMPHETAMINES/STIMULANTS: RECENCY

When was the last time you used amphetamines or other stimulants in any of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	3.5	117	2	WITHIN THE PAST 12 MONTHS
9.3	0.4	12	3	MORE THAN ONE YEAR AGO
	95.7	3,237	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1751-1752

AK9B8_M	MONTHS AGO CHANCE OF INJURY: STIMULANTS
----------------	--

When was the last time you used (CATEGORY) in any of these situations? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	1.8	62	1	
12.7	0.5	16	2	
6.3	0.2	8	3	
4.0	0.1	5	4	
6.3	0.2	8	5	
6.3	0.2	8	6	
1.6	0.1	2	7	
2.4	0.1	3	8	
0.8	0.0	1	9	
1.6	0.1	2	10	
0.8	0.0	1	11	
0.8	0.0	1	12	
0.8	0.0	1	13	
1.6	0.1	2	16	
0.8	0.0	1	17	
1.6	0.1	2	19	
0.8	0.0	1	22	
0.8	0.0	1	24	
0.8	0.0	1	31	
	95.7	3,237	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2742-2743

AK10**DRINKING CAUSE SEVERAL HEATH PROBLEMS**

Several health problems can result from drinking alcohol. Because of drinking, did you ever have liver disease or yellow jaundice; stomach disease or vomit blood; have your feet tingle or feel numb; have memory problems even when you weren't drinking; or have pancreatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	7.8	263	1	YES
91.9	88.4	2,989	2	NO
	3.6	123	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1753-1754

AK10A**CONTINUE DRINKING AFTER AWARE HEALTH PROBLEMS**

Did you continue to drink after you realized that it was causing you any of these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.8	6.4	216	1	YES
18.2	1.4	48	2	NO
	88.3	2,987	-9	LEGITIMATE NONRESPONSE
	3.8	129	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1755-1756

AK10B DRINK > ONCE WHEN AWARE OF HEALTH PROBLEMS

Did you drink alcohol on more than one occasion after you realized it was causing you these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	6.3	212	1	YES
3.6	0.2	8	2	NO
	89.6	3,031	-9	LEGITIMATE NONRESPONSE
	3.8	129	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1757-1758

AK10C LAST TIME HAD HEALTH PROBLEMS DUE TO DRINKING

When was the last time you had health problems as a result of drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	6.7	228	2	WITH THE PAST YEAR
12.0	0.9	31	3	MORE THAN 1 YEAR AGO
	88.4	2,989	-9	LEGITIMATE NONRESPONSE
	3.8	129	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1759-1760

AK10C_M

MONTHS AGO HAD HEALTH PROBLEMS DUE TO DRINKING

When was the last time you had health problems as a result
of drinking? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	2.9	99	1	
13.0	0.9	32	2	
8.5	0.6	21	3	
8.1	0.6	20	4	
3.3	0.2	8	5	
8.9	0.7	22	6	
1.2	0.1	3	7	
3.7	0.3	9	8	
1.2	0.1	3	9	
0.8	0.1	2	10	
1.2	0.1	3	11	
1.2	0.1	3	12	
0.8	0.1	2	13	
0.4	0.0	1	14	
0.8	0.1	2	15	
1.6	0.1	4	16	
0.8	0.1	2	17	
0.8	0.1	2	18	
0.8	0.1	2	23	
0.8	0.1	2	26	
0.4	0.0	1	28	
0.4	0.0	1	41	
0.4	0.0	1	48	
0.4	0.0	1	52	
	88.4	2,989	-9	LEGITIMATE NONRESPONSE
	4.3	147	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2744-2745

AK11 **AWARE SERIOUS ILLNESS/CONTINUED DRINKING**

Have you ever continued to drink when you knew you had any (other) serious physical illness that might be made worse by drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	5.8	197	1	YES
93.9	90.1	3,048	2	NO
	3.8	130	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1761-1762

AK12 **DRANK/TOOK MEDICATION/KNEW DANGEROUS MIX**

Have you ever continued to drink while taking medication you knew was dangerous to mix with alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	12.4	421	1	YES
87.0	83.0	2,808	2	NO
	4.3	147	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1763-1764

AK13**HEALTH PROBLEMS RESULTING FROM DRUG USE**

Have you ever had any health problems like an accidental overdose, a persistent cough, a seizure (fit), an infection, hepatitis, abscesses, a cut, sprain, or other injury, or AIDS as a result of using (this drug/any of these drugs) (excluding alcohol)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	11.9	402	1	YES
87.6	84.2	2,847	2	NO
	3.8	130	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1765-1766

AK13_1A**MARIJUANA/HASH/THC: CAUSED HEALTH PROBLEMS**

Which of these drugs caused you any health problems?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	8.9	300	1	YES
25.6	3.0	103	2	NO
	87.3	2,952	-9	LEGITIMATE NONRESPONSE
	0.8	26	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1767-1768

AK13_1D

MARIJUANA/HASH/THC: LAST TIME HEALTH PROBLEM

When was the last time you had health problems as a result of using marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	7.9	266	2	WITHIN THE PAST 12 MONTHS
9.2	0.8	27	3	MORE THAN 1 YEAR
	90.3	3,055	-9	LEGITIMATE NONRESPONSE
	1.0	33	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1773-1774

AK13_1DR	MONTHS AGO HEALTH PROBLEMS FROM MARIJUANA
-----------------	--

When was the last time you had health problems as a result of using (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	3.4	116	1	
14.0	1.2	39	2	
9.4	0.8	26	3	
5.8	0.5	16	4	
3.6	0.3	10	5	
5.0	0.4	14	6	
2.9	0.2	8	7	
4.3	0.4	12	8	
1.4	0.1	4	9	
2.9	0.2	8	10	
1.4	0.1	4	11	
1.4	0.1	4	12	
0.7	0.1	2	13	
1.1	0.1	3	14	
1.1	0.1	3	15	
0.4	0.0	1	16	
0.4	0.0	1	18	
0.4	0.0	1	19	
0.4	0.0	1	20	
0.7	0.1	2	21	
0.7	0.1	2	24	
0.4	0.0	1	26	
	90.3	3,055	-9	LEGITIMATE NONRESPONSE
	1.4	49	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2746-2747

AK13_3A**COCAINE/CRACK: CAUSED HEALTH PROBLEMS**

Which of these drugs caused you any health problems?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	2.3	78	1	YES
40.9	1.6	54	2	NO
	95.7	3,237	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1775-1776

AK13_3B**COCAINE/CRACK: REALIZED CAUSE HEALTH PROBLEM**

Did you continue to use cocaine or crack after you realized it was causing you any of these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	2.1	70	1	YES
9.1	0.2	7	2	NO
	97.3	3,290	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1777-1778

AK13_3C COCAINE/CRACK: USE >1/REALIZED HEALTH PROBLEM

Did you use cocaine or crack on more than one occasion after you realized it was causing you any health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	2.1	70	1	YES
5.4	0.1	4	2	NO
	97.4	3,293	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1779-1780

AK13_3D COCAINE/CRACK: LAST TIME HAD HEALTH PROBLEM

When was the last time you had health problems as a result of using cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.1	2.1	70	2	WITHIN THE PAST 12 MONTHS
7.9	0.2	6	3	MORE THAN 1 YEAR
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1781-1782

AK13_3DR**MONTHS AGO HEALTH PROBLEMS FROM COCAINE/CRACK**

When was the last time you had health problems as a result of using (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.8	27	1	
12.5	0.3	9	2	
13.9	0.3	10	3	
8.3	0.2	6	4	
5.6	0.1	4	5	
2.8	0.1	2	6	
5.6	0.1	4	7	
2.8	0.1	2	8	
2.8	0.1	2	9	
2.8	0.1	2	10	
1.4	0.0	1	12	
2.8	0.1	2	13	
1.4	0.0	1	23	
	97.3	3,291	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2748-2749

AK13_4A**HEROIN: CAUSED HEALTH PROBLEMS**

Which of these drugs caused you any health problems?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	0.8	26	1	YES
46.9	0.7	23	2	NO
	98.4	3,329	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1783-1784

AK13_4D**HEROIN: LAST TIME HAD HEALTH PROBLEMS**

When was the last time you had health problems as a result of using heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	0.7	23	2	WITHIN THE PAST 12 MONTHS
8.0	0.1	2	3	MORE THAN 1 YEAR
	99.1	3,353	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1789-1790

AK13_4DR**MONTHS AGO HEALTH PROBLEMS FROM HEROIN**

When was the last time you had health problems as a result of using (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	0.1	5	1	
8.3	0.1	2	2	
12.5	0.1	3	3	
20.8	0.1	5	4	
8.3	0.1	2	5	
4.2	0.0	1	6	
8.3	0.1	2	8	
4.2	0.0	1	9	
4.2	0.0	1	11	
4.2	0.0	1	15	
4.2	0.0	1	28	
	99.1	3,353	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2750-2751

AK13_5C**NARCOTICS/OPIATES: USE >1/REALIZED PROBLEM**

Did you use other narcotics or opiates on more than one occasion after you realized it was causing you any health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.2	6	1	YES
14.3	0.0	1	2	NO
	99.4	3,362	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1795-1796

AK13_5D**NARCOTICS/OPIATES: LAST TIME HEALTH PROBLEM**

When was the last time you had health problems as a result of using other narcotics or opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	6	2	WITHIN THE PAST 12 MONTHS
33.3	0.1	3	3	MORE THAN 1 YEAR
	99.4	3,361	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1797-1798

AK13_5DR	MONTHS AGO HEALTH PROBLEMS FROM NARCOTICS
-----------------	--

When was the last time you had health problems as a result of using (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.1	3	1	
12.5	0.0	1	2	
12.5	0.0	1	6	
12.5	0.0	1	8	
12.5	0.0	1	10	
12.5	0.0	1	24	
	99.4	3,361	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2752-2753

AK13_6A	SEDATIVES/TRANQUILIZERS: CAUSED HEALTH PROBLEMS
----------------	--

Which of these drugs caused you any health problems?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	0.4	15	1	YES
69.4	1.0	34	2	NO
	98.3	3,323	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1799-1800

AK13_6B**SEDATIVES/TRANQUILIZERS: REALIZED CAUSE HEALTH PROBLEM**

Did you continue to use sedatives or tranquilizers after you realized it was causing you any of these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.4	12	1	YES
14.3	0.1	2	2	NO
	99.3	3,358	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1801-1802

AK13_6C**SEDATIVES/TRANQUILIZERS: USE >1/REALIZED PROBLEM**

Did you use sedatives or tranquilizers on more than one occasion after you realized it was causing you any health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	0.4	12	1	YES
7.7	0.0	1	2	NO
	99.3	3,359	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1803-1804

AK13_7A**AMPHETAMINES/STIMULANTS: CAUSED HEALTH PROBLEMS**

Which of these drugs caused you any health problems?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	2.0	68	1	YES
47.3	1.8	61	2	NO
	96.0	3,246	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1807-1808

AK13_7B**AMPHETAMINES/STIMULANTS: REALIZED CAUSE HEALTH PROBLEM**

Did you continue to use amphetamines or other stimulants after you realized it was causing you any of these health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.4	1.7	56	1	YES
17.6	0.4	12	2	NO
	97.7	3,305	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1809-1810

AK13_7C AMPHETAMINES/STIMULANTS: USE >1/REALIZED PROBLEM

Did you use amphetamines or other stimulants on more than one occasion after you realized it was causing you any health problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	1.6	55	1	YES
14.1	0.3	9	2	NO
	97.8	3,307	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1811-1812

AK13_7D AMPHETAMINES/STIMULANTS: LAST TIME HEALTH PROBLEM

When was the last time you had health problems as a result of using amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	1.9	65	2	WITHIN THE PAST 12 MONTHS
4.4	0.1	3	3	MORE THAN 1 YEAR
	97.8	3,306	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1813-1814

AK13_7DR**MONTHS AGO HEALTH PROBLEMS FROM STIMULANTS**

When was the last time you had health problems as a result of using (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	0.7	25	1	
10.9	0.2	7	2	
4.7	0.1	3	3	
6.2	0.1	4	4	
10.9	0.2	7	5	
9.4	0.2	6	6	
3.1	0.1	2	7	
4.7	0.1	3	8	
1.6	0.0	1	9	
1.6	0.0	1	10	
3.1	0.1	2	11	
1.6	0.0	1	13	
1.6	0.0	1	16	
1.6	0.0	1	28	
	97.8	3,306	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2756-2757

AK14**ALCOHOL/DRUG USE CAUSE FAMILY/POLICE PROBLEMS**

Did alcohol or (this drug/any of these drugs) ever cause you considerable problems with your family or friends, at work, at school, or with the police?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	71.3	2,410	1	YES
25.7	24.7	835	2	NO
	4.0	136	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1815-1816

AK14_1A	ALCOHOL: CAUSED PROBLEMS W/FAMILY/POLICE
----------------	---

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	31.2	1,054	1	YES
42.4	22.9	775	2	NO
	42.9	1,451	-9	LEGITIMATE NONRESPONSE
	3.0	101	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1817-1818

AK14_1B	ALCOHOL: REALIZED CAUSED FAMILY PROBLEMS
----------------	---

Did you continue to use alcohol after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	28.9	979	1	YES
4.8	1.4	49	2	NO
	65.8	2,224	-9	LEGITIMATE NONRESPONSE
	3.8	129	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1819-1820

AK14_1C**ALCOHOL: LAST TIME CAUSED FAMILY PROBLEMS**

When was the last time alcohol caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	28.8	973	2	WITHIN THE PAST 12 MONTHS
7.2	2.2	75	3	MORE THAN 1 YEAR AGO
	65.7	2,223	-9	LEGITIMATE NONRESPONSE
	3.2	108	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1821-1822

AK14_1CR**MONTHS AGO CONSIDERABLE PROBLEMS: ALCOHOL**

When was the last time (CATEGORY) caused considerable problems like these? (recode)

3,382 cases (Range of valid codes: 1-50)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2758-2759

AK14_2A

MARIJUANA/HASH/THC: CAUSED PROBLEMS W/FAMILY

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	57.8	1,955	1	YES
15.8	10.8	366	2	NO
	29.7	1,003	-9	LEGITIMATE NONRESPONSE
	1.7	57	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1823-1824

AK14_2B	MARIJUANA/HASH/THC: REALIZED CAUSED FAMILY PROBLEM
----------------	---

Did you continue to use marijuana, hashish, or THC after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	54.3	1,835	1	YES
4.1	2.3	78	2	NO
	40.3	1,364	-9	LEGITIMATE NONRESPONSE
	3.0	102	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1825-1826

AK14_2C	MARIJUANA/HASH/THC: LAST CAUSE FAMILY PROBLEM
----------------	--

When was the last time marijuana, hashish, or THC caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	54.7	1,850	2	WITHIN THE PAST 12 MONTHS
4.8	2.8	94	3	MORE THAN 1 YEAR AGO
	40.4	1,367	-9	LEGITIMATE NONRESPONSE
	2.0	68	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1827-1828

AK14_2CR	MONTHS AGO CONSIDERABLE PROBLEMS: MARIJUANA
-----------------	--

When was the last time (CATEGORY) caused considerable problems like these? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.7	32.7	1,107	1	
13.3	7.4	251	2	
7.6	4.3	144	3	
4.2	2.4	80	4	
2.7	1.5	50	5	
3.5	2.0	66	6	
1.1	0.6	21	7	
1.3	0.7	25	8	
1.3	0.7	24	9	
1.5	0.9	29	10	
1.2	0.7	22	11	
0.3	0.1	5	12	
0.4	0.2	8	13	
0.3	0.2	6	14	
0.3	0.2	6	15	
0.2	0.1	3	16	
0.4	0.2	7	17	
0.4	0.2	8	18	
0.2	0.1	3	19	
0.2	0.1	3	20	
0.1	0.0	1	21	
0.2	0.1	4	24	
0.1	0.1	2	26	
0.1	0.0	1	27	
0.2	0.1	3	28	
0.1	0.1	2	29	
0.1	0.0	1	40	
0.1	0.0	1	49	
0.1	0.0	1	52	
0.1	0.0	1	55	
	40.4	1,367	-9	LEGITIMATE NONRESPONSE
	3.8	130	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2760-2761

AK14_4A**COCAINE/CRACK: CAUSED PROBLEMS W/FAMILY**

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	12.7	429	1	YES
30.5	5.6	188	2	NO
	81.1	2,744	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1829-1830

AK14_4B**COCAINE/CRACK: REALIZED CAUSED FAMILY PROBLEM**

Did you continue to use cocaine or crack after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	11.6	391	1	YES
7.1	0.9	30	2	NO
	86.6	2,930	-9	LEGITIMATE NONRESPONSE
	0.9	30	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1831-1832

AK14_4C	COCAINE/CRACK: LAST CAUSE FAMILY PROBLEMS
----------------	--

When was the last time cocaine or crack caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	11.9	404	2	WITHIN THE PAST 12 MONTHS
6.3	0.8	27	3	MORE THAN 1 YEAR AGO
	86.6	2,930	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1833-1834

AK14_4CR

MONTHS AGO CONSIDERABLE PROBLEMS: COCAINE

When was the last time (CATEGORY) caused considerable problems like these? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	6.4	218	1	
11.9	1.5	51	2	
7.7	1.0	33	3	
6.1	0.8	26	4	
4.7	0.6	20	5	
6.1	0.8	26	6	
0.9	0.1	4	7	
3.3	0.4	14	8	
1.4	0.2	6	9	
1.6	0.2	7	10	
0.7	0.1	3	11	
0.2	0.0	1	12	
0.7	0.1	3	13	
1.2	0.1	5	14	
0.5	0.1	2	16	
0.7	0.1	3	18	
0.2	0.0	1	21	
0.2	0.0	1	28	
0.2	0.0	1	30	
0.2	0.0	1	40	
0.2	0.0	1	55	
	86.6	2,930	-9	LEGITIMATE NONRESPONSE
	0.7	25	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2762-2763

AK14_5A

HEROIN: CAUSED PROBLEMS W/FAMILY/POLICE

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	2.5	85	1	YES
41.8	1.8	61	2	NO
	95.4	3,227	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1835-1836

AK14_5B

HEROIN: REALIZED CAUSED FAMILY PROBLEMS

Did you continue to use heroin after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	2.4	80	1	YES
2.4	0.1	2	2	NO
	97.2	3,288	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1837-1838

AK14_5C	HEROIN: LAST TIME CAUSED FAMILY PROBLEMS
----------------	---

When was the last time heroin caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	2.4	82	2	WITHIN THE PAST 12 MONTHS
2.4	0.1	2	3	MORE THAN 1 YEAR AGO
	97.2	3,288	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1839-1840

AK14_5CR	MONTHS AGO CONSIDERABLE PROBLEMS: HEROIN
-----------------	---

When was the last time (CATEGORY) caused considerable problems like these? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	1.2	41	1	
18.1	0.4	15	2	
4.8	0.1	4	3	
4.8	0.1	4	4	
4.8	0.1	4	5	
2.4	0.1	2	6	
1.2	0.0	1	7	
2.4	0.1	2	8	
6.0	0.1	5	9	
2.4	0.1	2	10	
1.2	0.0	1	11	
1.2	0.0	1	12	
1.2	0.0	1	16	
	97.2	3,288	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2764-2765

AK14_6A

NARCOTICS/OPIATES: CAUSED PROBLEMS W/FAMILY

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	1.7	59	1	YES
72.4	4.6	155	2	NO
	92.8	3,139	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1841-1842

AK14_6B

NARCOTICS/OPIATES: REALIZED CAUSED FAMILY PROBLEM

Did you continue to use narcotics or opiates after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	1.5	51	1	YES
10.5	0.2	6	2	NO
	97.4	3,293	-9	LEGITIMATE NONRESPONSE
	0.9	32	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1843-1844

AK14_6C**NARCOTICS/OPIATES: LAST CAUSE FAMILY PROBLEMS**

When was the last time narcotics or opiates caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	1.5	51	2	WITHIN THE PAST 12 MONTHS
13.6	0.2	8	3	MORE THAN 1 YEAR AGO
	97.4	3,294	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1845-1846

AK14_6CR**MONTHS AGO CONSIDERABLE PROBLEMS: NARCOTICS**

When was the last time (CATEGORY) caused considerable problems like these? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	0.8	27	1	
8.6	0.1	5	2	
8.6	0.1	5	3	
3.4	0.1	2	4	
5.2	0.1	3	5	
8.6	0.1	5	6	
1.7	0.0	1	7	
3.4	0.1	2	8	
1.7	0.0	1	9	
1.7	0.0	1	11	
1.7	0.0	1	13	
3.4	0.1	2	17	
1.7	0.0	1	19	
1.7	0.0	1	24	
1.7	0.0	1	25	
	97.4	3,294	-9	LEGITIMATE NONRESPONSE
	0.9	30	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2766-2767

AK14_7A SEDATIVES/TRANQUILIZERS: CAUSED PROBLEMS W/FAMILY

Which of these have caused you considerable problems with your family or friends, at work, at school, or with the police?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	1.1	38	1	YES
77.5	3.9	131	2	NO
	94.6	3,198	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1847-1848

AK14_7B SEDATIVES/TRANQUILIZERS: REALIZED CAUSED FAMILY PROBLEM

Did you continue to use sedatives or tranquilizers after you realized it was causing you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	0.9	32	1	YES
3.0	0.0	1	2	NO
	98.4	3,328	-9	LEGITIMATE NONRESPONSE
	0.6	21	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1849-1850

AK14_7C	SEDATIVES/TRANQUILIZERS : LAST CAUSE FAMILY PROBLEM
----------------	--

When was the last time sedatives or tranquilizers caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.2	1.0	34	2	WITHIN THE PAST 12 MONTHS
12.8	0.1	5	3	MORE THAN 1 YEAR AGO
	98.4	3,328	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1851-1852

AK14_7CR	MONTHS AGO CONSIDERABLE PROBLEMS: SEDATIVES
-----------------	--

When was the last time (CATEGORY) caused considerable problems like these? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	0.5	17	1	
20.5	0.2	8	2	
2.6	0.0	1	3	
10.3	0.1	4	5	
7.7	0.1	3	6	
2.6	0.0	1	7	
2.6	0.0	1	8	
2.6	0.0	1	10	
2.6	0.0	1	11	
2.6	0.0	1	13	
2.6	0.0	1	36	
	98.4	3,328	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2768-2769

AK14_8C	AMPHETAMINES/STIMULANTS: LAST CAUSE FAMILY PROBLEM
----------------	---

When was the last time amphetamines or stimulants caused considerable problems like these?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	5.9	200	2	WITHIN THE PAST 12 MONTHS
4.8	0.3	10	3	MORE THAN 1 YEAR AGO
	93.3	3,154	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1857-1858

AK14_8CR	MONTHS AGO CONSIDERABLE PROBLEMS: STIMULANTS
-----------------	---

When was the last time (CATEGORY) caused considerable problems like these? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.6	3.3	112	1	
14.1	0.9	29	2	
4.9	0.3	10	3	
4.4	0.3	9	4	
4.4	0.3	9	5	
6.8	0.4	14	6	
0.5	0.0	1	7	
2.4	0.1	5	8	
2.0	0.1	4	9	
1.5	0.1	3	10	
0.5	0.0	1	12	
0.5	0.0	1	13	
0.5	0.0	1	17	
1.0	0.1	2	19	
0.5	0.0	1	20	
0.5	0.0	1	25	
0.5	0.0	1	46	
0.5	0.0	1	133	
	93.3	3,154	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2770-2772

AK15_1B**ALCOHOL: REALIZED CAUSED EMOTIONAL PROBLEMS**

Did you continue to use alcohol after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	13.7	462	1	YES
3.5	0.5	17	2	NO
	84.1	2,843	-9	LEGITIMATE NONRESPONSE
	1.7	59	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1863-1864

AK15_1C**ALCOHOL: USE >1/REALIZED CAUSED EMOTIONAL PROBLEMS**

Did you use alcohol on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	13.6	460	1	YES
2.5	0.4	12	2	NO
	84.2	2,849	-9	LEGITIMATE NONRESPONSE
	1.8	60	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1865-1866

AK15_1D	ALCOHOL: LAST TIME HAD EMOTIONAL PROBLEMS
----------------	--

When was the last time alcohol caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	13.2	448	2	WITHIN THE PAST 12 MONTHS
5.3	0.7	25	3	MORE THAN 1 YEAR
	84.1	2,845	-9	LEGITIMATE NONRESPONSE
	1.9	63	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1867-1868

AK15_1DR

MONTHS AGO EMOTIONAL PROBLEMS: ALCOHOL

When was the last time (CATEGORY) caused you any emotional or psychological problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	6.6	223	1	
16.7	2.3	77	2	
8.2	1.1	38	3	
5.2	0.7	24	4	
4.1	0.6	19	5	
5.0	0.7	23	6	
2.8	0.4	13	7	
1.3	0.2	6	8	
0.9	0.1	4	9	
1.5	0.2	7	10	
1.7	0.2	8	11	
0.4	0.1	2	12	
0.7	0.1	3	13	
0.2	0.0	1	15	
0.7	0.1	3	16	
0.4	0.1	2	19	
0.2	0.0	1	20	
0.2	0.0	1	22	
0.2	0.0	1	25	
0.4	0.1	2	29	
0.4	0.1	2	30	
0.2	0.0	1	34	
	84.1	2,845	-9	LEGITIMATE NONRESPONSE
	2.2	76	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2773-2774

AK15_2C**MARIJUANA/HASH/THC: USE >1/REALIZED PROBLEM**

Did you use marijuana, hashish, or THC on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	26.1	883	1	YES
2.5	0.7	23	2	NO
	71.8	2,427	-9	LEGITIMATE NONRESPONSE
	1.4	46	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1873-1874

AK15_2D**MARIJUANA/HASH/THC: LAST TIME EMOTIONAL PROBLEM**

When was the last time marijuana, hashish, or THC caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	26.0	879	2	WITHIN THE PAST 12 MONTHS
3.8	1.0	35	3	MORE THAN 1 YEAR
	71.6	2,422	-9	LEGITIMATE NONRESPONSE
	1.3	45	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1875-1876

AK15_2DR	MONTHS AGO EMOTIONAL PROBLEMS: MARIJUANA
-----------------	---

When was the last time (CATEGORY) caused you any emotional or psychological problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	14.9	505	1	
15.4	4.1	137	2	
7.8	2.0	69	3	
4.5	1.2	40	4	
2.9	0.8	26	5	
3.1	0.8	28	6	
1.8	0.5	16	7	
1.0	0.3	9	8	
1.5	0.4	13	9	
1.5	0.4	13	10	
0.3	0.1	3	11	
0.6	0.1	5	12	
0.3	0.1	3	13	
0.3	0.1	3	14	
0.4	0.1	4	15	
0.2	0.1	2	16	
0.2	0.1	2	18	
0.1	0.0	1	19	
0.3	0.1	3	20	
0.1	0.0	1	21	
0.2	0.1	2	23	
0.1	0.0	1	24	
0.1	0.0	1	25	
0.1	0.0	1	31	
0.2	0.1	2	35	
	71.6	2,422	-9	LEGITIMATE NONRESPONSE
	2.1	70	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2775-2776

AK15_4A**COCAINE/CRACK: CAUSED EMOTIONAL PROBLEMS**

Which of these have caused you emotional or psychological problems?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.2	8.0	270	1	YES
25.8	2.8	94	2	NO
	88.7	3,000	-9	LEGITIMATE NONRESPONSE
	0.5	17	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1877-1878

AK15_4B**COCAINE/CRACK: REALIZED CAUSE EMOTIONAL PROBLEM**

Did you continue to use cocaine or crack after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	7.5	255	1	YES
4.9	0.4	13	2	NO
	91.5	3,094	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1879-1880

AK15_4C COCAINE/CRACK: USE >1/REALIZED EMOTIONAL PROBLEM

Did you use cocaine or crack on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	7.4	249	1	YES
2.7	0.2	7	2	NO
	91.8	3,103	-9	LEGITIMATE NONRESPONSE
	0.6	21	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1881-1882

AK15_4D COCAINE/CRACK: LAST TIME HAD EMOTIONAL PROBLEM

When was the last time cocaine or crack caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	7.6	257	2	WITHIN THE PAST 12 MONTHS
3.7	0.3	10	3	MORE THAN 1 YEAR
	91.5	3,093	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1883-1884

AK15_4DR	MONTHS AGO EMOTIONAL PROBLEMS: COCAINE/CRACK
-----------------	---

When was the last time (CATEGORY) caused you any emotional or psychological problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	3.7	126	1	
13.6	1.1	36	2	
8.7	0.7	23	3	
8.3	0.7	22	4	
4.5	0.4	12	5	
6.4	0.5	17	6	
1.1	0.1	3	7	
2.3	0.2	6	8	
0.4	0.0	1	9	
2.3	0.2	6	10	
0.8	0.1	2	11	
0.8	0.1	2	12	
0.8	0.1	2	14	
0.4	0.0	1	17	
0.4	0.0	1	22	
0.8	0.1	2	26	
0.4	0.0	1	27	
0.4	0.0	1	40	
	91.5	3,093	-9	LEGITIMATE NONRESPONSE
	0.7	25	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2777-2778

AK15_5A	HEROIN: CAUSED EMOTIONAL PROBLEMS
----------------	--

Which of these have caused you emotional or psychological problems?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	1.6	53	1	YES
39.1	1.0	34	2	NO
	97.3	3,289	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1885-1886

AK15_5B**HEROIN: REALIZED CAUSED EMOTIONAL PROBLEMS**

Did you continue to use heroin after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	1.5	51	1	YES
3.8	0.1	2	2	NO
	98.3	3,323	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1887-1888

AK15_5C**HEROIN: USE >1/REALIZED CAUSED EMOTIONAL PROBLEMS**

Did you use heroin on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	1.5	52	1	YES
3.7	0.1	2	2	NO
	98.2	3,322	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1889-1890

AK15_6A**NARCOTICS/OPIATES: CAUSED EMOTIONAL PROBLEMS**

Which of these have caused you emotional or psychological problems?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	0.9	31	1	YES
76.7	3.0	102	2	NO
	95.4	3,226	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1893-1894

AK15_6B**NARCOTICS/OPIATES: REALIZED CAUSE EMOTIONAL PROBLEM**

Did you continue to use narcotics or opiates after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	0.8	28	1	YES
9.7	0.1	3	2	NO
	98.4	3,328	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1895-1896

AK15_6DR	MONTHS AGO EMOTIONAL PROBLEMS: NARCOTICS
-----------------	---

When was the last time (CATEGORY) caused you any emotional or psychological problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	0.4	13	1	
3.3	0.0	1	2	
3.3	0.0	1	3	
6.7	0.1	2	4	
6.7	0.1	2	5	
10.0	0.1	3	6	
6.7	0.1	2	8	
6.7	0.1	2	11	
3.3	0.0	1	12	
3.3	0.0	1	22	
3.3	0.0	1	24	
3.3	0.0	1	25	
	98.4	3,328	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2781-2782

AK15_7A	SEDATIVES/TRANQUILIZERS: CAUSED EMOTIONAL PROBLEMS
----------------	---

Which of these have caused you emotional or psychological problems?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	0.8	26	1	YES
75.2	2.3	79	2	NO
	96.5	3,264	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1901-1902

AK15_7B SEDATIVES/TRANQUILIZERS: REALIZED CAUSE EMOTIONAL PROBLEM

Did you continue to use sedatives or tranquilizers after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	0.7	23	1	YES
11.5	0.1	3	2	NO
	98.8	3,343	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1903-1904

AK15_7C SEDATIVES/TRANQUILIZERS: USE >1/REALIZED PROBLEM

Did you use sedatives or tranquilizers on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	0.7	22	1	YES
12.0	0.1	3	2	NO
	98.9	3,344	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1905-1906

AK15_7D	SEDATIVES/TRANQUILIZERS: LAST TIME EMOTIONAL PROBLEM
----------------	---

When was the last time sedatives or tranquilizers caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	0.7	22	2	WITHIN THE PAST 12 MONTHS
8.3	0.1	2	3	MORE THAN 1 YEAR
	98.8	3,343	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1907-1908

AK15_7DR	MONTHS AGO EMOTIONAL PROBLEMS: SEDATIVES
-----------------	---

When was the last time (CATEGORY) caused you any emotional or psychological problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	0.3	10	1	
4.3	0.0	1	2	
4.3	0.0	1	3	
8.7	0.1	2	4	
4.3	0.0	1	5	
13.0	0.1	3	6	
4.3	0.0	1	7	
4.3	0.0	1	8	
4.3	0.0	1	10	
4.3	0.0	1	11	
4.3	0.0	1	12	
	98.8	3,343	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2783-2784

AK15_8A AMPHETAMINES/STIMULANTS: CAUSED EMOTIONAL PROBLEMS

Which of these have caused you emotional or psychological problems?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	3.9	133	1	YES
44.1	3.1	105	2	NO
	92.6	3,133	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1909-1910

AK15_8B AMPHETAMINES/STIMULANTS: REALIZED CAUSE EMOTIONAL PROBLEM

Did you continue to use amphetamines or other stimulants after you realized it was causing you any of these emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.9	3.7	124	1	YES
6.1	0.2	8	2	NO
	92.9	3,141	-9	LEGITIMATE NONRESPONSE
	3.2	109	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1911-1912

AK15_8C**AMPHETAMINES/STIMULANTS: USE >1/REALIZED PROBLEM**

Did you use amphetamines or other stimulants on more than one occasion after you realized it was causing you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	3.6	123	1	YES
3.9	0.1	5	2	NO
	92.9	3,141	-9	LEGITIMATE NONRESPONSE
	3.3	113	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1913-1914

AK15_8D**AMPHETAMINES/STIMULANTS: LAST TIME EMOTIONAL PROBLEM**

When was the last time amphetamines or other stimulants caused you any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	3.8	129	2	WITHIN THE PAST 12 MONTHS
3.0	0.1	4	3	MORE THAN 1 YEAR
	92.9	3,141	-9	LEGITIMATE NONRESPONSE
	3.2	108	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1915-1916

AK15_8DR MONTHS AGO EMOTIONAL PROBLEMS: STIMULANTS

When was the last time (CATEGORY) caused you any emotional or psychological problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.9	64	1	
14.8	0.6	19	2	
3.9	0.1	5	3	
5.5	0.2	7	4	
3.1	0.1	4	5	
10.9	0.4	14	6	
5.5	0.2	7	7	
1.6	0.1	2	8	
0.8	0.0	1	9	
0.8	0.0	1	10	
1.6	0.1	2	11	
0.8	0.0	1	18	
0.8	0.0	1	31	
	92.9	3,141	-9	LEGITIMATE NONRESPONSE
	3.3	113	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2785-2786

AK16 UNDER INFLUENCE ALCOHOL/DRUGS AT WORK/SCHOOL

Have you often been high or under the effect of alcohol or (this drug/any of these drugs) or suffering from (its/their) aftereffects while at work or school or taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	56.1	1,898	1	YES
41.7	40.2	1,358	2	NO
	3.7	125	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1917-1918

AK16A1	ALCOHOL: UNDER INFLUENCE
---------------	---------------------------------

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.8	20.9	707	1	YES
52.2	22.8	771	2	NO
	54.2	1,834	-9	LEGITIMATE NONRESPONSE
	2.0	69	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1919-1920

AK16B1	ALCOHOL: REGENCY
---------------	-------------------------

When was the last time you were high on alcohol or suffering from the aftereffects while working, going to school, taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	18.3	618	2	WITHIN THE PAST 12 MONTHS
12.7	2.7	90	3	MORE THAN ONE YEAR AGO
	77.0	2,603	-9	LEGITIMATE NONRESPONSE
	2.0	69	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1921-1922

AK16B1_M MONTHS AGO LAST TIME HIGH ON ALCOHOL

When was the last time you were high on (CATEGORY) or suffering from the aftereffects while working, going to school, or taking care of children? (recode)

3,382 cases (Range of valid codes: 1-43)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2787-2788

AK16A2 MARIJUANA/HASH/THC: UNDER INFLUENCE

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	52.1	1,762	1	YES
5.6	3.1	105	2	NO
	44.0	1,489	-9	LEGITIMATE NONRESPONSE
	0.7	25	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1923-1924

AK16B2

MARIJUANA/HASH/THC: RECENCY

When was the last time you were high on marijuana, hashish,
or THC or suffering from the aftereffects while working,
going to school, taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	47.5	1,608	2	WITHIN THE PAST 12 MONTHS
8.5	4.4	149	3	MORE THAN ONE YEAR AGO
	47.1	1,592	-9	LEGITIMATE NONRESPONSE
	0.9	31	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1925-1926

AK16B2_M	MONTHS AGO LAST TIME HIGH ON MARIJUANA
-----------------	---

When was the last time you were high on (CATEGORY) or suffering from the aftereffects while working, going to school, or taking care of children? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	25.6	867	1	
13.4	6.8	231	2	
8.1	4.1	139	3	
5.6	2.8	96	4	
3.3	1.7	56	5	
4.2	2.2	73	6	
2.0	1.0	34	7	
2.3	1.2	39	8	
1.5	0.8	26	9	
1.3	0.7	22	10	
1.2	0.6	20	11	
0.6	0.3	11	12	
0.9	0.5	16	13	
0.5	0.2	8	14	
0.5	0.3	9	15	
0.6	0.3	11	16	
0.6	0.3	11	17	
0.6	0.3	10	18	
0.2	0.1	3	19	
0.2	0.1	3	20	
0.2	0.1	3	21	
0.2	0.1	3	23	
0.1	0.1	2	24	
0.3	0.2	6	25	
0.2	0.1	3	26	
0.2	0.1	4	27	
0.3	0.1	5	28	
0.2	0.1	3	30	
0.1	0.1	2	33	
0.1	0.0	1	34	
0.1	0.0	1	39	
	47.1	1,592	-9	LEGITIMATE NONRESPONSE
	2.1	72	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2789-2790

AK16A4	COCAINE/CRACK: UNDER INFLUENCE
---------------	---------------------------------------

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	7.9	266	1	YES
41.9	5.7	192	2	NO
	85.8	2,902	-9	LEGITIMATE NONRESPONSE
	0.6	21	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1927-1928

AK16B4	COCAINE/CRACK: RECENCY
---------------	-------------------------------

When was the last time you were high on cocaine or crack or suffering from the aftereffects while working, going to school, taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.3	7.2	243	2	WITHIN THE PAST 12 MONTHS
9.7	0.8	26	3	MORE THAN ONE YEAR AGO
	91.4	3,091	-9	LEGITIMATE NONRESPONSE
	0.6	21	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1929-1930

AK16B4_M	MONTHS AGO LAST TIME HIGH ON COCAINE/CRACK
-----------------	---

When was the last time you were high on (CATEGORY) or suffering from the aftereffects while working, going to school, or taking care of children? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	3.7	125	1	
12.9	1.0	34	2	
5.7	0.4	15	3	
7.2	0.6	19	4	
3.4	0.3	9	5	
6.1	0.5	16	6	
2.7	0.2	7	7	
3.0	0.2	8	8	
1.1	0.1	3	9	
1.5	0.1	4	10	
0.8	0.1	2	11	
0.4	0.0	1	12	
0.8	0.1	2	13	
0.4	0.0	1	14	
0.4	0.0	1	15	
1.1	0.1	3	16	
0.8	0.1	2	17	
0.8	0.1	2	18	
0.4	0.0	1	20	
0.4	0.0	1	23	
0.4	0.0	1	25	
1.1	0.1	3	26	
0.4	0.0	1	27	
0.8	0.1	2	28	
0.4	0.0	1	40	
	91.4	3,091	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2791-2792

AK16A5	HEROIN: UNDER INFLUENCE
---------------	--------------------------------

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.5	1.7	56	1	YES
49.5	1.6	55	2	NO
	96.5	3,265	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1931-1932

AK16B5	HEROIN: REGENCY
---------------	------------------------

When was the last time you were high on heroin or suffering from the aftereffects while working, going to school, taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	1.4	48	2	WITHIN THE PAST 12 MONTHS
14.3	0.2	8	3	MORE THAN ONE YEAR AGO
	98.2	3,320	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1933-1934

AK16B5_M	MONTHS AGO LAST TIME HIGH ON HEROIN
-----------------	--

When was the last time you were high on (CATEGORY) or suffering from the aftereffects while working, going to school, or taking care of children? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	0.6	21	1	
13.0	0.2	7	2	
3.7	0.1	2	3	
5.6	0.1	3	4	
1.9	0.0	1	5	
1.9	0.0	1	6	
5.6	0.1	3	7	
9.3	0.1	5	8	
7.4	0.1	4	9	
3.7	0.1	2	10	
1.9	0.0	1	12	
3.7	0.1	2	14	
1.9	0.0	1	16	
1.9	0.0	1	18	
	98.2	3,320	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2793-2794

AK16A6	NARCOTICS/OPIATES: UNDER INFLUENCE
---------------	---

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	1.6	53	1	YES
71.2	3.9	131	2	NO
	93.6	3,167	-9	LEGITIMATE NONRESPONSE
	0.9	31	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1935-1936

AK16B6	NARCOTICS/OPIATES: RECENCY
---------------	-----------------------------------

When was the last time you were high on narcotics or opiates or suffering from the aftereffects while working, going to school, taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.5	1.2	40	2	WITHIN THE PAST 12 MONTHS
24.5	0.4	13	3	MORE THAN ONE YEAR AGO
	97.5	3,298	-9	LEGITIMATE NONRESPONSE
	0.9	31	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1937-1938

AK16B6_M	MONTHS AGO LAST TIME HIGH ON NARCOTICS
-----------------	---

When was the last time you were high on (CATEGORY) or suffering from the aftereffects while working, going to school, or taking care of children? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.6	21	1	
7.8	0.1	4	2	
5.9	0.1	3	3	
2.0	0.0	1	4	
3.9	0.1	2	5	
5.9	0.1	3	7	
7.8	0.1	4	8	
2.0	0.0	1	10	
5.9	0.1	3	11	
7.8	0.1	4	12	
2.0	0.0	1	16	
2.0	0.0	1	17	
2.0	0.0	1	25	
2.0	0.0	1	26	
2.0	0.0	1	187	
	97.5	3,298	-9	LEGITIMATE NONRESPONSE
	1.0	33	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2795-2797

AK16A7	SEDATIVES/TRANQUILIZERS: UNDER INFLUENCE
---------------	---

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	1.4	48	1	YES
66.2	2.8	94	2	NO
	95.4	3,226	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1939-1940

AK16B7	SEDATIVES/TRANQUILIZERS: RECENCY
---------------	---

When was the last time you were high on sedatives or tranquilizers or suffering from the aftereffects while working, going to school, taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	1.1	38	2	WITHIN THE PAST 12 MONTHS
20.8	0.3	10	3	MORE THAN ONE YEAR AGO
	98.1	3,319	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1941-1942

AK16B7_M**MONTHS AGO LAST TIME HIGH ON SEDATIVES**

When was the last time you were high on (CATEGORY) or suffering from the aftereffects while working, going to school, or taking care of children? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.8	0.5	17	1	
13.3	0.2	6	2	
8.9	0.1	4	4	
2.2	0.0	1	5	
2.2	0.0	1	6	
4.4	0.1	2	7	
4.4	0.1	2	8	
4.4	0.1	2	10	
4.4	0.1	2	11	
4.4	0.1	2	12	
2.2	0.0	1	13	
2.2	0.0	1	16	
4.4	0.1	2	17	
2.2	0.0	1	29	
2.2	0.0	1	31	
	98.1	3,319	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2798-2799

AK16A8**AMPHETAMINES/STIMULANTS: UNDER INFLUENCE**

Which of these have you often been high on or suffering from the aftereffects while working, going to school, or taking care of children?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	5.0	170	1	YES
42.2	3.7	124	2	NO
	90.7	3,066	-9	LEGITIMATE NONRESPONSE
	0.7	22	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1943-1944

AK16B8

AMPHETAMINES/STIMULANTS: REGENCY

When was the last time you were high on amphetamines or other stimulants or suffering from the aftereffects while working, going to school, taking care of children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	4.5	153	2	WITHIN THE PAST 12 MONTHS
9.5	0.5	16	3	MORE THAN ONE YEAR AGO
	94.3	3,190	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1945-1946

AK16B8_M

MONTHS AGO LAST TIME HIGH ON STIMULANTS

When was the last time you were high on (CATEGORY) or suffering from the aftereffects while working, going to school, or taking care of children? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.4	2.2	74	1	
8.6	0.4	14	2	
9.2	0.4	15	3	
5.5	0.3	9	4	
7.4	0.4	12	5	
4.3	0.2	7	6	
5.5	0.3	9	7	
1.8	0.1	3	8	
3.1	0.1	5	10	
1.8	0.1	3	11	
0.6	0.0	1	12	
0.6	0.0	1	13	
0.6	0.0	1	15	
1.2	0.1	2	16	
0.6	0.0	1	17	
0.6	0.0	1	18	
0.6	0.0	1	22	
0.6	0.0	1	26	
0.6	0.0	1	34	
0.6	0.0	1	46	
0.6	0.0	1	51	
	94.3	3,190	-9	LEGITIMATE NONRESPONSE
	0.9	29	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2800-2801

AK17 USE OF ALCOHOL/DRUGS SAME AT ALL TIMES

Did your use of alcohol or (this drug/any of these drugs) ever become so regular that you would not change when or how much you took (it/them) no matter what you were doing or where you were?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.5	29.1	983	1	YES
69.5	66.3	2,243	2	NO
	4.5	153	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1947-1948

AK17A1 ALCOHOL: USE SAME AT ALL TIMES

Which of these have you used regularly?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	10.0	339	1	YES
57.7	13.7	463	2	NO
	74.6	2,524	-9	LEGITIMATE NONRESPONSE
	1.6	55	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1949-1950

AK17B1

ALCOHOL: RECENCY

When was the last time you used alcohol regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	9.6	323	2	WITHIN THE PAST 12 MONTHS
5.0	0.5	17	3	MORE THAN ONE YEAR AGO
	88.3	2,986	-9	LEGITIMATE NONRESPONSE
	1.6	55	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1951-1952

AK17B1_M	MONTHS AGO LAST USED REGULARLY: ALCOHOL
-----------------	--

When was the last time you used (CATEGORY) regularly?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.0	5.4	182	1	
14.5	1.4	49	2	
7.1	0.7	24	3	
4.7	0.5	16	4	
3.6	0.4	12	5	
3.3	0.3	11	6	
2.1	0.2	7	7	
2.1	0.2	7	8	
1.8	0.2	6	9	
2.4	0.2	8	10	
0.6	0.1	2	11	
0.3	0.0	1	12	
0.6	0.1	2	13	
0.6	0.1	2	15	
0.3	0.0	1	16	
0.3	0.0	1	18	
0.3	0.0	1	19	
0.6	0.1	2	20	
0.3	0.0	1	21	
0.3	0.0	1	28	
0.3	0.0	1	34	
	88.3	2,986	-9	LEGITIMATE NONRESPONSE
	1.7	59	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2802-2803

AK17A2**MARIJUANA/HASH/THC: SAME AT ALL TIMES**

Which of these have you used regularly?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	23.2	786	1	YES
17.9	5.1	171	2	NO
	70.3	2,379	-9	LEGITIMATE NONRESPONSE
	1.3	45	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1953-1954

AK17B2**MARIJUANA/HASH/THC: RECENCY**

When was the last time you used marijuana, hashish, or THC regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.3	22.6	763	2	WITHIN THE PAST 12 MONTHS
2.7	0.6	21	3	MORE THAN ONE YEAR AGO
	75.4	2,549	-9	LEGITIMATE NONRESPONSE
	1.4	48	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1955-1956

AK17B2_M	MONTHS AGO LAST USED REGULARLY: MARIJUANA
-----------------	--

When was the last time you used (CATEGORY) regularly?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	14.1	477	1	
12.8	2.9	97	2	
6.7	1.5	51	3	
3.4	0.8	26	4	
1.8	0.4	14	5	
3.2	0.7	24	6	
3.2	0.7	24	7	
1.1	0.2	8	8	
1.2	0.3	9	9	
0.9	0.2	7	10	
0.4	0.1	3	11	
0.5	0.1	4	12	
0.3	0.1	2	13	
0.1	0.0	1	14	
0.4	0.1	3	15	
0.3	0.1	2	16	
0.1	0.0	1	17	
0.1	0.0	1	18	
0.1	0.0	1	19	
0.1	0.0	1	21	
0.1	0.0	1	26	
0.1	0.0	1	28	
0.1	0.0	1	32	
	75.4	2,549	-9	LEGITIMATE NONRESPONSE
	2.2	74	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2804-2805

AK17A4	COCAINE/CRACK: USE SAME AT ALL TIMES
---------------	---

Which of these have you used regularly?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	5.6	189	1	YES
39.2	3.6	122	2	NO
	90.4	3,056	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1957-1958

AK17B4	COCAINE/CRACK: RECENCY
---------------	-------------------------------

When was the last time you used cocaine or crack regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	5.2	177	2	WITHIN THE PAST 12 MONTHS
6.3	0.4	12	3	MORE THAN ONE YEAR AGO
	94.0	3,178	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1959-1960

AK17B4_M MONTHS AGO LAST USED REGULARLY: COCAINE

When was the last time you used (CATEGORY) regularly?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.9	3.3	112	1	
8.6	0.5	16	2	
7.0	0.4	13	3	
5.3	0.3	10	4	
3.2	0.2	6	5	
4.8	0.3	9	6	
0.5	0.0	1	7	
2.7	0.1	5	8	
1.6	0.1	3	9	
0.5	0.0	1	10	
1.1	0.1	2	11	
0.5	0.0	1	13	
0.5	0.0	1	14	
0.5	0.0	1	26	
1.1	0.1	2	27	
1.1	0.1	2	28	
0.5	0.0	1	40	
0.5	0.0	1	55	
	94.0	3,178	-9	LEGITIMATE NONRESPONSE
	0.5	17	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2806-2807

AK17A5 HEROIN: USE SAME AT ALL TIMES

Which of these have you used regularly?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.6	1.7	57	1	YES
37.4	1.0	34	2	NO
	97.1	3,283	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1961-1962

AK17B5	HEROIN: REGENCY
---------------	------------------------

When was the last time you used heroin regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	57	2	WITHIN THE PAST 12 MONTHS
0.0	0.0	0	3	MORE THAN ONE YEAR AGO
	98.1	3,317	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING

-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1963-1964

AK17B5_M	MONTHS AGO LAST USED REGULARLY: HEROIN
-----------------	---

When was the last time you used (CATEGORY) regularly?
 (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	0.9	29	1	
14.3	0.2	8	2	
5.4	0.1	3	3	
8.9	0.1	5	4	
5.4	0.1	3	5	
1.8	0.0	1	6	
1.8	0.0	1	7	
5.4	0.1	3	8	
1.8	0.0	1	9	
3.6	0.1	2	10	
	98.1	3,317	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING

-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2808-2809

AK17A6 NARCOTICS/OPIATES: USE SAME AT ALL TIMES

Which of these have you used regularly?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	0.7	24	1	YES
78.8	2.6	89	2	NO
	96.1	3,251	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1965-1966

AK17B6 NARCOTICS/OPIATES: RECENCY

When was the last time you used narcotics or opiates regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	0.6	21	2	WITHIN THE PAST 12 MONTHS
12.5	0.1	3	3	MORE THAN ONE YEAR AGO
	98.8	3,340	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1967-1968

AK17B6_M**MONTHS AGO LAST USED REGULARLY: NARCOTICS**

When was the last time you used (CATEGORY) regularly?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	0.3	11	1	
25.0	0.2	6	2	
4.2	0.0	1	5	
8.3	0.1	2	6	
4.2	0.0	1	7	
4.2	0.0	1	8	
4.2	0.0	1	13	
4.2	0.0	1	19	
	98.8	3,340	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2810-2811

AK17A7**SEDATIVES/TRANQUILIZERS: USE SAME AT ALL TIMES**

Which of these have you used regularly?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	0.7	24	1	YES
73.3	2.0	66	2	NO
	97.0	3,282	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1969-1970

AK17A8	AMPHETAMINES/STIMULANTS: USE SAME AT ALL TIMES
---------------	---

Which of these have you used regularly?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	3.2	108	1	YES
47.8	2.9	99	2	NO
	93.6	3,164	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1973-1974

AK17B8	AMPHETAMINES/STIMULANTS: RECENCY
---------------	---

When was the last time you used amphetamines or other stimulants regularly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	3.0	103	2	WITHIN THE PAST 12 MONTHS
3.7	0.1	4	3	MORE THAN ONE YEAR AGO
	96.5	3,264	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1975-1976

AK17B8_M MONTHS AGO LAST USED REGULARLY: STIMULANTS

When was the last time you used (CATEGORY) regularly?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	2.0	69	1	
7.8	0.2	8	2	
5.8	0.2	6	3	
3.9	0.1	4	4	
3.9	0.1	4	5	
4.9	0.1	5	6	
2.9	0.1	3	7	
1.0	0.0	1	10	
1.0	0.0	1	13	
1.0	0.0	1	19	
1.0	0.0	1	24	
	96.5	3,264	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2814-2815

AK18 STOP DRINKING SYMPTOMS SUCH AS SHAKING

Did stopping or cutting down on drinking alcohol ever cause you problems such as the shakes (hands tremble), being unable to sleep, feeling anxious or depressed, sweating, your heart beating faster, stomach aches, headaches, weakness, seeing or hearing things that weren't really there, fits or seizures after stopping or cutting down on drinking, or the d.t.'s (delirium tremens)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	9.8	331	1	YES
89.8	86.2	2,916	2	NO
	3.7	125	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.2	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1977-1978

AK18A	AGE WHEN SYMPTOMS LAST OCCURRED
--------------	--

When was the last time stopping or cutting down on your drinking caused you any of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.1	2	1	
0.3	0.0	1	5	
0.6	0.1	2	11	
1.5	0.1	5	12	
5.5	0.5	18	13	
22.1	2.2	73	14	
23.9	2.3	79	15	
24.2	2.4	80	16	
16.7	1.6	55	17	
4.5	0.4	15	18	
	86.2	2,916	-9	LEGITIMATE NONRESPONSE
	3.9	133	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1979-1980

AK18B	HAD THESE PROBLEMS MORE THAN ONCE
--------------	--

Have you had problems like these several times when you stopped or cut down on your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	5.8	195	1	YES
41.1	4.0	136	2	NO
	86.2	2,916	-9	LEGITIMATE NONRESPONSE
	3.9	133	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1981-1982

AK18C DRANK TO KEEP FROM HAVING THESE PROBLEMS

Did you ever take a drink to keep from having problems like these or to make them go away?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	5.6	188	1	YES
43.0	4.2	142	2	NO
	86.2	2,916	-9	LEGITIMATE NONRESPONSE
	3.9	133	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1983-1984

AK19 STOP DRUG USE CAUSES WITHDRAWAL PROBLEMS

Did stopping or cutting down on (this drug/any of these drugs) (excluding alcohol) make you sick or cause withdrawal problems like being unable to sleep, feeling anxious or depressed, sweating, feeling sick, or your heart beating fast?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	20.6	697	1	YES
78.5	75.4	2,551	2	NO
	3.8	130	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1985-1986

AK19_1A**MARIJUANA/HASH/THC: PROBLEMS WHEN STOPPED**

Which of these drugs have caused any of these problems when you stopped or cut down on them?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	12.5	424	1	YES
36.8	7.3	247	2	NO
	79.0	2,672	-9	LEGITIMATE NONRESPONSE
	1.1	38	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1987-1988

AK19_1B**MARIJUANA/HASH/THC: PROBLEMS WHEN STOPPED >ONCE**

Have you had problems like these several times when you stopped or cut down on marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	9.6	324	1	YES
24.7	3.1	106	2	NO
	86.1	2,913	-9	LEGITIMATE NONRESPONSE
	1.1	38	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1989-1990

AK19_1DR

MONTHS AGO PROBLEM CUTTING DOWN ALCOHOL

When was the last time stopping or cutting down on
(CATEGORY) caused you any of these problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	6.6	224	1	
14.2	1.7	56	2	
8.4	1.0	33	3	
5.6	0.7	22	4	
2.3	0.3	9	5	
3.1	0.4	12	6	
3.3	0.4	13	7	
1.0	0.1	4	8	
1.5	0.2	6	9	
0.3	0.0	1	10	
0.8	0.1	3	11	
0.5	0.1	2	13	
0.5	0.1	2	14	
0.3	0.0	1	15	
0.3	0.0	1	18	
0.3	0.0	1	25	
0.3	0.0	1	26	
0.5	0.1	2	28	
	86.2	2,915	-9	LEGITIMATE NONRESPONSE
	2.2	74	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2816-2817

AK19_3A COCAINE/CRACK: PROBLEMS WHEN STOPPED

Which of these drugs have caused any of these problems when you stopped or cut down on them?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	6.2	211	1	YES
27.2	2.3	79	2	NO
	90.9	3,073	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1995-1996

AK19_3B COCAINE/CRACK: PROBLEMS WHEN STOPPED >ONCE

Have you had problems like these several times when you stopped or cut down on cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	4.6	157	1	YES
26.3	1.7	56	2	NO
	93.1	3,150	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1997-1998

AK19_3C**COCAINE/CRACK: MAKE WITHDRAWAL GO AWAY**

Did you use cocaine or crack to make these withdrawal symptoms go away or to keep from having them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	4.5	153	1	YES
25.7	1.6	53	2	NO
	93.1	3,150	-9	LEGITIMATE NONRESPONSE
	0.7	25	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1999-2000

AK19_3D**COCAINE/CRACK: LAST TIME CAUSED PROBLEMS**

When was the last time stopping or cutting down on cocaine or crack caused you any of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	5.7	193	2	WITHIN THE PAST 12 MONTHS
5.4	0.3	11	3	MORE THAN 1 YEAR
	93.2	3,151	-9	LEGITIMATE NONRESPONSE
	0.8	26	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2001-2002

AK19_3DR MONTHS AGO PROBLEM CUTTING DOWN COCAINE

When was the last time stopping or cutting down on (CATEGORY) caused you any of these problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	2.8	94	1	
12.2	0.7	24	2	
9.6	0.6	19	3	
10.7	0.6	21	4	
2.5	0.1	5	5	
6.6	0.4	13	6	
1.0	0.1	2	7	
3.0	0.2	6	8	
1.0	0.1	2	9	
1.5	0.1	3	11	
1.0	0.1	2	13	
0.5	0.0	1	14	
1.0	0.1	2	16	
0.5	0.0	1	22	
0.5	0.0	1	26	
0.5	0.0	1	40	
	93.2	3,151	-9	LEGITIMATE NONRESPONSE
	1.0	34	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2818-2819

AK19_4A HEROIN: PROBLEMS WHEN STOPPED

Which of these drugs have caused any of these problems when you stopped or cut down on them?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	2.3	79	1	YES
24.0	0.7	25	2	NO
	96.8	3,274	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2003-2004

AK19_4B**HEROIN: PROBLEMS WHEN STOPPED > ONCE**

Have you had problems like these several times when you stopped or cut down on heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	2.0	66	1	YES
16.5	0.4	13	2	NO
	97.5	3,299	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2005-2006

AK19_4C**HEROIN: MAKE WITHDRAWAL SYMPTOMS GO AWAY**

Did you use heroin to make these withdrawal symptoms go away or to keep from having them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	1.8	62	1	YES
17.3	0.4	13	2	NO
	97.6	3,302	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2007-2008

AK19_4D

HEROIN: LAST TIME STOPPING CAUSED PROBLEMS

When was the last time stopping or cutting down on heroin caused you any of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.4	2.2	74	2	WITHIN THE PAST 12 MONTHS
2.6	0.1	2	3	MORE THAN 1 YEAR
	97.5	3,299	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2009-2010

AK19_4DR

MONTHS AGO PROBLEM CUTTING DOWN HEROIN

When was the last time stopping or cutting down on (CATEGORY) caused you any of these problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	1.2	39	1	
13.3	0.3	10	2	
2.7	0.1	2	3	
8.0	0.2	6	4	
6.7	0.1	5	5	
5.3	0.1	4	6	
2.7	0.1	2	8	
4.0	0.1	3	9	
4.0	0.1	3	10	
1.3	0.0	1	13	
	97.5	3,299	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2820-2821

AK19_5A	NARCOTICS/OPIATES: PROBLEMS WHEN STOPPED
----------------	---

Which of these drugs have caused any of these problems when you stopped or cut down on them?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	0.5	17	1	YES
83.7	2.6	87	2	NO
	96.6	3,266	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2011-2012

AK19_5B	NARCOTICS/OPIATES: PROBLEMS WHEN STOPPED >ONCE
----------------	--

Have you had problems like these several times when you stopped or cut down on narcotics or opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	0.4	14	1	YES
26.3	0.1	5	2	NO
	99.1	3,352	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2013-2014

AK19_5DR**MONTHS AGO PROBLEM CUTTING DOWN NARCOTICS**

When was the last time stopping or cutting down on
(CATEGORY) caused you any of these problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	9	1	
22.2	0.1	4	2	
5.6	0.0	1	5	
5.6	0.0	1	6	
5.6	0.0	1	11	
5.6	0.0	1	21	
5.6	0.0	1	25	
	99.1	3,351	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2822-2823

AK19_6A**SEDATIVES/TRANQUILIZERS: PROBLEMS WHEN STOPPED**

Which of these drugs have caused any of these problems
when you stopped or cut down on them?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	0.5	16	1	YES
79.2	1.8	61	2	NO
	97.4	3,293	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2019-2020

AK19_6B SEDATIVES/TRANQUILIZERS: PROBLEMS WHEN STOPPED >ONCE

Have you had problems like these several times when you stopped or cut down on sedatives or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	0.3	11	1	YES
31.2	0.1	5	2	NO
	99.2	3,354	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2021-2022

AK19_6C SEDATIVES/TRANQUILIZERS: MAKE WITHDRAWAL GO AWAY

Did you use sedatives or tranquilizers to make these withdrawal symptoms go away or to keep from having them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	0.3	11	1	YES
26.7	0.1	4	2	NO
	99.2	3,355	-9	LEGITIMATE NONRESPONSE
	0.3	11	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2023-2024

AK19_6D	SEDATIVES/TRANQUILIZERS: LAST TIME CAUSED PROBLEMS
----------------	---

When was the last time stopping or cutting down on sedatives or tranquilizers caused you any of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	0.4	14	2	WITHIN THE PAST 12 MONTHS
6.7	0.0	1	3	MORE THAN 1 YEAR
	99.2	3,354	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2025-2026

AK19_6DR	MONTHS AGO PROBLEM CUTTING DOWN SEDATIVES
-----------------	--

When was the last time stopping or cutting down on (CATEGORY) caused you any of these problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.2	6	1	
35.7	0.1	5	2	
7.1	0.0	1	4	
7.1	0.0	1	5	
7.1	0.0	1	10	
	99.2	3,354	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2824-2825

AK19_7A

AMPHETAMINES/STIMULANTS: PROBLEMS WHEN STOPPED

Which of these drugs have caused any of these problems when you stopped or cut down on them?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.1	3.6	121	1	YES
38.9	2.3	77	2	NO
	93.7	3,168	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2027-2028

AK19_7B

AMPHETAMINES/STIMULANTS: PROBLEMS WHEN STOPPED >ONCE

Have you had problems like these several times when you stopped or cut down on amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	3.0	100	1	YES
18.7	0.7	23	2	NO
	95.9	3,243	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2029-2030

AK19_7C**AMPHETAMINES/STIMULANTS: MAKE WITHDRAWAL GO AWAY**

Did you use amphetamines or other stimulants to make these withdrawal symptoms go away or to keep from having them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	2.8	94	1	YES
23.0	0.8	28	2	NO
	95.9	3,244	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2031-2032

AK19_7D**AMPHETAMINES/STIMULANTS: LAST TIME CAUSED PROBLEM**

When was the last time stopping or cutting down on amphetamines or other stimulants caused you any of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	3.4	115	2	WITHIN THE PAST 12 MONTHS
5.0	0.2	6	3	MORE THAN 1 YEAR
	95.9	3,245	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2033-2034

AK19_7DR MONTHS AGO PROBLEM CUTTING DOWN STIMULANTS

When was the last time stopping or cutting down on (CATEGORY) caused you any of these problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	1.8	60	1	
13.2	0.4	15	2	
10.5	0.4	12	3	
1.8	0.1	2	4	
3.5	0.1	4	5	
6.1	0.2	7	6	
4.4	0.1	5	7	
0.9	0.0	1	8	
0.9	0.0	1	9	
0.9	0.0	1	10	
2.6	0.1	3	11	
0.9	0.0	1	12	
0.9	0.0	1	15	
0.9	0.0	1	16	
	95.9	3,245	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2826-2827

AK20 LONG TIME PERIOD USING ALCOHOL OR DRUGS

I have just a few more questions to ask about problems you may have had with alcohol or (this kind of drug/any of these drugs). Has there been a period when you spent a great deal of time using alcohol or (this drug/any of these drugs), getting them, or getting over (its/their) effects?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	39.5	1,336	1	YES
58.9	56.6	1,915	2	NO
	3.8	127	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2035-2036

AK20_1A	ALCOHOL: LONG TIME USING
----------------	---------------------------------

Which of these have you spent a great deal of time using or getting over the effects?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	16.2	549	1	YES
48.5	15.3	518	2	NO
	66.5	2,250	-9	LEGITIMATE NONRESPONSE
	1.9	64	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2037-2038

AK20_1B	ALCOHOL: TIME USING AT LEAST 1 MONTH
----------------	---

Did this period of spending a lot of time using or getting over the effects of alcohol last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.0	13.1	442	1	YES
18.0	2.9	97	2	NO
	81.8	2,765	-9	LEGITIMATE NONRESPONSE
	2.3	77	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2039-2040

AK20_1C	ALCOHOL: LAST TIME USING LONG PERIOD
----------------	---

When was the last time you spent a lot of time using or getting over the effects of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	14.7	498	2	WITHIN THE PAST 12 MONTHS
6.2	1.0	33	3	MORE THAN 1 YEAR AGO
	81.8	2,768	-9	LEGITIMATE NONRESPONSE
	2.4	82	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2041-2042

AK20_1CR

MONTHS AGO TIME GETTING OVER: ALCOHOL

When was the last time you spent a lot of time using or getting over the effects of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	8.0	272	1	
15.7	2.4	82	2	
6.3	1.0	33	3	
5.4	0.8	28	4	
2.1	0.3	11	5	
4.8	0.7	25	6	
1.9	0.3	10	7	
1.9	0.3	10	8	
1.9	0.3	10	9	
1.1	0.2	6	10	
1.0	0.1	5	11	
1.0	0.1	5	12	
0.6	0.1	3	13	
0.4	0.1	2	15	
0.8	0.1	4	16	
1.0	0.1	5	18	
0.2	0.0	1	19	
0.2	0.0	1	20	
0.4	0.1	2	21	
0.2	0.0	1	23	
0.4	0.1	2	28	
0.4	0.1	2	29	
0.2	0.0	1	31	
0.2	0.0	1	35	
	81.8	2,768	-9	LEGITIMATE NONRESPONSE
	2.7	92	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2828-2829

AK20_2A MARIJUANA/HASH/THC: LONG TIME USING

Which of these have you spent a great deal of time using or getting over the effects?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	32.2	1,090	1	YES
15.8	6.0	204	2	NO
	60.5	2,045	-9	LEGITIMATE NONRESPONSE
	1.2	42	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2043-2044

AK20_2B MARIJUANA/HASH/THC: TIME USING AT LEAST 1MONTH

Did this period of spending a lot of time using or getting over the effects of marijuana, hashish, or THC last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	26.6	900	1	YES
16.0	5.1	172	2	NO
	66.4	2,247	-9	LEGITIMATE NONRESPONSE
	1.8	61	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2045-2046

AK20_2C

MARIJUANA/HASH/THC: LAST TIME USING

When was the last time you spent a lot of time using or getting over the effects of marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.2	30.5	1,031	2	WITHIN THE PAST 12 MONTHS
3.8	1.2	41	3	MORE THAN 1 YEAR AGO
	66.5	2,248	-9	LEGITIMATE NONRESPONSE
	1.8	60	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2047-2048

AK20_2CR	MONTHS AGO TIME GETTING OVER: MARIJUANA
-----------------	--

When was the last time you spent a lot of time using or getting over the effects of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	18.4	621	1	
13.9	4.3	146	2	
7.1	2.2	75	3	
5.3	1.7	56	4	
1.9	0.6	20	5	
3.2	1.0	34	6	
1.4	0.4	15	7	
1.5	0.5	16	8	
1.6	0.5	17	9	
1.2	0.4	13	10	
0.6	0.2	6	11	
0.2	0.1	2	12	
0.4	0.1	4	13	
0.3	0.1	3	14	
0.3	0.1	3	15	
0.2	0.1	2	16	
0.2	0.1	2	17	
0.2	0.1	2	18	
0.5	0.1	5	19	
0.1	0.0	1	20	
0.1	0.0	1	23	
0.2	0.1	2	25	
0.1	0.0	1	26	
0.2	0.1	2	28	
0.1	0.0	1	29	
0.1	0.0	1	41	
0.1	0.0	1	170	
	66.5	2,248	-9	LEGITIMATE NONRESPONSE
	2.4	82	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2830-2832

AK20_4A	COCAINE/CRACK: LONG TIME USING
----------------	---------------------------------------

Which of these have you spent a great deal of time using or getting over the effects?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	8.0	269	1	YES
34.7	4.2	143	2	NO
	87.4	2,956	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2049-2050

AK20_4B	COCAINE/CRACK: TIME USING AT LEAST 1 MONTH
----------------	---

Did this period of spending a lot of time using or getting over the effects of cocaine or crack last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	6.8	230	1	YES
10.2	0.8	26	2	NO
	91.6	3,097	-9	LEGITIMATE NONRESPONSE
	0.8	28	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2051-2052

AK20_4C	COCAINE/CRACK: LAST TIME USING LONG PERIOD
----------------	---

When was the last time you spent a lot of time using or getting over the effects of cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	7.4	250	2	WITHIN THE PAST 12 MONTHS
5.7	0.4	15	3	MORE THAN 1 YEAR AGO
	91.6	3,099	-9	LEGITIMATE NONRESPONSE
	0.5	17	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2053-2054

AK20_4CR

MONTHS AGO TIME GETTING OVER: COCAINE/CRACK

When was the last time you spent a lot of time using or getting over the effects of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	4.5	152	1	
10.6	0.8	28	2	
8.3	0.7	22	3	
5.3	0.4	14	4	
2.7	0.2	7	5	
3.8	0.3	10	6	
1.5	0.1	4	7	
2.7	0.2	7	8	
1.1	0.1	3	9	
1.1	0.1	3	10	
1.1	0.1	3	11	
0.4	0.0	1	13	
0.4	0.0	1	16	
0.4	0.0	1	17	
0.8	0.1	2	18	
0.4	0.0	1	22	
0.4	0.0	1	26	
0.8	0.1	2	27	
0.4	0.0	1	30	
0.4	0.0	1	40	
	91.6	3,099	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2833-2834

AK20_5A	HEROIN: LONG TIME USING
----------------	--------------------------------

Which of these have you spent a great deal of time using or getting over the effects?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.5	2.1	72	1	YES
39.5	1.4	47	2	NO
	96.3	3,258	-9	LEGITIMATE NONRESPONSE
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2055-2056

AK20_5B	HEROIN: TIME USING AT LEAST ONE MONTH
----------------	--

Did this period of spending a lot of time using or getting over the effects of heroin last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	1.9	65	1	YES
7.1	0.1	5	2	NO
	97.7	3,305	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2057-2058

AK20_5C**HEROIN: LAST TIME USING FOR LONG PERIOD**

When was the last time you spent a lot of time using or getting over the effects of heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.1	2.0	67	2	WITHIN THE PAST 12 MONTHS
2.9	0.1	2	3	MORE THAN 1 YEAR AGO
	97.7	3,305	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2059-2060

AK20_5CR**MONTHS AGO TIME GETTING OVER: HEROIN**

When was the last time you spent a lot of time using or getting over the effects of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.1	1.1	38	1	
14.5	0.3	10	2	
10.1	0.2	7	3	
2.9	0.1	2	4	
2.9	0.1	2	5	
2.9	0.1	2	6	
1.4	0.0	1	7	
1.4	0.0	1	8	
4.3	0.1	3	9	
1.4	0.0	1	10	
1.4	0.0	1	14	
1.4	0.0	1	16	
	97.7	3,305	-9	LEGITIMATE NONRESPONSE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2835-2836

AK20_6A

NARCOTICS/OPIATES: LONG TIME USING

Which of these have you spent a great deal of time using or getting over the effects?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	1.1	36	1	YES
72.9	2.9	97	2	NO
	95.4	3,228	-9	LEGITIMATE NONRESPONSE
	0.6	21	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2061-2062

AK20_6B

NARCOTICS/OPIATES: TIME USING AT LEAST 1 MONTH

Did this period of spending a lot of time using or getting over the effects of narcotics or opiates last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	0.9	29	1	YES
17.1	0.2	6	2	NO
	98.3	3,324	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2063-2064

AK20_6C**NARCOTICS/OPIATES: LAST TIME USING LONG PERIOD**

When was the last time you spent a lot of time using or getting over the effects of narcotics or opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	0.9	29	2	WITHIN THE PAST 12 MONTHS
17.1	0.2	6	3	MORE THAN 1 YEAR AGO
	98.3	3,325	-9	LEGITIMATE NONRESPONSE
	0.7	22	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2065-2066

AK20_6CR**MONTHS AGO TIME GETTING OVER: NARCOTICS**

When was the last time you spent a lot of time using or getting over the effects of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	0.6	20	1	
11.4	0.1	4	2	
5.7	0.1	2	4	
5.7	0.1	2	5	
2.9	0.0	1	6	
2.9	0.0	1	8	
2.9	0.0	1	12	
2.9	0.0	1	14	
2.9	0.0	1	25	
2.9	0.0	1	26	
2.9	0.0	1	187	
	98.3	3,325	-9	LEGITIMATE NONRESPONSE
	0.7	22	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2837-2839

AK20_7C	SEDATIVES/TRANQUILIZERS: LAST TIME USING
----------------	---

When was the last time you spent a lot of time using or getting over the effects of sedatives or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	0.7	23	2	WITHIN THE PAST 12 MONTHS
11.5	0.1	3	3	MORE THAN 1 YEAR AGO
	98.9	3,346	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2071-2072

AK20_7CR	MONTHS AGO TIME GETTING OVER: SEDATIVES
-----------------	--

When was the last time you spent a lot of time using or getting over the effects of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	0.4	15	1	
15.4	0.1	4	2	
3.8	0.0	1	4	
3.8	0.0	1	5	
3.8	0.0	1	6	
3.8	0.0	1	8	
3.8	0.0	1	11	
3.8	0.0	1	12	
3.8	0.0	1	29	
	98.9	3,346	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2840-2841

AK20_8A	AMPHETAMINES/STIMULANTS: LONG TIME USING
----------------	---

Which of these have you spent a great deal of time using or getting over the effects?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	4.2	142	1	YES
45.0	3.4	116	2	NO
	92.0	3,112	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2073-2074

AK20_8B	AMPHETAMINES/STIMULANTS: TIME USING AT LEAST 1MONTH
----------------	--

Did this period of spending a lot of time using or getting over the effects of amphetamines or other stimulants last at least 1 month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	3.8	129	1	YES
9.2	0.4	13	2	NO
	95.4	3,227	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2075-2076

AK20_8C	AMPHETAMINES/STIMULANTS: LAST TIME USING LONG PERIOD
----------------	---

When was the last time you spent a lot of time using or getting over the effects of amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	4.1	139	2	WITHIN THE PAST 12 MONTHS
1.4	0.1	2	3	MORE THAN 1 YEAR AGO
	95.4	3,228	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2077-2078

AK20_8CR	MONTHS AGO TIME GETTING OVER: STIMULANTS
-----------------	---

When was the last time you spent a lot of time using or getting over the effects of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	2.5	83	1	
11.6	0.5	16	2	
5.8	0.2	8	3	
2.9	0.1	4	4	
5.8	0.2	8	5	
5.8	0.2	8	6	
2.2	0.1	3	7	
3.6	0.1	5	8	
0.7	0.0	1	11	
0.7	0.0	1	13	
0.7	0.0	1	16	
	95.4	3,228	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2842-2843

AK21 PERIOD OF 1MONTH/> MADE SURE HAD ALCOHOL/DRUGS

Did you ever have a period of a month or more when most days you spent a lot of time doing things to make sure you had alcohol or (this drug/any of these drugs)? For example, did you ever have a period of a month or more when most days you spent a lot of time hiding bottles of alcohol, stealing money, or panhandling money to buy alcohol or (this drug/any of these drugs)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.0	31.7	1,071	1	YES
67.0	64.2	2,170	2	NO
	4.1	137	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2079-2080

AK21_1A ALCOHOL: MADE SURE HAD 1 MONTH OR MORE

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Alcohol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	11.3	383	1	YES
56.6	14.8	500	2	NO
	72.3	2,446	-9	LEGITIMATE NONRESPONSE
	1.5	52	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2081-2082

AK21_1B3	ALCOHOL: DURATION - WEEKS
-----------------	----------------------------------

How long did your longest period of making sure you had alcohol available last?

-----	WEEKS			
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.4	13	1	
1.6	0.2	6	2	
2.1	0.2	8	3	
14.4	1.6	54	4	
0.3	0.0	1	5	
0.8	0.1	3	6	
9.6	1.1	36	9	
0.3	0.0	1	10	
9.0	1.0	34	13	
3.5	0.4	13	17	
1.9	0.2	7	22	
6.6	0.7	25	26	
0.8	0.1	3	30	
2.7	0.3	10	35	
1.1	0.1	4	39	
11.2	1.2	42	52	
0.8	0.1	3	65	
0.3	0.0	1	69	
1.9	0.2	7	78	
10.9	1.2	41	104	
1.6	0.2	6	130	
0.3	0.0	1	139	
6.6	0.7	25	156	
0.3	0.0	1	165	
0.5	0.1	2	182	
4.5	0.5	17	208	
0.3	0.0	1	221	
0.3	0.0	1	234	
1.3	0.1	5	260	
0.8	0.1	3	312	
0.3	0.0	1	364	
0.3	0.0	1	494	
	87.1	2,945	-9	LEGITIMATE NONRESPONSE
	1.6	55	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2083-2085

AK21_1C	ALCOHOL: LAST TIME 1MONTH/> MADE SURE HAD
----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.4	10.5	354	2	WITHIN THE PAST 12 MONTHS
6.6	0.7	25	3	MORE THAN 1 YEAR AGO
	87.1	2,945	-9	LEGITIMATE NONRESPONSE
	1.7	56	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2086-2087

AK21_1CR	MONTHS AGO MAKE SURE HAD ALCOHOL
-----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.5	5.4	184	1	
15.1	1.7	56	2	
7.8	0.9	29	3	
5.6	0.6	21	4	
2.2	0.2	8	5	
4.8	0.5	18	6	
3.8	0.4	14	7	
2.2	0.2	8	8	
1.6	0.2	6	9	
1.9	0.2	7	10	
0.8	0.1	3	11	
0.5	0.1	2	12	
0.5	0.1	2	13	
0.3	0.0	1	15	
0.3	0.0	1	16	
0.5	0.1	2	17	
0.5	0.1	2	18	
0.8	0.1	3	20	
0.3	0.0	1	21	
0.3	0.0	1	22	
0.3	0.0	1	23	
0.3	0.0	1	26	
0.3	0.0	1	40	
	87.1	2,945	-9	LEGITIMATE NONRESPONSE
	1.9	65	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2844-2845

AK21_2C

MARIJUANA/HASH/THC: LONGEST TIME 1MONTH/>

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	24.5	829	2	WITHIN THE PAST 12 MONTHS
4.9	1.3	43	3	MORE THAN 1 YEAR AGO
	73.0	2,468	-9	LEGITIMATE NONRESPONSE
	1.2	40	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2093-2094

AK21_2CR	MONTHS AGO MAKE SURE HAD MARIJUANA
----------	------------------------------------

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	14.0	472	1	
13.4	3.3	113	2	
8.6	2.2	73	3	
5.1	1.3	43	4	
3.1	0.8	26	5	
4.0	1.0	34	6	
1.9	0.5	16	7	
1.5	0.4	13	8	
0.8	0.2	7	9	
0.8	0.2	7	10	
0.8	0.2	7	11	
0.7	0.2	6	12	
0.5	0.1	4	13	
0.2	0.1	2	14	
0.6	0.1	5	15	
0.1	0.0	1	16	
0.4	0.1	3	17	
0.6	0.1	5	18	
0.1	0.0	1	19	
0.2	0.1	2	20	
0.2	0.1	2	22	
0.1	0.0	1	24	
0.1	0.0	1	29	
0.1	0.0	1	40	
0.1	0.0	1	73	
	73.0	2,468	-9	LEGITIMATE NONRESPONSE
	2.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2846-2847

AK21_4A

COCAINE/CRACK: MADE SURE HAD 1MONTH OR MORE

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	6.2	210	1	YES
37.9	3.8	128	2	NO
	89.6	3,030	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2095-2096

AK21_4B3	COCAINE/CRACK: DURATION - WEEKS
-----------------	--

How long did your longest period of making sure you had cocaine or crack available last?

-----	WEEKS			
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	2	1	
1.5	0.1	3	2	
0.5	0.0	1	3	
7.9	0.5	16	4	
0.5	0.0	1	5	
0.5	0.0	1	6	
8.4	0.5	17	9	
8.4	0.5	17	13	
0.5	0.0	1	15	
3.0	0.2	6	17	
0.5	0.0	1	19	
3.0	0.2	6	22	
14.3	0.9	29	26	
1.0	0.1	2	30	
3.4	0.2	7	35	
1.0	0.1	2	39	
17.7	1.1	36	52	
1.0	0.1	2	61	
1.0	0.1	2	65	
0.5	0.0	1	69	
0.5	0.0	1	74	
6.9	0.4	14	78	
11.8	0.7	24	104	
0.5	0.0	1	130	
3.0	0.2	6	156	
1.5	0.1	3	208	
0.5	0.0	1	520	
	93.4	3,158	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2097-2099

AK21_4C

COCAINE/CRACK: LAST TIME 1 MONTH/> SURE HAD

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	5.8	195	2	WITHIN THE PAST 12 MONTHS
6.2	0.4	13	3	MORE THAN 1 YEAR AGO
	93.4	3,158	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2100-2101

AK21_4CR	MONTHS AGO MAKE SURE HAD COCAINE/CRACK
-----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	3.2	107	1	
9.3	0.6	19	2	
9.3	0.6	19	3	
8.3	0.5	17	4	
3.9	0.2	8	5	
4.9	0.3	10	6	
2.0	0.1	4	7	
2.0	0.1	4	8	
0.5	0.0	1	9	
1.5	0.1	3	10	
1.0	0.1	2	11	
1.0	0.1	2	12	
1.0	0.1	2	13	
1.0	0.1	2	17	
0.5	0.0	1	18	
0.5	0.0	1	25	
0.5	0.0	1	26	
1.0	0.1	2	27	
	93.4	3,158	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2848-2849

AK21_5A**HEROIN: MADE SURE HAD 1 MONTH OR MORE**

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	1.8	60	1	YES
33.3	0.9	30	2	NO
	97.2	3,288	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2102-2103

AK21_5B3**HEROIN: DURATION - WEEKS**

How long did your longest period of making sure you had heroin available last?

WEEKS				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.1	2	4	
8.6	0.1	5	9	
3.4	0.1	2	13	
1.7	0.0	1	17	
5.2	0.1	3	22	
10.3	0.2	6	26	
1.7	0.0	1	30	
3.4	0.1	2	35	
3.4	0.1	2	39	
25.9	0.4	15	52	
1.7	0.0	1	65	
12.1	0.2	7	78	
15.5	0.3	9	104	
3.4	0.1	2	156	
	98.1	3,318	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2104-2106

AK21_5C	HEROIN: LAST TIME 1 MONTH/> MADE SURE HAD
----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	1.7	56	2	WITHIN THE PAST 12 MONTHS
3.4	0.1	2	3	MORE THAN 1 YEAR AGO
	98.1	3,318	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2107-2108

AK21_5CR	MONTHS AGO MAKE SURE HAD HEROIN
-----------------	--

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.2	0.9	32	1	
10.3	0.2	6	2	
6.9	0.1	4	3	
3.4	0.1	2	4	
5.2	0.1	3	5	
5.2	0.1	3	6	
3.4	0.1	2	7	
1.7	0.0	1	8	
3.4	0.1	2	9	
3.4	0.1	2	10	
1.7	0.0	1	12	
	98.1	3,318	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2850-2851

AK21_6A	NARCOTICS/OPIATES: MADE SURE HAD 1 MONTH/>
----------------	--

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Narcotics or opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.5	16	1	YES
85.7	2.8	96	2	NO
	96.1	3,251	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2109-2110

AK21_6B3	NARCOTICS/OPIATES: DURATION - WEEKS
-----------------	--

How long did your longest period of making sure you had narcotics or opiates available last?

_____ WEEKS				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.0	1	2	
12.5	0.1	2	9	
18.8	0.1	3	13	
6.2	0.0	1	26	
6.2	0.0	1	35	
18.8	0.1	3	52	
6.2	0.0	1	78	
12.5	0.1	2	104	
12.5	0.1	2	156	
	99.0	3,347	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2111-2113

AK21_6C	NARCOTICS/OPIATES: LAST TIME 1MONTH/> SURE HAD
----------------	--

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had narcotics or opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	0.3	11	2	WITHIN THE PAST 12 MONTHS
31.2	0.1	5	3	MORE THAN 1 YEAR AGO
	99.0	3,347	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2114-2115

AK21_6CR	MONTHS AGO MAKE SURE HAD NARCOTICS
-----------------	---

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	0.2	7	1	
6.7	0.0	1	2	
6.7	0.0	1	4	
6.7	0.0	1	6	
6.7	0.0	1	8	
6.7	0.0	1	10	
6.7	0.0	1	12	
6.7	0.0	1	26	
6.7	0.0	1	187	
	99.0	3,347	-9	LEGITIMATE NONRESPONSE
	0.6	20	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2852-2854

AK21_7A

SEDATIVES/TRANQUILIZERS: MADE SURE HAD 1MONTH/>

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	0.4	13	1	YES
83.8	2.0	67	2	NO
	97.2	3,287	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2116-2117

AK21_7B3

SEDATIVES/TRANQUILIZERS: DURATION - WEEKS

How long did your longest period of making sure you had sedatives or tranquilizers available last?

_____ WEEKS				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.0	1	9	
15.4	0.1	2	13	
7.7	0.0	1	17	
7.7	0.0	1	26	
7.7	0.0	1	35	
15.4	0.1	2	52	
30.8	0.1	4	104	
7.7	0.0	1	156	
	99.2	3,354	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2118-2120

AK21_8A

AMPHETAMINES/STIMULANTS: MADE SURE HAS 1MONTH/>

Which of these did you spend a lot of time making sure you had available over a period of 1 month or more?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	2.9	99	1	YES
54.0	3.4	116	2	NO
	93.2	3,152	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2123-2124

AK21_8B3	AMPHETAMINES/STIMULANTS: DURATION - WEEKS
-----------------	--

How long did your longest period of making sure you had amphetamines or other stimulants available last?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.1	2	1	
10.2	0.3	10	4	
1.0	0.0	1	6	
1.0	0.0	1	7	
9.2	0.3	9	9	
15.3	0.4	15	13	
4.1	0.1	4	17	
2.0	0.1	2	22	
7.1	0.2	7	26	
1.0	0.0	1	30	
3.1	0.1	3	35	
2.0	0.1	2	39	
1.0	0.0	1	48	
20.4	0.6	20	52	
2.0	0.1	2	78	
10.2	0.3	10	104	
1.0	0.0	1	130	
6.1	0.2	6	156	
1.0	0.0	1	364	
	96.6	3,268	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-4	DON'T KNOW
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2125-2127

AK21_8C	AMPHETAMINES/STIMULANTS: LAST TIME 1 MONTH/> HAD
----------------	--

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.0	2.8	96	2	WITHIN THE PAST 12 MONTHS
1.0	0.0	1	3	MORE THAN 1 YEAR AGO
	96.7	3,269	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2128-2129

AK21_8CR	MONTHS AGO MAKE SURE HAD STIMULANTS
-----------------	--

When was the last time you had a period of 1 month or more when you spent a lot of time making sure you had (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	1.5	51	1	
10.6	0.3	10	2	
7.4	0.2	7	3	
4.3	0.1	4	4	
6.4	0.2	6	5	
6.4	0.2	6	6	
4.3	0.1	4	7	
2.1	0.1	2	8	
1.1	0.0	1	9	
2.1	0.1	2	10	
1.1	0.0	1	17	
	96.7	3,269	-9	LEGITIMATE NONRESPONSE
	0.6	19	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2857-2858

AK22_1B**ALCOHOL: ACTIVITIES GIVEN UP AT LEAST 1MONTH**

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	14.0	474	1	YES
8.5	1.3	44	2	NO
	82.8	2,800	-9	LEGITIMATE NONRESPONSE
	1.9	63	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2134-2135

AK22_1C**ALCOHOL: LAST TIME ACTIVITIES GIVEN UP**

When was the last time you gave up these activities because of alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.8	13.9	469	2	WITHIN THE PAST 12 MONTHS
8.2	1.2	42	3	MORE THAN 1 YEAR AGO
	82.9	2,803	-9	LEGITIMATE NONRESPONSE
	2.0	66	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2136-2137

AK22_1CR	MONTHS AGO GIVE UP ACTIVITIES FOR ALCOHOL
-----------------	--

When was the last time you gave up these activities because of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	6.6	223	1	
16.3	2.4	82	2	
9.0	1.3	45	3	
4.2	0.6	21	4	
4.0	0.6	20	5	
5.8	0.9	29	6	
2.0	0.3	10	7	
2.0	0.3	10	8	
1.8	0.3	9	9	
2.0	0.3	10	10	
1.0	0.1	5	11	
1.0	0.1	5	12	
1.0	0.1	5	13	
0.8	0.1	4	14	
0.8	0.1	4	15	
0.4	0.1	2	16	
0.2	0.0	1	17	
0.4	0.1	2	18	
0.2	0.0	1	19	
0.4	0.1	2	20	
0.2	0.0	1	21	
0.6	0.1	3	25	
0.4	0.1	2	26	
0.2	0.0	1	28	
0.2	0.0	1	29	
0.2	0.0	1	31	
0.2	0.0	1	34	
0.2	0.0	1	40	
0.2	0.0	1	41	
	82.9	2,803	-9	LEGITIMATE NONRESPONSE
	2.3	77	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2859-2860

AK22_2A**MARIJUANA/HASH/THC: ACTIVITIES GIVEN UP**

Which of these have you given up or greatly reduced important activities for?

Marijuana, hashish, or THC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.2	32.0	1,081	1	YES
17.8	6.9	234	2	NO
	60.3	2,039	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2138-2139

AK22_2B**MARIJUANA/HASH/THC: ACTIVATES GIVEN UP AT LEAST 1MONTH**

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	29.2	986	1	YES
8.0	2.5	86	2	NO
	67.1	2,269	-9	LEGITIMATE NONRESPONSE
	1.2	39	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2140-2141

AK22_2C	MARIJUANA/HASH/THC: LAST TIME ACTIVATES GIVEN UP
----------------	---

When was the last time you gave up these activities because of marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.6	28.9	976	2	WITHIN THE PAST 12 MONTHS
8.4	2.7	90	3	MORE THAN 1 YEAR AGO
	67.1	2,271	-9	LEGITIMATE NONRESPONSE
	1.2	42	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2142-2143

AK22_2CR	MONTHS AGO GIVE UP ACTIVITIES FOR MARIJUANA
-----------------	--

When was the last time you gave up these activities because of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	14.4	486	1	
16.0	4.9	167	2	
9.4	2.9	98	3	
5.2	1.6	54	4	
3.4	1.0	35	5	
5.1	1.6	53	6	
1.8	0.6	19	7	
2.1	0.7	22	8	
1.5	0.5	16	9	
1.4	0.4	15	10	
0.9	0.3	9	11	
0.7	0.2	7	12	
0.6	0.2	6	13	
0.8	0.2	8	14	
0.6	0.2	6	15	
0.7	0.2	7	16	
0.6	0.2	6	17	
0.3	0.1	3	18	
0.2	0.1	2	19	
0.1	0.0	1	20	
0.2	0.1	2	21	
0.2	0.1	2	22	
0.2	0.1	2	23	
0.2	0.1	2	24	
0.2	0.1	2	25	
0.3	0.1	3	26	
0.1	0.0	1	27	
0.2	0.1	2	28	
0.1	0.0	1	31	
0.2	0.1	2	34	
0.2	0.1	2	38	
0.2	0.1	2	41	
	67.1	2,271	-9	LEGITIMATE NONRESPONSE
	2.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2861-2862

AK22_4A **COCAINE/CRACK: ACTIVITIES GIVEN UP**

Which of these have you given up or greatly reduced important activities for?

Cocaine or crack

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	7.9	268	1	YES
32.2	3.8	127	2	NO
	87.9	2,972	-9	LEGITIMATE NONRESPONSE
	0.4	14	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2144-2145

AK22_4B **COCAINE/CRACK: ACTIVATES GIVEN UP AT LAST 1 MONTH**

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	7.4	251	1	YES
7.0	0.6	19	2	NO
	91.5	3,096	-9	LEGITIMATE NONRESPONSE
	0.4	15	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2146-2147

AK22_4C

COCAINE/CRACK: LAST TIME ACTIVATES GIVEN UP

When was the last time you gave up these activities
because of cocaine or crack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	7.3	248	2	WITHIN THE PAST 12 MONTHS
5.7	0.4	15	3	MORE THAN 1 YEAR AGO
	91.6	3,099	-9	LEGITIMATE NONRESPONSE
	0.5	18	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2148-2149

AK22_4CR	MONTHS AGO GIVE UP ACTIVITIES FOR COCAINE/CRACK
-----------------	--

When was the last time you gave up these activities because of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	3.6	123	1	
13.3	1.0	34	2	
8.2	0.6	21	3	
7.4	0.6	19	4	
4.7	0.4	12	5	
5.9	0.4	15	6	
2.3	0.2	6	7	
2.7	0.2	7	8	
2.3	0.2	6	9	
0.8	0.1	2	10	
0.8	0.1	2	11	
0.4	0.0	1	12	
0.8	0.1	2	13	
0.4	0.0	1	16	
0.4	0.0	1	26	
0.8	0.1	2	27	
0.4	0.0	1	40	
0.4	0.0	1	185	
	91.6	3,099	-9	LEGITIMATE NONRESPONSE
	0.8	27	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2863-2865

AK22_5A**HEROIN: ACTIVITIES GIVEN UP**

Which of these have you given up or greatly reduced important activities for?

Heroin

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	1.8	60	1	YES
37.5	1.1	36	2	NO
	97.0	3,279	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2150-2151

AK22_5B**HEROIN: ACTIVITIES GIVEN UP AT LEAST 1 MONTH**

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	58	1	YES
0.0	0.0	0	2	NO
	98.0	3,315	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2152-2153

AK22_5C	HEROIN: LAST TIME ACTIVITIES GIVEN UP
----------------	--

When was the last time you gave up these activities because of heroin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	1.7	57	2	WITHIN THE PAST 12 MONTHS
5.0	0.1	3	3	MORE THAN 1 YEAR AGO
	98.0	3,315	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2154-2155

AK22_5CR	MONTHS AGO GIVE UP ACTIVITIES FOR HEROIN
-----------------	---

When was the last time you gave up these activities because of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	0.9	32	1	
11.7	0.2	7	2	
5.0	0.1	3	3	
5.0	0.1	3	4	
3.3	0.1	2	5	
5.0	0.1	3	6	
1.7	0.0	1	7	
8.3	0.1	5	8	
1.7	0.0	1	9	
5.0	0.1	3	10	
	98.0	3,315	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2866-2867

AK22_6A**NARCOTICS/OPIATES: ACTIVITIES GIVEN UP**

Which of these have you given up or greatly reduced important activities for?

Narcotics or other opiates

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	0.7	25	1	YES
82.5	3.5	118	2	NO
	95.1	3,217	-9	LEGITIMATE NONRESPONSE
	0.7	22	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2156-2157

AK22_6B**NARCOTICS/OPIATES: ACTIVATES GIVEN UP AT LEAST 1 MONTH**

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of narcotics or other opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	0.7	23	1	YES
8.0	0.1	2	2	NO
	98.6	3,334	-9	LEGITIMATE NONRESPONSE
	0.7	23	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2158-2159

AK22_6C	NARCOTICS/OPIATES: LAST TIME ACTIVITIES GIVEN UP
----------------	---

When was the last time you gave up these activities because of narcotics or other opiates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.2	0.6	19	2	WITHIN THE PAST 12 MONTHS
20.8	0.1	5	3	MORE THAN 1 YEAR AGO
	98.6	3,334	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2160-2161

AK22_6CR	MONTHS AGO GIVE UP ACTIVITIES FOR NARCOTICS
-----------------	--

When was the last time you gave up these activities because of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	0.3	10	1	
16.7	0.1	4	3	
4.2	0.0	1	4	
8.3	0.1	2	5	
4.2	0.0	1	6	
12.5	0.1	3	8	
4.2	0.0	1	12	
4.2	0.0	1	13	
4.2	0.0	1	15	
	98.6	3,334	-9	LEGITIMATE NONRESPONSE
	0.7	24	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2868-2869

AK22_7A**SEDATIVES/TRANQUILIZERS: ACTIVITIES GIVEN UP**

Which of these have you given up or greatly reduced important activities for?

Sedatives or tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	0.7	23	1	YES
77.0	2.3	77	2	NO
	96.7	3,272	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2162-2163

AK22_7B**SEDATIVES/TRANQUILIZERS: ACTIVATES GIVEN UP AT LEAST 1MONTH**

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of sedatives or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	0.7	22	1	YES
4.3	0.0	1	2	NO
	99.0	3,349	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2164-2165

AK22_7C	SEDATIVES/TRANQUILIZERS: LAST TIME ACTIVATES GIVEN UP
----------------	--

When was the last time you gave up these activities because of sedatives or tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.9	0.5	17	2	WITHIN THE PAST 12 MONTHS
26.1	0.2	6	3	MORE THAN 1 YEAR AGO
	99.0	3,349	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2166-2167

AK22_7CR	MONTHS AGO GIVE UP ACTIVITIES FOR SEDATIVES
-----------------	--

When was the last time you gave up these activities because of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.4	0.2	7	1	
21.7	0.1	5	2	
4.3	0.0	1	3	
8.7	0.1	2	5	
4.3	0.0	1	6	
8.7	0.1	2	8	
4.3	0.0	1	10	
4.3	0.0	1	12	
4.3	0.0	1	13	
4.3	0.0	1	15	
4.3	0.0	1	36	
	99.0	3,349	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2870-2871

AK22_8A**AMPHETAMINES/STIMULANTS: ACTIVITIES GIVEN UP**

Which of these have you given up or greatly reduced important activities for?

Amphetamines or other stimulants

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	3.1	106	1	YES
53.3	3.6	121	2	NO
	92.9	3,142	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2168-2169

AK22_8B**AMPHETAMINES/STIMULANTS: ACTIVATES GIVEN UP 1MONTH/>**

Did you ever give up or greatly reduce activities for at least 1 month or give them up several times because of amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.2	3.1	104	1	YES
2.8	0.1	3	2	NO
	96.5	3,262	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2170-2171

AK22_8C AMPHETAMINES/STIMULANTS: LAST TIME ACTIVATES GIVEN UP

When was the last time you gave up these activities because of amphetamines or other stimulants?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	3.0	101	2	WITHIN THE PAST 12 MONTHS
5.6	0.2	6	3	MORE THAN 1 YEAR AGO
	96.5	3,262	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2172-2173

AK22_8CR MONTHS AGO GIVE UP ACTIVITIES FOR STIMULANTS

When was the last time you gave up these activities because of (CATEGORY)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	1.6	53	1	
9.7	0.3	10	2	
8.7	0.3	9	3	
4.9	0.1	5	4	
4.9	0.1	5	5	
6.8	0.2	7	6	
1.9	0.1	2	7	
1.9	0.1	2	8	
1.9	0.1	2	9	
1.9	0.1	2	10	
1.0	0.0	1	11	
1.0	0.0	1	12	
1.0	0.0	1	13	
1.0	0.0	1	15	
1.0	0.0	1	34	
1.0	0.0	1	40	
	96.5	3,262	-9	LEGITIMATE NONRESPONSE
	0.5	17	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2872-2873

AK23_A

AGE HAD PROBLEMS DUE TO ALCOHOL

You said you have had some of the problems we just discussed due to ALCOHOL. How old were you the first time you had any of the problems due to ALCOHOL?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	2.6	87	0	
0.1	0.0	1	6	
0.2	0.1	4	7	
0.3	0.1	5	8	
0.6	0.3	10	9	
1.0	0.6	19	10	
3.0	1.6	55	11	
9.4	5.1	171	12	
18.5	9.9	336	13	
22.5	12.1	409	14	
20.1	10.8	365	15	
13.5	7.2	245	16	
4.9	2.6	89	17	
1.2	0.7	22	18	
	45.7	1,547	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.3	10	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2174-2175

AK23_B	AGE HAD PROBLEMS DUE TO MARIJUANA
---------------	--

You said you have had some of the problems we just discussed due to MARIJUANA, HASHISH, OR THC. How old were you the first time you had any of the problems due to MARIJUANA, HASHISH, OR THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.4	46	0	
0.0	0.0	1	5	
0.1	0.1	2	6	
0.2	0.1	5	7	
0.1	0.1	4	8	
0.3	0.2	7	9	
1.1	0.9	31	10	
2.8	2.3	77	11	
9.0	7.4	250	12	
17.9	14.6	494	13	
23.5	19.2	649	14	
22.6	18.5	625	15	
15.1	12.4	418	16	
5.0	4.1	137	17	
0.8	0.6	21	18	
	17.8	601	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.2	7	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2176-2177

AK23_C

AGE HAD PROBLEMS DUE TO COCAINE/CRACK

You said you have had some of the problems we just discussed due to COCAINE OR CRACK. How old were you the first time you had any of the problems due to COCAINE OR CRACK?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	1.3	45	0	
0.2	0.0	1	7	
0.8	0.1	5	11	
2.2	0.4	14	12	
6.9	1.3	45	13	
12.3	2.4	80	14	
25.0	4.8	162	15	
28.4	5.4	184	16	
13.7	2.6	89	17	
3.7	0.7	24	18	
	80.5	2,722	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2178-2179

AK23_D	AGE HAD PROBLEMS DUE TO HEROIN
---------------	---------------------------------------

You said you have had some of the problems we just discussed due to HEROIN. How old were you the first time you had any of the problems due to HEROIN?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	1.2	41	0	
0.6	0.0	1	6	
0.6	0.0	1	11	
0.6	0.0	1	12	
6.1	0.3	10	13	
12.7	0.6	21	14	
19.4	0.9	32	15	
21.8	1.1	36	16	
10.3	0.5	17	17	
3.0	0.1	5	18	
	94.8	3,207	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2180-2181

AK23_E

AGE HAD PROBLEMS DUE TO NARCOTICS/OPIATES

You said you have had some of the problems we just discussed due to NARCOTICS OR OPIATES. How old were you the first time you had any of the problems due to NARCOTICS OR OPIATES?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	1.4	49	0	
0.6	0.0	1	6	
1.2	0.1	2	11	
2.4	0.1	4	12	
8.5	0.4	14	13	
12.7	0.6	21	14	
20.0	1.0	33	15	
20.0	1.0	33	16	
4.2	0.2	7	17	
0.6	0.0	1	18	
	94.9	3,208	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2182-2183

AK23_F

AGE HAD PROBLEMS DUE SEDATIVES/TRANQUILIZERS

You said you have had some of the problems we just discussed due to SEDATIVES OR TRANQUILIZERS. How old were you the first time you had any of the problems due to SEDATIVES OR TRANQUILIZERS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	1.3	44	0	
1.5	0.1	2	11	
3.7	0.1	5	12	
6.6	0.3	9	13	
13.2	0.5	18	14	
20.6	0.8	28	15	
17.6	0.7	24	16	
4.4	0.2	6	17	
	95.7	3,237	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2184-2185

AK23_G AGE HAD PROBLEMS DUE AMPHETAMINES/STIMULANTS

You said you have had some of the problems we just discussed due to AMPHETAMINES OR OTHER STIMULANTS. How old were you the first time you had any of the problems due to AMPHETAMINES OR OTHER STIMULANTS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	1.5	51	0	
0.3	0.0	1	7	
0.3	0.0	1	8	
0.3	0.0	1	10	
1.1	0.1	4	11	
3.7	0.4	14	12	
10.1	1.1	38	13	
20.5	2.3	77	14	
20.0	2.2	75	15	
20.8	2.3	78	16	
9.3	1.0	35	17	
	88.6	2,997	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
	0.1	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2186-2187

AKDM DATE: MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	22.3	755	1	JAN. - MARCH
26.1	25.8	874	2	APR. - JUNE
23.1	22.9	774	3	JULY - SEPT.
28.4	28.1	951	4	OCT. - DEC.
	0.8	28	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2188-2189

AKTH **TIME: HOUR**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.8	229	1	
12.2	12.1	408	2	
14.3	14.2	481	3	
10.5	10.4	353	4	
6.5	6.4	218	5	
4.2	4.1	140	6	
4.6	4.5	153	7	
6.0	5.9	200	8	
4.0	4.0	135	9	
7.8	7.7	261	10	
13.0	12.9	435	11	
10.2	10.1	341	12	
	0.8	28	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2190-2191

AKTM **TIME: MINUTE**

3,382 cases (Range of valid codes: 0-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2192-2193

AKAMPM **TIME RECORDED AS AM OR PM**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.3	20.2	684	1	AM
78.7	74.8	2,531	2	PM
	4.9	167	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2194-2195

INTERVIEWER OBSERVATIONS

AL1	WERE ALL APPLICABLE QUESTIONS ANSWERED?
------------	--

DID THE RESPONDENT ANSWER ALL APPLICABLE QUESTIONS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	91.4	3,092	1	YES
7.5	7.4	250	2	NO
	1.1	38	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2196-2197

AL2	RESPONDENT UNDERSTOOD ALL QUESTION ASKED
------------	---

DID THE RESPONDENT UNDERSTAND ALL OF THE QUESTIONS THAT WERE ASKED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.5	96.2	3,253	1	YES
2.5	2.5	84	2	NO
	1.3	43	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2198-2199

AL2A	# OF QUESTIONS RESPONDENT DIDN'T UNDERSTAND
-------------	--

HOW MANY QUESTIONS DID THE RESPONDENT NOT UNDERSTAND?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	0.7	23	1	
15.1	0.2	8	2	
5.7	0.1	3	3	
9.4	0.1	5	4	
3.8	0.1	2	5	
3.8	0.1	2	6	
1.9	0.0	1	7	
1.9	0.0	1	8	
1.9	0.0	1	9	
5.7	0.1	3	10	
7.5	0.1	4	20	
	96.2	3,252	-9	LEGITIMATE NONRESPONSE
	2.1	72	-8	MISSING
	0.1	4	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2200-2201

AL3_1_1	NOT UNDERSTOOD: INTELLECTUALLY UNABLE
----------------	--

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

INTELLECTUALLY UNABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	48	1	CIRCLED
	96.1	3,251	-9	LEGITIMATE NONRESPONSE
	2.5	83	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2202-2203

AL3_1_2**SEVERITY OF INTELLECTUAL DIFFICULTY**

HOW SEVERE WOULD YOU SAY THE INTELLECTUAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.3	1.0	35	1	MILD
28.8	0.4	15	2	MODERATE
3.8	0.1	2	3	EXTREME
	96.1	3,251	-9	LEGITIMATE NONRESPONSE
	2.3	79	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2204-2205

AL3_2_1**NOT UNDERSTOOD: LANGUAGE BARRIER**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

LANGUAGE BARRIER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	2	CIRCLED
	96.2	3,252	-9	LEGITIMATE NONRESPONSE
	3.5	119	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2206-2207

AL3_2_2 SEVERITY OF LANGUAGE BARRIER

HOW SEVERE WOULD YOU SAY THE LANGUAGE BARRIER WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	0.2	8	1	MILD
42.1	0.2	8	2	MODERATE
15.8	0.1	3	3	EXTREME
	96.1	3,251	-9	LEGITIMATE NONRESPONSE
	3.3	111	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2208-2209

AL3_3_1 NOT UNDERSTOOD: PHYSICALLY UNABLE

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

PHYSICALLY UNABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	96.2	3,253	-9	LEGITIMATE NONRESPONSE
	3.8	129	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2210-2211

AL3_3_2**SEVERITY OF PHYSICAL DIFFICULTY**

HOW SEVERE WOULD YOU SAY THE PHYSICAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MILD
0.0	0.0	0	2	MODERATE
0.0	0.0	0	3	EXTREME
	96.2	3,253	-9	LEGITIMATE NONRESPONSE
	3.8	129	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2212-2213

AL3_4_1**NOT UNDERSTOOD: OTHER**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	18	4	CIRCLED
	96.2	3,252	-9	LEGITIMATE NONRESPONSE
	3.3	112	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2214-2215

AL3_4_2 SEVERITY OF OTHER PROBLEM

HOW SEVERE WOULD YOU SAY THIS DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	0.3	9	1	MILD
40.0	0.2	8	2	MODERATE
15.0	0.1	3	3	EXTREME
	96.2	3,252	-9	LEGITIMATE NONRESPONSE
	3.3	110	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2216-2217

AL4 WAS THE INTERVIEW A BREAK-OFF?

WAS THE INTERVIEW A BREAK-OFF?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.9	64	1	YES
98.1	97.0	3,280	2	NO
	1.1	38	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2218-2219

AL4A1 BREAK-OFF: INTERVIEWER EMERGENCY

WHAT WAS THE REASON FOR THE BREAK-OFF?

INTERVIEWER EMERGENCY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.0	3,280	-9	LEGITIMATE NONRESPONSE
	3.0	102	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2220-2221

AL4A2	BREAK-OFF: RESPONDENT EMERGENCY
--------------	--

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT EMERGENCY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	11	2	CIRCLED
	96.9	3,278	-9	LEGITIMATE NONRESPONSE
	2.7	93	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2222-2223

AL4A3	BREAK-OFF: RESPONDENT TIRED, BORED
--------------	---

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT TIRED, BORED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	10	3	CIRCLED
	97.0	3,280	-9	LEGITIMATE NONRESPONSE
	2.7	92	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2224-2225

AL4A6	BREAK-OFF: OTHER REASON
--------------	--------------------------------

WHAT WAS THE REASON FOR THE BREAK-OFF?

OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	38	6	CIRCLED
	97.0	3,280	-9	LEGITIMATE NONRESPONSE
	1.9	64	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2230-2231

AL5	RESPONSE TO POSSIBLE FUTURE INTERVIEW
------------	--

WHAT WAS THE RESPONDENT'S RESPONSE TO A POSSIBLE FUTURE INTERVIEW?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	25.2	851	1	EAGER
61.9	60.9	2,059	2	RECEPTIVE
10.6	10.4	351	3	NO REACTION
1.2	1.2	41	4	RELUCTANT
0.2	0.2	6	5	REFUSED
0.5	0.5	17	6	NOT DISCUSSED
	1.3	45	-8	MISSING
	0.3	11	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2232-2233

AL6 WAS INTERVIEW GIVEN IN MORE THAN 1 SESSION

WAS THE INTERVIEW GIVEN IN MORE THAN 1 SESSION?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.6	223	1	YES
93.3	91.9	3,107	2	NO
	1.5	52	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2234-2235

AL6A1 HOURS OF INTERVIEW BEFORE INTERRUPTED 1ST TIME

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED THE FIRST TIME?

HOURS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.1	4.6	157	0	
25.9	1.7	58	1	
4.0	0.3	9	2	
	91.8	3,105	-9	LEGITIMATE NONRESPONSE
	1.6	53	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2236-2237

AL6A2 MINUTES OF INTERVIEW BEFORE INTERRUPTED 1ST TIME

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED THE FIRST TIME?

MINUTES

3,382 cases (Range of valid codes: 0-79)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2238-2239

MINIMENTAL STATUS EXAM

AM1	EVER TALKED TO DOCTOR/MEMORY PROBLEM?
------------	--

Now, I'd like to ask about your memory. Have you ever had occasion to talk to a doctor about problems with your memory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	YES
33.3	0.0	1	2	NO
	99.9	3,378	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2240-2241

AM2	WHAT IS THE YEAR?
------------	--------------------------

Let me ask you a few questions to check your concentration and memory. What is the year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2242-2243

AM3 **WHAT SEASON OF THE YEAR?**

What season of the year is it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	CORRECT
25.0	0.0	1	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2244-2245

AM4 **WHAT IS THE DATE?**

What is the date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	CORRECT
50.0	0.1	2	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2246-2247

AM5 **WHAT IS THE DAY OF THE WEEK?**

What is the day of the week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	CORRECT
50.0	0.1	2	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2248-2249

AM6 WHAT IS THE MONTH?

What is the month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.9	3,379	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2250-2251

AM7 CAN YOU TELL WHERE WE ARE NOW?

Can you tell me where we are right now? For instance, what (State) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	CORRECT
25.0	0.0	1	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2252-2253

AM8 WHAT COUNTY ARE WE IN?

What (county/parish) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	CORRECT
66.7	0.1	2	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2254-2255

AM9 **WHAT CITY/TOWN ARE WE IN?**

What (city/town) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	CORRECT
33.3	0.0	1	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2256-2257

AM10A **WHAT FLOOR OF BUILDING ARE WE ON?**

What floor of the building are we on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	CORRECT
50.0	0.1	2	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2258-2259

AM10B **WHAT IS THE NAME OF THIS PLACE?**

What is this address (IF INSTITUTIONALIZED) or name of this place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	CORRECT
25.0	0.0	1	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2260-2261

AM11A**APPLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . APPLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2262-2263

AM11B**TABLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . TABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2264-2265

AM12B**WOULD YOU SUBTRACT 7 FROM 93**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

86

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	CORRECT
50.0	0.1	2	5	ERROR
25.0	0.0	1	7	SAYS CAN'T DO
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2270-2271

AM12C**WOULD YOU SUBTRACT 7 FROM 86**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

79

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	CORRECT
25.0	0.0	1	5	ERROR
25.0	0.0	1	7	SAYS CAN'T DO
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2272-2273

AM13**CIRCLE NUMBER OF ERRORS/REFUSED**

Now, I am going to spell a word forwards and I want you to spell it backwards. The word is "WORLD," W-0-R-L-D. Spell "world" backwards.

		NUMBER OF ERRORS		
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	0	NO ERROR
0.0	0.0	0	1	1 ERROR
33.3	0.0	1	2	2 ERRORS
0.0	0.0	0	3	3 ERRORS
0.0	0.0	0	4	4 ERRORS
33.3	0.0	1	5	5 ERRORS
	99.9	3,378	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2278-2279

AM14A**APPLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

APPLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2280-2281

AM14B **TABLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects 1 asked you to remember?

TABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2282-2283

AM14C **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

Now, what were the 3 objects 1 asked you to remember?

PENNY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	CORRECT
25.0	0.0	1	5	ERROR/CAN'T DO/REFUSE
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2284-2285

AM15A	SHOW WRIST WATCH/ASK/WHAT IS THIS?
--------------	---

[SHOW WRIST WATCH] What is this called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2286-2287

AM15B	SHOW PENCIL/ASK/WHAT IS THIS?
--------------	--------------------------------------

[SHOW PENCIL] What is this called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2288-2289

AM16	REPEAT A PHRASE AFTER ME
-------------	---------------------------------

I'd like you to repeat a phrase after me. The phrase is . . .
 "No if's, and's or but's."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	CORRECT
50.0	0.1	2	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2290-2291

AM18B**FOLD PAPER IN HALF**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

FOLDS PAPER IN HALF

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	CORRECT
25.0	0.0	1	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2296-2297

AM18C**PUT PAPER DOWN ON YOUR LAP**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

PUTS PAPER DOWN ON LAP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	CORRECT
25.0	0.0	1	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2298-2299

AM19 WRITE COMPLETE SENTENCE ON PAPER

Write any complete sentence on that piece of paper for me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CAN'T WRITE (ENGLISH)
	99.9	3,378	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2300-2301

AM20 COPY THE DRAWING ON SAME PAPER

Here's a drawing. Please copy the drawing on the same paper.
 [HAND RESPONDENT "PENTAGONS" CARD]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO
0.0	0.0	0	6	HANDICAP
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2302-2303

AM21**12/>12 05S CODED IN M2-M11/M14-M20?**

ARE 12 OR MORE "05's" CODED IN M2-M11 AND M14-M20?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	4	2	NO
	99.9	3,378	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2304-2305

AN1C**DISTRESSED BY URGE TO HARM OTHERS**

In the month before admission, how much were you distressed (bothered) by having urges to beat, injure, or harm someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	43.1	1,457	0	NOT AT ALL
23.3	23.0	777	1	A LITTLE BIT
11.0	10.8	366	2	MODERATELY
14.4	14.3	482	3	QUITE A BIT
7.7	7.6	257	4	EXTREMELY
	0.4	15	-8	MISSING
	0.2	7	-7	REFUSAL
	0.1	4	-6	MULTIPLE RESPONSE
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2414-2415

AN1D**DISTRESSED BY URGE TO BREAK THINGS**

In the month before admission, how much were you distressed (bothered) by having urges to break or smash things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	39.7	1,344	0	NOT AT ALL
23.6	23.3	787	1	A LITTLE BIT
11.6	11.5	388	2	MODERATELY
15.2	15.1	509	3	QUITE A BIT
9.4	9.3	313	4	EXTREMELY
	0.5	16	-8	MISSING
	0.2	7	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2416-2417

AN2A

FEELINGS FOR PEOPLE LESS FORTUNATE

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I often have tender, concerned feelings for people less fortunate than me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	14.2	480	0	NOT AT ALL
27.1	26.8	907	1	A LITTLE BIT
19.5	19.3	652	2	MODERATELY
25.9	25.7	868	3	QUITE A BIT
13.1	13.0	438	4	EXTREMELY
	0.3	10	-8	MISSING
	0.2	7	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2422-2423

AN2B	FEELINGS FOR OTHERS POINT OF VIEW
-------------	--

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I sometimes find it difficult to see things from the "other guy's" point of view.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	26.2	887	0	NOT AT ALL
34.5	34.2	1,155	1	A LITTLE BIT
16.9	16.7	566	2	MODERATELY
16.5	16.3	551	3	QUITE A BIT
5.5	5.5	185	4	EXTREMELY
	0.3	10	-8	MISSING
	0.2	8	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2424-2425

AN2C

LACK OF FEELING FOR OTHER PEOPLE

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

Sometimes I don't feel very sorry for other people when they are having problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	37.7	1,275	0	NOT AT ALL
34.6	34.2	1,156	1	A LITTLE BIT
13.6	13.5	455	2	MODERATELY
9.7	9.6	325	3	QUITE A BIT
3.9	3.8	130	4	EXTREMELY
	0.4	12	-8	MISSING
	0.3	9	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2426-2427

AN2E

PROTECTIVE FEELINGS FOR OTHERS

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

When I see someone being taken advantage of, I feel kind of protective towards them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	13.2	446	0	NOT AT ALL
20.7	20.5	692	1	A LITTLE BIT
18.7	18.5	626	2	MODERATELY
28.7	28.4	959	3	QUITE A BIT
18.4	18.2	616	4	EXTREMELY
	0.4	14	-8	MISSING
	0.2	8	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2430-2431

AN2G

FEELINGS FOR OTHERS MISFORTUNES

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

Other people's misfortunes do not usually disturb me a great deal.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	34.2	1,157	0	NOT AT ALL
35.7	35.1	1,186	1	A LITTLE BIT
16.9	16.6	560	2	MODERATELY
8.5	8.4	283	3	QUITE A BIT
4.0	4.0	134	4	EXTREMELY
	0.7	23	-8	MISSING
	0.2	8	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.4	13	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2434-2435

AN2H	FEELINGS FOR OTHERS ARGUMENTS
-------------	--------------------------------------

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

If I'm sure I'm right about something, I don't waste much time listening to other people's arguments.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	15.9	537	0	NOT AT ALL
19.7	19.5	659	1	A LITTLE BIT
14.8	14.7	496	2	MODERATELY
25.6	25.3	856	3	QUITE A BIT
23.8	23.5	795	4	EXTREMELY
	0.3	11	-8	MISSING
	0.3	9	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2436-2437

AN2I

FEELINGS OF PITY FOR OTHERS

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

When I see someone being treated unfairly, I sometimes don't feel very much pity for them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	44.7	1,511	0	NOT AT ALL
30.3	29.9	1,011	1	A LITTLE BIT
12.0	11.9	401	2	MODERATELY
8.2	8.1	273	3	QUITE A BIT
4.2	4.1	139	4	EXTREMELY
	0.5	16	-8	MISSING
	0.3	9	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2438-2439

AN2J **FEELINGS FOR THINGS THAT HAPPEN TO OTHERS**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I am often quite touched by things that I see happen.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.4	454	0	NOT AT ALL
25.5	25.1	850	1	A LITTLE BIT
22.9	22.6	765	2	MODERATELY
25.3	25.0	844	3	QUITE A BIT
12.7	12.5	422	4	EXTREMELY
	0.5	17	-8	MISSING
	0.3	9	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2440-2441

AN2K

BELIEF THERE ARE 2 SIDES TO QUESTIONS

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I believe that there are two sides to every question and try to look at them both.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.4	454	0	NOT AT ALL
25.9	25.5	863	1	A LITTLE BIT
21.7	21.4	723	2	MODERATELY
22.7	22.4	756	3	QUITE A BIT
16.1	15.8	536	4	EXTREMELY
	0.7	22	-8	MISSING
	0.3	9	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2442-2443

AN2M

WHEN UPSET TRY TO SEE OTHERS SIDE

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

When I'm upset at someone, I usually try to "put myself in his shoes" for a while.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.6	42.1	1,423	0	NOT AT ALL
29.0	28.6	968	1	A LITTLE BIT
13.8	13.6	461	2	MODERATELY
10.0	9.9	334	3	QUITE A BIT
4.6	4.5	152	4	EXTREMELY
	0.5	16	-8	MISSING
	0.3	9	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2446-2447

AN2N	FEELINGS FOR THOSE CRITICIZED
-------------	--------------------------------------

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

Before criticizing somebody, I try to imagine how I would feel if I were in their place.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	30.8	1,040	0	NOT AT ALL
28.3	27.9	944	1	A LITTLE BIT
16.4	16.2	547	2	MODERATELY
15.4	15.2	514	3	QUITE A BIT
8.8	8.7	295	4	EXTREMELY
	0.4	13	-8	MISSING
	0.3	9	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2448-2449

AN3A**STATEMENT A FOR N3**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decided which one of the two best describes you. There are no right or wrong answers.

Some teenagers like the way they are leading their lives, but . . .

Other teenagers don't like the way they are leading their lives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	51.7	1,749	1	TEENS LIKES WAY LEADING LIFE
47.1	46.0	1,555	2	TEENS DON'T LIKE WAY LEADING LIFE
	1.0	35	-8	MISSING
	0.3	11	-7	REFUSAL
	0.4	15	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2450-2451

AN4A**STATEMENT A FOR N4**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	47.5	1,607	1	SORT OF TRUE
51.5	50.4	1,704	2	REALLY TRUE
	0.9	29	-8	MISSING
	0.3	10	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	14	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2452-2453

AN3B STATEMENT B FOR N3

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decided which one of the two best describes you. There are no right or wrong answers.

Some teenagers feel that they are enjoyable to be with, but . . .

Other teenagers often question whether they are enjoyable to be with.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.7	68.2	2,307	1	TEENS ENJOYABLE TO BE WITH
30.3	29.6	1,001	2	TEENS NOT SURE ENJOYABLE TO BE WITH
	1.0	34	-8	MISSING
	0.4	12	-7	REFUSAL
	0.3	11	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2454-2455

AN4B STATEMENT B FOR N4

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	41.3	1,396	1	SORT OF TRUE
57.9	56.8	1,920	2	REALLY TRUE
	0.9	29	-8	MISSING
	0.3	10	-7	REFUSAL
	0.3	10	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2456-2457

AN3C**STATEMENT C FOR N3**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decided which one of the two best describes you. There are no right or wrong answers.

Some teenagers are very happy being the way they are, but . . .

Other teenagers would like to be different.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	48.5	1,641	1	TEENS HAPPY TO BE WAY THEY ARE
50.2	49.0	1,657	2	OTHER TEENS WOULD BE DIFFERENT
	1.2	41	-8	MISSING
	0.4	12	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.4	12	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2458-2459

AN4C**STATEMENT C FOR N4**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	35.1	1,188	1	SORT OF TRUE
64.1	62.7	2,120	2	REALLY TRUE
	1.1	36	-8	MISSING
	0.3	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.3	10	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2460-2461

AN3D STATEMENT D FOR N3

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decided which one of the two best describes you. There are no right or wrong answers.

Some teenagers feel uncomfortable when they have to meet new people, but . . .

Other teenagers like to meet new people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	37.8	1,280	1	UNCOMFORTABLE MEETING NEW PEOPLE
61.2	59.6	2,015	2	LIKE TO MEET NEW PEOPLE
	1.1	37	-8	MISSING
	0.4	12	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.6	19	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2462-2463

AN4D STATEMENT D FOR N4

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	33.0	1,117	1	SORT OF TRUE
66.2	64.6	2,184	2	REALLY TRUE
	1.1	36	-8	MISSING
	0.3	10	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.5	17	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2464-2465

AN3E**STATEMENT E FOR N3**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decided which one of the two best describes you. There are no right or wrong answers.

Some teenagers sometimes question whether they are a worthwhile person, but . . .

Other teenagers feel that they are a worthwhile person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	37.4	1,266	1	TEENS QUESTION WHETHER WORTHWHILE
61.5	59.8	2,022	2	TEENS FEEL THEY ARE WORTHWHILE
	1.2	41	-8	MISSING
	0.4	13	-7	REFUSAL
	0.7	23	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2466-2467

AN4E**STATEMENT E FOR N4**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	43.8	1,483	1	SORT OF TRUE
55.0	53.5	1,809	2	REALLY TRUE
	1.2	39	-8	MISSING
	0.3	11	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.7	22	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2468-2469

AN3F STATEMENT F FOR N3

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decided which one of the two best describes you. There are no right or wrong answers.

Some teenagers are disappointed with themselves, but . . .

Other teenagers are quite pleased with themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	50.5	1,709	1	TEENS DISAPPOINTED WITH SELF
47.9	46.5	1,574	2	TEENS PLEASED WITH SELF
	1.2	39	-8	MISSING
	0.4	14	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.8	27	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2470-2471

AN4F STATEMENT F FOR N4

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.9	45.6	1,543	1	SORT OF TRUE
53.1	51.7	1,749	2	REALLY TRUE
	1.1	38	-8	MISSING
	0.4	12	-7	REFUSAL
	0.7	23	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2472-2473

AN3G**STATEMENT G FOR N3**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decided which one of the two best describes you. There are no right or wrong answers.

Some teenagers feel at ease with other people, but . . .

Other teenagers are quite shy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.0	59.4	2,009	1	TEENS FEEL AT EASE WITH OTHER
39.0	37.9	1,283	2	OTHER TEENS ARE QUITE SHY
	1.2	41	-8	MISSING
	0.4	14	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.5	17	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2474-2475

AN4G**STATEMENT G FOR N4**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	43.1	1,458	1	SORT OF TRUE
55.9	54.6	1,845	2	REALLY TRUE
	1.0	33	-8	MISSING
	0.4	12	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.5	16	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2476-2477

AN3H STATEMENT H FOR N3

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decided which one of the two best describes you. There are no right or wrong answers.

Some teenagers are dissatisfied with themselves, but . . .

Other teenagers are satisfied with themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	40.0	1,352	1	TEENS DISSATISFIED WITH SELF
59.0	57.5	1,943	2	TEENS SATISFIED WITH SELF
	1.1	37	-8	MISSING
	0.4	14	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.5	18	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2478-2479

AN4H STATEMENT H FOR N4

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.6	46.5	1,572	1	SORT OF TRUE
52.4	51.2	1,732	2	REALLY TRUE
	1.0	33	-8	MISSING
	0.4	12	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.4	15	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2480-2481

AN3I**STATEMENT I FOR N3**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decided which one of the two best describes you. There are no right or wrong answers.

Some teenagers are not very sociable, but . . .

Other teenagers are sociable.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	26.3	890	1	SOME TEENS ARE NOT SOCIABLE
73.1	71.3	2,413	2	OTHER TEENS ARE SOCIABLE
	1.0	34	-8	MISSING
	0.4	14	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.4	13	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2482-2483

AN4I**STATEMENT I FOR N4**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.0	35.2	1,190	1	SORT OF TRUE
64.0	62.6	2,118	2	REALLY TRUE
	0.9	31	-8	MISSING
	0.4	12	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.4	12	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2484-2485

AN3J

STATEMENT J FOR N3

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decided which one of the two best describes you. There are no right or wrong answers.

Some teenagers like the kind of person they are, but . . .

Other teenagers would like to be someone else.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	69.5	2,351	1	SOME TEENS LIKE THEMSELVES
28.7	28.0	946	2	OTHER TEENS WOULD BE SOMEONE ELSE
	1.1	36	-8	MISSING
	0.4	14	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.4	15	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2486-2487

AN4J

STATEMENT J FOR N4

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	36.3	1,226	1	SORT OF TRUE
62.9	61.5	2,080	2	REALLY TRUE
	0.9	32	-8	MISSING
	0.4	12	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.4	13	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2488-2489

AN5**MOST PROBLEMS SOLVE THEMSELVES**

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

Do you believe that most problems will solve themselves if you just don't fool with them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	28.2	953	1	YES
71.2	69.8	2,360	2	NO
	1.1	36	-8	MISSING
	0.3	9	-7	REFUSAL
	0.2	7	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2490-2491

AN6**ARE SOME KIDS JUST BORN LUCKY**

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

Are some kids just born lucky?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	57.9	1,959	1	YES
41.1	40.4	1,365	2	NO
	0.8	28	-8	MISSING
	0.3	9	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2492-2493

AN7 **OFTEN BLAMED FOR THINGS NOT YOUR FAULT**

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

Are you often blamed for things that just aren't your fault?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	69.5	2,349	1	YES
29.4	28.9	977	2	NO
	0.8	26	-8	MISSING
	0.3	9	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2494-2495

AN8 **DOES NOT PAY TO TRY HARD**

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

Do you feel that most of the time it doesn't pay to try hard because things never turn out right anyway?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	42.1	1,423	1	YES
57.0	55.9	1,890	2	NO
	0.8	28	-8	MISSING
	0.3	9	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-5	BAD DATA
	0.4	12	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2496-2497

AN9**PUNISHMENT RECEIVED FOR NO GOOD REASON**

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

When you get punished, does it usually seem it's for no good reason at all?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.3	38.5	1,302	1	YES
60.7	59.3	2,007	2	NO
	0.9	32	-8	MISSING
	0.3	11	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
	0.1	5	-3	NOT APPLICABLE
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2498-2499

AN10**LITTLE TO BE DONE TO CORRECT WRONGDOINGS**

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

Do you feel that when you do something wrong, there's very little you can do to make it right?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.0	54.0	1,826	1	YES
45.0	44.3	1,497	2	NO
	0.8	26	-8	MISSING
	0.3	9	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.1	5	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2500-2501

AN11 HANDLE MOST PROBLEMS BY IGNORING THEM

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

Do you feel that one of the best ways to handle most problems is just not to think about them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	38.1	1,289	1	YES
61.2	60.2	2,037	2	NO
	0.8	26	-8	MISSING
	0.3	9	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2502-2503

AN12 PEOPLE LIKE YOU BECAUSE OF WAY YOU ACT

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

Do you believe that whether or not people like you depends on how you act?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	75.5	2,555	1	YES
22.9	22.5	761	2	NO
	0.9	31	-8	MISSING
	0.3	9	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.2	8	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2504-2505

AN13**CHANGE TOMORROW BY WHAT YOU DO TODAY**

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

Most of the time, do you feel that you can change what might happen tomorrow by what you do today?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	70.6	2,388	1	YES
28.0	27.5	929	2	NO
	0.9	30	-8	MISSING
	0.3	9	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.2	8	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2506-2507

AN14**BAD THINGS HAPPEN NO MATTER WHAT**

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

Do you believe that when bad things are going to happen, they just are going to happen no matter what you try to do to stop them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	48.5	1,640	1	YES
50.6	49.6	1,677	2	NO
	0.8	26	-8	MISSING
	0.3	9	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.3	11	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2508-2509

AN17

USELESS TO TRY IN SCHOOL/OTHERS SMARTER

Now, I am going to ask you some questions to which I want you to answer "yes" or "no."

Do you really feel that it's almost useless to try in school because most children are just plain smarter than you are?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	19.5	659	1	YES
80.2	78.9	2,667	2	NO
	0.7	25	-8	MISSING
	0.3	9	-7	REFUSAL
	0.1	5	-4	DON'T KNOW
	0.5	17	-1	DID NOT COMPLETE INTAKE 1 SUPPLEMENTAL QUESTIONNAIRE

----- -----
 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2514-2515

INTERVIEW COMPLETION

QU	INTAKE 1 QUESTIONNAIRE
-----------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO
100.0	100.0	3,382	1	YES
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Column: 2516

IA	INTAKE 1 ILLEGAL ACTS
-----------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	18	0	NO
99.5	99.5	3,364	1	YES
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Column: 2517

SU	INTAKE 1 SUPPLEMENTAL
-----------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	17	0	NO
99.5	99.5	3,365	1	YES
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Column: 2518

CLIENT CHARACTERISTICS

SEX	GENDER
------------	---------------

I do need to ask if you are male or female.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	73.8	2,497	1	MALE
26.2	26.2	885	2	FEMALE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Column: 2520

AGE	AGE AT INTAKE (CORRECTED)
------------	----------------------------------

I'd like to start the interview with some questions about your background. How old are you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	33	12	12 OR YOUNGER
4.5	4.5	152	13	
13.1	13.1	444	14	
22.6	22.6	763	15	
26.5	26.5	897	16	
23.4	23.4	793	17	
8.9	8.9	300	18	18 OR OLDER
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2521-2522

HLTHINS**HEALTH INSURANCE**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	15.2	515	0	NONE
39.6	36.7	1,240	1	PRIVATE /OTHER
33.8	31.3	1,058	2	PUBLIC
10.1	9.3	315	3	UNKNOWN TYPE
	0.3	11	-8	MISSING
	7.2	243	-4	DON'T KNOW

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2874-2875

FTWORK**WEEKS FULL-TIME WORK YEARS BEFORE TREATMENT**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	82.8	2,800	0	NONE
10.0	9.8	333	1	1-13 WKS
5.1	5.0	169	2	14-39 WKS
1.3	1.3	43	3	40-52 WKS
	1.1	37	-8	MISSING

 100.0 100.0 3,382 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2876-2877

MSTAT	MARITAL STATUS
-------	----------------

Are you now married, separated, divorced, widowed, living with someone as married, or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	8	1	MARRIED
0.0	0.0	1	2	SEPARATED
0.0	0.0	0	3	DIVORCED OR WIDOWED
0.5	0.5	18	5	LIVING AS MARRIED
99.2	99.0	3,349	6	NEVER MARRIED
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2878-2879

INSCHOOL	CURRENTLY IN SCHOOL
----------	---------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	33.2	1,124	0	NO
66.7	66.7	2,256	1	YES
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2880-2881

RACE	RACE & ETHNICITY
------	------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.6	51.6	1,745	1	CAUCASIAN/WHITE
23.9	23.9	807	2	AFRO-AMERICAN/BLACK
20.5	20.5	694	3	HISPANIC
4.0	4.0	136	4	OTHER
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Column: 2882

EDLEV	HIGHEST GRADE ATTENDED
--------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.1	0.1	5	1	GRADE SCHOOL
19.7	19.7	667	2	MIDDLE SCHOOL
29.4	29.4	994	3	GRADE 9
26.0	25.9	877	4	GRADE 10
17.1	17.1	577	5	GRADE 11
5.0	5.0	169	6	GRADE 12
2.7	2.7	90	7	HS GRADUATE/GED
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2883-2884

RACESEX	ETHNICITY & GENDER
----------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	36.6	1,238	1	CAUCASIAN/WHITE MALE
19.2	19.2	650	2	AFRO-AMERICAN/BLACK MALE
15.6	15.6	526	3	HISPANIC MALE
2.5	2.5	83	4	OTHER MALE
15.0	15.0	507	5	CAUCASIAN/WHITE FEMALE
4.6	4.6	157	6	AFRO-AMERICAN/BLACK FEMALE
5.0	5.0	168	7	HISPANIC FEMALE
1.6	1.6	53	8	OTHER FEMALE
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Column: 2885

CJ_STAT	CRIMINAL JUSTICE STATUS			
----------------	--------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	44.2	1,496	0	NO LEGAL STATUS
12.3	12.2	414	1	IN JAIL/DETENTION
32.0	31.8	1,077	2	PROBATION
1.4	1.4	46	3	PAROLE
10.0	9.9	336	4	CASE PENDING
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2940-2941

IAY_SIA	SERIOUS ILLEGAL ACTS YEARS BEFORE TREATMENT			
----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	37.1	1,255	0	NONE
14.8	14.1	478	1	1-2 ACTS
20.6	19.7	666	2	3-10 ACTS
25.6	24.5	827	3	10 OR MORE ACTS
	4.6	156	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2942-2943

MAJSRC	MAJOR SOURCE OF INCOME
---------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	8.8	299	0	NO INCOME
25.7	23.9	809	1	LEGAL WORK
2.3	2.2	73	2	PUB ASSISTANCE
1.1	1.0	35	3	SOCIAL SECURITY
24.5	22.8	772	4	FAMILY, FRIENDS
36.0	33.5	1,133	5	ILLEGAL SOURCES
1.0	0.9	30	6	OTHER SOURCES
	1.3	44	-8	MISSING
	5.5	187	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2944-2945

REFER	REFERRAL SOURCE
--------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	194	0	SELF (ONLY IF NO OTHER PRIMARY OR SECONDARY MENTIONED)
2.4	2.4	81	1	MEDICAL SERVICE
8.4	8.4	283	2	COMMUNITY AGENCY
34.2	34.2	1,157	3	LEGAL SYSTEM
44.7	44.7	1,511	4	FAMILY OR FRIENDS
4.1	4.1	140	5	SCHOOL OR EMPLOYER
0.4	0.4	13	6	OTHER
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2946-2947

RESTRICT	WEEKS RESTRICTED IN YEARS BEFORE TREATMENT			
----------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	41.3	1,398	0	NO WEEKS RESTRICTED
28.2	26.9	909	1	1 TO 4 WEEKS RESTRICTED
14.0	13.3	451	2	5 TO 13 WEEKS RESTRICTED
11.5	10.9	370	3	14 TO 26 WEEKS RESTRICTED
3.0	2.9	98	4	27 TO 39 WEEKS RESTRICTED
0.0	0.0	0	5	40 TO 50 WEEKS RESTRICTED
0.0	0.0	0	6	51 TO 52 WEEKS RESTRICTED
	4.6	156	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2948-2949

SCHOOL	SCHOOL STATUS AT INTAKE			
--------	-------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	33.2	1,124	0	NOT IN SCHOOL
4.1	4.1	138	1	SPECIAL EDUCATION
11.1	11.1	375	2	MIDDLE SCHOOL
42.6	42.5	1,437	3	HIGH SCHOOL
0.9	0.9	29	4	POST-SECONDARY
8.1	8.1	274	5	OTHER
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2952-2953

SUBSTANCE USE

HVY_ALC	HEAVY ALCOHOL USE
----------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.6	71.3	2,411	0	NOT A HEAVY USER
28.4	28.2	954	1	HEAVY ALCOHOL USER
	0.5	17	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2886-2887

ALCR	ALCOHOL USE YEARS BEFORE TREATMENT
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	17.0	574	0	NO USE
41.5	41.4	1,399	1	MONTHLY
33.0	32.9	1,112	2	WEEKLY
8.5	8.5	287	3	DAILY
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2888-2889

MRJR	MARIJUANA USE YEARS BEFORE TREATMENT
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.9	302	0	NO USE
9.8	9.8	331	1	MONTHLY
27.5	27.5	929	2	WEEKLY
53.7	53.6	1,814	3	DAILY
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2890-2891

COCR	COCAINE USE YEARS BEFORE TREATMENT
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	81.0	2,739	0	NO USE
6.5	6.5	221	1	MONTHLY
7.4	7.4	250	2	WEEKLY
5.0	5.0	168	3	DAILY
	0.1	4	-8	MISSING

100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2892-2893

HERR	HEROIN USE YEARS BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	95.8	3,239	0	NO USE
0.9	0.9	30	1	MONTHLY
1.4	1.4	46	2	WEEKLY
1.7	1.7	58	3	DAILY
	0.3	9	-8	MISSING

100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2894-2895

NARR	OTHER OPIOID USE YEARS BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	93.8	3,172	0	NO USE
3.3	3.3	112	1	MONTHLY
1.6	1.5	52	2	WEEKLY
0.5	0.5	18	3	DAILY
	0.8	28	-8	MISSING

100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2896-2897

SEDR	SEDATIVES YEARS BEFORE TREATMENT			
-------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	95.5	3,230	0	NO USE
2.3	2.2	76	1	MONTHLY
1.6	1.6	55	2	WEEKLY
0.4	0.4	14	3	DAILY
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2898-2899

AMPR	AMPHETAMINE USE YEARS BEFORE TREATMENT			
-------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	88.6	2,996	0	NO USE
3.8	3.8	128	1	MONTHLY
3.9	3.9	131	2	WEEKLY
3.5	3.5	117	3	DAILY
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2900-2901

HALR	HALLUCINOGENS YEARS BEFORE TREATMENT			
-------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.0	71.8	2,429	0	NO USE
15.9	15.8	535	1	MONTHLY
10.4	10.3	350	2	WEEKLY
1.8	1.8	60	3	DAILY
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2902-2903

INHR	INHALANTS YEARS BEFORE TREATMENT
-------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	91.1	3,081	0	NO USE
5.3	5.3	180	1	MONTHLY
2.6	2.6	89	2	WEEKLY
0.8	0.8	26	3	DAILY
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2904-2905

ALCWK	ALCOHOL WEEKLY+ YEARS BEFORE TREATMENT
--------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.5	58.3	1,973	0	LESS THAN WEEKLY USE
41.5	41.4	1,399	1	WEEKLY OR MORE USE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2906-2907

MRJWK	MARIJUANA WEEKLY+ YEARS BEFORE TREATMENT
--------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	18.7	633	0	LESS THAN WEEKLY USE
81.2	81.1	2,743	1	WEEKLY OR MORE USE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2908-2909

COCWK	COCAINE WEEKLY+ YEARS BEFORE TREATMENT			
--------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.6	87.5	2,960	0	LESS THAN WEEKLY USE
12.4	12.4	418	1	WEEKLY OR MORE USE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2910-2911

HERWK	HEROIN WEEKLY+ YEARS BEFORE TREATMENT			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.9	96.7	3,269	0	LESS THAN WEEKLY USE
3.1	3.1	104	1	WEEKLY OR MORE USE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2912-2913

NARWK	OTHER OPIOIDS WEEKLY+ YEARS BEFORE TREATMENT			
--------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	97.1	3,284	0	LESS THAN WEEKLY USE
2.1	2.1	70	1	WEEKLY OR MORE USE
	0.8	28	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2914-2915

INHWK	INHALANTS WEEKLY+ YEARS BEFORE TREATMENT				
--------------	---	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	96.4	3,261	0	LESS THAN WEEKLY USE
3.4	3.4	115	1	WEEKLY OR MORE USE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2922-2923

MRJ_EV	MARIJUANA - EVER USED				
---------------	------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	91	0	NO USE
4.8	4.8	163	1	1 - 5 TIMES
92.5	92.2	3,119	2	MORE THAN 5 TIMES
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2924-2925

COC_EV	COCAINE EVER USED				
---------------	--------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	60.0	2,029	0	NO USE
19.8	19.8	670	1	1 - 5 TIMES
20.1	20.1	679	2	MORE THAN 5 TIMES
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2926-2927

AMP_EV	AMPHETAMINES EVER USED			
--------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	79.2	2,680	0	NO USE
8.6	8.6	290	1	1 - 5 TIMES
11.9	11.9	403	2	MORE THAN 5 TIMES
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2934-2935

HAL_EV	HALLUCINOGENS - EVER USED			
--------	---------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	49.4	1,672	0	NO USE
20.7	20.6	697	1	1 - 5 TIMES
29.8	29.7	1,005	2	MORE THAN 5 TIMES
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2936-2937

INH_EV	INHALANTS - EVER USED			
--------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	75.2	2,543	0	NO USE
13.1	13.1	442	1	1 - 5 TIMES
11.6	11.6	392	2	MORE THAN 5 TIMES
	0.1	5	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2938-2939

CRKR	CRACK USE YEARS BEFORE TREATMENT			
-------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	90.9	3,075	0	NO USE
3.9	3.8	130	1	MONTHLY
2.3	2.3	78	2	WEEKLY
2.7	2.7	91	3	DAILY
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2961-2962

CRKWK	CRACK WEEKLY+ YEARS BEFORE TREATMENT			
--------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	94.8	3,205	0	LESS THAN WEEKLY USE
5.0	5.0	169	1	WEEKLY OR MORE USE
	0.2	8	-8	MISSING
-----	-----	-----		
100.0	100.0	3,382	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2963-2964

APPENDIX A: Publications

Broome, K. M., Joe, G. W., & Simpson, D. D. (2001). Engagement models for adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 608-623.

Delany, P. J., Broome, K. M., Flynn, P. M., & Fletcher, B. W. (2001). Treatment service patterns and organizational structures: An analysis of programs in DATOS-A. *Journal of Adolescent Research*, 16(6), 590-607.

Etheridge, R. M., Rounds-Bryant, J. L., Smith, J. C., & Hubbard, R. L. (2001). Drug abuse treatment and comprehensive services for adolescents. *Journal of Adolescent Research*, 16(6), 563-589.

Farabee, D., Shen, H., Hser, Y., Grella, C. E., & Anglin, M. D. (2001). The effect of drug treatment on criminal behavior among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 679-696.

Galaif, E. R., Hser, Y., Grella, C. E., & Joshi, V. (2001). Prospective risk factors and treatment outcomes among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 661-678.

Grella, C. E. & Joshi, V. (2003). Treatment processes and outcomes among adolescents with a history of abuse who are in drug treatment. *Child Maltreatment: Journal of the American Professional Society on the Abuse of Children*, 8(1), 7-18.

Hser, Y., Grella, C. E., Hubbard, R. L., Hsieh, S. C., Fletcher, B. W., Brown, B. S., & Anglin, M. D. (2001). An evaluation of drug treatment for adolescents in four U.S. cities. *Archives of General Psychiatry*, 58(7), 689-695.

Joshi, V., Hser, Y., Grella, C. E., & Houlton, R. (2001). Sex-related HIV risk reduction behavior among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 642-660.

Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

Rounds-Bryant, J. L., Kristiansen, P. L., Fairbank, J. A., & Hubbard, R. L. (1998). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*, 7(4), 19-34.

Rounds-Bryant, J. L., & Staab, J. (2001). Patient characteristics and treatment outcomes for African American, Hispanic, and White adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 624-641.

Wong, M. M., Hser, Y. I., & Grella, C. E. (2002). Compliance among adolescents during drug treatment. *Journal of Child & Adolescent Substance Use*, 12(2), 13-31.

Grella, C. E. (in press). The drug abuse treatment outcomes studies: Outcomes with adolescent substance abusers. In H. Liddle and C. Rowe (Eds.), *Adolescent Substance Abuse: Intervention and Management*. Cambridge, UK: Cambridge University Press.