

**Drug Abuse Treatment Outcome
Study--Adolescent (DATOS-A),
1993-1995: [United States]**

*United States Department of Health and
Human Services. National Institute on
Drug Abuse*

Codebook for Intake 2 Data

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

TABLE OF CONTENTS

INTRODUCTION	1
A. Background	1
B. Research Design	1
C. Program Sample	2
D. Instrumentation	3
E. Data Collection Procedures	3
F. SAMHDA Data Cleaning and Processing	4
G. User Responsibility	7
H. Processor Notes	7
FREQUENCIES	9
IDENTIFICATION	9
INTERVIEW INFORMATION	10
DEMOGRAPHICS AND BACKGROUND	11
ADOLESCENT DEMOGRAPHICS AND LIVING ARRANGEMENTS	145
HEALTH	158
COGNITIVE IMPAIRMENT (TRAIL MAKING TEST)	207
RELIGIOSITY AND SELF-CONCEPT	211
ADOLESCENT ANXIETY	221
DEPRESSION/ADOLESCENT DEPRESSION	316
SEXUAL EXPERIENCES	608
BEHAVIORAL PROBLEMS/ADOLESCENT BEHAVIORAL PROBLEMS	627
PSYCHOLOGICAL DISTRESS	772
MOTIVATION AND READINESS FOR TREATMENT	806
INTERVIEWER OBSERVATIONS	818
MINIMENTAL STATUS EXAM	831
RECODED VARIABLES: CLIENT CHARACTERISTICS	847
RECODED VARIABLES: SUBSTANCE USE	855
RECODED VARIABLES: TREATMENT	865
APPENDIX A: Publications	867

DRUG ABUSE TREATMENT OUTCOME STUDY-ADOLESCENT

INTRODUCTION

A. Background

The family of Drug Abuse Treatment Outcome Studies is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The family of Drug Abuse Treatment Outcome Studies consists of the adult component (DATOS), the adolescent component (DATOS-A), and the Cocaine Treatment Outcome Study (CTOS). DATOS-A is the first study designed specifically to conduct an in-depth, systematic investigation of the outcomes and effectiveness of drug treatment programs for adolescents.¹

The major objectives of DATOS-A are to (1) develop current and more comprehensive information about the effectiveness of adolescent drug treatment; (2) investigate the characteristics of adolescents entering treatment; (3) investigate the characteristics of the structure and process of drug abuse treatment in adolescent programs; (4) assess the contributions to client outcomes of program type, client characteristics, and treatment received.

DATOS-A is a comprehensive, multiyear, multi-site prospective cohort study of clients entering treatment from 1993 to 1995. Approximately 3,400 clients from 37 programs in 6 cities were assessed at intake. Re-interviews were completed at 1, 3, and 6 months during treatment with clients who continued their treatment. A follow-up sample of about 3,000 clients (12-months after treatment) was selected for locating and interviewing in the community.

B. Research Design

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. DATOS-A used a naturalistic, longitudinal, prospective cohort design. This design is highly suitable for gathering descriptive information on study populations and for investigating causal relationships in studies based on measurement of naturally occurring events rather than planned interventions (Cook & Campbell, 1979; Singer, 1986). Moreover, this design is quite appropriate for developing baseline measures for long-term longitudinal studies of adolescents, where maturation is likely a key factor affecting behavior change (Newcomb & Bentler, 1989).

¹ Sections of the Introduction were taken from the following source: Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

C. Program Sample

The DATOS-A study design specified a sample of programs that treated an adolescent population separately from an adult population. A further consideration was the data collection infrastructure developed for the adult study. The decision was also made to limit the sample to programs in the cities where the adult data collection was being conducted. In those locations, programs specializing in adolescent treatment and judged to be typically community-based treatment organizations in existence for at least 2 to 3 years and expected to remain as stable, viable organizations throughout the period of the study were identified. The programs with sufficient projected patient admissions of at least five patients per month were purposely selected for participation in the study. In addition, selection of programs was limited to programs committed to the research and ones that would permit efficient collection of detailed data about patient behaviors and treatment.

Six cities located in different sections of the United States were selected for DATOS-A because these cities each had a sufficient number of adolescent programs to support the DATOS research design. All six cities were medium to large metropolitan areas with established treatment systems. The selection of the six cities also enabled us to realize significant savings with respect to fieldwork costs and to obtain a more complete picture of patient characteristics and treatment services within the selected areas. The six cities also had the most experienced data collection staff members who had worked on the DATOS adult study. In most of the cities, the programs selected served most if not all the adolescents seeking treatment in the area. No programs selected to participate refused.

Programs in the sample represented the following three major modalities treating adolescents: therapeutic community or residential programs, chemical dependency or short-term inpatient programs, and outpatient drug-free programs. The programs differed primarily in their therapeutic orientation and planned duration. During the study, however, planned duration was reduced in many of the programs to address concerns about cost containment. The residential modality included traditional, modified, and short-term therapeutic community programs as well as halfway houses and shelter programs. These programs required patients to live in the treatment setting and included traditional treatment interventions along with those designed to resocialize patients. Planned duration of stay was much shorter than the long term residential treatment for adults. The planned durations initially varied from 3 months to 1 year (median = 5 months) compared to 4 months to 2 years for adult programs (median = 11 months). Short-term inpatient programs provided such treatment interventions as individual, group, and family counseling as well as 12-step counseling. Planned duration of stay was no more than 35 days, but more often it was fewer than 14 days. The outpatient drug-free modality included regular and intensive outpatient and day treatment programs. The type of program was distinguished by the range of services offered and the duration and frequency of treatment sessions. Planned duration of stay varied from 1 month to 2 years.

D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires.

Intake 1. The Intake 1 Questionnaire's function was to obtain baseline measures of patient characteristics and behaviors. The instrument took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment/support status, Income and expenditures, Hostility, Empathic concern/perspective taking, and Sociability/self-worth.

Intake 2. The Intake 2 Questionnaire was administered approximately one week after the Intake 1 Questionnaire. This interview averaged 2 hours to complete. Because of the instrument's length and the age of the respondents, the interviewers allowed respondents frequent breaks. It contained sections on Health, Cognitive impairment, Religiosity and self-concept, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

In-treatment. Interviewers administered in-treatment instruments to patients 1, 3, and 6 months after admission to treatment. Patients were interviewed only if they remained in treatment at the time an interview was due. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

Follow-up. Interviews were administered at 12-months after treatment termination. The 12-month follow-up instrument required approximately 90 minutes to complete. The instrument focused on patient behaviors and experiences during the past 12 months. Anchors based on key events and calendars were employed to focus patients on the time periods of interest. Descriptive and behavioral measures complemented those obtained through earlier interviews.

E. Data Collection Procedures

Trained professional data collectors were assigned the role of Program Researchers (PRs) for each participating program. PRs administered the intake and in-treatment instruments to patients within the program's physical facilities. Programs received compensation for interviewing space and clerical time required to refer new patients to the PR. During a weeklong training session, experienced trainers instructed PRs on how to work with the programs and administer the instruments. Before PRs were certified to begin interviewing, they had to demonstrate their ability to conduct the interviews. Throughout data collection, PRs were closely monitored by a continuous review of interviews received and weekly phone communication with the PRs. Each month, two interviews completed by each PR were selected randomly for quality control review. In addition, supervisors made quarterly site visits to monitor data collection.

All patients entering the selected programs who had not reached their 19th birthday at the time of admission were included in the sample frame. Data collection for admissions began during late November 1993, and the final intake assessments were completed by December 1995. Upon

admission to treatment, program staff members asked patients to speak with a PR about participating in the study. Procedures called for obtaining permission to participate in the study from a parent or guardian of anyone younger than 18 and assent from the adolescent. Informed consent was obtained directly from youth aged 18 years or older. Patients were offered \$10 for each intake or intreatment interview and \$15 for a follow-up interview.

For a more complete discussion of the DATOS methodology, see

Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>

F. SAMHDA Data Cleaning and Processing

This is to document the steps taken to clean and process the Drug Abuse Treatment Outcome Study – Adolescent (DATOS-A) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors referenced solutions to similar problems from the DATOS-adult study and also worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve

variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS-A variables included city, treatment program, and date of birth. Overall, the data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

City and program names: The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-3,382.

Date of birth: Date of birth (DOB) was deleted from the files. Age at time of interview was also on the files and was preserved. The age variable was top-coded at 18 or older and it was bottom-coded at 12 or younger.

Age at time of ... : Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

Legal status (criminal involvement) at time of admission, "Other; specify": The details provided in "specify" were deleted; value coded as "Circled."

Have other health plan: Plans offered in a limited geographic area were coded as "Other."

Occupation: Highly detailed occupation codes were combined into larger categories.

Race: These codes were re-coded as "White," "Black," "Hispanic," and "Other."

Ethnicity: Detailed ethnicity codes and variables were collapsed or deleted.

Description of ethnic/cultural background (Hispanic): Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

What other languages do you speak: Coded as “German,” “Spanish,” “French,” all others coded or re-coded as “Other.”

Number of children/relatives: Many questions that ask for a number of children/relatives (e.g. number of children to whom you gave birth or fathered, number of biological brothers/sisters you have, or number of biological brothers/sisters who lived with you) were top-coded (3 or more, 6 or more, 7 or more) based on frequencies.

Date of admission: The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

Date of interview: This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

ICD-9/DSM diagnosis codes: These were re-coded as “substance-related condition,” “mental health condition,” and “all other conditions.”

Drug Names: Variables regarding specific drugs used (e.g., primary drug used or which drug caused you this problem) had some responses that were potentially identifying. These were re-coded into major drug categories (e.g., alcohol, narcotics/opiates, inhalants, etc.).

Number of months currently pregnant: Re-coded by trimester.

Reason felt worthless/sinful/guilty verbatim: This variable had verbatim responses and was therefore deleted.

Presence of a specific physical handicap: Many variables related to a specific physical handicap (e.g., blindness, deafness, or over/under weight) were potentially identifying. Therefore, they were all combined into one new variable (Abnormality: Blind, Deaf, Weight, Speech Impediment, Other).

Questions respondent did not understand: These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

Administrative variables: For time checkpoint variables, the month was re-coded as quarter and day of the month was deleted. “Batch,” and all other remaining variables related to the administration of the questionnaire were deleted from the files.

Other variables: Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. “Program type” was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks

respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

G. User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

H. Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

2,921 cases (Range of valid codes: 1-3381)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1-4

MODALITY DATOS TREATMENT MODALITY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	49.7	1,452	1	RESIDENTIAL
27.1	27.1	792	2	SHORT-TERM INPATIENT
0.0	0.0	0	3	METHADONE MAINTENANCE
23.2	23.2	677	4	OUTPATIENT DRUG FREE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Column: 3144

INTERVIEW INFORMATION

CDC_M MONTH/DATE COMPLETED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	23.7	693	1	JAN. - MARCH
26.1	26.1	762	2	APR. - JUNE
22.8	22.8	667	3	JULY - SEPT.
27.4	27.4	799	4	OCT. - DEC.
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Column: 5

CDC_Y YEAR/DATE COMPLETED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	24	93	
43.1	43.1	1,260	94	
54.1	54.1	1,581	95	
1.9	1.9	56	96	
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 6-7

DEMOGRAPHICS AND BACKGROUND

CA4 TYPE OF RESIDENCE/PLACE YOU LIVED IN

At the time you were admitted to this program, what type of residence or place did you live in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.1	53.1	1,550	1	A ONE-FAMILY HOUSE/DUPLEX/CONDO
1.2	1.2	34	2	A MOBILE HOME/TRAILER
28.5	28.4	831	3	AN APT/MULTIPLE FAMILY BUILDING
0.1	0.1	3	4	HOTEL/ROOMING/BOARDING HOUSE
0.7	0.7	21	5	HOSPITAL/MEDICAL INSTITUTION
9.3	9.2	270	6	JAIL/PRISON/JUVENILE DETEN HOME
1.9	1.9	55	7	RESIDENTIAL DRUG TREAT PROG
3.5	3.5	102	8	OTHER GROUP RESIDENCE/HALFWAY HOU
0.6	0.6	17	9	IN A HOMELESS SHELTER
0.8	0.8	23	10	ON THE STREET
0.4	0.4	11	11	OTHER
	0.1	3	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 8-9

CA4_A WAS RESIDENCE OWNED BY YOU/YOUR FAMILY

Was this residence owned by either you or your family?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	44.0	1,284	1	YES
46.8	38.7	1,131	2	NO
	16.5	482	-9	LEGITIMATE NONRESPONSE
	0.8	22	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 10-11

CA5	HOW SATISFIED/AT PLACE YOU LIVED AT
------------	--

How satisfied were you with the place you lived at the time you were admitted? Would you say you were . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.0	116	1	VERY DISSATISFIED
10.6	8.8	258	2	SOMEWHAT DISSATISFIED
26.2	21.9	639	3	SOMEWHAT SATISFIED
58.5	48.9	1,429	4	VERY SATISFIED
	16.2	474	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 12-13

CA5_A	NOT SATISFIED W/PLACE/NOT AFFORD OTHER
--------------	---

Did your lack of satisfaction with the place you lived result mainly from your not being able to find other housing that you could afford (either better housing, more rooms, or a place of your own)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	13.1	382	1	YES
59.4	19.2	560	2	NO
	65.1	1,902	-9	LEGITIMATE NONRESPONSE
	2.6	76	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 14-15

CA6_WKS	WEEKS LIVED AT CURRENT ADDRESS
----------------	---------------------------------------

How long had you continuously lived (there/on the street) before you were admitted to this program? (recode)

2,921 cases (Range of valid codes: 0-975)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3235-3237

CA6_A	#PLACES YOU LIVED AT DURING 12 MONTHS
--------------	--

At how many addresses, residences, or places did you live during the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.3	8	0	
13.2	5.0	145	1	
50.4	19.0	555	2	
18.0	6.8	198	3	
7.7	2.9	85	4	
3.4	1.3	37	5	
2.7	1.0	30	6	
1.0	0.4	11	7	
1.1	0.4	12	8	
0.2	0.1	2	9	
0.9	0.3	10	10	
0.4	0.1	4	12	
0.1	0.0	1	15	
0.1	0.0	1	17	
0.1	0.0	1	20	
0.1	0.0	1	35	
	61.3	1,790	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 16-17

CA7	#DAY STAY OVERNIGHT/PLACES/JAIL/HOSPITAL
------------	---

In the 12 months before admission to this program, how many days did you stay overnight in a place where you could not come and go as you pleased, such as a jail, a hospital, or a therapeutic community?

2,921 cases (Range of valid codes: 0-730)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 18-20

CA7_A #DAY STAY OVERNIGHT/IN JAIL/PRISON

During those 12 months, how many days did you stay overnight in a jail, in a prison, or in a juvenile detention home?

2,921 cases (Range of valid codes: 0-730)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 21-23

CA7_B #DAY STAY OVERNIGHT/INPATIENT DRUG PROGRAM

During those 12 months, how many days did you stay overnight in a therapeutic community or other inpatient drug or alcohol treatment program ?

2,921 cases (Range of valid codes: 0-365)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 24-26

CA7_C #DAY STAY OVERNIGHT/IN HOSPITAL

During those 12 months, how many days did you stay overnight in a hospital (for some other reason)?

2,921 cases (Range of valid codes: 0-352)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 27-29

CA7_D #DAY STAY OVERNIGHT/OTHER PLACE

During those 12 months, how many days did you stay overnight in some other kind of place where you could not come and go as you pleased?

2,921 cases (Range of valid codes: 0-365)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 30-32

CA8	TRAVELED AROUND/A MONTH/WITHOUT PLAN
------------	---

Have you ever traveled around for a month or more without having any arrangements ahead of time and not knowing how long you were going to stay or where you were going to work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	10.4	304	1	YES
89.6	89.5	2,615	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 33-34

CA8_A	YOUR AGE/THE FIRST TIME YOU DID THAT
--------------	---

How old were you the first time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
0.3	0.0	1	1	
1.0	0.1	3	7	
0.3	0.0	1	8	
1.7	0.2	5	10	
1.3	0.1	4	11	
7.4	0.8	22	12	
12.4	1.3	37	13	
16.7	1.7	50	14	
24.1	2.5	72	15	
21.4	2.2	64	16	
10.4	1.1	31	17	
2.7	0.3	8	18	
	89.5	2,614	-9	LEGITIMATE NONRESPONSE
	0.3	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 35-36

CA8_B	YOUR AGE/THE LAST TIME YOU DID THAT
--------------	--

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
1.0	0.1	3	2	
0.7	0.1	2	8	
0.3	0.0	1	9	
0.7	0.1	2	10	
0.3	0.0	1	11	
1.0	0.1	3	12	
5.0	0.5	15	13	
18.2	1.9	55	14	
20.5	2.1	62	15	
28.1	2.9	85	16	
17.9	1.8	54	17	
6.0	0.6	18	18	
	89.4	2,611	-9	LEGITIMATE NONRESPONSE
	0.3	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 37-38

CA9	NO REGULAR PLACE TO LIVE/1+ MONTHS/SINCE 18
------------	--

Have you ever had no regular place to live for a month or more, or lived on the street or in a shelter for that long?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.0	10.9	319	1	YES
89.0	88.7	2,590	2	NO
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 39-40

CA9_A	YOUR AGE/THE FIRST TIME YOU DID THAT
--------------	---

How old were you the first time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	1	
0.3	0.0	1	2	
0.3	0.0	1	3	
0.6	0.1	2	4	
0.3	0.0	1	5	
0.9	0.1	3	6	
1.6	0.2	5	7	
1.9	0.2	6	9	
0.6	0.1	2	10	
2.2	0.2	7	11	
6.9	0.8	22	12	
14.2	1.5	45	13	
18.6	2.0	59	14	
22.6	2.5	72	15	
18.9	2.1	60	16	
7.5	0.8	24	17	
2.2	0.2	7	18	
	88.7	2,590	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 41-42

CA9_B	YOUR AGE/THE LAST TIME YOU DID THAT
--------------	--

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	2	
0.3	0.0	1	5	
0.9	0.1	3	6	
0.3	0.0	1	7	
0.6	0.1	2	8	
0.6	0.1	2	9	
0.3	0.0	1	10	
0.6	0.1	2	11	
2.5	0.3	8	12	
6.9	0.8	22	13	
19.2	2.1	61	14	
23.3	2.5	74	15	
25.6	2.8	81	16	
13.2	1.4	42	17	
5.0	0.5	16	18	
	88.6	2,589	-9	LEGITIMATE NONRESPONSE
	0.5	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 43-44

CA10	YOUR MARITAL STATUS
-------------	----------------------------

Now, I would like to ask about your marital status at the time you were admitted to this program. At the time you were admitted to this program, were you married, separated, divorced, widowed, living with someone as married (but not legally married), or had you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	5	1	MARRIED
0.1	0.1	2	2	SEPARATED
0.0	0.0	1	3	DIVORCED
0.0	0.0	0	4	WIDOWED
0.7	0.7	21	5	LIVING W/ONE AS MARRIED
99.0	98.9	2,888	6	NEVER MARRIED
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 45-46

CA10_WKS	WEEKS IN CURRENT MARITAL STATUS
-----------------	--

Before you were admitted to this program, how long had you been (MARITAL STATUS FROM A10)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,921	0	
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Column: 3245

CA10_A	WERE YOU LIVING W/YOUR HUSBAND/WIFE
---------------	--

Were you living with your (husband/wife)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.2	6	1	YES
14.3	0.0	1	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 47-48

CA10_B	WAS THIS A LEGAL SEPARATION
---------------	------------------------------------

Was this a legal separation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	YES
50.0	0.0	1	2	NO
	99.8	2,915	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 49-50

CA10_C	LIVING APART/NOT GET ALONG/OTHER REASON
---------------	--

Were you living apart because of not getting along or for other reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	NOT GETTING ALONG
0.0	0.0	0	2	OTHER REASONS
	99.8	2,916	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 51-52

CA10_D	WERE YOU SATISFIED W/RELATIONSHIP
---------------	--

Were you satisfied with your relationship?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	27	1	YES
0.0	0.0	0	2	NO
	98.9	2,890	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 53-54

CA10E_Y	#YEARS/HAD YOUR MARITAL STATUS
----------------	---------------------------------------

Before you were admitted to this program, how long had you been (MARITAL STATUS FROM A10)?

_____ YEARS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.6	0.8	22	0	
7.1	0.1	2	1	
7.1	0.1	2	2	
3.6	0.0	1	5	
3.6	0.0	1	7	
	99.0	2,893	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 55-56

CA10E_M	#MONTHS/HAD YOUR MARITAL STATUS
----------------	--

Before you were admitted to this program, how long had you been (MARITAL STATUS FROM A10)?

_____ MONTHS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.2	7	0	
3.6	0.0	1	1	
17.9	0.2	5	2	
3.6	0.0	1	3	
14.3	0.1	4	4	
3.6	0.0	1	5	
10.7	0.1	3	6	
10.7	0.1	3	7	
7.1	0.1	2	8	
3.6	0.0	1	18	
	99.0	2,893	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 57-58

CA10E_W	#WEEKS/HAD YOUR MARITAL STATUS
----------------	---------------------------------------

Before you were admitted to this program, how long had you been (MARITAL STATUS FROM A10)?

_____ WEEKS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	0.9	26	0	
3.4	0.0	1	1	
3.4	0.0	1	2	
3.4	0.0	1	3	
	99.0	2,892	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 59-60

CA11	HOW HUSBAND/WIFE FELT ABOUT YOUR DRUG USE
-------------	--

In general, before your admission, how did your (husband/wife/partner) feel about your use of drugs? Would you say that (he/she) . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.1	0.3	9	1	WAS VERY MUCH OPPOSED
28.6	0.3	8	2	WAS SOMEWHAT OPPOSED
7.1	0.1	2	3	DIDN'T CARE ONE WAY/OTHER
14.3	0.1	4	4	APPROVED YOUR USE OF DRUGS
14.3	0.1	4	5	WAS NOT AWARE OF YOUR DRUG USE
3.6	0.0	1	6	NOT IN CONTACT WITH PARTNER
	98.9	2,888	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 61-62

CA11_A	HOW IMPORTANT/HOW HE/SHE FELT YOUR DRUG USE
---------------	--

How important to you was the way (he/she) felt about your drug use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	NOT AT ALL
47.8	0.4	11	2	SOMEWHAT
52.2	0.4	12	3	VERY IMPORTANT
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 63-64

CA11_B	HAD PROBLEM W/HUSBAND/WIFE/BECAUSE DRUG USE
---------------	--

Have you had any serious problems with your (husband/wife/partner) because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	0.3	10	1	YES
56.5	0.4	13	2	NO
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 65-66

CA11_C	HUSBAND/WIFE PRESSURE YOU FOR DRUG TREAT
---------------	---

Did your (husband/wife/partner) pressure you to get treatment for your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	0.3	9	1	YES
60.9	0.5	14	2	NO
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 67-68

CA11_D	WAS HE/SHE ABUSING DRUGS/PAST 12 MON
---------------	---

Was (he/she) abusing drugs in the 12 months before you entered this program? Do not count alcohol abuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	0.3	9	1	YES
60.9	0.5	14	2	NO
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 69-70

CA11_E	WAS THIS PERSON IN DRUG TREAT/12 MON
---------------	---

Was this person in drug treatment at any time during those 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.8	23	2	NO
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 71-72

CA12	HOW MUCH YOUR HUSBAND/WIFE CONCERNED OF YOU
-------------	--

During the 12 months before you were admitted, how much would you say your (husband/Wife/partner) was concerned, helpful, or supportive of you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.1	2	0	NOT AT ALL
14.8	0.1	4	1	SOMEWHAT
77.8	0.7	21	2	VERY MUCH
	98.9	2,889	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 73-74

CA13 #TIMES YOU LEGALLY MARRIED

How many times have you been legally married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.7	0.8	23	0	
23.3	0.2	7	1	
	98.8	2,887	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 75-76

CA13_M MONTHS AGO LAST DIVORCED

When did you get divorced (the last time)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.9	2,917	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3238-3239

CA13_A #TIMES YOU BEEN DIVORCED

How many times have you been divorced?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.9	2,917	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 77-78

CA13_B_1	WHEN DID YOU GET DIVORCED/LAST TIME
-----------------	--

When did you get divorced (the last time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	WITHIN THE MONTH BEFORE ADMISSION
0.0	0.0	0	2	WITHIN THE PAST 12 MONTHS
0.0	0.0	0	3	MORE THAN 1 YEAR AGO
	99.9	2,917	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 79-80

CA13B_2	#MONTHS AGO/GOT DIVORCED/LAST TIME
----------------	---

When did you get divorced (the last time)?
How many months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	2,921	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 81-82

CA13B_3	YOUR AGE/GOT DIVORCED/LAST TIME
----------------	--

When did you get divorced (the last time)?
How old were you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	2,921	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 83-84

CA14_WKS	WEEKS LEGALLY MARRIED
-----------------	------------------------------

What is the longest time that you have ever been legally married? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.8	99.8	2,914	0	
0.0	0.0	1	26	
0.0	0.0	1	30	
0.1	0.1	2	52	
0.0	0.0	1	104	
0.0	0.0	1	130	
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3246-3248

CA15	SEPARATED FOR A FEW DAYS/NOT GET ALONG
-------------	---

(Other than when you separated or just before a divorce), did you and your (husband(s)/wife(wives)) ever separate for a few days or longer because of not getting along?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.1	2	1	YES
71.4	0.2	5	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 85-86

CA15_M	MONTHS AGO LAST SEPARATED--FOR MARRIED
---------------	---

When did you separate (the last time)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	0	
50.0	0.0	1	4	
	99.8	2,915	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3240-3241

CA15_A	SEPARATED >ONCE/NOT GET ALONG
---------------	---

(Other than when you separated or just before a divorce,) did you separate more than once because of not getting along (counting all marriages)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	YES
50.0	0.0	1	2	NO
	99.8	2,915	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 87-88

CA15_B_1 WHEN DID YOU SEPARATE/LAST TIME

When did you separate (the last time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	WITHIN THE MONTH BEFORE ADMISSION
50.0	0.0	1	2	WITHIN THE PAST 12 MONTHS
0.0	0.0	0	3	MORE THAN 1 YEAR AGO
	99.8	2,915	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 89-90

CA16 LIVED W/ONE AT LEAST A YEAR/AS MARRIED

Have you ever lived with someone for at least a year as though you were married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	62	1	YES
97.9	96.9	2,830	2	NO
	1.0	29	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 91-92

CA16_WKS WEEKS LIVED AS MARRIED

How long did you live with someone as though married (the longest time)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	100.0	2,921	0	
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Column: 3249

CA16_A_1	WHEN LIVED W/ONE AS MARRIED/LAST TIME
-----------------	--

When was the last time you lived with someone as though married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	0.5	16	1	WITHIN THE MONTH BEFORE ADMISSION
40.3	0.9	27	2	WITHIN THE PAST 12 MONTHS
35.8	0.8	24	3	MORE THAN 1 YEAR AGO
	96.7	2,825	-9	LEGITIMATE NONRESPONSE
	1.0	29	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 93-94

CA16_B	#TIMES LIVED W/ONE FOR 1 YR/AS MARRIED
---------------	---

How many times have you lived with someone for at least a year as though married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.0	1	0	
91.0	2.1	61	1	
7.5	0.2	5	2	
	96.8	2,827	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 95-96

CA16_Y	#YEARS/LIVED W/ONE AS MARRIED/LONGEST
---------------	--

How long did you live with someone as though married (the longest time)?

_____ YEARS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.8	23	0	
42.0	1.0	29	1	
17.4	0.4	12	2	
2.9	0.1	2	3	
1.4	0.0	1	4	
2.9	0.1	2	5	
	97.6	2,852	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 97-98

CA16_M

#MONTH/LIVED W/ONE AS MARRIED/LONGEST

How long did you live with someone as though married (the longest time)?

PCT		PCT	N	VALUE	LABEL
VALID		ALL			
24.2	0.5		16	0	
1.5	0.0		1	1	
7.6	0.2		5	2	
3.0	0.1		2	3	
6.1	0.1		4	4	
3.0	0.1		2	5	
4.5	0.1		3	6	
1.5	0.0		1	7	
4.5	0.1		3	8	
4.5	0.1		3	9	
3.0	0.1		2	10	
1.5	0.0		1	11	
7.6	0.2		5	12	
1.5	0.0		1	13	
4.5	0.1		3	14	
3.0	0.1		2	16	
1.5	0.0		1	17	
4.5	0.1		3	18	
1.5	0.0		1	20	
1.5	0.0		1	22	
3.0	0.1		2	23	
1.5	0.0		1	26	
1.5	0.0		1	29	
1.5	0.0		1	42	
1.5	0.0		1	51	
	97.7		2,855	-8	MISSING
-----	-----	-----			
100.0	100.0		2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 99-100

CA16_W #WEEKS/LIVED W/ONE AS MARRIED/LONGEST

How long did you live with someone as though married (the longest time)?

_____ WEEKS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	67	0	
	97.7	2,854	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 101-102

CA17 SEPARATED FOR A FEW DAYS/NOT GET ALONG

Did you and the person(s) you lived with as married ever separate for a few days or longer because of not getting along?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.2	1.4	42	1	YES
40.8	1.0	29	2	NO
	96.6	2,823	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 103-104



CA17_M	MONTHS AGO LAST SEPARATED
---------------	----------------------------------

When did you separate (the last time)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	0.1	4	0	
4.9	0.1	2	2	
7.3	0.1	3	3	
2.4	0.0	1	4	
7.3	0.1	3	5	
4.9	0.1	2	6	
2.4	0.0	1	7	
9.8	0.1	4	8	
4.9	0.1	2	9	
7.3	0.1	3	10	
2.4	0.0	1	11	
12.2	0.2	5	12	
2.4	0.0	1	13	
2.4	0.0	1	14	
2.4	0.0	1	17	
7.3	0.1	3	18	
2.4	0.0	1	19	
2.4	0.0	1	23	
2.4	0.0	1	39	
2.4	0.0	1	143	
	97.6	2,852	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3242-3244

CA17_A	SEPARATED >ONCE/WHEN LIVED AS MARRIED
---------------	---

Did you separate more than once (counting all persons you lived with as married)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	1.3	37	1	YES
14.0	0.2	6	2	NO
	97.6	2,852	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 105-106

CA17_B_1	WHEN DID YOU SEPARATE/LAST TIME
-----------------	--

When did you separate (the last time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.1	4	1	WITHIN THE MONTH BEFORE ADMISSION
53.5	0.8	23	2	WITHIN THE PAST 12 MONTHS
37.2	0.5	16	3	MORE THAN 1 YEAR AGO
	97.6	2,852	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 107-108

CA18	HOW WELL YOU WERE DOING AS HUSBAND/WIFE
-------------	--

Before admission to this program, how well were you doing as a (husband/wife/partner)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	0.5	15	1	POOR
31.3	0.7	21	2	FAIR
46.3	1.1	31	3	WELL
	96.0	2,805	-9	LEGITIMATE NONRESPONSE
	1.6	47	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 109-110

CA19**WALKED OUT ON SPOUSE/FOR SEVERAL WEEKS**

Did you ever walk out on any (spouse/partner with whom you were living as married) either permanently or for at least several weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	1.0	29	1	YES
63.3	1.7	50	2	NO
	96.0	2,804	-9	LEGITIMATE NONRESPONSE
	1.3	38	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 111-112

CA19_A**WALKED OUT ON MORE THAN 1 OCCASION**

Did you walk out on more than 1 occasion?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	0.7	21	1	YES
27.6	0.3	8	2	NO
	97.7	2,854	-9	LEGITIMATE NONRESPONSE
	1.3	38	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 113-114

CA19_B	YOUR AGE/THE FIRST TIME YOU DID THAT
---------------	---

How old were you the (first) time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.0	1	11	
7.1	0.1	2	13	
14.3	0.1	4	14	
39.3	0.4	11	15	
17.9	0.2	5	16	
14.3	0.1	4	17	
3.6	0.0	1	18	
	97.7	2,854	-9	LEGITIMATE NONRESPONSE
	1.3	39	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 115-116

CA19_C	YOUR AGE/THE LAST TIME YOU DID THAT
---------------	--

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.0	1	12	
4.0	0.0	1	14	
24.0	0.2	6	15	
16.0	0.1	4	16	
44.0	0.4	11	17	
8.0	0.1	2	18	
	96.1	2,808	-9	LEGITIMATE NONRESPONSE
	3.0	88	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 117-118

CA20**HIT/THROW THINGS AT YOUR SPOUSE**

Did you ever hit or throw things at your (spouse(s) /partner(s))?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	1.3	37	1	YES
53.2	1.4	42	2	NO
	96.0	2,804	-9	LEGITIMATE NONRESPONSE
	1.3	38	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 119-120

CA20_A**YOU HIT/THROW THINGS AT SPOUSE FIRST**

Were you ever the one who hit or threw things first, regardless of who started the argument?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.2	0.8	23	1	YES
37.8	0.5	14	2	NO
	97.4	2,846	-9	LEGITIMATE NONRESPONSE
	1.3	38	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 121-122

CA20_B	YOU HIT/THROW THINGS FIRST/>ONE TIME
---------------	--

Did you hit or throw things first on more than 1 occasion?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	0.6	18	1	YES
21.7	0.2	5	2	NO
	97.9	2,860	-9	LEGITIMATE NONRESPONSE
	1.3	38	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 123-124

CA20_C	FELT IT OKAY/YOU BEEN MISTREATED
---------------	---

Did you ever feel that doing that was okay because you had been mistreated or the person deserved it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	0.5	16	1	YES
26.1	0.2	6	2	NO
4.3	0.0	1	3	FELT BAD ABOUT SOME, NOT OTHERS
	97.9	2,860	-9	LEGITIMATE NONRESPONSE
	1.3	38	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 125-126

CA20_D	#TIMES YOU HIT/THROW THINGS AT SPOUSE
---------------	--

How many times in the past year did you hit or throw things at your (spouse(s)/partner(s))?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	0.2	5	0	
17.4	0.1	4	2	
8.7	0.1	2	3	
4.3	0.0	1	5	
17.4	0.1	4	6	
4.3	0.0	1	7	
4.3	0.0	1	8	
17.4	0.1	4	20	
4.3	0.0	1	50	
	97.9	2,860	-9	LEGITIMATE NONRESPONSE
	1.3	38	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 127-128

CA20_E	YOUR AGE/THE FIRST TIME YOU DID THAT
---------------	---

How old were you the (first) time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.0	1	12	
8.7	0.1	2	13	
30.4	0.2	7	14	
26.1	0.2	6	15	
4.3	0.0	1	16	
21.7	0.2	5	17	
4.3	0.0	1	18	
	97.9	2,860	-9	LEGITIMATE NONRESPONSE
	1.3	38	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 129-130

CA20_F	YOUR AGE/THE LAST TIME YOU DID THAT
---------------	--

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	0.1	3	14	
35.0	0.2	7	15	
20.0	0.1	4	16	
15.0	0.1	3	17	
15.0	0.1	3	18	
	97.9	2,860	-9	LEGITIMATE NONRESPONSE
	1.4	41	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 131-132

CA21

#PERSONS WERE LIVING WITH YOU

Next, I will ask about where you have lived, the relationships that you might have had with family and friends, and how your life has been going. At the time you were admitted to this program, excluding yourself, how many people were living with you, either family or other members of your household?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.4	13	0	
11.2	9.3	272	1	
24.4	20.2	591	2	
27.2	22.5	658	3	
19.1	15.9	463	4	
8.7	7.2	210	5	
4.3	3.6	105	6	
2.2	1.8	54	7	
0.9	0.8	22	8	
0.5	0.4	11	9	
0.3	0.2	7	10	
0.2	0.2	5	11	
0.2	0.2	5	12	
0.0	0.0	1	13	
0.0	0.0	1	15	
0.1	0.1	2	16	
0.0	0.0	1	18	
0.0	0.0	1	21	
0.0	0.0	1	54	
	16.2	474	-9	LEGITIMATE NONRESPONSE
	0.7	21	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 133-134

CA21_A	YOUR SPOUSE/PARTNER LIVED W/YOU
---------------	--

Did your spouse/partner live with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	1.2	35	1	YES
87.6	8.5	248	2	NO
	17.0	496	-9	LEGITIMATE NONRESPONSE
	73.3	2,141	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 135-136

CA21_B_1	# OF YOUR CHILDREN
-----------------	---------------------------

How many of these people were your children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	58.8	1,717	0	
3.1	2.0	57	1	
1.3	0.8	24	2	
0.7	0.4	13	3	
0.3	0.2	5	4	
0.1	0.0	1	5	
0.2	0.1	4	6	6+
	17.2	502	-9	LEGITIMATE NONRESPONSE
	20.4	596	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 137-138

CA21_B_2	# OF YOUR PARENTS
-----------------	--------------------------

How many of these people were your parents?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	6.3	183	0	
50.0	39.3	1,147	1	
41.9	32.9	960	2	
0.1	0.1	3	3	
	16.9	493	-9	LEGITIMATE NONRESPONSE
	4.6	133	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 139-140

CA21_B_3	# OF YOUR OTHER RELATIVES
-----------------	----------------------------------

How many of these people were your other relatives?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	14.8	433	0	
32.8	24.9	726	1	
24.8	18.8	548	2	
11.5	8.7	255	3	
5.7	4.3	126	4	
2.3	1.7	51	5	
3.3	2.5	74	6	
0.0	0.0	0	7	7+
	16.9	495	-9	LEGITIMATE NONRESPONSE
	7.2	211	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 141-142

CA21_B_4	# OF OTHER NON RELATIVES
-----------------	---------------------------------

How many of these people were your other nonrelatives?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.4	49.9	1,459	0	
13.9	8.8	256	1	
2.2	1.4	41	2	
1.7	1.1	32	3	
0.9	0.6	17	4	
0.7	0.4	13	5	
1.0	0.7	19	6	6+
	17.1	500	-9	LEGITIMATE NONRESPONSE
	19.9	582	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 143-144

CA22	HOW SATISFIED WERE YOU/LIVING W/PEOPLE
-------------	---

How satisfied were you living with (this person/these people)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	3.7	108	1	VERY DISSATISFIED
12.6	10.3	302	2	SOMEWHAT DISSATISFIED
31.1	25.6	748	3	SOMEWHAT SATISFIED
51.8	42.6	1,245	4	VERY SATISFIED
	16.6	485	-9	LEGITIMATE NONRESPONSE
	1.1	32	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 145-146

CA23_1**MADE IMPORTANT DECISIONS/RESPONDENT**

Who made the important decisions for your household, such as where you would live or how money would be spent?

Respondent

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.1	91	1	CIRCLED
	17.3	504	-9	LEGITIMATE NONRESPONSE
	79.6	2,326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 147-148

CA23_2**MADE IMPORTANT DECISIONS/SPOUSE/PARTNER**

Who made the important decisions for your household, such as where you would live or how money would be spent?

Spouse / partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	45	2	CIRCLED
	17.3	505	-9	LEGITIMATE NONRESPONSE
	81.2	2,371	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 149-150

CA23_3	MADE IMPORTANT DECISIONS/PARENT/IN-LAWS
---------------	--

Who made the important decisions for your household, such as where you would live or how money would be spent?

Parent / In-laws

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	69.1	2,018	3	CIRCLED
	16.7	489	-9	LEGITIMATE NONRESPONSE
	14.2	414	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 151-152

CA23_4	MADE IMPORTANT DECISIONS/OTHER FAMILY/RELATIVE
---------------	---

Who made the important decisions for your household, such as where you would live or how money would be spent?

Other family or relative

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.8	228	4	CIRCLED
	17.3	505	-9	LEGITIMATE NONRESPONSE
	74.9	2,188	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 153-154

CA23_5**MADE IMPORTANT DECISIONS/ROOMMATE/FRIEND**

Who made the important decisions for your household, such as where you would live or how money would be spent?

Roommate / friend

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	55	5	CIRCLED
	17.2	503	-9	LEGITIMATE NONRESPONSE
	80.9	2,363	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 155-156

CA23_6**MADE IMPORTANT DECISIONS/OTHER**

Who made the important decisions for your household, such as where you would live or how money would be spent?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	53	6	CIRCLED
	17.2	501	-9	LEGITIMATE NONRESPONSE
	81.0	2,367	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 157-158

CA24 **HOW WELL YOU DID AS A PART OF GROUP**

Before admission, how well did you do as a part of this group, that is, as a housemate or roommate? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	15.5	452	1	POOR
43.8	35.7	1,043	2	FAIR
37.3	30.4	888	3	WELL
	16.6	485	-9	LEGITIMATE NONRESPONSE
	1.8	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 159-160

CA25_A **HOW OFTEN YOU/ARGUE/GET ANGRY W/PEOPLE**

While you lived there, how often did you argue or get very angry with any of the people you lived with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	9.5	278	1	NOT AT ALL
23.2	19.1	559	2	LESS THAN ONCE A WEEK
34.5	28.4	830	3	AT LEAST ONCE A WEEK
30.8	25.4	742	4	ALMOST DAILY
	16.6	485	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 161-162

CA25_B**HOW OFTEN YOU/RELY ON PEOPLE FOR CHORES**

While you lived there, how often did you have to rely on the people you lived with to do your share of the household chores or duties (such as cleaning, shopping, washing dishes?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	39.2	1,144	1	NOT AT ALL
19.6	16.2	472	2	LESS THAN ONCE A WEEK
15.8	13.0	380	3	AT LEAST ONCE A WEEK
17.0	14.0	410	4	ALMOST DAILY
	16.6	485	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 163-164

CA25_C**HOW OFTEN/PROBLEM W/PEOPLE/YOUR DRUG PROBLEM**

While you lived there, how often did you have problems with the people you lived with because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	31.0	906	1	NOT AT ALL
17.6	14.4	422	2	LESS THAN ONCE A WEEK
20.9	17.2	501	3	AT LEAST ONCE A WEEK
23.8	19.6	572	4	ALMOST DAILY
	16.6	485	-9	LEGITIMATE NONRESPONSE
	1.0	30	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 165-166

CA25_D	HOW OFTEN YOU CARE FOR ONE/HEALTH PROBLEM
---------------	--

While you lived there, how often did you care for someone who had serious health problems or disabilities that required a lot of extra care such-as helping him or her dress, eat, or get medicine?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.7	76.2	2,226	1	NOT AT ALL
2.2	1.8	53	2	LESS THAN ONCE A WEEK
1.8	1.5	43	3	AT LEAST ONCE A WEEK
3.3	2.7	79	4	ALMOST DAILY
	16.6	485	-9	LEGITIMATE NONRESPONSE
	1.2	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 167-168

CA25_E	PEOPLE STAY W/YOU LIMIT YOUR ABILITY
---------------	---

How much did having to stay with (this person/these people) limit your ability to get out and do things? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	2.4	70	0	NOT AT ALL
32.0	1.4	40	1	SOMEWHAT
12.0	0.5	15	2	VERY MUCH
	95.7	2,794	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 169-170

CA26**WHO DID YOU LIVE WITH MOST/BEFORE ADMITTANCE**

During the 12 months before admission, who did you live with most of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	11	1	W/SPOUSE/SEXUAL PARTNER/CHILDREN
0.7	0.7	19	2	W/SPOUSE/SEXUAL PARTNER, ONLY
0.1	0.1	3	3	WITH CHILDREN ONLY
13.5	13.4	391	4	WITH BOTH PARENTS
15.4	15.2	445	5	WITH MOTHER ONLY
3.6	3.6	105	6	WITH FATHER ONLY
1.7	1.7	49	7	PARENT(S) AND OWN CHILDREN
50.5	49.9	1,458	8	W/OTHER FAMILY/COMBI 01-07
1.0	1.0	30	9	WITH FOSTER PARENTS
4.7	4.7	136	10	W/FAMILY/FRIENDS/BOARDERS/ROOMMATE
1.9	1.8	54	11	W/FRIENDS/ROOMMATES ONLY
0.3	0.3	8	12	ALONE
4.3	4.3	125	13	INSTITUTION/CLOSED FACILITY
0.4	0.4	11	14	NO STABLE ARRANGEMENTS
1.5	1.5	43	15	OTHER
	0.9	26	-8	MISSING
	0.2	7	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 171-172

CA27

#CHILDREN YOU GIVEN BIRTH TO/FATHERED

Next, I will ask about children. Altogether, at the time you were admitted, how many children had you (given birth to/fathered)? Do not count any stepchildren, foster children, or children who were adopted or born dead.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	93.4	2,729	0	
5.0	5.0	146	1	
0.6	0.6	18	2	
0.2	0.2	7	3	3 OR MORE
	0.7	19	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 173-174

CA27_A	# OF THESE CHILDREN LIVING TODAY
---------------	---

(Is that child/How many of these children are) living today?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	0.8	23	0	
75.5	4.1	120	1	
8.8	0.5	14	2	
1.3	0.1	2	3	3 OR MORE
	93.1	2,719	-9	LEGITIMATE NONRESPONSE
	1.4	42	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 175-176

CA28	#CHILDREN RAISED AS YOUR OWN
-------------	-------------------------------------

How many (other) children have you raised as your own, such as stepchildren, foster children, or adopted children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	96.4	2,817	0	
0.8	0.8	24	1	
0.3	0.3	10	2	
0.2	0.2	7	3	3 OR MORE
	2.1	62	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 177-178

CA28_A	# OF THESE CHILDREN LIVING TODAY
---------------	---

(Is that child/How many of these children are) living today?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	2.0	59	0	
20.9	0.7	19	1	
7.7	0.2	7	2	
6.6	0.2	6	3	3 OR MORE
	96.0	2,805	-9	LEGITIMATE NONRESPONSE
	0.9	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 179-180

CA29	#CHILDREN/OWN & RAISED AS YOUR OWN
-------------	---

ADD THE NUMBER OF CHILDREN RECORDED IN A27a AND A28a

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	6.5	190	0	
39.9	5.2	152	1	
6.8	0.9	26	2	
3.4	0.4	13	3	3 OR MORE
	87.0	2,540	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 181-182

CA30**CHILD <18 YEARS OLD/WHEN YOU ADMITTED**

When you were admitted, was this child younger than 18 years old?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	5.5	161	1	YES
1.2	0.1	2	2	NO
	7.4	215	-9	LEGITIMATE NONRESPONSE
	87.1	2,543	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 183-184

CA30_A**#CHILDREN/<18 YEARS OLD/OWN/RAISED**

When you were admitted, how many of these children (either your own or those you were raising as your own) were younger than 18 years old?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.1	2	0	
27.9	0.4	12	1	
44.2	0.7	19	2	
23.3	0.3	10	3	3 OR MORE
	11.5	337	-9	LEGITIMATE NONRESPONSE
	87.0	2,541	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 185-186

CA31 CHILDREN GOT IN SERIOUS TROUBLE

During the 12 months before admission, did (this child/any of these children) get in serious trouble, for example, with drugs, the police, or at school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.1	3	1	YES
98.4	6.3	184	2	NO
	6.5	191	-9	LEGITIMATE NONRESPONSE
	87.1	2,543	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 187-188

CA32 #CHILDREN <18 LIVED W/MOST 12MONTHS BEFORE ADMISSION

(Has your child/How many of your children) under 18 lived with you most of the time in the 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	4.2	124	0	
24.9	1.6	46	1	
5.9	0.4	11	2	
2.2	0.1	4	3	3 OR MORE
	6.5	191	-9	LEGITIMATE NONRESPONSE
	87.1	2,545	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 189-190

CA32_A_2**<18 YR CHILD/LIVED W/SPOUSE/SEX PARTNER**

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

With spouse / sexual partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	55	2	CIRCLED
	95.3	2,783	-9	LEGITIMATE NONRESPONSE
	2.8	82	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 191-192

CA32_A_3**<18 YR CHILD/LIVED W/EX SPOUSE/SEX PART**

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

With ex-spouse / ex-sexual partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	54	3	CIRCLED
	95.3	2,784	-9	LEGITIMATE NONRESPONSE
	2.8	82	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 193-194

CA32_A_4	<18 YR CHILD/LIVED W/OTHER RELATIVES
-----------------	--

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

With other relative(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	21	4	CIRCLED
	95.2	2,782	-9	LEGITIMATE NONRESPONSE
	4.0	117	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 195-196

CA32_A_5	<18 YR CHILD/LIVED W/NON RELATIVES
-----------------	--

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

With nonrelative(s) such as foster parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	5	CIRCLED
	95.4	2,787	-9	LEGITIMATE NONRESPONSE
	4.3	127	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 197-198

CA32_A_6**<18 YR CHILD/LIVED IN AN INSTITUTION**

Who did your (child/(other) children) under 18 live with most of the time in the 12 months before admission?

In an institution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	6	CIRCLED
	95.4	2,787	-9	LEGITIMATE NONRESPONSE
	4.5	131	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 199-200

CA33**# CHILDREN HAD LEGAL CUSTODY OF**

At the time of admission, (did you have legal custody of your child how many of your children did you have legal custody of)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.3	5.0	146	0	
17.4	1.1	32	1	
3.3	0.2	6	2	
	6.5	191	-9	LEGITIMATE NONRESPONSE
	87.1	2,545	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 201-202

CA33_A_2 LEGAL CUSTODY OF CHILD/SPOUSE/SEX PART

Who had legal custody of your (child/(other) children)?

Spouse or sexual partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	56	2	CIRCLED
	94.7	2,767	-9	LEGITIMATE NONRESPONSE
	3.3	97	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 203-204

CA33_A_3 LEGAL CUSTODY OF CHILD/EX-SPOUSE/EX-PART

Who had legal custody of your (child/(other) children)?

Ex-spouse or ex-sexual partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	55	3	CIRCLED
	94.7	2,765	-9	LEGITIMATE NONRESPONSE
	3.4	100	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 205-206

CA33_A_4**LEGAL CUSTODY OF CHILD/OTHER RELATIVES**

Who had legal custody of your (child/(other) children)?

Other relative(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	29	4	CIRCLED
	94.8	2,768	-9	LEGITIMATE NONRESPONSE
	4.2	123	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 207-208

CA33_A_5**LEGAL CUSTODY OF CHILD/NON-RELATIVES**

Who had legal custody of your (child/(other) children)?

Nonrelative(s) such as foster parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	11	5	CIRCLED
	94.8	2,769	-9	LEGITIMATE NONRESPONSE
	4.8	140	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 209-210

CA33_A_6	LEGAL CUSTODY OF CHILD/INSTITUTION/AGENCY
-----------------	--

Who had legal custody of your (child/(other) children)?

In an institution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	6	CIRCLED
	94.8	2,769	-9	LEGITIMATE NONRESPONSE
	5.1	148	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 211-212

CA34_0	STOP SEE CHILD/NOT LIVED W/YOU
---------------	---------------------------------------

During those months, how often did you see (your child/any of your children) who did not live with you? Would you say not at all?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	24	0	CIRCLED
	95.4	2,787	-9	LEGITIMATE NONRESPONSE
	3.8	110	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 213-214

CA34_1**SAW CHILD ONCE A MONTH/NOT LIVED W/YOU**

During those months, how often did you see (your child/ any of your children) who did not live with you? Would you say less than once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	32	1	CIRCLED
	95.3	2,783	-9	LEGITIMATE NONRESPONSE
	3.6	106	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 215-216

CA34_2**SAW CHILD ONCE A WEEK/NOT LIVED W/YOU**

During those months, how often did you see (your child/ any of your children) who did not live with you? Would you say at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	33	2	CIRCLED
	95.2	2,782	-9	LEGITIMATE NONRESPONSE
	3.6	106	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 217-218

CA34_3	SAW CHILD ALMOST DAILY/NOT LIVED W/YOU
---------------	---

During those months, how often did you see (your child/any of your children) who did not live with you? Would you say almost daily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	45	3	CIRCLED
	95.3	2,785	-9	LEGITIMATE NONRESPONSE
	3.1	91	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 219-220

CA35	DRUG TREAT WILL AFFECT CUSTODY OF CHILD
-------------	--

Will your drug treatment or getting off drugs affect who has custody of (your child/any of your children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	0.5	16	1	YES
89.4	5.5	161	2	NO
1.7	0.1	3	3	SOMEWHAT/MAYBE
	6.5	191	-9	LEGITIMATE NONRESPONSE
	87.3	2,549	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 221-222

CA36**DRUG PROBLEM/CONCERN LOSE CUSTODY OF CHILD**

At the time of admission, did you have any concerns about losing custody of (your child/any of your children) because of your drug problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.5	0.6	17	1	YES
78.5	2.1	62	2	NO
	97.3	2,841	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 223-224

CA36_A**STAFF REPORT DRUG PROBLEM/AFFECT CUSTODY**

Did you have any concerns that a staff person in this program might report your drug problem to someone who might take away custody of (your child/your children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	0.2	7	1	YES
63.2	0.4	12	2	NO
	99.3	2,901	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 225-226

CA37_A	TIME SPENT W/CHILD/LEISURE ACTIVITY
---------------	--

Next, I'm going to list several ways that some parents behave with their children at times. Please tell me how often you did each of these things. In the year before admission, about how often did you spend time with (this child/at least 1 of these children) in leisure activities away from home - such as picnics, movies, or sports?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	0.2	5	1	NOT AT ALL
9.5	0.1	4	2	LESS THAN ONCE A WEEK
28.6	0.4	12	3	AT LEAST ONCE A WEEK
38.1	0.5	16	4	ALMOST DAILY
11.9	0.2	5	5	NA
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 227-228

CA37_B	TIME SPENT W/CHILD/HOME PLAY TOGETHER
---------------	--

Next, I'm going to list several ways that some parents behave with their children at times. Please tell me how often you did each of these things. In the year before admission, about how often did you spend time with (this child/at least 1 of these children) at home working on a project or playing together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.1	4	1	NOT AT ALL
4.7	0.1	2	2	LESS THAN ONCE A WEEK
9.3	0.1	4	3	AT LEAST ONCE A WEEK
55.8	0.8	24	4	ALMOST DAILY
20.9	0.3	9	5	NA
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 229-230

CA37_C**TIME SPENT W/CHILD/HELP W/HOMEWORK**

Next, I'm going to list several ways that some parents behave with their children at times. Please tell me how often you did each of these things. In the year before admission, about how often did you spend time with (this child/at least 1 of these children) helping with reading or homework?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	0.2	6	1	NOT AT ALL
0.0	0.0	0	2	LESS THAN ONCE A WEEK
4.7	0.1	2	3	AT LEAST ONCE A WEEK
9.3	0.1	4	4	ALMOST DAILY
72.1	1.1	31	5	NA
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 231-232

CA37_D**TIME SPENT W/CHILD/EAT MEALS TOGETHER**

Next, I'm going to list several ways that some parents behave with their children at times. Please tell me how often you did each of these things. In the year before admission, about how often did you spend time with (this child/at least 1 of these children) eating meals together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	0.2	5	1	NOT AT ALL
4.7	0.1	2	2	LESS THAN ONCE A WEEK
4.7	0.1	2	3	AT LEAST ONCE A WEEK
62.8	0.9	27	4	ALMOST DAILY
16.3	0.2	7	5	NA
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 233-234

CA38 HOW WELL YOU DID AS A PARENT/GUARDIAN

Before admission, how well were you doing as a (parent/guardian)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.1	3	1	POOR
33.3	0.5	14	2	FAIR
59.5	0.9	25	3	WELL
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 235-236

CA39 HOW DIFFICULT FOR YOU TO FIND CHILDCARE

Before admission, how difficult was it for to go places or do things because of problems in finding someone to take care of your child(ren) or the child(ren) living with you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	1.0	29	0	NOT AT ALL
19.0	0.3	8	1	SOMEWHAT
11.9	0.2	5	2	VERY DIFFICULT
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 237-238

CA40**HAVE YOU LEFT YOUNG CHILD HOME ALONE**

Have you sometimes left young children under 6 years old at home alone while you-were out shopping or doing anything else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.1	2	1	YES
71.1	7.1	207	2	NO
28.2	2.8	82	3	VOL: NEVER LIVED W/CHILD
	3.1	90	-9	LEGITIMATE NONRESPONSE
	87.0	2,540	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 239-240

CA40_A**YOUR AGE/THE FIRST TIME YOU DID THAT**

How old were you the first time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	11	
50.0	0.0	1	15	
	13.0	379	-9	LEGITIMATE NONRESPONSE
	87.0	2,540	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 241-242

CA40_B	YOUR AGE/THE LAST TIME YOU DID THAT
---------------	--

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	11	
50.0	0.0	1	15	
	13.0	379	-9	LEGITIMATE NONRESPONSE
	87.0	2,540	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 243-244

CA41	ONE FED/KEPT CHILD OVERNIGHT/YOU DIDN'T
-------------	--

Have there been times when someone else fed a child (of yours/you were caring for) because you didn't cook or have food in the house, or has someone kept your child overnight because no one was taking care of the child at home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.2	6	1	YES
97.0	6.7	195	2	NO
	6.1	177	-9	LEGITIMATE NONRESPONSE
	87.0	2,542	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 245-246

CA41_A	YOUR AGE/THE FIRST TIME YOU DID THAT
---------------	---

How old were you the first time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	14	
16.7	0.0	1	15	
66.7	0.1	4	16	
	12.7	372	-9	LEGITIMATE NONRESPONSE
	87.0	2,542	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 247-248

CA41_B	YOUR AGE/THE LAST TIME YOU DID THAT
---------------	--

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	15	
66.7	0.1	4	16	
16.7	0.0	1	17	
	12.7	372	-9	LEGITIMATE NONRESPONSE
	87.0	2,542	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 249-250

CA42**SOC WORKER SAID CHILD NOT FED/CARE/CLEAN**

Has a nurse, or social worker or teacher ever said that any child (of yours/you were caring for) wasn't being given enough to eat or wasn't being kept clean enough, or wasn't getting medical care when it was needed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	1	YES
99.5	6.8	198	2	NO
	6.1	179	-9	LEGITIMATE NONRESPONSE
	87.0	2,542	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 251-252

CA42_A**YOUR AGE/THE FIRST TIME YOU DID THAT**

How old were you the first time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	17	
	12.9	377	-9	LEGITIMATE NONRESPONSE
	87.0	2,542	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 253-254

CA42_B**YOUR AGE/THE LAST TIME YOU DID THAT**

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	17	
	12.9	377	-9	LEGITIMATE NONRESPONSE
	87.0	2,542	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 255-256

CA43**RUN OUT OF FOOD MONEY/YOU SPENT FOR YOU**

Have you more than once run out of money for food for your family because you had spent the food money on yourself or on going out?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.4	13	1	YES
93.5	6.4	186	2	NO
	6.1	179	-9	LEGITIMATE NONRESPONSE
	87.0	2,542	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 257-258

CA43_A	YOUR AGE/THE FIRST TIME YOU DID THAT
---------------	---

How old were you the first time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.0	1	13	
7.7	0.0	1	14	
15.4	0.1	2	15	
30.8	0.1	4	16	
30.8	0.1	4	17	
7.7	0.0	1	18	
	12.5	365	-9	LEGITIMATE NONRESPONSE
	87.0	2,542	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 259-260

CA43_B	YOUR AGE/THE LAST TIME YOU DID THAT
---------------	--

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.0	1	14	
15.4	0.1	2	15	
15.4	0.1	2	16	
46.2	0.2	6	17	
15.4	0.1	2	18	
	12.5	365	-9	LEGITIMATE NONRESPONSE
	87.0	2,542	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 261-262

CA44**YOU DID NOT PROVIDE CHILD SUPPORT**

Has there ever been a period when you did not provide the financial support for your child(ren) that you were supposed to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	1.0	30	1	YES
84.5	5.8	169	2	NO
0.5	0.0	1	3	VOL: ONLY WHEN NO INCOME
	6.1	179	-9	LEGITIMATE NONRESPONSE
	87.0	2,541	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 263-264

CA44_A**YOUR AGE/THE FIRST TIME YOU DID THAT**

How old were you the first time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	0.0	1	13	
30.0	0.3	9	15	
36.7	0.4	11	16	
23.3	0.2	7	17	
6.7	0.1	2	18	
	11.9	349	-9	LEGITIMATE NONRESPONSE
	87.0	2,541	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 265-266

CA44_B	YOUR AGE/THE LAST TIME YOU DID THAT
---------------	--

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.1	4	15	
23.3	0.2	7	16	
46.7	0.5	14	17	
16.7	0.2	5	18	
	11.9	349	-9	LEGITIMATE NONRESPONSE
	87.0	2,541	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 267-268

CA45_M	MONTHS AGO FIRST (TALLY X)
---------------	-----------------------------------

You mentioned that you [READ TALLIED RESPONSES FROM TALLY SHEET X, PART B]. When is the first time you did (this/any of these)? (recode)

2,921 cases (Range of valid codes: 0-83)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3250-3251

CA45_1	T. SHEET X/PART B/YOU DID THESE/FIRST
---------------	--

You mentioned that you [READ TALLIED RESPONSES FROM TALLY SHEET X, PART B]. When is the first time you did (this/any of these)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.2	5	1	WITHIN THE MONTH BEFORE ADMISSION
30.7	0.8	23	2	WITHIN THE PAST 12 MONTHS
62.7	1.6	47	3	MORE THAN 1 YEAR AGO
	97.4	2,846	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 269-270

CA45A_M	MONTHS AGO LAST (TALLY X)
----------------	----------------------------------

When is the last time you did (this/any of these)?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	0.9	27	0	
1.4	0.0	1	1	
10.1	0.2	7	2	
10.1	0.2	7	3	
5.8	0.1	4	4	
1.4	0.0	1	5	
7.2	0.2	5	6	
2.9	0.1	2	8	
1.4	0.0	1	9	
2.9	0.1	2	10	
2.9	0.1	2	11	
1.4	0.0	1	12	
2.9	0.1	2	13	
1.4	0.0	1	16	
1.4	0.0	1	17	
1.4	0.0	1	20	
1.4	0.0	1	23	
1.4	0.0	1	24	
1.4	0.0	1	30	
1.4	0.0	1	38	
	97.5	2,849	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3252-3253

CA45_A_1	T. SHEET X/PART B/YOU DID THESE/LAST
-----------------	---

When is the last time you did (this/any of these)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.9	27	1	WITHIN THE MONTH BEFORE ADMISSION
38.9	1.0	28	2	WITHIN THE PAST 12 MONTHS
23.6	0.6	17	3	MORE THAN 1 YEAR AGO
	97.5	2,849	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 271-272

CA46**YOU HAD A CLOSE PERSONAL RELATION W/ONE**

Now, I would like to ask about other relationships that you may have had during your lifetime. In the 12 months before admission, would you say you have had a close, long-lasting, personal relationship with anyone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	74.3	2,169	1	YES
25.4	25.3	738	2	NO
	0.5	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 273-274

CA46_A

#PEOPLE/YOU HAD A CLOSE RELATIONSHIP W/

During that time, how many people did you have a close, long-lasting, personal relationship with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	5	0	
41.4	30.8	901	1	
20.9	15.6	455	2	
12.2	9.1	265	3	
6.9	5.1	150	4	
4.9	3.7	107	5	
2.8	2.1	60	6	
1.3	1.0	28	7	
1.3	1.0	29	8	
0.4	0.3	8	9	
2.8	2.1	60	10	
0.1	0.1	2	11	
0.7	0.5	16	12	
0.1	0.1	2	13	
0.1	0.1	3	14	
1.2	0.9	27	15	
0.2	0.1	4	16	
1.4	1.1	31	20	
0.1	0.1	2	21	
0.0	0.0	1	24	
0.2	0.2	5	25	
0.3	0.2	6	30	
0.1	0.1	2	35	
0.1	0.1	3	40	
0.2	0.1	4	50	
0.0	0.0	1	51	
	25.1	734	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 275-276

CA46_B 1 MONTH/>/GET ALONG PROBLEM W/FAMI/FRIEND/12 MO

In the 12 months before your admission, did you have a period of 1 month or more in which you had serious problems getting along with family or close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	47.5	1,387	1	YES
52.3	52.0	1,520	2	NO
	0.1	4	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 277-278

CA46_C 1 MONTH/>/GET ALONG PROBLEM W/MOTHER/LIFETIME

In your lifetime, have you had a period of 1 month or more in which you had serious problems getting along with your mother?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	50.6	1,478	1	YES
49.3	49.3	1,439	2	NO
	0.0	1	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 279-280

CA46_D**1 MONTH/>/GET ALONG PROBLEM W/FATHER/LIFETIME**

In your lifetime, have you had a period of 1 month or more in which you had serious problems getting along with your father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	39.5	1,154	1	YES
59.7	58.6	1,711	2	NO
	0.4	13	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	4	-5	BAD DATA
	0.5	16	-4	DON'T KNOW
	0.5	14	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 281-282

CA46_E**1 MO/>/GET ALONG PROBLEM W/FAMILY/FRIEND/LIFETIME**

In your lifetime, has there been a period lasting 1 month or more in which you have had serious problems getting along with other family members or close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	35.3	1,030	1	YES
64.4	63.9	1,867	2	NO
	0.8	23	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 283-284

CA47 **PROBLEM W/FAMILY/FRIEND DUE TO DRUG USE**

Did you have any problems with family members and close friends because of your drug or alcohol use in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	49.6	1,450	1	YES
50.2	50.1	1,464	2	NO
	0.1	4	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 285-286

CA47_A **HOW SERIOUS PROBLEMS BECAUSE OF DRUG USE**

In those 12 months, how serious were these problems you had because of using drugs or alcohol? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	1.9	56	1	NOT AT ALL
59.7	29.8	869	2	SOMEWHAT
36.4	18.1	530	3	VERY SERIOUS
	50.0	1,460	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 287-288

CA48**HOW IMPORTANT/GET HELP/GET ALONG W/FAMILY/FRIEND**

How important to you now is counseling or professional help for problems getting along with family members and close friends? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	31.0	906	0	NOT AT ALL
32.1	32.0	936	1	SOMEWHAT
36.8	36.7	1,072	2	VERY IMPORTANT
	0.2	5	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 289-290

CA49**HOW MUCH CONTACT W/FAMILY/FRIEND/12 MON**

During the 12 months before admission, altogether how much contact (mail, telephone, or in person) did you have with any family members or close friends? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	36	0	NONE
22.0	22.0	642	1	SOME
76.6	76.5	2,234	2	A LOT
0.1	0.1	3	93	IF VOL: NO FAMILY/FRIEND
	0.2	5	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 291-292

CA50 HOW OFTEN/TALK DEEPEST PROBLEM W/FAMILY/FRIEND

How often can you talk about your deepest problems with at least some of your family or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	23.5	687	1	NEVER/RARELY
39.2	39.1	1,143	2	SOME OF THE TIME
37.2	37.2	1,086	3	ALMOST ALWAYS
	0.0	1	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 293-294

CA51 HOW OFTEN/FAMILY/FRIEND HELP STOP USE DRUG

How often do your family or close friends help or encourage you to stop using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	14.2	415	1	NEVER/RARELY
26.1	25.9	757	2	SOME OF THE TIME
59.6	59.3	1,731	3	ALMOST ALWAYS
	0.0	1	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.5	14	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 295-296

CA52**HOW OFTEN/FAMILY/FRIEND HELP PROBLEM W/JOB/LAW**

How often do you receive help or encouragement from your family or close friends with other kinds of problems such as with jobs, the law, and so on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.6	397	1	NEVER/RARELY
35.0	34.9	1,018	2	SOME OF THE TIME
51.4	51.1	1,494	3	ALMOST ALWAYS
	0.0	1	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 297-298

CA53**HOW OFTEN/FAMILY/FRIEND HELP W/ERRAND/TRANSPORT**

How often do your family or close friends help you out with things such as providing transportation, running errands, or fixing things for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.7	11.7	342	1	NEVER/RARELY
33.5	33.4	977	2	SOME OF THE TIME
54.8	54.6	1,596	3	ALMOST ALWAYS
	0.0	1	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 299-300

CA54 HOW OFTEN/COUNT FAMILY/FRIEND IN EMERGENCY

How often can you count on family or close friends to help you in an emergency in the middle of the night?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	122	1	NEVER/RARELY
14.1	14.1	411	2	SOME OF THE TIME
81.7	81.5	2,381	3	ALMOST ALWAYS
	0.0	1	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 301-302

CA55 HOW YOU DID AS FAMILY MEMBER/FRIEND/BEFORE ADMITTANCE

Before admission to this program, how were you doing as a family member or friend? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	17.7	517	1	POOR
47.6	47.2	1,380	2	FAIR
34.6	34.3	1,003	3	WELL
	0.0	1	-9	LEGITIMATE NONRESPONSE
	0.6	17	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 303-304

CA56_A**DID YOU DO PHYSICAL EXERCISE/12 MON**

Next, I will ask about the way you might have spent your time before you were admitted to this program. In the 12 months before admission, how often did you do physical exercise (such as play ball, do aerobics, dance, or lift weights)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.2	12.2	356	1	NOT AT ALL
14.8	14.8	431	2	LESS THAN ONCE A WEEK
28.8	28.8	840	3	ONCE A WEEK
44.3	44.3	1,294	4	ALMOST DAILY
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Column: 305

CA56_B**DID YOU READ/DO HOBBIES/12 MON**

Next, I will ask about the way you might have spent your time before you were admitted to this program. In the 12 months before admission, how often did you read or do hobbies (such as fish, collect things, do crafts, or make things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	23.0	673	1	NOT AT ALL
22.1	22.1	645	2	LESS THAN ONCE A WEEK
27.6	27.6	806	3	ONCE A WEEK
27.3	27.3	797	4	ALMOST DAILY
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Column: 306

CA56_C ATTEND PROGRAM/MEETINGS/12 MON

Next, I will ask about the way you might have spent your time before you were admitted to this program. In the 12 months before admission, how often did you attend meetings or programs of groups, clubs, or organizations that you belonged to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.0	67.9	1,984	1	NOT AT ALL
10.6	10.6	309	2	LESS THAN ONCE A WEEK
14.2	14.1	413	3	ONCE A WEEK
7.2	7.2	211	4	ALMOST DAILY
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 307-308

CA57_A HOW MANY CLOSE PEOPLE USED DRUGS

Now, I would like to ask you about the activities of any people you were close to in the 12 months before admission, either family members or friends. Please don't include anyone you met in jail, prison, or drug or alcohol treatment. In the 12 months before your admission, would you say that none of the people, one or a few of the people, or many of the people that you are close to used heroin, crack, cocaine, or other drugs for nonmedical purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	19.3	563	1	NONE
35.8	35.7	1,043	2	ONE OR A FEW
44.9	44.8	1,310	3	MANY
	0.0	1	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 309-310

CA57_B**HOW MANY CLOSE PEOPLE DRANK ALCO HEAVY**

Now, I would like to ask you about the activities of any people you were close to in the 12 months before admission, either family members or friends. Please don't include anyone you met in jail, prison, or drug or alcohol treatment. In the 12 months before your admission, would you say that none of the people, one or a few of the people, or many of the people that you are close to drank alcohol heavily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	23.3	680	1	NONE
38.2	38.1	1,114	2	ONE OR A FEW
38.5	38.5	1,124	3	MANY
	0.0	1	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 311-312

CA57_C**HOW MANY CLOSE PEOPLE GOT ARRESTED**

Now, I would like to ask you about the activities of any people you were close to in the 12 months before admission, either family members or friends. Please don't include anyone you met in jail, prison, or drug or alcohol treatment. In the 12 months before your admission, would you say that none of the people, one or a few of the people, or many of the people that you are close to got arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	22.0	642	1	NONE
45.2	45.0	1,315	2	ONE OR A FEW
32.7	32.6	953	3	MANY
	0.2	5	-8	MISSING
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 313-314

CA57_D	HOW MANY CLOSE PEOPLE ENTERED JAIL
---------------	---

Now, I would like to ask you about the activities of any people you were close to in the 12 months before admission, either family members or friends. Please don't include anyone you met in jail, prison, or drug or alcohol treatment. In the 12 months before your admission, would you say that none of the people, one or a few of the people, or many of the people that you are close to entered jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	35.2	1,028	1	NONE
43.1	43.0	1,256	2	ONE OR A FEW
21.6	21.6	630	3	MANY
	0.1	2	-8	MISSING
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 315-316

CA57_E	HOW MANY CLOSE PEOPLE ENTERED DRUG TREAT
---------------	---

Now, I would like to ask you about the activities of any people you were close to in the 12 months before admission, either family members or friends. Please don't include anyone you met in jail, prison, or drug or alcohol treatment. In the 12 months before your admission, would you say that none of the people, one or a few of the people, or many of the people that you are close to entered treatment for drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	56.8	1,660	1	NONE
37.1	37.0	1,080	2	ONE OR A FEW
6.0	6.0	174	3	MANY
	0.0	1	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 317-318

CA57_F**HOW MANY CLOSE PEOPLE QUIT USING DRUGS**

Now, I would like to ask you about the activities of any people you were close to in the 12 months before admission, either family members or friends. Please don't include anyone you met in jail, prison, or drug or alcohol treatment. In the 12 months before your admission, would you say that none of the people, one or a few of the people, or many of the people that you are close to quit using heroin, crack, cocaine, or other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.5	57.2	1,671	1	NONE
36.4	36.3	1,059	2	ONE OR A FEW
6.1	6.1	178	3	MANY
	0.0	1	-8	MISSING
	0.4	11	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 319-320

CA58**HOW WAS YOUR LIFE BEFORE ADMISSION**

Taking all things together, how would you say your life was before admission? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	15.1	441	1	VERY UNHAPPY
25.1	25.1	732	2	SOMEWHAT UNHAPPY
43.1	43.1	1,258	3	SOMEWHAT HAPPY
16.7	16.6	486	4	VERY HAPPY
	0.0	1	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 321-322

CA59 THINGS BETTER/WORSE THAN 1 YEAR BEFORE

At the time you were admitted, would you say things then were better or worse than they had been a year before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	49.5	1,446	1	WORSE
49.7	49.0	1,431	2	BETTER
	0.3	9	-8	MISSING
	0.6	17	-5	BAD DATA
	0.5	15	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 323-324

CA60 <AGE 15/FAIL TO GET IMPORTANT BASIC NEEDS

(Before you were 15 years old), did you ever go without adequate food, shelter, or medical care, or fail to get other important physical or emotional needs met?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.9	317	1	YES
89.1	88.9	2,598	2	NO
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 325-326

CA61	<AGE 15/RUN AWAY FROM HOME OVERNIGHT
-------------	--

(Before you were 15), did you ever run away from home overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	44.3	1,293	1	YES
55.6	55.4	1,617	2	NO
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 327-328

CA61_A	DID YOU RUN AWAY MORE THAN ONCE
---------------	--

Did you run away more than once?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.5	33.9	990	1	YES
23.5	10.4	304	2	NO
	55.3	1,616	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 329-330

CA61_B	RETURNED HOME TO LIVE AFTER RUN AWAY
---------------	---

Did you return home to live after running away?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.4	10.9	317	1	YES
8.6	1.0	30	2	NO
	87.7	2,563	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 331-332

CA61_C	AGE/WHEN YOU FIRST RAN AWAY/OVERNIGHT
---------------	--

How old were you when you first ran away from home overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	1	
0.2	0.1	2	2	
0.2	0.1	2	5	
0.3	0.1	4	6	
0.3	0.1	4	7	
1.1	0.5	14	8	
1.2	0.5	15	9	
2.7	1.2	35	10	
6.1	2.7	79	11	
14.6	6.5	189	12	
27.9	12.4	361	13	
33.2	14.7	429	14	
9.0	4.0	116	15	
2.6	1.1	33	16	
0.6	0.3	8	17	
	55.2	1,613	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 333-334

CA65**STRICTER ABOUT RIGHT/WRONG THAN PEOPLE**

Next, I am going to read a series of statements. Please listen to each one carefully and decide whether it is true for you or false for you.

The first statement is: I think I am stricter about right and wrong than most people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.0	37.8	1,103	1	TRUE
62.0	61.5	1,797	2	FALSE
	0.2	7	-8	MISSING
	0.0	1	-7	REFUSAL
	0.4	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 335-336

CA66**I ACT ON MOMENT W/OUT STOPPING TO THINK**

Next, I am going to read a series of statements. Please listen to each one carefully and decide whether it is true for you or false for you.

I often act on the spur of the moment without stopping to think.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	75.3	2,199	1	TRUE
24.4	24.3	711	2	FALSE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 337-338

CA67 I FEEL I HAVE DONE SOMETHING WRONG

Next, I am going to read a series of statements. Please listen to each one carefully and decide whether it is true for you or false for you.

I often feel as though I have done something wrong or wicked.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	51.1	1,492	1	TRUE
48.8	48.6	1,421	2	FALSE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 339-340

CA68 WHEN IN TROUBLE/TRY TO DO RIGHT THING

Next, I am going to read a series of statements. Please listen to each one carefully and decide whether it is true for you or false for you.

Even when I have gotten into trouble, I was usually trying to do the right thing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	54.3	1,586	1	TRUE
45.5	45.3	1,322	2	FALSE
	0.2	5	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 341-342

CA69**PERSON SHOULD NOT TRUST ANYONE**

Next, I am going to read a series of statements. Please listen to each one carefully and decide whether it is true for you or false for you.

A person is better off not to trust anyone.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	45.9	1,341	1	TRUE
53.8	53.5	1,564	2	FALSE
	0.2	5	-8	MISSING
	0.0	1	-7	REFUSAL
	0.3	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 343-344

CA70**I HAVE RIGHT TO HURT PEOPLE FOR REASON**

Next, I am going to read a series of statements. Please listen to each one carefully and decide whether it is true for you or false for you.

I have a right to fight or hurt other people if I have a good reason.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	47.7	1,393	1	TRUE
52.1	51.9	1,515	2	FALSE
	0.2	6	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 345-346

CA71 I HAVE RIGHT TO DAMAGE PROPERTY/GET BACK

Next, I am going to read a series of statements. Please listen to each one carefully and decide whether it is true for you or false for you.

I have a right to damage property to get back at someone.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	12.9	378	1	TRUE
87.0	86.6	2,530	2	FALSE
	0.2	7	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 347-348

CA72 I NEED MONEY FOR FAMILY/RIGHT TO STEAL

If I need money for my family, I have a right to steal.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.7	284	1	TRUE
90.2	89.9	2,626	2	FALSE
	0.2	6	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 349-350

CA73

NEED TO CARE OF MYSELF/EVEN IT HARMS ONE

Next, I am going to read a series of statements. Please listen to each one carefully and decide whether it is true for you or false for you.

I need to take care of myself even if it harms other people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.9	48.6	1,420	1	TRUE
51.1	50.8	1,483	2	FALSE
	0.2	6	-8	MISSING
	0.0	1	-7	REFUSAL
	0.4	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 351-352

CA74 HAD SEXUAL CONTACT W/ONE/BEFORE AGE 13

Something that happens to boys as well as girls, and men as well as women, is sexual mistreatment or sexual assault. When we say "sexual mistreatment" or "sexual assault," we mean any sexual contact that you had with someone else that you did not want, whether you were physically forced to have that contact or persuaded by talking to have that contact. We also mean any time that you had sexual contact with someone who was 5 or more years older than you before you turned 13 years old, regardless of whether you wanted the sexual contact or not. When we say "sexual contact," we mean any sexual contact between someone else and your genitals or between you and someone else's genitals. [IF FEMALE, SAY: genitals and/or breasts. IF MALE, SAY: genitals] or between you and someone else's genitals. This includes touching with hands or mouth or having intercourse.

Now, here are some questions about some of these experiences you might have had. Did you ever have sexual contact with anyone who was 5 years or more older than you before you reached the age of 13?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	15.1	441	1	YES
84.9	84.7	2,473	2	NO
	0.1	4	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 353-354

CA74_A_1 SEXUAL CONTACT W/FAMILY MEMBER

Who was this? Was it a family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	87	1	CIRCLED
	84.7	2,473	-9	LEGITIMATE NONRESPONSE
	12.2	356	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 355-356

CA74_A_2	SEXUAL CONTACT W/SOMEONE ELSE YOU KNEW
-----------------	---

Who was this? Was it someone else you know (besides family member)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.2	327	2	CIRCLED
	84.7	2,473	-9	LEGITIMATE NONRESPONSE
	4.0	117	-8	MISSING
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 357-358

CA74_A_3	SEXUAL CONTACT W/A STRANGER
-----------------	------------------------------------

Who was this? Was it a stranger?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	51	3	CIRCLED
	84.7	2,473	-9	LEGITIMATE NONRESPONSE
	13.5	393	-8	MISSING
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 359-360

CA74_B	#TIMES YOU HAD SEXUAL CONTACT W/ONE
---------------	--

How many times did this happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.0	1	0	
24.0	3.4	98	1	
20.5	2.9	84	2	
11.0	1.5	45	3	
7.6	1.1	31	4	
7.3	1.0	30	5	
4.2	0.6	17	6	
1.0	0.1	4	7	
0.7	0.1	3	8	
5.6	0.8	23	10	
1.0	0.1	4	12	
2.0	0.3	8	15	
0.2	0.0	1	17	
3.4	0.5	14	20	
0.2	0.0	1	22	
0.7	0.1	3	25	
1.5	0.2	6	30	
0.2	0.0	1	35	
1.0	0.1	4	40	
1.7	0.2	7	50	
0.5	0.1	2	60	
0.2	0.0	1	80	
0.2	0.0	1	90	
4.9	0.7	20	99	99 OR MORE
	84.7	2,473	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	4	-7	REFUSAL
	0.2	5	-5	BAD DATA
	0.7	21	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 361-362

CA74_C**#TIME HAD SEXUAL CONTACT W/ONE/12 MO/13**

During the 12 months before admission, how many times did this happen before age 13?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	3.2	94	0	
13.2	0.7	21	1	
8.8	0.5	14	2	
6.9	0.4	11	3	
3.8	0.2	6	4	
1.3	0.1	2	5	
2.5	0.1	4	6	
0.6	0.0	1	8	
1.3	0.1	2	10	
0.6	0.0	1	13	
0.6	0.0	1	15	
0.6	0.0	1	40	
0.6	0.0	1	99	99 OR MORE
	86.4	2,523	-9	LEGITIMATE NONRESPONSE
	7.9	230	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 363-364

CA75**ONE EVER PRESSURE YOU/CONTACT W/GENITALS**

Has anyone ever used pressure, coercion, or nonphysical threats to make you let them have contact with your genitals or to make you have contact with their genitals?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.1	13.1	382	1	YES
86.9	86.5	2,528	2	NO
	0.3	8	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 365-366

CA75_M MONTHS AGO LAST SEXUALLY ABUSED-NON PHYSICAL

When did this last happen? (recode)

2,921 cases (Range of valid codes: 0-175)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3254-3256

CA75_A_1 CONTACT W/GENITALS W/FAMILY MEMBER

Who was this? Was it a family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	66	1	CIRCLED
	86.5	2,528	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 367-368

CA75_A_2 CONTACT W/GENITALS W/SOMEONE YOU KNEW

Who was this? Was it someone else you know (besides family member)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.2	299	2	CIRCLED
	86.5	2,528	-9	LEGITIMATE NONRESPONSE
	3.1	90	-8	MISSING
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 369-370

CA75_A_3**CONTACT W/GENITALS W/A STRANGER**

Who was this? Was it a stranger?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	46	3	CIRCLED
	86.5	2,528	-9	LEGITIMATE NONRESPONSE
	11.7	343	-8	MISSING
	0.1	4	-7	REFUSAL

100.0 100.0 2,921 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 371-372

CA75_B	#TIME HAD PRESSURE/CONTACT W/GENITALS
---------------	--

How often did this happen (before you were 15)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	2.0	58	0	
30.7	3.7	109	1	
14.1	1.7	50	2	
6.2	0.8	22	3	
4.2	0.5	15	4	
5.9	0.7	21	5	
1.1	0.1	4	6	
1.4	0.2	5	7	
0.6	0.1	2	8	
3.1	0.4	11	10	
0.8	0.1	3	12	
0.8	0.1	3	13	
1.4	0.2	5	15	
0.3	0.0	1	17	
2.5	0.3	9	20	
0.6	0.1	2	24	
1.1	0.1	4	30	
0.3	0.0	1	36	
1.7	0.2	6	50	
0.6	0.1	2	60	
0.3	0.0	1	75	
0.3	0.0	1	90	
5.6	0.7	20	99	99 OR MORE
	86.5	2,527	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.1	2	-7	REFUSAL
	0.2	5	-5	BAD DATA
	0.5	16	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 373-374

CA75_C

#TIME PRESSURE/CONTACT W/GENITALS/15/OLD

How often did this happen since you were 15 or older?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	4.5	131	0	
18.1	1.7	51	1	
10.3	1.0	29	2	
4.6	0.4	13	3	
3.9	0.4	11	4	
2.1	0.2	6	5	
2.5	0.2	7	6	
0.7	0.1	2	7	
0.7	0.1	2	8	
0.7	0.1	2	9	
2.8	0.3	8	10	
0.4	0.0	1	11	
0.7	0.1	2	12	
1.1	0.1	3	15	
1.8	0.2	5	20	
1.1	0.1	3	30	
0.4	0.0	1	32	
0.4	0.0	1	40	
0.4	0.0	1	60	
0.7	0.1	2	99	99 OR MORE
	89.5	2,615	-9	LEGITIMATE NONRESPONSE
	0.7	20	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 375-376

CA75_D	#TIME PRESSURE/CONTACT W/GENITALS
---------------	--

During the 12 months before admission, how many times did this happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	3.5	103	0	
28.1	2.7	78	1	
12.6	1.2	35	2	
4.0	0.4	11	3	
2.5	0.2	7	4	
4.0	0.4	11	5	
1.8	0.2	5	6	
0.7	0.1	2	7	
0.4	0.0	1	8	
0.7	0.1	2	9	
2.9	0.3	8	10	
1.1	0.1	3	12	
0.4	0.0	1	15	
1.1	0.1	3	20	
0.4	0.0	1	30	
0.4	0.0	1	32	
0.7	0.1	2	50	
1.4	0.1	4	99	99 OR MORE
	89.1	2,602	-9	LEGITIMATE NONRESPONSE
	1.3	37	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 377-378

CA75_E_1	PRESSURE/CONTACT W/GENITALS/LAST
-----------------	---

When did this last happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	1.6	46	1	WITHIN THE MONTH BEFORE ADMISSION
36.0	4.6	133	2	WITHIN THE PAST 12 MONTHS
51.5	6.5	190	3	MORE THAN 1 YEAR AGO
	86.5	2,527	-9	LEGITIMATE NONRESPONSE
	0.6	18	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 379-380

CA76	ONE EVER FORCED/UNWANTED SEXUAL CONTACT
-------------	--

Has anyone used physical force or threats of force to make you have some type of unwanted sexual contact?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.6	309	1	YES
89.3	88.7	2,592	2	NO
	0.6	17	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 381-382

CA76_M	MONTHS AGO LAST SEXUALLY ABUSED-PHYSICAL
---------------	---

When did this last happen? (recode)

2,921 cases (Range of valid codes: 0-158)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3257-3259

CA76_A_1 UNWANTED SEXUAL CONTACT W/FAMILY MEMBER

Who was this? Was it a family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	57	1	CIRCLED
	88.7	2,592	-9	LEGITIMATE NONRESPONSE
	9.2	270	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 383-384

CA76_A_2 UNWANTED SEXUAL CONTACT W/ONE YOU KNEW

Who was this? Was it someone else you knew (besides family member)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.2	211	2	CIRCLED
	88.7	2,592	-9	LEGITIMATE NONRESPONSE
	4.0	116	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 385-386

CA76_A_3 UNWANTED SEXUAL CONTACT W/A STRANGER

Who was this? Was it a stranger?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	71	3	CIRCLED
	88.7	2,592	-9	LEGITIMATE NONRESPONSE
	8.8	256	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 387-388

CA76_B

#TIMES HAD UNWANTED SEXUAL CONTACT W/ONE

How often did this happen (before you were 15)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	2.0	57	0	
37.3	3.7	109	1	
15.1	1.5	44	2	
5.5	0.5	16	3	
3.4	0.3	10	4	
2.1	0.2	6	5	
0.7	0.1	2	6	
0.7	0.1	2	7	
0.3	0.0	1	8	
2.1	0.2	6	10	
0.3	0.0	1	11	
0.3	0.0	1	12	
0.3	0.0	1	13	
1.0	0.1	3	15	
0.3	0.0	1	16	
2.1	0.2	6	20	
0.3	0.0	1	24	
1.0	0.1	3	30	
0.3	0.0	1	40	
1.7	0.2	5	50	
0.3	0.0	1	56	
0.3	0.0	1	90	
4.8	0.5	14	99	99 OR MORE
	88.7	2,592	-9	LEGITIMATE NONRESPONSE
	0.7	21	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	3	-5	BAD DATA
	0.4	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 389-390

CA76_C	#TIMES UNWANTED SEXUAL CONTACT W/ 15/OLD
---------------	---

How often did this happen since you were 15 or older?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	3.8	110	0	
26.2	2.0	58	1	
10.4	0.8	23	2	
1.8	0.1	4	3	
3.6	0.3	8	4	
0.9	0.1	2	5	
1.4	0.1	3	6	
0.5	0.0	1	7	
0.5	0.0	1	8	
1.4	0.1	3	10	
0.5	0.0	1	16	
0.9	0.1	2	20	
0.5	0.0	1	21	
0.9	0.1	2	30	
0.5	0.0	1	90	
0.5	0.0	1	99	99 OR MORE
	91.5	2,672	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 391-392

CA76_D	#TIMES UNWANTED SEXUAL CONTACT W/ 12 MON
---------------	---

During the 12 months before admission, how many times did this happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.8	3.0	88	0	
31.3	2.5	73	1	
15.9	1.3	37	2	
3.4	0.3	8	3	
1.3	0.1	3	4	
0.4	0.0	1	5	
0.4	0.0	1	6	
0.9	0.1	2	7	
0.9	0.1	2	8	
2.6	0.2	6	10	
0.4	0.0	1	13	
0.4	0.0	1	15	
0.4	0.0	1	16	
0.4	0.0	1	20	
0.4	0.0	1	21	
0.4	0.0	1	24	
0.4	0.0	1	30	
0.4	0.0	1	60	
0.4	0.0	1	90	
0.4	0.0	1	98	
0.9	0.1	2	99	99 OR MORE
	90.5	2,643	-9	LEGITIMATE NONRESPONSE
	1.5	44	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 393-394

CA76_E_1 UNWANTED SEXUAL CONTACT W/ONE/LAST

When did this last happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	1.1	31	1	WITHIN THE MONTH BEFORE ADMISSION
35.5	3.7	109	2	WITHIN THE PAST 12 MONTHS
54.4	5.7	167	3	MORE THAN 1 YEAR AGO
	88.7	2,591	-9	LEGITIMATE NONRESPONSE
	0.7	20	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 395-396

CA76_F CONCERNED ONE SEXUALLY ASSAULT YOU SOON

Are you concerned that someone may sexually assault you, or anyone else in your household, sometime soon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	1.1	33	1	YES
89.4	9.6	279	2	NO
	88.7	2,591	-9	LEGITIMATE NONRESPONSE
	0.6	17	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 397-398

CA76_G	HOW MUCH WORRY YOU/SEXUALLY ASSAULT
---------------	--

How much does this worry you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.0	1	1	NOT AT ALL
44.1	0.5	15	2	A LITTLE
52.9	0.6	18	3	A LOT
	98.2	2,869	-9	LEGITIMATE NONRESPONSE
	0.6	17	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 399-400

CA77	HAS ANYONE EVER ASSAULTED YOU PHYSICALLY
-------------	---

Has anyone ever assaulted you physically (other than sexually), that is, hit or beat you so hard that you had cuts or bruises, had to stay in bed, or had to see a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	29.3	855	1	YES
70.7	70.6	2,062	2	NO
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 401-402

CA77_M	MONTHS AGO LAST PHYSICALLY ASSAULTED
---------------	---

When did this last happen? (recode)

2,921 cases (Range of valid codes: 0-171)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3260-3262

CA77_A_1	ASSAULTED YOU PHYSICALLY/FAMILY MEMBER
-----------------	---

Who assaulted you physically? Was it a family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.1	323	1	CIRCLED
	70.6	2,062	-9	LEGITIMATE NONRESPONSE
	18.2	532	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 403-404

CA77_A_2	ASSAULTED YOU PHYSICALLY/ONE YOU KNEW
-----------------	--

Who assaulted you physically? Was it someone else you knew (besides family member)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.5	365	2	CIRCLED
	70.6	2,062	-9	LEGITIMATE NONRESPONSE
	16.8	491	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 405-406

CA77_A_3**ASSAULTED YOU PHYSICALLY/A STRANGER**

Who assaulted you physically? Was it a stranger?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.2	270	3	CIRCLED
	70.6	2,062	-9	LEGITIMATE NONRESPONSE
	20.1	586	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW

 100.0 100.0 2,921 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 407-408

CA77_B**#TIME ASSAULTED YOU PHYSICALLY/BEFORE 15**

How often did this happen (before you were 15)?

2,921 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 409-410

CA77_C	#TIMES ASSAULTED YOU PHYSICALLY/15/OLDER
--------	--

How often did this happen since you were 15 or older?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	8.1	238	0	
25.0	5.8	169	1	
10.7	2.5	72	2	
5.6	1.3	38	3	
5.0	1.2	34	4	
4.3	1.0	29	5	
1.3	0.3	9	6	
0.6	0.1	4	7	
0.1	0.0	1	8	
0.1	0.0	1	9	
2.4	0.5	16	10	
0.3	0.1	2	11	
0.3	0.1	2	14	
1.5	0.3	10	15	
0.1	0.0	1	16	
0.1	0.0	1	18	
1.2	0.3	8	20	
0.1	0.0	1	21	
0.7	0.2	5	25	
0.1	0.0	1	28	
1.8	0.4	12	30	
0.1	0.0	1	36	
0.3	0.1	2	40	
0.3	0.1	2	50	
0.1	0.0	1	72	
0.1	0.0	1	90	
2.2	0.5	15	99	99 OR MORE
	74.8	2,185	-9	LEGITIMATE NONRESPONSE
	1.6	47	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.4	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 411-412

CA77_D	#TIMES ASSAULTED YOU PHYSICALLY/12 MON
---------------	---

During the 12 months before admission, how many times did this happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	6.4	186	0	
32.9	7.0	204	1	
11.9	2.5	74	2	
4.4	0.9	27	3	
3.2	0.7	20	4	
3.4	0.7	21	5	
1.5	0.3	9	6	
1.0	0.2	6	7	
0.6	0.1	4	8	
0.3	0.1	2	9	
3.2	0.7	20	10	
0.6	0.1	4	12	
1.0	0.2	6	15	
0.3	0.1	2	18	
1.5	0.3	9	20	
0.2	0.0	1	24	
0.5	0.1	3	25	
0.6	0.1	4	30	
0.2	0.0	1	36	
0.5	0.1	3	40	
0.2	0.0	1	45	
0.2	0.0	1	50	
0.2	0.0	1	52	
0.3	0.1	2	60	
0.2	0.0	1	72	
0.2	0.0	1	80	
0.2	0.0	1	90	
1.0	0.2	6	99	99 OR MORE
	77.6	2,267	-9	LEGITIMATE NONRESPONSE
	0.8	24	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.3	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 413-414

CA77_E_1	ONE ASSAULTED YOU PHYSICALLY/LAST
-----------------	--

When did this last happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	3.3	97	1	WITHIN THE MONTH BEFORE ADMISSION
42.7	12.4	361	2	WITHIN THE PAST 12 MONTHS
45.8	13.2	387	3	MORE THAN 1 YEAR AGO
	70.6	2,062	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 415-416

CA77_F	CONCERNED ONE MAY ASSAULT YOU PHYSICALLY
---------------	---

Are you concerned that someone may physically assault you, or anyone else in your household, sometime soon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	3.6	106	1	YES
87.5	25.3	739	2	NO
	70.6	2,062	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 417-418

CA77_G	HOW MUCH WORRY YOU/PHYSICAL ASSAULT
---------------	--

How much does this worry you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.2	5	1	NOT AT ALL
41.5	1.5	44	2	A LITTLE
53.8	2.0	57	3	A LOT
	70.6	2,062	-9	LEGITIMATE NONRESPONSE
	25.7	752	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 419-420

CA78_A	BEEN IN A VERY SERIOUS ACCIDENT/WORK/CAR
---------------	---

Other than the events I have just asked about, including sexual and physical assault, during your lifetime, have you ever been in a very serious accident at work, in a car, or somewhere else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	26.6	778	1	YES
73.3	73.3	2,141	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 421-422

CA78_A_A	AGE/IN VERY SERIOUS ACCIDENT FIRST TIME
-----------------	--

How old were you when you were in a very serious accident at work, in a car, or somewhere else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	4	1	
1.0	0.3	8	2	
1.7	0.4	13	3	
1.8	0.5	14	4	
1.9	0.5	15	5	
3.1	0.8	24	6	
4.1	1.1	32	7	
4.7	1.2	36	8	
4.1	1.1	32	9	
4.1	1.1	32	10	
5.8	1.5	45	11	
9.8	2.6	76	12	
10.5	2.8	81	13	
12.3	3.3	95	14	
13.6	3.6	105	15	
14.1	3.7	109	16	
5.6	1.5	43	17	
1.2	0.3	9	18	
	73.3	2,141	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 423-424

CA78_B_A	#TIMES VERY SERIOUS ACCIDENT
-----------------	-------------------------------------

How many times have you been in a very serious accident at work in a car or somewhere else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
71.0	18.9	552	1	
14.2	3.8	110	2	
5.8	1.5	45	3	
3.3	0.9	26	4	
1.9	0.5	15	5	
1.0	0.3	8	6	
0.8	0.2	6	7	
0.3	0.1	2	8	
0.1	0.0	1	9	
0.4	0.1	3	10	
0.1	0.0	1	12	
0.1	0.0	1	15	
0.5	0.1	4	20	
0.1	0.0	1	50	
0.1	0.0	1	99	99 OR MORE
	73.2	2,139	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 425-426

CA78_B	BEEN IN A NATURAL DISASTER/TORNADO/FLOOD
---------------	---

Other than the events I have just asked about, including sexual and physical assault, during your lifetime, have you ever been in a natural disaster, such as a tornado, hurricane, flood, major earth-quake, or some other natural disaster?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	21.0	612	1	YES
79.0	78.9	2,305	2	NO
	0.1	3	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 427-428

CA78_A_B	AGE/IN A NATURAL DISASTER FIRST TIME
-----------------	---

How old were you when you were in a natural disaster, such as a tornado, hurricane, flood, major earth-quake, or some other natural disaster?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	3	0	
0.7	0.1	4	1	
1.0	0.2	6	2	
0.8	0.2	5	3	
2.0	0.4	12	4	
4.5	0.9	27	5	
4.1	0.9	25	6	
5.9	1.2	36	7	
6.9	1.4	42	8	
5.8	1.2	35	9	
8.3	1.7	50	10	
6.8	1.4	41	11	
12.7	2.6	77	12	
15.8	3.3	96	13	
13.2	2.7	80	14	
7.3	1.5	44	15	
3.0	0.6	18	16	
0.7	0.1	4	17	
0.2	0.0	1	18	
	78.8	2,302	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 429-430

CA78_B_B	#TIMES IN A NATURAL DISASTER
-----------------	-------------------------------------

How many times have you been in a natural disaster, such as a tornado, hurricane, flood, major earth-quake, or some other natural disaster?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	3	0	
74.5	15.6	456	1	
12.4	2.6	76	2	
5.9	1.2	36	3	
1.8	0.4	11	4	
1.3	0.3	8	5	
1.3	0.3	8	6	
0.5	0.1	3	8	
0.2	0.0	1	9	
0.7	0.1	4	10	
0.2	0.0	1	12	
0.2	0.0	1	13	
0.2	0.0	1	15	
0.3	0.1	2	50	
0.2	0.0	1	99	99 OR MORE
	78.8	2,302	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 431-432

CA78_C_B	DISASTER AT AGE AS PREVIOUS EVENT
-----------------	--

Was (CURRENT EVENT) at (AGE) the same event as (PREVIOUS EVENT) you mentioned happening when you were (AGE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	0.2	5	1	YES
95.4	3.5	103	2	NO
	78.8	2,301	-9	LEGITIMATE NONRESPONSE
	17.5	512	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 433-434

CA78_C**BEEN ROBBED/ASSAULTED/CRIME VICTIM**

Other than the events I have just asked about, including sexual and physical assault, during your lifetime, have you ever been robbed, assaulted, or the victim of any other type of crime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	37.8	1,105	1	YES
62.1	62.0	1,812	2	NO
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 435-436

CA78_A_C

AGE/BEEN ROBBED/ASSAULTED FIRST TIME

How old were you when you were first robbed, assaulted, or the victim of any other type of crime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	1	
0.1	0.0	1	2	
0.4	0.1	4	3	
0.3	0.1	3	4	
0.1	0.0	1	5	
0.8	0.3	9	6	
0.8	0.3	9	7	
2.0	0.8	22	8	
1.9	0.7	21	9	
2.3	0.9	25	10	
4.4	1.6	48	11	
8.9	3.3	97	12	
16.1	6.0	176	13	
20.3	7.6	222	14	
20.0	7.5	219	15	
15.2	5.7	167	16	
5.4	2.0	59	17	
1.1	0.4	12	18	
	62.0	1,812	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 437-438

CA78_B_C	#TIMES BEEN ROBBED/ASSAULTED
-----------------	-------------------------------------

How many times have you been robbed, assaulted, or the victim of any other type of crime?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
52.1	19.5	569	1	
20.6	7.7	225	2	
9.0	3.4	98	3	
4.9	1.8	54	4	
4.1	1.5	45	5	
1.5	0.5	16	6	
1.2	0.4	13	7	
0.7	0.3	8	8	
0.1	0.0	1	9	
2.0	0.8	22	10	
0.4	0.1	4	12	
0.1	0.0	1	13	
0.9	0.3	10	15	
0.1	0.0	1	16	
1.4	0.5	15	20	
0.1	0.0	1	25	
0.1	0.0	1	28	
0.1	0.0	1	40	
0.2	0.1	2	50	
0.1	0.0	1	60	
0.1	0.0	1	90	
0.3	0.1	3	99	99 OR MORE
	62.0	1,812	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 439-440

CA78_C_C**ASSAULTED AT AGE AS PREVIOUS EVENT**

Was (CURRENT EVENT) at (AGE) the same event as (PREVIOUS EVENT) you mentioned happening when you were (AGE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	0.8	22	1	YES
93.6	11.1	324	2	NO
	62.0	1,811	-9	LEGITIMATE NONRESPONSE
	26.1	762	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 441-442

CA78_D**BEEN FEARED YOU MIGHT BE KILLED/INJURED**

Other than the events I have just asked about, including sexual and physical assault, during your lifetime, have you ever been in any other situation in which you feared you might be killed or seriously injured?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.2	45.2	1,320	1	YES
54.8	54.7	1,598	2	NO
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 443-444

CA78_A_D	AGE/FEAR YOU MIGHT BE KILLED FIRST TIME
-----------------	--

How old were you when you were first in any other situation in which you feared you might be killed or seriously injured?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	2	
0.1	0.0	1	4	
0.1	0.0	1	5	
0.3	0.1	4	6	
0.2	0.1	3	7	
0.5	0.2	7	8	
0.5	0.2	6	9	
1.4	0.6	18	10	
1.7	0.8	22	11	
5.0	2.3	66	12	
12.8	5.8	168	13	
20.3	9.1	266	14	
26.4	11.9	347	15	
20.3	9.1	266	16	
8.1	3.6	106	17	
2.4	1.1	31	18	
	54.6	1,595	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 445-446

CA78_B_D	#TIME FEARED YOU MIGHT BE KILLED/INJURED
-----------------	---

How many times have you been in any other situation in which you feared you might be killed or seriously injured?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	0	
51.2	22.7	663	1	
16.0	7.1	207	2	
8.8	3.9	114	3	
3.5	1.5	45	4	
4.6	2.1	60	5	
2.2	1.0	28	6	
1.4	0.6	18	7	
0.9	0.4	12	8	
0.2	0.1	3	9	
2.7	1.2	35	10	
0.2	0.1	3	11	
0.5	0.2	7	12	
0.2	0.1	2	13	
0.1	0.0	1	14	
1.2	0.5	16	15	
0.1	0.0	1	16	
2.2	1.0	28	20	
0.1	0.0	1	23	
0.1	0.0	1	24	
0.5	0.2	7	25	
0.5	0.2	7	30	
0.2	0.1	2	35	
0.1	0.0	1	40	
0.1	0.0	1	45	
0.9	0.4	11	50	
0.1	0.0	1	60	
0.1	0.0	1	90	
0.1	0.0	1	94	
1.2	0.5	15	99	99 OR MORE
	54.6	1,595	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	7	-5	BAD DATA
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 447-448

CA78_C_D FEARED AT AGE AS PREVIOUS EVENT

Was (CURRENT EVENT) at (AGE) the same event as (PREVIOUS EVENT) you mentioned happening when you were (AGE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	6.1	179	1	YES
74.5	17.9	522	2	NO
	54.7	1,597	-9	LEGITIMATE NONRESPONSE
	21.3	622	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 449-450

CA78_E LOVED ONE VICTIM OF CRIME/ACCIDENT

Other than the events I have just asked about, including sexual and physical assault, during your lifetime, have you ever had a loved one assaulted or the victim of some other crime, accident, or disaster (other than event you have already told me about)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	31.0	906	1	YES
68.9	68.7	2,008	2	NO
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 451-452

CA78_A_E

AGE/LOVED ONE VICTIM/ACCIDENT FIRST TIME

How old were you when you first had a loved one assaulted
or the victim of some other crime, accident, or disaster
(other than event you have already told me about)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.5	14	1	
0.9	0.3	8	2	
1.4	0.4	12	3	
1.0	0.3	9	4	
2.7	0.8	24	5	
2.6	0.8	23	6	
3.8	1.1	33	7	
3.9	1.2	34	8	
2.4	0.7	21	9	
5.8	1.7	51	10	
4.3	1.3	38	11	
9.6	2.9	84	12	
11.9	3.6	104	13	
15.5	4.7	136	14	
15.5	4.7	136	15	
10.5	3.1	92	16	
5.8	1.7	51	17	
0.6	0.2	5	18	
	68.7	2,007	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	1.0	29	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 453-454

CA78_B_E	#TIME LOVED ONE VICTIM OF CRIME/ACCIDENT
-----------------	---

How many times have you had a loved one assaulted or the victim of some other crime, accident, or disaster (other than event you have already told me about)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
60.5	18.2	531	1	
15.2	4.6	133	2	
7.6	2.3	67	3	
3.8	1.1	33	4	
3.3	1.0	29	5	
1.5	0.4	13	6	
0.9	0.3	8	7	
0.5	0.1	4	8	
0.2	0.1	2	9	
2.1	0.6	18	10	
0.1	0.0	1	11	
0.3	0.1	3	12	
0.3	0.1	3	15	
0.1	0.0	1	16	
0.1	0.0	1	18	
1.0	0.3	9	20	
0.2	0.1	2	23	
0.2	0.1	2	25	
0.1	0.0	1	30	
0.3	0.1	3	40	
0.1	0.0	1	48	
0.3	0.1	3	50	
0.1	0.0	1	51	
0.8	0.2	7	99	99 OR MORE
	68.7	2,007	-9	LEGITIMATE NONRESPONSE
	0.5	14	-8	MISSING
	0.1	2	-5	BAD DATA
	0.7	21	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 455-456

CA78_C_E**LOVED 1/VICTIM/AT AGE AS PREVIOUS EVENT**

Was (CURRENT EVENT) at (AGE) the same event as (PREVIOUS EVENT) you mentioned happening when you were (AGE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	2.6	76	1	YES
85.5	15.3	447	2	NO
	68.6	2,004	-9	LEGITIMATE NONRESPONSE
	13.4	391	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 457-458

CA78_F**SAW SOMEONE SERIOUSLY INJURED/KILLED**

Other than the events I have just asked about, including sexual and physical assault, during your lifetime, have you ever seen someone seriously injured, badly mutilated, or violently killed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	45.8	1,338	1	YES
54.1	54.0	1,576	2	NO
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 459-460

CA78_A_F	AGE/SAW ONE SERIOUS INJURE/KILL/1ST TIME
-----------------	---

When was the first time you saw someone seriously injured, badly mutilated, or violently killed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	2	
0.2	0.1	3	3	
0.3	0.1	4	4	
0.9	0.4	12	5	
1.0	0.4	13	6	
1.5	0.7	20	7	
2.0	0.9	27	8	
1.7	0.8	23	9	
3.3	1.5	43	10	
3.6	1.6	48	11	
8.1	3.7	107	12	
14.4	6.5	191	13	
21.0	9.5	277	14	
21.5	9.7	284	15	
13.8	6.3	183	16	
5.7	2.6	75	17	
0.8	0.4	11	18	
	54.0	1,576	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-7	REFUSAL
	0.4	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 461-462

CA78_B_F	#TIME SAW ONE SERIOUSLY INJURED/KILLED
----------	--

How many times have you seen someone seriously injured,
badly mutilated, or violently killed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	20.0	583	1	
18.6	8.3	242	2	
9.4	4.2	122	3	
5.5	2.5	72	4	
4.7	2.1	61	5	
2.8	1.3	37	6	
1.8	0.8	23	7	
1.2	0.5	16	8	
0.4	0.2	5	9	
3.4	1.5	44	10	
0.2	0.1	3	11	
0.8	0.4	11	12	
0.1	0.0	1	13	
0.2	0.1	2	14	
1.3	0.6	17	15	
0.1	0.0	1	17	
2.6	1.2	34	20	
0.1	0.0	1	23	
0.4	0.2	5	25	
0.5	0.2	7	30	
0.1	0.0	1	35	
0.3	0.1	4	50	
0.1	0.0	1	69	
0.1	0.0	1	70	
0.2	0.1	2	75	
0.1	0.0	1	95	
0.3	0.1	4	99	99 OR MORE
	54.0	1,576	-9	LEGITIMATE NONRESPONSE
	0.7	20	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	6	-5	BAD DATA
	0.6	17	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 463-464

CA78_C_F	LOVED 1/VICTIM/AT AGE AS PREVIOUS EVENT
-----------------	--

Was (CURRENT EVENT) at (AGE) the same event as (PREVIOUS EVENT) you mentioned happening when you were (AGE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	6.9	202	1	YES
76.9	23.0	673	2	NO
	53.9	1,575	-9	LEGITIMATE NONRESPONSE
	16.0	468	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 465-466

CA78_G	EXPERIENCED VERY STRESSFUL SITUATION
---------------	---

Other than the events I have just asked about, including sexual and physical assault, during your lifetime, have you ever experienced any other unusual and very stressful situation or event, such as being in combat or a war zone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	9.0	262	1	YES
91.0	90.4	2,641	2	NO
	0.6	17	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 467-468

CA78_A_G

AGE/VERY STRESSFUL SITUATION/1ST TIME

When was the first time you experienced any other unusual and very stressful situation or event, such as being in combat or a war zone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	3	
0.4	0.0	1	4	
1.9	0.2	5	5	
0.8	0.1	2	6	
2.7	0.2	7	8	
1.2	0.1	3	9	
2.7	0.2	7	10	
6.6	0.6	17	11	
6.6	0.6	17	12	
16.0	1.4	41	13	
17.9	1.6	46	14	
25.3	2.2	65	15	
14.4	1.3	37	16	
3.1	0.3	8	17	
	90.4	2,640	-9	LEGITIMATE NONRESPONSE
	0.7	21	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 469-470

CA78_B_G	#TIME EXPERIENCE VERY STRESSFUL SITUATION
-----------------	--

How many times have you experienced any other unusual and very stressful situation or event, such as being in combat or a war zone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	3.4	99	1	
11.4	1.0	28	2	
4.9	0.4	12	3	
6.1	0.5	15	4	
8.1	0.7	20	5	
6.1	0.5	15	6	
2.8	0.2	7	7	
1.6	0.1	4	8	
5.3	0.4	13	10	
0.4	0.0	1	12	
0.8	0.1	2	15	
0.8	0.1	2	16	
3.3	0.3	8	20	
2.0	0.2	5	25	
2.4	0.2	6	30	
0.4	0.0	1	75	
0.4	0.0	1	90	
2.8	0.2	7	99	99 OR MORE
	90.4	2,640	-9	LEGITIMATE NONRESPONSE
	0.8	23	-8	MISSING
	0.1	2	-5	BAD DATA
	0.3	9	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 471-472

CA78_C_G

STRESS SITUATION AT AGE AS PREVIOUS EVENT

Was (CURRENT EVENT) at (AGE) the same event as (PREVIOUS EVENT) you mentioned happening when you were (AGE)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	2.7	79	1	YES
61.8	4.4	128	2	NO
	90.3	2,638	-9	LEGITIMATE NONRESPONSE
	2.6	75	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 473-474

ADOLESCENT DEMOGRAPHICS AND LIVING ARRANGEMENTS

CS1_A TYPE OF PLACE WHERE YOU GREW UP

To get some more information on your background, let's go back now and talk a little about your life while you were growing up.

Was that in a rural or country area, a small town, a small city, a suburb of a large city, or in a large city?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	84	1	RURAL/COUNTRY AREA
9.7	9.6	281	2	SMALL TOWN (<25,000)
13.3	13.2	387	3	SMALL CITY (25,000-100,000)
20.2	20.1	587	4	SUBURB OF A LARGE CITY
53.9	53.7	1,568	5	LARGE CITY (>100,000)
0.1	0.1	3	6	OTHER
	0.1	3	-8	MISSING
	0.1	4	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 475-476

CS2	TYPE RESIDENCE YOU LIVED IN/GROWING UP
------------	---

Please tell me what type of residence you have lived in most of the time when growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	63.8	1,865	1	A ONE-FAMILY HOUSE/DUPLEX/CONDO
1.0	1.0	30	2	A MOBILE HOME OR TRAILER
34.5	34.4	1,005	3	APARTMENT BUILDING/MULTIPLE BUILDING
0.1	0.1	3	4	HOTEL/ROOMING HOUSE/BOARDING HOUSE
0.0	0.0	0	5	A HOSPITAL OR MEDICAL INSTITUTION
0.0	0.0	1	6	IN JAIL/PRISON/JUVENILE DETENTION
0.0	0.0	1	7	A RESIDENTIAL DRUG TREATMENT PROGRAM
0.3	0.3	8	8	OTHER GROUP RESIDENCE/HALFWAY HOUSE
0.0	0.0	0	9	IN A HOMELESS SHELTER
0.0	0.0	0	10	ON THE STREET (NO REGULAR PLACE)
0.1	0.1	3	11	(IF VOL.:) OTHER
	0.0	1	-8	MISSING
	0.1	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 477-478

CS3	HOW SAFE WAS NEIGHBORHOOD/YOU GREW UP
------------	--

How safe from crime was the neighborhood where you have lived most of the time when growing up? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	27.6	805	1	VERY SAFE
37.6	37.5	1,096	2	FAIRLY SAFE
18.0	18.0	525	3	FAIRLY UNSAFE
16.8	16.8	491	4	VERY UNSAFE
	0.0	1	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 479-480

CS4 #ADDRESS/RESIDENCE/PLACES HAVE YOU LIVED

At how many addresses, residences, or places have you lived?

2,921 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 481-482

CS5 ADULTS YOU LIVED WITH MOST TIME IN LIFE

During your lifetime, what adults have you lived with most of the time? [RECORD VERBATIM AND ASK: Did anyone else live with you then? RECORD VERBATIM. ASK AGAIN: Anyone else? AND THEN CIRCLE BELOW BEST DESCRIPTION OF LIVING ARRANGEMENTS.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	36.7	1,071	1	BOTH BIOLOGICAL MOTHER & FATHER
28.8	28.6	836	2	BIOLOGICAL MOTHER ALONE
11.3	11.2	328	3	BIOLOGIC MOTHER W/STEPFATHER/B.FRND
8.8	8.7	255	4	BIOLOGICAL MOTHER W/RELATIVE/FRIEND
2.3	2.3	66	5	BIOLOGICAL FATHER ALONE
1.3	1.3	38	6	BIOLOGIC FATHER W/STEPMOTHER/G.FRND
0.8	0.8	24	7	BIOLOGICAL FATHER W/RELATIVE/FRIEND
7.3	7.2	211	8	GUARDIAN FAMILY
1.1	1.1	31	9	SINGLE FEMALE GUARDIAN
0.2	0.2	5	10	SINGLE MALE GUARDIAN
0.3	0.3	8	11	FOSTER PARENTS
0.1	0.1	3	12	ORPHANAGE
0.9	0.9	27	13	OTHER
	0.5	14	-8	MISSING
	0.1	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 483-484

CS6	EVER LIVED W/BIOLOGICAL MOTHER & FATHER
------------	--

Did you ever live with both your biological mother and father?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.9	41.4	1,210	1	YES
37.1	24.4	714	2	NO
	0.1	2	-9	LEGITIMATE NONRESPONSE
	34.1	995	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 485-486

CS7	TIME DID NOT LIVE W/BIOLOGICAL PARENTS
------------	---

Was there ever a time that you did not live with both your biological mother and father? [DO NOT COUNT INTERRUPTIONS OF LESS THAN A YEAR.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	53.7	1,568	1	YES
28.7	21.6	632	2	NO
	24.4	714	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 487-488

CS8	WHAT KEPT YOU FROM LIVING W/BOTH OF THEM
------------	---

What happened to keep you from living with both of them together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.0	30	1	RESPONDENT PLACED FOR ADOPTION
16.9	13.2	385	2	PARENTS NEVER MARRIED/LIVE TOGETHER
5.9	4.6	135	3	FATHER DIED
1.4	1.1	33	4	MOTHER DIED
0.4	0.3	8	5	BOTH PARENTS DIED
56.6	44.2	1,292	6	DIVORCED/SEPARATED/R LIVED/W/MOTHER
7.0	5.4	159	7	DIVORCED/SEPARATED/R LIVED/W/FATHER
0.2	0.1	4	8	DIVORCED/SEPARATED/BOTH LEFT HOME
2.1	1.7	49	9	DIVORCED/SEPARATE/R LIVED/W/SOMEONE
2.1	1.6	47	10	R LIVED W/SOMEONE/PARENTS TOGETHER
0.3	0.2	6	11	RESPONDENT ABANDONED
1.4	1.1	31	12	RESPONDENT LEFT HOME/RAN AWAY
4.6	3.6	104	13	OTHER
	20.8	608	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
	0.1	2	-7	REFUSAL
	0.2	5	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.5	15	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 489-490

CS9

AGE WHEN THAT FIRST HAPPENED

How old were you when that first happened?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	4.5	131	0	LESS THAN ONE YEAR OLD OR DON'T KNOW
7.8	4.7	138	1	
10.7	6.5	189	2	
9.8	6.0	174	3	
6.5	3.9	114	4	
8.4	5.1	148	5	
5.5	3.3	97	6	
6.5	3.9	115	7	
4.5	2.7	80	8	
4.2	2.5	74	9	
5.3	3.2	94	10	
4.4	2.7	78	11	
5.3	3.2	93	12	
4.1	2.5	72	13	
3.6	2.2	63	14	
3.3	2.0	59	15	
2.0	1.2	35	16	
0.7	0.4	13	17	
	38.3	1,119	-9	LEGITIMATE NONRESPONSE
	0.5	14	-8	MISSING
	0.2	5	-5	BAD DATA
	0.5	16	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 491-492

CS10 IT WAS BEFORE YOU WERE AGE 6 OR LATER

Would you say it was before you were age 6 or later than that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.7	4.6	133	1	BEFORE AGE 6
11.3	0.6	17	2	AGE 6 OR OLDER
	94.1	2,749	-9	LEGITIMATE NONRESPONSE
	0.7	20	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 493-494

CS11 MAN MOST RESPONSIBLE FOR RAISING YOU

The next set of questions is about the people who were a mother and father to you. These might be your biological parents, adopted parents, your stepparents, a guardian, or someone else. First, who was the man most responsible for raising you while you were growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	25.6	748	0	NO MAN RESPONSIBLE
49.7	49.6	1,448	1	BIOLOGICAL FATHER
1.5	1.5	44	2	ADOPTIVE FATHER
13.1	13.1	383	3	STEPFATHER
1.5	1.5	44	4	BROTHER/STEPBROTHER
0.0	0.0	0	5	BROTHER-IN-LAW
2.3	2.3	68	6	UNCLE
4.0	4.0	116	7	GRANDFATHER
0.3	0.3	8	8	FOSTER FATHER
0.3	0.3	8	9	OTHER MALE RELATIVE
1.6	1.6	48	10	OTHER MALE NONRELATIVE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 495-496

CS11_A

WHAT WAS HIS USUAL OCCUPATION

What was his usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	2.7	78	0	NO USUAL PAID OCCUPATION
12.4	8.7	254	1	PROFESSIONAL AND TECHNICAL
14.3	10.0	293	2	MANAGER AND ADMINISTRATOR
6.8	4.8	139	3	SALES
2.4	1.7	49	4	CLERICAL OR OFFICE WORKER
19.6	13.8	402	5	CRAFT AND KINDRED
5.3	3.7	108	6	OPERATIVE
7.4	5.2	152	7	TRANSPORTATION EQUIPMENT OPERATIVE
12.4	8.7	255	8	NONFARM LABORER
0.1	0.1	3	9	PRIVATE HOUSEHOLD WORKER
9.8	6.9	202	10	SERVICE WORKER
0.3	0.2	6	11	FARMER AND FARM MANAGER
0.1	0.1	2	12	FARM LABORER (FIELD BOSS, PICKER)
1.2	0.8	24	20	MILITARY SERVICE
0.0	0.0	1	30	HOMEMAKER
4.3	3.0	88	86	OTHER
	24.5	717	-8	MISSING
	4.3	126	-4	DON'T KNOW
	0.8	22	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 497-498

CS12

WOMAN MOST RESPONSIBLE FOR RAISING YOU

Who was the woman most responsible for raising you while you were growing up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	44	0	NO WOMAN RESPONSIBLE
87.5	86.9	2,537	1	BIOLOGICAL MOTHER
1.5	1.5	44	2	ADOPTIVE MOTHER
1.4	1.4	41	3	STEPMOTHER
0.3	0.3	9	4	SISTER/STEPSISTER
0.0	0.0	0	5	SISTER-IN-LAW
1.6	1.5	45	6	AUNT
5.6	5.5	162	7	GRANDMOTHER
0.2	0.2	6	8	FOSTER MOTHER
0.2	0.2	6	9	OTHER FEMALE RELATIVE
0.2	0.2	5	10	OTHER FEMALE NONRELATIVE
	0.5	15	-8	MISSING
	0.2	7	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 499-500

CS12_A

WHAT WAS HER USUAL OCCUPATION

What was her usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.6	223	0	NO USUAL PAID OCCUPATION
14.7	14.2	415	1	PROFESSIONAL AND TECHNICAL
7.2	7.0	204	2	MANAGER AND ADMINISTRATOR
6.6	6.3	185	3	SALES
16.5	16.0	466	4	CLERICAL OR OFFICE WORKER
1.7	1.6	47	5	CRAFT AND KINDRED
3.0	2.9	85	6	OPERATIVE
1.0	0.9	27	7	TRANSPORTATION EQUIPMENT OPERATIVE
0.8	0.8	22	8	NONFARM LABORER
1.3	1.3	37	9	PRIVATE HOUSEHOLD WORKER
18.5	17.8	521	10	SERVICE WORKER
0.0	0.0	1	11	FARMER AND FARM MANAGER
0.0	0.0	1	12	FARM LABORER (FIELD BOSS, PICKER)
0.1	0.1	2	20	MILITARY SERVICE
17.8	17.2	503	30	HOMEMAKER
2.8	2.7	80	86	OTHER
	1.3	38	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	1.9	56	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 501-502

CS13 #BIOLOGICAL BROTHERS & SISTERS YOU HAVE

How many biological brothers and sisters do you have?
 [COUNT HALF SIBLINGS EVEN IF RESPONDENT DID NOT LIVE WITH THEM.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	9.8	285	0	
26.0	26.0	758	1	
28.2	28.1	821	2	
15.8	15.7	460	3	
8.6	8.6	251	4	
5.4	5.3	156	5	
6.2	6.2	180	6	6 OR MORE
	0.1	2	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 503-504

CS14 #BIOLOGICAL BROTHERS/SISTERS LIVED W/YOU

How many of your biological brothers and sisters lived with you most of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	9.9	288	0	
36.5	32.1	938	1	
29.5	26.0	760	2	
13.2	11.6	339	3	
4.9	4.3	127	4	
2.8	2.5	72	5	
1.9	1.6	48	6	6 OR MORE
	8.5	249	-9	LEGITIMATE NONRESPONSE
	3.4	98	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 505-506

CS15**#CHILDREN LIVED IN HOUSEHOLD/YOU GREW UP**

How many children (excluding biological brothers and sisters) besides you lived in the household in which you grew up most of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	78.7	2,298	0	
8.3	8.1	238	1	
6.2	6.1	178	2	
2.8	2.7	80	3	
1.0	1.0	30	4	
0.6	0.5	16	5	
0.6	0.6	18	6	6 OR MORE
	2.0	58	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 507-508

CS16**IN PAST 12 MONTHS DID YOU ATTEND SCHOOL**

In the past 12 months, did you attend school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.1	84.0	2,453	1	YES
15.9	15.9	464	2	NO
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 509-510

CS16_A	IN PAST 6 MONTHS DID YOU ATTEND SCHOOL
---------------	---

In the past 6 months, did you attend school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.9	74.2	2,168	1	YES
14.1	12.2	355	2	NO
	13.0	379	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 511-512

CS17	IN PAST 12 MONTHS HAVE YOU HELD A JOB
-------------	--

In the past 12 months, have you held a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	39.7	1,161	1	YES
60.2	60.1	1,755	2	NO
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 513-514

CS17_A	IN PAST 6 MONTHS HAVE YOU HELD A JOB
---------------	---

In the past 6 months, have you held a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	30.9	904	1	YES
37.7	18.8	548	2	NO
	49.8	1,454	-9	LEGITIMATE NONRESPONSE
	0.5	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 515-516

HEALTH

CB1	HOW WAS YOUR HEALTH/WHEN ADMITTED
------------	--

In this section, I want to ask some questions about your physical health. At the time you were admitted to this program, would you say that your health was . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	27.7	809	1	EXCELLENT
49.8	49.7	1,451	2	GOOD
18.2	18.2	532	3	FAIR
4.3	4.2	124	4	POOR
	0.1	4	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 517-518

CB2	YOUR HEALTH/COMPARE TO YOUR AGE PEOPLE
------------	---

Comparing your general health when you were admitted to that of other people your age, would you say your health was . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	8.0	235	1	MUCH BETTER
26.5	26.3	769	2	BETTER
54.0	53.6	1,567	3	THE SAME
10.6	10.6	309	4	WORSE
0.8	0.8	23	5	MUCH WORSE
	0.3	8	-8	MISSING
	0.3	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 519-520

CB3 YOUR HEALTH/COMPARE TO 12 MON BEFORE

Would you say your health at admission was [READ CHOICES] than it was 12 months before admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.4	159	1	MUCH BETTER
22.1	22.1	645	2	BETTER
53.6	53.4	1,560	3	THE SAME
16.8	16.8	490	4	WORSE
2.0	2.0	59	5	MUCH WORSE
	0.2	6	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 521-522

CB4A HEALTH AFFECTED BY RESPIRATORY PROBLEM

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by respiratory system or breathing problems, such as shortness of breath, cystic fibrosis, asthma, frequent coughing, colds or sore throats, nosebleeds?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	28.8	841	1	YES
71.1	71.0	2,073	2	NO
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 523-524

CB4A_A	DR. DIAGNOSED/RESPIRATORY PROBLEM
---------------	--

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	19.2	560	1	YES
33.0	9.4	276	2	NO
	70.9	2,071	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 525-526

CB4B	HEALTH AFFECTED BY TUBERCULOSIS
-------------	--

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by tuberculosis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	17	1	YES
99.4	99.0	2,893	2	NO
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 527-528

CB4A_B	DR. DIAGNOSED/TUBERCULOSIS
---------------	-----------------------------------

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	0.5	16	1	YES
11.1	0.1	2	2	NO
	99.0	2,892	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 529-530

CB4C**HEALTH AFFECTED BY HEART PROBLEM**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by heart or circulatory problems, including congenital heart conditions, rheumatic fever, heart murmurs, hypertension, chest pain, anemia (sickle cell), or other disorders (including hemophilia)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	172	1	YES
94.1	93.8	2,739	2	NO
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 531-532

CB4A_C**DR. DIAGNOSED/HEART PROBLEM**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	3.8	111	1	YES
35.1	2.1	60	2	NO
	93.7	2,738	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 533-534

CB4D HEALTH AFFECTED BY STOMACH PROBLEM

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by digestive system or stomach problems, such as nausea, vomiting, stomach aches, ulcers, diarrhea, constipation, or diabetes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.9	317	1	YES
89.1	88.8	2,594	2	NO
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 535-536

CB4A_D DR. DIAGNOSED/STOMACH PROBLEM

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	5.7	167	1	YES
47.2	5.1	149	2	NO
	88.7	2,592	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 537-538

CB4E**HEALTH AFFECTED BY LIVER/KIDNEY PROBLEM**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by hepatitis, jaundice, kidney trouble, blood in urine or bladder infection, or liver problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.8	82	1	YES
97.2	96.8	2,828	2	NO
	0.3	10	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 539-540

CB4A_E**DR. DIAGNOSED/LIVER/KIDNEY PROBLEM**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.8	2.6	77	1	YES
7.2	0.2	6	2	NO
	96.8	2,827	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 541-542

CB4F HEALTH AFFECTED BY BONE/MUSCLE PROBLEM

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by bone and muscle problems, such as paralysis, backache, joint pain, old fractures, or other injuries?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	14.3	417	1	YES
85.7	85.2	2,489	2	NO
	0.4	13	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 543-544

CB4A_F DR. DIAGNOSED/BONE/MUSCLE PROBLEM

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	8.5	249	1	YES
40.6	5.8	170	2	NO
	85.1	2,487	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 545-546

CB4G**HEALTH AFFECTED BY NERVOUS SYSTEM PROBLEM**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by nervous system problems, such as headaches, migraines, seizures, epilepsy, blackouts, anxiety, or panic attacks / nervous breakdown?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	18.0	526	1	YES
81.9	81.4	2,378	2	NO
	0.5	16	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 547-548

CB4A_G**DR. DIAGNOSED/NERVOUS SYSTEM PROBLEM**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	6.9	203	1	YES
61.6	11.1	325	2	NO
	81.3	2,375	-9	LEGITIMATE NONRESPONSE
	0.6	17	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 549-550

CB4H HEALTH AFFECTED BY FEMALE/GYNECOLOGY PROBLEM

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by [IF FEMALE] female or gynecological problems like ovarian cysts, severe bleeding or cramps, endometriosis, lower abdominal pain, pelvic inflammatory disease (PID), breast lumps, or breast pain?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	3.8	110	1	YES
87.0	25.3	738	2	NO
	70.6	2,061	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 551-552

CB4A_H DR. DIAGNOSED/FEMALE/GYNECOLOGY PROBLEM

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.5	2.8	83	1	YES
24.5	0.9	27	2	NO
	95.8	2,798	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 553-554

CB4I**HEALTH AFFECTED BY PROSTATE PROBLEM**

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by [IF MALE] problems with urinating (passing your urine or water), swelling or soreness about your nipples, or discharge from your penis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.8	24	1	YES
98.9	73.7	2,153	2	NO
	24.8	724	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 555-556

CB4A_I**DR. DIAGNOSED/PROSTATE PROBLEM**

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	0.5	15	1	YES
34.8	0.3	8	2	NO
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	0.7	20	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 557-558

CB4J HEALTH AFFECTED BY VENEREAL DISEASE

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by venereal or sexually transmitted diseases (STD), such as gonorrhea, syphilis, chlamydia, or herpes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.9	113	1	YES
96.1	95.3	2,783	2	NO
	0.8	23	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 559-560

CB4A_J DR. DIAGNOSED/VENEREAL DISEASE

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	3.7	108	1	YES
4.4	0.2	5	2	NO
	95.2	2,782	-9	LEGITIMATE NONRESPONSE
	0.9	25	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 561-562

CB4K	HEALTH AFFECTED/OTHER PHYSICAL HEALTH PROBLEM
-------------	--

Now, I want to ask some questions about health problems you may have had. In the 12 months before admission, was your health affected by any other physical health problems that seriously affected your health, such as excessive weight loss or gain, skin rashes or blemishes, dental problems, or reactions to medications or food?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.4	216	1	YES
92.6	92.2	2,692	2	NO
	0.4	12	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 563-564

CB4A_K	DR. DIAGNOSED/OTHER PHYSICAL HEALTH PROBLEM
---------------	--

Has a doctor ever diagnosed this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.4	3.9	115	1	YES
43.6	3.0	89	2	NO
	92.1	2,689	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 565-566

CB4_B	YOU THINK YOU ARE RIGHT WEIGHT FOR AGE
--------------	---

Do you think you are the right weight for your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.9	71.5	2,089	1	YES
28.1	28.0	818	2	NO
	0.2	6	-8	MISSING
	0.3	8	-4	DON'T KNOW

 100.0 100.0 2,921 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 567-568

CB4_C	AGE WHEN YOU HAD YOUR FIRST PERIOD
--------------	---

How old were you when you had your first period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	2	0	NOT STARTED
0.8	0.2	6	8	
5.9	1.5	43	9	
7.7	1.9	56	10	
20.9	5.2	152	11	
32.3	8.0	235	12	
23.4	5.8	170	13	
6.2	1.5	45	14	
2.2	0.5	16	15	
0.4	0.1	3	16	
	73.9	2,160	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	5	-4	DON'T KNOW

 100.0 100.0 2,921 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 569-570

CB4_D**WHEN YOU HAVE YOUR PERIOD ARE YOU SICK**

When you have your period are you sick? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	9.7	284	0	NEVER
17.9	4.5	130	1	ALWAYS
43.0	10.7	312	2	SOMETIMES
	74.0	2,162	-9	LEGITIMATE NONRESPONSE
	1.1	32	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 571-572

CB4_E**DO YOU TAKE ANY MEDICATION FOR CRAMPS**

Do you take any medication for cramps?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	8.1	238	1	YES
46.5	7.1	207	2	NO
	83.6	2,442	-9	LEGITIMATE NONRESPONSE
	1.2	34	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 573-574

CB5	EVER HAD A BLOOD TEST FOR HIV
------------	--------------------------------------

Have you ever had a blood test for HIV infection (the AIDS virus)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	39.6	1,157	1	YES
59.6	58.4	1,706	2	NO
	0.9	25	-8	MISSING
	1.1	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 575-576

CB6	ARE YOU PREGNANT
------------	-------------------------

Are you pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.5	16	1	YES
97.8	24.9	727	2	NO
	73.7	2,154	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.4	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 577-578

CB6_A**PREGNANCY HAS BEEN VERIFIED**

Has this been verified?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.3	10	1	YES
37.5	0.2	6	2	NO
	98.7	2,882	-9	LEGITIMATE NONRESPONSE
	0.8	23	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 579-580

CB6_B_1**PREGNANCY VERIFIED BY DOCTOR**

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Doctor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	7	1	CIRCLED
	98.9	2,888	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 581-582

CB6_B_2	PREGNANCY VERIFIED BY-TEST BY DOCTOR
----------------	---

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Pregnancy test at a hospital, clinic, or doctor's office

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	2	CIRCLED
	98.7	2,883	-9	LEGITIMATE NONRESPONSE
	1.0	30	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 583-584

CB6_B_3**PREGNANCY VERIFIED BY HOME PREGNANCY TEST**

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Home pregnancy test

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	98.7	2,883	-9	LEGITIMATE NONRESPONSE
	1.2	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 585-586

CB6_B_4**PREGNANCY VERIFIED BY/OTHER**

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	98.7	2,883	-9	LEGITIMATE NONRESPONSE
	1.3	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 587-588

CB6_C	HOW MANY MONTHS PREGNANT ARE YOU
--------------	---

How many months pregnant are you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	0.3	10	3	1-3 MOS
23.1	0.1	3	6	3-6 MOS
0.0	0.0	0	9	7-9 MOS
	98.7	2,883	-9	LEGITIMATE NONRESPONSE
	0.8	24	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 589-590

CB6_D	DURING PREGNANCY DISCOMFORT HAS BEEN
--------------	---

During your pregnancy, would you say that your physical or bodily discomfort has been . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	7	0	NONE
7.1	0.0	1	1	VERY MILD
7.1	0.0	1	2	MILD
21.4	0.1	3	3	MODERATE
14.3	0.1	2	4	SEVERE
	98.7	2,882	-9	LEGITIMATE NONRESPONSE
	0.9	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 591-592

CB6_E	PREGNANCY AFFECT/TO ENTER DRUG TREAT
--------------	---

Did being pregnant affect your decision to enter drug treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	0.1	3	1	YES
76.9	0.3	10	2	NO
	98.7	2,883	-9	LEGITIMATE NONRESPONSE
	0.9	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 593-594

CB6_F_1	PREGNANCY AFFECT TREAT/DRUG EFFECT ON BABY
----------------	---

What about being pregnant affected your decision to enter drug treatment?

Concerned about effect of drugs on baby

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 595-596

CB6_F_2	PREGNANCY AFFECT TREAT/CONCERN OWN HEALTH
----------------	--

What about being pregnant affected your decision to enter drug treatment?

Concerned about own health

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 597-598

CB6_F_3	PREGNANCY AFFECT TREAT/COST OF DRUGS
----------------	---

What about being pregnant affected your decision to enter drug treatment?

Cost of drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 599-600

CB6_F_4	PREGNANCY AFFECT TREAT/PRESSURE FROM OTHERS
----------------	--

What about being pregnant affected your decision to enter drug treatment?

Pressure from others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 601-602

CB6_F_5	PREGNANCY AFFECT TREAT/AFFECT CHILD CUSTODY
----------------	--

What about being pregnant affected your decision to enter drug treatment?

Afraid would lose custody of baby

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 603-604

CB6_F_6 PREGNANCY AFFECT TREAT/OTHER

What about being pregnant affected your decision to enter drug treatment?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	CIRCLED
	99.0	2,893	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 605-606

CB6_G #TIMES SAW DOCTOR ABOUT PREGNANCY

Since you became pregnant (this time), how many times have you seen a doctor or other health professional about your pregnancy or problems with your pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.1	2	0	
30.8	0.1	4	1	
23.1	0.1	3	2	
7.7	0.0	1	3	
7.7	0.0	1	4	
7.7	0.0	1	6	
7.7	0.0	1	7	
	98.7	2,883	-9	LEGITIMATE NONRESPONSE
	0.9	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 607-608

CB7	HOW WAS YOUR PHYSICAL PAIN
------------	-----------------------------------

(Other than from pregnancy) during the 12 months before your admission, would you say that your physical or bodily pain was . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	57.2	1,672	0	NONE
16.6	16.4	480	1	VERY MILD
16.8	16.6	485	2	MILD
6.7	6.6	194	3	MODERATE
2.1	2.1	60	4	SEVERE
	1.0	28	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 609-610

CB8	TOOK PRESCRIPTION MEDICINE/REGULAR BASIS/FOR HEALTH PROBLEM
------------	--

During those 12 months, did you take any prescribed medication on a regular basis for a physical health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	14.0	408	1	YES
85.9	85.2	2,489	2	NO
	0.8	22	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 611-612

CB9 CURRENTLY TAKE PRESCRIPTION MED FOR HEALTH PROBLEM

Are you currently taking any medication prescribed by a doctor for a physical health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	12.8	375	1	YES
87.1	86.7	2,533	2	NO
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 613-614

CB10_A LIMIT VIGOROUS ACTIVITY

During the 12 months before admission, did your health limit the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	15.4	449	1	YES
84.6	84.4	2,465	2	NO
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 615-616

CB10A_A	LIMIT VIGOROUS ACTIVITY/FOR 3 MONTH/MORE
----------------	---

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	5.0	147	1	LESS THAN 3 MONTHS
65.5	9.6	279	2	3 MONTHS OR MORE
	84.4	2,465	-9	LEGITIMATE NONRESPONSE
	1.0	30	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 617-618

CB10_B	LIMIT MODERATE ACTIVITY
---------------	--------------------------------

During the 12 months before admission, did your health limit the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing housework?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.8	111	1	YES
96.2	95.9	2,801	2	NO
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 619-620

CB10A_B	LIMIT MODERATE ACTIVITY/FOR 3 MONTH/MORE
----------------	---

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.4	1.7	49	1	LESS THAN 3 MONTHS
54.6	2.0	59	2	3 MONTHS OR MORE
	95.9	2,800	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 621-622

CB10_C	LIMIT WALK UP HILL/CLIMB STAIRS
---------------	--

During the 12 months before admission, did your health limit your ability to walk uphill or to climb a few flights of stairs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	5.0	146	1	YES
95.0	94.7	2,766	2	NO
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 623-624

CB10A_C	LIMIT WALK UP HILL/STAIRS/FOR 3 MONTH/MORE
----------------	---

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	2.1	62	1	LESS THAN 3 MONTHS
56.3	2.7	80	2	3 MONTHS OR MORE
	94.7	2,765	-9	LEGITIMATE NONRESPONSE
	0.5	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 625-626

CB10_D	PREVENT YOU FROM BENDING/LIFTING
---------------	---

During the 12 months before admission, did your health prevent you from bending, lifting, or stooping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.1	91	1	YES
96.9	96.5	2,820	2	NO
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 627-628

CB10A_D	PREVENT YOU FROM BEND/LIFT/3 MONTH/MORE
----------------	--

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	1.3	38	1	LESS THAN 3 MONTHS
56.8	1.7	50	2	3 MONTHS OR MORE
	96.5	2,820	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 629-630

CB10_E	LIMIT YOUR ABILITY TO WALK 1 BLOCK
---------------	---

During the 12 months before admission, did your health limit your ability to walk 1 block?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	35	1	YES
98.8	98.4	2,875	2	NO
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 631-632

CB10A_E**LIMIT YOU TO WALK 1 BLOCK/FOR 3 MONTH/MORE**

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	0.7	19	1	LESS THAN 3 MONTHS
45.7	0.5	16	2	3 MONTHS OR MORE
	98.4	2,875	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 633-634

CB10_F**LIMIT YOUR ABILITY TO EAT/DRESS/BATHE**

During the 12 months before admission, did your health limit your ability to eat, dress, or bathe, or use the toilet?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	15	1	YES
99.5	98.8	2,886	2	NO
	0.7	20	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 635-636

CB10A_F	LIMIT YOU TO EAT/DRESS/FOR 3 MONTH/MORE
----------------	--

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	8	1	LESS THAN 3 MONTHS
50.0	0.3	8	2	3 MONTHS OR MORE
	98.8	2,886	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 637-638

CB11	HOW IS YOUR HEARING
-------------	----------------------------

How well do you hear (with a hearing aid if you use one)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	3	1	VERY POORLY
1.1	1.1	32	2	SOMEWHAT POORLY
4.9	4.9	142	3	A LITTLE LESS THAN AVERAGE
93.9	93.8	2,741	4	AVERAGE OR GOOD
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 639-640

CB12	HOW WELL DO YOU SEE
-------------	----------------------------

How well do you see (with eyeglasses or contact lenses if you wear them)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	26	1	VERY POORLY
2.3	2.3	67	2	SOMEWHAT POORLY
7.9	7.9	231	3	A LITTLE LESS THAN AVERAGE
88.9	88.8	2,594	4	AVERAGE OR GOOD
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 641-642

CB13	HOW WELL CAN YOU MOVE YOUR ARMS
-------------	--

How well can you move your arms?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	VERY POORLY
0.2	0.2	5	2	SOMEWHAT POORLY
0.5	0.5	16	3	A LITTLE LESS THAN AVERAGE
99.2	99.0	2,892	4	AVERAGE OR GOOD
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 643-644

CB14	HOW WELL CAN YOU MOVE YOUR HANDS
-------------	---

How well can you move your hands?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	VERY POORLY
0.1	0.1	4	2	SOMEWHAT POORLY
0.8	0.8	22	3	A LITTLE LESS THAN AVERAGE
99.0	98.8	2,885	4	AVERAGE OR GOOD
	0.3	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 645-646

CB15	PHYSICAL HEALTH KEPT FROM WORK/SCHOOL/12 MO
-------------	--

During the 12 months before admission, were there any days that your physical health kept you from working at a job, working around the house, or going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	28.9	845	1	YES
71.0	70.8	2,069	2	NO
	0.2	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 647-648

CB15_A	HOW LONG HEALTH KEPT FROM WORK/SCHOOL
---------------	--

Did it limit your activities for less than 3 months or for 3 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	27.3	796	1	LESS THAN 3 MONTHS
4.4	1.3	37	2	3 MONTHS OR MORE
	70.8	2,068	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 649-650

CB15_B	#DAYS HEALTH KEPT FROM WORK/SCHOOL
---------------	---

In the 12 months before admission, how many days did your health keep you from working at a job, working around the house, or going to school?

2,921 cases (Range of valid codes: 0-365)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 651-653

CB16	#DAY INJURY/ILL KEPT YOU IN BAD A DAY
-------------	--

During the 12 months before admission, how many days did an injury or physical illness keep you in bed for most or all of the day?

2,921 cases (Range of valid codes: 0-365)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 654-656

CB17**#TIME TALKED W/DR. ABOUT PHYSICAL HEALTH**

Now, I would like to ask you about your use of medical services. First, I'd like to talk about visits to a doctor. During the 12 months before admission, how many times did you see or talk with a medical doctor about problems with your physical health (including pregnancy)? Do not count doctors you may have seen when you were in the hospital overnight or at a drug or other treatment program.

2,921 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 657-658

CB17_A	#TIME TALKED W/HEALTH PROF/PHYSICAL HEALTH
---------------	---

During the 12 months before admission, how many times did you see or talk with another health professional, such as a nurse or physician's assistant, about problems with your physical health (including pregnancy)? Do not count health professionals you saw when you were in the hospital or at a drug or other treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	70.6	2,062	0	
8.3	8.2	240	1	
7.1	7.0	205	2	
3.9	3.9	114	3	
2.7	2.7	78	4	
1.7	1.7	49	5	
1.2	1.2	34	6	
0.7	0.7	21	7	
0.4	0.4	12	8	
0.9	0.9	26	10	
0.0	0.0	1	11	
0.4	0.4	13	12	
0.0	0.0	1	13	
0.1	0.1	2	14	
0.3	0.3	9	15	
0.0	0.0	1	16	
0.1	0.1	2	17	
0.4	0.4	13	20	
0.0	0.0	1	21	
0.0	0.0	1	24	
0.1	0.1	2	26	
0.0	0.0	1	27	
0.1	0.1	3	30	
0.1	0.1	2	40	
0.1	0.1	4	50	
0.0	0.0	1	52	
0.0	0.0	1	60	
0.0	0.0	1	80	
0.0	0.0	1	99	99 OR MORE
	0.3	10	-8	MISSING
	0.0	1	-5	BAD DATA
	0.3	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 659-660

CB18	WHERE DO YOU GO FOR PHYSICAL HEALTH CARE
-------------	---

When you want help with or care for a physical health problem, where do you usually go?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	86	0	NO CARE RECEIVED
46.0	45.7	1,334	1	PRIVATE PHYSICIAN
20.1	19.9	582	2	HOSPITAL CLINIC
14.3	14.2	415	3	HOSPITAL EMERGENCY ROOM
4.9	4.9	143	4	HMO/OTHER GROUP HEALTH PLAN
0.6	0.6	18	5	URGENT CARE CLINIC
3.4	3.4	99	6	COMMUNITY HEALTH CENTER
5.5	5.5	160	7	PUBLIC CLINIC
0.3	0.3	9	8	DRUG/ALCOHOL TREATMENT PROGRAM
0.3	0.3	10	9	CLINIC/NURSE AT SCHOOL/WORK
1.6	1.6	46	10	OTHER
	0.2	7	-8	MISSING
	0.1	3	-6	MULTIPLE RESPONSE
	0.3	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 661-662

CB19

#TIME/IN LIFE/HOSPITAL OVERNIGHT/HEALTH PROBLEM

Now, I'd like to talk about any times you have stayed overnight or longer in a hospital for a physical health problem. How many times in your life have you been hospitalized overnight or longer for physical health problems (including pregnancy)? Include health problems that resulted from drug or alcohol use like o.d.'s and d.t.'s, but do not include drug or alcohol treatment such as detox.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	54.0	1,577	0	NEVER
26.2	26.0	759	1	
9.5	9.4	276	2	
4.6	4.5	132	3	
2.0	2.0	59	4	
1.0	1.0	30	5	
0.8	0.8	22	6	
0.2	0.2	7	7	
0.1	0.1	3	8	
0.1	0.1	2	9	
0.5	0.5	14	10	
0.1	0.1	4	12	
0.1	0.1	2	13	
0.1	0.1	4	15	
0.1	0.1	3	20	
0.0	0.0	1	25	
0.1	0.1	2	30	
0.0	0.0	1	40	
0.0	0.0	1	50	
0.1	0.1	2	99	99 OR MORE
	0.4	11	-8	MISSING
	0.3	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 663-664

CB19_A_1 YOU STAYED IN HOSPITAL OVERNIGHT/LAST TIME

For your most recent overnight hospital stay, tell me when it was. When were you admitted to the hospital the last time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	2.0	59	1	WITHIN THE MONTH BEFORE ADMISSION
19.0	8.7	253	2	WITHIN THE PAST 12 MONTHS
76.6	35.0	1,021	3	MORE THAN 1 YEAR AGO
	53.6	1,566	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
	0.1	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 665-666

CB19A_M MONTHS AGO LAST ADMITTED INTO HOSPITAL

For your most recent overnight hospital stay, tell me when it was. When were you admitted to the hospital the last time? (recode)

2,921 cases (Range of valid codes: 0-197)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3263-3265

CB19_B #NIGHTS/LAST HOSPITAL STAY

During your last hospital stay, how many nights did you stay?

2,921 cases (Range of valid codes: 1-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 667-668

CB19_C	ADMITTED FOR/MEDICAL CODE-RECODED)
---------------	---

What were you admitted for then?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
0.7	0.3	9	1	SUBSTANCE-RELATED CONDITIONS
2.7	1.2	35	2	MENTAL HEALTH CONDITIONS
96.7	43.5	1,271	3	ALL OTHER CONDITIONS
	53.6	1,566	-9	LEGITIMATE NONRESPONSE
	0.7	21	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.5	16	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 669-670

CB19_D	WAS IT RESULT FROM DRUG/ALCOHOL USE
---------------	--

Was this a complication of, or did it in some way result from, your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	6.5	190	1	YES
85.7	39.0	1,138	2	NO
	53.6	1,566	-9	LEGITIMATE NONRESPONSE
	0.9	25	-8	MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 671-672

CB20	#TIME HOSPITALIZE/PHYSICAL HEALTH PROBLEM/NOT DRUG
-------------	---

Now, I would like to ask about any hospital stays not related to complications of drug or alcohol use that you may have had in the 12 months before your admission to this program. In the 12 months before admission to this program, how many times were you hospitalized for physical health problems not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	9.2	268	0	
36.8	5.9	171	1	
3.4	0.5	16	2	
0.9	0.1	4	3	
0.6	0.1	3	4	
0.2	0.0	1	6	
0.2	0.0	1	9	
0.2	0.0	1	20	
	83.1	2,426	-9	LEGITIMATE NONRESPONSE
	1.0	30	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 673-674

CB21

#DAY HOSPITAL FOR PHYSICAL HEALTH PROBLEM/NOT DRUG

In the 12 months before admission to this program, how many days were you hospitalized for a physical health problem not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	0.4	13	0	
23.9	1.6	47	1	
18.8	1.3	37	2	
9.1	0.6	18	3	
6.6	0.4	13	4	
3.6	0.2	7	5	
1.5	0.1	3	6	
7.6	0.5	15	7	
1.5	0.1	3	9	
2.0	0.1	4	10	
1.0	0.1	2	11	
0.5	0.0	1	12	
8.1	0.5	16	14	
0.5	0.0	1	15	
1.0	0.1	2	18	
2.0	0.1	4	21	
0.5	0.0	1	22	
1.5	0.1	3	30	
0.5	0.0	1	35	
0.5	0.0	1	45	
1.0	0.1	2	60	
0.5	0.0	1	109	
0.5	0.0	1	110	
0.5	0.0	1	200	
	92.1	2,691	-9	LEGITIMATE NONRESPONSE
	1.1	33	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 675-677

CB22	RECEIVED DISABILITY PAY/PHYSICAL HEALTH PROBLEM
-------------	--

Now, I'd like to ask some more questions about your health.
 At the time you were admitted to this program, were you receiving disability payments, benefits, or a pension for a physical health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.5	16	1	YES
99.4	98.5	2,877	2	NO
	1.0	28	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 678-679

CB22_A_1	TYPE OF PENSION/SSDI
-----------------	-----------------------------

What kind of a pension was that?

SSDI (Social Security Disability Income)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	1.4	42	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 680-681

CB22_A_2	TYPE OF PENSION/SSI
-----------------	----------------------------

What kind of a pension was that?

SSI (Supplemental Security Income)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	14	2	CIRCLED
	98.5	2,876	-9	LEGITIMATE NONRESPONSE
	1.0	30	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 682-683

CB22_A_3	TYPE OF PENSION/WORKER'S COMP
-----------------	--------------------------------------

What kind of a pension was that?

Worker's Comp

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	1.5	43	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 684-685

CB22_A_4	TYPE OF PENSION/OTHER
-----------------	------------------------------

What kind of a pension was that?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	1.4	42	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 686-687

CB22_B_1	CONDITION/RECEIVED PENSION-RECODED
-----------------	---

For what condition were you receiving this disability pension?

First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
6.2	0.0	1	1	SUBSTANCE-RELATED CONDITIONS
25.0	0.1	4	2	MENTAL HEALTH CONDITIONS
68.8	0.4	11	3	ALL OTHER CONDITIONS
	98.5	2,876	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 688-689

CB22_B_2	CONDITION/RECEIVED PENSION-RECODED
-----------------	---

For what condition were you receiving this disability pension?

Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
0.0	0.0	0	1	SUBSTANCE-RELATED CONDITIONS
75.0	0.1	3	2	MENTAL HEALTH CONDITIONS
25.0	0.0	1	3	ALL OTHER CONDITIONS
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	1.4	40	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 690-691

CB22_B_3	CONDITION/RECEIVED PENSION-RECODED
-----------------	---

For what condition were you receiving this disability pension?

Third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
0.0	0.0	0	1	SUBSTANCE-RELATED CONDITIONS
0.0	0.0	0	2	MENTAL HEALTH CONDITIONS
0.0	0.0	0	3	ALL OTHER CONDITIONS
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	1.5	44	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 692-693

CB23	HOW TROUBLED WERE YOU BY MEDICAL PROBLEM
-------------	---

Overall, how troubled or bothered were you by medical problems in the 12 months before admission to this program? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	75.6	2,207	0	NOT AT ALL
21.3	21.2	619	1	SOMEWHAT
2.9	2.8	83	2	VERY TROUBLED
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 694-695

CB24	HOW IMPORTANT/TREATMENT NOW FOR MEDICAL PROBLEM
-------------	--

How important to you now is treatment or counseling for medical problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	68.5	2,001	0	NOT AT ALL
15.2	15.1	442	1	SOMEWHAT
16.1	16.0	468	2	VERY IMPORTANT
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 696-697

CB25**HEALTH PROBLEMS DUE TO ALCOHOL/DRUGS**

Did you have any physical health problems because of your drug or alcohol use in the 12 months before admission to this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	14.0	408	1	YES
86.0	85.6	2,501	2	NO
	0.3	9	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 698-699

CB25_A**HOW SERIOUS/PHYSICAL PROBLEM CAUSED BY DRUG USE**

In those 12 months, how serious were these problems you had because of using drugs or alcohol? Would you say . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	1.7	49	1	NOT AT ALL
65.1	9.1	267	2	SOMEWHAT
22.9	3.2	94	3	VERY SERIOUS
	85.6	2,500	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 700-701

COGNITIVE IMPAIRMENT (TRAIL MAKING TEST)

CC4_A_M **#MINUTES/TIME FOR TRAIL TEST A**

Now, I'd like to ask you to work on a short task. The task involves connecting points on a paper.

On this page are numbers from 1 to 25. Do this the same way. Begin at number 1 and draw a line from 1 to 2, 2 to 3, 3 to 4, and so on, in order, until you reach the point marked END. Remember, work as fast as you can. Ready! Begin!

START STOPWATCH. IF THE RESPONDENT MAKES AN ERROR, CALL IT TO THE ATTENTION OF THE RESPONDENT IMMEDIATELY AND HAVE THE RESPONDENT PROCEED FROM THE LAST CORRECT POSITION. DO NOT STOP TIMING.

AFTER THE RESPONDENT COMPLETES "TRAIL TEST A," STOP STOPWATCH, TAKE THE TEST SHEET FROM HIM/HER, AND RECORD THE TIME IN MINUTES AND SECONDS.

MINUTES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	95.8	2,799	0	
3.4	3.4	99	1	
0.0	0.0	1	2	
0.0	0.0	1	50	
	0.1	4	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 702-703

CC4_A_S	#SECONDS/TIME FOR TRAIL TEST A
---------	--------------------------------

Now, I'd like to ask you to work on a short task. The task involves connecting points on a paper.

On this page are numbers from 1 to 25. Do this the same way. Begin at number 1 and draw a line from 1 to 2, 2 to 3, 3 to 4, and so on, in order, until you reach the point marked END. Remember, work as fast as you can. Ready! Begin!

START STOPWATCH. IF THE RESPONDENT MAKES AN ERROR, CALL IT TO THE ATTENTION OF THE RESPONDENT IMMEDIATELY AND HAVE THE RESPONDENT PROCEED FROM THE LAST CORRECT POSITION. DO NOT STOP TIMING.

AFTER THE RESPONDENT COMPLETES "TRAIL TEST A," STOP STOPWATCH, TAKE THE TEST SHEET FROM HIM/HER, AND RECORD THE TIME IN MINUTES AND SECONDS.

SECONDS

2,921 cases (Range of valid codes: 0-97)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 704-705

CC8_A_M	#MINUTES/TIME FOR TRAIL TEST B
----------------	---------------------------------------

Now, I'd like to ask you to work on a short task. The task involves connecting points on a paper.

On this page are both numbers and letters. Do this the same way. Begin at number 1 and draw a line from 1 to A, A to 2, 2 to B, B to 3, 3 to C, and so on, in order, until you reach the point marked END. Remember, work as fast as you can. Ready! Begin!

START STOPWATCH. IF THE RESPONDENT MAKES AN ERROR, CALL IT TO THE ATTENTION OF THE RESPONDENT IMMEDIATELY AND HAVE THE RESPONDENT PROCEED FROM THE LAST CORRECT POSITION. DO NOT STOP TIMING.

AFTER THE RESPONDENT COMPLETES "TRAIL TEST B," STOP STOPWATCH, TAKE THE TEST SHEET FROM THE RESPONDENT, AND RECORD THE TIME IN MINUTES AND SECONDS.

MINUTES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	34.0	993	0	
64.8	64.1	1,873	1	
0.9	0.9	25	2	
0.0	0.0	1	11	
	0.1	4	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.3	8	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 706-707

CC8_A_S	#SECONDS/TIME FOR TRAIL TEST B
---------	--------------------------------

Now, I'd like to ask you to work on a short task. The task involves connecting points on a paper.

On this page are both numbers and letters. Do this the same way. Begin at number 1 and draw a line from 1 to A, A to 2, 2 to B, B to 3, 3 to C, and so on, in order, until you reach the point marked END. Remember, work as fast as you can. Ready! Begin!

START STOPWATCH. IF THE RESPONDENT MAKES AN ERROR, CALL IT TO THE ATTENTION OF THE RESPONDENT IMMEDIATELY AND HAVE THE RESPONDENT PROCEED FROM THE LAST CORRECT POSITION. DO NOT STOP TIMING.

AFTER THE RESPONDENT COMPLETES "TRAIL TEST B," STOP STOPWATCH, TAKE THE TEST SHEET FROM THE RESPONDENT, AND RECORD THE TIME IN MINUTES AND SECONDS.

SECONDS

2,921 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 708-709

RELIGIOSITY AND SELF-CONCEPT

CD1 HOW IMPORTANT RELIGIOUS BELIEFS IN YOUR LIFE

The next several questions are about religion. In general, how important are religious or spiritual beliefs in your day-to-day life? Would you say they are . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	25.9	757	0	NOT AT ALL IMPORTANT
19.8	19.7	576	1	NOT TOO IMPORTANT
30.1	30.0	876	2	FAIRLY IMPORTANT
24.2	24.2	706	3	VERY IMPORTANT
	0.1	4	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 710-711

CD2 HOW OFTEN DO YOU MEDITATE/PRAY

How often do you meditate or pray? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	26.6	776	0	NEVER
11.7	11.7	341	1	LESS THAN ONCE A MON
6.1	6.1	177	2	ABOUT ONCE A MONTH
6.1	6.1	177	3	2 OR 3 TIMES A MONTH
10.9	10.8	316	4	ONCE A WEEK
38.6	38.5	1,124	5	MORE THAN ONCE A WEEK
	0.1	4	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 712-713

CD3	HOW OFTEN ATTENDED RELIGIOUS SERVICES
------------	--

How often do you usually attend religious services, not counting meetings like council meetings or choir practices?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	49.2	1,437	0	NEVER
19.1	19.1	557	1	LESS THAN ONCE A MON
6.8	6.8	199	2	ABOUT ONCE A MONTH
6.7	6.6	194	3	2 OR 3 TIMES A MONTH
14.4	14.4	420	4	ONCE A WEEK
3.7	3.7	108	5	MORE THAN ONCE A WEEK
	0.1	3	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 714-715

CD4	HOW OFTEN DO YOU READ RELIGIOUS BOOKS
------------	--

How often do you read religious books or religious materials?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	57.0	1,664	0	NEVER
15.2	15.2	444	1	LESS THAN ONCE A MON
5.9	5.9	171	2	ABOUT ONCE A MONTH
4.5	4.5	131	3	2 OR 3 TIMES A MONTH
8.0	7.9	232	4	ONCE A WEEK
9.3	9.3	271	5	MORE THAN ONCE A WEEK
	0.1	4	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 716-717

CD5 HOW OFTEN DO YOU WATCH RELIGIOUS PROGRAM

How often do you watch or listen to religious programs on T.V. or radio or listen to religious tapes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	81.9	2,393	0	NEVER
7.0	7.0	205	1	LESS THAN ONCE A MON
3.3	3.3	96	2	ABOUT ONCE A MONTH
1.7	1.7	50	3	2 OR 3 TIMES A MONTH
3.8	3.8	111	4	ONCE A WEEK
2.1	2.1	60	5	MORE THAN ONCE A WEEK
	0.1	4	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 718-719

CD6 SEEK SPIRITUAL SUPPORT/WHEN PROBLEM IN LIFE

When you have problems or difficulties in your work, family, or personal life, how often do you seek spiritual comfort and support? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	45.8	1,339	0	NEVER
15.7	15.6	456	1	RARELY
17.7	17.6	514	2	SOMETIMES
8.8	8.7	255	3	OFTEN
11.9	11.8	345	4	ALMOST ALWAYS
0.0	0.0	0	5	IF VOL: NEVER HAVE PROBLEMS
	0.2	5	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 720-721

CD7**YOUR BELIEVE/ABOUT PEOPLE AFTER DEATH**

Some people believe that people simply stop existing after death while others believe in an afterlife. Which comes closer to what you believe?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	22.5	657	1	STOP EXISTING
62.3	62.0	1,811	2	AFTERLIFE
15.0	15.0	437	3	IF VOL: DON'T KNOW
	0.2	5	-8	MISSING
	0.1	2	-7	REFUSAL
	0.3	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 722-723

CD7_A**AFTERLIFE UNITED W/LOVED ONE/AGREE/NOT**

In the afterlife, you will be reunited with your loved ones. Would you say you . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.1	28.0	819	1	STRONGLY AGREE
36.6	22.3	650	2	AGREE SOMEWHAT
8.3	5.0	147	3	DISAGREE SOMEWHAT
9.0	5.5	160	4	STRONGLY DISAGREE
	37.1	1,085	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	1.8	52	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 724-725

CD7_B	PEOPLE UNJUSTLY/REWARDED IN AFTERLIFE
--------------	--

People who suffer unjustly in this life will be rewarded in the afterlife.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.8	22.7	663	1	STRONGLY AGREE
39.1	23.5	686	2	AGREE SOMEWHAT
12.7	7.6	222	3	DISAGREE SOMEWHAT
10.4	6.2	182	4	STRONGLY DISAGREE
	37.2	1,086	-9	LEGITIMATE NONRESPONSE
	0.1	4	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	2.5	74	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 726-727

CD8	HOW IMPORTANT/TURN WILL/LIFE OVER HIGH POWER
------------	---

How important is it to you to turn your will and your life over to the care of a higher power? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	21.8	638	0	NOT AT ALL
36.4	35.9	1,050	1	SOMEWHAT IMPORTANT
41.4	40.9	1,195	2	VERY IMPORTANT
	0.3	8	-8	MISSING
	0.1	3	-7	REFUSAL
	0.9	27	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 728-729

CD9**ALL IN ALL, I AM SATISFIED W/MYSELF**

Now, I'd like to ask some questions about your feelings about yourself. For each of the following statements, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I'm satisfied with myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	4.5	130	1	STRONGLY DISAGREE
20.3	20.2	590	2	DISAGREE
50.2	50.0	1,461	3	AGREE
25.0	24.9	728	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.1	3	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 730-731

CD10**AT TIMES I THINK I AM NO GOOD AT ALL**

Now, I'd like to ask some questions about your feelings about yourself. For each of the following statements, please tell me how much you agree or disagree, based on how you feel about yourself right now.

At times I think I'm no good at all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	21.0	614	1	STRONGLY DISAGREE
39.4	39.3	1,149	2	DISAGREE
34.6	34.5	1,007	3	AGREE
4.9	4.9	144	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 732-733

CD11	I FEEL I HAVE A LOT OF GOOD QUALITIES
-------------	--

Now, I'd like to ask some questions about your feelings about yourself. For each of the following statements, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I have a lot of good qualities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	29	1	STRONGLY DISAGREE
6.8	6.8	198	2	DISAGREE
58.6	58.3	1,704	3	AGREE
33.6	33.4	976	4	STRONGLY AGREE
	0.2	6	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 734-735

CD12	AM ABLE TO DO THINGS WELL AS OTHER PEOPLE
-------------	--

Now, I'd like to ask some questions about your feelings about yourself. For each of the following statements, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I'm able to do things as well as most other people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	30	1	STRONGLY DISAGREE
8.0	7.9	231	2	DISAGREE
56.1	55.8	1,629	3	AGREE
34.9	34.7	1,015	4	STRONGLY AGREE
	0.2	7	-8	MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 736-737

CD13**I FEEL I DON'T HAVE MUCH TO BE PROUD OF**

Now, I'd like to ask some questions about your feelings about yourself. For each of the following statements, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I don't have much to be proud of.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	24.8	724	1	STRONGLY DISAGREE
50.5	50.4	1,472	2	DISAGREE
21.9	21.8	637	3	AGREE
2.7	2.7	79	4	STRONGLY AGREE
	0.2	5	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 738-739

CD14**I FEEL USELESS AT TIMES**

Now, I'd like to ask some questions about your feelings about yourself. For each of the following statements, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel useless at times.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	19.7	575	1	STRONGLY DISAGREE
32.6	32.5	949	2	DISAGREE
43.6	43.4	1,268	3	AGREE
4.0	4.0	117	4	STRONGLY AGREE
	0.2	7	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 740-741

CD15 I FEEL THAT I AM BASICALLY NO GOOD

Now, I'd like to ask some questions about your feelings about yourself. For each of the following statements, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I'm basically no good.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	34.2	1,000	1	STRONGLY DISAGREE
52.3	52.0	1,519	2	DISAGREE
11.6	11.5	336	3	AGREE
1.8	1.7	51	4	STRONGLY AGREE
	0.2	6	-8	MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 742-743

CD16 I WISH/HAVE MORE RESPECT FOR MYSELF

Now, I'd like to ask some questions about your feelings about yourself. For each of the following statements, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I wish I could have more respect for myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	17.7	517	1	STRONGLY DISAGREE
29.9	29.8	869	2	DISAGREE
43.0	42.8	1,249	3	AGREE
9.2	9.2	268	4	STRONGLY AGREE
	0.2	6	-8	MISSING
	0.1	3	-7	REFUSAL
	0.1	3	-6	MULTIPLE RESPONSE
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 744-745

CD17**ALL IN ALL, I FEEL THAT I AM A FAILURE**

Now, I'd like to ask some questions about your feelings about yourself. For each of the following statements, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I feel that I'm a failure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	35.5	1,037	1	STRONGLY DISAGREE
49.1	48.9	1,427	2	DISAGREE
13.1	13.0	381	3	AGREE
2.2	2.2	64	4	STRONGLY AGREE
	0.2	5	-8	MISSING
	0.1	3	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 746-747

CD18**I FEEL THAT I'M NOT IMPORTANT TO OTHERS**

Now, I'd like to ask some questions about your feelings about yourself. For each of the following statements, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I'm not important to others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.7	32.5	950	1	STRONGLY DISAGREE
48.4	48.2	1,407	2	DISAGREE
16.7	16.6	485	3	AGREE
2.2	2.2	63	4	STRONGLY AGREE
	0.2	5	-8	MISSING
	0.1	3	-7	REFUSAL
	0.3	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 748-749

ADOLESCENT ANXIETY

CE1 **FELT FRIGHTENED/PANICKED IN LIFETIME**

In this next set of questions, I'll ask about some problems or experiences that you might have had in your lifetime. By "lifetime," I mean any time in the past or the present. Have there ever been times when you felt very frightened or panicked and didn't know why?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	26.0	759	1	YES
74.0	73.9	2,158	2	NO
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 750-751

CE1_A **YOUR HEART BEAT QUICKLY/SHORT OF BREATH**

Have there ever been times when your heart started to beat very quickly, or you got short of breath and you became very scared?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.7	31.7	925	1	YES
68.3	68.1	1,990	2	NO
	0.2	5	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 752-753

CE1_B	FELT SOMETHING HAPPENED THAT SCARED YOU
--------------	--

Did you feel that way because something happened that scared you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	24.8	725	1	YES
32.8	12.1	354	2	NO
	62.6	1,830	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 754-755

CE1_B_1	FELT ONLY WHEN SOMETHING TO FRIGHTEN YOU
----------------	---

Did you feel this way only when there was something to frighten you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	18.8	550	1	YES
24.8	6.2	181	2	NO
	74.6	2,180	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 756-757

CE1_B_2	FELT FRIGHTENED BECAUSE YOU EMBARRASS
----------------	--

Did you feel frightened or panicky like this because you were embarrassed or other people were watching you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	9.6	281	1	YES
74.0	27.4	800	2	NO
	62.6	1,830	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 758-759

CE1_B_3	FELT THIS WAY ONLY WHEN YOU BEING WATCHED
----------------	--

Did you feel this way when you were being watched by others?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	3.7	108	1	YES
62.1	6.1	177	2	NO
	89.9	2,627	-9	LEGITIMATE NONRESPONSE
	0.3	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 760-761

CE1_B_4	FELT THIS WAY/APART FROM PARENTS/HOME
----------------	--

Did you feel this way when you had to be apart from your
(parent(s)/guardian(s)) or away from home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	11.8	344	1	YES
68.1	25.2	736	2	NO
	62.6	1,830	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 762-763

CE1_B_5	FELT THIS WAY ONLY WHEN AWAY FROM HOME
----------------	---

Did you feel that way only when you were away from home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	4.3	125	1	YES
64.1	7.6	223	2	NO
	87.7	2,563	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 764-765

CE1_B_6	PANIC COME SUDDENLY FOR NO GOOD REASON
----------------	---

Did these feelings of fear or panic come on suddenly for no good reason?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	8.2	240	1	YES
57.0	10.9	318	2	NO
	79.4	2,318	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 766-767

CE1_C	WHEN PANIC/EVER HAD PHYSICAL ILLNESS/INJURY
--------------	--

When you had these feelings of fear or panic, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	0.5	16	1	YES
93.4	7.8	227	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 768-769

CE1_D**WHEN PANIC/ALWAYS HAD PHYSICAL ILLNESS/INJURY**

When you had these feelings of fear or panic, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	6	1	YES
66.7	0.4	12	2	NO
	97.8	2,858	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 770-771

CE1_E**PANIC/EVER TOOK/WITHDRAW MEDICINE/DRUG/ALCOHOL**

When you had these feelings of fear or panic, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	4.9	144	1	YES
40.0	3.3	96	2	NO
	90.2	2,635	-9	LEGITIMATE NONRESPONSE
	1.6	46	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 772-773

CE1_F	PANIC/ALWAYS TOOK/WITHDRAW MEDICINE/DRUG/ALCOHOL
--------------	---

When you had these feelings of fear or panic, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.1	2.7	80	1	YES
45.9	2.3	68	2	NO
	93.4	2,728	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 774-775

CE1_G**WHEN PANIC/ALWAYS HAD PHYSICAL ILLNESS/INJURY**

You said that you sometimes had these feelings of fear or panic when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had these feelings of fear or panic always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.1	2	1	YES
95.7	1.5	45	2	NO
	94.4	2,756	-9	LEGITIMATE NONRESPONSE
	4.0	118	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 776-777

CE1_H**TOLD DR. ABOUT THESE FEELINGS OF PANIC**

Did you tell a doctor about these feelings of fear or panic? The term "doctor" includes psychiatrists, other medical doctors, osteopaths, students in training to be medical doctors or osteopaths, nurse practitioners, and physicians' assistants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	1.8	53	1	YES
78.0	6.4	188	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.6	47	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 778-779

CE1_I	WHAT WAS THE DIAGNOSIS/FEELINGS OF PANIC
--------------	---

When you told the doctor, what was the diagnosis? (What did the doctor say was causing these feelings of fear or panic?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.1	4	1	PHYS. ILL/INJ
18.5	0.3	10	2	MED/DRUG/ALC
57.4	1.1	31	3	NERVES/ANXIETY/STRESS/DEPRESSION
16.7	0.3	9	4	NOTHING/NO DEFINITE DIAGNOSIS
	96.6	2,821	-9	LEGITIMATE NONRESPONSE
	1.5	44	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 780-781

CE1_J	DID DR. FIND ANYTHING ABNORMAL
--------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.4	13	2	NO, NO EXAM, DK
	98.0	2,863	-9	LEGITIMATE NONRESPONSE
	1.5	44	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 782-783

CE1_K	TOLD OTHER PROFESSIONAL ABOUT PANIC FEEL
--------------	---

Did you tell any other professional about these feelings of fear or panic? The term "other professional" includes psychologists, social workers, guidance counselors, nurses, clergy, dentists, chiropractors, and podiatrists.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	0.5	14	1	YES
92.7	6.1	178	2	NO
	91.9	2,684	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 784-785

CE1_L	TOOK MEDICATION >ONCE FOR PANIC FEELINGS
--------------	--

Did you more than once take medication for these feelings of fear or panic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.1	3	1	YES
98.3	5.9	171	2	NO
	92.4	2,699	-9	LEGITIMATE NONRESPONSE
	1.6	48	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 786-787

CE1_M PANIC/INTERFERE W/ LIFE/ACTIVITY A LOT

Did these feelings of fear or panic interfere with your life or activities a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	1.2	34	1	YES
80.2	4.7	138	2	NO
	92.5	2,701	-9	LEGITIMATE NONRESPONSE
	1.6	48	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 788-789

CE2_A YOU BEING SHORT OF BREATH/WORST SPELLS

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell were you short of breath - having trouble catching your breath?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	5.4	157	1	YES
35.4	2.9	86	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 790-791

CE3_A**BOTHERED BY BEING SHORT OF BREATH**

Were you ever bothered by being short of breath at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	2.5	73	1	YES
53.2	2.8	83	2	NO
	93.0	2,717	-9	LEGITIMATE NONRESPONSE
	1.6	48	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 792-793

CE2_B**YOUR HEART POUNDING/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did your heart pound?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	7.1	208	1	YES
14.0	1.2	34	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.6	46	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 794-795

CE3_B	BOTHERED BY YOUR HEART POUNDING
--------------	--

Were you ever bothered by your heart pounding at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	2.3	68	1	YES
66.3	4.6	134	2	NO
	91.3	2,667	-9	LEGITIMATE NONRESPONSE
	1.8	52	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 796-797

CE2_C	FEELING DIZZY/WORST SPELLS
--------------	-----------------------------------

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell were you dizzy or lightheaded?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	4.7	136	1	YES
44.0	3.7	107	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 798-799

CE3_C	BOTHERED BY FEELING DIZZY
--------------	----------------------------------

Were you ever bothered by feeling dizzy at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	2.1	61	1	YES
54.1	2.5	72	2	NO
	93.7	2,736	-9	LEGITIMATE NONRESPONSE
	1.8	52	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 800-801

CE2_D	TIGHTNESS/PAIN IN CHEST/STOMACH/SPELLS
--------------	---

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you have tightness, pain, or discomfort in your chest or stomach?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.8	4.7	138	1	YES
43.2	3.6	105	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 802-803

CE3_D

BOTHERED/TIGHTNESS/PAIN IN CHEST/STOMACH

Were you ever bothered by having tightness, pain, or discomfort in your chest or stomach at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	2.0	59	1	YES
57.6	2.7	80	2	NO
	93.6	2,733	-9	LEGITIMATE NONRESPONSE
	1.7	49	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 804-805

CE2_E

NUMBNESS IN FINGERS/FEET/WORST SPELLS

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did your fingers or feet tingle or feel numb?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	3.0	87	1	YES
64.2	5.3	156	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 806-807

CE2_F**DIFFICULTY SWALLOWING/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you feel like you were choking or having difficulty swallowing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	2.3	67	1	YES
72.4	6.0	176	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 808-809

CE2_G**FEELING FAINT/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you feel faint?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	4.1	120	1	YES
50.6	4.2	123	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 810-811

CE2_H	SWEATING/WORST SPELLS
--------------	------------------------------

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you sweat?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.7	5.0	147	1	YES
39.3	3.3	95	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 812-813

CE2_I	TREMBLING/SHAKING/WORST SPELLS
--------------	---------------------------------------

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you tremble or shake?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	4.9	143	1	YES
40.9	3.4	99	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.6	46	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 814-815

CE2_J**HOT FLASHES/CHILLS/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you have hot flashes or chills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	3.7	107	1	YES
56.0	4.7	136	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 816-817

CE2_K**THINGS SEEM UNREAL/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you or things around you seem unreal?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.0	4.2	124	1	YES
49.0	4.1	119	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 818-819

CE2_L	BEING AFRAID YOU MIGHT DIE/WORST SPELLS
--------------	--

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell were you afraid that you might die?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	3.6	105	1	YES
56.6	4.7	137	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.6	46	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 820-821

CE2_M	AFRAID YOU MIGHT ACT CRAZY WAY/SPELLS
--------------	--

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell were you afraid that you might act in a crazy way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	4.0	116	1	YES
52.3	4.3	127	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 822-823

CE2_N	HAD NAUSEA/WORST SPELLS
--------------	--------------------------------

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you have nausea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	2.6	76	1	YES
68.7	5.7	167	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 824-825

CE3_N	BOTHERED BY NAUSEA
--------------	---------------------------

Were you ever bothered by nausea at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.7	1.6	48	1	YES
47.3	1.5	43	2	NO
	95.2	2,781	-9	LEGITIMATE NONRESPONSE
	1.7	49	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 826-827

CE2_O	HAD BELLY PAIN/WORST SPELLS
--------------	------------------------------------

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you have belly pain?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.4	2.6	76	1	YES
68.6	5.7	166	2	NO
	90.2	2,634	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 828-829

CE3_O	BOTHERED BY BELLY PAIN
--------------	-------------------------------

Were you ever bothered by belly pain at any time other than when you were having one of these spells?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	1.7	50	1	YES
44.4	1.4	40	2	NO
	95.3	2,784	-9	LEGITIMATE NONRESPONSE
	1.6	47	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 830-831

CE2_P**FELT LIKE YOU WERE SMOTHERING/SPELLS**

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you feel like you were smothering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	2.6	75	1	YES
69.0	5.7	167	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.6	46	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 832-833

CE2_Q**HAD DRY MOUTH/WORST SPELLS**

During one of your worst spells of suddenly feeling very frightened or panicky, did you ever notice that you had any of the following problems?

During this spell did you have a dry mouth?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.8	4.6	135	1	YES
44.2	3.7	107	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	1.5	45	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 834-835

CE4 TOTAL OF 2/> 01/01* CIRCLED IN E2A-Q

ARE THERE A TOTAL OF 2 OR MORE 01s OR 01 *s CIRCLED IN E2a-q, COLUMN E2?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	6.9	201	1	YES
12.2	1.0	28	2	NO
	90.2	2,634	-9	LEGITIMATE NONRESPONSE
	2.0	58	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 836-837

CE5_1 WHEN WAS FIRST TIME YOU HAD SUDDEN SPELL

When was the first time you had any one of these sudden spells of feeling frightened or panicky and had problems like (READ TALLIED ITEMS FROM TALLY SHEET E, PART A)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.4	13	1	WITHIN THE MONTH BEFORE ADMISSION
23.8	1.7	51	2	WITHIN THE PAST 12 MONTHS
70.1	5.1	150	3	MORE THAN 1 YEAR AGO
	92.6	2,706	-9	LEGITIMATE NONRESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 838-839

CE5_M MONTHS AGO FIRST SUDDEN SPELL

When was the first time you had any one of these sudden spells of feeling frightened or panicky and had problems like (READ TALLIED ITEMS FROM TALLY SHEET E, PART A)? (recode)

2,921 cases (Range of valid codes: 0-144)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3266-3268

CE5_A_1

WHEN WAS LAST TIME YOU HAD SPELLS

When was the last time (you had one of these spells)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.1	3.2	93	1	WITHIN THE MONTH BEFORE ADMISSION
36.0	2.6	76	2	WITHIN THE PAST 12 MONTHS
19.9	1.4	42	3	MORE THAN 1 YEAR AGO
	92.6	2,706	-9	LEGITIMATE NONRESPONSE
	0.1	2	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 840-841

CE5A_M	MONTHS AGO LAST SUDDEN SPELL
---------------	-------------------------------------

When was the last time (you had one of these spells)?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	3.2	93	0	
2.9	0.2	6	1	
5.7	0.4	12	2	
7.1	0.5	15	3	
3.8	0.3	8	4	
2.9	0.2	6	5	
4.3	0.3	9	6	
5.7	0.4	12	7	
2.9	0.2	6	8	
1.0	0.1	2	9	
1.9	0.1	4	10	
3.3	0.2	7	11	
1.9	0.1	4	12	
1.0	0.1	2	13	
1.0	0.1	2	14	
1.4	0.1	3	15	
1.4	0.1	3	16	
0.5	0.0	1	18	
0.5	0.0	1	19	
1.0	0.1	2	21	
0.5	0.0	1	23	
0.5	0.0	1	24	
0.5	0.0	1	25	
0.5	0.0	1	29	
1.0	0.1	2	33	
0.5	0.0	1	37	
0.5	0.0	1	38	
0.5	0.0	1	48	
0.5	0.0	1	68	
0.5	0.0	1	99	
0.5	0.0	1	103	
	92.6	2,706	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3269-3271

CE6	EVER HAD 4 SPELLS WITHIN 4 WEEKS
------------	---

Have you ever had 4 spells or attacks within a 4-week period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	2.0	59	1	YES
72.4	5.3	155	2	NO
	92.6	2,705	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 842-843

CE7	MONTH/>/AFRAID MIGHT HAVE OTHER ATTACK
------------	--

After having an attack, was there ever a month or more when you were constantly afraid that you might have another attack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	1.4	42	1	YES
73.6	4.0	117	2	NO
	94.6	2,762	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 844-845

CE7_A HAD MORE THAN ONE FRIGHTENED ATTACK

Have you had more than one attack of feeling panicky or frightened when most people would not be afraid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.7	3.0	87	1	YES
45.3	2.5	72	2	NO
	94.6	2,762	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 846-847

CE8 ATTACK PROBLEM BEGIN SUDDENLY/GET WORSE

During at least several of your attacks of feeling very frightened or panicky, did some of these problems such as (READ UP TO 4 ITEMS TALLIED ON TALLY SHEET E, PART A) begin suddenly, and get worse within the first few minutes of the attack?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	3.3	97	1	YES
33.1	1.6	48	2	NO
	95.0	2,775	-9	LEGITIMATE NONRESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 848-849

CE9**HAD A MONTH/> PERIOD/FELT WORRIED**

Now, I want to ask you about longer periods of feeling worried and anxious or nervous. Have you ever had a period of a month or more when most of the time you felt worried and anxious or nervous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	14.8	433	1	YES
85.1	84.5	2,468	2	NO
	0.7	20	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 850-851

CE9_A	#MONTHS/YOU FELT WORRIED/ANXIOUS
--------------	---

What is the longest period you've had of feeling worried and anxious or nervous?

_____ MONTHS				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.2	6.7	196	1	
27.9	4.1	121	2	
9.7	1.4	42	3	
3.9	0.6	17	4	
1.4	0.2	6	5	
2.3	0.3	10	6	
0.9	0.1	4	7	
0.7	0.1	3	8	
0.5	0.1	2	9	
0.9	0.1	4	10	
2.8	0.4	12	12	
0.2	0.0	1	18	
0.5	0.1	2	24	
0.7	0.1	3	36	
0.5	0.1	2	48	
0.5	0.1	2	60	
0.5	0.1	2	72	
1.2	0.2	5	95	
	84.4	2,466	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 852-853

CE10	FOR 6 MONTH/>/WORRIED ABOUT THINGS
-------------	--

During one of those periods of 6 months or more, were you worrying about things that were unlikely to happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	0.7	21	1	YES
61.8	1.2	34	2	NO
	84.5	2,467	-9	LEGITIMATE NONRESPONSE
	13.6	398	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 854-855

CE10_A	WORRIED GREAT/OVER THINGS NOT SERIOUS
---------------	--

Were you worrying a great deal over things that were not really serious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	7	1	YES
80.0	1.0	28	2	NO
	85.2	2,488	-9	LEGITIMATE NONRESPONSE
	13.6	398	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 856-857

CE11	TIME PERIODS/HAD DIFFERENT WORRY ON MIND
-------------	---

During any of those periods, did you have different worries on your mind at the same time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.2	1.4	41	1	YES
26.8	0.5	15	2	NO
	84.5	2,467	-9	LEGITIMATE NONRESPONSE
	13.6	398	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 858-859

CE11_A	WORRIED/OTHER PEOPLE MIGHT DO/HAPPEN TO
---------------	--

Were any of your worries about what other people might do or what might happen to them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	1.1	33	1	YES
19.5	0.3	8	2	NO
	85.0	2,482	-9	LEGITIMATE NONRESPONSE
	13.6	398	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 860-861

CE11_B	SORT OF THINGS YOU WORRIED ABOUT
---------------	---

What sort of things did you worry about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	4	1	ONLY OWN SYMPTOMS/BEING OVERWEIGHT
10.0	0.0	1	2	ACADEMIC PERFORMANCE
0.0	0.0	0	3	ATHLETIC PERFORMANCE
10.0	0.0	1	4	SOCIAL PERFORMANCE
40.0	0.1	4	5	ANYTHING ELSE
	86.0	2,513	-9	LEGITIMATE NONRESPONSE
	13.6	398	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 862-863

CE12_A	BEING EASILY TIRED/WORRIED
---------------	-----------------------------------

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also easily tired?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	1.1	32	1	YES
38.5	0.7	20	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 864-865

CE12_B	BEING EASILY STARTLED/WORRIED
---------------	--------------------------------------

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also easily startled?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	0.8	22	1	YES
56.9	1.0	29	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 866-867

CE12_C	FEELING TREMBLY/WORRIED
---------------	--------------------------------

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also trembly or shaky?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	0.9	27	1	YES
47.1	0.8	24	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 868-869

CE12_D**FEELING RESTLESS/WORRIED**

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also restless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.3	1.2	35	1	YES
32.7	0.6	17	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	399	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 870-871

CE12_E**BOTHERED BY TENSE/ACHY MUSCLES/WORRIED**

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also bothered by tense, sore, or aching muscles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	0.8	22	1	YES
56.9	1.0	29	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 872-873

CE12_F	TROUBLE KEEP MIND ON WHAT YOU DO/WORRIED
---------------	---

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also having a lot of trouble keeping your mind on what you were doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.4	1.4	40	1	YES
21.6	0.4	11	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 874-875

CE12_G	FEELING KEYED UP/WORRIED
---------------	---------------------------------

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also keyed up or on edge?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	1.1	31	1	YES
38.0	0.7	19	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	401	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 876-877

CE12_H	FEELING IRRITABLE/WORRIED
---------------	----------------------------------

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also particularly irritable (very grouchy or crabby)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.1	1.3	38	1	YES
26.9	0.5	14	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	399	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 878-879

CE12_I	SWEATING A LOT/WORRIED
---------------	-------------------------------

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also sweating a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	0.4	13	1	YES
74.0	1.3	37	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	401	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 880-881

CE12_J	YOUR HEART POUNDING/WORRIED
---------------	------------------------------------

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also aware of your heart pounding or racing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.9	1.0	28	1	YES
45.1	0.8	23	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 882-883

CE12_K	COLD/CLAMMY HANDS/WORRIED
---------------	----------------------------------

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also having cold and clammy hands?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	0.8	22	1	YES
56.9	1.0	29	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 884-885

CE12_L**FEELING DIZZY/LIGHT-HEADED/WORRIED**

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also feeling dizzy or light-headed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	0.7	20	1	YES
60.8	1.1	31	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 886-887

CE12_M**HAVING A DRY MOUTH/WORRIED**

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also having a dry mouth?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	0.6	17	1	YES
66.0	1.1	33	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	401	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 888-889

CE12_N	HAVING NAUSEA/DIARRHEA/WORRIED
---------------	---------------------------------------

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also having nausea or diarrhea?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	0.4	13	1	YES
74.0	1.3	37	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	401	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 890-891

CE12_O	HAVING TO URINATE TOO FREQUENTLY/WORRIED
---------------	---

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also having to urinate too frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	0.4	12	1	YES
76.5	1.3	39	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 892-893

CE12_P**HAVING HOT FLASHES/CHILLS/WORRIED**

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also having hot flashes or chills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.7	20	1	YES
60.0	1.0	30	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	401	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 894-895

CE12_Q**FEELING SHORT OF BREATH/WORRIED**

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also short of breath or feeling like you were smothering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.7	21	1	YES
58.8	1.0	30	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 896-897

CE12_R	HAVING TROUBLE SWALLOWING/WORRIED
---------------	--

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also having trouble swallowing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	0.4	12	1	YES
76.0	1.3	38	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	98.2	2,869	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 898-899

CE12_S	TROUBLE FALLING/STAYING ASLEEP/WORRIED
---------------	---

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also having trouble falling or staying asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	1.1	31	1	YES
39.2	0.7	20	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 900-901

CE12_T**HAVING DISCOMFORT IN STOMACH/WORRIED**

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also having discomfort or pain in the stomach?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	0.7	21	1	YES
58.8	1.0	30	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 902-903

CE12_U**FEELING FAINT/UNREAL/WORRIED**

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also feeling faint or unreal?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	0.6	18	1	YES
64.7	1.1	33	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	400	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 904-905

CE12_V	FEEL LIKE YOU MIGHT LOSE CONTROL/WORRIED
---------------	---

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also feeling like you might lose control or go mad?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	1.0	30	1	YES
42.3	0.8	22	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	399	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 906-907

CE12_W	DIFFICULTY CONCENTRATING BECAUSE WORRIED
---------------	---

Next, I'd likely to ask you about other problems you might have had when you were worried and anxious or nervous - problems that could not be entirely explained by a physical illness or medication, drugs, or alcohol you had taken.

When you were worried and anxious or nervous, were you also having difficulty concentrating because of worrying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.2	1.3	37	1	YES
28.8	0.5	15	2	NO/VOL. DUE TO PHYS ILL/DRUG/ALC
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	13.7	399	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 908-909

CE13_1**WHEN/FIRST TIME/WORRIED FOR 6 MON**

When was the first time you were worried and anxious or nervous or afraid most of the time for at least 6 months and had some of these other problems like (READ ITEMS CODED 01 IN E12)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	0.1	2	1	WITHIN THE MONTH BEFORE ADMISSION
17.8	0.3	8	2	WITHIN THE PAST 12 MONTHS
77.8	1.2	35	3	MORE THAN 1 YEAR AGO
	98.4	2,875	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 910-911

CE13_M**MONTHS AGO FIRST WORRIED**

When was the first time you were worried and anxious or nervous or afraid most of the time for at least 6 months and had some of these other problems like (READ ITEMS CODED 01 IN E12)? (recode)

2,921 cases (Range of valid codes: 0-143)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3272-3274

CE13_A_1 HOW LONG/LAST PERIOD/WORRIED FOR 6 MON

How long has it been since your last period of 6 months or more of feeling worried and anxious or nervous and having some of these other problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	0.8	23	1	WITHIN THE MONTH BEFORE ADMISSION
29.5	0.4	13	2	WITHIN THE PAST 12 MONTHS
18.2	0.3	8	3	MORE THAN 1 YEAR AGO
	98.4	2,875	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 912-913

CE13A_M MONTHS AGO LAST WORRIED

How long has it been since your last period of 6 months or more of feeling worried and anxious or nervous and having some of these other problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	0.8	23	0	
2.3	0.0	1	1	
7.0	0.1	3	2	
4.7	0.1	2	3	
2.3	0.0	1	5	
4.7	0.1	2	6	
4.7	0.1	2	8	
4.7	0.1	2	10	
2.3	0.0	1	11	
2.3	0.0	1	14	
2.3	0.0	1	15	
2.3	0.0	1	17	
2.3	0.0	1	22	
2.3	0.0	1	23	
2.3	0.0	1	44	
	98.4	2,875	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3275-3276

CE14**EVER SEEN A DR. FOR FEELING ANXIOUS**

I've asked you a lot of questions about your being worried and anxious or nervous. You told me that you had problems like (READ ITEMS CODED 01 IN E12). Have you ever seen a doctor or any other professional like that because of feeling (nervous/worried/anxious)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	0.7	20	1	YES
55.6	0.9	25	2	NO
	84.6	2,470	-9	LEGITIMATE NONRESPONSE
	13.9	406	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 914-915

CE15**EVER HAD A LOT OF HEADACHES**

Now, I would like to ask you about different problems and worries you may have had for at least 6 months in your lifetime. Have you ever had a lot of headaches?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	21.4	624	1	YES
78.6	78.5	2,292	2	NO
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 916-917

CE16 **EVER HAD A LOT OF STOMACH ACHES**

Have you ever had a lot of stomach aches?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.5	13.5	394	1	YES
86.5	86.2	2,518	2	NO
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 918-919

CE17 **EVER HAD A LOT OF OTHER ACHES AND PAINS**

Have you ever had a lot of other aches and pains?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	15.5	454	1	YES
84.4	84.2	2,460	2	NO
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 920-921

CE18 **EVER WORRIED ABOUT THINGS ARE COMING UP**

Did you ever get very worried about things that are coming up . . . like before a test in school or before a game or before a party?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	34.9	1,018	1	YES
65.1	65.0	1,898	2	NO
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 922-923

CE19**EVER WORRIED ABOUT HOW WELL YOU DO**

Have you ever been very worried about how well you do your
(schoolwork/job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	33.7	983	1	YES
66.2	66.0	1,928	2	NO
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 924-925

CE20**WORRIED ABOUT HOW GOOD YOU ARE AT SPORTS**

Have you ever been very worried about how good you are at
sports or games or in gym?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	25.9	756	1	YES
74.0	73.8	2,156	2	NO
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 926-927

CE21**EVER WORRIED ABOUT BEING ON TIME**

Have you ever been very worried about being on time; have
you often been afraid that you would be late?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	27.9	815	1	YES
72.0	71.8	2,096	2	NO
	0.3	9	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 928-929

CE22 **WORRIED ABOUT YOU HAVE MADE A MISTAKE**

Have you often been worried that you have made a mistake or done something the wrong way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.2	42.0	1,227	1	YES
57.8	57.7	1,684	2	NO
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 930-931

CE23 **WORRIED/YOUR FAMILY HAS ENOUGH MONEY**

Have you ever been very worried about whether your family has enough money?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	36.4	1,063	1	YES
63.5	63.4	1,851	2	NO
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 932-933

CE24 **EVER WORRIED/YOU MADE A FOOL OF YOURSELF**

Have you often worried that you have made a fool of yourself in front of other people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	36.1	1,054	1	YES
63.9	63.7	1,862	2	NO
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 934-935

CE25**EVER WORRIED ABOUT HOW YOU LOOK**

Have you often worried about how you look?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	40.3	1,177	1	YES
59.6	59.4	1,734	2	NO
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 936-937

CE26**EVER WORRIED/WHETHER PEOPLE LIKE YOU**

Have you ever been very worried about whether people like you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	26.9	785	1	YES
73.0	72.8	2,127	2	NO
	0.2	7	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 938-939

CE27**EVER WORRIED/YOUR HEALTH/GETTING SICK**

Have you ever been very worried about your health or about getting sick?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	27.1	792	1	YES
72.8	72.7	2,123	2	NO
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 940-941

CE28 HAVE YOU EVER BEEN VERY SELF-CONSCIOUS

Have you ever been the kind of person who doesn't like to be noticed or is easily embarrassed. or have you ever been very self-conscious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.0	25.9	757	1	YES
74.0	73.8	2,155	2	NO
	0.3	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 942-943

CE29 YOU BEEN KIND OF PERSON/OFTEN VERY TENSE

Have you ever been the kind of person who is often very tense. or who finds it very hard to relax?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	24.3	710	1	YES
75.5	75.0	2,190	2	NO
	0.5	16	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 944-945

CE30**4 ITEMS (E15-E29) CHECKED ON T.SHEET E**

ARE 4 ITEMS (E15 TO E29) CHECKED ON TALLY SHEET E, PART B?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	49.1	1,435	1	YES
50.3	49.7	1,451	2	NO
	1.2	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 946-947

CE31**SOME OF THESE PROBLEMS OCCURRED TOGETHER**

You said you've had problems like (READ ITEMS E15-E29 CHECKED ON TALLY SHEET E, PART B). Was there ever a time when some of these problems occurred together - that is, within the same month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	34.1	996	1	YES
31.1	15.4	450	2	NO
	50.5	1,474	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 948-949

CE31_A	PROBLEM TOGETHER/PERIOD LAST 6 MON OR MORE
---------------	---

Did this period when some of these problems occurred together last 6 months or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	5.5	162	1	YES
83.7	28.6	834	2	NO
	15.4	450	-9	LEGITIMATE NONRESPONSE
	50.5	1,475	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 950-951

CE32_1	6 MONTH/MORE HAD THESE PROBLEMS/FIRST TIME
---------------	---

When was the first time you had a period of 6 months or more when you had some of these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.1	4	1	WITHIN THE MONTH BEFORE ADMISSION
23.3	1.3	37	2	WITHIN THE PAST 12 MONTHS
74.2	4.0	118	3	MORE THAN 1 YEAR AGO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	50.5	1,476	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 952-953

CE32_M	MONTHS AGO FIRST (TALLY E)
---------------	-----------------------------------

When was the first time you had a period of 6 months or more when you had some of these problems? (recode)

2,921 cases (Range of valid codes: 0-129)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3277-3279

CE32_A_1

WHEN DID THAT END/PROBLEMS 6 MONTH/MORE

What about the last time you had 6 months or more when you had some of these problems? When did that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	2.9	85	1	WITHIN THE MONTH BEFORE ADMISSION
28.6	1.4	42	2	WITHIN THE PAST 12 MONTHS
13.6	0.7	20	3	MORE THAN 1 YEAR AGO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	50.7	1,480	-8	MISSING
	0.3	9	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 954-955

CE32A_M	MONTHS AGO LAST (TALLY E)
----------------	----------------------------------

i When did that end? What about the last time you had 6 months or more when you had some of these problems? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	2.9	85	0	
1.4	0.1	2	1	
5.5	0.3	8	2	
4.1	0.2	6	3	
3.4	0.2	5	4	
2.8	0.1	4	5	
5.5	0.3	8	6	
1.4	0.1	2	7	
1.4	0.1	2	8	
1.4	0.1	2	9	
1.4	0.1	2	10	
1.4	0.1	2	12	
1.4	0.1	2	13	
0.7	0.0	1	14	
1.4	0.1	2	15	
1.4	0.1	2	16	
0.7	0.0	1	17	
0.7	0.0	1	18	
0.7	0.0	1	19	
0.7	0.0	1	21	
0.7	0.0	1	23	
0.7	0.0	1	27	
1.4	0.1	2	31	
0.7	0.0	1	37	
0.7	0.0	1	42	
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	51.1	1,492	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3280-3281

CE33**LARGEST #OF PROBLEMS/LOT OF HEADACHES**

Now, I'd like to know about the time when you had the largest number of these problems at the same time. During that time when you were having the largest number of these problems, did you have a lot of headaches?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	2.1	60	1	YES
18.9	0.5	14	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	53.5	1,563	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 956-957

CE33_A**HOW OFTEN YOU HAD HEADACHES**

How often did you have headaches? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	0.2	5	1	LESS THAN ONCE A MONTH
24.2	0.5	15	2	1 - 3 DAYS A MONTH
51.6	1.1	32	3	1 - 6 DAYS A WEEK
16.1	0.3	10	4	EVERY DAY
	44.4	1,298	-9	LEGITIMATE NONRESPONSE
	53.4	1,561	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 958-959

CE33_B	WAS THAT WHEN YOU SICK/MEDICAL PROBLEM
---------------	---

Was that when you were sick, say with a cold or the flu, or because of another medical problem (or when you had your monthly period)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	0.7	20	1	YES
67.2	1.4	41	2	NO
	44.4	1,298	-9	LEGITIMATE NONRESPONSE
	53.5	1,562	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 960-961

CE33_C	LOT OF HEADACHES/WHEN YOU WERE NOT SICK
---------------	--

Did you have a lot of headaches when you weren't sick or didn't have a medical problem (or your period)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.7	20	1	YES
9.1	0.1	2	2	NO
	45.8	1,337	-9	LEGITIMATE NONRESPONSE
	53.5	1,562	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 962-963

CE33_D	DID YOU TELL A DR. ABOUT THESE HEADACHES
---------------	---

Did you tell a doctor about these headaches?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	1.0	28	1	YES
52.5	1.1	31	2	NO
	44.4	1,298	-9	LEGITIMATE NONRESPONSE
	53.5	1,564	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 964-965

CE33_E	DR. SAID/HEADACHES BECAUSE YOU WORRIED
---------------	---

Did the doctor say the headaches were because you were nervous or worried?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	0.5	16	1	YES
40.7	0.4	11	2	NO
	44.4	1,298	-9	LEGITIMATE NONRESPONSE
	54.6	1,595	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 966-967

CE34	LARGEST #OF PROBLEM/LOT OF STOMACH ACHES
-------------	---

During that time, did you have a lot of stomach aches?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.6	1.4	40	1	YES
39.4	0.9	26	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	53.8	1,571	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 968-969

CE34_A	HOW OFTEN YOU HAD STOMACH ACHES
---------------	--

How often did you have stomach aches? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONCE A MONTH
43.9	0.6	18	2	1 - 3 DAYS A MONTH
39.0	0.5	16	3	1 - 6 DAYS A WEEK
17.1	0.2	7	4	EVERY DAY
	44.8	1,310	-9	LEGITIMATE NONRESPONSE
	53.7	1,570	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 970-971

CE34_B**WAS THAT WHEN YOU SICK/MEDICAL PROBLEM**

Was that when you were sick, say with a cold or the flu, or because of another medical problem (or when you had your monthly period)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	0.5	16	1	YES
59.0	0.8	23	2	NO
	44.8	1,310	-9	LEGITIMATE NONRESPONSE
	53.8	1,572	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 972-973

CE34_C**LOT OF STOMACH ACHES/YOU WERE NOT SICK**

Did you have a lot of stomach aches when you weren't sick or didn't have a medical problem (or your period)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.7	0.5	14	1	YES
26.3	0.2	5	2	NO
	45.5	1,330	-9	LEGITIMATE NONRESPONSE
	53.8	1,572	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 974-975

CE34_D	DID YOU TELL A DR. ABOUT STOMACH ACHES
---------------	---

Did you tell a doctor about these stomach aches?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	0.7	20	1	YES
47.4	0.6	18	2	NO
	44.8	1,310	-9	LEGITIMATE NONRESPONSE
	53.9	1,573	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 976-977

CE34_E	DR. SAID/STOMACH ACHES/CAUSE YOU WORRIED
---------------	---

Did the doctor say the stomach aches were because you were nervous or worried?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.4	12	1	YES
40.0	0.3	8	2	NO
	44.8	1,310	-9	LEGITIMATE NONRESPONSE
	54.5	1,591	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 978-979

CE35	LARGEST #OF PROBLEM/LOT OF ACHES & PAINS
-------------	---

During that time, did you have a lot of other aches and pains?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	1.4	42	1	YES
40.0	1.0	28	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	53.6	1,567	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 980-981

CE35_A	HOW OFTEN YOU HAD LOT OF ACHES & PAINS
---------------	---

How often did you have a Jot of aches and pains? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	0.1	3	1	LESS THAN ONCE A MONTH
26.8	0.4	11	2	1 - 3 DAYS A MONTH
43.9	0.6	18	3	1 - 6 DAYS A WEEK
22.0	0.3	9	4	EVERY DAY
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	53.6	1,567	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 982-983

CE35_B

WAS THAT WHEN YOU SICK/YOU HAD BEEN HURT

Was that when you were sick, say with a cold or the flu, or because you had been hurt (or when you had your monthly period)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	0.5	16	1	YES
61.9	0.9	26	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	53.6	1,567	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 984-985

CE35_C

LOT OF ACHES & PAINS/YOU NOT SICK/HURT

Did you have a lot of aches and pains when you weren't sick or hurt (or didn't have your period)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.3	10	1	YES
37.5	0.2	6	2	NO
	45.8	1,338	-9	LEGITIMATE NONRESPONSE
	53.6	1,567	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 986-987

CE35_D	DID YOU TELL A DR. ABOUT ACHES & PAINS
---------------	---

Did you tell a doctor about these aches?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.5	0.9	25	1	YES
40.5	0.6	17	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	53.6	1,567	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 988-989

CE35_E	DR. SAID/ACHES & PAINS/CAUSE YOU WORRIED
---------------	---

Did the doctor say these aches were because you are nervous or worried?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	0.3	8	1	YES
68.0	0.6	17	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	54.2	1,584	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 990-991

CE36 **WORRIED ABOUT THINGS THAT WERE COMING UP**

Now, I'm going to ask you about certain things that might worry you. For these questions, again please think about the time when you had the largest number of problems. During that time, did you get very worried about things that were coming up . . . like before a test in school or before a game or before a party?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	3.4	98	1	YES
18.3	0.8	22	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	51.9	1,515	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 992-993

CE36_A **SPECIAL THING COME UP/ALWAYS WORRY ABOUT**

When something special like that was coming up, did you almost always worry a lot about it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	2.7	78	1	YES
19.6	0.7	19	2	NO
	44.7	1,306	-9	LEGITIMATE NONRESPONSE
	52.0	1,518	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 994-995

CE36_B**THINGS YOU DID OK AT/WORRY ABOUT A LOT**

What about things coming up that you usually did okay at?
Did you worry a lot about them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.6	1.4	40	1	YES
49.4	1.3	39	2	NO
	44.7	1,305	-9	LEGITIMATE NONRESPONSE
	52.6	1,537	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 996-997

CE36_C**WHEN WORRIED/ASK PEOPLE THINGS TURN OKAY**

When you were worried like that, did you keep asking other
people if things will turn out okay?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	1.4	42	1	YES
46.8	1.3	37	2	NO
	44.7	1,305	-9	LEGITIMATE NONRESPONSE
	52.6	1,537	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 998-999

CE36_D	WORRIED 6 MONTH ABOUT THINGS COMING UP
---------------	---

Did you worry a lot about things coming up for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	1.5	43	1	YES
45.6	1.2	36	2	NO
	44.7	1,305	-9	LEGITIMATE NONRESPONSE
	52.6	1,537	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1000-1001

CE37	WORRIED/HOW WELL YOU DID IN SCHOOL/JOB
-------------	---

During that time, did you worry about how well you did your (schoolwork/job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	2.8	81	1	YES
27.0	1.0	30	2	NO
0.0	0.0	0	3	NO/VOL. NOT IN SCHOOL/NO JOB
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	52.2	1,526	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1002-1003

CE37_A	WORRY ABOUT SCHOOL/JOB AT LEAST ONCE A WEEK
---------------	--

Did you worry about this at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.6	2.4	70	1	YES
11.4	0.3	9	2	NO
	45.0	1,314	-9	LEGITIMATE NONRESPONSE
	52.3	1,528	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1004-1005

CE37_B	MOST PEOPLE SAID YOU DO OKAY IN SCHOOL/JOB
---------------	---

Did most people say you were doing okay in your
 (schoolwork/job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	1.5	44	1	YES
38.0	0.9	27	2	NO
	45.0	1,314	-9	LEGITIMATE NONRESPONSE
	52.6	1,536	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1006-1007

CE37_C	ASK TEACHER/BOSS IF YOU DO OKAY SCHOOL/JOB
---------------	---

Did you keep asking your (teacher/boss) or other people if you were doing okay in your (schoolwork/job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.4	1.2	36	1	YES
48.6	1.2	34	2	NO
	45.0	1,315	-9	LEGITIMATE NONRESPONSE
	52.6	1,536	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1008-1009

CE37_D**WORRIED 6 MONTHS ABOUT YOUR SCHOOL/JOB WORK**

Did you worry a lot about your (schoolwork/job) for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.9	1.5	44	1	YES
37.1	0.9	26	2	NO
	45.0	1,314	-9	LEGITIMATE NONRESPONSE
	52.6	1,537	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1010-1011

CE38**WORRIED ABOUT HOW GOOD YOU WERE AT SPORT**

During that time, did you worry about how good you were at sports or games or in gym?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	2.3	68	1	YES
29.2	1.0	28	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	52.8	1,541	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1012-1013

CE38_A	WERE GOOD AT SPORTS/WORRIED ONCE A WEEK
---------------	--

Did you worry about this at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	1.9	55	1	YES
19.1	0.4	13	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	52.8	1,541	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1014-1015

CE38_B	GAMES YOU DID OK AT/WORRIED ABOUT A LOT
---------------	--

What about games that you usually did okay at? Did you worry a lot about them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.5	1.2	36	1	YES
34.5	0.7	19	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	53.2	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1016-1017

CE38_C**WORRIED/ASK PEOPLE YOU DID OK IN SPORTS**

Did you keep asking other people if you were doing okay in sports or games?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.9	1.0	28	1	YES
48.1	0.9	26	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	53.2	1,555	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1018-1019

CE38_D	WORRIED 6 MONTH/YOU WERE GOOD AT SPORTS
---------------	--

Did you worry a lot about how good you were at sports or games for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	1.3	38	1	YES
29.6	0.5	16	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	53.2	1,555	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1020-1021

CE39	WORRIED ABOUT BEING ON TIME
-------------	------------------------------------

During that time when you were having the largest number of problems, did you worry about being on time; were you often afraid that you would be late?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	2.3	67	1	YES
36.8	1.3	39	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	52.4	1,531	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1022-1023

CE39_A	BEING ON TIME/WORRIED ONCE A WEEK
---------------	--

Did you worry about this at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	2.0	59	1	YES
11.9	0.3	8	2	NO
	45.3	1,323	-9	LEGITIMATE NONRESPONSE
	52.4	1,531	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1024-1025

CE39_B	WORRIED ABOUT BEING LATE/HAD PLENTY TIME
---------------	---

Did you worry about being late even when you had plenty of time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	1.4	40	1	YES
32.2	0.7	19	2	NO
	45.3	1,323	-9	LEGITIMATE NONRESPONSE
	52.7	1,539	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1026-1027

CE39_C	ASKED PEOPLE IF YOU WOULD BE ON TIME
---------------	---

Did you keep asking other people if you would be on time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.3	1.0	28	1	YES
51.7	1.0	30	2	NO
	45.3	1,323	-9	LEGITIMATE NONRESPONSE
	52.7	1,540	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1028-1029

CE39_D	WORRIED 6 MONTH/ABOUT BEING LATE
---------------	---

Did you worry a lot about being late for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.1	1.2	36	1	YES
37.9	0.8	22	2	NO
	45.3	1,323	-9	LEGITIMATE NONRESPONSE
	52.7	1,539	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1030-1031

CE40	WORRIED ABOUT YOU HAD MADE A MISTAKE
-------------	---

During that time, did you often worry that you had made a mistake or done something the wrong way?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	3.1	92	1	YES
27.6	1.2	35	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	51.7	1,510	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1032-1033

CE40_A	YOU MADE A MISTAKE/WORRIED ONCE A WEEK
---------------	---

Did you worry about this at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	2.3	67	1	YES
27.2	0.9	25	2	NO
	45.2	1,319	-9	LEGITIMATE NONRESPONSE
	51.7	1,510	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1034-1035

CE40_B	WORRIED ABOUT THINGS WERE NOT IMPORTANT
---------------	--

Did you worry about things that weren't that important?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.6	1.6	48	1	YES
28.4	0.7	19	2	NO
	45.2	1,319	-9	LEGITIMATE NONRESPONSE
	52.6	1,535	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1036-1037

CE40_C	ASKED PEOPLE THINGS WOULD TURN OUT OKAY
---------------	--

When you were worried like that, did you keep asking other people if things would turn out okay?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	1.2	34	1	YES
49.3	1.1	33	2	NO
	45.2	1,319	-9	LEGITIMATE NONRESPONSE
	52.6	1,535	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1038-1039

CE40_D	WORRIED 6 MONTH/ABOUT DOING THINGS WRONG
---------------	---

Did you worry a lot about doing things wrong for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.1	1.7	49	1	YES
26.9	0.6	18	2	NO
	45.2	1,319	-9	LEGITIMATE NONRESPONSE
	52.6	1,535	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1040-1041

CE41	WORRIED/YOUR FAMILY HAD ENOUGH MONEY
-------------	---

During that time, did you worry about whether your family had enough money?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	2.4	71	1	YES
28.3	1.0	28	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	52.7	1,538	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1042-1043

CE41_A	FAMILY HAD ENOUGH MONEY/WORRY ONCE WEEK
---------------	--

Did you worry about this at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	1.9	55	1	YES
22.5	0.5	16	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	52.7	1,538	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1044-1045

CE41_B	WORRIED ABOUT MONEY/NO NEED TO WORRY
---------------	---

Did you worry about money even when there was no need to worry?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.8	1.2	34	1	YES
38.2	0.7	21	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	53.2	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1046-1047

CE41_C	ASKED PEOPLE FAMILY HAD ENOUGH MONEY
---------------	---

Did you keep asking others if the family had enough money?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	0.7	19	1	YES
66.1	1.3	37	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	53.2	1,553	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1048-1049

CE41_D	WORRIED 6 MONTHS/ABOUT MONEY
---------------	-------------------------------------

Did you worry a lot about money for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	1.3	39	1	YES
30.4	0.6	17	2	NO
	44.9	1,312	-9	LEGITIMATE NONRESPONSE
	53.2	1,553	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1050-1051

CE42	WORRIED/YOU HAD MADE A FOOL OF YOURSELF
-------------	--

During that time when you were having the largest number of problems, did you often worry that you had made a fool of yourself in front of other people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.6	2.7	78	1	YES
28.4	1.1	31	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	52.3	1,528	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1052-1053

CE42_A**MADE A FOOL OF YOURSELF/WORRY ONCE WEEK**

Did you worry about this at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	2.1	61	1	YES
22.8	0.6	18	2	NO
	45.0	1,314	-9	LEGITIMATE NONRESPONSE
	52.3	1,527	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1054-1055

CE42_B**WORRIED/WHEN KIDS THOUGHT YOU WERE OKAY**

How about when you were around kids who thought you were okay? Did you worry a lot about this even then?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	1.2	35	1	YES
42.6	0.9	26	2	NO
	45.0	1,314	-9	LEGITIMATE NONRESPONSE
	52.9	1,544	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1056-1057

CE42_C	ASKED OTHER PEOPLE IF YOU ACTED OKAY
---------------	---

When you were worried like that, did you keep asking other people if you acted okay?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	0.9	27	1	YES
55.0	1.1	33	2	NO
	45.0	1,315	-9	LEGITIMATE NONRESPONSE
	52.9	1,545	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1058-1059

CE42_D	WORRIED 6 MONTHS/HOW YOU SEEM TO PEOPLE
---------------	--

Did you worry a lot about how you seem to other people for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	1.2	35	1	YES
42.6	0.9	26	2	NO
	45.0	1,315	-9	LEGITIMATE NONRESPONSE
	52.9	1,544	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1060-1061

CE43**WORRIED ABOUT HOW YOU LOOKED**

During that time, did you often worry about how you looked?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	3.4	99	1	YES
18.9	0.8	23	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	51.9	1,515	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1062-1063

CE43_A**WORRY ABOUT LOOKS MORE THAN KID YOUR AGE**

Did you worry about your looks or appearance more than other kids your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	2.1	60	1	YES
38.1	1.3	37	2	NO
	44.7	1,307	-9	LEGITIMATE NONRESPONSE
	51.9	1,515	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1064-1065

CE43_B	WORRIED ONCE A WEEK/ABOUT YOUR LOOKS
---------------	---

Did you worry about this at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	2.1	61	1	YES
1.6	0.0	1	2	NO
	44.7	1,307	-9	LEGITIMATE NONRESPONSE
	53.1	1,552	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1066-1067

CE43_C	OTHER PEOPLE SAID YOU LOOKED OKAY
---------------	--

Did other people say you looked okay?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	2.0	58	1	YES
4.9	0.1	3	2	NO
	44.8	1,308	-9	LEGITIMATE NONRESPONSE
	53.1	1,552	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1068-1069

CE43_D**WORRIED/ASK PEOPLE IF YOU LOOKED OKAY**

When you were worried like that, did you keep asking other people if you looked okay?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	1.5	45	1	YES
26.2	0.5	16	2	NO
	44.7	1,307	-9	LEGITIMATE NONRESPONSE
	53.2	1,553	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1070-1071

CE43_E**WORRIED 6 MONTHS/ABOUT HOW YOU LOOKED**

Did you worry about how you looked for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	1.8	53	1	YES
13.1	0.3	8	2	NO
	44.7	1,307	-9	LEGITIMATE NONRESPONSE
	53.2	1,553	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1072-1073

CE44 **WORRIED ABOUT OTHER PEOPLE LIKED YOU**

During that time, did you worry about whether other people liked you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	2.8	83	1	YES
18.6	0.7	19	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	52.6	1,535	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1074-1075

CE44_A **WORRY ONCE A WEEK/OTHER PEOPLE LIKED YOU**

Did you worry about this at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	2.3	68	1	YES
18.1	0.5	15	2	NO
	44.6	1,303	-9	LEGITIMATE NONRESPONSE
	52.6	1,535	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1076-1077

CE44_B**YOU W/PEOPLE WHO LIKED YOU STILL WORRIED**

How about when you were with people who liked you? Did you worry then?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.7	1.5	44	1	YES
35.3	0.8	24	2	NO
	44.6	1,303	-9	LEGITIMATE NONRESPONSE
	53.1	1,550	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1078-1079

CE44_C**ASKED OTHER PEOPLE IF THEY LIKED YOU**

Did you keep asking others if people liked you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	0.9	26	1	YES
61.8	1.4	42	2	NO
	44.6	1,303	-9	LEGITIMATE NONRESPONSE
	53.1	1,550	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1080-1081

CE44_D	WORRIED 6 MONTH/WHETHER PEOPLE LIKED YOU
---------------	---

Did you worry a lot about whether others liked you for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.2	1.5	45	1	YES
33.8	0.8	23	2	NO
	44.6	1,303	-9	LEGITIMATE NONRESPONSE
	53.1	1,550	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1082-1083

CE45	WORRIED ABOUT YOUR HEALTH/GETTING SICK
-------------	---

During that time when you were having the largest number of problems, did you worry about your health or about getting sick?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	1.9	55	1	YES
43.9	1.5	43	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	52.7	1,539	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1084-1085

CE45_A	WORRY ONCE A WEEK/HEALTH/GETTING SICK
---------------	--

Did you worry about this at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	1.1	32	1	YES
41.8	0.8	23	2	NO
	45.4	1,327	-9	LEGITIMATE NONRESPONSE
	52.7	1,539	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1086-1087

CE45_B	WERE YOU GENERALLY HEALTHY
---------------	-----------------------------------

Were you generally healthy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	0.8	24	1	YES
27.3	0.3	9	2	NO
	45.4	1,327	-9	LEGITIMATE NONRESPONSE
	53.4	1,561	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1088-1089

CE45_C	ASKED OTHER PEOPLE IF YOUR HEALTH OKAY
---------------	---

Did you keep asking others if your health was okay?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	0.7	19	1	YES
42.4	0.5	14	2	NO
	45.4	1,327	-9	LEGITIMATE NONRESPONSE
	53.4	1,561	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1090-1091

CE45_D	WORRIED 6 MONTHS/ABOUT YOUR HEALTH
---------------	---

Did you worry about your health for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	1.0	29	1	YES
12.1	0.1	4	2	NO
	45.4	1,327	-9	LEGITIMATE NONRESPONSE
	53.4	1,561	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1092-1093

CE46	YOU WERE EMBARRASSED/VERY SELF-CONSCIOUS
-------------	---

During that time, were you easily embarrassed or very self-conscious or did you not like to be noticed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	2.6	76	1	YES
26.2	0.9	27	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	52.5	1,534	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1094-1095

CE46_A**FELT SELF-CONSCIOUS AT LEAST ONCE A WEEK**

Did you feel self-conscious or embarrassed at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	2.0	57	1	YES
25.0	0.7	19	2	NO
	44.9	1,311	-9	LEGITIMATE NONRESPONSE
	52.5	1,534	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1096-1097

CE46_B**SELF-CONSCIOUS/KEPT YOU FROM MEET PEOPLE**

Did being self-conscious like that keep you from going places or meeting people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.9	1.3	37	1	YES
35.1	0.7	20	2	NO
	44.9	1,311	-9	LEGITIMATE NONRESPONSE
	53.2	1,553	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1098-1099

CE46_C	WHEN SELF-CONSCIOUS/YOU GOT UP & LEAVE
---------------	---

When you were self-conscious like that, did you often get up and leave, or have a bad reaction, like crying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.9	1.0	29	1	YES
49.1	1.0	28	2	NO
	44.9	1,311	-9	LEGITIMATE NONRESPONSE
	53.2	1,553	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1100-1101

CE46_D	WERE YOU SELF-CONSCIOUS FOR 6 MONTHS
---------------	---

Were you self-conscious like that for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.2	1.5	44	1	YES
22.8	0.4	13	2	NO
	44.9	1,311	-9	LEGITIMATE NONRESPONSE
	53.2	1,553	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1102-1103

CE47**WERE YOU VERY TENSE/HARD TO RELAX**

During that time, were you often very tense or did you find it very hard to relax?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	3.2	93	1	YES
13.9	0.5	15	2	NO
	44.0	1,284	-9	LEGITIMATE NONRESPONSE
	52.3	1,529	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1104-1105

CE47_A**WERE YOU TENSE/NO REASON TO BE TENSE**

Were you like that even when there was no reason to be tense?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	2.3	66	1	YES
28.3	0.9	26	2	NO
	44.5	1,299	-9	LEGITIMATE NONRESPONSE
	52.3	1,529	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1106-1107

CE47_B WERE VERY TENSE/LOT OF TIME FOR 6 MONTHS

Were you tense like that a lot of the time for as long as 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.6	2.0	57	1	YES
37.4	1.2	34	2	NO
	44.5	1,299	-9	LEGITIMATE NONRESPONSE
	52.4	1,531	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1108-1109

CE48 EVER SEEN DR./FOR NERVOUSNESS/T. SHEET E

I've asked you a lot of questions about problems and worries you may have had in the same time period. You told me that you (READ ITEMS (E33b-E47a) CHECKED ON TALLY SHEET E, PART C). Have you ever seen a doctor or any other professional like that because of feeling (nervous/worried)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	1.2	34	1	YES
76.1	3.7	108	2	NO
	94.6	2,764	-9	LEGITIMATE NONRESPONSE
	0.5	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1110-1111

CE49_1	YOU HAD PROBLEMS/WHEN THIS PERIOD BEGAN
---------------	--

When did this period when you had these problems begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	WITHIN THE MONTH BEFORE ADMISSION
20.4	1.0	28	2	WITHIN THE PAST 12 MONTHS
79.6	3.7	109	3	MORE THAN 1 YEAR AGO
	94.7	2,765	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1112-1113

CE49_M	MONTHS AGO PROBLEM FIRST BEGAN
---------------	---------------------------------------

When did this period when you had these problems begin?
 (recode)

2,921 cases (Range of valid codes: 3-132)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3282-3284

CE49_A_1	YOU HAD PROBLEMS/WHEN THIS PERIOD ENDED
-----------------	--

When did that period end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	2.5	73	1	WITHIN THE MONTH BEFORE ADMISSION
19.6	0.8	22	2	WITHIN THE PAST 12 MONTHS
15.2	0.6	17	3	MORE THAN 1 YEAR AGO
	94.7	2,767	-9	LEGITIMATE NONRESPONSE
	0.9	25	-8	MISSING
	0.4	12	-5	BAD DATA
	0.1	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1114-1115

CE49A_M	MONTHS AGO PROBLEM END
----------------	-------------------------------

When did that period end? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	2.5	73	0	
4.5	0.2	5	2	
3.6	0.1	4	3	
6.2	0.2	7	5	
1.8	0.1	2	6	
1.8	0.1	2	7	
1.8	0.1	2	8	
0.9	0.0	1	9	
0.9	0.0	1	10	
0.9	0.0	1	11	
0.9	0.0	1	12	
0.9	0.0	1	13	
0.9	0.0	1	14	
0.9	0.0	1	15	
1.8	0.1	2	16	
0.9	0.0	1	17	
1.8	0.1	2	19	
1.8	0.1	2	21	
0.9	0.0	1	37	
0.9	0.0	1	78	
0.9	0.0	1	98	
	94.7	2,767	-9	LEGITIMATE NONRESPONSE
	1.4	42	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3285-3286

DEPRESSION / ADOLESCENT DEPRESSION

CF1	IN LIFE/2 WEEK/>/FELT DEPRESS EVERY DAY
------------	---

Next, I'd like to ask about some other kinds of problems or experiences that you might have had. In your lifetime, have you ever had 2 weeks or more when nearly every day you felt sad, blue, or depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	4.2	123	1	YES
61.2	6.6	194	2	NO
	89.1	2,604	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1116-1117

CF2	IN LIFE/2 YEARS/>/DEPRESSED MOST DAYS
------------	---

Have you had 2 years or more in your life when you felt depressed or sad most days, even if you felt okay sometimes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	0.9	25	1	YES
92.1	10.0	292	2	NO
	88.8	2,595	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1118-1119

CF2_A	THAT PERIOD EVER LASTED FOR 2 YEARS
--------------	--

Did a period like that ever last 2 years without being interrupted by your feeling okay for 2 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	0.2	5	1	YES
79.2	0.7	19	2	NO
	98.8	2,887	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1120-1121

CF2_B	TOLD DR. ABOUT FEELING DEPRESSED
--------------	---

Did you tell a doctor about this period of feeling depressed or sad most days? The term "doctor" includes psychiatrists, other medical doctors, osteopaths, and students in training to be medical doctors or osteopaths, nurse practitioners, and physicians' assistants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	4	1	YES
33.3	0.1	2	2	NO
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1122-1123

CF2_C**TOLD OTHER PROFESSIONAL/FEELING DEPRESS**

Did you tell any other professional about this period of feeling depressed or sad most days? The term "other professional" includes psychologists, social workers, guidance counselors, nurses, clergy, dentists, chiropractors, and podiatrists.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	2	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1124-1125

CF2_D**TOOK MEDICATION >ONCE/FOR DEPRESSION**

Did you more than once take medication for this period of feeling depressed or sad most days?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	2	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1126-1127

CF2_E	DEPRESSED FEELING/INTERFERE W/LIFE
--------------	---

Did this period of feeling depressed or sad most days interfere with your life or activities a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	YES
50.0	0.0	1	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1128-1129

CF2_F_1	WHEN/FIRST PERIOD BEGIN/SAD FOR 2 YEARS
----------------	--

When did the first period of at least 2 years of feeling sad most of the time begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	WITHIN THE MONTH BEFORE ADMISSION
0.0	0.0	0	2	WITHIN THE PAST 12 MONTHS
100.0	0.2	6	3	MORE THAN 1 YEAR AGO
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1130-1131

CF2F_M	MONTHS AGO FIRST FEELING SAD
---------------	-------------------------------------

When did the first period of at least 2 years of feeling sad most of the time begin? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	26	
16.7	0.0	1	39	
16.7	0.0	1	49	
16.7	0.0	1	60	
16.7	0.0	1	91	
16.7	0.0	1	137	
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3287-3289

CF2_G_1	WHEN/LAST PERIOD END/SAD FOR 2 YEARS
----------------	---

When did the last period of at least 2 years of feeling sad most of the time end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.1	4	1	WITHIN THE MONTH BEFORE ADMISSION
0.0	0.0	0	2	WITHIN THE PAST 12 MONTHS
20.0	0.0	1	3	MORE THAN 1 YEAR AGO
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1132-1133

CF2G_M	MONTHS AGO SAD FEELING END
---------------	-----------------------------------

When did the last period of at least 2 years of feeling sad most of the time end? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.1	4	0	
20.0	0.0	1	37	
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3290-3291

CF2_H	FREQUENTLY FELT HOPELESS/TIME PERIOD
--------------	---

Did you frequently feel hopeless during this period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.2	5	1	YES
16.7	0.0	1	2	NO
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1134-1135

CF3	LOST YOUR APPETITE/2 WEEKS/LONGER
------------	--

Has there ever been a period of 2 weeks or longer when you lost your appetite? [CAN BE YES EVEN IF FOOD INTAKE IS NORMAL.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	2.0	57	1	YES
82.0	8.9	260	2	NO
	88.8	2,595	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1136-1137

CF3_A	TOLD DR./ABOUT LOSING YOUR APPETITE
--------------	--

Did you tell a doctor about losing your appetite?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	0.2	7	1	YES
87.7	1.7	50	2	NO
	97.7	2,855	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1138-1139

CF3_B	DIAGNOSIS FOR YOUR LOST APPETITE
--------------	---

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your loss of appetite?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.1	2	1	PHYS. ILL/INJ
42.9	0.1	3	2	MED/DRUG/ALC
28.6	0.1	2	3	NERVES/ANXIETY/STRESS/DEPRESSION
0.0	0.0	0	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.5	2,905	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1140-1141

CF3_C	DID DR. FIND ANYTHING ABNORMAL
--------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO, NO EXAM, DK
	99.7	2,912	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1142-1143

CF3_D**LOST APPETITE/RESULT OF PHYS ILLNESS/INJURY**

Was your loss of appetite ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	0.1	4	1	YES
92.2	1.6	47	2	NO
	97.9	2,861	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1144-1145

CF3_E**LOST APPETITE/ALWAYS RESULT OF ILLNESS/INJURY**

Was losing your appetite always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.2	5	1	YES
28.6	0.1	2	2	NO
	99.5	2,905	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1146-1147

CF3_F	LOST APPETITE/ALWAYS RESULT OF MED/DRUGS/ALCOHOL
--------------	---

When your loss of appetite was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	YES
33.3	0.0	1	2	NO
	99.6	2,909	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1148-1149

CF3_G	LOST APPETITE/EVER RESULT OF MED/DRUGS/ALCOHOL
--------------	---

Was your loss of appetite ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	1.1	31	1	YES
29.5	0.4	13	2	NO
	98.2	2,868	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1150-1151

CF3_H	LOST APPETITE/ALWAYS RESULT OF MED/DRUGS/ALCOHOL
--------------	---

Was your loss of appetite always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	34	1	YES
0.0	0.0	0	2	NO
	98.5	2,877	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1152-1153

CF3_I	LOST APPETITE/ALWAYS RESULT OF ILLNESS/INJURY
--------------	--

You said that you sometimes lost your appetite when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you lost your appetite always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1154-1155

CF4 **LOST WEIGHT/2 LBS A WK/FOR SEVERAL WKS**

Have you ever lost weight without trying-as much as 2 pounds a week for several weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	2.3	68	1	YES
78.6	8.6	250	2	NO
	88.8	2,594	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1156-1157

CF4_A **TOLD DR./ABOUT YOUR WEIGHT LOSS**

Did you tell a doctor about losing weight without trying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	0.4	13	1	YES
80.9	1.9	55	2	NO
	97.4	2,844	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1158-1159

CF4_B	DIAGNOSIS FOR YOUR WEIGHT LOSS
--------------	---------------------------------------

When you told the doctor, what was the diagnosis? (What did the doctor say was causing the loss of weight?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	2	1	PHYS. ILL/INJ
33.3	0.1	4	2	MED/DRUG/ALC
16.7	0.1	2	3	NERVES/ANXIETY/STRESS/DEPRESSION
33.3	0.1	4	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.2	2,898	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1160-1161

CF4_C	DID DR. FIND ANYTHING ABNORMAL
--------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.2	5	2	NO, NO EXAM, DK
	99.5	2,905	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1162-1163

CF4_D	WEIGHT LOSS/RESULT OF PHYS ILLNESS/INJURY
--------------	--

Was losing weight without trying ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	0.1	3	1	YES
94.5	1.8	52	2	NO
	97.8	2,856	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1164-1165

CF4_E	WEIGHT LOSS/ALWAYS RESULT OF PHYSICAL ILLNESS/INJURY
--------------	---

Was losing weight without trying always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	3	1	YES
50.0	0.1	3	2	NO
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1166-1167

CF4_F**WEIGHT LOSS/ALWAYS RESULT OF MED/DRUGS**

When losing weight without trying was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	YES
50.0	0.1	2	2	NO
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1168-1169

CF4_G**WEIGHT LOSS/EVER RESULT OF MED/DRUGS/ALCOHOL**

Was the loss of weight without trying ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	1.4	40	1	YES
20.0	0.3	10	2	NO
	97.9	2,861	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1170-1171

CF4_H **WEIGHT LOSS/ALWAYS RESULT OF MED/DRUGS**

Was the loss of weight without trying always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.4	1.3	38	1	YES
15.6	0.2	7	2	NO
	98.1	2,866	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1172-1173

CF4_I **WEIGHT LOSS/ALWAYS RESULT OF PHYSICAL ILLNESS/INJURY**

You said that you sometimes lost weight without trying when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when this happened always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1174-1175

CF5	INCREASE APPETITE FOR 2 WEEKS
------------	--------------------------------------

Has there ever been at least 2 weeks when you had an increase in appetite other than when you were growing (or pregnant)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	2.7	79	1	YES
75.1	8.1	238	2	NO
	88.8	2,594	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1176-1177

CF5_A	TOLD DR. ABOUT YOUR INCREASE IN APPETITE
--------------	---

Did you tell a doctor about your increase in appetite?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.1	4	1	YES
95.0	2.6	76	2	NO
	96.9	2,831	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1178-1179

CF5_B	DIAGNOSIS FOR YOUR INCREASE IN APPETITE
--------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your increase in appetite?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PHYS. ILL/INJ
0.0	0.0	0	2	MED/DRUG/ALC
25.0	0.0	1	3	NERVES/ANXIETY/STRESS/DEPRESSION
75.0	0.1	3	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.5	2,907	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1180-1181

CF5_C	DID DR. FIND ANYTHING ABNORMAL
--------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or x-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	3	2	NO, NO EXAM, DK
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1182-1183

CF5_D	INCREASE APPETITE/RESULT OF PHYS ILLNESS/INJURY
--------------	--

Was your increased appetite ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	2.6	75	2	NO
	97.1	2,836	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1184-1185

CF5_E	INCREASE APPETITE/ALWAYS RESULT OF PHYSICAL ILLNESS/INJURY
--------------	---

Was your increased appetite always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1186-1187

CF5_F INCREASE APPETITE/ALWAYS RESULT OF MED/DRUG

When increased appetite was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	YES
0.0	0.0	0	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1188-1189

CF5_G INCREASE APPETITE/EVER RESULT OF MED/DRUGS/ALCOHOL

Was your increase in appetite ever the result of taking medication, drugs, or alcohol or withdrawing from I medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.6	1.7	50	1	YES
32.4	0.8	24	2	NO
	97.1	2,837	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1190-1191

CF5_H**INCREASE APPETITE/ALWAYS RESULT OF MED/DRUG**

Was your increase in appetite always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.0	1.6	47	1	YES
6.0	0.1	3	2	NO
	97.9	2,861	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1192-1193

CF5_I**INCREASE APPETITE/ALWAYS RESULT OF ILLNESS/INJURY**

You said that sometimes your appetite increased when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when your appetite increased always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1194-1195

CF6 INCREASE EATING/GAIN 2 LB/WK/SEVERAL WKS

Have you ever had a period when your eating increased so much that you gained as much as 2 pounds a week for several weeks (without trying)? [CODE 01 IF RESPONDENT VOLUNTEERS REBOUND AFTER MALNUTRITION.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	1.5	44	1	YES
86.2	9.4	274	2	NO
	88.8	2,594	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1196-1197

CF6_A TOLD DR. ABOUT YOUR WEIGHT GAIN

Did you tell a doctor about this weight gain?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	2	1	YES
95.5	1.4	42	2	NO
	98.2	2,868	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1198-1199

CF6_B**DIAGNOSIS FOR YOUR WEIGHT GAIN**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing this weight gain?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PHYS. ILL/INJ
50.0	0.0	1	2	MED/DRUG/ALC
0.0	0.0	0	3	NERVES/ANXIETY/STRESS/DEPRESSION
50.0	0.0	1	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1200-1201

CF6_C**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO, NO EXAM, DK
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1202-1203

CF6_D	WEIGHT GAIN/RESULT OF PHYS ILLNESS/INJURY
--------------	--

Was weight gain ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.0	1	1	YES
97.6	1.4	41	2	NO
	98.3	2,870	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1204-1205

CF6_E	WEIGHT GAIN/ALWAYS RESULT OF ILLNESS/INJURY
--------------	--

Was weight gain always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	YES
0.0	0.0	0	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1206-1207

CF6_F**WEIGHT GAIN/ALWAYS RESULT OF MED/DRUG**

When weight gain was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	YES
50.0	0.0	1	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1208-1209

CF6_G**WEIGHT GAIN/EVER RESULT OF MED/DRUGS/ALCOHOL**

Was weight gain ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	1.0	28	1	YES
30.0	0.4	12	2	NO
	98.3	2,872	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1210-1211

CF6_H	WEIGHT GAIN/ALWAYS RESULT OF MED/DRUG
--------------	--

Was weight gain always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	0.9	26	1	YES
10.3	0.1	3	2	NO
	98.7	2,883	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1212-1213

CF6_I	WEIGHT GAIN/ALWAYS RESULT OF ILLNESS/INJURY
--------------	--

You said that you sometimes gained weight when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you gained weight always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.7	2,912	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1214-1215

CF7	TROUBLE FALLING ASLEEP/2 WEEKS/MORE
------------	--

Have you ever had 2 weeks or more when nearly every night you had trouble falling asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	3.1	92	1	YES
71.1	7.7	226	2	NO
	88.8	2,594	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1216-1217

CF7_A	TOLD DR. ABOUT TROUBLE FALLING ASLEEP
--------------	--

Did you tell a doctor about trouble falling asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	0.5	15	1	YES
83.7	2.6	77	2	NO
	96.5	2,820	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1218-1219

CF7_B	DIAGNOSIS FOR TROUBLE FALLING ASLEEP
--------------	---

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your trouble falling asleep?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PHYS. ILL/INJ
13.3	0.1	2	2	MED/DRUG/ALC
60.0	0.3	9	3	NERVES/ANXIETY/STRESS/DEPRESSION
26.7	0.1	4	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.2	2,897	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1220-1221

CF7_C	DID DR. FIND ANYTHING ABNORMAL
--------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	4	2	NO, NO EXAM, DK
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1222-1223

CF7_D**TROUBLE FALLING ASLEEP/RESULT OF ILLNESS/INJURY**

Was trouble falling asleep ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	2	1	YES
97.4	2.6	75	2	NO
	97.1	2,835	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1224-1225

CF7_E**TROUBLE FALL ASLEEP/ALWAYS RESULT/ILLNESS/INJURY**

Was trouble falling asleep always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	3	2	NO
	99.6	2,909	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1226-1227

CF7_F

TROUBLE FALL ASLEEP/ALWAYS RESULT/MED/DRUG

When trouble falling asleep was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	YES
25.0	0.0	1	2	NO
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1228-1229

CF7_G

TROUBLE FALL ASLEEP/EVER RESULT/MED/DRUGS

Was your trouble falling asleep ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.6	1.7	50	1	YES
32.4	0.8	24	2	NO
	97.2	2,838	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1230-1231

CF7_H**TROUBLE FALL ASLEEP/ALWAYS RESULT/MED/DRUG**

Was your trouble falling asleep always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	1.6	47	1	YES
9.6	0.2	5	2	NO
	97.9	2,860	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1232-1233

CF7_I**TROUBLE FALL ASLEEP/ALWAYS RESULT/ILLNESS/INJURY**

You said that you sometimes had trouble falling asleep when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had trouble falling asleep always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1234-1235

CF8 **TROUBLE STAYING ASLEEP/2 WEEKS/MORE**

Have you ever had 2 weeks or more when nearly every night you had trouble staying asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	1.0	30	1	YES
89.3	8.6	250	2	NO
	90.1	2,632	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1236-1237

CF8_A **TOLD DR. ABOUT TROUBLE STAYING ASLEEP**

Did you tell a doctor about your trouble staying asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.1	2	1	YES
93.3	1.0	28	2	NO
	98.7	2,882	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1238-1239

CF8_B**DIAGNOSIS FOR TROUBLE STAYING ASLEEP**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your trouble staying asleep?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PHYS. ILL/INJ
50.0	0.0	1	2	MED/DRUG/ALC
50.0	0.0	1	3	NERVES/ANXIETY/STRESS/DEPRESSION
0.0	0.0	0	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1240-1241

CF8_C**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO, NO EXAM, DK
	99.7	2,912	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1242-1243

CF8_D	TROUBLE STAYING ASLEEP/RESULT OF ILLNESS/INJURY
--------------	--

Was trouble staying asleep ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.0	1	1	YES
96.4	0.9	27	2	NO
	98.7	2,884	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1244-1245

CF8_E	TROUBLE STAY ASLEEP/ALWAYS RESULT/ILLNESS/INJURY
--------------	---

Was trouble staying asleep always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1246-1247

CF8_F**TROUBLE STAY ASLEEP/ALWAYS RESULT/MED/DRUG**

When trouble staying asleep was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	YES
0.0	0.0	0	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1248-1249

CF8_G**TROUBLE STAY ASLEEP/EVER RESULT/MED/DRUGS**

Was your trouble staying asleep ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.3	0.7	19	1	YES
36.7	0.4	11	2	NO
	98.7	2,882	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1250-1251

CF8_H

TROUBLE STAY ASLEEP/ALWAYS RESULT/MED/DRUG

Was your trouble staying asleep always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	0.7	19	1	YES
5.0	0.0	1	2	NO
	99.0	2,892	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1252-1253

CF8_I

TROUBLE STAY ASLEEP/ALWAYS RESULT/ILLNESS/INJURY

You said that you sometimes had trouble staying asleep when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had trouble staying asleep always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1254-1255

CF9	TROUBLE WAKING UP TOO EARLY/2 WEEKS/MORE
------------	---

Have you ever had 2 weeks or more when nearly every night you had trouble waking up too early?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	0.8	23	1	YES
91.5	8.5	249	2	NO
	90.1	2,633	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1256-1257

CF9_A	TOLD DR./ABOUT TROUBLE WAKE UP TOO EARLY
--------------	---

Did you tell a doctor about your trouble waking up too early?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.1	2	1	YES
91.3	0.7	21	2	NO
	98.7	2,882	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1258-1259

CF9_B	DIAGNOSIS FOR TROUBLE WAKE UP TOO EARLY
--------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your trouble waking up too early?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PHYS. ILL/INJ
50.0	0.0	1	2	MED/DRUG/ALC
0.0	0.0	0	3	NERVES/ANXIETY/STRESS/DEPRESSION
50.0	0.0	1	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.4	2,903	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1260-1261

CF9_C	DID DR. FIND ANYTHING ABNORMAL
--------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO, NO EXAM, DK
	99.4	2,904	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1262-1263

CF9_D**TROUBLE WAKE UP TOO EARLY/EVER/ILLNESS/INJURY**

Was trouble waking up too early ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.0	1	1	YES
95.2	0.7	20	2	NO
	98.7	2,884	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1264-1265

CF9_E**TROUBLE WAKE UP TOO EARLY/ALWAYS/ILLNESS/INJURY**

Was trouble waking up too early always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	99.4	2,904	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1266-1267

CF9_F	TROUBLE WAKE UP TOO EARLY/ALWAYS/MED/DRUG
--------------	--

When trouble waking up too early was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	YES
0.0	0.0	0	2	NO
	99.4	2,904	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1268-1269

CF9_G	TROUBLE WAKE UP TOO EARLY/EVER/MED/DRUGS
--------------	---

Was your trouble waking up too early ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.4	12	1	YES
40.0	0.3	8	2	NO
	98.8	2,885	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1270-1271

CF9_H**TROUBLE WAKE UP TOO EARLY/ALWAYS/MED/DRUG**

Was your trouble waking up too early always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	13	1	YES
0.0	0.0	0	2	NO
	99.0	2,892	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1272-1273

CF9_I**TROUBLE WAKE UP TOO EARLY/ALWAYS/ILLNESS/INJURY**

You said that you sometimes had trouble waking up too early when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had trouble waking up too early always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.5	2,905	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1274-1275

CF10 SLEEPING TOO MUCH/2 WEEKS/MORE

Have you ever had 2 weeks or longer when nearly every day you were sleeping too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	3.6	104	1	YES
66.9	7.2	210	2	NO
	88.9	2,596	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1276-1277

CF10_A TOLD DR. ABOUT SLEEPING TOO MUCH

Did you tell a doctor about sleeping too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.2	5	1	YES
95.2	3.4	100	2	NO
	96.1	2,806	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1278-1279

CF10_B	DIAGNOSIS FOR SLEEPING TOO MUCH
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing sleeping too much?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	1	PHYS. ILL/INJ
0.0	0.0	0	2	MED/DRUG/ALC
40.0	0.1	2	3	NERVES/ANXIETY/STRESS/DEPRESSION
20.0	0.0	1	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1280-1281

CF10_C	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO, NO EXAM, DK
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1282-1283

CF10_D	SLEEPING TOO MUCH/EVER RESULT OF ILLNESS/INJURY
---------------	--

Was sleeping too much ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.1	2	1	YES
98.0	3.4	98	2	NO
	96.2	2,811	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1284-1285

CF10_E	SLEEPING TOO MUCH ALWAYS RESULT ILLNESS/INJURY
---------------	---

Was sleeping too much always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.1	3	1	YES
40.0	0.1	2	2	NO
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1286-1287

CF10_F	SLEEPING TOO MUCH/ALWAYS RESULT MED/DRUG
---------------	---

When sleeping too much was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	YES
33.3	0.0	1	2	NO
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1288-1289

CF10_G	SLEEPING TOO MUCH/EVER RESULT MED/DRUGS
---------------	--

Was sleeping too much ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	2.5	72	1	YES
25.0	0.8	24	2	NO
	96.3	2,814	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1290-1291

CF10_H**SLEEPING TOO MUCH/ALWAYS RESULT MED/DRUG**

Was sleeping too much always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.5	2.4	69	1	YES
5.5	0.1	4	2	NO
	97.1	2,837	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1292-1293

CF10_I**SLEEPING TOO MUCH/ALWAYS RESULT ILLNESS/INJURY**

You said that you sometimes slept too much when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you slept too much always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	99.6	2,909	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1294-1295

CF11	FEEL TIRED OUT ALL THE TIME/2 WEEKS/MORE
-------------	---

Has there ever been a period lasting 2 weeks or more when you lacked energy or felt tired out all the time, even when you had not been working very hard?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	3.2	94	1	YES
70.3	7.6	222	2	NO
	88.9	2,596	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1296-1297

CF11_A	TOLD DR. ABOUT TIRED OUT ALL TIME
---------------	--

Did you tell a doctor about feeling tired out all the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	0.5	14	1	YES
85.3	2.8	81	2	NO
	96.4	2,817	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1298-1299

CF11_B DIAGNOSIS FOR TIRED OUT ALL TIME

When you told the doctor, what was the diagnosis? (What did the doctor say was causing feeling tired out all the time?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	7	1	PHYS. ILL/INJ
0.0	0.0	0	2	MED/DRUG/ALC
35.7	0.2	5	3	NERVES/ANXIETY/STRESS/DEPRESSION
14.3	0.1	2	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.2	2,898	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1300-1301

CF11_C DID DR. FIND ANYTHING ABNORMAL

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	2	2	NO, NO EXAM, DK
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1302-1303

CF11_D	TIRED ALL TIME/EVER RESULT OF ILLNESS/INJURY
---------------	---

Was feeling tired out all the time ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	0.1	4	1	YES
94.9	2.6	75	2	NO
	97.0	2,832	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1304-1305

CF11_E	TIRED ALL TIME/ALWAYS RESULT OF ILLNESS/INJURY
---------------	---

Was feeling tired out all the time always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	0.3	8	1	YES
27.3	0.1	3	2	NO
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1306-1307

CF11_F	TIRED ALL TIME/ALWAYS RESULT OF MED/DRUG
---------------	---

When feeling tired out all the time was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.1	4	1	YES
20.0	0.0	1	2	NO
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1308-1309

CF11_G	TIRED ALL TIME/EVER RESULT OF MED/DRUGS
---------------	--

Was feeling tired out all the time ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.7	2.0	59	1	YES
21.3	0.5	16	2	NO
	97.1	2,837	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1310-1311

CF11_H	TIRED ALL TIME/ALWAYS RESULT OF MED/DRUG
---------------	---

Was feeling tired out all the time always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	1.8	52	1	YES
11.9	0.2	7	2	NO
	97.7	2,853	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1312-1313

CF11_I	TIRED ALL TIME/ALWAYS RESULT OF ILLNESS/INJURY
---------------	---

You said that you sometimes felt tired out all the time when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you felt tired out always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	2	2	NO
	99.6	2,909	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1314-1315

CF12 **FELT VERY BAD WHEN GOT UP/2 WEEKS/MORE**

Did you ever have 2 weeks or more when you felt very bad when you got up but felt better later in the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.9	3.0	88	1	YES
72.1	7.8	227	2	NO
	88.9	2,596	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1316-1317

CF12_A **TOLD DR./ABOUT FELT BAD WHEN GOT UP**

Did you tell a doctor about feeling bad when you got up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	4	1	YES
95.5	2.9	84	2	NO
	96.6	2,823	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1318-1319

CF12_B**DIAGNOSIS FOR FELT BAD WHEN GOT UP**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing you to feel bad when you got up?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	PHYS. ILL/INJ
25.0	0.0	1	2	MED/DRUG/ALC
50.0	0.1	2	3	NERVES/ANXIETY/STRESS/DEPRESSION
0.0	0.0	0	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.5	2,907	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1320-1321

CF12_C**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO, NO EXAM, DK
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1322-1323

CF12_D	FELT BAD WHEN GOT UP/RESULT OF ILLNESS/INJURY
---------------	--

Was feeling bad when you got up ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.1	4	1	YES
95.2	2.7	80	2	NO
	96.8	2,827	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1324-1325

CF12_E	FELT BAD/GOT UP/ALWAYS RESULT OF ILLNESS/INJURY
---------------	--

Was feeling bad when you got up always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	1	YES
80.0	0.1	4	2	NO
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1326-1327

CF12_F	FELT BAD/GOT UP/ALWAYS MED/DRUG
---------------	--

When feeling bad when you got up was not the result of a physical illness or injury. was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	1	YES
0.0	0.0	0	2	NO
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1328-1329

CF12_G	FELT BAD/GOT UP/EVER MED/DRUGS
---------------	---------------------------------------

Was feeling bad when you got up ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.5	2.0	58	1	YES
27.5	0.8	22	2	NO
	97.0	2,832	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1330-1331

CF12_H FELT BAD/GOT UP/ALWAYS MED/DRUG

Was feeling bad when you got up always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	1.8	53	1	YES
10.2	0.2	6	2	NO
	97.7	2,853	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1332-1333

CF12_I FELT BAD/GOT UP/ALWAYS ILLNESS/INJURY

You said that you sometimes felt bad when you got up when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you felt bad when you got up always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.7	2,912	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1334-1335

CF13	TALK/MOVE SLOW THAN NORMAL/2 WEEKS/MORE
-------------	--

Has there ever been 2 weeks or more when nearly every day you talked or moved more slowly than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	1.1	33	1	YES
89.6	9.7	283	2	NO
	88.9	2,596	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1336-1337

CF13_A	TOLD DR./TALKED/MOVED SLOW THAN NORMAL
---------------	---

Did you tell a doctor about talking or moving more slowly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	0.1	2	1	YES
93.9	1.1	31	2	NO
	98.6	2,879	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1338-1339

CF13_B

DIAGNOSIS FOR TALKED/MOVED SLOW

When you told the doctor, what was the diagnosis? (What did the doctor say was causing talking or moving more slowly?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	PHYS. ILL/INJ
0.0	0.0	0	2	MED/DRUG/ALC
50.0	0.0	1	3	NERVES/ANXIETY/STRESS/DEPRESSION
0.0	0.0	0	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1340-1341

CF13_C

DID DR. FIND ANYTHING ABNORMAL

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO, NO EXAM, DK
	99.7	2,912	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1342-1343

CF13_D	TALKED/MOVED SLOW/EVER RESULT OF ILLNESS/INJURY
---------------	--

Was talking or moving more slowly ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	0.1	3	1	YES
90.3	1.0	28	2	NO
	98.6	2,881	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1344-1345

CF13_E	TALKED/MOVED SLOW/ALWAYS ILLNESS/INJURY
---------------	--

Was talking or moving more slowly always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	YES
25.0	0.0	1	2	NO
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1346-1347

CF13_F TALKED/MOVED SLOW/ALWAYS MED/DRUG

When talking or moving more slowly was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	YES
0.0	0.0	0	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1348-1349

CF13_G TALKED/MOVED SLOW/EVER MED/DRUGS

Was talking or moving more slowly ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	0.8	22	1	YES
24.1	0.2	7	2	NO
	98.7	2,883	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1350-1351

CF13_H	TALKED/MOVED SLOW/ALWAYS MED/DRUG
---------------	--

Was talking or moving more slowly always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	0.8	22	1	YES
4.3	0.0	1	2	NO
	98.9	2,889	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1352-1353

CF13_I	TALKED/MOVED SLOW/ALWAYS ILLNESS/INJURY
---------------	--

You said that you sometimes talked or moved more slowly when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you talked or moved more slowly always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.7	2,912	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1354-1355

CF14 HAD TO BE MOVING ALL TIME/2 WEEKS/MORE

Has there ever been 2 weeks or more when nearly every day you had to be moving all the time-that is, you couldn't sit still and paced up and down?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	2.0	58	1	YES
81.6	8.8	258	2	NO
	88.9	2,596	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1356-1357

CF14_A TOLD DR. ABOUT NEED TO MOVE ALL TIME

Did you tell a doctor about needing to be moving all the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	0.1	4	1	YES
93.1	1.8	54	2	NO
	97.7	2,854	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1358-1359

CF14_B**DIAGNOSIS FOR CAUSING MOVE ALL TIME**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing moving all the time?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	PHYS. ILL/INJ
0.0	0.0	0	2	MED/DRUG/ALC
75.0	0.1	3	3	NERVES/ANXIETY/STRESS/DEPRESSION
0.0	0.0	0	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1360-1361

CF14_C**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO, NO EXAM, DK
	99.7	2,912	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1362-1363

CF14_D	MOVING ALL TIME/EVER RESULT OF ILLNESS/INJURY
---------------	--

Was moving all the time ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.8	54	2	NO
	97.8	2,858	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1364-1365

CF14_E	MOVING ALL TIME/ALWAYS ILLNESS/INJURY
---------------	--

Was moving all the time always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	YES
0.0	0.0	0	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1366-1367

CF14_F	MOVING ALL TIME/ALWAYS MED/DRUG
---------------	--

When moving all the time was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	YES
0.0	0.0	0	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1368-1369

CF14_G	MOVING ALL TIME/EVER RESULT MED/DRUGS
---------------	--

Was moving all the time ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	1.2	36	1	YES
29.4	0.5	15	2	NO
	97.9	2,860	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1370-1371

CF14_H MOVING ALL TIME/ALWAYS MED/DRUG

Was moving all the time always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	1.2	35	1	YES
5.4	0.1	2	2	NO
	98.4	2,875	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1372-1373

CF14_I MOVING ALL TIME/ALWAYS ILLNESS/INJURY

You said that you sometimes had to be moving all the time when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had to be moving all the time always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.7	2,912	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1374-1375

CF15	LESS INTEREST IN SEX/FOR SEVERAL WEEKS
-------------	---

Has there ever been a period of several weeks when your interest in sex was a lot less than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	1.9	55	1	YES
81.9	8.8	258	2	NO
0.6	0.1	2	3	IF VOLUNTEERED NO INTEREST EVER
	88.9	2,596	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1376-1377

CF15_A	TOLD DR. ABOUT DECREASED INTEREST IN SEX
---------------	---

Did you tell a doctor about your decreased interest in sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.0	1	1	YES
98.2	1.8	54	2	NO
	97.7	2,855	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1378-1379

CF15_B**DIAGNOSIS FOR LESS INTEREST IN SEX**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing less interest in sex?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	PHYS. ILL/INJ
0.0	0.0	0	2	MED/DRUG/ALC
0.0	0.0	0	3	NERVES/ANXIETY/STRESS/DEPRESSION
0.0	0.0	0	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.6	2,909	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1380-1381

CF15_C**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO, NO EXAM, DK
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1382-1383

CF15_D	LESS INTEREST IN SEX/RESULT OF ILLNESS/INJURY
---------------	--

Was less interest in sex ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.0	1	1	YES
98.1	1.8	53	2	NO
	97.8	2,856	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1384-1385

CF15_E	LESS INTEREST IN SEX/ALWAYS ILLNESS/INJURY
---------------	---

Was less interest in sex always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	YES
50.0	0.0	1	2	NO
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1386-1387

CF15_F LESS INTEREST IN SEX/ALWAYS MED/DRUG

When less interest in sex was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	YES
0.0	0.0	0	2	NO
	99.6	2,909	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1388-1389

CF15_G LESS INTEREST IN SEX/EVER MED/DRUGS

Was less interest in sex ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.4	1.1	31	1	YES
42.6	0.8	23	2	NO
	97.8	2,856	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1390-1391

CF15_H	LESS INTEREST IN SEX/ALWAYS OF MED/DRUG
---------------	--

Was less interest in sex always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.1	0.9	27	1	YES
12.9	0.1	4	2	NO
	98.6	2,879	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1392-1393

CF15_I	LESS INTEREST IN SEX/ALWAYS ILLNESS/INJURY
---------------	---

You said that you sometimes had less interest in sex when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had less interest in sex always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1394-1395

CF16 **LOST INTEREST IN THINGS/2 WEEKS/MORE**

Has there ever been 2 weeks or longer when you lost interest in most things like work or hobbies or things you usually liked to do for fun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	2.3	68	1	YES
78.4	8.5	247	2	NO
	88.9	2,597	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1396-1397

CF16_A **TOLD DR./LOSING INTEREST IN THINGS**

Did you tell a doctor about losing all interest in things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.1	4	1	YES
94.1	2.2	64	2	NO
	97.4	2,844	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1398-1399

CF16_B**DIAGNOSIS FOR LOSE INTEREST IN THINGS**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing you to lose all interest in things?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	PHYS. ILL/INJ
0.0	0.0	0	2	MED/DRUG/ALC
50.0	0.1	2	3	NERVES/ANXIETY/STRESS/DEPRESSION
25.0	0.0	1	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1400-1401

CF16_C**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO, NO EXAM, DK
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1402-1403

CF16_D	LOST INTEREST-THINGS/RESULT OF ILLNESS/INJURY
---------------	--

Was losing all interest in things ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.0	1	1	YES
98.5	2.2	64	2	NO
	97.5	2,847	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1404-1405

CF16_E	LOST INTEREST-THINGS/ALWAYS ILLNESS/INJURY
---------------	---

Was losing all interest in things always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	YES
50.0	0.0	1	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1406-1407

CF16_F**LOST INTEREST-THINGS/ALWAYS MED/DRUG**

When losing all interest in things was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	YES
0.0	0.0	0	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1408-1409

CF16_G**LOST INTEREST-THINGS/EVER MED/DRUGS**

Was losing all interest in things ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.0	1.7	49	1	YES
21.0	0.4	13	2	NO
	97.6	2,850	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1410-1411

CF16_H	LOST INTEREST-THINGS/ALWAYS MED/DRUG
---------------	---

Was losing all interest in things always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	1.5	44	1	YES
10.2	0.2	5	2	NO
	98.0	2,863	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1412-1413

CF16_I	LOST INTEREST-THINGS/ALWAYS PHYS INJURY
---------------	--

You said that you sometimes lost all interest in things when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you lost interest in things always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.7	2,912	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1414-1415

CF17	FELT WORTHLESS FOR 2 WEEKS/MORE
-------------	--

Has there ever been 2 weeks or more when nearly every day you felt worthless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	1.6	47	1	YES
85.1	9.2	268	2	NO
	88.9	2,597	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1416-1417

CF17_A	FELT SINFUL FOR 2 WEEKS/MORE
---------------	-------------------------------------

Has there ever been 2 weeks or more when nearly every day you felt sinful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	2.0	59	1	YES
81.3	8.8	257	2	NO
	88.9	2,596	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1418-1419

CF17_B	FELT GUILTY FOR 2 WEEKS/MORE
---------------	-------------------------------------

Has there ever been 2 weeks or more when nearly every day you felt guilty?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	3.0	89	1	YES
71.7	7.7	226	2	NO
	88.9	2,597	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1420-1421

CF18	REASON/FELT WORTHLESS/SINFUL/GUILTY
-------------	--

Was there any particular reason for feeling (worthless/sinful/guilty)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.6	2.9	84	1	YES
18.4	0.7	19	2	NO
	96.1	2,808	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1422-1423

CF19**FELT YOU NOT GOOD AS OTHERS/2 WKS/MORE**

Have there ever been 2 weeks or more when you felt that you were not as good as other people or inferior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	1.7	49	1	YES
84.4	9.1	266	2	NO
	88.9	2,597	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1424-1425

CF20**HAD LITTLE SELF-CONFIDENCE/2 WKS/MORE**

Has there ever been 2 weeks or longer when you had so little self-confidence that you wouldn't try to have your say about anything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	1.5	45	1	YES
85.7	9.2	270	2	NO
	88.9	2,597	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1426-1427

CF21 MORE TROUBLE CONCENTRATING/2 WEEKS/>

Has there ever been 2 weeks or more when nearly every day you had a lot more trouble concentrating than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	2.9	85	1	YES
73.0	7.9	230	2	NO
	88.9	2,597	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1428-1429

CF21_A TOLD DR./TROUBLE CONCENTRATING

Did you tell a doctor about trouble concentrating?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.1	2	1	YES
97.7	2.9	84	2	NO
	96.7	2,826	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1430-1431

CF21_B	DIAGNOSIS/TROUBLE CONCENTRATING
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing you trouble concentrating?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PHYS. ILL/INJ
0.0	0.0	0	2	MED/DRUG/ALC
100.0	0.1	2	3	NERVES/ANXIETY/STRESS/DEPRESSION
0.0	0.0	0	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1432-1433

CF21_C	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO, NO EXAM, DK
	99.7	2,912	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1434-1435

CF21_D	TROUBLE CONCENTRATING/EVER ILLNESS/INJURY
---------------	--

Was trouble concentrating ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.1	2	1	YES
97.6	2.8	82	2	NO
	96.8	2,828	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1436-1437

CF21_E	TROUBLE CONCENTRATING/ALWAYS ILLNESS/INJURY
---------------	--

Was trouble concentrating always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	2	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1438-1439

CF21_F**TROUBLE CONCENTRATING/ALWAYS MED/DRUG**

When trouble concentrating was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.2	5	1	YES
16.7	0.0	1	2	NO
	99.5	2,906	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1440-1441

CF21_G**TROUBLE CONCENTRATING/EVER MED/DRUG**

Was trouble concentrating ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	2.3	66	1	YES
15.4	0.4	12	2	NO
	97.0	2,833	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1442-1443

CF21_H	TROUBLE CONCENTRATING/ALWAYS MED/DRUG
---------------	--

Was trouble concentrating always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	2.0	59	1	YES
10.6	0.2	7	2	NO
	97.4	2,845	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1444-1445

CF21_I	TROUBLE CONCENTRATING/ALWAYS ILLNESS/INJURY
---------------	--

You said that you sometimes had trouble concentrating when you were not taking medication, drugs, alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had trouble concentrating always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1446-1447

CF22	THOUGHTS CAME MUCH SLOWER/2 WEEKS/>
-------------	---

Have you ever had 2 weeks or more when nearly every day your thoughts came much slower than usual or seemed mixed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	1.9	55	1	YES
82.5	8.9	259	2	NO
	88.9	2,597	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1448-1449

CF22_A	TOLD DR./THOUGHTS CAME MUCH SLOWER
---------------	---

Did you tell a doctor about thoughts coming slower or seeming mixed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	0.1	4	1	YES
92.7	1.7	51	2	NO
	97.8	2,856	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1450-1451

CF22_B

DIAGNOSIS/THOUGHTS CAME MUCH SLOWER

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your thoughts coming slower?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	PHYS. ILL/INJ
50.0	0.1	2	2	MED/DRUG/ALC
25.0	0.0	1	3	NERVES/ANXIETY/STRESS/DEPRESSION
0.0	0.0	0	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.5	2,907	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1452-1453

CF22_C

DID DR. FIND ANYTHING ABNORMAL

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO, NO EXAM, DK
	99.7	2,911	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1454-1455

CF22_D	HAD SLOWER THOUGHTS/EVER ILLNESS/INJURY
---------------	--

Was having slower thoughts ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.7	51	2	NO
	97.9	2,860	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1456-1457

CF22_E	HAD SLOWER THOUGHTS/ALWAYS ILLNESS/INJURY
---------------	--

Was having slower thoughts always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1458-1459

CF22_F HAD SLOWER THOUGHTS/ALWAYS MED/DRUG

When having slower thoughts was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	YES
33.3	0.0	1	2	NO
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1460-1461

CF22_G HAD SLOWER THOUGHTS/EVER MED/DRUG

Was having slower thoughts ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	1.4	42	1	YES
12.5	0.2	6	2	NO
	98.0	2,862	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1462-1463

CF22_H	HAD SLOWER THOUGHTS/ALWAYS MED/DRUG
---------------	--

Was having slower thoughts always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	1.4	42	1	YES
6.7	0.1	3	2	NO
	98.1	2,866	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1464-1465

CF22_I	HAD SLOWER THOUGHTS/ALWAYS ILLNESS/INJURY
---------------	--

You said that you sometimes had slower thoughts when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had slower thoughts always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1466-1467

CF23 **UNABLE TO MAKE UP YOUR MIND/2 WEEKS/>**

Have you ever had 2 weeks or more when nearly every day you were unable to make up your mind about things you ordinarily have no trouble deciding about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	1.4	40	1	YES
87.3	9.4	274	2	NO
	88.9	2,597	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1468-1469

CF23_A **TOLD DR./UNABLE TO MAKE UP YOUR MIND**

Did you tell a doctor about being unable to make up your mind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.1	3	1	YES
92.3	1.2	36	2	NO
	98.3	2,871	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1470-1471

CF23_B**DIAGNOSIS/UNABLE TO MAKE UP YOUR MIND**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your being unable to make up your mind?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	PHYS. ILL/INJ
33.3	0.0	1	2	MED/DRUG/ALC
33.3	0.0	1	3	NERVES/ANXIETY/STRESS/DEPRESSION
0.0	0.0	0	4	NOTHING/NO DEFINITE DIAGNOSIS
	99.5	2,907	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1472-1473

CF23_C**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO, NO EXAM, DK
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1474-1475

CF23_D	UNABLE TO MAKE UP MIND/EVER ILLNESS/INJURY
---------------	---

Was being unable to make up your mind ever the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.0	1	1	YES
97.2	1.2	35	2	NO
	98.4	2,874	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1476-1477

CF23_E	UNABLE TO MAKE UP MIND/ALWAYS ILLNESS/INJURY
---------------	---

Was being unable to make up your mind always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	YES
0.0	0.0	0	2	NO
	99.6	2,908	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1478-1479

CF23_F**UNABLE/MAKE UP MIND/ALWAYS MED/DRUG**

When being unable to make up your mind was not the result of a physical illness or injury, was it always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	99.6	2,909	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1480-1481

CF23_G**UNABLE/MAKE UP MIND/EVER MED/DRUG**

Was being unable to make up your mind ever the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.3	0.9	26	1	YES
25.7	0.3	9	2	NO
	98.4	2,875	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1482-1483

CF23_H UNABLE/MAKE UP MIND/ALWAYS MED/DRUG

Was being unable to make up your mind always the result of taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.3	0.9	26	1	YES
3.7	0.0	1	2	NO
	98.7	2,883	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1484-1485

CF23_I UNABLE TO MAKE UP MIND/ALWAYS ILLNESS/INJURY

You said that you sometimes were unable to make up your mind when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you were unable to make up your mind always the result of a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	99.6	2,909	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1486-1487

CF24**THOUGHT A LOT ABOUT DEATH/2 WEEKS/MORE**

Has there ever been a period of 2 weeks or more when you thought a lot about death - either your own, some one else's, or death in general?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	3.1	91	1	YES
71.2	7.7	225	2	NO
	88.9	2,596	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1488-1489

CF25**FELT LIKE YOU WANTED TO DIE/2 WKS/MORE**

Has there ever been a period of 2 weeks or more when you felt like you wanted to die?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	1.8	52	1	YES
83.6	9.1	265	2	NO
	88.8	2,595	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1490-1491

CF26 THOUGHT ABOUT COMMITTING SUICIDE/2 WKS/MORE

Have you ever felt so low you thought about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.6	2.8	81	1	YES
74.4	8.1	236	2	NO
	88.8	2,595	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1492-1493

CF27 EVER ATTEMPTED A SUICIDE

Have you ever committed suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	1.5	43	1	YES
86.4	9.3	273	2	NO
	88.8	2,595	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1494-1495

CF27_A_1

WHEN FIRST TIME YOU ATTEMPTED SUICIDE

When was the first time you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	0.1	3	1	WITHIN THE MONTH BEFORE ADMISSION
23.3	0.3	10	2	WITHIN THE PAST 12 MONTHS
69.8	1.0	30	3	MORE THAN 1 YEAR AGO
	98.2	2,868	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1496-1497

CF27A_M	MONTHS AGO FIRST ATTEMPTED SUICIDE
----------------	---

When was the first time you attempted suicide? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	0.1	3	0	
4.7	0.1	2	3	
2.3	0.0	1	4	
4.7	0.1	2	5	
2.3	0.0	1	6	
2.3	0.0	1	7	
7.0	0.1	3	8	
4.7	0.1	2	11	
4.7	0.1	2	12	
2.3	0.0	1	13	
2.3	0.0	1	15	
2.3	0.0	1	19	
2.3	0.0	1	20	
2.3	0.0	1	24	
2.3	0.0	1	25	
2.3	0.0	1	26	
2.3	0.0	1	28	
4.7	0.1	2	29	
2.3	0.0	1	33	
2.3	0.0	1	34	
2.3	0.0	1	40	
2.3	0.0	1	42	
2.3	0.0	1	43	
4.7	0.1	2	44	
2.3	0.0	1	45	
2.3	0.0	1	47	
2.3	0.0	1	55	
4.7	0.1	2	60	
2.3	0.0	1	70	
2.3	0.0	1	83	
2.3	0.0	1	91	
2.3	0.0	1	97	
	98.2	2,868	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3292-3293

CF27_B_1

WHEN LAST TIME YOU ATTEMPTED SUICIDE

When was the last time you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	0.2	7	1	WITHIN THE MONTH BEFORE ADMISSION
30.2	0.4	13	2	WITHIN THE PAST 12 MONTHS
53.5	0.8	23	3	MORE THAN 1 YEAR AGO
	98.2	2,868	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1498-1499

CF27B_M	MONTHS AGO LAST ATTEMPTED SUICIDE
----------------	--

When was the last time you attempted suicide? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	0.2	7	0	
2.3	0.0	1	1	
7.0	0.1	3	3	
2.3	0.0	1	4	
4.7	0.1	2	5	
2.3	0.0	1	6	
4.7	0.1	2	7	
7.0	0.1	3	8	
2.3	0.0	1	10	
4.7	0.1	2	11	
7.0	0.1	3	12	
2.3	0.0	1	13	
2.3	0.0	1	15	
2.3	0.0	1	20	
2.3	0.0	1	25	
2.3	0.0	1	26	
4.7	0.1	2	29	
2.3	0.0	1	34	
2.3	0.0	1	35	
2.3	0.0	1	40	
2.3	0.0	1	42	
4.7	0.1	2	44	
2.3	0.0	1	45	
2.3	0.0	1	59	
2.3	0.0	1	70	
2.3	0.0	1	97	
	98.2	2,868	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3294-3295

CF28**ITEMS CHECKED IN 3/> BOXES/T. SHEET F**

HAVE ITEMS BEEN CHECKED IN 3 OR MORE BOXES ON TALLY SHEET F, PART A?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	3.8	111	1	YES
65.1	7.1	207	2	NO
	88.8	2,594	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1500-1501

CF29**IS F1 OR F16 CHECKED ON T. SHEET F**

IS F1 OR F16 CHECKED ON TALLY SHEET F, PART A?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	2.6	76	1	YES
31.5	1.2	35	2	NO
	95.9	2,800	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1502-1503

CF30 DEPRESSION/OTHER PROBLEM/WITHIN SAME MONTH

You said you've had a period of feeling depressed or uninterested and also said you've had some other problems like (you/you had/you were) (READ BOXED ITEMS CHECKED ON TALLY SHEET F, PART A).

Has there ever been a time when the feelings of depression and some of these other problems occurred together - that is, within the same month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.3	2.0	58	1	YES
23.7	0.6	18	2	NO
	97.1	2,835	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1504-1505

CF30_A NEVER A PERIOD/DEPRESSED W/OTHER PROBLEM

So, there's never been a period when you felt depressed (or uninterested) at the same time you were having some of these other problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.9	0.5	15	1	NEVER BEEN A PERIOD
21.1	0.1	4	2	HAS BEEN A PERIOD
	99.0	2,892	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1506-1507

CF30_B**LAST FOR 2 WKS/>/DEPRESSED W/OTHER PROBLEM**

Did this period of feeling depressed or uninterested and at the same time having some of these other problems last for 2 weeks or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.3	0.8	24	1	YES
60.7	1.3	37	2	NO
	97.6	2,850	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1508-1509

CF30_C_1**FIRST TIME/2 WKS/>/DEPRESS W/OTHER PROBLEM**

When was the first time you had a period of 2 weeks or more when you had some of these problems (and also felt depressed or uninterested)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.0	1	1	WITHIN THE MONTH BEFORE ADMISSION
20.8	0.2	5	2	WITHIN THE PAST 12 MONTHS
75.0	0.6	18	3	MORE THAN 1 YEAR AGO
	98.8	2,887	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1510-1511

CF30C_M	MONTHS AGO FIRST FELT DEPRESSED
----------------	--

When was the first time you had a period of 2 weeks or more when you had some of these problems (and also felt depressed or uninterested)? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.0	1	0	
4.3	0.0	1	3	
4.3	0.0	1	4	
4.3	0.0	1	5	
4.3	0.0	1	6	
8.7	0.1	2	10	
4.3	0.0	1	13	
4.3	0.0	1	17	
4.3	0.0	1	21	
4.3	0.0	1	24	
4.3	0.0	1	26	
4.3	0.0	1	27	
4.3	0.0	1	30	
4.3	0.0	1	39	
4.3	0.0	1	42	
4.3	0.0	1	45	
4.3	0.0	1	61	
4.3	0.0	1	68	
4.3	0.0	1	85	
4.3	0.0	1	109	
4.3	0.0	1	130	
4.3	0.0	1	137	
	98.8	2,887	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3296-3298

CF30_D_1	LAST TIME/2 WKS/>/DEPRESSED W/OTHER PROBLEM
-----------------	---

What about the last time that you had 2 weeks or more when you had some of these problems and also felt depressed or uninterested? When did that last spell end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	0.4	13	1	WITHIN THE MONTH BEFORE ADMISSION
26.1	0.2	6	2	WITHIN THE PAST 12 MONTHS
17.4	0.1	4	3	MORE THAN 1 YEAR AGO
	98.8	2,887	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1512-1513

CF30D_M	MONTHS AGO DEPRESSED FEELING END
----------------	---

What about the last time that you had 2 weeks or more when you had some of these problems and also felt depressed or uninterested? When did that last spell end? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.1	0.4	13	0	
4.5	0.0	1	1	
9.1	0.1	2	3	
4.5	0.0	1	4	
4.5	0.0	1	5	
4.5	0.0	1	9	
4.5	0.0	1	10	
4.5	0.0	1	13	
4.5	0.0	1	30	
	98.8	2,887	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3299-3300

CF31 SEVERAL PROBLEM OCCURRED TOGETHER/SAME MONTH

You said you have had times when (you/you had/you were) (LIST BOXED ITEMS CHECKED ON TALLY SHEET F, PART A). Was there ever a time when several of these problems occurred together - that is, within the same month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	0.7	19	1	YES
52.5	0.7	21	2	NO
	97.7	2,854	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1514-1515

CF31_A FELT OKAY/GLOOMY/WHEN YOU HAD PROBLEMS

When you were having some of these problems, at about the same time were you feeling okay or were you feeling low, gloomy, blue, or uninterested in everything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	0.4	11	1	OKAY
42.1	0.3	8	2	GLOOMY, LOW, ETC.
	98.4	2,875	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1516-1517

CF31_B	FELT GLOOMY/W/PROBLEMS/LAST 2 WKS/>
---------------	---

Did this period of feeling gloomy, low, and at the same time having some of these other problems last 2 weeks or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	4	1	YES
50.0	0.1	4	2	NO
	98.8	2,886	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1518-1519

CF31_C_1	FIRST TIME/2 WKS/>/FELT LOW W/OTHER PROBLEM
-----------------	---

When was the first time you had a period of 2 weeks or more when you had several of these problems and also felt low, gloomy, or uninterested in everything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	WITHIN THE MONTH BEFORE ADMISSION
25.0	0.0	1	2	WITHIN THE PAST 12 MONTHS
75.0	0.1	3	3	MORE THAN 1 YEAR AGO
	98.9	2,890	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1520-1521

CF31C_M MONTHS AGO FIRST FELT GLOOMY

When was the first time you had a period of 2 weeks or more when you had several of these problems and also felt low, gloomy, or uninterested in everything? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	6	
25.0	0.0	1	13	
25.0	0.0	1	39	
25.0	0.0	1	42	
	98.9	2,890	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3301-3302

CF31_D_1 WHEN LAST SPELL END/FELT LOW/OTHER PROBLEM

What about the last time you had 2 weeks or more when you had several of these problems and also felt low, gloomy, or uninterested in everything? When did that last spell end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	WITHIN THE MONTH BEFORE ADMISSION
0.0	0.0	0	2	WITHIN THE PAST 12 MONTHS
33.3	0.0	1	3	MORE THAN 1 YEAR AGO
	98.9	2,890	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1522-1523

CF31D_M	MONTHS AGO GLOOMY FEELING END
----------------	--------------------------------------

What about the last time you had 2 weeks or more when you had several of these problems and also felt low, gloomy, or uninterested in everything? When did that last spell end? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	0	
33.3	0.0	1	13	
	98.9	2,890	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3303-3304

CF32_WKS	WEEKS LONGEST SPELL LAST
-----------------	---------------------------------

What's the longest spell you've ever had when you felt depressed (or uninterested) and had several of these other problems at the same time? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
99.2	99.2	2,897	0	
0.1	0.1	4	2	
0.0	0.0	1	3	
0.1	0.1	4	4	
0.1	0.1	3	9	
0.0	0.0	1	11	
0.1	0.1	3	13	
0.0	0.0	1	22	
0.1	0.1	3	26	
0.1	0.1	3	156	
0.0	0.0	1	416	
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3309-3311

CF33_1 FIRST TIME/FELT BLUE/PROBLEM/2 YR/>

When did you first have 2 years or more when you felt blue and had several of these other problems at the same time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	1	WITHIN THE MONTH BEFORE ADMISSION
0.0	0.0	0	2	WITHIN THE PAST 12 MONTHS
80.0	0.1	4	3	MORE THAN 1 YEAR AGO
	99.8	2,916	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1524-1525

CF33_M MONTHS AGO FIRST FELT BLUE

When did you first have 2 years or more when you felt blue and had several of these other problems at the same time? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	0	
20.0	0.0	1	38	
20.0	0.0	1	41	
20.0	0.0	1	42	
20.0	0.0	1	97	
	99.8	2,916	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3305-3306

CF33_A_1	LAST SPELL END/FELT BLUE/PROBLEM/2 YR/>
-----------------	---

What about the last time you had 2 years or more when you felt blue and had several of those other problems at the same time? When did that last spell end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	WITHIN THE MONTH BEFORE ADMISSION
0.0	0.0	0	2	WITHIN THE PAST 12 MONTHS
0.0	0.0	0	3	MORE THAN 1 YEAR AGO
	99.8	2,916	-9	LEGITIMATE NONRESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1526-1527

CF33A_M	MONTHS AGO BLUE FEELING END
----------------	------------------------------------

What about the last time you had 2 years or more when you felt blue and had several of those other problems at the same time? When did that last spell end? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	0	
	99.8	2,916	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3307-3308

CF33_B	FELT WORRIED/DEPRESSED SAME TIME
---------------	---

You said earlier that you have had a long period when you were anxious and worrying about several different things. Did this whole spell of feeling anxious and worried fall within a period when you were depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	YES
0.0	0.0	0	2	NO
	99.9	2,919	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1528-1529

CF34	#SPELL/FELT DEPRESSED/W PROBLEM/2 WKS/>
-------------	---

Now, I'd like to ask about spells when you felt both depressed and had some of these other problems like (READ ITEMS CHECKED IN A FEW OF THE BOXES ON TALLY SHEET F, PART A). In your lifetime, how many spells like that have you had that lasted 2 weeks or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.3	8	1	
8.3	0.1	2	2	
16.7	0.1	4	3	
4.2	0.0	1	5	
8.3	0.1	2	8	
4.2	0.0	1	15	
8.3	0.1	2	20	
8.3	0.1	2	25	
4.2	0.0	1	30	
4.2	0.0	1	78	
	99.2	2,897	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1530-1531

CF34_A	BETWEEN SPELLS/FELT OKAY FOR SOME MON
---------------	--

Between (any of) these spells, were you feeling okay at least for some months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	0.5	15	1	OKAY SOME MONTHS
11.8	0.1	2	2	NO
	99.4	2,904	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1532-1533

CF35	EVER IN HOSPITAL/SPELLS/FELT DEPRESSED
-------------	---

Were you ever in a hospital overnight because of (that spell/any of those spells) of feeling depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	4	1	YES
83.3	0.7	20	2	NO
	99.2	2,897	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1534-1535

CF36	TOLD DR. ABOUT SPELLS
-------------	------------------------------

Did you tell a doctor about (that spell/any of those spells)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.3	8	1	YES
60.0	0.4	12	2	NO
	99.3	2,901	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1536-1537

CF36_A TOLD OTHER PROFESSIONAL ABOUT SPELLS

Did you tell any other professional about (it/any of them)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	2	1	YES
83.3	0.3	10	2	NO
	99.6	2,909	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1538-1539

CF36_B TOOK MEDICATION >ONCE FOR SPELLS

Did you take medication more than once because of (that spell/ any of those spells)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	4	1	YES
80.0	0.5	16	2	NO
	99.3	2,901	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1540-1541

CF36_C SPELLS INTERFERE A LOT W/WORK/LIFE/ACTIVITIES

Did (that spell/any of those spells) interfere with your life, work, or activities a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	0.5	14	1	YES
30.0	0.2	6	2	NO
	99.3	2,901	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1542-1543

CF36_D**BAD SPELL KEPT YOU FROM WORK/FRIEND/RELATIVE**

Was any spell so bad that it kept you from working or from seeing friends or relatives?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	0.2	7	1	YES
65.0	0.4	13	2	NO
	99.3	2,901	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1544-1545

CF37**SPELL OCCUR/SOMEONE CLOSE TO YOU DIED**

Did (this spell/any of those spells) occur just after someone close to you died?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	0.4	11	1	YES
54.2	0.4	13	2	NO
	99.2	2,897	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1546-1547

CF37_A**SPELL W/OTHER PROBLEM/NOT AFTER A DEATH**

Have you had any spell of depression along with these other problems like (READ 3 BOXED ITEMS CHECKED ON TALLY SHEET F, PART A) at times when it wasn't just after a death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.7	0.3	8	1	YES, NOT ALL DUE TO DEATH
27.3	0.1	3	2	NO, ALL DUE TO DEATH
	99.6	2,910	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1548-1549

CF37_B LAST YEAR SPELL/DUE TO CLOSE ONE DYING

What about the spell or spells you had in the past 12 months -
(was that/were they all) due to someone close to you dying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.1	3	1	YES, ALL DUE TO DEATH
62.5	0.2	5	2	NO, NOT ALL DUE TO DEATH
	99.7	2,913	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1550-1551

CF38 >1 SPELL CODED IN F34/T. SHEET F

IS MORE THAN 1 SPELL CODED IN F34 (ON TALLY SHEET F, PART A)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.5	16	1	YES
33.3	0.3	8	2	NO
	99.2	2,897	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1552-1553

CF39 F32 ON T. SHEET F = LONGER THAN 52 WEEKS

DOES F32 ON TALLY SHEET F, PART A = LONGER THAN 52 WEEKS
(1 YEAR)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.0	1	1	YES
87.5	0.2	7	2	NO
	99.7	2,913	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1554-1555

CF40**AGE/DEPRESSED W/OTHER PROBLEM FOR 2 WKS**

Now, I'd like to know about the time when you were feeling depressed for at least 2 weeks and had the largest number of these other problems at the same time. How old were you at that time? [IF CAN'T CHOOSE:Then pick 1 bad spell.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.0	1	11	
5.9	0.0	1	12	
5.9	0.0	1	13	
11.8	0.1	2	14	
17.6	0.1	3	15	
5.9	0.0	1	16	
23.5	0.1	4	17	
23.5	0.1	4	18	
	99.4	2,904	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1556-1557

CF41_3**LOST YOUR APPETITE/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you lose your appetite?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	YES, OCCURRED DURING THIS SPELL
33.3	0.0	1	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1558-1559

CF41_4 **LOST WEIGHT/NO TRY/2 LBS A WEEK/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you lose weight without trying to, as much as 2 pounds a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	3	1	YES, OCCURRED DURING THIS SPELL
50.0	0.1	3	2	NO, DID NOT OCCUR THEN
	99.2	2,899	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1560-1561

CF41_5 **HAD AN INCREASE IN APPETITE/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have an increase in appetite?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	YES, OCCURRED DURING THIS SPELL
50.0	0.1	2	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.6	17	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1562-1563

CF41_6**EATING INCREASED/GAIN 2 LBS A WK/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did your eating increase so much that you gained as much as 2 pounds a week for several weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	YES, OCCURRED DURING THIS SPELL
33.3	0.0	1	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1564-1565

CF41_7**HAD TROUBLE FALLING ASLEEP/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have trouble falling asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	1	YES, OCCURRED DURING THIS SPELL
0.0	0.0	0	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.5	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1566-1567

CF41_8

HAD TROUBLE STAYING ASLEEP/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have trouble staying asleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	YES, OCCURRED DURING THIS SPELL
0.0	0.0	0	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1568-1569

CF41_9

TROUBLE WAKING UP TOO EARLY/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have trouble waking up too early?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES, OCCURRED DURING THIS SPELL
100.0	0.0	1	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.7	20	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1570-1571

CF41_10**WERE YOU SLEEPING TOO MUCH/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) were you sleeping too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.1	4	1	YES, OCCURRED DURING THIS SPELL
20.0	0.0	1	2	NO, DID NOT OCCUR THEN
	99.2	2,899	-9	LEGITIMATE NONRESPONSE
	0.6	17	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1572-1573

CF41_11**FELT TIRED OUT ALL THE TIME/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel tired out all of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.2	6	1	YES, OCCURRED DURING THIS SPELL
25.0	0.1	2	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1574-1575

CF41_12 FELT VERY BAD/WHEN GOT UP/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel very bad when you got up but felt better later in the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	4	1	YES, OCCURRED DURING THIS SPELL
33.3	0.1	2	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.5	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1576-1577

CF41_13 TALK/MOVE MORE SLOW THAN NORMAL/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you talk or move more slowly than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.1	3	1	YES, OCCURRED DURING THIS SPELL
40.0	0.1	2	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1578-1579

CF41_14**YOU HAD TO BE MOVING ALL THE TIME/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have to be moving all of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.1	3	1	YES, OCCURRED DURING THIS SPELL
57.1	0.1	4	2	NO, DID NOT OCCUR THEN
	99.2	2,899	-9	LEGITIMATE NONRESPONSE
	0.5	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1580-1581

CF41_15**LESS INTEREST IN SEX THAN USUAL/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) was your interest in sex a lot less than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	YES, OCCURRED DURING THIS SPELL
50.0	0.0	1	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1582-1583

CF41_16

LOST INTEREST IN FUN THINGS/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you lose all interest in things like work or hobbies or things you usually liked to do for fun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	1	YES, OCCURRED DURING THIS SPELL
0.0	0.0	0	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1584-1585

CF41_17

DID YOU FEEL WORTHLESS/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel worthless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.3	10	1	YES, OCCURRED DURING THIS SPELL
9.1	0.0	1	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1586-1587

CF41_17A	DID YOU FEEL SINFUL/SPELL
-----------------	----------------------------------

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel sinful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.3	10	1	YES, OCCURRED DURING THIS SPELL
9.1	0.0	1	2	NO, DID NOT OCCUR THEN
	99.2	2,899	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1588-1589

CF41_17B	DID YOU FEEL GUILTY/SPELL
-----------------	----------------------------------

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel guilty?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	0.5	15	1	YES, OCCURRED DURING THIS SPELL
11.8	0.1	2	2	NO, DID NOT OCCUR THEN
	99.2	2,898	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1590-1591

CF41_19 DID YOU FEEL INFERIOR/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel inferior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	13	1	YES, OCCURRED DURING THIS SPELL
0.0	0.0	0	2	NO, DID NOT OCCUR THEN
	99.2	2,899	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1592-1593

CF41_20 HAD LITTLE SELF-CONFIDENCE/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have little self-confidence?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	0.5	14	1	YES, OCCURRED DURING THIS SPELL
6.7	0.0	1	2	NO, DID NOT OCCUR THEN
	99.2	2,899	-9	LEGITIMATE NONRESPONSE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1594-1595

CF41_21**HAD LOT TROUBLE CONCENTRATING/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you have a lot more trouble concentrating than is normal for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	6	1	YES, OCCURRED DURING THIS SPELL
0.0	0.0	0	2	NO, DID NOT OCCUR THEN
	99.2	2,899	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1596-1597

CF41_22**THOUGHTS CAME MUCH SLOWER/MIXED/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did your thoughts come much slower or seem mixed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	YES, OCCURRED DURING THIS SPELL
0.0	0.0	0	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1598-1599

CF41_23**UNABLE TO MAKE UP YOUR MIND/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) were you unable to make up your mind about things you ordinarily have no trouble deciding about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	4	1	YES, OCCURRED DURING THIS SPELL
0.0	0.0	0	2	NO, DID NOT OCCUR THEN
	99.2	2,899	-9	LEGITIMATE NONRESPONSE
	0.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1600-1601

CF41_24**THOUGHT A LOT ABOUT DEATH/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you think a lot about death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	0.5	15	1	YES, OCCURRED DURING THIS SPELL
6.2	0.0	1	2	NO, DID NOT OCCUR THEN
	99.2	2,899	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1602-1603

CF41_25**FELT LIKE YOU WANTED TO DIE/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel like you wanted to die?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	0.3	10	1	YES, OCCURRED DURING THIS SPELL
16.7	0.1	2	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1604-1605

CF41_26**THOUGHT ABOUT COMMITTING SUICIDE/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you feel so low you thought about committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.4	12	1	YES, OCCURRED DURING THIS SPELL
20.0	0.1	3	2	NO, DID NOT OCCUR THEN
	99.3	2,900	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1606-1607

CF41_27 DID YOU ATTEMPT SUICIDE/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression. For instance, during (this/that) spell (when you were (AGE IN F40) years old) did you attempt suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	4	1	YES, OCCURRED DURING THIS SPELL
50.0	0.1	4	2	NO, DID NOT OCCUR THEN
	99.2	2,899	-9	LEGITIMATE NONRESPONSE
	0.5	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1608-1609

CF42 IN LIFE/2 WEEK/>/FELT VERY SAD EVERY DAY

Now I'm going to change the subject a bit and ask about some other feelings kids sometimes have. I'm going to start off asking you about depression and feeling sad. In your lifetime, have you ever had 2 weeks or more when nearly every day you felt very sad?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.3	35.0	1,022	1	YES
60.7	54.0	1,576	2	NO
	11.0	322	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1610-1611

CF42_A	WHEN FELT VERY SAD/IT LAST MOST OF DAY
---------------	---

When you feel sad this way, does it last most of the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	27.0	788	1	YES
22.4	7.8	228	2	NO
	54.0	1,576	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1612-1613

CF43	BEEN VERY SAD A LOT OF TIME FOR A YEAR
-------------	---

Would you say you have been very sad a lot of the time for as long as a year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	11.8	346	1	YES
86.6	76.8	2,242	2	NO
	11.4	333	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1614-1615

CF43_A	BEEN VERY SAD MOST OF TIME FOR A YEAR
---------------	--

Would you say most of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	8.9	259	1	YES
25.6	3.0	89	2	NO
	76.7	2,240	-9	LEGITIMATE NONRESPONSE
	11.4	333	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1616-1617

CF43_B **BEEN VERY SAD MOST OF TIME FOR 2 YEARS**

Were you very sad most of the time for as long as 2 years?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	3.7	109	1	YES
57.9	5.1	150	2	NO
	79.7	2,327	-9	LEGITIMATE NONRESPONSE
	11.4	333	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1618-1619

CF43_C **TOLD DR./FEELING VERY SAD FOR 1 OR 2 YR**

Did you tell a doctor about this (1 year/2 year) [IF 01 IS CIRCLED IN BOTH F43a AND F43b, SAY "2 YEAR"; IF 01 IS CIRCLED ONLY IN F43a, SAY "1 YEAR"] period of feeling very sad most of the time? The term "doctor" includes psychiatrists, other medical doctors, osteopaths, and students in training to be medical doctors or osteopaths, nurse practitioners, and physicians' assistants.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	3.9	113	1	YES
56.0	4.9	144	2	NO
	79.7	2,329	-9	LEGITIMATE NONRESPONSE
	11.5	335	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1620-1621

CF43_D**TOLD PROFESSIONAL/FELT VERY SAD 1 / 2 YR**

Did you tell any other professional about this (1 year/2 year) period of feeling very sad most of the time? The term "other professional" includes psychologists, social workers, guidance counselors, nurses, clergy, dentists, chiropractors, and podiatrists.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	1.0	29	1	YES
80.0	4.0	116	2	NO
	83.6	2,441	-9	LEGITIMATE NONRESPONSE
	11.5	335	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1622-1623

CF43_E**TOOK >1 MEDICATION/FEEL VERY SAD MOSTLY**

Did you more than once take medication for this (1 year/2 year) period of feeling very sad most of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	0.4	12	1	YES
89.8	3.6	106	2	NO
	84.5	2,468	-9	LEGITIMATE NONRESPONSE
	11.5	335	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1624-1625

CF43_F**FELT VERY SAD INTERFERE W/LIFE/ACTIVITY**

Did this (1 year/2 year) period of feeling very sad most of the time interfere with your life or activities a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	2.1	62	1	YES
42.1	1.5	45	2	NO
	84.9	2,479	-9	LEGITIMATE NONRESPONSE
	11.5	335	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1626-1627

CF43_G_1**FIRST PERIOD BEGIN/VERY SAD 1 OR 2 YEARS**

When did the first (1 year/2 year) period of feeling very sad most of the time begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	2	1	WITHIN THE MONTH BEFORE ADMISSION
8.2	0.7	21	2	WITHIN THE PAST 12 MONTHS
91.0	8.0	233	3	MORE THAN 1 YEAR AGO
	79.7	2,327	-9	LEGITIMATE NONRESPONSE
	11.5	337	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1628-1629

CF43G_M**MONTHS AGO FIRST FELT SAD**

When did the first (1 year/2 year) period of feeling very sad most of the time begin? (recode)

2,921 cases (Range of valid codes: 0-178)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3312-3314

CF43_H_1	WHEN/LAST PERIOD END/VERY SAD 1 OR 2 YR
-----------------	--

When did the last (1 year/2 year) period of feeling very sad most of the time end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.0	4.0	118	1	WITHIN THE MONTH BEFORE ADMISSION
15.9	1.1	33	2	WITHIN THE PAST 12 MONTHS
27.1	1.9	56	3	MORE THAN 1 YEAR AGO
	79.7	2,329	-9	LEGITIMATE NONRESPONSE
	12.0	350	-8	MISSING
	1.1	31	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1630-1631

CF43H_M	MONTHS AGO SAD FEELING END
----------------	-----------------------------------

When did the last (1 year/2 year) period of feeling very sad most of the time end? (recode)

2,921 cases (Range of valid codes: 0-130)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3318-3320

CF43_I	FREQUENT FELT HOPELESS DURING 1 OR 2 YR
---------------	--

Did you frequently feel hopeless during this (1 year/2 year) period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	7.3	212	1	YES
16.9	1.5	43	2	NO
	79.7	2,328	-9	LEGITIMATE NONRESPONSE
	11.5	337	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1632-1633

CF44 GROUCHY 2 WEEKS/MORE EVERY DAY/IN LIFE

In your lifetime, have you ever had 2 weeks or more when nearly every day you were grouchy or irritable, often in a bad mood, so that even little things would make you mad?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.0	33.8	987	1	YES
62.0	55.0	1,608	2	NO
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1634-1635

CF44_A WHEN GROUCHY DOES IT LAST MOST OF DAY

When you are grouchy like this, does it last most of the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	23.1	676	1	YES
30.7	10.2	299	2	NO
	55.0	1,607	-9	LEGITIMATE NONRESPONSE
	11.6	338	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1636-1637

CF45**BEEN GROUCHY LOT OF TIME FOR 1 YEAR**

Would you say you have been grouchy or irritable, often in a bad mood a lot of the time for as long as a year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	6.8	198	1	YES
92.2	80.3	2,346	2	NO
	12.9	377	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1638-1639

CF45_A**BEEN GROUCHY MOST OF TIME**

Would you say most of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	5.2	152	1	YES
25.1	1.7	51	2	NO
	80.2	2,344	-9	LEGITIMATE NONRESPONSE
	12.8	374	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1640-1641

CF45_B **BEEN GROUCHY MOST OF TIME FOR 2 YEARS**

Were you grouchy or irritable, often in a bad mood most of the time for 2 years?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	1.9	56	1	YES
63.4	3.3	97	2	NO
	82.0	2,394	-9	LEGITIMATE NONRESPONSE
	12.8	374	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1642-1643

CF45_C **TOLD DR./FEELING GROUCHY FOR 1 OR 2 YR**

Did you tell a doctor about this (1 year/2 year) period of feeling grouchy or irritable, often in a bad mood?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	1.1	31	1	YES
79.5	4.1	120	2	NO
	82.0	2,395	-9	LEGITIMATE NONRESPONSE
	12.8	375	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1644-1645

CF45_D**TOLD PROFESSIONAL/FELT GROUCHY 1 / 2 YR**

Did you tell any other professional' about this (1 year/2 year) period of feeling grouchy or irritable, often in a bad mood?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.7	19	1	YES
84.2	3.5	101	2	NO
	83.1	2,426	-9	LEGITIMATE NONRESPONSE
	12.8	375	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1646-1647

CF45_E**TOOK >1 MEDICATION/OFTEN FELT GROUCHY**

Did you more than once take medication for this (1 year/2 year) period of feeling grouchy or irritable, often in a bad mood?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	0.3	9	1	YES
91.2	3.2	93	2	NO
	83.7	2,444	-9	LEGITIMATE NONRESPONSE
	12.8	375	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1648-1649

CF45_F FELT GROUCHY/INTERFERE W/LIFE/ACTIVITY

Did this (1 year/2 year) period of feeling grouchy or irritable, often in a bad mood interfere with your life or activities a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	1.9	55	1	YES
42.1	1.4	40	2	NO
	83.9	2,451	-9	LEGITIMATE NONRESPONSE
	12.8	375	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1650-1651

CF45_G_1 FIRST PERIOD BEGIN/GROUCHY 1 OR 2 YEARS

When did the first (1 year/2 year) period of feeling grouchy most of the time begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.1	2	1	WITHIN THE MONTH BEFORE ADMISSION
11.5	0.6	17	2	WITHIN THE PAST 12 MONTHS
87.2	4.4	129	3	MORE THAN 1 YEAR AGO
	82.0	2,395	-9	LEGITIMATE NONRESPONSE
	12.9	377	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1652-1653

CF45G_M MONTHS AGO FIRST FELT GROUCHY

When did the first (1 year/2 year) period of feeling grouchy most of the time begin? (recode)

2,921 cases (Range of valid codes: 0-161)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3315-3317

CF45_H_1

WHEN/LAST PERIOD END/GROUCHY 1 OR 2 YR

When did the last (1 year/2 year) period of feeling grouchy most of the time end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	3.0	89	1	WITHIN THE MONTH BEFORE ADMISSION
11.9	0.5	15	2	WITHIN THE PAST 12 MONTHS
17.5	0.8	22	3	MORE THAN 1 YEAR AGO
	81.9	2,391	-9	LEGITIMATE NONRESPONSE
	13.2	385	-8	MISSING
	0.5	15	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1654-1655

CF45H_M	MONTHS AGO GROUCHY FEELING END
----------------	---------------------------------------

When did the last (1 year/2 year) period of feeling grouchy most of the time end? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	3.0	89	0	
1.6	0.1	2	1	
3.3	0.1	4	2	
0.8	0.0	1	3	
1.6	0.1	2	5	
2.5	0.1	3	6	
2.5	0.1	3	7	
2.5	0.1	3	8	
0.8	0.0	1	10	
1.6	0.1	2	11	
0.8	0.0	1	13	
2.5	0.1	3	14	
0.8	0.0	1	18	
0.8	0.0	1	21	
0.8	0.0	1	23	
0.8	0.0	1	25	
1.6	0.1	2	26	
0.8	0.0	1	29	
0.8	0.0	1	49	
	81.9	2,391	-9	LEGITIMATE NONRESPONSE
	14.0	408	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3321-3322

CF45_I	FREQUENT FELT HOPELESS DURING 1 OR 2 YR
---------------	--

Did you frequently feel hopeless during this (1 year/2 year) period?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.1	3.2	94	1	YES
36.9	1.9	55	2	NO
	82.0	2,395	-9	LEGITIMATE NONRESPONSE
	12.9	377	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1656-1657

CF46**DID NOT FEEL LIKE EATING FOR 2 WEEK/>**

Has there ever been a period of 2 weeks or longer when most days you often did not feel very much like eating?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	22.2	649	1	YES
75.0	66.7	1,949	2	NO
	11.0	322	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1658-1659

CF46_A**DID NOT FEEL LIKE EAT/EVER PHYS ILLNESS/INJURY**

When you did not feel very much like eating, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	2.0	59	1	YES
90.9	20.3	592	2	NO
	66.7	1,948	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1660-1661

CF46_B NOT FEEL LIKE EAT/ALWAYS PHYS ILLNESS/INJURY

When you did not feel very much like eating, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	0.9	27	1	YES
55.0	1.1	33	2	NO
	86.9	2,539	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1662-1663

CF46_C NOT FEEL LIKE EATING/EVER MED/DRUG

When you did not feel very much like eating, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	12.0	350	1	YES
46.2	10.3	300	2	NO
	66.7	1,948	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1664-1665

CF46_D	NOT FEEL LIKE EATING/ALWAYS MED/DRUG
---------------	---

When you did not feel very much like eating, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	8.2	240	1	YES
31.2	3.7	109	2	NO
	77.0	2,248	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1666-1667

CF46_E	NOT FEEL LIKE EAT/ALWAYS PHYS ILLNESS/INJURY
---------------	---

You said that you sometimes did not feel very much like eating when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you did not feel very much like eating always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	0.2	5	1	YES
92.8	2.2	64	2	NO
	78.3	2,288	-9	LEGITIMATE NONRESPONSE
	19.3	564	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1668-1669

CF46_F	TOLD DR. ABOUT DID NOT FEEL LIKE EATING
---------------	--

Did you tell a doctor about your not feeling like eating?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	3.6	106	1	YES
83.7	18.6	543	2	NO
	66.7	1,948	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1670-1671

CF46_G	DIAGNOSIS FOR DID NOT FEEL LIKE EATING
---------------	---

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your not feeling like eating?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	0.6	18	1	PHYS. ILL/INJ
11.4	0.4	12	2	MED/DRUG/ALC
49.5	1.8	52	3	NERVES/ANXIETY/STRESS/DEPRESSION
21.9	0.8	23	4	NOTHING/NO DEFINITE DIAGNOSIS
	85.3	2,491	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1672-1673

CF46_H **DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	0.1	2	1	YES
92.6	0.9	25	2	NO, NO EXAM, DK
	87.9	2,569	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1674-1675

CF47 **EVER LOST A LOT OF WEIGHT**

Have you ever lost a lot of weight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	21.1	616	1	YES
76.3	67.9	1,983	2	NO
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1676-1677

CF47_A **WERE YOU ON DIET/TRY TO LOSE WEIGHT**

Were you on a diet or trying to lose weight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	4.9	142	1	YES
76.9	16.2	474	2	NO
	67.9	1,983	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1678-1679

CF47_B	LOST SO MUCH WEIGHT/OTHER PEOPLE NOTICED
---------------	---

Did you lose so much weight that other people noticed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	17.6	515	1	YES
16.0	3.4	98	2	NO
	67.9	1,983	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1680-1681

CF47_C	LOST LOT OF WEIGHT/EVER PHYS ILLNESS/INJURY
---------------	--

When you lost a lot of weight, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	1.9	55	1	YES
91.1	19.2	561	2	NO
	67.9	1,983	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1682-1683

CF47_D**LOST LOT OF WEIGHT/ALWAYS PHYS ILLNESS/INJURY**

When you lost a lot of weight, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	1.1	33	1	YES
40.0	0.8	22	2	NO
	87.0	2,542	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1684-1685

CF47_E**LOST LOT OF WEIGHT/EVER RESULT MED/DRUG**

When you lost a lot of weight, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.0	12.4	361	1	YES
41.0	8.6	251	2	NO
	67.9	1,983	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1686-1687

CF47_F**LOST LOT OF WEIGHT/ALWAYS MED/DRUG**

When you lost a lot of weight, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.5	10.1	296	1	YES
18.5	2.3	67	2	NO
	76.4	2,233	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1688-1689

CF47_G**LOST LOT OF WEIGHT/ALWAYS PHYS ILLNESS/INJURY**

You said that you sometimes lost a lot of weight when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you lost a lot of weight always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.2	6	1	YES
87.5	1.4	42	2	NO
	86.6	2,529	-9	LEGITIMATE NONRESPONSE
	11.8	344	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1690-1691

CF47_H	TOLD DR. ABOUT LOSING WEIGHT W/OUT TRY
---------------	---

Did you tell a doctor about losing weight without trying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	3.1	90	1	YES
85.3	17.9	523	2	NO
	67.9	1,983	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1692-1693

CF47_I	DIAGNOSIS FOR CAUSING WEIGHT LOSS
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing the loss of weight?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	0.9	27	1	PHYS. ILL/INJ
24.7	0.8	22	2	MED/DRUG/ALC
29.2	0.9	26	3	NERVES/ANXIETY/STRESS/DEPRESSION
15.7	0.5	14	4	NOTHING/NO DEFINITE DIAGNOSIS
	85.8	2,506	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1694-1695

CF47_J DID DR. FIND ANYTHING ABNORMAL

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	0.1	2	1	YES
89.5	0.6	17	2	NO, NO EXAM, DK
	88.2	2,577	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1696-1697

CF48 MOST DAYS/WANT TO EAT MORE FOR 2 WEEK/>

Has there ever been at least 2 weeks when most days you often wanted to eat more than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	33.1	966	1	YES
62.8	55.7	1,628	2	NO
	11.2	326	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1698-1699

CF48_A**WANTED TO EAT MORE/EVER HAD PHYS ILLNESS/INJURY**

When you wanted to eat more than usual, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.4	11	1	YES
98.9	32.5	948	2	NO
	55.7	1,628	-9	LEGITIMATE NONRESPONSE
	11.4	334	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1700-1701

CF48_B**WANTED TO EAT MORE/ALWAYS PHYS ILLNESS/INJURY**

When you wanted to eat more than usual, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	6	1	YES
50.0	0.2	6	2	NO
	88.1	2,574	-9	LEGITIMATE NONRESPONSE
	11.5	335	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1702-1703

CF48_C	WANTED TO EAT MORE/EVER RESULT MED/DRUG
---------------	--

When you wanted to eat more than usual, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.1	20.7	605	1	YES
36.9	12.1	354	2	NO
	55.7	1,627	-9	LEGITIMATE NONRESPONSE
	11.5	335	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1704-1705

CF48_D	WANT TO EAT MORE/ALWAYS RESULT MED/DRUG
---------------	--

When you wanted to eat more than usual, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	16.9	495	1	YES
18.7	3.9	114	2	NO
	67.8	1,980	-9	LEGITIMATE NONRESPONSE
	11.4	332	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1706-1707

CF48_E**WANTED TO EAT MORE/ALWAYS PHYS ILLNESS/INJURY**

You said that you sometimes wanted to eat more than usual when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you wanted to eat more than usual always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.1	3	1	YES
96.4	2.8	81	2	NO
	69.0	2,015	-9	LEGITIMATE NONRESPONSE
	28.1	822	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1708-1709

CF48_F**TOLD DR. ABOUT YOUR WANTING TO EAT MORE**

Did you tell a doctor about your wanting to eat more than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	1.6	46	1	YES
95.2	31.4	918	2	NO
	55.7	1,627	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1710-1711

CF48_G	DIAGNOSIS FOR WANTING TO EAT MORE
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your wanting to eat more than usual?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	0.3	8	1	PHYS. ILL/INJ
26.1	0.4	12	2	MED/DRUG/ALC
26.1	0.4	12	3	NERVES/ANXIETY/STRESS/DEPRESSION
30.4	0.5	14	4	NOTHING/NO DEFINITE DIAGNOSIS
	87.1	2,545	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1712-1713

CF48_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.5	15	2	NO, NO EXAM, DK
	88.2	2,576	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1714-1715

CF49	EVER GAINED A LOT OF WEIGHT
-------------	------------------------------------

Have you ever had a period when you gained a lot of weight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	19.0	556	1	YES
78.6	70.0	2,045	2	NO
	11.0	320	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1716-1717

CF49_A	WERE YOU TRYING TO GAIN WEIGHT
---------------	---------------------------------------

Were you trying to gain weight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	5.0	147	1	YES
73.6	14.0	409	2	NO
	70.0	2,045	-9	LEGITIMATE NONRESPONSE
	11.0	320	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1718-1719

CF49_B	GAIN SO MUCH WEIGHT/PEOPLE SAID/PROBLEM
---------------	--

Did you gain so much weight that other people said it was a problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	4.2	124	1	YES
77.7	14.8	431	2	NO
	70.0	2,045	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1720-1721

CF49_C	GAIN SO MUCH WEIGHT/EVER PHYS ILLNESS/INJURY
---------------	---

When you gained a lot of weight, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.4	12	1	YES
97.8	18.7	545	2	NO
	70.0	2,044	-9	LEGITIMATE NONRESPONSE
	11.0	320	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1722-1723

CF49_D	GAIN SO MUCH WEIGHT/ALWAYS PHYS ILLNESS/INJURY
---------------	---

When you gained a lot of weight, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.3	0.4	11	1	YES
26.7	0.1	4	2	NO
	88.6	2,587	-9	LEGITIMATE NONRESPONSE
	10.9	319	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1724-1725

CF49_E	GAIN SO MUCH WEIGHT/EVER RESULT MED/DRUG
---------------	---

When you gained a lot of weight, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.5	6.9	202	1	YES
63.5	12.1	352	2	NO
	70.0	2,045	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1726-1727

CF49_F	GAIN SO MUCH WEIGHT/ALWAYS MED/DRUG
---------------	--

When you gained a lot of weight, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	5.6	165	1	YES
18.3	1.3	37	2	NO
	82.0	2,396	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1728-1729

CF49_G

GAIN SO MUCH WEIGHT/ALWAYS PHYS ILLNESS/INJURY

You said that you sometimes gained a lot of weight when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you gained a lot of weight always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.0	1	1	YES
97.0	1.1	32	2	NO
	87.5	2,557	-9	LEGITIMATE NONRESPONSE
	11.3	331	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1730-1731

CF49_H

TOLD DR. ABOUT WEIGHT GAIN

Did you tell a doctor about this weight gain?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	1.7	51	1	YES
90.8	17.3	504	2	NO
	70.0	2,045	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1732-1733

CF49_I	DIAGNOSIS FOR WEIGHT GAIN
---------------	----------------------------------

When you told the doctor, what was the diagnosis? (What did the doctor say was causing this weight gain?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	0.5	16	1	PHYS. ILL/INJ
22.6	0.4	12	2	MED/DRUG/ALC
11.3	0.2	6	3	NERVES/ANXIETY/STRESS/DEPRESSION
35.8	0.7	19	4	NOTHING/NO DEFINITE DIAGNOSIS
	87.2	2,547	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1734-1735

CF49_J	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.7	20	2	NO, NO EXAM, DK
	88.3	2,580	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1736-1737

CF50 MORE TROUBLE SLEEPING/2 WEEKS/MORE

Have you ever had 2 weeks or more when most nights you had more trouble sleeping than usual, that is, more trouble than usual falling asleep or staying asleep or waking up too early?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.2	29.5	862	1	YES
66.8	59.5	1,738	2	NO
	11.0	320	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1738-1739

CF50_A TROUBLE SLEEPING/EVER HAD ILLNESS/INJURY

When you had more trouble sleeping than usual, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	2.0	59	1	YES
93.2	27.6	806	2	NO
	59.5	1,738	-9	LEGITIMATE NONRESPONSE
	10.9	318	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1740-1741

CF50_B**TROUBLE SLEEPING/ALWAYS RESULT ILLNESS/INJURY**

When you had more trouble sleeping than usual, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	0.9	27	1	YES
55.0	1.1	33	2	NO
	87.0	2,541	-9	LEGITIMATE NONRESPONSE
	11.0	320	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1742-1743

CF50_C**TROUBLE SLEEPING/EVER RESULT MED/DRUG**

When you had more trouble sleeping than usual, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	14.2	416	1	YES
51.5	15.1	441	2	NO
	59.5	1,738	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1744-1745

CF50_D	TROUBLE SLEEPING/ALWAYS RESULT MED/DRUG
---------------	--

When you had more trouble sleeping than usual, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	9.6	279	1	YES
33.1	4.7	138	2	NO
	74.6	2,178	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1746-1747

CF50_E	TROUBLE SLEEPING/ALWAYS HAD ILLNESS/INJURY
---------------	---

You said that you sometimes had more trouble sleeping than usual when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had more trouble sleeping than usual always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	0.2	5	1	YES
95.1	3.4	98	2	NO
	75.9	2,217	-9	LEGITIMATE NONRESPONSE
	20.6	601	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1748-1749

CF50_F	TOLD DR. ABOUT YOUR TROUBLE SLEEPING
---------------	---

Did you tell a doctor about your trouble sleeping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	5.3	155	1	YES
82.1	24.3	709	2	NO
	59.5	1,738	-9	LEGITIMATE NONRESPONSE
	10.9	319	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1750-1751

CF50_G	DIAGNOSIS FOR TROUBLE SLEEPING
---------------	---------------------------------------

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your trouble sleeping?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	0.4	11	1	PHYS. ILL/INJ
12.9	0.7	19	2	MED/DRUG/ALC
49.7	2.5	73	3	NERVES/ANXIETY/STRESS/DEPRESSION
29.9	1.5	44	4	NOTHING/NO DEFINITE DIAGNOSIS
	83.8	2,447	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1752-1753

CF50_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	2	1	YES
96.3	1.8	52	2	NO, NO EXAM, DK
	87.2	2,546	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1754-1755

CF51	SLEPT A LOT MORE FOR 2 WEEKS OR MORE
-------------	---

Have you ever had 2 weeks or more when you slept a lot more than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	32.1	939	1	YES
63.9	56.9	1,663	2	NO
	10.9	319	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1756-1757

CF51_A**SLEPT A LOT MORE/EVER HAD ILLNESS/INJURY**

When you slept a lot more than usual, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	2.9	85	1	YES
90.9	29.0	847	2	NO
	56.9	1,663	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1758-1759

CF51_B**SLEPT A LOT MORE/ALWAYS HAD ILLNESS/INJURY**

When you slept a lot more than usual, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.9	1.6	48	1	YES
46.1	1.4	41	2	NO
	85.9	2,509	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1760-1761

CF51_C**SLEPT A LOT MORE/EVER RESULT MED/DRUGS**

When you slept a lot more than usual, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	20.2	591	1	YES
36.4	11.6	338	2	NO
	56.9	1,663	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1762-1763

CF51_D**SLEPT A LOT MORE/ALWAYS RESULT MED/DRUGS**

When you slept a lot more than usual, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.3	15.8	461	1	YES
22.7	4.6	135	2	NO
	68.5	2,001	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1764-1765

CF51_E

SLEPT A LOT MORE/ALWAYS HAD ILLNESS/INJURY

You said that you sometimes slept a lot more than usual when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you slept a lot more than usual always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	0.4	13	1	YES
87.7	3.2	93	2	NO
	69.7	2,035	-9	LEGITIMATE NONRESPONSE
	26.7	780	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1766-1767

CF51_F	TOLD DR. ABOUT SLEEPING TOO MUCH
---------------	---

Did you tell a doctor about sleeping too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	2.5	72	1	YES
92.3	29.6	864	2	NO
	56.9	1,663	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1768-1769

CF51_G	DIAGNOSIS FOR SLEEPING TOO MUCH
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your sleeping too much?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	0.7	21	1	PHYS. ILL/INJ
18.3	0.4	13	2	MED/DRUG/ALC
33.8	0.8	24	3	NERVES/ANXIETY/STRESS/DEPRESSION
18.3	0.4	13	4	NOTHING/NO DEFINITE DIAGNOSIS
	86.5	2,527	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1770-1771

CF51_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.0	1	1	YES
92.9	0.4	13	2	NO, NO EXAM, DK
	88.5	2,584	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1772-1773

CF52	TALKED/MOVED A LOT LESS/2 WEEKS OR MORE
-------------	--

Has there ever been 2 weeks or more when most days you definitely talked or moved around a lot less than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	20.4	596	1	YES
77.1	68.7	2,006	2	NO
	10.9	319	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1774-1775

CF52_A	TALKED/MOVED SO LITTLE/PEOPLE NOTICED
---------------	--

Did you talk or move around so little that other people noticed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	12.2	356	1	YES
38.8	7.7	226	2	NO
	68.7	2,006	-9	LEGITIMATE NONRESPONSE
	11.4	332	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1776-1777

CF52_B	TALKED/MOVED LOT LESS/EVER HAD ILLNESS/INJURY
---------------	--

When you talked or moved around a lot less than usual, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	1.7	49	1	YES
91.7	18.6	542	2	NO
	68.7	2,006	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1778-1779

CF52_C	TALKED/MOVED LOT LESS/ALWAYS HAD ILLNESS/INJURY
---------------	--

When you talked or moved around a lot less than usual, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	0.8	23	1	YES
54.0	0.9	27	2	NO
	87.2	2,546	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1780-1781

CF52_D	TALKED/MOVED LOT LESS/EVER MED/DRUGS
---------------	---

When you talked or moved around a lot less than usual, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.1	11.0	320	1	YES
45.9	9.3	271	2	NO
	68.7	2,006	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1782-1783

CF52_E TALKED/MOVED LOT LESS/ALWAYS MED/DRUGS

When you talked or moved around a lot less than usual, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	8.4	245	1	YES
24.4	2.7	79	2	NO
	77.9	2,276	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1784-1785

CF52_F TALKED/MOVED LOT LESS/ALWAYS HAD ILLNESS/INJURY

You said that you sometimes talked or moved around a lot less than usual when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you talked or moved around a lot less than usual always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.1	3	1	YES
93.8	1.5	45	2	NO
	86.4	2,524	-9	LEGITIMATE NONRESPONSE
	11.9	349	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1786-1787

CF52_G	TOLD DR. ABOUT TALKING/MOVING A LOT LESS
---------------	---

Did you tell a doctor about talking or moving a lot less?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	1.4	42	1	YES
92.9	18.9	553	2	NO
	68.7	2,006	-9	LEGITIMATE NONRESPONSE
	11.0	320	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1788-1789

CF52_H	DIAGNOSIS/TALKING/MOVING A LOT LESS
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your talking or moving a lot less?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	0.3	9	1	PHYS. ILL/INJ
12.5	0.2	5	2	MED/DRUG/ALC
62.5	0.9	25	3	NERVES/ANXIETY/STRESS/DEPRESSION
2.5	0.0	1	4	NOTHING/NO DEFINITE DIAGNOSIS
	87.6	2,559	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1790-1791

CF52_I DID DR. FIND ANYTHING ABNORMAL

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	1	YES
83.3	0.2	5	2	NO, NO EXAM, DK
	88.8	2,594	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1792-1793

CF53 VERY RESTLESS MOST DAYS/2 WEEKS OR MORE

Has there ever been 2 weeks or more when most days you were very restless, when you just had to keep walking around?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	18.5	541	1	YES
79.2	70.5	2,058	2	NO
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1794-1795

CF53_A VERY RESTLESS/DIFF. FROM USUALLY YOU ARE

Was that different from how you usually are?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	11.9	347	1	YES
35.6	6.6	192	2	NO
	70.5	2,058	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1796-1797

CF53_B**YOU SO RESTLESS/OTHER PEOPLE NOTICED**

Were you so restless that other people noticed it or said something about it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.9	11.7	342	1	YES
36.1	6.6	193	2	NO
	70.5	2,058	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1798-1799

CF53_C**WHEN VERY RESTLESS/EVER HAD ILLNESS/INJURY**

When you were very restless, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.3	10	1	YES
98.1	18.1	530	2	NO
	70.5	2,058	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1800-1801

CF53_D YOU VERY RESTLESS/ALWAYS HAD ILLNESS/INJURY

When you were very restless, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	3	1	YES
75.0	0.3	9	2	NO
	88.5	2,586	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1802-1803

CF53_E WHEN VERY RESTLESS/EVER MED/DRUGS

When you were very restless, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	10.7	312	1	YES
41.7	7.6	223	2	NO
	70.5	2,058	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1804-1805

CF53_F	WHEN WERE VERY RESTLESS/ALWAYS MED/DRUGS
---------------	---

When you were very restless, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	8.2	239	1	YES
23.9	2.6	75	2	NO
	78.1	2,281	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1806-1807

CF53_G	WHEN VERY RESTLESS/EVER HAD ILLNESS/INJURY
---------------	---

You said that you sometimes were very restless when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you were very restless always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.1	2	1	YES
96.5	1.9	55	2	NO
	86.2	2,518	-9	LEGITIMATE NONRESPONSE
	11.8	346	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1808-1809

CF53_H	TOLD DR. ABOUT BEING VERY RESTLESS
---------------	---

Did you tell a doctor about being very restless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	1.3	38	1	YES
92.9	17.1	499	2	NO
	70.5	2,058	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1810-1811

CF53_I	DIAGNOSIS FOR BEING VERY RESTLESS
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your being very restless?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	0.2	7	1	PHYS. ILL/INJ
16.2	0.2	6	2	MED/DRUG/ALC
56.8	0.7	21	3	NERVES/ANXIETY/STRESS/DEPRESSION
8.1	0.1	3	4	NOTHING/NO DEFINITE DIAGNOSIS
	87.5	2,557	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1812-1813

CF53_J**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	3	1	YES
50.0	0.1	3	2	NO, NO EXAM, DK
	88.6	2,589	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1814-1815

CF54**HAVE YOU BEEN SEXUALLY ACTIVE**

Have you ever had any experience with sex or been sexually active, that is, more than hugging or kissing on the cheek, mouth, ears, or neck?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	78.8	2,302	1	YES
10.7	9.4	276	2	NO
	11.6	338	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1816-1817

CF55 INTEREST IN SEX A LOT LESS/3 WEEKS/MORE

Has there ever been a period of several (by that, I mean 3 or more) weeks when your interest in sex was a lot less than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	16.6	484	1	YES
79.0	63.0	1,841	2	NO
0.2	0.1	4	3	IF VOL: NO INTEREST EVER
	9.1	266	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1818-1819

CF55_A LESS INTEREST IN SEX/EVER HAD ILLNESS/INJURY

When you had less interest in sex than usual, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	0.8	22	1	YES
95.4	15.7	458	2	NO
	72.3	2,111	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1820-1821

CF55_B**LESS INTEREST IN SEX/ALWAYS HAD ILLNESS/INJURY**

When you had less interest in sex than usual, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	0.4	13	1	YES
43.5	0.3	10	2	NO
	87.9	2,569	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1822-1823

CF55_C**LESS INTEREST IN SEX/EVER MED/DRUGS**

When you had less interest in sex than usual, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	6.4	186	1	YES
61.2	10.0	293	2	NO
	72.2	2,110	-9	LEGITIMATE NONRESPONSE
	11.3	331	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1824-1825

CF55_D LESS INTEREST IN SEX/ALWAYS MED/DRUGS

When you had less interest in sex than usual, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.2	4.8	141	1	YES
23.8	1.5	44	2	NO
	82.3	2,403	-9	LEGITIMATE NONRESPONSE
	11.3	331	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1826-1827

CF55_E LESS INTEREST IN SEX/ALWAYS HAD ILLNESS/INJURY

You said that you sometimes had less interest in sex than usual when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had less interest in sex than usual always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.0	28	2	NO
	82.8	2,420	-9	LEGITIMATE NONRESPONSE
	16.2	472	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1828-1829

CF55_F	TOLD DR. ABOUT DECREASED INTEREST IN SEX
---------------	---

Did you tell a doctor about your decreased interest in sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.4	12	1	YES
97.5	15.9	464	2	NO
	72.2	2,110	-9	LEGITIMATE NONRESPONSE
	11.4	334	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1830-1831

CF55_G	DIAGNOSIS FOR LESS INTEREST IN SEX
---------------	---

When you told the doctor, what was the diagnosis? (What did the doctor say was causing less interest in sex?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.1	3	1	PHYS. ILL/INJ
18.2	0.1	2	2	MED/DRUG/ALC
9.1	0.0	1	3	NERVES/ANXIETY/STRESS/DEPRESSION
45.5	0.2	5	4	NOTHING/NO DEFINITE DIAGNOSIS
	88.1	2,574	-9	LEGITIMATE NONRESPONSE
	11.4	334	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1832-1833

CF55_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.2	5	2	NO, NO EXAM, DK
	88.3	2,579	-9	LEGITIMATE NONRESPONSE
	11.5	336	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1834-1835

CF56	NOT INTEREST/BORED EVERY DAY 2 WEEKS/>
-------------	--

Has there ever been 2 weeks or more when almost every day you just weren't interested in anything and felt bored or just sat around most of the time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	24.4	714	1	YES
72.5	64.6	1,887	2	NO
	11.0	320	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1836-1837

CF56_A	CHANGE FROM HOW YOU USUALLY WERE
---------------	---

Was that a change from how you usually were?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.9	18.2	533	1	YES
25.1	6.1	179	2	NO
	64.6	1,887	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1838-1839

CF56_B	FELT NOT INTERESTED/BORED/LAST MOST DAY
---------------	--

When you felt not interested like this, did it last most of the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	17.9	523	1	YES
26.5	6.5	189	2	NO
	64.6	1,887	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1840-1841

CF56_C	NOT INTERESTED/BORED/EVER HAD ILLNESS/INJURY
---------------	---

When you weren't interested in anything and you felt bored, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.9	26	1	YES
96.4	23.5	687	2	NO
	64.6	1,887	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1842-1843

CF56_D**NOT INTERESTED/BORED/ALWAYS HAD ILLNESS/INJURY**

When you weren't interested in anything and you felt bored, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	0.4	11	1	YES
59.3	0.5	16	2	NO
	88.1	2,573	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1844-1845

CF56_E**NOT INTERESTED/BORED/EVER MED/DRUGS**

When you weren't interested in anything and you felt bored, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	11.1	323	1	YES
54.5	13.2	387	2	NO
	64.6	1,886	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1846-1847

CF56_F NOT INTERESTED/BORED/ALWAYS MED/DRUGS

When you weren't interested in anything and you felt bored, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	7.7	226	1	YES
30.5	3.4	99	2	NO
	77.8	2,273	-9	LEGITIMATE NONRESPONSE
	11.0	322	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1848-1849

CF56_G NOT INTERESTED/BORED/ALWAYS HAD ILLNESS/INJURY

You said that you sometimes weren't interested in anything and you felt bored when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you weren't interested in anything and you felt bored always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.0	1	1	YES
98.6	2.4	70	2	NO
	85.5	2,498	-9	LEGITIMATE NONRESPONSE
	12.0	351	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1850-1851

CF56_H	TOLD DR./LOSING ALL INTEREST IN THINGS
---------------	---

Did you tell a doctor about losing all interest in things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	1.8	53	1	YES
92.6	22.6	661	2	NO
	64.6	1,886	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1852-1853

CF56_I	DIAGNOSIS/LOSING ALL INTEREST IN THINGS
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing you to lose all interest in things?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.1	2	1	PHYS. ILL/INJ
7.5	0.1	4	2	MED/DRUG/ALC
81.1	1.5	43	3	NERVES/ANXIETY/STRESS/DEPRESSION
7.5	0.1	4	4	NOTHING/NO DEFINITE DIAGNOSIS
	87.2	2,546	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1854-1855

CF56_J	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.2	7	2	NO, NO EXAM, DK
	88.8	2,593	-9	LEGITIMATE NONRESPONSE
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1856-1857

CF57	NOTHING WAS FUN/MOST DAYS 2 WEEKS/>
-------------	---

Have you ever had 2 weeks or more when most days nothing was fun for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.9	18.6	543	1	YES
79.1	70.4	2,056	2	NO
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1858-1859

CF57_A	CHANGE FROM HOW YOU USUALLY WERE
---------------	---

Was that a change from how you usually were?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.4	14.9	436	1	YES
19.6	3.6	106	2	NO
	70.4	2,056	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1860-1861

CF57_B**NOTHING WAS FUN FOR YOU/LAST MOST DAY**

When you felt like nothing was fun for you, did this last most of the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	14.4	421	1	YES
22.2	4.1	120	2	NO
	70.4	2,056	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1862-1863

CF57_C**NOTHING WAS FUN FOR YOU/EVER HAD ILLNESS/INJURY**

When you felt nothing was fun, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	1.3	39	1	YES
92.8	17.2	502	2	NO
	70.4	2,056	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1864-1865

CF57_D	NOTHING WAS FUN/ALWAYS HAD ILLNESS/INJURY
---------------	--

When you felt nothing was fun, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	0.4	13	1	YES
69.0	1.0	29	2	NO
	87.5	2,555	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1866-1867

CF57_E	NOTHING WAS FUN FOR YOU/EVER MED/DRUGS
---------------	---

When you felt nothing was fun, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.0	8.5	247	1	YES
54.0	9.9	290	2	NO
	70.4	2,056	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1868-1869

CF57_F	NOTHING WAS FUN FOR YOU/ALWAYS MED/DRUGS
---------------	---

When you felt nothing was fun, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.7	5.6	163	1	YES
34.3	2.9	85	2	NO
	80.3	2,346	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1870-1871

CF57_G	NOTHING WAS FUN FOR YOU/ALWAYS ILLNESS/INJURY
---------------	--

You said that you sometimes felt nothing was fun when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you felt nothing was fun always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.1	3	1	YES
95.2	2.1	60	2	NO
	85.8	2,506	-9	LEGITIMATE NONRESPONSE
	12.0	351	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1872-1873

CF57_H	TOLD DR. ABOUT FEELING NOTHING WAS FUN
---------------	---

Did you tell a doctor about feeling like nothing was fun for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	1.3	38	1	YES
92.9	17.1	500	2	NO
	70.4	2,056	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1874-1875

CF57_I	DIAGNOSIS FOR FEELING NOTHING WAS FUN
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your feeling like nothing was fun for you?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	0.1	2	1	PHYS. ILL/INJ
5.4	0.1	2	2	MED/DRUG/ALC
78.4	1.0	29	3	NERVES/ANXIETY/STRESS/DEPRESSION
10.8	0.1	4	4	NOTHING/NO DEFINITE DIAGNOSIS
	87.5	2,556	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1876-1877

CF57_J**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	YES
66.7	0.1	2	2	NO, NO EXAM, DK
	88.7	2,591	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1878-1879

CF58**EVER FELT SO DOWN/HARD FOR YOU/DO WORK**

Have you ever been so down that it was hard for you to do your (schoolwork/work)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.5	28.8	842	1	YES
67.5	59.9	1,749	2	NO
	11.3	329	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1880-1881

CF58_A	WHEN FELT SO DOWN/EVER HAD ILLNESS/INJURY
---------------	--

When you were so down that it was hard for you to do your (schoolwork/work), did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	1.7	49	1	YES
94.2	27.2	794	2	NO
	59.9	1,749	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1882-1883

CF58_B	WHEN FELT SO DOWN/ALWAYS HAD ILLNESS/INJURY
---------------	--

When you were so down that it was hard for you to do your (schoolwork/work), did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	0.6	17	1	YES
63.8	1.0	30	2	NO
	87.0	2,542	-9	LEGITIMATE NONRESPONSE
	11.4	332	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1884-1885

CF58_C**WHEN FELT SO DOWN/EVER MED/DRUGS**

When you were so down that it was hard for you to do your (schoolwork/work), were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	14.2	414	1	YES
50.7	14.5	425	2	NO
	59.8	1,747	-9	LEGITIMATE NONRESPONSE
	11.4	332	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1886-1887

CF58_D**WHEN FELT SO DOWN/ALWAYS MED/DRUGS**

When you were so down that it was hard for you to do your (schoolwork/work), were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.5	9.7	283	1	YES
31.5	4.5	130	2	NO
	74.3	2,170	-9	LEGITIMATE NONRESPONSE
	11.6	338	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1888-1889

CF58_E **WHEN FELT SO DOWN/ALWAYS HAD ILLNESS/INJURY**

You said that you sometimes were so down that it was hard for you to do your (schoolwork/work) when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you were so down that it was hard for you to do your (schoolwork/work) always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	0.4	11	1	YES
89.1	3.1	90	2	NO
	75.4	2,201	-9	LEGITIMATE NONRESPONSE
	21.2	619	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1890-1891

CF58_F **TOLD DR. ABOUT YOUR FEELING DOWN**

Did you tell a doctor about your feeling down?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	3.1	92	1	YES
89.1	25.7	750	2	NO
	59.8	1,747	-9	LEGITIMATE NONRESPONSE
	11.4	332	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1892-1893

CF58_G	DIAGNOSIS FOR YOUR FEELING DOWN
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your feeling down?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.1	4	1	PHYS. ILL/INJ
6.5	0.2	6	2	MED/DRUG/ALC
76.1	2.4	70	3	NERVES/ANXIETY/STRESS/DEPRESSION
13.0	0.4	12	4	NOTHING/NO DEFINITE DIAGNOSIS
	85.5	2,497	-9	LEGITIMATE NONRESPONSE
	11.4	332	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1894-1895

CF58_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	2	1	YES
88.9	0.5	16	2	NO, NO EXAM, DK
	88.0	2,571	-9	LEGITIMATE NONRESPONSE
	11.4	332	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1896-1897

CF59	HAD TROUBLE LOOK AFTER YOURSELF/THINGS
-------------	---

Have you ever had trouble looking after yourself or your things, like keeping yourself clean or picking up after yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	9.7	282	1	YES
89.1	79.1	2,310	2	NO
	11.3	329	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1898-1899

CF59_A	TROUBLE LOOK AFTER SELF/EVER HAD ILLNESS/INJURY
---------------	--

When you had trouble looking after yourself or your things, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	0.6	17	1	YES
94.0	9.2	268	2	NO
	79.0	2,309	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1900-1901

CF59_B	TROUBLE LOOK AFTER SELF/ALWAYS ILLNESS/INJURY
---------------	--

When you had trouble looking after yourself or your things, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	0.3	9	1	YES
47.1	0.3	8	2	NO
	88.2	2,577	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1902-1903

CF59_C	TROUBLE LOOK AFTER SELF/EVER MED/DRUGS
---------------	---

When you had trouble looking after yourself or your things, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.9	6.0	174	1	YES
38.1	3.7	107	2	NO
	79.1	2,310	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1904-1905

CF59_D	TROUBLE LOOK AFTER SELF/ALWAYS MED/DRUGS
---------------	---

When you had trouble looking after yourself or your things, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.3	4.7	138	1	YES
20.7	1.2	36	2	NO
	82.7	2,417	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1906-1907

CF59_E	TROUBLE LOOK AFTER SELF/ALWAYS ILLNESS/INJURY
---------------	--

You said that you sometimes had trouble looking after yourself or your things when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had trouble looking after yourself or your things always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.8	24	2	NO
	83.2	2,429	-9	LEGITIMATE NONRESPONSE
	16.0	468	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1908-1909

CF59_F**TOLD DR. ABOUT TROUBLE LOOK AFTER SELF**

Did you tell a doctor' about your trouble looking after yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.3	10	1	YES
96.4	9.3	271	2	NO
	79.1	2,310	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1910-1911

CF59_G**DIAGNOSIS FOR TROUBLE LOOK AFTER SELF**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your trouble looking after yourself?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.0	1	1	PHYS. ILL/INJ
40.0	0.1	4	2	MED/DRUG/ALC
50.0	0.2	5	3	NERVES/ANXIETY/STRESS/DEPRESSION
0.0	0.0	0	4	NOTHING/NO DEFINITE DIAGNOSIS
	88.4	2,581	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1912-1913

CF59_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO, NO EXAM, DK
	88.7	2,591	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1914-1915

CF60	FELT MORE TIRED THAN USUAL/2 WEEKS/MORE
-------------	--

Has there ever been a period lasting 2 weeks or more when most days you felt more tired than usual, so that you sat around and didn't do much of anything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	24.6	720	1	YES
72.3	64.4	1,880	2	NO
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1916-1917

CF60_A**WHEN FELT MORE TIRED/EVER HAD ILLNESS/INJURY**

When you felt more tired than usual, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	2.1	62	1	YES
91.4	22.5	656	2	NO
	64.3	1,879	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1918-1919

CF60_B**WHEN FELT MORE TIRED/ALWAYS HAD ILLNESS/INJURY**

When you felt more tired than usual, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	1.0	28	1	YES
55.6	1.2	35	2	NO
	86.8	2,535	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1920-1921

CF60_C

WHEN FELT MORE TIRED/EVER MED/DRUGS

When you felt more tired than usual, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.7	14.8	432	1	YES
39.3	9.6	280	2	NO
	64.3	1,879	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1922-1923

CF60_D

WHEN FELT MORE TIRED/ALWAYS MED/DRUGS

When you felt more tired than usual, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	11.5	336	1	YES
22.9	3.4	100	2	NO
	73.9	2,159	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1924-1925

CF60_E**WHEN FELT MORE TIRED/ALWAYS HAD ILLNESS/INJURY**

You said that you sometimes felt more tired than usual when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you felt more tired than usual always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	0.2	6	1	YES
92.0	2.4	69	2	NO
	74.8	2,186	-9	LEGITIMATE NONRESPONSE
	22.6	660	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1926-1927

CF60_F**TOLD DR. ABOUT YOUR FEELING MORE TIRED**

Did you tell a doctor about feeling more tired than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	2.6	75	1	YES
89.5	21.9	640	2	NO
	64.4	1,880	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1928-1929

CF60_G	DIAGNOSIS FOR YOUR FEELING MORE TIRED
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your feeling more tired than usual?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	0.9	25	1	PHYS. ILL/INJ
11.3	0.3	8	2	MED/DRUG/ALC
45.1	1.1	32	3	NERVES/ANXIETY/STRESS/DEPRESSION
8.5	0.2	6	4	NOTHING/NO DEFINITE DIAGNOSIS
	86.3	2,520	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1930-1931

CF60_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.0	1	1	YES
91.7	0.4	11	2	NO, NO EXAM, DK
	88.4	2,582	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1932-1933

CF61	EVER HAD MUCH LESS ENERGY/2 WEEKS/MORE
-------------	---

Have you ever had 2 weeks or more when most days you felt like you had much less energy than usual, so that it was a big effort to do anything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	20.8	609	1	YES
76.6	68.1	1,989	2	NO
	11.0	322	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1934-1935

CF61_A	HAD MUCH LESS ENERGY/EVER HAD ILLNESS/INJURY
---------------	---

When you had much less energy than usual, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	2.1	62	1	YES
89.7	18.5	539	2	NO
	68.1	1,989	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1936-1937

CF61_B HAD MUCH LESS ENERGY/ALWAYS HAD ILLNESS/INJURY

When you had much less energy than usual, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.8	1.1	32	1	YES
52.2	1.2	35	2	NO
	86.4	2,525	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1938-1939

CF61_C HAD MUCH LESS ENERGY/EVER MED/DRUGS

When you had much less energy than usual, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.9	13.6	396	1	YES
34.1	7.0	205	2	NO
	68.1	1,988	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1940-1941

CF61_D**HAD MUCH LESS ENERGY/ALWAYS MED/DRUGS**

When you had much less energy than usual, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	10.4	305	1	YES
23.6	3.2	94	2	NO
	75.1	2,193	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1942-1943

CF61_E**HAD MUCH LESS ENERGY/ALWAYS HAD ILLNESS/INJURY**

You said that you sometimes had much less energy than usual when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had much less energy than usual always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.1	2	1	YES
96.9	2.2	63	2	NO
	76.2	2,225	-9	LEGITIMATE NONRESPONSE
	21.6	630	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1944-1945

CF61_F	TOLD DR. ABOUT YOUR HAVING LESS ENERGY
---------------	---

Did you tell a doctor about your having less energy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	2.1	62	1	YES
89.7	18.6	542	2	NO
	68.1	1,988	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1946-1947

CF61_G	DIAGNOSIS FOR YOUR HAVING LESS ENERGY
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your having less energy?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	0.6	17	1	PHYS. ILL/INJ
11.7	0.2	7	2	MED/DRUG/ALC
53.3	1.1	32	3	NERVES/ANXIETY/STRESS/DEPRESSION
6.7	0.1	4	4	NOTHING/NO DEFINITE DIAGNOSIS
	86.6	2,529	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1948-1949

CF61_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	1	YES
83.3	0.2	5	2	NO, NO EXAM, DK
	88.4	2,583	-9	LEGITIMATE NONRESPONSE
	11.3	331	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1950-1951

CF62	GOT UP/FELT BAD/BETTER LATER/2 WEEKS/>
-------------	--

Did you ever have 2 weeks or more when you felt very bad when you got up but felt better later in the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.2	28.6	835	1	YES
67.8	60.3	1,761	2	NO
	11.1	325	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1952-1953

CF62_A GOT UP/FELT VERY BAD/EVER HAD ILLNESS/INJURY

When you felt very bad when you got up but felt better later in the day, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	2.4	70	1	YES
91.6	26.0	759	2	NO
	60.3	1,760	-9	LEGITIMATE NONRESPONSE
	11.3	331	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1954-1955

CF62_B GOT UP/FELT VERY BAD/ALWAYS HAD ILLNESS/INJURY

When you felt very bad when you got up but felt better later in the day, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	1.3	39	1	YES
48.0	1.2	36	2	NO
	86.2	2,517	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1956-1957

CF62_C**GOT UP/FELT VERY BAD/EVER MED/DRUGS**

When you felt very bad when you got up but felt better later in the day, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.5	15.1	442	1	YES
46.5	13.1	384	2	NO
	60.3	1,760	-9	LEGITIMATE NONRESPONSE
	11.3	331	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1958-1959

CF62_D**GOT UP/FELT VERY BAD/ALWAYS MED/DRUGS**

When you felt very bad when you got up but felt better later in the day, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.5	11.3	330	1	YES
25.5	3.9	113	2	NO
	73.4	2,144	-9	LEGITIMATE NONRESPONSE
	11.4	332	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1960-1961

CF62_E GOT UP/FELT VERY BAD/ALWAYS HAD ILLNESS/INJURY

You said that you sometimes felt very bad when you got up but felt better later in the day when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you felt very bad when you got up but felt better later in the day always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.5	14	1	YES
84.6	2.6	77	2	NO
	74.4	2,172	-9	LEGITIMATE NONRESPONSE
	22.5	657	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1962-1963

CF62_F TOLD DR. FEELING VERY BAD WHEN GOT UP

Did you tell a doctor about feeling bad when you got up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	1.5	43	1	YES
94.8	26.9	787	2	NO
	60.3	1,760	-9	LEGITIMATE NONRESPONSE
	11.3	331	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1964-1965

CF62_G**DIAGNOSIS/FEELING VERY BAD WHEN GOT UP**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing you to feel bad when you got up?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	7	1	PHYS. ILL/INJ
16.7	0.2	7	2	MED/DRUG/ALC
50.0	0.7	21	3	NERVES/ANXIETY/STRESS/DEPRESSION
16.7	0.2	7	4	NOTHING/NO DEFINITE DIAGNOSIS
	87.2	2,547	-9	LEGITIMATE NONRESPONSE
	11.3	331	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1966-1967

CF62_H**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.0	1	1	YES
90.9	0.3	10	2	NO, NO EXAM, DK
	88.3	2,580	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1968-1969

CF63 **FELT LESS GOOD/BLAMED SELF/2 WEEKS/>**

Have you ever had 2 weeks or more when most days you felt less good about yourself than usual and when you blamed yourself a lot for things that happened in the past?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	18.7	546	1	YES
79.0	70.3	2,053	2	NO
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1970-1971

CF63_A **BLAMED SELF/FOR THINGS NOT YOUR FAULT**

Did you blame yourself even for things that weren't your fault?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.5	12.5	366	1	YES
33.5	6.3	184	2	NO
	70.0	2,046	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1972-1973

CF64**YOU FELT SINFUL MOST DAYS/2 WEEKS/MORE**

Has there ever been 2 weeks or more when most days you felt sinful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	13.1	382	1	YES
85.1	74.9	2,187	2	NO
	11.7	341	-8	MISSING
	0.4	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1974-1975

CF65**MORE DOWN ON SELF/MOST DAYS/2 WEEKS/MORE**

Has there ever been 2 weeks or more when most days you were more down on yourself than usual, when you felt that you couldn't do anything right?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	16.6	486	1	YES
81.1	71.6	2,091	2	NO
	11.7	343	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1976-1977

CF66 REASON/FEEL LESS GOOD/SINFUL/MORE DOWN

Was there any particular reason for feeling (less good about yourself/sinful/more down on yourself)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.9	13.0	380	1	YES
50.1	13.1	382	2	NO
	61.1	1,786	-9	LEGITIMATE NONRESPONSE
	12.6	368	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1978-1979

CF67 OFTEN FELT BAD ABOUT THE WAY YOU LOOK

Have you often felt bad about the way you look?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	18.3	535	1	YES
79.4	70.7	2,064	2	NO
	11.0	321	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1980-1981

CF67_A**FELT BAD ABOUT YOUR LOOK/EVER ILLNESS/INJURY**

When you felt bad about the way you look, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.8	24	1	YES
95.5	17.5	510	2	NO
	70.7	2,064	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1982-1983

CF67_B**FELT BAD ABOUT YOUR LOOK/ALWAYS ILLNESS/INJURY**

When you felt bad about the way you look, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.7	0.5	15	1	YES
42.3	0.4	11	2	NO
	88.1	2,572	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1984-1985

CF67_C	FELT BAD ABOUT YOUR LOOK/EVER MED/DRUGS
---------------	--

When you felt bad about the way you look, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	5.2	152	1	YES
71.6	13.1	383	2	NO
	70.6	2,063	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1986-1987

CF67_D	FELT BAD ABOUT YOUR LOOK/ALWAYS MED/DRUG
---------------	---

When you felt bad about the way you look, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	3.0	89	1	YES
41.4	2.2	63	2	NO
	83.7	2,446	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1988-1989

CF67_E**FELT BAD ABOUT YOUR LOOK/ALWAYS ILLNESS/INJURY**

You said that you sometimes felt bad about the way you look when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you felt bad about the way you look always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.1	2	1	YES
95.8	1.6	46	2	NO
	84.3	2,461	-9	LEGITIMATE NONRESPONSE
	14.1	412	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1990-1991

CF67_F**TOLD DR./FEELING BAD ABOUT YOUR LOOK**

Did you tell a doctor about your feeling bad about the way you look?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	1.1	31	1	YES
94.2	17.3	504	2	NO
	70.6	2,063	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1992-1993

CF67_G	DIAGNOSIS/FEELING BAD ABOUT YOUR LOOK
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your feeling bad about the way you look?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.1	2	1	PHYS. ILL/INJ
3.2	0.0	1	2	MED/DRUG/ALC
77.4	0.8	24	3	NERVES/ANXIETY/STRESS/DEPRESSION
12.9	0.1	4	4	NOTHING/NO DEFINITE DIAGNOSIS
	87.9	2,567	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1994-1995

CF67_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	4	2	NO, NO EXAM, DK
	88.8	2,594	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1996-1997

CF68**YOU FELT LIKE ABOUT TO CRY/IN TEARS**

Were there ever times when you often felt like you were about to cry or were in tears?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.3	42.1	1,229	1	YES
52.7	46.9	1,369	2	NO
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1998-1999

CF68_A**YOU ABOUT TO CRY/IN TEARS/EVER ILLNESS/INJURY**

When you were about to cry or were in tears, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	3.1	91	1	YES
92.6	38.8	1,134	2	NO
	46.9	1,369	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2000-2001

CF68_B**YOU ABOUT TO CRY/IN TEARS/ALWAYS ILLNESS/INJURY**

When you were about to cry or were in tears, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.4	1.2	35	1	YES
64.6	2.2	64	2	NO
	85.5	2,497	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2002-2003

CF68_C**YOU ABOUT TO CRY/IN TEARS/EVER MED/DRUGS**

When you were about to cry or were in tears, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	12.9	376	1	YES
69.1	28.8	840	2	NO
	46.9	1,369	-9	LEGITIMATE NONRESPONSE
	11.4	333	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2004-2005

CF68_D

ABOUT TO CRY/IN TEARS/ALWAYS MED/DRUGS

When you were about to cry or were in tears, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	6.9	203	1	YES
47.0	6.2	180	2	NO
	75.6	2,207	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2006-2007

CF68_E YOU ABOUT TO CRY/IN TEARS/ALWAYS ILLNESS/INJURY

You said that you sometimes were about to cry or were in tears when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you were about to cry or were in tears always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	0.3	8	1	YES
93.2	3.7	109	2	NO
	77.9	2,274	-9	LEGITIMATE NONRESPONSE
	18.1	530	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2008-2009

CF68_F TOLD DR./YOUR FEELING ABOUT TO CRY

Did you tell a doctor about your feeling like you were about to cry?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	3.0	89	1	YES
92.7	38.9	1,137	2	NO
	46.9	1,369	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2010-2011

CF68_G**DIAGNOSIS/FEELING ABOUT TO CRY/IN TEARS**

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your feeling like you were about to cry?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	0.2	5	1	PHYS. ILL/INJ
8.0	0.2	7	2	MED/DRUG/ALC
78.4	2.4	69	3	NERVES/ANXIETY/STRESS/DEPRESSION
8.0	0.2	7	4	NOTHING/NO DEFINITE DIAGNOSIS
	85.8	2,506	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2012-2013

CF68_H**DID DR. FIND ANYTHING ABNORMAL**

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.4	11	2	NO, NO EXAM, DK
	88.4	2,583	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2014-2015

CF69 HAD TROUBLE PAY ATTENTION TO WORK/THINGS

Has there ever been 2 weeks or more when most days you had more trouble than usual paying attention to your (schoolwork/work) or keeping your mind on other things you were doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	30.5	890	1	YES
65.7	58.4	1,707	2	NO
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2016-2017

CF69_A WAS THAT DIFFERENT FROM YOU USUALLY WERE

Was that different from how you usually were?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	17.6	515	1	YES
41.7	12.6	368	2	NO
	58.4	1,705	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2018-2019

CF69_B**TROUBLE PAY ATTENTION/WORK/EVER ILLNESS/INJURY**

When you had more trouble than usual paying attention to your (schoolwork/work) or keeping your mind on things, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.7	21	1	YES
97.6	29.7	868	2	NO
	58.4	1,706	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2020-2021

CF69_C**TROUBLE PAY ATTENTION/WORK/ALWAYS ILLNESS/INJURY**

When you had more trouble than usual paying attention to your (schoolwork/work) or keeping your mind on things, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	0.2	5	1	YES
78.3	0.6	18	2	NO
	88.1	2,573	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2022-2023

CF69_D	TROUBLE PAY ATTENTION/WORK/EVER MED/DRUG
---------------	---

When you had more trouble than usual paying attention to your (schoolwork/work) or keeping your mind on things, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	18.7	545	1	YES
38.5	11.7	341	2	NO
	58.4	1,706	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2024-2025

CF69_E	TROUBLE PAY ATTENTION/ALWAYS MED/DRUGS
---------------	---

When you had more trouble than usual paying attention to your (schoolwork/work) or keeping your mind on things, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.2	13.0	381	1	YES
29.8	5.5	162	2	NO
	70.0	2,045	-9	LEGITIMATE NONRESPONSE
	11.4	333	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2026-2027

CF69_F**TROUBLE PAY ATTENTION/WORK/ALWAYS ILLNESS/INJURY**

You said that you sometimes had more trouble than usual paying attention to your (schoolwork/work) or keeping your mind on things when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you had more trouble than usual paying attention to your (schoolwork/work) or keeping your mind on things always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	0.3	8	1	YES
93.6	4.0	117	2	NO
	82.9	2,421	-9	LEGITIMATE NONRESPONSE
	12.8	375	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2028-2029

CF69_G**TOLD DR. TROUBLE PAY ATTENTION TO WORK**

Did you tell a doctor about your trouble paying attention or keeping your mind on things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	2.6	76	1	YES
91.4	27.8	811	2	NO
	58.4	1,706	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2030-2031

CF69_H	DIAGNOSIS/TROUBLE PAY ATTENTION TO WORK
---------------	--

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your trouble paying attention or keeping your mind on things?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	0.2	7	1	PHYS. ILL/INJ
9.5	0.2	7	2	MED/DRUG/ALC
74.3	1.9	55	3	NERVES/ANXIETY/STRESS/DEPRESSION
6.8	0.2	5	4	NOTHING/NO DEFINITE DIAGNOSIS
	86.2	2,517	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2032-2033

CF69_I	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	2	1	YES
80.0	0.3	8	2	NO, NO EXAM, DK
	88.4	2,582	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2034-2035

CF70	YOU NOT ABLE TO CONCENTRATE/2 WEEKS/MORE
-------------	---

Has there ever been 2 weeks or more when most days you weren't able to concentrate or to think as clearly or as quickly as usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	24.4	713	1	YES
72.6	64.5	1,885	2	NO
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2036-2037

CF70_A	NOT ABLE TO CONCENTRATE/EVER HAD ILLNESS/INJURY
---------------	--

When you weren't able to concentrate or to think as clearly or quickly as usual, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.5	16	1	YES
97.7	23.8	694	2	NO
	64.5	1,885	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2038-2039

CF70_B NOT ABLE TO CONCENTRATE/ALWAYS ILLNESS/INJURY

When you weren't able to concentrate or to think as clearly or quickly as usual, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	0.3	9	1	YES
47.1	0.3	8	2	NO
	88.2	2,577	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2040-2041

CF70_C NOT ABLE TO CONCENTRATE/EVER MED/DRUGS

When you weren't able to concentrate or to think as clearly or quickly as usual, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	17.8	521	1	YES
26.0	6.3	183	2	NO
	64.5	1,885	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2042-2043

CF70_D	NOT ABLE TO CONCENTRATE/ALWAYS MED/DRUGS
---------------	---

When you weren't able to concentrate or to think as clearly or quickly as usual, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.8	13.7	401	1	YES
23.2	4.1	121	2	NO
	70.8	2,068	-9	LEGITIMATE NONRESPONSE
	11.3	331	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2044-2045

CF70_E	NOT ABLE TO CONCENTRATE/ALWAYS ILLNESS/INJURY
---------------	--

You said that you sometimes weren't able to concentrate or to think as clearly or quickly as usual when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you weren't able to concentrate or to think as clearly or quickly as usual always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.1	4	1	YES
95.5	2.9	84	2	NO
	72.1	2,107	-9	LEGITIMATE NONRESPONSE
	24.9	726	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2046-2047

CF70_F	TOLD DR./YOUR TROUBLE CONCENTRATING
---------------	--

Did you tell a doctor about your trouble concentrating or thinking clearly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	1.9	56	1	YES
92.1	22.5	656	2	NO
	64.5	1,885	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2048-2049

CF70_G	DIAGNOSIS/YOUR TROUBLE CONCENTRATING
---------------	---

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your trouble concentrating or thinking clearly?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	0.1	4	1	PHYS. ILL/INJ
19.6	0.4	11	2	MED/DRUG/ALC
60.7	1.2	34	3	NERVES/ANXIETY/STRESS/DEPRESSION
12.5	0.2	7	4	NOTHING/NO DEFINITE DIAGNOSIS
	87.0	2,540	-9	LEGITIMATE NONRESPONSE
	11.1	325	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2050-2051

CF70_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.1	2	1	YES
81.8	0.3	9	2	NO, NO EXAM, DK
	88.5	2,586	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2052-2053

CF71	FELT THINGS NEVER SEEM TO WORK OUT
-------------	---

Have you often felt that things never seem to work out all right for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	31.5	921	1	YES
64.5	57.4	1,676	2	NO
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2054-2055

CF71_A	FELT THINGS NEVER WORK/EVER HAD ILLNESS/INJURY
---------------	---

When you felt that things never seem to work out all right for you, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.8	24	1	YES
97.4	30.6	893	2	NO
	57.4	1,676	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2056-2057

CF71_B**FELT THINGS NEVER WORK/ALWAYS ILLNESS/INJURY**

When you felt that things never seem to work out all right for you, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	13	1	YES
50.0	0.4	13	2	NO
	87.8	2,566	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2058-2059

CF71_C**FELT THINGS NEVER WORK/EVER MED/DRUGS**

When you felt that things never seem to work out all right for you, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.4	13.3	388	1	YES
57.6	18.0	527	2	NO
	57.3	1,675	-9	LEGITIMATE NONRESPONSE
	11.3	329	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2060-2061

CF71_D	FELT THINGS NEVER WORK/ALWAYS MED/DRUGS
---------------	--

When you felt that things never seem to work out all right for you, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.1	8.8	257	1	YES
33.9	4.5	132	2	NO
	75.4	2,201	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2062-2063

CF71_E	FELT THINGS NEVER WORK/ALWAYS ILLNESS/INJURY
---------------	---

You said that you sometimes felt that things never seem to work out all right for you when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you felt that things never seem to work out all right for you always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.1	3	1	YES
96.9	3.2	94	2	NO
	76.6	2,238	-9	LEGITIMATE NONRESPONSE
	20.0	585	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2064-2065

CF71_F	TOLD DR./FELT THINGS NEVER SEEM WORK OUT
---------------	---

Did you tell a doctor about your feeling that things never seem to work out?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	1.6	47	1	YES
94.9	29.8	871	2	NO
	57.3	1,675	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2066-2067

CF71_G	DIAGNOSIS/FELT THINGS NEVER WORK OUT
---------------	---

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your feeling that things never seem to work out?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.0	1	1	PHYS. ILL/INJ
4.3	0.1	2	2	MED/DRUG/ALC
76.1	1.2	35	3	NERVES/ANXIETY/STRESS/DEPRESSION
17.4	0.3	8	4	NOTHING/NO DEFINITE DIAGNOSIS
	87.2	2,546	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2068-2069

CF71_H	DID DR. FIND ANYTHING ABNORMAL
---------------	---------------------------------------

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.4	13	2	NO, NO EXAM, DK
	88.4	2,581	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2070-2071

CF72	HARDER TO MAKE UP MIND/2 WEEKS/MORE
-------------	--

Have you ever had 2 weeks or more when most days it was harder than usual for you to make up your mind about things or to make decisions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	14.1	412	1	YES
84.1	74.9	2,187	2	NO
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2072-2073

CF72_A**HARDER TO MAKE UP MIND/EVER HAD ILLNESS/INJURY**

When you found it was harder than usual for you to make up your mind, did you ever have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.3	9	1	YES
97.8	13.7	400	2	NO
	74.9	2,187	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2074-2075

CF72_B**HARDER TO MAKE UP MIND/ALWAYS ILLNESS/INJURY**

When you found it was harder than usual for you to make up your mind, did you always have a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	0.2	5	1	YES
58.3	0.2	7	2	NO
	88.5	2,585	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2076-2077

CF72_C	HARDER TO MAKE UP MIND/EVER MED/DRUGS
---------------	--

When you found it was harder than usual for you to make up your mind, were you ever taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	6.9	202	1	YES
50.6	7.1	207	2	NO
	74.9	2,187	-9	LEGITIMATE NONRESPONSE
	11.1	323	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2078-2079

CF72_D	HARDER TO MAKE UP MIND/ALWAYS MED/DRUGS
---------------	--

When you found it was harder than usual for you to make up your mind, were you always taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.1	5.0	146	1	YES
25.9	1.7	51	2	NO
	82.0	2,394	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2080-2081

CF72_E**HARDER TO MAKE UP MIND/ALWAYS ILLNESS/INJURY**

You said that you sometimes found it was harder than usual for you to make up your mind when you were not taking medication, drugs, or alcohol or withdrawing from medication, drugs, or alcohol. Were these other occasions when you found it was harder than usual for you to make up your mind always when you had a physical illness or injury?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	1.2	35	2	NO
	82.5	2,411	-9	LEGITIMATE NONRESPONSE
	16.3	475	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2082-2083

CF72_F**TOLD DR./BEING UNABLE TO MAKE UP MIND**

Did you tell a doctor about being unable to make up your mind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.4	12	1	YES
97.1	13.6	396	2	NO
	74.9	2,187	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2084-2085

CF72_G

DIAGNOSIS/BEING UNABLE TO MAKE UP MIND

When you told the doctor, what was the diagnosis? (What did the doctor say was causing your being unable to make up your mind?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PHYS. ILL/INJ
8.3	0.0	1	2	MED/DRUG/ALC
83.3	0.3	10	3	NERVES/ANXIETY/STRESS/DEPRESSION
8.3	0.0	1	4	NOTHING/NO DEFINITE DIAGNOSIS
	88.4	2,583	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2086-2087

CF72_H

DID DR. FIND ANYTHING ABNORMAL

Did the doctor find anything abnormal when he or she examined you or took tests or X-rays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	YES
66.7	0.1	2	2	NO, NO EXAM, DK
	88.7	2,592	-9	LEGITIMATE NONRESPONSE
	11.2	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2088-2089

CF73	THOUGHT LOT ABOUT DEATH/DYING/2 WEEKS/>
-------------	---

Has there ever been a period of 2 weeks or more when you thought a lot more than usual about death or dying either your own, someone else's, or death in general?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	25.7	750	1	YES
71.1	63.3	1,848	2	NO
	11.0	321	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2090-2091

CF74	FELT LIKE YOU WANTED TO DIE/2 WEEKS/>
-------------	---

Has there ever been a period of 2 weeks or more when you felt like you wanted to die?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	16.1	471	1	YES
81.9	72.9	2,129	2	NO
	11.0	321	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2092-2093

CF75 THOUGHT LOT ABOUT SUICIDE/2 WEEKS/MORE

Has there ever been a period of 2 weeks or more when you thought a lot about suicide or killing yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.2	14.4	420	1	YES
83.8	74.6	2,179	2	NO
	11.0	322	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2094-2095

CF76 EVER IN LIFE TRIED TO KILL YOURSELF

Have you ever in your whole life tried to kill yourself? By this, I mean actually did something to try to commit suicide, not just talked about it.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	17.8	519	1	YES
80.0	71.2	2,079	2	NO
	11.1	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2096-2097

CF77_1**WHEN FIRST TIME YOU ATTEMPTED SUICIDE**

When was the first time you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.8	22	1	WITHIN THE MONTH BEFORE ADMISSION
24.9	4.4	128	2	WITHIN THE PAST 12 MONTHS
70.9	12.5	365	3	MORE THAN 1 YEAR AGO
	82.3	2,403	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2098-2099

CF77_M**MONTHS AGO FIRST ATTEMPTED SUICIDE**

When was the first time you attempted suicide? (recode)

2,921 cases (Range of valid codes: 0-149)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3323-3325

CF77_A_1 **WHEN LAST TIME YOU ATTEMPTED SUICIDE**

When was the last time you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	3.2	94	1	WITHIN THE MONTH BEFORE ADMISSION
39.3	7.0	204	2	WITHIN THE PAST 12 MONTHS
42.6	7.6	221	3	MORE THAN 1 YEAR AGO
	82.2	2,401	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2100-2101

CF77A_M **MONTHS AGO LAST ATTEMPTED SUICIDE**

When was the last time you attempted suicide? (recode)

2,921 cases (Range of valid codes: 0-104)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3326-3328

CF78 **2/> ITEMS CHECKED/T. SHEET F, PART C**

HAVE 2 OR MORE ITEMS BEEN CHECKED ON TALLY SHEET F, PART C?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.1	70.1	2,049	1	YES
20.9	18.6	542	2	NO
	11.2	328	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2102-2103

CF79**IS F42/F44/F56/F57 CHECKED/T. SHEET F**

IS F42, F44, F56, OR F57 CHECKED ON TALLY SHEET F, PART B
AND PART C?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	50.1	1,463	1	YES
28.6	20.1	587	2	NO
	18.5	539	-9	LEGITIMATE NONRESPONSE
	11.4	332	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2104-2105

CF80**DEPRESSION/OTHER PROBLEM/WITHIN SAME MONTH**

You said you've had a period of feeling depressed; that is, you said you were very sad or grouchy, or that nothing was fun, or you were just not interested in things and also said you've had some other problems like you (READ ITEMS ON TALLY SHEET F, PART C).

Has there ever been a time when the feelings of depression and some of these other problems occurred together-that is, within the same month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	35.3	1,031	1	YES
30.2	15.3	447	2	NO
	38.2	1,116	-9	LEGITIMATE NONRESPONSE
	11.2	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2106-2107

CF80_A	NEVER A PERIOD/DEPRESSED W/OTHER PROBLEM
---------------	---

So, there's never been a period when you felt depressed at the same time you were having some of these other problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	14.0	410	1	NEVER BEEN A PERIOD
13.3	2.2	63	2	HAS BEEN A PERIOD
	72.6	2,120	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2108-2109

CF80_B	LAST FOR 2 WKS/>/DEPRESSED W/OTHER PROBLEM
---------------	--

Did this period of feeling depressed and at the same time having some of these other problems last for 2 weeks or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	16.6	485	1	YES
54.5	19.9	580	2	NO
	52.2	1,525	-9	LEGITIMATE NONRESPONSE
	11.3	330	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2110-2111

CF80_C_1	FIRST TIME/2 WKS/>/DEPRESS W/OTHER PROBLEM
-----------------	--

When was the first time you had a period of 2 weeks or more when you had some of these problems and also felt depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	1.2	35	1	WITHIN THE MONTH BEFORE ADMISSION
21.7	3.6	106	2	WITHIN THE PAST 12 MONTHS
71.1	11.9	347	3	MORE THAN 1 YEAR AGO
	71.9	2,101	-9	LEGITIMATE NONRESPONSE
	11.2	328	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2112-2113

CF80C_M	MONTHS AGO FIRST FELT DEPRESSED
----------------	--

When was the first time you had a period of 2 weeks or more when you had some of these problems and also felt depressed? (recode)

2,921 cases (Range of valid codes: 0-161)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3329-3331

CF80_D_1 LAST TIME/2 WKS/>/DEPRESSED W/OTHER PROBLEM

What about the last time that you had 2 weeks or more when you had some of these problems and also felt depressed? When did that last (spell/period of 2 weeks or more) end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	8.8	256	1	WITHIN THE MONTH BEFORE ADMISSION
33.8	5.4	158	2	WITHIN THE PAST 12 MONTHS
11.3	1.8	53	3	MORE THAN 1 YEAR AGO
	72.0	2,104	-9	LEGITIMATE NONRESPONSE
	11.5	335	-8	MISSING
	0.4	12	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2114-2115

CF80D_M MONTHS AGO DEPRESSED FEELING END

What about the last time that you had 2 weeks or more when you had some of these problems and also felt depressed? When did that last (spell/period of 2 weeks or more) end? (recode)

2,921 cases (Range of valid codes: 0-128)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3332-3334

CF81**SEVERAL PROBLEM OCCURRED TOGETHER/SAME MONTH**

You said you have had times when you (READ ITEMS CHECKED ON TALLY SHEET F, PART C). Was there ever a time when several of these problems occurred together-that is, within the same month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	9.3	273	1	YES
58.4	13.1	384	2	NO
	52.0	1,519	-9	LEGITIMATE NONRESPONSE
	25.5	745	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2116-2117

CF81_A**FELT OKAY/GLOOMY/WHEN YOU HAD PROBLEMS**

When you were having some of these problems, at about the same time were you feeling okay or were you feeling low, gloomy, moody, blue, or uninterested in everything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	4.8	140	1	OKAY
48.9	4.6	134	2	GLOOMY, LOW, ETC.
	65.1	1,902	-9	LEGITIMATE NONRESPONSE
	25.5	745	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2118-2119

CF81_B	FELT GLOOMY/W/PROBLEMS/LAST 2 WKS/>
---------------	---

Did this period of feeling gloomy, low, moody, and at the same time having some of these other problems last 2 weeks or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	2.0	59	1	YES
56.0	2.6	75	2	NO
	69.9	2,042	-9	LEGITIMATE NONRESPONSE
	25.5	745	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2120-2121

CF81_C_1	FIRST TIME/2 WKS/>/FELT LOW/PROBLEMS
-----------------	--

When was the first time you had a period of 2 weeks or more when you had several of these problems and also felt low, gloomy, moody, or uninterested in everything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.1	4	1	WITHIN THE MONTH BEFORE ADMISSION
21.7	0.4	13	2	WITHIN THE PAST 12 MONTHS
71.7	1.5	43	3	MORE THAN 1 YEAR AGO
	72.4	2,116	-9	LEGITIMATE NONRESPONSE
	25.5	744	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2122-2123

CF81C_M	MONTHS AGO FIRST FELT GLOOMY
----------------	-------------------------------------

When was the first time you had a period of 2 weeks or more when you had several of these problems and also felt low, gloomy, moody, or uninterested in everything? (recode)

2,921 cases (Range of valid codes: 0-120)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3335-3337

CF81_D_1

WHEN LAST SPELL END/FELT LOW/PROBLEMS

What about the last time you had 2 weeks or more when you had several of these problems and also felt depressed; that is, you felt low, gloomy, moody, or uninterested in everything? When did that last (spell/period of 2 weeks or more) end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.9	1.1	33	1	WITHIN THE MONTH BEFORE ADMISSION
29.3	0.6	17	2	WITHIN THE PAST 12 MONTHS
13.8	0.3	8	3	MORE THAN 1 YEAR AGO
	72.5	2,117	-9	LEGITIMATE NONRESPONSE
	25.4	743	-8	MISSING
	0.1	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2124-2125

CF81D_M	MONTHS AGO GLOOMY FEELING END
----------------	--------------------------------------

What about the last time you had 2 weeks or more when you had several of these problems and also felt depressed; that is, you felt low, gloomy, moody, or uninterested in everything? When did that last (spell/period of 2 weeks or more) end? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.9	1.1	33	0	
6.9	0.1	4	2	
3.4	0.1	2	3	
6.9	0.1	4	4	
1.7	0.0	1	5	
5.2	0.1	3	6	
1.7	0.0	1	7	
3.4	0.1	2	8	
3.4	0.1	2	9	
1.7	0.0	1	11	
1.7	0.0	1	20	
1.7	0.0	1	24	
1.7	0.0	1	36	
1.7	0.0	1	38	
1.7	0.0	1	99	
	72.5	2,117	-9	LEGITIMATE NONRESPONSE
	25.5	746	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3338-3339

CF82_WKS	WEEKS LONGEST SPELL LAST
-----------------	---------------------------------

What's the longest spell you've ever had when you felt depressed and had several of these other problems at the same time? (recode)

2,921 cases (Range of valid codes: 0-676)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3351-3353

CF82_Y

#YEAR/FELT DEPRESSED/OTHER PROBLEMS

What's the longest spell you've ever had when you felt depressed and had several of these other problems at the same time? YEARS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	12.2	356	0	
5.9	0.9	25	1	
5.6	0.8	24	2	
2.1	0.3	9	3	
1.4	0.2	6	4	
0.5	0.1	2	5	
0.2	0.0	1	6	
0.2	0.0	1	8	
0.2	0.0	1	10	
0.2	0.0	1	13	
	72.4	2,114	-9	LEGITIMATE NONRESPONSE
	13.0	380	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2126-2127

CF82_M	#MONTH/FELT DEPRESSED/OTHER PROBLEMS
---------------	---

What's the longest spell you've ever had when you felt depressed and had several of these other problems at the same time? MONTHS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	7.3	212	0	
19.3	2.9	86	1	
11.0	1.7	49	2	
7.2	1.1	32	3	
3.4	0.5	15	4	
2.0	0.3	9	5	
6.1	0.9	27	6	
0.2	0.0	1	7	
1.6	0.2	7	8	
0.7	0.1	3	9	
0.2	0.0	1	10	
0.2	0.0	1	11	
0.2	0.0	1	12	
0.2	0.0	1	16	
0.2	0.0	1	42	
	72.3	2,113	-9	LEGITIMATE NONRESPONSE
	12.4	361	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2128-2129

CF82_W**#WEEK/FELT DEPRESSED/OTHER PROBLEMS**

What's the longest spell you've ever had when you felt depressed and had several of these other problems at the same time? WEEKS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	8.8	257	0	
2.8	0.4	12	1	
19.9	2.9	86	2	
12.7	1.9	55	3	
3.0	0.4	13	4	
0.7	0.1	3	5	
1.4	0.2	6	6	
0.2	0.0	1	8	
	72.4	2,114	-9	LEGITIMATE NONRESPONSE
	12.8	373	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2130-2131

CF83_1**FIRST TIME/FELT BLUE/PROBLEMS/1 YR/>**

When did you first have 1 year or more when you felt blue and had several of these other problems at the same time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	WITHIN THE MONTH BEFORE ADMISSION
1.7	0.0	1	2	WITHIN THE PAST 12 MONTHS
98.3	2.0	58	3	MORE THAN 1 YEAR AGO
	86.3	2,521	-9	LEGITIMATE NONRESPONSE
	11.6	340	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2132-2133

CF83_M MONTHS AGO FIRST FELT BLUE

When did you first have 1 year or more when you felt blue and had several of these other problems at the same time? (recode)

2,921 cases (Range of valid codes: 8-150)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3340-3342

CF83_A_1 LAST SPELL END/FELT BLUE/PROBLEMS/1 YR/>

What about the last time you had 1 year or more when you felt blue and had several of those other problems at the same time? When did that last spell end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	1.3	37	1	WITHIN THE MONTH BEFORE ADMISSION
8.3	0.1	4	2	WITHIN THE PAST 12 MONTHS
14.6	0.2	7	3	MORE THAN 1 YEAR AGO
	86.3	2,522	-9	LEGITIMATE NONRESPONSE
	11.7	342	-8	MISSING
	0.2	7	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2134-2135

CF83A_M**MONTHS AGO BLUE FEELING END**

What about the last time you had 1 year or more when you felt blue and had several of those other problems at the same time? When did that last spell end? (recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.1	1.3	37	0	
6.2	0.1	3	3	
4.2	0.1	2	6	
2.1	0.0	1	14	
2.1	0.0	1	16	
2.1	0.0	1	18	
2.1	0.0	1	24	
2.1	0.0	1	38	
2.1	0.0	1	52	
	86.3	2,522	-9	LEGITIMATE NONRESPONSE
	12.0	351	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3343-3344

CF83_B**FELT WORRIED/DEPRESSED SAME TIME**

You said earlier that you have had a long period when you were anxious and worrying about several different things. Did this whole spell of feeling anxious and worried fall within a period when you were depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	0.8	23	1	YES
8.0	0.1	2	2	NO
	85.0	2,483	-9	LEGITIMATE NONRESPONSE
	14.1	413	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2136-2137

CF84	#SPELL/FELT DEPRESSED/PROBLEMS/2 WKS/>
-------------	--

Now, I'd like to ask about spells when you felt both depressed and had some of these other problems like (READ SEVERAL ITEMS CHECKED ON TALLY SHEET F, PART C). In your lifetime, how many spells like that have you had that lasted 2 weeks or more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	3.4	100	1	
17.1	2.5	74	2	
14.1	2.1	61	3	
9.5	1.4	41	4	
6.7	1.0	29	5	
3.2	0.5	14	6	
1.6	0.2	7	7	
1.2	0.2	5	8	
0.7	0.1	3	9	
9.2	1.4	40	10	
0.5	0.1	2	11	
1.4	0.2	6	12	
0.2	0.0	1	13	
1.4	0.2	6	15	
0.2	0.0	1	16	
0.2	0.0	1	17	
0.2	0.0	1	19	
3.7	0.5	16	20	
0.2	0.0	1	24	
0.2	0.0	1	25	
0.2	0.0	1	26	
0.7	0.1	3	30	
0.9	0.1	4	40	
0.9	0.1	4	50	
0.2	0.0	1	52	
0.2	0.0	1	60	
0.2	0.0	1	78	
1.8	0.3	8	99	
	73.4	2,143	-9	LEGITIMATE NONRESPONSE
	11.7	341	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2138-2139

CF84_A	BETWEEN SPELLS/FELT OKAY FOR SOME MONTHS
---------------	---

Between (any of) these spells, were you feeling okay at least for some months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	10.2	299	1	OKAY SOME MONTHS
13.3	1.6	46	2	NO
	76.4	2,233	-9	LEGITIMATE NONRESPONSE
	11.7	342	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2140-2141

CF85	EVER IN HOSPITAL/SPELLS/FELT DEPRESSED
-------------	---

Were you ever in a hospital overnight because of (that spell/any of those spells) of feeling depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	3.4	98	1	YES
78.0	11.9	348	2	NO
	72.8	2,126	-9	LEGITIMATE NONRESPONSE
	11.9	348	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2142-2143

CF86	TOLD DR. ABOUT SPELLS
-------------	------------------------------

Did you tell a doctor about (that spell/any of those spells)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.8	2.5	73	1	YES
79.2	9.5	278	2	NO
	76.0	2,220	-9	LEGITIMATE NONRESPONSE
	11.9	349	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2144-2145

CF86_A	TOLD OTHER PROFESSIONAL ABOUT SPELLS
---------------	---

Did you tell any other professional about (it/any of them)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.4	1.6	46	1	YES
83.6	8.0	235	2	NO
	78.4	2,291	-9	LEGITIMATE NONRESPONSE
	11.9	348	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2146-2147

CF86_B	TOOK MEDICATION >ONCE FOR SPELLS
---------------	--

Did you take medication more than once because of (that spell/ any of those spells)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	0.8	24	1	YES
91.5	8.9	259	2	NO
	78.3	2,288	-9	LEGITIMATE NONRESPONSE
	11.9	348	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2148-2149

CF86_C	SPELLS INTERFERE A LOT W/WORK/LIFE/ACTIVITIES
---------------	--

Did (that spell/any of those spells) interfere with your life, school, work, or activities a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.2	7.1	208	1	YES
26.8	2.6	76	2	NO
	78.3	2,288	-9	LEGITIMATE NONRESPONSE
	11.9	348	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2150-2151

CF86_D	BAD SPELL KEPT YOU FROM WORK/FRIEND/RELATIVE
---------------	---

Was any spell so bad that it kept you from working or from seeing friends or relatives?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	4.3	126	1	YES
64.1	7.7	225	2	NO
	76.0	2,220	-9	LEGITIMATE NONRESPONSE
	11.9	349	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2152-2153

CF86_E	GET ALONG PROBLEM W/FRIENDS/PEOPLE
---------------	---

Did (that spell/any of those spells) cause problems in getting along with friends or other people your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	6.4	186	1	YES
47.0	5.6	165	2	NO
	76.0	2,220	-9	LEGITIMATE NONRESPONSE
	11.9	349	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2154-2155

CF86_F**GET ALONG PROBLEM W/PEOPLE AT HOME**

Did (that spell/any of those spells) cause problems with how you get along with people at home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	7.8	228	1	YES
34.7	4.1	121	2	NO
	76.0	2,220	-9	LEGITIMATE NONRESPONSE
	12.0	351	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2156-2157

CF87**SPELL OCCUR/SOMEONE CLOSE TO YOU DIED**

Did (that spell/any of those spells) occur just after someone close to you died?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	5.6	164	1	YES
63.3	9.7	283	2	NO
	72.8	2,126	-9	LEGITIMATE NONRESPONSE
	11.9	347	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2158-2159

CF87_A SPELL W/OTHER PROBLEM/NOT AFTER A DEATH

Have you had any spell of depression along with these other problems like (READ 2 ITEMS CHECKED ON TALLY SHEET F, PART C) at times when it wasn't just after a death?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.6	4.1	119	1	YES, NOT ALL DUE TO DEATH
27.4	1.5	45	2	NO, ALL DUE TO DEATH
	82.5	2,409	-9	LEGITIMATE NONRESPONSE
	11.9	347	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2160-2161

CF87_B LAST YEAR SPELL/DUE TO CLOSE ONE DYING

What about the spell or spells you had in the last year - (was that/were they all) due to someone close to you dying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	1.0	29	1	YES, ALL DUE TO DEATH
71.6	2.5	73	2	NO, NOT ALL DUE TO DEATH
	83.9	2,452	-9	LEGITIMATE NONRESPONSE
	12.5	366	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2162-2163

CF88**>1 SPELL CODED IN F84/T. SHEET F/PART D**

IS MORE THAN 1 SPELL CODED IN F84 (ON TALLY SHEET F, PART D)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	11.8	344	1	YES
23.0	3.5	103	2	NO
	72.8	2,126	-9	LEGITIMATE NONRESPONSE
	11.9	347	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2164-2165

CF89**F82 ON T. SHEET F = LONGER THAN 52 WEEKS**DOES F82 ON TALLY SHEET F, PART D = LONGER THAN 52 WEEKS
(1 YEAR)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	0.7	21	1	YES
82.1	3.3	96	2	NO
	72.8	2,126	-9	LEGITIMATE NONRESPONSE
	23.2	677	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2166-2167

CF90 **AGE/DEPRESSED/OTHER PROBLEMS FOR 2 WEEKS**

Now. I'd like to know about the time when you were feeling depressed for at least 2 weeks and had the largest number of these other problems at the same time . How old were you at that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	3	
0.5	0.1	2	6	
0.3	0.0	1	8	
1.1	0.1	4	9	
2.7	0.3	10	10	
1.4	0.2	5	11	
8.8	1.1	32	12	
16.2	2.0	59	13	
20.6	2.6	75	14	
23.9	3.0	87	15	
17.9	2.2	65	16	
6.3	0.8	23	17	
	75.5	2,206	-9	LEGITIMATE NONRESPONSE
	11.9	349	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2168-2169

CF91_46 **OFTEN DID NOT FEEL LIKE EATING/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you often not feel very much like eating?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	6.7	197	1	YES, OCCURRED DURING THIS SPELL
17.9	1.5	43	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	18.9	553	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2170-2171

CF91_47	LOST A LOT OF WEIGHT/SPELL
----------------	-----------------------------------

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you lose a lot of weight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.4	4.3	126	1	YES, OCCURRED DURING THIS SPELL
32.6	2.1	61	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	20.7	606	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2172-2173

CF91_48	OFTEN WANTED TO EAT MORE/SPELL
----------------	---------------------------------------

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you often want to eat more?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.4	2.7	80	1	YES, OCCURRED DURING THIS SPELL
64.6	5.0	146	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	19.4	567	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2174-2175

CF91_49 DID YOU GAIN A LOT OF WEIGHT/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you gain a lot of weight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.0	1.6	48	1	YES, OCCURRED DURING THIS SPELL
69.0	3.7	107	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	21.8	638	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2176-2177

CF91_50 HAD MORE TROUBLE SLEEPING/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you have more trouble sleeping than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	8.6	250	1	YES, OCCURRED DURING THIS SPELL
12.6	1.2	36	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	17.4	507	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2178-2179

CF91_51	DID YOU SLEEP A LOT MORE/SPELL
----------------	---------------------------------------

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you sleep a lot more than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.4	5.1	149	1	YES, OCCURRED DURING THIS SPELL
40.6	3.5	102	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	18.5	541	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2180-2181

CF91_52	TALK/MOVE AROUND A LOT LESS/SPELL
----------------	--

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you definitely talk or move around a lot less than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	6.3	184	1	YES, OCCURRED DURING THIS SPELL
16.7	1.3	37	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	19.6	572	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2182-2183

CF91_53 WERE YOU VERY RESTLESS/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) were you very restless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	4.8	140	1	YES, OCCURRED DURING THIS SPELL
24.7	1.6	46	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	20.8	607	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2184-2185

CF91_55 HAD LESS INTEREST IN SEX/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you have less interest in sex than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	3.3	95	1	YES, OCCURRED DURING THIS SPELL
38.3	2.0	59	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	21.8	638	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2186-2187

CF91_56**DID YOU FEEL NOTHING WAS FUN/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you feel nothing was fun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	7.1	207	1	YES, OCCURRED DURING THIS SPELL
14.5	1.2	35	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	18.9	551	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2188-2189

CF91_57**JUST NOT INTERESTED IN ANYTHING/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) were you just not interested in anything . . . did you feel bored?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	7.2	209	1	YES, OCCURRED DURING THIS SPELL
9.1	0.7	21	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	19.3	563	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2190-2191

CF91_58	YOU WERE SO DOWN/HARD TO DO WORK/SPELL
----------------	---

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) were you so down that it was hard for you to do your (schoolwork/work)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	8.8	258	1	YES, OCCURRED DURING THIS SPELL
9.5	0.9	27	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	17.4	508	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2192-2193

CF91_59	TROUBLE LOOKING AFTER SELF/THINGS/SPELL
----------------	--

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you have trouble looking after yourself or your things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.6	2.8	83	1	YES, OCCURRED DURING THIS SPELL
28.4	1.1	33	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	23.2	677	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2194-2195

CF91_60**YOU WERE MORE TIRED THAN USUAL/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) were you more tired than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	7.0	205	1	YES, OCCURRED DURING THIS SPELL
16.7	1.4	41	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	18.7	547	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2196-2197

CF91_61**HAD MUCH LESS ENERGY THAN USUAL/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you have much less energy than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	6.9	201	1	YES, OCCURRED DURING THIS SPELL
12.6	1.0	29	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	19.3	563	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2198-2199

CF91_62 GOT UP/FELT VERY BAD/BETTER LATER/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you feel very bad when you got up but feel better later in the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	5.8	169	1	YES, OCCURRED DURING THIS SPELL
30.7	2.6	75	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	18.8	549	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2200-2201

CF91_63 FELT LESS GOOD ABOUT/BLAMED SELF/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you feel less good about yourself than usual . . . did you blame yourself a lot for things that happened in the past?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	6.8	200	1	YES, OCCURRED DURING THIS SPELL
9.9	0.8	22	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	19.5	571	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2202-2203

CF91_64**DID YOU FEEL SINFUL/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you feel sinful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.8	4.0	116	1	YES, OCCURRED DURING THIS SPELL
24.2	1.3	37	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	21.9	640	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2204-2205

CF91_65**MORE DOWN ON YOURSELF THAN USUAL/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) were you more down on yourself than usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	6.3	183	1	YES, OCCURRED DURING THIS SPELL
10.3	0.7	21	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	20.2	589	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2206-2207

CF91_67	OFTEN FEEL BAD ABOUT YOUR LOOK/SPELL
----------------	---

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you often feel bad about the way you look?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.9	5.0	145	1	YES, OCCURRED DURING THIS SPELL
24.1	1.6	46	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	20.6	602	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2208-2209

CF91_68	WERE YOU ABOUT TO CRY OR IN TEARS/SPELL
----------------	--

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) were you about to cry or were in tears?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	9.8	287	1	YES, OCCURRED DURING THIS SPELL
11.1	1.2	36	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	16.1	470	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2210-2211

CF91_69**TROUBLE PAYING ATTENTION TO WORK/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you have more trouble than usual paying attention to your (schoolwork/work) or keeping your mind on other things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.3	9.0	263	1	YES, OCCURRED DURING THIS SPELL
7.7	0.8	22	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	17.4	508	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2212-2213

CF91_70**UNABLE TO CONCENTRATE/THINK CLEAR/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) were you unable to concentrate or to think as clearly or quickly as usual?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.1	7.7	226	1	YES, OCCURRED DURING THIS SPELL
8.9	0.8	22	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	18.7	545	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2214-2215

CF91_71

THINGS NEVER SEEM WORK OUT RIGHT/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you feel that things never seem to work out all right?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	8.7	254	1	YES, OCCURRED DURING THIS SPELL
7.0	0.7	19	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	17.8	520	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2216-2217

CF91_72

HARDER TO MAKE UP YOUR MIND/SPELL

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you find it was harder than usual for you to make up your mind?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.7	4.8	141	1	YES, OCCURRED DURING THIS SPELL
20.3	1.2	36	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	21.1	615	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2218-2219

CF91_73**THOUGHT A LOT ABOUT DEATH OR DYING/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you think a lot more than usual about death or dying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	7.9	231	1	YES, OCCURRED DURING THIS SPELL
12.2	1.1	32	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	18.1	529	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2220-2221

CF91_74**FELT LIKE YOU WANTED TO DIE/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you feel like you wanted to die?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	6.5	191	1	YES, OCCURRED DURING THIS SPELL
11.6	0.9	25	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	19.8	577	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2222-2223

CF91_75 **THOUGHT A LOT ABOUT SUICIDE/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you think a lot about suicide or killing yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.9	6.0	176	1	YES, OCCURRED DURING THIS SPELL
11.1	0.8	22	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	20.4	595	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2224-2225

CF91_76 **DID YOU TRY TO KILL YOURSELF/SPELL**

I'd also like to know which of these other problems you had during (this/that) spell of depression . For instance. during (this/that) spell (when you were (AGE IN F90) years old) did you try to kill yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	5.0	147	1	YES, OCCURRED DURING THIS SPELL
26.5	1.8	53	2	NO, DID NOT OCCUR THEN
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	20.3	593	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2226-2227

CF92_1**SPELL OF DEPRESSION/PROBLEMS BEGAN**

When did this spell of depression, when you had these problems, begin?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	1.0	29	1	WITHIN THE MONTH BEFORE ADMISSION
29.9	4.5	131	2	WITHIN THE PAST 12 MONTHS
63.5	9.5	278	3	MORE THAN 1 YEAR AGO
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	12.2	355	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2228-2229

CF92_M**MONTHS AGO SPELL OF DEPRESSION BEGIN**

When did this spell of depression, when you had these problems, begin? (recode)

2,921 cases (Range of valid codes: 0-150)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3345-3347

CF92_A_1	SPELL OF DEPRESSION/PROBLEMS ENDED
-----------------	---

When did this spell of depression, when you had all of these problems, end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	4.0	116	1	WITHIN THE MONTH BEFORE ADMISSION
33.0	4.5	132	2	WITHIN THE PAST 12 MONTHS
38.0	5.2	152	3	MORE THAN 1 YEAR AGO
	72.8	2,127	-9	LEGITIMATE NONRESPONSE
	12.5	365	-8	MISSING
	0.0	1	-7	REFUSAL
	0.9	25	-5	BAD DATA
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2230-2231

CF92A_M	MONTHS AGO DEPRESSION SPELL END
----------------	--

When did this spell of depression, when you had all of these problems, end? (recode)

2,921 cases (Range of valid codes: 0-128)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3348-3350

SEXUAL EXPERIENCES

CG1	HOW IMPORTANT YOUR SEX LIFE TO YOU
------------	---

For the next series of questions, I'll be asking about your sexual experiences. In general, has your sex life been important to you, or could you have gotten along as well without it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.2	48.9	1,429	1	IMPORTANT
45.4	41.8	1,221	2	GOTTEN ALONG AS WELL WITHOUT IT
1.4	1.3	37	3	NO SEXUAL EXPERIENCES
	7.5	220	-8	MISSING
	0.2	7	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2232-2233

CG2	DID R REFUSE G1?
------------	-------------------------

DID RESPONDENT REFUSE G1?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.4	13	1	YES
99.5	89.5	2,613	2	NO
	1.2	36	-9	LEGITIMATE NONRESPONSE
	8.9	259	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2234-2235

CG3	YOUR AGE/FIRST HAD SEXUAL RELATIONS
------------	--

How old were you when you first had sexual relations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	0	NEVER
0.0	0.0	1	2	
0.1	0.1	2	3	
0.2	0.1	4	4	
0.4	0.4	11	5	
0.5	0.4	12	6	
1.2	1.1	32	7	
1.1	1.0	30	8	
2.5	2.3	67	9	
3.1	2.8	81	10	
6.3	5.6	165	11	
16.0	14.4	421	12	
26.9	24.3	709	13	
22.1	20.0	583	14	
12.1	11.0	320	15	
5.2	4.7	136	16	
0.9	0.9	25	17	
1.1	1.0	29	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.2	0.2	6	95	DON'T KNOW, BUT 15 OR OLDER
	1.6	48	-9	LEGITIMATE NONRESPONSE
	7.6	223	-8	MISSING
	0.2	7	-7	REFUSAL
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2236-2237

CG3_A	YOU FORCE ONE TO HAVE SEX/BEFORE AGE 15
--------------	--

(Before age 15), did you ever force someone to have sex with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.5	44	1	YES
98.3	88.8	2,594	2	NO
	1.7	50	-9	LEGITIMATE NONRESPONSE
	7.9	231	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2238-2239

CG3_B	AGE/FIRST TIME YOU FORCED ONE FOR SEX
--------------	--

How old were you the first time you forced someone to have sex with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.0	1	0	
2.2	0.0	1	5	
13.3	0.2	6	7	
4.4	0.1	2	8	
4.4	0.1	2	9	
2.2	0.0	1	10	
8.9	0.1	4	11	
15.6	0.2	7	12	
17.8	0.3	8	13	
20.0	0.3	9	14	
8.9	0.1	4	15	
	90.5	2,643	-9	LEGITIMATE NONRESPONSE
	7.9	231	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2240-2241

CG4 HAD SEXUAL RELATIONS OUTSIDE MARRIAGE

During (any/your) marriage, did you have sexual relations outside of marriage with at least 3 different people [HOMOSEXUAL OR HETEROSEXUAL]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	1.0	30	1	YES
72.2	2.7	78	2	NO
	96.3	2,812	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2242-2243

CG5 YOU BEEN FAITHFUL FOR MORE THAN 1 YEAR

Have you ever been faithful for more than a year-with no other sexual relationships at all during that period? [IF RESPONDENT SAYS ONLY BECAUSE THERE WAS NO OPPORTUNITY (E.G., IN PRISON), CODE 02.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.3	2.8	82	1	YES
30.8	2.0	57	2	NO
24.9	1.6	46	3	NO RELATIONSHIP LASTED 1 YEAR/LONG
	92.9	2,713	-9	LEGITIMATE NONRESPONSE
	0.8	22	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2244-2245

CG6**HAD SEX W/10 DIFFERENT PEOPLE/IN 1 YR**

Have you ever had sex with as many as 10 different people within a single year (including your husband/wife/partner)?
[INCLUDES HOMOSEXUAL AND HETEROSEXUAL]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	24.8	725	1	YES
72.3	64.9	1,897	2	NO
	1.7	50	-9	LEGITIMATE NONRESPONSE
	8.4	245	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2246-2247

CG6_A**IS G4 OR G6 CODED 01 (YES)?**

IS G4 OR G6 CODED 01 (YES)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	24.3	711	1	YES
71.9	62.2	1,818	2	NO
	1.7	50	-9	LEGITIMATE NONRESPONSE
	11.6	340	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2248-2249

CG6_B_1	FIRST TIME/HAD SEX W/10 DIFFERENT PEOPLE
----------------	---

You mentioned (having sexual relations outside of marriage / having sex with 10 different people). When is the first time you did (this/either of those things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.3	9	1	WITHIN THE MONTH BEFORE ADMISSION
11.7	2.9	85	2	WITHIN THE PAST 12 MONTHS
87.1	21.7	633	3	MORE THAN 1 YEAR AGO
	63.8	1,865	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2250-2251

CG6B_M	MONTHS AGO FIRST HAD AFFAIR
---------------	------------------------------------

You mentioned (having sexual relations outside of marriage having sex with 10 different people). When is the first time you did (this/either of those things)? (recode)

2,921 cases (Range of valid codes: 0-112)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3354-3356

CG6_C_1**LAST TIME/HAD SEX W/10 DIFFERENT PEOPLE**

When is the last time you did (this/either of those things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	9.4	274	1	WITHIN THE MONTH BEFORE ADMISSION
30.8	7.7	224	2	WITHIN THE PAST 12 MONTHS
31.6	7.9	230	3	MORE THAN 1 YEAR AGO
	63.9	1,866	-9	LEGITIMATE NONRESPONSE
	11.1	324	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2252-2253

CG6C_M**MONTHS AGO LAST HAD AFFAIR**

When is the last time you did (this/either of those things)? (recode)

2,921 cases (Range of valid codes: 0-65)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3357-3358

CG7 #OF DIFFERENT FEMALE W/HAD VAGINAL INTERCOURSE

First, I want to ask you about your sexual experiences with females in the 12 months before admission to the program. In those 12 months, about how many different females did you have vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.3	9	0	NEVER HAD VAGINAL INTERCOURSE
3.0	2.1	60	1	NONE
18.9	12.8	375	2	1 FEMALE
40.8	27.8	812	3	2 TO 4 FEMALES
18.4	12.5	366	4	5 TO 9 FEMALES
15.0	10.2	298	5	10 TO 20 FEMALES
3.3	2.2	65	6	21 TO 99 FEMALES
0.2	0.1	4	7	100 OR MORE FEMALES
	26.6	778	-9	LEGITIMATE NONRESPONSE
	4.9	143	-8	MISSING
	0.2	6	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2254-2255

CG7_A USED CONDOM/VAGINAL INTERCOURSE W/FEMALE

In those 12 months, about how often did you use a condom or "rubber" when you had vaginal intercourse with the (female/females)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	5.8	169	1	NEVER
20.6	13.6	397	2	SOMETIMES
19.2	12.7	370	3	USUALLY
51.5	34.0	993	4	EVERY TIME
	29.0	847	-9	LEGITIMATE NONRESPONSE
	4.9	143	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2256-2257

CG8	#OF DIFFERENT FEMALES W/HAD ANAL INTERCOURSE
------------	---

In the 12 months before admission, about how many different females did you have anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	56.6	1,652	1	NONE
8.4	5.8	168	2	1 FEMALE
5.5	3.7	109	3	2 TO 4 FEMALES
1.6	1.1	32	4	5 TO 9 FEMALES
1.1	0.8	22	5	10 TO 20 FEMALES
0.4	0.2	7	6	21 TO 99 FEMALES
0.0	0.0	0	7	100 OR MORE FEMALES
	26.6	778	-9	LEGITIMATE NONRESPONSE
	5.0	147	-8	MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2258-2259

CG8_A	USED CONDOM/ANAL INTERCOURSE W/FEMALES
--------------	---

In those 12 months, about how often did you use a condom or "rubber" when you had anal intercourse with the (female/females)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	2.8	82	1	NEVER
15.8	1.8	53	2	SOMETIMES
12.5	1.4	42	3	USUALLY
47.3	5.4	159	4	EVERY TIME
	83.2	2,430	-9	LEGITIMATE NONRESPONSE
	5.2	152	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2260-2261

CG9 FEMALE INTERCOURSE W/TOOK \$/DRUG FOR SEX

To the best of your knowledge, had any female you had (vaginal/anal) intercourse with in those 12 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	2.4	69	1	YES
96.1	58.7	1,716	2	NO
	29.0	846	-9	LEGITIMATE NONRESPONSE
	9.7	284	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2262-2263

CG10 FEMALES SHOOT UP DRUG/YOU INTERCOURSE W/

To the best of your knowledge, had any female you had (vaginal/anal) intercourse with in those 12 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.3	38	1	YES
97.9	59.7	1,743	2	NO
	29.0	846	-9	LEGITIMATE NONRESPONSE
	9.8	285	-8	MISSING
	0.0	1	-7	REFUSAL
	0.3	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2264-2265

CG11**#OF DIFFERENT MALE W/YOU HAD ANAL INTERCOURSE**

Now, I want to ask about your sexual experiences with males in the 12 months before admission. In those 12 months, about how many different males did you have anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.0	61.6	1,799	0	NEVER HAD SEX WITH A MALE
9.4	6.4	188	1	NONE
0.1	0.1	3	2	1 MALE
0.2	0.2	5	3	2 TO 4 MALES
0.2	0.1	4	4	5 TO 9 MALES
0.0	0.0	0	5	10 TO 20 MALES
0.1	0.0	1	6	21 TO 99 MALES
0.0	0.0	0	7	100 OR MORE MALES
	26.6	776	-9	LEGITIMATE NONRESPONSE
	4.9	144	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2266-2267

CG11_A**USED CONDOM/ANAL INTERCOURSE W/MALES**

In those 12 months, about how often did you use a condom or "rubber" when you had anal intercourse with the (male/males)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	2	1	NEVER
25.0	0.1	3	2	SOMETIMES
25.0	0.1	3	3	USUALLY
33.3	0.1	4	4	EVERY TIME
	94.6	2,764	-9	LEGITIMATE NONRESPONSE
	4.9	144	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2268-2269

CG12 MALE INTERCOURSE W/TOOK \$/DRUG FOR SEX

To the best of your knowledge, had any male you had anal intercourse with in those 12 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	3	1	YES
75.0	0.3	9	2	NO
	94.6	2,764	-9	LEGITIMATE NONRESPONSE
	4.9	144	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2270-2271

CG13 MALE SHOOT UP DRUG/YOU HAD INTERCOURSE W/

To the best of your knowledge, had any male you had anal intercourse with in those 2 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	3	1	YES
75.0	0.3	9	2	NO
	94.6	2,764	-9	LEGITIMATE NONRESPONSE
	4.9	144	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2272-2273

CG14**ANYONE INTERCOURSE W/GAVE \$/FOR SEX**

At any time in the 12 months before admission, did anyone give you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	1.9	56	1	YES
97.2	66.4	1,941	2	NO
	26.5	774	-9	LEGITIMATE NONRESPONSE
	5.0	146	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2274-2275

CG15**TESTED+/HAD AIDS/YOU HAD INTERCOURSE W/**

At any time in the 12 months before admission, did you have intercourse with anyone who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.9	27	1	YES
98.6	67.4	1,970	2	NO
	26.5	774	-9	LEGITIMATE NONRESPONSE
	5.0	145	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2276-2277

CG15_A #PEOPLE TEST+/HAD AIDS/YOU INTERCOURSE W

During that period, how many people did you have intercourse with who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	0.7	21	1	1 PERSON
22.2	0.2	6	2	2 TO 4 PEOPLE
0.0	0.0	0	3	5 OR MORE PEOPLE
	93.9	2,744	-9	LEGITIMATE NONRESPONSE
	5.1	149	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2278-2279

CG16 #DIFFERENT MALE/YOU HAD VAGINAL INTERCOURSE W/

I want to ask you about your sexual experiences with males in the 12 months before admission. In those months, about how many different males did you have vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.1	3	0	NEVER HAD VAGINAL INTERCOURSE W/MALE
4.1	0.9	26	1	NONE
25.1	5.5	160	2	1 MALE
44.4	9.7	283	3	2 TO 4 MALES
13.9	3.0	89	4	5 TO 9 MALES
10.5	2.3	67	5	10 TO 20 MALES
1.3	0.3	8	6	21 TO 99 MALES
0.3	0.1	2	7	100 OR MORE MALES
	74.8	2,185	-9	LEGITIMATE NONRESPONSE
	3.1	91	-8	MISSING
	0.2	6	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2280-2281

CG16_A	USED CONDOM/VAGINAL INTERCOURSE W/MALES
---------------	--

In those 12 months, about how often did the (male/males) you had intercourse with use a condom or "rubber" while you were having vaginal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	2.2	65	1	NEVER
22.5	4.7	138	2	SOMETIMES
25.9	5.4	159	3	USUALLY
40.9	8.6	251	4	EVERY TIME
	75.8	2,214	-9	LEGITIMATE NONRESPONSE
	3.1	92	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2282-2283

CG17	#OF DIFFERENT MALE/YOU HAD ANAL INTERCOURSE W/
-------------	---

In the 12 months before admission, about how many different males did you have anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	13.8	404	0	NEVER HAD ANAL INTERCOURSE W/A MALE
27.4	6.0	175	1	NONE
5.3	1.2	34	2	1 MALE
2.5	0.5	16	3	2 TO 4 MALES
0.8	0.2	5	4	5 TO 9 MALES
0.8	0.2	5	5	10 TO 20 MALES
0.0	0.0	0	6	21 TO 99 MALES
0.0	0.0	0	7	100 OR MORE MALES
	74.8	2,185	-9	LEGITIMATE NONRESPONSE
	3.2	94	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2284-2285

CG17_A USED CONDOM/ANAL INTERCOURSE W/MALES

In those 12 months, about how often did the (male/males) you had intercourse with use a condom or "rubber" while you were having anal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	1.0	28	1	NEVER
12.7	0.3	8	2	SOMETIMES
7.9	0.2	5	3	USUALLY
34.9	0.8	22	4	EVERY TIME
	94.6	2,763	-9	LEGITIMATE NONRESPONSE
	3.2	93	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2286-2287

CG18 YOUR SEX PARTNER INTERCOURSE W/BOTH SEX

In those 12 months, did you have (vaginal/anal) intercourse with a male who you think has had intercourse with both males and females?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	1.2	36	1	YES
94.1	19.7	576	2	NO
	75.7	2,212	-9	LEGITIMATE NONRESPONSE
	3.2	94	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2288-2289

CG19**YOUR MALE SEX PARTNER TOOK \$/DRUG FOR SEX**

To the best of your knowledge, had any male you had (vaginal/anal) intercourse with in those 12 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	1.0	30	1	YES
95.1	19.9	582	2	NO
	75.7	2,212	-9	LEGITIMATE NONRESPONSE
	3.1	92	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2290-2291

CG20**ANY MALE GAVE YOU \$/DRUG FOR INTERCOURSE**

At any time in the 12 months before admission, did any male give you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	2.7	79	1	YES
87.2	18.3	536	2	NO
	75.7	2,212	-9	LEGITIMATE NONRESPONSE
	3.1	92	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2292-2293

CG21 YOUR MALE SEX PARTNER SHOOT UP DRUGS

To the best of your knowledge, did any male you had (vaginal/anal) intercourse with in those 12 months ever use a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	2.3	66	1	YES
89.2	18.7	546	2	NO
	75.7	2,212	-9	LEGITIMATE NONRESPONSE
	3.1	92	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2294-2295

CG22 YOUR MALE SEX PARTNER/TESTED +/-HAD AIDS

At any time in the 12 months before admission, did you have (vaginal/anal) intercourse with any male who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.6	17	1	YES
97.2	20.3	594	2	NO
	75.7	2,212	-9	LEGITIMATE NONRESPONSE
	3.1	92	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2296-2297

CG22_A

#MALE TEST+/HAD AIDS/YOU INTERCOURSE W/

During that period, how many males did you have (vaginal/anal) intercourse with who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	0.5	15	1	1 MALE
6.2	0.0	1	2	2 TO 4 MALES
0.0	0.0	0	3	5 OR MORE MALES
	96.1	2,806	-9	LEGITIMATE NONRESPONSE
	3.3	97	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2298-2299

BEHAVIORAL PROBLEMS / ADOLESCENT BEHAVIORAL PROBLEMS

CH1 YOU HAD PROBLEM W/WETTING BED/AGE >5

Now, I'd like to ask you about your life as a child before you were 15 years old. Not counting times you were sick, did you ever have a problem with wetting the bed when you were older than 5?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	1.5	45	1	YES
86.4	9.8	285	2	NO
	88.7	2,591	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2300-2301

CH2 WERE YOU UNUSUALLY SHY AS CHILD/TEENAGER

Were you unusually shy as a child or teenager?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	3.5	103	1	YES
68.9	7.8	228	2	NO
	88.7	2,590	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2302-2303

CH3	GOT INTO PHYS FIGHT/YOU START/BEFORE 15
------------	--

Before you were 15, did you often get into physical fights that you had started?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	4.9	143	1	YES
56.9	6.5	189	2	NO
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2304-2305

CH3_A	AGE/FIRST TIME YOU STARTED PHYS FIGHT
--------------	--

How old were you the first time you started a physical fight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.0	1	3	
7.1	0.3	10	5	
11.3	0.5	16	6	
5.0	0.2	7	7	
12.1	0.6	17	8	
9.2	0.4	13	9	
14.2	0.7	20	10	
11.3	0.5	16	11	
16.3	0.8	23	12	
7.1	0.3	10	13	
5.0	0.2	7	14	
0.7	0.0	1	15	
	6.5	189	-9	LEGITIMATE NONRESPONSE
	88.6	2,589	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2306-2307

CH4 **USED WEAPON IN A FIGHT/THREATEN/AGE <15**

Did you more than once use a weapon in a fight or threaten someone with a weapon before you were 15?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	3.2	93	1	YES
72.0	8.2	239	2	NO
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2308-2309

CH4_A **AGE/FIRST USE WEAPON IN FIGHT/THREATEN**

How old were you when you first used a weapon in a fight or threatened someone with a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.0	1	4	
2.2	0.1	2	5	
1.1	0.0	1	6	
5.5	0.2	5	8	
2.2	0.1	2	9	
8.8	0.3	8	10	
7.7	0.2	7	11	
27.5	0.9	25	12	
20.9	0.7	19	13	
16.5	0.5	15	14	
6.6	0.2	6	15	
	8.2	239	-9	LEGITIMATE NONRESPONSE
	88.6	2,589	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2310-2311

CH5	TRIED TO PHYS HURT SOMEONE/AGE <15
------------	--

Before you were 15, did you sometimes try to physically hurt anyone? [IF H3=01: This could include starting a fight with them because you wanted to hurt them.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.3	3.2	94	1	YES
71.7	8.1	238	2	NO
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2312-2313

CH5_A	AGE/FIRST TRIED TO PHYS HURT SOMEONE
--------------	---

How old were you when you first tried to physically hurt someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.0	1	5	
5.4	0.2	5	6	
4.3	0.1	4	7	
6.5	0.2	6	8	
4.3	0.1	4	9	
7.5	0.2	7	10	
10.8	0.3	10	11	
12.9	0.4	12	12	
23.7	0.8	22	13	
18.3	0.6	17	14	
4.3	0.1	4	15	
1.1	0.0	1	16	
	8.1	238	-9	LEGITIMATE NONRESPONSE
	88.6	2,589	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2314-2315

CH6 KILL/HURT AN ANIMAL ON PURPOSE/AGE <15

Did you ever hurt or kill an animal on purpose before you were 15? Do not count hunting, fishing, or exterminating rats, mice, or insects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	1.7	51	1	YES
84.6	9.6	281	2	NO
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2316-2317

CH6_A AGE/HURT AN ANIMAL ON PURPOSE/FIRST TIME

How old were you the first time you tried to hurt or kill an animal on purpose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.0	1	2	
5.9	0.1	3	4	
2.0	0.0	1	5	
7.8	0.1	4	6	
3.9	0.1	2	7	
7.8	0.1	4	8	
2.0	0.0	1	9	
11.8	0.2	6	10	
7.8	0.1	4	11	
11.8	0.2	6	12	
7.8	0.1	4	13	
21.6	0.4	11	14	
5.9	0.1	3	15	
2.0	0.0	1	16	
	9.6	280	-9	LEGITIMATE NONRESPONSE
	88.6	2,589	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2318-2319

CH7	TOLD A LOT OF LIES/CHILD/TEENAGER
------------	--

Of course, no one tells the truth all the time, but did you tell a lot of lies when you were a child or teenager?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.2	6.5	190	1	YES
42.8	4.9	142	2	NO
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2320-2321

CH7_A	AGE/WHEN FIRST TOLD A LOT OF LIES
--------------	--

How old were you when you first told a lot of lies?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	3	
2.1	0.1	4	4	
5.9	0.4	11	5	
9.6	0.6	18	6	
8.6	0.5	16	7	
12.3	0.8	23	8	
5.9	0.4	11	9	
11.8	0.8	22	10	
9.1	0.6	17	11	
9.6	0.6	18	12	
5.3	0.3	10	13	
4.8	0.3	9	14	
4.3	0.3	8	15	
3.2	0.2	6	16	
7.0	0.4	13	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.0	0.0	0	95	DON'T KNOW, BUT 15 OR OLDER
	4.9	142	-9	LEGITIMATE NONRESPONSE
	88.6	2,588	-8	MISSING
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2322-2323

CH8 SWIPE THINGS >1 FROM ANYONE/AS A CHILD

When you were a child, did you more than once swipe (or steal) things from a store or from other children or steal from your parents or from anyone else? [DO NOT COUNT STEALING CANDY.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	6.6	193	1	YES
41.9	4.8	139	2	NO
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2324-2325

CH8_A AGE/WHEN YOU FIRST STOLE THINGS

How old were you when you first stole things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	4	
5.7	0.4	11	5	
9.8	0.7	19	6	
6.2	0.4	12	7	
11.9	0.8	23	8	
9.3	0.6	18	9	
11.4	0.8	22	10	
9.8	0.7	19	11	
13.5	0.9	26	12	
11.4	0.8	22	13	
5.2	0.3	10	14	
0.5	0.0	1	15	
1.6	0.1	3	16	
0.5	0.0	1	18	
2.6	0.2	5	94	1 OR DON'T KNOW, BUT LESS THAN 15
0.0	0.0	0	95	DON'T KNOW, BUT 15 OR OLDER
	4.7	138	-9	LEGITIMATE NONRESPONSE
	88.6	2,589	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2326-2327

CH9	DID YOU ROB/MUG ANYONE/BEFORE AGE 15
------------	---

Before you were 15, did you ever rob or mug anyone or snatch a purse or threaten to hurt anyone if they didn't give you money or jewelry?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	1.8	53	1	YES
84.0	9.6	279	2	NO
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2328-2329

CH9_A	AGE/FIRST TIME YOU ROB/MUG ANYONE
--------------	--

How old were you the first time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.0	1	10	
7.5	0.1	4	11	
20.8	0.4	11	12	
24.5	0.4	13	13	
37.7	0.7	20	14	
7.5	0.1	4	15	
	9.6	279	-9	LEGITIMATE NONRESPONSE
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2330-2331

CH10 **DAMAGE SOMEONE'S PROPERTY/AGE <15**

Before you were 15, did you ever intentionally damage someone's car or do anything else to destroy or severely damage someone else's property?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	2.5	74	1	YES
77.6	8.8	257	2	NO
	88.7	2,590	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2332-2333

CH10_A **AGE/FIRST TIME DAMAGE ONE'S PROPERTY**

How old were you when you first did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.0	1	2	
2.7	0.1	2	8	
1.4	0.0	1	9	
4.1	0.1	3	10	
6.8	0.2	5	11	
18.9	0.5	14	12	
25.7	0.7	19	13	
31.1	0.8	23	14	
6.8	0.2	5	15	
1.4	0.0	1	16	
	8.8	256	-9	LEGITIMATE NONRESPONSE
	88.7	2,590	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2334-2335

CH10_B	INTENTIONALLY SET FIRE/AGE 15/>15
---------------	---

What about later, at age 15 or after, did you intentionally set any fires or try to destroy something that belonged to someone else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.2	1.7	50	1	YES
84.8	9.6	280	2	NO
	88.7	2,590	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2336-2337

CH11	INTENTIONALLY START FIRE/AGE <15
-------------	--

Before you were 15, did you intentionally start any fires? Don't count fires that you were supposed to start like bonfires or fires in stoves or fireplaces.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	1.5	44	1	YES
86.7	9.9	288	2	NO
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2338-2339

CH11_A	AGE/FIRST TIME/INTENTIONALLY START FIRE
---------------	--

How old were you when you first did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.0	1	4	
4.7	0.1	2	6	
2.3	0.0	1	7	
11.6	0.2	5	8	
9.3	0.1	4	9	
9.3	0.1	4	10	
9.3	0.1	4	11	
16.3	0.2	7	12	
16.3	0.2	7	13	
14.0	0.2	6	14	
2.3	0.0	1	15	
2.3	0.0	1	16	
	9.9	288	-9	LEGITIMATE NONRESPONSE
	88.6	2,589	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2340-2341

CH12	HIT/SPANK ANY CHILD HARD/HAD BRUISES
-------------	---

Have you ever spanked or hit any child, hard enough so that the child had bruises or had to stay in bed or see a doctor?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.1	3	1	YES
99.1	11.2	327	2	NO
	88.7	2,591	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2342-2343

CH12_A	#TIME HIT/SPANK CHILD HARD
---------------	-----------------------------------

How many times in the past year did you hit or spank a child hard?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	
33.3	0.0	1	2	
33.3	0.0	1	10	
	11.2	327	-9	LEGITIMATE NONRESPONSE
	88.7	2,591	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2344-2345

CH13	YOU BEEN IN >1 FIGHT/SINCE AGE 15
-------------	---

Since age 15, have you been in more than one fight that came to swapping blows (other than fights with your (spouse(s)/partner(s)))?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	8.0	235	1	YES
28.6	3.2	94	2	NO
	88.7	2,590	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2346-2347

CH13_A	#TIME YOU BEEN IN A FIGHT
---------------	----------------------------------

How many times in the past year have you been in such a fight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	1.1	33	0	
12.2	1.0	28	1	
12.6	1.0	29	2	
10.9	0.9	25	3	
10.9	0.9	25	4	
6.5	0.5	15	5	
3.9	0.3	9	6	
5.2	0.4	12	7	
3.0	0.2	7	8	
0.4	0.0	1	9	
7.8	0.6	18	10	
1.7	0.1	4	12	
2.2	0.2	5	15	
0.4	0.0	1	16	
3.5	0.3	8	20	
1.7	0.1	4	25	
0.9	0.1	2	30	
0.4	0.0	1	40	
0.4	0.0	1	50	
0.4	0.0	1	99	
0.4	0.0	1	500	
	3.2	93	-9	LEGITIMATE NONRESPONSE
	88.8	2,593	-8	MISSING
	0.1	4	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2348-2350

CH14**EVER USED A WEAPON IN A FIGHT/SINCE 15**

Since you were 15, have you ever used a weapon like a stick, knife, or gun in a fight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	5.0	147	1	YES
55.2	6.2	181	2	NO
	88.7	2,592	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2351-2352

CH14_A**#TIME YOU USED A WEAPON IN A FIGHT**

How many times in the past year have you used a weapon?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	0.7	21	0	
17.4	0.9	25	1	
22.9	1.1	33	2	
9.7	0.5	14	3	
9.0	0.4	13	4	
6.2	0.3	9	5	
0.7	0.0	1	6	
2.8	0.1	4	7	
1.4	0.1	2	8	
8.3	0.4	12	10	
0.7	0.0	1	11	
1.4	0.1	2	12	
0.7	0.0	1	14	
0.7	0.0	1	15	
1.4	0.1	2	20	
0.7	0.0	1	30	
0.7	0.0	1	40	
0.7	0.0	1	180	
	6.2	181	-9	LEGITIMATE NONRESPONSE
	88.7	2,591	-8	MISSING
	0.1	3	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2353-2355

CH15	PHYS ATTACK ONE/SINCE 15/NOT FIGHTING
-------------	--

Since you were 15, have you ever physically attacked anyone (other than while fighting)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.6	2.1	61	1	YES
81.4	9.1	267	2	NO
	88.7	2,592	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2356-2357

CH15_A	#TIME YOU BEEN IN SUCH A FIGHT
---------------	---------------------------------------

How many times in the past year have you been in such a fight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	0.2	5	0	
24.6	0.5	15	1	
14.8	0.3	9	2	
9.8	0.2	6	3	
8.2	0.2	5	4	
9.8	0.2	6	5	
1.6	0.0	1	6	
3.3	0.1	2	7	
3.3	0.1	2	9	
9.8	0.2	6	10	
1.6	0.0	1	20	
1.6	0.0	1	25	
1.6	0.0	1	40	
1.6	0.0	1	87	
	9.1	267	-9	LEGITIMATE NONRESPONSE
	88.7	2,592	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2358-2359

CH16	IS H10B OR H15 TALLIED?
-------------	--------------------------------

IS H10b (DAMAGED OTHERS' PROPERTY) OR H15 (PHYSICALLY
ATTACKED SOMEONE) TALLIED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	3.0	88	1	YES
73.1	8.2	239	2	NO
	88.8	2,594	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2360-2361

CH17	DID BAD THINGS/OK?/YOU BEEN MISTREATED
-------------	---

You mentioned [READ TALLIED RESPONSES FROM H10b AND H15.]
Did you ever feel that doing (that/those things) was okay
because you had been mistreated or the person deserved it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	1.3	39	1	YES
46.2	1.4	42	2	NO
11.0	0.3	10	3	FELT BAD ABOUT SOME, NOT OTHERS
	8.1	238	-9	LEGITIMATE NONRESPONSE
	88.7	2,592	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2362-2363

CH18 SUED FOR BAD DEBT/DIDN'T MEET PAYMENT

Have you ever been sued for a bad debt or had things you bought taken back because you didn't meet the payments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	0.1	4	1	YES
98.8	11.1	325	2	NO
	88.7	2,592	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2364-2365

CH18_A >2/SUED FOR DEBT/DIDN'T MEET PAYMENT

Did this happen more than twice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	1	YES, MORE THAN TWICE
60.0	0.1	3	2	NO
	11.1	324	-9	LEGITIMATE NONRESPONSE
	88.7	2,592	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2366-2367

CH19 STOLEN/ROBBED/THREATENED ONE/SINCE 15

Since you were 15, have you stolen anything or robbed or threatened anyone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	7.3	214	1	YES
34.4	3.8	112	2	NO
	88.8	2,594	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2368-2369

CH19_A

#TIMES/STOLEN THINGS/ROBBED ONE

How many times in the past year have you done these things
(stolen anything, robbed, or threatened anyone)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	0.8	24	0	
7.4	0.5	15	1	
11.3	0.8	23	2	
6.9	0.5	14	3	
4.9	0.3	10	4	
5.9	0.4	12	5	
3.0	0.2	6	6	
2.0	0.1	4	7	
1.5	0.1	3	8	
1.0	0.1	2	9	
11.8	0.8	24	10	
0.5	0.0	1	11	
1.5	0.1	3	12	
0.5	0.0	1	13	
0.5	0.0	1	14	
3.4	0.2	7	15	
7.9	0.5	16	20	
0.5	0.0	1	25	
3.9	0.3	8	30	
2.0	0.1	4	40	
4.4	0.3	9	50	
1.5	0.1	3	60	
3.0	0.2	6	100	
1.0	0.1	2	150	
1.0	0.1	2	200	
0.5	0.0	1	300	
0.5	0.0	1	350	
	3.8	112	-9	LEGITIMATE NONRESPONSE
	88.8	2,594	-8	MISSING
	0.1	2	-7	REFUSAL
	0.1	3	-5	BAD DATA
	0.2	6	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2370-2372

CH19_B	THEFT/TREATS OK BECAUSE MISTREATED
---------------	---

Did you ever feel that doing that was okay because you have been mistreated or the person deserved it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.5	1.5	44	1	YES
71.6	5.3	154	2	NO
7.9	0.6	17	3	FELT BAD ABOUT SOME, NOT OTHERS
	92.6	2,705	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2373-2374

CH20	MADE MONEY ILLEGALLY BY SELLING DRUGS
-------------	--

Have you ever made money illegally by selling drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	8.6	250	1	YES
24.9	2.8	83	2	NO
	88.6	2,588	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2375-2376

CH20_A

MADE MONEY ILLEGAL/BUY/SELL STOLEN GOODS

Have you made money illegally in any other way such as buying or selling stolen goods or being part of a gambling or betting operation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	3.6	105	1	YES
68.4	7.8	227	2	NO
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2377-2378

CH20_B	AGE/FIRST TIME YOU MADE MONEY ILLEGALLY
---------------	--

How old were you the first time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.0	1	9	
1.9	0.1	2	11	
4.8	0.2	5	12	
8.6	0.3	9	13	
7.6	0.3	8	14	
28.6	1.0	30	15	
25.7	0.9	27	16	
18.1	0.7	19	17	
3.8	0.1	4	18	
	7.7	225	-9	LEGITIMATE NONRESPONSE
	88.7	2,590	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2379-2380

CH20_C	AGE/LAST TIME YOU MADE MONEY ILLEGALLY
---------------	---

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.0	1	2	
0.9	0.0	1	11	
0.9	0.0	1	13	
2.8	0.1	3	14	
5.6	0.2	6	15	
8.4	0.3	9	16	
27.1	1.0	29	17	
53.3	2.0	57	18	
	7.7	224	-9	LEGITIMATE NONRESPONSE
	88.7	2,590	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2381-2382

CH21	BEEN PAID FOR HAVING SEX W/SOMEONE
-------------	---

Have you ever been paid for having sex with someone?
[INCLUDED HOMOSEXUAL OR HETEROSEXUAL.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	0.8	22	1	YES
93.4	10.6	309	2	NO
	88.7	2,590	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2383-2384

CH22	MADE MONEY/FIND CUSTOMER FOR PROSTITUTES
-------------	---

Have you ever made money by finding customers for male or female prostitutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.3	10	1	YES
97.0	11.0	320	2	NO
	88.7	2,591	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2385-2386

CH23	USED AN ALIAS FOR AN ASSUMED NAME
-------------	--

Have you ever used an alias or an assumed name?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	1.7	51	1	YES
84.5	9.6	279	2	NO
	88.7	2,591	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2387-2388

CH23_A	AGE/FIRST TIME USED AN ALIAS
---------------	-------------------------------------

How old were you the first time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	0.1	2	11	
7.8	0.1	4	12	
11.8	0.2	6	13	
9.8	0.2	5	14	
15.7	0.3	8	15	
25.5	0.4	13	16	
19.6	0.3	10	17	
5.9	0.1	3	18	
	9.6	279	-9	LEGITIMATE NONRESPONSE
	88.7	2,590	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2389-2390

CH23_B	AGE/LAST TIME USED AN ALIAS
---------------	------------------------------------

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.0	1	12	
1.9	0.0	1	13	
3.8	0.1	2	14	
11.5	0.2	6	15	
13.5	0.2	7	16	
19.2	0.3	10	17	
48.1	0.9	25	18	
	9.6	279	-9	LEGITIMATE NONRESPONSE
	88.7	2,590	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2391-2392

CH24	LIED PRETTY OFTEN/SINCE BEEN ADULT
-------------	---

Have you thought that you lied pretty often since you have been an adult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	3.8	112	1	YES
65.9	7.4	216	2	NO
	88.7	2,591	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2393-2394

CH24_A	AGE/FIRST TIME LIED PRETTY OFTEN
---------------	---

How old were you the first time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.0	1	3	
1.8	0.1	2	4	
2.7	0.1	3	6	
2.7	0.1	3	7	
0.9	0.0	1	8	
0.9	0.0	1	9	
2.7	0.1	3	10	
1.8	0.1	2	11	
11.8	0.4	13	12	
4.5	0.2	5	13	
10.0	0.4	11	14	
13.6	0.5	15	15	
13.6	0.5	15	16	
9.1	0.3	10	17	
22.7	0.9	25	18	
	7.4	216	-9	LEGITIMATE NONRESPONSE
	88.8	2,594	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2395-2396

CH24_B	AGE/LAST TIME LIED PRETTY OFTEN
---------------	--

How old were you the last time you did that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	0.1	3	14	
1.8	0.1	2	15	
6.3	0.2	7	16	
9.9	0.4	11	17	
79.3	3.0	88	18	
	7.4	216	-9	LEGITIMATE NONRESPONSE
	88.8	2,594	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2397-2398

CH25	ANY RESPONSES TALLIED/STARTING W/H10B
-------------	--

HAVE ANY RESPONSES BEEN TALLIED ON TALLY SHEET H, PART A, STARTING WITH H10b?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	10.3	301	1	YES
8.5	1.0	28	2	NO
	88.7	2,592	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2399-2400

CH26_1	FIRST TIME/DID THESE THINGS/T. SHEET H
---------------	---

You mentioned that you [READ TALLIED RESPONSES FROM TALLY SHEET H, PART A]. When was the first time you did (this/any of these)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	3	1	WITHIN THE MONTH BEFORE ADMISSION
5.0	0.5	15	2	WITHIN THE PAST 12 MONTHS
94.0	9.7	283	3	MORE THAN 1 YEAR AGO
	1.0	28	-9	LEGITIMATE NONRESPONSE
	88.7	2,590	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2401-2402

CH26_M	MONTHS AGO FIRST (TALLY H)
---------------	-----------------------------------

You mentioned that you [READ TALLIED RESPONSES FROM TALLY SHEET H, PART A]. When was the first time you did (this/any of these)? (recode)

2,921 cases (Range of valid codes: 0-174)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3359-3361

CH26_A_1	LAST TIME/DID THESE THINGS/T. SHEET H
-----------------	--

When was the last time you did (this/any of these)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.4	5.8	168	1	WITHIN THE MONTH BEFORE ADMISSION
31.7	3.3	96	2	WITHIN THE PAST 12 MONTHS
12.9	1.3	39	3	MORE THAN 1 YEAR AGO
	1.0	28	-9	LEGITIMATE NONRESPONSE
	88.7	2,590	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2403-2404

CH26A_M	MONTHS AGO LAST (TALLY H)
----------------	----------------------------------

When was the last time you did (this/any of these)?
(recode)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	5.8	169	0	
1.0	0.1	3	1	
8.3	0.9	25	2	
6.0	0.6	18	3	
5.6	0.6	17	4	
2.0	0.2	6	5	
5.0	0.5	15	6	
3.7	0.4	11	7	
2.0	0.2	6	8	
1.0	0.1	3	9	
1.0	0.1	3	10	
1.3	0.1	4	11	
0.3	0.0	1	12	
0.3	0.0	1	13	
0.3	0.0	1	14	
1.0	0.1	3	15	
0.7	0.1	2	17	
1.0	0.1	3	18	
0.3	0.0	1	19	
0.7	0.1	2	20	
0.3	0.0	1	22	
0.7	0.1	2	23	
0.3	0.0	1	26	
0.3	0.0	1	30	
0.3	0.0	1	31	
0.3	0.0	1	39	
	1.0	28	-9	LEGITIMATE NONRESPONSE
	88.7	2,592	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3362-3363

CH27**3/> RESPONSES TALLIED STARTING W/H10B**

HAVE 3 OR MORE RESPONSES BEEN TALLIED STARTING WITH H10b?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	7.8	229	1	YES
24.7	2.6	75	2	NO
	1.0	28	-9	LEGITIMATE NONRESPONSE
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2405-2406

CH28**TALK TO DR./THESE THINGS YOU DID**

Did you ever talk to a doctor about any of these things
you did like [READ TALLIED RESPONSES]?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.2	7	1	YES
96.9	7.6	222	2	NO
	3.5	103	-9	LEGITIMATE NONRESPONSE
	88.6	2,589	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2407-2408

CH31 **MOVED YOUR HANDS/FEET A LOT/6 MONTHS**

In the past 6 months, have you moved your hands and feet a lot or squirmed around in your seat (during class/at your job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	33.6	980	1	YES
59.7	49.6	1,449	2	NO
	15.8	462	-9	LEGITIMATE NONRESPONSE
	1.0	29	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2409-2410

CH32 **HAD TROUBLE SITTING STILL THAN OTHERS**

Do you have more trouble sitting still than others your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	29.0	846	1	YES
70.8	70.2	2,051	2	NO
	0.5	14	-8	MISSING
	0.0	1	-7	REFUSAL
	0.3	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2411-2412

CH33**BEEN TOO FIDGETY OR RESTLESS/6 MONTHS**

In the past 6 months, have you been too fidgety or restless?
That is, fiddling with your hands or jiggling your feet or
wriggling or twisting around in your seat?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	30.9	902	1	YES
68.9	68.5	2,002	2	NO
	0.5	15	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2413-2414

CH34**HAVE TO BE STILL/YOU GET VERY RESTLESS**

If you are someplace where you have to be still or stay
put, like in church or riding in a car, do you get very
restless and feel you have to move around?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	33.5	978	1	YES
66.4	66.0	1,929	2	NO
	0.4	13	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2415-2416

CH34_A	HAVE TO BE STILL 15 MINUTES/GET RESTLESS
---------------	---

Is that so even if you are only there for, say, 15 minutes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	17.7	518	1	YES
48.0	16.4	478	2	NO
	65.4	1,911	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2417-2418

CH35	STAY IN PLACE 10 MIN/ALWAYS RESTLESS
-------------	---

If you have to stay in a place for, say, more than 10 minutes, do you nearly always feel restless, as if you wanted to kick your feet or get up or move about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	20.9	611	1	YES
78.1	74.5	2,176	2	NO
	4.6	133	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2419-2420

CH36	TROUBLE SITTING STILL PROBLEM FOR 6 MON
-------------	--

Has this trouble with sitting still or fidgeting been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	26.4	771	1	YES
43.3	20.1	588	2	NO
	46.4	1,356	-9	LEGITIMATE NONRESPONSE
	7.0	205	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2421-2422

CH37	TROUBLE SITTING STILL PROBLEM/AGE 7-10
-------------	---

When you were between ages 7 and 10, that is, from the time you turned 7 until you turned 11, did you often have trouble with sitting still or fidgeting?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.3	28.9	845	1	YES
70.7	69.7	2,035	2	NO
	0.4	12	-8	MISSING
	0.0	1	-7	REFUSAL
	1.0	28	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2423-2424

CH38**TROUBLE SIT STILL PROBLEM/6 MONTH/AGE 7-10**

During this time, was this trouble with sitting still or fidgeting a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	21.9	639	1	YES
24.4	7.1	206	2	NO
	69.5	2,031	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
	0.0	1	-7	REFUSAL
	0.6	18	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2425-2426

CH39**YOU GET UP FROM SEAT A LOT/SCHOOL OR JOB**

Do you get up from your seat a lot at (school/your job)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.1	29.5	863	1	YES
63.9	52.2	1,525	2	NO
	16.8	492	-9	LEGITIMATE NONRESPONSE
	1.4	40	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2427-2428

CH40**TROUBLE STAYING IN YOUR SEAT AT HOME**

Do you have trouble staying in your seat at home, for example, when you are eating at the table or watching TV (or doing your homework)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	18.3	536	1	YES
81.6	81.3	2,375	2	NO
	0.1	3	-9	LEGITIMATE NONRESPONSE
	0.2	6	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2429-2430

CH41**NOT ABLE TO STAY IN SEAT/PROBLEM/6 MONTH**

Has not being able to stay in your seat been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.4	20.3	592	1	YES
39.6	13.3	388	2	NO
	65.5	1,914	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2431-2432

CH42	TROUBLE STAYING IN YOUR SEAT/AGE 7-10
-------------	--

When you were between ages 7 and 10, did you often have trouble staying in your seat?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	24.3	711	1	YES
75.3	74.3	2,170	2	NO
	0.4	11	-8	MISSING
	0.0	1	-7	REFUSAL
	1.0	28	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2433-2434

CH43	TROUBLE STAY IN YOUR SEAT/6 MONTH/AGE 7-10
-------------	---

During this time, was not being able to stay in your seat a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	18.7	547	1	YES
24.0	5.9	173	2	NO
	73.8	2,157	-9	LEGITIMATE NONRESPONSE
	1.1	32	-8	MISSING
	0.0	1	-7	REFUSAL
	0.4	11	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2435-2436

CH44**HARD TIME KEEP YOUR MIND ON WORK/6 MONTH**

In the past 6 months, have you had a hard time keeping your mind on your (schoolwork/work) when there are other things going on (in the classroom/where you were working)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	39.8	1,162	1	YES
51.2	41.7	1,217	2	NO
	17.0	497	-9	LEGITIMATE NONRESPONSE
	1.5	44	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2437-2438

CH45**LITTLE THINGS KEEP TAKE MIND OFF AT HOME**

At home, do you have a problem playing games, or working on projects, or doing your homework because little things keep taking your mind off what you are doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	30.2	881	1	YES
69.7	69.4	2,027	2	NO
	0.1	3	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2439-2440

CH46**DIFFICULT KEEP MIND ON WHAT YOU DO/6 MON**

Has difficulty with keeping your mind on what you are doing been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	28.6	836	1	YES
37.0	16.8	491	2	NO
	53.4	1,560	-9	LEGITIMATE NONRESPONSE
	1.1	33	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2441-2442

CH47**DIFFICULTY KEEP MIND ON/THINGS/AGE 7-10**

When you were between ages 7 and 10, did you often have difficulty with keeping your mind on what you were doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	18.4	538	1	YES
81.3	80.0	2,338	2	NO
	0.3	10	-8	MISSING
	0.0	1	-7	REFUSAL
	1.2	34	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2443-2444

CH48	DIFFICULTY KEEP MIND ON/AGE 7-10/6 MON
-------------	---

During this time, was difficulty with keeping your mind on what you were doing a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.0	15.1	441	1	YES
27.0	5.6	163	2	NO
	77.8	2,273	-9	LEGITIMATE NONRESPONSE
	1.0	29	-8	MISSING
	0.5	15	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2445-2446

CH49	GAME/TROUBLE WAITING FOR YOUR TURN/6 MON
-------------	---

In the past 6 months, when you were playing games, have you often had trouble waiting for your turn?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	21.4	625	1	YES
78.4	77.4	2,262	2	NO
	1.2	34	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2447-2448

CH50	WHEN STAND IN LINE/PUSH/TRY TO CUT AHEAD
-------------	---

Do you often push or try to cut ahead when you have to stand in line?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	26.8	783	1	YES
73.1	72.8	2,127	2	NO
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2449-2450

CH50_A	PEOPLE GOTTEN MAD WHEN YOU PUSH IN LINE
---------------	--

Have people gotten mad at you for doing that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.5	19.9	580	1	YES
26.5	7.2	209	2	NO
	72.9	2,130	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2451-2452

CH51**TROUBLE WAIT FOR TURN/PROBLEM FOR 6 MON**

Has trouble waiting for your turn or cutting ahead in line been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	16.8	492	1	YES
52.3	18.5	539	2	NO
	62.7	1,832	-9	LEGITIMATE NONRESPONSE
	2.0	58	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2453-2454

CH52**TROUBLE WAITING FOR YOUR TURN/AGE 7-10**

When you were between ages 7 and 10, did you often have trouble waiting for your turn or cutting ahead in line?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	23.0	673	1	YES
76.6	75.4	2,203	2	NO
	0.6	18	-8	MISSING
	0.9	27	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2455-2456

CH53

TROUBLE WAIT FOR TURN/AGE 7-10/FOR 6 MON

During this time, was trouble waiting for your turn or cutting ahead in line a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.2	15.4	451	1	YES
33.8	7.9	230	2	NO
	75.1	2,194	-9	LEGITIMATE NONRESPONSE
	1.2	34	-8	MISSING
	0.4	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2457-2458

CH54

ADULT RESPONSIBLE FOR YOUR CARE/6 MONTHS

This question ascertains who the respondent's caretaker was for the past 6 months. In questions that follow, the name of the person identified by the respondent is used wherever "caretaker" appears in parentheses. If the respondent has no caretaker, use optional wording. A caretaker must be an adult whom the respondent lives with (including caretaker in a residential school or institution when the respondent has lived there for the whole of the past 6 months). If the respondent has lived away from home for less than 6 months, phrase questions in relation to period when the respondent was at home.

Who was the adult you lived with for most of the past 6 months before admission to this program who was most responsible for your care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	26.6	778	1	BOTH BIOLOGICAL/ADOPTIVE PARENTS
35.6	34.9	1,019	2	BIOLOGICAL/ADOPTIVE MOTHER ALONE
13.2	13.0	379	3	BIOLOGICAL/ADOPTIVE MOTHER/OTHER
5.0	4.9	144	4	BIOLOGICAL/ADOPTIVE FATHER ALONE
2.8	2.8	81	5	BIOLOGICAL/ADOPTIVE FATHER/OTHER
7.6	7.5	219	6	OTHER NONINSTITUTIONAL
0.3	0.3	8	7	EDUCATIONAL INSTITUTIONAL
5.9	5.8	170	8	SPECIAL LIVING ARRANGEMENTS
2.4	2.3	68	9	NO CARETAKER
	1.8	52	-8	MISSING
	0.1	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2459-2460

CH55 CALL OUT ANSWER/SCHOOL/JOB/BEFORE Q. FINISH

Do you often call out the answers at (school/your job) even before (the teacher/a coworker) has finished the question?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.8	24.4	713	1	YES
70.2	57.5	1,680	2	NO
	16.9	494	-9	LEGITIMATE NONRESPONSE
	1.2	34	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2461-2462

CH56 BLURT OUT ANSWER BEFORE ONE FINISH ASK Q

Do you often blurt out an answer before (your (CARETAKER) /someone) finish(es) asking the question?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	32.8	957	1	YES
67.1	66.9	1,955	2	NO
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2463-2464

CH56_A**BLURT OUT ANSWER/ONE GOT ANNOYED AT YOU**

Has (your (CARETAKER)/anyone) gotten annoyed at you for that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.5	21.3	622	1	YES
35.5	11.7	343	2	NO
	66.6	1,946	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2465-2466

CH57**BLURTING OUT ANSWERS/PROBLEM FOR 6 MONTH**

Has blurting out answers like this been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.3	19.9	580	1	YES
49.7	19.7	574	2	NO
	59.4	1,736	-9	LEGITIMATE NONRESPONSE
	1.1	31	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2467-2468

CH58 DID YOU BLURT OUT ANSWERS/AGE 7-10

When you were between ages 7 and 10, did you often blurt out answers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	19.2	560	1	YES
80.6	79.4	2,320	2	NO
	0.4	13	-8	MISSING
	1.0	28	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2469-2470

CH59 BLURT OUT ANSWERS/AGE 7-10/FOR 6 MONTH

During this time, was blurring out answers a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.8	12.8	373	1	YES
35.2	6.9	203	2	NO
	78.9	2,306	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
	0.4	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2471-2472

CH60**TEACHER/BOSS REMIND/YOU SUPPOSE TO DO**

Has (a teacher/your boss) had to remind you what you are supposed to be doing again and again and again?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	27.3	798	1	YES
66.4	53.9	1,574	2	NO
	17.0	498	-9	LEGITIMATE NONRESPONSE
	1.7	51	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2473-2474

CH61**ONE HAD TO KEEP REMIND/YOU SUPPOSE TO DO**

When (your (CARETAKER)/someone) ask(s) you to do something, does that person have to keep reminding you to go back to it because you can't remember what you are supposed to do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	30.9	904	1	YES
68.9	68.6	2,005	2	NO
	0.4	11	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2475-2476

CH62	NEEDING TO BE REMINDED/PROBLEM FOR 6 MON
-------------	---

Has needing to be reminded to follow through on things been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	26.8	782	1	YES
32.1	12.7	370	2	NO
	59.7	1,744	-9	LEGITIMATE NONRESPONSE
	0.9	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2477-2478

CH63	NEED TO BE REMINDED/AGE 7-10
-------------	-------------------------------------

When you were between ages 7 and 10, did you often need to be reminded to follow through on things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	23.8	694	1	YES
76.0	75.0	2,192	2	NO
	0.3	10	-8	MISSING
	0.9	25	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2479-2480

CH64	NEED TO BE REMINDED/AGE 7-10/FOR 6 MONTH
-------------	---

During this time, was needing to be reminded to follow through on things a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	18.1	528	1	YES
24.4	5.8	170	2	NO
	74.9	2,187	-9	LEGITIMATE NONRESPONSE
	0.8	23	-8	MISSING
	0.4	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2481-2482

CH65	TROUBLE PAYING ATTENTION TO WORK/6 MONTH
-------------	---

In the past 6 months, have you often had trouble paying attention to your (schoolwork/work)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.3	36.5	1,066	1	YES
54.7	44.1	1,287	2	NO
	17.0	498	-9	LEGITIMATE NONRESPONSE
	2.4	70	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2483-2484

CH66**TROUBLE PAY ATTENTION/NOTHING HAPPENING**

Suppose you are playing a game or doing a project you enjoy at home. Do you have trouble paying attention even if there is nothing else happening to take your mind off it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	18.6	543	1	YES
81.3	81.1	2,368	2	NO
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2485-2486

CH67**HARD TO SPEND >THAN FEW MINUTES/DO THING**

At home, is it hard for you to spend more than a few minutes doing anything?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	17.6	513	1	YES
82.3	81.5	2,382	2	NO
	0.9	25	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2487-2488

CH68**TROUBLE PAY ATTENTION/PROBLEM FOR 6 MON**

Has this trouble with paying attention been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.8	25.5	744	1	YES
38.2	15.7	459	2	NO
	56.2	1,643	-9	LEGITIMATE NONRESPONSE
	2.6	75	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2489-2490

CH69**TROUBLE PAY ATTENTION/AGE 7-10**

When you were between ages 7 and 10, did you often have trouble with paying attention?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	18.9	552	1	YES
80.9	79.9	2,333	2	NO
	0.4	11	-8	MISSING
	0.9	25	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2491-2492

CH70

TROUBLE PAY ATTENTION/AGE 7-10/FOR 6 MON

During this time, was trouble with paying attention a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	15.0	439	1	YES
21.7	4.2	122	2	NO
	79.5	2,323	-9	LEGITIMATE NONRESPONSE
	0.8	22	-8	MISSING
	0.5	15	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2493-2494

CH71

YOU KEEP STOP & START WORK/AT SCHOOL/JOB

Do you have a problem at (school/work) because you keep stopping and starting the work you are doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	23.6	688	1	YES
70.9	57.4	1,676	2	NO
	17.0	497	-9	LEGITIMATE NONRESPONSE
	2.1	60	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2495-2496

CH72**KEEP STOP & START WORK/PROBLEM AT HOME**

When you are at home, do you have a problem doing your homework or chores because you keep stopping and starting what you are doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.9	24.9	726	1	YES
75.1	74.8	2,186	2	NO
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2497-2498

CH73**YOU KEEP STOP & START WORK/PROBLEM 6 MON**

Has stopping and starting what you are doing been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	22.1	647	1	YES
28.7	8.9	260	2	NO
	68.4	1,999	-9	LEGITIMATE NONRESPONSE
	0.5	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2499-2500

CH74**YOU KEEP STOP & START WORK/AGE 7-10**

When you were between ages 7 and 10, did you often keep stopping and starting what you were doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	14.8	431	1	YES
85.0	83.9	2,450	2	NO
	0.4	12	-8	MISSING
	1.0	28	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2501-2502

CH75**KEEP STOP & START WORK/AGE 7-10/6 MONTH**

During this time, was stopping and starting what you were doing a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.5	12.4	363	1	YES
17.5	2.6	77	2	NO
	83.6	2,443	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
	0.4	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2503-2504

CH76**STOP IN MIDDLE BEFORE FINISH/SCH/6 MON**

In the past 6 months, have you often stopped in the middle of doing something at (school/work) before you are finished?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	35.3	1,030	1	YES
56.7	46.2	1,350	2	NO
	16.8	491	-9	LEGITIMATE NONRESPONSE
	1.7	49	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2505-2506

CH76_A**CAUSE START DOING SOMETHING ELSE INSTEAD**

Was this because you would start doing something else instead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	24.8	723	1	YES
29.7	10.5	306	2	NO
	46.2	1,349	-9	LEGITIMATE NONRESPONSE
	18.6	543	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2507-2508

CH76_B	EVEN STOP IN MIDDLE/FUN THINGS LIKE GAME
---------------	---

Do you even stop in the middle of doing fun things like games?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.0	11.7	341	1	YES
67.0	23.7	691	2	NO
	46.2	1,349	-9	LEGITIMATE NONRESPONSE
	18.5	540	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2509-2510

CH77	STOP IN MIDDLE BEFORE YOU FINISH/AT HOME
-------------	---

How about at home? Is it a problem that you often stop in the middle of things, without finishing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.7	28.5	833	1	YES
71.3	70.9	2,071	2	NO
	0.6	17	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2511-2512

CH77_A**CAUSE START DOING SOMETHING ELSE INSTEAD**

Is that because you start doing something else instead?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.0	22.5	658	1	YES
21.0	6.0	175	2	NO
	70.9	2,070	-9	LEGITIMATE NONRESPONSE
	0.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2513-2514

CH77_B**DO YOU EVEN STOP IN MIDDLE OF A GAME**

Do you even stop in the middle of a game, or when you are playing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	12.2	357	1	YES
57.2	16.3	477	2	NO
	70.9	2,070	-9	LEGITIMATE NONRESPONSE
	0.6	17	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2515-2516

CH78 **SHIFT FROM 1 THING TO OTHER/PROBLEM/6 MO**

Has shifting from one thing to another been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.2	20.3	593	1	YES
47.8	18.6	542	2	NO
	59.4	1,735	-9	LEGITIMATE NONRESPONSE
	1.7	50	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2517-2518

CH79 **STOP IN MIDDLE BEFORE FINISHING/AGE 7-10**

When you were between ages 7 and 10, did you often stop in the middle of things, without finishing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	15.6	455	1	YES
84.2	83.0	2,425	2	NO
	0.4	12	-8	MISSING
	1.0	29	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2519-2520

CH80**SHIFT FROM 1 THING TO OTHER/PROBLEM/6 MO**

During this time, was shifting from one thing to another a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	11.4	332	1	YES
28.3	4.5	131	2	NO
	82.7	2,415	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
	0.6	17	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2521-2522

CH81**YOU BEEN MORE NOISY THAN OTHERS/6 MONTHS**

In the past 6 months, have you been much more noisy than others when you are doing fun things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	18.6	543	1	YES
81.3	80.9	2,363	2	NO
	0.5	14	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2523-2524

CH81_A	IS IT HARD FOR YOU/DO FUN THINGS QUIETLY
---------------	---

Is it hard for you to do fun things quietly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	12.3	359	1	YES
35.4	6.7	197	2	NO
	80.6	2,353	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2525-2526

CH82	PEOPLE COMPLAINED/YOU TOO NOISY/DO THING
-------------	---

((Have your teachers/Has your boss) or other people/Have others) complained that you are too noisy when you do fun things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.4	421	1	YES
85.4	84.1	2,456	2	NO
	1.5	43	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2527-2528

CH83**PEOPLE COMPLAIN/YOU ARE TOO NOISY/6 MON**

Has being so noisy when you are doing fun things been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	11.2	327	1	YES
44.0	8.8	257	2	NO
	78.1	2,281	-9	LEGITIMATE NONRESPONSE
	1.9	55	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2529-2530

CH84**PEOPLE COMPLAINED/YOU TOO NOISY/AGE 7-10**

When you were between ages 7 and 10, were you often too noisy when you were doing fun things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	18.0	526	1	YES
81.8	80.8	2,359	2	NO
	0.4	11	-8	MISSING
	0.9	25	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2531-2532

CH85 PEOPLE COMPLAIN/YOU ARE TOO NOISY/6 MON

During this time, was being too noisy when you were doing fun things a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	12.4	363	1	YES
31.8	5.8	169	2	NO
	80.6	2,353	-9	LEGITIMATE NONRESPONSE
	0.7	21	-8	MISSING
	0.5	15	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2533-2534

CH86 YOU RUN AROUND LOT THAN OTHERS/SCHOOL/WORK

Do you run around a lot more than others your age at (school/work), for example, during (gym or free time)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	15.3	446	1	YES
81.2	66.0	1,929	2	NO
	16.9	495	-9	LEGITIMATE NONRESPONSE
	1.7	51	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2535-2536

CH87**YOU RUN AROUND/JUMP/CLIMB A LOT/AT HOME**

How about when you are at home? Are you always running around a lot, -like running or jumping or climbing on things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	14.3	417	1	YES
85.7	85.3	2,492	2	NO
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2537-2538

CH88**RUN/JUMP/CLIMB ON THINGS/PROBLEM/6 MONTH**

Has running or jumping or climbing on things been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.7	10.4	303	1	YES
48.3	9.7	283	2	NO
	79.2	2,313	-9	LEGITIMATE NONRESPONSE
	0.8	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2539-2540

CH89 DID YOU RUN AROUND A LOT/AGE 7-10

When you were between ages 7 and 10, did you often run around a lot, like running or jumping or climbing on things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	32.0	934	1	YES
67.7	67.0	1,956	2	NO
	0.4	12	-8	MISSING
	0.7	19	-4	DON'T KNOW

 100.0 100.0 2,921 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2541-2542

CH90 RUN/JUMP/CLIMB ON THINGS/PROBLEM/6 MONTH

During this time, was running or jumping or climbing on things a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	19.5	571	1	YES
38.7	12.4	361	2	NO
	67.0	1,956	-9	LEGITIMATE NONRESPONSE
	0.7	21	-8	MISSING
	0.4	12	-4	DON'T KNOW

 100.0 100.0 2,921 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2543-2544

CH91**DO YOU TALK TOO MUCH AT SCHOOL OR WORK**

Do you talk too much at (school/work)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.9	25.1	734	1	YES
69.1	56.2	1,642	2	NO
	17.0	498	-9	LEGITIMATE NONRESPONSE
	1.6	47	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2545-2546

CH92**DO YOU TALK TOO MUCH AT HOME**

Do you talk too much at home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	18.7	547	1	YES
81.2	80.9	2,362	2	NO
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2547-2548

CH92_A	ANYONE COMPLAINED/YOU TALK TOO MUCH
---------------	--

Has (your (CARETAKER) or anyone else/anyone) complained about this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.3	11.9	349	1	YES
41.7	8.6	250	2	NO
	79.2	2,312	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2549-2550

CH93	ADULT THINK/YOU ARE A MOTOR MOUTH
-------------	--

((Does/Do) your (CARETAKER) or other adults/Do adults) think that you are a motormouth or chatterbox, that you are always talking too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	15.0	439	1	YES
84.7	83.5	2,439	2	NO
	1.4	42	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2551-2552

CH94**TALKING TOO MUCH/PROBLEM FOR 6 MONTHS**

Has talking too much been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	17.7	517	1	YES
44.1	14.0	408	2	NO
	65.8	1,922	-9	LEGITIMATE NONRESPONSE
	2.5	74	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2553-2554

CH95**WERE YOU TALKING TOO MUCH/AGE 7-10**

When you were between ages 7 and 10, were you often talking too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.0	21.8	636	1	YES
78.0	77.1	2,253	2	NO
	0.3	10	-8	MISSING
	0.8	22	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2555-2556

CH96 TALKING TOO MUCH/PROBLEM FOR 6 MONTHS

During this time, was talking too much a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.6	16.8	490	1	YES
24.4	5.4	158	2	NO
	76.7	2,239	-9	LEGITIMATE NONRESPONSE
	0.7	21	-8	MISSING
	0.4	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2557-2558

CH97 START TALK/WHEN ELSE TALKING/6 MONTH

In the past 6 months, have you often started to talk when somebody else is still talking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	37.1	1,084	1	YES
62.8	62.5	1,827	2	NO
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2559-2560

CH97_A**PEOPLE GOT ANNOYED/YOU INTERRUPT MUCH**

Have people gotten annoyed because you interrupt too much?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.0	26.1	763	1	YES
30.0	11.2	327	2	NO
	62.4	1,823	-9	LEGITIMATE NONRESPONSE
	0.3	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2561-2562

CH98**YOU OFTEN BUTT IN WHAT OTHERS ARE DOING**

Do you often butt in on what others are doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	25.0	729	1	YES
75.0	74.7	2,182	2	NO
	0.3	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2563-2564

CH98_A**YOU BUTT IN/PEOPLE EVER GOT MAD AT YOU**

Did they ever get mad at you for that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	19.9	582	1	YES
20.2	5.0	147	2	NO
	74.7	2,181	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2565-2566

CH99**INTERRUPTING BEEN A PROBLEM FOR 6 MONTHS**

Has interrupting or butting in on others been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	18.6	544	1	YES
55.8	23.6	688	2	NO
	55.3	1,615	-9	LEGITIMATE NONRESPONSE
	2.5	73	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2567-2568

CH100	YOU INTERRUPTED OTHERS/AGE 7-10
--------------	--

When you were between ages 7 and 10, did you often interrupt or butt in on others?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	19.4	566	1	YES
80.4	79.3	2,316	2	NO
	0.3	10	-8	MISSING
	1.0	29	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2569-2570

CH101	INTERRUPT OTHERS/PROBLEM 6 MONTH/AGE 7-10
--------------	--

During this time, was interrupting or butting in on others a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.8	13.9	407	1	YES
29.2	5.8	168	2	NO
	78.9	2,304	-9	LEGITIMATE NONRESPONSE
	0.8	23	-8	MISSING
	0.7	19	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2571-2572

CH102**YOU OFTEN NOT LISTENED TO TEACHER/BOSS**

Have you often not listened to what your (teachers are saying/boss is saying)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.8	39.7	1,160	1	YES
51.2	41.6	1,216	2	NO
	16.9	493	-9	LEGITIMATE NONRESPONSE
	1.8	52	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2573-2574

CH102_A**NOT LISTENED/HAVE A PROBLEM WITH HEARING**

Is that because you have a problem with hearing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.3	10	1	YES
99.1	39.6	1,157	2	NO
	58.3	1,702	-9	LEGITIMATE NONRESPONSE
	1.8	52	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2575-2576

CH102_C	TEACHER/BOSS COMPLAIN/YOU NOT LISTENING
----------------	--

(Have your teachers/Has your boss) complained about your not listening?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	33.2	971	1	YES
58.6	47.0	1,372	2	NO
	16.7	489	-9	LEGITIMATE NONRESPONSE
	1.9	56	-8	MISSING
	1.1	33	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2577-2578

CH102_D	NOT LISTENED/BECAUSE YOU DAYDREAMING
----------------	---

Did you not listen because you were daydreaming?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	28.6	835	1	YES
63.3	49.3	1,440	2	NO
	16.8	492	-9	LEGITIMATE NONRESPONSE
	3.0	89	-8	MISSING
	0.0	1	-4	DON'T KNOW
	2.2	64	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2579-2580

CH103	HAVE YOU OFTEN NOT LISTENED TO OTHERS
--------------	--

Do you often not listen to what (your (CARETAKER) or other people/other people) are saying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	38.6	1,128	1	YES
61.2	60.9	1,778	2	NO
	0.5	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2581-2582

CH103_A	NOT LISTENED/BECAUSE YOU DAYDREAMING
----------------	---

Is that because you are daydreaming?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	16.2	473	1	YES
58.1	22.4	655	2	NO
	60.8	1,777	-9	LEGITIMATE NONRESPONSE
	0.5	15	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2583-2584

CH104

NOT LISTENED TO OTHERS/PROBLEM FOR 6 MON

Has not listening to others been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	30.9	902	1	YES
41.2	21.6	632	2	NO
	45.4	1,325	-9	LEGITIMATE NONRESPONSE
	2.1	62	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2585-2586

CH105 NOT LISTENED TO OTHER PEOPLE/AGE 7-10

When you were between ages 7 and 10, did you often not listen to other people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	21.8	636	1	YES
77.9	76.7	2,241	2	NO
	0.5	15	-8	MISSING
	1.0	29	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2587-2588

CH106 NOT LISTENED TO OTHERS/PROBLEM FOR 6 MON

During this time, was not listening to others a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.3	17.2	503	1	YES
21.7	4.8	139	2	NO
	76.5	2,236	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
	0.6	17	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2589-2590

CH107	OFTEN LOSE PAPER/BOOK/PEN AT SCHOOL/WORK
--------------	---

Do you often lose papers. books. pens, or pencils (or equipment you need for your job) at (school/work)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	30.3	884	1	YES
62.8	51.2	1,495	2	NO
	16.9	495	-9	LEGITIMATE NONRESPONSE
	1.6	47	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2591-2592

CH108	LOSE THINGS AT HOME >THAN OTHER YOUR AGE
--------------	--

At home, do you lose things more than others your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	23.0	671	1	YES
76.9	76.7	2,239	2	NO
	0.3	9	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2593-2594

CH109	LOSING THINGS/PROBLEM FOR 6 MONTHS
--------------	---

Has losing things been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.6	23.8	694	1	YES
34.4	12.5	364	2	NO
	0.5	15	-9	LEGITIMATE NONRESPONSE
	63.2	1,847	-8	MISSING
	0.0	1	-4	DON'T KNOW

 100.0 100.0 2,921 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2595-2596

CH110	OFTEN LOSE THINGS/AGE 7-10
--------------	-----------------------------------

When you were between ages 7 and 10, did you often lose things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	20.6	603	1	YES
79.0	77.9	2,274	2	NO
	0.3	9	-8	MISSING
	1.2	35	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2597-2598

CH111	LOSING THINGS/PROBLEM FOR 6 MONTHS
--------------	---

During this time, was losing things a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	14.7	430	1	YES
28.9	6.0	175	2	NO
	77.7	2,270	-9	LEGITIMATE NONRESPONSE
	0.9	27	-8	MISSING
	0.7	19	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2599-2600

CH112 MAKE LOT OF CARELESS MISTAKE/SCHOOL/WORK

Do you make a lot of careless mistakes at (school/work) when doing your (schoolwork/work)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	23.0	673	1	YES
71.8	58.5	1,710	2	NO
	16.8	490	-9	LEGITIMATE NONRESPONSE
	1.6	48	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2601-2602

CH113 MAKE LOT OF CARELESS MISTAKE THAN OTHERS

At home, do you make more careless mistakes than others your age?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	14.0	410	1	YES
85.9	85.5	2,497	2	NO
	0.4	12	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2603-2604

CH114	MAKING CARELESS MISTAKES/PROBLEM 6 MONTH
--------------	---

Has making careless mistakes been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	15.9	463	1	YES
41.8	11.4	332	2	NO
	71.7	2,095	-9	LEGITIMATE NONRESPONSE
	1.1	31	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2605-2606

CH115	MAKE LOT OF CARELESS MISTAKE/AGE 7-10
--------------	--

When you were between ages 7 and 10, did you often make careless mistakes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	17.2	501	1	YES
82.6	81.3	2,376	2	NO
	0.4	13	-8	MISSING
	1.1	31	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2607-2608

CH116 MAKING CARELESS MISTAKES/PROBLEM 6 MONTH

During that time, was making careless mistakes a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	10.3	301	1	YES
40.4	7.0	204	2	NO
	81.1	2,368	-9	LEGITIMATE NONRESPONSE
	1.0	29	-8	MISSING
	0.7	19	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2609-2610

CH117 NOT THINKING/YOU COULD BEEN INJURED/6 MO

In the past 6 months, have you often gotten yourself into a dangerous situation where you could have been injured because you weren't thinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.5	40.2	1,175	1	YES
59.5	59.1	1,725	2	NO
	0.7	19	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2611-2612

CH117_B	SOMETHING YOU DID SUDDENLY W/OUT THINK
----------------	---

Was this something you did suddenly, without thinking about it first?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.0	32.5	949	1	YES
18.0	7.2	209	2	NO
	59.1	1,725	-9	LEGITIMATE NONRESPONSE
	1.2	36	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2613-2614

CH117_C	DOING DANGEROUS THINGS PROBLEM FOR 6 MON
----------------	---

Has doing dangerous things like this been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	23.0	672	1	YES
41.9	16.6	485	2	NO
	59.1	1,725	-9	LEGITIMATE NONRESPONSE
	1.3	37	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2615-2616

CH118**YOU OFTEN DID DANGEROUS THINGS/AGE 7-10**

When you were between ages 7 and 10, did you often do dangerous things like this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	9.6	279	1	YES
90.3	89.4	2,612	2	NO
	0.4	11	-8	MISSING
	0.7	19	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2617-2618

CH119**DID DANGEROUS THINGS/PROBLEM FOR 6 MONTH**

During this time, was doing dangerous things a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	6.1	178	1	YES
37.5	3.7	107	2	NO
	89.3	2,609	-9	LEGITIMATE NONRESPONSE
	0.6	17	-8	MISSING
	0.3	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2619-2620

CH120**OFTEN FORGET WHAT YOU ARE DOING/SCHOOL/WORK**

Do you often forget or lose track of what you are doing at (school/work), that is, just sort of drift off?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	30.5	891	1	YES
62.5	50.9	1,487	2	NO
	17.0	497	-9	LEGITIMATE NONRESPONSE
	1.6	46	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2621-2622

CH121**DRIFT OFF/LOSE TRACK/WHAT YOU DO AT HOME**

Do you often drift off or lose track of what you are doing at home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	25.0	730	1	YES
74.9	74.6	2,179	2	NO
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2623-2624

CH122**LOSE TRACK/WHAT YOU DO/DRUGS/TIRED/SICK**

Sometimes people seem to lose track of what they are doing when they are using drugs or alcohol . . . or are very tired or haven't slept well . . . or sick. . . or very worried or anxious. Do you lose track of what you are doing when you are in one of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	30.1	879	1	YES
18.8	6.9	203	2	NO
	62.9	1,838	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2625-2626

CH122_A**LOSE TRACK/YOU DOING/NOT DRUGS/TIRE/SICK**

Do you often drift off or lose track when you are not using drugs or alcohol, or are not tired, not sick, or not worried or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.7	14.8	431	1	YES
51.3	15.5	454	2	NO
	69.7	2,035	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2627-2628

CH123	LOSE TRACK/DRIFTING OFF/PROBLEM FOR 6 MO
--------------	---

Has losing track or drifting off been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.6	18.1	528	1	YES
37.4	10.8	316	2	NO
	62.8	1,833	-9	LEGITIMATE NONRESPONSE
	8.4	244	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2629-2630

CH124	LOSE TRACK/DRIFTING OFF/AGE 7-10
--------------	---

When you were between ages 7 and 10, did you often drift off or lose track of what you were doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.6	311	1	YES
89.2	87.7	2,562	2	NO
	0.5	15	-8	MISSING
	1.1	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2631-2632

CH124_A LOSE TRACK/AGE 7-10/DRUGS/TIRED/SICK

During this time, did you lose track of what you were doing because you were using drugs or alcohol . . . or were very tired or hadn't slept well . . . or sick . . . or very worried?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	4.2	124	1	YES
60.5	6.5	190	2	NO
	87.6	2,560	-9	LEGITIMATE NONRESPONSE
	1.2	34	-8	MISSING
	0.4	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2633-2634

CH124_B LOSE TRACK/AGE 7-10/NOT DRUGS/TIRED/SICK

During this time, did you often drift off or lose track when you were not using drugs or alcohol, or were not tired, not sick, or not worried or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	3.1	90	1	YES
33.3	1.5	45	2	NO
	93.8	2,740	-9	LEGITIMATE NONRESPONSE
	1.1	32	-8	MISSING
	0.5	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2635-2636

CH125	LOSE TRACK/DRIFTING OFF/PROBLEM FOR 6 MO
--------------	---

During this time, was losing track or drifting off a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.3	6.7	196	1	YES
29.7	2.8	83	2	NO
	1.3	39	-9	LEGITIMATE NONRESPONSE
	88.6	2,589	-8	MISSING
	0.5	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2637-2638

CH126	OFTEN FELT DROWSY OR SLUGGISH/SCHOOL/WORK
--------------	--

In the past 6 months, have you often felt drowsy or sluggish at (school/work), like you have no energy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	32.2	940	1	YES
60.5	49.2	1,438	2	NO
	18.6	543	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2639-2640

CH127	OFTEN FELT DROWSY OR SLUGGISH AT HOME
--------------	--

Do you often feel drowsy or sluggish at home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	29.9	874	1	YES
70.0	69.7	2,036	2	NO
	0.3	10	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2641-2642

CH128	FELT DROWSY OR SLUGGISH/DRUGS/TIRED/SICK
--------------	---

Sometimes people feel drowsy or sluggish when they are using drugs or alcohol . . . or are very tired or haven't slept well . . . or sick . . . or very worried or anxious. Do you feel drowsy or sluggish when you are in one of those situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.2	32.4	945	1	YES
16.8	6.5	191	2	NO
	60.4	1,765	-9	LEGITIMATE NONRESPONSE
	0.6	18	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2643-2644

CH128_A	FELT DROWSY/SLUGGISH/NOT DRUGS/TIRE/SICK
----------------	---

Do you often feel drowsy or sluggish when you are not using drugs or alcohol, or are not tired, not sick, or not worried or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	12.1	352	1	YES
62.9	20.5	598	2	NO
	60.7	1,772	-9	LEGITIMATE NONRESPONSE
	6.7	196	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2645-2646

CH129 FELT DROWSY/SLUGGISH/PROBLEM FOR 6 MONTH

Has feeling drowsy or sluggish been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	14.9	436	1	YES
45.8	12.6	369	2	NO
	71.2	2,079	-9	LEGITIMATE NONRESPONSE
	1.2	35	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2647-2648

CH130 OFTEN FELT DROWSY/SLUGGISH/AGE 7-10

When you were between ages 7 and 10, did you often feel drowsy or sluggish?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.4	99	1	YES
96.6	95.0	2,776	2	NO
	0.7	20	-8	MISSING
	0.9	26	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2649-2650

CH130_A	DROWSY/SLUGGISH/AGE 7-10/DRUGS/TIRE/SICK
----------------	---

During this time, did you often feel drowsy or sluggish because you were using drugs or alcohol . . . or were very tired or hadn't slept well . . . or sick . . . or very worried?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	1.9	55	1	YES
47.6	1.7	50	2	NO
	95.0	2,774	-9	LEGITIMATE NONRESPONSE
	1.0	30	-8	MISSING
	0.4	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2651-2652

CH130_B	DROWSY/SLUGGISH/NOT DRUGS/TIRED/SICK
----------------	---

During this time, did you often feel drowsy or sluggish when you were not using drugs or alcohol, or were not tired, not sick, or not worried or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	1.3	37	1	YES
36.2	0.7	21	2	NO
	96.6	2,821	-9	LEGITIMATE NONRESPONSE
	1.0	30	-8	MISSING
	0.4	12	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2653-2654

CH131 FELT DROWSY/SLUGGISH/PROBLEM FOR 6 MONTH

During this time, was feeling drowsy or sluggish a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.8	1.8	52	1	YES
34.2	0.9	27	2	NO
	96.9	2,829	-8	MISSING
	0.4	13	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2655-2656

CH132 NEVER GET AROUND TO DO THINGS/SCHOOL/WORK

Are there a lot of things you want to do and know how to do at (school/work), but you somehow never get around to doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.2	32.0	934	1	YES
60.8	49.5	1,446	2	NO
	18.5	541	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2657-2658

CH133**NEVER GET AROUND TO DO THINGS AT HOME**

Are there a lot of things at home you can do and want to do, but never get around to doing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	35.4	1,035	1	YES
64.4	64.2	1,875	2	NO
	0.4	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2659-2660

CH134 NEVER GET AROUND TO DO THINGS/NO ENERGY

Is that because you don't have any energy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	11.3	329	1	YES
73.5	31.2	911	2	NO
	56.9	1,661	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2661-2662

CH135 NEVER GET AROUND/DO THINGS/DISORGANIZED

Is that because you are very disorganized?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	18.8	549	1	YES
55.8	23.7	692	2	NO
	56.9	1,661	-9	LEGITIMATE NONRESPONSE
	0.6	18	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2663-2664

CH136	NEVER GET AROUND TO DO THINGS/DRUGS/ALCOHOL
--------------	--

Sometimes people don't get around to things when they are using drugs or alcohol or want to make someone else mad or angry. Do you have trouble getting around to things when you are in one of these situations?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	26.1	762	1	YES
38.7	16.5	481	2	NO
	56.7	1,657	-9	LEGITIMATE NONRESPONSE
	0.7	21	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2665-2666

CH136_A	NEVER GET AROUND/DO THINGS/NOT DRUGS/ALCOHOL
----------------	---

Do you often have trouble getting around to things when you are not using drugs or trying to make someone else mad or angry?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	9.9	288	1	YES
62.4	16.3	477	2	NO
	73.1	2,136	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2667-2668

CH137 NEVER GET AROUND/DO THINGS/PROBLEM FOR 6 MO

Has not getting around to things been a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.4	16.0	468	1	YES
49.6	15.8	461	2	NO
	65.2	1,904	-9	LEGITIMATE NONRESPONSE
	3.0	88	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2669-2670

CH138 NEVER GET AROUND TO DO THINGS/AGE 7-10

When you were between ages 7 and 10, did you often have trouble getting around to things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.7	196	1	YES
93.2	91.8	2,682	2	NO
	0.6	17	-8	MISSING
	0.9	26	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2671-2672

CH138_A	NEVER GET AROUND TO DO THINGS/DRUGS/ALCOHOL
----------------	--

During this time, did you often have trouble getting around to things because you were using drugs or alcohol or wanted to make someone else mad or angry?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	2.1	62	1	YES
68.7	4.7	136	2	NO
	91.7	2,679	-9	LEGITIMATE NONRESPONSE
	1.0	29	-8	MISSING
	0.5	15	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2673-2674

CH138_B	NEVER GET AROUND/DO THINGS/NOT DRUGS/ALCOHOL
----------------	---

During this time, did you often have trouble getting around to things when you were not using drugs or alcohol or trying to make someone else mad or angry?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	1.7	49	1	YES
34.7	0.9	26	2	NO
	95.9	2,801	-9	LEGITIMATE NONRESPONSE
	1.1	31	-8	MISSING
	0.5	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2675-2676

CH139 **NEVER GET AROUND/DO THINGS/PROBLEM FOR 6 MO**

During this time, was not getting around to things a problem for at least 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.1	4.0	118	1	YES
38.9	2.6	75	2	NO
	92.9	2,714	-8	MISSING
	0.5	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2677-2678

CH140 **4 />ITEM CHECKED T.SHEET H/COLUMN 1 OR 2**

HAVE 4 OR MORE ITEMS (H36-H137) BEEN CHECKED ON TALLY SHEET H, PART B, IN COLUMN 1, OR HAVE 4 MORE ITEMS (H38-H139) BEEN CHECKED IN COLUMN 2?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	45.5	1,328	1	YES
54.1	53.6	1,565	2	NO
	0.2	6	-9	LEGITIMATE NONRESPONSE
	0.8	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2679-2680

CH141

PROBLEM IN KG/1ST GRADE/T.SHEET H/PART B

I've asked you a lot of questions about problems you may have had with paying attention or being too active. For example, did (READ ALL ITEMS CHECKED ON TALLY SHEET H, PART B, COLUMNS 1 AND 2) cause problems for you when you were in kindergarten or first grade?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	19.4	566	1	YES
56.1	24.8	724	2	NO
	53.4	1,559	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
	0.0	1	-5	BAD DATA
	1.8	52	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2681-2682

CH142	AGE/FIRST STARTED PROBLEMS/T. SHEET H
--------------	--

How old were you when you first started having problems because of these things?

[IF RESPONSE = WHOLE LIFE, ALWAYS, RECORD 77.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	0	
0.2	0.1	2	1	
0.2	0.1	3	2	
0.5	0.2	6	3	
2.5	1.1	32	4	
14.5	6.3	185	5	
17.0	7.4	217	6	
8.0	3.5	103	7	
9.1	4.0	116	8	
6.6	2.9	84	9	
7.4	3.3	95	10	
5.1	2.2	65	11	
9.7	4.2	124	12	
7.3	3.2	94	13	
4.4	1.9	56	14	
2.3	1.0	29	15	
1.2	0.5	16	16	
0.4	0.2	5	17	
3.6	1.6	46	77	WHOLE LIFE, ALWAYS
	53.3	1,557	-9	LEGITIMATE NONRESPONSE
	0.7	21	-8	MISSING
	0.1	2	-5	BAD DATA
	2.1	61	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2683-2684

CH143	SEEN DR./PROFESSIONAL FOR PROBLEMS
--------------	---

Have you ever seen a doctor or any other professional like that because you have problems with paying attention or being too active?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.1	8.8	256	1	YES
80.9	37.0	1,081	2	NO
	53.3	1,557	-9	LEGITIMATE NONRESPONSE
	0.8	24	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2685-2686

CH144	EVER TAKEN MEDICINE FOR HYPERACTIVITY
--------------	--

Have you ever taken any medicine for hyperactivity?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	8.8	257	1	YES
81.5	38.8	1,134	2	NO
	51.6	1,506	-9	LEGITIMATE NONRESPONSE
	0.8	23	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2687-2688

CH144_A	TAKEN MEDICINE FOR HYPERACTIVITY IN 6 MO
----------------	---

Have you taken any medicine for this in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.2	3.9	115	1	YES
55.8	5.0	145	2	NO
	53.5	1,562	-9	LEGITIMATE NONRESPONSE
	37.6	1,098	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2689-2690

CH145	YOU SNATCHED SOMEONE'S PURSE/PAST 12 MON
--------------	---

Now, I'm going to ask you some questions about things that can get people into trouble. I just want to remind you that everything you tell me is completely confidential. For most of these questions, please think about the whole past 12 months. In the past 12 months, have you snatched someone's purse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	9.1	267	1	YES
90.8	90.3	2,639	2	NO
	0.3	10	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2691-2692

CH146	YOU HELD SOMEONE UP/ROBBED SOMEONE
--------------	---

Have you held someone up or robbed someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	26.1	762	1	YES
73.7	73.3	2,140	2	NO
	0.4	11	-8	MISSING
	0.3	8	-7	REFUSAL

 100.0 100.0 2,921 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2693-2694

CH147	THREATENED SOMEONE IN ORDER TO STEAL
--------------	---

Have you threatened someone in order to steal from him or her?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	22.0	642	1	YES
77.9	77.5	2,263	2	NO
	0.3	8	-8	MISSING
	0.3	8	-7	REFUSAL

 100.0 100.0 2,921 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2695-2696

CH148**YOU SNATCH PURSE/ROBBED/THREATENED/6 MON**

Have you (snatched a purse/robbed someone/threatened someone) in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	23.5	685	1	YES
31.6	10.9	317	2	NO
	64.5	1,883	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
	0.2	7	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2697-2698

CH149**AGE/SNATCH PURSE/ROB/THREATEN/1ST TIME**

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	3	0	
0.3	0.1	3	4	
0.3	0.1	3	5	
0.9	0.3	9	6	
0.3	0.1	3	7	
0.8	0.3	8	8	
0.7	0.2	7	9	
2.9	1.0	29	10	
4.5	1.5	44	11	
11.5	3.9	113	12	
18.8	6.3	185	13	
22.4	7.5	220	14	
19.4	6.5	191	15	
10.9	3.7	107	16	
5.0	1.7	49	17	
1.0	0.3	10	18	
	64.5	1,885	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
	0.2	7	-7	REFUSAL
	0.6	17	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2699-2700

CH150	YOU STOLEN MONEY FROM ONE'S HOME/12 MON
--------------	--

In the past 12 months, have you stolen money from someone at home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.3	34.2	998	1	YES
65.7	65.3	1,908	2	NO
	0.3	9	-8	MISSING
	0.2	6	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2701-2702

CH151	HAVE YOU DONE ANY SHOPLIFTING/IN 12 MON
--------------	--

In the past 12 months, have you done any shoplifting?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.7	45.4	1,325	1	YES
54.3	53.9	1,573	2	NO
	0.5	14	-8	MISSING
	0.3	8	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2703-2704

CH152 STOLEN FROM PERSON/NOT AROUND/LOOKING

Have you stolen at any other time when the person you stole from wasn't around or wasn't looking, like from someone's desk or locker?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	33.6	980	1	YES
66.3	65.9	1,925	2	NO
	0.3	9	-8	MISSING
	0.2	6	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2705-2706

CH153 STOLEN FROM ONE/HOME/SHOPLIFTED/12 MONTH

Have you (stolen from someone at home/shoplifted/stolen from someone who wasn't around) more than once in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	50.0	1,461	1	YES
16.5	9.9	288	2	NO
	38.8	1,133	-9	LEGITIMATE NONRESPONSE
	1.1	32	-8	MISSING
	0.2	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2707-2708

CH153_A	STOLEN FROM ONE/HOME/SHOPLIFTED/6 MONTH
----------------	--

Have you stolen like this in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.2	39.5	1,153	1	YES
19.8	9.8	285	2	NO
	48.4	1,414	-9	LEGITIMATE NONRESPONSE
	2.1	61	-8	MISSING
	0.3	8	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2709-2710

CH153_B	STOLEN FROM ONE/HOME/SHOPLIFT/WORTH >\$10
----------------	---

When you stole like this, did you ever take anything that was worth more than \$10.00?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.5	48.1	1,404	1	YES
19.5	11.6	340	2	NO
	38.8	1,133	-9	LEGITIMATE NONRESPONSE
	1.2	35	-8	MISSING
	0.3	8	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2711-2712

CH153_C	#TIMES YOU STOLE WORTH > \$10/12 MONTH
----------------	--

In the past 12 months, how many times did you steal more than \$10.00, or something worth more than \$10.00?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.8	10.5	306	1	1-3 TIMES
17.9	8.6	251	2	4-6 TIMES
14.0	6.7	197	3	7-12 TIMES
46.3	22.2	649	4	MORE THAN 12 TIMES
	50.4	1,471	-9	LEGITIMATE NONRESPONSE
	1.0	29	-8	MISSING
	0.3	8	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.3	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2713-2714

CH153_D	AGE/1ST TIME STOLE THING/NO ONE LOOKING
----------------	--

How old were you the first time you stole something when no one was looking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	0	
0.1	0.1	2	2	
0.4	0.2	7	3	
0.8	0.5	14	4	
3.7	2.2	64	5	
4.3	2.5	74	6	
4.7	2.7	80	7	
7.1	4.2	122	8	
4.6	2.7	78	9	
9.1	5.3	156	10	
7.8	4.6	133	11	
15.3	9.0	262	12	
15.8	9.2	270	13	
12.4	7.3	212	14	
7.9	4.6	135	15	
4.1	2.4	71	16	
1.6	1.0	28	17	
0.2	0.1	4	18	
	38.8	1,134	-9	LEGITIMATE NONRESPONSE
	1.0	28	-8	MISSING
	0.3	8	-7	REFUSAL
	1.3	37	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2715-2716

CH154	RAN AWAY FROM HOME OVERNIGHT/PAST 12 MON
--------------	---

In the past 12 months, have you run away from home overnight?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	35.6	1,041	1	YES
64.2	63.8	1,865	2	NO
	0.4	12	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2717-2718

CH154_A	RAN AWAY FROM HOME MORE THAN ONCE
----------------	--

Have you run away more than once?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	25.9	756	1	YES
27.7	9.9	289	2	NO
	63.8	1,865	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2719-2720

CH154_B

WHEN RAN AWAY/STAY AWAY FOR 2 WHOLE WEEK

When you ran away, did you (ever) stay away for as long as
2 whole weeks?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	15.5	452	1	YES
56.7	20.3	593	2	NO
	63.8	1,865	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2721-2722

CH154_C RAN AWAY FROM HOME OVERNIGHT/PAST 6 MON

Have you run away in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	24.9	726	1	YES
30.5	10.9	318	2	NO
	63.8	1,865	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2723-2724

CH154_D AGE/FIRST TIME RAN AWAY FROM HOME

How old were you the first time you ran away?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	5	
0.2	0.1	2	6	
0.3	0.1	3	7	
1.2	0.4	13	8	
0.7	0.2	7	9	
2.6	0.9	27	10	
5.7	2.0	59	11	
12.8	4.6	133	12	
22.6	8.0	235	13	
23.4	8.4	244	14	
16.8	6.0	175	15	
9.9	3.5	103	16	
3.6	1.3	37	17	
0.2	0.1	2	18	
	63.8	1,865	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2725-2726

CH155	HAVE YOU TOLD A LOT OF LIES
--------------	------------------------------------

Have you told a lot of lies?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.0	55.8	1,629	1	YES
44.0	43.8	1,279	2	NO
	0.3	8	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2727-2728

CH155_A	HAVE YOU GOTTEN INTO TROUBLE FOR LYING
----------------	---

Have you gotten into trouble for lying?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.4	41.1	1,200	1	YES
26.6	14.9	434	2	NO
	43.6	1,275	-9	LEGITIMATE NONRESPONSE
	0.3	8	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2729-2730

CH155_B	HOW OFTEN GOTTEN INTO TROUBLE FOR LYING
----------------	--

How often have you gotten into trouble for lying? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	11.3	329	1	LESS THAN ONCE A MONTH
39.2	16.1	469	2	1-3 DAYS A MONTH
22.7	9.3	271	3	1-6 DAYS A WEEK
10.5	4.3	126	4	EVERY DAY
	58.4	1,707	-9	LEGITIMATE NONRESPONSE
	0.3	8	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2731-2732

CH155_C	GOTTEN INTO TROUBLE FOR LYING/PAST 6 MON
----------------	---

Have you gotten in trouble for lying in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.7	31.7	926	1	YES
22.3	9.1	266	2	NO
	58.4	1,706	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2733-2734

CH155_D

AGE/1ST TIME GOT INTO TROUBLE FOR LYING

How old were you the first time you got in trouble for telling lies?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.2	5	2	
1.4	0.5	16	3	
3.8	1.5	43	4	
11.0	4.3	125	5	
8.2	3.2	93	6	
8.3	3.2	94	7	
9.3	3.6	105	8	
6.1	2.4	69	9	
11.4	4.4	129	10	
5.7	2.2	65	11	
10.4	4.0	118	12	
9.1	3.5	103	13	
5.7	2.2	65	14	
4.0	1.5	45	15	
2.3	0.9	26	16	
0.5	0.2	6	17	
0.2	0.1	2	18	
2.1	0.8	24	77	WHOLE LIFE, ALWAYS
	58.4	1,705	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.1	4	-7	REFUSAL
	2.3	68	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2735-2736

CH156

STARTED ANY FIRES W/OUT PERMISSION/12 MO

In the past 12 months, have you started any fires without permission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.3	419	1	YES
85.6	85.2	2,488	2	NO
	0.4	11	-8	MISSING
	0.1	3	-7	REFUSAL

 100.0 100.0 2,921 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2737-2738

CH156_A	DID FIRE CAUSE ANY DAMAGE/HURT ANYONE
----------------	--

Did the fire cause any damage or hurt anyone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	3.7	107	1	YES
74.1	10.5	306	2	NO
	85.2	2,488	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.1	3	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2739-2740

CH156_B	YOU MEANT/FIRE TO CAUSE DAMAGE/HURT ONE
----------------	--

Did you mean for the fire to cause damage or hurt someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	2.4	70	1	YES
83.3	12.0	350	2	NO
	85.1	2,487	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2741-2742

CH156_C	YOU STARTED A FIRE LIKE THIS IN 6 MONTH
----------------	--

Have you started a fire like this in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	1.5	44	1	YES
44.3	1.2	35	2	NO
	96.8	2,828	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2743-2744

CH156_D	AGE/FIRST TIME STARTED A FIRE LIKE THIS
----------------	--

How old were you the first time you started a fire like this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.0	1	4	
1.3	0.0	1	5	
2.6	0.1	2	6	
5.1	0.1	4	7	
1.3	0.0	1	8	
3.8	0.1	3	9	
6.4	0.2	5	10	
6.4	0.2	5	11	
10.3	0.3	8	12	
11.5	0.3	9	13	
21.8	0.6	17	14	
10.3	0.3	8	15	
10.3	0.3	8	16	
6.4	0.2	5	17	
1.3	0.0	1	18	
	85.2	2,488	-9	LEGITIMATE NONRESPONSE
	12.0	351	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2745-2746

CH157	SKIP CLASS FROM SCHOOL/TAKEN OFF/WORK/12 MO
--------------	--

Have you (skipped class or played hooky from school/taken off from work without asking) in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.3	66.7	1,949	1	YES
24.7	21.9	640	2	NO
	11.2	327	-8	MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2747-2748

CH157_A	#TIMES/SKIP CLASS/SCHOOL/OFF/WORK/12 MON
----------------	---

How often have you done this in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	8.9	260	1	1-3 TIMES
12.4	8.2	240	2	4-6 TIMES
13.2	8.8	257	3	7-12 TIMES
61.0	40.6	1,186	4	MORE THAN 12 TIMES
	33.2	969	-8	MISSING
	0.1	3	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2749-2750

CH157_B	SKIP CLASS FROM SCHOOL/TAKEN OFF/WORK/6 MON
----------------	--

Have you skipped (class or schoolwork) in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.0	53.7	1,570	1	YES
19.0	12.6	369	2	NO
	33.5	978	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2751-2752

CH157_C	SKIPPED CLASS/WORK/CAUSE NERVOUS/AFRAID
----------------	--

Did you skip (class or school/work) because you were nervous or afraid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	5.3	154	1	YES
92.1	61.4	1,793	2	NO
	33.2	970	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2753-2754

CH157_D	WHEN SKIP CLASS/WORK/DID YOU STAY HOME
----------------	---

When you skipped (class or schoolwork) did you (usually) stay home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	15.5	454	1	YES
76.6	51.0	1,489	2	NO
	33.3	972	-8	MISSING
	0.1	3	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2755-2756

CH157_E	AGE/1ST TIME YOU SKIP SCHOOL/WORK
----------------	--

How old were you the first time you skipped (class or school / work)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	4	5	
0.5	0.3	10	6	
1.3	0.9	25	7	
2.1	1.4	41	8	
2.9	1.9	55	9	
6.0	3.9	115	10	
9.1	6.0	174	11	
18.9	12.4	363	12	
22.9	15.1	440	13	
18.2	11.9	349	14	
12.4	8.1	238	15	
4.8	3.2	93	16	
0.7	0.5	14	17	
0.1	0.0	1	18	
	33.3	972	-8	MISSING
	0.1	3	-7	REFUSAL
	0.8	24	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2757-2758

CH158 **BROKEN INTO A HOUSE/BUILDING/CAR/12 MON**

In the past 12 months, have you broken into a house, building, or car?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	34.5	1,008	1	YES
65.3	65.0	1,899	2	NO
	0.3	9	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2759-2760

CH158_A **BROKEN INTO A HOUSE/BUILDING/CAR/6 MON**

Have you done this in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.5	25.0	729	1	YES
27.5	9.4	276	2	NO
	64.9	1,897	-9	LEGITIMATE NONRESPONSE
	0.5	14	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2761-2762

CH158_B	AGE/1ST TIME BROKEN IN HOUSE/BLDG/CAR
----------------	--

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	5	
0.2	0.1	2	6	
0.4	0.1	4	7	
0.6	0.2	6	8	
0.9	0.3	9	9	
2.5	0.9	25	10	
3.7	1.3	37	11	
12.2	4.2	122	12	
21.3	7.3	214	13	
23.0	7.9	231	14	
19.4	6.7	195	15	
11.1	3.8	111	16	
4.2	1.4	42	17	
0.4	0.1	4	18	
	65.0	1,899	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.2	5	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2763-2764

CH159	BROKEN SOMETHING/MESS UP PLACE/PURPOSELY
--------------	---

Have you broken something or messed up some place on purpose, like breaking windows, writing on a building, slashing tires?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	38.0	1,111	1	YES
61.8	61.6	1,799	2	NO
	0.2	6	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2765-2766

CH159_A BROKE THING/MESS UP PLACE/PURPOSELY/6 MO

Have you done this in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.0	25.3	740	1	YES
33.0	12.5	364	2	NO
	61.6	1,798	-9	LEGITIMATE NONRESPONSE
	0.5	14	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2767-2768

CH159_B AGE/1ST TIME BROKEN THING/MESS UP PLACE

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	4	5	
0.9	0.3	10	6	
1.0	0.4	11	7	
3.6	1.4	40	8	
2.5	0.9	27	9	
8.3	3.1	91	10	
7.6	2.9	84	11	
15.7	5.9	172	12	
20.0	7.5	220	13	
19.2	7.2	211	14	
12.7	4.8	140	15	
5.7	2.2	63	16	
2.0	0.8	22	17	
0.4	0.1	4	18	
	61.6	1,799	-9	LEGITIMATE NONRESPONSE
	0.3	9	-8	MISSING
	0.2	5	-7	REFUSAL
	0.3	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2769-2770

CH160	TORTURED/HURT ANIMALS PURPOSELY/12 MON
--------------	---

In the past 12 months, have you tortured animals or hurt them on purpose?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	167	1	YES
94.3	93.8	2,741	2	NO
	0.4	11	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2771-2772

CH160_A	TORTURED/HURT ANIMALS PURPOSELY/6 MONTH
----------------	--

Have you done this in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.0	3.5	103	1	YES
38.0	2.2	63	2	NO
	93.8	2,741	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2773-2774

CH160_B AGE/1ST TIME TORTURED ANIMALS PURPOSELY

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.0	1	4	
3.7	0.2	6	5	
3.7	0.2	6	6	
4.3	0.2	7	7	
7.3	0.4	12	8	
5.5	0.3	9	9	
12.8	0.7	21	10	
6.7	0.4	11	11	
11.6	0.7	19	12	
7.9	0.4	13	13	
15.2	0.9	25	14	
9.8	0.5	16	15	
8.5	0.5	14	16	
2.4	0.1	4	17	
	93.8	2,741	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2775-2776

CH161 DONE ANYTHING SEXUAL W/ONE FOR \$/12 MON

In the past 12 months, have you done anything sexual with someone for money or for something else you wanted?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.2	122	1	YES
95.4	87.4	2,553	2	NO
	6.9	202	-9	LEGITIMATE NONRESPONSE
	1.4	40	-8	MISSING
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2777-2778

CH161_A	DONE ANYTHING SEXUAL W/ONE FOR \$/6 MON
----------------	--

Have you done this in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	3.0	87	1	YES
28.7	1.2	35	2	NO
	9.4	276	-9	LEGITIMATE NONRESPONSE
	86.3	2,521	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2779-2780

CH161_B	AGE/1ST TIME DONE SEXUAL W/ONE FOR MONEY
----------------	---

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.0	1	2	
0.8	0.0	1	8	
2.4	0.1	3	11	
4.1	0.2	5	12	
13.8	0.6	17	13	
18.7	0.8	23	14	
25.2	1.1	31	15	
19.5	0.8	24	16	
13.8	0.6	17	17	
0.8	0.0	1	18	
	9.4	276	-9	LEGITIMATE NONRESPONSE
	86.3	2,520	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2781-2782

CH161_C	FORCED ONE FOR SEX AGAINST WILL/12 MO
----------------	--

In the past 12 months, have you forced someone to do something sexual with you against their will?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.7	20	1	YES
99.2	90.3	2,637	2	NO
	7.1	206	-9	LEGITIMATE NONRESPONSE
	1.9	55	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2783-2784

CH161_D	FORCED ONE FOR SEX AGAINST WILL/6 MO
----------------	---

Have you done this in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.1	0.3	8	1	YES
61.9	0.4	13	2	NO
	9.4	276	-9	LEGITIMATE NONRESPONSE
	89.8	2,622	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2785-2786

CH161_E	AGE/FORCED SOMEONE FOR SEX AGAINST WILL
----------------	--

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.0	1	7	
5.0	0.0	1	12	
5.0	0.0	1	13	
20.0	0.1	4	14	
35.0	0.2	7	15	
10.0	0.1	2	16	
20.0	0.1	4	17	
	9.4	276	-9	LEGITIMATE NONRESPONSE
	89.8	2,623	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2787-2788

CH162	BEEN IN SERIOUS PHYSICAL FIGHTS/12 MO
--------------	--

In the past 12 months, have you been in any serious physical fights where there was punching or hitting?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	60.5	1,768	1	YES
39.2	39.0	1,140	2	NO
	0.3	10	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2789-2790

CH162_A	BEEN IN MANY SERIOUS PHYSICAL FIGHTS
----------------	---

Have you been in many fights like that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	39.5	1,154	1	YES
34.7	21.0	614	2	NO
	39.0	1,139	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2791-2792

CH162_B	STARTED ANY SERIOUS PHYSICAL FIGHT/12 MO
----------------	---

Have you started any serious fights like that in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	38.8	1,133	1	YES
36.0	21.8	636	2	NO
	39.0	1,138	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2793-2794

CH162_C	STARTED 4 SERIOUS PHYSICAL FIGHTS/12 MO
----------------	--

Have you started at least four fights like that in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.5	25.8	754	1	YES
33.5	13.0	379	2	NO
	60.7	1,772	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2795-2796

CH162_D	STARTED 1 SERIOUS PHYSICAL FIGHTS/6 MO
----------------	---

Have you started at least one fight like that in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	33.2	969	1	YES
14.0	5.4	158	2	NO
	60.6	1,771	-9	LEGITIMATE NONRESPONSE
	0.7	19	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2797-2798

CH162_E STARTED SERIOUS PHYS FIGHT/W/PEOPLE/HOME

Have you started fights like that with people at home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.8	9.2	270	1	YES
76.2	29.6	865	2	NO
	60.6	1,771	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2799-2800

CH162_F START SERIOUS PHYS FIGHTS/W/OTHER PEOPLE

Have you started fights like that with other people, like at school or in the neighborhood?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	34.9	1,018	1	YES
10.2	4.0	116	2	NO
	60.6	1,771	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2801-2802

CH162_G

AGE/1ST STARTED SERIOUS PHYSICAL FIGHTS

How old were you when you first began to start fights like that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
0.2	0.1	2	2	
0.2	0.1	2	3	
0.4	0.1	4	4	
2.7	1.0	30	5	
3.0	1.2	34	6	
5.4	2.1	60	7	
7.3	2.8	82	8	
5.3	2.0	59	9	
12.8	4.9	143	10	
9.7	3.7	108	11	
15.0	5.8	168	12	
13.9	5.3	155	13	
13.1	5.0	147	14	
7.3	2.8	82	15	
3.1	1.2	35	16	
0.5	0.2	6	17	
0.1	0.0	1	18	
	60.6	1,771	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.1	3	-7	REFUSAL
	0.6	17	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2803-2804

CH162_H**HAVE YOU EVER USED A WEAPON IN A FIGHT**

Have you ever used a weapon in a fight, like a bat or a brick or a bottle or a knife or gun?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	43.4	1,269	1	YES
56.3	56.1	1,638	2	NO
	0.4	11	-8	MISSING
	0.1	3	-7	REFUSAL

100.0 100.0 2,921 cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2805-2806

CH162_I	EVER USED A WEAPON IN >1 FIGHT/12 MON
----------------	---

Have you used a weapon like that in more than one fight in the past 12 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	26.6	776	1	YES
38.8	16.9	493	2	NO
	56.0	1,637	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2807-2808

CH162_J	EVER USED A WEAPON IN 1 FIGHT/6 MON
----------------	--

Have you used a weapon like that in at least one fight in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.5	23.6	689	1	YES
45.5	19.7	575	2	NO
	56.0	1,637	-9	LEGITIMATE NONRESPONSE
	0.5	16	-8	MISSING
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2809-2810

CH162_K	AGE/1ST BEGAN TO USE A WEAPON IN FIGHTS
----------------	--

How old were you when you first began to use a weapon in fights?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	4	5	
0.6	0.2	7	6	
1.6	0.7	20	7	
1.9	0.8	24	8	
1.9	0.8	24	9	
6.2	2.7	78	10	
6.3	2.7	79	11	
14.5	6.2	182	12	
19.7	8.5	247	13	
19.7	8.5	247	14	
15.8	6.8	198	15	
9.4	4.0	118	16	
1.8	0.8	22	17	
0.3	0.1	4	18	
	56.0	1,637	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.1	3	-7	REFUSAL
	0.6	17	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2811-2812

CH163	BEEN PHYSICALLY CRUEL TO SOMEONE/12 MON
--------------	--

In the past 12 months, have you ever been physically cruel or tried to cause someone pain?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.5	19.4	567	1	YES
80.5	80.1	2,341	2	NO
	0.3	10	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2813-2814

CH163_B	PHYSICAL CRUEL/IN FIGHT/LOST YOUR TEMPER
----------------	---

Was this in a fight, or when you lost your temper?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	14.9	434	1	YES
23.0	4.5	130	2	NO
	80.1	2,340	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.2	5	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2815-2816

CH163_C	PHYSICAL CRUEL/IN FIGHT/LOST YOUR TEMPER
----------------	---

Did it only happen in a fight, or when you lost your temper?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.7	12.6	367	1	YES
18.3	2.8	82	2	NO
	84.1	2,457	-9	LEGITIMATE NONRESPONSE
	0.4	11	-8	MISSING
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2817-2818

CH163_D TRIED TO HURT SOMEONE/NOT IN FIGHT/6 MON

Have you tried to hurt someone, not during a fight, in the past 6 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.3	4.8	139	1	YES
37.7	2.9	84	2	NO
	80.2	2,344	-9	LEGITIMATE NONRESPONSE
	12.0	350	-8	MISSING
	0.1	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2819-2820

CH163_E AGE/TRIED TO HURT SOMEONE/NOT IN FIGHT

How old were you the first time you did this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	0	
0.5	0.0	1	1	
1.9	0.1	4	5	
2.4	0.2	5	6	
3.8	0.3	8	7	
3.8	0.3	8	8	
3.3	0.2	7	9	
5.7	0.4	12	10	
5.7	0.4	12	11	
14.7	1.1	31	12	
17.5	1.3	37	13	
14.2	1.0	30	14	
17.5	1.3	37	15	
7.1	0.5	15	16	
1.4	0.1	3	17	
	80.2	2,344	-9	LEGITIMATE NONRESPONSE
	12.1	354	-8	MISSING
	0.1	4	-7	REFUSAL
	0.3	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2821-2822

CH164**ANY ITEMS CHECKED ON T. SHEET H, PART C**

HAVE ANY ITEMS (H145 TO H163c) BEEN CHECKED ON TALLY SHEET H, PART C?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.1	82.4	2,406	1	YES
16.9	16.7	488	2	NO
	0.8	24	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2823-2824

CH165**EVER SEEN DR. BECAUSE OF THESE THINGS**

You told me that you did things like (READ ITEMS (H145 - H163c) CHECKED ON TALLY SHEET H, PART C). Have you ever seen a doctor or any other professional because of these things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	4.2	124	1	YES
94.9	78.2	2,285	2	NO
	16.5	483	-9	LEGITIMATE NONRESPONSE
	0.9	26	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2825-2826

CH166 BELONG TO GANG/GET INTO A LOT OF TROUBLE

Do you belong to a gang or hang around with a group of kids who get into a lot of trouble?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	44.2	1,290	1	YES
55.6	55.3	1,616	2	NO
	0.3	8	-8	MISSING
	0.2	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2827-2828

CH166_A BEING PART OF GANG MEAN A LOT TO YOU

Does being part of this group mean a lot to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	21.3	622	1	YES
51.6	22.7	663	2	NO
	55.3	1,616	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.2	6	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2829-2830

CH166_B	YOU SKIPPED SCHOOL W/ GANG KIDS/12 MON
----------------	---

In the past 12 months, have you skipped school with some of these kids?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	29.0	847	1	YES
22.6	8.5	248	2	NO
	55.3	1,616	-9	LEGITIMATE NONRESPONSE
	7.0	205	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2831-2832

CH166_C	STAY AWAY FROM HOME OVERNIGHT W/GANG KID
----------------	---

Have you stayed away from home overnight with some of these kids?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.6	32.0	936	1	YES
27.4	12.1	354	2	NO
	55.3	1,616	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2833-2834

CH166_D	STAYED OUT LATE IN EVENING W/GANG KIDS
----------------	---

Have you often stayed out late in the evening with those kids?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	41.9	1,224	1	YES
5.0	2.2	64	2	NO
	55.3	1,616	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2835-2836

CH166_E	TOLD GROUP MEMBER/GET SELF OUT OF TROUBLE
----------------	--

Have you ever told on a member of this group to get yourself out of trouble?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	5.0	147	1	YES
88.6	39.1	1,141	2	NO
	55.3	1,616	-9	LEGITIMATE NONRESPONSE
	0.4	12	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2837-2838

CH166_F	YOU OFTEN USED DRUG/ALCOHOL W/GANG/12 MO
----------------	---

In the past 12 months, have you often used drugs or drunk alcohol with this group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	41.6	1,215	1	YES
5.8	2.6	75	2	NO
	55.3	1,616	-9	LEGITIMATE NONRESPONSE
	0.3	10	-8	MISSING
	0.2	5	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2839-2840

CH166_G	STOLEN/GOT INTO FIGHT/BROKEN LAWS W/GANG
----------------	---

Have you ever stolen anything, gotten into fights, or broken other laws with members of this group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	36.7	1,071	1	YES
16.7	7.4	215	2	NO
	55.3	1,616	-9	LEGITIMATE NONRESPONSE
	0.4	13	-8	MISSING
	0.2	6	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2841-2842

CH166_H	YOUR GANG FOUGHT W/OTHER GANGS/GROUPS
----------------	--

Has your group sometimes fought with other groups or gangs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	33.2	969	1	YES
24.8	11.0	320	2	NO
	55.7	1,627	-8	MISSING
	0.2	5	-7	REFUSAL

 100.0 100.0 2,921 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2843-2844

PSYCHOLOGICAL DISTRESS

CJ1_A

BOTHERED/NERVOUSNESS/SHAKINESS INSIDE
--

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the month before you entered this program. In the month before admission, how much were you distressed (bothered) by nervousness or shakiness inside?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	5.7	167	0	NOT AT ALL
20.3	1.6	48	1	A LITTLE BIT
3.8	0.3	9	2	MODERATELY
4.2	0.3	10	3	QUITE A BIT
1.3	0.1	3	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2845-2846

CJ1_B

BOTHERED/TREMBLING

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the month before you entered this program. In the month before admission, how much were you distressed (bothered) by trembling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.3	6.7	195	0	NOT AT ALL
11.4	0.9	27	1	A LITTLE BIT
3.8	0.3	9	2	MODERATELY
2.1	0.2	5	3	QUITE A BIT
0.4	0.0	1	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2847-2848

CJ1_C**BOTHERED/SUDDENLY BEING SCARED/NO REASON**

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the month before you entered this program. In the month before admission, how much were you distressed (bothered) by suddenly being scared for no reason?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	6.8	199	0	NOT AT ALL
9.3	0.8	22	1	A LITTLE BIT
2.5	0.2	6	2	MODERATELY
2.5	0.2	6	3	QUITE A BIT
1.7	0.1	4	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2849-2850

CJ1_D**BOTHERED/FEELING FEARFUL**

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the month before you entered this program. In the month before admission, how much were you distressed (bothered) by feeling fearful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.4	6.2	181	0	NOT AT ALL
15.6	1.3	37	1	A LITTLE BIT
3.4	0.3	8	2	MODERATELY
3.8	0.3	9	3	QUITE A BIT
0.8	0.1	2	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2851-2852

CJ1_E	BOTHERED/HEART POUNDING
--------------	--------------------------------

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the month before you entered this program. In the month before admission, how much were you distressed (bothered) by heart pounding or racing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.8	6.0	175	0	NOT AT ALL
15.2	1.2	36	1	A LITTLE BIT
5.5	0.4	13	2	MODERATELY
4.6	0.4	11	3	QUITE A BIT
0.8	0.1	2	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2853-2854

CJ1_F	BOTHERED/FEELING TENSE
--------------	-------------------------------

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the month before you entered this program. In the month before admission, how much were you distressed (bothered) by feeling tense or keyed up?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	5.2	152	0	NOT AT ALL
19.5	1.6	46	1	A LITTLE BIT
8.1	0.7	19	2	MODERATELY
3.8	0.3	9	3	QUITE A BIT
4.2	0.3	10	4	EXTREMELY
	91.9	2,684	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2855-2856

CJ1_G**BOTHERED/SPELLS OF TERROR**

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the month before you entered this program. In the month before admission, how much were you distressed (bothered) by spells of terror or panic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	6.9	203	0	NOT AT ALL
9.7	0.8	23	1	A LITTLE BIT
2.1	0.2	5	2	MODERATELY
1.7	0.1	4	3	QUITE A BIT
0.8	0.1	2	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2857-2858

CJ1_H**BOTHERED/FEELING SO RESTLESS**

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the month before you entered this program. In the month before admission, how much were you distressed (bothered) by feeling so restless you couldn't sit still?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.5	5.5	160	0	NOT AT ALL
11.4	0.9	27	1	A LITTLE BIT
8.4	0.7	20	2	MODERATELY
8.4	0.7	20	3	QUITE A BIT
4.2	0.3	10	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2859-2860

CJ1_I	BOTHERED/FEEL BAD THING GOING TO HAPPEN
--------------	--

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the month before you entered this program. In the month before admission, how much were you distressed (bothered) by the feeling that something bad was going to happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.3	4.9	143	0	NOT AT ALL
18.1	1.5	43	1	A LITTLE BIT
11.8	1.0	28	2	MODERATELY
8.4	0.7	20	3	QUITE A BIT
1.3	0.1	3	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2861-2862

CJ1_J	BOTHERED/FRIGHTENING THOUGHTS
--------------	--------------------------------------

Now, I am going to read a list of problems and experiences that people sometimes have. Please listen to each one carefully, then tell me how distressed (bothered) you were by this problem or experience in the month before you entered this program. In the month before admission, how much were you distressed (bothered) by thoughts and images of a frightening nature?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	6.6	193	0	NOT AT ALL
8.4	0.7	20	1	A LITTLE BIT
4.2	0.3	10	2	MODERATELY
5.5	0.4	13	3	QUITE A BIT
0.4	0.0	1	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2863-2864

CJ2	SOME/NONE/MOST PROBLEM/RESULT OF DRUG/ALCOHOL
------------	--

In that month, would you say that none, some, or most of these problems were the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.4	1.1	31	0	NONE
34.4	1.1	31	1	SOME
31.1	1.0	28	2	MOST
	5.0	147	-9	LEGITIMATE NONRESPONSE
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2865-2866

CJ3_A	BOTHERED/LOSS OF SEXUAL INTEREST
--------------	---

In the month before admission, how much were you distressed (bothered) by loss of sexual interest or pleasure?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.2	6.9	202	0	NOT AT ALL
6.8	0.5	16	1	A LITTLE BIT
2.5	0.2	6	2	MODERATELY
3.4	0.3	8	3	QUITE A BIT
2.1	0.2	5	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2867-2868

CJ3_B	BOTHERED/FEELING LOW IN ENERGY
--------------	---------------------------------------

In the month before admission, how much were you distressed (bothered) by feeling low in energy or slowed down?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	5.4	159	0	NOT AT ALL
20.6	1.7	49	1	A LITTLE BIT
5.5	0.4	13	2	MODERATELY
5.0	0.4	12	3	QUITE A BIT
2.1	0.2	5	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2869-2870

CJ3_C	BOTHERED/CRYING EASILY
--------------	-------------------------------

In the month before admission, how much were you distressed (bothered) by crying easily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	6.2	181	0	NOT AT ALL
11.3	0.9	27	1	A LITTLE BIT
4.6	0.4	11	2	MODERATELY
6.7	0.5	16	3	QUITE A BIT
1.3	0.1	3	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2871-2872

CJ3_D**BOTHERED/FEELING OF BEING TRAPPED**

In the month before admission, how much were you distressed (bothered) by feelings of being trapped or caught?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	5.4	158	0	NOT AT ALL
17.2	1.4	41	1	A LITTLE BIT
8.0	0.7	19	2	MODERATELY
5.5	0.4	13	3	QUITE A BIT
2.9	0.2	7	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2873-2874

CJ3_E**BOTHERED/BLAME YOURSELF FOR THINGS**

In the month before admission, how much were you distressed (bothered) by blaming yourself for things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	4.7	136	0	NOT AT ALL
21.0	1.7	50	1	A LITTLE BIT
10.9	0.9	26	2	MODERATELY
7.6	0.6	18	3	QUITE A BIT
3.4	0.3	8	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2875-2876

CJ3_F	BOTHERED/FEELING LONELY
--------------	--------------------------------

In the month before admission, how much were you distressed (bothered) by feeling lonely?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.4	4.8	139	0	NOT AT ALL
21.4	1.7	51	1	A LITTLE BIT
8.8	0.7	21	2	MODERATELY
6.3	0.5	15	3	QUITE A BIT
5.0	0.4	12	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2877-2878

CJ3_G	BOTHERED/FEELING BLUE
--------------	------------------------------

In the month before admission, how much were you distressed (bothered) by feeling blue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.4	5.1	148	0	NOT AT ALL
19.4	1.6	46	1	A LITTLE BIT
10.1	0.8	24	2	MODERATELY
4.2	0.3	10	3	QUITE A BIT
3.8	0.3	9	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2879-2880

CJ3_H**BOTHERED/WORRY TOO MUCH ABOUT THINGS**

In the month before admission, how much were you distressed (bothered) by worrying too much about things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	4.4	129	0	NOT AT ALL
22.4	1.8	53	1	A LITTLE BIT
11.8	1.0	28	2	MODERATELY
5.9	0.5	14	3	QUITE A BIT
5.5	0.4	13	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2881-2882

CJ3_I**BOTHERED/FEEL NO INTEREST IN THINGS**

In the month before admission, how much were you distressed (bothered) by feeling no interest in things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	5.5	161	0	NOT AT ALL
15.7	1.3	37	1	A LITTLE BIT
8.1	0.7	19	2	MODERATELY
5.5	0.4	13	3	QUITE A BIT
2.5	0.2	6	4	EXTREMELY
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2883-2884

CJ3_J	BOTHERED/FEEL HOPELESS ABOUT FUTURE
--------------	--

In the month before admission, how much were you distressed (bothered) by feeling hopeless about the future?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.6	4.9	143	0	NOT AT ALL
18.2	1.5	43	1	A LITTLE BIT
6.4	0.5	15	2	MODERATELY
9.3	0.8	22	3	QUITE A BIT
5.5	0.4	13	4	EXTREMELY
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2885-2886

CJ3_K	BOTHERED/FEEL EVERYTHING IS AN EFFORT
--------------	--

In the month before admission, how much were you distressed (bothered) by feeling everything is an effort?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	4.9	143	0	NOT AT ALL
21.8	1.8	52	1	A LITTLE BIT
8.4	0.7	20	2	MODERATELY
7.6	0.6	18	3	QUITE A BIT
2.1	0.2	5	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2887-2888

CJ3_L	BOTHERED/FEELING WORTHLESS
--------------	-----------------------------------

In the month before admission, how much were you distressed (bothered) by feeling worthless?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.3	5.8	169	0	NOT AT ALL
17.7	1.4	42	1	A LITTLE BIT
5.1	0.4	12	2	MODERATELY
3.8	0.3	9	3	QUITE A BIT
2.1	0.2	5	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2889-2890

CJ3_M	BOTHERED/FEEL GUILTY/NOT YOUR FAULT
--------------	--

In the month before admission, how much were you distressed (bothered) by feeling guilty for things which may not be your fault?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.2	5.5	160	0	NOT AT ALL
16.4	1.3	39	1	A LITTLE BIT
7.1	0.6	17	2	MODERATELY
5.0	0.4	12	3	QUITE A BIT
4.2	0.3	10	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2891-2892

CJ3_N	BOTHERED/THOUGHTS OF ENDING YOUR LIFE
--------------	--

In the month before admission, how much were you distressed (bothered) by thoughts of ending your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	6.8	199	0	NOT AT ALL
9.2	0.8	22	1	A LITTLE BIT
1.7	0.1	4	2	MODERATELY
2.1	0.2	5	3	QUITE A BIT
3.4	0.3	8	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2893-2894

CJ4	SOME/NONE/MOST PROBLEM/RESULT OF DRUG/ALCOHOL
------------	--

In that month, would you say that none, some, or most of the problems I've just described, such as [READ UP TO 3 ITEMS CODED 02 OR HIGHER], were the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	1.4	41	0	NONE
45.0	1.8	54	1	SOME
20.8	0.9	25	2	MOST
	3.9	113	-9	LEGITIMATE NONRESPONSE
	92.0	2,688	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2895-2896

CJ5_A**BOTHERED/FEELING EASILY ANNOYED**

In the month before admission, how much were you distressed (bothered) by feeling easily annoyed or irritated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.3	3.5	103	0	NOT AT ALL
22.7	1.8	54	1	A LITTLE BIT
12.2	1.0	29	2	MODERATELY
14.7	1.2	35	3	QUITE A BIT
7.1	0.6	17	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2897-2898

CJ5_B**BOTHERED/UNCONTROLLABLE TEMPER**

In the month before admission, how much were you distressed (bothered) by temper outbursts that you could not control?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	4.6	133	0	NOT AT ALL
17.7	1.4	42	1	A LITTLE BIT
9.3	0.8	22	2	MODERATELY
10.5	0.9	25	3	QUITE A BIT
6.3	0.5	15	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2899-2900

CJ5_C	BOTHERED/HAVING URGES TO BEAT/HURT ONE
--------------	---

In the month before admission, how much were you distressed (bothered) by having urges to beat, injure, or harm someone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.0	4.7	138	0	NOT AT ALL
16.0	1.3	38	1	A LITTLE BIT
9.7	0.8	23	2	MODERATELY
10.5	0.9	25	3	QUITE A BIT
5.9	0.5	14	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2901-2902

CJ5_D	BOTHERED/HAVING URGES TO BREAK THINGS
--------------	--

In the month before admission, how much were you distressed (bothered) by having urges to break or smash things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.3	4.9	143	0	NOT AT ALL
16.9	1.4	40	1	A LITTLE BIT
9.3	0.8	22	2	MODERATELY
8.9	0.7	21	3	QUITE A BIT
4.6	0.4	11	4	EXTREMELY
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2903-2904

CJ5_E	BOTHERED/GET INTO FREQUENT ARGUMENTS
--------------	---

In the month before admission, how much were you distressed (bothered) by getting into frequent arguments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.0	3.4	100	0	NOT AT ALL
21.8	1.8	52	1	A LITTLE BIT
10.5	0.9	25	2	MODERATELY
16.4	1.3	39	3	QUITE A BIT
9.2	0.8	22	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2905-2906

CJ5_F	BOTHERED/SHOUTING/THROWING THINGS
--------------	--

In the month before admission, how much were you distressed (bothered) by shouting or throwing things?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.1	4.9	143	0	NOT AT ALL
18.9	1.5	45	1	A LITTLE BIT
6.3	0.5	15	2	MODERATELY
10.9	0.9	26	3	QUITE A BIT
3.8	0.3	9	4	EXTREMELY
	91.9	2,683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2907-2908

CJ6 SOME/NONE/MOST PROBLEM/RESULT OF DRUG/ALCOHOL

In that month, would you say that none, some, or most of the problems I've just described, such as [READ UP TO 3 ITEMS CODED 02 OR HIGHER], were the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	1.8	52	0	NONE
36.6	1.6	48	1	SOME
23.7	1.1	31	2	MOST
	3.6	106	-9	LEGITIMATE NONRESPONSE
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2909-2910

CJ7_A TRUE?/MY HOME LIFE WAS ALWAYS HAPPY

Next, I am going to read a series of statements to you. Please listen to each statement carefully and decide whether this statement is true for you or whether it is false for you now.

My home life was always happy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	3.3	96	1	TRUE
60.2	5.0	145	2	FALSE
	91.7	2,680	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2911-2912

CJ7_B**TRUE?/MOST TIME I FEEL HAPPY**

Next, I am going to read a series of statements to you. Please listen to each statement carefully and decide whether this statement is true for you or whether it is false for you now.

Most of the time I feel happy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.8	5.9	173	1	TRUE
28.2	2.3	68	2	FALSE
	91.7	2,680	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2913-2914

CJ7_C**TRUE?/I GONE AGAINST MY PARENTS' WISHES**

Next, I am going to read a series of statements to you. Please listen to each statement carefully and decide whether this statement is true for you or whether it is false for you now.

I have often gone against my parents' wishes.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.4	6.1	177	1	TRUE
26.6	2.2	64	2	FALSE
	91.7	2,680	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2915-2916

CJ7_D**TRUE?/I SEEM TO DO THINGS THAT I REGRET**

Next, I am going to read a series of statements to you. Please listen to each statement carefully and decide whether this statement is true for you or whether it is false for you now.

I seem to do things that I regret more often than other people do.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	4.0	117	1	TRUE
51.5	4.2	124	2	FALSE
	91.7	2,680	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2917-2918

CJ7_E**TRUE?/PEOPLE TALK ABOUT ME BEHIND BACK**

Next, I am going to read a series of statements to you. Please listen to each statement carefully and decide whether this statement is true for you or whether it is false for you now.

People often talk about me behind my back.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.6	2.8	81	1	TRUE
65.4	5.2	153	2	FALSE
	91.7	2,680	-8	MISSING
	0.2	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2919-2920

CJ7_F	TRUE?/GAVE TEACHER LOT TROUBLE/AS CHILD
--------------	--

Next, I am going to read a series of statements to you. Please listen to each statement carefully and decide whether this statement is true for you or whether it is false for you now.

As a child in school, I used to give the teachers lots of trouble.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.8	4.1	120	1	TRUE
50.2	4.1	121	2	FALSE
	91.7	2,680	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2921-2922

CJ7_G	TRUE?/RIGHT PAY/LIKE TO TRAVEL W/CIRCUS
--------------	--

Next, I am going to read a series of statements to you. Please listen to each statement carefully and decide whether this statement is true for you or whether it is false for you now.

If the pay were right, I would like to travel with a circus or carnival

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	2.1	61	1	TRUE
74.7	6.2	180	2	FALSE
	91.7	2,680	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2923-2924

CJ8_A BELIEVED/OTHER PEOPLE WATCH/SPY ON YOU

For the next set of questions, I'll be asking you about things that might have happened to you in the whole past 12 months. These questions refer to things that seemed strange or didn't make sense to other people. In the past 12 months, have you believed something that made other people think you were imagining things? For example, have you believed ...that other people were watching you or spying on you or plotting to hurt you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	1.4	42	1	YES
82.4	6.7	197	2	NO
	91.8	2,682	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2925-2926

CJ8_B BELIEVE/SPECIAL MESSAGE FOR YOU/TV/RADIO

These questions refer to things that seemed strange or didn't make sense to other people. In the past 12 months, have you believed something that made other people think you were imagining things? For example, have you believed ... that there were special messages meant just for you on television or the radio or in newspapers or magazines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	0.8	23	1	YES
90.4	7.4	216	2	NO
	91.8	2,682	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2927-2928

CJ8_C**BELIEVED/PEOPLE LOOK AT/TALK/ABOUT YOU**

These questions refer to things that seemed strange or didn't make sense to other people. In the past 12 months, have you believed something that made other people think you were imagining things? For example, have you believed ... that people were looking at you or talking about you or laughing at you a lot for no reason?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	1.2	34	1	YES
85.7	6.9	203	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2929-2930

CJ8_D**BELIEVED/YOU DONE BAD THING/BE PUNISHED**

These questions refer to things that seemed strange or didn't make sense to other people. In the past 12 months, have you believed something that made other people think you were imagining things? For example, have you believed ... that you have done some very bad thing that you must be punished for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	1.0	30	1	YES
87.3	7.1	207	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2931-2932

CJ8_E BELIEVED/YOU FAMOUS/IMP. PEOPLE IN WORLD

These questions refer to things that seemed strange or didn't make sense to other people. In the past 12 months, have you believed something that made other people think you were imagining things? For example, have you believed ...that you were famous or one of the most important people in the whole world?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.3	10	1	YES
95.8	7.8	227	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2933-2934

CJ8_F BELIEVED/YOU HAVE SPECIAL POWER/DO THING

These questions refer to things that seemed strange or didn't make sense to other people. In the past 12 months, have you believed something that made other people think you were imagining things? For example, have you believed ... that you have some kind of special powers that make it possible for you to do things no one else can do?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.3	10	1	YES
95.8	7.8	227	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2935-2936

CJ9_A**BELIEVED/OTHER PEOPLE READ YOUR MIND**

Now, I'm going to ask you about other strange things you may have believed. In the past 12 months, have you believed ... that other people were reading your mind or controlling your thoughts?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	0.4	13	1	YES
94.5	7.7	224	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2937-2938

CJ9_B**BELIEVED/YOU COULD READ ONE'S THOUGHTS**

Now, I'm going to ask you about other strange things you may have believed. In the past 12 months, have you believed ... that you could read or could know someone else's thoughts?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.1	0.7	19	1	YES
91.9	7.4	217	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2939-2940

CJ9_C BELIEVED/ONE STEAL THOUGHT OUT YOUR HEAD

Now, I'm going to ask you about other strange things you may have believed. In the past 12 months, have you believed ... that someone or something was taking or stealing thoughts out of your head?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.3	8	1	YES
96.6	7.8	228	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2941-2942

CJ9_D BELIEVED/ONE PUT THOUGHTS INTO YOUR HEAD

Now, I'm going to ask you about other strange things you may have believed. In the past 12 months, have you believed ... that someone was magically putting thoughts into your head?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.3	8	1	YES
96.6	7.8	228	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2943-2944

CJ9_E**BELIEVED/STRANGE GOING WRONG W/YOUR BODY**

Now, I'm going to ask you about other strange things you may have believed. In the past 12 months, have you believed ... that there was something strange going wrong with your body?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.5	14	1	YES
94.1	7.6	222	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2945-2946

CJ9_F**BELIEVED/MUSCLES/MOVEMENT CONTROL BY ONE**

Now, I'm going to ask you about other strange things you may have believed. In the past 12 months, have you believed ... that your muscles and movements were somehow being controlled by others?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	0.2	6	1	YES
97.5	7.9	230	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2947-2948

CJ9_G

YOUR BELIEF/OTHER PEOPLE THOUGHT STRANGE

Now, I'm going to ask you about other strange things you may have believed. In the past 12 months, have you believed ... any other beliefs that other people thought were very strange?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.4	11	1	YES
95.3	7.7	224	2	NO
	92.0	2,686	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2949-2950

CJ10_A

VISION THING THAT OTHER PEOPLE COULDN'T

In the past 12 months, did you . . . have a vision or see something that other people couldn't see

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	1.4	42	1	YES
82.2	6.6	194	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2951-2952

CJ10_B**HEAR VOICES THAT NO ONE ELSE COULD HEAR**

In the past 12 months, did you . . . hear voices or noises
that no one else could hear

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	1.2	34	1	YES
85.6	6.9	202	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2953-2954

CJ10_C**SMELL ODORS THAT NOBODY ELSE COULD SMELL**

In the past 12 months, did you . . . smell odors around
you that nobody else could smell

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	0.8	22	1	YES
90.7	7.3	214	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2955-2956

CJ10_D	HAVE STRANGE FEELING INSIDE/ON YOUR BODY
---------------	---

In the past 12 months, did you . . . have strange feelings inside or on your body, like tingling or burning, or something moving around inside your body

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	1.1	33	1	YES
86.0	6.9	203	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2957-2958

CJ10_E	HAVE ANY OTHER UNUSUAL EXPERIENCES
---------------	---

In the past 12 months, did you . . . have had any other unusual experiences, like feeling that someone was there when they weren't

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	1.0	29	1	YES
87.7	7.1	207	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2959-2960

CJ11**YOU SEEMED VERY STRANGE TO OTHER PEOPLE**

In the past 12 months, was there a time when what you were saying didn't make sense, seemed all jumbled up, and seemed very strange to other people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.8	1.8	54	1	YES
77.2	6.3	183	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2961-2962

CJ12**YOU WERE TALKING/FORGOT WHAT TALK ABOUT**

In the past 12 months, when you were talking, would you often wander off the subject to start talking about something else because you forgot what you were talking about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	2.2	63	1	YES
73.3	5.9	173	2	NO
	91.9	2,685	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2963-2964

CJ13**GAVE STRANGE/CONFUSED ANSWERS TO OTHERS**

Did you often give others answers that were strange or confused or mixed up, that didn't make sense to other people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	1.6	46	1	YES
80.6	6.5	191	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2965-2966

CJ14**TALKED & TALKED/NEVER GOTTEN TO POINT**

In the past 12 months, have you often talked and talked and talked and never really gotten to the point?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	1.5	43	1	YES
81.9	6.6	194	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2967-2968

CJ15**WERE TALKING/MIND INTERRUPTED/FORGOT IT**

Was there a time when you would often pause while you were talking ... just stop in the middle and not finish what you were saying because you forgot what you were talking about, or because something in your mind interrupted you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.3	2.1	60	1	YES
74.7	6.1	177	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2969-2970

CJ16**YOU SAT/STOOD/STAYED STILL LIKE A STATUE**

In the past 12 months, have you ever sat or stood or stayed quite still in a strange way for a period of time, as though you were frozen or like a statue?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	1.3	38	1	YES
84.0	6.8	199	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2971-2972

CJ17**YOU TALK OUT LOUD/MUMBLE TO YOURSELF LOT**

In the past 12 months, did you talk out loud to yourself or mumble to yourself a lot?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.3	1.4	41	1	YES
82.7	6.7	196	2	NO
	91.9	2,684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2973-2974

MOTIVATION AND READINESS FOR TREATMENT

CK1	MANY OUTSIDE PROBLEM/PREVENT COMPLETE TREAT
------------	--

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I have too many outside problems that will prevent me from completing treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	69.9	2,041	1	NOT AT ALL
23.6	23.5	685	2	AGREE SOMEWHAT
6.0	5.9	173	3	VERY MUCH AGREE
	0.2	7	-8	MISSING
	0.1	3	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
	0.3	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2975-2976

CK2 I NEED NO TREATMENT/FAMILY PRESSURE

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I really don't need treatment; I'm here because of pressure on me (family, legal).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	56.2	1,642	1	NOT AT ALL
24.1	23.9	697	2	AGREE SOMEWHAT
19.2	19.0	555	3	VERY MUCH AGREE
	0.2	7	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.5	15	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2977-2978

CK3 DRUG USE IS A SERIOUS PROBLEM IN MY LIFE

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

My drug use is a very serious problem in my life.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	28.3	827	1	NOT AT ALL
28.6	27.8	812	2	AGREE SOMEWHAT
42.4	41.3	1,205	3	VERY MUCH AGREE
	0.4	13	-8	MISSING
	0.1	4	-7	REFUSAL
	2.1	60	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2979-2980

CK4**DRUG USE CAUSED PROBLEM IN MOST OF MY LIFE**

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

My drug use has caused problems in most areas of my life.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	25.7	750	1	NOT AT ALL
29.6	28.9	843	2	AGREE SOMEWHAT
44.0	42.8	1,251	3	VERY MUCH AGREE
	0.3	10	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	2.2	63	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2981-2982

CK5**STAY OFF ALL DRUG/TO DO/I WANT IN LIFE**

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I have to stay off all drugs in order to do what I want to in life.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.0	20.6	602	1	NOT AT ALL
22.7	22.4	653	2	AGREE SOMEWHAT
56.3	55.4	1,617	3	VERY MUCH AGREE
	0.6	17	-8	MISSING
	0.1	4	-7	REFUSAL
	1.0	28	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2983-2984

CK6 MAKE CHANGES IN MYSELF/GET LIFE TOGETHER

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I know I have to make real changes in myself to get my life together.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.2	211	1	NOT AT ALL
23.4	23.3	680	2	AGREE SOMEWHAT
69.3	68.8	2,009	3	VERY MUCH AGREE
	0.2	7	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	0.3	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2985-2986

CK7 MY DRUG USE/LIVING/HURT A LOT PEOPLE

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I feel that my drug use and the way I've been living have hurt a lot of people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	19.7	575	1	NOT AT ALL
24.4	23.7	693	2	AGREE SOMEWHAT
55.4	53.9	1,573	3	VERY MUCH AGREE
	0.3	9	-8	MISSING
	0.1	4	-7	REFUSAL
	2.3	67	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2987-2988

CK8**MORE IMPORTANT TO ME/STOP USE OF DRUGS**

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

It is more important to me than anything else that I stop using drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	18.5	540	1	NOT AT ALL
30.9	29.8	871	2	AGREE SOMEWHAT
49.9	48.1	1,404	3	VERY MUCH AGREE
	0.7	19	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	2.8	81	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2989-2990

CK9**NEED HELP W/OTHER PROBLEM/NOT JUST DRUG**

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I need help with other problems too, not just with my drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	22.6	661	1	NOT AT ALL
33.1	32.2	942	2	AGREE SOMEWHAT
43.7	42.6	1,244	3	VERY MUCH AGREE
	0.4	13	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	1.9	56	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2991-2992

CK10 I CAN STOP USE OF DRUGS ANYTIME I WANT

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I don't really believe that I have to be in treatment to stop using drugs; I can stop any time I want.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.9	44.4	1,296	1	NOT AT ALL
26.5	25.6	748	2	AGREE SOMEWHAT
27.5	26.6	777	3	VERY MUCH AGREE
	0.4	12	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
	2.7	80	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2993-2994

CK11 JOIN TREATMENT/READY TO DEAL W/MYSELF

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I came to this program because I really felt that I am ready to deal with myself in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	28.9	843	1	NOT AT ALL
29.3	29.0	846	2	AGREE SOMEWHAT
41.5	41.1	1,200	3	VERY MUCH AGREE
	0.3	8	-8	MISSING
	0.2	5	-7	REFUSAL
	0.7	19	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2995-2996

CK12**WILL DO ANYTHING/TO STRAIGHTEN MY LIFE**

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I'll do whatever I have to do to get my life straightened out.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.5	190	1	NOT AT ALL
31.1	30.8	901	2	AGREE SOMEWHAT
62.3	61.7	1,802	3	VERY MUCH AGREE
	0.3	9	-8	MISSING
	0.1	4	-7	REFUSAL
	0.2	6	-4	DON'T KNOW
	0.3	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2997-2998

CK13**ONLY THING WILL HELP ME/SOME TREATMENT**

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

The only thing that will help me now is some kind of treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	25.7	750	1	NOT AT ALL
32.9	32.5	950	2	AGREE SOMEWHAT
41.2	40.8	1,191	3	VERY MUCH AGREE
	0.4	13	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
	0.3	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2999-3000

CK14 CAN'T GET HELP HERE/TRY OTHER TREAT PROGRAM

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

If I can't get help here I will try some other treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.5	43.9	1,283	1	NOT AT ALL
23.2	22.9	668	2	AGREE SOMEWHAT
32.3	31.8	930	3	VERY MUCH AGREE
	0.4	12	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	0.8	22	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3001-3002

CK15 TIRED OF USING DRUGS/WANT TO CHANGE

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I am really tired of using drugs and want to change.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.7	18.0	525	1	NOT AT ALL
32.2	31.0	906	2	AGREE SOMEWHAT
49.1	47.3	1,382	3	VERY MUCH AGREE
	0.3	8	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	3.2	94	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3003-3004

CK16**I CAN'T STOP USING DRUGS ON MY OWN**

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I know I can't stop using drugs on my own.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.9	38.5	1,126	1	NOT AT ALL
23.1	22.3	652	2	AGREE SOMEWHAT
37.0	35.7	1,042	3	VERY MUCH AGREE
	0.3	8	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	3.0	87	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3005-3006

CK17**STOP SEE PEOPLE/IF IT HELP ME IN TREAT**

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I am willing to stop seeing some people I know for a while if it will help me in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.5	26.2	764	1	NOT AT ALL
29.1	28.7	839	2	AGREE SOMEWHAT
44.5	43.9	1,283	3	VERY MUCH AGREE
	0.2	7	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
	0.7	20	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3007-3008

CK18	NEED TO BE DRUG FREE/WAY I WANT TO LIVE
-------------	--

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I really do need to be completely drug free in order to live the way I want to.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	19.2	562	1	NOT AT ALL
26.8	26.3	769	2	AGREE SOMEWHAT
53.6	52.6	1,536	3	VERY MUCH AGREE
	0.4	11	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
	1.2	35	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3009-3010

CK19

I CAN'T DO/REQUIRED OF ME IN DRUG PROGRAM

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I don't think I can do what's required of me in this program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.6	73.7	2,153	1	NOT AT ALL
18.6	18.3	536	2	AGREE SOMEWHAT
6.8	6.7	196	3	VERY MUCH AGREE
	0.3	8	-8	MISSING
	0.1	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	5	-4	DON'T KNOW
	0.6	18	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3011-3012

CK20 **STAY IN PROGRAM LONGER/FOR BETTER LIFE**

Now, I am going to read a series of statements that people sometimes make when they enter treatment. Carefully consider each of these statements, and tell me how closely they describe your own thoughts and feelings at the present time.

I'll stay in this program as long as I have to in order to change my life for the better.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	23.6	689	1	NOT AT ALL
34.2	33.8	987	2	AGREE SOMEWHAT
41.9	41.4	1,210	3	VERY MUCH AGREE
	0.3	10	-8	MISSING
	0.1	4	-7	REFUSAL
	0.1	4	-4	DON'T KNOW
	0.6	17	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3013-3014

INTERVIEWER OBSERVATIONS

CL1	RESPONDENT'S GROOMING/NEATNESS/CLEAN
------------	---

HOW IS RESPONDENT'S GROOMING, NEATNESS OF APPEARANCE, AND PERSONAL CLEANLINESS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	4	1	VERY POOR
0.7	0.7	20	2	SOMEWHAT POOR
4.6	4.6	133	3	A LITTLE LESS THAN AVERAGE
94.6	93.6	2,733	4	AVERAGE OR GOOD
	1.1	31	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3015-3016

CL2	RESPONDENT'S SPEECH (CLEAR?)
------------	-------------------------------------

HOW IS RESPONDENTS SPEECH, THAT IS, HOW CLEAR AND UNDERSTANDABLE IS IT TO MOST PEOPLE?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	21	1	VERY POOR
0.7	0.7	19	2	SOMEWHAT POOR
5.5	5.4	158	3	A LITTLE LESS THAN AVERAGE
93.1	92.2	2,692	4	AVERAGE OR GOOD
	1.1	31	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3017-3018

CL6	RESPONDENT WAS HALLUCINATING
------------	-------------------------------------

DID IT SEEM THAT THE RESPONDENT WAS HALLUCINATING (BEHAVING AS IF HEARING VOICES OR SEEING VISIONS, LIPS MOVING WITHOUT MAKING ANY SOUND)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	5	1	YES
99.8	96.7	2,825	2	NO
	3.1	90	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3025-3026

CL7_0	NO ABNORMALITIES
--------------	-------------------------

DOES RESPONDENT HAVE ANY OF THE FOLLOWING ABNORMALITIES?

NO ABNORMALITIES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	84.8	2,476	0	CIRCLED
	14.9	435	-8	MISSING
	0.3	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3027-3028

CL7 (RECODE) ABNORMALITY:BLIND,DEAF,WEIGHT,SPEECH IMPED.,OTHER

DOES RESPONDENT HAVE ANY OF THE FOLLOWING ABNORMALITIES?

BLIND / DEAF / WEIGHT / SPEECH IMPEDIMENT / OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	37	1	YES
	98.7	2,884	-1	NO OR MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3029-3030

CL8 RESPONDENT ANSWERED ALL APPLICABLE Q.

DID THE RESPONDENT ANSWER ALL APPLICABLE QUESTIONS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	94.2	2,751	1	YES
3.9	3.8	111	2	NO
	2.0	58	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3031-3032

CL9 DID RESPONDENT UNDERSTAND ALL Q. ASKED

DID THE RESPONDENT UNDERSTAND ALL OF THE QUESTION(S) THAT WERE ASKED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	97.1	2,836	1	YES
1.7	1.7	50	2	NO
	1.2	34	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3033-3034

CL9_A**#Q. RESPONDENT DIDN'T UNDERSTAND**

HOW MANY QUESTIONS DID THE RESPONDENT NOT UNDERSTAND?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.4	0.6	17	1	
11.5	0.1	3	2	
11.5	0.1	3	5	
3.8	0.0	1	9	
3.8	0.0	1	10	
3.8	0.0	1	100	
	98.9	2,889	-8	MISSING
	0.2	5	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3035-3037

CL10_1**NOT UNDERSTOOD QUESTION/INTELLECTUALLY UNABLE**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

INTELLECTUALLY UNABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	28	1	CIRCLED
	99.0	2,893	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3038-3039

CL10_1_1 HOW SEVERE INTELLECTUAL DIFFICULTY

HOW SEVERE WOULD YOU SAY THE INTELLECTUAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	0.6	17	1	MILD
34.5	0.3	10	2	MODERATE
6.9	0.1	2	3	EXTREME
	99.0	2,892	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3040-3041

CL10_2 NOT UNDERSTOOD QUESTION/LANGUAGE BARRIER

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

LANGUAGE BARRIER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	8	2	CIRCLED
	99.7	2,913	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3042-3043

CL10_2_1 HOW SEVERE LANGUAGE BARRIER

HOW SEVERE WOULD YOU SAY THE LANGUAGE BARRIER WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.0	1	1	MILD
80.0	0.3	8	2	MODERATE
10.0	0.0	1	3	EXTREME
	99.7	2,911	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3044-3045

CL10_3**NOT UNDERSTOOD QUESTION/PHYSICALLY UNABLE**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE
QUESTIONS?

PHYSICALLY UNABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	CIRCLED
	100.0	2,920	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3046-3047

CL10_3_1**HOW SEVERE PHYSICAL DIFFICULTY**

HOW SEVERE WOULD YOU SAY THE PHYSICAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MILD
100.0	0.0	1	2	MODERATE
0.0	0.0	0	3	EXTREME
	100.0	2,920	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3048-3049

CL10_4 NOT UNDERSTOOD QUESTION/OTHER

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	9	4	CIRCLED
	99.7	2,912	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3050-3051

CL10_4_1 HOW SEVERE THIS DIFFICULTY WAS

HOW SEVERE WOULD YOU SAY THIS DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.0	1	1	MILD
25.0	0.1	3	2	MODERATE
66.7	0.3	8	3	EXTREME
	99.6	2,909	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3052-3053

CL11 WAS INTERVIEW A BREAK-OFF

WAS THE INTERVIEW A BREAK-OFF?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	2.7	80	1	YES
97.2	95.8	2,798	2	NO
	1.4	42	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3054-3055

CL11_A_1	REASON/BREAK-OFF/INTERVIEWER EMERGENCY
-----------------	---

WHAT WAS THE REASON FOR THE BREAK-OFF?

INTERVIEWER EMERGENCY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	100.0	2,920	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3056-3057

CL11_A_2	REASON/BREAK-OFF/RESPONDENT EMERGENCY
-----------------	--

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT EMERGENCY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	2	CIRCLED
	99.8	2,916	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3058-3059

CL11_A_3	REASON FOR BREAK-OFF/RESPONDENT TIRED
-----------------	--

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT TIRED, BORED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	26	3	CIRCLED
	99.1	2,895	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3060-3061

CL11_A_4	REASON/BREAK-OFF/RESPONDENT ANGRY/QUESTION
-----------------	---

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT ANGRY ABOUT QUESTIONS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	100.0	2,920	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3062-3063

CL11_A_5	REASON/BREAK-OFF/RESPONDENT UPSET/QUESTION
-----------------	---

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT UPSET ABOUT QUESTIONS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	5	CIRCLED
	99.9	2,919	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3064-3065

CL11_A_6	REASON FOR BREAK-OFF/OTHER
-----------------	-----------------------------------

WHAT WAS THE REASON FOR THE BREAK-OFF?

OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	40	6	CIRCLED
	98.6	2,881	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3066-3067

CL13_A_H #HOURS/INTERVIEW/BEFORE INTERRUPTED

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED THE FIRST TIME?

HOURS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	5.0	147	0	
28.4	2.2	65	1	
7.4	0.6	17	2	
	92.2	2,692	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3072-3073

CL13_A_M #MINUTES/INTERVIEW/BEFORE INTERRUPTED

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS INTERRUPTED THE FIRST TIME?

MINUTES

2,921 cases (Range of valid codes: 0-90)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3074-3075

CL14 HOW WAS RESPONDENT PSYCHOLOGICALLY

PSYCHOLOGICALLY, WAS THE RESPONDENT [CIRCLE ONE] . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	94.0	2,747	1	ESSENTIALLY NORMAL
3.6	3.5	103	2	A LITTLE ABNORMAL
0.7	0.7	20	3	VERY ABNORMAL
	1.7	49	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3076-3077

CM3	WHAT SEASON OF THE YEAR?
------------	---------------------------------

Let me ask you a few questions to check your concentration and memory.

What season of the year is it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.1	1.3	39	1	CORRECT
33.9	0.7	20	5	ERROR/CAN'T DO/REFUSE
	97.9	2,861	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3082-3083

CM4	WHAT IS THE DATE?
------------	--------------------------

Let me ask you a few questions to check your concentration and memory.

What is the date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	1.6	48	1	CORRECT
18.6	0.4	11	5	ERROR/CAN'T DO/REFUSE
	97.9	2,861	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3084-3085

CM5 **WHAT IS THE DAY OF THE WEEK?**

Let me ask you a few questions to check your concentration and memory.

What is the day of the week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	1.8	53	1	CORRECT
10.2	0.2	6	5	ERROR/CAN'T DO/REFUSE
	97.9	2,861	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3086-3087

CM6 **WHAT IS THE MONTH?**

Let me ask you a few questions to check your concentration and memory.

What is the month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	1.8	54	1	CORRECT
3.6	0.1	2	5	ERROR/CAN'T DO/REFUSE
	98.0	2,864	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3088-3089

CM7**WHAT IS THE STATE ARE WE IN?**

Let me ask you a few questions to check your concentration and memory.

Can you tell me where we are right now? For instance, what State are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	1.8	54	1	CORRECT
5.3	0.1	3	5	ERROR/CAN'T DO/REFUSE
	98.0	2,863	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3090-3091

CM8**WHAT COUNTY ARE WE IN?**

Let me ask you a few questions to check your concentration and memory.

What (county/parish) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.4	1.3	38	1	CORRECT
35.6	0.7	21	5	ERROR/CAN'T DO/REFUSE
	97.9	2,859	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3092-3093

CM9 **WHAT CITY/TOWN ARE WE IN?**

Let me ask you a few questions to check your concentration and memory.

What (city/town) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.2	1.7	50	1	CORRECT
13.8	0.3	8	5	ERROR/CAN'T DO/REFUSE
	98.0	2,862	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3094-3095

CM10_A **WHAT FLOOR OF BUILDING ARE WE ON?**

Let me ask you a few questions to check your concentration and memory.

What floor of the building are we on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.7	1.8	52	1	CORRECT
10.3	0.2	6	5	ERROR/CAN'T DO/REFUSE
	98.0	2,862	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3096-3097

CM10_B**WHAT IS THE NAME OF THIS PLACE?**

Let me ask you a few questions to check your concentration and memory.

What is this address (IF INSTITUTIONALIZED) or name of this place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	1.5	44	1	CORRECT
15.4	0.3	8	5	ERROR/CAN'T DO/REFUSE
	98.2	2,868	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3098-3099

CM11_A**APPLE/3 OBJECTS/REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . APPLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	60	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	97.9	2,861	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3100-3101

CM11_B TABLE/3 OBJECTS/REMEMBER OBJECTS

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . TABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	60	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	97.9	2,861	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3102-3103

CM11_C PENNY/3 OBJECTS/ REMEMBER OBJECTS

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . PENNY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	60	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	97.9	2,861	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3104-3105

CM12_A	WOULD YOU SUBTRACT 7 FROM 100
---------------	--------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

93

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	1.3	37	1	CORRECT
23.7	0.5	14	5	ERROR
13.6	0.3	8	7	SAYS CAN'T DO
	97.9	2,861	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3106-3107

CM12_B	WOULD YOU SUBTRACT 7 FROM 93
---------------	-------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

86

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	1.0	28	1	CORRECT
32.1	0.6	18	5	ERROR
17.9	0.3	10	7	SAYS CAN'T DO
	98.0	2,863	-8	MISSING
	0.0	1	-7	REFUSED
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3108-3109

CM12_C WOULD YOU SUBTRACT 7 FROM 86

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

79

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.7	1.0	29	1	CORRECT
24.1	0.4	13	5	ERROR
22.2	0.4	12	7	SAYS CAN'T DO
	98.1	2,865	-8	MISSING
	0.0	1	-7	REFUSED
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3110-3111

CM12_D WOULD YOU SUBTRACT 7 FROM 79

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

72

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.5	0.9	25	1	CORRECT
30.9	0.6	17	5	ERROR
23.6	0.4	13	7	SAYS CAN'T DO
	98.1	2,865	-8	MISSING
	0.0	1	-7	REFUSED
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3112-3113

CM12_E	WOULD YOU SUBTRACT 7 FROM 72
---------------	-------------------------------------

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

65

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.1	0.9	27	1	CORRECT
27.3	0.5	15	5	ERROR
23.6	0.4	13	7	SAYS CAN'T DO
	98.1	2,865	-8	MISSING
	0.0	1	-7	REFUSED
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3114-3115

CM13	CIRCLE NUMBER OF ERRORS/REFUSED
-------------	--

Now, I am going to spell a word forwards and I want you to spell it backwards. The word is "WORLD," W-0-R-L-D. Spell "world" backwards.

NUMBER OF ERRORS _____

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	0.9	25	0	NO ERROR
7.0	0.1	3	1	1 ERROR
20.9	0.3	9	2	2 ERRORS
7.0	0.1	3	3	3 ERRORS
7.0	0.1	3	4	4 ERRORS
0.0	0.0	0	5	5 ERRORS
	98.4	2,874	-8	MISSING
	0.1	3	-7	REFUSED
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3116-3117

CM14_A APPLE/3 OBJECTS/REMEMBER OBJECTS

Now, what were the 3 objects I asked you to remember?

APPLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	2.0	57	1	CORRECT
3.4	0.1	2	5	ERROR/CAN'T DO/REFUSE
	98.0	2,862	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3118-3119

CM14_B TABLE/3 OBJECTS/REMEMBER OBJECTS

Now, what were the 3 objects I asked you to remember?

TABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	1.8	52	1	CORRECT
11.9	0.2	7	5	ERROR/CAN'T DO/REFUSE
	98.0	2,862	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3120-3121

CM14_C**PENNY/3 OBJECTS/ REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

PENNY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	1.7	51	1	CORRECT
13.6	0.3	8	5	ERROR/CAN'T DO/REFUSE
	98.0	2,862	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3122-3123

CM15_A**SHOW WRIST WATCH/ASK/WHAT IS THIS?**

[SHOW WRIST WATCH] What is this called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	2.0	57	1	CORRECT
1.7	0.0	1	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	98.0	2,863	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3124-3125

CM15_B**SHOW PENCIL/ASK/WHAT IS THIS?**

[SHOW PENCIL] What is this called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	2.0	57	1	CORRECT
1.7	0.0	1	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	98.0	2,863	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3126-3127

CM16 REPEAT A PHRASE AFTER ME

I'd like you to repeat a phrase after me.
 The phrase is . . . "No if's, and's or but's."

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.5	1.7	49	1	CORRECT
15.5	0.3	9	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	98.0	2,863	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3128-3129

CM17 HAND 'CLOSE YOUR EYES' CARD TO RESPONDENT

Read the words on this page and then do what it says.
 [HAND "CLOSE YOUR EYES" CARD TO RESPONDENT]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	1.9	56	1	CORRECT
3.4	0.1	2	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
1.7	0.0	1	7	CAN'T READ ENGLISH
	98.0	2,862	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3130-3131

CM18_A**TAKE PAPER IN YOUR RIGHT HAND**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

TAKES PAPER IN RIGHT HAND

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	1.8	53	1	CORRECT
10.2	0.2	6	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	98.0	2,862	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3132-3133

CM18_B**FOLD PAPER IN HALF**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

FOLDS PAPER IN HALF..

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	1.8	52	1	CORRECT
11.9	0.2	7	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	98.0	2,862	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3134-3135

CM18_C PUT PAPER DOWN ON YOUR LAP

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

PUTS PAPER DOWN ON LAP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	59	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	98.0	2,862	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3136-3137

CM19 WRITE COMPLETE SENTENCE ON PAPER

Write any complete sentence on that piece of paper for me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	2.0	57	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO
0.0	0.0	0	6	HANDICAP
1.7	0.0	1	7	CAN'T WRITE (ENGLISH)
	98.0	2,862	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3138-3139

CM20**COPY THE DRAWING ON SAME PAPER**

Here's a drawing. Please copy the drawing on the same paper.
 [HAND RESPONDENT "PENTAGONS" CARD]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.8	1.3	37	1	CORRECT
30.2	0.5	16	5	ERROR/CAN'T DO
0.0	0.0	0	6	HANDICAP
	98.1	2,866	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3140-3141

CM21**12/>12 05S CODED IN M2-M11/M14-M20?**

ARE 12 OR MORE "05's" CODED IN M2-M11 AND M14-M20?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	0.0	1	1	YES
98.2	1.8	54	2	NO
	98.1	2,866	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3142-3143

HLTHINS	HEALTH INSURANCE
----------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	15.3	448	0	NONE
39.1	36.3	1,059	1	PRIVATE /OTHER
34.5	31.9	933	2	PUBLIC
9.9	9.1	267	3	UNKNOWN TYPE
	0.3	10	-8	MISSING
	7.0	204	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3148-3149

FTWORK	WEEKS FULL-TIME WORK YEAR BEFORE TREATMENT
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.7	83.1	2,428	0	NONE
10.0	9.9	289	1	1-13 WKS
5.1	5.0	147	2	14-39 WKS
1.3	1.3	38	3	40-52 WKS
	0.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3150-3151

MSTAT	MARITAL STATUS
--------------	-----------------------

Are you now married, separated, divorced, widowed, living with someone as married, or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	6	1	MARRIED
0.0	0.0	1	2	SEPARATED
0.0	0.0	0	3	DIVORCED OR WIDOWED
0.5	0.5	15	5	LIVING AS MARRIED
99.2	99.0	2,893	6	NEVER MARRIED
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3152-3153

INSCHOOL	CURRENTLY IN SCHOOL
-----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	33.7	983	0	NO
66.3	66.3	1,936	1	YES
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3154-3155

RACE	RACE & ETHNICITY				
-------------	-----------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	52.0	1,518	1	CAUCASIAN/WHITE
23.9	23.9	697	2	AFRO-AMERICAN/BLACK
20.3	20.3	592	3	HISPANIC
3.9	3.9	114	4	OTHER
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Column: 3156

EDLEV	HIGHEST GRADE ATTENDED				
--------------	-------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.1	0.1	4	1	GRADE SCHOOL
19.1	19.1	558	2	MIDDLE SCHOOL
29.1	29.1	850	3	GRADE 9
26.5	26.4	772	4	GRADE 10
17.0	17.0	497	5	GRADE 11
5.2	5.2	152	6	GRADE 12
2.9	2.9	85	7	HS GRADUATE/GED
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3157-3158

RACESEX	ETHNICITY & GENDER
----------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	37.3	1,090	1	CAUCASIAN/WHITE MALE
19.2	19.2	562	2	AFRO-AMERICAN/BLACK MALE
15.3	15.3	447	3	HISPANIC MALE
2.4	2.4	71	4	OTHER MALE
14.7	14.7	428	5	CAUCASIAN/WHITE FEMALE
4.6	4.6	135	6	AFRO-AMERICAN/BLACK FEMALE
5.0	5.0	145	7	HISPANIC FEMALE
1.5	1.5	43	8	OTHER FEMALE
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Column: 3159

CJ_STAT	CRIMINAL JUSTICE STATUS
----------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.6	43.5	1,270	0	NO LEGAL STATUS
12.5	12.4	363	1	IN JAIL/DETENTION
33.1	33.0	965	2	PROBATION
1.4	1.4	41	3	PAROLE
9.4	9.3	273	4	CASE PENDING
	0.3	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3211-3212

IAY_SIA	SERIOUS ILLEGAL ACTS YEAR BEFORE TREATMENT
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	37.0	1,080	0	NONE
14.6	14.0	409	1	1-2 ACTS
21.0	20.1	588	2	3-10 ACTS
25.7	24.5	717	3	10 OR MORE ACTS
	4.3	127	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3213-3214

MAJSRC	MAJOR SOURCE OF INCOME			
--------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.3	241	0	NO INCOME
25.9	24.2	706	1	LEGAL WORK
2.6	2.5	72	2	PUB ASSISTANCE
1.1	1.0	29	3	SOCIAL SECURITY
24.2	22.6	659	4	FAMILY, FRIENDS
36.5	34.1	995	5	ILLEGAL SOURCES
0.9	0.9	25	6	OTHER SOURCES
	1.0	28	-8	MISSING
	5.7	166	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3215-3216

REFER	REFERRAL SOURCE			
-------	-----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.5	162	0	SELF (ONLY IF NO OTHER PRIMARY OR SECONDARY MENTIONED)
2.4	2.4	71	1	MEDICAL SERVICE
8.2	8.1	238	2	COMMUNITY AGENCY
36.1	36.0	1,053	3	LEGAL SYSTEM
43.5	43.4	1,269	4	FAMILY OR FRIENDS
4.0	4.0	116	5	SCHOOL OR EMPLOYER
0.3	0.3	10	6	OTHER
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3217-3218

RESTRICT	WEEKS RESTRICTED IN YEAR BEFORE TREATMENT
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.1	41.2	1,204	0	NO WEEKS RESTRICTED
27.7	26.5	773	1	1 TO 4 WEEKS RESTRICTED
14.1	13.5	393	2	5 TO 13 WEEKS RESTRICTED
12.0	11.5	335	3	14 TO 26 WEEKS RESTRICTED
3.1	3.0	87	4	27 TO 39 WEEKS RESTRICTED
0.0	0.0	0	5	40 TO 50 WEEKS RESTRICTED
0.0	0.0	0	6	51 TO 52 WEEKS RESTRICTED
	4.4	129	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3219-3220

SCHOOL	SCHOOL STATUS AT INTAKE
---------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	33.7	983	0	NOT IN SCHOOL
4.2	4.2	122	1	SPECIAL EDUCATION
10.6	10.6	309	2	MIDDLE SCHOOL
43.2	43.1	1,259	3	HIGH SCHOOL
0.8	0.8	24	4	POST-SECONDARY
7.5	7.5	220	5	OTHER
	0.1	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3223-3224

DEP_YR	DEPRESSIVE SYMPTOMS YEAR BEFORE TREATMENT
---------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.9	65.9	1,925	0	NO SIGNS OF DEPRESSION
8.6	8.6	252	1	FELT DEPRESSED
12.6	12.6	369	2	SUICIDAL THOUGHTS
12.8	12.8	375	3	SUICIDAL ATTEMPT (S)
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Column: 3225

EMPSTAT	EMPLOYMENT WK BF/ADMISSION			
----------------	-----------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.9	203	1	WORKING
27.1	27.1	793	2	LOOKING FOR WORK/GOING TO SCHOOL
1.9	1.9	55	3	KEEPING HOUSE
0.1	0.1	2	4	DISABLED/RETIRED
24.5	24.5	715	5	IN JAIL, RESIDENTIAL TX, OTHER INST
18.1	18.1	529	6	DRUG RELATED OR ILLEGAL ACTIVITIES
21.4	21.4	624	7	OTHER, MULTIPLE
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Column: 3226

IAPY	FREQUENCY OF ILLEGAL ACTIVITY YEAR BEFORE TREATMENT			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	42.2	1,234	0	NONE
21.4	21.2	618	1	MONTHLY
17.4	17.2	501	2	WEEKLY
18.5	18.2	533	3	DAILY
	1.2	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3227-3228

RECODED VARIABLES: SUBSTANCE USE

HVY_ALC HEAVY ALCOHOL USE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	70.8	2,067	0	NOT A HEAVY USER
28.9	28.8	842	1	HEAVY ALCOHOL USER
	0.4	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3160-3161

ALCR ALCOHOL USE YEAR BEFORE TREATMENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	17.1	500	0	NO USE
41.0	40.9	1,194	1	MONTHLY
33.2	33.1	967	2	WEEKLY
8.7	8.7	253	3	DAILY
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3162-3163

MRJR MARIJUANA USE YEAR BEFORE TREATMENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.4	244	0	NO USE
9.6	9.6	279	1	MONTHLY
27.3	27.3	796	2	WEEKLY
54.8	54.7	1,599	3	DAILY
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3164-3165

COCR	COCAINE USE YEAR BEFORE TREATMENT				
-------------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.3	81.3	2,376	0	NO USE
6.5	6.5	191	1	MONTHLY
7.6	7.6	221	2	WEEKLY
4.6	4.6	133	3	DAILY
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Column: 3166

HERR	HEROIN USE YEAR BEFORE TREATMENT				
-------------	---	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	95.7	2,794	0	NO USE
0.9	0.9	26	1	MONTHLY
1.5	1.5	43	2	WEEKLY
1.8	1.8	52	3	DAILY
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3167-3168

NARR	OTHER OPIOID USE YEAR BEFORE TREATMENT				
-------------	---	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	93.7	2,736	0	NO USE
3.3	3.3	97	1	MONTHLY
1.7	1.6	48	2	WEEKLY
0.6	0.6	17	3	DAILY
	0.8	23	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3169-3170

SEDR	SEDATIVES YEAR BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	95.4	2,788	0	NO USE
2.2	2.2	65	1	MONTHLY
1.7	1.7	49	2	WEEKLY
0.4	0.4	13	3	DAILY
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3171-3172

AMPR	AMPHETAMINE USE YEAR BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	89.1	2,604	0	NO USE
3.6	3.6	104	1	MONTHLY
3.9	3.9	113	2	WEEKLY
3.2	3.1	92	3	DAILY
	0.3	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3173-3174

HALR	HALLUCINOGENS YEAR BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.2	71.1	2,076	0	NO USE
16.1	16.1	470	1	MONTHLY
10.7	10.7	313	2	WEEKLY
1.9	1.9	55	3	DAILY
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3175-3176

INHR	INHALANTS YEAR BEFORE TREATMENT			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	91.2	2,663	0	NO USE
5.4	5.4	157	1	MONTHLY
2.5	2.5	74	2	WEEKLY
0.8	0.8	24	3	DAILY
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3177-3178

ALCWK	ALCOHOL WEEKLY+ YEAR BEFORE TREATMENT			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.1	58.0	1,694	0	LESS THAN WEEKLY USE
41.9	41.8	1,220	1	WEEKLY OR MORE USE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3179-3180

MRJWK	MARIJUANA WEEKLY+ YEAR BEFORE TREATMENT			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	17.9	523	0	LESS THAN WEEKLY USE
82.1	82.0	2,395	1	WEEKLY OR MORE USE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3181-3182

SEDWK	SEDATIVES WEEKLY+ YEAR BEFORE TREATMENT				
--------------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	97.7	2,853	0	LESS THAN WEEKLY USE
2.1	2.1	62	1	WEEKLY OR MORE USE
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3188-3189

AMPWK	AMPHETAMINE WEEKLY+ YEAR BEFORE TREATMENT				
--------------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	92.7	2,708	0	LESS THAN WEEKLY USE
7.0	7.0	205	1	WEEKLY OR MORE USE
	0.3	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3190-3191

HALWK	HALLUCINOGEN WEEKLY+ YEAR BEFORE TREATMENT				
--------------	---	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.4	87.2	2,546	0	LESS THAN WEEKLY USE
12.6	12.6	368	1	WEEKLY OR MORE USE
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3192-3193

INHWK	INHALANTS WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	96.5	2,820	0	LESS THAN WEEKLY USE
3.4	3.4	98	1	WEEKLY OR MORE USE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3194-3195

MRJ_EV	MARIJUANA - EVER USED
---------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	2.3	68	0	NO USE
4.5	4.5	131	1	1 - 5 TIMES
93.2	93.0	2,717	2	MORE THAN 5 TIMES
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3196-3197

COC_EV	COCAINE EVER USED
---------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.9	59.9	1,750	0	NO USE
20.1	20.1	587	1	1 - 5 TIMES
20.0	20.0	584	2	MORE THAN 5 TIMES
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Column: 3198

HER_EV	HEROIN - EVER USED			
--------	--------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.2	89.0	2,600	0	NO USE
6.6	6.6	193	1	1 - 5 TIMES
4.2	4.2	122	2	MORE THAN 5 TIMES
	0.2	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3199-3200

NAR_EV	OTHER OPIOIDS EVER USED			
--------	-------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.2	83.5	2,440	0	NO USE
9.3	9.2	270	1	1 - 5 TIMES
6.5	6.5	189	2	MORE THAN 5 TIMES
	0.8	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3201-3202

SED_EV	SEDATIVES EVER USED			
--------	---------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.0	86.9	2,537	0	NO USE
8.1	8.0	235	1	1 - 5 TIMES
4.9	4.9	144	2	MORE THAN 5 TIMES
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3203-3204

AMP_EV	AMPHETAMINES EVER USED
---------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.9	79.7	2,328	0	NO USE
8.7	8.7	254	1	1 - 5 TIMES
11.4	11.3	331	2	MORE THAN 5 TIMES
	0.3	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3205-3206

HAL_EV	HALLUCINOGENS - EVER USED
---------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	49.3	1,439	0	NO USE
20.1	20.0	585	1	1 - 5 TIMES
30.5	30.5	890	2	MORE THAN 5 TIMES
	0.2	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3207-3208

INH_EV	INHALANTS - EVER USED
---------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.4	75.4	2,202	0	NO USE
12.9	12.9	377	1	1 - 5 TIMES
11.6	11.6	340	2	MORE THAN 5 TIMES
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3209-3210

CRKR	CRACK USE YEAR BEFORE TREATMENT			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	91.2	2,663	0	NO USE
3.7	3.7	109	1	MONTHLY
2.4	2.4	69	2	WEEKLY
2.7	2.7	78	3	DAILY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3231-3232

CRKWK	CRACK WEEKLY+ YEAR BEFORE TREATMENT			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	94.9	2,772	0	LESS THAN WEEKLY USE
5.0	5.0	147	1	WEEKLY OR MORE USE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,921	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3233-3234

APPENDIX A: Publications

Broome, K. M., Joe, G. W., & Simpson, D. D. (2001). Engagement models for adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 608-623.

Delany, P. J., Broome, K. M., Flynn, P. M., & Fletcher, B. W. (2001). Treatment service patterns and organizational structures: An analysis of programs in DATOS-A. *Journal of Adolescent Research*, 16(6), 590-607.

Etheridge, R. M., Rounds-Bryant, J. L., Smith, J. C., & Hubbard, R. L. (2001). Drug abuse treatment and comprehensive services for adolescents. *Journal of Adolescent Research*, 16(6), 563-589.

Farabee, D., Shen, H., Hser, Y., Grella, C. E., & Anglin, M. D. (2001). The effect of drug treatment on criminal behavior among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 679-696.

Galaif, E. R., Hser, Y., Grella, C. E., & Joshi, V. (2001). Prospective risk factors and treatment outcomes among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 661-678.

Grella, C. E. & Joshi, V. (2003). Treatment processes and outcomes among adolescents with a history of abuse who are in drug treatment. *Child Maltreatment: Journal of the American Professional Society on the Abuse of Children*, 8(1), 7-18.

Hser, Y., Grella, C. E., Hubbard, R. L., Hsieh, S. C., Fletcher, B. W., Brown, B. S., & Anglin, M. D. (2001). An evaluation of drug treatment for adolescents in four U.S. cities. *Archives of General Psychiatry*, 58(7), 689-695.

Joshi, V., Hser, Y., Grella, C. E., & Houlton, R. (2001). Sex-related HIV risk reduction behavior among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 642-660.

Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

Rounds-Bryant, J. L., Kristiansen, P. L., Fairbank, J. A., & Hubbard, R. L. (1998). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*, 7(4), 19-34.

Rounds-Bryant, J. L., & Staab, J. (2001). Patient characteristics and treatment outcomes for African American, Hispanic, and White adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 624-641.

Wong, M. M., Hser, Y. I., & Grella, C. E. (2002). Compliance among adolescents during drug treatment. *Journal of Child & Adolescent Substance Use*, 12(2), 13-31.

Grella, C. E. (in press). The drug abuse treatment outcomes studies: Outcomes with adolescent substance abusers. In H. Liddle and C. Rowe (Eds.), *Adolescent Substance Abuse: Intervention and Management*. Cambridge, UK: Cambridge University Press.