

**Drug Abuse Treatment Outcome
Study--Adolescent (DATOS-A),
1993-1995: [United States]**

*United States Department of Health and
Human Services. National Institute on
Drug Abuse*

Codebook for 1-Month Intreatment Data

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

TABLE OF CONTENTS

INTRODUCTION	1
A. Background	1
B. Research Design	1
C. Program Sample	2
D. Instrumentation	3
E. Data Collection Procedures	3
F. SAMHDA Data Cleaning and Processing	4
G. User Responsibility	7
H. Processor Notes	7
FREQUENCIES	9
IDENTIFICATION	9
INTERVIEW INFORMATION	10
DEMOGRAPHICS AND BACKGROUND	12
EDUCATION AND TRAINING	42
TREATMENT ACCESS	53
PSYCHOLOGICAL FUNCTIONING	69
TOBACCO, ALCOHOL, AND DRUG USE	89
SEXUAL EXPERIENCES	195
HEALTH	217
ILLEGAL INVOLVEMENT	239
EMPLOYMENT/SUPPORT STATUS	268
INCOME AND EXPENDITURES	299
INTREATMENT EXPERIENCE	314
MINIMENTAL STATUS EXAM	821
INTERVIEWER OBSERVATIONS	837
FEELINGS AND BELIEFS	847
INTERVIEW COMPLETION	868
RECODED VARIABLES: CLIENT CHARACTERISTICS	869
RECODED VARIABLES: SUBSTANCE USE	877
RECODED VARIABLES: TREATMENT	887
APPENDIX A: Publications	889

DRUG ABUSE TREATMENT OUTCOME STUDY-ADOLESCENT

INTRODUCTION

A. Background

The family of Drug Abuse Treatment Outcome Studies is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The family of Drug Abuse Treatment Outcome Studies consists of the adult component (DATOS), the adolescent component (DATOS-A), and the Cocaine Treatment Outcome Study (CTOS). DATOS-A is the first study designed specifically to conduct an in-depth, systematic investigation of the outcomes and effectiveness of drug treatment programs for adolescents.¹

The major objectives of DATOS-A are to (1) develop current and more comprehensive information about the effectiveness of adolescent drug treatment; (2) investigate the characteristics of adolescents entering treatment; (3) investigate the characteristics of the structure and process of drug abuse treatment in adolescent programs; (4) assess the contributions to client outcomes of program type, client characteristics, and treatment received.

DATOS-A is a comprehensive, multiyear, multi-site prospective cohort study of clients entering treatment from 1993 to 1995. Approximately 3,400 clients from 37 programs in 6 cities were assessed at intake. Re-interviews were completed at 1, 3, and 6 months during treatment with clients who continued their treatment. A follow-up sample of about 3,000 clients (12-months after treatment) was selected for locating and interviewing in the community.

B. Research Design

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. DATOS-A used a naturalistic, longitudinal, prospective cohort design. This design is highly suitable for gathering descriptive information on study populations and for investigating causal relationships in studies based on measurement of naturally occurring events rather than planned interventions (Cook & Campbell, 1979; Singer, 1986). Moreover, this design is quite appropriate for developing baseline measures for long-term longitudinal studies of adolescents, where maturation is likely a key factor affecting behavior change (Newcomb & Bentler, 1989).

¹ Sections of the Introduction were taken from the following source: Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

C. Program Sample

The DATOS-A study design specified a sample of programs that treated an adolescent population separately from an adult population. A further consideration was the data collection infrastructure developed for the adult study. The decision was also made to limit the sample to programs in the cities where the adult data collection was being conducted. In those locations, programs specializing in adolescent treatment and judged to be typically community-based treatment organizations in existence for at least 2 to 3 years and expected to remain as stable, viable organizations throughout the period of the study were identified. The programs with sufficient projected patient admissions of at least five patients per month were purposely selected for participation in the study. In addition, selection of programs was limited to programs committed to the research and ones that would permit efficient collection of detailed data about patient behaviors and treatment.

Six cities located in different sections of the United States were selected for DATOS-A because these cities each had a sufficient number of adolescent programs to support the DATOS research design. All six cities were medium to large metropolitan areas with established treatment systems. The selection of the six cities also enabled us to realize significant savings with respect to fieldwork costs and to obtain a more complete picture of patient characteristics and treatment services within the selected areas. The six cities also had the most experienced data collection staff members who had worked on the DATOS adult study. In most of the cities, the programs selected served most if not all the adolescents seeking treatment in the area. No programs selected to participate refused.

Programs in the sample represented the following three major modalities treating adolescents: therapeutic community or residential programs, chemical dependency or short-term inpatient programs, and outpatient drug-free programs. The programs differed primarily in their therapeutic orientation and planned duration. During the study, however, planned duration was reduced in many of the programs to address concerns about cost containment. The residential modality included traditional, modified, and short-term therapeutic community programs as well as halfway houses and shelter programs. These programs required patients to live in the treatment setting and included traditional treatment interventions along with those designed to resocialize patients. Planned duration of stay was much shorter than the long term residential treatment for adults. The planned durations initially varied from 3 months to 1 year (median = 5 months) compared to 4 months to 2 years for adult programs (median = 11 months). Short-term inpatient programs provided such treatment interventions as individual, group, and family counseling as well as 12-step counseling. Planned duration of stay was no more than 35 days, but more often it was fewer than 14 days. The outpatient drug-free modality included regular and intensive outpatient and day treatment programs. The type of program was distinguished by the range of services offered and the duration and frequency of treatment sessions. Planned duration of stay varied from 1 month to 2 years.

D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires.

Intake 1. The Intake 1 Questionnaire's function was to obtain baseline measures of patient characteristics and behaviors. The instrument took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment/support status, Income and expenditures, Hostility, Empathic concern/perspective taking, and Sociability/self-worth.

Intake 2. The Intake 2 Questionnaire was administered approximately one week after the Intake 1 Questionnaire. This interview averaged 2 hours to complete. Because of the instrument's length and the age of the respondents, the interviewers allowed respondents frequent breaks. It contained sections on Health, Cognitive impairment, Religiosity and self-concept, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

In-treatment. Interviewers administered intreatment instruments to patients 1, 3, and 6 months after admission to treatment. Patients were interviewed only if they remained in treatment at the time an interview was due. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

Follow-up. Interviews were administered at 12-months after treatment termination. The 12-month follow-up instrument required approximately 90 minutes to complete. The instrument focused on patient behaviors and experiences during the past 12 months. Anchors based on key events and calendars were employed to focus patients on the time periods of interest. Descriptive and behavioral measures complemented those obtained through earlier interviews.

E. Data Collection Procedures

Trained professional data collectors were assigned the role of Program Researchers (PRs) for each participating program. PRs administered the intake and intreatment instruments to patients within the program's physical facilities. Programs received compensation for interviewing space and clerical time required to refer new patients to the PR. During a weeklong training session, experienced trainers instructed PRs on how to work with the programs and administer the instruments. Before PRs were certified to begin interviewing, they had to demonstrate their ability to conduct the interviews. Throughout data collection, PRs were closely monitored by a continuous review of interviews received and weekly phone communication with the PRs. Each month, two interviews completed by each PR were selected randomly for quality control review. In addition, supervisors made quarterly site visits to monitor data collection.

All patients entering the selected programs who had not reached their 19th birthday at the time of admission were included in the sample frame. Data collection for admissions began during late November 1993, and the final intake assessments were completed by December 1995. Upon

admission to treatment, program staff members asked patients to speak with a PR about participating in the study. Procedures called for obtaining permission to participate in the study from a parent or guardian of anyone younger than 18 and assent from the adolescent. Informed consent was obtained directly from youth aged 18 years or older. Patients were offered \$10 for each intake or intreatment interview and \$15 for a follow-up interview.

For a more complete discussion of the DATOS methodology, see

Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>

F. SAMHDA Data Cleaning and Processing

This is to document the steps taken to clean and process the Drug Abuse Treatment Outcome Study – Adolescent (DATOS-A) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors referenced solutions to similar problems from the DATOS-adult study and also worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve

variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS-A variables included city, treatment program, and date of birth. Overall, the data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

City and program names: The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-3,382.

Date of birth: Date of birth (DOB) was deleted from the files. Age at time of interview was also on the files and was preserved. The age variable was top-coded at 18 or older and it was bottom-coded at 12 or younger.

Age at time of ... : Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

Legal status (criminal involvement) at time of admission, "Other; specify": The details provided in "specify" were deleted; value coded as "Circled."

Have other health plan: Plans offered in a limited geographic area were coded as "Other."

Occupation: Highly detailed occupation codes were combined into larger categories.

Race: These codes were re-coded as "White," "Black," "Hispanic," and "Other."

Ethnicity: Detailed ethnicity codes and variables were collapsed or deleted.

Description of ethnic/cultural background (Hispanic): Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

What other languages do you speak: Coded as “German,” “Spanish,” “French,” all others coded or re-coded as “Other.”

Number of children/relatives: Many questions that ask for a number of children/relatives (e.g. number of children to whom you gave birth or fathered, number of biological brothers/sisters you have, or number of biological brothers/sisters who lived with you) were top-coded (3 or more, 6 or more, 7 or more) based on frequencies.

Date of admission: The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

Date of interview: This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

ICD-9/DSM diagnosis codes: These were re-coded as “substance-related condition,” “mental health condition,” and “all other conditions.”

Drug Names: Variables regarding specific drugs used (e.g., primary drug used or which drug caused you this problem) had some responses that were potentially identifying. These were re-coded into major drug categories (e.g., alcohol, narcotics/opiates, inhalants, etc.).

Number of months currently pregnant: Re-coded by trimester.

Reason felt worthless/sinful/guilty verbatim: This variable had verbatim responses and was therefore deleted.

Presence of a specific physical handicap: Many variables related to a specific physical handicap (e.g., blindness, deafness, or over/under weight) were potentially identifying. Therefore, they were all combined into one new variable (Abnormality: Blind, Deaf, Weight, Speech Impediment, Other).

Questions respondent did not understand: These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

Administrative variables: For time checkpoint variables, the month was re-coded as quarter and day of the month was deleted. “Batch,” and all other remaining variables related to the administration of the questionnaire were deleted from the files.

Other variables: Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. “Program type” was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks

respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

G. User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

H. Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

|

|

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

2,258 cases (Range of valid codes: 1-3381)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1-4

MODALITY DATOS TREATMENT MODALITY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.8	54.8	1,238	1	RESIDENTIAL
23.6	23.6	532	2	SHORT-TERM INPATIENT
0.0	0.0	0	3	METHADONE MAINTENANCE
21.6	21.6	488	4	OUTPATIENT DRUG FREE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Column: 3378

INTERVIEW INFORMATION

EDC_M	MONTH/DATE COMPLETED
--------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	24.8	560	1	JAN. - MARCH
24.9	24.8	561	2	APR. - JUNE
23.9	23.9	539	3	JULY - SEPT.
26.5	26.4	597	4	OCT. - DEC.
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 5-6

EDC_Y	YEAR/DATE COMPLETED
--------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	9	93	
41.8	41.8	943	94	
54.0	54.0	1,219	95	
3.8	3.8	85	96	
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 7-8

ET_L_I	MINUTES/TOTAL LENGTH OF INTERVIEW
---------------	--

2,258 cases (Range of valid codes: 35-200)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 9-11

ETIME1_H	TIME STARTED/HOURS			
----------	--------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	16.0	362	1	
9.8	9.7	220	2	
7.0	7.0	158	3	
4.3	4.3	96	4	
4.0	3.9	89	5	
4.1	4.1	92	6	
5.4	5.4	121	7	
5.1	5.1	115	8	
11.3	11.2	254	9	
14.9	14.8	334	10	
6.9	6.9	155	11	
11.2	11.2	252	12	
	0.4	9	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 12-13

ETIME1_M	TIME STARTED/MINUTES			
----------	----------------------	--	--	--

2,258 cases (Range of valid codes: 0-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 14-15

EAM_PM_1	TIME STARTED/AM OR PM			
----------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.5	34.6	781	1	AM
64.5	63.0	1,422	2	PM
	2.4	54	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 16-17

DEMOGRAPHICS AND BACKGROUND

EA3	ARE YOU HISPANIC/SPANISH ORIGIN/DESCENT?
------------	---

Are you of Hispanic or Spanish origin or descent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	19.3	435	1	YES
80.7	80.6	1,819	2	NO
	0.1	3	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 18-19

EA3_A	GROUP/DESCRIBES YOUR ETHNIC BACKGROUND
--------------	---

Please tell me which group best describes your ethnic or cultural background.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.3	10.5	236	1	PUERTO RICAN
13.8	2.6	59	2	MEXICAN
6.6	1.2	28	3	CUBAN
5.9	1.1	25	4	CARIBBEAN
4.9	0.9	21	5	CENTRAL AMERICAN
6.3	1.2	27	6	SOUTH AMERICAN
0.7	0.1	3	7	OTHER/ETHNIC BACKGROUND
6.6	1.2	28	15	MIXED
	80.5	1,817	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 20-21

EA3_B	NAME OF GROUP/BEST DESCRIBES YOU
--------------	---

Please tell me the name of the group that best describes you. Would you say you are . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	3.5	79	4	BLACK/AFRICAN AMERICAN
53.6	10.1	229	5	WHITE/CAUCASIAN
27.9	5.3	119	6	OTHER
	79.0	1,784	-9	LEGITIMATE NONRESPONSE
	1.9	44	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 22-23

EA4	NAME OF GROUP/BEST DESCRIBES YOU
------------	---

Please tell me the name of the group that best describes you. Would you say you are . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.8	26.4	595	4	BLACK/AFRICAN AMERICAN
62.4	50.1	1,132	5	WHITE/CAUCASIAN
4.7	3.8	86	6	OTHER
	19.7	444	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 24-25

EA5

RESIDENT/PLACE YOU USUALLY LIVED IN

Next, I will ask about where you have lived, the relationships that you might have had with family and friends, and how your life has been going since you were admitted to this program. Since your admission, what type of residence or place have you usually lived in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	17.4	393	1	ONE FAMILY HOUSE/DUPLEX/CONDO
0.2	0.2	4	2	A MOBILE HOME/TRAILER
10.6	10.5	238	3	APARTMENT/MULTIPLE FAMILY BUILDING
0.0	0.0	0	4	HOTEL/ROOMING HOUSE/BOARDING HOUSE
0.2	0.2	5	5	HOSPITAL/MEDICAL INSTITUTION
1.4	1.4	32	6	JAIL/PRISON/JUVENILE DETENTION HOME
67.7	67.6	1,526	7	RESIDENTIAL DRUG TREAT CTR
2.4	2.3	53	8	OTHER GROUP RESIDENCE/HALFWAY HOUSE
0.0	0.0	0	9	IN A HOMELESS SHELTER
0.0	0.0	1	10	ON THE STREET/NO REGULAR PLACE
0.1	0.1	3	11	OTHER
	0.1	2	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 26-27

EA6	#WEEK/YOU LIVED IN PLACE/JAIL/HOSPITAL
------------	---

Since your admission, how long have you lived in a place where you could not come and go as you pleased, such as a jail, a juvenile detention home, a hospital, or a therapeutic community?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.2	23.1	521	0	
2.0	2.0	45	1	
15.2	15.1	340	2	
9.5	9.5	214	3	
23.8	23.6	534	4	
10.7	10.6	239	5	
7.9	7.9	178	6	
3.3	3.2	73	7	
1.6	1.6	36	8	
0.7	0.7	16	9	
0.4	0.4	8	10	
0.1	0.1	3	11	
0.6	0.6	13	12	
0.1	0.1	2	13	
0.3	0.3	6	14	
0.0	0.0	1	15	
0.0	0.0	1	16	
0.0	0.0	1	19	
0.0	0.0	1	20	
0.0	0.0	1	28	
0.1	0.1	2	31	
0.0	0.0	1	34	
0.0	0.0	1	36	
0.0	0.0	1	40	
0.0	0.0	1	50	
0.0	0.0	1	51	
0.0	0.0	1	99	99 OR MORE
	0.7	16	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 28-29

EA7	YOUR MARITAL STATUS
------------	----------------------------

Are you now married, separated, divorced, widowed, living with someone as married, or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	MARRIED
0.0	0.0	1	2	SEPARATED
0.0	0.0	1	3	DIVORCED
0.0	0.0	0	4	WIDOWED
0.2	0.2	4	5	LIVE/W/SOMEONE AS MARRIED
99.6	99.4	2,244	6	NEVER MARRIED
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 30-31

EA8	HOW HUSBAND/WIFE FELT/YOUR USE OF DRUG
------------	---

In general, since your admission how has your (husband/wife/partner) felt about your use of drugs? Would you say that (he/she) . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	2	1	HAS BEEN VERY MUCH OPPOSED
12.5	0.0	1	2	HAS BEEN SOMEWHAT OPPOSED
12.5	0.0	1	3	HAS NOT CARED ONE WAY/OTHER
25.0	0.1	2	4	APPROVED OF YOUR USE OF DRUGS
12.5	0.0	1	5	HAS NOT AWARE OF YOUR DRUG USE
12.5	0.0	1	6	NOT IN CONTACT WITH PARTNER
	99.5	2,246	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 32-33

EA8_A	HOW IMPORTANT/WAY HE/SHE FELT/YOUR DRUG USE
--------------	--

How important to you was the way (he/she) felt about your drug use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	1	NOT AT ALL
16.7	0.0	1	2	SOMEWHAT
66.7	0.2	4	3	VERY IMPORTANT
	99.6	2,248	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 34-35

EA8_B	SERIOUS PROBLEM W/HUSBAND/WIFE/YOUR DRUG USE
--------------	---

Have you had any serious problems with your (husband/wife/partner) because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	1	YES
83.3	0.2	5	2	NO
	99.6	2,248	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 36-37

EA8_C	HUSBAND/WIFE PRESSURE YOU/STAY IN DRUG TREAT
--------------	---

Has your (husband/wife/partner) pressured you to stay in treatment for drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.3	6	2	NO
	99.6	2,248	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 38-39

EA8_D	HE/SHE/BEEN ABUSING DRUG/NOT ALCO
--------------	--

Has (he/she) been abusing drugs since your admission? Do not count alcohol abuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	1	YES
80.0	0.2	4	2	NO
	99.6	2,248	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 40-41

EA8_E	WAS THIS PERSON IN DRUG TREATMENT
--------------	--

Has this person been in drug treatment at any time since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.3	6	2	NO
	99.6	2,248	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 42-43

EA9	HUSBAND/WIFE/HOW CONCERNED OF YOU
------------	--

Since your admission, how much would you say your (husband/wife/partner) has been concerned, helpful, or supportive of you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
28.6	0.1	2	1	SOMEWHAT
71.4	0.2	5	2	VERY MUCH
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 44-45

EA10**WITH WHOM YOU LIVED MOST OF TIME**

Who have you lived with most of the time since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	WITH SPOUSE/SEXUAL PARTNER/CHILDREN
0.0	0.0	1	2	WITH SPOUSE/SEXUAL PARTNER ONLY
0.0	0.0	0	3	WITH CHILDREN ONLY
4.2	4.2	94	4	WITH BOTH PARENTS
4.4	4.4	99	5	WITH MOTHER ONLY
0.8	0.8	17	6	WITH FATHER ONLY
0.5	0.5	11	7	WITH PARENT(S) AND OWN CHILDREN
9.1	9.0	204	8	WITH OTHER FAMILY/ANY COMB 01 - 07
0.4	0.4	10	9	WITH FOSTER PARENTS
1.5	1.5	33	10	W/FAMILY/FRIENDS/BOARDERS/ROOMMATES
7.6	7.6	171	11	W/FRIENDS/ROOMMATES ONLY
0.3	0.3	6	12	ALONE
67.8	67.2	1,517	13	INSTITUTION/CLOSED FACILITY/HOSP
0.1	0.1	2	14	NO STABLE ARRANGEMENTS
3.2	3.2	72	15	OTHER
	0.8	17	-8	MISSING
	0.1	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 46-47

EA11**HOW SATISFIED HAVE YOU BEEN LIVING?**

How satisfied have you been living (alone/with this person/with these people)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	1.9	42	1	VERY DISSATISFIED
12.1	4.5	102	2	SOMEWHAT DISSATISFIED
45.6	17.1	385	3	SOMEWHAT SATISFIED
37.3	14.0	315	4	VERY SATISFIED
	61.3	1,384	-9	LEGITIMATE NONRESPONSE
	1.3	29	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 48-49

EA12	#CHILDREN <18 YR OLD/YOU WERE RAISING
-------------	---

Since your admission, have you been responsible for raising any children who were younger than 18 years old? (Please include your own children or any other children, such as a brother or sister, you are raising as if they were your own.) [IF "NO" RECORD 00. IF "YES," ASK:] How many children have you been raising?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	98.6	2,227	0	
1.0	1.0	22	1	
0.3	0.3	6	2	
0.0	0.0	1	6	6+
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 50-51

EA13	# <18 CHILDREN LIVED W/YOU SINCE ADMISSION
-------------	--

(Has your child/How many of your children) under 18 lived with you of the time since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.5	0.8	19	0	
27.6	0.4	8	1	
6.9	0.1	2	2	
0.0	0.0	0	6	6+
	98.5	2,225	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 52-53

EA13A_02**<18 YR OLD/LIVED W/SPOUSE/SEXUAL PARTNER**

Who did your (child/(other) children) under 18 live with most of the time since your admission?

With spouse or sexual partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	2	CIRCLED
	99.1	2,238	-9	LEGITIMATE NONRESPONSE
	0.7	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 54-55

EA13A_03**<18 YR OLD/LIVED W/X-SPOUSE/X-SEXUAL PARTNER**

Who did your (child/(other) children) under 18 live with most of the time since your admission?

With ex-spouse or ex-sexual partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	3	CIRCLED
	99.1	2,238	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 56-57

EA13A_04	<18 YR OLD/LIVED W/OTHER RELATIVE(S)
-----------------	--

Who did your (child/(other) children) under 18 live with most of the time since your admission?

With other relative(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	4	CIRCLED
	99.1	2,238	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 58-59

EA13A_05	<18 YR OLD/LIVED WITH NON RELATIVE(S)
-----------------	---

Who did your (child/(other) children) under 18 live with most of the time since your admission?

With non-relative(s) such as foster parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	99.1	2,238	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 60-61

EA13A_06**<18 YR OLD/LIVED IN AN INSTITUTION**

Who did your (child/(other) children) under 18 live with most of the time since your admission?

In an institution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.1	2,238	-9	LEGITIMATE NONRESPONSE
	0.9	20	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 62-63

EA14**# CHILDREN HAVE LEGAL CUSTODY OF**

Currently, (do you have legal custody of your child/how many of your children do you have legal custody of)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	0.7	16	0	
32.1	0.4	9	1	
10.7	0.1	3	2	
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 64-65

EA14A_02	LEGAL CUSTODY/CHILD/SPOUSE/SEX PARTNER
-----------------	---

Who has legal custody of your (child/(other) children)?

Spouse or sexual partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	2	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 66-67

EA14A_03	LEGAL CUSTODY/CHILD/EX-SPOUSE/SEX PARTNER
-----------------	--

Who has legal custody of your (child/(other) children)?

Ex-spouse or ex-sexual partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	3	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.4	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 68-69

EA14A_04**LEGAL CUSTODY OF CHILD/OTHER RELATIVES**

Who has legal custody of your (child/(other) children)?

Other relative(s)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	4	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 70-71

EA14A_05**LEGAL CUSTODY OF CHILD/NON RELATIVES**

Who has legal custody of your (child/(other) children)?

Nonrelative(s) such as foster parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.7	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 72-73

EA14A_06	LEGAL CUSTODY/CHILD/INSTITUTE
-----------------	--------------------------------------

Who has legal custody of your (child/(other) children)?

An institution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.7	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 74-75

EA15_00	HOW OFTEN SEE YOUR CHILD/NOT AT ALL
----------------	--

Since your admission, how often have you seen (your child/any of your children who did not live with you)?
 Would you say . . . not at all?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	0	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 76-77

EA15_01	HOW OFTEN SEE YOUR CHILD/> ONCE A WEEK
----------------	--

Since your admission, how often have you seen (your child/any of your children who did not live with you)?
Would you say. . . less than once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.2	28	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 78-79

EA15_02	HOW OFTEN SEE CHILD/AT LEAST ONCE A WK
----------------	---

Since your admission, how often have you seen (your child/any of your children who did not live with you)?
Would you say. . . at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	2	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 80-81

EA15_03	HOW OFTEN SEE YOUR CHILD/ALMOST DAILY
----------------	--

Since your admission, how often have you seen (your child/any of your children who did not live with you)?
 Would you say. . . almost daily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.3	29	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 82-83

EA16	DRUG TREATMENT AFFECT CUSTODY OF CHILD
-------------	---

Will your drug treatment or getting off drugs affect who has custody of (your child/any of your children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	0.1	3	1	YES
88.5	1.0	23	2	NO
0.0	0.0	0	3	SOMEWHAT/MAYBE
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 84-85

EA17**HOW WELL YOU WERE AS A PARENT/GUARDIAN**

Since your admission, how well have you been doing as a (parent/guardian)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	5	1	POOR
40.0	0.4	10	2	FAIR
40.0	0.4	10	3	WELL
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 86-87

EA18**HOW DIFFICULT FOR YOU TO FIND CHILD CARE**

Since your admission, how difficult has it been for you to go places or do things because of problems in finding someone to take care of your child(ren) or the child(ren) living with you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	0.8	18	0	NOT AT ALL
11.5	0.1	3	1	SOMEWHAT
19.2	0.2	5	2	VERY DIFFICULT
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 88-89

EA19**YOU HAD A CLOSE RELATIONSHIP W/SOMEONE**

Now, I'd like to ask about other relationships that you may have had since your admission. Since your admission, would you say you have had a close, long-lasting, personal relationship with anyone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	50.9	1,149	1	YES
48.9	48.8	1,101	2	NO
	0.3	7	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 90-91

EA19_A

#PEOPLE/YOU HAD RELATIONSHIP WITH

With how many people during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	0	
33.5	17.1	387	1	
20.3	10.4	234	2	
12.8	6.6	148	3	
8.8	4.5	101	4	
7.3	3.7	84	5	
3.6	1.9	42	6	
2.3	1.2	26	7	
0.9	0.4	10	8	
0.6	0.3	7	9	
4.4	2.3	51	10	
0.3	0.1	3	11	
0.6	0.3	7	12	
0.1	0.0	1	13	
1.3	0.7	15	15	
0.2	0.1	2	17	
0.1	0.0	1	18	
0.1	0.0	1	19	
1.3	0.7	15	20	
0.4	0.2	5	25	
0.7	0.4	8	30	
0.1	0.0	1	35	
0.3	0.1	3	50	
	48.7	1,100	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 92-93

EA19_B	SERIOUS PROBLEM GET ALONG W/FAMILY/FRIEND
---------------	--

Since your admission, have you had serious problems getting along with family members or close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.7	8.0	180	1	YES
84.3	42.7	965	2	NO
	48.5	1,095	-9	LEGITIMATE NONRESPONSE
	0.8	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 94-95

EA20	HOW IMPORTANT/COUNSELING/GET ALONG PROBLEM W/FAMILY
-------------	--

How important to you now is counseling or professional help for problems getting along with family members and close friends? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	27.0	609	0	NOT AT ALL
34.4	34.4	776	1	SOMEWHAT
38.6	38.5	870	2	VERY IMPORTANT
	0.1	2	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 96-97

EA21**HOW MUCH CONTACT W/FAMILY/FRIENDS**

Since your admission, altogether how much contact (mail, telephone, or in person) have you had with any family members or close friends? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	3.5	80	0	NONE
48.0	47.9	1,082	1	SOME
48.5	48.4	1,094	2	A LOT
0.0	0.0	0	93	IF VOL: NO FAMILY/FRIENDS
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 98-99

EA22**HOW YOU DOING AS A FAMILY MEMBER/FRIEND**

Since your admission, how have you been doing as a family member or friend? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.7	83	1	POOR
41.0	40.7	918	2	FAIR
55.3	54.8	1,237	3	WELL
	0.6	14	-8	MISSING
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 100-101

EA23_A	DO PHYSICAL EXERCISE/IN A TYPICAL WEEK
---------------	---

Next, I will ask about the way you have spent your time since your admission. Since your admission, in a typical week, how often have you . . . done physical exercise (played ball, done aerobics, danced, jogged, or lifted weights)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.7	152	1	NOT AT ALL
6.2	6.2	140	2	LESS ONCE A WEEK
20.7	20.7	468	3	AT LEAST ONCE A WEEK
66.3	66.3	1,497	4	ALMOST DAILY
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 102-103

EA23_B	READ/DO HOBBIES/IN A TYPICAL WEEK
---------------	--

Next, I will ask about the way you have spent your time since your admission. Since your admission, in a typical week, how often have you . . . read or done hobbies (fished, collected things, done crafts, or made things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	11.9	269	1	NOT AT ALL
11.5	11.5	259	2	LESS ONCE A WEEK
21.5	21.5	485	3	AT LEAST ONCE A WEEK
55.1	55.0	1,242	4	ALMOST DAILY
	0.1	2	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 104-105

EA23_C**ATTEND MEETING OF CLUB/IN A TYPICAL WEEK**

Next, I will ask about the way you have spent your time since your admission. Since your admission, in a typical week, how often have you . . . attended meetings or programs of groups, dubs, or organizations that you belonged to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	19.8	448	1	NOT AT ALL
2.8	2.8	63	2	LESS ONCE A WEEK
11.3	11.3	255	3	AT LEAST ONCE A WEEK
66.0	66.0	1,490	4	ALMOST DAILY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 106-107

EA24_A**ANY CLOSE PEOPLE USED DRUG/NOT IN TREAT**

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) . . . used heroin, crack, cocaine, or other drugs for nonmedical purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.8	36.6	827	1	NONE
35.3	34.1	771	2	ONE OR A FEW
26.9	26.0	588	3	MANY
	0.1	3	-8	MISSING
	0.0	1	-5	BAD DATA
	3.0	67	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 108-109

EA24_B	CLOSE PEOPLE DRANK HEAVY/NOT IN TREAT
---------------	--

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) . . . drank alcohol heavily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	36.2	818	1	NONE
35.4	34.2	772	2	ONE OR A FEW
27.1	26.2	591	3	MANY
	0.2	4	-8	MISSING
	0.0	1	-5	BAD DATA
	3.1	71	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 110-111

EA24_C	CLOSE PEOPLE GOT ARRESTED/NOT IN TREAT
---------------	---

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) . . . got arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	45.7	1,033	1	NONE
30.6	29.2	660	2	ONE OR A FEW
21.4	20.5	462	3	MANY
	0.1	2	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	4.3	97	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 112-113

EA24_D**CLOSE PEOPLE ENTERED JAIL/NOT IN TREAT**

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) . . . entered jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.6	51.4	1,160	1	NONE
31.3	30.0	677	2	ONE OR A FEW
15.1	14.4	326	3	MANY
	0.2	4	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	3.9	88	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 114-115

EA24_E**ANY CLOSE PEOPLE ENTERED DRUG TREAT**

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) . . . entered treatment for drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	66.0	1,490	1	NONE
26.6	25.6	577	2	ONE OR A FEW
4.6	4.4	99	3	MANY
	0.2	5	-8	MISSING
	0.0	1	-5	BAD DATA
	3.8	85	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 116-117

EA24_F	CLOSE PEOPLE QUIT USE DRUGS/NOT IN TREAT
---------------	---

Since your admission, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) . . . quit using heroin, crack, cocaine, or other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	62.2	1,405	1	NONE
28.7	27.3	617	2	ONE OR A FEW
6.0	5.7	128	3	MANY
	0.2	5	-8	MISSING
	0.0	1	-5	BAD DATA
	4.5	101	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 118-119

EA25	HOW WAS YOUR LIFE SINCE ADMISSION
-------------	--

Taking all things together, how would you say your life has been since your admission? Would you say it has been . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	7.4	167	1	VERY UNHAPPY
20.2	20.2	456	2	SOMEWHAT UNHAPPY
55.4	55.3	1,248	3	SOMEWHAT HAPPY
17.0	17.0	383	4	VERY HAPPY
	0.1	3	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 120-121

EA26**THINGS BETTER/WORSE THAN A YEAR BEFORE**

Would you say things are better or worse than they were a year before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.9	19.7	444	1	WORSE
80.1	79.3	1,790	2	BETTER
	0.1	2	-8	MISSING
	0.4	10	-5	BAD DATA
	0.4	10	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 122-123

EA27**PROBLEMS W/FAMILY/FRIENDS DUE DRUG USE**

Since your admission, have you had any problems with family members or close friends because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	10.5	238	1	YES
89.4	89.2	2,015	2	NO
	0.1	3	-8	MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 124-125

EA27A**HOW SERIOUS PROBLEMS DUE DRUGS/ALCOHOL**

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	0.5	11	1	NOT AT ALL
71.8	7.7	173	2	SOMEWHAT
23.7	2.5	57	3	VERY SERIOUS
	89.2	2,014	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 126-127

EDUCATION AND TRAINING

EB1	HIGHEST GRADE/SCHOOL YEAR ATTENDED
------------	---

Another area I'd like to ask about is your education and training. What is the highest grade or year of school you have attended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	0	
0.0	0.0	1	5	
1.0	1.0	22	6	
3.9	3.9	89	7	
12.4	12.4	279	8	
29.6	29.5	667	9	
28.0	27.9	630	10	
18.4	18.4	415	11	
5.9	5.9	134	12	
0.6	0.6	14	13	
0.0	0.0	1	14	
0.0	0.0	1	17	
	0.1	2	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.0	1	-2	RESPONSE ILLEGIBLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 128-129

EB1_A	DID YOU COMPLETE GRADE/YEAR
--------------	------------------------------------

Did you complete that (grade/year)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	17.4	393	1	YES
82.5	82.2	1,855	2	NO
	0.3	6	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 130-131

EB1_B	ARE YOU CURRENTLY IN SCHOOL?
--------------	-------------------------------------

Are you currently in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.8	72.6	1,639	1	YES
27.2	27.1	613	2	NO
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 132-133

EB1_C	KIND SCHOOL/TRAINING PROGRAM ATTENDING
--------------	---

What kind of school or training program are you attending?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	9.3	209	1	MIDDLE SCHOOL (JUNIOR HIGH)
62.2	45.1	1,018	2	HIGH SCHOOL
0.6	0.4	9	3	JUNIOR (2-YEAR) COLLEGE
0.0	0.0	0	4	4-YEAR COLLEGE OR UNIVERSITY
0.3	0.2	5	5	TECHNICAL/TRADE/VOCATIONAL SCHOOL
0.2	0.1	3	6	JOB CORPS PROGRAM
8.4	6.1	137	7	SPECIAL EDUCATION PROGRAM
15.6	11.3	255	8	OTHER
	27.0	609	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 134-135

EB1_D**SINCE ADMISSION HOW HAVE GRADES BEEN**

Since your admission to treatment, how have your grades been in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	20.5	463	1	BETTER THAN AVERAGE
57.9	38.0	857	2	AVERAGE
10.9	7.1	161	3	NOT SO GOOD
	27.0	610	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	1.1	25	-5	BAD DATA
	3.2	72	-4	DON'T KNOW
	2.5	57	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 136-137

EB1_E**TEACHER THOUGHT YOU DID AS WELL AS COULD**

Did your teachers think you did as well as you could, or did they think you had the ability to do better?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	1.5	33	1	DID AS WELL AS COULD
83.2	7.3	164	2	COULD HAVE DONE MUCH BETTER
	84.4	1,906	-9	LEGITIMATE NONRESPONSE
	5.8	132	-8	MISSING
	0.1	2	-5	BAD DATA
	0.8	18	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 138-139

EB1_F

FREQUENTLY IN TROUBLE W/TEACHERS/PRINCIPAL

Since your admission, have you frequently gotten into trouble with your teachers or principal for misbehaving in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.6	7.6	172	1	YES
89.4	64.2	1,450	2	NO
	27.0	610	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 140-141

EB1_G**# OF DAYS SKIPPED SCHOOL**

Since your admission, how many days did you skip school or play hooky?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	66.0	1,491	0	
2.7	1.9	44	1	
1.4	1.0	22	2	
0.6	0.4	10	3	
0.7	0.5	12	4	
0.3	0.2	5	5	
0.2	0.1	3	6	
0.2	0.1	3	7	
0.1	0.0	1	8	
0.3	0.2	5	10	
0.1	0.0	1	11	
0.2	0.2	4	12	
0.1	0.1	2	14	
0.1	0.0	1	15	
0.1	0.0	1	18	
0.1	0.1	2	20	
0.1	0.0	1	21	
0.1	0.0	1	30	
0.1	0.0	1	40	
	27.0	610	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 142-143

EB2**RECEIVED A HIGH SCHOOL DIPLOMA/GED**

Since your admission, have you received a high school diploma or passed a high school equivalency (GED) test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	20	1	YES
99.1	98.8	2,232	2	NO
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 144-145

EB2_A	DID YOU GET A DIPLOMA/GED
--------------	----------------------------------

Which one did you get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	0.2	4	1	DIPLOMA
81.0	0.8	17	2	GED
	98.8	2,232	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 146-147

EB3_0	RECEIVED NO DEGREE
--------------	---------------------------

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

None

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	99.3	2,243	0	CIRCLED
	0.7	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 148-149

EB3_1**RECEIVED/JR COLLEGE/ASSOCIATE DEGREE**

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

Junior college degree or associate degree program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	99.9	2,256	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 150-151

EB3_2**RECEIVED/BACHELOR'S DEGREE**

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

Bachelor's degree

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	100.0	2,257	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 152-153

EB3_3 RECEIVED/MASTER'S/PH.D

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

Advanced college degree (Master's or Ph.D.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 154-155

EB3_4 RECEIVED/CERTIFICATE FROM VOCATIONAL/TRADE SCHOOL

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

Certificate from a vocational or trade school

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	4	CIRCLED
	99.9	2,256	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 156-157

EB3_5**RECEIVED/LICENSE TO PRACTICE A TRADE**

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

License to practice a trade

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 158-159

EB3_6**RECEIVED/OTHER DEGREE/LICENSE, ETC.**

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received since your admission?

Other degree, license, etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	6	CIRCLED
	99.9	2,256	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 160-161

EB4	YOU HAVE CURRENT VALID DRIVER'S LICENSE
------------	--

Do you have a current, valid driver's license?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.8	243	1	YES
89.2	89.1	2,012	2	NO
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 162-163

EB4_A	STATUS OF YOUR DRIVER'S LICENSE
--------------	--

Was your driver's license . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	3	1	EXPIRED
2.5	1.9	43	2	SUSPENDED
0.5	0.4	8	3	REVOKED
96.9	73.9	1,668	4	IF VOL: NEVER HAD ONE
	10.6	239	-9	LEGITIMATE NONRESPONSE
	13.1	296	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 164-165

EB5

A DEPENDABLE VEHICLE FOR YOU TO USE?

Since your admission, has there been a dependable vehicle, such as a car, truck, or motorcycle, available for (you/your household) to use . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	55.8	1,260	0	NONE OF THE TIME
3.6	3.5	80	1	SOME OF THE TIME
40.3	40.0	904	2	ALL OF THE TIME
	0.3	7	-8	MISSING
	0.3	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 166-167

TREATMENT ACCESS

EC1 DO YOU HAVE ANY HEALTH INSURANCE/PLAN

Next, I'd like to ask about your current contacts with this program. Are you covered by a health plan, or do you have any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.7	77.0	1,739	1	YES
17.3	16.1	363	2	NO
	0.8	17	-8	MISSING
	6.2	139	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 168-169

EC1_A_02 TYPE OF INSURANCE/PRIVATE INSURANCE

What type of health plan or insurance do you have? Any others?

Other private insurance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	18.8	425	2	CIRCLED
	16.1	363	-9	LEGITIMATE NONRESPONSE
	53.4	1,205	-8	MISSING
	11.7	265	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 170-171

EC1_A_03**TYPE OF INSURANCE/HEALTH PLAN/HMO/PPO**

What type of health plan or insurance do you have? Any others?

Health plan (HMO, PPO)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.3	209	3	CIRCLED
	16.1	363	-9	LEGITIMATE NONRESPONSE
	62.9	1,421	-8	MISSING
	0.0	1	-7	REFUSAL
	11.7	264	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 172-173

EC1_A_04**TYPE OF INSURANCE/MEDICAID**

What type of health plan or insurance do you have? Any others?

Medicaid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	33.8	764	4	CIRCLED
	15.9	360	-9	LEGITIMATE NONRESPONSE
	38.5	869	-8	MISSING
	0.0	1	-7	REFUSAL
	11.7	264	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 174-175

EC1_A_05	TYPE OF INSURANCE/MEDICARE
-----------------	-----------------------------------

What type of health plan or insurance do you have? Any others?

Medicare

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	25	5	CIRCLED
	16.1	363	-9	LEGITIMATE NONRESPONSE
	71.1	1,605	-8	MISSING
	0.0	1	-7	REFUSAL
	11.7	264	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 176-177

EC1_A_06	TYPE OF INSURANCE/CHAMPUS/CHAMPVA
-----------------	--

What type of health plan or insurance do you have? Any others?

Champus, ChampVA, The VA, or military health care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	6	CIRCLED
	16.1	363	-9	LEGITIMATE NONRESPONSE
	71.9	1,623	-8	MISSING
	0.0	1	-7	REFUSAL
	11.7	264	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 178-179

EC1_A_07	TYPE OF INSURANCE/OTHER
-----------------	--------------------------------

What type of health plan or insurance do you have? Any others?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.6	150	7	CIRCLED
	16.0	362	-9	LEGITIMATE NONRESPONSE
	65.6	1,481	-8	MISSING
	0.0	1	-7	REFUSAL
	11.7	264	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 180-181

EC1_B	HEALTH PLAN IN YOUR NAME/FAMILY MEMBER
--------------	---

Is the coverage in your own name or in the name of some other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.0	35.2	795	1	OWN NAME
52.0	38.1	860	2	OTHER FAMILY MEMBER
	15.9	360	-9	LEGITIMATE NONRESPONSE
	3.7	83	-8	MISSING
	7.1	160	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 182-183

EC1_C	COST/DRUG TREATMENT COVERED BY THIS PLAN
--------------	---

Are any costs of drug treatment covered by this health plan or insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	56.1	1,267	1	YES
15.0	9.9	223	2	NO
0.1	0.0	1	3	PROGRAM CHARGES NO FEES
	15.9	360	-9	LEGITIMATE NONRESPONSE
	3.6	81	-8	MISSING
	14.4	326	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 184-185

EC1_D	COST COVER BY INSURANCE/FOR DRUG TREAT
--------------	---

About how much of the costs of your drug treatment will your health plan or insurance cover?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.2	5	0	NONE
2.4	1.2	27	1	LESS THAN HALF
11.1	5.6	126	2	HALF OR MORE
86.1	43.3	977	3	ALL
0.0	0.0	0	4	PROG CHARGES NO FEES
	25.7	581	-9	LEGITIMATE NONRESPONSE
	7.6	171	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	16.4	370	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 186-187

EC1_E	PRIMARY FUNDS FOR TREATMENT/EXCLUDE INS
--------------	--

(Excluding your health plan or insurance coverage),
what will be your primary source of funds to pay
for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	1.5	33	1	SELF PAY
45.2	16.7	377	2	FAMILY/RELATIVES
0.0	0.0	0	3	WORKER'S COMPENSATION
50.8	18.8	424	4	OTHER
	43.3	978	-9	LEGITIMATE NONRESPONSE
	2.7	62	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	17.0	383	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 188-189

EC2	TRANSPORTATION/GET TO TREATMENT PROGRAM
------------	--

Since your admission, how have you usually gotten to this
treatment program for counseling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	78.7	1,776	0	LIVING AT PROGRAM
0.4	0.4	9	1	WALK
0.7	0.7	16	2	DRIVE
9.2	9.2	207	3	PUBLIC TRANSPORTATION
5.0	5.0	112	4	RIDE FROM FAMILY/FRIEND
0.1	0.1	2	5	TAXI CAB
5.5	5.4	123	6	PROG PROVIDED TRANSPORTATION
0.4	0.4	8	7	OTHER
	0.1	3	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 190-191

EC3 EASY/DIFFICULT/GET TO PROGRAM/TREATMENT

Has it been easy or difficult for you to get to this program for things like counseling, treatment, or medication?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.0	22.9	516	1	EASY
11.0	2.8	64	2	DIFFICULT
	74.0	1,671	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 192-193

EC3_A HAS IT BEEN SOMEWHAT EASY/VERY EASY

Has it been somewhat easy or very easy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	7.3	165	1	SOMEWHAT EASY
68.0	15.5	351	2	VERY EASY
	76.8	1,735	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 194-195

EC3_B HAS IT BEEN SOMEWHAT/VERY DIFFICULT

Has it been somewhat difficult or very difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	2.0	45	1	SOMEWHAT DIFFICULT
28.6	0.8	18	2	VERY DIFFICULT
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 196-197

EC4_00**CRIMINAL CHARGE/NONE**

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

No -> Go To Section D

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	48.3	1,091	0	CIRCLED
	51.6	1,165	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 198-199

EC4_01**CRIMINAL CHARGE/PROBATION**

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Probation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	40.7	920	1	CIRCLED
	48.3	1,091	-9	LEGITIMATE NONRESPONSE
	10.9	245	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 200-201

EC4_02	CRIMINAL CHARGE/PAROLE
---------------	-------------------------------

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Parole

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	47	2	CIRCLED
	48.3	1,091	-9	LEGITIMATE NONRESPONSE
	49.5	1,118	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 202-203

EC4_03	CRIMINAL CHARGE/AWAITING TRIAL IN JAIL
---------------	---

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention - awaiting trial

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	46	3	CIRCLED
	48.3	1,091	-9	LEGITIMATE NONRESPONSE
	49.6	1,119	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 204-205

EC4_04**CRIMINAL CHARGE/AWAITING SENTENCE/JAIL**

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention - awaiting sentencing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	54	4	CIRCLED
	48.3	1,091	-9	LEGITIMATE NONRESPONSE
	49.2	1,111	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 206-207

EC4_05**CRIMINAL CHARGE/SERVING A SENTENCE/JAIL**

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention - serving a sentence

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	80	5	CIRCLED
	48.3	1,091	-9	LEGITIMATE NONRESPONSE
	48.1	1,085	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 208-209

EC4_06	CRIMINAL CHARGE/ON BAIL AWAITING TRIAL
---------------	---

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - on bail awaiting trial

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	44	6	CIRCLED
	48.3	1,091	-9	LEGITIMATE NONRESPONSE
	49.6	1,121	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 210-211

EC4_07	CRIMINAL CHARGE/ON BAIL AWAITING SENTENCE
---------------	--

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - on bail awaiting sentencing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	15	7	CIRCLED
	48.3	1,091	-9	LEGITIMATE NONRESPONSE
	50.9	1,150	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 212-213

EC4_08**CRIMINAL CHARGE/RELEASE ON OWN RECOGNIZANCE**

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - released on own recognizance

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.7	106	8	CIRCLED
	48.3	1,091	-9	LEGITIMATE NONRESPONSE
	46.9	1,059	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 214-215

EC4_09**CRIMINAL CHARGE/OTHER STATUS**

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - other status

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	99	9	CIRCLED
	48.3	1,091	-9	LEGITIMATE NONRESPONSE
	47.2	1,065	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 216-217

EC5 CRIMINAL JUSTICE AWARE OF DRUG TREAT

Have any criminal justice (juvenile justice) authorities, such as a judge, a probation officer, or a parole officer, been aware of your drug problem or your treatment at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.5	46.8	1,056	1	YES
8.4	4.3	98	2	NO
1.1	0.6	13	3	UNCERTAIN
	48.1	1,087	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 218-219

EC5_A FELT PRESSURE DRUG TREATMENT/AUTHORITY AWARE

Since these authorities have been aware of your drug problem, have you felt any pressure to stay in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.9	28.5	643	1	YES
39.1	18.2	412	2	NO
	53.1	1,198	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 220-221

EC6	CRIMINAL JUSTICE SUGGEST/REQUIRED DRUG TREAT
------------	---

Has your participation in this program actually been required or suggested by the criminal (juvenile) justice system (ie., courts or correctional authorities)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.8	27.5	622	1	YES
4.2	1.2	27	2	NO
	71.0	1,604	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 222-223

EC6_A	PROGRAM REQUIRED/SUGGESTED
--------------	-----------------------------------

Has it been required or suggested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.8	24.5	554	1	REQUIRED, STIPULATED
11.2	3.1	70	2	SUGGESTED, ENCOURAGED
	72.2	1,630	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 224-225

EC7 CRIMINAL JUSTICE TESTED YOU FOR DRUG USE

Since your admission, has anyone from the criminal (juvenile) justice system tested you for drug use or reviewed the results from drug tests that you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.8	10.7	242	1	YES
61.2	16.9	381	2	NO
	71.9	1,624	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 226-227

EC7_A YOU BEEN CHECKED FOR DRUG/WHAT BASIS

Have you been checked for drugs on a regular schedule, on a random basis, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	2.5	56	1	REGULAR
69.2	7.4	166	2	RANDOM
7.5	0.8	18	3	BOTH
	88.8	2,005	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 228-229

EC7_B_1**#TIMES TEST WERE DONE/SINCE ADMISSION**

How often have the tests been done since your admission?

_____		TIMES			
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
51.5	5.5	124	1		
34.0	3.6	82	2		
4.6	0.5	11	3		
5.4	0.6	13	4		
2.5	0.3	6	5		
0.8	0.1	2	6		
0.4	0.0	1	7		
0.8	0.1	2	10		
	88.8	2,005	-9	LEGITIMATE NONRESPONSE	
	0.5	11	-8	MISSING	
	0.0	1	-7	REFUSAL	
-----	-----	-----			
100.0	100.0	2,258	cases		

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 230-231

EC7_B_2**HOW OFTEN TESTS DONE/SINCE ADMISSION**

How often have the tests been done since your admission?

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
4.7	0.4	10	1	PER WEEK	
0.0	0.0	0	2	PER MONTH	
95.3	8.9	201	3	TOTAL/ALTOGETHER	
	88.9	2,007	-9	LEGITIMATE NONRESPONSE	
	1.7	39	-8	MISSING	
	0.0	1	-7	REFUSAL	
-----	-----	-----			
100.0	100.0	2,258	cases		

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 232-233

PSYCHOLOGICAL FUNCTIONING

ED1 ANXIOUS/TENSE SINCE ADMISSION

Now, I'm going to ask some questions about your feelings and emotions since your admission. For the entire time since your admission, have you been very anxious, tense or nervous and had other problems at the same time, such as trembling, shaking, your heart beating fast, or feeling something bad was going to happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	12.7	286	1	YES
87.3	87.1	1,966	2	NO
	0.2	5	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 234-235

ED1_A THAT PERIOD A DIRECT RESULT OF ALCO/DRUG

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.6	3.7	84	1	YES
70.4	8.9	200	2	NO
	87.0	1,965	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 236-237

ED2**YOU FELT SAD/BLUE/DEPRESSED FOR 2 WEEKS**

Since your admission, have you had at least 2 weeks during which you felt very sad, blue, depressed, or you lost interest and pleasure in things you usually cared about or enjoyed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	19.4	439	1	YES
80.4	79.6	1,798	2	NO
	0.9	21	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 238-239

ED2_A**YOU HAD ANY OTHER PROBLEMS AT SAME TIME**

Did you have other problems at the same time, for example, difficulty sleeping, loss of appetite, feeling hopeless or guilty, or having thoughts of ending your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.9	11.2	252	1	YES
44.1	8.8	199	2	NO
	79.5	1,794	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 240-241

ED2_B	#PERIODS OF 2 WK/MORE/FELT SAD/BLUE
--------------	--

Since your admission, how many periods of 2 weeks or more have you had when you felt very sad, blue, depressed, or lost interest in things and also had some of these other problems at the same time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	8.9	200	1	
17.3	1.9	43	2	
1.6	0.2	4	3	
0.4	0.0	1	4	
0.4	0.0	1	21	
	88.2	1,992	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.1	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 242-243

ED2_C_1	WHEN LAST PERIOD ENDED/FELT BLUE
----------------	---

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	0.9	21	1	LESS THAN ONE WEEK AFTER ADMISSION
90.5	8.8	199	2	AT LEAST ONE WEEK AFTER ADMISSION
	88.2	1,992	-9	LEGITIMATE NONRESPONSE
	0.7	16	-8	MISSING
	0.6	13	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.7	16	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 244-245

ED2_C_2	#WEEKS AFTER ADMISSION
----------------	-------------------------------

When did your last period like that end?
How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.0	1	0	
6.5	0.5	12	1	
29.0	2.4	54	2	
22.0	1.8	41	3	
22.0	1.8	41	4	
7.0	0.6	13	5	
7.5	0.6	14	6	
2.2	0.2	4	7	
0.5	0.0	1	8	
0.5	0.0	1	9	
1.1	0.1	2	10	
0.5	0.0	1	11	
0.5	0.0	1	18	
	88.2	1,992	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
	0.9	21	-5	BAD DATA
	0.3	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 246-247

ED2_D	THAT PERIOD A DIRECT RESULT OF ALCO/DRUG
--------------	---

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.4	2.9	66	1	YES
73.6	8.1	184	2	NO
	88.2	1,992	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 248-249

ED4_A**SUICIDE ATTEMPT RESULT OF ALCOHOL/DRUG USE**

Since your admission, have your attempts always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.2	5	1	YES
87.5	1.6	35	2	NO
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 256-257

ED5**HAD TROUBLE CONTROLLING TEMPER**

Since your admission, have you had trouble controlling your temper or violent behavior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.9	36.8	830	1	YES
63.1	63.0	1,422	2	NO
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 258-259

ED5_A_1	WHEN LAST PERIOD ENDED/TEMPER PROBLEM
----------------	--

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.1	5.5	125	1	LESS THAN ONE WEEK AFTER ADMISSION
83.9	28.8	650	2	AT LEAST ONE WEEK AFTER ADMISSION
	62.9	1,421	-9	LEGITIMATE NONRESPONSE
	0.8	17	-8	MISSING
	0.8	19	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	1.1	24	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 260-261

ED5_A_2

#WEEKS AFTER ADMISSION

When did your last period like that end?
How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	2	0	
6.5	1.9	42	1	
20.5	5.8	132	2	
20.2	5.8	130	3	
31.4	8.9	202	4	
9.5	2.7	61	5	
5.1	1.5	33	6	
2.8	0.8	18	7	
1.7	0.5	11	8	
0.3	0.1	2	9	
0.3	0.1	2	10	
0.2	0.0	1	11	
0.3	0.1	2	12	
0.2	0.0	1	14	
0.2	0.0	1	15	
0.2	0.0	1	16	
0.2	0.0	1	17	
0.2	0.0	1	40	
	63.0	1,422	-9	LEGITIMATE NONRESPONSE
	7.0	157	-8	MISSING
	1.1	25	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.4	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 262-263

ED5_B**TEMPER PROBLEM RESULT OF ALCOHOL/DRUG**

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	3.6	81	1	YES
90.1	32.8	741	2	NO
	62.9	1,421	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 264-265

ED6**YOU FELT VERY SUSPICIOUS OF PEOPLE**

Since your admission, have you felt very suspicious of other people or what they might be up to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	35.7	806	1	YES
64.3	64.2	1,450	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 266-267

ED6_A_1**WHEN LAST PERIOD ENDED/SUSPICIOUS OF PEOPLE**

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	6.4	145	1	LESS THAN ONE WEEK AFTER ADMISSION
79.4	24.8	560	2	AT LEAST ONE WEEK AFTER ADMISSION
	64.2	1,449	-9	LEGITIMATE NONRESPONSE
	1.3	29	-8	MISSING
	2.2	49	-5	BAD DATA
	1.2	26	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 268-269

ED6_A_2**#WEEKS AFTER ADMISSION**

When did your last period like that end?
How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	0.4	8	0	
7.2	1.7	38	1	
19.4	4.5	102	2	
17.8	4.2	94	3	
28.7	6.7	151	4	
11.0	2.6	58	5	
5.9	1.4	31	6	
4.0	0.9	21	7	
2.7	0.6	14	8	
0.2	0.0	1	9	
0.4	0.1	2	10	
0.4	0.1	2	11	
0.4	0.1	2	12	
0.2	0.0	1	15	
0.2	0.0	1	24	
0.2	0.0	1	25	
	64.1	1,448	-9	LEGITIMATE NONRESPONSE
	9.0	204	-8	MISSING
	3.1	71	-5	BAD DATA
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 270-271

ED6_B	SUSPICIOUS OF PEOPLE RESULT OF ALCOHOL/DRUG
--------------	--

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	4.6	103	1	YES
87.0	30.6	690	2	NO
	64.0	1,446	-9	LEGITIMATE NONRESPONSE
	0.7	16	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 272-273

ED7	YOU HAD HALLUCINATIONS
------------	-------------------------------

Since your admission, have you thought someone could control your thoughts or had hallucinations, that is, you saw or heard things that no one else could see or hear?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.1	205	1	YES
90.9	90.6	2,046	2	NO
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 274-275

ED7_A_1	WHEN LAST PERIOD ENDED/HALLUCINATION
----------------	---

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	1.7	38	1	LESS THAN ONE WEEK AFTER ADMISSION
79.6	6.6	148	2	AT LEAST ONE WEEK AFTER ADMISSION
	90.6	2,046	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.1	3	-5	BAD DATA
	0.4	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 276-277

ED7_A_2	#WEEKS AFTER ADMISSION
----------------	-------------------------------

When did your last period like that end?

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.0	1	0	
7.5	0.5	11	1	
24.0	1.6	35	2	
11.6	0.8	17	3	
31.5	2.0	46	4	
10.3	0.7	15	5	
6.8	0.4	10	6	
2.1	0.1	3	7	
1.4	0.1	2	8	
1.4	0.1	2	9	
0.7	0.0	1	11	
1.4	0.1	2	12	
0.7	0.0	1	14	
	90.6	2,046	-9	LEGITIMATE NONRESPONSE
	2.6	58	-8	MISSING
	0.3	6	-5	BAD DATA
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 278-279

ED7_B	HALLUCINATION/RESULT OF ALCOHOL/DRUG USE
--------------	---

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.1	6.6	150	1	YES
23.9	2.1	47	2	NO
	90.6	2,046	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 280-281

ED8	HAD TROUBLE CONCENTRATING/REMEMBERING
------------	--

Since your admission, have you had trouble understanding, concentrating, or remembering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.9	31.8	718	1	YES
68.1	68.0	1,536	2	NO
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 282-283

ED8_A**TROUBLE CONCENTRATE/RESULT OF DRUG/ALCOHOL**

Has that always been a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.2	18.3	413	1	YES
41.8	13.2	297	2	NO
	67.9	1,534	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.4	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 284-285

ED9**RECEIVED PAYMENT FOR PSYCHIATRIC DISABILITY**

Since your admission, have you received any disability payments or benefits for a psychiatric disability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	9	1	YES
99.6	99.2	2,240	2	NO
	0.3	7	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 286-287

ED10 **TOOK PRESCRIPTION MEDICATION FOR MENTAL PROBLEM**

Since your admission, have you taken any prescribed medication on a regular basis for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.8	243	1	YES
89.2	89.0	2,009	2	NO
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 288-289

ED10_A **CURRENTLY TAKING MEDICATION FOR MENTAL PROBLEM**

Are you currently taking any medications prescribed by a doctor for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	10.5	238	1	YES
7.8	0.9	20	2	NO
	88.3	1,994	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 290-291

ED11**HAD MENTAL PROBLEM BECAUSE OF DRUG/ALCOHOL USE**

Since your admission, have you had any mental health or emotional problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.5	147	1	YES
93.5	92.9	2,098	2	NO
	0.5	11	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 292-293

ED11_A**HOW SERIOUS PROBLEM/BECAUSE OF DRUG/ALCOHOL USE**

How serious were any problems you have had since your admission because of your drug or alcohol Use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	0.8	17	1	NOT AT ALL
68.6	4.8	109	2	SOMEWHAT
20.8	1.5	33	3	VERY SERIOUS
	92.7	2,094	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 294-295

ED12 HOW TROUBLED ARE YOU NOW/EMOTIONAL PROBLEM

How troubled or distressed (bothered) are you now by any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.1	62.1	1,402	0	NOT AT ALL
32.4	31.9	720	1	SOMEWHAT
4.5	4.4	100	2	VERY TROUBLED
	1.5	33	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 296-297

ED13 I AM SATISFIED WITH MYSELF

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I'm satisfied with myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	2.5	56	1	STRONGLY DISAGREE
10.4	10.4	234	2	SOMEWHAT DISAGREE
46.9	46.9	1,059	3	SOMEWHAT AGREE
40.2	40.2	907	4	STRONGLY AGREE
	0.0	1	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 298-299

ED14**AT TIMES I THINK I AM NO GOOD AT ALL**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

At times I think I'm no good at all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	44.6	1,006	1	STRONGLY DISAGREE
25.3	25.3	571	2	SOMEWHAT DISAGREE
26.3	26.3	593	3	SOMEWHAT AGREE
3.7	3.7	84	4	STRONGLY AGREE
	0.0	1	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 300-301

ED15**I FEEL I HAVE A LOT OF GOOD QUALITIES**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I have a lot of good qualities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	23	1	STRONGLY DISAGREE
4.4	4.4	100	2	SOMEWHAT DISAGREE
39.2	39.1	884	3	SOMEWHAT AGREE
55.3	55.3	1,248	4	STRONGLY AGREE
	0.0	1	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 302-303

ED16 I FEEL USELESS AT TIMES

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel useless at times.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.7	36.6	827	1	STRONGLY DISAGREE
24.5	24.5	553	2	SOMEWHAT DISAGREE
34.2	34.1	771	3	SOMEWHAT AGREE
4.7	4.7	105	4	STRONGLY AGREE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 304-305

ED17 I WISH I COULD HAVE > RESPECT FOR MYSELF

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I wish I could have more respect for myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	28.3	640	1	STRONGLY DISAGREE
17.9	17.9	404	2	SOMEWHAT DISAGREE
35.2	35.1	792	3	SOMEWHAT AGREE
18.5	18.4	416	4	STRONGLY AGREE
	0.1	2	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 306-307

ED18**I FEEL THAT I AM A FAILURE**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I feel that I'm a failure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.3	65.3	1,474	1	STRONGLY DISAGREE
21.4	21.3	482	2	SOMEWHAT DISAGREE
11.3	11.3	256	3	SOMEWHAT AGREE
2.0	2.0	45	4	STRONGLY AGREE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 308-309

ED19**IMPORTANCE OF MENTAL HEALTH TREATMENT**

How important to you now is treatment or counseling for emotional, nervous, or mental health problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	38.3	865	0	NOT AT ALL
32.3	32.2	728	1	SOMEWHAT
29.2	29.1	658	2	VERY IMPORTANT
	0.2	5	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 310-311

EE2

#ALCOHOLIC DRINKS YOU HAVE ON EACH DAY

Since your admission, about how many alcoholic drinks have you usually had on each day you drank?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.1	3	0	
25.6	1.5	34	1	
15.0	0.9	20	2	
15.0	0.9	20	3	
8.3	0.5	11	4	
4.5	0.3	6	5	
12.0	0.7	16	6	
2.3	0.1	3	7	
2.3	0.1	3	8	
1.5	0.1	2	9	
0.8	0.0	1	10	
3.0	0.2	4	12	
0.8	0.0	1	14	
0.8	0.0	1	15	
0.8	0.0	1	17	
0.8	0.0	1	18	
1.5	0.1	2	19	
2.3	0.1	3	24	
0.8	0.0	1	30	
	93.9	2,121	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 314-315

EE3**YOU DRANK SEVERAL DAYS IN A ROW/3 MON**

Since your admission, have you ever been drunk for several days in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.5	11	1	YES
91.7	5.4	121	2	NO
	93.9	2,121	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 316-317

EE4	#DAYS YOU BEEN DRUNK/SINCE ADMISSION
------------	---

On how many days have you been drunk since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.2	2.5	57	0	
23.8	1.3	30	1	
8.7	0.5	11	2	
6.3	0.4	8	3	
2.4	0.1	3	4	
4.0	0.2	5	5	
3.2	0.2	4	6	
1.6	0.1	2	7	
1.6	0.1	2	10	
0.8	0.0	1	14	
0.8	0.0	1	15	
0.8	0.0	1	25	
0.8	0.0	1	40	
	93.9	2,121	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 318-319

EE5	YOU HAD ALCOHOL DELIRIUM TREMENS
------------	---

Since your admission, have you had alcohol d.t.'s (or Delirium Tremens) at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	5.9	134	2	NO
	93.9	2,120	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 320-321

EE6 **EVER HAD ANY PROBLEM BECAUSE OF DRINKING**

Alcohol can sometimes cause problems for people. Have you ever had any problems because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.9	21	1	YES
84.2	5.0	112	2	NO
	93.9	2,121	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 322-323

EE7 **HOW TROUBLED YOU BEEN BY ALCO PROBLEM**

How troubled or bothered have you been since your admission by an alcohol problem you may have? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.5	12	0	NOT AT ALL
33.3	0.4	8	1	SOMEWHAT
16.7	0.2	4	2	VERY TROUBLED
	98.8	2,230	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 324-325

EE8**HOW IMPORTANT TO YOU/TREATMENT FOR ALCO PROBLEM**

How important to you now is treatment or counseling for your alcohol problem? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.2	4	0	NOT AT ALL
33.3	0.4	8	1	SOMEWHAT
50.0	0.5	12	2	VERY IMPORTANT
	98.8	2,230	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 326-327

EE9**YOUR CHANCES ARE OF NEVER DRINKING ALCO**

What do you think your chances are of never drinking alcohol again? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	8	1	VERY POOR
58.3	0.6	14	2	FAIR
8.3	0.1	2	3	VERY GOOD
	98.8	2,230	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 328-329

EE12**DO YOU CURRENTLY SMOKE CIGARETTES**

Now, I would like to ask about your use of tobacco. Do you currently smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.4	66.0	1,490	1	YES
33.6	33.3	753	2	NO
	0.7	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 334-335

EE12_A**HOW MUCH CURRENTLY SMOKE CIGARETTES**

About how many cigarettes do you smoke per day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.0	27.3	616	1	LESS THAN 1/2 PACK A DAY
32.5	21.6	488	2	ABOUT 1/2 PACK A DAY
21.4	14.3	322	3	ABOUT A PACK A DAY
2.9	1.9	43	4	ABOUT 1-1/2 PACKS A DAY
2.2	1.5	33	5	ABOUT 2 PACKS OR MORE A DAY
	33.3	752	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 336-337

EE13 SMOKE CIGARS/PIPE/SMOKELESS TOBACCO?

Do you currently smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	103	1	YES
95.4	95.0	2,145	2	NO
	0.4	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 338-339

EE13_A_1 DO YOU SMOKE CIGARS

Which do you use? CIGARS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	38	1	CIRCLED
	95.0	2,145	-9	LEGITIMATE NONRESPONSE
	3.3	75	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 340-341

EE13_A_2 DO YOU SMOKE PIPE

Which do you use? PIPE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	2	CIRCLED
	95.0	2,145	-9	LEGITIMATE NONRESPONSE
	4.7	107	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 342-343

EE13_A_3**DO YOU USE SMOKELESS TOBACCO/SNUFF**

Which do you use? SMOKELESS TOBACCO OR SNUFF

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	68	3	CIRCLED
	95.0	2,145	-9	LEGITIMATE NONRESPONSE
	2.0	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 344-345

EE14**HAVE YOU USED MARIJUANA/HASHISH/THC**

Next, I'd like to ask about your use of drugs other than alcohol. Since your admission, have you used marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.7	242	1	YES
89.3	89.3	2,016	2	NO
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Column: 346

EE14_A_1**HOW LONG AFTER TREATMENT FIRST USE DRUG**

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	3.8	86	1	LESS THAN ONE WEEK AFTER ADMISSION
63.7	6.7	151	2	AT LEAST ONE WEEK AFTER ADMISSION
	89.3	2,016	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 347-348

EE14_A_2	#WEEKS AFTER ADMISSION USED DRUGS
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	1.3	29	1	
35.7	2.5	56	2	
28.0	1.9	44	3	
10.2	0.7	16	4	
2.5	0.2	4	5	
2.5	0.2	4	6	
0.6	0.0	1	8	
0.6	0.0	1	10	
0.6	0.0	1	12	
0.6	0.0	1	16	
	89.3	2,016	-9	LEGITIMATE NONRESPONSE
	3.8	85	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 349-350

EE14_B_1	WHEN DID YOU LAST USE DRUGS
-----------------	------------------------------------

When did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.3	6.1	138	1	MORE THAN ONE WEEK AGO
39.7	4.0	91	2	WITHIN THE LAST WEEK
	89.3	2,016	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 351-352

EE14_B_2**#WEEKS AGO USE DRUGS**

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	0.5	12	1	
40.8	2.7	60	2	
25.9	1.7	38	3	
15.6	1.0	23	4	
2.0	0.1	3	5	
2.7	0.2	4	6	
1.4	0.1	2	7	
2.0	0.1	3	8	
1.4	0.1	2	10	
	89.3	2,016	-9	LEGITIMATE NONRESPONSE
	4.2	95	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 353-354

EE14_C**HOW OFTEN USED DRUGS SINCE ADMISSION**

How often have you used it since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	4.6	104	1	LESS THAN ONCE PER MONTH
27.4	2.9	66	2	1 TO 3 TIMES A MONTH
14.9	1.6	36	3	1 TO 2 TIMES A WEEK
7.5	0.8	18	4	3 TO 4 TIMES A WEEK
0.8	0.1	2	5	5 TO 6 TIMES A WEEK
2.1	0.2	5	6	DAILY OR ALMOST EVERY DAY
2.1	0.2	5	7	2 OR 3 TIMES A DAY
2.1	0.2	5	8	4 OR MORE TIMES A DAY
	89.3	2,016	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 355-356

EE15 **HAVE YOU USED COCAINE IN ANY FORM**

Since your admission, have you used cocaine, in any form, such as powder, crack, free base, and coca paste?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	16	1	YES
99.3	99.3	2,242	2	NO
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Column: 357

EE15_A_1 **HOW LONG AFTER TREATMENT FIRST USED COCAINE**

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.1	2	1	LESS THAN ONE WEEK AFTER ADMISSION
86.7	0.6	13	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.3	2,242	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 358-359

EE15_A_2	#WEEKS AFTER ADMISSION USED COCAINE
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.0	1	1	
30.8	0.2	4	2	
15.4	0.1	2	3	
23.1	0.1	3	4	
7.7	0.0	1	6	
7.7	0.0	1	8	
7.7	0.0	1	12	
	99.3	2,242	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 360-361

EE15_B_1	HOW LONG AGO DID YOU LAST USE COCAINE
-----------------	--

How long ago did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	0.6	13	1	MORE THAN ONE WEEK AGO
13.3	0.1	2	2	WITHIN THE LAST WEEK
	99.3	2,242	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 362-363

EE15_B_2	HOW MANY WEEKS AGO USE COCAINE
-----------------	---------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.0	1	1	
38.5	0.2	5	2	
23.1	0.1	3	3	
7.7	0.0	1	4	
7.7	0.0	1	5	
7.7	0.0	1	10	
7.7	0.0	1	12	
	99.3	2,242	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 364-365

EE15_C	HOW DID YOU USUALLY TAKEN COCAINE
---------------	--

How have you usually taken it since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
60.0	0.4	9	2	BY SMOKING IT
40.0	0.3	6	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.3	2,242	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 366-367

EE15_D	HOW OFTEN USED COCAINE SINCE ADMISSION
---------------	---

How often have you used it since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.4	10	1	LESS THAN ONCE PER MONTH
13.3	0.1	2	2	1 TO 3 TIMES A MONTH
6.7	0.0	1	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
6.7	0.0	1	6	DAILY OR ALMOST EVERY DAY
6.7	0.0	1	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.3	2,242	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 368-369

EE15_E	HOW OFTEN USED CRACK SINCE ADMISSION
---------------	---

How often have you used crack since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.4	10	0	NOT USED
20.0	0.1	3	1	LESS THAN ONCE PER MONTH
13.3	0.1	2	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.3	2,242	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 370-371

EE16_B_1	HOW LONG AGO DID YOU LAST USE HEROIN
-----------------	---

How long ago did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	99.8	2,253	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING

 100.0 100.0 2,258 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 378-379

EE16_B_2	HOW MANY WEEKS AGO USE HEROIN
-----------------	--------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	
	99.8	2,253	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING

 100.0 100.0 2,258 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 380-381

EE16_C	HOW DID YOU USUALLY TAKEN HEROIN
---------------	---

How have you usually taken it since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
100.0	0.1	2	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.8	2,253	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 382-383

EE16_D	HOW OFTEN USED HEROIN SINCE ADMISSION
---------------	--

How many times have you used it since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.8	2,253	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 384-385

EE16_E**HOW OFTEN USED HEROIN/COCAINE TOGETHER**

How often have you used heroin and cocaine together since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	0	NOT USED
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
33.3	0.0	1	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.7	2,252	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 386-387

EE16_F**HOW DID YOU USUALLY TAKE COCAINE/HEROIN**

How have you usually taken them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.8	2,253	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 388-389

EE17 DR. PRESCRIBE NARCOTICS FOR MEDICAL PROBLEM

Now, I'd like to ask about some drugs that can be legally prescribed. Since your admission, has a doctor prescribed any narcotic or opiate analgesics for you for a physical or medical problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	10	1	YES
99.6	99.3	2,243	2	NO
	0.2	4	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 390-391

EE17_A #PRESCRIPTIONS FOR NARCOTICS

How many prescriptions for narcotics or opiates did you get since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.8	0.3	7	1	
22.2	0.1	2	2	
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 392-393

EE17_B_1

CODE/PRESCRIBED NARCOTICS

Which narcotics or opiates have been prescribed since your admission? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
11.1	0.0	1	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
11.1	0.0	1	5	LEVO-DROMORAN
11.1	0.0	1	6	PERCODAN
0.0	0.0	0	7	DEMEROL
0.0	0.0	0	8	DILAUDID
33.3	0.1	3	9	TYLENOL WITH CODEINE
11.1	0.0	1	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
11.1	0.0	1	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.0	0.0	0	17	MORPHINE
0.0	0.0	0	18	METHADONE
0.0	0.0	0	19	STADOL
0.0	0.0	0	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
11.1	0.0	1	92	OTHER
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 394-395

EE17_B_2	CODE/PRESCRIBED NARCOTICS
-----------------	----------------------------------

Which narcotics or opiates have been prescribed since your admission? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.0	0.0	0	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
0.0	0.0	0	6	PERCODAN
50.0	0.0	1	7	DEMEROL
0.0	0.0	0	8	DILAUDID
50.0	0.0	1	9	TYLENOL WITH CODEINE
0.0	0.0	0	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
0.0	0.0	0	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.0	0.0	0	17	MORPHINE
0.0	0.0	0	18	METHADONE
0.0	0.0	0	19	STADOL
0.0	0.0	0	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 396-397

EE17_B_3

CODE/PRESCRIBED NARCOTICS

Which narcotics or opiates have been prescribed since your admission? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.0	0.0	0	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
0.0	0.0	0	6	PERCODAN
0.0	0.0	0	7	DEMEROL
0.0	0.0	0	8	DILAUDID
0.0	0.0	0	9	TYLENOL WITH CODEINE
0.0	0.0	0	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
0.0	0.0	0	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.0	0.0	0	17	MORPHINE
0.0	0.0	0	18	METHADONE
0.0	0.0	0	19	STADOL
0.0	0.0	0	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PAREGORIC
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 398-399

EE17_C	#WEEKS USED PRESCRIBE NARCOTICS
---------------	--

Since your admission, about how many weeks have you used narcotics or opiates as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.3	6	1	
33.3	0.1	3	2	
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 400-401

EE18	HAVE YOU USED NARCOTICS W/OUT PRESCRIBE
-------------	--

Since your admission, have you used narcotics or opiates or street methadone on your own without a prescription from a doctor, more than prescribed, or for any other reasons such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	YES
99.8	99.8	2,254	2	NO
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Column: 402

EE18_A_1	HOW LONG AFTER TREATMENT FIRST USE NARCOTICS
-----------------	---

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADMISSION
100.0	0.1	3	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 403-404

EE18_A_2	#WEEKS AFTER ADMISSION USED NARCOTICS
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	2	
33.3	0.0	1	5	
33.3	0.0	1	12	
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 405-406

EE18_B_1	HOW LONG AGO DID YOU LAST USE NARCOTICS
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	MORE THAN ONE WEEK AGO
33.3	0.0	1	2	WITHIN THE LAST WEEK
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 407-408

EE18_B_2**HOW MANY WEEKS AGO USED NARCOTICS**

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	
50.0	0.0	1	5	
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 409-410

EE18_C**HOW DID YOU USUALLY TAKE NARCOTICS**

How have you usually taken them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	BY MOUTH (EAT, CHEW)
33.3	0.0	1	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 411-412

EE18_D	HOW OFTEN USED NARCOTICS SINCE ADMISSION
---------------	---

How often have you used them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 413-414

EE18_E	HOW OFTEN USED ILLEGAL METHADONE
---------------	---

How often have you used street or illegal methadone since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	0	NOT USED
33.3	0.0	1	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 415-416

EE19	DR. PRESCRIPTION SEDATIVE/TRANQUILIZER FOR MEDICAL PROBLEM
-------------	---

Since your admission, has a doctor legitimately prescribed any sedatives or tranquilizers for you for a physical or emotional problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	20	1	YES
99.1	99.1	2,237	2	NO
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 417-418

EE19_A	#PRESCRIPTIONS GOT FOR SEDATIVES
---------------	---

How many prescriptions for sedatives or tranquilizers have you gotten since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	0.8	17	1	
5.6	0.0	1	2	
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 419-420

EE19B1_1	CODE/PRESCRIBED SEDATIVES
-----------------	----------------------------------

Which sedatives or tranquilizers have been prescribed since your admission?

Sedatives - 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
25.0	0.0	1	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
0.0	0.0	0	9	SECONAL
0.0	0.0	0	10	TUINAL
0.0	0.0	0	11	DALMANE
0.0	0.0	0	12	RESTORIL
0.0	0.0	0	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
0.0	0.0	0	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
25.0	0.0	1	92	OTHER
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 421-422

EE19B1_2

CODE/PRESCRIBED SEDATIVES

Which sedatives or tranquilizers have been prescribed since your admission?

Sedatives - 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
0.0	0.0	0	9	SECONAL
0.0	0.0	0	10	TUINAL
0.0	0.0	0	11	DALMANE
0.0	0.0	0	12	RESTORIL
0.0	0.0	0	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
0.0	0.0	0	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.7	16	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 423-424

EE19B2_1	CODE/PRESCRIBED TRANQUILIZERS
-----------------	--------------------------------------

Which sedatives or tranquilizers have been prescribed since your admission?

Tranquilizers - 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
9.1	0.0	1	1	VALIUM
0.0	0.0	0	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
0.0	0.0	0	5	SERAX
0.0	0.0	0	6	TRANXENE
0.0	0.0	0	7	ATIVAN
0.0	0.0	0	8	CENTRAX
0.0	0.0	0	9	XANAX
9.1	0.0	1	10	PAXIPAM
9.1	0.0	1	11	BUSPAR
9.1	0.0	1	12	MILTOWN
0.0	0.0	0	13	EQUANIL
27.3	0.1	3	14	DEPROL
9.1	0.0	1	15	VISTARIL
9.1	0.0	1	16	ATARAX
0.0	0.0	0	17	DURRAX
9.1	0.0	1	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.0	0.0	0	21	HYDROXYZINE
9.1	0.0	1	22	BENADRYL
0.0	0.0	0	23	CLONAZEPAN
0.0	0.0	0	24	KLONOPIN
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 425-426

EE19B2_2

CODE/PRESCRIBED TRANQUILIZERS

Which sedatives or tranquilizers have been prescribed since your admission?

Tranquilizers - 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	NONE
0.0	0.0	0	1	VALIUM
0.0	0.0	0	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
0.0	0.0	0	5	SERAX
0.0	0.0	0	6	TRANXENE
0.0	0.0	0	7	ATIVAN
0.0	0.0	0	8	CENTRAX
0.0	0.0	0	9	XANAX
0.0	0.0	0	10	PAXIPAM
0.0	0.0	0	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
0.0	0.0	0	15	VISTARIL
0.0	0.0	0	16	ATARAX
0.0	0.0	0	17	DURRAX
0.0	0.0	0	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.0	0.0	0	21	HYDROXYZINE
0.0	0.0	0	22	BENADRYL
0.0	0.0	0	23	CLONAZEPAN
0.0	0.0	0	24	KLONOPIN
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.7	16	-8	MISSING
	0.1	3	-4	DON'T KNOW

 100.0 100.0 2,258 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 427-428

EE19_C	#WEEKS USED PRESCRIPTION SEDATIVE/TRANQUILIZER
---------------	---

Since your admission, about how many weeks have you used sedatives or tranquilizers as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	4	1	
45.0	0.4	9	2	
10.0	0.1	2	3	
15.0	0.1	3	4	
5.0	0.0	1	5	
5.0	0.0	1	6	
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 429-430

EE20	USED SEDATIVE/TRANQUILIZER WITHOUT PRESCRIPTION
-------------	--

Since your admission, have you used sedatives or tranquilizers on your own without a prescription from a doctor, more than prescribed, or for any nonmedical reason such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	YES
99.9	99.8	2,254	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 431-432

EE20_A_1	HOW LONG AFTER TREATMENT FIRST USED SEDATIVE
-----------------	---

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADMISSION
100.0	0.1	3	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 433-434

EE20_A_2	#WEEKS AFTER ADMISSION USED SEDATIVES
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	3	
50.0	0.0	1	14	
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 435-436

EE20_B_1	HOW LONG AGO DID YOU LAST USE SEDATIVES
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	MORE THAN ONE WEEK AGO
50.0	0.0	1	2	WITHIN THE LAST WEEK
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 437-438

EE20_B_2	HOW MANY WEEKS AGO USED SEDATIVES
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 439-440

EE20_C	HOW DID YOU USUALLY TAKE SEDATIVES
---------------	---

How have you usually taken them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 441-442

EE20_D	HOW OFTEN USED SEDATIVES SINCE ADMISSION
---------------	---

How often have you used them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	1	LESS THAN ONCE PER MONTH
50.0	0.0	1	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 443-444

EE20_E_1	TYPE SEDATIVE/TRANQUILIZER/SEDATIVE/SLEEPING PILL
-----------------	--

What types of sedatives and tranquilizers have you been taking since your admission? Were they sedatives and sleeping pills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 445-446

EE20_E_2 TYPE SEDATIVE/TRANQUILIZER/BARBITURATES

What types of sedatives and tranquilizers have you been taking since your admission? Were they barbiturates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 447-448

EE20_E_3 TYPE SEDATIVE/TRANQUILIZER/BENZODIAZEPINES

What types of sedatives and tranquilizers have you been taking since your admission? Were they benzodiazepines, such as Xanax, Valium, or Librium?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 449-450

EE20_E_4 TYPE SEDATIVE/TRANQUILIZER/OTHER TRANQUILIZER

What types of sedatives and tranquilizers have you been taking since your admission? Were they other tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 451-452

EE20_F	TYPE SEDATIVE USED MOST/CODE FROM E20E
---------------	---

Which type have you used most often since your admission for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	SEDATIVES AND SLEEPING PILLS
0.0	0.0	0	2	BARBITURATES
0.0	0.0	0	3	BENZODIAZEPINES, SUCH AS XANAX, VALIUM, OR LIBRIUM
0.0	0.0	0	4	OTHER TRANQUILIZERS
	100.0	2,257	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 453-454

EE21	DR. PRESCRIBED STIMULANTS FOR MEDICAL PROBLEM
-------------	--

Since your admission, has a doctor legitimately prescribed any stimulants for you for a physical or emotional problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	31	1	YES
98.6	98.6	2,226	2	NO
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 455-456

EE21_A	#PRESCRIPTIONS GOT FOR STIMULANTS
---------------	--

How many prescriptions for stimulants did you get since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	0.9	21	1	
17.2	0.2	5	2	
3.4	0.0	1	4	
3.4	0.0	1	6	
3.4	0.0	1	7	
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 457-458

EE21_B_1

CODE/PRESCRIBED STIMULANTS

Which stimulants have been prescribed since your admission? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
4.2	0.0	1	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
4.2	0.0	1	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
79.2	0.8	19	18	RITALIN
12.5	0.1	3	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMIN
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE ('SPEED' OR 'CRANK')
0.0	0.0	0	23	OBEDRIN-L.A.
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 459-460

EE21_B_2	CODE/PRESCRIBED STIMULANTS
-----------------	-----------------------------------

Which stimulants have been prescribed since your admission? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	NONE
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMIN
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE ('SPEED' OR 'CRANK')
0.0	0.0	0	23	OBEDRIN-L.A.
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	1.2	26	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 461-462

EE21_B_3

CODE/PRESCRIBED STIMULANTS

Which stimulants have been prescribed since your admission? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	NONE
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLEGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMIN
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE ('SPEED' OR 'CRANK')
0.0	0.0	0	23	OBEDRIN-L.A.
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	1.2	26	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 463-464

EE21_C	#WEEKS USED PRESCRIBED STIMULANTS
---------------	--

Since your admission, about how many weeks have you used stimulants as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.0	1	1	
12.9	0.2	4	2	
32.3	0.4	10	3	
29.0	0.4	9	4	
6.5	0.1	2	5	
3.2	0.0	1	6	
3.2	0.0	1	7	
6.5	0.1	2	16	
3.2	0.0	1	24	
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 465-466

EE22	USED AMPHETAMINES W/OUT PRESCRIPTION
-------------	---

Since your admission, have you used amphetamines or other stimulants for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	YES
99.8	99.7	2,252	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 467-468

EE22_A_1	HOW LONG AFTER TREATMENT USED AMPHETAMINE
-----------------	--

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	2	1	LESS THAN ONE WEEK AFTER ADMISSION
50.0	0.1	2	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.7	2,252	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 469-470

EE22_A_2	#WEEK AFTER ADMISSION USE AMPHETAMINE
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	
	99.7	2,252	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 471-472

EE22_B_1	HOW LONG AGO YOU LAST USED AMPHETAMINES
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	99.7	2,252	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 473-474

EE22_B_2	HOW MANY WEEKS AGO USE AMPHETAMINES
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	
33.3	0.0	1	4	
33.3	0.0	1	16	
	99.7	2,252	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 475-476

EE22_C	HOW DID YOU USUALLY TAKE AMPHETAMINES
---------------	--

How have you usually taken them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
75.0	0.1	3	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.7	2,252	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 477-478

EE22_D	HOW OFTEN USE AMPHETAMINES SINCE ADMISSION
---------------	---

How often have you used them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	LESS THAN ONCE PER MONTH
25.0	0.0	1	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.7	2,252	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 479-480

EE22_E	HOW OFTEN YOU USE METHAMPHETAMINES
---------------	---

How often have you used methamphetamines or ice since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	0	NOT USED
25.0	0.0	1	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.7	2,252	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 481-482

EE23 DR. EVER PRESCRIBE MAJOR TRANQUILIZER/ANTIDEPRESSANT

Has a doctor ever prescribed major tranquilizers such as Thorazine, Stelazine, or Lithium or major antidepressants such as Elavil or Prozac?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.8	90.5	2,043	0	NEITHER
1.9	1.9	42	1	MAJOR TRANQUILIZERS
6.7	6.7	151	2	MAJOR ANTIDEPRESSANTS
0.7	0.7	15	3	BOTH
	0.2	5	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 483-484

EE23_A USED MAJOR TRANQUILIZER/ANTIDEPRESSANTS

Have you used either major tranquilizers or major antidepressants since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	3.7	83	0	NEITHER
13.0	1.3	29	1	MAJOR TRANQUILIZERS
47.5	4.7	106	2	MAJOR ANTIDEPRESSANTS
2.2	0.2	5	3	BOTH
	89.9	2,031	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 485-486

EE24**HAVE YOU USED LSD/PCP/HALLUCINOGEN**

Since your admission, have you used LSD, PCP, or any other hallucinogen or psychedelic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	21	1	YES
99.1	99.1	2,237	2	NO
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Column: 487

EE24_A_1**HOW LONG AFTER TREATMENT USED LSD/PCP/HALLUCINOGEN**

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.4	8	1	LESS THAN ONE WEEK AFTER ADMISSION
60.0	0.5	12	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 488-489

EE24_A_2**#WEEK AFTER ADMISSION USE LSD/PCP/HALLUCINOGEN**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.2	4	1	
50.0	0.3	7	2	
7.1	0.0	1	4	
7.1	0.0	1	5	
7.1	0.0	1	6	
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 490-491

EE24_B_1	HOW LONG AGO YOU LAST USE LSD/PCP
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.4	0.6	13	1	MORE THAN ONE WEEK AGO
31.6	0.3	6	2	WITHIN THE LAST WEEK
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 492-493

EE24_B_2	HOW MANY WEEKS AGO USE LSD/PCP/HALLUCINOGEN
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	0.2	5	2	
14.3	0.1	2	3	
28.6	0.2	4	4	
7.1	0.0	1	8	
7.1	0.0	1	9	
7.1	0.0	1	16	
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 494-495

EE24_C**HOW DID YOU TAKE LSD/PCP/HALLUCINOGEN**

How have you usually taken them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.0	0.8	17	1	BY MOUTH (EAT, CHEW)
15.0	0.1	3	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 496-497

EE24_D**HOW OFTEN YOU USED LSD/PCP/HALLUCINOGEN**

How often have you used them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.4	0.5	11	1	LESS THAN ONCE PER MONTH
38.1	0.4	8	2	1 TO 3 TIMES A MONTH
4.8	0.0	1	3	1 TO 2 TIMES A WEEK
4.8	0.0	1	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 498-499

EE24_E	HOW OFTEN USED PCP SINCE ADMISSION
---------------	---

How often have you used PCP since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.8	18	0	NOT USED
4.8	0.0	1	1	LESS THAN ONCE PER MONTH
4.8	0.0	1	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
4.8	0.0	1	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 500-501

EE25	HAVE YOU USED INHALANTS SINCE ADMISSION
-------------	--

Since your admission, have you used inhalants or things you sniff, such as glue, gasoline, paint thinner, or aerosol sprays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	30	1	YES
98.7	98.5	2,225	2	NO
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 502-503

EE25_A_1**HOW LONG AFTER TREATMENT USE INHALANTS**

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	3	1	LESS THAN ONE WEEK AFTER ADMISSION
90.0	1.2	27	2	AT LEAST ONE WEEK AFTER ADMISSION
	98.5	2,225	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 504-505

EE25_A_2**#WEEKS AFTER ADMISSION USE INHALANTS**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.9	0.3	7	1	
18.5	0.2	5	2	
29.6	0.4	8	3	
7.4	0.1	2	4	
7.4	0.1	2	5	
3.7	0.0	1	7	
3.7	0.0	1	8	
3.7	0.0	1	12	
	98.5	2,225	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 506-507

EE25_B_1	HOW LONG AGO YOU LAST USED INHALANTS
-----------------	---

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.1	1.0	23	1	MORE THAN ONE WEEK AGO
17.9	0.2	5	2	WITHIN THE LAST WEEK
	98.5	2,225	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 508-509

EE25_B_2	HOW MANY WEEKS AGO USE INHALANTS
-----------------	---

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	0.1	2	1	
36.0	0.4	9	2	
8.0	0.1	2	3	
32.0	0.4	8	4	
4.0	0.0	1	5	
4.0	0.0	1	6	
4.0	0.0	1	9	
4.0	0.0	1	12	
	98.5	2,225	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 510-511

EE25_C

HOW OFTEN USE INHALANTS SINCE ADMISSION

How often have you used them since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.8	18	1	LESS THAN ONCE PER MONTH
30.0	0.4	9	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
6.7	0.1	2	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
3.3	0.0	1	8	4 OR MORE TIMES A DAY
	98.5	2,225	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 512-513

EE26 WHICH DRUG CAUSED YOU MOST SERIOUS PROBLEM

Since your admission, what type of drug that you used has caused you the most serious problems, such as problems with family, friends, school, or the law; problems feeling dependent on the drug: or physical or emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.2	91.0	2,055	0	NONE
0.9	0.9	21	10	ALCOHOL
6.2	6.2	139	20	MARIJUANA, HASHISH, THC
0.3	0.3	7	30	HALLUCINOGENS/PSYCHEDELICS
0.4	0.4	10	40	COCAINE IN ANY FORM
0.2	0.2	4	41	CRACK
0.1	0.1	3	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.0	0.0	1	70	DOWNERS/DEPRESSANTS
0.0	0.0	1	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.1	0.1	2	81	METHAMPHETAMINES/ICE
0.2	0.2	5	90	ANY OTHER DRUGS
0.2	0.2	5	91	INHALANTS
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 514-515

EE26_A_1 HOW LONG AFTER TREATMENT USED PRIMARY DRUG

How long after you entered treatment did you first use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	5	1	LESS THAN ONE WEEK AFTER ADMISSION
50.0	0.2	5	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.1	3	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 516-517

EE26_A_2**#WEEK AFTER ADMISSION USE PRIMARY DRUG**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	1	
16.7	0.0	1	2	
66.7	0.2	4	3	
	99.4	2,245	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 518-519

EE26_B_1**HOW LONG AGO YOU LAST USE PRIMARY DRUG**

How long ago did you last use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	0.4	10	1	MORE THAN ONE WEEK AGO
23.1	0.1	3	2	WITHIN THE LAST WEEK
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 520-521

EE26_B_2	HOW MANY WEEKS AGO USE PRIMARY DRUG
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.0	1	1	
30.0	0.1	3	2	
20.0	0.1	2	3	
10.0	0.0	1	5	
10.0	0.0	1	6	
10.0	0.0	1	16	
10.0	0.0	1	20	
	99.5	2,246	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 522-523

EE26_C	HOW DID YOU TAKE PRIMARY DRUG
---------------	--------------------------------------

How have you usually taken (PRIMARY PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	6	1	BY MOUTH (EAT, CHEW)
33.3	0.2	4	2	BY SMOKING IT
8.3	0.0	1	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
8.3	0.0	1	7	SOME OTHER WAY
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 524-525

EE26_D**HOW OFTEN YOU USED PRIMARY DRUG**

How often have you used (PRIMARY PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.4	8	1	LESS THAN ONCE PER MONTH
20.0	0.1	2	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.1	3	-5	BAD DATA
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 526-527

EE27**DRUG OTHER THAN PRIMARY CAUSE PROBLEMS**

You said that (PRIMARY PROBLEM DRUG) had caused you the most serious problems. Since your admission, has using any other drug caused you to have problems (such as problems with family, friends, school, or the law; problems feeling dependent on the drug; or emotional problems)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	0.2	5	1	YES
94.4	3.7	84	2	NO
	96.1	2,169	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 528-529

EE27_A	SECOND PROBLEM DRUG
---------------	----------------------------

Which drug caused you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	0	NONE
33.3	0.1	2	10	ALCOHOL
33.3	0.1	2	20	MARIJUANA, HASHISH, THC
0.0	0.0	0	30	HALLUCINOGENS/PSYCHEDELICS
16.7	0.0	1	40	COCAINE IN ANY FORM
0.0	0.0	0	41	CRACK
0.0	0.0	0	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.0	0.0	0	70	DOWNERS/DEPRESSANTS
0.0	0.0	0	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	99.7	2,252	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 530-531

EE27_B_1	HOW LONG AFTER TREATMENT USED SECOND DRUG
-----------------	--

How long after you entered treatment did you first use (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADMISSION
0.0	0.0	0	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 532-533

EE27_B_2	#WEEK AFTER ADMISSION USE SECOND DRUG
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 534-535

EE27_C_1	HOW LONG AGO YOU LAST USE SECOND DRUG
-----------------	--

How long ago did you last use (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 536-537

EE27_C_2	HOW MANY WEEKS AGO USE SECOND DRUG
-----------------	---

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 538-539

EE27_D**HOW DID YOU TAKE SECOND DRUG**

How have you usually taken (SECOND PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 540-541

EE27_E**HOW OFTEN YOU USED SECOND DRUG**

How often have you used (SECOND PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 542-543

EE28	DRUG OTHER THAN PRIMARY/SECONDARY CAUSE PROBLEMS
-------------	---

Besides (PRIMARY PROBLEM DRUG) and (SECOND PROBLEM DRUG),
did any other drugs cause you problems since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.1	2	1	YES
33.3	0.0	1	2	NO
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 544-545

EE28_A	THIRD PROBLEM DRUG
---------------	---------------------------

Which drug caused you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	0	NONE
0.0	0.0	0	10	ALCOHOL
0.0	0.0	0	20	MARIJUANA, HASHISH, THC
33.3	0.0	1	30	HALLUCINOGENS/PSYCHEDELICS
0.0	0.0	0	40	COCAINE IN ANY FORM
0.0	0.0	0	41	CRACK
0.0	0.0	0	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.0	0.0	0	70	DOWNERS/DEPRESSANTS
33.3	0.0	1	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	99.8	2,254	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 546-547

EE28_B_1 HOW LONG AFTER TREATMENT USED THIRD DRUG

How long after you entered treatment did you first use
(THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADMISSION
0.0	0.0	0	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 548-549

EE28_B_2 #WEEK AFTER ADMISSION USE THIRD DRUG

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 550-551

EE28_C_1 HOW LONG AGO YOU LAST USE THIRD DRUG

How long ago did you last use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 552-553

EE28_C_2**HOW MANY WEEKS AGO USE THIRD DRUG**

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 554-555

EE28_D**HOW DID YOU TAKE THIRD DRUG**

How have you usually taken (THIRD PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 556-557

EE28_E	HOW OFTEN YOU USED THIRD DRUG
---------------	--------------------------------------

How often have you used (THIRD PROBLEM DRUG) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.9	2,256	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 558-559

EE29

#DOLLARS SPENT ON DRUGS FOR OWN USE

Since your admission, how much would you say you have spent on drugs for your own nonmedical use, excluding alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	95.6	2,159	0	
0.0	0.0	1	2	
0.1	0.1	2	3	
0.3	0.3	7	5	
0.0	0.0	1	7	
0.5	0.5	12	10	
0.1	0.1	3	15	
0.0	0.0	1	16	
0.7	0.7	16	20	
0.1	0.1	2	25	
0.4	0.4	9	30	
0.2	0.2	4	40	
0.1	0.1	2	45	
0.3	0.3	7	50	
0.1	0.1	3	60	
0.0	0.0	1	70	
0.4	0.4	8	100	
0.0	0.0	1	120	
0.0	0.0	1	150	
0.2	0.2	4	200	
0.0	0.0	1	250	
0.0	0.0	1	300	
0.0	0.0	1	350	
0.0	0.0	1	500	
0.0	0.0	1	800	
0.0	0.0	1	900	
0.0	0.0	1	2000	
0.0	0.0	1	3000	
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 560-563

EE30 HAVE YOU OVERDOSED ON DRUGS

Since your admission, have you overdosed on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	99.6	2,250	2	NO
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 564-565

EE30_A #TIMES YOU OVERDOSED DRUGS

How many times have you overdosed since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 566-567

EE31 DID YOU USE DRUG WITH A NEEDLE/SYRINGE

Since your admission, have you used drugs with a needle, syringe, or "works" to shoot up drugs after anyone else had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	99.5	2,247	2	NO
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 568-569

EE31A_1	FREQUENCY USE W/NEEDLE AFTER/REGULAR SEX PARTNER
----------------	---

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after your regular sexual partner or spouse had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	0	
	99.4	2,245	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 570-571

EE31A_2	FREQUENCY USE W/NEEDLE AFTER/UNKNOWN PARTNER
----------------	---

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after anyone you had sex with but hadn't known very long had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	0	
	99.5	2,246	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 572-573

EE31A_3 FREQUENCY USE W/NEEDLE AFTER/A PROSTITUTE

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after a prostitute had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	0	
	99.5	2,246	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 574-575

EE31A_4 FREQUENCY USE W/NEEDLE AFTER/AIDS/HIV +

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after someone you know or thought had AIDS or had a positive HIV test had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	0	
	99.5	2,246	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 576-577

EE31A_5**FREQUENCY USE W/NEEDLE AFTER/HOMO/BI/SEXUAL**

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after a man you know or thought was homosexual or bisexual had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	0	
	99.5	2,246	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 578-579

EE31A_6**FREQUENCY USE W/NEEDLE AFTER/STRANGER**

Since your admission, how many times have you used a needle, syringe, or "works" to shoot up drugs after people you didn't know very long or strangers had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	0	
	99.5	2,246	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 580-581

EE32 CLEAN NEEDLE BEFORE USE/AFTER PEOPLE

Since your admission, have you tried to clean the needles and syringes other people had used before you used them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.3	7	2	NO
	99.7	2,251	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 582-583

EE33_A CLEAN NEEDLE AFTER/W/ALCOHOL/WATER

Since your admission, when you cleaned needles and syringes after others had used them, how often have you used alcohol and rinsed with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	0.3	7	-9	LEGITIMATE NONRESPONSE
	99.7	2,251	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 584-585

EE33_B**CLEAN NEEDLE AFTER/W/BLEACH & WATER**

Since your admission, when you cleaned needles and syringes after others had used them, how often have you used bleach or Clorox and rinsed with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	0.3	7	-9	LEGITIMATE NONRESPONSE
	99.7	2,251	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 586-587

EE33_C**CLEAN NEEDLE AFTER/W/BOIL IN WATER**

Since your admission, when you cleaned needles and syringes after others had used them, how often have you boiled them in water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	0.3	7	-9	LEGITIMATE NONRESPONSE
	99.7	2,251	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 588-589

EE33_D CLEAN NEEDLE AFTER/W/WATER/ONE CLEANED

Since your admission, when you cleaned needles and syringes after others had used them, how often have you rinsed them in water that someone else had used to clean needles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	0.3	7	-9	LEGITIMATE NONRESPONSE
	99.7	2,251	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 590-591

EE33_E CLEAN NEEDLE AFTER/W/RINSE CLEAN WATER

Since your admission, when you cleaned needles and syringes after others had used them, how often have you rinsed them in clean water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	0.3	7	-9	LEGITIMATE NONRESPONSE
	99.7	2,251	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 592-593

EE33_F**CLEAN NEEDLE AFTER/W/SOME OTHER METHOD**

Since your admission, when you cleaned needles and syringes after others had used them, how often have you used some other method?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	0.3	7	-9	LEGITIMATE NONRESPONSE
	99.7	2,251	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 594-595

EE34**HOW TROUBLED W/YOUR DRUG PROBLEM**

Since your admission, how troubled or bothered have you been by your drug problem? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.8	51.7	1,168	0	NOT AT ALL
37.6	37.6	848	1	SOMEWHAT
10.5	10.5	237	2	VERY MUCH
	0.1	3	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 596-597

EE35**HOW IMPORTANT/GET TREATMENT FOR DRUG PROBLEM**

How important to you now is getting treatment or counseling for your drug problem? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	18.9	427	0	NOT AT ALL
27.5	27.4	619	1	SOMEWHAT
53.5	53.4	1,205	2	VERY IMPORTANT
	0.2	4	-8	MISSING
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 598-599

EE36**YOUR DRUG USE CAUSED PROBLEMS IN LIFE**

In your opinion, since your admission to what extent has your drug use caused or worsened other problems in your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.9	68.6	1,549	0	NOT AT ALL
20.9	20.8	470	1	A LITTLE
10.2	10.1	229	2	A LOT
	0.1	3	-8	MISSING
	0.2	5	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 600-601

EE37**YOUR DRUG PROBLEM CAUSED BY OTHER PROBLEMS**

In your opinion, since your admission to what extent have your problems with drugs been caused by other problems in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	70.2	1,585	0	NOT AT ALL
22.1	22.0	496	1	A LITTLE
7.5	7.4	168	2	A LOT
	0.1	3	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 602-603

EE38**HOW TEMPTED ARE YOU TO USE DRUGS NOW**

Overall, how tempted are you to use drugs now? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	43.6	984	0	NOT AT ALL
42.6	42.5	960	1	SOMEWHAT
13.7	13.6	308	2	VERY TEMPTED
	0.1	2	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 604-605

EE39_A	KEEP FR USE DRUG/PEOPLE MADE YOU TENSE
---------------	---

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if other people around you made you tense or nervous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.3	143	0	NOT AT ALL CONFIDENT/SURE
33.9	33.8	764	1	SOMEWHAT CONFIDENT/SURE
59.8	59.7	1,347	2	VERY CONFIDENT/SURE
	0.1	2	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 606-607

EE39_B	KEEP FROM USE DRUG/REMEMBERED FEELING
---------------	--

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you remembered how it makes you feel?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	15.0	338	0	NOT AT ALL CONFIDENT/SURE
36.7	36.5	825	1	SOMEWHAT CONFIDENT/SURE
48.3	48.1	1,086	2	VERY CONFIDENT/SURE
	0.2	4	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 608-609

EE39_C**KEEP FR USE DRUG/YOU FELT RELAXED/SURE**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt relaxed and sure of yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.3	164	0	NOT AT ALL CONFIDENT/SURE
18.7	18.7	422	1	SOMEWHAT CONFIDENT/SURE
74.0	73.9	1,668	2	VERY CONFIDENT/SURE
	0.1	2	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 610-611

EE39_D**KEEP FR USE DRUG/FELT DROWSY/WANT AWAKE**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt drowsy but wanted to stay awake?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.2	141	0	NOT AT ALL CONFIDENT/SURE
15.7	15.6	353	1	SOMEWHAT CONFIDENT/SURE
78.1	77.9	1,759	2	VERY CONFIDENT/SURE
	0.1	2	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 612-613

EE39_F

KEEP FR USE DRUG/PEOPLE DIDN'T LIKE YOU

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt that other people didn't like you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.6	6.6	148	0	NOT AT ALL CONFIDENT/SURE
19.5	19.5	440	1	SOMEWHAT CONFIDENT/SURE
73.9	73.7	1,665	2	VERY CONFIDENT/SURE
	0.1	2	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 616-617

EE39_I

KEEP FR USE DRUG/PLACE/PEOPLE USE DRUG

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were at a party or some place where other people were using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.1	31.0	700	0	NOT AT ALL CONFIDENT/SURE
37.8	37.6	850	1	SOMEWHAT CONFIDENT/SURE
31.1	31.0	699	2	VERY CONFIDENT/SURE
	0.1	2	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.1	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 622-623

EE39_J

KEEP FR USE DRUG/FELT HAPPY W/SOMETHING

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt satisfied or happy with something you had done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.3	209	0	NOT AT ALL CONFIDENT/SURE
16.5	16.4	371	1	SOMEWHAT CONFIDENT/SURE
74.2	74.0	1,672	2	VERY CONFIDENT/SURE
	0.2	4	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 624-625

EE39_K

KEEP FR USE DRUG/FELT ANGRY ABOUT THING

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt angry about something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	15.0	338	0	NOT AT ALL CONFIDENT/SURE
35.2	35.1	792	1	SOMEWHAT CONFIDENT/SURE
49.8	49.7	1,122	2	VERY CONFIDENT/SURE
	0.1	2	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 626-627

EE39_L**KEEP FR USE DRUG/THINK USE JUST ONE TIME**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you started to think that using drugs just one time would not be a problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	20.5	464	0	NOT AT ALL CONFIDENT/SURE
28.6	28.5	643	1	SOMEWHAT CONFIDENT/SURE
50.8	50.6	1,143	2	VERY CONFIDENT/SURE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 628-629

EE39_M**KEEP FR USE DRUG/FELT CONFUSED**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt confused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.8	175	0	NOT AT ALL CONFIDENT/SURE
27.2	27.2	614	1	SOMEWHAT CONFIDENT/SURE
65.0	64.9	1,465	2	VERY CONFIDENT/SURE
	0.1	2	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 630-631

EE39_N**KEEP FR USE DRUG/FELT SAD/DEPRESSED**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt sad or depressed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	18.3	414	0	NOT AT ALL CONFIDENT/SURE
32.9	32.8	741	1	SOMEWHAT CONFIDENT/SURE
48.7	48.5	1,096	2	VERY CONFIDENT/SURE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 632-633

EE39_0	KEEP FR USE DRUG/ENCOURAGED TO USE IT
---------------	--

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were with someone who encouraged you to use drugs or suggested that you use drugs together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.1	20.1	453	0	NOT AT ALL CONFIDENT/SURE
35.8	35.7	807	1	SOMEWHAT CONFIDENT/SURE
44.0	43.9	992	2	VERY CONFIDENT/SURE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 634-635

EE39_P

KEEP FR USE DRUG/USE IT A FEW TIMES

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you wanted to prove to yourself that you could use drugs a few times without losing control?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	18.0	406	0	NOT AT ALL CONFIDENT/SURE
26.3	26.3	593	1	SOMEWHAT CONFIDENT/SURE
55.7	55.5	1,254	2	VERY CONFIDENT/SURE
	0.1	2	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 636-637

EE39_Q

KEEP FR USE DRUG/PROBLEM W/PEOPLE A/SCHOOL

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if there were problems with people at school or work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.2	162	0	NOT AT ALL CONFIDENT/SURE
22.3	22.2	502	1	SOMEWHAT CONFIDENT/SURE
70.5	70.2	1,586	2	VERY CONFIDENT/SURE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 638-639

EE39_R

KEEP FR USE DRUG/PROBLEM W/FAMILY/FRIENDS

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were having problems with your family or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	12.8	288	0	NOT AT ALL CONFIDENT/SURE
32.3	32.2	726	1	SOMEWHAT CONFIDENT/SURE
54.9	54.7	1,236	2	VERY CONFIDENT/SURE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 640-641

EE39_T**KEEP FR USE DRUG/IN PHYSICAL PAIN**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were in pain physically?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.8	10.8	244	0	NOT AT ALL CONFIDENT/SURE
19.8	19.8	446	1	SOMEWHAT CONFIDENT/SURE
69.3	69.1	1,560	2	VERY CONFIDENT/SURE
	0.2	5	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 644-645

EE40**OTHER TIME/TEMPTED TO USE DRUGS**

Are there any other times when you might be tempted to use drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.9	201	1	YES
91.1	90.8	2,051	2	NO
	0.2	5	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 646-647

EE40_B_1	CONFIDENCE WHEN TEMPTED TO USE DRUGS/1ST
-----------------	---

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED - 1ST MENTION)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.2	5.8	131	0	NOT AT ALL CONFIDENT/SURE
29.9	2.7	61	1	SOMEWHAT CONFIDENT/SURE
5.9	0.5	12	2	VERY CONFIDENT/SURE
	90.8	2,050	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 648-649

EE40_B_2	CONFIDENCE WHEN TEMPTED TO USE DRUGS/2ND
-----------------	---

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED - 2ND MENTION)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	1.5	34	0	NOT AT ALL CONFIDENT/SURE
23.5	0.5	12	1	SOMEWHAT CONFIDENT/SURE
9.8	0.2	5	2	VERY CONFIDENT/SURE
	90.8	2,050	-9	LEGITIMATE NONRESPONSE
	7.0	157	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 650-651

EE40_B_3**CONFIDENCE WHEN TEMPTED TO USE DRUGS/3RD**

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED - 3RD MENTION)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.2	0.7	15	0	NOT AT ALL CONFIDENT/SURE
22.7	0.2	5	1	SOMEWHAT CONFIDENT/SURE
9.1	0.1	2	2	VERY CONFIDENT/SURE
	90.8	2,050	-9	LEGITIMATE NONRESPONSE
	8.2	186	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 652-653

EE41_A**HOW SURE/KEEP FR USE DRUG/IN TREATMENT**

Overall, how confident or sure are you of your ability to keep from using drugs while you are in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	58	0	NOT AT ALL CONFIDENT/SURE
11.1	11.0	249	1	SOMEWHAT CONFIDENT/SURE
86.4	86.2	1,946	2	VERY CONFIDENT/SURE
	0.0	1	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 654-655

EE43**CHANCES/QUIT DRUGS/REST OF YOUR LIFE**

What do you think your chances are of a quitting completely for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.1	251	1	VERY POOR
46.3	46.0	1,038	2	FAIR
42.6	42.3	955	3	VERY GOOD
	0.0	1	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	0.4	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 660-661

EE44**TREATMENT HELP/QUIT DRUGS/REST OF LIFE**

How much do you think the treatment you have received here will help you do this? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	12.5	282	0	NOT AT ALL
36.4	36.1	816	1	SOMEWHAT
51.1	50.8	1,146	2	VERY MUCH
	0.0	1	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	4	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 662-663

EE45	HOW DIFFICULT/CUT DOWN/REST OF LIFE
-------------	--

How difficult do you think it would be for you to cut down on drugs for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.7	40.3	911	0	NOT AT ALL
39.0	38.7	874	1	SOMEWHAT
20.3	20.1	454	2	VERY DIFFICULT
	0.1	2	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.2	4	-4	DON'T KNOW
	0.4	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 664-665

EE46	CHANCES ARE OF CUTTING DOWN USE OF DRUG
-------------	--

What do you think your chances are of cutting down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.4	189	1	VERY POOR
35.4	35.1	792	2	FAIR
56.1	55.6	1,255	3	VERY GOOD
	0.4	8	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.5	11	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 666-667

EE47**HOW MUCH/DRUG TREATMENT HELP/CUT DOWN**

How much do you think your treatment here will help you do this? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	13.5	305	0	NOT AT ALL
32.0	31.7	716	1	SOMEWHAT
54.4	53.9	1,216	2	VERY MUCH
	0.4	8	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
	0.4	10	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 668-669

EE48_A**I AM DOING SOMETHING ABOUT MY PROBLEM**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I am doing something about the problems that have been bothering me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.4	77	1	STRONGLY DISAGREE
5.7	5.7	128	2	SOMEWHAT DISAGREE
40.6	40.4	912	3	SOMEWHAT AGREE
50.3	50.1	1,132	4	STRONGLY AGREE
	0.2	5	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 670-671

EE48_B	HAVE DIFFICULT PROBLEM/WORKING ON THEM
---------------	---

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

At times my problems are difficult, but I'm working on them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	60	1	STRONGLY DISAGREE
4.0	3.9	89	2	SOMEWHAT DISAGREE
41.8	41.7	942	3	SOMEWHAT AGREE
51.6	51.5	1,162	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 672-673

EE48_C	BEING HERE/WASTE OF TIME/I AM NOT CAUSE
---------------	--

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Being here is a waste of time because I am not the cause of my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	55.4	1,252	1	STRONGLY DISAGREE
25.9	25.8	583	2	SOMEWHAT DISAGREE
12.3	12.2	276	3	SOMEWHAT AGREE
6.1	6.1	137	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 674-675

EE48_D**I AM WORKING ON MY PROBLEMS**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Even though I'm not always successful in changing, I am at least working on my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	59	1	STRONGLY DISAGREE
4.0	4.0	90	2	SOMEWHAT DISAGREE
42.5	42.3	956	3	SOMEWHAT AGREE
50.9	50.8	1,146	4	STRONGLY AGREE
	0.2	5	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 676-677

EE48_E**STRUGGLE W/PROBLEM/THOUGHT TAKEN CARE**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Sometimes I still find myself struggling with problems that I thought I had taken care of once and for all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.1	10.1	228	1	STRONGLY DISAGREE
10.5	10.5	237	2	SOMEWHAT DISAGREE
46.6	46.5	1,050	3	SOMEWHAT AGREE
32.7	32.6	737	4	STRONGLY AGREE
	0.2	4	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 678-679

EE48_F	WISH HAD IDEAS/HOW TO SOLVE MY PROBLEM
---------------	---

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I wish I had more ideas on how to solve my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	133	1	STRONGLY DISAGREE
8.2	8.2	185	2	SOMEWHAT DISAGREE
40.1	40.0	904	3	SOMEWHAT AGREE
45.8	45.7	1,031	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 680-681

EE48_G	MAY BE THIS PLACE WILL HELP ME
---------------	---------------------------------------

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Maybe this place will be able to help me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.7	152	1	STRONGLY DISAGREE
6.4	6.4	145	2	SOMEWHAT DISAGREE
35.5	35.4	799	3	SOMEWHAT AGREE
51.3	51.2	1,156	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 682-683

EE48_H**DOING SOMETHING ABOUT CHANGING MYSELF**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Anyone can talk about changing, but I'm actually doing something about it.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	49	1	STRONGLY DISAGREE
5.2	5.1	116	2	SOMEWHAT DISAGREE
42.2	42.1	950	3	SOMEWHAT AGREE
50.4	50.3	1,135	4	STRONGLY AGREE
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 684-685

EE48_I**BORING TO TALK ABOUT MY PROBLEMS**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

It's boring to spend time talking about my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.8	31.7	716	1	STRONGLY DISAGREE
26.9	26.8	606	2	SOMEWHAT DISAGREE
27.0	26.9	608	3	SOMEWHAT AGREE
14.3	14.2	321	4	STRONGLY AGREE
	0.2	4	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 686-687

EE48_J	DOES NOT DO GOOD TO THINK ABOUT PROBLEM
---------------	--

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

It doesn't do any good to spend time thinking about my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.7	41.5	936	1	STRONGLY DISAGREE
28.7	28.5	644	2	SOMEWHAT DISAGREE
18.5	18.4	415	3	SOMEWHAT AGREE
11.2	11.2	252	4	STRONGLY AGREE
	0.4	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 688-689

EE48_K	LIVE W/MY FAULTS/THAN TRY TO CHANGE
---------------	--

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I would rather live with my faults the way they are than try to change them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.0	60.8	1,372	1	STRONGLY DISAGREE
23.0	22.9	518	2	SOMEWHAT DISAGREE
10.3	10.2	231	3	SOMEWHAT AGREE
5.8	5.8	130	4	STRONGLY AGREE
	0.2	4	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 690-691

EE48_L

TRY TO CHANGE MY PROBLEM/THEY COME BACK

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

After all I have done to try to change my problems, every now and then they come back to haunt me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.4	14.3	324	1	STRONGLY DISAGREE
15.8	15.8	356	2	SOMEWHAT DISAGREE
48.3	48.2	1,089	3	SOMEWHAT AGREE
21.5	21.4	484	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 692-693

SEXUAL EXPERIENCES

EF1 #DIFFERENT FEMALES W/HAD VAGINAL INTERCOURSE

First, I want to ask you about your sexual experiences with females since your admission to the program. Since your admission, about how many different females have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	1.4	31	0	NEVER HAD VAGINAL SEX WITH A FEMALE
84.0	60.5	1,366	1	NONE
7.9	5.7	129	2	1 FEMALE
5.3	3.8	86	3	2 TO 4 FEMALES
0.5	0.4	8	4	5 TO 9 FEMALES
0.2	0.2	4	5	10 TO 20 FEMALES
0.1	0.1	2	6	21 TO 99 FEMALES
0.0	0.0	0	7	100 OR MORE FEMALES
	24.8	561	-9	LEGITIMATE NONRESPONSE
	3.0	67	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 694-695

EF1_A	USED CONDOM/VAGINAL INTERCOURSE W/FEMALES
--------------	--

Since your admission, about how often have you used a condom or rubber when you have vaginal intercourse with the (female/females)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	1.5	34	1	NEVER
9.5	1.0	22	2	SOMETIMES
11.3	1.2	26	3	USUALLY
64.5	6.6	149	4	EVERY TIME
	86.7	1,957	-9	LEGITIMATE NONRESPONSE
	3.1	69	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 696-697

EF2	#OF DIFFERENT FEMALES W/HAD ANAL INTERCOURSE
------------	---

Since your admission, about how many different females have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	70.6	1,595	1	NONE
1.2	0.8	19	2	1 FEMALE
0.5	0.4	8	3	2 TO 4 FEMALES
0.0	0.0	0	4	5 TO 9 FEMALES
0.1	0.0	1	5	10 TO 20 FEMALES
0.0	0.0	0	6	21 TO 99 FEMALES
0.0	0.0	0	7	100 OR MORE FEMALES
	24.9	562	-9	LEGITIMATE NONRESPONSE
	3.2	73	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 698-699

EF2_A	USED CONDOM/ANAL INTERCOURSE W/FEMALES
--------------	---

Since your admission, about how often have you used a condom or "rubber" when you had anal intercourse with the (female/females)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	0.2	5	1	NEVER
14.8	0.2	4	2	SOMETIMES
14.8	0.2	4	3	USUALLY
51.9	0.6	14	4	EVERY TIME
	95.4	2,155	-9	LEGITIMATE NONRESPONSE
	3.4	76	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 700-701

EF3	INTERCOURSE W/FEMALES/TOOK \$/DRUG FOR SEX
------------	---

To the best of your knowledge, had any female you had (vaginal/anal) intercourse with since your admission ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.1	3	1	YES
98.7	10.4	234	2	NO
	85.6	1,932	-9	LEGITIMATE NONRESPONSE
	3.9	89	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 702-703

EF4	INTERCOURSE W/FEMALE/SHOOT UP DRUG
------------	---

To the best of your knowledge, had any female you had (vaginal/anal) intercourse with since your admission ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	10.5	236	2	NO
	85.6	1,933	-9	LEGITIMATE NONRESPONSE
	3.9	89	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 704-705

EF5	# DIFFERENT MALES W/YOU HAD ANAL INTERCOURSE
------------	---

Now, I want to ask you about your sexual experiences with males since your admission. Since your admission, about how many different males have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.1	61.9	1,397	0	NEVER HAD SEX WITH A MALE
13.9	10.0	225	1	NONE
0.0	0.0	0	2	1 MALE
0.1	0.0	1	3	2 TO 4 MALES
0.0	0.0	0	4	5 TO 9 MALES
0.0	0.0	0	5	10 TO 20 MALES
0.0	0.0	0	6	21 TO 99 MALES
0.0	0.0	0	7	100 OR MORE MALES
	24.9	562	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 706-707

EF5_A	USED CONDOM/ANAL INTERCOURSE W/MALES
--------------	---

Since your admission, about how often have you used a condom or "rubber" when you had anal intercourse with the (male/males)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	NEVER
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	USUALLY
25.0	0.0	1	4	EVERY TIME
	96.6	2,181	-9	LEGITIMATE NONRESPONSE
	3.2	73	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 708-709

EF6	INTERCOURSE W/MALE/TOOK \$/DRUG FOR SEX
------------	--

To the best of your knowledge, had any male you had anal intercourse with since your admission ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	2	2	NO
	96.7	2,183	-9	LEGITIMATE NONRESPONSE
	3.2	73	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 710-711

EF7**HAD INTERCOURSE W/MALE/SHOOT UP DRUG**

To the best of your knowledge, had any male you had anal intercourse with since your admission ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.1	2	2	NO
	96.7	2,183	-9	LEGITIMATE NONRESPONSE
	3.2	73	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 712-713

EF8**ANYONE GAVE MONEY/DRUG/FOR INTERCOURSE**

At any time since your admission, has anyone given you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	YES
99.9	71.2	1,607	2	NO
	24.9	562	-9	LEGITIMATE NONRESPONSE
	3.5	79	-8	MISSING
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 714-715

EF9 ANYONE TESTED+/HAD AIDS

At any time since your admission, have you had intercourse with anyone who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	71.3	1,610	2	NO
	24.9	562	-9	LEGITIMATE NONRESPONSE
	3.4	77	-8	MISSING
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 716-717

EF9_A INTERCOURSE W/#PEOPLE/WHO TEST+/AIDS

During that period, how many people have you had intercourse with who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	1 PERSON
0.0	0.0	0	2	2 TO 4 PEOPLE
0.0	0.0	0	3	5 OR MORE PEOPLE
	96.2	2,172	-9	LEGITIMATE NONRESPONSE
	3.8	86	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 718-719

EF10**# DIFFERENT MALES/YOU HAD VAGINAL INTERCO W/**

I want to ask you about your sexual experiences with males since your admission. In that time, about how many different males have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	0.8	18	0	NEVER HAD VAGINAL INTERCOURSE W/MALE
79.4	18.6	421	1	NONE
13.6	3.2	72	2	1 MALE
3.4	0.8	18	3	2 TO 4 MALES
0.2	0.0	1	4	5 TO 9 MALES
0.0	0.0	0	5	10 TO 20 MALES
0.0	0.0	0	6	21 TO 99 MALES
0.0	0.0	0	7	100 OR MORE MALES
	74.8	1,690	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 720-721

EF10_A**USED CONDOM/VAGINAL INTERCOURSE W/MALES**

Since your admission, about how often did the (male/males) you had intercourse with use a condom or "rubber" while you were having vaginal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.2	1.1	25	1	NEVER
12.0	0.5	11	2	SOMETIMES
9.8	0.4	9	3	USUALLY
51.1	2.1	47	4	EVERY TIME
	94.2	2,128	-9	LEGITIMATE NONRESPONSE
	1.7	38	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 722-723

EF11 # DIFFERENT MALES/YOU HAD ANAL INTERCOURSE W/

Since your admission, about how many different males have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	11.7	265	0	NEVER HAD ANAL SEX WITH A MAN
51.4	12.4	281	1	NONE
0.2	0.0	1	2	1 MALE
0.0	0.0	0	3	2 TO 4 MALES
0.0	0.0	0	4	5 TO 9 MALES
0.0	0.0	0	5	10 TO 20 MALES
0.0	0.0	0	6	21 TO 99 MALES
0.0	0.0	0	7	100 OR MORE MALES
	74.5	1,682	-9	LEGITIMATE NONRESPONSE
	1.2	28	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 724-725

EF11_A USED CONDOM/ANAL INTERCOURSE W/MALES

Since your admission, about how often did the (male/males) you had intercourse with use a condom or "rubber" while you were having anal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	NEVER
50.0	0.0	1	2	SOMETIMES
0.0	0.0	0	3	USUALLY
50.0	0.0	1	4	EVERY TIME
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.3	29	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 726-727

EF12**SEX PARTNER HAD INTERCOURSE W/BOTH SEX**

Since your admission, have you had (vaginal/anal) intercourse with a male who you think has had intercourse with both males and females?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.0	1	1	YES
98.9	4.1	93	2	NO
	94.2	2,127	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 728-729

EF13**MALE SEX PARTNER TOOK MONEY/DRUG FOR SEX**

To the best of your knowledge, had any male you had (vaginal/anal) intercourse with since your admission ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.2	4	1	YES
95.7	3.9	89	2	NO
	94.2	2,128	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 730-731

EF14 ANY MALE GAVE MONEY/DRUGS FOR INTERCOURSE

At any time since your admission, has any male given you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	4.2	94	2	NO
	94.2	2,128	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 732-733

EF15 MALE SEX PARTNER EVER SHOOT UP DRUGS

To the best of your knowledge, has any male you had (vaginal/anal) intercourse with since your admission ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	0.2	5	1	YES
95.1	4.3	98	2	NO
	93.9	2,120	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 734-735

EF16**MALE SEX PARTNER/TESTED +/-HAD AIDS**

At any time since your admission, have you had (vaginal/anal) intercourse with any male who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	4.6	103	2	NO
	93.9	2,120	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 736-737

EF16_A**#MALES TEST+/HAD AIDS/YOU HAD INTERCO W/**

Since your admission, how many males have you had (vaginal/anal) intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	1 MALE
100.0	0.1	2	2	2 TO 4 MALES
0.0	0.0	0	3	5 OR MORE MALES
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 738-739

EF17 SERVICES/ABOUT HIV INFECTION/AIDS

Since your admission, have you received any scheduled services about HIV infection, AIDS, or how to reduce the risk of spreading AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.2	47.1	1,064	1	YES
52.8	52.7	1,189	2	NO
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 740-741

EF17_A_1 SERVICES/ABOUT REDUCE RISK/NEEDLE USE

What types of services or help have you received?

Reduce risk of needle use

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.5	508	1	CIRCLED
	52.7	1,189	-9	LEGITIMATE NONRESPONSE
	24.6	556	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 742-743

EF17_A_2**SERVICES/REDUCE RISK/SEXUAL TRANSMISSION**

What types of services or help have you received?

Reduce risk of sexual transmission

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	26.1	590	2	CIRCLED
	52.7	1,189	-9	LEGITIMATE NONRESPONSE
	21.0	474	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 744-745

EF17_A_3**SERVICES/ABOUT HEALTH CARE OPTION/AIDS**

What types of services or help have you received?

Health care option for AIDS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.8	469	3	CIRCLED
	52.7	1,189	-9	LEGITIMATE NONRESPONSE
	26.4	595	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 746-747

EF17_A_4 SERVICES/KNOWLEDGE/HIV INFECTION/AIDS

What types of services or help have you received?

General knowledge about HIV infection and AIDS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	44.2	997	4	CIRCLED
	52.7	1,189	-9	LEGITIMATE NONRESPONSE
	3.0	67	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 748-749

EF17_B SERVICES/PROGRAM/OTHER PLACE/BOTH

Did you get these services at this program, at some other place, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.0	44.6	1,007	1	AT THIS PROGRAM
3.1	1.5	33	2	SOME OTHER PLACE
1.9	0.9	20	3	BOTH
	52.7	1,189	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 750-751

EF17_C

#MEETINGS/FOR SERVICES

How many times have you met with anyone specifically for
this kind of service at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.5	1.2	26	0	
38.1	17.4	392	1	
28.1	12.8	289	2	
14.4	6.6	148	3	
7.2	3.3	74	4	
3.8	1.7	39	5	
2.3	1.1	24	6	
0.6	0.3	6	7	
0.5	0.2	5	8	
0.1	0.0	1	9	
1.4	0.6	14	10	
0.2	0.1	2	12	
0.1	0.0	1	14	
0.1	0.0	1	15	
0.4	0.2	4	20	
0.1	0.0	1	25	
0.1	0.0	1	30	
	53.9	1,218	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 752-753

EF17D_01	TALKED TO/PRIMARY/REGULAR COUNSELOR
-----------------	--

Who have you seen or talked to for these services?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.1	206	1	CIRCLED
	54.2	1,223	-9	LEGITIMATE NONRESPONSE
	34.5	778	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	2.2	49	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 754-755

EF17D_02	TALKED TO/CASE MANAGER
-----------------	-------------------------------

Who have you seen or talked to for these services?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	9	2	CIRCLED
	54.2	1,223	-9	LEGITIMATE NONRESPONSE
	43.2	975	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	2.2	49	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 756-757

EF17D_14	TALKED TO/OTHER PROGRAM STAFF
-----------------	--------------------------------------

Who have you seen or talked to for these services?

Other program staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.8	244	14	CIRCLED
	54.1	1,221	-9	LEGITIMATE NONRESPONSE
	32.9	742	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	2.2	49	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 758-759

EF17D_23	TALKED TO/NURSE
-----------------	------------------------

Who have you seen or talked to for these services?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.3	324	23	CIRCLED
	54.0	1,219	-9	LEGITIMATE NONRESPONSE
	29.4	664	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	2.2	49	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 760-761

EF17D_24	TALKED TO/PHYSICIAN
-----------------	----------------------------

Who have you seen or talked to for these services?

Physician

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	17	24	CIRCLED
	53.9	1,216	-9	LEGITIMATE NONRESPONSE
	43.1	974	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	2.2	49	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 762-763

EF17D_25	TALKED TO/SCHOOL STAFF
-----------------	-------------------------------

Who have you seen or talked to for these services?

School staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	25	25	CIRCLED
	96.6	2,182	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	2.2	49	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 764-765

EF17D_61	TALKED TO/PUBLIC HEALTH AGENCY
-----------------	---------------------------------------

Who have you seen or talked to for these services?

Public health agency staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	53	61	CIRCLED
	54.0	1,220	-9	LEGITIMATE NONRESPONSE
	41.4	934	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	2.2	49	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 766-767

EF17D_62	TALKED TO/AIDS OUTREACH WORKER
-----------------	---------------------------------------

Who have you seen or talked to for these services?

AIDS outreach worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.5	238	62	CIRCLED
	53.9	1,217	-9	LEGITIMATE NONRESPONSE
	33.3	752	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	2.2	49	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 768-769

EF17D_91	TALKED TO/OTHER
-----------------	------------------------

Who have you seen or talked to for these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.3	74	91	CIRCLED
	53.8	1,214	-9	LEGITIMATE NONRESPONSE
	40.6	916	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	2.3	52	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 770-771

EF17_E	HOW HELPFUL WAS SERVICE
---------------	--------------------------------

How helpful was this service? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	5.2	118	0	NOT AT ALL
44.9	21.1	476	1	SOMEWHAT
44.0	20.7	467	2	VERY HELPFUL
	52.7	1,189	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 772-773

EF18**BLOOD TEST FOR AIDS VIRUS**

Have you ever had a blood test for HIV infection (the AIDS virus)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	43.5	983	1	YES
55.6	54.4	1,229	2	NO
	0.9	21	-8	MISSING
	0.0	1	-7	REFUSAL
	1.1	24	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 774-775

EG3	YOUR HEALTH/COMPARE TO AT ADMISSION
------------	--

Would you say your health now is [READ CHOICES] than it was at admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.3	15.3	345	1	MUCH BETTER
40.5	40.4	913	2	BETTER
40.4	40.3	910	3	THE SAME
3.5	3.5	80	4	WORSE
0.3	0.3	7	5	MUCH WORSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 780-781

EG4	ARE YOU PREGNANT
------------	-------------------------

Are you pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.3	6	1	YES
98.9	24.2	547	2	NO
	74.8	1,689	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
	0.4	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 782-783

EG4_A	PREGNANCY HAS BEEN VERIFIED
--------------	------------------------------------

Has this been verified?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	1	YES
0.0	0.0	0	2	NO
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 784-785

EG4_B_1	PREGNANCY VERIFIED BY/DOCTOR
----------------	-------------------------------------

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Doctor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 786-787

EG4_B_2**PREGNANCY VERIFIED BY/PREGNANCY TEST**

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Pregnancy test at a hospital, clinic, or doctor's office

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	2	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.7	15	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 788-789

EG4_B_3**PREGNANCY VERIFIED/HOME PREGNANCY TEST**

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Home pregnancy test

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.8	17	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 790-791

EG4_B_4	PREGNANCY VERIFIED BY/OTHER
----------------	------------------------------------

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.8	17	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 792-793

EG4_C	# OF MONTHS PREGNANT
--------------	-----------------------------

How many months pregnant are you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	4	3	1-3 MOS
16.7	0.0	1	6	3-6 MOS
16.7	0.0	1	9	7-9 MOS
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 794-795

EG4_D**PHYSICAL DISCOMFORT DURING PREGNANCY**

During your pregnancy, would you say that your physical or bodily discomfort has been . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
16.7	0.0	1	1	VERY MILD
33.3	0.1	2	2	MILD
33.3	0.1	2	3	MODERATE
16.7	0.0	1	4	SEVERE
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 796-797

EG4_E**PREGNANCY AFFECT/ENTER DRUG TREATMENT**

Did being pregnant affect your decision to enter drug treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	1	YES
83.3	0.2	5	2	NO
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 798-799

EG4F_1	PREGNANCY/AFFECT OF DRUGS ON BABY
---------------	--

What about being pregnant affected your decision to enter drug treatment?

Concerned about effect of drugs on baby

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 800-801

EG4F_2	PREGNANCY/CONCERN ABOUT OWN HEALTH
---------------	---

What about being pregnant affected your decision to enter drug treatment?

Concerned about own health

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 802-803

EG4F_3**PREGNANCY/COST OF DRUGS**

What about being pregnant affected your decision to enter drug treatment?

Cost of drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 804-805

EG4F_4**PREGNANCY/PRESSURE FROM OTHERS**

What about being pregnant affected your decision to enter drug treatment?

Pressure from others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 806-807

EG4F_5	PREGNANCY/AFFECT CHILD CUSTODY
---------------	---------------------------------------

What about being pregnant affected your decision to enter drug treatment?

Afraid would lose custody of baby

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 808-809

EG4F_6	PREGNANCY/OTHER
---------------	------------------------

What about being pregnant affected your decision to enter drug treatment?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 810-811

EG4G**#TIMES SAW DOCTOR ABOUT PREGNANCY**

Since you became pregnant (this time), how many times have you seen a doctor or other health professional about your pregnancy or problems with your pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	1	
33.3	0.1	2	2	
16.7	0.0	1	3	
16.7	0.0	1	6	
16.7	0.0	1	14	
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 812-813

EG5_A**LIMIT VIGOROUS ACTIVITY**

Since your admission, has your health limited the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	10.6	239	1	YES
89.3	88.6	2,000	2	NO
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 814-815

EG5_B	LIMIT MODERATE ACTIVITY
--------------	--------------------------------

Since your admission, has your health limited the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing housework?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.8	64	1	YES
97.1	96.2	2,173	2	NO
	0.9	21	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 816-817

EG5_C	LIMIT WALK UP HILL/CLIMB STAIRS
--------------	--

Since your admission, has your health limited your ability to walk uphill or to climb a few flights of stairs ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	3.7	84	1	YES
96.2	95.4	2,154	2	NO
	0.9	20	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 818-819

EG5_D**PREVENT YOU FROM BENDING/LIFTING**

Since your admission, has your health prevented you from bending, lifting, or stooping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.5	57	1	YES
97.4	96.4	2,177	2	NO
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 820-821

EG5_E**LIMIT YOU TO WALK 1 BLOCK**

Since your admission, has your health limited your ability to walk 1 block?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	23	1	YES
99.0	97.7	2,207	2	NO
	1.2	27	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 822-823

EG5_F**LIMIT YOU TO EAT/DRESS**

Since your admission, has your health limited your ability to eat, dress, or bathe, or use the toilet?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	15	1	YES
99.3	97.9	2,211	2	NO
	1.4	32	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 824-825

EG7 HEALTH KEPT YOU FROM WORK/SCHOOL

Since your admission, have there been any days that your health kept you from working at a job, working around the house, or going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.5	260	1	YES
88.5	88.4	1,995	2	NO
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 826-827

EG7_A #DAYS/HEALTH KEPT YOU FROM WORK/SCHOOL

Since your admission, how many days has your health kept you from working at a job, working around the house, or going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.1	3	0	
39.1	4.5	102	1	
21.1	2.4	55	2	
15.3	1.8	40	3	
5.7	0.7	15	4	
4.2	0.5	11	5	
0.8	0.1	2	6	
5.7	0.7	15	7	
0.8	0.1	2	8	
2.3	0.3	6	10	
0.4	0.0	1	13	
2.3	0.3	6	14	
0.4	0.0	1	15	
0.4	0.0	1	21	
0.4	0.0	1	60	
	88.3	1,993	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 828-829

EG8**STAY OVERNIGHT IN HOSPITAL/HEALTH PROBLEM**

Since your admission, have you stayed overnight or longer in a hospital for a physical health problem (including pregnancy) not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	15	1	YES
99.3	99.2	2,240	2	NO
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 830-831

EG9**#HOSPITALIZATION/PHYSICAL HEALTH PROBLEM/NOT DRUG**

Since your admission, how many of your hospitalizations have been for physical health problems not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	0.1	3	0	
70.6	0.5	12	1	
5.9	0.0	1	3	
5.9	0.0	1	5	
	99.2	2,239	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 832-833

EG10 #DAY HOSPITAL FOR PHYSICAL HEALTH PROBLEM/NOT DRUG

Since your admission, how many of the days you were hospitalized have been for a physical health problem not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	1.2	28	0	
8.1	0.1	3	1	
8.1	0.1	3	3	
2.7	0.0	1	5	
2.7	0.0	1	7	
2.7	0.0	1	9	
	98.3	2,219	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 834-835

EG11**#DAY/INJURY/ILLNESS KEPT YOU IN BED FOR ALL DAY**

Since your admission, how many days has an injury or physical illness kept you in bed for most or all of the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.0	85.6	1,933	0	
6.7	6.7	151	1	
3.3	3.3	75	2	
1.6	1.6	37	3	
0.6	0.6	13	4	
0.5	0.5	11	5	
0.2	0.2	4	6	
0.5	0.5	11	7	
0.1	0.1	3	8	
0.1	0.1	3	10	
0.0	0.0	1	13	
0.2	0.2	4	14	
0.0	0.0	1	15	
0.0	0.0	1	21	
	0.4	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 836-837

EG12**DISABILITY PAYMENT/PHYS HEALTH PROBLEM**

Since your admission, have you been receiving disability payments or benefits for a physical health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	10	1	YES
99.6	98.9	2,233	2	NO
	0.6	13	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 838-839

EG12A_1	TYPE OF PENSION/SSDI
----------------	-----------------------------

What kind of a payment or benefit was that?

SSDI (Social Security Disability Income)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 840-841

EG12A_2	TYPE OF PENSION/SSI
----------------	----------------------------

What kind of a payment or benefit was that?

SSI (Supplemental Security Income)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	2	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	0.7	16	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 842-843

EG12A_3	TYPE OF PENSION/WORKER'S COMP
----------------	--------------------------------------

What kind of a payment or benefit was that?

Worker's Comp

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 844-845

EG12A_4	TYPE OF PENSION/OTHER
----------------	------------------------------

What kind of a payment or benefit was that?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 846-847

EG12B_1 **1ST TYPE OF DISABILITY - RECODED**

For what condition have you been receiving this disability payment or benefit? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
10.0	0.0	1	1	SUBSTANCE-RELATED CONDITIONS
50.0	0.2	5	2	MENTAL HEALTH CONDITIONS
40.0	0.2	4	3	ALL OTHER CONDITIONS
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 848-849

EG12B_2 **1ST TYPE OF DISABILITY - RECODED**

For what condition have you been receiving this disability payment or benefit? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
0.0	0.0	0	1	SUBSTANCE-RELATED CONDITIONS
0.0	0.0	0	2	MENTAL HEALTH CONDITIONS
100.0	0.1	2	3	ALL OTHER CONDITIONS
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 850-851

EG12B_3	1ST TYPE OF DISABILITY - RECODED
----------------	---

For what condition have you been receiving this disability payment or benefit? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
0.0	0.0	0	1	SUBSTANCE-RELATED CONDITIONS
0.0	0.0	0	2	MENTAL HEALTH CONDITIONS
0.0	0.0	0	3	ALL OTHER CONDITIONS
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 852-853

EG13	HOW TROUBLED BY MEDICAL PROBLEM
-------------	--

Overall, how troubled or bothered were you by medical problems since your admission? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.2	81.1	1,831	0	NOT AT ALL
16.5	16.4	371	1	SOMEWHAT
2.4	2.3	53	2	VERY MUCH
	0.1	2	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 854-855

EG14 HOW IMPORTANT TREATMENT NOW FOR MEDICATION PROBLEM

How important to you now is treatment or counseling for medical problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.9	66.8	1,509	0	NOT AT ALL
14.4	14.4	325	1	SOMEWHAT
18.7	18.6	421	2	VERY IMPORTANT
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 856-857

EG15 HAD PHYSICAL PROBLEM BECAUSE OF DRUG/ALCOHOL USE

Since your admission, have you had any physical health problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.1	71	1	YES
96.9	96.7	2,184	2	NO
	0.1	2	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 858-859

EG15_A

HOW SERIOUS PROBLEMS DUE DRUG/ALCOHOL USE

How serious were these problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.3	0.4	8	1	NOT AT ALL
74.6	2.3	53	2	SOMEWHAT
14.1	0.4	10	3	VERY SERIOUS
	96.7	2,184	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 860-861

EH1_A	#DAYS/SPENT IN DETENTION/JAIL/PRISON
--------------	---

Since your admission, how much time have you spent in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	0.6	14	0	
12.2	0.2	5	1	
7.3	0.1	3	2	
2.4	0.0	1	3	
2.4	0.0	1	4	
4.9	0.1	2	5	
2.4	0.0	1	6	
4.9	0.1	2	7	
4.9	0.1	2	8	
2.4	0.0	1	10	
2.4	0.0	1	14	
2.4	0.0	1	21	
2.4	0.0	1	24	
2.4	0.0	1	25	
7.3	0.1	3	28	
2.4	0.0	1	30	
2.4	0.0	1	49	
	98.1	2,214	-9	LEGITIMATE NONRESPONSE
	0.0	1	-8	MISSING
	0.1	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 864-865

EH2_A	ARRESTED/USE OF MARIJUANA/NARCOTICS
--------------	--

Since your admission, have you been arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	9	1	YES
99.6	99.4	2,244	2	NO
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 866-867

EH3_A	#ARRESTS/USE OF MARIJUANA/NARCOTICS
--------------	--

Since your admission, how many times have you been arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	2	0	
80.0	0.4	8	1	
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 868-869

EH2_B	ARRESTED FOR/SALE/MANUFACTURE OF DRUGS
--------------	---

Since your admission, have you been arrested or sent to juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	1	YES
99.9	99.6	2,250	2	NO
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 870-871

EH3_B**#ARRESTS/SALE/MANUFACTURE OF DRUGS**

Since your admission, how many times have you been arrested or sent to juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 872-873

EH2_C**ARRESTED FOR/FORGERY/FRAUD**

Since your admission, have you been arrested or sent to juvenile court for forgery, fraud, embezzlement (including till- tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	3	1	YES
99.9	99.5	2,247	2	NO
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 874-875

EH3_C	#ARRESTS/FORGERY/FRAUD
--------------	-------------------------------

Since your admission, how many times have you been arrested or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 876-877

EH2_D	ARRESTED FOR/BURGLARY/BREAKING
--------------	---------------------------------------

Since your admission, have you been arrested or sent to juvenile court for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	13	1	YES
99.4	99.1	2,238	2	NO
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 878-879

EH3_D	#ARRESTS/BURGLARY/BREAKING
--------------	-----------------------------------

Since your admission, how many times have you been arrested or sent to juvenile court for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.0	1	0	
61.5	0.4	8	1	
15.4	0.1	2	2	
7.7	0.0	1	3	
7.7	0.0	1	4	
	99.1	2,238	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 880-881

EH2_E	ARRESTED FOR/LARCENY-THEFT
--------------	-----------------------------------

Since your admission, have you been arrested or sent to juvenile court for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	12	1	YES
99.5	99.2	2,239	2	NO
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 882-883

EH3_E	#ARRESTS/LARCENY-THEFT
--------------	-------------------------------

Since your admission, how many times have you been arrested or sent to juvenile court for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.0	1	0	
75.0	0.4	9	1	
8.3	0.0	1	2	
8.3	0.0	1	3	
	99.2	2,239	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 884-885

EH2_F	ARRESTED FOR/PIMPING/PROSTITUTION
--------------	--

Since your admission, have you been arrested or sent to juvenile court for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	99.7	2,251	2	NO
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 886-887

EH3_F**#ARRESTS/PIMPING/PROSTITUTION**

Since your admission, how many times have you been arrested or sent to juvenile court for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING

 100.0 100.0 2,258 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 888-889

EH2_G**ARRESTED FOR/ROBBERY-BANK/MUGGING**

Since your admission, have you been arrested or sent to juvenile court for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	YES
99.8	99.5	2,247	2	NO
	0.3	7	-8	MISSING

 100.0 100.0 2,258 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 890-891

EH3_G	#ARRESTS/ROBBERY-BANK/MUGGING
--------------	--------------------------------------

Since your admission, how many times have you been arrested or sent to juvenile court for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 892-893

EH2_H**ARRESTED FOR/ATTACKS ON PERSONS/KIDNAP**

Since your admission, have you been arrested or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	8	1	YES
99.6	99.3	2,243	2	NO
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 894-895

EH3_H**#ARRESTS/ATTACKS ON PERSONS/KIDNAPPING**

Since your admission, how many times have you been arrested or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.3	6	1	
25.0	0.1	2	2	
	99.3	2,243	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 896-897

EH2_I	ARRESTED FOR/OTHER OFFENCE/SIMPLE ASSAULT
--------------	--

Since your admission, have you been arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	9	1	YES
99.6	99.3	2,242	2	NO
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 898-899

EH3_I	#ARRESTS/OTHER OFFENCES/SIMPLE ASSAULT
--------------	---

Since your admission, how many times have you been arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	1	
	99.3	2,242	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 900-901

EH2_J**ARRESTED FOR/DRIVING UNDER INFLUENCE**

Since your admission, have you been arrested or sent to juvenile court for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	1	1	YES
100.0	99.6	2,250	2	NO
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 902-903

EH3_J**#ARRESTS/DRIVING UNDER THE INFLUENCE**

Since your admission, how many times have you been arrested or sent to juvenile court for driving under the influence or driving while intoxicated.?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 904-905

EH2_K	ARRESTED FOR/STATUS OFFENSES
--------------	-------------------------------------

Since your admission, have you been arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	8	1	YES
99.6	99.2	2,241	2	NO
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 906-907

EH3_K	#ARRESTS/STATUS OFFENSES
--------------	---------------------------------

Since your admission, how many times have you been arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.5	0.2	5	1	
12.5	0.0	1	2	
12.5	0.0	1	3	
12.5	0.0	1	4	
	99.2	2,241	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 908-909

EH2_L**ARRESTED FOR/OTHER OFFENCES/GAMBLING**

Since your admission, have you been arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	25	1	YES
98.9	95.8	2,163	2	NO
	3.0	68	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 910-911

EH3_L**#ARRESTS/OTHER OFFENCES/GAMBLING**

Since your admission, how many times have you been arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	0.9	21	1	
4.3	0.0	1	2	
4.3	0.0	1	3	
	95.8	2,163	-9	LEGITIMATE NONRESPONSE
	3.2	72	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 912-913

EH4 #TIMES YOU BEEN CONVICTED

Since your admission, how many of your arrests and charges resulted in convictions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	95.7	2,162	0	
1.1	1.1	25	1	
0.1	0.1	2	2	
0.1	0.1	2	6	
	3.0	67	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 914-915

EH5 HOW OFTEN/INVOLVED IN ILLEGAL ACTIVITY

How often since your admission have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.4	98.1	2,215	0	NEVER
1.0	1.0	22	1	1 OR 2 TIMES
0.4	0.4	9	2	3 TO 5 TIMES
0.0	0.0	1	3	6 TO 10 TIMES
0.2	0.2	4	4	11 TO 49 TIMES
0.0	0.0	1	5	50 OR MORE TIMES
	0.2	4	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 916-917

EH6	HAD POLICE/LEGAL PROBLEMS DUE DRUGS/ALCOHOL
------------	--

Since your admission, have you had any police or legal problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	26	1	YES
98.8	98.6	2,227	2	NO
	0.2	4	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 918-919

EH6_A	HOW SERIOUS/LEGAL PROBLEM/USING DRUGS
--------------	--

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	0.5	11	1	NOT AT ALL SERIOUS
43.2	0.7	16	2	SOMEWHAT SERIOUS
27.0	0.4	10	3	VERY SERIOUS
	98.1	2,216	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 920-921

EH8_A	DO YOU NEED LEGAL SERVICES
--------------	-----------------------------------

Do you need legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	3.1	69	1	YES
95.7	67.5	1,525	2	NO
	29.0	654	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 926-927

EH9	IMPORTANCE/COUNSELING FOR LEGAL PROBLEM
------------	--

How important to you now is counseling or referral for legal problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.1	67.8	1,532	0	NOT AT ALL
17.2	17.1	386	1	SOMEWHAT
14.8	14.7	332	2	VERY TROUBLED
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 928-929

JDATE_M	MONTH/INTERVIEW DATE
----------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.1	23.8	538	1	JAN. - MARCH
25.3	25.1	566	2	APR. - JUNE
24.0	23.8	537	3	JULY - SEPT.
26.5	26.3	593	4	OCT. - DEC.
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3261-3262

JDATE_Y	YEAR/INTERVIEW DATE			
----------------	----------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	11	93	
42.2	41.8	943	94	
54.4	53.8	1,214	95	
2.9	2.9	65	96	
	1.1	24	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3263-3264

EIA1_1	INVOLVED IN AGGRAVATED ASSAULT			
---------------	---------------------------------------	--	--	--

Since your admission, have you been involved in this activity?

Aggravated assault

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	58	1	YES
97.4	95.5	2,157	2	NO
	1.6	35	-8	MISSING
	0.3	7	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3265-3266

EIA1_2	# OF DAYS HAVE DONE AGGRAVATED ASSAULT
---------------	---

Since your admission, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.0	1	0	
44.0	1.0	22	1	
26.0	0.6	13	2	
6.0	0.1	3	3	
4.0	0.1	2	4	
6.0	0.1	3	5	
4.0	0.1	2	10	
4.0	0.1	2	15	
2.0	0.0	1	20	
2.0	0.0	1	50	
	95.5	2,157	-9	LEGITIMATE NONRESPONSE
	1.8	41	-8	MISSING
	0.3	7	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3267-3268

EIA2_1	INVOLVED IN BURGLARY
---------------	-----------------------------

Since your admission, have you been involved in this activity?

Burglary

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	28	1	YES
98.7	96.9	2,187	2	NO
	1.6	36	-8	MISSING
	0.3	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3269-3270

EIA2_2	# OF DAYS HAVE DONE BURGLARY
---------------	-------------------------------------

Since your admission, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	0.0	1	0	
50.0	0.4	10	1	
15.0	0.1	3	2	
5.0	0.0	1	4	
5.0	0.0	1	5	
5.0	0.0	1	7	
10.0	0.1	2	10	
5.0	0.0	1	20	
	96.8	2,185	-9	LEGITIMATE NONRESPONSE
	1.9	42	-8	MISSING
	0.3	7	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3271-3272

EIA3_1	INVOLVED IN THEFT
---------------	--------------------------

Since your admission, have you been involved in this activity?

Theft

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	4.7	107	1	YES
95.2	93.3	2,107	2	NO
	1.6	37	-8	MISSING
	0.3	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3273-3274

EIA3_2	#OF DAYS HAVE DONE THEFT
---------------	---------------------------------

Since your admission, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.0	1	0	
31.2	1.1	24	1	
23.4	0.8	18	2	
14.3	0.5	11	3	
16.9	0.6	13	4	
3.9	0.1	3	5	
1.3	0.0	1	8	
2.6	0.1	2	10	
2.6	0.1	2	20	
1.3	0.0	1	30	
1.3	0.0	1	50	
	93.3	2,107	-9	LEGITIMATE NONRESPONSE
	2.4	54	-8	MISSING
	0.3	7	-7	REFUSAL
	0.3	7	-5	BAD DATA
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3275-3276

EIA4_1	INVOLVED IN ROBBERY
---------------	----------------------------

Since your admission, have you been involved in this activity?

Robbery

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	24	1	YES
98.9	96.9	2,188	2	NO
	1.7	39	-8	MISSING
	0.3	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3277-3278

EIA4_2	# OF DAYS HAVE DONE ROBBERY
---------------	------------------------------------

Since your admission, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.0	1	0	
31.2	0.2	5	1	
18.8	0.1	3	2	
6.2	0.0	1	3	
6.2	0.0	1	4	
6.2	0.0	1	5	
6.2	0.0	1	8	
6.2	0.0	1	10	
12.5	0.1	2	20	
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	2.0	45	-8	MISSING
	0.3	7	-7	REFUSAL
	0.1	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3279-3280

EIA5_1	INVOLVED IN FORGERY
---------------	----------------------------

Since your admission, have you been involved in this activity?

Forgery / embezzlement

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	24	1	YES
98.9	96.8	2,185	2	NO
	1.8	41	-8	MISSING
	0.3	7	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3281-3282

EIA5_2	# OF DAYS HAVE DONE FORGERY
---------------	------------------------------------

Since your admission, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	0.4	8	1	
11.1	0.1	2	2	
11.1	0.1	2	3	
5.6	0.0	1	6	
5.6	0.0	1	7	
5.6	0.0	1	8	
5.6	0.0	1	9	
5.6	0.0	1	10	
5.6	0.0	1	20	
	96.8	2,185	-9	LEGITIMATE NONRESPONSE
	2.0	45	-8	MISSING
	0.3	7	-7	REFUSAL
	0.1	2	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3283-3284

EIA6_1	INVOLVED DEALING IN STOLEN PROPERTY
---------------	--

Since your admission, have you been involved in this activity?

Dealing in stolen property / fencing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.5	57	1	YES
97.4	95.6	2,158	2	NO
	1.6	36	-8	MISSING
	0.3	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3285-3286

EIA6_2	# OF DAYS HAVE DEALT WITH STOLEN PROPERTY
---------------	--

Since your admission, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	0.5	11	1	
25.0	0.4	9	2	
8.3	0.1	3	3	
11.1	0.2	4	4	
2.8	0.0	1	5	
2.8	0.0	1	8	
5.6	0.1	2	10	
2.8	0.0	1	12	
2.8	0.0	1	13	
2.8	0.0	1	15	
5.6	0.1	2	20	
	95.5	2,157	-9	LEGITIMATE NONRESPONSE
	2.0	46	-8	MISSING
	0.4	8	-7	REFUSAL
	0.4	10	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3287-3288

EIA7_1	EVER INVOLVED IN GAMBLING
---------------	----------------------------------

Since your admission, have you been involved in this activity?

Gambling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.1	161	1	YES
92.7	91.1	2,057	2	NO
	1.5	33	-8	MISSING
	0.3	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3289-3290

EIA7_2	# OF DAYS HAVE GAMBLED
---------------	-------------------------------

Since your admission, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.0	1.2	26	1	
15.0	0.8	17	2	
8.8	0.4	10	3	
12.4	0.6	14	4	
11.5	0.6	13	5	
1.8	0.1	2	6	
5.3	0.3	6	7	
0.9	0.0	1	8	
0.9	0.0	1	9	
4.4	0.2	5	10	
0.9	0.0	1	11	
2.7	0.1	3	12	
0.9	0.0	1	13	
0.9	0.0	1	14	
0.9	0.0	1	18	
5.3	0.3	6	20	
1.8	0.1	2	30	
0.9	0.0	1	40	
0.9	0.0	1	50	
0.9	0.0	1	999	999 OR MORE
	91.1	2,057	-9	LEGITIMATE NONRESPONSE
	2.9	65	-8	MISSING
	0.4	9	-7	REFUSAL
	0.4	10	-5	BAD DATA
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3291-3293

EIA8_1	INVOLVED IN PIMPING/PROSTITUTION
---------------	---

Since your admission, have you been involved in this activity?

Pimping / prostitution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	9	1	YES
99.6	97.6	2,203	2	NO
	1.7	39	-8	MISSING
	0.3	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3294-3295

EIA8_2	# OF DAYS HAVE DONE PIMPING/PROSTITUTION
---------------	---

Since your admission, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.1	2	2	
14.3	0.0	1	3	
14.3	0.0	1	6	
28.6	0.1	2	20	
14.3	0.0	1	24	
	97.5	2,202	-9	LEGITIMATE NONRESPONSE
	1.8	40	-8	MISSING
	0.4	8	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3296-3297

EIA9_1**INVOLVED IN SELLING ILLEGAL DRUGS**

Since your admission, have you been involved in this activity?

Selling illegal drugs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.3	3.2	72	1	YES
96.7	94.9	2,142	2	NO
	1.6	37	-8	MISSING
	0.3	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3298-3299

EIA9_2**# OF DAYS HAVE SOLD ILLEGAL DRUGS**

Since your admission, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.1	3	0	
26.7	0.5	12	1	
11.1	0.2	5	2	
2.2	0.0	1	3	
13.3	0.3	6	5	
6.7	0.1	3	7	
8.9	0.2	4	10	
2.2	0.0	1	12	
4.4	0.1	2	15	
6.7	0.1	3	20	
2.2	0.0	1	40	
2.2	0.0	1	50	
4.4	0.1	2	100	
2.2	0.0	1	999	999 OR MORE
	94.8	2,141	-9	LEGITIMATE NONRESPONSE
	2.3	51	-8	MISSING
	0.4	8	-7	REFUSAL
	0.4	10	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3300-3302

EIA10_1	INVOLVED IN DRIVING WHILE INTOXICATED
----------------	--

Since your admission, have you been involved in this activity?

Driving while intoxicated

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	29	1	YES
98.7	96.8	2,186	2	NO
	1.6	36	-8	MISSING
	0.3	7	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3303-3304

EIA10_2	#DAYS DRIVEN WHILE INTOXICATED
----------------	---------------------------------------

Since your admission, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	2	0	
38.9	0.3	7	1	
16.7	0.1	3	2	
11.1	0.1	2	3	
11.1	0.1	2	5	
5.6	0.0	1	8	
5.6	0.0	1	20	
	96.8	2,186	-9	LEGITIMATE NONRESPONSE
	2.0	45	-8	MISSING
	0.3	7	-7	REFUSAL
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3305-3306

EMPLOYMENT / SUPPORT STATUS

EJ1

WHAT YOU DID MOST TIME LAST WEEK

Now, I'd like to ask some questions regarding your employment status and history. I will ask several questions regarding legitimate jobs. By "legitimate jobs," I mean jobs for pay that do not involve illegal activities. They do include part-time jobs, working for yourself, and jobs paid off the books or under the table. What were you doing most of the time last week? Were you working, looking for work, keeping house, going to school, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	37	1	WORKING LEGITIMATE JOB/YOURSELF
0.2	0.2	4	2	HAD A JOB BUT WAS NOT WORKING
0.6	0.6	13	3	LOOKING FOR WORK
0.2	0.2	4	4	HOMEMAKER
14.9	14.9	336	5	GOING TO SCHOOL/TRAINING PROG
0.1	0.1	2	6	UNABLE TO WORK, DISABLE
0.0	0.0	0	7	RETIRED
79.1	78.8	1,779	8	IN JAIL/RESI TREAT PROG/OTHER INSTI
0.2	0.2	5	9	INVOLVED IN DRUG RELATED ACTIVITY
0.0	0.0	1	10	INVOLVED IN OTHER ILLEGAL ACTIVITY
1.2	1.2	27	11	NOT WORKING/NOT INTEREST WORKING
1.9	1.9	42	12	OTHER
	0.1	2	-8	MISSING
	0.3	6	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 930-931

EJ2 **WORKED FOR PAY/NO ILLEGAL ACTIVITIES**

Did you work for pay at all that week at any job or task that did not involve illegal activities (including working for yourself)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.6	37	1	YES
98.3	96.7	2,183	2	NO
	1.6	36	-9	LEGITIMATE NONRESPONSE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 932-933

EJ2_A **DID YOU EARN ANY MONEY LEGALLY**

In that week, did you earn any money legally3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.8	95.3	2,151	1	DID NOT EARN MONEY LEGALLY
1.2	1.2	26	2	DID EARN MONEY LEGALLY
	3.0	68	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 934-935

EJ2_B**LOST/TOOK OFF TIME FOR ANY REASON**

Did you lose any time or take any time off for any reason that week such as for an illness, a vacation, or slack work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.3	7	1	YES
93.3	4.3	98	2	NO
	94.8	2,141	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 936-937

EJ2_C**#HOURS MISSED AT WORK**

How many hours did you miss?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.1	2	0	
22.2	0.1	2	2	
11.1	0.0	1	3	
11.1	0.0	1	5	
11.1	0.0	1	6	
11.1	0.0	1	8	
11.1	0.0	1	20	
	99.1	2,237	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 938-939

EJ2_D	#HOURS WORKED FOR PAY/NO ILLEGAL ACTIVITY
--------------	--

During that week, how many hours did you actually work for pay at jobs or tasks that did not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	1.6	35	0	
1.0	0.0	1	1	
1.0	0.0	1	2	
1.0	0.0	1	3	
1.9	0.1	2	5	
1.0	0.0	1	6	
1.0	0.0	1	7	
3.8	0.2	4	8	
1.9	0.1	2	10	
4.8	0.2	5	12	
1.0	0.0	1	13	
1.0	0.0	1	14	
3.8	0.2	4	15	
2.9	0.1	3	16	
1.0	0.0	1	18	
1.9	0.1	2	19	
13.3	0.6	14	20	
2.9	0.1	3	23	
2.9	0.1	3	24	
1.0	0.0	1	25	
1.0	0.0	1	26	
1.0	0.0	1	27	
1.9	0.1	2	28	
1.0	0.0	1	30	
1.9	0.1	2	32	
1.9	0.1	2	35	
1.0	0.0	1	36	
4.8	0.2	5	40	
1.0	0.0	1	42	
1.0	0.0	1	45	
1.0	0.0	1	46	
1.0	0.0	1	60	
	94.8	2,140	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 940-941

EJ2_E**REASON WORKED LESS THAN 35 HOURS A WEEK**

What is the main reason that you worked less than 35 hours or lost or took time from work during that week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.0	1	1	SLACK WORK, LAYOFFS, STRIKE
2.1	0.1	2	2	SEASONAL WORKER
0.0	0.0	0	3	JOB TERMINATED
1.1	0.0	1	4	NEW JOB STARTED DURING WEEK
9.5	0.4	9	5	COULD ONLY FINE PART-TIME WORK
0.0	0.0	0	6	DRUG OR ALCOHOL PROBLEM
0.0	0.0	0	7	ILLNESS
0.0	0.0	0	8	VACATION
27.4	1.2	26	9	BUSY WITH OTHER ACTIVITIES
5.3	0.2	5	10	DID NOT WANT/NEED FULL-TIME WORK
8.4	0.4	8	11	WORKWEEK USUALLY UNDER 35 HOURS
0.0	0.0	0	12	UNABLE TO WORK
0.0	0.0	0	13	RETIRED
34.7	1.5	33	14	IN JAIL, RESIDENTIAL TREATMENT PROGRAM
0.0	0.0	0	15	INVOLVED IN ILLEGAL ACTIVITIES
10.5	0.4	10	16	OTHERS
	95.0	2,145	-9	LEGITIMATE NONRESPONSE
	0.8	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 942-943

EJ2_F**REASON 35/>/PAID JOB/NO ILLEGAL ACTIVITY**

Prior to that week, did you usually work 35 hours or more a week at a paid job that did not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.5	57	1	YES
97.4	95.6	2,159	2	NO
	0.5	12	-9	LEGITIMATE NONRESPONSE
	1.3	30	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 944-945

EJ2_G	REASON WORKED LESS THAN 35 HOURS A WEEK
--------------	--

Why did you usually work less than 35 hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	4	1	SLACK WORK, LAYOFFS, STRIKE
0.0	0.0	1	2	SEASONAL WORKER
0.0	0.0	0	3	JOB TERMINATED
0.0	0.0	0	4	NEW JOB STARTED DURING WEEK
1.5	1.4	31	5	COULD ONLY FINE PART-TIME WORK
1.5	1.4	32	6	DRUG OR ALCOHOL PROBLEM
0.0	0.0	0	7	ILLNESS
0.0	0.0	0	8	VACATION
26.8	25.1	566	9	BUSY WITH OTHER ACTIVITIES
3.7	3.5	78	10	DID NOT WANT/NEED FULL-TIME WORK
0.6	0.5	12	11	WORKWEEK USUALLY UNDER 35 HOURS
0.1	0.1	2	12	UNABLE TO WORK
0.0	0.0	0	13	RETIRED
59.3	55.5	1,253	14	IN JAIL, RESIDENTIAL TREATMENT PROGRAM
0.7	0.7	15	15	INVOLVED IN ILLEGAL ACTIVITIES
5.7	5.3	120	16	OTHERS
	2.9	65	-9	LEGITIMATE NONRESPONSE
	2.3	52	-8	MISSING
	1.2	27	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 946-947

EJ3	DID YOU LOOK FOR WORK
------------	------------------------------

Did you (look for work/look for a different job) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.9	4.9	111	1	YES
95.1	94.9	2,143	2	NO
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 948-949

EJ3_A_1	TO FIND WORK/NO METHODS USED
----------------	-------------------------------------

What did you do since your admission to find work?

No methods used

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	94.9	2,143	-9	LEGITIMATE NONRESPONSE
	5.1	115	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 950-951

EJ3_A_2	TO FIND WORK/PUBLIC EMPLOYMENT AGENCY
----------------	--

What did you do since your admission to find work?

Public employment agency

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	2	CIRCLED
	94.9	2,143	-9	LEGITIMATE NONRESPONSE
	4.9	111	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 952-953

EJ3_A_3	TO FIND WORK/PRIVATE EMPLOY AGENCY
----------------	---

What did you do since your admission to find work?

Private employment agency

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	94.9	2,143	-9	LEGITIMATE NONRESPONSE
	5.0	113	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 954-955

EJ3_A_4	TO FIND WORK/EMPLOYERS APPROACHED
----------------	--

What did you do since your admission to find work?

Employers directly approached

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	82	4	CIRCLED
	94.9	2,143	-9	LEGITIMATE NONRESPONSE
	1.5	33	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 956-957

EJ3_A_5**TO FIND WORK/TALK W/FRIEND/RELATIVE**

What did you do since your admission to find work?

Talked with friends or relatives

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	28	5	CIRCLED
	94.9	2,143	-9	LEGITIMATE NONRESPONSE
	3.9	87	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 958-959

EJ3_A_6**TO FIND WORK/PLACED ADS**

What did you do since your admission to find work?

Placed or answered ads

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	29	6	CIRCLED
	94.9	2,143	-9	LEGITIMATE NONRESPONSE
	3.8	86	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 960-961

EJ3_A_7	TO FIND WORK/OTHER
----------------	---------------------------

What did you do since your admission to find work?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	7	CIRCLED
	94.9	2,143	-9	LEGITIMATE NONRESPONSE
	5.0	112	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 962-963

EJ3_B	PROBLEMS FINDING WORK
--------------	------------------------------

Did you have trouble or problems finding (work/a different job) during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.8	2.3	52	1	YES
53.2	2.6	59	2	NO
	94.9	2,143	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 964-965

EJ3_C_1**PROBLEM FIND JOB/NO JOBS AVAILABLE**

Why do you think you had problems (finding a job/a different job)?

No jobs available

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	15	1	CIRCLED
	97.5	2,202	-9	LEGITIMATE NONRESPONSE
	1.7	38	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 966-967

EJ3_C_2**PROBLEM FIND JOB/LACK OF EDUCATION/SKILL/EXPERIENCE**

Why do you think you had problems (finding a job/a different job)?

Lack of education, skills, or experience

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	2	CIRCLED
	97.5	2,202	-9	LEGITIMATE NONRESPONSE
	2.0	45	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 968-969

EJ3_C_3	PROBLEM FIND JOB/LANGUAGE PROBLEM
----------------	--

Why do you think you had problems (finding a job/a different job)?

Language problem (doesn't speak English well)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	97.5	2,202	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 970-971

EJ3_C_4	PROBLEM FIND JOB/TOO YOUNG/TOO OLD
----------------	---

Why do you think you had problems (finding a job/a different job)?

Too young or too old

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	19	4	CIRCLED
	97.3	2,198	-9	LEGITIMATE NONRESPONSE
	1.7	38	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 972-973

EJ3_C_5**PROBLEM FIND JOB/ARREST RECORD**

Why do you think you had problems (finding a job/a different job)?

Arrest record

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	97.5	2,202	-9	LEGITIMATE NONRESPONSE
	2.3	52	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 974-975

EJ3_C_6**PROBLEM FIND JOB/DRUG HISTORY**

Why do you think you had problems (finding a job/a different job)?

Drug history

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	97.5	2,202	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 976-977

EJ3_C_7	PROBLEM FIND JOB/OTHER PERSONAL HANDICAP
----------------	---

Why do you think you had problems (finding a job/a different job)?

Other personal handicaps

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	97.5	2,202	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 978-979

EJ3_C_8	PROBLEM FIND JOB/ILL HEALTH
----------------	------------------------------------

Why do you think you had problems (finding a job/a different job)?

Ill health

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	97.5	2,202	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 980-981

EJ3_C_9**PROBLEM FIND JOB/IMMIGRATION STATUS**

Why do you think you had problems (finding a job/a different job)?

Immigration status

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	97.5	2,202	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 982-983

EJ3_C_10**PROBLEM FIND JOB/PERCEIVED DISCRIMINATION**

Why do you think you had problems (finding a job/a different job)?

Perceived discrimination

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	10	CIRCLED
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 984-985

EJ3_C_11	PROBLEM FIND JOB/OTHER
-----------------	-------------------------------

Why do you think you had problems (finding a job/a different job)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	15	11	CIRCLED
	97.4	2,200	-9	LEGITIMATE NONRESPONSE
	1.7	39	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 986-987

EJ4_0	NOT LOOK FOR WORK/NO REASONS
--------------	-------------------------------------

What were your reasons for not looking for (work/a different job)?

No reasons

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.5	102	0	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	90.5	2,044	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 988-989

EJ4_1**NOT LOOK FOR WORK/SATISFIED W/JOB**

What were your reasons for not looking for (work/a different job)?

Satisfied with present job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.6	81	1	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	91.5	2,065	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 990-991

EJ4_2**NOT LOOK FOR WORK/BELIEVE NO JOB AVAIL**

What were your reasons for not looking for (work/a different job)?

Believes no jobs available in line of work or area

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	95.0	2,145	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 992-993

EJ4_3	NOT LOOK FOR WORK/COULD NOT FIND WORK
--------------	--

What were your reasons for not looking for (work/a different job)?

Couldn't find any work

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	3	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	94.8	2,141	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 994-995

EJ4_4	NOT LOOK FOR WORK/LACK SKILL/TRAINING
--------------	--

What were your reasons for not looking for (work/a different job)?

Lacks necessary schooling, training, skills, or experience

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	17	4	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	94.3	2,129	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 996-997

EJ4_5**NOT LOOK FOR WORK/TOO OLD/YOUNG**

What were your reasons for not looking for (work/a different job)?

Employers think too young / old

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	65	5	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	92.2	2,081	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 998-999

EJ4_6**NOT LOOK FOR WORK/PERSONAL HANDICAP**

What were your reasons for not looking for (work/a different job)?

Other personal handicap including drug history

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	95.0	2,145	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1000-1001

EJ4_7	NOT LOOK FOR WORK/FAMILY RESPONSIBILITY
--------------	--

What were your reasons for not looking for (work/a different job)?

Family responsibilities, child care problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	7	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	94.9	2,142	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1002-1003

EJ4_8	NOT LOOK FOR WORK/IN SCHOOL/TRAINING
--------------	---

What were your reasons for not looking for (work/a different job)?

In school or other training

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.6	330	8	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	80.4	1,816	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1004-1005

EJ4_9**NOT LOOK FOR WORK/ILL HEALTH**

What were your reasons for not looking for (work/a different job)?

Ill health or physical disability other than drug use

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	9	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	95.0	2,145	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1006-1007

EJ4_10**NOT LOOK FOR WORK/IN JAIL/INSTITUTION**

What were your reasons for not looking for (work/a different job)?

In jail or other institution

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	61.2	1,382	10	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	33.8	764	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1008-1009

EJ4_11	NOT LOOK FOR WORK/DRUG ACTIVITY
---------------	--

What were your reasons for not looking for (work/a different job)?

Drug activities or drug effects

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.9	44	11	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	93.1	2,102	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1010-1011

EJ4_12	NOT LOOK FOR WORK/ILLEGAL ACTIVITY
---------------	---

What were your reasons for not looking for (work/a different job)?

Illegal activities such as hustling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	12	12	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	94.5	2,134	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1012-1013

EJ4_13**NOT LOOK FOR WORK/BEING SUPPORTED**

What were your reasons for not looking for (work/a different job)?

Supported by other person

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	13	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	94.9	2,143	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1014-1015

EJ4_14**NOT LOOK FOR WORK/LANGUAGE PROBLEM**

What were your reasons for not looking for (work/a different job)?

Language problem (trouble speaking English)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	14	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	95.0	2,145	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1016-1017

EJ4_15	NOT LOOK FOR WORK/IMMIGRATION STATUS
---------------	---

What were your reasons for not looking for (work/a different job)?

Concern about immigration status in U.S. (i.e., has a job without papers and making switch would be risky)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	15	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	95.0	2,146	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1018-1019

EJ4_16	NOT LOOK FOR WORK/OTHER
---------------	--------------------------------

What were your reasons for not looking for (work/a different job)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.1	205	16	CIRCLED
	4.9	111	-9	LEGITIMATE NONRESPONSE
	86.0	1,941	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1020-1021

EJ5	#OF DIFFERENT JOBS/EMPLOYERS WORKED
------------	--

Since your admission, for how many different employers or businesses have you worked legitimate jobs? If you worked for yourself, such as doing in-home child care or odd jobs and yard work, count this as one employer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	95.9	2,166	0	
3.6	3.5	80	1	
0.2	0.2	5	2	
0.1	0.1	2	3	
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1022-1023

EJ6	#WEEKS WORK/FULL OR PART TIME
------------	--------------------------------------

Since your admission, how many weeks have you been employed in either full- or part-time jobs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.8	0.6	13	0	LESS THAN ONE WEEK
6.4	0.3	6	1	
11.7	0.5	11	2	
8.5	0.4	8	3	
29.8	1.2	28	4	
9.6	0.4	9	5	
5.3	0.2	5	6	
2.1	0.1	2	7	
5.3	0.2	5	8	
2.1	0.1	2	9	
2.1	0.1	2	10	
1.1	0.0	1	12	
2.1	0.1	2	16	
	95.6	2,158	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1024-1025

EJ7	#WEEKS WORK/35 OR MORE HOURS
------------	-------------------------------------

Since your admission, how many weeks have you worked 35 or more hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.6	2.3	53	0	LESS THAN ONE WEEK
8.5	0.3	7	1	
4.9	0.2	4	2	
4.9	0.2	4	3	
8.5	0.3	7	4	
3.7	0.1	3	5	
1.2	0.0	1	6	
1.2	0.0	1	7	
1.2	0.0	1	8	
1.2	0.0	1	9	
	96.1	2,170	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1026-1027

EJ8	#WEEKS WORKED/35 OR MORE HOURS
------------	---------------------------------------

What has been the longest period you have worked any one full-time job (35 hours or more a week) since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.6	0.2	5	0	LESS THAN ONE WEEK
18.8	0.3	6	1	
9.4	0.1	3	2	
12.5	0.2	4	3	
18.8	0.3	6	4	
9.4	0.1	3	5	
3.1	0.0	1	6	
3.1	0.0	1	7	
6.2	0.1	2	8	
3.1	0.0	1	9	
	98.3	2,220	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1028-1029

EJ9**CODE LIST-OCCUPATION/TYPE OF YOUR JOB**

What type of job was this or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROFESSIONAL AND TECHNICAL
0.0	0.0	0	2	MANAGER AND ADMINISTRATOR
23.1	0.3	6	3	SALES
7.7	0.1	2	4	CLERICAL OR OFFICE WORKER
7.7	0.1	2	5	CRAFT AND KINDRED
0.0	0.0	0	6	OPERATIVES
0.0	0.0	0	7	TRANSPORTATION EQUIPMENT OPERATIVES
19.2	0.2	5	8	LABORERS (FARM & NONFARM)
34.6	0.4	9	10	SERVICE WORKER
7.7	0.1	2	86	OTHER
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1030-1031

EJ9_A**BUSINESS OR INDUSTRY CODE**

What type of business or industry was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.0	1	1	AGRICULTURE/FORESTRY/FISHERIES
0.0	0.0	0	2	CONSTRUCTION
11.5	0.1	3	3	MANUFACTURING
3.8	0.0	1	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
0.0	0.0	0	5	WHOLESALE TRADE
53.8	0.6	14	6	RETAIL TRADE
3.8	0.0	1	7	FINANCE/INSUR./REAL ESTATE
7.7	0.1	2	8	BUSINESS/REPAIR SERVICES
0.0	0.0	0	9	PERSONAL SERVICES
7.7	0.1	2	10	ENTERTAINMENT/REC. SVCS
3.8	0.0	1	11	PROF./RELATED SVCS
3.8	0.0	1	12	PUBLIC ADMIN.
0.0	0.0	0	13	INDUSTRY NOT REPORTED
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1032-1033

EJ9_B	WAS THIS YOUR USUAL OCCUPATION
--------------	---------------------------------------

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	26	1	YES
0.0	0.0	0	2	NO
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1034-1035

EJ9_C_OC	USUAL OCCUPATION CODE
-----------------	------------------------------

What is your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROFESSIONAL AND TECHNICAL
0.0	0.0	0	2	MANAGER AND ADMINISTRATOR
0.0	0.0	0	3	SALES
0.0	0.0	0	4	CLERICAL OR OFFICE WORKER
0.0	0.0	0	5	CRAFT AND KINDRED
0.0	0.0	0	6	OPERATIVES
0.0	0.0	0	7	TRANSPORTATION EQUIPMENT OPERATIVES
100.0	0.0	1	8	LABORERS (FARM & NONFARM)
0.0	0.0	0	10	SERVICE WORKER
0.0	0.0	0	86	OTHER
	100.0	2,257	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1036-1037

EJ9_C	DOLLARS/SALARY/RATE OF PAY/BEFORE TAXES
--------------	--

What was your wage, salary, or rate of pay before taxes in your current or most recent job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	0.1	3	4.25	
3.8	0.0	1	4.35	
3.8	0.0	1	4.70	
11.5	0.1	3	4.75	
15.4	0.2	4	5.00	
3.8	0.0	1	5.10	
3.8	0.0	1	5.25	
7.7	0.1	2	5.60	
3.8	0.0	1	5.85	
11.5	0.1	3	6.00	
7.7	0.1	2	7.00	
3.8	0.0	1	18.00	
7.7	0.1	2	200.00	
3.8	0.0	1	500.00	
	98.6	2,226	-9.00	LEGITIMATE NONRESPONSE
	0.3	6	-8.00	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Decimals: 4
 Missing-data codes: lowest thru -1.0000
 Columns: 1038-1045

EJ9_COD	CODE FOR THE RATE
----------------	--------------------------

How frequently did you get paid?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.0	1.0	22	1	HOUR
12.0	0.1	3	2	WEEK
0.0	0.0	0	3	2 WEEKS
0.0	0.0	0	4	MONTH
0.0	0.0	0	5	YEAR
0.0	0.0	0	6	OTHER
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1046-1047

EJ10	HOW TROUBLED/PROBLEM GET/HOLD JOB
-------------	--

Since your admission, how troubled have you been by problems getting, holding, or working a job? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.5	93.4	2,108	0	NOT AT ALL
4.6	4.6	104	1	SOMEWHAT
1.9	1.9	42	2	VERY MUCH
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1048-1049

EJ11	HOW IMPORTANT/COUNSELING FOR JOB PROBLEM
-------------	---

How important to you now is help or referral for employment, training, or vocational counseling? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	46.7	1,054	0	NOT AT ALL
21.7	21.3	482	1	SOMEWHAT
30.8	30.2	683	2	VERY IMPORTANT
	1.6	36	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1050-1051

EJ12**JOB PROBLEM/BECAUSE OF DRUG/ALCOHOL USE**

Have you experienced any problems getting, holding, or working a job because of drug or alcohol use since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	12	1	YES
99.5	98.3	2,220	2	NO
	1.2	26	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1052-1053

EJ12_A**HOW SERIOUS PROBLEMS FOR DRUG/ALCOHOL USE**

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	0.3	7	1	NOT AT ALL
38.9	0.3	7	2	SOMEWHAT
22.2	0.2	4	3	VERY SERIOUS
	98.1	2,214	-9	LEGITIMATE NONRESPONSE
	1.2	26	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1054-1055

EK1_B

INCOME SOURCE/SSI

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	28	1	YES
98.8	98.3	2,220	2	NO
	0.4	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1062-1063

EK2_B	DOLLARS/RECEIVED BEFORE TAXES
--------------	--------------------------------------

Since your admission, how much income have you personally received before taxes from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	2	0	
4.2	0.0	1	20	
4.2	0.0	1	50	
4.2	0.0	1	60	
4.2	0.0	1	65	
4.2	0.0	1	68	
4.2	0.0	1	150	
4.2	0.0	1	175	
8.3	0.1	2	200	
4.2	0.0	1	240	
4.2	0.0	1	300	
4.2	0.0	1	336	
4.2	0.0	1	350	
4.2	0.0	1	400	
4.2	0.0	1	468	
4.2	0.0	1	500	
4.2	0.0	1	928	
4.2	0.0	1	1000	
4.2	0.0	1	1120	
4.2	0.0	1	1500	
8.3	0.1	2	5700	
	98.3	2,219	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.3	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1064-1067

EK1_C

INCOME SOURCE/SOCIAL SECURITY BENEFITS

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	17	1	YES
99.2	98.6	2,227	2	NO
	0.6	13	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1068-1069

EK2_C	DOLLARS/RECEIVED BEFORE TAXES
--------------	--------------------------------------

Since your admission, how much income have you personally received before taxes from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	2	0	
5.6	0.0	1	139	
5.6	0.0	1	140	
5.6	0.0	1	152	
11.1	0.1	2	350	
5.6	0.0	1	472	
5.6	0.0	1	500	
5.6	0.0	1	533	
5.6	0.0	1	600	
5.6	0.0	1	634	
5.6	0.0	1	700	
5.6	0.0	1	744	
5.6	0.0	1	785	
5.6	0.0	1	800	
5.6	0.0	1	1000	
5.6	0.0	1	4800	
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1070-1073

EK1_D**INCOME SOURCE/SPOUSE/FAMILY/ALIMONY**

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from a spouse, family members, or friends, including alimony, child support, loans, gifts, or interest, dividends, rental income, capital gains, or money from other investments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.3	36.2	817	1	YES
63.7	63.5	1,433	2	NO
	0.3	6	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1074-1075

EK2_D**DOLLARS/RECEIVED BEFORE TAXES**

Since your admission, how much income have you personally received before taxes from a spouse, family members, or friends, including alimony, child support, loans, gifts, or interest, dividends, rental income, capital gains, or money from other investments?

2,258 cases (Range of valid codes: 0-4,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1076-1079

EK1_E**INCOME SOURCE/POSSIBLY ILLEGAL**

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	50	1	YES
97.8	96.7	2,183	2	NO
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1080-1081

EK2_E

DOLLARS/RECEIVED BEFORE TAXES

Since your admission, how much income have you personally received before taxes from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	0.1	3	0	
3.8	0.1	2	5	
1.9	0.0	1	10	
1.9	0.0	1	15	
5.8	0.1	3	20	
1.9	0.0	1	25	
5.8	0.1	3	30	
1.9	0.0	1	32	
7.7	0.2	4	50	
1.9	0.0	1	75	
9.6	0.2	5	100	
3.8	0.1	2	150	
9.6	0.2	5	200	
1.9	0.0	1	250	
3.8	0.1	2	300	
3.8	0.1	2	400	
5.8	0.1	3	500	
3.8	0.1	2	600	
1.9	0.0	1	700	
3.8	0.1	2	800	
1.9	0.0	1	1000	
3.8	0.1	2	1600	
1.9	0.0	1	2000	
1.9	0.0	1	2500	
1.9	0.0	1	3000	
1.9	0.0	1	15000	
	96.5	2,180	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1082-1086

EK1_F	INCOME SOURCE/ANY OTHER SOURCE
--------------	---------------------------------------

In this section, I'd like some information on your sources of income and expenses. Since your admission, have you received any income from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	35.8	809	1	YES
63.8	63.2	1,428	2	NO
	0.9	20	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1087-1088

EK2_F**DOLLARS/RECEIVED BEFORE TAXES**

Since your admission, how much income have you personally received before taxes from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	2	0	
0.1	0.0	1	8	
0.6	0.2	5	10	
96.6	35.5	802	20	
0.1	0.0	1	26	
0.1	0.0	1	27	
0.8	0.3	7	30	
0.4	0.1	3	40	
0.1	0.0	1	42	
0.1	0.0	1	45	
0.1	0.0	1	50	
0.1	0.0	1	75	
0.1	0.0	1	200	
0.1	0.0	1	298	
0.1	0.0	1	320	
0.1	0.0	1	1000	
	63.0	1,422	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1089-1092

EK3**TOTAL DOLLARS/COL 2 IN CHART 3**

Since your admission, how much income have you personally received before taxes from (ALL INCOME SOURCES CODED 01 UNDER COLUMN K1)?

2,258 cases (Range of valid codes: 0-15,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1093-1097

EK4 SHARE INCOME/EXPENSES WITH ONE LIVE WITH

Were you sharing your income and expenses with any of the people you lived with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.0	4.7	107	1	YES
95.0	89.1	2,013	2	NO
	0.1	3	-9	LEGITIMATE NONRESPONSE
	5.5	124	-8	MISSING
	0.5	11	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1098-1099

EK5 #PEOPLE YOU SHARE INCOME/EXPENSES W/

How many of these people did you share your income and expenses with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	0.5	11	0	
24.4	1.3	30	1	
27.6	1.5	34	2	
16.3	0.9	20	3	
17.9	1.0	22	4	
4.1	0.2	5	5	
0.8	0.0	1	11	
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	5.5	125	-8	MISSING
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1100-1101

EK6_A**DOLLARS SPENT/HOUSING**

Since your admission, please tell me about how much this household spent each month for housing, including rent or mortgage payments and utilities.

2,258 cases (Range of valid codes: 0-28,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1102-1106

EK6_B**DOLLARS SPENT/MEDICAL EXPENSES**

Since your admission, please tell me about how much this household spent each month for medical expenses, including prescriptions, health insurance, and payments for HMO costs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	31.8	718	0	
0.4	0.1	3	10	
0.1	0.0	1	25	
0.3	0.1	2	40	
0.1	0.0	1	55	
0.1	0.0	1	60	
0.1	0.0	1	94	
0.1	0.0	1	100	
0.4	0.1	3	200	
0.1	0.0	1	1000	
	1.3	29	-8	MISSING
	53.9	1,216	-4	DON'T KNOW
	12.4	281	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1107-1110

EK6_C**DOLLARS SPENT/FOOD/CLOTHING**

Since your admission, please tell me about how much this household spent each month for food, clothing, and living expenses.

2,258 cases (Range of valid codes: 0-2,000)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1111-1114

EK6_D	DOLLARS SPENT/OTHER EXPENSES
--------------	-------------------------------------

Since your admission, please tell me about how much this household spent each month for other expenses, including things like gifts, loans, entertainment, and other debts.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	28.7	648	0	
0.1	0.0	1	4	
0.7	0.2	5	5	
0.5	0.2	4	7	
0.1	0.0	1	8	
1.5	0.5	11	10	
0.3	0.1	2	13	
0.1	0.0	1	15	
1.4	0.4	10	20	
0.3	0.1	2	25	
0.4	0.1	3	30	
0.3	0.1	2	40	
0.1	0.0	1	46	
1.4	0.4	10	50	
0.4	0.1	3	60	
0.1	0.0	1	65	
0.3	0.1	2	70	
0.1	0.0	1	86	
1.6	0.5	12	100	
0.1	0.0	1	120	
0.1	0.0	1	160	
0.5	0.2	4	200	
0.1	0.0	1	250	
0.3	0.1	2	300	
0.4	0.1	3	400	
0.1	0.0	1	600	
	1.7	39	-8	MISSING
	53.4	1,206	-4	DON'T KNOW
	12.4	280	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1115-1117

EK7**MONEY PROBLEM/BECAUSE ALCO/DRUG USE**

Have you had any financial or money problems because of your drug or alcohol use since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	9	1	YES
99.6	99.4	2,244	2	NO
	0.1	2	-8	MISSING
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1118-1119

EK7_A**HOW SERIOUS PROBLEMS FOR DRUG/ALCOHOL USE**

How serious were these problems you had because of using drugs or alcohol? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.4	0.8	17	1	NOT AT ALL
30.8	0.4	8	2	SOMEWHAT
3.8	0.0	1	3	VERY SERIOUS
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1120-1121

EK8 **HOW TROUBLED BY MONEY PROBLEM**

How troubled or bothered have you been since your admission by any financial or money problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.8	89.5	2,020	0	NOT AT ALL
7.8	7.8	176	1	SOMEWHAT
2.4	2.3	53	2	VERY MUCH
	0.3	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1122-1123

EK9 **HOW IMPORTANT/COUNSELING FOR MONEY PROBLEM**

How important to you now is counseling for financial or money problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.6	86.1	1,944	0	NOT AT ALL
6.7	6.6	150	1	SOMEWHAT
6.7	6.7	151	2	VERY IMPORTANT
	0.5	11	-8	MISSING
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1124-1125

INTREATMENT EXPERIENCE**EL1****#DAYS RECEIVED SERVICES AT THIS PROGRAM**

Now, I'd like to ask about the treatment or counseling that you may have received since your admission. Please think about all kinds of help, such as drug or alcohol counseling, medical treatment, counseling for an emotional or mental health problem, employment counseling, or any other services that you have received. Also include methadone and any other medication, any individual and group counseling, and other services you have received. Since your admission, on how many days have you been scheduled to receive any services at this program or at some place run by this program?

2,258 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1126-1127

EL1_A	#DAYS RECEIVED SERVICES/OUTSIDE PROGRAM
--------------	--

Since your admission, how many days have you been scheduled to receive services from other providers or agencies outside this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	85.8	1,938	0	
6.5	6.4	145	1	
2.0	1.9	44	2	
1.5	1.5	34	3	
0.5	0.5	12	4	
0.5	0.5	11	5	
0.1	0.1	3	6	
0.2	0.2	4	7	
0.2	0.2	4	8	
0.3	0.3	7	10	
0.1	0.1	3	12	
0.3	0.3	6	14	
0.1	0.1	3	15	
0.2	0.2	4	16	
0.1	0.1	2	17	
0.0	0.0	1	19	
0.1	0.1	2	20	
0.0	0.0	1	28	
0.0	0.0	1	30	
0.0	0.0	1	34	
0.0	0.0	1	35	
0.1	0.1	2	40	
0.0	0.0	1	41	
0.0	0.0	1	42	
0.0	0.0	1	45	
0.0	0.0	1	55	
	1.0	23	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1128-1129

EL2	MISS SCHEDULED APPOINTMENT FOR SERVICE
------------	---

Since your admission, have you missed any scheduled appointment for any of these services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.2	253	1	YES
88.0	82.5	1,862	2	NO
	6.3	143	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1130-1131

EL2_A	#DAYS MISSED SCHEDULED APPOINTMENT
--------------	---

Since your admission, on how many days have you missed any scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	0	
34.3	3.9	87	1	
22.0	2.5	56	2	
16.1	1.8	41	3	
3.5	0.4	9	4	
9.1	1.0	23	5	
2.0	0.2	5	6	
1.6	0.2	4	7	
1.2	0.1	3	8	
0.8	0.1	2	9	
3.5	0.4	9	10	
0.8	0.1	2	12	
1.6	0.2	4	14	
1.6	0.2	4	15	
0.4	0.0	1	18	
0.4	0.0	1	20	
0.4	0.0	1	21	
0.4	0.0	1	25	
	82.4	1,860	-9	LEGITIMATE NONRESPONSE
	6.4	144	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1132-1133

EL2_B CODE/MOST IMPORTANT REASON/MISS APPOINTMENT

What is the most important reason why you did not come to 1 or more of your scheduled appointments?

2,258 cases (Range of valid codes: 1-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1134-1135

EL2_C ANY REASON/MISS SCHEDULED APPOINTMENT

Is there any other reason why you did not come to 1 or more of your scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	1.9	43	1	YES
82.5	9.0	203	2	NO
	82.4	1,860	-9	LEGITIMATE NONRESPONSE
	6.7	152	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1136-1137

EL2_D CODE FROM CHART/SECOND IMPORTANT REASON

What is the second most important reason?

2,258 cases (Range of valid codes: 1-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1138-1139

EL2_E	OTHER REASON/MISS SCHEDULED APPOINTMENT
--------------	--

Is there any other reason why you missed 1 or more of your scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.1	2	1	YES
95.3	1.8	41	2	NO
	91.3	2,062	-9	LEGITIMATE NONRESPONSE
	6.8	153	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1140-1141

EL2_F_1	CODE FROM CHART/OTHER REASON
----------------	-------------------------------------

What other reasons did you have? Third mention.

2,258 cases (Range of valid codes: 59-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1142-1143

EL2_F_2	CODE FROM CHART/OTHER REASON
----------------	-------------------------------------

What other reasons did you have? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	93.1	2,103	-9	LEGITIMATE NONRESPONSE
	6.9	155	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1144-1145

EL2_F_3	CODE FROM CHART/OTHER REASON
----------------	-------------------------------------

What other reasons did you have? Fifth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	93.1	2,103	-9	LEGITIMATE NONRESPONSE
	6.9	155	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1146-1147

EL3	DID YOU DROP OUT FROM THIS PROGRAM
------------	---

Since your admission, have you dropped out of or been discharged from this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	1.4	31	1	YES
	98.6	2,225	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1148-1149

EL3_A	#DAYS OUT OF THIS PROGRAM
--------------	----------------------------------

Since your admission, how many days were you out of this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.1	2	1	
23.3	0.3	7	2	
10.0	0.1	3	3	
6.7	0.1	2	4	
3.3	0.0	1	6	
23.3	0.3	7	7	
3.3	0.0	1	9	
6.7	0.1	2	10	
10.0	0.1	3	14	
3.3	0.0	1	21	
3.3	0.0	1	28	
	98.5	2,225	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1150-1151

EL4	RECEIVED TREATMENT FOR ALCOHOL PROBLEM
------------	---

Since your admission, have you received treatment for an alcohol problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.6	31.5	712	1	YES
68.4	68.4	1,544	2	NO
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1152-1153

EL5	RECEIVED THESE SERVICES AT PROGRAM
------------	---

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	31.2	705	1	YES
1.9	0.6	14	2	NO
	68.0	1,535	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1154-1155

EL5_A_1	SERVICES RECEIVED/INDIVIDUAL COUNSEL
----------------	---

What kinds of services have you received here?

Individual counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	17.8	403	1	CIRCLED
	68.6	1,549	-9	LEGITIMATE NONRESPONSE
	13.6	306	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1156-1157

EL5_A_2**SERVICES RECEIVED/GROUP COUNSELING**

What kinds of services have you received here?

Group counseling (not 12-step)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	24.1	544	2	CIRCLED
	68.6	1,548	-9	LEGITIMATE NONRESPONSE
	7.4	166	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1158-1159

EL5_A_3**SERVICES RECEIVED/AA/12 STEP/SELF HELP**

What kinds of services have you received here?

AA or other 12-step / self-help

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	27.3	616	3	CIRCLED
	68.6	1,550	-9	LEGITIMATE NONRESPONSE
	4.1	92	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1160-1161

EL5_A_4 SERVICES RECEIVED/OTHER

What kinds of services have you received here?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	4	CIRCLED
	68.7	1,552	-9	LEGITIMATE NONRESPONSE
	31.1	702	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1162-1163

EL5_B_1 TALKED TO/PRIMARY/REGULAR COUNSELOR

Who have you talked to or seen for these services?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.1	454	1	CIRCLED
	68.6	1,549	-9	LEGITIMATE NONRESPONSE
	11.3	255	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1164-1165

EL5_B_2**TALKED TO/CASE MANAGER**

Who have you talked to or seen for these services?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	32	2	CIRCLED
	68.7	1,552	-9	LEGITIMATE NONRESPONSE
	29.8	674	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1166-1167

EL5_B_11**TALKED TO/OTHER COUNSELOR**

Who have you talked to or seen for these services?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.4	347	11	CIRCLED
	68.7	1,551	-9	LEGITIMATE NONRESPONSE
	15.9	360	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1168-1169

EL5_B_12	TALKED TO/OTHER CASE MANAGER
-----------------	-------------------------------------

Who have you talked to or seen for these services?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	12	CIRCLED
	68.7	1,552	-9	LEGITIMATE NONRESPONSE
	31.0	700	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1170-1171

EL5_B_13	TALKED TO/SOCIAL WORKER
-----------------	--------------------------------

Who have you talked to or seen for these services?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	9	13	CIRCLED
	68.7	1,552	-9	LEGITIMATE NONRESPONSE
	30.9	697	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1172-1173

EL5_B_21**TALKED TO/PSYCHOLOGIST**

Who have you talked to or seen for these services?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	9	21	CIRCLED
	68.7	1,552	-9	LEGITIMATE NONRESPONSE
	30.9	697	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1174-1175

EL5_B_22**TALKED TO/PSYCHIATRIST**

Who have you talked to or seen for these services?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	22	CIRCLED
	68.7	1,552	-9	LEGITIMATE NONRESPONSE
	31.1	703	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1176-1177

EL5_B_23	TALKED TO/NURSE
-----------------	------------------------

Who have you talked to or seen for these services?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	23	CIRCLED
	68.7	1,552	-9	LEGITIMATE NONRESPONSE
	31.0	701	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1178-1179

EL5_B_31	TALKED TO/GROUP - NO LEADER
-----------------	------------------------------------

Who have you talked to or seen for these services?

Group - no leader (e.g., 12-step)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.3	458	31	CIRCLED
	68.7	1,551	-9	LEGITIMATE NONRESPONSE
	11.0	249	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1180-1181

EL5_B_71	TALKED TO/STAFF FROM ANOTHER AGENCY
-----------------	--

Who have you talked to or seen for these services?

Staff from another agency who provide services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	71	CIRCLED
	68.7	1,552	-9	LEGITIMATE NONRESPONSE
	30.9	698	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1182-1183

EL5_B_91 TALKED TO/OTHER

Who have you talked to or seen for these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	39	91	CIRCLED
	68.7	1,552	-9	LEGITIMATE NONRESPONSE
	29.5	667	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1184-1185

EL5_C #DAYS/RECEIVED SERVICES FOR ALCOHOL PROBLEM

Since your admission, on how many days have you received services for an alcohol problem at this program?

2,258 cases (Range of valid codes: 0-95)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1186-1187

EL5_D HOW HELPFUL THE SERVICES

Overall, how helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.4	3.5	80	0	NOT AT ALL
42.7	13.3	300	1	SOMEWHAT
45.9	14.3	323	2	VERY MUCH
	68.6	1,548	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1188-1189

EL6**RECEIVED SERVICES AT OTHER PLACE**

Have you received services for an alcohol problem at some other place (do not include services from AA, NA, or CA, or other 12-step group)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.3	6	1	YES
99.2	31.7	716	2	NO
	67.9	1,533	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1190-1191

EL6_A_A**SERVICE: COMMUNITY MENTAL HEALTH PROGRAM**

Where have you received these services?

Community mental health center outpatient program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1192-1193

EL6_A_B	SERVICE: ALCOHOL REHABILITATION CENTER
----------------	---

Where have you received these services?

Alcoholic rehabilitation center

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1194-1195

EL6_A_C	SERVICE:28-DAY/OTHER SHORT TERM TREATMENT
----------------	--

Where have you received these services?

28-day or other short-term inpatient treatment unit

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1196-1197

EL6_A_D	SERVICE: THERAPEUTIC COMMUNITY
----------------	---------------------------------------

Where have you received these services?

Therapeutic community or other long-term residential treatment program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1198-1199

EL6_A_E	SERVICE: HALFWAY HOUSE
----------------	-------------------------------

Where have you received these services?

Halfway house

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1200-1201

EL6_A_F	SERVICE: DETOXIFICATION TREATMENT UNIT
----------------	---

Where have you received these services?

Detoxification treatment unit

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1202-1203

EL6_A_G	SERVICE: EMERGENCY ROOM/CRISIS CENTER
----------------	--

Where have you received these services?

Emergency room or crisis center

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1204-1205

EL6_A_H	SERVICE: PRIVATE THERAPIST
----------------	-----------------------------------

Where have you received these services?

Private therapist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1206-1207

EL6_A_I	SERVICE: OTHER OUTPATIENT TREATMENT
----------------	--

Where have you received these services?

Other outpatient treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	9	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1208-1209

EL6_A_J	SERVICE: OTHER INPATIENT TREATMENT
----------------	---

Where have you received these services?

Other inpatient treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	10	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1210-1211

EL6_B_1	FIRST TREATMENT LOCATION
----------------	---------------------------------

Where have you received these services? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TRTMNT
0.0	0.0	0	4	THERAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TREATMENT UNIT
16.7	0.0	1	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIVATE THERAPIST
66.7	0.2	4	9	OTHER OUTPATIENT TREATMENT
0.0	0.0	0	10	OTHER INPATIENT TREATMENT
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1212-1213

EL6_C_1	#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #1
----------------	--

Since your admission, on how many days have you received services at (TREATMENT LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	0	
16.7	0.0	1	6	
16.7	0.0	1	12	
16.7	0.0	1	15	
16.7	0.0	1	17	
16.7	0.0	1	28	
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1214-1215

EL6_D_1	WHO REFERRED YOU TO TREATMENT/LOCATION #1
----------------	--

Who referred you to (TREATMENT LOCATION - 1st mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
83.3	0.2	5	2	OUTSIDE SOURCE
16.7	0.0	1	3	SELF
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1216-1217

EL6_E_1	HOW HELPFUL THESE SERVICES A/LOCATION #1
----------------	---

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	0	NOT AT ALL
50.0	0.1	3	1	SOMEWHAT
33.3	0.1	2	2	VERY HELPFUL
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1218-1219

EL6_B_2	SECOND TREATMENT LOCATION
----------------	----------------------------------

Where have you received these services? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TRTMNT
0.0	0.0	0	4	THERAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIVATE THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TREATMENT
0.0	0.0	0	10	OTHER INPATIENT TREATMENT
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1220-1221

EL6_C_2**#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #2**

Since your admission, on how many days have you received services at (TREATMENT LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1222-1223

EL6_D_2**WHO REFERRED YOU TO TREATMENT/LOCATION #2**

Who referred you to (TREATMENT LOCATION - 2nd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1224-1225

EL6_E_2	HOW HELPFUL THESE SERVICES A/LOCATION #2
----------------	---

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1226-1227

EL6_B_3	THIRD TREATMENT LOCATION
----------------	---------------------------------

Where have you received these services? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TRTMNT
0.0	0.0	0	4	THERAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIVATE THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TREATMENT
0.0	0.0	0	10	OTHER INPATIENT TREATMENT
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1228-1229

EL6_C_3**#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #3**

Since your admission, on how many days have you received services at (TREATMENT LOCATION - 3rd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1230-1231

EL6_D_3**WHO REFERRED YOU TO TREATMENT/LOCATION #3**

Who referred you to (TREATMENT LOCATION - 3rd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1232-1233

EL6_E_3	HOW HELPFUL THESE SERVICES A/LOCATION #3
----------------	---

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1234-1235

EL6_B_4	FOURTH TREATMENT LOCATION
----------------	----------------------------------

Where have you received these services? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TRTMNT
0.0	0.0	0	4	THERAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIVATE THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TREATMENT
0.0	0.0	0	10	OTHER INPATIENT TREATMENT
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1236-1237

EL6_C_4**#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #4**

Since your admission, on how many days have you received services at (TREATMENT LOCATION - 4th mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1238-1239

EL6_D_4**WHO REFERRED YOU TO TREATMENT/LOCATION #4**

Who referred you to (TREATMENT LOCATION - 4th mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1240-1241

EL7_A_A**SERVICES: PRIVATE PHYSICIAN/PSYCHI/PSYCH**

Since your admission, where have you received these services?

Private physician, psychiatrist, or psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1246-1247

EL7_A_B**SERVICES: 28-DAY/OTHER SHORT TERM TREATMENT**

Since your admission, where have you received these services?

28-day or other short-term inpatient treatment unit

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.9	21	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1248-1249

EL7_A_C SERVICES: THERAPEUTIC COMMUNITY

Since your admission, where have you received these services?

Therapeutic community or other long-term residential treatment program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1250-1251

EL7_A_D SERVICES: HALFWAY HOUSE

Since your admission, where have you received these services?

Halfway house

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1252-1253

EL7_A_E**SERVICES: METHADONE TREATMENT PROGRAM**

Since your admission, where have you received these services?

Methadone or other maintenance treatment program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1254-1255

EL7_A_F**SERVICES: NON-METHADONE**

Since your admission, where have you received these services?

Intensive outpatient drug treatment program (non-methadone)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1256-1257

EL7_A_G	SERVICES: DETOXIFICATION TREATMENT UNIT
----------------	--

Since your admission, where have you received these services?

Other drug detoxification treatment unit (methadone or other)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1258-1259

EL7_A_H	SERVICES: OTHER OUTPATIENT DRUG TREATMENT
----------------	--

Since your admission, where have you received these services?

Other outpatient drug treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	8	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1260-1261

EL7_A_I**SERVICES: OTHER INPATIENT DRUG TREATMENT**

Since your admission, where have you received these services?

Other inpatient drug treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1262-1263

EL7_B_1**FIRST TREATMENT LOCATION**

Since your admission, where have you received these services? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
100.0	0.1	3	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1264-1265

EL7_C_1	#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #1
----------------	--

Since your admission, how many days have you received services at (TREATMENT LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	
33.3	0.0	1	3	
33.3	0.0	1	15	
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1266-1267

EL7_D_1	WHO REFERRED YOU TO TREATMENT/LOCATION #1
----------------	--

Who referred you to (TREATMENT LOCATION - 1st mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.0	1	1	PROGRAM
33.3	0.0	1	2	OUTSIDE SOURCE
33.3	0.0	1	3	SELF
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1268-1269

EL7_E_1	HOW HELPFUL THESE SERVICES A/LOCATION #1
----------------	---

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
100.0	0.1	3	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1270-1271

EL7_B_2	SECOND TREATMENT LOCATION
----------------	----------------------------------

Since your admission, where have you received these services? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1272-1273

EL7_C_2	#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #2
----------------	--

Since your admission, how many days have you received services at (TREATMENT LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1274-1275

EL7_D_2	WHO REFERRED YOU TO TREATMENT/LOCATION #2
----------------	--

Who referred you to (TREATMENT LOCATION - 2nd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1276-1277

EL7_E_2**HOW HELPFUL THESE SERVICES A/LOCATION #2**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1278-1279

EL7_B_3**THIRD TREATMENT LOCATION**

Since your admission, where have you received these services? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1280-1281

EL7_C_3	#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #3
----------------	--

Since your admission, how many days have you received services at (TREATMENT LOCATION - 3rd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1282-1283

EL7_D_3	WHO REFERRED YOU TO TREATMENT/LOCATION #3
----------------	--

Who referred you to (TREATMENT LOCATION - 3rd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1284-1285

EL7_E_3**HOW HELPFUL THESE SERVICES A/LOCATION #3**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1286-1287

EL7_B_4**FOURTH TREATMENT LOCATION**

Since your admission, where have you received these services? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1288-1289

EL7_C_4	#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #4
----------------	--

Since your admission, how many days have you received services at (TREATMENT LOCATION - 4th mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1290-1291

EL7_D_4	WHO REFERRED YOU TO TREATMENT/LOCATION #4
----------------	--

Who referred you to (TREATMENT LOCATION - 4th mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1292-1293

EL7_E_4**HOW HELPFUL THESE SERVICES A/LOCATION #4**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.0	2,236	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1294-1295

EL8_0**INDIVIDUAL COUNSELING/NO ONE**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

No one -> Go To L27

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	26.8	605	0	CIRCLED
	73.2	1,653	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1296-1297

EL8_1	INDIVIDUAL SERVICES/PRIMARY/REGULAR COUNSELOR
--------------	--

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	58.8	1,327	1	CIRCLED
	26.7	604	-9	LEGITIMATE NONRESPONSE
	14.5	327	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1298-1299

EL8_2	INDIVIDUAL SERVICES/CASE MANAGER
--------------	---

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.6	194	2	CIRCLED
	26.8	605	-9	LEGITIMATE NONRESPONSE
	64.6	1,459	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1300-1301

EL8_11**INDIVIDUAL SERVICES/OTHER COUNSELOR**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.8	132	11	CIRCLED
	26.7	603	-9	LEGITIMATE NONRESPONSE
	67.4	1,523	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1302-1303

EL8_12**INDIVIDUAL SERVICES/OTHER CASE MANAGER**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	26.8	605	-9	LEGITIMATE NONRESPONSE
	73.2	1,652	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1304-1305

EL8_13	INDIVIDUAL SERVICES/SOCIAL WORKER
---------------	--

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	23	13	CIRCLED
	26.8	605	-9	LEGITIMATE NONRESPONSE
	72.2	1,630	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1306-1307

EL8_21	INDIVIDUAL SERVICES/PSYCHOLOGIST
---------------	---

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	22	21	CIRCLED
	26.8	605	-9	LEGITIMATE NONRESPONSE
	72.2	1,631	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1308-1309

EL8_22**INDIVIDUAL SERVICES/PSYCHIATRIST**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	17	22	CIRCLED
	26.8	605	-9	LEGITIMATE NONRESPONSE
	72.5	1,636	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1310-1311

EL8_71**INDIVIDUAL SERVICES/STAFF FR OTHER AGENCY**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Staff from another agency who provide services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	71	CIRCLED
	26.8	605	-9	LEGITIMATE NONRESPONSE
	73.0	1,649	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1312-1313

EL8_91 **INDIVIDUAL SERVICES/OTHER**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	26	91	CIRCLED
	26.8	605	-9	LEGITIMATE NONRESPONSE
	72.1	1,627	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1314-1315

EL8_A_1 **TALKED TO MOST OFTEN/PROVIDER #1**

Which 2 do you talk to or see most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO ONE
80.4	54.3	1,225	1	PRIMARY/REG COUNSELOR
12.5	8.4	190	2	CASE MANAGER
3.4	2.3	52	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
1.4	0.9	21	13	SOCIAL WORKER
0.9	0.6	13	21	PSYCHOLOGIST
0.7	0.4	10	22	PSYCHIATRIST
0.1	0.1	2	71	STAFF FROM ANOTHER AGENCY
0.7	0.4	10	91	OTHER
	26.7	602	-9	LEGITIMATE NONRESPONSE
	5.9	133	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1316-1317

EL8_A_2**TALKED TO MOST OFTEN/PROVIDER #2**

Which 2 do you talk to or see most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.1	2	0	NO ONE
10.5	0.4	9	1	PRIMARY/REG COUNSELOR
3.5	0.1	3	2	CASE MANAGER
51.2	1.9	44	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
2.3	0.1	2	13	SOCIAL WORKER
11.6	0.4	10	21	PSYCHOLOGIST
7.0	0.3	6	22	PSYCHIATRIST
2.3	0.1	2	71	STAFF FROM ANOTHER AGENCY
9.3	0.4	8	91	OTHER
	26.7	604	-9	LEGITIMATE NONRESPONSE
	69.4	1,568	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1318-1319

EL9**#TIMES/GOT INDIVIDUAL SERVICES (PROVIDER #1)**

Since your admission, how many times have you received scheduled individual services from your (PROVIDER #1 FROM L8a)?

2,258 cases (Range of valid codes: 0-60)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1320-1321

EL9_A	#MINUTES/INDIVIDUAL SESSION LAST (PROVIDER #1)
--------------	---

How long did (this session last/your individual sessions usually last) with your (PROVIDER #1 FROM L8a)?

_____ MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	3	0	
0.1	0.0	1	1	
0.1	0.0	1	2	
0.1	0.1	2	3	
0.1	0.0	1	4	
1.5	1.1	24	5	
0.1	0.0	1	7	
0.1	0.0	1	9	
7.7	5.6	126	10	
0.1	0.0	1	12	
8.4	6.1	138	15	
0.1	0.0	1	17	
7.2	5.2	118	20	
1.0	0.8	17	25	
19.6	14.3	322	30	
0.1	0.0	1	32	
0.1	0.0	1	34	
0.1	0.0	1	35	
0.6	0.4	10	40	
9.6	7.0	158	45	
0.1	0.0	1	48	
0.3	0.2	5	50	
36.5	26.5	599	60	
0.1	0.0	1	70	
0.1	0.1	2	75	
3.9	2.8	64	90	
2.1	1.6	35	120	
0.1	0.0	1	150	
0.2	0.1	3	180	
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.4	10	-8	MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
	0.2	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1322-1324

EL10	CASELOAD ASSIGN TO THE PERSON (PROVIDER #1)
-------------	--

Is your (PROVIDER #1 FROM L8a) the person whose caseload you are assigned to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	67.1	1,514	1	YES
6.2	4.4	100	2	NO
	26.7	603	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	1.6	37	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1325-1326

EL11	HOW YOU FEEL/PROVIDER #1 UNDERSTANDS YOU
-------------	---

Overall, how well do you feel your (PROVIDER #1 FROM L8a) understands you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.4	5.4	121	0	NOT AT ALL
40.5	29.5	665	1	SOMEWHAT
52.2	38.0	857	2	A LOT
	26.6	601	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.4	8	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1327-1328

EL12 **YOUR RELATIONSHIP W/ PROVIDER #1**

Overall, how would you rate your relationship with your (PROVIDER # 1 FROM L8a)? Is it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	4.6	103	1	POOR
25.6	18.6	420	2	FAIR
45.0	32.7	739	3	GOOD
23.1	16.8	379	4	EXCELLENT
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.4	8	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1329-1330

EL13_A **HOW OFTEN TALK/USE OF ALCOHOL/PROVIDER #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	26.4	597	0	NEVER
29.5	21.4	484	1	SOME SESSIONS
14.5	10.5	238	2	MOST SESSIONS
19.5	14.1	319	3	EVERY SESSION
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	4	-4	DON'T KNOW
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1331-1332

EL13_B**HOW OFTEN TALK/DRUG/CAUSE PROBLEM/PROVIDER #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	11.8	267	0	NEVER
23.4	17.0	383	1	SOME SESSIONS
23.9	17.4	392	2	MOST SESSIONS
36.4	26.4	596	3	EVERY SESSION
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1333-1334

EL13_C**HOW OFTEN TALK/EMOTIONAL HEALTH/PROVIDER #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	13.2	297	0	NEVER
25.8	18.7	422	1	SOME SESSIONS
24.7	17.9	404	2	MOST SESSIONS
31.4	22.8	514	3	EVERY SESSION
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	4	-4	DON'T KNOW
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1335-1336

EL13_F	HOW OFTEN TALK/YOUR EDUCATION/TRAINING/PROVIDER #1
---------------	---

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.4	20.6	466	0	NEVER
39.1	28.3	640	1	SOME SESSIONS
16.1	11.6	263	2	MOST SESSIONS
16.4	11.9	269	3	EVERY SESSION
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1341-1342

EL13_G	HOW OFTEN TALK/INVOLVE W/COURT/PROVIDER #1
---------------	---

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	31.7	715	0	NEVER
33.0	23.9	540	1	SOME SESSIONS
11.5	8.4	189	2	MOST SESSIONS
11.8	8.5	193	3	EVERY SESSION
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1343-1344

EL13_H	HOW OFTEN TALK/YOUR JOB/PROVIDER #1
---------------	--

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.7	49.8	1,124	0	NEVER
21.6	15.7	354	1	SOME SESSIONS
4.4	3.2	72	2	MOST SESSIONS
5.3	3.9	87	3	EVERY SESSION
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1345-1346

EL13_I	HOW OFTEN TALK/LIVING EXPENSES/PROVIDER #1
---------------	---

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.8	52.1	1,176	0	NEVER
19.4	14.1	318	1	SOME SESSIONS
4.0	2.9	65	2	MOST SESSIONS
4.8	3.5	78	3	EVERY SESSION
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1347-1348

EL13_J**HOW OFTEN TALK/REDUCE RISK/AIDS/PROVIDER #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.7	55.0	1,241	0	NEVER
17.6	12.8	288	1	SOME SESSIONS
2.9	2.1	47	2	MOST SESSIONS
3.8	2.8	63	3	EVERY SESSION
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1349-1350

EL13_K**TALK/OTHER IMPORTANT ISSUES/PROVIDER #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	4.3	98	1	YES
94.0	67.6	1,526	2	NO
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.4	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1351-1352

EL13_K_1	HOW OFTEN TALK/SPECIFY 1ST ISSUE/PROVIDER #1
-----------------	---

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.0	1	0	NEVER
25.7	1.2	26	1	SOME SESSIONS
21.8	1.0	22	2	MOST SESSIONS
51.5	2.3	52	3	EVERY SESSION
	94.2	2,126	-9	LEGITIMATE NONRESPONSE
	0.8	18	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	4	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1353-1354

EL13_K_2	HOW OFTEN TALK/SPECIFY 2ND ISSUE/PROVIDER #1
-----------------	---

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
30.0	0.3	6	1	SOME SESSIONS
30.0	0.3	6	2	MOST SESSIONS
40.0	0.4	8	3	EVERY SESSION
	94.3	2,129	-9	LEGITIMATE NONRESPONSE
	4.3	98	-8	MISSING
	0.1	3	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1355-1356

EL13_K_3**HOW OFTEN TALK/SPECIFY 3RD ISSUE/PROVIDER #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
25.0	0.0	1	1	SOME SESSIONS
25.0	0.0	1	2	MOST SESSIONS
50.0	0.1	2	3	EVERY SESSION
	94.3	2,129	-9	LEGITIMATE NONRESPONSE
	5.0	114	-8	MISSING
	0.1	3	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1357-1358

EL13_K_4**HOW OFTEN TALK/SPECIFY 4TH ISSUE/PROVIDER #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
100.0	0.0	1	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	94.3	2,129	-9	LEGITIMATE NONRESPONSE
	5.2	117	-8	MISSING
	0.1	3	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1359-1360

EL14_A SESSIONS HELPED/STOP USE OF DRUG/PROVIDER #1

How much have your sessions with your (PROVIDER #1 FROM L8a) helped you stop or cut down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.7	17.2	388	0	NOT AT ALL
38.3	27.7	626	1	SOMEWHAT
38.0	27.5	621	2	VERY MUCH
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.2	4	-4	DON'T KNOW
	0.5	11	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1361-1362

EL14_B SESSIONS HELPED/OTHER PROBLEM/PROVIDER #1

How much have your sessions with your (PROVIDER #1 FROM L8a) helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	12.3	277	0	NOT AT ALL
49.5	35.8	808	1	SOMEWHAT
33.5	24.2	546	2	VERY MUCH
	26.7	602	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
	0.3	6	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1363-1364

EL15_M	MONTH/LAST SAW/PROVIDER #1/INDIVIDUAL SERVICE
---------------	--

When did you last see your (PROVIDER #1 FROM L8a) for individual services? Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.3	16.7	377	1	JAN. - MARCH
25.2	18.0	407	2	APR. - JUNE
22.9	16.4	370	3	JULY - SEPT.
28.6	20.5	462	4	OCT. - DEC.
	26.7	603	-9	LEGITIMATE NONRESPONSE
	0.4	10	-8	MISSING
	0.2	4	-5	BAD DATA
	0.9	21	-4	DON'T KNOW
	0.2	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1365-1366

EL15_Y	YEAR/LAST SAW/PROVIDER #1/INDIVIDUAL SERVICE
---------------	---

When did you last see your (PROVIDER #1 FROM L8a) for individual services? Year.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.4	10	93	
42.9	30.6	692	94	
54.2	38.7	873	95	
2.2	1.6	36	96	
0.1	0.0	1	97	
	26.7	603	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.3	6	-5	BAD DATA
	0.9	20	-4	DON'T KNOW
	0.2	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1367-1368

EL16	#TIMES/GOT INDIVIDUAL SERVICES (PROVIDER #2)
-------------	---

These next questions are about the times you and your (PROVIDER #2 FROM L8a) have met for scheduled individual sessions. Since your admission, how many times have you had scheduled individual sessions with your (PROVIDER #2 FROM L8a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.3	1.3	30	1	
20.4	0.8	19	2	
12.9	0.5	12	3	
11.8	0.5	11	4	
10.8	0.4	10	5	
3.2	0.1	3	6	
3.2	0.1	3	10	
1.1	0.0	1	11	
1.1	0.0	1	12	
2.2	0.1	2	15	
1.1	0.0	1	24	
	27.0	609	-9	LEGITIMATE NONRESPONSE
	68.9	1,556	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1369-1370

EL16_A	#MINUTES/INDIVIDUAL SESSION LAST (PROVIDER #2)
---------------	---

How long did (this session last/your individual sessions usually last) with your (PROVIDER #2 FROM L8a)?

```

_____ MINUTES

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
  2.2    0.1      2     5
 15.1    0.6     14    10
   9.7    0.4      9    15
   1.1    0.0      1    17
  16.1    0.7     15    20
  14.0    0.6     13    30
   1.1    0.0      1    40
   6.5    0.3      6    45
  25.8    1.1     24    60
   1.1    0.0      1    70
   2.2    0.1      2    75
   1.1    0.0      1    80
   2.2    0.1      2    90
   1.1    0.0      1   120
   1.1    0.0      1   180
          27.0     609    -9  LEGITIMATE NONRESPONSE
          68.9   1,556    -8  MISSING
-----
100.0  100.0  2,258 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1371-1373

EL17	CASELOAD ASSIGN TO THE PERSON (PROVIDER #2)
-------------	--

Is your (PROVIDER #2 FROM L8a) the person whose caseload you are assigned to?

```

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
  29.9    1.2      26     1  YES
  70.1    2.7      61     2  NO
          27.1     612    -9  LEGITIMATE NONRESPONSE
          68.9   1,556    -8  MISSING
          0.1       3     -4  DON'T KNOW
-----
100.0  100.0  2,258 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1374-1375

EL18 DO YOU FEEL/PROVIDER #2 UNDERSTANDS YOU

Overall, how well do you feel your (PROVIDER #2 FROM L8a) understands you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.1	2	0	NOT AT ALL
46.0	1.8	40	1	SOMEWHAT
51.7	2.0	45	2	A LOT
	27.2	615	-9	LEGITIMATE NONRESPONSE
	68.9	1,556	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1376-1377

EL19 RELATIONSHIP W/ PROVIDER #2

Overall, how would you rate your relationship with your (PROVIDER #2 FROM L8a)? Is it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.2	5	1	POOR
19.1	0.8	18	2	FAIR
50.0	2.1	47	3	GOOD
25.5	1.1	24	4	EXCELLENT
	27.0	609	-9	LEGITIMATE NONRESPONSE
	68.9	1,555	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1378-1379

EL20_A	HOW OFTEN TALK/USE OF ALCOHOL/PROVIDER #2
---------------	--

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.2	5	0	NEVER
30.8	0.9	20	1	SOME SESSIONS
30.8	0.9	20	2	MOST SESSIONS
30.8	0.9	20	3	EVERY SESSION
	28.3	639	-9	LEGITIMATE NONRESPONSE
	68.8	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1380-1381

EL20_B	HOW OFTEN TALK/DRUG/CAUSE PROBLEM/PROVIDER #2
---------------	--

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	0.0	1	0	NEVER
28.7	1.1	25	1	SOME SESSIONS
24.1	0.9	21	2	MOST SESSIONS
46.0	1.8	40	3	EVERY SESSION
	27.3	617	-9	LEGITIMATE NONRESPONSE
	68.8	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1382-1383

EL20_E**HOW OFTEN TALK/YOUR PHYS HEALTH/PROVIDER #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.4	9	0	NEVER
51.1	1.0	23	1	SOME SESSIONS
11.1	0.2	5	2	MOST SESSIONS
17.8	0.4	8	3	EVERY SESSION
	29.2	659	-9	LEGITIMATE NONRESPONSE
	68.8	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1388-1389

EL20_F**HOW OFTEN TALK/YOUR EDUCATION/TRAINING/PROVIDER #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.6	0.5	11	0	NEVER
43.1	1.0	22	1	SOME SESSIONS
17.6	0.4	9	2	MOST SESSIONS
17.6	0.4	9	3	EVERY SESSION
	28.9	653	-9	LEGITIMATE NONRESPONSE
	68.8	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1390-1391

EL20_G	HOW OFTEN TALK/INVOLVE W/COURT/PROVIDER #2
---------------	---

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.6	0.4	9	0	NEVER
41.3	0.8	19	1	SOME SESSIONS
23.9	0.5	11	2	MOST SESSIONS
15.2	0.3	7	3	EVERY SESSION
	29.1	658	-9	LEGITIMATE NONRESPONSE
	68.8	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1392-1393

EL20_H	HOW OFTEN TALK/YOUR JOB/PROVIDER #2
---------------	--

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	0.6	13	0	NEVER
53.5	1.0	23	1	SOME SESSIONS
4.7	0.1	2	2	MOST SESSIONS
11.6	0.2	5	3	EVERY SESSION
	29.3	661	-9	LEGITIMATE NONRESPONSE
	68.8	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1394-1395

EL20_I**HOW OFTEN TALK/LIVING EXPENSES/PROVIDER #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.2	0.6	13	0	NEVER
39.5	0.7	15	1	SOME SESSIONS
7.9	0.1	3	2	MOST SESSIONS
18.4	0.3	7	3	EVERY SESSION
	29.5	666	-9	LEGITIMATE NONRESPONSE
	68.8	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1396-1397

EL20_J**HOW OFTEN TALK/REDUCE RISK/AIDS/PROVIDER #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	0.7	15	0	NEVER
25.9	0.3	7	1	SOME SESSIONS
7.4	0.1	2	2	MOST SESSIONS
11.1	0.1	3	3	EVERY SESSION
	29.9	676	-9	LEGITIMATE NONRESPONSE
	68.9	1,555	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1398-1399

EL20_K	TALK/OTHER IMPORTANT ISSUES/PROVIDER #2
---------------	--

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.2	5	1	YES
94.7	3.9	89	2	NO
	27.0	609	-9	LEGITIMATE NONRESPONSE
	68.9	1,555	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1400-1401

EL20_K_1	HOW OFTEN TALK/SPECIFY 1ST ISSUE/PROVIDER #2
-----------------	---

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
20.0	0.0	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
80.0	0.2	4	3	EVERY SESSION
	30.9	698	-9	LEGITIMATE NONRESPONSE
	68.9	1,555	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1402-1403

EL20_K_2**HOW OFTEN TALK/SPECIFY 2ND ISSUE/PROVIDER #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	31.1	703	-9	LEGITIMATE NONRESPONSE
	68.9	1,555	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1404-1405

EL20_K_3**HOW OFTEN TALK/SPECIFY 3RD ISSUE/PROVIDER #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
100.0	0.0	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	31.1	702	-9	LEGITIMATE NONRESPONSE
	68.9	1,555	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1406-1407

EL20_K_4	HOW OFTEN TALK/SPECIFY 4TH ISSUE/PROVIDER #2
-----------------	---

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. Since your admission, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	31.1	703	-9	LEGITIMATE NONRESPONSE
	68.9	1,555	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1408-1409

EL21_A	SESSIONS HELPED/STOP USE OF DRUG/PROVIDER #2
---------------	---

How much have your sessions with your (PROVIDER #2 FROM L8a) helped you stop or cut down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.1	3	0	NOT AT ALL
63.3	2.2	50	1	SOMEWHAT
32.9	1.2	26	2	VERY MUCH
	27.7	625	-9	LEGITIMATE NONRESPONSE
	68.8	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1410-1411

EL21_B**SESSIONS HELPED/OTHER PROBLEM/PROVIDER #2**

How much have your sessions with your (PROVIDER #2 FROM L8a) helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.5	0.1	3	0	NOT AT ALL
57.6	2.2	49	1	SOMEWHAT
38.8	1.5	33	2	VERY MUCH
	27.4	619	-9	LEGITIMATE NONRESPONSE
	68.8	1,554	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1412-1413

EL22_M**MONTH/LAST SAW PROVIDER #2/INDIVIDUAL SERVICE**

When did you last see your (PROVIDER #2 FROM L8a) for individual services? Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.2	1.1	24	1	JAN. - MARCH
18.2	0.8	18	2	APR. - JUNE
26.3	1.2	26	3	JULY - SEPT.
31.3	1.4	31	4	OCT. - DEC.
	26.9	608	-9	LEGITIMATE NONRESPONSE
	68.7	1,551	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1414-1415

EL22_Y	YEAR/LAST SAW PROVIDER #2/INDIVIDUAL SERVICE
---------------	---

When did you last see your (PROVIDER #2 FROM L8a) for individual services? Year.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.0	1	93	
45.9	2.0	45	94	
53.1	2.3	52	95	
	26.9	608	-9	LEGITIMATE NONRESPONSE
	68.7	1,552	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1416-1417

EL23	PERSON YOU SAW MOST/PROVIDER #1/INDIVIDUALSERVICE
-------------	--

Now, please think about the one person at this program you have seen the most often for individual services since your admission. Since your admission, is your (PROVIDER #1 FROM L8a) the person you have seen most often at this program for individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.8	70.7	1,597	1	YES
3.2	2.3	53	2	NO
	26.4	596	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1418-1419

EL24	PERSON YOU SAW MOST/PROVIDER #2/INDIVIDUALSERVICE
-------------	--

Since your admission, is your (PROVIDER #2 FROM L8a) the person you have seen most often at this program for individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.9	1.2	26	1	YES
7.1	0.1	2	2	NO
	97.0	2,191	-9	LEGITIMATE NONRESPONSE
	1.7	39	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1420-1421

EL25	SAW MOST OFTEN AT PROGRAM/FOR INDIVIDUAL COUNSEL
-------------	---

Since your admission, who have you seen or talked with most often at this program for individual counseling, treatment, or other individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	0.8	17	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
46.5	0.9	20	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
2.3	0.0	1	13	SOCIAL WORKER
2.3	0.0	1	21	PSYCHOLOGIST
2.3	0.0	1	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	71	STAFF FROM OTHER AGENCY
7.0	0.1	3	91	OTHER
	97.8	2,208	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1422-1423

EL26_M	MONTH/LAST SAW PROVIDER L25/INDIVIDUALSERVICE
---------------	--

When did you last see your (PROVIDER FROM L25) for individual services? Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	0.3	6	1	JAN. - MARCH
36.6	0.7	15	2	APR. - JUNE
17.1	0.3	7	3	JULY - SEPT.
31.7	0.6	13	4	OCT. - DEC.
	97.8	2,209	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1424-1425

EL26_Y	YEAR/LAST SAW PROVIDER L25/INDIVIDUALSERVICE
---------------	---

When did you last see your (PROVIDER FROM L25) for individual services? Year.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.2	0.9	21	94	
46.3	0.8	19	95	
2.4	0.0	1	96	
	97.8	2,209	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1426-1427

EL27**SAW/LIST OF TREATMENT PLAN/ONE WROTE**

Now, I need to ask about a list of treatment goals or a plan that someone may have written for you. This list is sometimes called treatment plan. Have you seen a list of treatment goals or a plan that someone has written for you personally?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.3	40.2	908	1	YES
53.2	53.1	1,199	2	NO
6.5	6.5	147	3	DON'T KNOW
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1428-1429

EL28**DO YOU KNOW WHO PREPARED TREATMENT PLAN**

Do you know who prepared this treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.4	34.5	779	1	YES
13.6	5.4	123	2	NO
	59.5	1,344	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1430-1431

EL28A_00	PREPARED PLAN/SELF
-----------------	---------------------------

Who prepared it?

Self

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.9	111	0	CIRCLED
	65.0	1,468	-9	LEGITIMATE NONRESPONSE
	29.9	676	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1432-1433

EL28A_01	PREPARED PLAN/REGULAR COUNSELOR
-----------------	--

Who prepared it?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.1	453	1	CIRCLED
	65.0	1,467	-9	LEGITIMATE NONRESPONSE
	14.8	335	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1434-1435

EL28A_02	PREPARED PLAN/CASE MANAGER
-----------------	-----------------------------------

Who prepared it?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	100	2	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	30.4	686	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1436-1437

EL28A_11	PREPARED PLAN/OTHER COUNSELOR
-----------------	--------------------------------------

Who prepared it?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	99	11	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	30.4	687	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1438-1439

EL28A_12	PREPARED PLAN/OTHER CASE MANAGER
-----------------	---

Who prepared it?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	12	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	34.7	784	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1440-1441

EL28A_13	PREPARED PLAN/SOCIAL WORKER
-----------------	------------------------------------

Who prepared it?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	28	13	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	33.6	758	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1442-1443

EL28A_21	PREPARED PLAN/PSYCHOLOGIST
-----------------	-----------------------------------

Who prepared it?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	21	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	34.7	784	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1444-1445

EL28A_22	PREPARED PLAN/PSYCHIATRIST
-----------------	-----------------------------------

Who prepared it?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	34.8	786	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1446-1447

EL28A_23 PREPARED PLAN/NURSE

Who prepared it?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	23	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	34.6	781	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1448-1449

EL28A_24 PREPARED PLAN/VOCATIONAL COUNSELOR

Who prepared it?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	24	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	34.8	785	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1450-1451

EL28A_25	PREPARED PLAN/PHYSICIAN
-----------------	--------------------------------

Who prepared it?

Physician

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	34.8	786	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1452-1453

EL28A_26	PREPARED PLAN/PHYSICIAN'S ASSISTANT
-----------------	--

Who prepared it?

Physician's assistant

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	34.8	786	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1454-1455

EL28A_71 PREPARED PLAN/STAFF FR OTHER AGENCY

Who prepared it?

Staff from another agency who visited the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	71	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	34.7	784	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1456-1457

EL28A_91 PREPARED PLAN/OTHER

Who prepared it?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	32	91	CIRCLED
	65.1	1,469	-9	LEGITIMATE NONRESPONSE
	33.4	754	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1458-1459

EL28B**PERSON MOST RESPONSIBLE WHO PREPARED PLAN**

[IF MORE THAN ONE IS MENTIONED IN L28a, ASK THE FOLLOWING QUESTION.] Who was the person most responsible for preparing the plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	0.6	13	0	SELF
60.3	1.6	35	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
6.9	0.2	4	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
1.7	0.0	1	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	24	VOCATIONAL COUNSELOR
0.0	0.0	0	25	PHYSICIAN
0.0	0.0	0	26	PHYSICIANS ASSISTANT
1.7	0.0	1	71	STAFF FROM ANOTHER AGENCY
6.9	0.2	4	91	OTHER
	65.0	1,467	-9	LEGITIMATE NONRESPONSE
	32.4	732	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1460-1461

EL29**MET W/ANYONE TO TALK/YOUR TREATMENT PLAN**

Have you met with anyone to talk about your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.4	32.0	722	1	YES
20.6	8.3	187	2	NO
	59.5	1,343	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1462-1463

EL29_A	DO YOU KNOW GOALS IN TREATMENT PLAN
---------------	--

Do you know what the goals in your treatment plan are?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.7	30.3	685	1	YES
5.3	1.7	38	2	NO
	67.7	1,529	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1464-1465

EL29_B_A	GOAL PLAN/YOUR USE OF ALCOHOL
-----------------	--------------------------------------

Does your plan include any goals for your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	19.4	437	1	YES
36.2	11.0	248	2	NO
	69.3	1,565	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1466-1467

EL29_B_B	GOAL PLAN/DRUG/CAUSED PROBLEM
-----------------	--------------------------------------

Does your plan include any goals for your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.5	27.1	612	1	YES
10.5	3.2	72	2	NO
	69.4	1,566	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1468-1469

EL29_B_C	GOAL PLAN/EMOTIONAL HEALTH
-----------------	-----------------------------------

Does your plan include any goals for your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.0	20.9	471	1	YES
31.0	9.4	212	2	NO
	69.4	1,566	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1470-1471

EL29_B_D	GOAL PLAN/RELATIONSHIP W/FAMILY
-----------------	--

Does your plan include any goals for your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.9	26.4	595	1	YES
13.1	4.0	90	2	NO
	69.4	1,566	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1472-1473

EL29_B_E	GOAL PLAN/YOUR PHYSICAL HEALTH
-----------------	---------------------------------------

Does your plan include any goals for your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	11.6	263	1	YES
61.5	18.6	420	2	NO
	69.4	1,566	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1474-1475

EL29_B_F**GOAL PLAN/YOUR EDUCATION/TRAINING**

Does your plan include any goals for your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	23.0	520	1	YES
24.0	7.3	164	2	NO
	69.4	1,566	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1476-1477

EL29_B_G**GOAL PLAN/INVOLVEMENT W/COURT**

Does your plan include any goals for involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.7	13.6	306	1	YES
55.3	16.7	378	2	NO
	69.4	1,566	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1478-1479

EL29_B_H	GOAL PLAN/YOUR JOB
-----------------	---------------------------

Does your plan include any goals for your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.4	11.3	256	1	YES
62.6	19.0	428	2	NO
	69.4	1,566	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1480-1481

EL29_B_I	GOAL PLAN/LIVING EXPENSES
-----------------	----------------------------------

Does your plan include any goals for housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.7	9.0	203	1	YES
70.3	21.3	481	2	NO
	69.4	1,567	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1482-1483

EL29_B_J**GOAL PLAN/REDUCE RISK FOR GETTING AIDS**

Does your plan include any goals for reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	8.2	185	1	YES
72.9	22.1	498	2	NO
	69.4	1,567	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1484-1485

EL29_B_K**GOAL PLAN/OTHER IMPORTANT ISSUES**

Does your plan include any goals for any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	1.9	44	1	YES
93.5	28.1	635	2	NO
	69.4	1,568	-9	LEGITIMATE NONRESPONSE
	0.4	10	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1486-1487

EL29BK_1	SPECIFY 1ST OTHER IMPORTANT ISSUE
-----------------	--

Does your plan include any goals for any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.2	1.8	41	1	YES
6.8	0.1	3	2	NO
	97.6	2,203	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1488-1489

EL29BK_2	SPECIFY 2ND OTHER IMPORTANT ISSUE
-----------------	--

Does your plan include any goals for any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	10	1	YES
0.0	0.0	0	2	NO
	97.6	2,203	-9	LEGITIMATE NONRESPONSE
	2.0	45	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1490-1491

EL29BK_3**SPECIFY 3RD OTHER IMPORTANT ISSUE**

Does your plan include any goals for any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	YES
0.0	0.0	0	2	NO
	97.6	2,203	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1492-1493

EL29BK_4**SPECIFY 4TH OTHER IMPORTANT ISSUE**

Does your plan include any goals for any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	YES
0.0	0.0	0	2	NO
	97.6	2,203	-9	LEGITIMATE NONRESPONSE
	2.4	54	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1494-1495

EL29_C	AGREE WITH GOALS IN TREATMENT PLAN
---------------	---

Do you agree with the goals in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.9	28.7	649	1	YES
5.1	1.6	35	2	NO
	69.4	1,568	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1496-1497

EL29_D	HOW MUCH/FELT IN DEVELOP YOUR TREATMENT PLAN
---------------	---

How much say-so do you feel you had in developing your treatment plan? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.1	6.7	152	0	NONE
41.1	13.2	297	1	A LITTLE
37.8	12.1	273	2	A LOT
	67.8	1,530	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1498-1499

EL29_E	HOW HELPFUL HAS THE PLAN BEEN
---------------	--------------------------------------

Has the plan been . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	3.1	69	0	NOT AT ALL
51.7	16.3	369	1	SOMEWHAT
38.7	12.2	276	2	VERY HELPFUL
	67.8	1,530	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-5	BAD DATA
	0.4	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1500-1501

EL30	ANY CHANGES IN TREATMENT PLAN
-------------	--------------------------------------

Since your admission, have there been any changes in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	3.7	84	1	YES
90.7	36.4	823	2	NO
	59.5	1,343	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1502-1503

EL30_A	#TIMES PLAN HAS BEEN CHANGED
---------------	-------------------------------------

Since your admission, how many times has it been changed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.9	2.6	58	1	
22.9	0.8	19	2	
3.6	0.1	3	3	
1.2	0.0	1	4	
1.2	0.0	1	8	
1.2	0.0	1	10	
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1504-1505

EL30_B_M	MONTH/PLAN MOST RECENTLY CHANGED
-----------------	---

When was this plan most recently changed? Month.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	0.8	18	1	JAN. - MARCH
17.6	0.7	15	2	APR. - JUNE
18.8	0.7	16	3	JULY - SEPT.
42.4	1.6	36	4	OCT. - DEC.
	95.9	2,165	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1506-1507

EL30C_00	WHO CHANGED PLAN/SELF
-----------------	------------------------------

Who changed it?

Self

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	26	0	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	2.9	65	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1508-1509

EL30C_01	WHO CHANGED PLAN/REGULAR COUNSELOR
-----------------	---

Who changed it?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	59	1	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	1.4	32	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1510-1511

EL30C_02	WHO CHANGED PLAN/CASE MANAGER
-----------------	--------------------------------------

Who changed it?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	3.9	89	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1512-1513

EL30C_11	WHO CHANGED PLAN/OTHER COUNSELOR
-----------------	---

Who changed it?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	11	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	3.7	83	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1514-1515

EL30C_12**WHO CHANGED PLAN/OTHER CASE MANAGER**

Who changed it?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1516-1517

EL30C_13**WHO CHANGED PLAN/SOCIAL WORKER**

Who changed it?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1518-1519

EL30C_21	WHO CHANGED PLAN/PSYCHOLOGIST
-----------------	--------------------------------------

Who changed it?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1520-1521

EL30C_22	WHO CHANGED PLAN/PSYCHIATRIST
-----------------	--------------------------------------

Who changed it?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1522-1523

EL30C_23**WHO CHANGED PLAN/NURSE**

Who changed it?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1524-1525

EL30C_24**WHO CHANGED PLAN/PHYSICIAN**

Who changed it?

Physician

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	24	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1526-1527

EL30C_25	WHO CHANGED PLAN/PHYSICIAN'S ASSISTANT
-----------------	---

Who changed it?

Physician's assistant

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1528-1529

EL30C_26	WHO CHANGED PLAN/DENTIST
-----------------	---------------------------------

Who changed it?

Dentist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1530-1531

EL30C_27**WHO CHANGED PLAN/VOCATIONAL COUNSELOR**

Who changed it?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1532-1533

EL30C_71**WHO CHANGED PLAN/STAFF FR OTHER AGENCY**

Who changed it?

Staff from another agency who visited the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1534-1535

EL30C_91	WHO CHANGED PLAN/OTHER
-----------------	-------------------------------

Who changed it?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	4.0	91	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1536-1537

EL30_D	HOW MUCH/YOU HAD IN CHANGING PLAN
---------------	--

How much say-so do you feel you had in changing your treatment plan? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	1.1	24	0	NONE
27.4	1.0	23	1	A LITTLE
44.0	1.6	37	2	A LOT
	95.9	2,166	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1538-1539

EL31	PLAN INCLUDE GOALS AFTER TREATMENT
-------------	---

Does your treatment plan include any goals or plans for you after you leave treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	26.8	605	1	YES
30.6	11.8	267	2	NO
	59.5	1,344	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	1.6	37	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1540-1541

EL32	STAFF PERSON AGREE ON DRUG TREATMENT GOALS
-------------	---

Think again about the staff person you have been seeing most regularly since your admission. How much do you and this person agree on the goals for your drug treatment? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.1	206	0	NOT AT ALL
45.4	43.0	970	1	SOMEWHAT
45.0	42.6	961	2	VERY MUCH
	0.5	12	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	8	-5	BAD DATA
	3.5	79	-4	DON'T KNOW
	0.9	20	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1542-1543

EL33 EASY/DIFFICULT TO DO/STAFF EXPECTATION

Since your admission, has it been difficult or easy for you to do what the staff in this program expect of you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	33.5	756	1	DIFFICULT
66.3	65.9	1,487	2	EASY
	0.6	13	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1544-1545

EL33_A HAS BEEN VERY/SOMEWHAT DIFFICULT

Has it been very difficult or somewhat difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.0	9.8	221	1	VERY DIFFICULT
71.0	24.0	541	2	SOMEWHAT DIFFICULT
	65.6	1,482	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1546-1547

EL33_B**HAS BEEN VERY/SOMEWHAT EASY**

Has it been very easy or somewhat easy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.2	27.1	611	1	VERY EASY
58.8	38.6	872	2	SOMEWHAT EASY
	33.7	762	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1548-1549

EL34**HAVE YOU FOLLOWED INSTRUCTION OF STAFF**

Since your admission, would you say you have followed the instructions and suggestions of staff here . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.8	64	0	NOT AT ALL
45.8	45.4	1,026	1	SOMEWHAT
51.3	50.8	1,148	2	VERY CLOSELY
	0.7	16	-8	MISSING
	0.1	3	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1550-1551

EL35	WHAT DRUG CAUSED MOST SERIOUS PROBLEMS
-------------	---

Now, I'd like to ask some questions about any personal goals that you may have regarding your use of drugs. Please include drugs taken without a doctor's prescription or not according to the prescription, as well as any illegal drugs. First, when you were admitted to this program, what drug caused you the most serious problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	11.8	266	0	NONE
10.5	10.5	237	10	ALCOHOL
56.8	56.7	1,281	20	MARIJUANA, HASHISH, THC
4.8	4.8	109	30	HALLUCINOGENS/PSYCHEDELICS
7.7	7.7	174	40	COCAINE IN ANY FORM
2.4	2.3	53	41	CRACK
1.9	1.9	42	50	HEROIN ALONE, WITH OTHER DRUGS
0.2	0.2	5	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.1	0.1	2	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.2	0.2	4	70	DOWNERS/DEPRESSANTS
0.6	0.6	14	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
2.1	2.1	48	81	METHAMPHETAMINES/ICE
0.4	0.4	8	90	ANY OTHER DRUGS
0.5	0.5	12	91	INHALANTS
	0.0	1	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1552-1553

EL35_A**ANY PERSONAL TREATMENT GOALS/TYPE L35**

Do you have any personal treatment goals or plans regarding the use of (DRUG TYPE FROM L35)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.6	59.7	1,348	1	YES
23.4	18.2	411	2	NO
	11.7	264	-9	LEGITIMATE NONRESPONSE
	10.4	234	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1554-1555

EL36**PERSONAL TREATMENT GOALS**

Please tell me what your personal treatment goals or plans are. Would you say . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
82.9	50.3	1,135	1	ABSTAIN/NEVER USE AGAIN
9.3	5.6	127	2	REDUCE YOUR LEVEL OF USE
5.8	3.5	80	3	QUIT FOR A WHILE BUT USE LATER
1.4	0.8	19	4	CONTINUE TO USE/BEFORE ENTER PROG
0.6	0.4	8	5	IF VOL: OTHER
	29.6	669	-9	LEGITIMATE NONRESPONSE
	9.7	218	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1556-1557

EL37**HOW MUCH PROGRAM TREATMENT WILL HELP YOU**

How much do you think your treatment in this program will help you do this? Do you think it will help . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	2.8	63	0	NOT AT ALL
26.5	15.8	357	1	A LITTLE
68.8	41.1	928	2	A LOT
	30.2	683	-9	LEGITIMATE NONRESPONSE
	9.9	223	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1558-1559

EL38**GOALS REGARDING DRUG USE/SAME/DIFFERENT**

Are your goals or plans regarding the use of other drugs the same or are they different? Do not include goals that you may have regarding the use of alcohol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.0	55.6	1,255	1	SAME
8.0	4.8	109	2	DIFFERENT
	29.5	666	-9	LEGITIMATE NONRESPONSE
	9.9	224	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1560-1561

EL39**TREATMENT GOALS/REGARDING ALCOHOL USE**

These next few questions are about goals that you might have regarding alcohol use. Do you have any treatment goals regarding alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	33.8	763	1	YES
66.0	65.6	1,482	2	NO
	0.4	8	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1562-1563

EL39_A**GOALS WRITTEN IN TREATMENT PLAN**

Are these goals written in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	16.8	379	1	YES
35.7	9.3	210	2	NO
	65.5	1,480	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	5	-5	BAD DATA
	7.5	169	-4	DON'T KNOW
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1564-1565

EL39_B	YOU/STAFF AGREE ON TREATMENT GOALS/ALCOHOL USE
---------------	---

How much do you and the staff in this program agree on your treatment goals regarding alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	2.8	63	1	NOT AT ALL
29.1	9.3	211	2	SOMEWHAT
62.2	19.9	450	3	VERY MUCH
	65.4	1,477	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-5	BAD DATA
	1.8	40	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1566-1567

EL40	YOUR FUTURE PLAN ABOUT DRINKING
-------------	--

Which do you think is closest to your plan for the future? Do you plan to . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.8	21.8	493	1	NEVER DRINK
30.9	10.1	228	2	DRINK OCCASIONALLY
2.3	0.8	17	3	DRINK REGULARLY
	67.3	1,520	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1568-1569

EL41**PLAN TO CONTINUE TO DRINK ALCO IN FUTURE**

Do you plan to continue to drink alcohol in the future?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.5	1.1	24	1	YES
38.5	0.7	15	2	NO
	97.6	2,204	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1570-1571

EL41_A**YOUR FUTURE PLAN ABOUT DRINKING**

Which is closest to your plan for the future? Do you plan to . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	QUIT FOR A WHILE/START LATER
42.1	0.4	8	2	QUIT/EVEN THOUGHT YOU SLIP FEW TIME
57.9	0.5	11	3	QUIT/NEVER DRINK ALC AGAIN
	98.5	2,224	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1572-1573

EL42 YOUR FUTURE PLAN FOR ALCOHOL USE

Which of the following best describes your plans for alcohol use? Would you say you plan to . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CONTINUE TO DRINK LIKE BEFORE
0.0	0.0	0	2	DRINK MORE ALC THAN BEFORE
80.0	0.9	20	3	CUT BACK ON DRINKING/>CONTROLLED
12.0	0.1	3	4	QUIT FOR A WHILE/START LATER
8.0	0.1	2	5	IF VOL: OTHER
	98.3	2,220	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1574-1575

EL43 HOW MUCH PROGRAM TREATMENT WILL HELP

How much do you think your treatment in this program will help you do this? Do you think it will help . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	2.9	66	0	NOT AT ALL
25.1	8.5	193	1	A LITTLE
66.3	22.6	510	2	A LOT
	65.3	1,475	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1576-1577

EL44_A	REASON/ABUSE DRUGS/DEPRESS/UNHAPPY
---------------	---

People have different beliefs about drug abuse and drug dependence. I'd like to know how much you agree or disagree with each of the following statements about why people have problems with drugs. The reason people abuse drugs is that they are depressed and unhappy

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	11.2	252	1	STRONGLY DISAGREE
12.2	12.1	273	2	SOMEWHAT DISAGREE
48.0	47.7	1,077	3	SOMEWHAT AGREE
28.7	28.5	644	4	STRONGLY AGREE
	0.1	2	-8	MISSING
	0.4	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1578-1579

EL44_B	REASON/ABUSE DRUGS/FAMILY PROBLEM/GROWING UP
---------------	---

People have different beliefs about drug abuse and drug dependence. I'd like to know how much you agree or disagree with each of the following statements about why people have problems with drugs. The reason people abuse drugs is that while they were growing up they had family problems at home.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.7	196	1	STRONGLY DISAGREE
11.2	11.2	252	2	SOMEWHAT DISAGREE
48.0	47.7	1,078	3	SOMEWHAT AGREE
32.1	31.9	720	4	STRONGLY AGREE
	0.1	2	-8	MISSING
	0.4	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1580-1581

EL45_A **AGREE/DISAGREE/CAUSED PROBLEM THEMSELVES**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have caused their drug problems themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	95	1	STRONGLY DISAGREE
7.4	7.4	167	2	SOMEWHAT DISAGREE
39.5	39.3	887	3	SOMEWHAT AGREE
48.9	48.7	1,099	4	STRONGLY AGREE
	0.2	4	-8	MISSING
	0.1	2	-7	REFUSAL
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1582-1583

EL45_B **AGREE/DISAGREE/USE IN CONTROLLED WAY**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they can learn how to use drugs in a controlled way.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.3	42.0	949	1	STRONGLY DISAGREE
21.9	21.8	492	2	SOMEWHAT DISAGREE
23.6	23.4	529	3	SOMEWHAT AGREE
12.2	12.2	275	4	STRONGLY AGREE
	0.2	5	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1584-1585

EL45_C**AGREE/DISAGREE/MUST REMAIN DRUG-FREE**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they must remain completely drug-free except for prescribed medications.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.5	147	1	STRONGLY DISAGREE
14.5	14.4	325	2	SOMEWHAT DISAGREE
29.4	29.2	660	3	SOMEWHAT AGREE
49.6	49.4	1,115	4	STRONGLY AGREE
	0.3	6	-8	MISSING
	0.2	4	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1586-1587

EL45_D**AGREE/DISAGREE/FACE/CONFRONT DENIAL**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to face and confront their own denial of their drug problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	46	1	STRONGLY DISAGREE
3.2	3.1	71	2	SOMEWHAT DISAGREE
29.1	28.9	652	3	SOMEWHAT AGREE
65.7	65.3	1,475	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.2	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1588-1589

EL45_E**AGREE/DISAGREE/TURN OVER TO GOD**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to turn themselves over to God or a higher power.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.3	10.2	231	1	STRONGLY DISAGREE
14.5	14.3	324	2	SOMEWHAT DISAGREE
32.2	32.0	722	3	SOMEWHAT AGREE
43.0	42.7	964	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.2	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1590-1591

EL45_F**AGREE/DISAGREE/GET HELP FROM AA/NA/CA**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they will need to get help for their drug problem from AA, NA, CA, or another 12-step program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.0	7.9	179	1	STRONGLY DISAGREE
12.3	12.2	276	2	SOMEWHAT DISAGREE
35.0	34.6	782	3	SOMEWHAT AGREE
44.7	44.2	999	4	STRONGLY AGREE
	0.2	4	-8	MISSING
	0.2	4	-7	REFUSAL
	0.6	14	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1592-1593

EL45_G**AGREE/DISAGREE/NEVER USE DRUGS AGAIN**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they can never use drugs again, not even just once.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.3	209	1	STRONGLY DISAGREE
15.7	15.6	352	2	SOMEWHAT DISAGREE
23.8	23.6	532	3	SOMEWHAT AGREE
51.1	50.7	1,144	4	STRONGLY AGREE
	0.3	7	-8	MISSING
	0.2	4	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1594-1595

EL45_H**AGREE/DISAGREE/HELP FROM PROFESSIONAL**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they will need to get help for their drug problems from a professional who is trained to treat drug abuse problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.8	177	1	STRONGLY DISAGREE
12.1	12.0	272	2	SOMEWHAT DISAGREE
39.6	39.4	890	3	SOMEWHAT AGREE
40.4	40.1	906	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.2	4	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1596-1597

EL45_I	AGREE/DISAGREE/PAST CAUSED DRUG PROBLEM
---------------	--

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they need to talk to a professional about how their past helped to cause their drug problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	5.9	134	1	STRONGLY DISAGREE
12.4	12.3	278	2	SOMEWHAT DISAGREE
40.9	40.6	917	3	SOMEWHAT AGREE
40.8	40.5	915	4	STRONGLY AGREE
	0.2	4	-8	MISSING
	0.2	4	-7	REFUSAL
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1598-1599

EL45_J	AGREE/DISAGREE/NO CONTROL OVER DRUGS
---------------	---

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have no control over their drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	17.0	384	1	STRONGLY DISAGREE
17.1	17.0	383	2	SOMEWHAT DISAGREE
25.9	25.7	581	3	SOMEWHAT AGREE
39.8	39.5	891	4	STRONGLY AGREE
	0.4	8	-8	MISSING
	0.2	4	-7	REFUSAL
	0.3	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1600-1601

EL45_K**AGREE/DISAGREE/AVOID PEOPLE/ABUSE DRUG**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to avoid spending time with friends or other people who abuse drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.3	210	1	STRONGLY DISAGREE
12.1	12.0	271	2	SOMEWHAT DISAGREE
28.5	28.3	640	3	SOMEWHAT AGREE
50.1	49.9	1,126	4	STRONGLY AGREE
	0.2	4	-8	MISSING
	0.2	4	-7	REFUSAL
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1602-1603

EL45_L**AGREE/DISAGREE/DRUG ABUSE IS A DISEASE**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that drug abuse is a disease.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.3	142	1	STRONGLY DISAGREE
5.7	5.7	128	2	SOMEWHAT DISAGREE
21.1	20.9	473	3	SOMEWHAT AGREE
66.9	66.4	1,500	4	STRONGLY AGREE
	0.1	3	-8	MISSING
	0.2	5	-7	REFUSAL
	0.3	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1604-1605

EL46 ATTENDED A REGULAR TREATMENT GROUP

Next, I'll ask about a group that is sometimes called a "regular treatment group" or simply "group." This kind of group meets often and deals with a variety of subjects related to addiction, such as drug or alcohol dependence, and other problems caused by addiction. (This is not your AA, NA, CA, or other 12-step group.) Since your admission, have you attended a group like this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	82.9	1,871	1	YES
17.0	16.9	382	2	NO
	0.2	4	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1606-1607

EL47_01 WHO LED MEETINGS/PRIMARY/REGULAR COUNSELOR

Who has usually led these meetings?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	41.9	947	1	CIRCLED
	16.8	380	-9	LEGITIMATE NONRESPONSE
	41.1	927	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1608-1609

EL47_02**WHO LED MEETINGS/CASE MANAGER**

Who has usually led these meetings?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.8	86	2	CIRCLED
	16.9	382	-9	LEGITIMATE NONRESPONSE
	79.1	1,786	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1610-1611

EL47_11**WHO LED MEETINGS/OTHER COUNSELOR**

Who has usually led these meetings?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	55.6	1,256	11	CIRCLED
	16.8	380	-9	LEGITIMATE NONRESPONSE
	27.4	618	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1612-1613

EL47_12 **WHO LED MEETINGS/OTHER CASE MANAGER**

Who has usually led these meetings?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.2	73	12	CIRCLED
	16.9	382	-9	LEGITIMATE NONRESPONSE
	79.7	1,799	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1614-1615

EL47_13 **WHO LED MEETINGS/SOCIAL WORKER**

Who has usually led these meetings?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	22	13	CIRCLED
	16.9	382	-9	LEGITIMATE NONRESPONSE
	81.9	1,850	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1616-1617

EL47_21**WHO LED MEETINGS/PSYCHOLOGIST**

Who has usually led these meetings?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	21	CIRCLED
	16.9	382	-9	LEGITIMATE NONRESPONSE
	82.8	1,870	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1618-1619

EL47_22**WHO LED MEETINGS/PSYCHIATRIST**

Who has usually led these meetings?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	22	CIRCLED
	16.9	382	-9	LEGITIMATE NONRESPONSE
	82.9	1,871	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1620-1621

EL47_23 **WHO LED MEETINGS/NURSE**

Who has usually led these meetings?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	23	CIRCLED
	16.9	382	-9	LEGITIMATE NONRESPONSE
	82.9	1,871	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1622-1623

EL47_71 **WHO LED MEETINGS/STAFF FR OTHER AGENCY**

Who has usually led these meetings?

Staff from another agency who visited the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	71	CIRCLED
	16.9	382	-9	LEGITIMATE NONRESPONSE
	82.8	1,870	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1624-1625

EL47_91	WHO LED MEETINGS/OTHER
----------------	-------------------------------

Who has usually led these meetings?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.1	160	91	CIRCLED
	16.9	381	-9	LEGITIMATE NONRESPONSE
	75.9	1,714	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1626-1627

EL48_A	HOW OFTEN DEALT W/USE OF ALCOHOL
---------------	---

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	23.6	532	0	NEVER
35.4	29.3	661	1	SOME SESSIONS
25.1	20.7	468	2	MOST SESSIONS
11.1	9.2	207	3	EVERY SESSION
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1628-1629

EL48_B	HOW OFTEN DEALT W/DRUG/CAUSED PROBLEM
---------------	--

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.6	7.1	161	0	NEVER
24.8	20.5	464	1	SOME SESSIONS
38.2	31.7	715	2	MOST SESSIONS
28.3	23.5	530	3	EVERY SESSION
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1630-1631

EL48_C	HOW OFTEN DEALT W/EMOTIONAL HEALTH
---------------	---

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	10.1	227	0	NEVER
30.9	25.6	578	1	SOME SESSIONS
33.2	27.5	621	2	MOST SESSIONS
23.7	19.6	443	3	EVERY SESSION
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1632-1633

EL48_D**HOW OFTEN DEALT W/RELATION W/FAMILY**

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	7.8	177	0	NEVER
35.3	29.2	660	1	SOME SESSIONS
33.1	27.4	618	2	MOST SESSIONS
22.2	18.3	414	3	EVERY SESSION
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1634-1635

EL48_E**HOW OFTEN DEALT W/YOUR PHYS HEALTH**

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	43.7	986	0	NEVER
33.2	27.4	619	1	SOME SESSIONS
10.8	8.9	201	2	MOST SESSIONS
3.2	2.6	59	3	EVERY SESSION
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1636-1637

EL48_F	HOW OFTEN DEALT W/YOUR EDUCATION/TRAINING
---------------	--

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	24.8	560	0	NEVER
48.1	39.8	899	1	SOME SESSIONS
15.4	12.8	288	2	MOST SESSIONS
6.5	5.4	121	3	EVERY SESSION
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1638-1639

EL48_G	HOW OFTEN DEALT W/INVOLVE W/COURT
---------------	--

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.5	28.6	645	0	NEVER
41.5	34.4	776	1	SOME SESSIONS
16.2	13.4	302	2	MOST SESSIONS
7.8	6.4	145	3	EVERY SESSION
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1640-1641

EL48_H	HOW OFTEN DEALT W/YOUR JOB
---------------	-----------------------------------

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.5	49.1	1,109	0	NEVER
33.6	27.7	626	1	SOME SESSIONS
5.5	4.5	102	2	MOST SESSIONS
1.5	1.2	28	3	EVERY SESSION
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1642-1643

EL48_I	HOW OFTEN DEALT W/LIVING EXPENSES
---------------	--

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.3	57.4	1,295	0	NEVER
25.1	20.8	469	1	SOME SESSIONS
4.0	3.3	75	2	MOST SESSIONS
1.6	1.3	29	3	EVERY SESSION
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1644-1645

EL48_J	HOW OFTEN DEALT W/REDUCE RISK/AIDS
---------------	---

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	48.5	1,096	0	NEVER
32.6	27.0	609	1	SOME SESSIONS
6.2	5.1	116	2	MOST SESSIONS
2.6	2.2	49	3	EVERY SESSION
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1646-1647

EL48_K	HOW OFTEN DEALT W/OTHER IMPORTANT ISSUES
---------------	---

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	3.5	78	1	YES
95.8	78.7	1,777	2	NO
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.9	20	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1648-1649

EL48_K_1**HOW OFTEN DEALT W/SPECIFY 1ST ISSUE**

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.1	2	0	NEVER
34.2	1.2	26	1	SOME SESSIONS
34.2	1.2	26	2	MOST SESSIONS
28.9	1.0	22	3	EVERY SESSION
	95.5	2,156	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1650-1651

EL48_K_2**HOW OFTEN DEALT W/SPECIFY 2ND ISSUE**

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
47.8	0.5	11	1	SOME SESSIONS
43.5	0.4	10	2	MOST SESSIONS
8.7	0.1	2	3	EVERY SESSION
	95.5	2,157	-9	LEGITIMATE NONRESPONSE
	3.4	76	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1652-1653

EL48_K_3 HOW OFTEN DEALT W/SPECIFY 3RD ISSUE

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
40.0	0.1	2	1	SOME SESSIONS
40.0	0.1	2	2	MOST SESSIONS
20.0	0.0	1	3	EVERY SESSION
	95.5	2,157	-9	LEGITIMATE NONRESPONSE
	4.2	94	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1654-1655

EL48_K_4 HOW OFTEN DEALT W/SPECIFY 4TH ISSUE

Now, please think about the different kinds of things you and this group have done or talked about. Since your admission, how often have you dealt with any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
100.0	0.0	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	95.5	2,157	-9	LEGITIMATE NONRESPONSE
	4.3	98	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1656-1657

EL49_A**GROUP SESSIONS HELP/STOP USE OF DRUG**

How much have your sessions with this group helped you stop or cut down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	13.6	308	0	NOT AT ALL
42.5	35.0	791	1	SOMEWHAT
40.9	33.7	762	2	VERY MUCH
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1658-1659

EL49_B**GROUP SESSIONS HELP/OTHER PROBLEM**

How much have your sessions with this group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	12.2	275	0	NOT AT ALL
52.0	43.0	970	1	SOMEWHAT
33.2	27.5	620	2	VERY MUCH
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1660-1661

EL50**#TIMES ATTENDED GROUPS AT PROGRAM**

Since your admission, how many times have you attended groups like this at this program?

2,258 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1662-1663

EL50_A	#MINUTES/MEETINGS W/GROUP LAST
---------------	---------------------------------------

How long did (this meeting last/your meetings usually last) with this group?

-----		MINUTES		
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	2	0	
0.1	0.0	1	5	
0.1	0.0	1	10	
0.3	0.2	5	15	
0.1	0.1	2	20	
0.1	0.0	1	25	
1.3	1.1	24	30	
0.1	0.0	1	40	
3.4	2.8	63	45	
0.2	0.1	3	50	
42.5	35.3	796	60	
0.2	0.2	4	70	
0.7	0.6	14	75	
0.2	0.2	4	80	
28.8	23.9	539	90	
0.1	0.0	1	100	
0.4	0.4	8	105	
13.1	10.9	246	120	
2.4	2.0	45	150	
0.2	0.1	3	160	
5.5	4.6	103	180	
0.1	0.0	1	190	
0.1	0.1	2	210	
0.1	0.1	2	240	
0.1	0.0	1	340	
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1664-1666

EL51	HOW YOU FEEL/GROUP UNDERSTANDS YOU
-------------	---

Overall, how well do you feel the members of this group understand you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	7.4	168	0	NOT AT ALL
49.8	41.2	930	1	A LITTLE
41.2	34.1	769	2	A LOT
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-7	REFUSAL
	0.3	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1667-1668

EL52	YOUR RELATIONSHIP W/ GROUP
-------------	-----------------------------------

Overall, how would you rate your relationship with this group? Is it. . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	4.5	102	1	POOR
34.8	28.8	651	2	FAIR
48.2	40.0	903	3	GOOD
11.5	9.6	216	4	EXCELLENT
	16.8	380	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1669-1670

EL55 ATTENDED TALKS/FILMS/PART OF TREATMENT

Now, I will ask about other services that you may have received. First, I want to ask about any lectures or films that you may have attended, not counting any that took place during a 12-step, self-help, or regular addiction group meeting. Since your admission, have you attended any other scheduled talks, lectures, or films as a part of your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	42.0	948	1	YES
57.9	57.8	1,304	2	NO
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1671-1672

EL56 #DAYS/ATTEND TALKS/FILM/PART OF TREAT

Since your admission, on how many days did you attend such lectures or films as part of your treatment?

2,258 cases (Range of valid codes: 1-90)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1673-1674

EL57**HOW HELPFUL THE SERVICES**

In general, how helpful (was this/have these been)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	6.7	152	0	NOT AT ALL HELPFUL
52.7	22.1	500	1	SOMEWHAT HELPFUL
31.3	13.2	297	2	VERY HELPFUL
	57.7	1,303	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1675-1676

EL58 ATTEND 12-STEP/SELF-HELP GROUP

Now, I'd like to ask some questions about self-help groups and 12-step programs for drug or alcohol problems that you may have attended since your admission. These include groups such as Alcoholics Anonymous (AA), Narcotics Anonymous (NA), and Cocaine Anonymous (CA). Since your admission, have you attended this kind of 12-step or self-help group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	62.9	1,420	1	YES
36.8	36.6	826	2	NO
	0.5	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1677-1678

EL58_A_1 GROUP ATTEND/ALCO ANONYMOUS

Which groups have you attended?

Alcoholics Anonymous

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	54.5	1,230	1	CIRCLED
	36.5	824	-9	LEGITIMATE NONRESPONSE
	9.0	204	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1679-1680

EL58_A_2	GROUP ATTEND/NARCOTICS ANONYMOUS
-----------------	---

Which groups have you attended?

Narcotics Anonymous

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	43.0	971	2	CIRCLED
	36.6	826	-9	LEGITIMATE NONRESPONSE
	20.4	461	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1681-1682

EL58_A_3	GROUP ATTEND/COCAINE ANONYMOUS
-----------------	---------------------------------------

Which groups have you attended?

Cocaine Anonymous

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	94	3	CIRCLED
	36.6	826	-9	LEGITIMATE NONRESPONSE
	59.3	1,338	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1683-1684

EL58_A_4 GROUP ATTEND/OTHER

Which groups have you attended?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	20	4	CIRCLED
	36.6	826	-9	LEGITIMATE NONRESPONSE
	62.5	1,412	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1685-1686

EL58_B #TIMES/ATTEND THIS GROUP

Since your admission, how many times have you attended (this group/any of these groups)?

2,258 cases (Range of valid codes: 1-75)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1687-1688

EL58_C_M MONTH/LAST ATTENDED THIS GROUP

When did you last attend (this group/any of these groups)?

Month

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	13.9	313	1	JAN. - MARCH
23.6	14.8	335	2	APR. - JUNE
24.0	15.1	340	3	JULY - SEPT.
30.4	19.1	431	4	OCT. - DEC.
	36.5	825	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	2	-5	BAD DATA
	0.4	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1689-1690

EL58_D**HAVE YOU ATTENDED THIS GROUP**

Have you attended (this group/these groups) . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	46.9	1,058	1	AT THIS PROGRAM
10.2	6.4	145	2	AT SOME OTHER PLACE
15.4	9.7	219	3	BOTH
	36.5	825	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1691-1692

EL59_A**GROUP MEETING HELP/STOP USE OF DRUG**

In general, how much has meeting with this kind of group helped you stop or cut down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	10.5	238	0	NOT AT ALL
43.1	27.2	615	1	SOMEWHAT
40.3	25.5	575	2	VERY MUCH
	36.5	825	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1693-1694

EL59_B	MEETINGS W/GROUP HELPED/OTHER PROBLEM
---------------	--

In general, how much has meeting with this kind of group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.6	17.4	393	0	NOT AT ALL
49.3	31.1	703	1	SOMEWHAT
23.1	14.6	330	2	VERY MUCH
	36.5	825	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1695-1696

EL60	FEEL YOU NEEDED THIS KIND OF GROUP
-------------	---

In general, do you feel you have needed this kind of group . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	13.1	295	0	NOT AT ALL
40.3	25.5	576	1	SOMEWHAT
39.0	24.7	557	2	VERY MUCH
	36.5	825	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1697-1698

EL63**RECEIVED SERVICES/MENTAL HEALTH PROBLEM**

Next, I'd like to ask some questions about other scheduled individual or group services that you may have received since your admission. These services may be any counseling, treatment, or other help that you have received from a professional (such as a medical doctor, psychiatrist, or case manager). Do not include any services that we have already talked about or that you have received on an unscheduled basis. Since your admission, have you received any scheduled individual or group services for emotional or mental health problems other than the services that I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	12.8	289	1	YES
87.2	87.1	1,966	2	NO
	0.1	2	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1699-1700

EL64**RECEIVED SERVICES AT THIS PROGRAM**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	11.1	251	1	YES
12.5	1.6	36	2	NO
	87.0	1,965	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1701-1702

EL65_01	TALKED TO/REGULAR COUNSELOR
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	16	1	CIRCLED
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	10.6	240	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1703-1704

EL65_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	2	CIRCLED
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	11.0	248	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1705-1706

EL65_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	9	11	CIRCLED
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	10.9	247	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1707-1708

EL65_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	12	CIRCLED
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	11.2	253	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1709-1710

EL65_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	11	13	CIRCLED
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	10.9	245	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1711-1712

EL65_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.5	125	21	CIRCLED
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	5.8	131	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1713-1714

EL65_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.5	102	22	CIRCLED
	88.6	2,000	-9	LEGITIMATE NONRESPONSE
	6.9	155	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1715-1716

EL65_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	23	CIRCLED
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	11.2	252	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1717-1718

EL65_28 TALKED TO/CERTIFIED FAMILY COUNSELOR

Who have you seen or talked to for these services here?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	28	CIRCLED
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	11.3	255	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1719-1720

EL65_71 TALKED TO/STAFF FR OTHER AGENCY

Who have you seen or talked to for these services here?

Staff from another agency who provide services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	11.3	256	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1721-1722

EL65_91	TALKED TO/OTHER
----------------	------------------------

Who have you seen or talked to for these services here?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	91	CIRCLED
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	11.1	251	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1723-1724

EL65_A_1	TALKED TO MOST OFTEN/PROVIDER #1
-----------------	---

Which 2 have you seen or talked to most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	0.5	11	1	PRIMARY/REGULAR COUNSELOR
3.0	0.3	7	2	CASE MANAGER
3.4	0.4	8	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
3.9	0.4	9	13	SOCIAL WORKER
52.6	5.4	122	21	PSYCHOLOGIST
29.7	3.1	69	22	PSYCHIATRIST
1.3	0.1	3	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
1.3	0.1	3	91	OTHER
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1725-1726

EL65_A_2	TALKED TO MOST OFTEN/PROVIDER #2
-----------------	---

Which 2 have you seen or talked to most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
7.4	0.1	2	12	OTHER CASE MANAGER
3.7	0.0	1	13	SOCIAL WORKER
3.7	0.0	1	21	PSYCHOLOGIST
85.2	1.0	23	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	10.2	230	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1727-1728

EL66	KIND OF SESSIONS W/PSYCH PROVIDER #1
-------------	---

Have the sessions with your (PROVIDER #1 FROM L65a) been individual sessions, group sessions, or have you had both (individual and group sessions)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	10.1	227	1	INDIVIDUAL
8.3	0.9	21	2	GROUP
2.4	0.3	6	3	BOTH
	88.6	2,000	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1729-1730

EL66_A

#TIMES/MET INDIVIDUALLY W/PROVIDER #1

How many times have you met individually with your
(PROVIDER #1 FROM L65a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.8	6.8	154	1	
16.7	1.7	39	2	
6.0	0.6	14	3	
2.6	0.3	6	4	
3.0	0.3	7	5	
0.9	0.1	2	6	
0.4	0.0	1	7	
0.9	0.1	2	8	
0.9	0.1	2	10	
0.9	0.1	2	15	
0.9	0.1	2	20	
0.9	0.1	2	30	
0.4	0.0	1	35	
	89.5	2,020	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1731-1732

EL66_B #MINUTES/THIS SESSION LAST

How long did (this session last/these sessions usually last)?

MINUTES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	0	
0.4	0.0	1	1	
0.4	0.0	1	5	
5.1	0.5	12	10	
9.8	1.0	23	15	
10.7	1.1	25	20	
0.4	0.0	1	25	
24.4	2.5	57	30	
0.4	0.0	1	35	
1.7	0.2	4	40	
14.1	1.5	33	45	
28.2	2.9	66	60	
2.6	0.3	6	90	
1.3	0.1	3	120	
	89.5	2,020	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1733-1735

EL66_C_1 DEALT W/DRUG USE/CAUSED PROBLEM/PROVIDER #1

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your use of drugs and the problems they may have caused

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.7	62	1	CIRCLED
	89.5	2,020	-9	LEGITIMATE NONRESPONSE
	7.8	176	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1736-1737

EL66_C_2**DEALT W/ALCOHOL USE/PROVIDER #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your use of alcohol or alcoholism

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	16	2	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	9.7	220	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1738-1739

EL66_C_3**DEALT W/EMOTIONAL HEALTH/PROVIDER #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your emotional or mental health, including feeling down, depressed, tense, or anxious

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.6	149	3	CIRCLED
	89.5	2,021	-9	LEGITIMATE NONRESPONSE
	3.9	88	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1740-1741

EL66_C_4 **DEALT W/RELATIONSHIP W/ SPOUSE/PROVIDER #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your relationship with your spouse, partner, or other family member

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	64	4	CIRCLED
	89.5	2,020	-9	LEGITIMATE NONRESPONSE
	7.7	174	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1742-1743

EL66_C_5 **DEALT W/OTHER RELATIONSHIP PROBLEM/PROVIDER #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Other relationship problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	5	CIRCLED
	89.5	2,021	-9	LEGITIMATE NONRESPONSE
	10.2	230	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1744-1745

EL66_C_6**DEALT W/PSYCHOLOGICAL TEST/PROVIDER #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Psychological / psychiatric testing or assessment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	27	6	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	9.3	209	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1746-1747

EL66_C_7**DEALT W/MEDICATION/PROVIDER #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	27	7	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	9.3	209	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1748-1749

EL66_C_8 **DEALT W/REFERRAL/PROVIDER #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Referral

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	19	8	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	9.6	217	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1750-1751

EL66_C_9 **DEALT W/OTHER/PROVIDER #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	32	9	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	9.0	204	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1752-1753

EL66_D	HOW HELPFUL THE SERVICES/PROVIDER #1
---------------	---

How helpful was this service from your (PROVIDER #1 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.9	1.9	42	0	NOT AT ALL HELPFUL
48.7	5.0	114	1	SOMEWHAT
33.3	3.5	78	2	VERY HELPFUL
	89.5	2,020	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1754-1755

EL66_E	#TIMES YOU MET IN GROUP W/ PROVIDER #1
---------------	---

How many times have you met in the group with your (PROVIDER #1 FROM L65a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	0.1	3	1	
17.9	0.2	5	2	
21.4	0.3	6	3	
3.6	0.0	1	4	
7.1	0.1	2	6	
3.6	0.0	1	7	
3.6	0.0	1	9	
3.6	0.0	1	10	
3.6	0.0	1	11	
3.6	0.0	1	17	
3.6	0.0	1	20	
3.6	0.0	1	25	
3.6	0.0	1	30	
3.6	0.0	1	32	
3.6	0.0	1	35	
3.6	0.0	1	48	
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1756-1757

EL66_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

_____ MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.0	1	15	
14.8	0.2	4	30	
18.5	0.2	5	45	
48.1	0.6	13	60	
7.4	0.1	2	90	
3.7	0.0	1	120	
3.7	0.0	1	720	
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1758-1760

EL66_G_1	WHO ATTEND MEETING/SPOUSE/PARTNER/PROVIDER #1
-----------------	--

When you have met in this group with your (PROVIDER #1 FROM LSa), who else has attended the meetings?

Spouse or partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.4	31	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1761-1762

EL66_G_2**WHO ATTEND MEETING/FAMILY MEMBER/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM LSA), who else has attended the meetings?

Other family members of client

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	2	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.2	27	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1763-1764

EL66_G_3**WHO ATTEND MEETING/OTHER IN TREATMENT/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM LSA), who else has attended the meetings?

Others in treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	24	3	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1765-1766

EL66_G_4 MEETING/OTHER FAMILY MEMBER IN TREATMENT/PROVIDER #1

When you have met in this group with your (PROVIDER #1 FROM L5a), who else has attended the meetings?

Family members of others in treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.3	30	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1767-1768

EL66_G_5 WHO ATTEND MEETING/OTHERS/PROVIDER #1

When you have met in this group with your (PROVIDER #1 FROM L5a), who else has attended the meetings?

Others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.4	31	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1769-1770

EL66_H_1**TALKED/DRUG USE/CAUSED PROBLEM/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your use of drugs and the problems they may have caused

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	13	1	CIRCLED
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1771-1772

EL66_H_2**TALKED/ALCOHOL USE/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your use of alcohol or alcoholism

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	2	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1773-1774

EL66_H_3 **TALKED/EMOTIONAL HEALTH/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your emotional or mental health, including feeling down, depressed, tense, or anxious

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	17	3	CIRCLED
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.7	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1775-1776

EL66_H_4 **TALKED/RELATIONSHIP W/ SPOUSE/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your relationship with your spouse, partner, or other family member

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	14	4	CIRCLED
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.8	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1777-1778

EL66_H_5**TALKED/OTHER RELATIONSHIP PROBLEM/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Other relationship problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	5	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1779-1780

EL66_H_6**TALKED/PSYCHOLOGICAL TEST/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Psychological / psychiatric testing or assessment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.4	31	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1781-1782

EL66_H_7 **TALKED/MEDICATION/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Medication (including dosage regulation, side effects, and their management)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.4	31	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1783-1784

EL66_H_8 **TALKED/REFERRAL/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Referral

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	8	CIRCLED
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	1.4	31	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1785-1786

EL66_H_9**TALKED/OTHER/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	9	CIRCLED
	98.6	2,227	-9	LEGITIMATE NONRESPONSE
	1.2	26	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1787-1788

EL66_I**HOW HELPFUL SERVICES/PROVIDER #1**

How helpful was this service from your (PROVIDER #1 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.6	0.0	1	0	NOT AT ALL HELPFUL
25.0	0.3	7	1	SOMEWHAT HELPFUL
71.4	0.9	20	2	VERY HELPFUL
	98.6	2,226	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1789-1790

EL67 **KIND OF SESSIONS W/PSYCH PROVIDER #2**

Have the sessions with your (PROVIDER #2 FROM LEa) been individual sessions, group sessions, or have you had both (individual and group sessions)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	0.9	21	1	INDIVIDUAL
16.0	0.2	4	2	GROUP
0.0	0.0	0	3	BOTH
	88.6	2,001	-9	LEGITIMATE NONRESPONSE
	10.3	232	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1791-1792

EL67_A **#TIMES/MET INDIVIDUALLY W/PROVIDER #2**

How many times have you met individually with your (PROVIDER #2 FROM L65a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	0.6	14	1	
22.7	0.2	5	2	
9.1	0.1	2	3	
4.5	0.0	1	4	
	88.8	2,004	-9	LEGITIMATE NONRESPONSE
	10.3	232	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1793-1794

EL67_B	#MINUTES/THIS SESSION LAST
---------------	-----------------------------------

How long did (this session last/these sessions usually last)?

_____ MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.5	0.0	1	10	
22.7	0.2	5	15	
18.2	0.2	4	20	
31.8	0.3	7	30	
4.5	0.0	1	45	
18.2	0.2	4	60	
	88.8	2,004	-9	LEGITIMATE NONRESPONSE
	10.3	232	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1795-1796

EL67_C_1	DEALT W/DRUG USE/CAUSED PROBLEM/PROVIDER #2
-----------------	--

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your use of drugs and the problems they may have caused

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CIRCLED
	88.8	2,005	-9	LEGITIMATE NONRESPONSE
	11.0	249	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1797-1798

EL67_C_2 **DEALT W/ALCOHOL USE/PROVIDER #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your use of alcohol or alcoholism

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	88.8	2,005	-9	LEGITIMATE NONRESPONSE
	11.2	252	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1799-1800

EL67_C_3 **DEALT W/EMOTIONAL HEALTH/PROVIDER #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your emotional or mental health, including feeling down, depressed, tense, or anxious

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	14	3	CIRCLED
	88.8	2,005	-9	LEGITIMATE NONRESPONSE
	10.6	239	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1801-1802

EL67_C_4**DEALT W/RELATIONSHIP W/ SPOUSE/PROVIDER #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your relationship with your spouse, partner, or other family member

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	88.8	2,005	-9	LEGITIMATE NONRESPONSE
	11.2	252	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1803-1804

EL67_C_5**DEALT W/OTHER RELATIONSHIP PROBLEM/PROVIDER #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Other relationship problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	88.8	2,005	-9	LEGITIMATE NONRESPONSE
	11.2	253	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1805-1806

EL67_C_6 **DEALT W/PSYCHOLOGICAL TEST/PROVIDER #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Psychological / psychiatric testing or assessment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	CIRCLED
	88.8	2,005	-9	LEGITIMATE NONRESPONSE
	11.2	252	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1807-1808

EL67_C_7 **DEALT W/MEDICATION/PROVIDER #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	17	7	CIRCLED
	88.8	2,004	-9	LEGITIMATE NONRESPONSE
	10.5	237	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1809-1810

EL67_C_8**DEALT W/REFERRAL/PROVIDER #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Referral

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	88.8	2,005	-9	LEGITIMATE NONRESPONSE
	11.2	253	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1811-1812

EL67_C_9**DEALT W/OTHER/PROVIDER #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	9	CIRCLED
	88.8	2,005	-9	LEGITIMATE NONRESPONSE
	11.0	249	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1813-1814

EL67_D	HOW HELPFUL THE SERVICES/PROVIDER #2
---------------	---

How helpful was this service from your (PROVIDER #2 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.3	6	0	NOT AT ALL
40.9	0.4	9	1	SOMEWHAT
31.8	0.3	7	2	VERY HELPFUL
	88.8	2,004	-9	LEGITIMATE NONRESPONSE
	10.3	232	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1815-1816

EL67_E	#TIMES YOU MET IN GROUP W/ PROVIDER #2
---------------	---

How many times have you met in the group with your (PROVIDER #2 FROM L65a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	3	
25.0	0.0	1	4	
25.0	0.0	1	10	
25.0	0.0	1	16	
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.3	232	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1817-1818

EL67_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

_____ MINUTES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.0	1	25	
25.0	0.0	1	30	
50.0	0.1	2	45	
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.3	232	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1819-1820

EL67_G_1	WHO ATTEND MEETING/SPOUSE/PARTNER/PROVIDER #2
-----------------	--

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Spouse or partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.5	236	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1821-1822

EL67_G_2 **WHO ATTEND MEETING/FAMILY MEMBER/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Other family members of client

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.5	236	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1823-1824

EL67_G_3 **WHO ATTEND MEETING/OTHER IN TREATMENT/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Others in treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	3	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.3	232	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1825-1826

EL67_G_4**MEETING/OTHER FAMILY MEMBER IN TREATMENT/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Family members of others in treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.5	236	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1827-1828

EL67_G_5**WHO ATTEND MEETING/OTHERS/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.5	236	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1829-1830

EL67_H_1	TALKED/DRUG USE/CAUSED PROBLEM/PROVIDER #2
-----------------	---

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your use of drugs and the problems they may have caused

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.3	233	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1831-1832

EL67_H_2	TALKED/ALCOHOL USE/PROVIDER #2
-----------------	---------------------------------------

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your use of alcohol or alcoholism

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.4	234	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1833-1834

EL67_H_3**TALKED/EMOTIONAL HEALTH/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your emotional or mental health, including feeling down, depressed, tense, or anxious

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	3	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.3	232	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1835-1836

EL67_H_4**TALKED/RELATIONSHIP W/ SPOUSE/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your relationship with your spouse, partner, or other family member

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.5	236	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1837-1838

EL67_H_5	TALKED/OTHER RELATIONSHIP PROBLEM/PROVIDER #2
-----------------	--

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Other relationship problems

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.5	236	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1839-1840

EL67_H_6	TALKED/PSYCHOLOGICAL TEST/PROVIDER #2
-----------------	--

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Psychological / psychiatric testing or assessment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.5	236	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1841-1842

EL67_H_7**TALKED/MEDICATION/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Medication (including dosage regulation, side effects, and their management)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.5	236	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1843-1844

EL67_H_8**TALKED/REFERRAL/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Referral

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.5	236	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1845-1846

EL67_H_9 **TALKED/OTHER/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	9	CIRCLED
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.4	235	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1847-1848

EL67_I **HOW HELPFUL SERVICES/PROVIDER #2**

How helpful was this service from your (PROVIDER #2 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
0.0	0.0	0	1	SOMEWHAT HELPFUL
100.0	0.2	4	2	VERY HELPFUL
	89.5	2,022	-9	LEGITIMATE NONRESPONSE
	10.3	232	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1849-1850

EL68**RECEIVED SERVICES FOR EMOTIONAL PROBLEM**

Since your admission, have you received any scheduled individual or group services for emotional or mental health problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	2.1	48	1	YES
83.7	10.9	246	2	NO
	86.8	1,959	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1851-1852

EL68A_1**RECEIVE SERVICE/COMMUNITY MENTAL HEALTH CENTER**

Where have you received these services?

A community mental health center

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	1	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.1	48	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1853-1854

EL68A_2	RECEIVE SERVICE/PRIVATE PSYCHIATRIC HOSP
----------------	---

Where have you received these services?

A private psychiatric hospital or facility

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	2	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.0	46	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1855-1856

EL68A_3	RECEIVE SERVICE/OTHER HOSPITAL
----------------	---------------------------------------

Where have you received these services?

Any other hospital or facility (state VA, psychiatric, or mental hospital)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	3	CIRCLED
	97.6	2,204	-9	LEGITIMATE NONRESPONSE
	2.2	49	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1857-1858

EL68A_4	RECEIVE SERVICE/EMERGENCY ROOM
----------------	---------------------------------------

Where have you received these services?

An emergency room or crisis center

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1859-1860

EL68A_5	RECEIVE SERVICE/PRIVATE THERAPIST
----------------	--

Where have you received these services?

Private therapist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	13	5	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	1.8	40	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1861-1862

EL68A_6	RECEIVE SERVICE/OTHER
----------------	------------------------------

Where have you received these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	18	6	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1863-1864

EL68B_1	PSYCHOLOGICAL OTHER PLACE/LOCATION #1
----------------	--

Which 2 places did you receive service at most often?

First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	0.2	5	1	A COMMUNITY MENTAL HEALTH SERVICE
14.3	0.3	7	2	A PRIVATE PSYCHIATRIC HOSPITAL
12.2	0.3	6	3	ANY OTHER HOSPITAL OR FACILITY
0.0	0.0	0	4	AN EMERGENCY ROOM OR CRISIS CENTER
26.5	0.6	13	5	PRIVATE THERAPIST
36.7	0.8	18	6	OTHER
	97.6	2,204	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1865-1866

EL68C_1	WHO REFERRED YOU TO LOCATION #1
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	1.2	26	1	PROGRAM
43.8	0.9	21	2	SOMEONE ELSE
2.1	0.0	1	3	SELF
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1867-1868

EL68D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.2	1.3	30	1	
14.3	0.3	7	2	
2.0	0.0	1	3	
2.0	0.0	1	5	
4.1	0.1	2	6	
2.0	0.0	1	7	
4.1	0.1	2	8	
2.0	0.0	1	9	
4.1	0.1	2	10	
2.0	0.0	1	13	
2.0	0.0	1	20	
	97.6	2,204	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1869-1870

EL68E_1 HOW HELPFUL SERVICES/LOCATION #1

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.4	0.4	10	0	NOT AT ALL
51.0	1.1	25	1	SOMEWHAT
28.6	0.6	14	2	VERY HELPFUL
	97.6	2,204	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1871-1872

EL68F1_1 TALKED TO/REGULAR COUNSELOR/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	52	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1873-1874

EL68F1_2	TALKED TO/CASE MANAGER/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1875-1876

EL68F111	TALKED TO/OTHER COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	11	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	52	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1877-1878

EL68F112 TALKED TO/OTHER CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1879-1880

EL68F113 TALKED TO/SOCIAL WORKER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1881-1882

EL68F121	TALKED TO/PSYCHOLOGIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	10	21	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	1.9	43	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1883-1884

EL68F122	TALKED TO/PSYCHIATRIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	36	22	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	0.8	17	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1885-1886

EL68F123 TALKED TO/NURSE/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	23	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	52	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1887-1888

EL68F128 TALKED TO/CERTIFIED FAMILY COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1889-1890

EL68F171	TALKED TO/STAFF FR OTHER AGENCY/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at the
program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1891-1892

EL68F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	91	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	51	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1893-1894

EL68G_1	TALKED TO FOR SERVICES/LOCATION #1
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	0.1	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
2.3	0.0	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
11.6	0.2	5	21	PSYCHOLOGIST
74.4	1.4	32	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
4.7	0.1	2	91	OTHER
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	0.4	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1895-1896

EL68B_2	PSYCHOLOGICAL OTHER PLACE/LOCATION #2
----------------	--

Which 2 places did you receive service at most often?

Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	A COMMUNITY MENTAL HEALTH SERVICE
0.0	0.0	0	2	A PRIVATE PSYCHIATRIC HOSPITAL
0.0	0.0	0	3	ANY OTHER HOSPITAL OR FACILITY
0.0	0.0	0	4	AN EMERGENCY ROOM OR CRISIS CENTER
0.0	0.0	0	5	PRIVATE THERAPIST
0.0	0.0	0	6	OTHER
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1897-1898

EL68C_2**WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1899-1900

EL68D_2**#DAYS YOU RECEIVED SERVICES/LOC #2**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1901-1902

EL68F2_2**TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1907-1908

EL68F211**TALKED TO/OTHER COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1909-1910

EL68F212 TALKED TO/OTHER CASE MANAGER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1911-1912

EL68F213 TALKED TO/SOCIAL WORKER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1913-1914

EL68F221	TALKED TO/PSYCHOLOGIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1915-1916

EL68F222	TALKED TO/PSYCHIATRIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1917-1918

EL68F223 TALKED TO/NURSE/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1919-1920

EL68F228 TALKED TO/CERTIFIED FAMILY COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1921-1922

EL68F271**TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1923-1924

EL68F291**TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1925-1926

EL68G_2	TALKED TO FOR SERVICES/LOCATION #2
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	97.7	2,205	-9	LEGITIMATE NONRESPONSE
	2.3	53	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1927-1928

EL69	STAYED OVERNIGHT/EMOTIONAL PROBLEM
-------------	---

Since your admission, have you stayed overnight anywhere for treatment of emotional or mental health problems other than for problems associated with drugs or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	9	1	YES
99.6	99.2	2,240	2	NO
	0.4	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1929-1930

EL69_A_1**FACILITY STAYED/COMMUNITY MENTAL HEALTH CENTER**

Where have you stayed since your admission for this kind of treatment?

A community mental health center

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.2	2,240	-9	LEGITIMATE NONRESPONSE
	0.8	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1931-1932

EL69_B_1**#NIGHTS STAYED/COMMUNITY MENTAL HEALTH CENTER**

How many nights have you stayed at a community mental health center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	0	
	99.2	2,240	-9	LEGITIMATE NONRESPONSE
	0.7	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1933-1934

EL69_A_2 **FACILITY STAYED/PRIVATE PSYCHIATRIC HOSP**

Where have you stayed since your admission for this kind of treatment?

A private psychiatric hospital or facility

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	99.2	2,240	-9	LEGITIMATE NONRESPONSE
	0.7	16	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1935-1936

EL69_B_2 **#NIGHTS STAYED/PRIVATE PSYCHIATRIC HOSP**

How many nights have you stayed at a private psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	0	
20.0	0.0	1	1	
40.0	0.1	2	7	
20.0	0.0	1	27	
	99.2	2,240	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1937-1938

EL69_A_3**FACILITY STAYED/ANY OTHER HOSPITAL**

Where have you stayed since your admission for this kind of treatment?

Any other state hospital or facility (state VA, psychiatric, or mental hospital)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	3	CIRCLED
	99.2	2,240	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1939-1940

EL69_B_3**#NIGHTS STAYED/ANY OTHER HOSPITAL**

How many nights have you stayed at any other state hospital or facility (state VA, psychiatric, or mental hospital)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	2	0	
16.7	0.0	1	1	
16.7	0.0	1	9	
16.7	0.0	1	10	
16.7	0.0	1	14	
	99.2	2,240	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1941-1942

EL69_A_4	FACILITY STAYED/EMERGENCY ROOM
-----------------	---------------------------------------

Where have you stayed since your admission for this kind of treatment?

An emergency room or crisis center

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.2	2,240	-9	LEGITIMATE NONRESPONSE
	0.8	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1943-1944

EL69_B_4	#NIGHTS STAYED/EMERGENCY ROOM
-----------------	--------------------------------------

How many nights have you stayed at an emergency room or crisis center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	0	
	99.2	2,240	-9	LEGITIMATE NONRESPONSE
	0.7	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1945-1946

EL69_A_5**FACILITY STAYED/ANY OTHER PLACE**

Where have you stayed since your admission for this kind of treatment?

Any other place

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	99.2	2,240	-9	LEGITIMATE NONRESPONSE
	0.8	17	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1947-1948

EL69_B_5**#NIGHTS STAYED/ANY OTHER PLACE**

How many nights have you stayed at any other place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	0	
25.0	0.0	1	3	
	99.2	2,240	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1949-1950

EL70 HAD CHECK-UP FOR MEDICAL PROBLEM

Since your admission, have you had a checkup or have you received any scheduled individual services for medical problems other than those I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	43.3	978	1	YES
56.6	56.6	1,277	2	NO
	0.1	2	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1951-1952

EL71 RECEIVED SERVICES AT THIS PROGRAM

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.0	33.3	752	1	YES
23.0	10.0	225	2	NO
	56.5	1,275	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1953-1954

EL72_01	TALKED TO/REGULAR COUNSELOR
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.5	757	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1955-1956

EL72_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.6	758	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1957-1958

EL72_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	22	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.5	756	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1959-1960

EL72_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	18.0	406	23	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	15.6	352	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1961-1962

EL72_24	TALKED TO/PHYSICIAN
----------------	----------------------------

Who have you seen or talked to for these services here?

Physician

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	27.7	625	24	CIRCLED
	66.3	1,498	-9	LEGITIMATE NONRESPONSE
	6.0	135	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1963-1964

EL72_25	TALKED TO/PHYSICIAN'S ASSISTANT
----------------	--

Who have you seen or talked to for these services here?

Physician's assistant

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	25	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.3	752	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1965-1966

EL72_26 **TALKED TO/DENTIST**

Who have you seen or talked to for these services here?

Dentist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	26	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.2	750	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1967-1968

EL72_71 **TALKED TO/STAFF FROM OTHER AGENCY**

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	71	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.5	757	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1969-1970

EL72_91**TALKED TO/OTHER**

Who have you seen or talked to for these services here?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	91	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.5	756	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1971-1972

EL72_A1**TALKED TO MOST OFTEN - PROVIDER #1**

Which 2 have you seen or talked to most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	2	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.1	0.0	1	22	PSYCHIATRIST
53.3	16.9	382	23	NURSE
45.0	14.3	323	24	PHYSICIAN
0.8	0.3	6	25	PHYSICIANS ASSISTANT
0.4	0.1	3	26	DENTIST
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	1.8	40	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1973-1974

EL72_A2	TALKED TO MOST OFTEN - PROVIDER #2
----------------	---

Which 2 have you seen or talked to most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	22	PSYCHIATRIST
6.2	0.8	18	23	NURSE
92.8	12.0	270	24	PHYSICIAN
0.0	0.0	0	25	PHYSICIANS ASSISTANT
0.7	0.1	2	26	DENTIST
0.3	0.0	1	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	20.7	467	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1975-1976

EL73

#TIMES/MET W/ PROVIDER #1

How many times have you met with your (PROVIDER #1 FROM L72a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.1	17.1	386	1	
16.6	5.5	125	2	
12.1	4.0	91	3	
5.7	1.9	43	4	
3.6	1.2	27	5	
1.9	0.6	14	6	
0.5	0.2	4	7	
1.1	0.4	8	8	
0.7	0.2	5	9	
2.3	0.8	17	10	
0.1	0.0	1	11	
0.3	0.1	2	12	
0.1	0.0	1	13	
0.3	0.1	2	14	
0.7	0.2	5	15	
0.1	0.0	1	19	
0.9	0.3	7	20	
0.1	0.0	1	22	
0.1	0.0	1	24	
0.1	0.0	1	28	
0.1	0.0	1	30	
0.1	0.0	1	35	
0.1	0.0	1	37	
0.1	0.0	1	39	
0.1	0.0	1	40	
0.3	0.1	2	43	
0.1	0.0	1	45	
0.1	0.0	1	46	
0.1	0.0	1	49	
0.1	0.0	1	51	
0.1	0.0	1	60	
0.1	0.0	1	99	
	66.3	1,498	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1977-1978

EL73_A	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

PCT	PCT	N	VALUE	LABEL
MINUTES				
VALID	ALL			
1.1	0.4	8	1	
2.6	0.9	20	2	
2.4	0.8	18	3	
0.5	0.2	4	4	
25.7	8.6	194	5	
0.3	0.1	2	7	
0.1	0.0	1	8	
23.6	7.9	178	10	
17.4	5.8	131	15	
10.1	3.4	76	20	
0.4	0.1	3	25	
9.5	3.2	72	30	
0.1	0.0	1	38	
0.3	0.1	2	40	
1.3	0.4	10	45	
3.8	1.3	29	60	
0.3	0.1	2	90	
0.1	0.0	1	110	
0.3	0.1	2	120	
0.1	0.0	1	180	
	66.3	1,498	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1979-1981

EL73_B01**DEALT W/PHYSICAL/DENTAL EXAM/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Physical or dental exam

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	29.3	661	1	CIRCLED
	66.3	1,498	-9	LEGITIMATE NONRESPONSE
	4.4	99	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1982-1983

EL73_B02**DEALT W/MEDICAL/DENTAL CARE TREATMENT/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Medical or dental care / treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.2	207	2	CIRCLED
	66.4	1,499	-9	LEGITIMATE NONRESPONSE
	24.4	552	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1984-1985

EL73_B03 **DEALT W/GLASSES/HEARING AIDS/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Glasses or hearing aids

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	3	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.3	753	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1986-1987

EL73_B04 **DEALT W/ADMISSION TO HOSPITAL/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Admission to hospital or clinic

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.5	757	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1988-1989

EL73_B05**DEALT W/MEDICATION/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.4	168	5	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	26.1	590	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1990-1991

EL73_B06**DEALT W/DIET/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Diet or nutritional advice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	6	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.4	754	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1992-1993

EL73_B07 **DEALT W/EXERCISE/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Exercise or physical fitness protocol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	7	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.5	757	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1994-1995

EL73_B08 **DEALT W/PRENATAL CARE/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Prenatal care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.6	758	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1996-1997

EL73_B09**DEALT W/OTHER/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	41	9	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	31.8	717	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1998-1999

EL73_C**HOW HELPFUL SERVICES/PROVIDER #1**

How helpful was this service from your (PROVIDER #1 FROM L72a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	7.7	173	0	NOT AT ALL HELPFUL
40.1	13.4	303	1	SOMEWHAT HELPFUL
37.0	12.4	280	2	VERY HELPFUL
	66.3	1,498	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2000-2001

EL74	#TIMES/MET WITH PROVIDER #2
-------------	------------------------------------

How many times have you met with your (PROVIDER #2 FROM L72a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	8.8	199	1	
22.4	2.9	65	2	
4.8	0.6	14	3	
2.1	0.3	6	4	
0.3	0.0	1	7	
0.3	0.0	1	12	
0.3	0.0	1	14	
0.3	0.0	1	20	
0.3	0.0	1	30	
0.3	0.0	1	38	
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	20.7	468	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2002-2003

EL74_A #MINUTES/SESSIONS LAST

How long did (this session last/these sessions usually last)?

MINUTES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	0.2	4	1	
5.9	0.8	17	2	
2.1	0.3	6	3	
0.3	0.0	1	4	
41.7	5.3	120	5	
27.4	3.5	79	10	
9.0	1.2	26	15	
6.9	0.9	20	20	
0.3	0.0	1	25	
3.1	0.4	9	30	
0.3	0.0	1	40	
0.3	0.0	1	45	
1.0	0.1	3	60	
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	20.8	469	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2004-2005

EL74_B01 DEALT W/PHYSICAL/DENTAL EXAM/PROVIDER #2

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Physical or dental exam

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.4	279	1	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	21.2	479	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2006-2007

EL74_B02 **DEALT W/MEDICAL/DENTAL CARE TREATMENT/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Medical or dental care / treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	55	2	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	31.1	703	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2008-2009

EL74_B03 **DEALT W/GLASSES/HEARING AIDS/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Glasses or hearing aids

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.6	758	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2010-2011

EL74_B04**DEALT W/ADMISSION TO HOSPITAL/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Admission to hospital or clinic

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.6	758	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2012-2013

EL74_B05**DEALT W/MEDICATION/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.8	41	5	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	31.8	717	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2014-2015

EL74_B06 **DEALT W/DIET/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Diet or nutritional advice

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.6	758	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2016-2017

EL74_B07 **DEALT W/EXERCISE/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Exercise or physical fitness protocol

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.6	758	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2018-2019

EL74_B08**DEALT W/PRENATAL CARE/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Prenatal care

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	33.6	758	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2020-2021

EL74_B09**DEALT W/OTHER/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	15	9	CIRCLED
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	32.9	743	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2022-2023

EL74_C**HOW HELPFUL THE SERVICES/PROVIDER #2**

How helpful was this service from your (PROVIDER #2 FROM L72a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	5.1	116	0	NOT AT ALL HELPFUL
30.7	3.9	89	1	SOMEWHAT HELPFUL
29.3	3.8	85	2	VERY HELPFUL
	66.4	1,500	-9	LEGITIMATE NONRESPONSE
	20.7	468	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2024-2025

EL75**RECEIVED SERVICES/MEDICAL PROBLEMS**

Since your admission, have you had a checkup or have you received any scheduled services for medical problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.5	14.7	332	1	YES
66.5	29.2	659	2	NO
	55.8	1,261	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2026-2027

EL75_A_1**RECEIVE SERVICE/PRIVATE PHYSICIAN/DENTIST**

Where have you received these services?

Private physician or dentist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.3	143	1	CIRCLED
	85.0	1,919	-9	LEGITIMATE NONRESPONSE
	8.7	196	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2028-2029

EL75_A_2**RECEIVE SERVICE/HOSPITAL/PUBLIC HEALTH CLINIC**

Where have you received these services?

Hospital or public health clinic

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.9	133	2	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	9.1	205	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2030-2031

EL75_A_3 RECEIVE SERVICE/MILITARY/VA HOSPITAL

Where have you received these services?

Military or VA hospital or clinic

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	15.0	338	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2032-2033

EL75_A_4 RECEIVE SERVICE/HEALTH COOPERATIVE

Where have you received these services?

Health cooperative, neighborhood clinic

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	15	4	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.3	323	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2034-2035

EL75_A_5	RECEIVE SERVICE/OTHER MEDICAL
-----------------	--------------------------------------

Where have you received these services?

Other medical

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	35	5	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	13.4	303	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2036-2037

EL75_A_6	RECEIVE SERVICE/OTHER
-----------------	------------------------------

Where have you received these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	9	6	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.6	329	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2038-2039

EL75B_1	MEDICAL OTHER PLACE/LOCATION #1
----------------	--

Which 2 locations have you received services at most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.2	6.4	144	1	PRIVATE PHYSICIAN OR DENTIST
40.5	6.0	135	2	HOSPITAL OR PUBLIC HEALTH CLINIC
0.0	0.0	0	3	MILITARY OR VA HOSPITAL OR CLINIC
3.9	0.6	13	4	HEALTH COOPERATIVE
10.8	1.6	36	5	OTHER MEDICAL
1.5	0.2	5	6	OTHER
	85.0	1,919	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.0	1	-5	BAD DATA
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2040-2041

EL75C_1	WHO REFERRED YOU TO LOCATION #1
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.1	7.1	161	1	PROGRAM
30.7	4.6	103	2	SOMEONE ELSE
21.2	3.1	71	3	SELF
	85.0	1,919	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2042-2043

EL75D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.0	1	0	
69.5	10.3	232	1	
15.0	2.2	50	2	
8.7	1.3	29	3	
2.7	0.4	9	4	
1.5	0.2	5	5	
0.6	0.1	2	6	
0.3	0.0	1	9	
0.6	0.1	2	10	
0.3	0.0	1	14	
0.3	0.0	1	21	
0.3	0.0	1	30	
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2044-2045

EL75E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at
(LOCATION - 1st mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.9	1.9	43	0	NOT AT ALL
39.6	5.8	132	1	SOMEWHAT
47.4	7.0	158	2	VERY HELPFUL
	85.0	1,919	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2046-2047

EL75F101 TALKED TO/REGULAR COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.9	337	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2048-2049

EL75F102 TALKED TO/CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	15.0	338	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2050-2051

EL75F122	TALKED TO/PSYCHIATRIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	22	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.9	336	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2052-2053

EL75F123	TALKED TO/NURSE/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	33	23	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	13.5	305	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2054-2055

EL75F124 TALKED TO/PHYSICIAN/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Physician

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.0	272	24	CIRCLED
	85.0	1,919	-9	LEGITIMATE NONRESPONSE
	3.0	67	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2056-2057

EL75F125 TALKED TO/PHYSICIAN'S ASSISTANT/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Physician's assistant

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	25	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.9	337	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2058-2059

EL75F126**TALKED TO/DENTIST/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Dentist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	46	26	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	12.9	292	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2060-2061

EL75F171**TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at the
program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	15.0	338	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2062-2063

EL75F191 TALKED TO/OTHER/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	13	91	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.4	325	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2064-2065

EL75G_1 TALKED TO FOR SERVICES/LOCATION #1

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.7	0.1	2	22	PSYCHIATRIST
3.6	0.5	11	23	NURSE
77.5	10.5	238	24	PHYSICIAN
0.0	0.0	0	25	PHYSICIAN'S ASSISTANT
13.4	1.8	41	26	DENTIST
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
3.9	0.5	12	91	OTHER
	85.0	1,919	-9	LEGITIMATE NONRESPONSE
	1.3	30	-8	MISSING
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2066-2067

EL75B_2**MEDICAL OTHER PLACE/LOCATION #2**

Which 2 locations have you received services at most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	0.3	6	1	PRIVATE PHYSICIAN OR DENTIST
52.0	0.6	13	2	HOSPITAL OR PUBLIC HEALTH CLINIC
0.0	0.0	0	3	MILITARY OR VA HOSPITAL OR CLINIC
4.0	0.0	1	4	HEALTH COOPERATIVE
4.0	0.0	1	5	OTHER MEDICAL
16.0	0.2	4	6	OTHER
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	13.9	313	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2068-2069

EL75C_2**WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.7	15	1	PROGRAM
28.0	0.3	7	2	SOMEONE ELSE
12.0	0.1	3	3	SELF
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	13.9	313	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2070-2071

EL75D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
----------------	---

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.1	0.8	19	1	
19.2	0.2	5	2	
3.8	0.0	1	4	
3.8	0.0	1	29	
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	13.8	312	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2072-2073

EL75E_2	HOW HELPFUL SERVICES/LOCATION #2
----------------	---

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	0.2	4	0	NOT AT ALL
16.0	0.2	4	1	SOMEWHAT
68.0	0.8	17	2	VERY HELPFUL
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	13.9	313	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2074-2075

EL75F201 TALKED TO/REGULAR COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	15.0	338	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2076-2077

EL75F202 TALKED TO/CASE MANAGER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	15.0	338	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2078-2079

EL75F222 **TALKED TO/PSYCHIATRIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	15.0	338	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2080-2081

EL75F223 **TALKED TO/NURSE/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	15.0	338	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2082-2083

EL75F224	TALKED TO/PHYSICIAN/LOC #2
-----------------	-----------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Physician

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	12	24	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.4	326	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2084-2085

EL75F225	TALKED TO/PHYSICIAN'S ASSISTANT/LOC #2
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Physician's assistant

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	25	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.9	337	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2086-2087

EL75F226 TALKED TO/DENTIST/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Dentist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	26	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.7	332	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2088-2089

EL75F271 TALKED TO/STAFF FR OTHER AGENCY/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	15.0	338	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2090-2091

EL75F291	TALKED TO/OTHER/LOC #2
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	91	CIRCLED
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.6	330	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2092-2093

EL75G_2	TALKED TO FOR SERVICES/LOCATION #2
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
45.0	0.4	9	24	PHYSICIAN
0.0	0.0	0	25	PHYSICIAN'S ASSISTANT
30.0	0.3	6	26	DENTIST
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
25.0	0.2	5	91	OTHER
	85.0	1,920	-9	LEGITIMATE NONRESPONSE
	14.0	317	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2094-2095

EL76 DR. PRESCRIBE METHADONE/TRANQUILIZER/FOR DRUG PROBLEM

Since your admission, has a doctor prescribed methadone, Naltrexone, tranquilizers, or Antabuse for you because of drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	25	1	YES
98.9	98.7	2,228	2	NO
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2096-2097

EL76_A_1 MEDICINE DR. PRESCRIBED/METHADONE

Which of these has the doctor prescribed for you?

Methadone

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.7	2,228	-9	LEGITIMATE NONRESPONSE
	1.3	30	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2098-2099

EL76_A_2**MEDICINE DR. PRESCRIBED/NALTREXONE**

Which of these has the doctor prescribed for you?

Naltrexone (Trexan)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	29	2	CIRCLED
	97.4	2,199	-9	LEGITIMATE NONRESPONSE
	1.3	30	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2100-2101

EL76_A_3**MEDICINE DR. PRESCRIBED/TRANQUILIZERS**

Which of these has the doctor prescribed for you?

Tranquilizers

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	23	3	CIRCLED
	98.7	2,228	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2102-2103

EL76_A_4	MEDICINE DR. PRESCRIBED/ANTABUSE
-----------------	---

Which of these has the doctor prescribed for you?

Antabuse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.7	2,228	-9	LEGITIMATE NONRESPONSE
	1.3	30	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2104-2105

EL77	HAD ANY CONCERN ABOUT PRESCRIBE MEDICINE
-------------	---

Since your admission, have you had any concerns or complaints about any medication that was prescribed for you (including methadone, Naltrexone, tranquilizers, Antabuse, and any other medication)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.1	48	1	YES
97.8	96.1	2,170	2	NO
	1.8	40	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2106-2107

EL77_A**HAD ANY SERVICES W/ONE ABOUT CONCERNS**

Since your admission, have you had any scheduled services or talks with anyone in this program about these concerns or complaints?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.8	1.5	33	1	YES
54.2	1.7	39	2	NO
	95.1	2,148	-9	LEGITIMATE NONRESPONSE
	1.7	38	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2108-2109

EL77B_01**TALKED WITH REGULAR COUNSELOR**

Who have you talked with?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	69	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2110-2111

EL77B_02	TALKED WITH CASE MANAGER
-----------------	---------------------------------

Who have you talked with?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2112-2113

EL77B_11	TALKED WITH OTHER COUNSELOR
-----------------	------------------------------------

Who have you talked with?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	11	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2114-2115

EL77B_12	TALKED WITH OTHER CASE MANAGER
-----------------	---------------------------------------

Who have you talked with?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2116-2117

EL77B_13	TALKED WITH SOCIAL WORKER
-----------------	----------------------------------

Who have you talked with?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2118-2119

EL77B_21	TALKED WITH PSYCHOLOGIST
-----------------	---------------------------------

Who have you talked with?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2120-2121

EL77B_22	TALKED WITH PSYCHIATRIST
-----------------	---------------------------------

Who have you talked with?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	22	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2122-2123

EL77B_23**TALKED WITH NURSE**

Who have you talked with?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	16	23	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	2.4	55	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2124-2125

EL77B_24**TALKED WITH PHYSICIAN**

Who have you talked with?

Physician

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	12	24	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	2.6	59	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2126-2127

EL77B_25	TALKED WITH PHYSICIAN'S ASSISTANCE
-----------------	---

Who have you talked with?

Physician's assistant

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2128-2129

EL77B_26	TALKED WITH DENTIST
-----------------	----------------------------

Who have you talked with?

Dentist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2130-2131

EL77B_27**TALKED WITH VOCATIONAL COUNSELOR**

Who have you talked with?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2132-2133

EL77B_28**TALKED WITH CERTIFIED FAMILY COUNSELOR**

Who have you talked with?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2134-2135

EL77B_71 TALKED WITH STAFF FR OTHER AGENCY

Who have you talked with?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2136-2137

EL77B_91 TALKED WITH OTHER

Who have you talked with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	91	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	70	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2138-2139

EL77_C_1**CONCERNS/MEDICINE/DOSAGE TOO SMALL**

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Dosage too small

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2140-2141

EL77_C_2**CONCERNS/MEDICINE/DOSAGE TOO LARGE**

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Dosage too large

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	2	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2142-2143

EL77_C_3	CONCERNS/MEDICINE/PHYSICAL SYMPTOMS
-----------------	--

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Physical symptoms (such as nausea, vomiting, headaches, dizziness, shaking)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	14	3	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	2.5	57	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2144-2145

EL77_C_4	CONCERNS/MEDICINE/SLEEP DISTURBANCES
-----------------	---

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Sleep disturbances

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	4	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	2.9	66	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2146-2147

EL77_C_5**CONCERNS/MEDICINE/UNABLE TO GET DRUG**

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Unable to get drug (or prescription) when needed

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	5	CIRCLED
	96.8	2,186	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2148-2149

EL77_C_6**CONCERNS/MEDICINE/DRUG COST TOO MUCH**

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Drug cost too much - not affordable

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2150-2151

EL77_C_7	CONCERNS/MEDICINE/DEPRESSION
-----------------	-------------------------------------

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Depression

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	3.1	71	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2152-2153

EL77_C_8	CONCERNS/MEDICINE/OTHER
-----------------	--------------------------------

What kinds of concerns or complaints have you had since your admission about medication that was prescribed for you?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	11	8	CIRCLED
	96.9	2,187	-9	LEGITIMATE NONRESPONSE
	2.7	60	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2154-2155

EL78**RECEIVE SERVICE/RELATIONSHIP PROBLEM**

Since your admission, have you received any scheduled individual or group services for family or relationship problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.0	44.8	1,012	1	YES
55.0	54.9	1,239	2	NO
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2156-2157

EL79**RECEIVED SERVICES AT THIS PROGRAM**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	44.2	997	1	YES
1.7	0.8	17	2	NO
	54.8	1,238	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2158-2159

EL80_01	TALKED TO/REGULAR COUNSELOR
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.7	331	1	CIRCLED
	55.6	1,256	-9	LEGITIMATE NONRESPONSE
	29.7	671	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2160-2161

EL80_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	53	2	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	42.0	948	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2162-2163

EL80_11**TALKED TO/OTHER COUNSELOR**

Who have you seen or talked to for these services here?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	169	11	CIRCLED
	55.6	1,255	-9	LEGITIMATE NONRESPONSE
	36.9	834	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2164-2165

EL80_12**TALKED TO/OTHER CASE MANAGER**

Who have you seen or talked to for these services here?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	12	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	44.3	1,000	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2166-2167

EL80_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.2	118	13	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	39.1	883	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2168-2169

EL80_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	21	21	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	43.4	980	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2170-2171

EL80_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	22	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	44.2	998	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2172-2173

EL80_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	23	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	44.3	1,000	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2174-2175

EL80_28	TALKED TO/CERTIFIED FAMILY COUNSELOR
----------------	---

Who have you seen or talked to for these services here?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.9	292	28	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	31.4	709	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2176-2177

EL80_71	TALKED TO/STAFF FR OTHER AGENCY
----------------	--

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	71	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	44.1	995	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2178-2179

EL80_91	TALKED TO/OTHER
----------------	------------------------

Who have you seen or talked to for these services here?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	25	91	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	43.2	976	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2180-2181

EL80_A1	TALKED TO MOST OFTEN - PROVIDER #1
----------------	---

Which 2 have you seen or talked to most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	13.7	309	1	PRIMARY/REGULAR COUNSELOR
6.0	2.2	50	2	CASE MANAGER
18.5	6.8	153	11	OTHER COUSELOR
0.1	0.0	1	12	OTHER CASE MANAGER
12.9	4.7	107	13	SOCIAL WORKER
2.3	0.8	19	21	PSYCHOLOGIST
0.2	0.1	2	22	PSYCHIATRIST
0.1	0.0	1	23	NURSE
20.3	7.4	168	28	CERTIFIED FAMILY COUNSELOR
0.4	0.1	3	71	STAFF FROM ANOTHER AGENCY
1.8	0.7	15	91	OTHER
	55.5	1,254	-9	LEGITIMATE NONRESPONSE
	7.8	175	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2182-2183

EL80_A2	TALKED TO MOST OFTEN - PROVIDER #2
----------------	---

Which 2 have you seen or talked to most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.0	0.2	4	1	PRIMARY/REGULAR COUNSELOR
9.5	0.1	2	2	CASE MANAGER
23.8	0.2	5	11	OTHER COUSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
9.5	0.1	2	13	SOCIAL WORKER
9.5	0.1	2	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
19.0	0.2	4	28	CERTIFIED FAMILY COUNSELOR
4.8	0.0	1	71	STAFF FROM ANOTHER AGENCY
4.8	0.0	1	91	OTHER
	55.6	1,256	-9	LEGITIMATE NONRESPONSE
	43.4	981	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2184-2185

EL81_01**SESSIONS W/INDIVIDUAL/PROVIDER #1**

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Individual -> Ask L81a-d

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	65	1	CIRCLED
	55.6	1,256	-9	LEGITIMATE NONRESPONSE
	41.5	937	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2186-2187

EL81_02**SESSIONS W/FAMILY/PROVIDER #1**

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Family -> Ask L81e-i

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	31.7	716	2	CIRCLED
	55.6	1,255	-9	LEGITIMATE NONRESPONSE
	12.7	287	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2188-2189

EL81_03	SESSIONS W/GROUP/PROVIDER #1
----------------	-------------------------------------

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Group -> Ask L81j-m

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.9	269	3	CIRCLED
	55.6	1,255	-9	LEGITIMATE NONRESPONSE
	32.5	734	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2190-2191

EL81_A	#TIMES/MET INDIVIDUALLY WITH PROVIDER #1
---------------	---

How many times have you met individually with your (PROVIDER #1 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.1	2	0	
50.0	1.9	43	1	
22.1	0.8	19	2	
9.3	0.4	8	3	
2.3	0.1	2	4	
5.8	0.2	5	5	
4.7	0.2	4	6	
1.2	0.0	1	7	
1.2	0.0	1	8	
1.2	0.0	1	9	
	95.3	2,151	-9	LEGITIMATE NONRESPONSE
	0.9	20	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2192-2193

EL81_B	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

_____ MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.3	0.1	2	0	
6.9	0.3	6	10	
8.0	0.3	7	15	
10.3	0.4	9	20	
16.1	0.6	14	30	
1.1	0.0	1	32	
1.1	0.0	1	40	
4.6	0.2	4	45	
1.1	0.0	1	50	
39.1	1.5	34	60	
3.4	0.1	3	90	
3.4	0.1	3	120	
1.1	0.0	1	150	
1.1	0.0	1	280	
	95.3	2,151	-9	LEGITIMATE NONRESPONSE
	0.9	20	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2194-2196

EL81_C_1	INDIVIDUALLY DEAL W/COUNSEL/PROBLEM W/SPOUSE/PROVIDER #1
-----------------	---

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	2.5	57	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2197-2198

EL81_C_2 INDIVIDUALLY DEAL W/PARENTING/CHILD CARE/PROVIDER #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	97.4	2,200	-9	LEGITIMATE NONRESPONSE
	2.5	56	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2199-2200

EL81_C_3 INDIVIDUALLY DEAL W/COUNSEL/PROBLEM W/PARENT/PROVIDER #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	63	3	CIRCLED
	95.8	2,163	-9	LEGITIMATE NONRESPONSE
	1.4	32	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2201-2202

EL81_C_4**INDIVIDUALLY DEAL W/SEX EDUCATION/PROVIDER #1**

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	2.5	57	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2203-2204

EL81_C_5**INDIVIDUALLY DEAL W/DEATH/BEREAVEMENT/PROVIDER #1**

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	2.5	57	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2205-2206

EL81_C_6 INDIVIDUALLY DEAL W/OTHER/PROVIDER #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	23	6	CIRCLED
	97.0	2,191	-9	LEGITIMATE NONRESPONSE
	1.9	44	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2207-2208

EL81_D HOW HELPFUL THE SERVICES/PROVIDER #1

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	0.5	11	0	NOT AT ALL
60.9	2.3	53	1	SOMEWHAT
26.4	1.0	23	2	VERY HELPFUL
	95.3	2,151	-9	LEGITIMATE NONRESPONSE
	0.9	20	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2209-2210

EL81_E

#TIMES/MET AS A FAMILY WITH PROVIDER #1

How many times have you met as a family with your
(PROVIDER #1 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.5	12.5	283	1	
29.0	9.2	208	2	
17.2	5.4	123	3	
7.9	2.5	57	4	
3.1	1.0	22	5	
1.3	0.4	9	6	
1.1	0.4	8	7	
0.1	0.0	1	8	
0.1	0.0	1	10	
0.1	0.0	1	11	
0.1	0.0	1	12	
0.3	0.1	2	15	
0.1	0.0	1	20	
	67.2	1,518	-9	LEGITIMATE NONRESPONSE
	1.0	23	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2211-2212

EL81_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

_____ MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.0	1	0	
0.1	0.0	1	2	
1.3	0.4	9	10	
1.4	0.4	10	15	
3.1	1.0	22	20	
0.4	0.1	3	25	
10.4	3.3	74	30	
0.6	0.2	4	40	
6.6	2.1	47	45	
0.3	0.1	2	50	
57.6	18.2	410	60	
0.1	0.0	1	65	
0.1	0.0	1	70	
0.8	0.3	6	75	
0.1	0.0	1	80	
8.4	2.7	60	90	
5.8	1.8	41	120	
0.1	0.0	1	130	
0.3	0.1	2	150	
1.5	0.5	11	180	
0.7	0.2	5	240	
	67.3	1,520	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2213-2215

EL81_G_1**ATTEND MEETING/SPOUSE/PROVIDER #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouse or partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	1	CIRCLED
	69.6	1,571	-9	LEGITIMATE NONRESPONSE
	30.2	681	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2216-2217

EL81_G_2**ATTEND MEETING/OTHER FAMILY MEMBER/PROVIDER #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Other family members of client

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	29.7	670	2	CIRCLED
	67.5	1,524	-9	LEGITIMATE NONRESPONSE
	2.8	64	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2218-2219

EL81_G_3 ATTEND MEETING/OTHERS IN TREATMENT/PROVIDER #1

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Others in treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	15	3	CIRCLED
	69.6	1,571	-9	LEGITIMATE NONRESPONSE
	29.8	672	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2220-2221

EL81_G_4 ATTEND MEETING/FAMILY MEMBER OF OTHERS/PROVIDER #1

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Family members of others in treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	21	4	CIRCLED
	69.5	1,569	-9	LEGITIMATE NONRESPONSE
	29.6	668	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2222-2223

EL81_G_5**ATTEND MEETING/OTHER/PROVIDER #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	5	CIRCLED
	69.6	1,572	-9	LEGITIMATE NONRESPONSE
	30.1	680	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2224-2225

EL81_H_1**INDIVIDUALLY MET/COUNSEL/PROBLEM W/SPOUSE/PROVIDER #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	1	CIRCLED
	69.6	1,572	-9	LEGITIMATE NONRESPONSE
	30.2	681	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2226-2227

EL81_H_2 INDIVIDUALLY MET/PARENTING/CHILD CARE/PROVIDER #1

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	15	2	CIRCLED
	69.4	1,568	-9	LEGITIMATE NONRESPONSE
	29.9	675	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2228-2229

EL81_H_3 INDIVIDUALLY MET/COUNSEL/PROBLEM W/PARENT/PROVIDER #1

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	24.4	550	3	CIRCLED
	67.8	1,532	-9	LEGITIMATE NONRESPONSE
	7.8	176	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2230-2231

EL81_H_4**INDIVIDUALLY MET/SEX EDUCATION/PROVIDER #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	4	CIRCLED
	69.6	1,572	-9	LEGITIMATE NONRESPONSE
	30.2	683	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2232-2233

EL81_H_5**INDIVIDUALLY MET/DEATH/BEREAVEMENT/PROVIDER #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	5	CIRCLED
	69.6	1,571	-9	LEGITIMATE NONRESPONSE
	30.3	684	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2234-2235

EL81_H_6 INDIVIDUALLY MET/OTHER/PROVIDER #1

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.2	231	6	CIRCLED
	69.0	1,557	-9	LEGITIMATE NONRESPONSE
	20.8	470	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2236-2237

EL81_I HOW HELPFUL THE SERVICES/PROVIDER #1

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	3.0	67	0	NOT AT ALL
40.8	12.9	292	1	SOMEWHAT
49.9	15.8	357	2	VERY
	67.3	1,519	-9	LEGITIMATE NONRESPONSE
	1.0	23	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2238-2239

EL81_J	#TIMES/MET IN GROUP WITH PROVIDER #1
---------------	---

How many times have you met in the group with your
(PROVIDER #1 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.0	1	0	
17.7	2.1	47	1	
15.8	1.9	42	2	
16.2	1.9	43	3	
30.5	3.6	81	4	
8.3	1.0	22	5	
4.5	0.5	12	6	
1.5	0.2	4	7	
1.5	0.2	4	8	
0.4	0.0	1	9	
2.6	0.3	7	10	
0.4	0.0	1	14	
0.4	0.0	1	18	
	87.2	1,968	-9	LEGITIMATE NONRESPONSE
	1.0	23	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2240-2241

EL81_K_1	ATTEND MEETING/SPOUSE/PROVIDER #1
-----------------	--

When you have met in this group with (PROVIDER #1 FROM
L80a), who has attended the meetings?

Spouse or partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	89.0	2,009	-9	LEGITIMATE NONRESPONSE
	10.9	247	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2242-2243

EL81_K_2	ATTEND MEETING/CHILDREN/PROVIDER #1
-----------------	--

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Children

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	89.0	2,009	-9	LEGITIMATE NONRESPONSE
	10.9	247	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2244-2245

EL81_K_3	ATTEND MEETING/OTHER FAMILY MEMBER/PROVIDER #1
-----------------	---

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other members of client's family

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.9	223	3	CIRCLED
	87.4	1,974	-9	LEGITIMATE NONRESPONSE
	2.7	61	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2246-2247

EL81_K_4**ATTEND MEETING/OTHER CLIENTS/PROVIDER #1**

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other clients

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.1	205	4	CIRCLED
	87.3	1,971	-9	LEGITIMATE NONRESPONSE
	3.6	82	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2248-2249

EL81_K_5**MEETING/OTHER CLIENT'S SPOUSE/PROVIDER #1**

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouses / partners of other clients

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	5	CIRCLED
	89.0	2,009	-9	LEGITIMATE NONRESPONSE
	10.7	242	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2250-2251

EL81_K_6	MEETING/OTHER CLIENT'S CHILDREN/PROVIDER #1
-----------------	--

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Children of other clients

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	18	6	CIRCLED
	89.0	2,009	-9	LEGITIMATE NONRESPONSE
	10.2	231	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2252-2253

EL81_K_7	MEETING/OTHER CLIENT'S FAMILY MEMBER/PROVIDER #1
-----------------	---

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other members of other clients' families

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.3	211	7	CIRCLED
	87.5	1,975	-9	LEGITIMATE NONRESPONSE
	3.2	72	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2254-2255

EL81_K_8**ATTEND MEETING/OTHERS/PROVIDER #1**

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	8	CIRCLED
	89.0	2,009	-9	LEGITIMATE NONRESPONSE
	10.8	244	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2256-2257

EL81_L_1**GROUP MET/COUNSEL/PROBLEM W/SPOUSE/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	89.0	2,009	-9	LEGITIMATE NONRESPONSE
	10.9	247	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2258-2259

EL81_L_2 **GROUP MET/PARENTING/CHILD CARE/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Parenting, child care, or childrearing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	18	2	CIRCLED
	88.8	2,006	-9	LEGITIMATE NONRESPONSE
	10.4	234	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2260-2261

EL81_L_3 **GROUP MET/COUNSEL/PROBLEM W/PARENT/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Counseling for problems with parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.1	184	3	CIRCLED
	87.6	1,978	-9	LEGITIMATE NONRESPONSE
	4.3	96	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2262-2263

EL81_L_4**GROUP MET/SEX EDUCATION/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Sex education or sexuality counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	4	CIRCLED
	89.0	2,009	-9	LEGITIMATE NONRESPONSE
	10.9	245	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2264-2265

EL81_L_5**GROUP MET/DEATH/BEREAVEMENT/PROVIDER #1**

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Death or bereavement

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	5	CIRCLED
	89.0	2,009	-9	LEGITIMATE NONRESPONSE
	11.0	248	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2266-2267

EL81_L_6 GROUP MET/OTHER/PROVIDER #1

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	103	6	CIRCLED
	88.6	2,000	-9	LEGITIMATE NONRESPONSE
	6.9	155	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2268-2269

EL81_M HOW HELPFUL THE SERVICES/PROVIDER #1

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	1.5	33	0	NOT AT ALL
39.1	4.6	104	1	SOMEWHAT
48.5	5.7	129	2	VERY HELPFUL
	87.2	1,969	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2270-2271

EL82_01**SESSIONS W/PROVIDER #2/INDIVIDUAL**

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Individual -> Ask L82a-d

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	44.2	998	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2272-2273

EL82_02**SESSIONS W/PROVIDER #2/FAMILY**

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Family -> Ask L82e-i

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	10	2	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	43.9	991	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2274-2275

EL82_03	SESSIONS W/PROVIDER #2/GROUP
----------------	-------------------------------------

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Group -> Ask L82j-m

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	3	CIRCLED
	55.7	1,257	-9	LEGITIMATE NONRESPONSE
	44.1	996	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2276-2277

EL82_A	#TIMES/MET INDIVIDUALLY W/PROVIDER #2
---------------	--

How many times have you met individually with your (PROVIDER #2 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	3	1	
16.7	0.0	1	2	
16.7	0.0	1	4	
16.7	0.0	1	5	
	56.0	1,264	-9	LEGITIMATE NONRESPONSE
	43.8	988	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2278-2279

EL82_B	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

```

_____ MINUTES

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
 16.7    0.0      1    20
 16.7    0.0      1    30
 16.7    0.0      1    45
 33.3    0.1      2    60
 16.7    0.0      1    75
          56.0  1,264   -9  LEGITIMATE NONRESPONSE
          43.8   988   -8  MISSING
-----
100.0  100.0  2,258 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2280-2281

EL82_C_1	DEALT W/COUNSELING SPOUSE PROBLEM/PROVIDER #2
-----------------	--

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner

```

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
  0.0    0.0      0     1  CIRCLED
          56.1  1,267   -9  LEGITIMATE NONRESPONSE
          43.9   991   -8  MISSING
-----
100.0  100.0  2,258 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2282-2283

EL82_C_2	DEALT W/PARENTING/PROVIDER #2
-----------------	--------------------------------------

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	56.1	1,267	-9	LEGITIMATE NONRESPONSE
	43.9	991	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2284-2285

EL82_C_3	DEALT W/COUNSELING PARENTS PROBLEM/PROVIDER #2
-----------------	---

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	3	CIRCLED
	56.0	1,264	-9	LEGITIMATE NONRESPONSE
	43.8	990	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2286-2287

EL82_C_4**DEALT W/SEX EDUCATION/PROVIDER #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	56.1	1,267	-9	LEGITIMATE NONRESPONSE
	43.9	991	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2288-2289

EL82_C_5**DEALT W/DEATH/PROVIDER #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	56.1	1,267	-9	LEGITIMATE NONRESPONSE
	43.9	991	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2290-2291

EL82_C_6	DEALT W/OTHER/PROVIDER #2
-----------------	----------------------------------

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	6	CIRCLED
	56.1	1,266	-9	LEGITIMATE NONRESPONSE
	43.8	990	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2292-2293

EL82_D	HOW HELPFUL THE SERVICES/PROVIDER #2
---------------	---

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
33.3	0.1	2	1	SOMEWHAT
66.7	0.2	4	2	VERY HELPFUL
	56.0	1,264	-9	LEGITIMATE NONRESPONSE
	43.8	988	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2294-2295

EL82_E	#TIMES/MET AS FAMILY WITH PROVIDER #2
---------------	--

How many times have you met as a family with your
(PROVIDER #2 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	0.3	7	1	
12.5	0.0	1	2	
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	43.8	990	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2296-2297

EL82_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually
last)?

_____ MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.0	1	15	
12.5	0.0	1	20	
12.5	0.0	1	45	
37.5	0.1	3	60	
12.5	0.0	1	90	
12.5	0.0	1	120	
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	43.8	990	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2298-2300

EL82_G_1	ATTEND MEETING/SPOUSE/PROVIDER #2
-----------------	--

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouse or partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	44.2	998	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2301-2302

EL82_G_2	MEETING/OTHER FAMILY MEMBER OF CLIENT/PROVIDER #2
-----------------	--

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other family members of client

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	2	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	43.8	990	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2303-2304

EL82_G_3**ATTEND MEETING/OTHERS IN TREATMENT/PROVIDER #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Others in treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	44.1	996	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2305-2306

EL82_G_4**ATTEND MEETING/FAMILY MEMBER OF OTHER/PR #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Family members of others in treatment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	44.2	998	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2307-2308

EL82_G_5 ATTEND MEETING/OTHERS/PROVIDER #2

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	44.2	998	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2309-2310

EL82_H_1 FAMILY MET/COUNSEL/PROBLEM W/SPOUSE/PROVIDER #2

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	44.2	998	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2311-2312

EL82_H_2**FAMILY MET/PARENTING/CHILD CARE/PROVIDER #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	44.2	998	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2313-2314

EL82_H_3**FAMILY MET/COUNSEL/PROBLEM W/PARENT/PROVIDER #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	3	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	43.9	991	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2315-2316

EL82_H_4 **FAMILY MET/SEX EDUCATION/PROVIDER #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	44.2	998	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2317-2318

EL82_H_5 **FAMILY MET/DEATH/BEREAVEMENT/PROVIDER #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	44.2	998	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2319-2320

EL82_H_6**FAMILY MET/OTHER/PROVIDER #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	CIRCLED
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	44.2	997	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2321-2322

EL82_I**HOW HELPFUL THE SERVICES/PROVIDER #2**

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
50.0	0.2	4	1	SOMEWHAT
50.0	0.2	4	2	VERY HELPFUL
	55.8	1,260	-9	LEGITIMATE NONRESPONSE
	43.8	990	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2323-2324

EL82_J	#TIMES/MET IN GROUP WITH PROVIDER #2
---------------	---

How many times have you met in the group with your (PROVIDER #2 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.4	0.2	4	2	
11.1	0.0	1	3	
11.1	0.0	1	4	
22.2	0.1	2	5	
11.1	0.0	1	17	
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.4	979	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2325-2326

EL82_K_1	ATTEND MEETING/SPOUSE/PROVIDER #2
-----------------	--

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouse or partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.8	988	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2327-2328

EL82_K_2**ATTEND MEETING/CHILDREN/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Children

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.8	988	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2329-2330

EL82_K_3**ATTEND MEETING/OTHER FAMILY MEMBER/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other members of client's family

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	3	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.5	982	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2331-2332

EL82_K_4 ATTEND MEETING/OTHER CLIENTS/PROVIDER #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other clients

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	4	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.5	983	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2333-2334

EL82_K_5 MEETING/OTHER CLIENT'S SPOUSE/PROVIDER #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouses / partners of other clients

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.8	988	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2335-2336

EL82_K_6**MEETING/OTHER CLIENT'S CHILDREN/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Children of other clients

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.7	987	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2337-2338

EL82_K_7**MEETING/OTHER CLIENT'S FAMILY MEMBER/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other members of other client's families

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	7	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.5	983	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2339-2340

EL82_K_8 ATTEND MEETING/OTHERS/PROVIDER #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Others

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.8	988	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2341-2342

EL82_L_1 GROUP MET/COUNSEL/PROBLEM W/SPOUSE/PROVIDER #2

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.8	988	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2343-2344

EL82_L_2**GROUP MET/PARENTING/CHILD CARE/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.8	988	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2345-2346

EL82_L_3**GROUP MET/COUNSEL/PROBLEM W/PARENT/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	3	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.5	982	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2347-2348

EL82_L_4 **GROUP MET/SEX EDUCATION/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.8	988	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2349-2350

EL82_L_5 **GROUP MET/DEATH/BEREAVEMENT/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.8	988	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2351-2352

EL82_L_6**GROUP MET/OTHER/PROVIDER #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	6	CIRCLED
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.6	984	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2353-2354

EL82_M**HOW HELPFUL THE SERVICES/PROVIDER #2**

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	3	0	NOT AT ALL
22.2	0.1	2	1	SOMEWHAT
44.4	0.2	4	2	VERY HELPFUL
	56.2	1,270	-9	LEGITIMATE NONRESPONSE
	43.4	979	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2355-2356

EL83 RECEIVED SERVICES/RELATIONSHIP PROBLEM

Since your admission, have you received any scheduled individual or group services for family or relationship problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.6	13	1	YES
98.7	44.1	995	2	NO
	54.3	1,227	-9	LEGITIMATE NONRESPONSE
	1.0	23	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2357-2358

EL83A_1 RECEIVE SERVICE/SOCIAL SERVICES

Where have you received these services?

Social services or family services program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	1	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.3	29	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2359-2360

EL83A_2**RECEIVE SERVICE/MENTAL HEALTH CENTER**

Where have you received these services?

Mental health center

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2361-2362

EL83A_3**RECEIVE SERVICE/CHURCH ORGANIZATION**

Where have you received these services?

Church or religious organization

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2363-2364

EL83A_4	RECEIVE SERVICE/PRIVATE FAMILY COUNSELOR
----------------	---

Where have you received these services?

Private marital or family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2365-2366

EL83A_5	RECEIVE SERVICE/OTHER
----------------	------------------------------

Where have you received these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	5	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.4	32	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2367-2368

EL83B_1	FAMILY/RELATIONSHIP OTHER PLACE/LOC #1
----------------	---

Which 2 places did you visit most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.8	0.3	7	1	SOCIAL SERVICES OR FAMILY SERVICES
7.7	0.0	1	2	MENTAL HEALTH CENTER
0.0	0.0	0	3	CHURCH OF RELIGIOUS ORGANIZATION
0.0	0.0	0	4	PRIVATE MARITAL OR FAMILY COUNSELOR
38.5	0.2	5	5	OTHER
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.0	23	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2369-2370

EL83C_1	WHO REFERRED YOU TO THIS LOCATION
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.8	0.2	4	1	PROGRAM
61.5	0.4	8	2	SOMEONE ELSE
7.7	0.0	1	3	SELF
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.0	23	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2371-2372

EL83D_1	#DAYS RECEIVED SERVICES
----------------	--------------------------------

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	0.1	3	1	
15.4	0.1	2	2	
7.7	0.0	1	3	
23.1	0.1	3	4	
7.7	0.0	1	6	
7.7	0.0	1	7	
7.7	0.0	1	9	
7.7	0.0	1	10	
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.0	23	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2373-2374

EL83E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.1	2	0	NOT AT ALL
53.8	0.3	7	1	SOMEWHAT
30.8	0.2	4	2	VERY HELPFUL
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.0	23	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2375-2376

EL83F1_1**TALKED TO/REGULAR COUNSELOR/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.5	33	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2377-2378

EL83F1_2**TALKED TO/CASE MANAGER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2379-2380

EL83F111 TALKED TO/OTHER COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	11	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2381-2382

EL83F112 TALKED TO/OTHER CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2383-2384

EL83F113	TALKED TO/SOCIAL WORKER/LOC #1
-----------------	---------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	13	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.5	33	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2385-2386

EL83F121	TALKED TO/PSYCHOLOGIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	21	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2387-2388

EL83F122 **TALKED TO/PSYCHIATRIST/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	22	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2389-2390

EL83F123 **TALKED TO/NURSE/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2391-2392

EL83F128**TALKED TO/CERTIFIED FAMILY COUNSELOR**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	28	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.4	31	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2393-2394

EL83F171**TALKED TO/STAFF FR OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at
the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2395-2396

EL83F191 TALKED TO/OTHER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	91	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2397-2398

EL83G_1 TALKED TO FOR SERVICES/LOCATION #1

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.0	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
8.3	0.0	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
25.0	0.1	3	13	SOCIAL WORKER
8.3	0.0	1	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
41.7	0.2	5	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
8.3	0.0	1	91	OTHER
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2399-2400

EL83B_2**FAMILY/RELATIONSHIP OTHER PLACE/LOC #2**

Which 2 places did you visit most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	SOCIAL SERVICES OR FAMILY SERVICES
0.0	0.0	0	2	MENTAL HEALTH CENTER
0.0	0.0	0	3	CHURCH OF RELIGIOUS ORGANIZATION
0.0	0.0	0	4	PRIVATE MARITAL OR FAMILY COUNSELOR
0.0	0.0	0	5	OTHER
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2401-2402

EL83C_2**WHO REFERRED YOU TO THIS LOCATION**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
100.0	0.0	1	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2403-2404

EL83D_2	#DAYS RECEIVED SERVICES
----------------	--------------------------------

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2405-2406

EL83E_2	HOW HELPFUL SERVICES/LOCATION #2
----------------	---

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.0	1	2	VERY HELPFUL
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2407-2408

EL83F2_1**TALKED TO/REGULAR COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2409-2410

EL83F2_2**TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2411-2412

EL83F211 TALKED TO/OTHER COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2413-2414

EL83F212 TALKED TO/OTHER CASE MANAGER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2415-2416

EL83F213	TALKED TO/SOCIAL WORKER/LOC #2
-----------------	---------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2417-2418

EL83F221	TALKED TO/PSYCHOLOGIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2419-2420

EL83F222 TALKED TO/PSYCHIATRIST/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2421-2422

EL83F223 TALKED TO/NURSE/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2423-2424

EL83F228**TALKED TO/CERTIFIED FAMILY COUNSELOR**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2425-2426

EL83F271**TALKED TO/STAFF FR OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at
the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2427-2428

EL83F291 **TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2429-2430

EL83G_2 **TALKED TO FOR SERVICES/LOCATION #2**

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	98.4	2,222	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2431-2432

EL84**RECEIVED SERVICES/JOB TRAINING/FIND JOB**

Since your admission, have you received any scheduled services to train you for a specific job, help you find a job, or something else like counseling or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	1.0	22	1	YES
99.0	98.8	2,232	2	NO
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2433-2434

EL85**RECEIVED SERVICES AT THIS PROGRAM**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.2	0.9	20	1	YES
4.8	0.0	1	2	NO
	98.8	2,232	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2435-2436

EL86_01	TALKED TO/REGULAR COUNSELOR
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2437-2438

EL86_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2439-2440

EL86_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	11	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2441-2442

EL86_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2443-2444

EL86_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2445-2446

EL86_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2447-2448

EL86_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2449-2450

EL86_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2451-2452

EL86_27	TALKED TO/VOCATIONAL COUNSELOR
----------------	---------------------------------------

Who have you seen or talked to for these services here?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	27	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2453-2454

EL86_29	TALKED TO/TEACHER
----------------	--------------------------

Who have you seen or talked to for these services here?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	29	TEACHER
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	0.8	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2455-2456

EL86_71	TALKED TO/STAFF FR OTHER AGENCY
----------------	--

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	71	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2457-2458

EL86_91	TALKED TO/OTHER
----------------	------------------------

Who have you seen or talked to for these services here?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	91	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2459-2460

EL86_A1	TALKED TO MOST/PROVIDER #1
----------------	-----------------------------------

Which 2 have you seen or talked to most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	0.0	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
11.8	0.1	2	11	OTHER COUSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
29.4	0.2	5	27	VOCATIONAL COUNSELOR
35.3	0.3	6	29	TEACHER
11.8	0.1	2	71	STAFF FROM ANOTHER AGENCY
5.9	0.0	1	91	OTHER
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2461-2462

EL86_A2**TALKED TO MOST/PROVIDER #2**

Which 2 have you seen or talked to most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
100.0	0.0	1	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2463-2464

EL87_01**DEALT W/TRAINING/SPECIFIC JOB/PROVIDER #1**

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with training for a specific job? -> Ask L87a-f

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	1	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2465-2466

EL87_02 **DEALT W/HELP FIND A JOB/PROVIDER #1**

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with help finding a job? -> Ask L87g-k

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	2	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2467-2468

EL87_03 **DEALT W/SOMETHING ELSE/COUNSELING/PROVIDER #1**

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with something else like counseling or vocational testing? -> Ask L87l-p

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	3	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	0.8	17	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2469-2470

EL87_A	TYPE OF JOB TRAINING - EDITOR CODE
---------------	---

What type of job or skill was this training for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	436	OCC. COOKS
50.0	0.0	1	487	OCC. ANIMAL CARETAKERS, EXCEPT FARM
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
	0.1	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2471-2473

EL87_B	CURRENTLY ENROLLED IN THIS TRAINING
---------------	--

Are you currently enrolled in this training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	0.3	6	1	YES
14.3	0.0	1	2	NO
	99.5	2,246	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2474-2475

EL87_C	RECEIVE A DEGREE/DIPLOMA/CERTIFIED
---------------	---

If you successfully complete this training, will you receive a degree, diploma, or certificate?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	1	YES
80.0	0.2	4	2	NO
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2476-2477

EL87_D	WHICH WILL YOU RECEIVE
---------------	-------------------------------

Which of these will you receive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	DEGREE
0.0	0.0	0	2	DIPLOMA
0.0	0.0	0	3	CERTIFICATE
0.0	0.0	0	4	OTHER
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2478-2479

EL87_E	#TIMES/ATTEND TRAINING W/PROVIDER #1
---------------	---

How many times have you attended training with your
(PROVIDER #1 FROM L86a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.0	1	1	
14.3	0.0	1	5	
14.3	0.0	1	13	
28.6	0.1	2	30	
14.3	0.0	1	32	
14.3	0.0	1	40	
	99.5	2,246	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2480-2481

EL87_F	HOW HELPFUL TRAINING/PROVIDER #1
---------------	---

How helpful was this training from your (PROVIDER #1 FROM
L86a)? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
42.9	0.1	3	1	SOMEWHAT HELPFUL
57.1	0.2	4	2	VERY HELPFUL
	99.5	2,246	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2482-2483

EL87_G_1 HELP FIND JOB/JOB SEARCH WORKSHOP/PROVIDER #1

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Job search workshop / counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	1	CIRCLED
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2484-2485

EL87_G_2 HELP FIND JOB/RESUME WRITING/PROVIDER #1

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Resume writing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2486-2487

EL87_G_3**HELP FIND JOB/INTERVIEW SKILLS/PROVIDER #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Interviewing skills

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2488-2489

EL87_G_4**HELP FIND JOB/JOB REFERRAL/PROVIDER #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Job referral

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2490-2491

EL87_G_5 HELP FIND JOB/REFERRAL PUBLIC AGENCY/PROVIDER #1

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Referral to public agency for help in finding a job (DVR, JTPA, DES)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2492-2493

EL87_G_6 HELP FIND JOB/REFERRAL PRIVATE AGENCY/PROVIDER #1

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Referral to a private agency for help in finding a job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2494-2495

EL87_G_7**HELP FIND JOB/PLACEMENT IN A JOB/PROVIDER #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Placement in a job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2496-2497

EL87_G_8**HELP FIND JOB/OTHER/PROVIDER #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	8	CIRCLED
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2498-2499

EL87_H #TIMES/MET W/PROVIDER #1/TO FIND A JOB

How many times have you met with your (PROVIDER #1 FROM L86a) to help you find a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	3	1	
33.3	0.1	2	2	
16.7	0.0	1	5	
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2500-2501

EL87_I #MINUTES/MEETINGS LAST

How long did (this meeting last/these meetings usually last)?

_____ MINUTES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	20	
16.7	0.0	1	30	
16.7	0.0	1	45	
16.7	0.0	1	60	
16.7	0.0	1	90	
16.7	0.0	1	120	
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2502-2504

EL87_J	HOW HELPFUL SERVICES/PROVIDER #1
---------------	---

How helpful was the service from your (PROVIDER #1 FROM L86a)? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
33.3	0.1	2	1	SOMEWHAT
66.7	0.2	4	2	VERY HELPFUL
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2505-2506

EL87_K	DID YOU FIND A JOB
---------------	---------------------------

Have you found a job as a result of this service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.3	6	2	NO
	99.5	2,247	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2507-2508

EL87_L_1	TYPE HELP/VOCATIONAL TEST ASSES/PROVIDER #1
-----------------	--

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Vocational or employment testing assessment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	1	CIRCLED
	99.4	2,245	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2509-2510

EL87_L_2	TYPE HELP/VOCATIONAL COUNSELING/PROVIDER #1
-----------------	--

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Vocational or employment counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	99.4	2,245	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2511-2512

EL87_L_3	TYPE HELP/PUBLIC AGENCY VOCATIONAL ASSES/PROVIDER #1
-----------------	---

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a public agency for vocational assessment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.4	2,245	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2513-2514

EL87_L_4	TYPE HELP/PRIVATE AGENCY VOCATIONAL ASSES/PROVIDER #1
-----------------	--

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a private agency for vocational assessment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.4	2,245	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2515-2516

EL87_L_5 **TYPE HELP/PUBLIC/PRIVATE AGENCY VOC ASSES/PROVIDER #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a public or private agency for vocational counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.4	2,245	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2517-2518

EL87_L_6 **TYPE HELP/OTHER/PROVIDER #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.4	2,245	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2519-2520

EL87_M	SESSIONS W/PROVIDER #1
---------------	-------------------------------

Have these sessions with your (PROVIDER #1 FROM L86a) been for you alone or were they for groups or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.1	2	1	ALL INDIVIDUAL
60.0	0.1	3	2	ALL GROUP
0.0	0.0	0	3	BOTH INDIVIDUAL/GROUP
	99.4	2,245	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2521-2522

EL87_N	#TIMES/MET FOR HELP/PROVIDER #1
---------------	--

How many times have you met with your (PROVIDER #1 FROM L86a) for this kind of help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.0	1	1	
20.0	0.0	1	2	
20.0	0.0	1	3	
20.0	0.0	1	4	
20.0	0.0	1	5	
	99.4	2,245	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2523-2524

EL87_O	#MINUTES/MEETINGS LAST
---------------	-------------------------------

How long did (this meeting last/these meetings usually last)?

		MINUTES			
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
40.0	0.1	2	30		
20.0	0.0	1	180		
40.0	0.1	2	300		
	99.4	2,245	-9	LEGITIMATE NONRESPONSE	
	0.4	8	-8	MISSING	
-----	-----	-----			
100.0	100.0	2,258	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2525-2527

EL87_P	HOW HELPFUL SERVICES/PROVIDER #1
---------------	---

How helpful was this service from your (PROVIDER #I FROM L86a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
14.3	0.0	1	0	NOT AT ALL	
42.9	0.1	3	1	SOMEWHAT	
42.9	0.1	3	2	VERY HELPFUL	
	99.4	2,245	-9	LEGITIMATE NONRESPONSE	
	0.3	6	-8	MISSING	
-----	-----	-----			
100.0	100.0	2,258	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2528-2529

EL88_01**DEALT W/TRAIN FOR SPECIFIC JOB/PROVIDER #2**

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with training for a specific job? -> Ask L88a-f

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2530-2531

EL88_02**DEALT W/HELP FIND A JOB/PROVIDER #2**

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with finding a job? -> Ask L88g-k

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2532-2533

EL88_03**DEALT W/SOMETHING ELSE/COUNSELING/PROVIDER #2**

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with something else like counseling or vocational testing? -> Ask L88i-p

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2534-2535

EL88_D	WHICH WILL YOU RECEIVE
---------------	-------------------------------

Which of these will you receive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEGREE
0.0	0.0	0	2	DIPLOMA
0.0	0.0	0	3	CERTIFICATE
0.0	0.0	0	4	OTHER
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2542-2543

EL88_E	#TIMES/ATTEND TRAINING W/PROVIDER #2
---------------	---

How many times have you attended training with your
(PROVIDER #2 FROM L86a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2544-2545

EL88_G_2**HELP FIND JOB/RESUME WRITING/PROVIDER #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Resume writing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2550-2551

EL88_G_3**HELP FIND JOB/INTERVIEW SKILLS/PROVIDER #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Interviewing skills

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2552-2553

EL88_G_4 **HELP FIND JOB/JOB REFERRAL/PROVIDER #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Job referral

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2554-2555

EL88_G_5 **HELP FIND JOB/REFERRAL PUBLIC AGENCY/PROVIDER #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Referral to public agency for help in finding a job (DVR, JTPA, DES)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2556-2557

EL88_G_6**HELP FIND JOB/REFERRAL PRIVATE AGENCY/PROVIDER #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Referral to a private agency for help in finding a job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2558-2559

EL88_G_7**HELP FIND JOB/PLACEMENT IN A JOB/PROVIDER #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Placement in a job

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	25	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2560-2561

EL88_G_8 HELP FIND JOB/OTHER/PROVIDER #2

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	8	CIRCLED
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2562-2563

EL88_H #TIMES/MET W/PROVIDER #2/TO FIND A JOB

How many times have you met with your (PROVIDER #2 FROM L86a) to help you find a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2564-2565

EL88_I	#MINUTES/MEETINGS LAST
---------------	-------------------------------

How long did (this meeting last/these meetings usually last)?

_____ MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	10	
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2566-2567

EL88_J	HOW HELPFUL SERVICES/PROVIDER #2
---------------	---

How helpful was the service from your (PROVIDER #2 FROM L86a)? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
100.0	0.0	1	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2568-2569

EL88_K	DID YOU FIND A JOB
---------------	---------------------------

Have you found a job as a result of this service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.0	1	2	NO
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2570-2571

EL88_L_1	TYPE HELP/VOCATIONAL TEST ASSES/PROVIDER #2
-----------------	--

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Vocational or employment testing assessment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2572-2573

EL88_L_2**TYPE HELP/VOCATIONAL COUNSELING/PROVIDER #2**

What other types of help, such as counseling or testing,
have you received from your (PROVIDER #2 FROM L86a)?

Vocational or employment counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2574-2575

EL88_L_3**TYPE HELP/PUBLIC AGENCY VOCATIONAL ASSES/PROVIDER #2**

What other types of help, such as counseling or testing,
have you received from your (PROVIDER #2 FROM L86a)?

Referral to a public agency for vocational assessment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2576-2577

EL88_L_4 **TYPE HELP/PRIVATE AGENCY VOCATIONAL ASSES/PROVIDER #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to a private agency for vocational assessment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2578-2579

EL88_L_5 **TYPE HELP/PUBLIC/PRIVATE AGENCY VOC ASSES/PROVIDER #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to a public or private agency for vocational counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2580-2581

EL88_L_6**TYPE HELP/OTHER/PROVIDER #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2582-2583

EL88_M**SESSIONS W/PROVIDER #2**

Have the sessions with your (PROVIDER #2 FROM L86a) been for you alone or were they for groups or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALL INDIVIDUAL
0.0	0.0	0	2	ALL GROUP
0.0	0.0	0	3	BOTH INDIVIDUAL/GROUP
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2584-2585

EL88_N	#TIMES/MET FOR HELP/PROVIDER #2
---------------	--

How many times have you met with your (PROVIDER #2 FROM L86a) for this kind of help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2586-2587

EL88_O	#MINUTES/MEETINGS LAST
---------------	-------------------------------

How long did (this meeting last/these meetings usually last)?

_____ MINUTES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2588-2589

EL88_P**HOW HELPFUL SERVICES/PROVIDER #2**

How helpful was this service from your (PROVIDER #2 FROM L86a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
0.0	0.0	0	1	SOMEWHAT HELPFUL
0.0	0.0	0	2	VERY HELPFUL
	98.9	2,234	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2590-2591

EL89**RECEIVE SERVICES/GET TRAINING FOR JOB**

Since your admission, have you received any scheduled services to help you get training for a job, to help you find a job, or to get vocational assessment or counseling at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.1	2	1	YES
93.5	1.3	29	2	NO
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2592-2593

EL89_A_1	RECEIVE SERVICE/EMPLOYMENT STATE OFFICE
-----------------	--

Where have you received these services?

State office of employment

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2594-2595

EL89_A_2	RECEIVE SERVICE/DVR/OVR/VESID
-----------------	--------------------------------------

Where have you received these services?

DVR / OVR / VESID

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2596-2597

EL89_A_3**RECEIVE SERVICE/JTPA/PIC**

Where have you received these services?

JTPA / PIC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2598-2599

EL89_A_4**RECEIVE SERVICE/PUBLIC EMPLOYMENT**

Where have you received these services?

Public employment or training agencies

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2600-2601

EL89_A_5	RECEIVE SERVICE/PRIVATE EMPLOYMENT
-----------------	---

Where have you received these services?

Private employment or training agencies

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2602-2603

EL89_A_6	RECEIVE SERVICE/BUSINESS ORGANIZATION
-----------------	--

Where have you received these services?

Business organization (Chamber of Commerce, Urban League, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2604-2605

EL89_A_7

RECEIVE SERVICE/TECH SCHOOL/COMMUNITY COLLEGE

Where have you received these services?

Vocational / technical school / community college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	7	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING

-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2606-2607

EL89_A_8	RECEIVE SERVICE/CHARITABLE AGENCIES
-----------------	--

Where have you received these services?

Charitable agencies (Catholic Charities, Jewish Family Services)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2608-2609

EL89_A_9	RECEIVE SERVICE/OTHER
-----------------	------------------------------

Where have you received these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2610-2611

EL89B_1**VOCATIONAL OTHER PLACE/LOCATION #1**

Which 2 locations did you visit most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	STATE OFFICE OF EMPLOYMENT
0.0	0.0	0	2	DVR/OVR/VESID
0.0	0.0	0	3	JTPA/PIC
0.0	0.0	0	4	PUBLIC EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	5	PRIVATE EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	6	BUSINESS ORGANIZATIONS
100.0	0.1	2	7	VOCATIONAL/TECHNICAL/COMMUNITY COLLEGE
0.0	0.0	0	8	CHARITABLE AGENCIES
0.0	0.0	0	9	OTHER
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2612-2613

EL89C_1**WHO REFERRED YOU TO LOCATION #1**

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
50.0	0.0	1	2	SOMEONE ELSE
50.0	0.0	1	3	SELF
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2614-2615

EL89D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	22	
50.0	0.0	1	90	
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2616-2617

EL89E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	2	2	VERY HELPFUL
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2618-2619

EL89F1_1**TALKED TO/REGULAR COUNSELOR/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2620-2621

EL89F1_2**TALKED TO/CASE MANAGER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2622-2623

EL89F111 TALKED TO/OTHER COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2624-2625

EL89F112 TALKED TO/OTHER CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2626-2627

EL89F113	TALKED TO/SOCIAL WORKER/LOC #1
-----------------	---------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2628-2629

EL89F121	TALKED TO/PSYCHOLOGIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2630-2631

EL89F122 TALKED TO/PSYCHIATRIST/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2632-2633

EL89F123 TALKED TO/NURSE/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2634-2635

EL89F127	TALKED TO/VOCATIONAL COUNSELOR/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2636-2637

EL89F129	TALKED TO/TEACHER/LOC #1
-----------------	---------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	29	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2638-2639

EL89F171 TALKED TO/STAFF FR OTHER AGENCY/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at
the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2640-2641

EL89F191 TALKED TO/OTHER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2642-2643

EL89G_1**TALKED TO FOR SERVICES/LOCATION #1**

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2644-2645

EL89B_2**VOCATIONAL OTHER PLACE/LOCATION #2**

Which 2 locations did you visit most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	STATE OFFICE OF EMPLOYMENT
0.0	0.0	0	2	DVR/OVR/VESID
0.0	0.0	0	3	JTPA/PIC
0.0	0.0	0	4	PUBLIC EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	5	PRIVATE EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	6	BUSINESS ORGANIZATIONS
0.0	0.0	0	7	VOCATIONAL/TECHNICAL/COMMUNITY COLLEGE
0.0	0.0	0	8	CHARITABLE AGENCIES
0.0	0.0	0	9	OTHER
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2646-2647

EL89C_2 **WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2648-2649

EL89D_2 **#DAYS YOU RECEIVED SERVICES/LOC #2**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2650-2651

EL89E_2**HOW HELPFUL THE SERVICES/LOCATION #2**

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2652-2653

EL89F2_1**TALKED TO/REGULAR COUNSELOR/LOC #2**

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2654-2655

EL89F2_2	TALKED TO/CASE MANAGER/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2656-2657

EL89F211	TALKED TO/OTHER COUNSELOR/LOC #2
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2658-2659

EL89F212**TALKED TO/OTHER CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2660-2661

EL89F213**TALKED TO/SOCIAL WORKER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2662-2663

EL89F221 **TALKED TO/PSYCHOLOGIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2664-2665

EL89F222 **TALKED TO/PSYCHIATRIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2666-2667

EL89F223	TALKED TO/NURSE/LOC #2
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2668-2669

EL89F227	TALKED TO/VOCATIONAL COUNSELOR/LOC #2
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2670-2671

EL89F229 TALKED TO/TEACHER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2672-2673

EL89F271 TALKED TO/STAFF FR OTHER AGENCY/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at
the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2674-2675

EL89F291	TALKED TO/OTHER/LOC #2
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2676-2677

EL89G_2	TALKED TO FOR SERVICES/LOCATION #2
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2678-2679

EL90	RECEIVED COUNSELING/IMPROVE EDUCATION
-------------	--

Since your admission, have you received any scheduled classes, counseling, or help specifically to improve your education or your reading and writing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.3	49.1	1,109	1	YES
50.7	50.6	1,142	2	NO
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2680-2681

EL91	RECEIVED SERVICES AT THIS PROGRAM
-------------	--

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	48.2	1,088	1	YES
1.7	0.8	19	2	NO
	50.6	1,143	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2682-2683

EL92_01

TALKED TO/PRIMARY/REGULAR COUNSELOR

Who have you seen or talked to for these services here?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	1	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.1	1,087	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2684-2685

EL92_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.5	1,095	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2686-2687

EL92_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	11	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.4	1,093	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2688-2689

EL92_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.5	1,095	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2690-2691

EL92_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.5	1,095	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2692-2693

EL92_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	29	21	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	47.2	1,066	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2694-2695

EL92_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	22	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.4	1,094	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2696-2697

EL92_23**TALKED TO/NURSE**

Who have you seen or talked to for these services here?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	23	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.4	1,094	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2698-2699

EL92_27**TALKED TO/VOCATIONAL COUNSELOR**

Who have you seen or talked to for these services here?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	27	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.4	1,093	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2700-2701

EL92_29	TALKED TO/TEACHER
----------------	--------------------------

Who have you seen or talked to for these services here?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	47.6	1,075	29	CIRCLED
	51.4	1,160	-9	LEGITIMATE NONRESPONSE
	1.0	23	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2702-2703

EL92_71	TALKED TO/STAFF FROM OTHER AGENCY
----------------	--

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	71	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.4	1,094	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2704-2705

EL92_91	TALKED TO/OTHER
----------------	------------------------

Who have you seen or talked to for these services here?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	91	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.4	1,092	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2706-2707

EL92A_1	TALKED TO FOR SERVICES/PROVIDER #1
----------------	---

Which 2 have you seen or talked to most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.4	10	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.2	0.1	2	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
1.4	0.6	14	21	PSYCHOLOGIST
0.1	0.0	1	22	PSYCHIATRIST
0.1	0.0	1	23	NURSE
0.1	0.0	1	27	VOCATIONAL COUNSELOR
96.8	41.5	938	29	TEACHER
0.1	0.0	1	71	STAFF FROM ANOTHER AGENCY
0.1	0.0	1	91	OTHER
	51.4	1,161	-9	LEGITIMATE NONRESPONSE
	5.7	128	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2708-2709

EL92A_2 TALKED TO FOR SERVICES/PROVIDER #2

Which 2 have you seen or talked to most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
2.9	0.0	1	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
42.9	0.7	15	21	PSYCHOLOGIST
5.7	0.1	2	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
48.6	0.8	17	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	46.9	1,060	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2710-2711

EL93 #TIMES YOU MET W/ YOUR PROVIDER #1

How many times have you met with your (PROVIDER #1 FROM L92a)?

2,258 cases (Range of valid codes: 1-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2712-2714

EL93_A #MINUTES SESSIONS LAST/PROVIDER #1

How long did (this session last/these sessions usually last)?

_____ MINUTES

2,258 cases (Range of valid codes: 2-720)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2715-2717

EL93_B_1**DEALT W/EDUCATION NEEDS ASSESSMENT/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Educational needs assessment or testing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	54	1	CIRCLED
	51.5	1,162	-9	LEGITIMATE NONRESPONSE
	46.1	1,042	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2718-2719

EL93_B_2**DEALT W/ADULT BASIC EDUCATION/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Adult basic education in reading and writing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	36	2	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	46.9	1,059	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2720-2721

EL93_B_3 **DEALT W/PREPARATION FOR GED/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Preparation for GED or high school equivalency exam

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.8	85	3	CIRCLED
	51.5	1,162	-9	LEGITIMATE NONRESPONSE
	44.8	1,011	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2722-2723

EL93_B_4 **DEALT W/GED CLASSES/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

GED classes or other education courses

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	12.8	288	4	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	35.7	807	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2724-2725

EL93_B_5**DEALT W/TUTORING IN BASIC SKILLS/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Tutoring in reading, writing, math, or other basic skills

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	26.0	588	5	CIRCLED
	51.4	1,161	-9	LEGITIMATE NONRESPONSE
	22.5	509	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2726-2727

EL93_B_6**DEALT W/REFERRAL TO SCHOOLS/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Referral to schools, training, or vocational rehabilitation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	6	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.2	1,088	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2728-2729

EL93_B_7 **DEALT W/GEN COUNSELING ABOUT EDUCATION/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

General counseling about education plans and opportunities

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	34	7	CIRCLED
	51.5	1,162	-9	LEGITIMATE NONRESPONSE
	47.0	1,062	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2730-2731

EL93_B_8 **DEALT W/OTHER/PROVIDER #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	99	8	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	44.1	996	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2732-2733

EL93_C	HOW HELPFUL SERVICES/PROVIDER #1
---------------	---

How helpful was this service from your (PROVIDER #1 FROM L92a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.0	6.7	152	0	NOT AT ALL
42.1	20.3	459	1	SOMEWHAT
43.9	21.2	478	2	VERY HELPFUL
	51.4	1,160	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2734-2735

EL94	#TIMES YOU MET W/ YOUR PROVIDER #2
-------------	---

How many times have you met with your (PROVIDER #2 FROM L92a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.8	17	1	
2.9	0.0	1	2	
2.9	0.0	1	5	
2.9	0.0	1	7	
2.9	0.0	1	9	
8.8	0.1	3	10	
2.9	0.0	1	11	
2.9	0.0	1	14	
2.9	0.0	1	15	
5.9	0.1	2	20	
2.9	0.0	1	21	
5.9	0.1	2	25	
2.9	0.0	1	29	
2.9	0.0	1	30	
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	47.0	1,061	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2736-2737

EL94_A	#MINUTES SESSIONS LAST/PROVIDER #2
---------------	---

How long did (this session last/these sessions usually last)?

		MINUTES			
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
2.9	0.0	1	15		
5.9	0.1	2	20		
29.4	0.4	10	30		
5.9	0.1	2	45		
11.8	0.2	4	60		
5.9	0.1	2	120		
2.9	0.0	1	150		
35.3	0.5	12	210		
	51.5	1,163	-9	LEGITIMATE NONRESPONSE	
	47.0	1,061	-8	MISSING	
-----	-----	-----			
100.0	100.0	2,258	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2738-2740

EL94_B_1	DEALT W/EDUCATION NEEDS ASSESSMENT/PROVIDER #2
-----------------	---

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Educational needs assessment or testing

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
100.0	0.7	16	1	CIRCLED	
	51.5	1,163	-9	LEGITIMATE NONRESPONSE	
	47.8	1,079	-8	MISSING	
-----	-----	-----			
100.0	100.0	2,258	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2741-2742

EL94_B_2**DEALT W/ADULT BASIC EDUCATION/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Adult basic education in reading and writing

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.5	1,095	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2743-2744

EL94_B_3**DEALT W/PREPARATION FOR GED/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Preparation for GED or high school equivalency exam

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	3	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.4	1,094	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2745-2746

EL94_B_4 **DEALT W/GED CLASSES/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

GED classes or other education courses

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	12	4	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.0	1,083	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2747-2748

EL94_B_5 **DEALT W/TUTORING IN BASIC SKILLS/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Tutoring in reading, writing, math, or other basic skills

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	5	5	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.3	1,090	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2749-2750

EL94_B_6**DEALT W/REFERRAL TO SCHOOLS/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Referral to schools, training, or vocational rehabilitation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.5	1,095	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2751-2752

EL94_B_7**DEALT W/GEN COUNSELING ABOUT EDUCATION/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

General counseling about education plans and opportunities

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	7	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.4	1,093	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2753-2754

EL94_B_8 **DEALT W/OTHER/PROVIDER #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	48.5	1,095	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2755-2756

EL94_C **HOW HELPFUL SERVICES/PROVIDER #2**

How helpful was this service from your (PROVIDER #2 FROM L92a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	0.3	6	0	NOT AT ALL
35.3	0.5	12	1	SOMEWHAT
47.1	0.7	16	2	VERY HELPFUL
	51.5	1,163	-9	LEGITIMATE NONRESPONSE
	47.0	1,061	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2757-2758

EL95**RECEIVED HELP IMPROVE EDUCATION/OTHER PLACE**

Since your admission, have you received any scheduled classes, counseling, or help to improve your education or your reading and writing at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	1.0	23	1	YES
97.9	48.4	1,092	2	NO
	50.0	1,128	-9	LEGITIMATE NONRESPONSE
	0.7	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2759-2760

EL95_A_1**RECEIVED SERVICE/PUBLIC SCHOOL SYSTEM**

Where (else) have you received these services?

Public school system

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	16	1	CIRCLED
	98.3	2,220	-9	LEGITIMATE NONRESPONSE
	1.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2761-2762

EL95_A_2	RECEIVED SERVICE/JR. COMMUNITY COLLEGE
-----------------	---

Where (else) have you received these services?

Junior community college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2763-2764

EL95_A_3	RECEIVED SERVICE/FOUR-YEAR COLLEGE PROGRAM
-----------------	---

Where (else) have you received these services?

Four-year college or graduate program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2765-2766

EL95_A_4**RECEIVED SERVICE/PRIVATE EDUCATION PROGRAM**

Where (else) have you received these services?

Private education program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	4	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2767-2768

EL95_A_5**RECEIVED SERVICE/PUBLIC AGENCIES**

Where (else) have you received these services?

Public agencies (vocational, rehabilitation,
employment service)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	5	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2769-2770

EL95_A_6	RECEIVED SERVICE/OTHER
-----------------	-------------------------------

Where (else) have you received these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	6	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2771-2772

EL95B_1	EDUCATION OTHER PLACE/LOCATION #1
----------------	--

Which 2 locations did you visit most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.7	16	1	PUBLIC SCHOOL SYSTEM
8.3	0.1	2	2	JUNIOR COMMUNITY COLLEGE
0.0	0.0	0	3	FOUR YEAR COLLEGE/GRADUATE PROGRAM
8.3	0.1	2	4	PRIVATE EDUCATION PROGRAM
8.3	0.1	2	5	PUBLIC AGENCIES
8.3	0.1	2	6	OTHER
	98.3	2,220	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2773-2774

EL95C_1	WHO REFERRED YOU TO LOCATION #1
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	2	1	PROGRAM
41.7	0.4	10	2	SOMEONE ELSE
50.0	0.5	12	3	SELF
	98.3	2,220	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2775-2776

EL95D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.0	1	1	
4.2	0.0	1	2	
4.2	0.0	1	5	
4.2	0.0	1	6	
4.2	0.0	1	7	
4.2	0.0	1	8	
4.2	0.0	1	10	
4.2	0.0	1	18	
8.3	0.1	2	20	
16.7	0.2	4	25	
4.2	0.0	1	32	
4.2	0.0	1	46	
8.3	0.1	2	60	
4.2	0.0	1	80	
4.2	0.0	1	95	
16.7	0.2	4	99	99 OR MORE
	98.3	2,220	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2777-2778

EL95E_1	HOW HELPFUL THE SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
29.2	0.3	7	1	SOMEWHAT HELPFUL
70.8	0.8	17	2	VERY HELPFUL
	98.3	2,220	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2779-2780

EL95F1_1	TALKED TO/REGULAR COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2781-2782

EL95F1_2	TALKED TO/CASE MANAGER/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2783-2784

EL95F127	TALKED TO/VOCATIONAL COUNSELOR/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Vocational specialist / counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2785-2786

EL95F129 TALKED TO/TEACHERS IN PROGRAM/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	20	29	CIRCLED
	98.3	2,220	-9	LEGITIMATE NONRESPONSE
	0.8	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2787-2788

EL95F171 TALKED TO/STAFF FR OTHER AGENCY/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from school or other agencies

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	71	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2789-2790

EL95F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other program staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	91	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	35	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2791-2792

EL95G_1	MOST FREQUENT PROVIDER/LOCATION #1
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.0	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	27	PROG VOCATIONAL COUNSELOR
89.5	0.8	17	29	TEACHER
5.3	0.0	1	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER PROGRAM STAFF
	98.3	2,220	-9	LEGITIMATE NONRESPONSE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2793-2794

EL95B_2	EDUCATION OTHER PLACE/LOCATION #2
----------------	--

Which 2 locations did you visit most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PUBLIC SCHOOL SYSTEM
0.0	0.0	0	2	JUNIOR COMMUNITY COLLEGE
0.0	0.0	0	3	FOUR YEAR COLLEGE/GRADUATE PROGRAM
0.0	0.0	0	4	PRIVATE EDUCATION PROGRAM
0.0	0.0	0	5	PUBLIC AGENCIES
0.0	0.0	0	6	OTHER
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2795-2796

EL95C_2	WHO REFERRED YOU TO LOCATION #2
----------------	--

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2797-2798

EL95D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
----------------	---

On how many days have you received these services at
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2799-2800

EL95E_2	HOW HELPFUL THE SERVICES/LOCATION #2
----------------	---

Overall, how helpful were these services you received at
(LOCATION - 2nd mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
0.0	0.0	0	1	SOMEWHAT HELPFUL
0.0	0.0	0	2	VERY HELPFUL
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2801-2802

EL95F2_1 TALKED TO/REGULAR COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2803-2804

EL95F2_2 TALKED TO/CASE MANAGER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2805-2806

EL95F227	TALKED TO/VOCATIONAL COUNSELOR/LOC #2
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Vocational specialist / counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2807-2808

EL95F229	TALKED TO/TEACHERS IN PROGRAM/LOC #2
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2809-2810

EL95F271 TALKED TO/STAFF FR OTHER AGENCY/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from school or other agencies

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2811-2812

EL95F291 TALKED TO/OTHER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other program staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2813-2814

EL95G_2**MOST FREQUENT PROVIDER/LOCATION #2**

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	27	PROG VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER PROGRAM STAFF
	98.4	2,221	-9	LEGITIMATE NONRESPONSE
	1.6	37	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2815-2816

EL96**RECEIVED SERVICE/HELP W/LEGAL PROBLEM**

Since your admission, have you received any scheduled services to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	4.6	103	1	YES
95.4	95.0	2,146	2	NO
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2817-2818

EL97 **DID YOU GET SERVICES AT THIS PROGRAM**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.3	2.6	59	1	YES
42.7	1.9	44	2	NO
	95.0	2,146	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2819-2820

EL98_01 **TALKED TO/PRIMARY/REGULAR COUNSELOR**

Who have you seen or talked to for these services?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	12	1	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.4	54	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2821-2822

EL98_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.9	66	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2823-2824

EL98_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	8	11	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.6	58	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2825-2826

EL98_12 TALKED TO/OTHER CASE MANAGER

Who have you seen or talked to for these services?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.9	66	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2827-2828

EL98_13 TALKED TO/SOCIAL WORKER

Who have you seen or talked to for these services?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	13	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.8	64	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2829-2830

EL98_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.9	66	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2831-2832

EL98_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.9	66	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2833-2834

EL98_23 TALKED TO/NURSE

Who have you seen or talked to for these services?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.9	66	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2835-2836

EL98_27 TALKED TO/VOCATIONAL COUNSELOR

Who have you seen or talked to for these services?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.9	66	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2837-2838

EL98_28	TALKED TO/CERTIFIED FAMILY COUNSELOR
----------------	---

Who have you seen or talked to for these services?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.9	66	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2839-2840

EL98_29	TALKED TO/TEACHER
----------------	--------------------------

Who have you seen or talked to for these services?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.9	66	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2841-2842

EL98_30 TALKED TO/TASC STAFF

Who have you seen or talked to for these services?

TASC staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	30	CIRCLED
	99.6	2,250	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2843-2844

EL98_71 TALKED TO/STAFF FROM OTHER AGENCY

Who have you seen or talked to for these services?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	7	71	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.6	59	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2845-2846

EL98_91**TALKED TO/OTHER**

Who have you seen or talked to for these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	22	91	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	1.9	44	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2847-2848

EL98A_1**TALKED TO FOR SERVICES/PROVIDER #1**

Which 2 did you see most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.5	0.6	14	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
10.9	0.3	6	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
3.6	0.1	2	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
10.9	0.3	6	30	TASC STAFF
10.9	0.3	6	71	STAFF FROM ANOTHER AGENCY
38.2	0.9	21	91	OTHER
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	0.5	12	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2849-2850

EL98A_2	TALKED TO FOR SERVICES/PROVIDER #2
----------------	---

Which 2 did you see most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	30	TASC STAFF
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	67	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2851-2852

EL99**#TIMES YOU MET W/PROVIDER #1**

How many times have you met with your (PROVIDER #1 FROM L98a) for help with a legal problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.2	1.3	29	1	
28.8	0.8	17	2	
8.5	0.2	5	3	
5.1	0.1	3	4	
1.7	0.0	1	5	
1.7	0.0	1	7	
1.7	0.0	1	10	
1.7	0.0	1	12	
1.7	0.0	1	24	
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2853-2854

EL99_A_1**SERVICE RECEIVE/REPRESENT IN CIVIL CASE**

What types of services or help have you received?

Representation in a civil case (divorce, custody, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	67	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2855-2856

EL99_A_2	SERVICE RECEIVE/REPRESENT/CRIMINAL CASE
-----------------	--

What types of services or help have you received?

Representation in criminal case

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	67	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2857-2858

EL99_A_3	SERVICE RECEIVE/ASSISTANCE W/PROBATION
-----------------	---

What types of services or help have you received?

Assistance with probation / parole

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	27	3	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	1.8	41	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2859-2860

EL99_A_4**SERVICE RECEIVE/ASSIST W/NON COURT LEGAL**

What types of services or help have you received?

Assistance with noncourt legal matters (will, deed, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	4	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.9	66	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2861-2862

EL99_A_5**SERVICE RECEIVE/REFERRAL TO LAWYER AID**

What types of services or help have you received?

Referral to lawyer or legal aid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	5	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	2.9	65	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2863-2864

EL99_A_6 SERVICE RECEIVE/OTHER

What types of services or help have you received?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	28	6	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	1.8	40	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2865-2866

EL99_B HOW HELPFUL THE SERVICES

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	0.2	4	0	NOT AT ALL
44.1	1.2	26	1	SOMEWHAT
49.2	1.3	29	2	VERY HELPFUL
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2867-2868

EL100 #TIMES YOU MET W/PROVIDER #2

How many times have you met with your (PROVIDER #2 FROM L98a) for help with a legal problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2869-2870

EL100A_1	SERVICE RECEIVE/REPRESENT IN CIVIL CASE
-----------------	--

What types of services or help have you received?

Representation in a civil case (divorce, custody, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2871-2872

EL100A_2	SERVICE RECEIVE/REPRESENT/CRIMINAL CASE
-----------------	--

What types of services or help have you received?

Representation in criminal case

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2873-2874

EL100A_3 SERVICE RECEIVE/ASSISTANCE W/PROBATION

What types of services or help have you received?

Assistance with probation / parole

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2875-2876

EL100A_4 SERVICE RECEIVE/ASSIST W/NON COURT LEGAL

What types of services or help have you received?

Assistance with noncourt legal matters (will, deed, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2877-2878

EL100A_5	SERVICE RECEIVE/REFERRAL TO LAWYER AID
-----------------	---

What types of services or help have you received?

Referral to lawyer or legal aid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2879-2880

EL100A_6	SERVICE RECEIVE/OTHER
-----------------	------------------------------

What types of services or help have you received?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2881-2882

EL100_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	97.0	2,190	-9	LEGITIMATE NONRESPONSE
	3.0	68	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2883-2884

EL101	RECEIVED SERVICE/OTHER PLACE/LEGAL PROBLEM
--------------	---

Since your admission, have you received any scheduled services at some place other than this program specifically to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	2.1	48	1	YES
58.6	3.0	68	2	NO
	94.5	2,133	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2885-2886

EL101A_1	TALKED TO/TASC PROGRAM STAFF
-----------------	-------------------------------------

Who have you talked to or seen for these services?

TASC program staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	2.4	55	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2887-2888

EL101A_2	TALKED TO/PAROLE/PROBATION OFFICER
-----------------	---

Who have you talked to or seen for these services?

Parole or probation officer

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	20	2	CIRCLED
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2889-2890

EL101A_3	TALKED TO/PRIVATE LAWYER
-----------------	---------------------------------

Who have you talked to or seen for these services?

Private lawyer

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	9	3	CIRCLED
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	2.1	47	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2891-2892

EL101A_4	TALKED TO/LEGAL AID
-----------------	----------------------------

Who have you talked to or seen for these services?

Legal aid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	4	CIRCLED
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	2.4	55	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2893-2894

EL101A_5**TALKED TO/PUBLIC DEFENDER**

Who have you talked to or seen for these services?

Public defender or court-appointed counsel

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	13	5	CIRCLED
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	1.9	43	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2895-2896

EL101A_6**TALKED TO/OTHER LEGAL**

Who have you talked to or seen for these services?

Other legal

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	20	6	CIRCLED
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	1.6	36	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2897-2898

EL101B_1	LEGAL OTHER PLACE - PROVIDER #1
-----------------	--

Which 2 did you talk to or see most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	TASC PROGRAM STAFF
29.8	0.6	14	2	PAROLE OR PROBATION OFFICER
17.0	0.4	8	3	PRIVATE LAWYER
2.1	0.0	1	4	LEGAL AID
23.4	0.5	11	5	PUBLIC DEFENDER/COURT APPOINTED COUNSEL
27.7	0.6	13	6	OTHER LEGAL
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	0.4	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2899-2900

EL101C_1	WHO REFERRED YOU TO PROVIDER #1
-----------------	--

Who referred you to the (PROVIDER - 1st mention)? Was it a staff member in this program, someone else, or did you go to the (PROVIDER) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	0.1	3	1	PROGRAM
38.3	0.8	18	2	SOMEONE ELSE
55.3	1.2	26	3	SELF
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2901-2902

EL101D_1	#DAYS YOU RECEIVED SERVICES/PROVIDER #1
-----------------	--

On how many days have you received these services from the
(PROVIDER - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.6	1.2	28	1	
19.1	0.4	9	2	
10.6	0.2	5	3	
2.1	0.0	1	4	
4.3	0.1	2	5	
2.1	0.0	1	7	
2.1	0.0	1	12	
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	0.4	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2903-2904

EL101E_1	HOW HELPFUL THE SERVICES/PROVIDER #1
-----------------	---

Overall, how helpful were these services you received from
(PROVIDER - 1st mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.9	0.3	7	0	NOT AT ALL HELPFUL
38.3	0.8	18	1	SOMEWHAT HELPFUL
46.8	1.0	22	2	VERY HELPFUL
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	0.4	9	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2905-2906

EL101B_2	LEGAL OTHER PLACE - PROVIDER #2
-----------------	--

Which 2 did you talk to or see most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	TASC PROGRAM STAFF
33.3	0.3	6	2	PAROLE OR PROBATION OFFICER
5.6	0.0	1	3	PRIVATE LAWYER
0.0	0.0	0	4	LEGAL AID
16.7	0.1	3	5	PUBLIC DEFENDER/COURT APPOINTED COUNSEL
44.4	0.4	8	6	OTHER LEGAL
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	1.7	39	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2907-2908

EL101C_2	WHO REFERRED YOU TO PROVIDER #2
-----------------	--

Who referred you to the (PROVIDER - 2nd mention)? Was it a staff member in this program, someone else, or did you go to the (PROVIDER) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
27.8	0.2	5	2	SOMEONE ELSE
72.2	0.6	13	3	SELF
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	1.7	39	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2909-2910

EL101D_2**#DAYS YOU RECEIVED SERVICES/PROVIDER #2**

On how many days have you received these services from the
(PROVIDER - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.5	12	1	
11.1	0.1	2	2	
16.7	0.1	3	3	
5.6	0.0	1	20	
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	1.7	39	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2911-2912

EL101E_2**HOW HELPFUL THE SERVICES/PROVIDER #2**

Overall, how helpful were these services you received from
(PROVIDER - 2nd mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.8	0.2	5	0	NOT AT ALL HELPFUL
11.1	0.1	2	1	SOMEWHAT HELPFUL
61.1	0.5	11	2	VERY HELPFUL
	97.5	2,201	-9	LEGITIMATE NONRESPONSE
	1.7	39	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2913-2914

EL102 RECEIVED SERVICE/HELP FINANCIAL PROBLEM

Since your admission, have you received any scheduled services to help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	10	1	YES
99.6	99.4	2,245	2	NO
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2915-2916

EL103 DID YOU GET SERVICES AT PROGRAM

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.4	0.2	4	1	YES
63.6	0.3	7	2	NO
	99.4	2,244	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2917-2918

EL104_01 TALKED TO/PRIMARY/REGULAR COUNSELOR

Who have you seen or talked to for these services?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	1	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2919-2920

EL104_02**TALKED TO/CASE MANAGER**

Who have you seen or talked to for these services?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2921-2922

EL104_11**TALKED TO/OTHER COUNSELOR**

Who have you seen or talked to for these services?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2923-2924

EL104_12	TALKED TO/OTHER CASE MANAGER
-----------------	-------------------------------------

Who have you seen or talked to for these services?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2925-2926

EL104_13	TALKED TO/SOCIAL WORKER
-----------------	--------------------------------

Who have you seen or talked to for these services?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2927-2928

EL104_21	TALKED TO/PSYCHOLOGIST
-----------------	-------------------------------

Who have you seen or talked to for these services?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2929-2930

EL104_22	TALKED TO/PSYCHIATRIST
-----------------	-------------------------------

Who have you seen or talked to for these services?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2931-2932

EL104_23	TALKED TO/NURSE
-----------------	------------------------

Who have you seen or talked to for these services?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2933-2934

EL104_27	TALKED TO/VOCATIONAL COUNSELOR
-----------------	---------------------------------------

Who have you seen or talked to for these services?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2935-2936

EL104_28**TALKED TO/CERTIFIED FAMILY COUNSELOR**

Who have you seen or talked to for these services?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2937-2938

EL104_29**TALKED TO/TEACHER**

Who have you seen or talked to for these services?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2939-2940

EL104_71	TALKED TO/STAFF FROM OTHER AGENCY
-----------------	--

Who have you seen or talked to for these services?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	71	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2941-2942

EL104_91	TALKED TO/OTHER
-----------------	------------------------

Who have you seen or talked to for these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2943-2944

EL104A_1

TALKED TO MOST OFTEN/PROVIDER #1

Which 2 did you see or talk to most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
25.0	0.0	1	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2945-2946

EL104A_2	TALKED TO MOST OFTEN/PROVIDER #2
-----------------	---

Which 2 did you see or talk to most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2947-2948

EL105	#TIMES MET W/YOUR PROVIDER #1
--------------	--------------------------------------

How many times have you met with your (PROVIDER #1 FROM L104a) for help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.1	3	1	
25.0	0.0	1	2	
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2949-2950

EL105A_1	SERVICE RECEIVED/COUNSELING
-----------------	------------------------------------

What types of services or help have you received?

Counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2951-2952

EL105A_2	SERVICE RECEIVED/ASSIST W/BUDGET
-----------------	---

What types of services or help have you received?

Assistance with budgeting and money management

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	2	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2953-2954

EL105A_3	SERVICE RECEIVED/REFERRAL TO AGENCY
-----------------	--

What types of services or help have you received?

Referral to outside agency (Social Services, Social Security, Veterans Affairs, private charitable organization)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2955-2956

EL105A_4	SERVICE RECEIVED/EMERGENCY FUNDS
-----------------	---

What types of services or help have you received?

Emergency or other special purpose funds

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2957-2958

EL105A_5**SERVICE RECEIVED/CONCRETE SERVICES**

What types of services or help have you received?

Concrete services (food, clothing, bus ticket, eyeglasses, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	5	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2959-2960

EL105A_6**SERVICE RECEIVED/OTHER**

What types of services or help have you received?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	6	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2961-2962

EL105_B**HOW HELPFUL THE SERVICES**

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.2	4	2	VERY HELPFUL
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2963-2964

EL106**#TIMES YOU MET W/PROVIDER #2**

How many times have you met with your (PROVIDER #2 FROM L104a) for help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2965-2966

EL106A_1**SERVICE RECEIVED/COUNSELING**

What types of services or help have you received?

Counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2967-2968

EL106A_2	SERVICE RECEIVED/ASSIST W/BUDGET
-----------------	---

What types of services or help have you received?

Assistance with budgeting and money management

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2969-2970

EL106A_3	SERVICE RECEIVED/REFERRAL TO AGENCY
-----------------	--

What types of services or help have you received?

Referral to outside agency (Social Services, Social Security, Veterans Affairs, private charitable organization)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2971-2972

EL106A_4 SERVICE RECEIVED/EMERGENCY FUNDS

What types of services or help have you received?

Emergency or other special purpose funds

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2973-2974

EL106A_5 SERVICE RECEIVED/CONCRETE SERVICES

What types of services or help have you received?

Concrete services (food, clothing, bus ticket, eyeglasses, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2975-2976

EL106A_6	SERVICE RECEIVED/OTHER
-----------------	-------------------------------

What types of services or help have you received?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2977-2978

EL106_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.7	2,251	-9	LEGITIMATE NONRESPONSE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2979-2980

EL107 RECEIVED SERVICES AT OTHER PLACE

Since your admission, have you received any scheduled services at some place other than this program to help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	0.3	6	1	YES
72.7	0.7	16	2	NO
	98.9	2,233	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2981-2982

EL107A51 RECEIVE SERVICE/SOCIAL SERVICES

Where have you received these services?

Social Services

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	51	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2983-2984

EL107A52**RECEIVE SERVICE/VOCATIONAL REHABILITATION**

Where have you received these services?

Vocational rehabilitation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	52	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2985-2986

EL107A53**RECEIVE SERVICE/VETERANS AFFAIRS**

Where have you received these services?

Veterans Affairs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	53	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2987-2988

EL107A54	RECEIVE SERVICE/SOCIAL SECURITY
-----------------	--

Where have you received these services?

Social Security

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	54	CIRCLED
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2989-2990

EL107A91	RECEIVE SERVICE/OTHER
-----------------	------------------------------

Where have you received these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2991-2992

EL107B_1**FINANCIAL OTHER PLACE/LOCATION #1**

Which 2 places did you visit most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	3	51	SOCIAL SERVICES
0.0	0.0	0	52	VOCATIONAL REHABILITATION
0.0	0.0	0	53	VETERANS AFFAIRS
50.0	0.1	3	54	SOCIAL SECURITY
0.0	0.0	0	91	OTHER
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2993-2994

EL107C_1**WHO REFERRED YOU TO LOCATION #1**

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	3	1	PROGRAM
33.3	0.1	2	2	SOMEONE ELSE
16.7	0.0	1	3	SELF
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2995-2996

EL107D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
-----------------	---

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	4	1	
33.3	0.1	2	2	
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2997-2998

EL107E_1	HOW HELPFUL THE SERVICES/LOCATION #1
-----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.0	1	0	NOT AT ALL
50.0	0.1	3	1	SOMEWHAT
33.3	0.1	2	2	VERY HELPFUL
	99.6	2,249	-9	LEGITIMATE NONRESPONSE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2999-3000

EL107B_2**FINANCIAL OTHER PLACE/LOCATION #2**

Which 2 places did you visit most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	51	SOCIAL SERVICES
0.0	0.0	0	52	VOCATIONAL REHABILITATION
0.0	0.0	0	53	VETERANS AFFAIRS
0.0	0.0	0	54	SOCIAL SECURITY
0.0	0.0	0	91	OTHER
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3001-3002

EL107C_2**WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3003-3004

EL107D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
-----------------	---

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3005-3006

EL107E_2	HOW HELPFUL SERVICES/LOCATION #2
-----------------	---

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.6	2,250	-9	LEGITIMATE NONRESPONSE
	0.4	8	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3007-3008

EL108**HAD ANY COUNSELING BECAUSE OF CRISIS**

Since your admission, have you had any counseling sessions with your counselor or any other professional because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	59	1	YES
97.4	97.2	2,194	2	NO
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3009-3010

EL108_A**#SESSIONS YOU HAD BECAUSE OF CRISES**

Since your admission, how many counseling sessions have you had because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	1.4	32	1	
28.8	0.8	17	2	
8.5	0.2	5	3	
1.7	0.0	1	4	
1.7	0.0	1	5	
1.7	0.0	1	6	
1.7	0.0	1	9	
1.7	0.0	1	20	
	97.2	2,194	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3011-3012

EL108_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.2	5	0	NOT AT ALL HELPFUL
36.7	1.0	22	1	SOMEWHAT HELPFUL
55.0	1.5	33	2	VERY HELPFUL
	97.1	2,193	-9	LEGITIMATE NONRESPONSE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3013-3014

EL109	RECEIVED UNSCHEDULED HELP AT THIS PROGRAM
--------------	--

Since your admission, have you received any unscheduled help from anyone at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.6	9.6	216	1	YES
90.4	90.2	2,036	2	NO
	0.2	5	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3015-3016

EL110	RECEIVED UNSCHEDULED HELP/REFERRED TO
--------------	--

Since your admission, have you received any unscheduled help from anyone at a place you've been referred to by this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	10	1	YES
99.6	99.2	2,239	2	NO
	0.4	8	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3017-3018

EL111_A	UNSCHEDULED HELP/STOP ON USE OF DRUGS
----------------	--

How much has the unscheduled assistance that you received helped you stop or cut down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	1.9	43	0	NOT AT ALL
42.9	4.1	93	1	SOMEWHAT
37.3	3.6	81	2	VERY MUCH
	89.8	2,028	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3019-3020

EL111_B UNSCHEDULED HELP W/OTHER PROBLEMS

How much has the unscheduled assistance that you received helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	0.5	12	0	NOT AT ALL
42.9	4.1	93	1	SOMEWHAT
51.6	5.0	112	2	VERY MUCH
	89.8	2,028	-9	LEGITIMATE NONRESPONSE
	0.6	13	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3021-3022

EL113_01 RECEIVED HELP FROM/REGULAR COUNSELOR

Since your admission, who have you received this kind of help from?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.1	116	1	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	5.0	112	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3023-3024

EL113_02**RECEIVED HELP FROM/CASE MANAGER**

Since your admission, who have you received this kind of help from?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	11	2	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	9.6	217	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3025-3026

EL113_11**RECEIVED HELP FROM/OTHER COUNSELOR**

Since your admission, who have you received this kind of help from?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.4	121	11	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	4.7	107	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3027-3028

EL113_12	RECEIVED HELP FROM/OTHER CASE MANAGER
-----------------	--

Since your admission, who have you received this kind of help from?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	12	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	10.0	225	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3029-3030

EL113_13	RECEIVED HELP FROM/SOCIAL WORKER
-----------------	---

Since your admission, who have you received this kind of help from?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	3	13	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	10.0	225	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3031-3032

EL113_21	RECEIVED HELP FROM/PSYCHOLOGIST
-----------------	--

Since your admission, who have you received this kind of help from?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	21	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	10.1	227	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3033-3034

EL113_22	RECEIVED HELP FROM/PSYCHIATRIST
-----------------	--

Since your admission, who have you received this kind of help from?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	22	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	10.0	226	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3035-3036

EL113_23 RECEIVED HELP FROM/NURSE

Since your admission, who have you received this kind of help from?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	23	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	9.9	224	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3037-3038

EL113_24 RECEIVED HELP FROM/PHYSICIAN

Since your admission, who have you received this kind of help from?

Physician

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	24	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	10.0	226	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3039-3040

EL113_25**RECEIVED HELP FROM/PHYSICIAN'S ASSIST**

Since your admission, who have you received this kind of help from?

Physician's assistant

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	10.1	228	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3041-3042

EL113_26**RECEIVED HELP FROM/DENTIST**

Since your admission, who have you received this kind of help from?

Dentist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	10.1	228	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3043-3044

EL113_27	RECEIVED HELP FROM/VOCATIONAL COUNSELOR
-----------------	--

Since your admission, who have you received this kind of help from?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	10.1	228	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3045-3046

EL113_28	RECEIVED HELP FROM/CERTIFIED COUNSELOR
-----------------	---

Since your admission, who have you received this kind of help from?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	28	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	9.8	222	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3047-3048

EL113_29**RECEIVED HELP FROM/TEACHER**

Since your admission, who have you received this kind of help from?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	29	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	10.0	226	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3049-3050

EL113_71**RECEIVED HELP FROM/STAFF FR OTHER AGENCY**

Since your admission, who have you received this kind of help from?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	4	71	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	9.9	224	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3051-3052

EL113_91 RECEIVED HELP FROM/OTHER

Since your admission, who have you received this kind of help from?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.1	71	91	CIRCLED
	89.9	2,029	-9	LEGITIMATE NONRESPONSE
	7.0	157	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3053-3054

EL114_A HOW OFTEN RECEIVE HELP/USE OF ALCOHOL

Since your admission, how often have you received this kind of help for your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.7	5.4	122	0	NEVER
31.1	3.0	68	1	SOME SESSIONS
8.7	0.8	19	2	MOST SESSIONS
4.6	0.4	10	3	EVERY SESSION
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3055-3056

EL114_B**HOW OFTEN RECEIVE HELP/DRUG/CAUSE PROBLEM**

Since your admission, how often have you received this kind of help for your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.4	2.7	60	0	NEVER
34.2	3.3	75	1	SOME SESSIONS
27.4	2.7	60	2	MOST SESSIONS
11.0	1.1	24	3	EVERY SESSION
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3057-3058

EL114_C**HOW OFTEN RECEIVE HELP/EMOTIONAL HEALTH**

Since your admission, how often have you received this kind of help for your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.5	1.6	36	0	NEVER
35.3	3.4	77	1	SOME SESSIONS
22.9	2.2	50	2	MOST SESSIONS
25.2	2.4	55	3	EVERY SESSION
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3059-3060

EL114_D **HOW OFTEN RECEIVE HELP/RELATION W/FAMILY**

Since your admission, how often have you received this kind of help for your relationship with your spouse, partner, child. or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.2	1.9	44	0	NEVER
38.1	3.7	83	1	SOME SESSIONS
24.3	2.3	53	2	MOST SESSIONS
17.4	1.7	38	3	EVERY SESSION
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.7	15	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3061-3062

EL114_E **HOW OFTEN RECEIVE HELP/YOUR PHYS HEALTH**

Since your admission, how often have you received this kind of help for your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.7	7.0	157	0	NEVER
21.0	2.0	46	1	SOME SESSIONS
5.0	0.5	11	2	MOST SESSIONS
2.3	0.2	5	3	EVERY SESSION
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3063-3064

EL114_F**HOW OFTEN RECEIVE HELP/EDUCATION/TRAINING**

Since your admission, how often have you received this kind of help for your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.6	6.0	135	0	NEVER
26.0	2.5	57	1	SOME SESSIONS
7.3	0.7	16	2	MOST SESSIONS
5.0	0.5	11	3	EVERY SESSION
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3065-3066

EL114_G**HOW OFTEN RECEIVE HELP/INVOLVE W/COURT**

Since your admission, how often have you received this kind of help for involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.8	6.1	137	0	NEVER
23.4	2.3	51	1	SOME SESSIONS
9.2	0.9	20	2	MOST SESSIONS
4.6	0.4	10	3	EVERY SESSION
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3067-3068

EL114_H	HOW OFTEN RECEIVE HELP/YOUR JOB
----------------	--

Since your admission, how often have you received this kind of help for your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.7	7.8	176	0	NEVER
11.5	1.1	25	1	SOME SESSIONS
6.0	0.6	13	2	MOST SESSIONS
1.8	0.2	4	3	EVERY SESSION
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3069-3070

EL114_I	HOW OFTEN RECEIVE HELP/LIVING EXPENSES
----------------	---

Since your admission, how often have you received this kind of help for housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.6	8.1	183	0	NEVER
9.6	0.9	21	1	SOME SESSIONS
5.5	0.5	12	2	MOST SESSIONS
1.4	0.1	3	3	EVERY SESSION
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.6	14	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3071-3072

EL114_J	HOW OFTEN RECEIVE HELP/REDUCE RISK/AIDS
----------------	--

Since your admission, how often have you received this kind of help for reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.9	7.8	177	0	NEVER
11.6	1.1	25	1	SOME SESSIONS
3.2	0.3	7	2	MOST SESSIONS
3.2	0.3	7	3	EVERY SESSION
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.7	16	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3073-3074

EL114_K	HOW OFTEN RECEIVE HELP/OTHER IMPORTANT ISSUES
----------------	--

Since your admission, how often have you received this kind of help for any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	1.1	24	1	YES
88.8	8.5	191	2	NO
	89.7	2,025	-9	LEGITIMATE NONRESPONSE
	0.8	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3075-3076

EL114K_1	HOW OFTEN RECEIVE HELP/FIRST SPECIFY
-----------------	---

Since your admission, how often have you received this kind of help for any other important issues? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.1	2	0	NEVER
19.2	0.2	5	1	SOME SESSIONS
34.6	0.4	9	2	MOST SESSIONS
38.5	0.4	10	3	EVERY SESSION
	98.1	2,215	-9	LEGITIMATE NONRESPONSE
	0.8	17	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3077-3078

EL114K_2	HOW OFTEN RECEIVE HELP/SECOND SPECIFY
-----------------	--

Since your admission, how often have you received this kind of help for any other important issues? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.0	1	0	NEVER
30.0	0.1	3	1	SOME SESSIONS
20.0	0.1	2	2	MOST SESSIONS
40.0	0.2	4	3	EVERY SESSION
	98.1	2,216	-9	LEGITIMATE NONRESPONSE
	1.4	32	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3079-3080

EL114K_3**HOW OFTEN RECEIVE HELP/THIRD SPECIFY**

Since your admission, how often have you received this kind of help for any other important issues? 3rd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.0	1	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
50.0	0.0	1	3	EVERY SESSION
	98.1	2,216	-9	LEGITIMATE NONRESPONSE
	1.8	40	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3081-3082

EL114K_4**HOW OFTEN RECEIVE HELP/FOURTH SPECIFY**

Since your admission, how often have you received this kind of help for any other important issues? 4th mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	98.1	2,216	-9	LEGITIMATE NONRESPONSE
	1.8	41	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3083-3084

EL115	THE SERVICE MOST HELPFUL TO YOU
--------------	--

Since your admission, which of the services you have received has been most helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	158	0	NO SERVICES
29.1	28.9	653	1	REGULAR ADDICTION GROUP
12.2	12.1	274	2	OTHER GROUP COUNSELING
18.2	18.1	408	3	INDIVIDUAL COUNSELING
8.2	8.2	185	4	12-STEP/SELF-HELP GROUP
0.1	0.1	2	5	CRISIS COUNSELING
1.2	1.2	28	6	UNSCHEDULED HELP
1.3	1.3	30	7	TALKS/FILMS/DISCUSSIONS
1.3	1.3	29	8	DRUG COUNSELING
0.0	0.0	1	9	ALCOHOL COUNSELING
0.1	0.1	2	10	DRUG TESTING
1.4	1.4	31	11	PSYCHOLOGICAL/MENTAL HEALTH
9.4	9.3	210	12	FAMILY RELATIONSHIP COUNSELING
0.1	0.1	3	13	MEDICATION
0.6	0.6	13	14	MEDICAL
0.4	0.4	9	15	LEGAL
6.8	6.8	153	16	EDUCATION/JOB TRAINING
0.0	0.0	0	17	HELP FINDING A JOB
0.0	0.0	1	18	OTHER JOB ASSISTANCE
0.0	0.0	0	19	FINANCIAL ASSISTANCE
2.4	2.4	55	91	OTHER
	0.2	5	-8	MISSING
	0.4	8	-4	DON'T KNOW

 100.0 100.0 2,258 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3085-3086

EL116

THE SERVICE LEAST HELPFUL TO YOU

Since your admission, which of the services you have received has been least helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	33.3	751	0	NO SERVICES
10.7	10.4	235	1	REGULAR ADDICTION GROUP
8.9	8.7	196	2	OTHER GROUP COUNSELING
3.3	3.2	73	3	INDIVIDUAL COUNSELING
11.7	11.4	258	4	12-STEP/SELF-HELP GROUP
0.0	0.0	0	5	CRISIS COUNSELING
0.0	0.0	1	6	UNSCHEDULED HELP
6.9	6.7	152	7	TALKS/FILMS/DISCUSSIONS
0.5	0.5	11	8	DRUG COUNSELING
0.6	0.6	14	9	ALCOHOL COUNSELING
0.4	0.4	9	10	DRUG TESTING
0.6	0.6	14	11	PSYCHOLOGICAL/MENTAL HEALTH
2.9	2.9	65	12	FAMILY RELATIONSHIP COUNSELING
0.1	0.1	2	13	MEDICATION
2.3	2.3	51	14	MEDICAL
0.5	0.4	10	15	LEGAL
7.6	7.4	168	16	EDUCATION/JOB TRAINING
0.1	0.1	2	17	HELP FINDING A JOB
0.0	0.0	1	18	OTHER JOB ASSISTANCE
0.0	0.0	1	19	FINANCIAL ASSISTANCE
8.7	8.5	191	91	OTHER
	0.6	14	-8	MISSING
	0.2	5	-6	MULTIPLE RESPONSE
	1.5	34	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3087-3088

EL117 NOTICED CHANGES IN YOUR THOUGHTS/FEELING

Since your admission, have you noticed changes in your thoughts, feelings, or relationships?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.4	69.2	1,562	1	YES
30.6	30.6	690	2	NO
	0.2	4	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3089-3090

EL117_B1 FIRST CAUSE FOR CHANGE

You mentioned a change in (CHANGE)? What do you think caused this change?

1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	23.2	523	1	SELF
7.8	5.3	119	2	COUNSELOR OR CASE MANAGER
1.0	0.7	16	3	ANOTHER STAFF MEMBER
1.4	1.0	22	4	ANOTHER CLIENT/RESIDENT/PATIENT
50.1	34.1	769	5	THE PROGRAM OVERALL
1.3	0.9	20	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
4.3	2.9	66	7	OTHER
	30.4	687	-9	LEGITIMATE NONRESPONSE
	1.1	24	-8	MISSING
	0.1	3	-7	REFUSAL
	0.4	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3091-3092

EL117_B2**SECOND CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change?

2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.6	12.6	285	1	SELF
7.3	3.0	68	2	COUNSELOR OR CASE MANAGER
0.6	0.3	6	3	ANOTHER STAFF MEMBER
2.6	1.1	24	4	ANOTHER CLIENT/RESIDENT/PATIENT
54.5	22.5	507	5	THE PROGRAM OVERALL
0.9	0.4	8	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
3.5	1.5	33	7	OTHER
	30.5	688	-9	LEGITIMATE NONRESPONSE
	28.1	635	-8	MISSING
	0.1	3	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3093-3094

EL117_B3**THIRD CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change?

3rd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.3	5.4	123	1	SELF
6.7	1.3	30	2	COUNSELOR OR CASE MANAGER
1.1	0.2	5	3	ANOTHER STAFF MEMBER
3.3	0.7	15	4	ANOTHER CLIENT/RESIDENT/PATIENT
57.2	11.4	258	5	THE PROGRAM OVERALL
1.1	0.2	5	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
3.3	0.7	15	7	OTHER
	30.5	688	-9	LEGITIMATE NONRESPONSE
	49.4	1,116	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3095-3096

EL117_B4 **FOURTH CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change?

4th mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.5	1.7	38	1	SELF
8.9	0.7	15	2	COUNSELOR OR CASE MANAGER
1.8	0.1	3	3	ANOTHER STAFF MEMBER
1.8	0.1	3	4	ANOTHER CLIENT/RESIDENT/PATIENT
60.4	4.5	102	5	THE PROGRAM OVERALL
0.6	0.0	1	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
4.1	0.3	7	7	OTHER
	30.5	689	-9	LEGITIMATE NONRESPONSE
	61.9	1,397	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3097-3098

EL117_B5 **FIFTH CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change?

5th mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.9	0.9	21	1	SELF
8.0	0.3	7	2	COUNSELOR OR CASE MANAGER
3.4	0.1	3	3	ANOTHER STAFF MEMBER
0.0	0.0	0	4	ANOTHER CLIENT/RESIDENT/PATIENT
60.2	2.3	53	5	THE PROGRAM OVERALL
0.0	0.0	0	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
4.5	0.2	4	7	OTHER
	30.6	690	-9	LEGITIMATE NONRESPONSE
	65.4	1,477	-8	MISSING
	0.1	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3099-3100

EL118	PROGRAM TREATMENT HELP STOP YOUR DRUG USE
--------------	--

Now, please think about all the treatment you have received in this program since your admission. Has this treatment helped you stop or cut down on your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.3	79.4	1,793	1	YES
19.7	19.5	441	2	NO
	0.3	6	-8	MISSING
	0.5	12	-4	DON'T KNOW
	0.3	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3101-3102

EL118_A	HOW MUCH TREATMENT HAS HELPED YOU
----------------	--

Would you say it has helped . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.0	21.5	486	1	A LITTLE
73.0	58.1	1,311	2	A LOT
	19.4	437	-9	LEGITIMATE NONRESPONSE
	0.8	17	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	4	-4	DON'T KNOW
	0.1	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3103-3104

EL119

HOW MUCH PROGRAM HELPED YOU W/OTHER PROBLEM

How much has this program helped you with other problems (besides drug problems) since your admission? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.4	17.4	392	0	NOT AT ALL
46.5	46.3	1,046	1	A LITTLE
36.1	35.9	811	2	A LOT
	0.2	5	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3105-3106

EL120

HOW MANY PEOPLE IN TREATMENT/TO BE HELPED

How many of the people in treatment here do you think are likely to be helped a good deal by this program? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.8	25.5	576	1	VERY FEW
48.6	48.0	1,084	2	SOME
25.5	25.2	569	3	MOST
	0.2	4	-8	MISSING
	0.1	2	-5	BAD DATA
	1.0	22	-4	DON'T KNOW
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3107-3108

EL121_A	PRESSURE TO STAY IN PROGRAM/YOURSELF
----------------	---

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. Since your admission, how much pressure have you felt from yourself to stay in this program until you complete your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	30.7	693	0	NONE
25.1	25.1	566	1	A LITTLE
44.2	44.1	996	2	A LOT
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3109-3110

EL121_B	PRESSURE TO STAY IN PROGRAM/HUSBAND/WIFE
----------------	---

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. Since your admission, how much pressure have you felt from your (parents/husband/wife/partner)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.7	34.5	780	0	NONE
17.7	17.7	399	1	A LITTLE
47.6	47.5	1,072	2	A LOT
	0.2	5	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3111-3112

EL121_C	PRESSURE TO STAY IN PROGRAM/FAMILY MEMBER
----------------	--

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. Since your admission, how much pressure have you felt from other family members?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	52.7	1,189	0	NONE
18.1	18.0	406	1	A LITTLE
29.0	28.9	653	2	A LOT
	0.4	8	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3113-3114

EL121_D	PRESSURE TO STAY IN PROGRAM/PEOPLE IN PROGRAM
----------------	--

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. Since your admission, how much pressure have you felt from people in the program, including staff and clients?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	37.3	842	0	NONE
20.9	20.8	469	1	A LITTLE
41.6	41.4	935	2	A LOT
	0.4	9	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3115-3116

EL121_E	PRESSURE TO STAY IN PROGRAM/FRIENDS
----------------	--

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. Since your admission, how much pressure have you felt from friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.3	58.9	1,331	0	NONE
20.2	20.1	453	1	A LITTLE
20.5	20.4	461	2	A LOT
	0.5	12	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3117-3118

EL121_F	PRESSURE TO STAY IN PROGRAM/ANYONE ELSE
----------------	--

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. Since your admission, how much pressure have you felt from anyone else, such as school staff, teachers, and principals?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.2	73.3	1,654	0	NONE
6.4	6.2	140	1	A LITTLE
18.5	18.0	406	2	A LOT
	2.3	53	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3119-3120

EL122

HOW LIKELY/YOU TO STAY IN PROGRAM TREATMENT

How likely are you to stay in this program until you complete your treatment? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.7	4.7	106	0	NOT AT ALL
19.0	18.9	426	1	SOMEWHAT
76.3	75.9	1,713	2	VERY LIKELY
	0.1	2	-8	MISSING
	0.0	1	-5	BAD DATA
	0.4	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3121-3122

EL123_W

#WEEKS/FEEL YOU NEED TO STAY IN PROGRAM

Not counting what others think, such as the courts, the staff here, or your family and friends, how much longer do you feel you need to stay in this program to get the help you need?

		WEEKS			
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
70.7	67.4	1,521	0		
17.2	16.3	369	1		
8.5	8.1	182	2		
1.9	1.8	41	3		
0.3	0.3	7	4		
0.1	0.1	3	5		
0.8	0.8	17	6		
0.0	0.0	1	8		
0.3	0.3	6	10		
0.1	0.1	2	14		
0.0	0.0	1	15		
0.0	0.0	1	26		
	0.8	17	-8	MISSING	
	1.1	24	-5	BAD DATA	
	2.9	65	-4	DON'T KNOW	
	0.0	1	-3	NOT APPLICABLE	
-----	-----	-----			
100.0	100.0	2,258	cases		

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3123-3124

EL124**HOW MUCH/COUNSELOR AGREES W/YOU/GOALS**

How much do you feel your current counselor agrees with you about what would be useful goals for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.8	198	0	NOT AT ALL
41.2	39.9	902	1	A LITTLE BIT
49.7	48.2	1,089	2	VERY MUCH
	0.2	4	-8	MISSING
	0.0	1	-5	BAD DATA
	2.5	56	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3125-3126

EL125**HOW MUCH/COUNSELOR UNDERSTANDS/YOU/PROBLEM**

How much does your counselor show a sincere desire to understand you and your problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.7	151	0	NOT AT ALL
26.5	26.0	588	1	A LITTLE BIT
66.7	65.4	1,477	2	VERY MUCH
	0.1	2	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	1.4	31	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3127-3128

EL126**HOW MUCH/COUNSELOR & YOU WORK TOGETHER**

How much do you feel that you are working together with your counselor, that the two of you are joined in a struggle to overcome your problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.2	12.9	291	0	NOT AT ALL
37.0	36.2	818	1	A LITTLE BIT
49.8	48.7	1,100	2	VERY MUCH
	0.4	9	-8	MISSING
	1.4	32	-4	DON'T KNOW
	0.4	8	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3129-3130

EL127**HOW MUCH/YOU FEEL SATISFIED W/TREATMENT**

How satisfied do you feel with treatment so far?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	13.4	302	0	NOT AT ALL
41.6	41.4	934	1	A LITTLE BIT
45.0	44.7	1,010	2	VERY MUCH
	0.2	4	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.3	7	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3131-3132

EL128	HOW MUCH/PROGRAM TREATMENT MATCH W/YOUR IDEAS
--------------	--

How much has the treatment you have received in this program so far matched with your ideas about what helps people in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.4	18.0	406	0	NOT AT ALL
47.0	46.0	1,039	1	A LITTLE BIT
34.7	34.0	767	2	VERY MUCH
	0.3	6	-8	MISSING
	1.8	40	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3133-3134

ELDM	DATE: MONTH
-------------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.7	24.6	556	1	JAN. - MARCH
24.9	24.8	559	2	APR. - JUNE
24.0	23.9	539	3	JULY - SEPT.
26.4	26.3	593	4	OCT. - DEC.
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3135-3136

ELTH	TIME: HOUR
-------------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	6.4	145	1	
16.2	16.1	364	2	
11.8	11.7	265	3	
9.7	9.7	218	4	
5.4	5.4	121	5	
3.7	3.7	83	6	
4.7	4.7	105	7	
4.9	4.9	110	8	
6.0	5.9	134	9	
8.0	7.9	179	10	
12.6	12.5	283	11	
10.4	10.3	233	12	
	0.8	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3137-3138

ELTM	TIME: MINUTE
-------------	---------------------

2,258 cases (Range of valid codes: 0-59)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3139-3140

ELAMPM	TIME RECORDED AS AM OR PM
---------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	21.5	486	1	AM
77.8	75.6	1,708	2	PM
	2.8	64	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3141-3142

MINIMENTAL STATUS EXAM

EM1 EVER TALKED TO DOCTOR/MEMORY PROBLEM?

Now, I'd like to ask about your memory. Have you ever had occasion to talk to a doctor about problems with your memory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3143-3144

EM2 WHAT IS THE YEAR?

What is the year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3145-3146

EM3	WHAT SEASON OF THE YEAR?
------------	---------------------------------

What season of the year is it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3147-3148

EM4	WHAT IS THE DATE?
------------	--------------------------

What is the date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3149-3150

EM5	WHAT IS THE DAY OF THE WEEK?
------------	-------------------------------------

What is the day of the week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3151-3152

EM6 **WHAT IS THE MONTH?**

What is the month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3153-3154

EM7 **CAN YOU TELL WHERE WE ARE NOW?**

Can you tell me where we are right now?
 For instance, what State are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3155-3156

EM8 **WHAT COUNTY ARE WE IN?**

What (county/parish) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3157-3158

EM9	WHAT CITY/TOWN ARE WE IN?
------------	----------------------------------

What (city/town) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3159-3160

EM10A	WHAT FLOOR OF BUILDING ARE WE ON?
--------------	--

What floor of the building are we on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3161-3162

EM10B	WHAT IS THE NAME OF THIS PLACE?
--------------	--

What is this address (IF INSTITUTIONALIZED) or name of this place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3163-3164

EM11A APPLE/3 OBJECTS/REMEMBER OBJECTS

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . APPLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3165-3166

EM11B TABLE/3 OBJECTS/REMEMBER OBJECTS

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . TABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3167-3168

EM11C**PENNY/3 OBJECTS/ REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are . . . PENNY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3169-3170

EM12A**WOULD YOU SUBTRACT 7 FROM 100**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

93

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CAN'T DO
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3171-3172

EM12B **WOULD YOU SUBTRACT 7 FROM 93**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

86

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CAN'T DO
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3173-3174

EM12C **WOULD YOU SUBTRACT 7 FROM 86**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

79

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CAN'T DO
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3175-3176

EM12D**WOULD YOU SUBTRACT 7 FROM 79**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

72

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CAN'T DO
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3177-3178

EM12E**WOULD YOU SUBTRACT 7 FROM 72**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

65

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CAN'T DO
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3179-3180

EM13 CIRCLE NUMBER OF ERRORS/REFUSED

Now, I am going to spell a word forwards and I want you to spell it backwards. The word is "WORLD," W-0-R-L-D. Spell "world" backwards.

How many errors?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO ERROR
0.0	0.0	0	1	1 ERROR
0.0	0.0	0	2	2 ERRORS
0.0	0.0	0	3	3 ERRORS
0.0	0.0	0	4	4 ERRORS
0.0	0.0	0	5	5 ERRORS
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3181-3182

EM14A APPLE/3 OBJECTS/REMEMBER OBJECTS

Now, what were the 3 objects I asked you to remember?

APPLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3183-3184

EM14B	TABLE/3 OBJECTS/REMEMBER OBJECTS
--------------	---

Now, what were the 3 objects I asked you to remember?

TABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3185-3186

EM14C	PENNY/3 OBJECTS/ REMEMBER OBJECTS
--------------	--

Now, what were the 3 objects I asked you to remember?

PENNY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3187-3188

EM17**HAND 'CLOSE YOUR EYES' CARD TO RESPONDENT**

Read the words on this page and then do what it says.

[HAND "CLOSE YOUR EYES" CARD TO RESPONDENT.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CAN'T READ ENGLISH
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3195-3196

EM18A**TAKE PAPER IN YOUR RIGHT HAND**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

TAKES PAPER IN RIGHT HAND

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3197-3198

EM18B	FOLD PAPER IN HALF
--------------	---------------------------

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

FOLDS PAPER IN HALF.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3199-3200

EM18C	PUT PAPER DOWN ON YOUR LAP
--------------	-----------------------------------

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

PUTS PAPER DOWN ON LAP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3201-3202

EM19**WRITE COMPLETE SENTENCE ON PAPER**

Write any complete sentence on that piece of paper for me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CAN'T WRITE (ENGLISH)
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3203-3204

EM20**COPY THE DRAWING ON SAME PAPER**

Here's a drawing. Please copy the drawing on the same paper.

[HAND RESPONDENT "PENTAGONS" CARD.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO
0.0	0.0	0	6	HANDICAP
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3205-3206

EM21	12/>12 05S CODED IN M2-M11/M14-M20?
-------------	---

ARE 12 OR MORE "05'" CODED IN M2-M11 AND M14-M20?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	100.0	2,258	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3207-3208

EMDM	DATE: MONTH
-------------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.0	1	1	JAN. - MARCH
20.0	0.1	2	2	APR. - JUNE
20.0	0.1	2	3	JULY - SEPT.
50.0	0.2	5	4	OCT. - DEC.
	99.6	2,248	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3209-3210

EMTH	TIME: HOUR			
-------------	-------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.0	1	2	
12.5	0.0	1	4	
12.5	0.0	1	10	
25.0	0.1	2	11	
37.5	0.1	3	12	
	99.6	2,250	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3211-3212

EMTM	TIME: MINUTE			
-------------	---------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.0	1	0	
12.5	0.0	1	5	
12.5	0.0	1	15	
25.0	0.1	2	30	
12.5	0.0	1	45	
12.5	0.0	1	50	
12.5	0.0	1	52	
	99.6	2,250	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3213-3214

EMAMPM	TIME RECORDED AS AM OR PM			
---------------	----------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	2	1	AM
75.0	0.3	6	2	PM
	99.6	2,250	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3215-3216

INTERVIEWER OBSERVATIONS

EN1	WERE ALL APPLICABLE QUESTIONS ANSWERED?
------------	--

DID THE RESPONDENT ANSWER ALL APPLICABLE QUESTIONS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.9	88.9	2,008	1	YES
4.1	3.8	86	2	NO
	7.3	164	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3217-3218

EN2	RESPONDENT UNDERSTOOD ALL QUESTION ASKED
------------	---

DID THE RESPONDENT UNDERSTAND ALL OF THE QUESTION(S) THAT WERE ASKED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	90.9	2,052	1	YES
1.9	1.7	39	2	NO
	7.4	166	-8	MISSING
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3219-3220

EN2A**# OF QUESTIONS RESPONDENT DIDN'T UNDERSTAND**

HOW MANY QUESTIONS DID THE RESPONDENT NOT UNDERSTAND?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	0.5	12	1	
11.5	0.1	3	2	
7.7	0.1	2	3	
3.8	0.0	1	4	
3.8	0.0	1	5	
3.8	0.0	1	6	
7.7	0.1	2	10	
15.4	0.2	4	20	
	90.9	2,052	-9	LEGITIMATE NONRESPONSE
	7.8	175	-8	MISSING
	0.2	5	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3221-3222

EN3_1_1**NOT UNDERSTOOD: INTELLECTUALLY UNABLE**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

INTELLECTUALLY UNABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	22	1	CIRCLED
	99.0	2,236	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3223-3224

EN3_1_2 SEVERITY OF INTELLECTUAL DIFFICULTY

HOW SEVERE WOULD YOU SAY THE INTELLECTUAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	10	1	MILD
45.0	0.4	9	2	MODERATE
5.0	0.0	1	3	EXTREME
	99.1	2,238	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3225-3226

EN3_2_1 NOT UNDERSTOOD: LANGUAGE BARRIER

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

LANGUAGE BARRIER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	6	2	CIRCLED
	99.7	2,252	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3227-3228

EN3_2_2 SEVERITY OF LANGUAGE BARRIER

HOW SEVERE WOULD YOU SAY THE LANGUAGE BARRIER WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.0	1	1	MILD
71.4	0.2	5	2	MODERATE
14.3	0.0	1	3	EXTREME
	99.7	2,251	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3229-3230

EN3_3_1**NOT UNDERSTOOD: PHYSICALLY UNABLE**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE
QUESTIONS?

PHYSICALLY UNABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	3	CIRCLED
	99.9	2,256	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3231-3232

EN3_3_2**SEVERITY OF PHYSICAL DIFFICULTY**

HOW SEVERE WOULD YOU SAY THE PHYSICAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MILD
100.0	0.1	2	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.9	2,256	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3233-3234

EN3_4_1 NOT UNDERSTOOD: OTHER

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	14	4	CIRCLED
	99.4	2,244	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3235-3236

EN3_4_2 SEVERITY OF OTHER PROBLEM

HOW SEVERE WOULD YOU SAY THIS DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	0.3	7	1	MILD
33.3	0.2	5	2	MODERATE
20.0	0.1	3	3	EXTREME
	99.3	2,243	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3237-3238

EN4 WAS THE INTERVIEW A BREAK-OFF?

WAS THE INTERVIEW A BREAK-OFF?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.9	20	1	YES
99.0	91.7	2,071	2	NO
	7.4	167	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3239-3240

EN4A1**BREAK-OFF: INTERVIEWER EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

INTERVIEWER EMERGENCY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.0	1	1	CIRCLED
	91.7	2,070	-9	LEGITIMATE NONRESPONSE
	8.3	187	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3241-3242

EN4A2**BREAK-OFF: RESPONDENT EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT EMERGENCY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	2	2	CIRCLED
	91.7	2,070	-9	LEGITIMATE NONRESPONSE
	8.2	186	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3243-3244

EN4A3**BREAK-OFF: RESPONDENT TIRED, BORED**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT TIRED, BORED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	91.7	2,071	-9	LEGITIMATE NONRESPONSE
	8.3	187	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3245-3246

EN4A4**BREAK-OFF: RESPONDENT ANGRY ABOUT QUESTIONS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT ANGRY ABOUT QUESTIONS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	91.7	2,071	-9	LEGITIMATE NONRESPONSE
	8.3	187	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3247-3248

EN4A5**BREAK-OFF: RESPONDENT UPSET ABOUT QUESTIONS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT UPSET ABOUT QUESTIONS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	91.7	2,071	-9	LEGITIMATE NONRESPONSE
	8.3	187	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3249-3250

EN4A6**BREAK-OFF: OTHER REASON**

WHAT WAS THE REASON FOR THE BREAK-OFF?

OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	14	6	CIRCLED
	91.7	2,071	-9	LEGITIMATE NONRESPONSE
	7.7	173	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3251-3252

EN5**RESPONSE TO POSSIBLE FUTURE INTERVIEW**

WHAT WAS THE RESPONDENTS RESPONSE TO A POSSIBLE FUTURE INTERVIEW?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	25.6	577	1	EAGER
55.0	50.6	1,143	2	RECEPTIVE
13.5	12.4	280	3	NO REACTION
1.2	1.2	26	4	RELUCTANT
0.0	0.0	0	5	REFUSED
2.6	2.4	54	6	NOT DISCUSSED
	7.8	176	-8	MISSING
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3253-3254

EN6**WAS INTERVIEW GIVEN IN MORE THAN 1 SESSION**

WAS THE INTERVIEW GIVEN IN MORE THAN 1 SESSION?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.7	62	1	YES
97.0	89.3	2,016	2	NO
	7.9	179	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3255-3256

EN6A1**HOURS OF INTERVIEW BEFORE INTERRUPTED 1ST TIME**

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS
INTERRUPTED THE FIRST TIME? HOURS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.3	2.4	55	0	
12.7	0.4	8	1	
	89.3	2,016	-9	LEGITIMATE NONRESPONSE
	7.9	178	-8	MISSING
	0.0	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3257-3258

EN6A2**MINUTES OF INTERVIEW BEFORE INTERRUPTED 1ST TIME**

HOW LONG HAD THE INTERVIEW GONE ON BEFORE IT WAS
INTERRUPTED THE FIRST TIME? MINUTES

2,258 cases (Range of valid codes: 0-80)

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3259-3260

FEELINGS AND BELIEFS

NP1A FEELINGS FOR PEOPLE LESS FORTUNATE

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I often have tender, concerned feelings for people less fortunate than me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.5	7.4	167	0	NOT AT ALL
26.3	26.1	589	1	A LITTLE BIT
22.6	22.4	505	2	MODERATELY
30.7	30.4	687	3	QUITE A BIT
12.9	12.8	289	4	EXTREMELY
	0.8	18	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3307-3308

NP1B**FEELINGS FOR OTHERS POINT OF VIEW**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I sometimes find it difficult to see things from the "other guy's" point of view.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	17.5	395	0	NOT AT ALL
38.5	38.2	863	1	A LITTLE BIT
20.8	20.6	466	2	MODERATELY
17.8	17.7	399	3	QUITE A BIT
5.3	5.2	118	4	EXTREMELY
	0.7	16	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3309-3310

NP1C**DO NOT FEEL SORRY FOR OTHER PEOPLE**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

Sometimes I don't feel very sorry for other people when they are having problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	30.4	687	0	NOT AT ALL
36.8	36.5	824	1	A LITTLE BIT
17.7	17.5	395	2	MODERATELY
10.8	10.7	242	3	QUITE A BIT
4.0	3.9	89	4	EXTREMELY
	0.8	18	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3311-3312

NP1D FEELING FOR OTHERS SIDE OF ARGUMENTS

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I try to look at everybody's side of a disagreement before I make a decision.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	12.1	274	0	NOT AT ALL
26.6	26.3	594	1	A LITTLE BIT
21.3	21.0	475	2	MODERATELY
28.7	28.4	641	3	QUITE A BIT
11.1	11.0	248	4	EXTREMELY
	1.1	24	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3313-3314

NP1E PROTECTIVE FEELINGS FOR OTHERS

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

When I see someone being taken advantage of, I feel kind of protective towards them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.8	222	0	NOT AT ALL
20.7	20.5	464	1	A LITTLE BIT
19.2	19.0	429	2	MODERATELY
31.8	31.5	711	3	QUITE A BIT
18.4	18.3	413	4	EXTREMELY
	0.8	18	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3315-3316

NP1F

FEELING FOR OTHERS PERSPECTIVE

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I sometimes try to understand my friends better by imagining how things look from their perspective.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.4	234	0	NOT AT ALL
26.2	26.0	586	1	A LITTLE BIT
21.8	21.6	488	2	MODERATELY
30.8	30.6	690	3	QUITE A BIT
10.7	10.6	240	4	EXTREMELY
	0.8	17	-8	MISSING
	0.0	1	-7	REFUSAL
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3317-3318

NP1G	FEELINGS FOR OTHERS MISFORTUNES
-------------	--

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

Other people's misfortunes do not usually disturb me a great deal.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	29.7	670	0	NOT AT ALL
35.7	35.3	797	1	A LITTLE BIT
19.3	19.1	431	2	MODERATELY
11.5	11.4	257	3	QUITE A BIT
3.4	3.4	77	4	EXTREMELY
	0.8	19	-8	MISSING
	0.1	2	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3319-3320

NP1H

FEELINGS FOR OTHERS ARGUMENTS

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

If I'm sure I'm right about something, I don't waste much time listening to other people's arguments.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.4	326	0	NOT AT ALL
21.4	21.3	480	1	A LITTLE BIT
17.1	16.9	382	2	MODERATELY
26.3	26.0	588	3	QUITE A BIT
20.7	20.5	463	4	EXTREMELY
	0.7	16	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3321-3322

NP1I FEELINGS OF PITY FOR OTHERS

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

When I see someone being treated unfairly, I sometimes don't feel very much pity for them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	40.0	903	0	NOT AT ALL
32.9	32.5	734	1	A LITTLE BIT
13.5	13.4	302	2	MODERATELY
10.0	9.9	224	3	QUITE A BIT
3.1	3.1	70	4	EXTREMELY
	0.9	20	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3323-3324

NP1J TOUCHED BY THINGS THAT HAPPEN

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I am often quite touched by things that I see happen.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.4	8.3	187	0	NOT AT ALL
24.6	24.4	550	1	A LITTLE BIT
23.9	23.6	533	2	MODERATELY
29.5	29.1	658	3	QUITE A BIT
13.7	13.5	305	4	EXTREMELY
	1.1	24	-8	MISSING
	0.0	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3325-3326

NP1K

BELIEF THERE ARE 2 SIDES TO QUESTIONS

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I believe that there are two sides to every question and try to look at them both.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	8.6	194	0	NOT AT ALL
25.6	25.4	573	1	A LITTLE BIT
23.5	23.3	526	2	MODERATELY
24.8	24.5	554	3	QUITE A BIT
17.4	17.2	389	4	EXTREMELY
	0.9	20	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3327-3328

NP1L

DESCRIBE MYSELF AS SOFT-HEARTED

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I would describe myself as a pretty soft hearted person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	11.3	256	0	NOT AT ALL
22.3	22.0	496	1	A LITTLE BIT
18.9	18.7	422	2	MODERATELY
27.5	27.1	613	3	QUITE A BIT
19.8	19.5	440	4	EXTREMELY
	0.9	20	-8	MISSING
	0.0	1	-7	REFUSAL
	0.2	4	-6	MULTIPLE RESPONSE
	0.3	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3329-3330

NP1M

WHEN UPSET TRY TO SEE OTHERS SIDE

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

When I'm upset at someone, I usually try to "put myself in his shoes" for a while.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.6	33.3	751	0	NOT AT ALL
29.6	29.3	662	1	A LITTLE BIT
18.2	18.1	408	2	MODERATELY
13.1	12.9	292	3	QUITE A BIT
5.5	5.4	123	4	EXTREMELY
	0.9	20	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3331-3332

NP1N	FEELINGS FOR THOSE CRITICIZED
-------------	--------------------------------------

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

Before criticizing somebody, I try to imagine how I would feel if I were in their place.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	23.2	523	0	NOT AT ALL
29.9	29.7	670	1	A LITTLE BIT
18.4	18.2	411	2	MODERATELY
19.1	19.0	428	3	QUITE A BIT
9.2	9.2	207	4	EXTREMELY
	0.7	16	-8	MISSING
	0.0	1	-7	REFUSAL
	0.0	1	-6	MULTIPLE RESPONSE
	0.0	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3333-3334

NP2A**STATEMENT A FOR P2**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers like the way they are leading their lives, but . . .

Other teenagers don't like the way they are leading their lives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.6	67.6	1,526	1	TEENS LIKES WAY LEADING LIFE
31.4	31.0	700	2	TEENS DON'T LIKE WAY LEADING LIFE
	1.2	28	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3335-3336

NP3A**STATEMENT A FOR P3**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.6	48.1	1,085	1	SORT OF TRUE
51.4	50.9	1,149	2	REALLY TRUE
	0.9	21	-8	MISSING
	0.0	1	-5	BAD DATA
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3337-3338

NP2B	STATEMENT B FOR P2
-------------	---------------------------

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers feel that they are enjoyable to be with, but . . .

Other teenagers often question whether they are enjoyable to be with.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.4	74.3	1,677	1	TEENS ENJOYABLE TO BE WITH
24.6	24.2	546	2	TEENS NOT SURE ENJOYABLE TO BE WITH
	1.5	33	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3339-3340

NP3B	STATEMENT B FOR P3
-------------	---------------------------

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	39.4	889	1	SORT OF TRUE
60.2	59.5	1,343	2	REALLY TRUE
	1.1	24	-8	MISSING
	0.1	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3341-3342

NP2C**STATEMENT C FOR P2**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers are very happy being the way they are, but . . .

Other teenagers would like to be different.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	57.8	1,304	1	TEENS HAPPY TO BE WAY THEY ARE
41.2	40.4	912	2	OTHER TEENS WOULD BE DIFFERENT
	1.6	36	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3343-3344

NP3C**STATEMENT C FOR P3**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.4	40.8	921	1	SORT OF TRUE
58.6	57.7	1,302	2	REALLY TRUE
	1.3	30	-8	MISSING
	0.0	1	-5	BAD DATA
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3345-3346

NP2D STATEMENT D FOR P2

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers feel uncomfortable when they have to meet new people, but . . .

Other teenagers like to meet new people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.1	33.5	757	1	UNCOMFORTABLE MEETING NEW PEOPLE
65.9	64.8	1,464	2	LIKE TO MEET NEW PEOPLE
	1.5	34	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3347-3348

NP3D STATEMENT D FOR P3

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.8	36.4	821	1	SORT OF TRUE
63.2	62.3	1,407	2	REALLY TRUE
	1.2	27	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3349-3350

NP2E**STATEMENT E FOR P2**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers sometimes question whether they are a worthwhile person, but . . .

Other teenagers feel that they are a worthwhile person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	29.7	671	1	TEENS QUESTION WHETHER WORTHWHILE
69.8	68.6	1,549	2	TEENS FEEL THEY ARE WORTHWHILE
	1.5	33	-8	MISSING
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3351-3352

NP3E**STATEMENT E FOR P3**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	43.3	977	1	SORT OF TRUE
56.1	55.3	1,249	2	REALLY TRUE
	1.2	27	-8	MISSING
	0.2	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3353-3354

NP2F STATEMENT F FOR P2

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers are disappointed with themselves, but . . .

Other teenagers are quite pleased with themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	36.6	826	1	TEENS DISAPPOINTED WITH SELF
62.8	61.9	1,397	2	TEENS PLEASED WITH SELF
	1.4	32	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3355-3356

NP3F STATEMENT F FOR P3

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	47.0	1,061	1	SORT OF TRUE
52.5	51.9	1,173	2	REALLY TRUE
	0.9	21	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3357-3358

NP2G**STATEMENT G FOR P2**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers feel at ease with other people, but . . .

Other teenagers are quite shy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.3	65.2	1,472	1	TEENS FEEL AT EASE WITH OTHER
33.7	33.1	747	2	OTHER TEENS ARE QUITE SHY
	1.6	36	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3359-3360

NP3G**STATEMENT G FOR P3**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	44.4	1,003	1	SORT OF TRUE
54.9	54.2	1,223	2	REALLY TRUE
	1.3	29	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3361-3362

NP2H STATEMENT H FOR P2

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers are dissatisfied with themselves, but . . .

Other teenagers are satisfied with themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.3	29.8	674	1	TEENS DISSATISFIED WITH SELF
69.7	68.6	1,550	2	TEENS SATISFIED WITH SELF
	1.3	30	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3363-3364

NP3H STATEMENT H FOR P3

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	46.9	1,059	1	SORT OF TRUE
52.5	51.9	1,172	2	REALLY TRUE
	1.0	23	-8	MISSING
	0.2	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3365-3366

NP2I**STATEMENT I FOR P2**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers are not very sociable, but . . .

Other teenagers are sociable.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	23.2	524	1	SOME TEENS ARE NOT SOCIABLE
76.4	75.2	1,699	2	OTHER TEENS ARE SOCIABLE
	1.4	32	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3367-3368

NP3I**STATEMENT I FOR P3**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.3	36.8	831	1	SORT OF TRUE
62.7	61.9	1,398	2	REALLY TRUE
	1.2	26	-8	MISSING
	0.1	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3369-3370

NP2J STATEMENT J FOR P2

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers like the kind of person they are, but . . .

Other teenagers would like to be someone else.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.4	72.1	1,628	1	SOME TEENS LIKE THEMSELVES
26.6	26.2	591	2	OTHER TEENS WOULD BE SOMEONE ELSE
	1.3	30	-8	MISSING
	0.4	9	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3371-3372

NP3J STATEMENT J FOR P3

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.0	38.5	869	1	SORT OF TRUE
61.0	60.2	1,359	2	REALLY TRUE
	0.9	21	-8	MISSING
	0.0	1	-6	MULTIPLE RESPONSE
	0.4	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3373-3374

INTERVIEW COMPLETION

QU1	1MO IN TREATMENT QUESTIONNAIRE
------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO
100.0	100.0	2,258	1	YES
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Column: 3375

IA1	1MO IN TREATMENT ILLEGAL ACTS
------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	24	0	NO
98.9	98.9	2,234	1	YES
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Column: 3376

SU1	1MO IN TREATMENT SUPPLEMENTAL
------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	8	0	NO
99.6	99.6	2,250	1	YES
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Column: 3377

HLTHINS**HEALTH INSURANCE**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	16.3	367	0	NONE
35.9	33.4	754	1	PRIVATE /OTHER
37.1	34.5	779	2	PUBLIC
9.5	8.8	199	3	UNKNOWN TYPE
	0.4	8	-8	MISSING
	6.7	151	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3382-3383

FTWORK**WEEKS FULL-TIME WORK YEAR BEFORE TREATMENT**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.5	83.2	1,878	0	NONE
10.0	9.9	224	1	1-13 WKS
5.2	5.2	118	2	14-39 WKS
1.2	1.2	28	3	40-52 WKS
	0.4	10	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3384-3385

MSTAT	MARITAL STATUS
--------------	-----------------------

Are you now married, separated, divorced, widowed, living with someone as married, or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	5	1	MARRIED
0.0	0.0	0	2	SEPARATED
0.0	0.0	0	3	DIVORCED OR WIDOWED
0.4	0.4	10	5	LIVING AS MARRIED
99.3	99.2	2,239	6	NEVER MARRIED
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3386-3387

INSCHOOL	CURRENTLY IN SCHOOL
-----------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.2	35.2	795	0	NO
64.8	64.7	1,462	1	YES
	0.0	1	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3388-3389

RACE	RACE & ETHNICITY
-------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.4	49.4	1,116	1	CAUCASIAN/WHITE
26.1	26.1	590	2	AFRO-AMERICAN/BLACK
20.5	20.5	462	3	HISPANIC
4.0	4.0	90	4	OTHER
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Column: 3390

EDLEV	HIGHEST GRADE ATTENDED			
-------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.1	0.1	3	1	GRADE SCHOOL
18.9	18.9	427	2	MIDDLE SCHOOL
29.7	29.7	671	3	GRADE 9
27.0	27.0	610	4	GRADE 10
16.4	16.4	371	5	GRADE 11
4.6	4.6	104	6	GRADE 12
3.1	3.1	70	7	HS GRADUATE/GED
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3391-3392

RACESEX	ETHNICITY & GENDER			
---------	--------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.9	35.9	810	1	CAUCASIAN/WHITE MALE
20.9	20.9	473	2	AFRO-AMERICAN/BLACK MALE
15.7	15.7	354	3	HISPANIC MALE
2.6	2.6	59	4	OTHER MALE
13.6	13.6	306	5	CAUCASIAN/WHITE FEMALE
5.2	5.2	117	6	AFRO-AMERICAN/BLACK FEMALE
4.8	4.8	108	7	HISPANIC FEMALE
1.4	1.4	31	8	OTHER FEMALE
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric

Column: 3393

CJ_STAT	CRIMINAL JUSTICE STATUS
----------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	41.5	936	0	NO LEGAL STATUS
13.7	13.6	308	1	IN JAIL/DETENTION
34.1	34.0	768	2	PROBATION
1.6	1.6	35	3	PAROLE
9.1	9.0	204	4	CASE PENDING
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3445-3446

IAY_SIA	SERIOUS ILLEGAL ACTS YEAR BEFORE TREATMENT
----------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.4	36.7	828	0	NONE
14.7	14.0	317	1	1-2 ACTS
20.9	19.9	450	2	3-10 ACTS
26.0	24.8	560	3	10 OR MORE ACTS
	4.6	103	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3447-3448

MAJSRC	MAJOR SOURCE OF INCOME			
--------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	8.3	188	0	NO INCOME
24.6	22.9	516	1	LEGAL WORK
2.7	2.5	57	2	PUB ASSISTANCE
1.0	1.0	22	3	SOCIAL SECURITY
23.7	22.0	497	4	FAMILY, FRIENDS
37.9	35.2	795	5	ILLEGAL SOURCES
1.0	0.9	21	6	OTHER SOURCES
	0.9	21	-8	MISSING
	6.2	141	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3449-3450

REFER	REFERRAL SOURCE			
-------	-----------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	133	0	SELF (ONLY IF NO OTHER PRIMARY OR SECONDARY MENTIONED)
2.0	2.0	45	1	MEDICAL SERVICE
8.2	8.1	184	2	COMMUNITY AGENCY
38.9	38.9	878	3	LEGAL SYSTEM
41.0	41.0	926	4	FAMILY OR FRIENDS
3.7	3.7	83	5	SCHOOL OR EMPLOYER
0.3	0.3	7	6	OTHER
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3451-3452

RESTRICT	WEEKS RESTRICTED IN YEAR BEFORE TREATMENT
-----------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.1	39.4	890	0	NO WEEKS RESTRICTED
27.1	26.0	587	1	1 TO 4 WEEKS RESTRICTED
15.4	14.8	334	2	5 TO 13 WEEKS RESTRICTED
13.1	12.6	284	3	14 TO 26 WEEKS RESTRICTED
3.1	3.0	68	4	27 TO 39 WEEKS RESTRICTED
0.0	0.0	0	5	40 TO 50 WEEKS RESTRICTED
0.0	0.0	0	6	51 TO 52 WEEKS RESTRICTED
	4.2	95	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3453-3454

SCHOOL	SCHOOL STATUS AT INTAKE
---------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	35.2	795	0	NOT IN SCHOOL
4.3	4.3	96	1	SPECIAL EDUCATION
10.0	10.0	225	2	MIDDLE SCHOOL
42.4	42.3	955	3	HIGH SCHOOL
1.0	1.0	22	4	POST-SECONDARY
7.2	7.2	162	5	OTHER
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3457-3458

DEP_YR	DEPRESSIVE SYMPTOMS YEAR BEFORE TREATMENT			
--------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.8	67.8	1,531	0	NO SIGNS OF DEPRESSION
8.3	8.3	187	1	FELT DEPRESSED
12.2	12.2	275	2	SUICIDAL THOUGHTS
11.7	11.7	265	3	SUICIDAL ATTEMPT (S)
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Column: 3459

EMPSTAT	EMPLOYMENT WK BF/ADMISSION			
---------	----------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	157	1	WORKING
26.4	26.4	596	2	LOOKING FOR WORK/GOING TO SCHOOL
1.8	1.8	40	3	KEEPING HOUSE
0.1	0.1	2	4	DISABLED/RETIRED
26.3	26.3	593	5	IN JAIL, RESIDENTIAL TX, OTHER INST
17.2	17.2	389	6	DRUG RELATED OR ILLEGAL ACTIVITIES
21.3	21.3	481	7	OTHER, MULTIPLE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Column: 3460

IAPY	FREQUENCY OF ILLEGAL ACTIVITY YEAR BEFORE TREATMENT			
------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	42.5	959	0	NONE
20.4	20.2	456	1	MONTHLY
16.4	16.3	367	2	WEEKLY
20.2	19.9	450	3	DAILY
	1.2	26	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3461-3462

RECODED VARIABLES: SUBSTANCE USE

HVY_ALC HEAVY ALCOHOL USE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.1	70.8	1,598	0	NOT A HEAVY USER
28.9	28.7	649	1	HEAVY ALCOHOL USER
	0.5	11	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3394-3395

ALCR ALCOHOL USE YEAR BEFORE TREATMENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	17.7	400	0	NO USE
39.8	39.7	897	1	MONTHLY
33.4	33.3	752	2	WEEKLY
9.0	8.9	202	3	DAILY
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3396-3397

MRJR MARIJUANA USE YEAR BEFORE TREATMENT

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.5	192	0	NO USE
8.6	8.6	195	1	MONTHLY
27.7	27.6	624	2	WEEKLY
55.2	55.1	1,245	3	DAILY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3398-3399

COCR	COCAINE USE YEAR BEFORE TREATMENT				
-------------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.4	81.4	1,838	0	NO USE
6.4	6.4	144	1	MONTHLY
7.9	7.9	179	2	WEEKLY
4.3	4.3	97	3	DAILY
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Column: 3400

HERR	HEROIN USE YEAR BEFORE TREATMENT				
-------------	---	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.6	95.3	2,153	0	NO USE
0.9	0.9	21	1	MONTHLY
1.6	1.6	36	2	WEEKLY
1.9	1.9	43	3	DAILY
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3401-3402

NARR	OTHER OPIOID USE YEAR BEFORE TREATMENT				
-------------	---	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	93.6	2,114	0	NO USE
3.4	3.4	77	1	MONTHLY
1.5	1.5	34	2	WEEKLY
0.6	0.6	14	3	DAILY
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3403-3404

SEDR	SEDATIVES YEAR BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	95.5	2,157	0	NO USE
2.4	2.3	53	1	MONTHLY
1.5	1.5	33	2	WEEKLY
0.4	0.4	10	3	DAILY
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3405-3406

AMPR	AMPHETAMINE USE YEAR BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.4	90.2	2,037	0	NO USE
3.4	3.4	76	1	MONTHLY
3.3	3.3	74	2	WEEKLY
2.9	2.9	66	3	DAILY
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3407-3408

HALR	HALLUCINOGENS YEAR BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.9	72.7	1,642	0	NO USE
15.2	15.2	343	1	MONTHLY
10.3	10.2	231	2	WEEKLY
1.6	1.6	36	3	DAILY
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3409-3410

INHR	INHALANTS YEAR BEFORE TREATMENT			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.7	91.5	2,067	0	NO USE
5.3	5.3	120	1	MONTHLY
2.3	2.3	52	2	WEEKLY
0.7	0.7	16	3	DAILY
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3411-3412

ALCWK	ALCOHOL WEEKLY+ YEAR BEFORE TREATMENT			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.6	57.4	1,297	0	LESS THAN WEEKLY USE
42.4	42.2	954	1	WEEKLY OR MORE USE
	0.3	7	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3413-3414

MRJWK	MARIJUANA WEEKLY+ YEAR BEFORE TREATMENT			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.2	17.1	387	0	LESS THAN WEEKLY USE
82.8	82.8	1,869	1	WEEKLY OR MORE USE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3415-3416

COCWK	COCAINE WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	87.8	1,982	0	LESS THAN WEEKLY USE
12.2	12.2	276	1	WEEKLY OR MORE USE
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Column: 3417

HERWK	HEROIN WEEKLY+ YEAR BEFORE TREATMENT
--------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.5	96.3	2,174	0	LESS THAN WEEKLY USE
3.5	3.5	79	1	WEEKLY OR MORE USE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3418-3419

NARWK	OTHER OPIOIDS WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.9	97.0	2,191	0	LESS THAN WEEKLY USE
2.1	2.1	48	1	WEEKLY OR MORE USE
	0.8	19	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3420-3421

SEDWK	SEDATIVES WEEKLY+ YEAR BEFORE TREATMENT				
--------------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	97.9	2,210	0	LESS THAN WEEKLY USE
1.9	1.9	43	1	WEEKLY OR MORE USE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3422-3423

AMPWK	AMPHETAMINE WEEKLY+ YEAR BEFORE TREATMENT				
--------------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	93.6	2,113	0	LESS THAN WEEKLY USE
6.2	6.2	140	1	WEEKLY OR MORE USE
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3424-3425

HALWK	HALLUCINOGEN WEEKLY+ YEAR BEFORE TREATMENT				
--------------	---	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.1	87.9	1,985	0	LESS THAN WEEKLY USE
11.9	11.8	267	1	WEEKLY OR MORE USE
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3426-3427

INHWK	INHALANTS WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	96.9	2,187	0	LESS THAN WEEKLY USE
3.0	3.0	68	1	WEEKLY OR MORE USE
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3428-3429

MRJ_EV	MARIJUANA - EVER USED
---------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	53	0	NO USE
4.5	4.5	101	1	1 - 5 TIMES
93.2	93.0	2,101	2	MORE THAN 5 TIMES
	0.1	3	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3430-3431

COC_EV	COCAINE EVER USED
---------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.3	61.3	1,384	0	NO USE
18.8	18.8	424	1	1 - 5 TIMES
19.9	19.9	450	2	MORE THAN 5 TIMES
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Column: 3432

HER_EV	HEROIN - EVER USED			
--------	--------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.1	88.9	2,007	0	NO USE
6.4	6.4	144	1	1 - 5 TIMES
4.5	4.5	102	2	MORE THAN 5 TIMES
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3433-3434

NAR_EV	OTHER OPIOIDS EVER USED			
--------	-------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.7	84.1	1,898	0	NO USE
8.8	8.7	197	1	1 - 5 TIMES
6.5	6.4	145	2	MORE THAN 5 TIMES
	0.8	18	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3435-3436

SED_EV	SEDATIVES EVER USED			
--------	---------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.5	87.4	1,973	0	NO USE
7.6	7.6	172	1	1 - 5 TIMES
4.8	4.8	109	2	MORE THAN 5 TIMES
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3437-3438

AMP_EV	AMPHETAMINES EVER USED
---------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.1	80.9	1,827	0	NO USE
8.7	8.7	196	1	1 - 5 TIMES
10.2	10.2	230	2	MORE THAN 5 TIMES
	0.2	5	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3439-3440

HAL_EV	HALLUCINOGENS - EVER USED
---------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.0	51.8	1,170	0	NO USE
19.1	19.0	430	1	1 - 5 TIMES
29.0	28.9	652	2	MORE THAN 5 TIMES
	0.3	6	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3441-3442

INH_EV	INHALANTS - EVER USED
---------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.7	76.7	1,731	0	NO USE
12.2	12.2	275	1	1 - 5 TIMES
11.1	11.1	250	2	MORE THAN 5 TIMES
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3443-3444

CRKR	CRACK USE YEAR BEFORE TREATMENT			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.3	91.2	2,060	0	NO USE
3.8	3.8	85	1	MONTHLY
2.0	2.0	45	2	WEEKLY
2.9	2.9	66	3	DAILY
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3465-3466

CRKWK	CRACK WEEKLY+ YEAR BEFORE TREATMENT			
--------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.1	95.0	2,145	0	LESS THAN WEEKLY USE
4.9	4.9	111	1	WEEKLY OR MORE USE
	0.1	2	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3467-3468

RECODED VARIABLES: TREATMENT

DRUGTX # OF PRIOR DRUG TX

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	68.7	1,551	0	
20.7	20.6	466	1	
6.5	6.5	146	2	
2.3	2.3	51	3	
1.8	1.8	40	4	4 OR MORE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3455-3456

PDT PRIOR DRUG TREATMENTS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	68.7	1,551	0	NONE
27.2	27.1	612	1	1-2
4.0	4.0	91	2	3 OR MORE
	0.2	4	-8	MISSING
-----	-----	-----		
100.0	100.0	2,258	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3463-3464

APPENDIX A: Publications

Broome, K. M., Joe, G. W., & Simpson, D. D. (2001). Engagement models for adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 608-623.

Delany, P. J., Broome, K. M., Flynn, P. M., & Fletcher, B. W. (2001). Treatment service patterns and organizational structures: An analysis of programs in DATOS-A. *Journal of Adolescent Research*, 16(6), 590-607.

Etheridge, R. M., Rounds-Bryant, J. L., Smith, J. C., & Hubbard, R. L. (2001). Drug abuse treatment and comprehensive services for adolescents. *Journal of Adolescent Research*, 16(6), 563-589.

Farabee, D., Shen, H., Hser, Y., Grella, C. E., & Anglin, M. D. (2001). The effect of drug treatment on criminal behavior among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 679-696.

Galaif, E. R., Hser, Y., Grella, C. E., & Joshi, V. (2001). Prospective risk factors and treatment outcomes among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 661-678.

Grella, C. E. & Joshi, V. (2003). Treatment processes and outcomes among adolescents with a history of abuse who are in drug treatment. *Child Maltreatment: Journal of the American Professional Society on the Abuse of Children*, 8(1), 7-18.

Hser, Y., Grella, C. E., Hubbard, R. L., Hsieh, S. C., Fletcher, B. W., Brown, B. S., & Anglin, M. D. (2001). An evaluation of drug treatment for adolescents in four U.S. cities. *Archives of General Psychiatry*, 58(7), 689-695.

Joshi, V., Hser, Y., Grella, C. E., & Houlton, R. (2001). Sex-related HIV risk reduction behavior among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 642-660.

Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

Rounds-Bryant, J. L., Kristiansen, P. L., Fairbank, J. A., & Hubbard, R. L. (1998). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*, 7(4), 19-34.

Rounds-Bryant, J. L., & Staab, J. (2001). Patient characteristics and treatment outcomes for African American, Hispanic, and White adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 624-641.

Wong, M. M., Hser, Y. I., & Grella, C. E. (2002). Compliance among adolescents during drug treatment. *Journal of Child & Adolescent Substance Use*, 12(2), 13-31.

Grella, C. E. (in press). The drug abuse treatment outcomes studies: Outcomes with adolescent substance abusers. In H. Liddle and C. Rowe (Eds.), *Adolescent Substance Abuse: Intervention and Management*. Cambridge, UK: Cambridge University Press.