

**Drug Abuse Treatment Outcome
Study--Adolescent (DATOS-A),
1993-1995: [United States]**

*United States Department of Health and
Human Services. National Institute on
Drug Abuse*

Codebook for 3-Month Intreatment Data

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

TABLE OF CONTENTS

INTRODUCTION	1
A. Background	1
B. Research Design	1
C. Program Sample	2
D. Instrumentation	3
E. Data Collection Procedures	3
F. SAMHDA Data Cleaning and Processing	4
G. User Responsibility	7
H. Processor Notes	7
FREQUENCIES	9
IDENTIFICATION	9
INTERVIEW INFORMATION	10
DEMOGRAPHICS AND BACKGROUND	12
EDUCATION AND TRAINING	42
TREATMENT ACCESS	52
PSYCHOLOGICAL FUNCTIONING	68
TOBACCO, ALCOHOL, AND DRUG USE	89
SEXUAL EXPERIENCES	190
HEALTH	212
ILLEGAL INVOLVEMENT	235
EMPLOYMENT/SUPPORT STATUS	264
INCOME AND EXPENDITURES	297
INTREATMENT EXPERIENCE	313
MINIMENTAL STATUS EXAM	816
INTERVIEWER OBSERVATIONS	832
FEELINGS AND BELIEFS	842
INTERVIEW COMPLETION	861
RECODED VARIABLES: CLIENT CHARACTERISTICS	862
RECODED VARIABLES: SUBSTANCE USE	870
RECODED VARIABLES: TREATMENT	880
APPENDIX A: Publications	881

DRUG ABUSE TREATMENT OUTCOME STUDY-ADOLESCENT

INTRODUCTION

A. Background

The family of Drug Abuse Treatment Outcome Studies is the third in the National Institute on Drug Abuse's (NIDA) series of large-scale multisite studies of community-based treatment. It follows the Drug Abuse Reporting Program (DARP) and the Treatment Outcome Prospective Study (TOPS). The family of Drug Abuse Treatment Outcome Studies consists of the adult component (DATOS), the adolescent component (DATOS-A), and the Cocaine Treatment Outcome Study (CTOS). DATOS-A is the first study designed specifically to conduct an in-depth, systematic investigation of the outcomes and effectiveness of drug treatment programs for adolescents.¹

The major objectives of DATOS-A are to (1) develop current and more comprehensive information about the effectiveness of adolescent drug treatment; (2) investigate the characteristics of adolescents entering treatment; (3) investigate the characteristics of the structure and process of drug abuse treatment in adolescent programs; (4) assess the contributions to client outcomes of program type, client characteristics, and treatment received.

DATOS-A is a comprehensive, multiyear, multi-site prospective cohort study of clients entering treatment from 1993 to 1995. Approximately 3,400 clients from 37 programs in 6 cities were assessed at intake. Re-interviews were completed at 1, 3, and 6 months during treatment with clients who continued their treatment. A follow-up sample of about 3,000 clients (12-months after treatment) was selected for locating and interviewing in the community.

B. Research Design

Community-based studies of the effects of drug abuse treatment on client behavior have many complexities in design, analysis, and interpretation. DATOS-A used a naturalistic, longitudinal, prospective cohort design. This design is highly suitable for gathering descriptive information on study populations and for investigating causal relationships in studies based on measurement of naturally occurring events rather than planned interventions (Cook & Campbell, 1979; Singer, 1986). Moreover, this design is quite appropriate for developing baseline measures for long-term longitudinal studies of adolescents, where maturation is likely a key factor affecting behavior change (Newcomb & Bentler, 1989).

¹ Sections of the Introduction were taken from the following source: Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

C. Program Sample

The DATOS-A study design specified a sample of programs that treated an adolescent population separately from an adult population. A further consideration was the data collection infrastructure developed for the adult study. The decision was also made to limit the sample to programs in the cities where the adult data collection was being conducted. In those locations, programs specializing in adolescent treatment and judged to be typically community-based treatment organizations in existence for at least 2 to 3 years and expected to remain as stable, viable organizations throughout the period of the study were identified. The programs with sufficient projected patient admissions of at least five patients per month were purposely selected for participation in the study. In addition, selection of programs was limited to programs committed to the research and ones that would permit efficient collection of detailed data about patient behaviors and treatment.

Six cities located in different sections of the United States were selected for DATOS-A because these cities each had a sufficient number of adolescent programs to support the DATOS research design. All six cities were medium to large metropolitan areas with established treatment systems. The selection of the six cities also enabled us to realize significant savings with respect to fieldwork costs and to obtain a more complete picture of patient characteristics and treatment services within the selected areas. The six cities also had the most experienced data collection staff members who had worked on the DATOS adult study. In most of the cities, the programs selected served most if not all the adolescents seeking treatment in the area. No programs selected to participate refused.

Programs in the sample represented the following three major modalities treating adolescents: therapeutic community or residential programs, chemical dependency or short-term inpatient programs, and outpatient drug-free programs. The programs differed primarily in their therapeutic orientation and planned duration. During the study, however, planned duration was reduced in many of the programs to address concerns about cost containment. The residential modality included traditional, modified, and short-term therapeutic community programs as well as halfway houses and shelter programs. These programs required patients to live in the treatment setting and included traditional treatment interventions along with those designed to resocialize patients. Planned duration of stay was much shorter than the long term residential treatment for adults. The planned durations initially varied from 3 months to 1 year (median = 5 months) compared to 4 months to 2 years for adult programs (median = 11 months). Short-term inpatient programs provided such treatment interventions as individual, group, and family counseling as well as 12-step counseling. Planned duration of stay was no more than 35 days, but more often it was fewer than 14 days. The outpatient drug-free modality included regular and intensive outpatient and day treatment programs. The type of program was distinguished by the range of services offered and the duration and frequency of treatment sessions. Planned duration of stay varied from 1 month to 2 years.

D. Instrumentation

The repeated measures design included the use of three sets of instruments for client-level data collection. These included the intake, in-treatment, and follow-up questionnaires.

Intake 1. The Intake 1 Questionnaire's function was to obtain baseline measures of patient characteristics and behaviors. The instrument took approximately 90 minutes to complete. Some of the key sections of the questionnaire were Demographics and background, Education and training, Admission information, Drug use, Mental health status, Illegal involvement, Employment/support status, Income and expenditures, Hostility, Empathic concern/perspective taking, and Sociability/self-worth.

Intake 2. The Intake 2 Questionnaire was administered approximately one week after the Intake 1 Questionnaire. This interview averaged 2 hours to complete. Because of the instrument's length and the age of the respondents, the interviewers allowed respondents frequent breaks. It contained sections on Health, Cognitive impairment, Religiosity and self-concept, Anxiety, Depression, Sexual experiences, Behavioral problems, Psychological distress, and Motivation and readiness for treatment.

In-treatment. Interviewers administered intreatment instruments to patients 1, 3, and 6 months after admission to treatment. Patients were interviewed only if they remained in treatment at the time an interview was due. The client in-treatment interviews obtained behavioral information similar to that collected at intake for the in-treatment time frames. The interviews also asked detailed questions about services received during treatment, the content of service sessions, provider, amount (number and length of sessions), satisfaction and perceived helpfulness.

Follow-up. Interviews were administered at 12-months after treatment termination. The 12-month follow-up instrument required approximately 90 minutes to complete. The instrument focused on patient behaviors and experiences during the past 12 months. Anchors based on key events and calendars were employed to focus patients on the time periods of interest. Descriptive and behavioral measures complemented those obtained through earlier interviews.

E. Data Collection Procedures

Trained professional data collectors were assigned the role of Program Researchers (PRs) for each participating program. PRs administered the intake and intreatment instruments to patients within the program's physical facilities. Programs received compensation for interviewing space and clerical time required to refer new patients to the PR. During a weeklong training session, experienced trainers instructed PRs on how to work with the programs and administer the instruments. Before PRs were certified to begin interviewing, they had to demonstrate their ability to conduct the interviews. Throughout data collection, PRs were closely monitored by a continuous review of interviews received and weekly phone communication with the PRs. Each month, two interviews completed by each PR were selected randomly for quality control review. In addition, supervisors made quarterly site visits to monitor data collection.

All patients entering the selected programs who had not reached their 19th birthday at the time of admission were included in the sample frame. Data collection for admissions began during late November 1993, and the final intake assessments were completed by December 1995. Upon

admission to treatment, program staff members asked patients to speak with a PR about participating in the study. Procedures called for obtaining permission to participate in the study from a parent or guardian of anyone younger than 18 and assent from the adolescent. Informed consent was obtained directly from youth aged 18 years or older. Patients were offered \$10 for each intake or intreatment interview and \$15 for a follow-up interview.

For a more complete discussion of the DATOS methodology, see

Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.

For a list of DATOS publications please refer to Appendix A or the DATOS web page at <http://www.datos.org/publications.html>

F. SAMHDA Data Cleaning and Processing

This is to document the steps taken to clean and process the Drug Abuse Treatment Outcome Study – Adolescent (DATOS-A) files in preparation for releasing the files through the Substance Abuse and Mental Health Data Archive (SAMHDA).

Several steps were taken in order to prepare the files for public release. These steps included:

1. Checking for wild codes.
2. Checking for data consistency (e.g., making sure that codes for age-related and timeframe questions were within the range specified in the question).
3. Checking for undocumented codes.
4. Determining which variables could pose confidentiality issues and determining the best way to handle each potential risk. Variables were considered both individually and in conjunction with other potentially identifying variables.

For the first three steps, data processors referenced solutions to similar problems from the DATOS-adult study and also worked with the Principal Investigators to obtain value labels (e.g., for undocumented and wild codes) and confirm information in the documentation (e.g., for apparent inconsistencies). Editing of variable and value labels was also necessary.

Step four, determining confidentiality risks, involved looking individually at the variables that could present a risk and then examining those variables in conjunction with other variables. An overriding goal in cleaning and editing the files was to both protect confidentiality and preserve

variables as reported to the extent possible in order to provide the greatest analytic utility and to allow researchers to group values as necessary for comparability to other surveys.

The most highly identifying DATOS-A variables included city, treatment program, and date of birth. Overall, the data are most informative in terms of comparisons across modalities, not across sites or programs; therefore, city and program identifiers (i.e., value labels) were never part of the data files. Further, the variables identifying separate cities and programs were also deleted, again due to the primary utility of the data being comparisons across modalities. The absence of these identifiers from the files allowed considerable latitude in preserving the data as reported. Date of birth was removed from the files because age at time of interview was provided as a separate variable. These, as well as other variables examined and changed due to confidentiality concerns are discussed below.

City and program names: The numeric codes identifying separate cities and programs were deleted. The original client IDs had embedded codes (e.g., related to treatment program); these were also deleted. Individual cases are identified by a sequential number 1-3,382.

Date of birth: Date of birth (DOB) was deleted from the files. Age at time of interview was also on the files and was preserved. The age variable was top-coded at 18 or older and it was bottom-coded at 12 or younger.

Age at time of ... : Several continuous variables denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") to make it clearer that this code indicates something other than age 1.

In examining the age codes, a few cases were apparently bad data (e.g., age at first use was 0-5, except as noted above) but were left alone due to the possibility that the use of the drug was administered by a parent or caretaker.

Legal status (criminal involvement) at time of admission, "Other; specify": The details provided in "specify" were deleted; value coded as "Circled."

Have other health plan: Plans offered in a limited geographic area were coded as "Other."

Occupation: Highly detailed occupation codes were combined into larger categories.

Race: These codes were re-coded as "White," "Black," "Hispanic," and "Other."

Ethnicity: Detailed ethnicity codes and variables were collapsed or deleted.

Description of ethnic/cultural background (Hispanic): Coded as "Puerto Rican," "Mexican," "Cuban," "Mixed," all others coded or re-coded as "Other."

What other languages do you speak: Coded as “German,” “Spanish,” “French,” all others coded or re-coded as “Other.”

Number of children/relatives: Many questions that ask for a number of children/relatives (e.g. number of children to whom you gave birth or fathered, number of biological brothers/sisters you have, or number of biological brothers/sisters who lived with you) were top-coded (3 or more, 6 or more, 7 or more) based on frequencies.

Date of admission: The month of admission was re-coded as quarter; day of admission was deleted (year is a separate variable).

Date of interview: This variable is associated with date of admission. Month was re-coded as quarter; day of admission was deleted (year is a separate variable).

ICD-9/DSM diagnosis codes: These were re-coded as “substance-related condition,” “mental health condition,” and “all other conditions.”

Drug Names: Variables regarding specific drugs used (e.g., primary drug used or which drug caused you this problem) had some responses that were potentially identifying. These were re-coded into major drug categories (e.g., alcohol, narcotics/opiates, inhalants, etc.).

Number of months currently pregnant: Re-coded by trimester.

Reason felt worthless/sinful/guilty verbatim: This variable had verbatim responses and was therefore deleted.

Presence of a specific physical handicap: Many variables related to a specific physical handicap (e.g., blindness, deafness, or over/under weight) were potentially identifying. Therefore, they were all combined into one new variable (Abnormality: Blind, Deaf, Weight, Speech Impediment, Other).

Questions respondent did not understand: These variables were deleted from the files because they were not coded or in any particular order and therefore, of little analytical use.

Administrative variables: For time checkpoint variables, the month was re-coded as quarter and day of the month was deleted. “Batch,” and all other remaining variables related to the administration of the questionnaire were deleted from the files.

Other variables: Other variables, such as those related to use of drugs with relatively low frequencies were examined in light of any risk to confidentiality but not changed due to the geographic and other identifying variables being removed from the files and other potentially identifying variables, such as date of birth being removed or re-coded. “Program type” was examined and left alone because it is critical to the intent of the study and because other potentially identifying codes were removed (e.g., geographic codes, DOB) or re-coded (e.g., date of admission). Remaining data items were related to subjective questions or approximate timeframes (e.g., trouble falling asleep, how helpful were services received, number of weeks

respondent felt depressed in last 12 months, etc.). These were not considered to pose risks to confidentiality and were left unchanged.

G. User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

H. Processor Notes

1. Users are advised that the data are most appropriately analyzed by modality.
2. The Intake 1 and Intake 2 data files contain several continuous variables that denote age at the time of a certain event. For some of these variables, dichotomous codes "1" and "95" were also used for "don't know but under 15" and "don't know but 15 or older," respectively. Code "1" was also used for actual responses of "1 year old." Because it is unlikely that these events occurred at age 1, "1" was changed to "94" ("1 or don't know but under 15") in order to make it clearer that this code denotes something other than age 1. Users are cautioned that this may have an effect on any analyses performed using these variables.

IDENTIFICATION

CASEID CASE IDENTIFICATION NUMBER

1,120 cases (Range of valid codes: 6-3379)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1-4

MODALITY DATOS TREATMENT MODALITY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	75.0	840	1	RESIDENTIAL
2.1	2.1	24	2	SHORT-TERM INPATIENT
0.0	0.0	0	3	METHADONE MAINTENANCE
22.9	22.9	256	4	OUTPATIENT DRUG FREE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Column: 3382

INTERVIEW INFORMATION

GDC_M	MONTH/DATE COMPLETED
--------------	-----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.7	26.7	299	1	JAN. - MARCH
24.8	24.8	278	2	APR. - JUNE
24.9	24.9	279	3	JULY - SEPT.
23.5	23.5	263	4	OCT. - DEC.
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 5-6

GDC_Y	YEAR/DATE COMPLETED
--------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.4	39.4	441	94	
49.0	48.9	548	95	
11.6	11.6	130	96	
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 7-8

GT_L_I	MINUTES/TOTAL LENGTH OF INTERVIEW
---------------	--

1,120 cases (Range of valid codes: 40-169)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 9-11

GTIME1_H	TIME STARTED/HOURS			
----------	--------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.1	18.0	202	1	
11.4	11.3	127	2	
6.3	6.2	70	3	
4.5	4.5	50	4	
5.2	5.2	58	5	
3.3	3.3	37	6	
5.6	5.5	62	7	
5.2	5.2	58	8	
10.0	9.9	111	9	
19.8	19.6	220	10	
5.5	5.4	61	11	
5.1	5.1	57	12	
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 12-13

GTIME1_M	TIME STARTED/MINUTES			
----------	----------------------	--	--	--

1,120 cases (Range of valid codes: 0-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 14-15

GAM_PM_1	TIME STARTED/AM OR PM			
----------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.1	35.9	402	1	AM
62.9	60.9	682	2	PM
	3.1	35	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 16-17

DEMOGRAPHICS AND BACKGROUND

GA3	ARE YOU HISPANIC/SPANISH ORIGIN/DESCENT?
------------	---

Are you of Hispanic or Spanish origin or descent?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	22.3	250	1	YES
77.6	77.4	867	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 18-19

GA3_A	GROUP/DESCRIBES YOUR ETHNIC BACKGROUND
--------------	---

Please tell me which group best describes your ethnic or cultural background.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	11.8	132	1	PUERTO RICAN
14.5	3.2	36	2	MEXICAN
6.0	1.3	15	3	CUBAN
8.8	2.0	22	4	CARIBBEAN
5.2	1.2	13	5	CENTRAL AMERICAN
4.0	0.9	10	6	SOUTH AMERICAN
1.2	0.3	3	7	OTHER/ETHNIC BACKGROUND
7.2	1.6	18	15	MIXED
	77.2	865	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 20-21

GA3_B	NAME OF GROUP/BEST DESCRIBES YOU
--------------	---

Please tell me the name of the group that best describes you. Would you say you are . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.7	3.9	44	4	BLACK/AFRICAN AMERICAN
49.6	11.0	123	5	WHITE/CAUCASIAN
32.7	7.2	81	6	OTHER
	75.5	846	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 22-23

GA4	NAME OF GROUP/BEST DESCRIBES YOU
------------	---

Please tell me the name of the group that best describes you. Would you say you are . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.1	32.5	364	4	BLACK/AFRICAN AMERICAN
53.9	41.6	466	5	WHITE/CAUCASIAN
4.0	3.1	35	6	OTHER
	22.8	255	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 24-25

GA4_A**GROUP/DESCRIBES YOUR ETHNIC BACKGROUND**

Please tell me which group best describes your ethnic or cultural background.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CHINESE
0.0	0.0	0	2	JAPANESE
25.0	0.1	1	3	KOREAN
50.0	0.2	2	4	PACIFIC ISLANDER
25.0	0.1	1	5	SOUTHEAST ASIAN
0.0	0.0	0	6	OTHER ASIAN
0.0	0.0	0	7	OTHER
0.0	0.0	0	15	MIXED
	76.9	861	-9	LEGITIMATE NONRESPONSE
	22.8	255	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 26-27

GA5**RESIDENT/PLACE YOU USUALLY LIVED IN**

Next, I will ask about where you have lived, the relationships that you might have had with family and friends, and how your life has been going during the past 3 months. During the past 3 months, what type of residence or place have you usually lived in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	14.9	167	1	ONE FAMILY HOUSE/DUPLEX/CONDO
0.1	0.1	1	2	A MOBILE HOME/TRAILER
13.4	13.3	149	3	APARTMENT/MULTIPLE FAMILY BUILDING
0.0	0.0	0	4	HOTEL/ROOMING HOUSE/BOARDING HOUSE
0.0	0.0	0	5	HOSPITAL/MEDICAL INSTITUTION
1.6	1.6	18	6	JAIL/PRISON/JUVENILE DETENTION HOME
66.1	65.9	738	7	RESIDENTIAL DRUG TREAT CTR
3.7	3.7	41	8	OTHER GROUP RESIDENCE/HALFWAY HOUSE
0.0	0.0	0	9	IN A HOMELESS SHELTER
0.0	0.0	0	10	ON THE STREET/NO REGULAR PLACE
0.2	0.2	2	11	OTHER
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 28-29

GA6 **#WEEK/YOU LIVED IN PLACE/JAIL/HOSPITAL**

In the past 3 months, how long have you lived in a place where you could not come and go as you pleased, such as a jail, a juvenile detention home, a hospital, or a therapeutic community?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.6	22.5	252	0	
0.8	0.8	9	1	
0.2	0.2	2	2	
0.4	0.4	5	3	
0.1	0.1	1	4	
0.1	0.1	1	5	
0.4	0.4	4	6	
0.6	0.6	7	7	
0.8	0.8	9	8	
0.5	0.5	6	9	
3.3	3.3	37	10	
6.7	6.7	75	11	
44.7	44.5	498	12	
15.3	15.2	170	13	
1.5	1.5	17	14	
0.4	0.4	5	15	
0.5	0.5	6	16	
0.1	0.1	1	17	
0.2	0.2	2	18	
0.1	0.1	1	20	
0.1	0.1	1	30	
0.1	0.1	1	39	
0.1	0.1	1	66	
0.1	0.1	1	90	
0.1	0.1	1	98	
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 30-31

GA7	YOUR MARITAL STATUS
------------	----------------------------

Are you now married, separated, divorced, widowed, living with someone as married, or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	MARRIED
0.1	0.1	1	2	SEPARATED
0.0	0.0	0	3	DIVORCED
0.0	0.0	0	4	WIDOWED
0.2	0.2	2	5	LIVE/W/SOMEONE AS MARRIED
99.6	99.4	1,113	6	NEVER MARRIED
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 32-33

GA8	HOW HUSBAND/WIFE FELT/YOUR USE OF DRUG
------------	---

In general, in the past 3 months how has your (husband/wife/partner) felt about your use of drugs? Would you say that (he/she) . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.3	3	1	HAS BEEN VERY MUCH OPPOSED
0.0	0.0	0	2	HAS BEEN SOMEWHAT OPPOSED
0.0	0.0	0	3	HAS NOT CARED ONE WAY/OTHER
0.0	0.0	0	4	APPROVED OF YOUR USE OF DRUGS
0.0	0.0	0	5	HAS NOT AWARE OF YOUR DRUG USE
25.0	0.1	1	6	NOT IN CONTACT WITH PARTNER
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 34-35

GA8_A	HOW IMPORTANT/WAY HE/SHE FELT/YOUR DRUG USE
--------------	--

How important to you was the way (he/she) felt about your drug use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	NOT AT ALL
0.0	0.0	0	2	SOMEWHAT
100.0	0.3	3	3	VERY IMPORTANT
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 36-37

GA8_B	SERIOUS PROBLEM W/HUSBAND/WIFE/YOUR DRUG USE
--------------	---

Have you had any serious problems with your (husband/wife/partner) because of your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	YES
66.7	0.2	2	2	NO
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 38-39

GA8_C	HUSBAND/WIFE PRESSURE YOU/STAY IN DRUG TREATMENT
--------------	---

Has your (husband/wife/partner) pressured you to stay in treatment for drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	YES
66.7	0.2	2	2	NO
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 40-41

GA8_D	HE/SHE/BEEN ABUSING DRUG/NOT ALCO
--------------	--

Has (he/she) been abusing drugs in these 3 months? Do not count alcohol abuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.3	3	2	NO
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 42-43

GA8_E	WAS THIS PERSON IN DRUG TREATMENT
--------------	--

Has this person been in drug treatment at any time during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.3	3	2	NO
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 44-45

GA9	HUSBAND/WIFE/HOW CONCERNED OF YOU
------------	--

During the past 3 months, how much would you say your (husband/wife/partner) has been concerned, helpful, or supportive of you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
33.3	0.1	1	1	SOMEWHAT
66.7	0.2	2	2	VERY MUCH
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 46-47

GA10**WITH WHOM YOU LIVED MOST OF TIME**

Who have you lived with most of the time during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	WITH SPOUSE/SEXUAL PARTNER/CHILDREN
0.1	0.1	1	2	WITH SPOUSE/SEXUAL PARTNER ONLY
0.0	0.0	0	3	WITH CHILDREN ONLY
1.8	1.8	20	4	WITH BOTH PARENTS
3.6	3.6	40	5	WITH MOTHER ONLY
0.4	0.4	4	6	WITH FATHER ONLY
0.2	0.2	2	7	WITH PARENT(S) AND OWN CHILDREN
11.8	11.6	130	8	WITH OTHER FAMILY/ANY COMB 01 - 07
0.5	0.5	6	9	WITH FOSTER PARENTS
3.3	3.3	37	10	W/FAMILY/FRIENDS/BOARDERS/ROOMMATES
12.0	11.9	133	11	W/FRIENDS/ROOMMATES ONLY
0.2	0.2	2	12	ALONE
60.4	59.6	668	13	INSTITUTION/CLOSED FACILITY/HOSP
0.0	0.0	0	14	NO STABLE ARRANGEMENTS
5.6	5.5	62	15	OTHER
	1.0	11	-8	MISSING
	0.3	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 48-49

GA11**HOW SATISFIED HAVE YOU BEEN LIVING?**

How satisfied have you been living (alone/with this person/with these people)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	1.6	18	1	VERY DISSATISFIED
10.8	4.1	46	2	SOMEWHAT DISSATISFIED
39.6	15.1	169	3	SOMEWHAT SATISFIED
45.4	17.3	194	4	VERY SATISFIED
	61.0	683	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 50-51

GA12	#CHILDREN <18 YR OLD/YOU WERE RAISING
-------------	---

In the past 3 months, have you been responsible for raising any children who were younger than 18 years old? (Please include your own children or any other children, such as a brother or sister, you are raising as if they were your own.) How many children have you been raising?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	98.2	1,100	0	
1.2	1.2	13	1	
0.3	0.3	3	2	
0.1	0.1	1	6	6+
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 52-53

GA13	# <18 CHILDREN LIVED W/YOU SINCE ADMISSION
-------------	--

(Has your child/How many of your children) under 18 lived with you most of the time in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	1.1	12	0	
13.3	0.2	2	1	
6.7	0.1	1	2	
0.0	0.0	0	6	6+
	98.1	1,099	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 54-55

GA13A_02**<18 YR OLD/LIVED W/SPOUSE/SEXUAL PARTNER**

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months?

With spouse or sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	98.8	1,106	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 56-57

GA13A_03**<18 YR OLD/LIVED W/EX-SPOUSE/EX-SEXUAL PARTNER**

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months?

With ex-spouse or ex-sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	3	CIRCLED
	98.8	1,106	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 58-59

GA13A_04	<18 YR OLD/LIVED W/OTHER RELATIVE(S)
-----------------	--

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months?

With other relative(s).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	4	CIRCLED
	98.8	1,106	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 60-61

GA13A_05	<18 YR OLD/LIVED WITH NON RELATIVE(S)
-----------------	---

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months?

With nonrelative(s) such as foster parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.8	1,106	-9	LEGITIMATE NONRESPONSE
	1.2	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 62-63

GA13A_06**<18 YR OLD/LIVED IN AN INSTITUTION**

Who did your (child/(other) children) under 18 live with most of the time in the past 3 months?

In an institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.8	1,106	-9	LEGITIMATE NONRESPONSE
	1.2	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 64-65

GA14**# CHILDREN HAVE LEGAL CUSTODY OF**

Currently, (do you have legal custody of your child/how many of your children do you have legal custody of)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.3	0.8	9	0	
21.4	0.3	3	1	
14.3	0.2	2	2	
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 66-67

GA14A_02	LEGAL CUSTODY/CHILD/SPOUSE/SEX PARTNER
-----------------	---

Who has legal custody of your (child/(other) children)?

Spouse or sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	98.8	1,107	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 68-69

GA14A_03	LEGAL CUSTODY/CHILD/EX-SPOUSE/SEX PARTNER
-----------------	--

Who has legal custody of your (child/(other) children)?

Ex-spouse or ex-sexual partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	3	CIRCLED
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 70-71

GA14A_04	LEGAL CUSTODY OF CHILD/OTHER RELATIVES
-----------------	---

Who has legal custody of your (child/(other) children)?

Other relatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 72-73

GA14A_05	LEGAL CUSTODY OF CHILD/NON RELATIVES
-----------------	---

Who has legal custody of your (child/(other) children)?

Nonrelative(s) such as foster parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 74-75

GA14A_06	LEGAL CUSTODY/CHILD/INSTITUTION
-----------------	--

Who has legal custody of your (child/(other) children)?

An institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 76-77

GA15_00	HOW OFTEN SEE YOUR CHILD/NOT AT ALL
----------------	--

During these 3 months, how often have you seen (your child/any of your children who did not live with you)?
 Would you say . . . not at all?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 78-79

GA15_01	HOW OFTEN SEE YOUR CHILD/> ONCE A WEEK
----------------	--

During these 3 months, how often have you seen (your child/any of your children who did not live with you)?
Would you say . . . less than once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	1	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 80-81

GA15_02	HOW OFTEN SEE CHILD/AT LEAST ONCE A WEEK
----------------	---

During these 3 months, how often have you seen (your child/any of your children who did not live with you)?
Would you say . . . at least once a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	2	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.4	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 82-83

GA15_03	HOW OFTEN SEE YOUR CHILD/ALMOST DAILY
----------------	--

During these 3 months, how often have you seen (your child/any of your children who did not live with you)?
 Would you say . . . almost daily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	3	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 84-85

GA16	DRUG TREATMENT AFFECT CUSTODY OF CHILD
-------------	---

Will your drug treatment or getting off drugs affect who has custody of (your child/any of your children)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.2	2	1	YES
85.7	1.1	12	2	NO
0.0	0.0	0	3	SOMEWHAT/MAYBE
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 86-87

GA17**HOW WELL YOU WERE AS A PARENT/GUARDIAN**

During these 3 months, how well have you been doing as a (parent/guardian)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.2	2	1	POOR
42.9	0.5	6	2	FAIR
42.9	0.5	6	3	WELL
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 88-89

GA18**HOW DIFFICULT FOR YOU TO FIND CHILD CARE**

During the past 3 months, how difficult has it been for you to go places or do things because of problems in finding someone to take care of your child(ren) or the child(ren) living with you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.9	10	0	NOT AT ALL
21.4	0.3	3	1	SOMEWHAT
7.1	0.1	1	2	VERY DIFFICULT
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 90-91

GA19**YOU HAD A CLOSE RELATIONSHIP W/SOMEONE**

Now, I'd like to ask about other relationships that you may have had during the past 3 months. In the past 3 months, would you say you have had a close, long-lasting, personal relationship with anyone?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	61.3	687	1	YES
38.3	38.1	427	2	NO
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 92-93

GA19_A

#PEOPLE/YOU HAD RELATIONSHIP WITH

With how many people during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	16.3	183	1	
17.4	10.7	120	2	
14.2	8.8	98	3	
9.2	5.6	63	4	
7.0	4.3	48	5	
4.7	2.9	32	6	
3.5	2.1	24	7	
1.9	1.2	13	8	
1.0	0.6	7	9	
5.2	3.2	36	10	
1.0	0.6	7	11	
0.6	0.4	4	12	
0.3	0.2	2	13	
2.5	1.5	17	15	
0.1	0.1	1	16	
0.1	0.1	1	17	
2.3	1.4	16	20	
0.4	0.3	3	25	
0.1	0.1	1	28	
0.6	0.4	4	30	
0.1	0.1	1	35	
0.1	0.1	1	40	
0.1	0.1	1	45	
0.3	0.2	2	50	
0.1	0.1	1	60	
0.1	0.1	1	70	
0.1	0.1	1	99	99 OR MORE
	38.1	427	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 94-95

GA19_B	SERIOUS PROBLEM GET ALONG W/FAMILY/FRIEND
---------------	--

In these 3 months, have you had serious problems getting along with family members or close friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	9.6	108	1	YES
84.0	50.4	565	2	NO
	38.1	427	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 96-97

GA20	HOW IMPORTANT/COUNSELING/GET ALONG PROBLEM W/FAMILY
-------------	--

How important to you now is counseling or professional help for problems getting along with family members and close friends? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.8	28.8	322	0	NOT AT ALL
31.6	31.5	353	1	SOMEWHAT
39.6	39.5	442	2	VERY IMPORTANT
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 98-99

GA21**HOW MUCH CONTACT W/FAMILY/FRIENDS**

During the past 3 months, altogether how much contact (mail, telephone, or in person) have you had with any family members or close friends? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.2	25	0	NONE
36.0	35.9	402	1	SOME
61.8	61.6	690	2	A LOT
0.0	0.0	0	93	IF VOL: NO FAMILY/FRIENDS
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 100-101

GA22**HOW YOU DOING AS A FAMILY MEMBER/FRIEND**

During the past 3 months, how have you been doing as a family member or friend? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	2.6	29	1	POOR
35.0	34.6	388	2	FAIR
62.4	61.8	692	3	WELL
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 102-103

GA23_A	DO PHYSICAL EXERCISE/IN A TYPICAL WEEK
---------------	---

Next, I will ask about the way you have spent your time during the past 3 months. During the past 3 months, in a typical week, how often have you done physical exercise (played ball, done aerobics, danced, jogged, or lifted weights)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.1	5.1	57	1	NOT AT ALL
7.1	7.1	79	2	LESS ONCE A WEEK
23.8	23.8	266	3	AT LEAST ONCE A WEEK
64.0	63.9	716	4	ALMOST DAILY
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 104-105

GA23_B	READ/DO HOBBIES/IN A TYPICAL WEEK
---------------	--

Next, I will ask about the way you have spent your time during the past 3 months. During the past 3 months, in a typical week, how often have you read or done hobbies (fished, collected things, done crafts, or made things)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.1	102	1	NOT AT ALL
10.9	10.9	122	2	LESS ONCE A WEEK
24.1	24.0	269	3	AT LEAST ONCE A WEEK
55.9	55.7	624	4	ALMOST DAILY
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 106-107

GA23_C**ATTEND MEETING OF CLUB/IN A TYPICAL WEEK**

Next, I will ask about the way you have spent your time during the past 3 months. During the past 3 months, in a typical week, how often have you attended meetings or programs of groups, clubs, or organizations that you belonged to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.1	22.1	247	1	NOT AT ALL
3.0	2.9	33	2	LESS ONCE A WEEK
11.3	11.2	126	3	AT LEAST ONCE A WEEK
63.7	63.5	711	4	ALMOST DAILY
	0.2	2	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 108-109

GA24_A**ANY CLOSE PEOPLE USED DRUG/NOT IN TREATMENT**

In the past 3 months, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) used heroin, crack, cocaine, or other drugs for nonmedical purposes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	37.6	421	1	NONE
32.6	31.3	351	2	ONE OR A FEW
28.4	27.3	306	3	MANY
	0.4	4	-8	MISSING
	3.3	37	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 110-111

GA24_B **CLOSE PEOPLE DRANK HEAVY/NOT IN TREATMENT**

In the past 3 months, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) drank alcohol heavily?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.1	38.5	431	1	NONE
33.6	32.2	361	2	ONE OR A FEW
26.3	25.3	283	3	MANY
	0.4	4	-8	MISSING
	3.6	40	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 112-113

GA24_C **CLOSE PEOPLE GOT ARRESTED/NOT IN TREATMENT**

In the past 3 months, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) got arrested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.1	44.5	498	1	NONE
31.2	29.5	330	2	ONE OR A FEW
21.7	20.5	230	3	MANY
	0.4	5	-8	MISSING
	5.0	56	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 114-115

GA24_D**CLOSE PEOPLE ENTERED JAIL/NOT IN TREATMENT**

In the past 3 months, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) entered jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.3	49.6	556	1	NONE
32.1	30.5	342	2	ONE OR A FEW
15.6	14.8	166	3	MANY
	0.4	5	-8	MISSING
	4.5	50	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 116-117

GA24_E**ANY CLOSE PEOPLE ENTERED DRUG TREATMENT**

In the past 3 months, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) entered treatment for drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.2	66.1	740	1	NONE
27.1	25.9	290	2	ONE OR A FEW
3.6	3.5	39	3	MANY
	0.5	6	-8	MISSING
	3.9	44	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 118-119

GA24_F	CLOSE PEOPLE QUIT USE DRUGS/NOT IN TREATMENT
---------------	---

In the past 3 months, other than any people who might have been in drug or alcohol treatment with you, would you say that none of the people, a few of the people, or many of the people that you are close to (either family members or friends) quit using heroin, crack, cocaine, or other drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	66.2	741	1	NONE
24.4	23.2	260	2	ONE OR A FEW
6.0	5.7	64	3	MANY
	0.4	5	-8	MISSING
	4.4	49	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 120-121

GA25	HOW WAS YOUR LIFE SINCE ADMISSION
-------------	--

Taking all things together, how would you say your life has been during these 3 months? Would you say it has been . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.8	5.8	65	1	VERY UNHAPPY
16.3	16.2	182	2	SOMEWHAT UNHAPPY
56.9	56.7	635	3	SOMEWHAT HAPPY
21.0	20.9	234	4	VERY HAPPY
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 122-123

GA26**THINGS BETTER/WORSE THAN A YEAR BEFORE**

Would you say things are better or worse than they were a year before?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	16.5	185	1	WORSE
83.3	82.4	923	2	BETTER
	0.3	3	-8	MISSING
	0.2	2	-6	MULTIPLE RESPONSE
	0.5	6	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 124-125

GA27**PROBLEMS W/FAMILY/FRIENDS DUE DRUG USE**

In the past 3 months, have you had any problems with family members or close friends because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.9	8.8	99	1	YES
91.1	90.9	1,018	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 126-127

EDUCATION AND TRAINING

GB1	HIGHEST GRADE/SCHOOL YEAR ATTENDED
------------	---

Another area I'd like to ask about is your education and training. What is the highest grade or year of school you have attended?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	0	
0.2	0.2	2	4	
0.1	0.1	1	5	
0.4	0.4	4	6	
4.0	4.0	45	7	
10.8	10.8	121	8	
31.2	31.1	348	9	
28.0	27.9	312	10	
18.6	18.6	208	11	
6.4	6.3	71	12	
0.3	0.3	3	13	
	0.2	2	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 130-131

GB1_A	DID YOU COMPLETE GRADE/YEAR
--------------	------------------------------------

Did you complete that (grade/year)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.7	14.6	164	1	YES
85.3	85.0	952	2	NO
	0.1	1	-8	MISSING
	0.3	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 132-133

GB1_B	ARE YOU CURRENTLY IN SCHOOL?
--------------	-------------------------------------

Are you currently in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	86.7	971	1	YES
13.2	13.2	148	2	NO
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 134-135

GB1_C	KIND SCHOOL/TRAINING PROGRAM ATTENDING
--------------	---

What kind of school or training program are you attending?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	9.1	102	1	MIDDLE SCHOOL (JUNIOR HIGH)
68.2	59.1	662	2	HIGH SCHOOL
0.6	0.5	6	3	JUNIOR (2-YEAR) COLLEGE
0.1	0.1	1	4	4-YEAR COLLEGE OR UNIVERSITY
0.4	0.4	4	5	TECHNICAL/TRADE/VOCATIONAL SCHOOL
0.2	0.2	2	6	JOB CORPS PROGRAM
5.7	4.9	55	7	SPECIAL EDUCATION PROGRAM
14.2	12.3	138	8	OTHER
	12.8	143	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 136-137

GB1_D**SINCE ADMISSION HOW HAVE GRADES BEEN**

In the past 3 months, how have your grades been in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.5	36.7	411	1	BETTER THAN AVERAGE
51.2	43.1	483	2	AVERAGE
5.3	4.5	50	3	NOT SO GOOD
	12.8	143	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
	0.7	8	-5	BAD DATA
	2.0	22	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 138-139

GB1_E**TEACHER THOUGHT YOU DID AS WELL AS COULD**

Did your teachers think you did as well as you could, or did they think you had the ability to do better?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.5	1.0	11	1	DID AS WELL AS COULD
82.5	4.6	52	2	COULD HAVE DONE MUCH BETTER
	91.3	1,023	-9	LEGITIMATE NONRESPONSE
	2.1	24	-8	MISSING
	0.8	9	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 140-141

GB1_F	FREQUENTLY IN TROUBLE W/TEACHERS/PRINCIPAL
--------------	---

In the past 3 months, have you frequently gotten into trouble with your teachers or principal for misbehaving in school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.9	10.3	115	1	YES
88.1	76.2	854	2	NO
	12.7	142	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 142-143

GB1_G	# OF DAYS SKIPPED SCHOOL
--------------	---------------------------------

In the past 3 months, how many days did you skip school or play hooky?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	79.0	885	0	
1.8	1.5	17	1	
2.3	2.0	22	2	
0.8	0.7	8	3	
0.7	0.6	7	4	
0.5	0.4	5	5	
0.2	0.2	2	6	
0.1	0.1	1	9	
0.2	0.2	2	10	
0.1	0.1	1	14	
0.2	0.2	2	15	
0.4	0.4	4	20	
0.1	0.1	1	21	
0.1	0.1	1	30	
0.1	0.1	1	40	
0.1	0.1	1	60	
	12.7	142	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 144-145

GB2	RECEIVED A HIGH SCHOOL DIPLOMA/GED
------------	---

During the past 3 months, have you received a high school diploma or passed a high school equivalency (GED) test?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	1.6	18	1	YES
98.4	97.8	1,095	2	NO
	0.4	4	-8	MISSING
	0.1	1	-5	BAD DATA
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 146-147

GB2_A	DID YOU GET A DIPLOMA/GED
--------------	----------------------------------

Which one did you get?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.3	3	1	DIPLOMA
84.2	1.4	16	2	GED
	97.7	1,094	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 148-149

GB3_0	RECEIVED NO DEGREE
--------------	---------------------------

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

None.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	99.2	1,111	0	CIRCLED
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 150-151

GB3_1	RECEIVED/JR COLLEGE/ASSOCIATE DEGREE
--------------	---

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

Junior college degree or associate degree program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 152-153

GB3_2**RECEIVED/BACHELOR'S DEGREE**

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

Bachelor's degree.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 154-155

GB3_3**RECEIVED/MASTER'S/PH.D**

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

Advanced college degree (Master's or Ph.D.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 156-157

GB3_4 RECEIVED/CERTIFICATE FROM VOCATIONAL/TRADE SCHOOL

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

Certificate from a vocational or trade school.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 158-159

GB3_5 RECEIVED/LICENSE TO PRACTICE A TRADE

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

License to practice a trade.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 160-161

GB3_6**RECEIVED/OTHER DEGREE/LICENSE, ETC.**

Besides a high school diploma or a GED) what other diplomas, degrees, certificates, or licenses have you received during the past 3 months?

Other degree, license, etc.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	6	CIRCLED
	99.7	1,117	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 162-163

GB4**YOU HAVE CURRENT VALID DRIVER'S LICENSE**

Do you have a current, valid driver's license?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.4	72	1	YES
93.6	93.5	1,047	2	NO
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 164-165

GB4_A	STATUS OF YOUR DRIVER'S LICENSE
--------------	--

Was your driver's license . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.3	3	1	EXPIRED
3.0	2.1	24	2	SUSPENDED
0.6	0.4	5	3	REVOKED
96.0	68.8	771	4	IF VOL: NEVER HAD ONE
	6.2	70	-9	LEGITIMATE NONRESPONSE
	21.9	245	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 166-167

GB5	A DEPENDABLE VEHICLE FOR YOU TO USE?
------------	---

During the past 3 months, has there been a dependable vehicle, such as a car, truck, or motorcycle, available for (you/your household) to use . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.4	54.3	608	0	NONE OF THE TIME
3.6	3.6	40	1	SOME OF THE TIME
42.0	42.0	470	2	ALL OF THE TIME
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 168-169

TREATMENT ACCESS

GC1	DO YOU HAVE ANY HEALTH INSURANCE/PLAN
------------	--

Next, I'd like to ask about your current contacts with this program. Are you covered by a health plan, or do you have any health insurance such as Blue Cross, Medicaid, or other insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
78.8	72.8	815	1	YES
21.2	19.6	219	2	NO
	0.9	10	-8	MISSING
	6.8	76	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 170-171

GC1_A_02	TYPE OF INSURANCE/PRIVATE INSURANCE
-----------------	--

What type of health plan or insurance do you have?

Other private insurance.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.7	120	2	CIRCLED
	19.6	219	-9	LEGITIMATE NONRESPONSE
	57.1	640	-8	MISSING
	12.6	141	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 172-173

GC1_A_03	TYPE OF INSURANCE/HEALTH PLAN/HMO/PPO
-----------------	--

What type of health plan or insurance do you have?

Health plan (HMO, PPO).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.0	90	3	CIRCLED
	19.5	218	-9	LEGITIMATE NONRESPONSE
	59.9	671	-8	MISSING
	12.6	141	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 174-175

GC1_A_04	TYPE OF INSURANCE/MEDICAID
-----------------	-----------------------------------

What type of health plan or insurance do you have?

Medicaid.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	36.6	410	4	CIRCLED
	19.5	218	-9	LEGITIMATE NONRESPONSE
	31.3	351	-8	MISSING
	12.6	141	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 176-177

GC1_A_05	TYPE OF INSURANCE/MEDICARE
-----------------	-----------------------------------

What type of health plan or insurance do you have?

Medicare.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	12	5	CIRCLED
	19.6	219	-9	LEGITIMATE NONRESPONSE
	66.8	748	-8	MISSING
	12.6	141	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 178-179

GC1_A_06	TYPE OF INSURANCE/CHAMPUS/CHAMPVA
-----------------	--

What type of health plan or insurance do you have?

CHAMPUS or CHAMPVA, The VA, or military health care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	6	CIRCLED
	19.6	219	-9	LEGITIMATE NONRESPONSE
	67.6	757	-8	MISSING
	12.6	141	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 180-181

GC1_A_07	TYPE OF INSURANCE/OTHER
-----------------	--------------------------------

What type of health plan or insurance do you have?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.5	84	7	CIRCLED
	19.6	219	-9	LEGITIMATE NONRESPONSE
	60.3	675	-8	MISSING
	12.7	142	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 182-183

GC1_B	HEALTH PLAN IN YOUR NAME/FAMILY MEMBER
--------------	---

Is the coverage in your own name or in the name of some other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.5	45.0	504	1	OWN NAME
34.5	23.8	266	2	OTHER FAMILY MEMBER
	19.4	217	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
	6.9	77	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 184-185

GC1_C	COST/DRUG TREATMENT COVERED BY THIS PLAN
--------------	---

Are any costs of drug treatment covered by this health plan or insurance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	45.6	511	1	YES
22.3	13.1	147	2	NO
0.2	0.1	1	3	PROGRAM CHARGES NO FEES
	19.4	217	-9	LEGITIMATE NONRESPONSE
	5.1	57	-8	MISSING
	16.6	186	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 186-187

GC1_D	COST COVER BY INSURANCE/FOR DRUG TREATMENT
--------------	---

About how much of the costs of your drug treatment will your health plan or insurance cover?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.2	2	0	NONE
3.0	1.2	14	1	LESS THAN HALF
7.2	2.9	33	2	HALF OR MORE
89.3	36.7	411	3	ALL
0.0	0.0	0	4	PROG CHARGES NO FEES
	32.4	363	-9	LEGITIMATE NONRESPONSE
	10.2	114	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	16.2	181	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 188-189

GC1_E	PRIMARY FUNDS FOR TREATMENT/EXCLUDE INSURANCE
--------------	--

(Excluding your health plan or insurance coverage), what will be your primary source of funds to pay for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	1.4	16	1	SELF PAY
37.8	15.9	178	2	FAMILY/RELATIVES
0.0	0.0	0	3	WORKER'S COMPENSATION
58.8	24.7	277	4	OTHER
	36.8	412	-9	LEGITIMATE NONRESPONSE
	4.5	50	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	16.6	186	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 190-191

GC2	TRANSPORTATION/GET TO TREATMENT PROGRAM
------------	--

During the past 3 months, how have you usually gotten to this treatment program for counseling?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.5	77.3	866	0	LIVING AT PROGRAM
0.3	0.3	3	1	WALK
1.3	1.3	15	2	DRIVE
10.9	10.9	122	3	PUBLIC TRANSPORTATION
2.7	2.7	30	4	RIDE FROM FAMILY/FRIEND
0.0	0.0	0	5	TAXI CAB
6.6	6.6	74	6	PROG PROVIDED TRANSPORTATION
0.6	0.6	7	7	OTHER
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 192-193

GC3	EASY/DIFFICULT/GET TO PROGRAM/TREATMENT
------------	--

Has it been easy or difficult for you to get to this program for things like counseling, treatment, or medication?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.7	23.9	268	1	EASY
13.3	3.7	41	2	DIFFICULT
	72.1	808	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 194-195

GC3_A	HAS IT BEEN SOMEWHAT EASY/VERY EASY
--------------	--

Has it been somewhat easy or very easy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.7	7.3	82	1	SOMEWHAT EASY
69.3	16.5	185	2	VERY EASY
	75.8	849	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 196-197

GC3_B	HAS IT BEEN SOMEWHAT/VERY DIFFICULT
--------------	--

Has it been somewhat difficult or very difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.5	2.4	27	1	SOMEWHAT DIFFICULT
32.5	1.2	13	2	VERY DIFFICULT
	96.0	1,075	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 198-199

GC4_00	CRIMINAL CHARGE/NONE
---------------	-----------------------------

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

No.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	42.3	474	0	CIRCLED
	57.6	645	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 200-201

GC4_01	CRIMINAL CHARGE/PROBATION
---------------	----------------------------------

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Probation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	48.8	546	1	CIRCLED
	42.3	474	-9	LEGITIMATE NONRESPONSE
	8.8	99	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 202-203

GC4_02**CRIMINAL CHARGE/PAROLE**

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Parole.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	18	2	CIRCLED
	42.3	474	-9	LEGITIMATE NONRESPONSE
	56.0	627	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 204-205

GC4_03**CRIMINAL CHARGE/AWAITING TRIAL IN JAIL**

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	19	3	CIRCLED
	42.3	474	-9	LEGITIMATE NONRESPONSE
	55.9	626	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 206-207

GC4_04 CRIMINAL CHARGE/AWAITING SENTENCE/JAIL

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention awaiting sentencing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	25	4	CIRCLED
	42.3	474	-9	LEGITIMATE NONRESPONSE
	55.4	620	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 208-209

GC4_05 CRIMINAL CHARGE/SERVING A SENTENCE/JAIL

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

In jail / detention serving a sentence.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.3	59	5	CIRCLED
	42.3	474	-9	LEGITIMATE NONRESPONSE
	52.3	586	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 210-211

GC4_06**CRIMINAL CHARGE/ON BAIL AWAITING TRIAL**

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - on bail awaiting trial.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	6	CIRCLED
	42.3	474	-9	LEGITIMATE NONRESPONSE
	56.8	636	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 212-213

GC4_07**CRIMINAL CHARGE/ON BAIL AWAITING SENTENCE**

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - on bail awaiting sentencing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	7	CIRCLED
	42.3	474	-9	LEGITIMATE NONRESPONSE
	57.0	638	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 214-215

GC4_08	CRIMINAL CHARGE/RELEASE ON OWN RECOGNIZANCE
---------------	--

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - released on own recognizance.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.5	39	8	CIRCLED
	42.3	474	-9	LEGITIMATE NONRESPONSE
	54.1	606	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 216-217

GC4_09	CRIMINAL CHARGE/OTHER STATUS
---------------	-------------------------------------

Since your admission, have you been on probation, on parole, in jail, in detention, or have you had any pending criminal (or juvenile justice system) charges or cases against you?

Case pending - other status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.2	58	9	CIRCLED
	42.2	473	-9	LEGITIMATE NONRESPONSE
	52.5	588	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 218-219

GC5**CRIMINAL JUSTICE AWARE OF DRUG TREATMENT**

Have any criminal justice (juvenile justice) authorities, such as a judge, a probation officer, or a parole officer, been aware of your drug problem or your treatment at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.1	54.3	608	1	YES
5.3	3.0	34	2	NO
0.6	0.4	4	3	UNCERTAIN
	42.1	471	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 220-221

GC5_A**FELT PRESSURE DRUG TREATMENT/AUTHORITY AWARE**

Since these authorities have been aware of your drug problem, have you felt any pressure to stay in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.7	33.5	375	1	YES
38.3	20.8	233	2	NO
	45.4	509	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 222-223

GC6	CRIMINAL JUSTICE SUGGEST/REQUIRED DRUG TREATMENT
------------	---

Has your participation in this program actually been required or suggested by the criminal (juvenile) justice system (ie., courts or correctional authorities)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	33.4	374	1	YES
1.3	0.4	5	2	NO
	65.9	738	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 224-225

GC6_A	PROGRAM REQUIRED/SUGGESTED
--------------	-----------------------------------

Has it been required or suggested?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.6	31.1	348	1	REQUIRED, STIPULATED
7.4	2.5	28	2	SUGGESTED, ENCOURAGED
	66.2	742	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 226-227

GC7	CRIMINAL JUSTICE TESTED YOU FOR DRUG USE
------------	---

During the past 3 months, has anyone from the criminal (juvenile) justice system tested you for drug use or reviewed the results from drug tests that you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.0	18.0	202	1	YES
47.0	16.0	179	2	NO
	65.7	736	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 228-229

GC7_A	YOU BEEN CHECKED FOR DRUG/WHAT BASIS
--------------	---

Have you been checked for drugs on a regular schedule, on a random basis, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	3.4	38	1	REGULAR
74.3	13.4	150	2	RANDOM
6.9	1.2	14	3	BOTH
	81.7	915	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 230-231

GC7_B_1	#TIMES TEST WERE DONE/SINCE ADMISSION
----------------	--

How often have the tests been done in the past 3 months?

		TIMES		
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	5.2	58	1	
20.9	3.8	42	2	
21.9	3.9	44	3	
12.9	2.3	26	4	
5.0	0.9	10	5	
3.5	0.6	7	6	
1.0	0.2	2	7	
2.0	0.4	4	8	
1.5	0.3	3	9	
0.5	0.1	1	10	
0.5	0.1	1	11	
1.5	0.3	3	12	
	81.7	915	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 232-233

GC7_B_2	HOW OFTEN TESTS DONE/SINCE ADMISSION
----------------	---

How often have the tests been done since your admission?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.6	7	1	PER WEEK
11.9	2.0	22	2	PER MONTH
84.3	13.9	156	3	TOTAL/ALTOGETHER
	81.2	910	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 234-235

PSYCHOLOGICAL FUNCTIONING

GD1	ANXIOUS/TENSE SINCE ADMISSION
------------	--------------------------------------

Now, I'm going to ask some questions about your feelings and emotions over the past 3 months. In the past 3 months, have you been very anxious, tense or nervous and had other problems at the same time, such as trembling, shaking, your heart beating fast, or feeling something bad was going to happen?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.2	58	1	YES
94.8	94.3	1,056	2	NO
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 236-237

GD1_A	PERIODS/4WEEKS OR MORE/TENSE/ANXIOUS
--------------	---

In these 3 months, how many periods of 4 weeks or more have you had (when you were very anxious, tense, or nervous)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.9	2.9	33	1	
29.8	1.5	17	2	
7.0	0.4	4	3	
5.3	0.3	3	4	
	94.2	1,055	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.2	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 238-239

GD1_B	WHEN LAST PERIOD ENDED/NERVE PROBLEM
--------------	---

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.1	1	1	LESS THAN ONE WEEK AFTER ADMISSION
98.1	4.6	52	2	AT LEAST ONE WEEK AFTER ADMISSION
	94.2	1,055	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.5	6	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 240-241

GD1_B_2	#WEEKS AFTER ADMISSION
----------------	-------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.1	1	0	
4.3	0.2	2	1	
2.2	0.1	1	2	
13.0	0.5	6	4	
2.2	0.1	1	5	
2.2	0.1	1	6	
4.3	0.2	2	7	
13.0	0.5	6	8	
8.7	0.4	4	9	
15.2	0.6	7	10	
6.5	0.3	3	11	
15.2	0.6	7	12	
2.2	0.1	1	13	
4.3	0.2	2	14	
2.2	0.1	1	25	
2.2	0.1	1	28	
	94.3	1,056	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
	0.7	8	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 242-243

GD1_C**THAT PERIOD A DIRECT RESULT OF ALCOHOL/DRUG**

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.4	1.2	13	1	YES
77.6	4.0	45	2	NO
	94.2	1,055	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 244-245

GD2**YOU FELT SAD/BLUE/DEPRESSED FOR 2 WEEKS**

In the past 3 months, have you had at least 2 weeks during which you felt very sad, blue, depressed, or you lost interest and pleasure in things you usually cared about or enjoyed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.4	21.3	239	1	YES
78.6	78.3	877	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 246-247

GD2_A	YOU HAD ANY OTHER PROBLEMS AT SAME TIME
--------------	--

Did you have other problems at the same time, for example, difficulty sleeping, loss of appetite, feeling hopeless or guilty, or having thoughts of ending your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.3	11.8	132	1	YES
45.7	9.9	111	2	NO
	78.0	874	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 248-249

GD2_B	#PERIODS OF 2 WEEK/MORE/FELT SAD/BLUE
--------------	--

In these 3 months, how many periods of 2 weeks or more have you had when you felt very sad, blue, depressed, or lost interest in things and also had some of these other problems at the same time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	4.6	52	1	
36.1	4.3	48	2	
17.3	2.1	23	3	
3.8	0.4	5	4	
2.3	0.3	3	5	
0.8	0.1	1	6	
0.8	0.1	1	7	
	87.9	984	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 250-251

GD2_C_1	WHEN LAST PERIOD ENDED/FELT BLUE
----------------	---

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.2	2	1	LESS THAN ONE WEEK AFTER ADMISSION
98.4	11.2	125	2	AT LEAST ONE WEEK AFTER ADMISSION
	87.8	983	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.3	3	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 252-253

GD2_C_2	#WEEKS AFTER ADMISSION
----------------	-------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	0.3	3	1	
4.0	0.4	5	2	
5.6	0.6	7	3	
4.8	0.5	6	4	
2.4	0.3	3	5	
3.2	0.4	4	6	
0.8	0.1	1	7	
7.2	0.8	9	8	
9.6	1.1	12	9	
11.2	1.2	14	10	
16.8	1.9	21	11	
20.0	2.2	25	12	
7.2	0.8	9	13	
2.4	0.3	3	14	
0.8	0.1	1	15	
1.6	0.2	2	18	
	87.8	983	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.4	5	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 254-255

GD2_D	THAT PERIOD A DIRECT RESULT OF ALCOHOL/DRUG
--------------	--

Was that (last) period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.2	1.3	15	1	YES
88.8	10.6	119	2	NO
	87.1	976	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 256-257

GD3	YOU THOUGHT A LOT ABOUT ENDING YOUR LIFE
------------	---

In these 3 months, have you thought about ending your life or committing suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.1	7.1	79	1	YES
92.9	92.5	1,036	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 258-259

GD3_A**THOUGHTS OF SUICIDE RESULT OF ALCOHOL/DRUG**

During these months, have your thoughts of suicide always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.8	0.9	10	1	YES
88.2	6.7	75	2	NO
	92.1	1,031	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 260-261

GD4**DID YOU ATTEMPT SUICIDE**

In these 3 months, have you attempted suicide?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	20	1	YES
98.2	97.6	1,093	2	NO
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 262-263

GD4_A**SUICIDE ATTEMPT RESULT OF ALCOHOL/DRUG USE**

During these months, have your suicide attempts always been the direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.2	2	1	YES
91.3	1.9	21	2	NO
	97.4	1,091	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 264-265

GD5	HAD TROUBLE CONTROLLING TEMPER
------------	---------------------------------------

In the past 3 months, have you had trouble controlling your temper or violent behavior?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.6	35.4	397	1	YES
64.4	64.1	718	2	NO
	0.4	5	-8	MISSING

100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 266-267

GD5_A_1	WHEN LAST PERIOD ENDED/TEMPER PROBLEM
----------------	--

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.6	0.9	10	1	LESS THAN ONE WEEK AFTER ADMISSION
97.4	33.6	376	2	AT LEAST ONE WEEK AFTER ADMISSION
	64.1	718	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
	0.5	6	-5	BAD DATA

100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 268-269

GD5_A_2**#WEEKS AFTER ADMISSION**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.3	3	0	
2.5	0.8	9	1	
2.5	0.8	9	2	
2.8	0.9	10	3	
4.1	1.3	15	4	
1.9	0.6	7	5	
3.0	1.0	11	6	
1.1	0.4	4	7	
6.4	2.1	23	8	
6.6	2.1	24	9	
16.6	5.4	60	10	
17.4	5.6	63	11	
22.7	7.3	82	12	
5.8	1.9	21	13	
3.0	1.0	11	14	
0.8	0.3	3	15	
1.1	0.4	4	16	
0.6	0.2	2	18	
0.3	0.1	1	25	
	64.1	718	-9	LEGITIMATE NONRESPONSE
	2.0	22	-8	MISSING
	1.4	16	-5	BAD DATA
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 270-271

GD5_B**TEMPER PROBLEM RESULT OF ALCOHOL/DRUG**

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	1.7	19	1	YES
95.2	33.7	377	2	NO
	64.1	718	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 272-273

GD6	YOU FELT VERY SUSPICIOUS OF PEOPLE
------------	---

In the past 3 months, have you felt very suspicious of other people or what they might be up to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	29.1	326	1	YES
70.9	70.8	793	2	NO
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 274-275

GD6_A_1	WHEN LAST PERIOD ENDED/SUSPICIOUS OF PEOPLE
----------------	--

When did your last period like that end?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	1.4	16	1	LESS THAN ONE WEEK AFTER ADMISSION
94.6	24.9	279	2	AT LEAST ONE WEEK AFTER ADMISSION
	70.7	792	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
	1.8	20	-5	BAD DATA
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 276-277

GD6_A_2	#WEEKS AFTER ADMISSION
----------------	-------------------------------

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.2	2	0	
1.6	0.4	4	1	
2.7	0.6	7	2	
1.6	0.4	4	3	
2.7	0.6	7	4	
2.3	0.5	6	6	
1.6	0.4	4	7	
7.4	1.7	19	8	
5.4	1.2	14	9	
13.2	3.0	34	10	
19.0	4.4	49	11	
29.8	6.9	77	12	
5.4	1.2	14	13	
3.9	0.9	10	14	
1.9	0.4	5	15	
0.4	0.1	1	16	
0.4	0.1	1	18	
	70.7	792	-9	LEGITIMATE NONRESPONSE
	3.3	37	-8	MISSING
	2.6	29	-5	BAD DATA
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 278-279

GD6_B	SUSPICIOUS OF PEOPLE RESULT OF ALCOHOL/DRUG
--------------	--

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	2.6	29	1	YES
91.0	26.2	293	2	NO
	70.7	792	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
	0.2	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 280-281

GD7_A_2**#WEEKS AFTER ADMISSION**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.3	3	2	
4.3	0.3	3	3	
2.9	0.2	2	4	
1.4	0.1	1	5	
4.3	0.3	3	6	
2.9	0.2	2	7	
5.7	0.4	4	8	
11.4	0.7	8	9	
12.9	0.8	9	10	
21.4	1.3	15	11	
17.1	1.1	12	12	
4.3	0.3	3	13	
4.3	0.3	3	14	
1.4	0.1	1	15	
1.4	0.1	1	16	
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
	0.2	2	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 286-287

GD7_B**HALLUCINATION/RESULT OF ALCOHOL/DRUG USE**

Was that period a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.4	5.2	58	1	YES
25.6	1.8	20	2	NO
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 288-289

GD8	HAD TROUBLE CONCENTRATING/REMEMBERING
------------	--

In the past 3 months, have you had trouble understanding, concentrating, or remembering?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.7	27.7	310	1	YES
72.3	72.2	809	2	NO
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 290-291

GD8_A	TROUBLE CONCENTRATE/RESULT OF DRUG/ALCOHOL
--------------	---

Has that always been a direct result of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	12.9	145	1	YES
52.5	14.3	160	2	NO
	72.1	808	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
	0.5	6	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 292-293

GD9**RECEIVED PAYMENT FOR PSYCHIATRIC DISABILITY**

During the past 3 months, have you received any disability payments or benefits for a psychiatric disability?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	3	1	YES
99.7	99.3	1,112	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 294-295

GD10**TOOK PRESCRIPTION MEDICINE FOR MENTAL PROBLEM**

In the past 3 months, have you taken any prescribed medication on a regular basis for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	9.3	104	1	YES
90.7	90.4	1,012	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 296-297

GD10_A	CURRENTLY TAKING MEDICINE FOR MENTAL PROBLEM
---------------	---

Are you currently taking any medications prescribed by a doctor for a mental health or emotional problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	8.5	95	1	YES
16.7	1.7	19	2	NO
	89.7	1,005	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 298-299

GD11**HAD MENTAL PROBLEM BECAUSE OF DRUG/ALCOHOL USE**

In the past 3 months, have you had any mental health or emotional problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	3.7	41	1	YES
96.3	95.7	1,072	2	NO
	0.5	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 300-301

GD11_A**HOW SERIOUS PROBLEM/BECAUSE OF DRUG/ALCOHOL USE**

How serious were any problems you have had in these 3 months because of your drug or alcohol Use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.7	0.9	10	1	NOT AT ALL
50.0	2.1	23	2	SOMEWHAT
28.3	1.2	13	3	VERY SERIOUS
	95.6	1,071	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 302-303

GD12 HOW TROUBLED ARE YOU NOW/EMOTIONAL PROBLEM

How troubled or distressed (bothered) are you now by any emotional or psychological problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.5	69.1	774	0	NOT AT ALL
26.1	25.6	287	1	SOMEWHAT
3.4	3.3	37	2	VERY TROUBLED
	1.9	21	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 304-305

GD13 I AM SATISFIED WITH MYSELF

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I'm satisfied with myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	24	1	STRONGLY DISAGREE
5.7	5.7	64	2	SOMEWHAT DISAGREE
40.6	40.5	454	3	SOMEWHAT AGREE
51.6	51.5	577	4	STRONGLY AGREE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 306-307

GD14**AT TIMES I THINK I AM NO GOOD AT ALL**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

At times I think I'm no good at all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.9	54.8	614	1	STRONGLY DISAGREE
21.9	21.9	245	2	SOMEWHAT DISAGREE
20.1	20.1	225	3	SOMEWHAT AGREE
3.0	3.0	34	4	STRONGLY AGREE
	0.1	1	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 308-309

GD15**I FEEL I HAVE A LOT OF GOOD QUALITIES**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel that I have a lot of good qualities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	6	1	STRONGLY DISAGREE
3.0	2.9	33	2	SOMEWHAT DISAGREE
33.6	33.6	376	3	SOMEWHAT AGREE
62.9	62.8	703	4	STRONGLY AGREE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 310-311

GD16 I FEEL USELESS AT TIMES

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I feel useless at times.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.2	46.2	517	1	STRONGLY DISAGREE
20.8	20.7	232	2	SOMEWHAT DISAGREE
28.7	28.7	321	3	SOMEWHAT AGREE
4.3	4.3	48	4	STRONGLY AGREE
	0.1	1	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 312-313

GD17 I WISH I COULD HAVE > RESPECT FOR MYSELF

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

I wish I could have more respect for myself.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	34.8	390	1	STRONGLY DISAGREE
18.7	18.7	209	2	SOMEWHAT DISAGREE
29.8	29.6	332	3	SOMEWHAT AGREE
16.5	16.4	184	4	STRONGLY AGREE
	0.4	4	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 314-315

GD18**I FEEL THAT I AM A FAILURE**

Now, I would like to ask some questions about your feelings about yourself. For each of the statements I read, please tell me how much you agree or disagree, based on how you feel about yourself right now.

All in all, I feel that I'm a failure.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
73.6	73.4	822	1	STRONGLY DISAGREE
16.3	16.2	182	2	SOMEWHAT DISAGREE
8.1	8.0	90	3	SOMEWHAT AGREE
2.1	2.1	23	4	STRONGLY AGREE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 316-317

GD19**IMPORTANCE OF MENTAL HEALTH TREATMENT**

How important to you now is treatment or counseling for emotional, nervous, or mental health problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.6	44.5	498	0	NOT AT ALL
26.9	26.8	300	1	SOMEWHAT
28.5	28.4	318	2	VERY IMPORTANT
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 318-319

GE2	#ALCOHOLIC DRINKS YOU HAVE ON EACH DAY
------------	---

During the past 3 months, about how many alcoholic drinks have you usually had on each day you drank?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	1	0	
20.2	1.8	20	1	
15.2	1.3	15	2	
13.1	1.2	13	3	
8.1	0.7	8	4	
10.1	0.9	10	5	
10.1	0.9	10	6	
2.0	0.2	2	7	
8.1	0.7	8	8	
3.0	0.3	3	10	
3.0	0.3	3	12	
2.0	0.2	2	13	
1.0	0.1	1	20	
2.0	0.2	2	24	
1.0	0.1	1	30	
	90.8	1,017	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 322-323

GE3	YOU DRANK SEVERAL DAYS IN A ROW/3 MON
------------	--

During the past 3 months, have you ever been drunk for several days in a row?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	1.1	12	1	YES
87.9	7.8	87	2	NO
	90.8	1,017	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 324-325

GE4	#DAYS YOU BEEN DRUNK/SINCE ADMISSION
------------	---

On how many days have you been drunk during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	3.3	37	0	
17.2	1.4	16	1	
9.7	0.8	9	2	
7.5	0.6	7	3	
3.2	0.3	3	4	
4.3	0.4	4	5	
1.1	0.1	1	7	
3.2	0.3	3	8	
3.2	0.3	3	10	
2.2	0.2	2	13	
2.2	0.2	2	20	
1.1	0.1	1	21	
1.1	0.1	1	24	
1.1	0.1	1	28	
1.1	0.1	1	30	
1.1	0.1	1	40	
1.1	0.1	1	80	
	90.8	1,017	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 326-327

GE5	YOU HAD ALCOHOL DELIRIUM TREMENS
------------	---

During the past 3 months, have you had alcohol d.t.'s (or Delirium Tremens) at any time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	0.2	2	1	YES
98.0	8.6	96	2	NO
	90.8	1,017	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 328-329

GE6	EVER HAD ANY PROBLEM BECAUSE OF DRINKING
------------	---

Alcohol can sometimes cause problems for people. Have you ever had any problems because of your drinking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	1.7	19	1	YES
80.6	7.1	79	2	NO
	90.8	1,017	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 330-331

GE7	HOW TROUBLED YOU BEEN BY ALCOHOL PROBLEM
------------	---

How troubled or bothered have you been in the past 3 months by an alcohol problem you may have? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	0.9	10	0	NOT AT ALL
36.8	0.6	7	1	SOMEWHAT
10.5	0.2	2	2	VERY TROUBLED
	97.9	1,096	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 332-333

GE10**HOW DIFFICULT/STOP DRINK ALCOHOL COMPLETELY**

How difficult do you think it would be for you to stop drinking alcohol completely for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.3	3	0	NOT AT ALL
15.8	0.3	3	1	SOMEWHAT
68.4	1.2	13	2	VERY DIFFICULT
	97.9	1,096	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 338-339

GE11**WHAT CHANCES/REDUCING THE AMT OF ALCO**

What do you think your chances are of greatly reducing the amount of alcohol you drink? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.3	3	1	VERY POOR
52.6	0.9	10	2	FAIR
31.6	0.5	6	3	VERY GOOD
	97.9	1,096	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 340-341

GE12	DO YOU CURRENTLY SMOKE CIGARETTES
-------------	--

Now, I would like to ask about your use of tobacco. Do you currently smoke cigarettes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	63.7	713	1	YES
35.9	35.6	399	2	NO
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 342-343

GE12_A	HOW MUCH CURRENTLY SMOKE CIGARETTES
---------------	--

About how many cigarettes do you smoke per day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	31.2	350	1	LESS THAN 1/2 PACK A DAY
32.0	20.6	231	2	ABOUT 1/2 PACK A DAY
15.5	10.0	112	3	ABOUT A PACK A DAY
1.7	1.1	12	4	ABOUT 1-1/2 PACKS A DAY
2.4	1.5	17	5	ABOUT 2 PACKS OR MORE A DAY
	35.1	393	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 344-345

GE13	SMOKE CIGARS/PIPE/SMOKELESS TOBACCO?
-------------	---

Do you currently smoke cigars, smoke a pipe, or use smokeless tobacco or snuff?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.4	49	1	YES
95.6	94.8	1,062	2	NO
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 346-347

GE13_A_1	DO YOU SMOKE CIGARS
-----------------	----------------------------

Which do you use? Cigars.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	18	1	CIRCLED
	94.8	1,062	-9	LEGITIMATE NONRESPONSE
	3.6	40	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 348-349

GE13_A_2	DO YOU SMOKE PIPE
-----------------	--------------------------

Which do you use? Pipe.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	2	CIRCLED
	94.8	1,062	-9	LEGITIMATE NONRESPONSE
	4.9	55	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 350-351

GE13_A_3 DO YOU USE SMOKELESS TOBACCO/SNUFF

Which do you use? Smokeless tobacco or snuff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	33	3	CIRCLED
	94.8	1,062	-9	LEGITIMATE NONRESPONSE
	2.2	25	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 352-353

GE14 HAVE YOU USED MARIJUANA/HASHISH/THC

Next, I'd like to ask about your use of drugs other than alcohol. During the past 3 months, have you used marijuana, hashish, or THC?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.6	14.6	163	1	YES
85.4	85.3	955	2	NO
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 354-355

GE14_A_1 HOW LONG AFTER TREATMENT FIRST USE DRUG

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	3.5	39	1	LESS THAN ONE WEEK AFTER ADMISSION
75.0	10.4	117	2	AT LEAST ONE WEEK AFTER ADMISSION
	85.3	955	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 356-357

GE14_A_2**#WEEKS AFTER ADMISSION USED DRUGS**

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.1	1	0	
8.5	0.9	10	1	
17.8	1.9	21	2	
9.3	1.0	11	3	
17.8	1.9	21	4	
3.4	0.4	4	5	
8.5	0.9	10	6	
5.1	0.5	6	7	
16.9	1.8	20	8	
1.7	0.2	2	9	
3.4	0.4	4	10	
2.5	0.3	3	11	
1.7	0.2	2	12	
1.7	0.2	2	14	
0.8	0.1	1	15	
	85.2	954	-9	LEGITIMATE NONRESPONSE
	4.2	47	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 358-359

GE14_B_1**WHEN DID YOU LAST USE DRUGS**

When did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	10.4	117	1	MORE THAN ONE WEEK AGO
24.0	3.3	37	2	WITHIN THE LAST WEEK
	85.3	955	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 360-361

GE14_B_2	#WEEKS AGO USE DRUGS
-----------------	-----------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.6	0.2	2	1	
16.8	1.9	21	2	
10.4	1.2	13	3	
20.0	2.2	25	4	
4.0	0.4	5	5	
10.4	1.2	13	6	
4.8	0.5	6	7	
10.4	1.2	13	8	
3.2	0.4	4	9	
8.0	0.9	10	10	
9.6	1.1	12	11	
0.8	0.1	1	13	
	85.2	954	-9	LEGITIMATE NONRESPONSE
	3.7	41	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 362-363

GE14_C	HOW OFTEN USED DRUGS SINCE ADMISSION
---------------	---

How often have you used it in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.8	7.7	86	1	LESS THAN ONCE PER MONTH
14.1	2.1	23	2	1 TO 3 TIMES A MONTH
12.3	1.8	20	3	1 TO 2 TIMES A WEEK
4.9	0.7	8	4	3 TO 4 TIMES A WEEK
3.1	0.4	5	5	5 TO 6 TIMES A WEEK
6.7	1.0	11	6	DAILY OR ALMOST EVERY DAY
3.1	0.4	5	7	2 OR 3 TIMES A DAY
3.1	0.4	5	8	4 OR MORE TIMES A DAY
	85.2	954	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 364-365

GE15**HAVE YOU USED COCAINE IN ANY FORM**

During the past 3 months, have you used cocaine, in any form, such as powder, "crack", free base, and coca paste?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.4	16	1	YES
98.6	98.2	1,100	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 366-367

GE15_A_1**HOW LONG AFTER TREATMENT FIRST USED COCAINE**

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.2	2	1	LESS THAN ONE WEEK AFTER ADMISSION
86.7	1.2	13	2	AT LEAST ONE WEEK AFTER ADMISSION
	98.1	1,099	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 368-369

GE15_A_2	#WEEKS AFTER ADMISSION USED COCAINE
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	0.2	2	2	
15.4	0.2	2	3	
15.4	0.2	2	4	
7.7	0.1	1	5	
15.4	0.2	2	8	
7.7	0.1	1	11	
15.4	0.2	2	12	
7.7	0.1	1	18	
	98.1	1,099	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 370-371

GE15_B_1	HOW LONG AGO DID YOU LAST USE COCAINE
-----------------	--

How long ago did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.3	1.2	14	1	MORE THAN ONE WEEK AGO
6.7	0.1	1	2	WITHIN THE LAST WEEK
	98.1	1,099	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 372-373

GE15_B_2	HOW MANY WEEKS AGO USE COCAINE
-----------------	---------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.3	3	2	
13.3	0.2	2	3	
6.7	0.1	1	4	
13.3	0.2	2	6	
20.0	0.3	3	7	
6.7	0.1	1	8	
6.7	0.1	1	9	
6.7	0.1	1	11	
6.7	0.1	1	13	
	98.1	1,099	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 374-375

GE15_C	HOW DID YOU USUALLY TAKEN COCAINE
---------------	--

How have you usually taken it during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
35.3	0.5	6	2	BY SMOKING IT
58.8	0.9	10	3	BY INHALING/SNORTING/SNIFFING IT
5.9	0.1	1	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	98.1	1,099	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 376-377

GE15_D	HOW OFTEN USED COCAINE SINCE ADMISSION
---------------	---

How often have you used it in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.8	0.9	10	1	LESS THAN ONCE PER MONTH
11.8	0.2	2	2	1 TO 3 TIMES A MONTH
11.8	0.2	2	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
5.9	0.1	1	5	5 TO 6 TIMES A WEEK
11.8	0.2	2	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	98.1	1,099	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 378-379

GE15_E	HOW OFTEN USED CRACK SINCE ADMISSION
---------------	---

How often have you used crack in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.6	1.1	12	0	NOT USED
17.6	0.3	3	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
5.9	0.1	1	5	5 TO 6 TIMES A WEEK
5.9	0.1	1	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	98.1	1,099	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 380-381

GE16	HAVE YOU USED HEROIN/ALONE/COMBINED
-------------	--

During the past 3 months, have you used heroin either alone or combined with another drug (speedball)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	99.4	1,113	2	NO
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 382-383

GE16_A_1	HOW LONG AFTER TREATMENT FIRST USED HEROIN
-----------------	---

How long after you entered treatment did you first use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADMISSION
0.0	0.0	0	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.4	1,113	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 384-385

GE16_A_2	#WEEKS AFTER ADMISSION USED HEROIN
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.4	1,113	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 386-387

GE16_B_1	HOW LONG AGO DID YOU LAST USE HEROIN
-----------------	---

How long ago did you last use it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	99.4	1,113	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 388-389

GE16_B_2	HOW MANY WEEKS AGO USE HEROIN
-----------------	--------------------------------------

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	
	99.4	1,113	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 390-391

GE16_C	HOW DID YOU USUALLY TAKEN HEROIN
---------------	---

How have you usually taken it during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
100.0	0.1	1	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.4	1,113	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 392-393

GE16_D	HOW OFTEN USED HEROIN SINCE ADMISSION
---------------	--

How many times have you used it in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.4	1,113	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 394-395

GE16_E	HOW OFTEN USED HEROIN/COCAINE TOGETHER
---------------	---

How often have you used heroin and cocaine together in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT USED
50.0	0.1	1	1	LESS THAN ONCE PER MONTH
50.0	0.1	1	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 396-397

GE16_F	HOW DID YOU USUALLY TAKE COCAINE/HEROIN
---------------	--

How have you usually taken them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
100.0	0.1	1	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.4	1,113	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 398-399

GE17**DR. PRESCRIBE NARCOTICS FOR MEDICAL PROBLEM**

Now, I'd like to ask about some drugs that can be legally prescribed. In the past 3 months, has a doctor prescribed any narcotic or opiate analgesics for you for a physical or medical problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.2	1.2	13	1	YES
98.8	98.2	1,100	2	NO
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 400-401

GE17_A**#PRESCRIPTIONS FOR NARCOTICS**

How many prescriptions for narcotics or opiates did you get in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	1.0	11	1	
15.4	0.2	2	2	
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 402-403

GE17_B_1	CODE/PRESCRIBED NARCOTICS
-----------------	----------------------------------

Which narcotics or opiates have been prescribed in the past 3 months? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.0	0.0	0	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
0.0	0.0	0	6	PERCODAN
0.0	0.0	0	7	DEMEROL
0.0	0.0	0	8	DILAUDID
62.5	0.4	5	9	TYLENOL WITH CODEINE
12.5	0.1	1	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
25.0	0.2	2	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.0	0.0	0	17	MORPHINE
0.0	0.0	0	18	METHADONE
0.0	0.0	0	19	STADOL
0.0	0.0	0	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PARGGORIC
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.4	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 404-405

GE17_B_2

CODE/PRESCRIBED NARCOTICS

Which narcotics or opiates have been prescribed in the past 3 months? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	0	NONE
0.0	0.0	0	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
0.0	0.0	0	6	PERCODAN
0.0	0.0	0	7	DEMEROL
0.0	0.0	0	8	DILAUDID
0.0	0.0	0	9	TYLENOL WITH CODEINE
0.0	0.0	0	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
0.0	0.0	0	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.0	0.0	0	17	MORPHINE
0.0	0.0	0	18	METHADONE
0.0	0.0	0	19	STADOL
0.0	0.0	0	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PARGGORIC
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.2	14	-8	MISSING
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 406-407

GE17_B_3	CODE/PRESCRIBED NARCOTICS
-----------------	----------------------------------

Which narcotics or opiates have been prescribed in the past 3 months? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	0	NONE
0.0	0.0	0	1	DARVON
0.0	0.0	0	2	DOLENE
0.0	0.0	0	3	SK-65
0.0	0.0	0	4	WYGESIC
0.0	0.0	0	5	LEVO-DROMORAN
0.0	0.0	0	6	PERCODAN
0.0	0.0	0	7	DEMEROL
0.0	0.0	0	8	DILAUDID
0.0	0.0	0	9	TYLENOL WITH CODEINE
0.0	0.0	0	10	PHENAPHEN WITH CODEINE
0.0	0.0	0	11	TALWIN
0.0	0.0	0	12	TALWIN NX
0.0	0.0	0	13	TALACEN
0.0	0.0	0	14	PROPOXYPHENE
0.0	0.0	0	15	CODEINE
0.0	0.0	0	16	ANILERIDINE
0.0	0.0	0	17	MORPHINE
0.0	0.0	0	18	METHADONE
0.0	0.0	0	19	STADOL
0.0	0.0	0	20	DARVOCET
0.0	0.0	0	21	LOMOTIL
0.0	0.0	0	22	PARGGORIC
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.2	14	-8	MISSING
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 408-409

GE17_C	#WEEKS USED PRESCRIBE NARCOTICS
---------------	--

In these 3 months, about how many weeks have you used narcotics or opiates as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	0.1	1	0	
41.7	0.4	5	1	
41.7	0.4	5	2	
8.3	0.1	1	3	
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 410-411

GE18	HAVE YOU USED NARCOTICS W/OUT PRESCRIBE
-------------	--

During the past 3 months, have you used narcotics or opiates or street methadone on your own without a prescription from a doctor, more than prescribed, or for any other reasons such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	7	1	YES
99.4	99.0	1,109	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 412-413

GE18_A_1	HOW LONG AFTER TREATMENT FIRST USE NARCOTICS
-----------------	---

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	1	LESS THAN ONE WEEK AFTER ADMISSION
83.3	0.4	5	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 414-415

GE18_A_2	#WEEKS AFTER ADMISSION USED NARCOTICS
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	3	
20.0	0.1	1	4	
20.0	0.1	1	5	
20.0	0.1	1	10	
20.0	0.1	1	12	
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 416-417

GE18_B_1	HOW LONG AGO DID YOU LAST USE NARCOTICS
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.4	4	1	MORE THAN ONE WEEK AGO
33.3	0.2	2	2	WITHIN THE LAST WEEK
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 418-419

GE18_B_2	HOW MANY WEEKS AGO USED NARCOTICS
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	2	
25.0	0.1	1	4	
25.0	0.1	1	6	
25.0	0.1	1	11	
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 420-421

GE18_C	HOW DID YOU USUALLY TAKE NARCOTICS
---------------	---

How have you usually taken them during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 422-423

GE18_D	HOW OFTEN USED NARCOTICS SINCE ADMISSION
---------------	---

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 424-425

GE18_E**HOW OFTEN USED ILLEGAL METHADONE**

How often have you used street or illegal methadone in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.4	4	0	NOT USED
33.3	0.2	2	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 426-427

GE19**DR. PRESCRIPTION SEDATIVE/TRANQUILIZER FOR MEDICINE PROBLEM**

In the past 3 months, has a doctor legitimately prescribed any sedatives or tranquilizers for you for a physical or emotional problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	4	1	YES
99.6	99.2	1,111	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 428-429

GE19_A**#PRESCRIPTIONS GOT FOR SEDATIVES**

How many prescriptions for sedatives or tranquilizers
have you gotten in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	
75.0	0.3	3	2	
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 430-431

GE19B1_1	CODE/PRESCRIBED SEDATIVES
----------	---------------------------

Which sedatives or tranquilizers have been prescribed
in the past 3 months?

Sedatives - first mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
0.0	0.0	0	9	SECONAL
0.0	0.0	0	10	TUINAL
0.0	0.0	0	11	DALMANE
0.0	0.0	0	12	RESTORIL
0.0	0.0	0	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
0.0	0.0	0	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 432-433

GE19B1_2	CODE/PRESCRIBED SEDATIVES
-----------------	----------------------------------

Which sedatives or tranquilizers have been prescribed in the past 3 months?

Sedatives - second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.0	0.0	0	1	BUTISOL
0.0	0.0	0	2	BUTICAPS
0.0	0.0	0	3	AMYTAL
0.0	0.0	0	4	MEBARAL
0.0	0.0	0	5	PLACIDYL
0.0	0.0	0	6	DORIDEN
0.0	0.0	0	7	NOLUDAR
0.0	0.0	0	8	NEMBUTAL
0.0	0.0	0	9	SECONAL
0.0	0.0	0	10	TUINAL
0.0	0.0	0	11	DALMANE
0.0	0.0	0	12	RESTORIL
0.0	0.0	0	13	HALCION
0.0	0.0	0	14	AMOBARBITAL
0.0	0.0	0	15	PHENOBARBITAL
0.0	0.0	0	16	METHAQUALONE (INCL. SOPR, QUAALUDE)
0.0	0.0	0	17	CHLORAL HYDRATE
0.0	0.0	0	18	PENTOBARBITAL
0.0	0.0	0	19	SECOBARBITAL
0.0	0.0	0	20	FLURAZEPAN
0.0	0.0	0	21	NOCTEC
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 434-435

GE19B2_1

CODE/PRESCRIBED TRANQUILIZERS

Which sedatives or tranquilizers have been prescribed
in the past 3 months?

Tranquilizers - first mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.0	0.0	0	1	VALIUM
0.0	0.0	0	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
0.0	0.0	0	5	SERAX
0.0	0.0	0	6	TRANXENE
0.0	0.0	0	7	ATIVAN
0.0	0.0	0	8	CENTRAX
0.0	0.0	0	9	XANAX
50.0	0.1	1	10	PAXIPAM
0.0	0.0	0	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
0.0	0.0	0	15	VISTARIL
50.0	0.1	1	16	ATARAX
0.0	0.0	0	17	DURRAX
0.0	0.0	0	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.0	0.0	0	21	HYDROXYZINE
0.0	0.0	0	22	BENADRYL
0.0	0.0	0	23	CLONAZEPAN
0.0	0.0	0	24	KLONOPIN
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 436-437

GE19B2_2	CODE/PRESCRIBED TRANQUILIZERS
-----------------	--------------------------------------

Which sedatives or tranquilizers have been prescribed in the past 3 months?

Tranquilizers - second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.0	0.0	0	1	VALIUM
0.0	0.0	0	2	LIBRIUM
0.0	0.0	0	3	LIMBITROL
0.0	0.0	0	4	MENRIUM
0.0	0.0	0	5	SERAX
0.0	0.0	0	6	TRANXENE
0.0	0.0	0	7	ATIVAN
0.0	0.0	0	8	CENTRAX
0.0	0.0	0	9	XANAX
0.0	0.0	0	10	PAXIPAM
0.0	0.0	0	11	BUSPAR
0.0	0.0	0	12	MILTOWN
0.0	0.0	0	13	EQUANIL
0.0	0.0	0	14	DEPROL
0.0	0.0	0	15	VISTARIL
0.0	0.0	0	16	ATARAX
0.0	0.0	0	17	DURRAX
0.0	0.0	0	18	DIAZEPAM
0.0	0.0	0	19	SK-LYGEN
0.0	0.0	0	20	MEPROBAMATE
0.0	0.0	0	21	HYDROXYZINE
0.0	0.0	0	22	BENADRYL
0.0	0.0	0	23	CLONAZEPAN
0.0	0.0	0	24	KLONOPIN
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 438-439

GE19_C**#WEEKS USED PRESCRIPTION SEDATIVE/TRANQUILIZER**

In these 3 months, about how many weeks have you used sedatives or tranquilizers as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	2	
20.0	0.1	1	4	
40.0	0.2	2	11	
20.0	0.1	1	12	
	99.1	1,110	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 440-441

GE20**USED SEDATIVE/TRANQUILIZER WITHOUT PRESCRIPTION**

During the past 3 months, have you used sedatives or tranquilizers on your own without a prescription from a doctor, more than prescribed, or for any nonmedical reason such as getting high?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	4	1	YES
99.6	99.3	1,112	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 442-443

GE20_A_1 HOW LONG AFTER TREATMENT FIRST USED SEDATIVE

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADMISSION
100.0	0.4	5	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 444-445

GE20_A_2 #WEEKS AFTER ADMISSION USED SEDATIVES

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	2	1	
20.0	0.1	1	2	
40.0	0.2	2	8	
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 446-447

GE20_B_1 HOW LONG AGO DID YOU LAST USE SEDATIVES

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 448-449

GE20_B_2	HOW MANY WEEKS AGO USED SEDATIVES
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	2	
20.0	0.1	1	4	
20.0	0.1	1	6	
40.0	0.2	2	11	
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 450-451

GE20_C	HOW DID YOU USUALLY TAKE SEDATIVES
---------------	---

How have you usually taken them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.4	4	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
20.0	0.1	1	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 452-453

GE20_D	HOW OFTEN USED SEDATIVES SINCE ADMISSION
---------------	---

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 454-455

GE20_E_1	TYPE SEDATIVE/TRANQUILIZER/SLEEPING PILL
-----------------	---

What types of sedatives and tranquilizers have you been taking in the past 3 months? Were they sedatives and sleeping pills?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 456-457

GE20_E_2	TYPE SEDATIVE/TRANQUILIZER/BARBITURATES
-----------------	--

What types of sedatives and tranquilizers have you been taking in the past 3 months? Were they barbiturates?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 458-459

GE20_E_3	TYPE SEDATIVE/TRANQUILIZER/BENZODIAZEPINES
-----------------	---

What types of sedatives and tranquilizers have you been taking in the past 3 months? Were they benzodiazepines, such as Xanax, Valium, or Librium?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	3	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 460-461

GE20_E_4	TYPE SEDATIVE/TRANQUILIZER/OTHER TRANQUILIZER
-----------------	--

What types of sedatives and tranquilizers have you been taking in the past 3 months? Were they other tranquilizers?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 462-463

GE20_F	TYPE SEDATIVE USED MOST/CODE FROM E20E
---------------	---

Which type have you used most often in the past 3 months for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	SEDATIVES AND SLEEPING PILLS
0.0	0.0	0	2	BARBITURATES
0.0	0.0	0	3	BENZODIAZEPINE, SUCH AS XANAX, VALIUM, OR LIBRIUM
0.0	0.0	0	4	OTHER TRANQUILIZERS
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 464-465

GE21	DR. PRESCRIBED STIMULANTS FOR MEDICINE PROBLEM
-------------	---

During the past 3 months, has a doctor legitimately prescribed any stimulants for you for a physical or emotional problem or condition?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	22	1	YES
98.0	97.6	1,093	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 466-467

GE21_A

#PRESCRIPTIONS GOT FOR STIMULANTS

How many prescriptions for stimulants did you get in
the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	1.1	12	1	
15.0	0.3	3	2	
20.0	0.4	4	3	
5.0	0.1	1	4	
	97.5	1,092	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 468-469

GE21_B_1	CODE/PRESCRIBED STIMULANTS
-----------------	-----------------------------------

Which stimulants have been prescribed in the past 3 months?
 First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLGGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
90.0	1.6	18	18	RITALIN
10.0	0.2	2	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMIN
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE ('SPEED' OR 'CRANK')
0.0	0.0	0	23	OBEDRIN-L.A.
	97.5	1,092	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 470-471

GE21_B_2

CODE/PRESCRIBED STIMULANTS

Which stimulants have been prescribed in the past 3 months?
Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	NONE
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLGGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMIN
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE ('SPEED' OR 'CRANK')
0.0	0.0	0	23	OBEDRIN-L.A.
	97.6	1,093	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 472-473

GE21_B_3	CODE/PRESCRIBED STIMULANTS
-----------------	-----------------------------------

Which stimulants have been prescribed in the past 3 months?
Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	NONE
0.0	0.0	0	1	DEXEDRINE
0.0	0.0	0	2	DEXAMYL
0.0	0.0	0	3	ESKATROL
0.0	0.0	0	4	BENZEDRINE
0.0	0.0	0	5	BIPHETAMINE
0.0	0.0	0	6	DESOXYN
0.0	0.0	0	7	TENUATE
0.0	0.0	0	8	TEPANIL
0.0	0.0	0	9	DIDREX
0.0	0.0	0	10	PLGGINE
0.0	0.0	0	11	PRELUDIN
0.0	0.0	0	12	IONAMIN
0.0	0.0	0	13	FASTIN
0.0	0.0	0	14	PONDIMIN
0.0	0.0	0	15	VORANIL
0.0	0.0	0	16	SANOREX
0.0	0.0	0	17	MAZANOR
0.0	0.0	0	18	RITALIN
0.0	0.0	0	19	CYLERT
0.0	0.0	0	20	DEXTROAMPHETAMIN
0.0	0.0	0	21	METHEDRINE
0.0	0.0	0	22	METHAMPHETAMINE ('SPEED' OR 'CRANK')
0.0	0.0	0	23	OBEDRIN-L.A.
	97.6	1,093	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 474-475

GE21_C	#WEEKS USED PRESCRIBED STIMULANTS
---------------	--

In these 3 months, about how many weeks have you used stimulants as prescribed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	0.2	2	0	
4.5	0.1	1	1	
13.6	0.3	3	2	
9.1	0.2	2	3	
9.1	0.2	2	4	
4.5	0.1	1	5	
4.5	0.1	1	7	
4.5	0.1	1	8	
9.1	0.2	2	10	
4.5	0.1	1	11	
18.2	0.4	4	12	
9.1	0.2	2	13	
	97.4	1,091	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 476-477

GE22	USED AMPHETAMINES W/OUT PRESCRIPTION
-------------	---

During the past 3 months, have you used amphetamines or other stimulants for nonmedical reasons?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	5	1	YES
99.6	99.3	1,112	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 478-479

GE22_A_1	HOW LONG AFTER TREATMENT USED AMPHETAMINE
-----------------	--

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	1	LESS THAN ONE WEEK AFTER ADMISSION
80.0	0.4	4	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 480-481

GE22_A_2	#WEEK AFTER ADMISSION USE AMPHETAMINE
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	3	
25.0	0.1	1	4	
25.0	0.1	1	6	
25.0	0.1	1	8	
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 482-483

GE22_B_1

HOW LONG AGO YOU LAST USED AMPHETAMINES

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 484-485

GE22_B_2	HOW MANY WEEKS AGO USE AMPHETAMINES
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	2	4	
20.0	0.1	1	5	
20.0	0.1	1	7	
20.0	0.1	1	12	
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 486-487

GE22_C	HOW DID YOU USUALLY TAKE AMPHETAMINES
---------------	--

How have you usually taken them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	2	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
60.0	0.3	3	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 488-489

GE22_D**HOW OFTEN USE AMPHETAMINES SINCE ADMISSION**

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	2	1	LESS THAN ONCE PER MONTH
20.0	0.1	1	2	1 TO 3 TIMES A MONTH
20.0	0.1	1	3	1 TO 2 TIMES A WEEK
20.0	0.1	1	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 490-491

GE22_E**HOW OFTEN YOU USE METHAMPHETAMINES**

How often have you used methamphetamines or ice in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	0	NOT USED
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 492-493

GE23 DR. EVER PRESCRIPTION MAJOR TRANQUILIZER/ANTIDEPRESSANT

Has a doctor ever prescribed major tranquilizers such as Thorazine, Stelazine, or Lithium or major antidepressants such as Elavil or Prozac?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	93.6	1,048	0	NEITHER
2.1	2.1	23	1	MAJOR TRANQUILIZERS
3.4	3.4	38	2	MAJOR ANTIDEPRESSANTS
0.4	0.4	4	3	BOTH
	0.5	6	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 494-495

GE23_A USED MAJOR TRANQUILIZER/ANTIDEPRESSANTS

Have you used either major tranquilizers or major antidepressants in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.7	2.2	25	0	NEITHER
15.7	1.0	11	1	MAJOR TRANQUILIZERS
44.3	2.8	31	2	MAJOR ANTIDEPRESSANTS
4.3	0.3	3	3	BOTH
	93.1	1,043	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 496-497

GE24**HAVE YOU USED LSD/PCP/HALLUCINOGEN**

During the past 3 months, have you used LSD, PCP, or any other hallucinogen or psychedelic?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	20	1	YES
98.2	97.9	1,097	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 498-499

GE24_A_1**HOW LONG AFTER TREATMENT USED LSD/PCP/HALLUCINOGEN**

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.3	3	1	LESS THAN ONE WEEK AFTER ADMISSION
83.3	1.3	15	2	AT LEAST ONE WEEK AFTER ADMISSION
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 500-501

GE24_A_2	#WEEK AFTER ADMISSION USE LSD/PCP/HALLUCINOGEN
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.2	2	1	
6.7	0.1	1	2	
6.7	0.1	1	3	
13.3	0.2	2	4	
6.7	0.1	1	7	
33.3	0.4	5	8	
6.7	0.1	1	9	
6.7	0.1	1	10	
6.7	0.1	1	11	
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 502-503

GE24_B_1	HOW LONG AGO YOU LAST USE LSD/PCP
-----------------	--

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.8	1.3	15	1	MORE THAN ONE WEEK AGO
6.2	0.1	1	2	WITHIN THE LAST WEEK
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 504-505

GE24_B_2**HOW MANY WEEKS AGO USE LSD/PCP/HALLUCINOGEN**

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.2	0.1	1	1	
25.0	0.4	4	2	
6.2	0.1	1	3	
12.5	0.2	2	4	
12.5	0.2	2	6	
6.2	0.1	1	7	
6.2	0.1	1	8	
6.2	0.1	1	9	
6.2	0.1	1	10	
12.5	0.2	2	11	
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 506-507

GE24_C**HOW DID YOU TAKE LSD/PCP/HALLUCINOGEN**

How have you usually taken them during these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.3	1.3	15	1	BY MOUTH (EAT, CHEW)
5.6	0.1	1	2	BY SMOKING IT
5.6	0.1	1	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
5.6	0.1	1	7	SOME OTHER WAY
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 508-509

GE24_D	HOW OFTEN YOU USED LSD/PCP/HALLUCINOGEN
---------------	--

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.6	0.9	10	1	LESS THAN ONCE PER MONTH
26.3	0.4	5	2	1 TO 3 TIMES A MONTH
10.5	0.2	2	3	1 TO 2 TIMES A WEEK
5.3	0.1	1	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
5.3	0.1	1	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 510-511

GE24_E	HOW OFTEN USED PCP SINCE ADMISSION
---------------	---

How often have you used PCP in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	1.1	12	0	NOT USED
27.8	0.4	5	1	LESS THAN ONCE PER MONTH
5.6	0.1	1	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 512-513

GE25**HAVE YOU USED INHALANTS SINCE ADMISSION**

During the past 3 months, have you used inhalants or things you sniff, such as glue, gasoline, paint thinner, or aerosol sprays?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	2.0	22	1	YES
98.0	97.6	1,093	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 514-515

GE25_A_1**HOW LONG AFTER TREATMENT USE INHALANTS**

How long after you entered treatment did you first use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.1	1	1	LESS THAN ONE WEEK AFTER ADMISSION
94.7	1.6	18	2	AT LEAST ONE WEEK AFTER ADMISSION
	97.6	1,093	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 516-517

GE25_A_2	#WEEKS AFTER ADMISSION USE INHALANTS
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.2	2	1	
5.6	0.1	1	2	
11.1	0.2	2	3	
11.1	0.2	2	4	
16.7	0.3	3	5	
16.7	0.3	3	7	
11.1	0.2	2	8	
11.1	0.2	2	10	
5.6	0.1	1	12	
	97.6	1,093	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 518-519

GE25_B_1	HOW LONG AGO YOU LAST USED INHALANTS
-----------------	---

How long ago did you last use them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.2	1.3	15	1	MORE THAN ONE WEEK AGO
11.8	0.2	2	2	WITHIN THE LAST WEEK
	97.6	1,093	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 520-521

GE25_B_2**HOW MANY WEEKS AGO USE INHALANTS**

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.3	3	2	
5.3	0.1	1	3	
15.8	0.3	3	4	
5.3	0.1	1	5	
10.5	0.2	2	6	
5.3	0.1	1	7	
21.1	0.4	4	8	
5.3	0.1	1	9	
10.5	0.2	2	10	
5.3	0.1	1	11	
	97.6	1,093	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 522-523

GE25_C**HOW OFTEN USE INHALANTS SINCE ADMISSION**

How often have you used them in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	1.3	15	1	LESS THAN ONCE PER MONTH
5.0	0.1	1	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
10.0	0.2	2	4	3 TO 4 TIMES A WEEK
5.0	0.1	1	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
5.0	0.1	1	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	97.6	1,093	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 524-525

GE26 WHICH DRUG CAUSED YOU MOST SERIOUS PROBLEM

During the past 3 months, what type of drug that you used has caused you the most serious problems, such as problems with family, friends, school, or the law; problems feeling dependent on the drug: or physical or emotional problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
91.5	91.2	1,021	0	NO PROB DRUG
0.4	0.4	5	10	ALCOHOL
6.1	6.1	68	20	MARIJUANA, HASHISH, THC
0.3	0.3	3	30	HALLUCINOGENS/PSYCHEDELICS
0.9	0.9	10	40	COCAINE IN ANY FORM
0.4	0.4	4	41	CRACK
0.2	0.2	2	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.1	0.1	1	70	DOWNERS/DEPRESSANTS
0.2	0.2	2	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 526-527

GE26_A_1 HOW LONG AFTER TREATMENT USED PRIMARY DRUG

How long after you entered treatment did you first use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADMISSION
100.0	0.3	3	2	AT LEAST ONE WEEK AFTER ADMISSION
	99.6	1,116	-9	LEGITIMATE NONRESPONSE
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 528-529

GE26_A_2	#WEEK AFTER ADMISSION USE PRIMARY DRUG
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	7	
33.3	0.1	1	8	
33.3	0.1	1	10	
	99.6	1,116	-9	LEGITIMATE NONRESPONSE
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 530-531

GE26_B_1	HOW LONG AGO YOU LAST USE PRIMARY DRUG
-----------------	---

How long ago did you last use (PRIMARY PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	99.6	1,116	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 532-533

GE26_B_2	HOW MANY WEEKS AGO USE PRIMARY DRUG
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	2	
33.3	0.1	1	3	
33.3	0.1	1	6	
	99.6	1,116	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 534-535

GE26_C	HOW DID YOU TAKE PRIMARY DRUG
---------------	--------------------------------------

How have you usually taken (PRIMARY PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	BY MOUTH (EAT, CHEW)
66.7	0.2	2	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	99.6	1,116	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 536-537

GE26_D

HOW OFTEN YOU USED PRIMARY DRUG

How often have you used (PRIMARY PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
33.3	0.1	1	7	2 OR 3 TIMES A DAY
33.3	0.1	1	8	4 OR MORE TIMES A DAY
	99.6	1,116	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 538-539

GE27 DRUG OTHER THAN PRIMARY CAUSE PROBLEMS

You said that (PRIMARY PROBLEM DRUG) had caused you the most serious problems. In the past 3 months, has using any other drug caused you to have problems (such as problems with family, friends, school, or the law; problems feeling dependent on the drug; or emotional problems)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	0.5	6	1	YES
82.4	2.5	28	2	NO
	97.0	1,086	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 540-541

GE27_A SECOND PROBLEM DRUG

Which drug caused you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO PROB DRUG
33.3	0.2	2	10	ALCOHOL
16.7	0.1	1	20	MARIJUANA, HASHISH, THC
16.7	0.1	1	30	HALLUCINOGENS/PSYCHEDELICS
16.7	0.1	1	40	COCAINE IN ANY FORM
16.7	0.1	1	41	CRACK
0.0	0.0	0	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.0	0.0	0	70	DOWNERS/DEPRESSANTS
0.0	0.0	0	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 542-543

GE27_B_1	HOW LONG AFTER TREATMENT USED SECOND DRUG
-----------------	--

How long after you entered treatment did you first use
(SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADMISSION
0.0	0.0	0	2	AT LEAST ONE WEEK AFTER ADMISSION
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 544-545

GE27_B_2	#WEEK AFTER ADMISSION USE SECOND DRUG
-----------------	--

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 546-547

GE27_C_1	HOW LONG AGO YOU LAST USE SECOND DRUG
-----------------	--

How long ago did you last use (SECOND PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 548-549

GE27_C_2	HOW MANY WEEKS AGO USE SECOND DRUG
-----------------	---

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 550-551

GE27_D	HOW DID YOU TAKE SECOND DRUG
---------------	-------------------------------------

How have you usually taken (SECOND PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 552-553

GE27_E**HOW OFTEN YOU USED SECOND DRUG**

How often have you used (SECOND PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 554-555

GE28**DRUG OTHER THAN PRIMARY/SECONDARY CAUSE PROBLEMS**

Besides (PRIMARY PROBLEM DRUG) and (SECOND PROBLEM DRUG), did any other drugs cause you problems during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	1	YES
0.0	0.0	0	2	NO
	99.8	1,118	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 556-557

GE28_A	THIRD PROBLEM DRUG
---------------	---------------------------

Which drug caused you these problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO PROB DRUG
100.0	0.2	2	10	ALCOHOL
0.0	0.0	0	20	MARIJUANA, HASHISH, THC
0.0	0.0	0	30	HALLUCINOGENS/PSYCHEDELICS
0.0	0.0	0	40	COCAINE IN ANY FORM
0.0	0.0	0	41	CRACK
0.0	0.0	0	50	HEROIN ALONE, WITH OTHER DRUGS
0.0	0.0	0	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.0	0.0	0	70	DOWNERS/DEPRESSANTS
0.0	0.0	0	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
0.0	0.0	0	81	METHAMPHETAMINES/ICE
0.0	0.0	0	90	ANY OTHER DRUGS
0.0	0.0	0	91	INHALANTS
	99.8	1,118	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 558-559

GE28_B_1	HOW LONG AFTER TREATMENT USED THIRD DRUG
-----------------	---

How long after you entered treatment did you first use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONE WEEK AFTER ADMISSION
0.0	0.0	0	2	AT LEAST ONE WEEK AFTER ADMISSION
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 560-561

GE28_B_2	#WEEK AFTER ADMISSION USE THIRD DRUG
-----------------	---

How many weeks after admission was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 562-563

GE28_C_1	HOW LONG AGO YOU LAST USE THIRD DRUG
-----------------	---

How long ago did you last use (THIRD PROBLEM DRUG)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MORE THAN ONE WEEK AGO
0.0	0.0	0	2	WITHIN THE LAST WEEK
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 564-565

GE28_C_2	HOW MANY WEEKS AGO USE THIRD DRUG
-----------------	--

How many weeks ago was that?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 566-567

GE28_D	HOW DID YOU TAKE THIRD DRUG
---------------	------------------------------------

How have you usually taken (THIRD PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	BY MOUTH (EAT, CHEW)
0.0	0.0	0	2	BY SMOKING IT
0.0	0.0	0	3	BY INHALING/SNORTING/SNIFFING IT
0.0	0.0	0	4	BY INJECTING IT INTO A VEIN
0.0	0.0	0	5	BY INJECTING IT SOMEWHERE ELSE
0.0	0.0	0	6	BY FREEBASING
0.0	0.0	0	7	SOME OTHER WAY
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 568-569

GE28_E	HOW OFTEN YOU USED THIRD DRUG
---------------	--------------------------------------

How often have you used (THIRD PROBLEM DRUG) in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	LESS THAN ONCE PER MONTH
0.0	0.0	0	2	1 TO 3 TIMES A MONTH
0.0	0.0	0	3	1 TO 2 TIMES A WEEK
0.0	0.0	0	4	3 TO 4 TIMES A WEEK
0.0	0.0	0	5	5 TO 6 TIMES A WEEK
0.0	0.0	0	6	DAILY OR ALMOST EVERY DAY
0.0	0.0	0	7	2 OR 3 TIMES A DAY
0.0	0.0	0	8	4 OR MORE TIMES A DAY
	100.0	1,120	-9	LEGITIMATE NONRESPONSE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 570-571

GE29

#DOLLARS SPENT ON DRUGS FOR OWN USE

In the past 3 months, how much would you say you have spent on drugs for your own nonmedical use, excluding alcohol?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.2	93.8	1,051	0	
0.4	0.4	4	5	
0.1	0.1	1	8	
0.9	0.9	10	10	
0.1	0.1	1	15	
0.6	0.6	7	20	
0.2	0.2	2	25	
0.3	0.3	3	30	
0.2	0.2	2	35	
0.3	0.3	3	40	
0.2	0.2	2	50	
0.1	0.1	1	60	
0.2	0.2	2	75	
0.2	0.2	2	80	
0.6	0.6	7	100	
0.1	0.1	1	130	
0.3	0.3	3	150	
0.4	0.4	4	200	
0.2	0.2	2	250	
0.2	0.2	2	300	
0.1	0.1	1	350	
0.1	0.1	1	400	
0.1	0.1	1	555	
0.1	0.1	1	600	
0.2	0.2	2	2000	
	0.2	2	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 572-575

GE30 **HAVE YOU OVERDOSED ON DRUGS**

In the past 3 months, have you overdosed on drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.3	3	1	YES
99.7	98.8	1,106	2	NO
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 576-577

GE30_A **#TIMES YOU OVERDOSED DRUGS**

How many times have you overdosed in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	0	
60.0	0.3	3	1	
20.0	0.1	1	2	
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 578-579

GE31 **DID YOU USE DRUG WITH A NEEDLE/SYRINGE**

In the past 3 months, have you used drugs with a needle, syringe, or "works" to shoot up drugs after anyone else had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	98.9	1,108	2	NO
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 580-581

GE31A_1	FREQUENCY USE W/NEEDLE AFTER/REGULAR SEX PARTNER
----------------	---

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after your regular sexual partner or spouse had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 582-583

GE31A_2	FREQUENCY USE W/NEEDLE AFTER/UNKNOWN PARTNER
----------------	---

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after anyone you had sex with but hadn't known very long had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 584-585

GE31A_3 FREQUENCY USE W/NEEDLE AFTER/A PROSTITUTE

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after a prostitute had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 586-587

GE31A_4 FREQUENCY USE W/NEEDLE AFTER/AIDS/HIV +

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after someone you know or thought had AIDS or had a positive HIV test had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 588-589

GE31A_5**FREQUENCY USE W/NEEDLE AFTER/HOMO/BI/SEXUAL**

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after a man you know or thought was homosexual or bisexual had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 590-591

GE31A_6**FREQUENCY USE W/NEEDLE AFTER/STRANGER**

In the past 3 months, how many times have you used a needle, syringe, or "works" to shoot up drugs after people you didn't know very long or strangers had used it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	0	
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 592-593

GE32 CLEAN NEEDLE BEFORE USE/AFTER PEOPLE

In the past 3 months, have you tried to clean the needles and syringes other people had used before you used them?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.2	2	2	NO
	98.8	1,107	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 594-595

GE33_A CLEAN NEEDLE AFTER/W/ALCOHOL/WATER

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you used alcohol and rinsed with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 596-597

GE33_B**CLEAN NEEDLE AFTER/W/BLEACH & WATER**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you used bleach or Clorox and rinsed with clean water?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 598-599

GE33_C**CLEAN NEEDLE AFTER/W/BOIL IN WATER**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you boiled them in water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 600-601

GE33_D CLEAN NEEDLE AFTER/W/WATER/ONE CLEANED

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you rinsed them in water that someone else had used to clean needles?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 602-603

GE33_E CLEAN NEEDLE AFTER/W/RINSE CLEAN WATER

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you rinsed them in clean water only?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 604-605

GE33_F**CLEAN NEEDLE AFTER/W/SOME OTHER METHOD**

In the past 3 months, when you cleaned needles and syringes after others had used them, how often have you used some other method (SPECIFY)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	RARELY
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	OFTEN
0.0	0.0	0	4	ALWAYS
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 606-607

GE34**HOW TROUBLED W/YOUR DRUG PROBLEM**

In the past 3 months, how troubled or bothered have you been by your drug problem? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.1	64.0	717	0	NOT AT ALL
29.4	29.4	329	1	SOMEWHAT
6.4	6.4	72	2	VERY MUCH
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 608-609

GE37**YOUR DRUG PROBLEM CAUSED BY OTHER PROBLEMS**

In your opinion, in the past 3 months to what extent have your problems with drugs been caused by other problems in your life?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.4	77.0	862	0	NOT AT ALL
18.4	18.3	205	1	A LITTLE
4.2	4.2	47	2	A LOT
	0.2	2	-8	MISSING
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 614-615

GE38**HOW TEMPTED ARE YOU TO USE DRUGS NOW**

Overall, how tempted are you to use drugs now? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.5	47.3	530	0	NOT AT ALL
40.4	40.3	451	1	SOMEWHAT
12.0	12.0	134	2	VERY TEMPTED
	0.2	2	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 616-617

GE39_A	KEEP FROM USE DRUG/PEOPLE MADE YOU TENSE
---------------	---

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if other people around you made you tense or nervous?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.2	58	0	NOT AT ALL CONFIDENT/SURE
25.3	25.3	283	1	SOMEWHAT CONFIDENT/SURE
69.5	69.5	778	2	VERY CONFIDENT/SURE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 618-619

GE39_B	KEEP FROM USE DRUG/REMEMBERED FEELING
---------------	--

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you remembered how it makes you feel?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.1	14.1	158	0	NOT AT ALL CONFIDENT/SURE
33.8	33.8	378	1	SOMEWHAT CONFIDENT/SURE
52.1	52.0	582	2	VERY CONFIDENT/SURE
	0.1	1	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 620-621

GE39_C**KEEP FROM USE DRUG/YOU FELT RELAXED/SURE**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt relaxed and sure of yourself?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	8.3	93	0	NOT AT ALL CONFIDENT/SURE
17.5	17.4	195	1	SOMEWHAT CONFIDENT/SURE
74.2	74.0	829	2	VERY CONFIDENT/SURE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 622-623

GE39_D**KEEP FROM USE DRUG/FELT DROWSY/WANT AWAKE**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt drowsy but wanted to stay awake?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.3	48	0	NOT AT ALL CONFIDENT/SURE
13.8	13.8	154	1	SOMEWHAT CONFIDENT/SURE
81.9	81.9	917	2	VERY CONFIDENT/SURE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 624-625

GE39_E **KEEP FROM USE DRUG/FOUND SUPPLY OF DRUGS**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you unexpectedly found a supply of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.3	22.2	249	0	NOT AT ALL CONFIDENT/SURE
29.6	29.6	331	1	SOMEWHAT CONFIDENT/SURE
48.1	47.9	537	2	VERY CONFIDENT/SURE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 626-627

GE39_F **KEEP FROM USE DRUG/PEOPLE DIDN'T LIKE YOU**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt that other people didn't like you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.2	36	0	NOT AT ALL CONFIDENT/SURE
15.7	15.6	175	1	SOMEWHAT CONFIDENT/SURE
81.1	80.9	906	2	VERY CONFIDENT/SURE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 628-629

GE39_G**KEEP FROM USE DRUG/NOT ABLE TO GET SLEEP**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were not able to get to sleep?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.2	70	0	NOT AT ALL CONFIDENT/SURE
12.7	12.7	142	1	SOMEWHAT CONFIDENT/SURE
81.0	80.9	906	2	VERY CONFIDENT/SURE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 630-631

GE39_H**KEEP FROM USE DRUG/FELT NAUSEOUS**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt nauseated or sick to your stomach?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.4	38	0	NOT AT ALL CONFIDENT/SURE
8.3	8.3	93	1	SOMEWHAT CONFIDENT/SURE
88.3	88.2	988	2	VERY CONFIDENT/SURE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 632-633

GE39_I	KEEP FROM USE DRUG/PLACE/PEOPLE USE DRUG
---------------	---

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were at a party or some place where other people were using drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.8	24.7	277	0	NOT AT ALL CONFIDENT/SURE
37.9	37.9	424	1	SOMEWHAT CONFIDENT/SURE
37.3	37.2	417	2	VERY CONFIDENT/SURE
	0.1	1	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 634-635

GE39_J	KEEP FROM USE DRUG/FELT HAPPY W/SOMETHING
---------------	--

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt satisfied or happy with something you had done?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.5	9.5	106	0	NOT AT ALL CONFIDENT/SURE
16.5	16.5	185	1	SOMEWHAT CONFIDENT/SURE
74.0	73.8	827	2	VERY CONFIDENT/SURE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 636-637

GE39_K**KEEP FROM USE DRUG/FELT ANGRY ABOUT THING**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you felt angry about something?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.4	12.4	139	0	NOT AT ALL CONFIDENT/SURE
29.2	29.2	327	1	SOMEWHAT CONFIDENT/SURE
58.3	58.2	652	2	VERY CONFIDENT/SURE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 638-639

GE39_L**KEEP FROM USE DRUG/THINK USE JUST ONE TIME**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you started to think that using drugs just one time would not be a problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.6	16.5	185	0	NOT AT ALL CONFIDENT/SURE
26.4	26.3	295	1	SOMEWHAT CONFIDENT/SURE
57.0	56.9	637	2	VERY CONFIDENT/SURE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 640-641

GE39_O**KEEP FROM USE DRUG/ENCOURAGED TO USE IT**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were with someone who encouraged you to use drugs or suggested that you use drugs together?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.4	15.4	172	0	NOT AT ALL CONFIDENT/SURE
33.5	33.4	374	1	SOMEWHAT CONFIDENT/SURE
51.1	51.0	571	2	VERY CONFIDENT/SURE
	0.1	1	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 646-647

GE39_P**KEEP FROM USE DRUG/USE IT A FEW TIMES**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you wanted to prove to yourself that you could use drugs a few times without losing control?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.1	15.1	169	0	NOT AT ALL CONFIDENT/SURE
22.5	22.4	251	1	SOMEWHAT CONFIDENT/SURE
62.4	62.3	698	2	VERY CONFIDENT/SURE
	0.1	1	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 648-649

GE39_Q **KEEP FROM USE DRUG/PROBLEM W/PEOPLE A/SCHOOL**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if there were problems with people at school or work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.2	5.2	58	0	NOT AT ALL CONFIDENT/SURE
16.8	16.8	188	1	SOMEWHAT CONFIDENT/SURE
78.0	77.9	872	2	VERY CONFIDENT/SURE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 650-651

GE39_R **KEEP FROM USE DRUG/PROBLEM W/FAMILY/FRIENDS**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were having problems with your family or friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.2	10.2	114	0	NOT AT ALL CONFIDENT/SURE
28.8	28.8	322	1	SOMEWHAT CONFIDENT/SURE
61.0	61.0	683	2	VERY CONFIDENT/SURE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 652-653

GE39_S**KEEP FROM USE DRUG/BORED/NOTHING TO DO**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were bored or had nothing to do

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.5	14.5	162	0	NOT AT ALL CONFIDENT/SURE
24.1	24.1	270	1	SOMEWHAT CONFIDENT/SURE
61.4	61.3	687	2	VERY CONFIDENT/SURE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 654-655

GE39_T**KEEP FROM USE DRUG/IN PHYSICAL PAIN**

Now, I am going to read a list of situations when people sometimes use drugs. Please tell me how sure or confident you are that you would be able to keep from using drugs in each situation.

Today, how confident or sure are you of your ability to keep from using drugs if you were in pain physically?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.4	117	0	NOT AT ALL CONFIDENT/SURE
16.3	16.2	182	1	SOMEWHAT CONFIDENT/SURE
73.2	73.0	818	2	VERY CONFIDENT/SURE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 656-657

GE40	OTHER TIME/TEMPTED TO USE DRUGS
-------------	--

Are there any other times when you might be tempted to use drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	8.3	93	1	YES
91.7	91.4	1,024	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 658-659

GE40_B_1	CONFIDENCE WHEN TEMPTED TO USE DRUGS/1ST
-----------------	---

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED - 1ST MENTION)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	5.7	64	0	NOT AT ALL CONFIDENT/SURE
26.9	2.2	25	1	SOMEWHAT CONFIDENT/SURE
4.3	0.4	4	2	VERY CONFIDENT/SURE
	91.4	1,024	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 660-661

GE40_B_2**CONFIDENCE WHEN TEMPTED TO USE DRUGS/2ND**

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED - 2ND MENTION)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	1.4	16	0	NOT AT ALL CONFIDENT/SURE
20.8	0.4	5	1	SOMEWHAT CONFIDENT/SURE
12.5	0.3	3	2	VERY CONFIDENT/SURE
	91.4	1,024	-9	LEGITIMATE NONRESPONSE
	6.4	72	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 662-663

GE40_B_3**CONFIDENCE WHEN TEMPTED TO USE DRUGS/3RD**

How confident or sure are you of your ability to keep from using drugs when (SITUATION WHEN TEMPTED - 3RD MENTION)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.6	7	0	NOT AT ALL CONFIDENT/SURE
42.9	0.5	6	1	SOMEWHAT CONFIDENT/SURE
7.1	0.1	1	2	VERY CONFIDENT/SURE
	91.4	1,024	-9	LEGITIMATE NONRESPONSE
	7.3	82	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 664-665

GE42**HOW DIFFICULT/STOP DRUG/REST OF LIFE**

How difficult do you think it would be for you to stop using drugs completely for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	25.0	280	0	NOT AT ALL
41.5	41.2	462	1	SOMEWHAT
33.3	33.1	371	2	VERY DIFFICULT
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.4	4	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 670-671

GE43**CHANCES/QUIT DRUGS/REST OF YOUR LIFE**

What do you think your chances are of a quitting completely for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.0	11.9	133	1	VERY POOR
45.1	44.7	501	2	FAIR
42.9	42.5	476	3	VERY GOOD
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
	0.4	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 672-673

GE44 TREATMENT HELP/QUIT DRUGS/REST OF LIFE

How much do you think the treatment you have received here will help you do this? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.0	15.9	178	0	NOT AT ALL
32.9	32.8	367	1	SOMEWHAT
51.1	50.9	570	2	VERY MUCH
	0.1	1	-8	MISSING
	0.2	2	-4	DON'T KNOW
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 674-675

GE45 HOW DIFFICULT/CUT DOWN/REST OF LIFE

How difficult do you think it would be for you to cut down on drugs for the rest of your life? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.1	44.7	501	0	NOT AT ALL
35.9	35.6	399	1	SOMEWHAT
19.0	18.8	211	2	VERY DIFFICULT
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.3	3	-5	BAD DATA
	0.2	2	-4	DON'T KNOW
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 676-677

GE46**CHANCES ARE OF CUTTING DOWN USE OF DRUG**

What do you think your chances are of cutting down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	7.7	86	1	VERY POOR
33.0	32.6	365	2	FAIR
59.2	58.4	654	3	VERY GOOD
	0.4	5	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.3	3	-4	DON'T KNOW
	0.4	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 678-679

GE47**HOW MUCH/DRUG TREATMENT HELP/CUT DOWN**

How much do you think your treatment here will help you do this? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.9	15.6	175	0	NOT AT ALL
29.4	29.0	325	1	SOMEWHAT
54.7	53.9	604	2	VERY MUCH
	0.4	5	-8	MISSING
	0.2	2	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	0.3	3	-4	DON'T KNOW
	0.4	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 680-681

GE48_A

I AM DOING SOMETHING ABOUT MY PROBLEM

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I am doing something about the problems that have been bothering me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	3.8	43	1	STRONGLY DISAGREE
5.6	5.6	63	2	SOMEWHAT DISAGREE
35.3	35.2	394	3	SOMEWHAT AGREE
55.2	55.0	616	4	STRONGLY AGREE
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 682-683

GE48_B

HAVE DIFFICULT PROBLEM/WORKING ON THEM

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

At times my problems are difficult, but I'm working on them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.4	3.4	38	1	STRONGLY DISAGREE
4.0	4.0	45	2	SOMEWHAT DISAGREE
38.3	38.1	427	3	SOMEWHAT AGREE
54.3	54.0	605	4	STRONGLY AGREE
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 684-685

GE48_C**BEING HERE/WASTE OF TIME/I AM NOT CAUSE**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Being here is a waste of time because I am not the cause of my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.9	56.8	636	1	STRONGLY DISAGREE
23.5	23.5	263	2	SOMEWHAT DISAGREE
11.9	11.9	133	3	SOMEWHAT AGREE
7.6	7.6	85	4	STRONGLY AGREE
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 686-687

GE48_D**I AM WORKING ON MY PROBLEMS**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Even though I'm not always successful in changing, I am at least working on my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.1	24	1	STRONGLY DISAGREE
5.5	5.4	61	2	SOMEWHAT DISAGREE
40.3	40.1	449	3	SOMEWHAT AGREE
52.1	51.8	580	4	STRONGLY AGREE
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 688-689

GE48_E STRUGGLE W/PROBLEM/THOUGHT TAKEN CARE

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Sometimes I still find myself struggling with problems that I thought I had taken care of once and for all.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	9.4	105	1	STRONGLY DISAGREE
11.8	11.8	132	2	SOMEWHAT DISAGREE
44.3	44.1	494	3	SOMEWHAT AGREE
34.4	34.2	383	4	STRONGLY AGREE
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 690-691

GE48_F WISH HAD IDEAS/HOW TO SOLVE MY PROBLEM

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I wish I had more ideas on how to solve my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.3	6.2	70	1	STRONGLY DISAGREE
9.1	9.0	101	2	SOMEWHAT DISAGREE
38.4	38.3	429	3	SOMEWHAT AGREE
46.2	46.1	516	4	STRONGLY AGREE
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 692-693

GE48_G**MAY BE THIS PLACE WILL HELP ME**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Maybe this place will be able to help me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	6.7	75	1	STRONGLY DISAGREE
8.2	8.2	92	2	SOMEWHAT DISAGREE
34.6	34.6	387	3	SOMEWHAT AGREE
50.4	50.3	563	4	STRONGLY AGREE
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 694-695

GE48_H**DOING SOMETHING ABOUT CHANGING MYSELF**

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

Anyone can talk about changing, but I'm actually doing something about it.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.1	24	1	STRONGLY DISAGREE
6.5	6.5	73	2	SOMEWHAT DISAGREE
38.0	37.9	424	3	SOMEWHAT AGREE
53.3	53.1	595	4	STRONGLY AGREE
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 696-697

GE48_I	BORING TO TALK ABOUT MY PROBLEMS
---------------	---

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

It's boring to spend time talking about my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.4	32.3	362	1	STRONGLY DISAGREE
24.7	24.6	276	2	SOMEWHAT DISAGREE
29.6	29.5	330	3	SOMEWHAT AGREE
13.3	13.2	148	4	STRONGLY AGREE
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 698-699

GE48_J	DOES NOT DO GOOD TO THINK ABOUT PROBLEM
---------------	--

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

It doesn't do any good to spend time thinking about my problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.0	42.8	479	1	STRONGLY DISAGREE
27.1	27.0	302	2	SOMEWHAT DISAGREE
19.5	19.4	217	3	SOMEWHAT AGREE
10.5	10.4	117	4	STRONGLY AGREE
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 700-701

GE48_K

LIVE W/MY FAULTS/THAN TRY TO CHANGE

I'm going to read a list of feelings that some people have about themselves and their drug use, or problems related to their drug use. Please tell me how much you agree or disagree with each statement as it applies to you.

I would rather live with my faults the way they are than try to change them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.8	60.5	678	1	STRONGLY DISAGREE
24.3	24.2	271	2	SOMEWHAT DISAGREE
10.5	10.4	117	3	SOMEWHAT AGREE
4.4	4.4	49	4	STRONGLY AGREE
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 702-703

SEXUAL EXPERIENCES

GF1	#DIFFERENT FEMALES W/HAD VAGINAL INTERCOURSE
------------	---

First, I want to ask you about your sexual experiences with females in the past 3 months. In these 3 months, about how many different females have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.3	15	0	NEVER HAD VAGINAL SEX WITH A FEMALE
70.5	54.3	608	1	NONE
17.7	13.7	153	2	1 FEMALE
8.6	6.6	74	3	2 TO 4 FEMALES
1.2	0.9	10	4	5 TO 9 FEMALES
0.2	0.2	2	5	10 TO 20 FEMALES
0.0	0.0	0	6	21 TO 99 FEMALES
0.0	0.0	0	7	100 OR MORE FEMALES
	20.4	229	-9	LEGITIMATE NONRESPONSE
	2.6	29	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 706-707

GF1_A	USED CONDOM/VAGINAL INTERCOURSE W/FEMALES
--------------	--

In these 3 months, about how often have you used a condom or rubber when you have vaginal intercourse with the (female/females)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.9	4.0	45	1	NEVER
11.3	2.4	27	2	SOMETIMES
13.0	2.8	31	3	USUALLY
56.7	12.1	135	4	EVERY TIME
	76.1	852	-9	LEGITIMATE NONRESPONSE
	2.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 708-709

GF2	#OF DIFFERENT FEMALES W/HAD ANAL INTERCOURSE
------------	---

In the past 3 months, about how many different females have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	74.7	837	1	NONE
1.4	1.1	12	2	1 FEMALE
0.8	0.6	7	3	2 TO 4 FEMALES
0.0	0.0	0	4	5 TO 9 FEMALES
0.1	0.1	1	5	10 TO 20 FEMALES
0.0	0.0	0	6	21 TO 99 FEMALES
0.0	0.0	0	7	100 OR MORE FEMALES
	20.5	230	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 710-711

GF2_A	USED CONDOM/ANAL INTERCOURSE W/FEMALES
--------------	---

In these 3 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (female/females)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.0	0.6	7	1	NEVER
5.0	0.1	1	2	SOMETIMES
15.0	0.3	3	3	USUALLY
45.0	0.8	9	4	EVERY TIME
	95.1	1,065	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 712-713

GF3	INTERCOURSE W/FEMALES/TOOK \$/DRUG FOR SEX
------------	---

To the best of your knowledge, had any female you had (vaginal/anal) intercourse with in these 3 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.4	5	1	YES
97.8	19.7	221	2	NO
	75.2	842	-9	LEGITIMATE NONRESPONSE
	4.6	52	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 714-715

GF4	INTERCOURSE W/FEMALE/SHOOT UP DRUG
------------	---

To the best of your knowledge, had any female you had (vaginal/anal) intercourse with in these 3 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.3	3	1	YES
98.7	19.9	223	2	NO
	75.2	842	-9	LEGITIMATE NONRESPONSE
	4.6	52	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 716-717

GF5 # DIFFERENT MALES W/YOU HAD ANAL INTERCOURSE

Now, I want to ask you about your sexual experiences with males in the past 3 months. In these 3 months, about how many different males have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.8	67.5	756	0	NEVER HAD SEX WITH A MALE
12.2	9.4	105	1	NONE
0.0	0.0	0	2	1 MALE
0.0	0.0	0	3	2 TO 4 MALES
0.0	0.0	0	4	5 TO 9 MALES
0.0	0.0	0	5	10 TO 20 MALES
0.0	0.0	0	6	21 TO 99 MALES
0.0	0.0	0	7	100 OR MORE MALES
	20.5	230	-9	LEGITIMATE NONRESPONSE
	2.6	29	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 718-719

GF5_A USED CONDOM/ANAL INTERCOURSE W/MALES

In these 3 months, about how often have you used a condom or "rubber" when you had anal intercourse with the (male/males)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	NEVER
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	USUALLY
0.0	0.0	0	4	EVERY TIME
	97.4	1,091	-9	LEGITIMATE NONRESPONSE
	2.6	29	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 720-721

GF6**INTERCOURSE W/MALE/TOOK \$/DRUG FOR SEX**

To the best of your knowledge, had any male you had anal intercourse with in these 3 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	97.4	1,091	-9	LEGITIMATE NONRESPONSE
	2.6	29	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 722-723

GF7**HAD INTERCOURSE W/MALE/SHOOT UP DRUG**

To the best of your knowledge, had any male you had anal intercourse with in these 3 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	97.4	1,091	-9	LEGITIMATE NONRESPONSE
	2.6	29	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 724-725

GF8 ANYONE GAVE MONEY/DRUG/FOR INTERCOURSE

At any time in the past 3 months, has anyone given you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	1	YES
99.8	76.1	852	2	NO
	20.5	230	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
	0.3	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 726-727

GF9 ANYONE TESTED+/HAD AIDS

At any time in the past 3 months, have you had intercourse with anyone who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	76.2	854	2	NO
	20.5	230	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
	0.3	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 728-729

GF9_A**INTERCOURSE W/#PEOPLE/WHO TEST+/AIDS**

During that period, how many people have you had intercourse with who you thought or knew had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	1 PERSON
0.0	0.0	0	2	2 TO 4 PEOPLE
0.0	0.0	0	3	5 OR MORE PEOPLE
	96.8	1,084	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 730-731

GF10**# DIFFERENT MALES/YOU HAD VAGINAL INTERCO W/**

I want to ask you about your sexual experiences with males in the past 3 months. In that time, about how many different males have you had vaginal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.5	6	0	NEVER HAD VAGINAL INTERCOURSE W/MALE
71.7	13.1	147	1	NONE
19.5	3.6	40	2	1 MALE
3.9	0.7	8	3	2 TO 4 MALES
2.0	0.4	4	4	5 TO 9 MALES
0.0	0.0	0	5	10 TO 20 MALES
0.0	0.0	0	6	21 TO 99 MALES
0.0	0.0	0	7	100 OR MORE MALES
	79.2	887	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
	0.2	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 732-733

GF10_A	USED CONDOM/VAGINAL INTERCOURSE W/MALES
---------------	--

In these 3 months, about how often did the (male/males) you had intercourse with use a condom or "rubber" while you were having vaginal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	1.2	13	1	NEVER
15.4	0.7	8	2	SOMETIMES
13.5	0.6	7	3	USUALLY
46.2	2.1	24	4	EVERY TIME
	92.9	1,040	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
	0.2	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 734-735

GF11	# DIFFERENT MALES/YOU HAD ANAL INTERCOURSE W/
-------------	--

In the past 3 months, about how many different males have you had anal intercourse with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.9	11.3	127	0	NEVER HAD ANAL SEX WITH A MAN
39.6	7.5	84	1	NONE
0.0	0.0	0	2	1 MALE
0.0	0.0	0	3	2 TO 4 MALES
0.5	0.1	1	4	5 TO 9 MALES
0.0	0.0	0	5	10 TO 20 MALES
0.0	0.0	0	6	21 TO 99 MALES
0.0	0.0	0	7	100 OR MORE MALES
	78.8	883	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
	0.2	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 736-737

GF11_A	USED CONDOM/ANAL INTERCOURSE W/MALES
---------------	---

In these 3 months, about how often did the (male/males) you had intercourse with use a condom or "rubber" while you were having anal intercourse? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	NEVER
0.0	0.0	0	2	SOMETIMES
0.0	0.0	0	3	USUALLY
0.0	0.0	0	4	EVERY TIME
	97.7	1,094	-9	LEGITIMATE NONRESPONSE
	2.1	24	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 738-739

GF12	SEX PARTNER HAD INTERCOURSE W/BOTH SEX
-------------	---

In these 3 months, have you had (vaginal/anal) intercourse with a male who you think has had intercourse with both males and females?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	4.6	52	2	NO
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 740-741

GF13 MALE SEX PARTNER TOOK MONEY/DRUG FOR SEX

To the best of your knowledge, had any male you had (vaginal/anal) intercourse with in these 3 months ever taken money or drugs for sex?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	0.3	3	1	YES
94.3	4.5	50	2	NO
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 742-743

GF14 ANY MALE GAVE MONEY/DRUGS FOR INTERCOURSE

At any time in the past 3 months, has any male given you money or drugs to have (vaginal/anal) intercourse?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.2	2	1	YES
96.3	4.6	52	2	NO
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 744-745

GF15**MALE SEX PARTNER EVER SHOOT UP DRUGS**

To the best of your knowledge, has any male you had (vaginal/anal) intercourse with in these 3 months ever used a needle or syringe to shoot up drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.5	6	1	YES
90.0	4.8	54	2	NO
	92.2	1,033	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 746-747

GF16**MALE SEX PARTNER/TESTED +/-HAD AIDS**

At any time in the past 3 months, have you had (vaginal/anal) intercourse with any male who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	5.4	60	2	NO
	92.2	1,033	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 748-749

GF16_A	#MALES TEST+/HAD AIDS/YOU HAD INTERCO W/
---------------	---

In these 3 months, how many males have you had (vaginal/anal) intercourse with who you knew or thought had tested positive for the AIDS virus or who had AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	1 MALE
0.0	0.0	0	2	2 TO 4 MALES
0.0	0.0	0	3	5 OR MORE MALES
	97.6	1,093	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 750-751

GF17	SERVICES/ABOUT HIV INFECTION/AIDS
-------------	--

During the past 3 months, have you received any scheduled services about HIV infection, AIDS, or how to reduce the risk of spreading AIDS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.2	57.1	639	1	YES
42.8	42.7	478	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 752-753

GF17_A_1**SERVICES/ABOUT REDUCE RISK/NEEDLE USE**

What types of services or help have you received?

Reduce risk of needle use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.8	367	1	CIRCLED
	42.8	479	-9	LEGITIMATE NONRESPONSE
	24.5	274	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 754-755

GF17_A_2**SERVICES/REDUCE RISK/SEXUAL TRANSMISSION**

What types of services or help have you received?

Reduce risk of sexual transmission.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	36.9	413	2	CIRCLED
	42.8	479	-9	LEGITIMATE NONRESPONSE
	20.4	228	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 756-757

GF17_A_3 SERVICES/ABOUT HEALTH CARE OPTION/AIDS

What types of services or help have you received?

Health care option for AIDS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.5	364	3	CIRCLED
	42.8	479	-9	LEGITIMATE NONRESPONSE
	24.7	277	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 758-759

GF17_A_4 SERVICES/KNOWLEDGE/HIV INFECTION/AIDS

What types of services or help have you received?

General knowledge about HIV infection and AIDS.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	53.3	597	4	CIRCLED
	42.7	478	-9	LEGITIMATE NONRESPONSE
	4.0	45	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 760-761

GF17_B

SERVICES/PROGRAM/OTHER PLACE/BOTH

Did you get these services at this program, at some other place, or both?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.2	52.4	587	1	AT THIS PROGRAM
4.4	2.5	28	2	SOME OTHER PLACE
3.5	2.0	22	3	BOTH
	42.7	478	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 762-763

GF17_C	#MEETINGS/FOR SERVICES
---------------	-------------------------------

How many times have you met with anyone specifically for this kind of service at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.4	5	0	
18.9	10.4	116	1	
18.7	10.3	115	2	
15.4	8.5	95	3	
13.7	7.5	84	4	
5.4	2.9	33	5	
8.6	4.7	53	6	
1.3	0.7	8	7	
3.7	2.1	23	8	
1.0	0.5	6	9	
6.5	3.6	40	10	
0.3	0.2	2	11	
1.8	1.0	11	12	
0.2	0.1	1	13	
0.2	0.1	1	14	
1.3	0.7	8	15	
0.2	0.1	1	16	
0.3	0.2	2	18	
0.8	0.4	5	20	
0.3	0.2	2	24	
0.2	0.1	1	30	
0.2	0.1	1	50	
0.2	0.1	1	90	
0.2	0.1	1	99	99 OR MORE
	44.6	499	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 764-765

GF17D_01	TALKED TO/PRIMARY/REGULAR COUNSELOR
-----------------	--

Who have you seen or talked to for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.0	146	1	CIRCLED
	45.4	508	-9	LEGITIMATE NONRESPONSE
	38.7	433	-8	MISSING
	2.9	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 766-767

GF17D_02	TALKED TO/CASE MANAGER
-----------------	-------------------------------

Who have you seen or talked to for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	2	CIRCLED
	45.4	508	-9	LEGITIMATE NONRESPONSE
	51.2	574	-8	MISSING
	2.9	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 768-769

GF17D_14	TALKED TO/OTHER PROGRAM STAFF
-----------------	--------------------------------------

Who have you seen or talked to for these services?

Other program staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.6	164	14	CIRCLED
	45.1	505	-9	LEGITIMATE NONRESPONSE
	37.3	418	-8	MISSING
	2.9	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 770-771

GF17D_23	TALKED TO/NURSE
-----------------	------------------------

Who have you seen or talked to for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	11.4	128	23	CIRCLED
	45.3	507	-9	LEGITIMATE NONRESPONSE
	40.4	452	-8	MISSING
	2.9	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 772-773

GF17D_24	TALKED TO/PHYSICIAN
-----------------	----------------------------

Who have you seen or talked to for these services?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	10	24	CIRCLED
	45.0	504	-9	LEGITIMATE NONRESPONSE
	51.2	573	-8	MISSING
	2.9	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 774-775

GF17D_25	TALKED TO/SCHOOL STAFF
-----------------	-------------------------------

Who have you seen or talked to for these services?

School staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	15	25	CIRCLED
	95.6	1,071	-8	MISSING
	3.0	34	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 776-777

GF17D_61	TALKED TO/PUBLIC HEALTH AGENCY
-----------------	---------------------------------------

Who have you seen or talked to for these services?

Public health agency staff.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.8	65	61	CIRCLED
	44.9	503	-9	LEGITIMATE NONRESPONSE
	46.3	519	-8	MISSING
	2.9	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 778-779

GF17D_62	TALKED TO/AIDS OUTREACH WORKER
-----------------	---------------------------------------

Who have you seen or talked to for these services?

AIDS outreach worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.2	237	62	CIRCLED
	44.6	500	-9	LEGITIMATE NONRESPONSE
	31.2	350	-8	MISSING
	2.9	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 780-781

GF17D_91**TALKED TO/OTHER**

Who have you seen or talked to for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.4	61	91	CIRCLED
	44.9	503	-9	LEGITIMATE NONRESPONSE
	46.7	523	-8	MISSING
	2.9	33	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 782-783

GF17_E**HOW HELPFUL WAS SERVICE**

How helpful was this service? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.0	5.1	57	0	NOT AT ALL
38.8	22.1	247	1	SOMEWHAT
52.2	29.6	332	2	VERY HELPFUL
	42.7	478	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 784-785

GF18**BLOOD TEST FOR AIDS VIRUS**

Have you ever had a blood test for HIV infection (the AIDS virus)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.6	45.9	514	1	YES
53.4	52.7	590	2	NO
	0.4	5	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.9	10	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 786-787

HEALTH

GG1	YOUR HEALTH NOW
------------	------------------------

In this section, I want to ask some questions about your physical health. Would you say that your health now is . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.2	31.1	348	1	EXCELLENT
51.0	50.9	570	2	GOOD
16.7	16.6	186	3	FAIR
1.2	1.2	13	4	POOR
	0.1	1	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 788-789

GG2	HEALTH/COMPARE TO YOUR AGE PEOPLE
------------	--

Comparing your general health now to the health of other people your age, would you say your health is . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	7.9	88	1	MUCH BETTER
31.6	31.4	352	2	BETTER
55.7	55.4	621	3	THE SAME
4.6	4.6	51	4	WORSE
0.3	0.3	3	5	MUCH WORSE
	0.2	2	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 790-791

GG3 YOUR HEALTH/COMPARE TO AT ADMISSION

Would you say your health now is [READ CHOICES] than it was 3 months ago?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.8	19.7	221	1	MUCH BETTER
39.9	39.8	446	2	BETTER
35.8	35.7	400	3	THE SAME
4.3	4.3	48	4	WORSE
0.3	0.3	3	5	MUCH WORSE
	0.1	1	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 792-793

GG4 ARE YOU PREGNANT

Are you pregnant?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.4	4	1	YES
98.3	20.3	227	2	NO
	78.9	884	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 794-795

GG4_A	PREGNANCY HAS BEEN VERIFIED
--------------	------------------------------------

Has this been verified?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.0	0.4	4	1	YES
20.0	0.1	1	2	NO
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 796-797

GG4_B_1	PREGNANCY VERIFIED BY/DOCTOR
----------------	-------------------------------------

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Doctor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	1	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 798-799

GG4_B_2	PREGNANCY VERIFIED BY/PREGNANCY TEST
----------------	---

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Pregnancy test at a hospital, clinic, or doctor's office.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 800-801

GG4_B_3	PREGNANCY VERIFIED/HOME PREGNANCY TEST
----------------	---

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Home pregnancy test.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 802-803

GG4_B_4	PREGNANCY VERIFIED BY/OTHER
----------------	------------------------------------

How was it verified-by a doctor, by a pregnancy test at a hospital, clinic, or doctor's office, by a home pregnancy test, or some other way?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 804-805

GG4_C	# OF MONTHS PREGNANT
--------------	-----------------------------

How many months pregnant are you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	3	1-3 MOS
25.0	0.1	1	6	3-6 MOS
50.0	0.2	2	9	7-9 MOS
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 806-807

GG4_D	PHYSICAL DISCOMFORT DURING PREGNANCY
--------------	---

During your pregnancy, would you say that your physical or bodily discomfort has been . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
25.0	0.1	1	1	VERY MILD
0.0	0.0	0	2	MILD
75.0	0.3	3	3	MODERATE
0.0	0.0	0	4	SEVERE
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 808-809

GG4_E	PREGNANCY AFFECT/ENTER DRUG TREATMENT
--------------	--

Did being pregnant affect your decision to enter drug treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	0.4	4	2	NO
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 810-811

GG4F_1**PREGNANCY/AFFECT OF DRUGS ON BABY**

What about being pregnant affected your decision to enter drug treatment?

Concerned about effect of drugs on baby.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 812-813

GG4F_2**PREGNANCY/CONCERN ABOUT OWN HEALTH**

What about being pregnant affected your decision to enter drug treatment?

Concerned about own health.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 814-815

GG4F_3	PREGNANCY/COST OF DRUGS
---------------	--------------------------------

What about being pregnant affected your decision to enter drug treatment?

Cost of drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 816-817

GG4F_4	PREGNANCY/PRESSURE FROM OTHERS
---------------	---------------------------------------

What about being pregnant affected your decision to enter drug treatment?

Pressure from others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 818-819

GG4F_5**PREGNANCY/AFFECT CHILD CUSTODY**

What about being pregnant affected your decision to enter drug treatment?

Afraid would lose custody of baby.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 820-821

GG4F_6**PREGNANCY/OTHER**

What about being pregnant affected your decision to enter drug treatment?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 822-823

GG4G**#TIMES SAW DOCTOR ABOUT PREGNANCY**

Since you became pregnant (this time), how many times have you seen a doctor or other health professional about your pregnancy or problems with your pregnancy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	2	
25.0	0.1	1	5	
25.0	0.1	1	8	
25.0	0.1	1	25	
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 824-825

GG5_A**LIMIT VIGOROUS ACTIVITY**

During the past 3 months, has your health limited the kind of vigorous activities you could do, such as running, lifting heavy objects, or participating in strenuous sports?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	9.1	102	1	YES
90.8	89.4	1,001	2	NO
	1.5	17	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 826-827

GG5_B	LIMIT MODERATE ACTIVITY
--------------	--------------------------------

During the past 3 months, has your health limited the kind of moderate activities you could do, such as walking 2 or 3 blocks, carrying a bag of groceries, or doing housework?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.1	2.1	23	1	YES
97.9	96.2	1,078	2	NO
	1.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 828-829

GG5_C	LIMIT WALK UP HILL/CLIMB STAIRS
--------------	--

During the past 3 months, has your health limited your ability to walk uphill or to climb a few flights of stairs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	33	1	YES
97.0	95.4	1,068	2	NO
	1.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 830-831

GG5_D	PREVENT YOU FROM BENDING/LIFTING
--------------	---

During the past 3 months, has your health prevented you from bending, lifting, or stooping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.7	2.7	30	1	YES
97.3	95.5	1,070	2	NO
	1.7	19	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 832-833

GG5_E	LIMIT YOU TO WALK 1 BLOCK
--------------	----------------------------------

During the past 3 months, has your health limited your ability to walk 1 block?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	8	1	YES
99.3	97.1	1,087	2	NO
	2.2	25	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 834-835

GG5_F**LIMIT YOU TO EAT/DRESS**

During the past 3 months, has your health limited your ability to eat, dress, or bathe, or use the toilet?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	7	1	YES
99.4	97.0	1,086	2	NO
	2.4	27	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 836-837

GG7**HEALTH KEPT YOU FROM WORK/SCHOOL**

During the past 3 months, have there been any days that your health kept you from working at a job, working around the house, or going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.2	21.2	237	1	YES
78.8	78.8	882	2	NO
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 838-839

GG7_A	#DAYS/HEALTH KEPT YOU FROM WORK/SCHOOL
--------------	---

In the past 3 months, how many days has your health kept you from working at a job, working around the house, or going to school?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	0.3	3	0	
26.9	5.7	64	1	
17.6	3.8	42	2	
12.6	2.7	30	3	
8.8	1.9	21	4	
7.6	1.6	18	5	
2.9	0.6	7	6	
6.7	1.4	16	7	
1.3	0.3	3	8	
0.8	0.2	2	9	
4.2	0.9	10	10	
0.4	0.1	1	12	
4.6	1.0	11	14	
0.4	0.1	1	15	
1.3	0.3	3	20	
1.3	0.3	3	21	
0.4	0.1	1	25	
0.8	0.2	2	30	
	78.6	880	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 840-841

GG8	STAY OVERNIGHT IN HOSPITAL/HEALTH PROBLEM
------------	--

During the past 3 months, have you stayed overnight or longer in a hospital for a physical health problem (including pregnancy) not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.3	15	1	YES
98.7	98.6	1,104	2	NO
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 842-843

GG9	#HOSPITALIZATION/PHYS HEALTH PROBLEM/NOT DRUG
------------	--

In the past 3 months, how many of your hospitalizations have been for physical health problems not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.5	0.4	4	0	
52.9	0.8	9	1	
11.8	0.2	2	2	
5.9	0.1	1	3	
5.9	0.1	1	6	
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 844-845

GG10	#DAY HOSPITAL FOR PHYSICAL HEALTH PROBLEM/NOT DRUG
-------------	---

In the past 3 months, how many of the days you were hospitalized have been for a physical health problem not related to complications of drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	1.3	15	0	
7.4	0.2	2	1	
18.5	0.4	5	2	
3.7	0.1	1	3	
3.7	0.1	1	4	
3.7	0.1	1	7	
7.4	0.2	2	14	
	97.5	1,092	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 846-847

GG11**#DAY/INJURY/ILLNESS KEPT YOU IN BED FOR ALL DAY**

During the past 3 months, how many days has an injury or physical illness kept you in bed for most or all of the day?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.0	75.5	846	0	
7.5	7.4	83	1	
5.4	5.4	60	2	
3.8	3.8	42	3	
2.0	2.0	22	4	
1.3	1.2	14	5	
0.8	0.8	9	6	
1.3	1.2	14	7	
0.2	0.2	2	8	
0.3	0.3	3	9	
0.5	0.5	6	10	
0.1	0.1	1	11	
0.5	0.5	6	14	
0.2	0.2	2	15	
0.2	0.2	2	21	
0.1	0.1	1	30	
	0.5	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 848-849

GG12**DISABILITY PAYMENT/PHYS HEALTH PROBLEM**

During the past 3 months, have you been receiving disability payments or benefits for a physical health problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	4	1	YES
99.6	98.9	1,108	2	NO
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 850-851

GG12A_1	TYPE OF PENSION/SSDI
----------------	-----------------------------

What kind of a payment or benefit was that?

SSDI (Social Security Disability Income).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 852-853

GG12A_2	TYPE OF PENSION/SSI
----------------	----------------------------

What kind of a payment or benefit was that?

SSI (Supplemental Security Income).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	2	CIRCLED
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 854-855

GG12A_3	TYPE OF PENSION/WORKER'S COMP
----------------	--------------------------------------

What kind of a payment or benefit was that?

Worker's comp.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 856-857

GG12A_4	TYPE OF PENSION/OTHER
----------------	------------------------------

What kind of a payment or benefit was that?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 858-859

GG12B_1 1ST TYPE OF DISABILITY - RECODED

For what condition have you been receiving this disability payment or benefit? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
50.0	0.2	2	1	SUBSTANCE-RELATED CONDITIONS
25.0	0.1	1	2	MENTAL HEALTH CONDITIONS
25.0	0.1	1	3	ALL OTHER CONDITIONS
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 860-861

GG12B_2 1ST TYPE OF DISABILITY - RECODED

For what condition have you been receiving this disability payment or benefit? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
0.0	0.0	0	1	SUBSTANCE-RELATED CONDITIONS
0.0	0.0	0	2	MENTAL HEALTH CONDITIONS
0.0	0.0	0	3	ALL OTHER CONDITIONS
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 862-863

GG12B_3	1ST TYPE OF DISABILITY - RECODED
----------------	---

For what condition have you been receiving this disability payment or benefit? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NO DIAGNOSIS
0.0	0.0	0	1	SUBSTANCE-RELATED CONDITIONS
0.0	0.0	0	2	MENTAL HEALTH CONDITIONS
0.0	0.0	0	3	ALL OTHER CONDITIONS
	98.9	1,108	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 864-865

GG13	HOW TROUBLED BY MEDICAL PROBLEM
-------------	--

Overall, how troubled or bothered were you by medical problems in the past 3 months? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.5	79.4	889	0	NOT AT ALL
18.3	18.3	205	1	SOMEWHAT
2.1	2.1	24	2	VERY MUCH
	0.1	1	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 866-867

GG15_A

HOW SERIOUS PROBLEMS DUE DRUG/ALCOHOL USE

How serious were these problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.5	0.3	3	1	NOT AT ALL
76.9	1.8	20	2	SOMEWHAT
11.5	0.3	3	3	VERY SERIOUS
	97.6	1,093	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 872-873

ILLEGAL INVOLVEMENT

GH1 **SPENT TIME IN DETENTION/JAIL/PRISON**

In this section, I'd like to ask about any experiences you might have had with the police or courts since your admission. Let me remind you that this information will remain confidential. In these 3 months, have you spent time in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	33	1	YES
97.0	96.8	1,084	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 874-875

GH1_A	#DAYS/SPENT IN DETENTION/JAIL/PRISON
--------------	---

During the past 3 months, how much time have you spent in jail, prison, or a juvenile detention home?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.4	5	0	
17.1	0.5	6	1	
8.6	0.3	3	2	
5.7	0.2	2	3	
5.7	0.2	2	4	
2.9	0.1	1	5	
11.4	0.4	4	7	
2.9	0.1	1	8	
8.6	0.3	3	14	
2.9	0.1	1	17	
5.7	0.2	2	21	
2.9	0.1	1	28	
2.9	0.1	1	35	
2.9	0.1	1	75	
2.9	0.1	1	84	
2.9	0.1	1	88	
	96.8	1,084	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 876-877

GH2_A	ARRESTED/USE OF MARIJUANA/NARCOTICS
--------------	--

During the past 3 months, have you been arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	4	1	YES
99.6	99.4	1,113	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 878-879

GH3_A #ARRESTS/USE OF MARIJUANA/NARCOTICS

During the past 3 months, how many times have you been arrested or sent to juvenile court for use or possession of marijuana, drugs, liquor law violation, drunk and disorderly?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	1	
	99.4	1,113	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 880-881

GH2_B ARRESTED FOR/SALE/MANUFACTURE OF DRUGS

During the past 3 months, have you been arrested or sent to juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	99.6	1,116	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 882-883

GH3_B #ARRESTS/SALE/MANUFACTURE OF DRUGS

During the past 3 months, how many times have you been arrested or sent to juvenile court for sale or manufacture of drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.6	1,116	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 884-885

GH2_C**ARRESTED FOR/FORGERY/FRAUD**

During the past 3 months, have you been arrested or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	1	YES
99.8	99.5	1,114	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 886-887

GH3_C**#ARRESTS/FORGERY/FRAUD**

During the past 3 months, how many times have you been arrested or sent to juvenile court for forgery, fraud, embezzlement (including till-tapping, bad checks); buying, receiving, or possession of stolen property (including fencing)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 888-889

GH2_D	ARRESTED FOR/BURGLARY/BREAKING
--------------	---------------------------------------

During the past 3 months, have you been arrested or sent to juvenile court for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	7	1	YES
99.4	99.0	1,109	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 890-891

GH3_D	#ARRESTS/BURGLARY/BREAKING
--------------	-----------------------------------

During the past 3 months, how many times have you been arrested or sent to juvenile court for burglary-breaking and entering, unlawful entry, housebreaking, or safecracking?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.4	4	1	
16.7	0.1	1	3	
16.7	0.1	1	4	
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 892-893

GH2_E**ARRESTED FOR/LARCENY-THEFT**

During the past 3 months, have you been arrested or sent to juvenile court for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	6	1	YES
99.5	99.1	1,110	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 894-895

GH3_E**#ARRESTS/LARCENY-THEFT**

During the past 3 months, how many times have you been arrested or sent to juvenile court for larceny-theft such as pickpocketing, purse snatching (without force), shoplifting, theft from motor vehicles, theft of parts and accessories, theft from buildings or coin machines?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	2	1	
33.3	0.2	2	2	
33.3	0.2	2	3	
	99.1	1,110	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 896-897

GH2_F	ARRESTED FOR/PIMPING/PROSTITUTION
--------------	--

During the past 3 months, have you been arrested or sent to juvenile court for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	99.6	1,115	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 898-899

GH3_F	#ARRESTS/PIMPING/PROSTITUTION
--------------	--------------------------------------

During the past 3 months, how many times have you been arrested or sent to juvenile court for pimping, prostitution, or commercialized vice?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 900-901

GH2_G**ARRESTED FOR/ROBBERY-BANK/MUGGING**

During the past 3 months, have you been arrested or sent to juvenile court for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	YES
99.9	99.6	1,115	2	NO
	0.4	4	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 902-903

GH3_G**#ARRESTS/ROBBERY-BANK/MUGGING**

During the past 3 months, how many times have you been arrested or sent to juvenile court for robbery-bank, mugging, armed robbery, or purse snatching with force?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 904-905

GH2_H	ARRESTED FOR/ATTACKS ON PERSONS/KIDNAP
--------------	---

During the past 3 months, have you been arrested or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	4	1	YES
99.6	99.3	1,112	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 906-907

GH3_H	#ARRESTS/ATTACKS ON PERSONS/KIDNAPPING
--------------	---

During the past 3 months, how many times have you been arrested or sent to juvenile court for attacks on persons such as homicides, manslaughter, aggravated assault, forcible rape, or kidnapping?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.3	3	1	
25.0	0.1	1	2	
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 908-909

GH2_I**ARRESTED FOR/OTHER OFFENCE/SIMPLE ASSAULT**

During the past 3 months, have you been arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	1	YES
99.8	99.4	1,113	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 910-911

GH3_I**#ARRESTS/OTHER OFFENCES/SIMPLE ASSAULT**

During the past 3 months, how many times have you been arrested or sent to juvenile court for other offenses where people may be injured such as simple assault or offenses against family and children?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	1	
	99.4	1,113	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 912-913

GH2_J	ARRESTED FOR/DRIVING UNDER INFLUENCE
--------------	---

During the past 3 months, have you been arrested or sent to juvenile court for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
100.0	99.6	1,115	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 914-915

GH3_J	#ARRESTS/DRIVING UNDER THE INFLUENCE
--------------	---

During the past 3 months, how many times have you been arrested or sent to juvenile court for driving under the influence or driving while intoxicated?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.6	1,115	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 916-917

GH2_K**ARRESTED FOR/STATUS OFFENSES**

During the past 3 months, have you been arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.6	7	1	YES
99.4	98.8	1,107	2	NO
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 918-919

GH3_K**#ARRESTS/STATUS OFFENSES**

During the past 3 months, how many times have you been arrested or sent to juvenile court for status offenses such as running away, curfew violations, truancy, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	1	
	98.8	1,107	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 920-921

GH2_L	ARRESTED FOR/OTHER OFFENCES/GAMBLING
--------------	---

During the past 3 months, have you been arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.4	2.3	26	1	YES
97.6	94.4	1,057	2	NO
	3.3	37	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 922-923

GH3_L	#ARRESTS/OTHER OFFENCES/GAMBLING
--------------	---

During the past 3 months, how many times have you been arrested or sent to juvenile court for any other offenses such as gambling (including numbers and bookmaking), weapons offenses, probation/parole violations, contempt of court, vagrancy, suspicion, disorderly conduct, or loitering, etc?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.7	1.6	18	1	
4.8	0.1	1	3	
9.5	0.2	2	4	
	94.4	1,057	-9	LEGITIMATE NONRESPONSE
	3.8	42	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 924-925

GH4	#TIMES YOU BEEN CONVICTED
------------	----------------------------------

During the past 3 months, how many of your arrests and charges resulted in convictions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.6	93.2	1,044	0	
1.9	1.8	20	1	
0.3	0.3	3	2	
0.2	0.2	2	3	
0.1	0.1	1	6	
	4.4	49	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 926-927

GH5	HOW OFTEN/INVOLVED IN ILLEGAL ACTIVITY
------------	---

How often in the past 3 months have you been involved in "illegal" or criminal activity in order to get money for drugs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	98.1	1,099	0	NEVER
1.0	1.0	11	1	1 OR 2 TIMES
0.2	0.2	2	2	3 TO 5 TIMES
0.1	0.1	1	3	6 TO 10 TIMES
0.3	0.3	3	4	11 TO 49 TIMES
0.2	0.2	2	5	50 OR MORE TIMES
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 928-929

GH6	HAD POLICE/LEGAL PROBLEMS DUE DRUGS/ALCOHOL
------------	--

In the past 3 months, have you had any police or legal problems because of your drug or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	17	1	YES
98.5	98.3	1,101	2	NO
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 930-931

GH6_A	HOW SERIOUS/LEGAL PROBLEM/USING DRUGS
--------------	--

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.1	0.8	9	1	NOT AT ALL SERIOUS
43.5	0.9	10	2	SOMEWHAT SERIOUS
17.4	0.4	4	3	VERY SERIOUS
	97.8	1,095	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 932-933

GH7	HOW TROUBLED/LEGAL PROBLEM/NOT CIVIL PROBLEM
------------	---

In the past 3 months, how troubled have you been by police or legal problems, excluding civil problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.5	91.9	1,029	0	NOT AT ALL
5.7	5.6	63	1	SOMEWHAT
1.8	1.8	20	2	VERY TROUBLED
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 934-935

GH8	DO YOU HAVE LEGAL SERVICES
------------	-----------------------------------

Do you have legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	25.5	286	1	YES
74.3	73.7	825	2	NO
	0.4	4	-8	MISSING
	0.4	5	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 936-937

GH8_A	DO YOU NEED LEGAL SERVICES
--------------	-----------------------------------

Do you need legal services (an attorney)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.9	2.9	32	1	YES
96.1	71.1	796	2	NO
	25.5	286	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 938-939

GH9**IMPORTANCE/COUNSELING FOR LEGAL PROBLEM**

How important to you now is counseling or referral for legal problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.9	67.7	758	0	NOT AT ALL
14.1	14.0	157	1	SOMEWHAT
18.0	17.9	201	2	VERY TROUBLED
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 940-941

GIA1_1**INVOLVED IN AGGRAVATED ASSAULT**

During the past 3 months, have you been involved in this activity?

Aggravated assault.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	32	1	YES
97.1	94.9	1,063	2	NO
	2.1	24	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3271-3272

GIA1_2	# OF DAYS HAVE DONE AGGRAVATED ASSAULT
---------------	---

In the past 3 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	1.3	15	1	
12.0	0.3	3	2	
4.0	0.1	1	3	
4.0	0.1	1	4	
4.0	0.1	1	5	
12.0	0.3	3	6	
4.0	0.1	1	99	99 OR MORE
	94.9	1,063	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3273-3274

GIA2_1	INVOLVED IN BURGLARY
---------------	-----------------------------

During the past 3 months, have you been involved in this activity?

Burglary.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.1	24	1	YES
97.8	95.4	1,068	2	NO
	2.4	27	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3275-3276

GIA2_2	# OF DAYS HAVE DONE BURGLARY
---------------	-------------------------------------

In the past 3 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.1	1	0	
21.1	0.4	4	1	
10.5	0.2	2	2	
21.1	0.4	4	3	
5.3	0.1	1	4	
5.3	0.1	1	6	
5.3	0.1	1	9	
5.3	0.1	1	12	
5.3	0.1	1	14	
10.5	0.2	2	90	
5.3	0.1	1	99	99 OR MORE
	95.4	1,068	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3277-3278

GIA3_1	INVOLVED IN THEFT
---------------	--------------------------

During the past 3 months, have you been involved in this activity?

Theft.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.4	5.3	59	1	YES
94.6	92.5	1,036	2	NO
	2.1	24	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3279-3280

GIA3_2	#OF DAYS HAVE DONE THEFT
---------------	---------------------------------

In the past 3 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	1.8	20	1	
12.0	0.5	6	2	
8.0	0.4	4	3	
4.0	0.2	2	5	
6.0	0.3	3	6	
6.0	0.3	3	10	
2.0	0.1	1	11	
4.0	0.2	2	12	
2.0	0.1	1	14	
2.0	0.1	1	15	
2.0	0.1	1	20	
2.0	0.1	1	25	
2.0	0.1	1	60	
6.0	0.3	3	90	
2.0	0.1	1	99	99 OR MORE
	92.5	1,036	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3281-3282

GIA4_1	INVOLVED IN ROBBERY
---------------	----------------------------

During the past 3 months, have you been involved in this activity?

Robbery.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	20	1	YES
98.2	96.0	1,075	2	NO
	2.1	24	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3283-3284

GIA4_2	# OF DAYS HAVE DONE ROBBERY
---------------	------------------------------------

In the past 3 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.8	0.6	7	1	
18.8	0.3	3	2	
6.2	0.1	1	3	
6.2	0.1	1	4	
6.2	0.1	1	5	
6.2	0.1	1	14	
6.2	0.1	1	90	
6.2	0.1	1	99	99 OR MORE
	96.0	1,075	-9	LEGITIMATE NONRESPONSE
	2.5	28	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3285-3286

GIA5_1	INVOLVED IN FORGERY
---------------	----------------------------

During the past 3 months, have you been involved in this activity?

Forgery / embezzlement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	15	1	YES
98.6	95.7	1,072	2	NO
	2.8	31	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3287-3288

GIA5_2	# OF DAYS HAVE DONE FORGERY
---------------	------------------------------------

In the past 3 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.5	6	1	
28.6	0.4	4	2	
14.3	0.2	2	3	
7.1	0.1	1	30	
7.1	0.1	1	60	
	95.7	1,072	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3289-3290

GIA6_1	INVOLVED DEALING IN STOLEN PROPERTY
---------------	--

During the past 3 months, have you been involved in this activity?

Dealing in stolen property / fencing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	3.1	35	1	YES
96.8	94.6	1,059	2	NO
	2.2	25	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3291-3292

GIA6_2	# OF DAYS HAVE DEALT WITH STOLEN PROPERTY
---------------	--

In the past 3 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	1	0	
40.7	1.0	11	1	
11.1	0.3	3	2	
11.1	0.3	3	3	
3.7	0.1	1	5	
7.4	0.2	2	6	
3.7	0.1	1	12	
3.7	0.1	1	14	
3.7	0.1	1	20	
7.4	0.2	2	90	
3.7	0.1	1	99	99 OR MORE
	94.6	1,059	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3293-3294

GIA7_1	EVER INVOLVED IN GAMBLING
---------------	----------------------------------

During the past 3 months, have you been involved in this activity?

Gambling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.3	7.1	80	1	YES
92.7	90.4	1,013	2	NO
	2.3	26	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3295-3296

GIA7_2	# OF DAYS HAVE GAMBLED
---------------	-------------------------------

In the past 3 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.8	0.8	9	1	
10.5	0.5	6	2	
15.8	0.8	9	3	
7.0	0.4	4	4	
15.8	0.8	9	5	
3.5	0.2	2	6	
3.5	0.2	2	8	
3.5	0.2	2	9	
7.0	0.4	4	10	
1.8	0.1	1	16	
5.3	0.3	3	20	
1.8	0.1	1	25	
1.8	0.1	1	50	
1.8	0.1	1	60	
3.5	0.2	2	90	
1.8	0.1	1	99	99 OR MORE
	90.4	1,012	-9	LEGITIMATE NONRESPONSE
	4.0	45	-8	MISSING
	0.4	4	-5	BAD DATA
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3297-3298

GIA8_1**INVOLVED IN PIMPING/PROSTITUTION**

During the past 3 months, have you been involved in this activity?

Pimping / prostitution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.6	0.5	6	1	YES
99.4	96.7	1,083	2	NO
	2.6	29	-8	MISSING
	0.2	2	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3299-3300

GIA8_2**# OF DAYS HAVE DONE PIMPING/PROSTITUTION**

In the past 3 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	2	2	
33.3	0.1	1	4	
	96.7	1,083	-9	LEGITIMATE NONRESPONSE
	3.0	34	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3301-3302

GIA9_1	INVOLVED IN SELLING ILLEGAL DRUGS
---------------	--

During the past 3 months, have you been involved in this activity?

Selling illegal drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.4	4.3	48	1	YES
95.6	93.4	1,046	2	NO
	2.2	25	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3303-3304

GIA9_2

OF DAYS HAVE SOLD ILLEGAL DRUGS

In the past 3 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.2	0.1	1	0	
12.9	0.4	4	1	
16.1	0.4	5	2	
6.5	0.2	2	3	
6.5	0.2	2	4	
9.7	0.3	3	6	
6.5	0.2	2	7	
3.2	0.1	1	10	
6.5	0.2	2	14	
3.2	0.1	1	20	
3.2	0.1	1	21	
3.2	0.1	1	30	
3.2	0.1	1	45	
12.9	0.4	4	90	
3.2	0.1	1	99	99 OR MORE
	93.4	1,046	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-5	BAD DATA
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3305-3306

GIA10_1	INVOLVED IN DRIVING WHILE INTOXICATED
----------------	--

During the past 3 months, have you been involved in this activity?

Driving while intoxicated.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.4	1.3	15	1	YES
98.6	96.2	1,077	2	NO
	2.4	27	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3307-3308

GIA10_2	#DAYS DRIVEN WHILE INTOXICATED
----------------	---------------------------------------

In the past 3 months, about how many days or times have you done this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.5	6	1	
8.3	0.1	1	2	
16.7	0.2	2	3	
8.3	0.1	1	4	
8.3	0.1	1	7	
8.3	0.1	1	9	
	96.2	1,077	-9	LEGITIMATE NONRESPONSE
	2.7	30	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3309-3310

EMPLOYMENT / SUPPORT STATUS

GJ1

WHAT YOU DID MOST TIME LAST WEEK

Now, I'd like to ask some questions regarding your employment status and history. I will ask several questions regarding legitimate jobs. By "legitimate jobs," I mean jobs for pay that do not involve illegal activities. They do include part-time jobs, working for yourself, and jobs paid off the books or under the table. What were you doing most of the time last week? Were you working, looking for work, keeping house, going to school, or something else?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.1	35	1	WORKING LEGITIMATE JOB/YOURSELF
0.0	0.0	0	2	HAD A JOB BUT WAS NOT WORKING
0.9	0.9	10	3	LOOKING FOR WORK
0.6	0.6	7	4	HOMEMAKER
18.7	18.7	209	5	GOING TO SCHOOL/TRAINING PROG
0.0	0.0	0	6	UNABLE TO WORK, DISABLE
0.0	0.0	0	7	RETIRED
73.8	73.5	823	8	IN JAIL/RESI TREAT PROG/OTHER INSTI
0.2	0.2	2	9	INVOLVED IN DRUG RELATED ACTIVITY
0.0	0.0	0	10	INVOLVED IN OTHER ILLEGAL ACTIVITY
1.7	1.7	19	11	NOT WORKING/NOT INTEREST WORKING
0.9	0.9	10	12	OTHER
	0.3	3	-8	MISSING
	0.2	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 942-943

GJ2	WORKED FOR PAY/NO ILLEGAL ACTIVITIES
------------	---

Did you work for pay at all that week at any job or task that did not involve illegal activities (including working for yourself)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.1	24	1	YES
97.8	94.9	1,063	2	NO
	2.6	29	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 944-945

GJ2_A	DID YOU EARN ANY MONEY LEGALLY
--------------	---------------------------------------

In that week, did you earn any money legally3

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.7	93.9	1,052	1	DID NOT EARN MONEY LEGALLY
1.3	1.2	14	2	DID EARN MONEY LEGALLY
	4.2	47	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 946-947

GJ2_B**LOST/TOOK OFF TIME FOR ANY REASON**

Did you lose any time or take any time off for any reason that week such as for an illness, a vacation, or slack work?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.4	0.6	7	1	YES
89.6	5.4	60	2	NO
	93.5	1,047	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 948-949

GJ2_C**#HOURS MISSED AT WORK**

How many hours did you miss?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.2	2	5	
14.3	0.1	1	6	
14.3	0.1	1	12	
28.6	0.2	2	16	
14.3	0.1	1	40	
	98.8	1,106	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 950-951

GJ2_D	#HOURS WORKED FOR PAY/NO ILLEGAL ACTIVITY
--------------	--

During that week, how many hours did you actually work for pay at jobs or tasks that did not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.0	1.0	11	0	
8.2	0.4	5	5	
3.3	0.2	2	6	
1.6	0.1	1	8	
3.3	0.2	2	9	
1.6	0.1	1	10	
4.9	0.3	3	12	
1.6	0.1	1	14	
3.3	0.2	2	15	
1.6	0.1	1	16	
1.6	0.1	1	17	
1.6	0.1	1	18	
8.2	0.4	5	20	
1.6	0.1	1	23	
1.6	0.1	1	25	
1.6	0.1	1	28	
8.2	0.4	5	30	
1.6	0.1	1	32	
3.3	0.2	2	35	
1.6	0.1	1	36	
3.3	0.2	2	38	
9.8	0.5	6	40	
1.6	0.1	1	42	
1.6	0.1	1	45	
1.6	0.1	1	50	
1.6	0.1	1	56	
1.6	0.1	1	60	
	93.6	1,048	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 952-953

GJ2_E**REASON WORKED LESS THAN 35 HOURS A WEEK**

What is the main reason that you worked less than 35 hours or lost or took time from work during that week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.2	2	1	SLACK WORK, LAYOFFS, STRIKE
0.0	0.0	0	2	SEASONAL WORKER
0.0	0.0	0	3	JOB TERMINATED
2.0	0.1	1	4	NEW JOB STARTED DURING WEEK
6.0	0.3	3	5	COULD ONLY FINE PART-TIME WORK
0.0	0.0	0	6	DRUG OR ALCOHOL PROBLEM
2.0	0.1	1	7	ILLNESS
2.0	0.1	1	8	VACATION
44.0	2.0	22	9	BUSY WITH OTHER ACTIVITIES
2.0	0.1	1	10	DID NOT WANT/NEED FULL-TIME WORK
4.0	0.2	2	11	WORKWEEK USUALLY UNDER 35 HOURS
0.0	0.0	0	12	UNABLE TO WORK
0.0	0.0	0	13	RETIRED
22.0	1.0	11	14	IN JAIL, RESIDENTIAL TREATMENT PROGRAM
0.0	0.0	0	15	INVOLVED IN ILLEGAL ACTIVITIES
12.0	0.5	6	16	OTHERS
	94.7	1,061	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 954-955

GJ2_F**REASON 35/>/PAID JOB/NO ILLEGAL ACTIVITY**

Prior to that week, did you usually work 35 hours or more a week at a paid job that did not involve illegal activities?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.9	0.9	10	1	YES
99.1	96.3	1,079	2	NO
	1.3	15	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 956-957

GJ2_G	REASON WORKED LESS THAN 35 HOURS A WEEK
--------------	--

Why did you usually work less than 35 hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	1	SLACK WORK, LAYOFFS, STRIKE
0.1	0.1	1	2	SEASONAL WORKER
0.0	0.0	0	3	JOB TERMINATED
0.0	0.0	0	4	NEW JOB STARTED DURING WEEK
0.1	0.1	1	5	COULD ONLY FINE PART-TIME WORK
0.4	0.4	4	6	DRUG OR ALCOHOL PROBLEM
0.0	0.0	0	7	ILLNESS
0.1	0.1	1	8	VACATION
20.4	19.3	216	9	BUSY WITH OTHER ACTIVITIES
1.6	1.5	17	10	DID NOT WANT/NEED FULL-TIME WORK
0.1	0.1	1	11	WORKWEEK USUALLY UNDER 35 HOURS
0.1	0.1	1	12	UNABLE TO WORK
0.0	0.0	0	13	RETIRED
71.7	67.9	760	14	IN JAIL, RESIDENTIAL TREATMENT PROGRAM
0.6	0.5	6	15	INVOLVED IN ILLEGAL ACTIVITIES
4.8	4.6	51	16	OTHERS
	2.2	25	-9	LEGITIMATE NONRESPONSE
	2.7	30	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 958-959

GJ3	DID YOU LOOK FOR WORK
------------	------------------------------

Did you (look for work/look for a different job) during the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.9	5.9	66	1	YES
94.1	93.8	1,050	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 960-961

GJ3_A_1	TO FIND WORK/NO METHODS USED
----------------	-------------------------------------

What did you do these 3 months to find work?

No methods used.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.2	70	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 962-963

GJ3_A_2	TO FIND WORK/PUB EMPLOYMENT AGENCY
----------------	---

What did you do these 3 months to find work?

Public employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	2	CIRCLED
	93.8	1,050	-9	LEGITIMATE NONRESPONSE
	6.0	67	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 964-965

GJ3_A_3 TO FIND WORK/PRIVATE EMPLOY AGENCY

What did you do these 3 months to find work?

Private employment agency.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	93.8	1,050	-9	LEGITIMATE NONRESPONSE
	6.2	70	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 966-967

GJ3_A_4 TO FIND WORK/EMPLOYERS APPROACHED

What did you do these 3 months to find work?

Employers directly approached.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.6	52	4	CIRCLED
	93.8	1,050	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 968-969

GJ3_A_5**TO FIND WORK/TALK W/FRIEND/RELATIVE**

What did you do these 3 months to find work?

Talked with friends or relatives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	15	5	CIRCLED
	93.8	1,050	-9	LEGITIMATE NONRESPONSE
	4.9	55	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 970-971

GJ3_A_6**TO FIND WORK/PLACED ADS**

What did you do these 3 months to find work?

Placed or answered ads.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	16	6	CIRCLED
	93.8	1,050	-9	LEGITIMATE NONRESPONSE
	4.8	54	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 972-973

GJ3_A_7	TO FIND WORK/OTHER
----------------	---------------------------

What did you do these 3 months to find work?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	7	CIRCLED
	93.8	1,050	-9	LEGITIMATE NONRESPONSE
	5.6	63	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 974-975

GJ3_B	PROBLEMS FINDING WORK
--------------	------------------------------

Did you have trouble or problems finding (work/a different job) during that time?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
51.5	3.1	35	1	YES
48.5	2.9	33	2	NO
	93.6	1,048	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 976-977

GJ3_C_1**PROBLEM FIND JOB/NO JOBS AVAILABLE**

Why do you think you had problems (finding a job/a different job)?

No jobs available.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	12	1	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	2.2	25	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 978-979

GJ3_C_2**PROBLEM FIND JOB/LACK OF EDUCATION/SKILL/EXPERIENCE**

Why do you think you had problems (finding a job/a different job)?

Lack of education, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	2	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	2.7	30	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 980-981

GJ3_C_3	PROBLEM FIND JOB/LANGUAGE PROBLEM
----------------	--

Why do you think you had problems (finding a job/a different job)?

Language problem (doesn't speak English well).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	3.3	37	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 982-983

GJ3_C_4	PROBLEM FIND JOB/TOO YOUNG/TOO OLD
----------------	---

Why do you think you had problems (finding a job/a different job)?

Too young or too old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	4	CIRCLED
	96.4	1,080	-9	LEGITIMATE NONRESPONSE
	2.6	29	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 984-985

GJ3_C_5	PROBLEM FIND JOB/ARREST RECORD
----------------	---------------------------------------

Why do you think you had problems (finding a job/a different job)?

Arrest record.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 986-987

GJ3_C_6	PROBLEM FIND JOB/DRUG HISTORY
----------------	--------------------------------------

Why do you think you had problems (finding a job/a different job)?

Drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	3.3	37	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 988-989

GJ3_C_7	PROBLEM FIND JOB/OTHER PERSONAL HANDICAP
----------------	---

Why do you think you had problems (finding a job/a different job)?

Other personal handicaps.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	3.3	37	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 990-991

GJ3_C_8	PROBLEM FIND JOB/ILL HEALTH
----------------	------------------------------------

Why do you think you had problems (finding a job/a different job)?

Ill health.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	3.3	37	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 992-993

GJ3_C_9**PROBLEM FIND JOB/IMMIGRATION STATUS**

Why do you think you had problems (finding a job/a different job)?

Immigration status.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	3.3	37	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 994-995

GJ3_C_10**PROBLEM FIND JOB/PERCEIVED DISCRIMINATION**

Why do you think you had problems (finding a job/a different job)?

Perceived discrimination.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	10	CIRCLED
	96.3	1,079	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 996-997

GJ3_C_11 **PROBLEM FIND JOB/OTHER**

Why do you think you had problems (finding a job/a different job)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	11	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	2.8	31	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 998-999

GJ4_0 **NOT LOOK FOR WORK/NO REASONS**

What were your reasons for not looking for (work/a different job)?

No reasons.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.0	56	0	CIRCLED
	5.9	66	-9	LEGITIMATE NONRESPONSE
	89.1	998	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1000-1001

GJ4_1**NOT LOOK FOR WORK/SATISFIED W/JOB**

What were your reasons for not looking for (work/a different job)?

Satisfied with present job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	34	1	CIRCLED
	10.8	121	-9	LEGITIMATE NONRESPONSE
	86.2	965	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1002-1003

GJ4_2**NOT LOOK FOR WORK/BELIEVE NO JOB AVAIL**

What were your reasons for not looking for (work/a different job)?

Believes no jobs available in line of work or area.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	89.1	998	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1004-1005

GJ4_3 NOT LOOK FOR WORK/COULD NOT FIND WORK

What were your reasons for not looking for (work/a different job)?

Couldn't find any work.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	89.1	998	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1006-1007

GJ4_4 NOT LOOK FOR WORK/LACK SKILL/TRAINING

What were your reasons for not looking for (work/a different job)?

Lacks necessary schooling, training, skills, or experience.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	8	4	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	88.4	990	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1008-1009

GJ4_5**NOT LOOK FOR WORK/TOO OLD/YOUNG**

What were your reasons for not looking for (work/a different job)?

Employers think too young / old.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	18	5	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	87.5	980	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1010-1011

GJ4_6**NOT LOOK FOR WORK/PERSONAL HANDICAP**

What were your reasons for not looking for (work/a different job)?

Other personal handicap including drug history.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	89.1	998	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1012-1013

GJ4_7	NOT LOOK FOR WORK/FAMILY RESPONSIBILITY
--------------	--

What were your reasons for not looking for (work/a different job)?

Family responsibilities, child care problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	89.0	997	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1014-1015

GJ4_8	NOT LOOK FOR WORK/IN SCHOOL/TRAINING
--------------	---

What were your reasons for not looking for (work/a different job)?

In school or other training.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.9	156	8	CIRCLED
	10.5	118	-9	LEGITIMATE NONRESPONSE
	75.5	846	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1016-1017

GJ4_9**NOT LOOK FOR WORK/ILL HEALTH**

What were your reasons for not looking for (work/a different job)?

Ill health or physical disability other than drug use.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	9	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	88.9	996	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1018-1019

GJ4_10**NOT LOOK FOR WORK/IN JAIL/INSTITUTION**

What were your reasons for not looking for (work/a different job)?

In jail or other institution.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	64.0	717	10	CIRCLED
	10.4	117	-9	LEGITIMATE NONRESPONSE
	25.5	286	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1020-1021

GJ4_11 NOT LOOK FOR WORK/DRUG ACTIVITY

What were your reasons for not looking for (work/a different job)?

Drug activities or drug effects.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.7	19	11	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	87.4	979	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1022-1023

GJ4_12 NOT LOOK FOR WORK/ILLEGAL ACTIVITY

What were your reasons for not looking for (work/a different job)?

Illegal activities such as hustling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	12	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	88.8	994	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1024-1025

GJ4_13**NOT LOOK FOR WORK/BEING SUPPORTED**

What were your reasons for not looking for (work/a different job)?

Supported by other person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	13	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	88.8	995	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1026-1027

GJ4_14**NOT LOOK FOR WORK/LANGUAGE PROBLEM**

What were your reasons for not looking for (work/a different job)?

Language problem (trouble speaking English).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	14	CIRCLED
	10.9	122	-9	LEGITIMATE NONRESPONSE
	89.1	998	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1028-1029

GJ5	#OF DIFFERENT JOBS/EMPLOYERS WORKED
------------	--

In these 3 months, for how many different employers or businesses have you worked legitimate jobs? If you worked for yourself, such as doing in-home child care or odd jobs and yard work, count this as one employer.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	93.9	1,052	0	
4.5	4.5	50	1	
0.8	0.8	9	2	
0.3	0.3	3	3	
0.1	0.1	1	4	
0.1	0.1	1	6	
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1034-1035

GJ6	#WEEKS WORK/FULL OR PART TIME
------------	--------------------------------------

In these 3 months, how many weeks have you been employed in either full- or part-time jobs?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.8	0.3	3	0	
4.8	0.3	3	1	
3.2	0.2	2	2	
7.9	0.4	5	3	
14.3	0.8	9	4	
4.8	0.3	3	5	
4.8	0.3	3	6	
3.2	0.2	2	7	
7.9	0.4	5	8	
7.9	0.4	5	10	
28.6	1.6	18	12	
4.8	0.3	3	13	
3.2	0.2	2	39	
	93.8	1,051	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1036-1037

GJ7	#WEEKS WORK/35 OR MORE HOURS
------------	-------------------------------------

In these 3 months, how many weeks have you worked 35 or more hours a week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.7	3.0	34	0	
3.3	0.2	2	1	
5.0	0.3	3	2	
5.0	0.3	3	3	
8.3	0.4	5	4	
1.7	0.1	1	5	
3.3	0.2	2	6	
1.7	0.1	1	7	
1.7	0.1	1	10	
8.3	0.4	5	12	
3.3	0.2	2	13	
1.7	0.1	1	39	
	94.1	1,054	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1038-1039

GJ8

#WEEKS WORKED/35 OR MORE HOURS

What has been the longest period you have worked any one full-time job (35 hours or more a week) in these 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.7	0.3	3	0	
7.1	0.2	2	1	
14.3	0.4	4	2	
10.7	0.3	3	3	
14.3	0.4	4	4	
3.6	0.1	1	5	
7.1	0.2	2	6	
3.6	0.1	1	7	
3.6	0.1	1	10	
17.9	0.4	5	12	
3.6	0.1	1	13	
3.6	0.1	1	39	
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1040-1041

GJ9

CODE LIST-OCCUPATION/TYPE OF YOUR JOB

What type of job was this or what was your occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROFESSIONAL AND TECHNICAL
0.0	0.0	0	2	MANAGER AND ADMINISTRATOR
15.4	0.4	4	3	SALES
0.0	0.0	0	4	CLERICAL OR OFFICE WORKER
7.7	0.2	2	5	CRAFT AND KINDRED
7.7	0.2	2	6	OPERATIVES
0.0	0.0	0	7	TRANSPORTATION EQUIPMENT OPERATIVES
30.8	0.7	8	8	LABORERS (FARM & NONFARM)
34.6	0.8	9	10	SERVICE WORKER
3.8	0.1	1	86	OTHER
	97.1	1,088	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1042-1043

GJ9_A	BUSINESS OR INDUSTRY CODE
--------------	----------------------------------

What type of business or industry was this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	0.1	1	1	AGRICULTURE/FORESTRY/FISHERIES
4.0	0.1	1	2	CONSTRUCTION
4.0	0.1	1	3	MANUFACTURING
0.0	0.0	0	4	TRANSPORT./COMMUNIC./OTHER PUB UTILITIES
0.0	0.0	0	5	WHOLESALE TRADE
56.0	1.2	14	6	RETAIL TRADE
0.0	0.0	0	7	FINANCE/INSUR./REAL ESTATE
8.0	0.2	2	8	BUSINESS/REPAIR SERVICES
0.0	0.0	0	9	PERSONAL SERVICES
12.0	0.3	3	10	ENTERTAINMENT/REC. SVCS
12.0	0.3	3	11	PROF./RELATED SVCS
0.0	0.0	0	12	PUBLIC ADMIN.
0.0	0.0	0	13	INDUSTRY NOT REPORTED
	97.1	1,088	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1044-1045

GJ9_B	WAS THIS YOUR USUAL OCCUPATION
--------------	---------------------------------------

Was this your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.6	2.0	22	1	YES
15.4	0.4	4	2	NO
	97.1	1,088	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1046-1047

GJ9_C_OC	USUAL OCCUPATION CODE
-----------------	------------------------------

What was your usual occupation?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROFESSIONAL AND TECHNICAL
0.0	0.0	0	2	MANAGER AND ADMINISTRATOR
0.0	0.0	0	3	SALES
0.0	0.0	0	4	CLERICAL OR OFFICE WORKER
0.0	0.0	0	5	CRAFT AND KINDRED
0.0	0.0	0	6	OPERATIVES
0.0	0.0	0	7	TRANSPORTATION EQUIPMENT OPERATIVES
50.0	0.2	2	8	LABORERS (FARM & NONFARM)
25.0	0.1	1	10	SERVICE WORKER
25.0	0.1	1	86	OTHER
	99.6	1,116	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1048-1049

GJ9_C**DOLLARS/SALARY/RATE OF PAY/BEFORE TAXES**

What was your wage, salary, or rate of pay before taxes in your current or most recent job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.8	0.1	1	4.00	
7.7	0.2	2	4.25	
7.7	0.2	2	4.50	
3.8	0.1	1	4.75	
3.8	0.1	1	4.80	
23.1	0.5	6	5.00	
11.5	0.3	3	6.00	
3.8	0.1	1	7.00	
11.5	0.3	3	7.50	
3.8	0.1	1	40.00	
3.8	0.1	1	145.00	
3.8	0.1	1	150.00	
3.8	0.1	1	200.00	
3.8	0.1	1	220.00	
3.8	0.1	1	1290.00	
	97.1	1,088	-9.00	LEGITIMATE NONRESPONSE
	0.5	6	-8.00	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Decimals: 4

Missing-data codes: lowest thru -1.0000

Columns: 1050-1058

GJ9_COD**CODE FOR THE RATE**

How frequently did you get paid at your most recent job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.9	1.8	20	1	HOUR
19.2	0.4	5	2	WEEK
0.0	0.0	0	3	2 WEEKS
3.8	0.1	1	4	MONTH
0.0	0.0	0	5	YEAR
0.0	0.0	0	6	OTHER
	97.1	1,088	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1059-1060

GJ12**JOB PROBLEM/BECAUSE OF DRUG/ALCOHOL USE**

Have you experienced any problems getting, holding, or working a job because of drug or alcohol use in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	1	YES
99.8	98.5	1,103	2	NO
	1.3	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1065-1066

GJ12_A**HOW SERIOUS PROBLEMS FOR DRUG/ALCOHOL USE**

How serious were any problems you had because of your drug or alcohol use? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	2	1	NOT AT ALL
25.0	0.1	1	2	SOMEWHAT
25.0	0.1	1	3	VERY SERIOUS
	98.3	1,101	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1067-1068

GK1_B	INCOME SOURCE/SSI
--------------	--------------------------

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.3	1.2	14	1	YES
98.7	98.0	1,098	2	NO
	0.4	4	-8	MISSING
	0.1	1	-7	REFUSAL
	0.3	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1075-1076

GK2_B	DOLLARS/RECEIVED BEFORE TAXES
--------------	--------------------------------------

In these 3 months, how much income have you personally received before taxes from Supplemental Security Income (SSI) that you qualify for because of low income; welfare or public assistance programs such as Aid to Dependent Children, food stamps, Medicaid, or housing assistance?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	55	
12.5	0.1	1	60	
12.5	0.1	1	110	
12.5	0.1	1	150	
12.5	0.1	1	300	
12.5	0.1	1	600	
12.5	0.1	1	1350	
12.5	0.1	1	1800	
	98.0	1,098	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
	0.1	1	-7	REFUSAL
	0.7	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1077-1080

GK1_C	INCOME SOURCE/SOCIAL SECURITY BENEFITS
--------------	---

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.7	8	1	YES
99.3	98.9	1,108	2	NO
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1081-1082

GK2_C

DOLLARS/RECEIVED BEFORE TAXES

In these 3 months, how much income have you personally received before taxes from Social Security benefits you earned as a worker who is now disabled or retired or as the dependent of a retired or deceased worker; unemployment compensation because of layoff, workers' compensation from injuries at work, or military or private pensions?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	1	50	
10.0	0.1	1	60	
10.0	0.1	1	120	
10.0	0.1	1	900	
10.0	0.1	1	1116	
10.0	0.1	1	1346	
10.0	0.1	1	2364	
10.0	0.1	1	2400	
10.0	0.1	1	2450	
10.0	0.1	1	2700	
	98.8	1,106	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1083-1086

GK1_D	INCOME SOURCE/SPOUSE/FAMILY/ALIMONY
--------------	--

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from a spouse, family members, or friends, including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.0	43.8	490	1	YES
56.0	55.6	623	2	NO
	0.5	6	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1087-1088

GK2_D	DOLLARS/RECEIVED BEFORE TAXES
--------------	--------------------------------------

In these 3 months, how much income have you personally received before taxes from a spouse, family members, or friends, including alimony, child support, loans, gifts; or interest, dividends, rental income, capital gains; or money from other investments?

1,120 cases (Range of valid codes: 2-1,360)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1089-1092

GK1_E

INCOME SOURCE/POSSIBLY ILLEGAL

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	3.0	34	1	YES
96.9	95.4	1,068	2	NO
	1.5	17	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1093-1094

GK2_E	DOLLARS/RECEIVED BEFORE TAXES
--------------	--------------------------------------

In these 3 months, how much income have you personally received before taxes from illegal or possibly illegal sources such as hustling or dealing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.8	0.1	1	0	
2.8	0.1	1	2	
2.8	0.1	1	5	
5.6	0.2	2	10	
2.8	0.1	1	11	
2.8	0.1	1	20	
5.6	0.2	2	30	
16.7	0.5	6	50	
2.8	0.1	1	80	
2.8	0.1	1	170	
5.6	0.2	2	200	
2.8	0.1	1	235	
5.6	0.2	2	300	
2.8	0.1	1	450	
2.8	0.1	1	500	
2.8	0.1	1	550	
2.8	0.1	1	600	
2.8	0.1	1	700	
2.8	0.1	1	800	
5.6	0.2	2	900	
2.8	0.1	1	1000	
5.6	0.2	2	2000	
2.8	0.1	1	2500	
2.8	0.1	1	4000	
2.8	0.1	1	5000	
	95.2	1,066	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1095-1098

GK1_F

INCOME SOURCE/ANY OTHER SOURCE

In this section, I'd like some information on your sources of income and expenses. In the past 3 months, have you received any income from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.6	40.3	451	1	YES
59.4	58.8	659	2	NO
	0.8	9	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1099-1100

GK2_F	DOLLARS/RECEIVED BEFORE TAXES
--------------	--------------------------------------

In these 3 months, how much income have you personally received before taxes from any other sources not mentioned here, such as roomers or boarders who live with you but do not share living expenses with you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.1	1	1	
2.6	1.1	12	10	
3.3	1.3	15	20	
90.6	37.1	415	30	
0.9	0.4	4	40	
0.2	0.1	1	60	
0.2	0.1	1	64	
0.2	0.1	1	70	
0.2	0.1	1	80	
0.2	0.1	1	150	
0.2	0.1	1	155	
0.2	0.1	1	183	
0.2	0.1	1	200	
0.2	0.1	1	260	
0.2	0.1	1	300	
0.2	0.1	1	400	
	58.7	657	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1101-1103

GK2_G	TOTAL DOLLARS/COL 2 IN CHART 3
--------------	---------------------------------------

In these 3 months, how much income have you personally received before taxes from [ALL INCOME SOURCES CODED 01 UNDER COLUMN K1]?

1,120 cases (Range of valid codes: 0-5,100)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1104-1107

GK3

TOTAL DOLLAR INCOME BEFORE TAXES

During the past 3 months, which code on this card best indicates your own total dollar income before taxes from all sources?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.0	32.0	358	0	
60.3	56.8	636	1	
1.4	1.3	15	2	
0.5	0.4	5	3	
0.9	0.9	10	4	
0.5	0.4	5	5	
0.5	0.4	5	6	
0.4	0.4	4	7	
0.3	0.3	3	8	
0.1	0.1	1	9	
0.2	0.2	2	10	
0.1	0.1	1	12	
0.1	0.1	1	14	
0.1	0.1	1	16	
0.2	0.2	2	20	
0.2	0.2	2	30	
0.1	0.1	1	50	
0.1	0.1	1	80	
0.1	0.1	1	200	
	1.2	14	-8	MISSING
	0.1	1	-7	REFUSAL
	4.5	50	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1108-1110

GK4 SHARE INCOME/EXPENSES WITH ONE LIVE WITH

Were you sharing your income and expenses with any of the people you lived with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	8.6	96	1	YES
90.8	85.0	952	2	NO
	0.1	1	-9	LEGITIMATE NONRESPONSE
	6.0	67	-8	MISSING
	0.4	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1111-1112

GK4_A #PEOPLE YOU SHARE INCOME/EXPENSES W/

How many of these people did you share your income and expenses with?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	0.3	3	0	
23.0	2.1	23	1	
25.0	2.2	25	2	
24.0	2.1	24	3	
17.0	1.5	17	4	
6.0	0.5	6	5	
1.0	0.1	1	9	
1.0	0.1	1	13	
	84.6	948	-9	LEGITIMATE NONRESPONSE
	6.2	69	-8	MISSING
	0.3	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1113-1114

GK5	TOTAL DOLLAR INCOME BEFORE TAXES/EVERYONE
------------	--

During the past 3 months, which code shows the amount that is closest to the total dollar income before taxes of you and these (NUMBER FROM K4a) people?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.2	2	0	
9.7	0.3	3	1	
3.2	0.1	1	3	
9.7	0.3	3	5	
3.2	0.1	1	6	
3.2	0.1	1	8	
3.2	0.1	1	10	
3.2	0.1	1	11	
16.1	0.4	5	14	
3.2	0.1	1	16	
9.7	0.3	3	18	
3.2	0.1	1	20	
3.2	0.1	1	24	
9.7	0.3	3	30	
6.5	0.2	2	50	
6.5	0.2	2	100	
	84.8	950	-9	LEGITIMATE NONRESPONSE
	6.2	69	-8	MISSING
	6.0	67	-4	DON'T KNOW
	0.3	3	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1115-1117

GK6_A	DOLLARS SPENT/HOUSING
--------------	------------------------------

In the past 3 months, please tell me about how much this household spent each month for housing, including rent or mortgage payments and utilities.

_____ PER MONTH

1,120 cases (Range of valid codes: 0-4,500)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1118-1121

GK6_B	DOLLARS SPENT/MEDICAL EXPENSES
--------------	---------------------------------------

In the past 3 months, please tell me about how much this household spent each month for medical expenses, including prescriptions, health insurance, and payments for HMO costs.

_____ PER MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.1	31.6	354	0	
0.3	0.1	1	8	
0.3	0.1	1	24	
0.3	0.1	1	100	
0.3	0.1	1	200	
0.6	0.2	2	400	
0.3	0.1	1	2000	
	2.1	23	-8	MISSING
	56.7	635	-4	DON'T KNOW
	9.0	101	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1122-1125

GK6_C	DOLLARS SPENT/FOOD/CLOTHING
--------------	------------------------------------

In the past 3 months, please tell me about how much this household spent each month for food, clothing, and living expenses.

_____ PER MONTH

1,120 cases (Range of valid codes: 0-1,000)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1126-1129

GK6_D

DOLLARS SPENT/OTHER EXPENSES

In the past 3 months, please tell me about how much this household spent each month for other expenses, including things like gifts, loans, entertainment, and other debts.

		PER MONTH			
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
84.5	27.7	310	0		
0.3	0.1	1	2		
0.5	0.2	2	3		
2.2	0.7	8	5		
0.3	0.1	1	9		
1.6	0.5	6	10		
0.3	0.1	1	11		
0.3	0.1	1	15		
0.3	0.1	1	18		
1.4	0.4	5	20		
0.5	0.2	2	25		
0.3	0.1	1	30		
0.3	0.1	1	33		
0.8	0.3	3	40		
0.5	0.2	2	45		
1.4	0.4	5	50		
0.5	0.2	2	70		
1.6	0.5	6	100		
0.5	0.2	2	200		
0.3	0.1	1	250		
0.8	0.3	3	300		
0.5	0.2	2	400		
0.3	0.1	1	800		
	3.3	37	-8	MISSING	
	54.9	615	-4	DON'T KNOW	
	9.0	101	-3	NOT APPLICABLE	
-----	-----	-----			
100.0	100.0	1,120	cases		

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1130-1132

GK7	MONEY PROBLEM/BECAUSE ALCOHOL/DRUG USE
------------	---

Have you had any financial or money problems because of your drug or alcohol use in the past 3 months?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.5	6	1	YES
99.5	99.2	1,111	2	NO
	0.3	3	-8	MISSING

100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1133-1134

GK7_A	HOW SERIOUS PROBLEMS FOR DRUG/ALCOHOL USE
--------------	--

How serious were these problems you had because of using drugs or alcohol? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.9	10	1	NOT AT ALL
33.3	0.4	5	2	SOMEWHAT
0.0	0.0	0	3	VERY SERIOUS
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING

100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1135-1136

GK8**HOW TROUBLED BY MONEY PROBLEM**

How troubled or bothered have you been since your admission by any financial or money problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.4	88.6	992	0	NOT AT ALL
8.4	8.3	93	1	SOMEWHAT
2.3	2.2	25	2	VERY MUCH
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1137-1138

GK9**HOW IMPORTANT/COUNSELING FOR MONEY PROBLEM**

How important to you now is counseling for financial or money problems? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.0	82.1	919	0	NOT AT ALL
7.1	7.1	79	1	SOMEWHAT
9.8	9.7	109	2	VERY IMPORTANT
	1.2	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1139-1140

INTREATMENT EXPERIENCE**GL1****#DAYS RECEIVED SERVICES AT THIS PROGRAM**

Now, I'd like to ask about the treatment or counseling that you may have received in the past 3 months. Please think about all kinds of help, such as drug or alcohol counseling, medical treatment, counseling for an emotional or mental health problem, employment counseling, or any other services that you have received. Also include methadone and any other medication, any individual and group counseling, and other services you have received. In the past 3 months, on how many days have you been scheduled to receive any services at this program or at some place run by this program?

1,120 cases (Range of valid codes: 0-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1141-1142

GL1_A

#DAYS RECEIVED SERVICES/OUTSIDE PROGRAM

In the past 3 months, how many days have you been scheduled to receive services from other providers or agencies outside this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
80.9	79.6	891	0	
5.1	5.0	56	1	
3.3	3.2	36	2	
2.5	2.4	27	3	
1.7	1.7	19	4	
1.3	1.2	14	5	
0.4	0.4	4	6	
0.5	0.4	5	7	
0.2	0.2	2	8	
0.2	0.2	2	9	
0.4	0.4	4	10	
0.8	0.8	9	12	
0.5	0.4	5	13	
0.2	0.2	2	14	
0.2	0.2	2	16	
0.3	0.3	3	20	
0.1	0.1	1	21	
0.9	0.9	10	24	
0.1	0.1	1	27	
0.4	0.4	4	30	
0.1	0.1	1	36	
0.1	0.1	1	40	
0.1	0.1	1	42	
0.1	0.1	1	65	
0.1	0.1	1	70	
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1143-1144

GL2	MISS SCHEDULED APPOINTMENT FOR SERVICE
------------	---

During the past 3 months, have you missed any scheduled appointment for any of these services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.7	19.2	215	1	YES
79.3	73.7	825	2	NO
	7.1	80	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1145-1146

GL2_A**#DAYS MISSED SCHEDULED APPOINTMENT**

During these 3 months, on how many days have you missed any scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.6	3.9	44	1	
18.7	3.6	40	2	
10.3	2.0	22	3	
9.3	1.8	20	4	
9.3	1.8	20	5	
2.8	0.5	6	6	
3.7	0.7	8	7	
2.3	0.4	5	8	
0.5	0.1	1	9	
4.2	0.8	9	10	
0.5	0.1	1	11	
1.9	0.4	4	12	
0.5	0.1	1	13	
1.9	0.4	4	14	
1.9	0.4	4	15	
0.5	0.1	1	16	
0.9	0.2	2	17	
0.5	0.1	1	19	
4.2	0.8	9	20	
1.9	0.4	4	21	
0.5	0.1	1	24	
0.9	0.2	2	25	
0.5	0.1	1	28	
1.4	0.3	3	30	
0.5	0.1	1	34	
	73.7	825	-9	LEGITIMATE NONRESPONSE
	7.1	80	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1147-1148

GL2_B**CODE/MOST IMPORTANT REASON/MISS APPOINTMENT**

What is the most important reason why you did not come to 1 or more of your scheduled appointments?

1,120 cases (Range of valid codes: 1-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1149-1150

GL2_C ANY REASON/MISS SCHEDULED APPOINTMENT

Is there any other reason why you did not come to 1 or more of your scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	3.4	38	1	YES
80.8	14.3	160	2	NO
	73.7	825	-9	LEGITIMATE NONRESPONSE
	8.7	97	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1151-1152

GL2_D CODE FROM CHART/SECOND IMPORTANT REASON

What is the second most important reason?

1,120 cases (Range of valid codes: 1-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1153-1154

GL2_E OTHER REASON/MISS SCHEDULED APPOINTMENT

Is there any other reason why you missed 1 or more of your scheduled appointments?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	0.3	3	1	YES
93.0	3.6	40	2	NO
	87.9	985	-9	LEGITIMATE NONRESPONSE
	8.2	92	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1155-1156

GL2_F_1	CODE FROM CHART/OTHER REASON
----------------	-------------------------------------

What other reasons did you have? Third mention.

1,120 cases (Range of valid codes: 29-59)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1157-1158

GL2_F_2	CODE FROM CHART/OTHER REASON
----------------	-------------------------------------

What other reasons did you have? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	91.5	1,025	-9	LEGITIMATE NONRESPONSE
	8.5	95	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1159-1160

GL2_F_3	CODE FROM CHART/OTHER REASON
----------------	-------------------------------------

What other reasons did you have? Fifth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	91.5	1,025	-9	LEGITIMATE NONRESPONSE
	8.5	95	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1161-1162

GL3	DID YOU DROP OUT FROM THIS PROGRAM
------------	---

During the past 3 months, have you dropped out of or been discharged from this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	33	1	YES
97.0	96.9	1,085	2	NO
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1163-1164

GL3_A	#DAYS OUT OF THIS PROGRAM
--------------	----------------------------------

During these 3 months, how many days were you out of this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.4	0.3	3	1	
15.6	0.4	5	2	
3.1	0.1	1	4	
3.1	0.1	1	5	
3.1	0.1	1	6	
6.2	0.2	2	7	
6.2	0.2	2	8	
3.1	0.1	1	10	
3.1	0.1	1	11	
15.6	0.4	5	14	
6.2	0.2	2	21	
3.1	0.1	1	28	
12.5	0.4	4	30	
3.1	0.1	1	35	
3.1	0.1	1	41	
3.1	0.1	1	42	
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1165-1166

GL4	RECEIVED TREATMENT FOR ALCOHOL PROBLEM
------------	---

During the past 3 months, have you received treatment for an alcohol problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.2	28.1	315	1	YES
71.8	71.6	802	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1167-1168

GL5	RECEIVED THESE SERVICES AT PROGRAM
------------	---

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	27.9	312	1	YES
3.4	1.0	11	2	NO
	70.8	793	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1169-1170

GL5_A_1	SERVICES RECEIVED/INDIVIDUAL COUNSEL
----------------	---

What kinds of services have you received here?

Individual counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	20.2	226	1	CIRCLED
	71.8	804	-9	LEGITIMATE NONRESPONSE
	8.0	90	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1171-1172

GL5_A_2	SERVICES RECEIVED/GROUP COUNSELING
----------------	---

What kinds of services have you received here?

Group counseling (not 12-step).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	23.4	262	2	CIRCLED
	71.8	804	-9	LEGITIMATE NONRESPONSE
	4.8	54	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1173-1174

GL5_A_3	SERVICES RECEIVED/AA/12 STEP/SELF HELP
----------------	---

What kinds of services have you received here?

AA or other 12-step / self-help.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	25.2	282	3	CIRCLED
	71.8	804	-9	LEGITIMATE NONRESPONSE
	3.0	34	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1175-1176

GL5_A_4	SERVICES RECEIVED/OTHER
----------------	--------------------------------

What kinds of services have you received here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	4	CIRCLED
	71.9	805	-9	LEGITIMATE NONRESPONSE
	27.3	306	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1177-1178

GL5_B_1	TALKED TO/PRIMARY/REGULAR COUNSELOR
----------------	--

Who have you talked to or seen for these services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	23.2	260	1	CIRCLED
	71.8	804	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1179-1180

GL5_B_2	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you talked to or seen for these services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	71.9	805	-9	LEGITIMATE NONRESPONSE
	28.0	314	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1181-1182

GL5_B_11	TALKED TO/OTHER COUNSELOR
-----------------	----------------------------------

Who have you talked to or seen for these services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	17.1	192	11	CIRCLED
	71.7	803	-9	LEGITIMATE NONRESPONSE
	11.2	125	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1183-1184

GL5_B_12**TALKED TO/OTHER CASE MANAGER**

Who have you talked to or seen for these services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	71.9	805	-9	LEGITIMATE NONRESPONSE
	28.1	315	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1185-1186

GL5_B_13**TALKED TO/SOCIAL WORKER**

Who have you talked to or seen for these services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	13	CIRCLED
	71.9	805	-9	LEGITIMATE NONRESPONSE
	27.9	312	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1187-1188

GL5_B_21	TALKED TO/PSYCHOLOGIST
-----------------	-------------------------------

Who have you talked to or seen for these services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	21	CIRCLED
	71.9	805	-9	LEGITIMATE NONRESPONSE
	27.5	308	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1189-1190

GL5_B_22	TALKED TO/PSYCHIATRIST
-----------------	-------------------------------

Who have you talked to or seen for these services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	71.9	805	-9	LEGITIMATE NONRESPONSE
	27.9	313	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1191-1192

GL5_B_23**TALKED TO/NURSE**

Who have you talked to or seen for these services?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	23	CIRCLED
	71.9	805	-9	LEGITIMATE NONRESPONSE
	27.8	311	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1193-1194

GL5_B_31**TALKED TO/GROUP - NO LEADER**

Who have you talked to or seen for these services?

Group - no leader (e.g., 12-step).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	17.5	196	31	CIRCLED
	71.8	804	-9	LEGITIMATE NONRESPONSE
	10.7	120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1195-1196

GL5_B_71 TALKED TO/STAFF FROM ANOTHER AGENCY

Who have you talked to or seen for these services?

Staff from another agency who provide services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	71	CIRCLED
	71.9	805	-9	LEGITIMATE NONRESPONSE
	27.7	310	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1197-1198

GL5_B_91 TALKED TO/OTHER

Who have you talked to or seen for these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.7	41	91	CIRCLED
	71.9	805	-9	LEGITIMATE NONRESPONSE
	24.5	274	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1199-1200

GL5_C #DAYS/RECEIVED SERVICES FOR ALCOHOL PROBLEM

During the past 3 months, on how many days have you received services for an alcohol problem at this program?

1,120 cases (Range of valid codes: 1-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1201-1202

GL5_D	HOW HELPFUL THE SERVICES
--------------	---------------------------------

Overall, how helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.6	3.5	39	0	NOT AT ALL
37.4	10.4	116	1	SOMEWHAT
50.0	13.8	155	2	VERY MUCH
	71.8	804	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1203-1204

GL6	RECEIVED SERVICES AT OTHER PLACE
------------	---

Have you received services for an alcohol problem at some other place (do not include services from AA, NA, or CA, or other 12-step group)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	0.6	7	1	YES
97.8	28.2	316	2	NO
	71.0	795	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1205-1206

GL6_A_A	SERVICE: COMMUNITY MENTAL HEALTH PROGRAM
----------------	---

Where have you received these services?

Community mental health center outpatient program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1207-1208

GL6_A_B	SERVICE: ALCOHOL REHABILITATION CENTER
----------------	---

Where have you received these services?

Alcoholic rehabilitation center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1209-1210

GL6_A_C**SERVICE: 28-DAY/OTHER SHORT TERM TREATMENT**

Where have you received these services?

28-day or other short-term inpatient treatment unit.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1211-1212

GL6_A_D**SERVICE: THERAPEUTIC COMMUNITY**

Where have you received these services?

Therapeutic community or other long-term residential treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1213-1214

GL6_A_E SERVICE: HALFWAY HOUSE

Where have you received these services?

Halfway house.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1215-1216

GL6_A_F SERVICE: DETOXIFICATION TREATMENT UNIT

Where have you received these services?

Detoxification treatment unit.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1217-1218

GL6_A_G**SERVICE: EMERGENCY ROOM/CRISIS CENTER**

Where have you received these services?

Emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1219-1220

GL6_A_H**SERVICE: PRIVATE THERAPIST**

Where have you received these services?

Private therapist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1221-1222

GL6_A_I	SERVICE: OTHER OUTPATIENT TREATMENT
----------------	--

Where have you received these services?

Other outpatient treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	9	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1223-1224

GL6_A_J	SERVICE: OTHER INPATIENT TREATMENT
----------------	---

Where have you received these services?

Other inpatient treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	10	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1225-1226

GL6_B_1	FIRST TREATMENT LOCATION
----------------	---------------------------------

Where have you received these services? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
14.3	0.1	1	3	28-DAY/OTHER SHORT TERM TRTMNT
14.3	0.1	1	4	THERAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
14.3	0.1	1	6	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIVATE THERAPIST
42.9	0.3	3	9	OTHER OUTPATIENT TREATMENT
14.3	0.1	1	10	OTHER INPATIENT TREATMENT
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1227-1228

GL6_C_1	#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #1
----------------	--

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.3	0.1	1	6	
14.3	0.1	1	10	
14.3	0.1	1	13	
28.6	0.2	2	14	
14.3	0.1	1	30	
14.3	0.1	1	90	
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1229-1230

GL6_D_1	WHO REFERRED YOU TO TREATMENT/LOCATION #1
----------------	--

Who referred you to (TREATMENT LOCATION - 1st mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.2	2	1	PROGRAM
71.4	0.4	5	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1231-1232

GL6_E_1	HOW HELPFUL THESE SERVICES A/LOCATION #1
----------------	---

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.3	3	0	NOT AT ALL
28.6	0.2	2	1	SOMEWHAT
28.6	0.2	2	2	VERY HELPFUL
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1233-1234

GL6_B_2**SECOND TREATMENT LOCATION**

Where have you received these services? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TRTMNT
0.0	0.0	0	4	THERAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIVATE THERAPIST
100.0	0.1	1	9	OTHER OUTPATIENT TREATMENT
0.0	0.0	0	10	OTHER INPATIENT TREATMENT
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1235-1236

GL6_C_2**#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #2**

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1237-1238

GL6_D_2	WHO REFERRED YOU TO TREATMENT/LOCATION #2
----------------	--

Who referred you to (TREATMENT LOCATION - 2nd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1239-1240

GL6_E_2	HOW HELPFUL THESE SERVICES A/LOCATION #2
----------------	---

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	1	2	VERY HELPFUL
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1241-1242

GL6_B_3**THIRD TREATMENT LOCATION**

Where have you received these services? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TRTMNT
0.0	0.0	0	4	THERAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIVATE THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TREATMENT
0.0	0.0	0	10	OTHER INPATIENT TREATMENT
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1243-1244

GL6_C_3**#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #3**

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 3rd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1245-1246

GL6_D_3	WHO REFERRED YOU TO TREATMENT/LOCATION #3
----------------	--

Who referred you to (TREATMENT LOCATION - 3rd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1247-1248

GL6_E_3	HOW HELPFUL THESE SERVICES A/LOCATION #3
----------------	---

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1249-1250

GL6_B_4**FOURTH TREATMENT LOCATION**

Where have you received these services? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	COMMUNITY MENTAL HEALTH PROG
0.0	0.0	0	2	ALC REHABILITATION CENTER
0.0	0.0	0	3	28-DAY/OTHER SHORT TERM TRTMNT
0.0	0.0	0	4	THERAPEUTIC COMMUNITY
0.0	0.0	0	5	HALFWAY HOUSE
0.0	0.0	0	6	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	7	EMERGENCY ROOM/CRISIS CENTER
0.0	0.0	0	8	PRIVATE THERAPIST
0.0	0.0	0	9	OTHER OUTPATIENT TREATMENT
0.0	0.0	0	10	OTHER INPATIENT TREATMENT
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1251-1252

GL6_C_4**#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #4**

During these 3 months, on how many days have you received services at (TREATMENT LOCATION - 4th mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1253-1254

GL6_D_4	WHO REFERRED YOU TO TREATMENT/LOCATION #4
----------------	--

Who referred you to (TREATMENT LOCATION - 4th mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1255-1256

GL6_E_4	HOW HELPFUL THESE SERVICES A/LOCATION #4
----------------	---

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1257-1258

GL7**RECEIVED SERVICES FOR DRUG ABUSE**

During the past 3 months, have you received services for drug abuse at some other program (do not include services from AA, NA, or CA, or other 12-step group)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	1	YES
99.8	98.2	1,100	2	NO
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1259-1260

GL7_A_A**SERVICES: PRIVATE PHYSICIAN/PSYCHIATRIST/PSYCHOLOGIST**

During these 3 months, where have you received these services?

Private physician, psychiatrist, or psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1261-1262

GL7_A_B	SERVICES: 28-DAY/OTHER SHORT TERM TREATMENT
----------------	--

During these 3 months, where have you received these services?

28-day or other short-term inpatient treatment unit.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1263-1264

GL7_A_C	SERVICES: THERAPEUTIC COMMUNITY
----------------	--

During these 3 months, where have you received these services?

Therapeutic community or other long-term residential treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1265-1266

GL7_A_D	SERVICES: HALFWAY HOUSE
----------------	--------------------------------

During these 3 months, where have you received these services?

Halfway house.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1267-1268

GL7_A_E	SERVICES: METHADONE TREATMENT PROGRAM
----------------	--

During these 3 months, where have you received these services?

Methadone or other maintenance treatment program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1269-1270

GL7_A_F	SERVICES: NON-METHADONE
----------------	--------------------------------

During these 3 months, where have you received these services?

Intensive outpatient drug treatment program (non-methadone).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1271-1272

GL7_A_G	SERVICES: DETOXIFICATION TREATMENT UNIT
----------------	--

During these 3 months, where have you received these services?

Other drug detoxification treatment unit (methadone or other).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1273-1274

GL7_A_H**SERVICES: OTHER OUTPATIENT DRUG TREATMENT**

During these 3 months, where have you received these services?

Other outpatient drug treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	8	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1275-1276

GL7_A_I**SERVICES: OTHER INPATIENT DRUG TREATMENT**

During these 3 months, where have you received these services?

Other inpatient drug treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1277-1278

GL7_B_1	FIRST TREATMENT LOCATION
----------------	---------------------------------

During these 3 months, where have you received these services? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
50.0	0.1	1	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
50.0	0.1	1	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1279-1280

GL7_C_1	#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #1
----------------	--

During these 3 months, how many days have you received services at (TREATMENT LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	6	
50.0	0.1	1	84	
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1281-1282

GL7_D_1**WHO REFERRED YOU TO TREATMENT/LOCATION #1**

Who referred you to (TREATMENT LOCATION - 1st mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.1	1	1	PROGRAM
50.0	0.1	1	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1283-1284

GL7_E_1**HOW HELPFUL THESE SERVICES A/LOCATION #1**

How helpful were these services? Would you say. . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1285-1286

GL7_B_2	SECOND TREATMENT LOCATION
----------------	----------------------------------

During these 3 months, where have you received these services? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1287-1288

GL7_C_2	#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #2
----------------	--

During these 3 months, how many days have you received services at (TREATMENT LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1289-1290

GL7_D_2**WHO REFERRED YOU TO TREATMENT/LOCATION #2**

Who referred you to (TREATMENT LOCATION - 2nd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1291-1292

GL7_E_2**HOW HELPFUL THESE SERVICES A/LOCATION #2**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1293-1294

GL7_B_3	THIRD TREATMENT LOCATION
----------------	---------------------------------

During these 3 months, where have you received these services? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1295-1296

GL7_C_3	#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #3
----------------	--

During these 3 months, how many days have you received services at (TREATMENT LOCATION - 3rd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1297-1298

GL7_D_3**WHO REFERRED YOU TO TREATMENT/LOCATION #3**

Who referred you to (TREATMENT LOCATION - 3rd mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1299-1300

GL7_E_3**HOW HELPFUL THESE SERVICES A/LOCATION #3**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1301-1302

GL7_B_4	FOURTH TREATMENT LOCATION
----------------	----------------------------------

During these 3 months, where have you received these services? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIVATE PHYSICIAN/PSYCHI/PSYCHO
0.0	0.0	0	2	28-DAY/OTHER SHORT TERM TREATMENT
0.0	0.0	0	3	THERAPEUTIC COMMUNITY
0.0	0.0	0	4	HALFWAY HOUSE
0.0	0.0	0	5	METHADONE TREAT PROG
0.0	0.0	0	6	NON-METHADONE
0.0	0.0	0	7	DETOXIFICATION TREATMENT UNIT
0.0	0.0	0	8	OTHER OUTPATIENT DRUG TREATMENT
0.0	0.0	0	9	OTHER INPATIENT DRUG TREATMENT
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1303-1304

GL7_C_4	#DAYS SERVICES RECEIVED/TREATMENT/LOCATION #4
----------------	--

During these 3 months, how many days have you received services at (TREATMENT LOCATION - 4th mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1305-1306

GL7_D_4**WHO REFERRED YOU TO TREATMENT/LOCATION #4**

Who referred you to (TREATMENT LOCATION - 4th mention)? Was it a staff member in this program, someone outside the program, or did you go to (TREATMENT LOCATION) on your own

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	OUTSIDE SOURCE
0.0	0.0	0	3	SELF
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1307-1308

GL7_E_4**HOW HELPFUL THESE SERVICES A/LOCATION #4**

How helpful were these services? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1309-1310

GL8_0	INDIVIDUAL COUNSELING/NO ONE
--------------	-------------------------------------

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

No one -> Go To L27.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	18.4	206	0	CIRCLED
	81.6	914	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1311-1312

GL8_1	INDIVIDUAL SERVICES/PRIMARY/REGULAR COUNSELOR
--------------	--

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	77.6	869	1	CIRCLED
	18.4	206	-9	LEGITIMATE NONRESPONSE
	4.0	45	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1313-1314

GL8_2**INDIVIDUAL SERVICES/CASE MANAGER**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	18.4	206	-9	LEGITIMATE NONRESPONSE
	81.4	912	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1315-1316

GL8_11**INDIVIDUAL SERVICES/OTHER COUNSELOR**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	45	11	CIRCLED
	18.4	206	-9	LEGITIMATE NONRESPONSE
	77.6	869	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1317-1318

GL8_12	INDIVIDUAL SERVICES/OTHER CASE MANAGER
---------------	---

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	18.4	206	-9	LEGITIMATE NONRESPONSE
	81.6	914	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1319-1320

GL8_13	INDIVIDUAL SERVICES/SOCIAL WORKER
---------------	--

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	24	13	CIRCLED
	18.3	205	-9	LEGITIMATE NONRESPONSE
	79.6	891	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1321-1322

GL8_21**INDIVIDUAL SERVICES/PSYCHOLOGIST**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	21	CIRCLED
	18.4	206	-9	LEGITIMATE NONRESPONSE
	81.3	911	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1323-1324

GL8_22**INDIVIDUAL SERVICES/PSYCHIATRIST**

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	18.4	206	-9	LEGITIMATE NONRESPONSE
	81.4	912	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1325-1326

GL8_71	INDIVIDUAL SERVICES/STAFF FROM OTHER AGENCY
---------------	--

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Staff from another agency who provides services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	71	CIRCLED
	18.4	206	-9	LEGITIMATE NONRESPONSE
	81.5	913	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1327-1328

GL8_91	INDIVIDUAL SERVICES/OTHER
---------------	----------------------------------

Now, I am going to ask some questions about your drug treatment. First, I'm going to ask some questions about the people at this program who you usually talk with for scheduled individual counseling, treatment, or other services. Do not include receptionists or those who only hand out medication or information. Currently, who do you talk with or see at this program for scheduled individual counseling, treatment, or other individual services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	91	CIRCLED
	18.4	206	-9	LEGITIMATE NONRESPONSE
	81.1	908	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1329-1330

GL8_A_1	TALKED TO MOST OFTEN/PROVIDER #1
----------------	---

Which 2 do you talk to or see most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	0	NO ONE
95.3	74.9	839	1	PRIMARY/RGG COUNSELOR
0.1	0.1	1	2	CASE MANAGER
2.0	1.6	18	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
1.6	1.2	14	13	SOCIAL WORKER
0.5	0.4	4	21	PSYCHOLOGIST
0.1	0.1	1	22	PSYCHIATRIST
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.2	0.2	2	91	OTHER
	18.4	206	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1331-1332

GL8_A_2	TALKED TO MOST OFTEN/PROVIDER #2
----------------	---

Which 2 do you talk to or see most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.8	0.4	5	0	NO ONE
11.8	0.5	6	1	PRIMARY/RGG COUNSELOR
9.8	0.4	5	2	CASE MANAGER
52.9	2.4	27	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
7.8	0.4	4	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
2.0	0.1	1	71	STAFF FROM ANOTHER AGENCY
5.9	0.3	3	91	OTHER
	18.4	206	-9	LEGITIMATE NONRESPONSE
	77.1	863	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1333-1334

GL9 #TIMES/GOT INDIVIDUAL SERVICES (PRO #1)

During the past 3 months, how many times have you received scheduled individual services from your (PROVIDER #1 FROM L8a)?

1,120 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1335-1336

GL9_A #MINUTES/INDIVIDUAL SESSION LAST (PRO #1)

How long did (this session last/your individual sessions usually last) with your (PROVIDER #1 FROM L8a)?

_____ MINUTES

PCT VALID	PCT ALL	N	VALUE	LABEL
1.0	0.8	9	0	
1.3	1.1	12	5	
6.3	5.1	57	10	
0.1	0.1	1	13	
6.4	5.2	58	15	
6.1	4.9	55	20	
0.2	0.2	2	25	
18.3	14.8	166	30	
0.1	0.1	1	35	
0.7	0.5	6	40	
8.2	6.6	74	45	
43.9	35.4	397	60	
0.1	0.1	1	62	
0.3	0.3	3	75	
0.1	0.1	1	80	
4.3	3.5	39	90	
2.2	1.8	20	120	
0.1	0.1	1	150	
0.1	0.1	1	160	
0.1	0.1	1	180	
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
	0.1	1	-5	BAD DATA
	0.4	5	-3	NOT APPLICABLE
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1337-1339

GL10	CASELOAD ASSIGN TO THE PERSON (PRO #1)
-------------	---

Is your (PROVIDER #1 FROM L8a) the person whose caseload you are assigned to?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	77.7	870	1	YES
4.3	3.5	39	2	NO
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.2	2	-4	DON'T KNOW
	0.2	2	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1340-1341

GL11	HOW YOU FEEL/PRO #1 UNDERSTANDS YOU
-------------	--

Overall, how well do you feel your (PROVIDER #1 FROM L8a) understands you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	5.8	65	0	NOT AT ALL
35.9	29.0	325	1	SOMEWHAT
56.9	46.0	515	2	A LOT
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.2	2	-4	DON'T KNOW
	0.5	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1342-1343

GL12 **YOUR RELATIONSHIP W/ PROVIDER #1**

Overall, how would you rate your relationship with your (PROVIDER # 1 FROM L8a)? Is it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.6	4.6	51	1	POOR
23.0	18.6	208	2	FAIR
44.6	36.0	403	3	GOOD
26.7	21.5	241	4	EXCELLENT
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
	0.3	3	-4	DON'T KNOW
	0.5	6	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1344-1345

GL13_A **HOW OFTEN TALK/USE OF ALCOHOL/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.8	32.0	358	0	NEVER
33.7	27.1	303	1	SOME SESSIONS
14.3	11.5	129	2	MOST SESSIONS
12.2	9.8	110	3	EVERY SESSION
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1346-1347

GL13_B**HOW OFTEN TALK/DRUG/CAUSE PROBLEM/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	12.5	140	0	NEVER
31.8	25.6	287	1	SOME SESSIONS
27.5	22.1	248	2	MOST SESSIONS
25.2	20.3	227	3	EVERY SESSION
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
	0.2	2	-6	MULTIPLE RESPONSE
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1348-1349

GL13_C**HOW OFTEN TALK/EMOTIONAL HEALTH/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.3	13.1	147	0	NEVER
27.9	22.5	252	1	SOME SESSIONS
31.2	25.2	282	2	MOST SESSIONS
24.6	19.8	222	3	EVERY SESSION
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1350-1351

GL13_D	HOW OFTEN TALK/RELATION W/FAMILY/PRO #1
---------------	--

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.9	6.3	71	0	NEVER
25.4	20.4	229	1	SOME SESSIONS
31.9	25.7	288	2	MOST SESSIONS
34.8	28.0	314	3	EVERY SESSION
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
	0.2	2	-6	MULTIPLE RESPONSE
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1352-1353

GL13_E	HOW OFTEN TALK/YOUR PHYS HEALTH/PRO #1
---------------	---

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.7	40.9	458	0	NEVER
34.6	27.9	313	1	SOME SESSIONS
10.3	8.3	93	2	MOST SESSIONS
4.4	3.6	40	3	EVERY SESSION
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1354-1355

GL13_F**HOW OFTEN TALK/YOUR EDUCATION/TRAINING/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.2	15.4	173	0	NEVER
47.1	37.9	425	1	SOME SESSIONS
19.6	15.8	177	2	MOST SESSIONS
14.2	11.4	128	3	EVERY SESSION
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1356-1357

GL13_G**HOW OFTEN TALK/INVOLVE W/COURT/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.9	31.2	350	0	NEVER
43.7	35.1	393	1	SOME SESSIONS
10.2	8.2	92	2	MOST SESSIONS
7.2	5.8	65	3	EVERY SESSION
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1358-1359

GL13_J**HOW OFTEN TALK/REDUCE RISK/AIDS/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
64.0	51.7	579	0	NEVER
26.9	21.7	243	1	SOME SESSIONS
6.0	4.8	54	2	MOST SESSIONS
3.1	2.5	28	3	EVERY SESSION
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1364-1365

GL13_K**TALK/OTHER IMPORTANT ISSUES/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	4.4	49	1	YES
94.5	75.2	842	2	NO
	18.3	205	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1366-1367

GL13_K_1	HOW OFTEN TALK/SPECIFY 1ST ISSUE/PRO #1
-----------------	--

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues?

First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.3	3	0	NEVER
21.7	0.9	10	1	SOME SESSIONS
28.3	1.2	13	2	MOST SESSIONS
43.5	1.8	20	3	EVERY SESSION
	93.5	1,047	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
	0.4	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1368-1369

GL13_K_2	HOW OFTEN TALK/SPECIFY 2ND ISSUE/PRO #1
-----------------	--

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues?

Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
30.8	0.4	4	1	SOME SESSIONS
46.2	0.5	6	2	MOST SESSIONS
23.1	0.3	3	3	EVERY SESSION
	93.5	1,047	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
	0.4	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1370-1371

GL13_K_3**HOW OFTEN TALK/SPECIFY 3RD ISSUE/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues?

Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	93.5	1,047	-9	LEGITIMATE NONRESPONSE
	6.2	69	-8	MISSING
	0.4	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1372-1373

GL13_K_4**HOW OFTEN TALK/SPECIFY 4TH ISSUE/PRO #1**

Now, please think about the different kinds of things you and your (PROVIDER #1 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #1 FROM L8a) about any other important issues?

Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	93.5	1,047	-9	LEGITIMATE NONRESPONSE
	6.2	69	-8	MISSING
	0.4	4	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1374-1375

GL15_M	MONTH/LAST SAW/PRO #1/INDIVIDUAL SERVICE
---------------	---

When did you last see your (PROVIDER #1 FROM L8a) for individual services? MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	21.5	241	1	JAN. - MARCH
24.4	19.4	217	2	APR. - JUNE
23.4	18.6	208	3	JULY - SEPT.
25.0	19.8	222	4	OCT. - DEC.
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
	1.2	14	-4	DON'T KNOW
	0.4	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1380-1381

GL15_Y	YEAR/LAST SAW/PRO #1/INDIVIDUAL SERVICE
---------------	--

When did you last see your (PROVIDER #1 FROM L8a) for individual services? YEAR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	91	
43.7	34.6	388	94	
46.6	36.9	413	95	
9.6	7.6	85	96	
	18.3	205	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-5	BAD DATA
	1.2	14	-4	DON'T KNOW
	0.4	5	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1382-1383

GL16	#TIMES/GOT INDIVIDUAL SERVICES (PRO #2)
-------------	--

These next questions are about the times you and your (PROVIDER #2 FROM L8a) have met for scheduled individual sessions. During the past 3 months, how many times have you had scheduled individual sessions with your (PROVIDER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.4	4	1	
19.6	0.8	9	2	
19.6	0.8	9	3	
10.9	0.4	5	4	
10.9	0.4	5	5	
2.2	0.1	1	6	
2.2	0.1	1	7	
2.2	0.1	1	8	
4.3	0.2	2	9	
6.5	0.3	3	10	
6.5	0.3	3	12	
6.5	0.3	3	15	
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1384-1385

GL16_A	#MINUTES/INDIVIDUAL SESSION LAST (PRO #2)
---------------	--

How long did (this session last/your individual sessions usually last) with your (PROVIDER #2 FROM L8a)?

```

_____ MINUTES

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
  2.2    0.1      1    10
  6.5    0.3      3    15
 19.6    0.8      9    20
 19.6    0.8      9    30
  2.2    0.1      1    40
  6.5    0.3      3    45
 39.1    1.6     18    60
  2.2    0.1      1    90
  2.2    0.1      1   120
          92.8  1,039   -9  LEGITIMATE NONRESPONSE
          3.1    35    -8  MISSING
-----
100.0  100.0  1,120 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1386-1388

GL17	CASELOAD ASSIGN TO THE PERSON (PRO #2)
-------------	---

Is your (PROVIDER #2 FROM L8a) the person whose caseload you are assigned to?

```

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
 39.1    1.6     18     1  YES
 60.9    2.5     28     2  NO
          92.7  1,038   -9  LEGITIMATE NONRESPONSE
          3.1    35    -8  MISSING
          0.1      1    -4  DON'T KNOW
-----
100.0  100.0  1,120 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1389-1390

GL18 DO YOU FEEL/PRO #2 UNDERSTANDS YOU

Overall, how well do you feel your (PROVIDER #2 FROM L8a) understands you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	0.2	2	0	NOT AT ALL
43.5	1.8	20	1	SOMEWHAT
52.2	2.1	24	2	A LOT
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1391-1392

GL19 RELATIONSHIP W/ PROVIDER #2

Overall, how would you rate your relationship with your (PROVIDER #2 FROM L8a)? Is it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.3	3	1	POOR
10.9	0.4	5	2	FAIR
52.2	2.1	24	3	GOOD
30.4	1.2	14	4	EXCELLENT
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1393-1394

GL20_A**HOW OFTEN TALK/USE OF ALCOHOL/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.7	1.9	21	0	NEVER
26.7	1.1	12	1	SOME SESSIONS
22.2	0.9	10	2	MOST SESSIONS
4.4	0.2	2	3	EVERY SESSION
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1395-1396

GL20_B**HOW OFTEN TALK/DRUG/CAUSE PROBLEM/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about your use of (other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.1	1.1	12	0	NEVER
32.6	1.3	15	1	SOME SESSIONS
30.4	1.2	14	2	MOST SESSIONS
10.9	0.4	5	3	EVERY SESSION
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1397-1398

GL20_C	HOW OFTEN TALK/EMOTIONAL HEALTH/PRO #2
---------------	---

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	0.4	5	0	NEVER
32.6	1.3	15	1	SOME SESSIONS
32.6	1.3	15	2	MOST SESSIONS
23.9	1.0	11	3	EVERY SESSION
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1399-1400

GL20_D	HOW OFTEN TALK/RELATION W/FAMILY/PRO #2
---------------	--

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.7	0.4	4	0	NEVER
23.9	1.0	11	1	SOME SESSIONS
41.3	1.7	19	2	MOST SESSIONS
26.1	1.1	12	3	EVERY SESSION
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1401-1402

GL20_E**HOW OFTEN TALK/YOUR PHYS HEALTH/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.7	1.9	21	0	NEVER
32.6	1.3	15	1	SOME SESSIONS
10.9	0.4	5	2	MOST SESSIONS
10.9	0.4	5	3	EVERY SESSION
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1403-1404

GL20_F**HOW OFTEN TALK/YOUR EDUCATION/TRAINING/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	1.4	16	0	NEVER
34.8	1.4	16	1	SOME SESSIONS
17.4	0.7	8	2	MOST SESSIONS
13.0	0.5	6	3	EVERY SESSION
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1405-1406

GL20_G	HOW OFTEN TALK/INVOLVE W/COURT/PRO #2
---------------	--

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	2.2	25	0	NEVER
28.9	1.2	13	1	SOME SESSIONS
6.7	0.3	3	2	MOST SESSIONS
8.9	0.4	4	3	EVERY SESSION
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1407-1408

GL20_H	HOW OFTEN TALK/YOUR JOB/PRO #2
---------------	---------------------------------------

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	2.9	32	0	NEVER
23.9	1.0	11	1	SOME SESSIONS
2.2	0.1	1	2	MOST SESSIONS
4.3	0.2	2	3	EVERY SESSION
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1409-1410

GL20_I**HOW OFTEN TALK/LIVING EXPENSES/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	2.3	26	0	NEVER
21.7	0.9	10	1	SOME SESSIONS
15.2	0.6	7	2	MOST SESSIONS
6.5	0.3	3	3	EVERY SESSION
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1411-1412

GL20_J**HOW OFTEN TALK/REDUCE RISK/AIDS/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	2.7	30	0	NEVER
19.6	0.8	9	1	SOME SESSIONS
4.3	0.2	2	2	MOST SESSIONS
10.9	0.4	5	3	EVERY SESSION
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1413-1414

GL20_K	TALK/OTHER IMPORTANT ISSUES/PRO #2
---------------	---

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.8	0.7	8	1	YES
82.2	3.3	37	2	NO
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1415-1416

GL20_K_1	HOW OFTEN TALK/SPECIFY 1ST ISSUE/PRO #2
-----------------	--

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues?

First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
11.1	0.1	1	1	SOME SESSIONS
11.1	0.1	1	2	MOST SESSIONS
77.8	0.6	7	3	EVERY SESSION
	96.1	1,076	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1417-1418

GL20_K_2**HOW OFTEN TALK/SPECIFY 2ND ISSUE/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues?

Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
100.0	0.1	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	96.1	1,076	-9	LEGITIMATE NONRESPONSE
	3.8	43	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1419-1420

GL20_K_3**HOW OFTEN TALK/SPECIFY 3RD ISSUE/PRO #2**

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues?

Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	96.1	1,076	-9	LEGITIMATE NONRESPONSE
	3.9	44	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1421-1422

GL20_K_4	HOW OFTEN TALK/SPECIFY 4TH ISSUE/PRO #2
-----------------	--

Now, please think about the different kinds of things you and your (PROVIDER #2 FROM L8a) have talked about. During the past 3 months, how often have you talked with your (PROVIDER #2 FROM L8a) about any other important issues?

Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	96.1	1,076	-9	LEGITIMATE NONRESPONSE
	3.9	44	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1423-1424

GL21_A	SESSIONS HELPED/STOP USE OF DRUG/PRO #2
---------------	--

How much have your sessions with your (PROVIDER #2 FROM L8a) helped you stop or cut down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	1.4	16	0	NOT AT ALL
28.3	1.2	13	1	SOMEWHAT
37.0	1.5	17	2	VERY MUCH
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1425-1426

GL21_B	SESSIONS HELPED/OTHER PROBLEM/PRO #2
---------------	---

How much have your sessions with your (PROVIDER #2 FROM L8a) helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.5	0.3	3	0	NOT AT ALL
45.7	1.9	21	1	SOMEWHAT
47.8	2.0	22	2	VERY MUCH
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1427-1428

GL22_M	MONTH/LAST SAW PRO #2/INDIVIDUAL SERVICE
---------------	---

When did you last see your (PROVIDER #2 FROM L8a) for individual services? MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.6	0.5	6	1	JAN. - MARCH
34.1	1.3	15	2	APR. - JUNE
18.2	0.7	8	3	JULY - SEPT.
34.1	1.3	15	4	OCT. - DEC.
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1429-1430

GL22_Y	YEAR/LAST SAW PRO #2/INDIVIDUAL SERVICE
---------------	--

When did you last see your (PROVIDER #2 FROM L8a) for individual services? YEAR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.6	2.5	28	94	
34.1	1.3	15	95	
2.3	0.1	1	96	
	92.8	1,039	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1431-1432

GL23	PERSON YOU SAW MOST/PRO #1/INDIV SERVICE
-------------	---

Now, please think about the one person at this program you have seen the most often for individual services since your admission. During the past 3 months, is your (PROVIDER #1 FROM L8a) the person you have seen most often at this program for individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	77.9	872	1	YES
3.4	2.8	31	2	NO
	18.2	204	-9	LEGITIMATE NONRESPONSE
	1.2	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1433-1434

GL24	PERSON YOU SAW MOST/PRO #2/INDIV SERVICE
-------------	---

During the past 3 months, is your (PROVIDER #2 FROM L8a) the person you have seen most often at this program for individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
95.7	2.0	22	1	YES
4.3	0.1	1	2	NO
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1435-1436

GL25	SAW MOST OFTEN AT PROGRAM/FOR INDIVIDUAL COUNSEL
-------------	---

During the past 3 months, who have you seen or talked with most often at this program for individual counseling, treatment, or other individual services?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
70.4	1.7	19	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
22.2	0.5	6	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
3.7	0.1	1	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	71	STAFF FROM OTHER AGENCY
3.7	0.1	1	91	OTHER
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1437-1438

GL26_M	MONTH/LAST SAW PRO L25/INDIV SERVICE
---------------	---

When did you last see your (PROVIDER FROM L25) for individual services? MONTH

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.5	0.9	10	1	JAN. - MARCH
26.9	0.6	7	2	APR. - JUNE
7.7	0.2	2	3	JULY - SEPT.
26.9	0.6	7	4	OCT. - DEC.
	97.1	1,088	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1439-1440

GL26_Y	YEAR/LAST SAW PRO L25/INDIV SERVICE
---------------	--

When did you last see your (PROVIDER FROM L25) for individual services? YEAR

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.9	0.6	7	94	
57.7	1.3	15	95	
15.4	0.4	4	96	
	97.1	1,088	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1441-1442

GL27**SAW/LIST OF TREATMENT PLAN/ONE WROTE**

Now, I need to ask about a list of treatment goals or a plan that someone may have written for you. This list is sometimes called a treatment plan. Have you seen a list of treatment goals or a plan that someone has written for you personally?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.9	58.8	659	1	YES
37.0	37.0	414	2	NO
4.1	4.1	46	3	DON'T KNOW
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1443-1444

GL28**DO YOU KNOW WHO PREPARED TREATMENT PLAN**

Do you know who prepared this treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.7	53.3	597	1	YES
9.3	5.4	61	2	NO
	41.0	459	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1445-1446

GL28A_00	PREPARED PLAN/SELF
-----------------	---------------------------

Who prepared it?

Self.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.3	37	0	CIRCLED
	46.4	520	-9	LEGITIMATE NONRESPONSE
	50.3	563	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1447-1448

GL28A_01	PREPARED PLAN/REGULAR COUNSELOR
-----------------	--

Who prepared it?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	42.4	475	1	CIRCLED
	46.4	520	-9	LEGITIMATE NONRESPONSE
	11.2	125	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1449-1450

GL28A_02	PREPARED PLAN/CASE MANAGER
-----------------	-----------------------------------

Who prepared it?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	22	2	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	51.5	577	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1451-1452

GL28A_11	PREPARED PLAN/OTHER COUNSELOR
-----------------	--------------------------------------

Who prepared it?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.7	64	11	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	47.8	535	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1453-1454

GL28A_12	PREPARED PLAN/OTHER CASE MANAGER
-----------------	---

Who prepared it?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	12	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	53.2	596	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1455-1456

GL28A_13	PREPARED PLAN/SOCIAL WORKER
-----------------	------------------------------------

Who prepared it?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	14	13	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	52.2	585	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1457-1458

GL28A_21	PREPARED PLAN/PSYCHOLOGIST
-----------------	-----------------------------------

Who prepared it?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	53.5	599	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1459-1460

GL28A_22	PREPARED PLAN/PSYCHIATRIST
-----------------	-----------------------------------

Who prepared it?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	53.3	597	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1461-1462

GL28A_23	PREPARED PLAN/NURSE
-----------------	----------------------------

Who prepared it?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	53.5	599	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1463-1464

GL28A_24	PREPARED PLAN/VOCATIONAL COUNSELOR
-----------------	---

Who prepared it?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	24	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	53.4	598	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1465-1466

GL28A_25	PREPARED PLAN/PHYSICIAN
-----------------	--------------------------------

Who prepared it?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	53.5	599	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1467-1468

GL28A_26	PREPARED PLAN/PHYSICIAN'S ASSISTANT
-----------------	--

Who prepared it?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	53.5	599	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1469-1470

GL28A_71	PREPARED PLAN/STAFF FROM OTHER AGENCY
-----------------	--

Who prepared it?

Staff from another agency who visited the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	53.5	599	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1471-1472

GL28A_91	PREPARED PLAN/OTHER
-----------------	----------------------------

Who prepared it?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	33	91	CIRCLED
	46.5	521	-9	LEGITIMATE NONRESPONSE
	50.5	566	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1473-1474

GL28B**PERSON MOST RESPONSIBLE WHO PREPARED PLAN**

[IF MORE THAN ONE IS MENTIONED IN L28a, ASK THE FOLLOWING QUESTION.] Who was the person most responsible for preparing the plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.4	0.8	9	0	SELF
70.1	4.2	47	1	PRIMARY/REGULAR COUNSELOR
1.5	0.1	1	2	CASE MANAGER
7.5	0.4	5	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	24	VOCATIONAL COUNSELOR
0.0	0.0	0	25	PHYSICIAN
0.0	0.0	0	26	PHYSICIANS ASSISTANT
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
7.5	0.4	5	91	OTHER
	46.4	520	-9	LEGITIMATE NONRESPONSE
	47.2	529	-8	MISSING
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1475-1476

GL29**MET W/ANYONE TO TALK/YOUR TREATMENT PLAN**

Have you met with anyone to talk about your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	51.2	573	1	YES
12.3	7.1	80	2	NO
	41.0	459	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1477-1478

GL29_A	DO YOU KNOW GOALS IN TREATMENT PLAN
---------------	--

Do you know what the goals in your treatment plan are?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.0	49.2	551	1	YES
4.0	2.1	23	2	NO
	47.9	537	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1479-1480

GL29_B_A	GOAL PLAN/YOUR USE OF ALCOHOL
-----------------	--------------------------------------

Does your plan include any goals for your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
62.7	31.2	350	1	YES
37.3	18.6	208	2	NO
	49.7	557	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-4	DON'T KNOW

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1481-1482

GL29_B_B	GOAL PLAN/DRUG/CAUSED PROBLEM
-----------------	--------------------------------------

Does your plan include any goals for your use of
(other) drugs and the problems they may have caused?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	43.9	492	1	YES
12.1	6.1	68	2	NO
	49.7	557	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1483-1484

GL29_B_C	GOAL PLAN/EMOTIONAL HEALTH
-----------------	-----------------------------------

Does your plan include any goals for your emotional or
mental health, including feeling down, depressed, tense,
or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	36.2	405	1	YES
27.7	13.8	155	2	NO
	49.7	557	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1485-1486

GL29_B_D	GOAL PLAN/RELATIONSHIP W/FAMILY
-----------------	--

Does your plan include any goals for your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.9	43.9	492	1	YES
12.1	6.1	68	2	NO
	49.7	557	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1487-1488

GL29_B_E	GOAL PLAN/YOUR PHYSICAL HEALTH
-----------------	---------------------------------------

Does your plan include any goals for your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	13.8	154	1	YES
72.5	36.2	406	2	NO
	49.7	557	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1489-1490

GL29_B_F**GOAL PLAN/YOUR EDUCATION/TRAINING**

Does your plan include any goals for your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
83.4	41.8	468	1	YES
16.6	8.3	93	2	NO
	49.7	557	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1491-1492

GL29_B_G**GOAL PLAN/INVOLVEMENT W/COURT**

Does your plan include any goals for involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	28.0	314	1	YES
43.9	22.0	246	2	NO
	49.7	557	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1493-1494

GL29_B_H	GOAL PLAN/YOUR JOB
-----------------	---------------------------

Does your plan include any goals for your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	17.4	195	1	YES
65.2	32.6	365	2	NO
	49.7	557	-9	LEGITIMATE NONRESPONSE
	0.1	1	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1495-1496

GL29_B_I	GOAL PLAN/LIVING EXPENSES
-----------------	----------------------------------

Does your plan include any goals for housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.4	11.7	131	1	YES
76.6	38.2	428	2	NO
	49.7	557	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1497-1498

GL29_B_J**GOAL PLAN/REDUCE RISK FOR GETTING AIDS**

Does your plan include any goals for reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.6	11.8	132	1	YES
76.4	38.1	427	2	NO
	49.7	557	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1499-1500

GL29_B_K**GOAL PLAN/OTHER IMPORTANT ISSUES**

Does your plan include any goals for any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	4.2	47	1	YES
91.5	45.3	507	2	NO
	49.6	556	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1501-1502

GL29B_K1 SPECIFY 1ST OTHER IMPORTANT ISSUE

Does your plan include any goals for any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.1	46	1	YES
0.0	0.0	0	2	NO
	94.9	1,063	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1503-1504

GL29B_K2 SPECIFY 2ND OTHER IMPORTANT ISSUE

Does your plan include any goals for any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	11	1	YES
0.0	0.0	0	2	NO
	94.9	1,063	-9	LEGITIMATE NONRESPONSE
	4.0	45	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1505-1506

GL29B_K3	SPECIFY 3RD OTHER IMPORTANT ISSUE
-----------------	--

Does your plan include any goals for any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	1	YES
0.0	0.0	0	2	NO
	94.9	1,063	-9	LEGITIMATE NONRESPONSE
	4.8	54	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1507-1508

GL29B_K4	SPECIFY 4TH OTHER IMPORTANT ISSUE
-----------------	--

Does your plan include any goals for any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	YES
0.0	0.0	0	2	NO
	94.9	1,063	-9	LEGITIMATE NONRESPONSE
	4.9	55	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1509-1510

GL29_C	AGREE WITH GOALS IN TREATMENT PLAN
---------------	---

Do you agree with the goals in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.6	47.2	529	1	YES
5.4	2.7	30	2	NO
	49.6	556	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-5	BAD DATA
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1511-1512

GL29_D	HOW MUCH/FELT IN DEVELOP YOUR TREATMENT PLAN
---------------	---

How much say-so do you feel you had in developing your treatment plan? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.9	8.8	98	0	NONE
43.3	22.4	251	1	A LITTLE
39.8	20.6	231	2	A LOT
	47.9	537	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1513-1514

GL29_E	HOW HELPFUL HAS THE PLAN BEEN
---------------	--------------------------------------

Has the plan been . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	4.3	48	0	NOT AT ALL
53.5	27.7	310	1	SOMEWHAT
38.2	19.7	221	2	VERY HELPFUL
	47.9	537	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1515-1516

GL30	ANY CHANGES IN TREATMENT PLAN
-------------	--------------------------------------

In the past 3 months, have there been any changes in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.8	9.8	110	1	YES
83.2	48.7	545	2	NO
	40.9	458	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1517-1518

GL30_A	#TIMES PLAN HAS BEEN CHANGED
---------------	-------------------------------------

During the past 3 months, how many times has it been changed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	4.6	52	1	
26.6	2.6	29	2	
21.1	2.1	23	3	
1.8	0.2	2	4	
1.8	0.2	2	5	
0.9	0.1	1	6	
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1519-1520

GL30_B_M	MONTH/PLAN MOST RECENTLY CHANGED
-----------------	---

When was this plan most recently changed?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.2	2.4	27	1	JAN. - MARCH
25.2	2.4	27	2	APR. - JUNE
29.9	2.9	32	3	JULY - SEPT.
19.6	1.9	21	4	OCT. - DEC.
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.3	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1521-1522

GL30C_00	WHO CHANGED PLAN/SELF
-----------------	------------------------------

Who changed it?

Self.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.4	38	0	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	7.0	78	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1523-1524

GL30C_01	WHO CHANGED PLAN/REGULAR COUNSELOR
-----------------	---

Who changed it?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.7	86	1	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	2.7	30	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1525-1526

GL30C_02	WHO CHANGED PLAN/CASE MANAGER
-----------------	--------------------------------------

Who changed it?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.4	116	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1527-1528

GL30C_11	WHO CHANGED PLAN/OTHER COUNSELOR
-----------------	---

Who changed it?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	11	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.1	113	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1529-1530

GL30C_12**WHO CHANGED PLAN/OTHER CASE MANAGER**

Who changed it?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.4	116	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1531-1532

GL30C_13**WHO CHANGED PLAN/SOCIAL WORKER**

Who changed it?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	13	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.3	115	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1533-1534

GL30C_21	WHO CHANGED PLAN/PSYCHOLOGIST
-----------------	--------------------------------------

Who changed it?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.4	116	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1535-1536

GL30C_22	WHO CHANGED PLAN/PSYCHIATRIST
-----------------	--------------------------------------

Who changed it?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.4	116	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1537-1538

GL30C_23**WHO CHANGED PLAN/NURSE**

Who changed it?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.4	116	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1539-1540

GL30C_24**WHO CHANGED PLAN/PHYSICIAN**

Who changed it?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	24	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.4	116	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1541-1542

GL30C_25	WHO CHANGED PLAN/PHYSICIAN'S ASSISTANT
-----------------	---

Who changed it?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.4	116	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1543-1544

GL30C_26	WHO CHANGED PLAN/DENTIST
-----------------	---------------------------------

Who changed it?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.4	116	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1545-1546

GL30C_27**WHO CHANGED PLAN/VOCATIONAL COUNSELOR**

Who changed it?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.4	116	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1547-1548

GL30C_71**WHO CHANGED PLAN/STAFF FROM OTHER AGENCY**

Who changed it?

Staff from another agency who visited the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.4	116	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1549-1550

GL30C_91	WHO CHANGED PLAN/OTHER
-----------------	-------------------------------

Who changed it?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	91	CIRCLED
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	10.2	114	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1551-1552

GL30_D	HOW MUCH/YOU HAD IN CHANGING PLAN
---------------	--

How much say-so do you feel you had in changing your treatment plan? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	2.0	22	0	NONE
26.4	2.6	29	1	A LITTLE
53.6	5.3	59	2	A LOT
	89.5	1,002	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1553-1554

GL31	PLAN INCLUDE GOALS AFTER TREATMENT
-------------	---

Does your treatment plan include any goals or plans for you after you leave treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.2	37.3	418	1	YES
28.8	15.1	169	2	NO
	41.0	459	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
	6.2	69	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1555-1556

GL32	STAFF PERSON AGREE ON DRUG TREATMENT GOALS
-------------	---

Think again about the staff person you have been seeing most regularly over the past 3 months. How much do you and this person agree on the goals for your drug treatment? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.3	8.6	96	0	NOT AT ALL
42.0	38.9	436	1	SOMEWHAT
48.7	45.1	505	2	VERY MUCH
	0.5	6	-8	MISSING
	6.1	68	-4	DON'T KNOW
	0.8	9	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1557-1558

GL33 EASY/DIFFICULT TO DO/STAFF EXPECTATION

During the past 3 months, has it been difficult or easy for you to do what the staff in this program expect of you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.9	32.8	367	1	DIFFICULT
67.1	66.9	749	2	EASY
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1559-1560

GL33_A HAS BEEN VERY/SOMEWHAT DIFFICULT

Has it been very difficult or somewhat difficult?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.3	8.7	97	1	VERY DIFFICULT
73.7	24.3	272	2	SOMEWHAT DIFFICULT
	66.7	747	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1561-1562

GL33_B HAS BEEN VERY/SOMEWHAT EASY

Has it been very easy or somewhat easy?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.7	29.2	327	1	VERY EASY
56.3	37.6	421	2	SOMEWHAT EASY
	32.8	367	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1563-1564

GL34

HAVE YOU FOLLOWED INSTRUCTION OF STAFF

During the past 3 months, would you say you have followed the instructions and suggestions of staff here . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.0	2.9	33	0	NOT AT ALL
42.9	42.8	479	1	SOMEWHAT
54.1	53.9	604	2	VERY CLOSELY
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1565-1566

GL35	WHAT DRUG CAUSED MOST SERIOUS PROBLEMS
-------------	---

Now, I'd like to ask some questions about any personal goals that you may have regarding your use of drugs. Please include drugs taken without a doctor's prescription or not according to the prescription, as well as any illegal drugs. First, when you were admitted to this program, what drug caused you the most serious problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	14.9	167	0	NO PROB DRUG
10.5	10.4	117	10	ALCOHOL
53.4	53.2	596	20	MARIJUANA, HASHISH, THC
7.3	7.3	82	30	HALLUCINOGENS/PSYCHEDELICS
7.4	7.4	83	40	COCAINE IN ANY FORM
1.3	1.3	15	41	CRACK
1.6	1.6	18	50	HEROIN ALONE, WITH OTHER DRUGS
0.4	0.4	4	51	HEROIN/COCAINE TOGETHER AT SAME TIME
0.0	0.0	0	60	NARCOTICS/OPIATES
0.0	0.0	0	61	STREET/ILLEGAL METHADONE
0.2	0.2	2	70	DOWNERS/DEPRESSANTS
0.7	0.7	8	80	AMPHETAMINES/OTHER STIMULANTS/SPEED
1.9	1.9	21	81	METHAMPHETAMINES/ICE
0.3	0.3	3	90	ANY OTHER DRUGS
0.1	0.1	1	91	INHALANTS
	0.2	2	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1567-1568

GL35_A**ANY PERSONAL TREATMENT GOALS/TYPE L35**

Do you have any personal treatment goals or plans regarding the use of (DRUG TYPE FROM L35)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	57.6	645	1	YES
22.4	16.6	186	2	NO
	14.7	165	-9	LEGITIMATE NONRESPONSE
	11.0	123	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1569-1570

GL36**PERSONAL TREATMENT GOALS**

Please tell me what your personal treatment goals or plans are. Would you say . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
84.0	49.2	551	1	ABSTAIN/NEVER USE AGAIN
7.9	4.6	52	2	REDUCE YOUR LEVEL OF USE
6.1	3.6	40	3	QUIT FOR A WHILE BUT USE LATER
1.2	0.7	8	4	CONTINUE TO USE/BEFORE ENTER PROG
0.8	0.4	5	5	IF VOL: OTHER
	31.0	347	-9	LEGITIMATE NONRESPONSE
	10.2	114	-8	MISSING
	0.2	2	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1571-1572

GL39**TREATMENT GOALS/REGARDING ALCOHOL USE**

These next few questions are about goals that YOU might have regarding alcohol use. Do you have any treatment goals regarding alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.8	33.7	377	1	YES
66.2	66.0	739	2	NO
	0.2	2	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1577-1578

GL39_A**GOALS WRITTEN IN TREATMENT PLAN**

Are these goals written in your treatment plan?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	19.5	218	1	YES
31.2	8.8	99	2	NO
	65.9	738	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.2	2	-5	BAD DATA
	5.0	56	-4	DON'T KNOW
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1579-1580

GL41	PLAN TO CONTINUE TO DRINK ALCOHOL IN FUTURE
-------------	--

Do you plan to continue to drink alcohol in the future?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	1.4	16	1	YES
33.3	0.7	8	2	NO
	97.3	1,090	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1585-1586

GL41_A	YOUR FUTURE PLAN ABOUT DRINKING
---------------	--

Which is closest to your plan for the future? Do you plan to . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	0.1	1	1	QUIT FOR A WHILE/START LATER
40.0	0.4	4	2	QUIT/EVEN THOUGHT YOU SLIP FEW TIME
50.0	0.4	5	3	QUIT/NEVER DRINK ALC AGAIN
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1587-1588

GL42 YOUR FUTURE PLAN FOR ALCOHOL USE

Which of the following best describes your plans for alcohol use? Would you say you plan to . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	0.1	1	1	CONTINUE TO DRINK LIKE BEFORE
0.0	0.0	0	2	DRINK MORE ALC THAN BEFORE
76.9	0.9	10	3	CUT BACK ON DRINKING/>CONTROLLED
15.4	0.2	2	4	QUIT FOR A WHILE/START LATER
0.0	0.0	0	5	IF VOL: OTHER
	98.2	1,100	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1589-1590

GL43 HOW MUCH PROGRAM TREATMENT WILL HELP

How much do you think your treatment in this program will help you do this? Do you think it will help . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.2	3.1	35	0	NOT AT ALL
18.7	6.3	71	1	A LITTLE
72.0	24.4	273	2	A LOT
	65.8	737	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1591-1592

GL44_A	REASON/ABUSE DRUGS/DEPRESS/UNHAPPY
---------------	---

People have different beliefs about drug abuse and drug dependence. I'd like to know how much you agree or disagree with each of the following statements about why people have problems with drugs. The reason people abuse drugs is that they are depressed and unhappy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.1	12.1	135	1	STRONGLY DISAGREE
10.7	10.6	119	2	SOMEWHAT DISAGREE
46.0	45.7	512	3	SOMEWHAT AGREE
31.2	31.1	348	4	STRONGLY AGREE
	0.2	2	-8	MISSING
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1593-1594

GL44_B	REASON/ABUSE DRUGS/FAMILY PROBLEM/GROWING UP
---------------	---

People have different beliefs about drug abuse and drug dependence. I'd like to know how much you agree or disagree with each of the following statements about why people have problems with drugs. The reason people abuse drugs is that they had family problems at home while they were growing up.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.0	101	1	STRONGLY DISAGREE
8.1	8.0	90	2	SOMEWHAT DISAGREE
48.3	48.1	539	3	SOMEWHAT AGREE
34.5	34.4	385	4	STRONGLY AGREE
	0.2	2	-8	MISSING
	0.3	3	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1595-1596

GL45_C**AGREE/DISAGREE/MUST REMAIN DRUG-FREE**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they must remain completely drug-free except for prescribed medications.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.8	6.8	76	1	STRONGLY DISAGREE
17.0	16.9	189	2	SOMEWHAT DISAGREE
26.7	26.4	296	3	SOMEWHAT AGREE
49.5	49.0	549	4	STRONGLY AGREE
	0.6	7	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1601-1602

GL45_D**AGREE/DISAGREE/FACE/CONFRONT DENIAL**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to face and confront their own denial of their drug problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.2	2.1	24	1	STRONGLY DISAGREE
4.3	4.3	48	2	SOMEWHAT DISAGREE
26.0	25.9	290	3	SOMEWHAT AGREE
67.5	67.1	752	4	STRONGLY AGREE
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1603-1604

GL45_G**AGREE/DISAGREE/NEVER USE DRUGS AGAIN**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they can never use drugs again, not even just once.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.8	110	1	STRONGLY DISAGREE
16.2	16.0	179	2	SOMEWHAT DISAGREE
22.9	22.7	254	3	SOMEWHAT AGREE
51.0	50.4	565	4	STRONGLY AGREE
	0.8	9	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1609-1610

GL45_H**AGREE/DISAGREE/HELP FROM PROFESSIONAL**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they need to get help for their drug problems from a professional who is trained to treat drug abuse problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.5	95	1	STRONGLY DISAGREE
14.4	14.3	160	2	SOMEWHAT DISAGREE
36.7	36.5	409	3	SOMEWHAT AGREE
40.4	40.2	450	4	STRONGLY AGREE
	0.4	4	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1611-1612

GL45_K**AGREE/DISAGREE/AVOID PEOPLE/ABUSE DRUG**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that they have to avoid spending time with friends or other people who abuse drugs.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.3	8.3	93	1	STRONGLY DISAGREE
11.1	11.1	124	2	SOMEWHAT DISAGREE
28.2	28.0	314	3	SOMEWHAT AGREE
52.4	52.1	584	4	STRONGLY AGREE
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1617-1618

GL45_L**AGREE/DISAGREE/DRUG ABUSE IS A DISEASE**

Now, I'd like to know how much you agree or disagree with these statements about how people who have a drug problem can be helped. In order to be helped with their drug problems, people must realize that drug abuse is a disease.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.9	6.9	77	1	STRONGLY DISAGREE
6.7	6.7	75	2	SOMEWHAT DISAGREE
22.2	22.1	247	3	SOMEWHAT AGREE
64.2	63.8	715	4	STRONGLY AGREE
	0.3	3	-8	MISSING
	0.1	1	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1619-1620

GL46 ATTENDED A REGULAR TREATMENT GROUP

Next, I'll ask about a group that is sometimes called a "regular treatment group" or simply "group." This kind of group meets often and deals with a variety of subjects related to addiction, such as drug or alcohol dependence, and other problems caused by addiction. (This is not your AA, NA, CA, or other 12-step group.) During the past 3 months, have you attended a group like this?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.3	77.1	863	1	YES
22.7	22.7	254	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1621-1622

GL47_01 WHO LED MEETINGS/PRIMARY/REGULAR COUNSELOR

Who has usually led these meetings?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	46.2	518	1	CIRCLED
	22.7	254	-9	LEGITIMATE NONRESPONSE
	31.0	347	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1623-1624

GL47_02**WHO LED MEETINGS/CASE MANAGER**

Who has usually led these meetings?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	2	CIRCLED
	22.7	254	-9	LEGITIMATE NONRESPONSE
	76.9	861	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1625-1626

GL47_11**WHO LED MEETINGS/OTHER COUNSELOR**

Who has usually led these meetings?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	55.9	626	11	CIRCLED
	22.7	254	-9	LEGITIMATE NONRESPONSE
	21.3	239	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1627-1628

GL47_12	WHO LED MEETINGS/OTHER CASE MANAGER
----------------	--

Who has usually led these meetings?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	12	CIRCLED
	22.7	254	-9	LEGITIMATE NONRESPONSE
	76.9	861	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1629-1630

GL47_13	WHO LED MEETINGS/SOCIAL WORKER
----------------	---------------------------------------

Who has usually led these meetings?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	13	CIRCLED
	22.7	254	-9	LEGITIMATE NONRESPONSE
	77.1	863	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1631-1632

GL47_21	WHO LED MEETINGS/PSYCHOLOGIST
----------------	--------------------------------------

Who has usually led these meetings?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	22.7	254	-9	LEGITIMATE NONRESPONSE
	77.2	865	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1633-1634

GL47_22	WHO LED MEETINGS/PSYCHIATRIST
----------------	--------------------------------------

Who has usually led these meetings?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	22.7	254	-9	LEGITIMATE NONRESPONSE
	77.2	865	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1635-1636

GL47_23	WHO LED MEETINGS/NURSE
----------------	-------------------------------

Who has usually led these meetings?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	23	CIRCLED
	22.7	254	-9	LEGITIMATE NONRESPONSE
	77.1	864	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1637-1638

GL47_71	WHO LED MEETINGS/STAFF FROM OTHER AGENCY
----------------	---

Who has usually led these meetings?

Staff from another agency who visited the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	71	CIRCLED
	22.7	254	-9	LEGITIMATE NONRESPONSE
	77.1	864	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1639-1640

GL47_91	WHO LED MEETINGS/OTHER
----------------	-------------------------------

Who has usually led these meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.7	97	91	CIRCLED
	22.7	254	-9	LEGITIMATE NONRESPONSE
	68.6	768	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1641-1642

GL48_A	HOW OFTEN DEALT W/USE OF ALCOHOL
---------------	---

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your use of alcohol or alcoholism?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.0	24.5	274	0	NEVER
40.8	31.2	349	1	SOME SESSIONS
18.8	14.4	161	2	MOST SESSIONS
8.4	6.4	72	3	EVERY SESSION
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1643-1644

GL48_D**HOW OFTEN DEALT W/RELATION W/FAMILY**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.8	6.0	67	0	NEVER
36.9	28.3	317	1	SOME SESSIONS
33.8	25.9	290	2	MOST SESSIONS
21.5	16.5	185	3	EVERY SESSION
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1649-1650

GL48_E**HOW OFTEN DEALT W/YOUR PHYS HEALTH**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.9	42.1	472	0	NEVER
31.9	24.5	274	1	SOME SESSIONS
10.0	7.7	86	2	MOST SESSIONS
3.1	2.4	27	3	EVERY SESSION
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1651-1652

GL48_F	HOW OFTEN DEALT W/YOUR EDUCATION/TRAINING
---------------	--

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.4	18.8	210	0	NEVER
52.7	40.4	453	1	SOME SESSIONS
16.3	12.5	140	2	MOST SESSIONS
6.5	5.0	56	3	EVERY SESSION
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1653-1654

GL48_G	HOW OFTEN DEALT W/INVOLVE W/COURT
---------------	--

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
32.6	25.0	280	0	NEVER
43.9	33.7	377	1	SOME SESSIONS
17.0	13.0	146	2	MOST SESSIONS
6.5	5.0	56	3	EVERY SESSION
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1655-1656

GL48_H	HOW OFTEN DEALT W/YOUR JOB
---------------	-----------------------------------

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.1	43.0	482	0	NEVER
33.1	25.4	284	1	SOME SESSIONS
7.1	5.4	61	2	MOST SESSIONS
3.7	2.9	32	3	EVERY SESSION
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1657-1658

GL48_I	HOW OFTEN DEALT W/LIVING EXPENSES
---------------	--

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with housing, transportation, or living expenses?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
67.1	51.4	576	0	NEVER
24.0	18.4	206	1	SOME SESSIONS
6.2	4.7	53	2	MOST SESSIONS
2.7	2.1	23	3	EVERY SESSION
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1659-1660

GL48_J	HOW OFTEN DEALT W/REDUCE RISK/AIDS
---------------	---

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with reducing risks for getting AIDS or other diseases such as hepatitis?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
53.3	40.8	457	0	NEVER
36.6	28.0	314	1	SOME SESSIONS
7.1	5.4	61	2	MOST SESSIONS
2.9	2.2	25	3	EVERY SESSION
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1661-1662

GL48_K	HOW OFTEN DEALT W/OTHER IMPORTANT ISSUES
---------------	---

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.0	3.0	34	1	YES
96.0	72.6	813	2	NO
	22.6	253	-9	LEGITIMATE NONRESPONSE
	1.7	19	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1663-1664

GL48_K_1**HOW OFTEN DEALT W/SPECIFY 1ST ISSUE**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
50.0	1.4	16	1	SOME SESSIONS
15.6	0.4	5	2	MOST SESSIONS
34.4	1.0	11	3	EVERY SESSION
	95.1	1,065	-9	LEGITIMATE NONRESPONSE
	2.0	22	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1665-1666

GL48_K_2**HOW OFTEN DEALT W/SPECIFY 2ND ISSUE**

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
57.1	0.4	4	1	SOME SESSIONS
14.3	0.1	1	2	MOST SESSIONS
28.6	0.2	2	3	EVERY SESSION
	95.2	1,066	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1667-1668

GL48_K_3 HOW OFTEN DEALT W/SPECIFY 3RD ISSUE

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues? Third mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
100.0	0.4	4	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	95.2	1,066	-9	LEGITIMATE NONRESPONSE
	4.4	49	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1669-1670

GL48_K_4 HOW OFTEN DEALT W/SPECIFY 4TH ISSUE

Now, please think about the different kinds of things you and this group have done or talked about. During the past 3 months, how often have you dealt with any other important issues? Fourth mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	95.2	1,066	-9	LEGITIMATE NONRESPONSE
	4.7	53	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1671-1672

GL49_A**GROUP SESSIONS HELP/STOP USE OF DRUG**

How much have your sessions with this group helped you stop or cut down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.1	13.1	147	0	NOT AT ALL
40.7	31.2	350	1	SOMEWHAT
42.1	32.3	362	2	VERY MUCH
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.1	1	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1673-1674

GL49_B**GROUP SESSIONS HELP/OTHER PROBLEM**

How much have your sessions with this group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.8	9.8	110	0	NOT AT ALL
51.1	39.2	439	1	SOMEWHAT
36.1	27.7	310	2	VERY MUCH
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1675-1676

GL50**#TIMES ATTENDED GROUPS AT PROGRAM**

During the past 3 months, how many times have you attended groups like this at this program?

1,120 cases (Range of valid codes: 2-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1677-1678

GL50_A	#MINUTES/MEETINGS W/GROUP LAST
---------------	---------------------------------------

How long did (this meeting last/your meetings usually last) with this group?

_____ MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	0	
0.1	0.1	1	6	
0.1	0.1	1	9	
0.2	0.2	2	15	
0.2	0.2	2	20	
0.6	0.4	5	30	
0.1	0.1	1	35	
0.2	0.2	2	40	
1.5	1.2	13	45	
40.0	30.9	346	60	
0.7	0.5	6	75	
34.5	26.6	298	90	
0.1	0.1	1	95	
0.1	0.1	1	100	
0.5	0.4	4	105	
0.1	0.1	1	110	
16.4	12.7	142	120	
0.8	0.6	7	150	
0.1	0.1	1	160	
2.3	1.8	20	180	
0.1	0.1	1	190	
0.3	0.3	3	210	
0.3	0.3	3	240	
0.1	0.1	1	360	
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1679-1681

GL51**HOW YOU FEEL/GROUP UNDERSTANDS YOU**

Overall, how well do you feel the members of this group understand you? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	6.8	76	0	NOT AT ALL
47.6	36.7	411	1	A LITTLE
43.6	33.7	377	2	A LOT
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1682-1683

GL52**YOUR RELATIONSHIP W/ GROUP**

Overall, how would you rate your relationship with this group? Is it . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	4.4	49	1	POOR
35.1	27.1	303	2	FAIR
48.0	37.1	415	3	GOOD
11.2	8.7	97	4	EXCELLENT
	22.6	253	-9	LEGITIMATE NONRESPONSE
	0.2	2	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1684-1685

GL55 ATTENDED TALKS/FILMS/PART OF TREATMENT

Now, I will ask about other services that you may have received. First, I want to ask about any lectures or films that you may have attended, not counting any that took place during a 12-step, self-help, or regular addiction group meeting. During the past 3 months, have you attended any other scheduled talks, lectures, or films as a part of your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.1	32.9	369	1	YES
66.9	66.7	747	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1686-1687

GL56 #DAYS/ATTEND TALKS/FILM/PART OF TREATMENT

During the past 3 months, on how many days did you attend such lectures or films as part of your treatment?

1,120 cases (Range of valid codes: 0-99)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1688-1689

GL57 HOW HELPFUL THE SERVICES

In general, how helpful (was this/have these been)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	5.1	57	0	NOT AT ALL HELPFUL
51.4	16.9	189	1	SOMEWHAT HELPFUL
33.2	10.9	122	2	VERY HELPFUL
	66.7	747	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1690-1691

GL58**ATTEND 12-STEP/SELF-HELP GROUP**

Now, I'd like to ask some questions about self-help groups and 12-step programs for drug or alcohol problems that you may have attended since your admission. These include groups such as Alcoholics Anonymous (M), Narcotics Anonymous (NA), and Cocaine Anonymous (CA). During the past 3 months, have you attended this kind of 12-step or self-help group?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.3	56.2	629	1	YES
43.7	43.7	489	2	NO
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1692-1693

GL58_A_1**GROUP ATTEND/ALCOHOL ANONYMOUS**

Which groups have you attended?

Alcoholics Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	48.6	544	1	CIRCLED
	43.7	489	-9	LEGITIMATE NONRESPONSE
	7.8	87	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1694-1695

GL58_A_2	GROUP ATTEND/NARCOTICS ANONYMOUS
-----------------	---

Which groups have you attended?

Narcotics Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	42.7	478	2	CIRCLED
	43.7	489	-9	LEGITIMATE NONRESPONSE
	13.7	153	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1696-1697

GL58_A_3	GROUP ATTEND/COCAINE ANONYMOUS
-----------------	---------------------------------------

Which groups have you attended?

Cocaine Anonymous.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.7	75	3	CIRCLED
	43.7	489	-9	LEGITIMATE NONRESPONSE
	49.6	556	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1698-1699

GL58_A_4	GROUP ATTEND/OTHER
-----------------	---------------------------

Which groups have you attended?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	14	4	CIRCLED
	43.7	489	-9	LEGITIMATE NONRESPONSE
	55.1	617	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1700-1701

GL58_B	#TIMES/ATTEND THIS GROUP
---------------	---------------------------------

During the past 3 months, how many times have you attended (this group/any of these groups)?

1,120 cases (Range of valid codes: 1-99)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1702-1703

GL58_C_M	MONTH/LAST ATTENDED THIS GROUP
-----------------	---------------------------------------

When did you last attend (this group/any of these groups)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.7	14.2	159	1	JAN. - MARCH
23.3	12.9	144	2	APR. - JUNE
23.3	12.9	144	3	JULY - SEPT.
27.8	15.4	172	4	OCT. - DEC.
	43.7	489	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
	0.1	1	-5	BAD DATA
	0.7	8	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1704-1705

GL58_D	HAVE YOU ATTENDED THIS GROUP
---------------	-------------------------------------

Have you attended (this group/these groups) . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.6	38.9	436	1	AT THIS PROGRAM
7.5	4.2	47	2	AT SOME OTHER PLACE
22.8	12.8	143	3	BOTH
	43.7	489	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1706-1707

GL59_A	GROUP MEETING HELP/STOP USE OF DRUG
---------------	--

In general, how much has meeting with this kind of group helped you stop or cut down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.0	9.6	107	0	NOT AT ALL
36.9	20.7	232	1	SOMEWHAT
46.0	25.8	289	2	VERY MUCH
	43.7	489	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1708-1709

GL59_B**MEETINGS W/GROUP HELPED/OTHER PROBLEM**

In general, how much has meeting with this kind of group helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.0	13.5	151	0	NOT AT ALL
47.1	26.4	296	1	SOMEWHAT
28.8	16.2	181	2	VERY MUCH
	43.7	489	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1710-1711

GL60**FEEL YOU NEEDED THIS KIND OF GROUP**

In general, do you feel you have needed this kind of group . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
21.9	12.2	137	0	NOT AT ALL
36.6	20.4	229	1	SOMEWHAT
41.4	23.1	259	2	VERY MUCH
	43.7	489	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1712-1713

GL63	RECEIVED SERVICES/MENTAL HEALTH PROBLEM
-------------	--

Next, I'd like to ask some questions about other scheduled individual or group services that you may have received during the past 3 months. These services may be any counseling, treatment, or other help that you have received from a professional (such as a medical doctor, psychiatrist, or case manager). Do not include any services that we have already talked about or that you have received on an unscheduled basis. During the past 3 months, have you received any scheduled individual or group services for emotional or mental health problems other than the services that I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	10.0	112	1	YES
90.0	89.6	1,003	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1714-1715

GL64	RECEIVED SERVICES AT THIS PROGRAM
-------------	--

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
65.2	6.5	73	1	YES
34.8	3.5	39	2	NO
	89.6	1,003	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1716-1717

GL65_01	TALKED TO/REGULAR COUNSELOR
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	1	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.5	73	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1718-1719

GL65_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	7.0	78	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1720-1721

GL65_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	11	CIRCLED
	92.9	1,041	-9	LEGITIMATE NONRESPONSE
	6.2	70	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1722-1723

GL65_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	7.0	78	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1724-1725

GL65_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	7.0	78	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1726-1727

GL65_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.9	32	21	CIRCLED
	92.9	1,041	-9	LEGITIMATE NONRESPONSE
	4.2	47	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1728-1729

GL65_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	34	22	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	3.9	44	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1730-1731

GL65_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	23	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.9	77	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1732-1733

GL65_28**TALKED TO/CERTIFIED FAMILY COUNSELOR**

Who have you seen or talked to for these services here?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	7.0	78	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1734-1735

GL65_71**TALKED TO/STAFF FROM OTHER AGENCY**

Who have you seen or talked to for these services here?

Staff from another agency who provide services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	7.0	78	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1736-1737

GL65_91	TALKED TO/OTHER
----------------	------------------------

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	7.0	78	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1738-1739

GL65_A_1	TALKED TO MOST OFTEN/PROVIDER #1
-----------------	---

Which 2 have you seen or talked to most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	0.3	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
11.3	0.7	8	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
45.1	2.9	32	21	PSYCHOLOGIST
38.0	2.4	27	22	PSYCHIATRIST
1.4	0.1	1	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	92.9	1,040	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1740-1741

GL65_A_2**TALKED TO MOST OFTEN/PROVIDER #2**

Which 2 have you seen or talked to most often? 2nd mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
100.0	0.6	7	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1742-1743

GL66**KIND OF SESSIONS W/PSYCH PRO #1**

Have the sessions with your (PROVIDER #1 FROM L65a) been individual sessions, group sessions, or have you had both (individual and group sessions)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.3	5.6	63	1	INDIVIDUAL
12.3	0.8	9	2	GROUP
1.4	0.1	1	3	BOTH
	92.9	1,041	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1744-1745

GL66_A	#TIMES/MET INDIVIDUALLY W/PRO #1
---------------	---

How many times have you met individually with your
(PROVIDER #1 FROM L65a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.7	2.8	31	1	
15.4	0.9	10	2	
16.9	1.0	11	3	
6.2	0.4	4	4	
6.2	0.4	4	5	
1.5	0.1	1	6	
1.5	0.1	1	9	
1.5	0.1	1	12	
1.5	0.1	1	15	
1.5	0.1	1	30	
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1746-1747

GL66_B	#MINUTES/THIS SESSION LAST
---------------	-----------------------------------

How long did (this session last/these sessions usually last)?

_____ MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.6	0.3	3	5	
7.7	0.4	5	10	
13.8	0.8	9	15	
9.2	0.5	6	20	
23.1	1.3	15	30	
1.5	0.1	1	35	
7.7	0.4	5	45	
23.1	1.3	15	60	
3.1	0.2	2	90	
3.1	0.2	2	120	
1.5	0.1	1	180	
1.5	0.1	1	210	
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1748-1750

GL66_C_1	DEALT W/DRUG USE/CAUSED PROBLEM/PRO #1
-----------------	---

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	13	1	CIRCLED
	93.8	1,051	-9	LEGITIMATE NONRESPONSE
	4.9	55	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1751-1752

GL66_C_2 **DEALT W/ALCOHOL USE/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	93.8	1,051	-9	LEGITIMATE NONRESPONSE
	6.0	67	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1753-1754

GL66_C_3 **DEALT W/EMOTIONAL HEALTH/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.4	27	3	CIRCLED
	93.8	1,050	-9	LEGITIMATE NONRESPONSE
	3.8	42	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1755-1756

GL66_C_4**DEALT W/RELATIONSHIP W/ SPOUSE/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	12	4	CIRCLED
	93.8	1,051	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1757-1758

GL66_C_5**DEALT W/OTHER RELATIONSHIP PROBLEM/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	5	CIRCLED
	93.8	1,051	-9	LEGITIMATE NONRESPONSE
	5.8	65	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1759-1760

GL66_C_6 **DEALT W/PSYCHOLOGICAL TEST/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	23	6	CIRCLED
	93.8	1,050	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1761-1762

GL66_C_7 **DEALT W/MEDICATION/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	14	7	CIRCLED
	93.8	1,050	-9	LEGITIMATE NONRESPONSE
	4.9	55	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1763-1764

GL66_C_8**DEALT W/REFERRAL/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	8	CIRCLED
	93.8	1,051	-9	LEGITIMATE NONRESPONSE
	5.6	63	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1765-1766

GL66_C_9**DEALT W/OTHER/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L65a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	15	9	CIRCLED
	93.8	1,050	-9	LEGITIMATE NONRESPONSE
	4.8	54	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1767-1768

GL66_D	HOW HELPFUL THE SERVICES/PRO #1
---------------	--

How helpful was this service from your (PROVIDER #1 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	1.3	15	0	NOT AT ALL HELPFUL
35.4	2.1	23	1	SOMEWHAT
41.5	2.4	27	2	VERY HELPFUL
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1769-1770

GL66_E	#TIMES YOU MET IN GROUP W/ PRO #1
---------------	--

How many times have you met in the group with your (PROVIDER #1 FROM L65a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.1	0.1	1	1	
11.1	0.1	1	2	
11.1	0.1	1	5	
22.2	0.2	2	10	
11.1	0.1	1	20	
11.1	0.1	1	28	
11.1	0.1	1	36	
11.1	0.1	1	97	
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1771-1772

GL66_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

```

_____ MINUTES

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
 33.3    0.3      3    60
 22.2    0.2      2    90
 11.1    0.1      1   120
 11.1    0.1      1   600
 22.2    0.2      2   720
          98.6  1,104   -9  LEGITIMATE NONRESPONSE
          0.6      7    -8  MISSING
-----
100.0  100.0  1,120 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1773-1775

GL66_G_1	WHO ATTEND MEETING/SPOUSE/PARTNER/PRO #1
-----------------	---

When you have met in this group with your (PROVIDER #1 FROM LSa), who else has attended the meetings?

Spouse or partner.

```

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
  0.0    0.0      0     1  CIRCLED
          98.6  1,104   -9  LEGITIMATE NONRESPONSE
          1.4     16   -8  MISSING
-----
100.0  100.0  1,120 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1776-1777

GL66_G_2 **WHO ATTEND MEETING/FAMILY MEMBER/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM LSA), who else has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.4	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1778-1779

GL66_G_3 **WHO ATTEND MEETING/OTHER IN TREATMENT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM LSA), who else has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	3	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1780-1781

GL66_G_4**MEETING/OTHER FAME MEMBER IN TREATMENT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM LSA), who else has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.4	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1782-1783

GL66_G_5**WHO ATTEND MEETING/OTHERS/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM LSA), who else has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.4	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1784-1785

GL66_H_1 **TALKED/DRUG USE/CAUSED PROBLEM/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your use of alcohol and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	1	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1786-1787

GL66_H_2 **TALKED/ALCOHOL USE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.2	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1788-1789

GL66_H_3**TALKED/EMOTIONAL HEALTH/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	3	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1790-1791

GL66_H_4**TALKED/RELATIONSHIP W/ SPOUSE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	4	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1792-1793

GL66_H_5	TALKED/OTHER RELATIONSHIP PROBLEM/PRO #1
-----------------	---

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	5	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1794-1795

GL66_H_6	TALKED/PSYCHOLOGICAL TEST/PRO #1
-----------------	---

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.4	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1796-1797

GL66_H_7**TALKED/MEDICATION/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.4	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1798-1799

GL66_H_8**TALKED/REFERRAL/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.4	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1800-1801

GL66_H_9	TALKED/OTHER/PRO #1
-----------------	----------------------------

When you have met in this group with your (PROVIDER #1 FROM L65a), what have you usually talked about?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	9	CIRCLED
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	1.2	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1802-1803

GL66_I	HOW HELPFUL SERVICES/PRO #1
---------------	------------------------------------

How helpful was this service from your (PROVIDER #1 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
33.3	0.3	3	1	SOMEWHAT HELPFUL
66.7	0.5	6	2	VERY HELPFUL
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1804-1805

GL67**KIND OF SESSIONS W/PSYCH PRO #2**

Have the sessions with your (PROVIDER #2 FROM L65a) been individual sessions, group sessions, or have you had both (individual and group sessions)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	1	INDIVIDUAL
0.0	0.0	0	2	GROUP
0.0	0.0	0	3	BOTH
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1806-1807

GL67_A**#TIMES/MET INDIVIDUALLY W/PRO #2**

How many times have you met individually with your (PROVIDER #2 FROM L65a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.9	0.3	3	1	
14.3	0.1	1	2	
28.6	0.2	2	3	
14.3	0.1	1	5	
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1808-1809

GL67_B	#MINUTES/THIS SESSION LAST
---------------	-----------------------------------

How long did (this session last/these sessions usually last)?

		MINUTES			
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
28.6	0.2	2	15		
14.3	0.1	1	20		
42.9	0.3	3	30		
14.3	0.1	1	60		
	93.0	1,042	-9	LEGITIMATE NONRESPONSE	
	6.3	71	-8	MISSING	
-----	-----	-----			
100.0	100.0	1,120	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1810-1811

GL67_C_1	DEALT W/DRUG USE/CAUSED PROBLEM/PRO #2
-----------------	---

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.0	0.0	0	1	CIRCLED	
	93.0	1,042	-9	LEGITIMATE NONRESPONSE	
	7.0	78	-8	MISSING	
-----	-----	-----			
100.0	100.0	1,120	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1812-1813

GL67_C_2**DEALT W/ALCOHOL USE/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	7.0	78	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1814-1815

GL67_C_3**DEALT W/EMOTIONAL HEALTH/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	3	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.6	74	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1816-1817

GL67_C_4 DEALT W/RELATIONSHIP W/ SPOUSE/PRO #2

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.9	77	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1818-1819

GL67_C_5 DEALT W/OTHER RELATIONSHIP PROBLEM/PRO #2

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.9	77	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1820-1821

GL67_C_6**DEALT W/PSYCHOLOGICAL TEST/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	6	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.8	76	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1822-1823

GL67_C_7**DEALT W/MEDICATION/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	7	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.4	72	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1824-1825

GL67_C_8 **DEALT W/REFERRAL/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	7.0	78	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1826-1827

GL67_C_9 **DEALT W/OTHER/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L65a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	7.0	78	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1828-1829

GL67_D**HOW HELPFUL THE SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.6	0.2	2	0	NOT AT ALL
57.1	0.4	4	1	SOMEWHAT
14.3	0.1	1	2	VERY HELPFUL
	93.0	1,042	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1830-1831

GL67_E**#TIMES YOU MET IN GROUP W/ PRO #2**

How many times have you met in the group with your (PROVIDER #2 FROM L65a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1832-1833

GL67_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

_____ MINUTES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1834-1835

GL67_G_1	WHO ATTEND MEETING/SPOUSE/PARTNER/PRO #2
-----------------	---

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1836-1837

GL67_G_2**WHO ATTEND MEETING/FAMILY MEMBER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1838-1839

GL67_G_3**WHO ATTEND MEETING/OTHER IN TREATMENT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1840-1841

GL67_G_4	MEETING/OTHER FAME MEMBER IN TREATMENT/PRO #2
-----------------	--

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1842-1843

GL67_G_5**WHO ATTEND MEETING/OTHERS/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), who else has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1844-1845

GL67_H_1**TALKED/DRUG USE/CAUSED PROBLEM/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your use of drugs and the problems they may have caused.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1846-1847

GL67_H_2	TALKED/ALCOHOL USE/PRO #2
-----------------	----------------------------------

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your use of alcohol or alcoholism.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1848-1849

GL67_H_3	TALKED/EMOTIONAL HEALTH/PRO #2
-----------------	---------------------------------------

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your emotional or mental health, including feeling down, depressed, tense, or anxious.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1850-1851

GL67_H_4**TALKED/RELATIONSHIP W/ SPOUSE/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Your relationship with your spouse, partner, or other family member.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1852-1853

GL67_H_5**TALKED/OTHER RELATIONSHIP PROBLEM/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Other relationship problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1854-1855

GL67_H_6 **TALKED/PSYCHOLOGICAL TEST/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Psychological / psychiatric testing or assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1856-1857

GL67_H_7 **TALKED/MEDICATION/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1858-1859

GL67_H_8**TALKED/REFERRAL/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1860-1861

GL67_H_9**TALKED/OTHER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L65a), what have you usually talked about?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1862-1863

GL67_I	HOW HELPFUL SERVICES/PRO #2
---------------	------------------------------------

How helpful was this service from your (PROVIDER #2 FROM L65a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
0.0	0.0	0	1	SOMEWHAT HELPFUL
0.0	0.0	0	2	VERY HELPFUL
	93.7	1,049	-9	LEGITIMATE NONRESPONSE
	6.3	71	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1864-1865

GL68	RECEIVED SERVICES FOR EMOTIONAL PROBLEM
-------------	--

During the past 3 months, have you received any scheduled individual or group services for emotional or mental health problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	4.4	49	1	YES
58.1	6.1	68	2	NO
	88.9	996	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1866-1867

GL68A_1**RECEIVE SERVICE/COMMUNITY MENTAL HEALTH CENTER**

Where have you received these services?

A community mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	12	1	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	3.9	44	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1868-1869

GL68A_2**RECEIVE SERVICE/PRIVATE PSYCHIATRIC HOSP**

Where have you received these services?

A private psychiatric hospital or facility.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	8	2	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.3	48	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1870-1871

GL68A_3	RECEIVE SERVICE/OTHER HOSPITAL
----------------	---------------------------------------

Where have you received these services?

Any other hospital or facility (state VA, psychiatric, or mental hospital).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	3	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.4	49	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1872-1873

GL68A_4	RECEIVE SERVICE/EMERGENCY ROOM
----------------	---------------------------------------

Where have you received these services?

An emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1874-1875

GL68A_5	RECEIVE SERVICE/PRIVATE THERAPIST
----------------	--

Where have you received these services?

Private therapist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	10	5	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1876-1877

GL68A_6	RECEIVE SERVICE/OTHER
----------------	------------------------------

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	11	6	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.0	45	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1878-1879

GL68B_1	PSYCHOLOGICAL OTHER PLACE/LOCATION #1
----------------	--

Which 2 places did you receive service at most often?
 First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.1	1.2	13	1	A COMMUNITY MENTAL HEALTH SERVICE
14.6	0.6	7	2	A PRIVATE PSYCHIATRIC HOSPITAL
16.7	0.7	8	3	ANY OTHER HOSPITAL OR FACILITY
0.0	0.0	0	4	AN EMERGENCY ROOM OR CRISIS CENTER
18.8	0.8	9	5	PRIVATE THERAPIST
22.9	1.0	11	6	OTHER
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1880-1881

GL68C_1	WHO REFERRED YOU TO LOCATION #1
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a
 staff member in this program, someone else, or did you
 go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.1	2.2	25	1	PROGRAM
45.8	2.0	22	2	SOMEONE ELSE
2.1	0.1	1	3	SELF
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1882-1883

GL68D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.4	1.7	19	1	
17.0	0.7	8	2	
8.5	0.4	4	3	
6.4	0.3	3	4	
2.1	0.1	1	6	
2.1	0.1	1	8	
12.8	0.5	6	12	
2.1	0.1	1	13	
2.1	0.1	1	14	
2.1	0.1	1	30	
2.1	0.1	1	90	
2.1	0.1	1	99	99 OR MORE
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1884-1885

GL68E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at
(LOCATION - 1st mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	1.1	12	0	NOT AT ALL
45.8	2.0	22	1	SOMEWHAT
29.2	1.2	14	2	VERY HELPFUL
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1886-1887

GL68F1_1 TALKED TO/REGULAR COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	1	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.7	53	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1888-1889

GL68F1_2 TALKED TO/CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1890-1891

GL68F111	TALKED TO/OTHER COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	11	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.8	54	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1892-1893

GL68F112	TALKED TO/OTHER CASE MANAGER/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1894-1895

GL68F113 TALKED TO/SOCIAL WORKER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	13	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.8	54	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1896-1897

GL68F121 TALKED TO/PSYCHOLOGIST/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	21	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.6	52	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1898-1899

GL68F122	TALKED TO/PSYCHIATRIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.2	36	22	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1900-1901

GL68F123	TALKED TO/NURSE/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1902-1903

GL68F128 TALKED TO/CERTIFIED FAME COUNSELOR/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	28	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.9	55	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1904-1905

GL68F171 TALKED TO/STAFF FROM OTHER AGENCY/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1906-1907

GL68F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	91	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.8	54	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1908-1909

GL68G_1	TALKED TO FOR SERVICES/LOCATION #1
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.3	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
4.4	0.2	2	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
2.2	0.1	1	13	SOCIAL WORKER
4.4	0.2	2	21	PSYCHOLOGIST
77.8	3.1	35	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
2.2	0.1	1	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
2.2	0.1	1	91	OTHER
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1910-1911

GL68D_2**#DAYS YOU RECEIVED SERVICES/LOC #2**

On how many days have you received these services at
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.3	3	3	
25.0	0.1	1	35	
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.6	52	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1916-1917

GL68E_2**HOW HELPFUL THE SERVICES/LOCATION #2**

Overall, how helpful were these services you received at
(LOCATION - 2nd mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
50.0	0.2	2	1	SOMEWHAT
50.0	0.2	2	2	VERY HELPFUL
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.6	52	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1918-1919

GL68F2_1 TALKED TO/REGULAR COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1920-1921

GL68F2_2 TALKED TO/CASE MANAGER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1922-1923

GL68F211	TALKED TO/OTHER COUNSELOR/LOC #2
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1924-1925

GL68F212	TALKED TO/OTHER CASE MANAGER/LOC #2
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1926-1927

GL68F213 TALKED TO/SOCIAL WORKER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1928-1929

GL68F221 TALKED TO/PSYCHOLOGIST/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	21	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.7	53	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1930-1931

GL68F222**TALKED TO/PSYCHIATRIST/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.8	54	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1932-1933

GL68F223**TALKED TO/NURSE/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1934-1935

GL68F228 TALKED TO/CERTIFIED FAME COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1936-1937

GL68F271 TALKED TO/STAFF FROM OTHER AGENCY/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 1938-1939

GL68F291	TALKED TO/OTHER/LOC #2
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	5.0	56	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1940-1941

GL68G_2	TALKED TO FOR SERVICES/LOCATION #2
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
50.0	0.2	2	21	PSYCHOLOGIST
50.0	0.2	2	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	95.0	1,064	-9	LEGITIMATE NONRESPONSE
	4.6	52	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1942-1943

GL69 STAYED OVERNIGHT/EMOTIONAL PROBLEM

During the past 3 months, have you stayed overnight anywhere for treatment of emotional or mental health problems other than for problems associated with drugs or alcohol use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.1	1.1	12	1	YES
98.9	98.4	1,102	2	NO
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1944-1945

GL69_A_1 FACILITY STAYED/COMMUNITY MENTAL HEALTH CENTER

Where have you stayed since your admission for this kind of treatment?

A community mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1946-1947

GL69_B_1	#NIGHTS STAYED/COMMUNITY MENTAL HEALTH CENTER
-----------------	--

How many nights have you stayed at a community mental health center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	0	
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1948-1949

GL69_A_2	FACILITY STAYED/PRIVATE PSYCHIATRIC HOSP
-----------------	---

Where have you stayed since your admission for this kind of treatment?

A private psychiatric hospital or facility.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	2	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1950-1951

GL69_B_2	#NIGHTS STAYED/PRIVATE PSYCHIATRIC HOSP
-----------------	--

How many nights have you stayed at a private psychiatric hospital or facility?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.2	0.2	2	0	
11.1	0.1	1	4	
11.1	0.1	1	7	
22.2	0.2	2	10	
11.1	0.1	1	13	
22.2	0.2	2	14	
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1952-1953

GL69_A_3	FACILITY STAYED/ANY OTHER HOSPITAL
-----------------	---

Where have you stayed since your admission for this kind of treatment?

Any other hospital or facility (state VA, psychiatric, or mental hospital).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	3	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1954-1955

GL69_B_3**#NIGHTS STAYED/ANY OTHER HOSPITAL**

How many nights have you stayed at any other hospital or facility (state VA, psychiatric, or mental hospital)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	2	0	
16.7	0.1	1	2	
16.7	0.1	1	3	
16.7	0.1	1	12	
16.7	0.1	1	14	
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1956-1957

GL69_A_4**FACILITY STAYED/EMERGENCY ROOM**

Where have you stayed since your admission for this kind of treatment?

An emergency room or crisis center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1958-1959

GL69_B_4	#NIGHTS STAYED/EMERGENCY ROOM
-----------------	--------------------------------------

How many nights have you stayed at an emergency room or crisis center?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	0	
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1960-1961

GL69_A_5	FACILITY STAYED/ANY OTHER PLACE
-----------------	--

Where have you stayed since your admission for this kind of treatment?

Any other place.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1962-1963

GL69_B_5**#NIGHTS STAYED/ANY OTHER PLACE**

How many nights have you stayed at any other place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	2	0	
33.3	0.1	1	20	
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1964-1965

GL70**HAD CHECK-UP FOR MEDICAL PROBLEM**

During the past 3 months, have you had a checkup or have you received any scheduled individual services for medical problems other than those I have already asked about?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.2	38.1	427	1	YES
61.8	61.6	690	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1966-1967

GL71	RECEIVED SERVICES AT THIS PROGRAM
-------------	--

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
58.6	22.1	248	1	YES
41.4	15.6	175	2	NO
	61.7	691	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1968-1969

GL72_01	TALKED TO/REGULAR COUNSELOR
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.7	254	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1970-1971

GL72_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.7	254	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1972-1973

GL72_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.5	252	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1974-1975

GL72_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	14.6	164	23	CIRCLED
	77.2	865	-9	LEGITIMATE NONRESPONSE
	8.1	91	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1976-1977

GL72_24	TALKED TO/PHYSICIAN
----------------	----------------------------

Who have you seen or talked to for these services here?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	15.3	171	24	CIRCLED
	77.1	864	-9	LEGITIMATE NONRESPONSE
	7.6	85	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1978-1979

GL72_25	TALKED TO/PHYSICIAN'S ASSISTANT
----------------	--

Who have you seen or talked to for these services here?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.7	254	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1980-1981

GL72_26	TALKED TO/DENTIST
----------------	--------------------------

Who have you seen or talked to for these services here?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	10	26	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	21.8	244	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1982-1983

GL72_71	TALKED TO/STAFF FROM OTHER AGENCY
----------------	--

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.7	254	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1984-1985

GL72_91	TALKED TO/OTHER
----------------	------------------------

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	91	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.6	253	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1986-1987

GL72_A1**TALKED TO MOST OFTEN - PROVIDER #1**

Which 2 have you seen or talked to most often? 1st mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
1.2	0.3	3	22	PSYCHIATRIST
61.6	13.8	154	23	NURSE
34.0	7.6	85	24	PHYSICIAN
0.0	0.0	0	25	PHYSICIANS ASSISTANT
2.8	0.6	7	26	DENTIST
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	77.1	863	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1988-1989

GL72_A2**TALKED TO MOST OFTEN - PROVIDER #2**

Which 2 have you seen or talked to most often? 2nd mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	22	PSYCHIATRIST
6.2	0.5	6	23	NURSE
88.7	7.7	86	24	PHYSICIAN
1.0	0.1	1	25	PHYSICIANS ASSISTANT
3.1	0.3	3	26	DENTIST
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
1.0	0.1	1	91	OTHER
	77.3	866	-9	LEGITIMATE NONRESPONSE
	14.0	157	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1990-1991

GL73	#TIMES/MET W/ PRO #1
-------------	-----------------------------

How many times have you met with your (PROVIDER #1 FROM L72a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.1	6.5	73	1	
16.7	3.8	42	2	
13.1	2.9	33	3	
7.6	1.7	19	4	
7.6	1.7	19	5	
1.2	0.3	3	6	
2.4	0.5	6	7	
1.6	0.4	4	8	
0.4	0.1	1	9	
3.6	0.8	9	10	
0.4	0.1	1	11	
3.6	0.8	9	12	
0.4	0.1	1	14	
1.6	0.4	4	15	
0.8	0.2	2	17	
0.4	0.1	1	19	
3.2	0.7	8	20	
0.4	0.1	1	26	
0.8	0.2	2	30	
0.4	0.1	1	34	
0.8	0.2	2	40	
0.4	0.1	1	49	
0.8	0.2	2	50	
0.8	0.2	2	60	
0.4	0.1	1	71	
0.8	0.2	2	90	
0.8	0.2	2	99	
	77.0	862	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1992-1993

GL73_A**#MINUTES/SESSIONS LAST**

How long did (this session last/these sessions usually last)?

MINUTES		N	VALUE	LABEL
PCT	PCT			
VALID	ALL			
0.8	0.2	2	1	
5.6	1.2	14	2	
3.6	0.8	9	3	
0.4	0.1	1	4	
26.6	6.0	67	5	
23.8	5.4	60	10	
13.1	2.9	33	15	
0.4	0.1	1	16	
13.5	3.0	34	20	
1.2	0.3	3	25	
5.6	1.2	14	30	
0.8	0.2	2	35	
0.4	0.1	1	40	
0.4	0.1	1	45	
3.6	0.8	9	60	
0.4	0.1	1	100	
	77.1	863	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1994-1996

GL73_B01**DEALT W/PHYSICAL/DENTAL EXAM/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Physical or dental exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.8	155	1	CIRCLED
	77.1	864	-9	LEGITIMATE NONRESPONSE
	9.0	101	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 1997-1998

GL73_B02 **DEALT W/MEDICAL/DENTAL CARE TREATMENT/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Medical or dental care / treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.4	116	2	CIRCLED
	77.2	865	-9	LEGITIMATE NONRESPONSE
	12.4	139	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 1999-2000

GL73_B03 **DEALT W/GLASSES/HEARING AIDS/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Glasses or hearing aids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.5	252	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2001-2002

GL73_B04**DEALT W/ADMISSION TO HOSP/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Admission to hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	4	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.4	251	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2003-2004

GL73_B05**DEALT W/MEDICATION/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.2	92	5	CIRCLED
	77.2	865	-9	LEGITIMATE NONRESPONSE
	14.6	163	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2005-2006

GL73_B06 **DEALT W/DIET/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Diet or nutritional advice.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	6	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.5	252	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2007-2008

GL73_B07 **DEALT W/EXERCISE/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Exercise or physical fitness protocol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.6	253	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2009-2010

GL73_B08**DEALT W/PRENATAL CARE/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Prenatal care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.7	254	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2011-2012

GL73_B09**DEALT W/OTHER/PRO #1**

When you have met with your (PROVIDER #1 FROM L72a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	12	9	CIRCLED
	77.2	865	-9	LEGITIMATE NONRESPONSE
	21.7	243	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2013-2014

GL73_C	HOW HELPFUL SERVICES/PRO #1
---------------	------------------------------------

How helpful was this service from your (PROVIDER #1 FROM L72a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.3	2.8	31	0	NOT AT ALL HELPFUL
45.8	10.4	116	1	SOMEWHAT HELPFUL
41.9	9.5	106	2	VERY HELPFUL
	77.0	862	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2015-2016

GL74	#TIMES/MET WITH PRO #2
-------------	-------------------------------

How many times have you met with your (PROVIDER #2 FROM L72a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	1	0	
44.9	3.9	44	1	
29.6	2.6	29	2	
17.3	1.5	17	3	
2.0	0.2	2	4	
1.0	0.1	1	5	
1.0	0.1	1	6	
2.0	0.2	2	10	
1.0	0.1	1	12	
	77.3	866	-9	LEGITIMATE NONRESPONSE
	13.9	156	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2017-2018

GL74_A	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

_____ MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.0	0.1	1	1	
8.2	0.7	8	2	
2.1	0.2	2	3	
48.5	4.2	47	5	
17.5	1.5	17	10	
9.3	0.8	9	15	
5.2	0.4	5	20	
3.1	0.3	3	30	
1.0	0.1	1	40	
1.0	0.1	1	60	
1.0	0.1	1	90	
1.0	0.1	1	120	
1.0	0.1	1	150	
	77.3	866	-9	LEGITIMATE NONRESPONSE
	14.0	157	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2019-2021

GL74_B01	DEALT W/PHYSICAL/DENTAL EXAM/PRO #2
-----------------	--

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Physical or dental exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.0	67	1	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	16.7	187	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2022-2023

GL74_B02 **DEALT W/MEDICAL/DENTAL CARE TREATMENT/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Medical or dental care / treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.0	45	2	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	18.7	209	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2024-2025

GL74_B03 **DEALT W/GLASSES/HEARING AIDS/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Glasses or hearing aids.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.6	253	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2026-2027

GL74_B04**DEALT W/ADMISSION TO HOSP/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Admission to hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.7	254	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2028-2029

GL74_B05**DEALT W/MEDICATION/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Medication (including dosage regulation, side effects, and their management).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.0	22	5	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	20.7	232	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2030-2031

GL74_B06 **DEALT W/DIET/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Diet or nutritional advice.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.7	254	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2032-2033

GL74_B07 **DEALT W/EXERCISE/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Exercise or physical fitness protocol.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.7	254	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2034-2035

GL74_B08**DEALT W/PRENATAL CARE/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Prenatal care.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.7	254	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2036-2037

GL74_B09**DEALT W/OTHER/PRO #2**

When you have met with your (PROVIDER #2 FROM L72a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	9	CIRCLED
	77.3	866	-9	LEGITIMATE NONRESPONSE
	22.1	248	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2038-2039

GL74_C	HOW HELPFUL THE SERVICES/PRO #2
---------------	--

How helpful was this service from your (PROVIDER #2 FROM L72a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
29.2	2.5	28	0	NOT AT ALL HELPFUL
38.5	3.3	37	1	SOMEWHAT HELPFUL
32.3	2.8	31	2	VERY HELPFUL
	77.3	866	-9	LEGITIMATE NONRESPONSE
	14.1	158	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2040-2041

GL75	RECEIVED SERVICES/MEDICAL PROBLEMS
-------------	---

During the past 3 months, have you had a checkup or have you received any scheduled services for medical problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
59.9	23.3	261	1	YES
40.1	15.6	175	2	NO
	60.5	678	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2042-2043

GL75_A_1**RECEIVE SERVICE/PRIVATE PHYSICIAN/DENTIST**

Where have you received these services?

Private physician or dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	10.6	119	1	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	13.1	147	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2044-2045

GL75_A_2**RECEIVE SERVICE/HOSP/PUB HEALTH CLINIC**

Where have you received these services?

Hospital or public health clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.0	101	2	CIRCLED
	76.2	853	-9	LEGITIMATE NONRESPONSE
	14.8	166	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2046-2047

GL75_A_3	RECEIVE SERVICE/MILITARY/VA HOSPITAL
-----------------	---

Where have you received these services?

Military or VA hospital or clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.8	266	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2048-2049

GL75_A_4	RECEIVE SERVICE/HEALTH COOPERATIVE
-----------------	---

Where have you received these services?

Health cooperative, neighborhood clinic.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	15	4	CIRCLED
	76.2	853	-9	LEGITIMATE NONRESPONSE
	22.5	252	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2050-2051

GL75_A_5	RECEIVE SERVICE/OTHER MEDICAL
-----------------	--------------------------------------

Where have you received these services?

Other medical.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.1	24	5	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	21.6	242	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2052-2053

GL75_A_6	RECEIVE SERVICE/OTHER
-----------------	------------------------------

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	10	6	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	22.9	256	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2054-2055

GL75B_1 MEDICAL OTHER PLACE/LOCATION #1

Which 2 locations have you received services at most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
45.6	10.6	119	1	PRIVATE PHYSICIAN OR DENTIST
37.2	8.7	97	2	HOSPITAL OR PUBLIC HEALTH CLINIC
0.0	0.0	0	3	MILITARY OR VA HOSPITAL OR CLINIC
6.1	1.4	16	4	HEALTH COOPERATIVE
8.8	2.1	23	5	OTHER MEDICAL
2.3	0.5	6	6	OTHER
	76.1	852	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2056-2057

GL75C_1 WHO REFERRED YOU TO LOCATION #1

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.6	11.4	128	1	PROGRAM
27.1	6.2	70	2	SOMEONE ELSE
23.3	5.4	60	3	SELF
	76.1	852	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2058-2059

GL75D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at
(LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.5	11.3	127	1	
24.0	5.6	63	2	
11.5	2.7	30	3	
7.3	1.7	19	4	
1.5	0.4	4	5	
1.1	0.3	3	6	
0.8	0.2	2	7	
1.5	0.4	4	8	
1.5	0.4	4	9	
1.1	0.3	3	10	
0.4	0.1	1	15	
0.8	0.2	2	20	
	76.1	852	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2060-2061

GL75E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at
(LOCATION - 1st mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	2.3	26	0	NOT AT ALL
33.6	7.9	88	1	SOMEWHAT
56.5	13.2	148	2	VERY HELPFUL
	76.1	852	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2062-2063

GL75F101 TALKED TO/REGULAR COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.8	266	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2064-2065

GL75F102 TALKED TO/CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.8	266	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2066-2067

GL75F122	TALKED TO/PSYCHIATRIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.6	264	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2068-2069

GL75F123	TALKED TO/NURSE/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.8	31	23	CIRCLED
	76.2	853	-9	LEGITIMATE NONRESPONSE
	21.1	236	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2070-2071

GL75F124 TALKED TO/PHYSICIAN/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	17.8	199	24	CIRCLED
	76.2	853	-9	LEGITIMATE NONRESPONSE
	6.1	68	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2072-2073

GL75F125 TALKED TO/PHYSICIAN'S ASSISTANT/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	25	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.7	265	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2074-2075

GL75F126**TALKED TO/DENTIST/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.9	44	26	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	19.8	222	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2076-2077

GL75F171**TALKED TO/STAFF FROM OTHER AGENCY/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.8	266	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2078-2079

GL75F191 TALKED TO/OTHER/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.1	12	91	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	22.7	254	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2080-2081

GL75G_1 TALKED TO FOR SERVICES/LOCATION #1

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.1	1	1	PRIMARY/REGULAR COUNSELOR
0.4	0.1	1	2	CASE MANAGER
0.4	0.1	1	22	PSYCHIATRIST
4.4	1.0	11	23	NURSE
74.8	16.7	187	24	PHYSICIAN
0.4	0.1	1	25	PHYSICIAN'S ASSISTANT
15.6	3.5	39	26	DENTIST
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
3.6	0.8	9	91	OTHER
	76.1	852	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.1	1	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2082-2083

GL75B_2**MEDICAL OTHER PLACE/LOCATION #2**

Which 2 locations have you received services at most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.9	1.2	13	1	PRIVATE PHYSICIAN OR DENTIST
32.3	0.9	10	2	HOSPITAL OR PUBLIC HEALTH CLINIC
0.0	0.0	0	3	MILITARY OR VA HOSPITAL OR CLINIC
9.7	0.3	3	4	HEALTH COOPERATIVE
6.5	0.2	2	5	OTHER MEDICAL
9.7	0.3	3	6	OTHER
	76.2	854	-9	LEGITIMATE NONRESPONSE
	21.0	235	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2084-2085

GL75C_2**WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.4	1.3	15	1	PROGRAM
25.8	0.7	8	2	SOMEONE ELSE
25.8	0.7	8	3	SELF
	76.2	854	-9	LEGITIMATE NONRESPONSE
	21.0	235	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2086-2087

GL75D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
----------------	---

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	2.0	22	1	
22.6	0.6	7	2	
3.2	0.1	1	3	
3.2	0.1	1	4	
	76.2	854	-9	LEGITIMATE NONRESPONSE
	21.0	235	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2088-2089

GL75E_2	HOW HELPFUL SERVICES/LOCATION #2
----------------	---

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.7	0.3	3	0	NOT AT ALL
32.3	0.9	10	1	SOMEWHAT
58.1	1.6	18	2	VERY HELPFUL
	76.2	854	-9	LEGITIMATE NONRESPONSE
	21.0	235	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2090-2091

GL75F201**TALKED TO/REGULAR COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.8	266	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2092-2093

GL75F202**TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.8	266	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2094-2095

GL75F222 TALKED TO/PSYCHIATRIST/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.8	266	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2096-2097

GL75F223 TALKED TO/NURSE/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	23	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.7	265	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2098-2099

GL75F224**TALKED TO/PHYSICIAN/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	17	24	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	22.2	249	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2100-2101

GL75F225**TALKED TO/PHYSICIAN'S ASSISTANT/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	25	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.7	265	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2102-2103

GL75F226 TALKED TO/DENTIST/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	26	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	22.9	257	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2104-2105

GL75F271 TALKED TO/STAFF FROM OTHER AGENCY/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	71	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.7	265	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2106-2107

GL75F291	TALKED TO/OTHER/LOC #2
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	91	CIRCLED
	76.2	854	-9	LEGITIMATE NONRESPONSE
	23.6	264	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2108-2109

GL75G_2	TALKED TO FOR SERVICES/LOCATION #2
----------------	---

Which one did you talk to or see the most frequently?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	22	PSYCHIATRIST
3.2	0.1	1	23	NURSE
54.8	1.5	17	24	PHYSICIAN
3.2	0.1	1	25	PHYSICIAN'S ASSISTANT
29.0	0.8	9	26	DENTIST
3.2	0.1	1	71	STAFF FROM ANOTHER AGENCY
6.5	0.2	2	91	OTHER
	76.2	854	-9	LEGITIMATE NONRESPONSE
	21.0	235	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2110-2111

GL76 DR. PRESCRIPTION METHADONE/TRANQUILIZER/FOR DRUG PROBLEM

During the past 3 months, has a doctor prescribed methadone, Naltrexone, tranquilizers, or Antabuse for you because of drug or alcohol problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	5	1	YES
99.6	99.1	1,110	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2112-2113

GL76_A_1 MEDICINE DR. PRESCRIBED/METHADONE

Which of these has the doctor prescribed for you?

Methadone.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	99.1	1,110	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2114-2115

GL76_A_2**MEDICINE DR. PRESCRIBED/NALTREXONE**

Which of these has the doctor prescribed for you?

Naltrexone (Trexan).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.3	26	2	CIRCLED
	96.8	1,084	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2116-2117

GL76_A_3**MEDICINE DR. PRESCRIBED/TRANQUILIZERS**

Which of these has the doctor prescribed for you?

Tranquilizers.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	3	CIRCLED
	99.1	1,110	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2118-2119

GL76_A_4 MEDICINE DR. PRESCRIBED/ANTABUSE

Which of these has the doctor prescribed for you?

Antabuse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.1	1,110	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2120-2121

GL77 HAD ANY CONCERN ABOUT PRESCRIBE MEDICINE

During the past 3 months, have you had any concerns or complaints about any medication that was prescribed for you (including methadone, Naltrexone, tranquilizers, Antabuse, and any other medication)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.8	1.8	20	1	YES
98.2	95.4	1,069	2	NO
	2.8	31	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2122-2123

GL77_A**HAD ANY SERVICES W/ONE ABOUT CONCERNS**

During these months , have you had any scheduled services or talks with anyone in this program about these concerns or complaints?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	1.3	15	1	YES
63.4	2.3	26	2	NO
	93.6	1,048	-9	LEGITIMATE NONRESPONSE
	2.8	31	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2124-2125

GL77B_01**TALKED WITH REGULAR COUNSELOR**

Who have you talked with?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	1	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	3.9	44	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2126-2127

GL77B_02	TALKED WITH CASE MANAGER
-----------------	---------------------------------

Who have you talked with?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	95.8	1,073	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2128-2129

GL77B_11	TALKED WITH OTHER COUNSELOR
-----------------	------------------------------------

Who have you talked with?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	11	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.0	45	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2130-2131

GL77B_12	TALKED WITH OTHER CASE MANAGER
-----------------	---------------------------------------

Who have you talked with?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2132-2133

GL77B_13	TALKED WITH SOCIAL WORKER
-----------------	----------------------------------

Who have you talked with?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2134-2135

GL77B_21	TALKED WITH PSYCHOLOGIST
-----------------	---------------------------------

Who have you talked with?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2136-2137

GL77B_22	TALKED WITH PSYCHIATRIST
-----------------	---------------------------------

Who have you talked with?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	22	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.0	45	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2138-2139

GL77B_23**TALKED WITH NURSE**

Who have you talked with?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	23	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	3.5	39	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2140-2141

GL77B_24**TALKED WITH PHYSICIAN**

Who have you talked with?

Physician.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	24	CIRCLED
	95.8	1,073	-9	LEGITIMATE NONRESPONSE
	3.7	41	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2142-2143

GL77B_25	TALKED WITH PHYSICIAN'S ASSISTANCE
-----------------	---

Who have you talked with?

Physician's assistant.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2144-2145

GL77B_26	TALKED WITH DENTIST
-----------------	----------------------------

Who have you talked with?

Dentist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2146-2147

GL77B_27	TALKED WITH VOCATIONAL COUNSELOR
-----------------	---

Who have you talked with?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2148-2149

GL77B_28	TALKED WITH CERTIFIED FAME COUNSELOR
-----------------	---

Who have you talked with?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2150-2151

GL77B_71	TALKED WITH STAFF FROM OTHER AGENCY
-----------------	--

Who have you talked with?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2152-2153

GL77B_91	TALKED WITH OTHER
-----------------	--------------------------

Who have you talked with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2154-2155

GL77_C_1**CONCERNS/MEDICINE/DOSAGE TOO SMALL**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Dosage too small.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2156-2157

GL77_C_2**CONCERNS/MEDICINE/DOSAGE TOO LARGE**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Dosage too large.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2158-2159

GL77_C_3	CONCERNS/MEDICINE/PHYSICAL SYMPTOMS
-----------------	--

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Physical symptoms (such as nausea, vomiting, headaches, dizziness, shaking).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	3	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	3.3	37	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2160-2161

GL77_C_4	CONCERNS/MEDICINE/SLEEP DISTURBANCES
-----------------	---

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Sleep disturbances.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.0	45	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2162-2163

GL77_C_5**CONCERNS/MEDICINE/UNABLE TO GET DRUG**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Unable to get drug (or prescription) when needed.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.0	45	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2164-2165

GL77_C_6**CONCERNS/MEDICINE/DRUG COST TOO MUCH**

What kinds of concerns or complaints have you had during these months about medication that was prescribed for you?

Drug cost too much - not affordable.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	95.9	1,074	-9	LEGITIMATE NONRESPONSE
	4.1	46	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2166-2167

GL78**RECEIVE SERVICE/RELATIONSHIP PROBLEM**

During the past 3 months, have you received any scheduled individual or group services for family or relationship problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.7	42.6	477	1	YES
57.3	57.1	640	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2172-2173

GL79**RECEIVED SERVICES AT THIS PROGRAM**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.5	41.6	466	1	YES
1.5	0.6	7	2	NO
	57.1	640	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2174-2175

GL80_01	TALKED TO/REGULAR COUNSELOR
----------------	------------------------------------

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.4	251	1	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	19.7	221	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2176-2177

GL80_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	2	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	41.9	469	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2178-2179

GL80_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.8	76	11	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	35.4	396	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2180-2181

GL80_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	42.1	472	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2182-2183

GL80_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.6	29	13	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	39.6	443	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2184-2185

GL80_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	21	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	41.9	469	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2186-2187

GL80_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	42.1	472	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2188-2189

GL80_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	42.1	472	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2190-2191

GL80_28 TALKED TO/CERTIFIED FAME COUNSELOR

Who have you seen or talked to for these services here?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	9.6	107	28	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	32.6	365	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2192-2193

GL80_71 TALKED TO/STAFF FROM OTHER AGENCY

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	71	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2194-2195

GL80_91	TALKED TO/OTHER
----------------	------------------------

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	15	91	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	40.8	457	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2196-2197

GL80_A1	TALKED TO MOST OFTEN - PROVIDER #1
----------------	---

Which 2 have you seen or talked to most often? 1st mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.8	21.6	242	1	PRIMARY/REGULAR COUNSELOR
0.2	0.1	1	2	CASE MANAGER
14.6	5.4	61	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
1.7	0.6	7	13	SOCIAL WORKER
0.7	0.3	3	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
22.2	8.3	93	28	CERTIFIED FAMILY COUNSELOR
0.5	0.2	2	71	STAFF FROM ANOTHER AGENCY
2.4	0.9	10	91	OTHER
	57.8	647	-9	LEGITIMATE NONRESPONSE
	4.8	54	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2198-2199

GL80_A2	TALKED TO MOST OFTEN - PROVIDER #2
----------------	---

Which 2 have you seen or talked to most often? 2nd mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.8	0.3	3	1	PRIMARY/REGULAR COUNSELOR
12.5	0.2	2	2	CASE MANAGER
37.5	0.5	6	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
12.5	0.2	2	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
18.8	0.3	3	91	OTHER
	57.8	647	-9	LEGITIMATE NONRESPONSE
	40.8	457	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2200-2201

GL81_01	SESSIONS W/INDIVIDUAL/PRO #1
----------------	-------------------------------------

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Individual -> Ask L81a-d.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.2	47	1	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	38.0	426	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2202-2203

GL81_02**SESSIONS W/FAMILY/PRO #1**

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Family -> Ask L81e-i.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	32.0	358	2	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	10.3	115	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2204-2205

GL81_03**SESSIONS W/GROUP/PRO #1**

Have the sessions with your (PROVIDER #1 FROM L80a) been individual sessions with just you and your (PROVIDER #1); family sessions with you, your (PROVIDER #1), and your family; or group sessions with you, your (PROVIDER #1), and other people?

Group -> Ask L81j-m.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	8.8	98	3	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	33.5	375	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2206-2207

GL81_A	#TIMES/MET INDIVIDUALLY WITH PRO #1
---------------	--

How many times have you met individually with your
(PROVIDER #1 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.1	1.4	16	1	
19.3	1.0	11	2	
17.5	0.9	10	3	
7.0	0.4	4	4	
1.8	0.1	1	5	
5.3	0.3	3	6	
5.3	0.3	3	7	
3.5	0.2	2	8	
1.8	0.1	1	9	
1.8	0.1	1	10	
1.8	0.1	1	11	
3.5	0.2	2	12	
1.8	0.1	1	13	
1.8	0.1	1	70	
	94.0	1,053	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2208-2209

GL81_B	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

```

_____ MINUTES

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
  3.6    0.2      2     5
  1.8    0.1      1    15
  3.6    0.2      2    20
 28.6    1.4     16    30
  1.8    0.1      1    40
  8.9    0.4      5    45
 50.0    2.5     28    60
  1.8    0.1      1    90
          94.0  1,053   -9  LEGITIMATE NONRESPONSE
          1.0    11    -8  MISSING
-----
100.0  100.0  1,120 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2210-2211

GL81_C_1	INDIVIDUAL DEAL W/COUNSEL/PROBLEM W/SPOUSE/PRO #1
-----------------	--

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

```

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
100.0    0.2      2     1  CIRCLED
          96.8  1,084   -9  LEGITIMATE NONRESPONSE
          3.0    34    -8  MISSING
-----
100.0  100.0  1,120 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2212-2213

GL81_C_2	INDIVIDUAL DEAL W/PARENTING/CHILD CARE/PRO #1
-----------------	--

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	2	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2214-2215

GL81_C_3	INDIVIDUAL DEAL W/COUNSEL/PROBLEM W/PARENT/PRO #1
-----------------	--

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.8	42	3	CIRCLED
	94.8	1,062	-9	LEGITIMATE NONRESPONSE
	1.4	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2216-2217

GL81_C_4**INDIVIDUALLY DEAL W/SEX EDUCATION/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	96.8	1,084	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2218-2219

GL81_C_5**INDIVIDUAL DEAL W/DEATH/BEREAVEMENT/PRO #1**

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	96.7	1,083	-9	LEGITIMATE NONRESPONSE
	3.2	36	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2220-2221

GL81_C_6 INDIVIDUALLY DEAL W/OTHER/PRO #1

When you have met individually with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	13	6	CIRCLED
	96.1	1,076	-9	LEGITIMATE NONRESPONSE
	2.8	31	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2222-2223

GL81_D HOW HELPFUL THE SERVICES/PRO #1

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.3	0.7	8	0	NOT AT ALL
36.7	2.0	22	1	SOMEWHAT
50.0	2.7	30	2	VERY HELPFUL
	93.8	1,051	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2224-2225

GL81_E

#TIMES/MET AS A FAMILY WITH PRO #1

How many times have you met as a family with your
(PROVIDER #1 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.3	0.1	1	0	
20.4	6.4	72	1	
15.0	4.7	53	2	
16.1	5.1	57	3	
12.2	3.8	43	4	
7.4	2.3	26	5	
10.2	3.2	36	6	
3.4	1.1	12	7	
3.4	1.1	12	8	
0.6	0.2	2	9	
4.5	1.4	16	10	
1.4	0.4	5	11	
4.0	1.2	14	12	
0.6	0.2	2	13	
0.3	0.1	1	14	
0.3	0.1	1	20	
	67.2	753	-9	LEGITIMATE NONRESPONSE
	1.2	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2226-2227

GL81_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

		MINUTES			
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.6	0.2	2	6		
0.6	0.2	2	10		
0.6	0.2	2	15		
2.3	0.7	8	20		
11.0	3.5	39	30		
1.1	0.4	4	40		
5.9	1.9	21	45		
0.3	0.1	1	55		
65.4	20.6	231	60		
0.3	0.1	1	75		
5.7	1.8	20	90		
5.1	1.6	18	120		
0.6	0.2	2	130		
0.3	0.1	1	180		
0.3	0.1	1	350		
	67.1	752	-9	LEGITIMATE NONRESPONSE	
	1.3	15	-8	MISSING	
-----	-----	-----			
100.0	100.0	1,120	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2228-2230

GL81_G_1	ATTEND MEETING/SPOUSE/PRO #1
-----------------	-------------------------------------

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
100.0	0.4	5	1	CIRCLED	
	69.5	778	-9	LEGITIMATE NONRESPONSE	
	30.1	337	-8	MISSING	
-----	-----	-----			
100.0	100.0	1,120	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2231-2232

GL81_G_2**ATTEND MEETING/OTHER FAMILY MEMBER/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Other family members of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	29.2	327	2	CIRCLED
	67.3	754	-9	LEGITIMATE NONRESPONSE
	3.5	39	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2233-2234

GL81_G_3**ATTEND MEETING/OTHERS IN TREATMENT/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	3	CIRCLED
	69.6	779	-9	LEGITIMATE NONRESPONSE
	30.1	337	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2235-2236

GL81_G_4 ATTEND MEETING/FAME MEMBER OF OTHERS/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	4	CIRCLED
	69.6	779	-9	LEGITIMATE NONRESPONSE
	29.9	335	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2237-2238

GL81_G_5 ATTEND MEETING/OTHER/PRO #1

When you have met as a family with your (PROVIDER #1 FROM L80a), who has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	11	5	CIRCLED
	69.2	775	-9	LEGITIMATE NONRESPONSE
	29.8	334	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2239-2240

GL81_H_1**INDIVIDUAL MET/COUNSEL/PROBLEM W/SPOUSE/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	1	CIRCLED
	69.6	779	-9	LEGITIMATE NONRESPONSE
	29.8	334	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2241-2242

GL81_H_2**INDIVIDUAL MET/PARENTING/CHILD CARE/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	2	CIRCLED
	69.6	779	-9	LEGITIMATE NONRESPONSE
	29.6	331	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2243-2244

GL81_H_3 **INDIVIDUAL MET/COUNSEL/PROBLEM W/PARENT/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.9	256	3	CIRCLED
	67.3	754	-9	LEGITIMATE NONRESPONSE
	9.7	109	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2245-2246

GL81_H_4 **INDIVIDUALLY MET/SEX EDUCATION/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	69.6	779	-9	LEGITIMATE NONRESPONSE
	30.3	339	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2247-2248

GL81_H_5**INDIVIDUAL MET/DEATH/BEREAVEMENT/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	69.5	778	-9	LEGITIMATE NONRESPONSE
	30.4	340	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2249-2250

GL81_H_6**INDIVIDUALLY MET/OTHER/PRO #1**

When you have met as a family with your (PROVIDER #1 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	13.0	146	6	CIRCLED
	69.2	775	-9	LEGITIMATE NONRESPONSE
	17.7	198	-8	MISSING
	0.1	1	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2251-2252

GL81_I	HOW HELPFUL THE SERVICES/PRO #1
---------------	--

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	3.1	35	0	NOT AT ALL
35.9	11.3	127	1	SOMEWHAT
54.2	17.1	192	2	VERY
	67.1	752	-9	LEGITIMATE NONRESPONSE
	1.2	14	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2253-2254

GL81_J	#TIMES/MET IN GROUP WITH PRO #1
---------------	--

How many times have you met in the group with your (PROVIDER #1 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.9	0.2	2	0	
5.8	0.5	6	1	
11.5	1.1	12	2	
7.7	0.7	8	3	
6.7	0.6	7	4	
6.7	0.6	7	5	
10.6	1.0	11	6	
5.8	0.5	6	7	
3.8	0.4	4	8	
3.8	0.4	4	9	
12.5	1.2	13	10	
2.9	0.3	3	11	
15.4	1.4	16	12	
1.0	0.1	1	13	
1.0	0.1	1	15	
1.0	0.1	1	20	
1.0	0.1	1	58	
1.0	0.1	1	62	
	90.1	1,009	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2255-2256

GL81_K_1**ATTEND MEETING/SPOUSE/PRO #1**

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	92.5	1,036	-9	LEGITIMATE NONRESPONSE
	7.5	84	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2257-2258

GL81_K_2**ATTEND MEETING/CHILDREN/PRO #1**

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	92.5	1,036	-9	LEGITIMATE NONRESPONSE
	7.3	82	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2259-2260

GL81_K_3 ATTEND MEETING/OTHER FAMILY MEMBER/PRO #1

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other members of client's family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.0	67	3	CIRCLED
	90.9	1,018	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2261-2262

GL81_K_4 ATTEND MEETING/OTHER CLIENTS/PRO #1

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.9	66	4	CIRCLED
	90.4	1,013	-9	LEGITIMATE NONRESPONSE
	3.7	41	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2263-2264

GL81_K_5**MEETING/OTHER CLIENT'S SPOUSE/PRO #1**

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Spouses / partners of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	13	5	CIRCLED
	92.4	1,035	-9	LEGITIMATE NONRESPONSE
	6.4	72	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2265-2266

GL81_K_6**MEETING/OTHER CLIENT'S CHILDREN/PRO #1**

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Children of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	16	6	CIRCLED
	92.4	1,035	-9	LEGITIMATE NONRESPONSE
	6.2	69	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2267-2268

GL81_K_7	MEETING/OTHER CLIENT'S FAME MEMBER/PRO #1
-----------------	--

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Other members of other clients' families.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	6.4	72	7	CIRCLED
	90.8	1,017	-9	LEGITIMATE NONRESPONSE
	2.8	31	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2269-2270

GL81_K_8	ATTEND MEETING/OTHERS/PRO #1
-----------------	-------------------------------------

When you have met in this group with (PROVIDER #1 FROM L80a), who has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	8	CIRCLED
	92.4	1,035	-9	LEGITIMATE NONRESPONSE
	7.5	84	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2271-2272

GL81_L_1**GROUP MET/COUNSEL/PROBLEM W/SPOUSE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	1	CIRCLED
	92.5	1,036	-9	LEGITIMATE NONRESPONSE
	7.3	82	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2273-2274

GL81_L_2**GROUP MET/PARENTING/CHILD CARE/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	2	CIRCLED
	92.3	1,034	-9	LEGITIMATE NONRESPONSE
	7.1	80	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2275-2276

GL81_L_3 GROUP MET/COUNSEL/PROBLEM W/PARENT/PRO #1

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	4.4	49	3	CIRCLED
	90.7	1,016	-9	LEGITIMATE NONRESPONSE
	4.9	55	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2277-2278

GL81_L_4 GROUP MET/SEX EDUCATION/PRO #1

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	92.4	1,035	-9	LEGITIMATE NONRESPONSE
	7.5	84	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2279-2280

GL81_L_5**GROUP MET/DEATH/BEREAVEMENT/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	92.5	1,036	-9	LEGITIMATE NONRESPONSE
	7.4	83	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2281-2282

GL81_L_6**GROUP MET/OTHER/PRO #1**

When you have met in this group with your (PROVIDER #1 FROM L80a). what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	3.0	34	6	CIRCLED
	92.1	1,032	-9	LEGITIMATE NONRESPONSE
	4.8	54	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2283-2284

GL81_M	HOW HELPFUL THE SERVICES/PRO #1
---------------	--

How helpful was this service from your (PROVIDER #1 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.5	1.4	16	0	NOT AT ALL
42.7	3.9	44	1	SOMEWHAT
41.7	3.8	43	2	VERY HELPFUL
	90.2	1,010	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2285-2286

GL82_01	SESSIONS W/PRO #2/INDIVIDUAL
----------------	-------------------------------------

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Individual -> Ask L82a-d

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	1	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2287-2288

GL82_02**SESSIONS W/PRO #2/FAMILY**

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Family -> Ask L82e-i

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	2	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2289-2290

GL82_03**SESSIONS W/PRO #2/GROUP**

Have the sessions with your (PROVIDER #2 FROM L80a) been individual sessions with just you and your (PROVIDER #2); family sessions with you, your (PROVIDER #2), and your family; or group sessions with you, your (PROVIDER #2), and other people?

Group -> Ask L82j-m

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	57.8	647	-9	LEGITIMATE NONRESPONSE
	42.1	472	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2291-2292

GL82_A	#TIMES/MET INDIVIDUALLY W/PRO #2
---------------	---

How many times have you met individually with your
(PROVIDER #2 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	2	
33.3	0.1	1	5	
33.3	0.1	1	12	
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.7	467	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2293-2294

GL82_B	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually
last)?

MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	15	
33.3	0.1	1	30	
33.3	0.1	1	60	
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.7	467	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2295-2296

GL82_C_1**DEALT W/COUNSELING SPOUSE PROBLEM/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2297-2298

GL82_C_2**DEALT W/PARENTING/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2299-2300

GL82_C_3 **DEALT W/COUNSELING PARENTS PROBLEM/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.9	469	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2301-2302

GL82_C_4 **DEALT W/SEX EDUCATION/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2303-2304

GL82_C_5**DEALT W/DEATH/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2305-2306

GL82_C_6**DEALT W/OTHER/PRO #2**

When you have met individually with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	6	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.8	468	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2307-2308

GL82_D	HOW HELPFUL THE SERVICES/PRO #2
---------------	--

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
33.3	0.1	1	1	SOMEWHAT
66.7	0.2	2	2	VERY HELPFUL
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.7	467	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2309-2310

GL82_E	#TIMES/MET AS FAMILY WITH PRO #2
---------------	---

How many times have you met as a family with your (PROVIDER #2 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.1	1	1	
50.0	0.2	2	2	
25.0	0.1	1	4	
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.6	466	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2311-2312

GL82_F	#MINUTES/SESSIONS LAST
---------------	-------------------------------

How long did (this session last/these sessions usually last)?

```

_____ MINUTES

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
 25.0    0.1      1    15
 50.0    0.2      2    30
 25.0    0.1      1   120
          58.0    650   -9  LEGITIMATE NONRESPONSE
          41.6    466   -8  MISSING
-----
100.0  100.0  1,120 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2313-2315

GL82_G_1	ATTEND MEETING/SPOUSE/PRO #2
-----------------	-------------------------------------

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouse or partner.

```

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
  0.0    0.0      0     1  CIRCLED
          58.0    650   -9  LEGITIMATE NONRESPONSE
          42.0    470   -8  MISSING
-----
100.0  100.0  1,120 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2316-2317

GL82_G_2 MEETING/OTHER FAME MEMBER OF CLIENT/PRO #2

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other family mmebers of client.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	2	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.6	466	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2318-2319

GL82_G_3 ATTEND MEETING/OTHERS IN TREATMENT/PRO #2

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.9	469	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2320-2321

GL82_G_4**ATTEND MEETING/FAMILY MEMBER OF OTHER/PR #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Family members of others in treatment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.9	469	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2322-2323

GL82_G_5**ATTEND MEETING/OTHERS/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.9	469	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2324-2325

GL82_H_1	FAME MET/COUNSEL/PROBLEM W/SPOUSE/PRO #2
-----------------	---

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2326-2327

GL82_H_2	FAME MET/PARENTING/CHILD CARE/PRO #2
-----------------	---

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2328-2329

GL82_H_3**FAME MET/COUNSEL/PROBLEM W/PARENT/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.9	469	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2330-2331

GL82_H_4**FAME MET/SEX EDUCATION/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2332-2333

GL82_H_5 **FAME MET/DEATH/BEREAVEMENT/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	42.0	470	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2334-2335

GL82_H_6 **FAME MET/OTHER/PRO #2**

When you have met as a family with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	6	CIRCLED
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.7	467	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2336-2337

GL82_I	HOW HELPFUL THE SERVICES/PRO #2
---------------	--

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	2	0	NOT AT ALL
50.0	0.2	2	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	58.0	650	-9	LEGITIMATE NONRESPONSE
	41.6	466	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2338-2339

GL82_J	#TIMES/MET IN GROUP WITH PRO #2
---------------	--

How many times have you met in the group with your (PROVIDER #2 FROM L80a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	3	
33.3	0.1	1	5	
33.3	0.1	1	10	
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.4	464	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2340-2341

GL82_K_1 ATTEND MEETING/SPOUSE/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouse or partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.7	467	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2342-2343

GL82_K_2 ATTEND MEETING/CHILDREN/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Children.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.6	466	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2344-2345

GL82_K_3**ATTEND MEETING/OTHER FAMILY MEMBER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other members of client's family.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.5	465	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2346-2347

GL82_K_4**ATTEND MEETING/OTHER CLIENTS/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	4	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.6	466	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2348-2349

GL82_K_5 MEETING/OTHER CLIENT'S SPOUSE/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Spouses / partners of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	5	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.6	466	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2350-2351

GL82_K_6 MEETING/OTHER CLIENT'S CHILDREN/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Children of other clients.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	6	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.5	465	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2352-2353

GL82_K_7**MEETING/OTHER CLIENT'S FAME MEMBER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Other members of other clients' families.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	7	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.4	464	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2354-2355

GL82_K_8**ATTEND MEETING/OTHERS/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), who has attended the meetings?

Others.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	8	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.6	466	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2356-2357

GL82_L_1 GROUP MET/COUNSEL/PROBLEM W/SPOUSE/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with spouse / partner.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.7	467	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2358-2359

GL82_L_2 GROUP MET/PARENTING/CHILD CARE/PRO #2

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Parenting, child care, or childrearing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.7	467	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2360-2361

GL82_L_3**GROUP MET/COUNSEL/PROBLEM W/PARENT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Counseling for problems with parents.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.5	465	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2362-2363

GL82_L_4**GROUP MET/SEX EDUCATION/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Sex education or sexuality counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.7	467	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2364-2365

GL82_L_5 **GROUP MET/DEATH/BEREAVEMENT/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Death or bereavement.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.7	467	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2366-2367

GL82_L_6 **GROUP MET/OTHER/PRO #2**

When you have met in this group with your (PROVIDER #2 FROM L80a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	CIRCLED
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.6	466	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2368-2369

GL82_M**HOW HELPFUL THE SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L80a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	0	NOT AT ALL
33.3	0.1	1	1	SOMEWHAT
33.3	0.1	1	2	VERY HELPFUL
	58.3	653	-9	LEGITIMATE NONRESPONSE
	41.4	464	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2370-2371

GL83**RECEIVED SERVICES/RELATIONSHIP PROBLEM**

During the past 3 months, have you received any scheduled individual or group services for family or relationship problems at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	0.7	8	1	YES
98.3	41.9	469	2	NO
	56.5	633	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2372-2373

GL83A_1	RECEIVE SERVICE/SOCIAL SERVICES
----------------	--

Where have you received these services?

Social services or family services program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	1	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2374-2375

GL83A_2	RECEIVE SERVICE/MENTAL HEALTH CENTER
----------------	---

Where have you received these services?

Mental health center.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2376-2377

GL83A_3**RECEIVE SERVICE/CHURCH ORGANIZATION**

Where have you received these services?

Church or religious organization.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2378-2379

GL83A_4**RECEIVE SERVICE/PRIVATE FAME COUNSELOR**

Where have you received these services?

Private marital or family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	4	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.4	16	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2380-2381

GL83A_5	RECEIVE SERVICE/OTHER
----------------	------------------------------

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	5	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2382-2383

GL83B_1	FAMILY/RELATIONSHIP OTHER PLACE/LOC #1
----------------	---

Which 2 places did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.5	0.3	3	1	SOCIAL SERVICES OR FAMILY SERVICES
0.0	0.0	0	2	MENTAL HEALTH CENTER
0.0	0.0	0	3	CHURCH OF RELIGIOUS ORGANIZATION
25.0	0.2	2	4	PRIVATE MARITAL OR FAMILY COUNSELOR
37.5	0.3	3	5	OTHER
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2384-2385

GL83C_1	WHO REFERRED YOU TO THIS LOCATION
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.0	0.2	2	1	PROGRAM
50.0	0.4	4	2	SOMEONE ELSE
25.0	0.2	2	3	SELF
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2386-2387

GL83D_1	#DAYS RECEIVED SERVICES
----------------	--------------------------------

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.5	0.1	1	2	
12.5	0.1	1	4	
25.0	0.2	2	6	
12.5	0.1	1	7	
12.5	0.1	1	8	
12.5	0.1	1	12	
12.5	0.1	1	30	
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2388-2389

GL83E_1 HOW HELPFUL SERVICES/LOCATION #1

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.4	4	0	NOT AT ALL
12.5	0.1	1	1	SOMEWHAT
37.5	0.3	3	2	VERY HELPFUL
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2390-2391

GL83F1_1 TALKED TO/REGULAR COUNSELOR/LOC #1

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2392-2393

GL83F1_2	TALKED TO/CASE MANAGER/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2394-2395

GL83F111	TALKED TO/OTHER COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	11	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.4	16	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2396-2397

GL83F112 TALKED TO/OTHER CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2398-2399

GL83F113 TALKED TO/SOCIAL WORKER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2400-2401

GL83F121	TALKED TO/PSYCHOLOGIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2402-2403

GL83F122	TALKED TO/PSYCHIATRIST/LOC #1
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	22	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2404-2405

GL83F123	TALKED TO/NURSE/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2406-2407

GL83F128	TALKED TO/CERTIFIED FAMILY COUNSELOR
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	28	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2408-2409

GL83F171	TALKED TO/STAFF FROM OTHER AGENCY/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.5	17	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2410-2411

GL83F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	91	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.3	15	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2412-2413

GL83G_1	TALKED TO FOR SERVICES/LOCATION #1
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
16.7	0.1	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
16.7	0.1	1	21	PSYCHOLOGIST
16.7	0.1	1	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
16.7	0.1	1	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
33.3	0.2	2	91	OTHER
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2414-2415

GL83B_2	FAMILY/RELATIONSHIP OTHER PLACE/LOC #2
----------------	---

Which 2 places did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	SOCIAL SERVICES OR FAMILY SERVICES
0.0	0.0	0	2	MENTAL HEALTH CENTER
0.0	0.0	0	3	CHURCH OF RELIGIOUS ORGANIZATION
0.0	0.0	0	4	PRIVATE MARITAL OR FAMILY COUNSELOR
0.0	0.0	0	5	OTHER
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2416-2417

GL83C_2**WHO REFERRED YOU TO THIS LOCATION**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2418-2419

GL83D_2**#DAYS RECEIVED SERVICES**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2420-2421

GL83E_2 HOW HELPFUL SERVICES/LOCATION #2

Overall, how helpful were these services you received at (LOCATION - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2422-2423

GL83F2_1 TALKED TO/REGULAR COUNSELOR/LOC #2

Who have you talked to or seen for these services at (LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2424-2425

GL83F2_2**TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2426-2427

GL83F211**TALKED TO/OTHER COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2428-2429

GL83F212 TALKED TO/OTHER CASE MANAGER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2430-2431

GL83F213 TALKED TO/SOCIAL WORKER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2432-2433

GL83F221	TALKED TO/PSYCHOLOGIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2434-2435

GL83F222	TALKED TO/PSYCHIATRIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2436-2437

GL83F223 TALKED TO/NURSE/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2438-2439

GL83F228 TALKED TO/CERTIFIED FAMILY COUNSELOR

Who have you talked to or seen for these services at
(LOCATION)?

Certified family counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2440-2441

GL83F271**TALKED TO/STAFF FROM OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2442-2443

GL83F291**TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2444-2445

GL83G_2	TALKED TO FOR SERVICES/LOCATION #2
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	98.4	1,102	-9	LEGITIMATE NONRESPONSE
	1.6	18	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2446-2447

GL84	RECEIVED SERVICES/JOB TRAINING/FIND JOB
-------------	--

During the past 3 months, have you received any scheduled services to train you for a specific job, help you find a job, or something else like counseling or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.7	1.7	19	1	YES
98.3	97.9	1,096	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2448-2449

GL85**RECEIVED SERVICES AT THIS PROGRAM**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.4	1.5	17	1	YES
5.6	0.1	1	2	NO
	97.9	1,096	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2450-2451

GL86_01**TALKED TO/REGULAR COUNSELOR**

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.0	22	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2452-2453

GL86_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2454-2455

GL86_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	11	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2456-2457

GL86_12**TALKED TO/OTHER CASE MANAGER**

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2458-2459

GL86_13**TALKED TO/SOCIAL WORKER**

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2460-2461

GL86_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2462-2463

GL86_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2464-2465

GL86_23**TALKED TO/NURSE**

Who have you seen or talked to for these services here?
Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2466-2467

GL86_27**TALKED TO/VOCATIONAL COUNSELOR**

Who have you seen or talked to for these services here?
Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	27	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	1.9	21	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2468-2469

GL86_29	TALKED TO/TEACHER
----------------	--------------------------

Who have you seen or talked to for these services here?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	11	29	TEACHER
	97.9	1,096	-9	LEGITIMATE NONRESPONSE
	1.2	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2470-2471

GL86_71	TALKED TO/STAFF FROM OTHER AGENCY
----------------	--

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2472-2473

GL86_91**TALKED TO/OTHER**

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	91	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	1.9	21	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2474-2475

GL86_A1**TALKED TO MOST/PROVIDER #1**

Which 2 have you seen or talked to most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.3	0.1	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
15.8	0.3	3	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
10.5	0.2	2	27	VOCATIONAL COUNSELOR
57.9	1.0	11	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
10.5	0.2	2	91	OTHER
	97.9	1,096	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2476-2477

GL86_A2	TALKED TO MOST/PROVIDER #2
----------------	-----------------------------------

Which 2 have you seen or talked to most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2478-2479

GL87_01	DEALT W/TRAINING/SPECIFIC JOB/PRO #1
----------------	---

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with . . , ?

Training -> Ask L87a-f

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	11	1	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2480-2481

GL87_02	DEALT W/HELP FIND A JOB/PRO #1
----------------	---------------------------------------

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with . . . , ?

Help finding a job. -> Ask L87g-k

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	2	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	1.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2482-2483

GL87_03	DEALT W/SOMETHING ELSE/COUNSELING/PRO #1
----------------	---

Have the sessions with your (PROVIDER #1 FROM L86a) dealt with . . . , ?

Something else like counseling or vocational testing -> Ask L87i-p

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	3	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2484-2485

GL87_B	CURRENTLY ENROLLED IN THIS TRAINING
---------------	--

Are you currently enrolled in this training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.9	0.9	10	1	YES
9.1	0.1	1	2	NO
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2486-2487

GL87_C	RECEIVE A DEGREE/DIPLOMA/CERTIFIED
---------------	---

If you successfully complete this training, will you receive a degree, diploma, or certificate?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.2	2	1	YES
80.0	0.7	8	2	NO
	98.7	1,105	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2488-2489

GL87_D	WHICH WILL YOU RECEIVE
---------------	-------------------------------

Which of these will you receive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEGREE
0.0	0.0	0	2	DIPLOMA
100.0	0.2	2	3	CERTIFICATE
0.0	0.0	0	4	OTHER
	99.4	1,113	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2490-2491

GL87_E	#TIMES/ATTEND TRAINING W/PRO #1
---------------	--

How many times have you attended training with your
(PROVIDER #1 FROM L86a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.2	0.2	2	1	
9.1	0.1	1	5	
9.1	0.1	1	20	
9.1	0.1	1	30	
9.1	0.1	1	40	
27.3	0.3	3	60	
9.1	0.1	1	65	
9.1	0.1	1	90	
	98.6	1,104	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2492-2493

GL87_G_2**HELP FIND JOB/RESUME WRITING/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Resume writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	2	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2498-2499

GL87_G_3**HELP FIND JOB/INTERVIEW SKILLS/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Interviewing skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2500-2501

GL87_G_4 HELP FIND JOB/JOB REFERRAL/PRO #1

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Job referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2502-2503

GL87_G_5 HELP FIND JOB/REFERRAL PUB AGENCY/PRO #1

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Referral to public agency for help in finding a job (DVR, JTPA, DES).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2504-2505

GL87_G_6**HELP FIND JOB/REFERRAL PRIVATE AGENCY/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Referral to a private agency for help in finding a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2506-2507

GL87_G_7**HELP FIND JOB/PLACEMENT IN A JOB/PRO #1**

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Placement in a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	7	CIRCLED
	99.1	1,110	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2508-2509

GL87_G_8 HELP FIND JOB/OTHER/PRO #1

How has your (PROVIDER #1 FROM L86a) tried to help you find a job?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	99.2	1,111	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2510-2511

GL87_H #TIMES/MET W/PRO #1/TO FIND A JOB

How many times have you met with your (PROVIDER #I FROM L86a) to help you find a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.0	0.2	2	1	
20.0	0.1	1	2	
20.0	0.1	1	3	
20.0	0.1	1	70	
	99.1	1,110	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2512-2513

GL87_I	#MINUTES/MEETINGS LAST
---------------	-------------------------------

How long did (this meeting last/these meetings usually last)?

```

_____ MINUTES

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
 40.0    0.2      2    30
 40.0    0.2      2    60
 20.0    0.1      1    90
          99.1  1,110   -9  LEGITIMATE NONRESPONSE
          0.4      5    -8  MISSING
-----
100.0  100.0  1,120 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2514-2515

GL87_J	HOW HELPFUL SERVICES/PRO #1
---------------	------------------------------------

How helpful was the service from your (PROVIDER #1 FROM L86a)? Would you say it was . . .

```

      PCT      PCT      N  VALUE  LABEL
VALID  ALL
  0.0    0.0      0     0  NOT AT ALL
 60.0    0.3      3     1  SOMEWHAT
 40.0    0.2      2     2  VERY HELPFUL
          99.1  1,110   -9  LEGITIMATE NONRESPONSE
          0.4      5    -8  MISSING
-----
100.0  100.0  1,120 cases

```

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2516-2517

GL87_K	DID YOU FIND A JOB
---------------	---------------------------

Have you found a job as a result of this service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	1	YES
80.0	0.4	4	2	NO
	99.1	1,110	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2518-2519

GL87_L_1	TYPE HELP/VOCATIONAL TEST ASSES/PRO #1
-----------------	---

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Vocational or employment testing assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2520-2521

GL87_L_2**TYPE HELP/VOCATIONAL COUNSELING/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Vocational or employment counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2522-2523

GL87_L_3**TYPE HELP/PUB AGENCY VOCATIONAL ASSES/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a public agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2524-2525

GL87_L_4 **TYPE HELP/PRIVATE AGENCY VOCATIONAL ASSES/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a private agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2526-2527

GL87_L_5 **TYPE HELP/PUB/PRIVATE AGENCY VOCATIONAL ASSES/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Referral to a public or private agency for vocational testing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2528-2529

GL87_L_6**TYPE HELP/OTHER/PRO #1**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #1 FROM L86a)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	6	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2530-2531

GL87_M**SESSIONS W/PRO #1**

Have these sessions with your (PROVIDER #1 FROM L86a) been for you alone or were they for groups or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	2	1	ALL INDIVIDUAL
33.3	0.1	1	2	ALL GROUP
0.0	0.0	0	3	BOTH INDIVIDUAL/GROUP
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2532-2533

GL87_N #TIMES/MET FOR HELP/PRO #1

How many times have you met with your (PROVIDER #1 FROM L86a) for this kind of help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	2	
33.3	0.1	1	4	
33.3	0.1	1	6	
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2534-2535

GL87_O #MINUTES/MEETINGS LAST

How long did (this meeting last/these meetings usually last)?

_____ MINUTES

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
66.7	0.2	2	30	
33.3	0.1	1	60	
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2536-2537

GL87_P	HOW HELPFUL SERVICES/PRO #1
---------------	------------------------------------

How helpful was this service from your (PROVIDER #I FROM L86a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
66.7	0.2	2	1	SOMEWHAT
33.3	0.1	1	2	VERY HELPFUL
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2538-2539

GL88_01	DEALT W/TRAIN FOR SPECIFIC JOB/PRO #2
----------------	--

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with . . . training for a specific job?

Ask L88a-f

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2540-2541

GL88_02	DEALT W/HELP FIND A JOB/PRO #2
----------------	---------------------------------------

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with . . . finding a job?

Ask L88g-k

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2542-2543

GL88_03	DEALT W/SOMETHING ELSE/COUNSELING/PRO #2
----------------	---

Have the sessions with your (PROVIDER #2 FROM L86a) dealt with . . . something else like counseling or vocational testing?

Ask L88l-p

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2544-2545

GL88_A	TYPE OF JOB TRAINING - EDITOR CODE
---------------	---

What type of job or skills was this training for?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2546-2547

GL88_B	CURRENTLY ENROLLED IN THIS TRAINING
---------------	--

Are you currently enrolled in this training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2548-2549

GL88_C	RECEIVE A DEGREE/DIPLOMA/CERTIFIED
---------------	---

If you successfully complete this training, will you receive a degree, diploma, or certificate?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2550-2551

GL88_D	WHICH WILL YOU RECEIVE
---------------	-------------------------------

Which of these will you receive?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	DEGREE
0.0	0.0	0	2	DIPLOMA
0.0	0.0	0	3	CERTIFICATE
0.0	0.0	0	4	OTHER
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2552-2553

GL88_E	#TIMES/ATTEND TRAINING W/PRO #2
---------------	--

How many times have you attended training with your
 (PROVIDER #2 FROM L86a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2554-2555

GL88_F	HOW HELPFUL TRAINING/PRO #2
---------------	------------------------------------

How helpful was this training from your (PROVIDER #2 FROM L86a)? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2556-2557

GL88_G_1	HELP FIND JOB/JOB SEARCH WORKSHOP/PRO #2
-----------------	---

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Job search workshop / counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2558-2559

GL88_G_2 HELP FIND JOB/RESUME WRITING/PRO #2

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Resume writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2560-2561

GL88_G_3 HELP FIND JOB/INTERVIEW SKILLS/PRO #2

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Interviewing skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2562-2563

GL88_G_4**HELP FIND JOB/JOB REFERRAL/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Job referral.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2564-2565

GL88_G_5**HELP FIND JOB/REFERRAL PUB AGENCY/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Referral to public agency for help in finding a job (DVR, JTPA, DES).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2566-2567

GL88_G_6 HELP FIND JOB/REFERRAL PRIVATE AGENCY/PRO #2

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Referral to a private agency for help in finding a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2568-2569

GL88_G_7 HELP FIND JOB/PLACEMENT IN A JOB/PRO #2

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Placement in a job.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2570-2571

GL88_G_8**HELP FIND JOB/OTHER/PRO #2**

How has your (PROVIDER #2 FROM L86a) tried to help you to find a job?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2572-2573

GL88_H**#TIMES/MET W/PRO #2/TO FIND A JOB**

How many times have you met with your (PROVIDER #2 FROM L86a) to help you find a job?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2574-2575

GL88_I	#MINUTES/MEETINGS LAST
---------------	-------------------------------

How long did (this meeting last/these meetings usually last)?

_____	MINUTES				
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
	97.9	1,097	-9	LEGITIMATE NONRESPONSE	
	2.1	23	-8	MISSING	
-----	-----	-----			
100.0	100.0	1,120	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2576-2577

GL88_J	HOW HELPFUL SERVICES/PRO #2
---------------	------------------------------------

How helpful was the service from your (PROVIDER #2 FROM L86a)? Would you say it was . . .

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.0	0.0	0	0	NOT AT ALL	
0.0	0.0	0	1	SOMEWHAT	
0.0	0.0	0	2	VERY HELPFUL	
	97.9	1,097	-9	LEGITIMATE NONRESPONSE	
	2.1	23	-8	MISSING	
-----	-----	-----			
100.0	100.0	1,120	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2578-2579

GL88_K**DID YOU FIND A JOB**

Have you found a job as a result of this service?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2580-2581

GL88_L_1**TYPE HELP/VOCATIONAL TEST ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Vocational or employment testing assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2582-2583

GL88_L_2 **TYPE HELP/VOCATIONAL COUNSELING/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Vocational or employment counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2584-2585

GL88_L_3 **TYPE HELP/PUB AGENCY VOCATIONAL ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to a public agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2586-2587

GL88_L_4**TYPE HELP/PRIVATE AGENCY VOCATIONAL ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to a private agency for vocational assessment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2588-2589

GL88_L_5**TYPE HELP/PUB/PRIVATE AGENCY VOC ASSES/PRO #2**

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Referral to a public or private agency for vocational counseling.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2590-2591

GL88_L_6	TYPE HELP/OTHER/PRO #2
-----------------	-------------------------------

What other types of help, such as counseling or testing, have you received from your (PROVIDER #2 FROM L86a)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2592-2593

GL88_M	SESSIONS W/PRO #2
---------------	--------------------------

Have the sessions with your (PROVIDER #2 FROM L86a) been for you alone or were they for groups or classes?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	ALL INDIVIDUAL
0.0	0.0	0	2	ALL GROUP
0.0	0.0	0	3	BOTH INDIVIDUAL/GROUP
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2594-2595

GL88_N	#TIMES/MET FOR HELP/PRO #2
---------------	-----------------------------------

How many times have you met with your (PROVIDER #2 FROM L86a) for this kind of help?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2596-2597

GL88_O	#MINUTES/MEETINGS LAST
---------------	-------------------------------

How long did (this meeting last/these meetings usually last)?

		MINUTES		
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2598-2599

GL88_P	HOW HELPFUL SERVICES/PRO #2
---------------	------------------------------------

How helpful was this service from your (PROVIDER #2 FROM L86a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
0.0	0.0	0	1	SOMEWHAT HELPFUL
0.0	0.0	0	2	VERY HELPFUL
	97.9	1,097	-9	LEGITIMATE NONRESPONSE
	2.1	23	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2600-2601

GL89	RECEIVE SERVICES/GET TRAINING FOR JOB
-------------	--

During the past 3 months, have you received any scheduled services to help you get training for a job, to help you find a job, or to get vocational assessment or counseling at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.1	1	1	YES
96.9	2.8	31	2	NO
	96.7	1,083	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2602-2603

GL89_A_1	RECEIVE SERVICE/EMPLOYMENT STATE OFFICE
-----------------	--

Where have you received these services?

State office of employment.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2604-2605

GL89_A_2	RECEIVE SERVICE/DVR/OVR/VESID
-----------------	--------------------------------------

Where have you received these services?

DVR / OVR / VESID

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2606-2607

GL89_A_3	RECEIVE SERVICE/JTPA/PIC
-----------------	---------------------------------

Where have you received these services?

JTPA / PIC

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2608-2609

GL89_A_4	RECEIVE SERVICE/PUBLIC EMPLOYMENT
-----------------	--

Where have you received these services?

Public employment or training agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2610-2611

GL89_A_5**RECEIVE SERVICE/PRIVATE EMPLOYMENT**

Where have you received these services?

Private employment or training agencies.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2612-2613

GL89_A_6**RECEIVE SERVICE/BUSINESS ORGANIZATION**

Where have you received these services?

Business organization (Chamber of Commerce,
Urban League, etc.).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2614-2615

GL89_A_7	RECEIVE SERVICE/TECH SCHOOL/COMMUNITY COLLEGE
-----------------	--

Where have you received these services?

Vocational / technical school / community college.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	7	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2616-2617

GL89_A_8	RECEIVE SERVICE/CHARITABLE AGENCIES
-----------------	--

Where have you received these services?

Charitable agencies (Catholic Charities, Jewish Family Services).

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	8	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2618-2619

GL89_A_9**RECEIVE SERVICE/OTHER**

Where have you received these services?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	9	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2620-2621

GL89B_1**VOCATIONAL OTHER PLACE/LOCATION #1**

Which 2 locations did you visit most often? First mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	STATE OFFICE OF EMPLOYMENT
0.0	0.0	0	2	DVR/OVR/VESID
0.0	0.0	0	3	JTPA/PIC
0.0	0.0	0	4	PUBLIC EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	5	PRIVATE EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	6	BUSINESS ORGANIZATIONS
100.0	0.1	1	7	VOCATIONAL/TECHNICAL/CMMNTY COLLEGE
0.0	0.0	0	8	CHARITABLE AGENCIES
0.0	0.0	0	9	OTHER
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2622-2623

GL89C_1 WHO REFERRED YOU TO LOCATION #1

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
100.0	0.1	1	3	SELF
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2624-2625

GL89D_1 #DAYS YOU RECEIVED SERVICES/LOC #1

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	60	
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2626-2627

GL89E_1	HOW HELPFUL SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
100.0	0.1	1	2	VERY HELPFUL
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2628-2629

GL89F1_1	TALKED TO/REGULAR COUNSELOR/LOC #1
-----------------	---

Who have you talked to or seen for these services at (LOCATION - 1st mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2630-2631

GL89F1_2 TALKED TO/CASE MANAGER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2632-2633

GL89F111 TALKED TO/OTHER COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2634-2635

GL89F112	TALKED TO/OTHER CASE MANAGER/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2636-2637

GL89F113	TALKED TO/SOCIAL WORKER/LOC #1
-----------------	---------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2638-2639

GL89F121 TALKED TO/PSYCHOLOGIST/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2640-2641

GL89F122 TALKED TO/PSYCHIATRIST/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2642-2643

GL89F123	TALKED TO/NURSE/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2644-2645

GL89F127	TALKED TO/VOCATIONAL COUNSELOR/LOC #1
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2646-2647

GL89F129 TALKED TO/TEACHER/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	29	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2648-2649

GL89F171 TALKED TO/STAFF FROM OTHER AGENCY/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2650-2651

GL89F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2652-2653

GL89G_1	TALKED TO FOR SERVICES/LOCATION #1
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2654-2655

GL89B_2	VOCATIONAL OTHER PLACE/LOCATION #2
----------------	---

Which 2 locations did you visit most often? Second mention.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	STATE OFFICE OF EMPLOYMENT
0.0	0.0	0	2	DVR/OVR/VESID
0.0	0.0	0	3	JTPA/PIC
0.0	0.0	0	4	PUBLIC EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	5	PRIVATE EMPLOYMENT/TRAINING AGENCIES
0.0	0.0	0	6	BUSINESS ORGANIZATIONS
0.0	0.0	0	7	VOCATIONAL/TECHNICAL/CMMNTY COLLEGE
0.0	0.0	0	8	CHARITABLE AGENCIES
0.0	0.0	0	9	OTHER
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2656-2657

GL89C_2	WHO REFERRED YOU TO LOCATION #2
----------------	--

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2658-2659

GL89D_2	#DAYS YOU RECEIVED SERVICES/LOC #2
----------------	---

On how many days have you received these services at
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2660-2661

GL89E_2	HOW HELPFUL THE SERVICES/LOCATION #2
----------------	---

Overall, how helpful were these services you received at
(LOCATION - 2nd mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2662-2663

GL89F2_1	TALKED TO/REGULAR COUNSELOR/LOC #2
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2664-2665

GL89F2_2	TALKED TO/CASE MANAGER/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2666-2667

GL89F211	TALKED TO/OTHER COUNSELOR/LOC #2
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2668-2669

GL89F212	TALKED TO/OTHER CASE MANAGER/LOC #2
-----------------	--

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2670-2671

GL89F213 TALKED TO/SOCIAL WORKER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2672-2673

GL89F221 TALKED TO/PSYCHOLOGIST/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2674-2675

GL89F222	TALKED TO/PSYCHIATRIST/LOC #2
-----------------	--------------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2676-2677

GL89F223	TALKED TO/NURSE/LOC #2
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2678-2679

GL89F227 TALKED TO/VOCATIONAL COUNSELOR/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2680-2681

GL89F229 TALKED TO/TEACHER/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2682-2683

GL89F271**TALKED TO/STAFF FROM OTHER AGENCY/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from another agency who provided services at the
program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2684-2685

GL89F291**TALKED TO/OTHER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2686-2687

GL89G_2	TALKED TO FOR SERVICES/LOCATION #2
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	99.5	1,114	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2688-2689

GL90	RECEIVED COUNSELING/IMPROVE EDUCATION
-------------	--

During the past 3 months, have you received any scheduled classes, counseling, or help specifically to improve your education or your reading and writing?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
56.5	56.3	631	1	YES
43.5	43.4	486	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2690-2691

GL91**RECEIVED SERVICES AT THIS PROGRAM**

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.2	55.1	617	1	YES
1.8	1.0	11	2	NO
	43.3	485	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2692-2693

GL92_01**TALKED TO/PRIMARY/REGULAR COUNSELOR**

Who have you seen or talked to for these services here?

Primary / regular counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	1	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.4	620	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2694-2695

GL92_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services here?

Case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2696-2697

GL92_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services here?

Other counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	11	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2698-2699

GL92_12**TALKED TO/OTHER CASE MANAGER**

Who have you seen or talked to for these services here?

Other case manager.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2700-2701

GL92_13**TALKED TO/SOCIAL WORKER**

Who have you seen or talked to for these services here?

Social worker.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2702-2703

GL92_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychologist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	21	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.1	617	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2704-2705

GL92_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services here?

Psychiatrist.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	22	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.5	622	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2706-2707

GL92_23**TALKED TO/NURSE**

Who have you seen or talked to for these services here?

Nurse.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2708-2709

GL92_27**TALKED TO/VOCATIONAL COUNSELOR**

Who have you seen or talked to for these services here?

Vocational counselor.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2710-2711

GL92_29	TALKED TO/TEACHER
----------------	--------------------------

Who have you seen or talked to for these services here?

Teacher.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	55.1	617	29	CIRCLED
	44.2	495	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2712-2713

GL92_71	TALKED TO/STAFF FROM OTHER AGENCY
----------------	--

Who have you seen or talked to for these services here?

Staff from another agency who provided services at the program.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2714-2715

GL92_91**TALKED TO/OTHER**

Who have you seen or talked to for these services here?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2716-2717

GL92A_1**TALKED TO FOR SERVICES/PROVIDER #1**

Which 2 have you seen or talked to most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.5	0.3	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.2	0.1	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.8	0.4	5	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
98.5	52.3	586	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	44.2	495	-9	LEGITIMATE NONRESPONSE
	2.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2718-2719

GL92A_2	TALKED TO FOR SERVICES/PROVIDER #2
----------------	---

Which 2 have you seen or talked to most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
14.3	0.1	1	21	PSYCHOLOGIST
14.3	0.1	1	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
71.4	0.4	5	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.0	616	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2720-2721

GL93	#TIMES YOU MET W/ YOUR PRO #1
-------------	--------------------------------------

How many times have you met with your (PROVIDER #1 FROM L92a)?

1,120 cases (Range of valid codes: 1-999)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2722-2724

GL93_A**#MINUTES SESSIONS LAST/PRO #1**

How long did (this session last/these sessions usually last)?

_____ MINUTES

1,120 cases (Range of valid codes: 5-540)

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2725-2727

GL93_B_1**DEALT W/EDUCATION NEEDS ASSESSMENT/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Educational needs assessment or testing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	13	1	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	54.5	610	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2728-2729

GL93_B_2 **DEALT W/ADULT BASIC EDUCATION/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Adult basic education in reading and writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	2.2	25	2	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	53.4	598	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2730-2731

GL93_B_3 **DEALT W/PREPARATION FOR GED/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Preparation for GED or high school equivalency exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.7	64	3	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	49.9	559	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2732-2733

GL93_B_4	DEALT W/GED CLASSES/PRO #1
-----------------	-----------------------------------

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

GED classes or other education courses.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	21.5	241	4	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	34.1	382	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2734-2735

GL93_B_5	DEALT W/TUTORING IN BASIC SKILLS/PRO #1
-----------------	--

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Tutoring in reading, writing, math, or other basic skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	22.1	247	5	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	33.6	376	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2736-2737

GL93_B_6 **DEALT W/REFERRAL TO SCHOOLS/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Referral to schools, training, or vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	6	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.4	621	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2738-2739

GL93_B_7 **DEALT W/GEN COUNSELING ABOUT EDUCATION/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

General counseling about education plans and opportunities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.4	16	7	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	54.2	607	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2740-2741

GL93_B_8**DEALT W/OTHER/PRO #1**

When you have met with your (PROVIDER #1 FROM L92a), what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.9	88	8	CIRCLED
	44.2	495	-9	LEGITIMATE NONRESPONSE
	47.9	537	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2742-2743

GL93_C**HOW HELPFUL SERVICES/PRO #1**

How helpful was this service from your (PROVIDER #1 FROM L92a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.2	4.6	51	0	NOT AT ALL
29.4	16.2	182	1	SOMEWHAT
62.4	34.5	386	2	VERY HELPFUL
	44.2	495	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2744-2745

GL94 #TIMES YOU MET W/ YOUR PRO #2

How many times have you met with your (PROVIDER #2 FROM L92a)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.2	2	1	
16.7	0.1	1	24	
16.7	0.1	1	32	
16.7	0.1	1	39	
16.7	0.1	1	41	
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.1	617	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2746-2747

GL94_A #MINUTES SESSIONS LAST/PRO #2

How long did (this session last/these sessions usually last)?

MINUTES				
PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	15	
16.7	0.1	1	60	
66.7	0.4	4	210	
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.1	617	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2748-2750

GL94_B_1**DEALT W/EDUCATION NEEDS ASSESSMENT/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Educational needs assessment or testing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	1	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.4	621	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2751-2752

GL94_B_2**DEALT W/ADULT BASIC EDUCATION/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Adult basic education in reading and writing.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2753-2754

GL94_B_3 DEALT W/PREPARATION FOR GED/PRO #2

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Preparation for GED or high school equivalency exam.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2755-2756

GL94_B_4 DEALT W/GED CLASSES/PRO #2

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

GED classes or other education courses.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	4	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.4	620	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2757-2758

GL94_B_5**DEALT W/TUTORING IN BASIC SKILLS/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Tutoring in reading, writing, math, or other basic skills.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2759-2760

GL94_B_6**DEALT W/REFERRAL TO SCHOOLS/PRO #2**

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Referral to schools, training, or vocational rehabilitation.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2761-2762

GL94_B_7 DEALT W/GEN COUNSELING ABOUT EDUCATION/PRO #2

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

General counseling about education plans and opportunities.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	7	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.6	623	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2763-2764

GL94_B_8 DEALT W/OTHER/PRO #2

When you have met with your (PROVIDER #2 FROM L92a). what kinds of things have you usually dealt with?

Other.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	8	CIRCLED
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.5	622	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2765-2766

GL94_C**HOW HELPFUL SERVICES/PRO #2**

How helpful was this service from your (PROVIDER #2 FROM L92a)? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
83.3	0.4	5	2	VERY HELPFUL
	44.4	497	-9	LEGITIMATE NONRESPONSE
	55.1	617	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2767-2768

GL95**RECEIVED HELP IMPROVE EDUCATION/OTHER PLACE**

During the past 3 months, have you received any scheduled classes, counseling, or help to improve your education or your reading and writing at some place other than this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	2.4	27	1	YES
95.7	54.1	606	2	NO
	42.9	481	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2769-2770

GL95_A_1	RECEIVED SERVICE/PUBLIC SCHOOL SYSTEM
-----------------	--

Where (else) have you received these services?

Public school system

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	1	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2771-2772

GL95_A_2	RECEIVED SERVICE/JR. COMMUNITY COLLEGE
-----------------	---

Where (else) have you received these services?

Junior community college

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	14	2	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	1.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2773-2774

GL95_A_3**RECEIVED SERVICE/FOUR-YEAR COLLEGE PROGRAM**

Where (else) have you received these services?

Four-year college or graduate program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2775-2776

GL95_A_4**RECEIVED SERVICE/PRIVATE EDUCATION PROGRAM**

Where (else) have you received these services?

Private education program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2777-2778

GL95_A_5	RECEIVED SERVICE/PUBLIC AGENCIES
-----------------	---

Where (else) have you received these services?

Public agencies (vocational rehabilitation, employment service)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2779-2780

GL95_A_6	RECEIVED SERVICE/OTHER
-----------------	-------------------------------

Where (else) have you received these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	5	6	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.5	28	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2781-2782

GL95B_1	EDUCATION OTHER PLACE/LOCATION #1
----------------	--

Which 2 locations did you visit most often? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.8	9	1	PUBLIC SCHOOL SYSTEM
51.9	1.2	14	2	JUNIOR COMMUNITY COLLEGE
0.0	0.0	0	3	FOUR YEAR COLLEGE/GRADUATE PROGRAM
0.0	0.0	0	4	PRIVATE EDUCATION PROGRAM
0.0	0.0	0	5	PUBLIC AGENCIES
14.8	0.4	4	6	OTHER
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2783-2784

GL95C_1	WHO REFERRED YOU TO LOCATION #1
----------------	--

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.0	1.5	17	1	PROGRAM
11.1	0.3	3	2	SOMEONE ELSE
25.9	0.6	7	3	SELF
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2785-2786

GL95D_1	#DAYS YOU RECEIVED SERVICES/LOC #1
----------------	---

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
14.8	0.4	4	1	
3.7	0.1	1	2	
14.8	0.4	4	3	
11.1	0.3	3	4	
3.7	0.1	1	5	
3.7	0.1	1	6	
3.7	0.1	1	14	
3.7	0.1	1	25	
7.4	0.2	2	30	
3.7	0.1	1	38	
3.7	0.1	1	45	
3.7	0.1	1	50	
18.5	0.4	5	60	
3.7	0.1	1	70	
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2787-2788

GL95E_1	HOW HELPFUL THE SERVICES/LOCATION #1
----------------	---

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL HELPFUL
14.8	0.4	4	1	SOMEWHAT HELPFUL
85.2	2.1	23	2	VERY HELPFUL
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2789-2790

GL95F1_1**TALKED TO/REGULAR COUNSELOR/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2791-2792

GL95F1_2**TALKED TO/CASE MANAGER/LOC #1**

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2793-2794

GL95F127 TALKED TO/VOCATIONAL COUNSELOR/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Vocational specialist / counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2795-2796

GL95F129 TALKED TO/TEACHERS IN PROGRAM/LOC #1

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	14	29	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	1.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2797-2798

GL95F171	TALKED TO/STAFF FROM OTHER AGENCY/LOC #1
-----------------	---

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Staff from school or other agencies

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.2	13	71	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2799-2800

GL95F191	TALKED TO/OTHER/LOC #1
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 1st mention)?

Other program staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	91	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2801-2802

GL95G_1	MOST FREQUENT PROVIDER/LOCATION #1
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.7	0.1	1	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	27	PROG VOCATIONAL COUNSELOR
44.4	1.1	12	29	TEACHER
48.1	1.2	13	71	STAFF FROM ANOTHER AGENCY
3.7	0.1	1	91	OTHER PROGRAM STAFF
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2803-2804

GL95B_2	EDUCATION OTHER PLACE/LOCATION #2
----------------	--

Which 2 locations did you visit most often? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PUBLIC SCHOOL SYSTEM
0.0	0.0	0	2	JUNIOR COMMUNITY COLLEGE
0.0	0.0	0	3	FOUR YEAR COLLEGE/GRADUATE PROGRAM
0.0	0.0	0	4	PRIVATE EDUCATION PROGRAM
0.0	0.0	0	5	PUBLIC AGENCIES
100.0	0.1	1	6	OTHER
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2805-2806

GL95C_2**WHO REFERRED YOU TO LOCATION #2**

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2807-2808

GL95D_2**#DAYS YOU RECEIVED SERVICES/LOC #2**

On how many days have you received these services at (LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2809-2810

GL95F2_2**TALKED TO/CASE MANAGER/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2815-2816

GL95F227**TALKED TO/VOCATIONAL COUNSELOR/LOC #2**

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Vocational specialist / counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2817-2818

GL95F229 TALKED TO/TEACHERS IN PROGRAM/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2819-2820

GL95F271 TALKED TO/STAFF FROM OTHER AGENCY/LOC #2

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Staff from school or other agencies

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 2821-2822

GL95F291	TALKED TO/OTHER/LOC #2
-----------------	-------------------------------

Who have you talked to or seen for these services at
(LOCATION - 2nd mention)?

Other program staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	91	CIRCLED
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2823-2824

GL95G_2	MOST FREQUENT PROVIDER/LOCATION #2
----------------	---

Which one did you talk to or see most often?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	27	PROG VOCATIONAL COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
100.0	0.1	1	91	OTHER PROGRAM STAFF
	97.1	1,087	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2825-2826

GL96 RECEIVED SERVICE/HELP W/LEGAL PROBLEM

During the past 3 months, have you received any scheduled services to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.7	5.7	64	1	YES
94.3	94.0	1,053	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2827-2828

GL97 DID YOU GET SERVICES AT THIS PROGRAM

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.8	2.9	32	1	YES
49.2	2.8	31	2	NO
	94.0	1,053	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2829-2830

GL98_01 TALKED TO/PRIMARY/REGULAR COUNSELOR

Who have you seen or talked to for these services?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	1	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	2.3	26	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2831-2832

GL98_02	TALKED TO/CASE MANAGER
----------------	-------------------------------

Who have you seen or talked to for these services?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2833-2834

GL98_11	TALKED TO/OTHER COUNSELOR
----------------	----------------------------------

Who have you seen or talked to for these services?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	11	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	2.6	29	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2835-2836

GL98_12	TALKED TO/OTHER CASE MANAGER
----------------	-------------------------------------

Who have you seen or talked to for these services?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2837-2838

GL98_13	TALKED TO/SOCIAL WORKER
----------------	--------------------------------

Who have you seen or talked to for these services?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2839-2840

GL98_21	TALKED TO/PSYCHOLOGIST
----------------	-------------------------------

Who have you seen or talked to for these services?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2841-2842

GL98_22	TALKED TO/PSYCHIATRIST
----------------	-------------------------------

Who have you seen or talked to for these services?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2843-2844

GL98_23	TALKED TO/NURSE
----------------	------------------------

Who have you seen or talked to for these services?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2845-2846

GL98_27	TALKED TO/VOCATIONAL COUNSELOR
----------------	---------------------------------------

Who have you seen or talked to for these services?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2847-2848

GL98_28	TALKED TO/CERTIFIED FAMILY COUNSELOR
----------------	---

Who have you seen or talked to for these services?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2849-2850

GL98_29	TALKED TO/TEACHER
----------------	--------------------------

Who have you seen or talked to for these services?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2851-2852

GL98_30	TALKED TO/TASC STAFF
----------------	-----------------------------

Who have you seen or talked to for these services?

TASC staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	30	CIRCLED
	99.6	1,116	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2853-2854

GL98_71	TALKED TO/STAFF FROM OTHER AGENCY
----------------	--

Who have you seen or talked to for these services?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	71	CIRCLED
	96.8	1,084	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2855-2856

GL98_91**TALKED TO/OTHER**

Who have you seen or talked to for these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.9	10	91	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	2.2	25	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2857-2858

GL98A_1**TALKED TO FOR SERVICES/PROVIDER #1**

Which 2 did you see most often? First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.9	10	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
20.0	0.5	6	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
13.3	0.4	4	30	TASC STAFF
10.0	0.3	3	71	STAFF FROM ANOTHER AGENCY
23.3	0.6	7	91	OTHER
	96.8	1,084	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2859-2860

GL98A_2 TALKED TO FOR SERVICES/PROVIDER #2

Which 2 did you see most often? Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	30	TASC STAFF
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
0.0	0.0	0	91	OTHER
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2861-2862

GL99 #TIMES YOU MET W/PRO #1

How many times have you met with your (PROVIDER #1 FROM L98a) for help with a legal problem?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
3.1	0.1	1	0	
37.5	1.1	12	1	
21.9	0.6	7	2	
21.9	0.6	7	3	
9.4	0.3	3	4	
3.1	0.1	1	10	
3.1	0.1	1	13	
	96.8	1,084	-9	LEGITIMATE NONRESPONSE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2863-2864

GL99_A_1	SERVICE RECEIVE/REPRESENT IN CIVIL CASE
-----------------	--

What types of services or help have you received?

Representation in civil case (divorce, custody, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2865-2866

GL99_A_2	SERVICE RECEIVE/REPRESENT/CRIMINAL CASE
-----------------	--

What types of services or help have you received?

Representation in criminal case

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	2	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	2.8	31	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2867-2868

GL99_A_3 SERVICE RECEIVE/ASSISTANCE W/PROBATION

What types of services or help have you received?

Assistance with probation / parole

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.3	15	3	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	1.8	20	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2869-2870

GL99_A_4 SERVICE RECEIVE/ASSIST W/NON COURT LEGAL

What types of services or help have you received?

Assistance with noncourt legal matters (will, deed, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2871-2872

GL99_A_5**SERVICE RECEIVE/REFERRAL TO LAWYER AID**

What types of services or help have you received?

Referral to lawyer or legal aid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	5	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	2.9	33	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2873-2874

GL99_A_6**SERVICE RECEIVE/OTHER**

What types of services or help have you received?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.5	17	6	CIRCLED
	96.8	1,084	-9	LEGITIMATE NONRESPONSE
	1.7	19	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2875-2876

GL100A_2	SERVICE RECEIVE/REPRESENT/CRIMINAL CASE
-----------------	--

What types of services or help have you received?

Representation in criminal case

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2883-2884

GL100A_3	SERVICE RECEIVE/ASSISTANCE W/PROBATION
-----------------	---

What types of services or help have you received?

Assistance with probation / parole

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2885-2886

GL100A_4	SERVICE RECEIVE/ASSIST W/NON COURT LEGAL
-----------------	---

What types of services or help have you received?

Assistance with noncourt legal matters (will, deed, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2887-2888

GL100A_5	SERVICE RECEIVE/REFERRAL TO LAWYER AID
-----------------	---

What types of services or help have you received?

Referral to lawyer or legal aid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2889-2890

GL100A_6	SERVICE RECEIVE/OTHER
-----------------	------------------------------

What types of services or help have you received?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	6	CIRCLED
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2891-2892

GL100_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	96.9	1,085	-9	LEGITIMATE NONRESPONSE
	3.1	35	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2893-2894

GL101 RECEIVED SERVICE/OTHER PLACE/LEGAL PROBLEM

During the past 3 months, have you received any scheduled services at some place other than this program specifically to help with legal problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
47.9	3.0	34	1	YES
52.1	3.3	37	2	NO
	93.2	1,044	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2895-2896

GL101A_1 TALKED TO/TASC PROGRAM STAFF

Who have you talked to or seen for these services?

TASC program staff

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	3.4	38	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2897-2898

GL101A_2	TALKED TO/PAROLE/PROBATION OFFICER
-----------------	---

Who have you talked to or seen for these services?

Parole or probation officer

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.6	18	2	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	1.9	21	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2899-2900

GL101A_3	TALKED TO/PRIVATE LAWYER
-----------------	---------------------------------

Who have you talked to or seen for these services?

Private lawyer

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	3	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	2.9	32	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2901-2902

GL101A_4	TALKED TO/LEGAL AID
-----------------	----------------------------

Who have you talked to or seen for these services?

Legal aid

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	3.5	39	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2903-2904

GL101A_5	TALKED TO/PUBLIC DEFENDER
-----------------	----------------------------------

Who have you talked to or seen for these services?

Public defender or court-appointed counsel

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.8	9	5	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	2.7	30	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2905-2906

GL101A_6**TALKED TO/OTHER LEGAL**

Who have you talked to or seen for these services?

Other legal

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	1.0	11	6	CIRCLED
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	2.5	28	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2907-2908

GL101B_1**LEGAL OTHER PLACE - PROVIDER #1**

Which 2 did you talk to or see most often? First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	0.1	1	1	TASC PROGRAM STAFF
50.0	1.5	17	2	PAROLE OR PROBATION OFFICER
14.7	0.4	5	3	PRIVATE LAWYER
0.0	0.0	0	4	LEGAL AID
14.7	0.4	5	5	PUBLIC DEFENDER/COURT APPOINTED COUNSEL
17.6	0.5	6	6	OTHER LEGAL
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2909-2910

GL101C_1	WHO REFERRED YOU TO PROVIDER #1
-----------------	--

Who referred you to the (PROVIDER - 1st mention)? Was it a staff member in this program, someone else, or did you go to the (PROVIDER) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	0.3	3	1	PROGRAM
17.6	0.5	6	2	SOMEONE ELSE
73.5	2.2	25	3	SELF
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2911-2912

GL101D_1	#DAYS YOU RECEIVED SERVICES/PRO #1
-----------------	---

On how many days have you received these services from the (PROVIDER - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.3	1.1	12	1	
20.6	0.6	7	2	
20.6	0.6	7	3	
5.9	0.2	2	4	
5.9	0.2	2	5	
2.9	0.1	1	6	
2.9	0.1	1	7	
5.9	0.2	2	8	
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2913-2914

GL101E_1	HOW HELPFUL THE SERVICES/PRO #1
-----------------	--

Overall, how helpful were these services you received from (PROVIDER - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	0.3	3	0	NOT AT ALL HELPFUL
44.1	1.3	15	1	SOMEWHAT HELPFUL
47.1	1.4	16	2	VERY HELPFUL
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2915-2916

GL101B_2	LEGAL OTHER PLACE - PROVIDER #2
-----------------	--

Which 2 did you talk to or see most often? Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	TASC PROGRAM STAFF
20.0	0.3	3	2	PAROLE OR PROBATION OFFICER
13.3	0.2	2	3	PRIVATE LAWYER
0.0	0.0	0	4	LEGAL AID
26.7	0.4	4	5	PUBLIC DEFENDER/COURT APPOINTED COUNSEL
40.0	0.5	6	6	OTHER LEGAL
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	2.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2917-2918

GL101C_2	WHO REFERRED YOU TO PROVIDER #2
-----------------	--

Who referred you to the (PROVIDER - 2nd mention)? Was it a staff member in this program, someone else, or did you go to the (PROVIDER) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
6.7	0.1	1	2	SOMEONE ELSE
93.3	1.2	14	3	SELF
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	2.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2919-2920

GL101D_2	#DAYS YOU RECEIVED SERVICES/PRO #2
-----------------	---

On how many days have you received these services from the (PROVIDER - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.4	5	1	
20.0	0.3	3	2	
20.0	0.3	3	3	
6.7	0.1	1	4	
13.3	0.2	2	5	
6.7	0.1	1	14	
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	2.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2921-2922

GL101E_2**HOW HELPFUL THE SERVICES/PRO #2**

Overall, how helpful were these services you received from (PROVIDER - 2nd mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.7	0.1	1	0	NOT AT ALL HELPFUL
60.0	0.8	9	1	SOMEWHAT HELPFUL
33.3	0.4	5	2	VERY HELPFUL
	96.5	1,081	-9	LEGITIMATE NONRESPONSE
	2.1	24	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2923-2924

GL102**RECEIVED SERVICE/HELP FINANCIAL PROBLEM**

During the past 3 months, have you received any scheduled services to help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	9	1	YES
99.2	98.8	1,106	2	NO
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2925-2926

GL103	DID YOU GET SERVICES AT PROGRAM
--------------	--

Have you received these services at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.5	6	1	YES
40.0	0.4	4	2	NO
	98.7	1,105	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2927-2928

GL104_01	TALKED TO/PRIMARY/REGULAR COUNSELOR
-----------------	--

Who have you seen or talked to for these services?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	1	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2929-2930

GL104_02**TALKED TO/CASE MANAGER**

Who have you seen or talked to for these services?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2931-2932

GL104_11**TALKED TO/OTHER COUNSELOR**

Who have you seen or talked to for these services?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	11	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2933-2934

GL104_12**TALKED TO/OTHER CASE MANAGER**

Who have you seen or talked to for these services?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2935-2936

GL104_13**TALKED TO/SOCIAL WORKER**

Who have you seen or talked to for these services?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2937-2938

GL104_21**TALKED TO/PSYCHOLOGIST**

Who have you seen or talked to for these services?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	21	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2939-2940

GL104_22**TALKED TO/PSYCHIATRIST**

Who have you seen or talked to for these services?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	22	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2941-2942

GL104_23	TALKED TO/NURSE
-----------------	------------------------

Who have you seen or talked to for these services?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	23	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2943-2944

GL104_27	TALKED TO/VOCATIONAL COUNSELOR
-----------------	---------------------------------------

Who have you seen or talked to for these services?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2945-2946

GL104_28**TALKED TO/CERTIFIED FAMILY COUNSELOR**

Who have you seen or talked to for these services?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	28	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2947-2948

GL104_29**TALKED TO/TEACHER**

Who have you seen or talked to for these services?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	29	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2949-2950

GL104_71	TALKED TO/STAFF FROM OTHER AGENCY
-----------------	--

Who have you seen or talked to for these services?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	71	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2951-2952

GL104_91	TALKED TO/OTHER
-----------------	------------------------

Who have you seen or talked to for these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	91	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2953-2954

GL104A_1

TALKED TO MOST OFTEN/PROVIDER #1

Which 2 did you see or talk to most often? First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	3	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
16.7	0.1	1	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
33.3	0.2	2	91	OTHER
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2955-2956

GL104A_2	TALKED TO MOST OFTEN/PROVIDER #2
-----------------	---

Which 2 did you see or talk to most often? Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PRIMARY/REGULAR COUNSELOR
0.0	0.0	0	2	CASE MANAGER
0.0	0.0	0	11	OTHER COUNSELOR
0.0	0.0	0	12	OTHER CASE MANAGER
0.0	0.0	0	13	SOCIAL WORKER
0.0	0.0	0	21	PSYCHOLOGIST
0.0	0.0	0	22	PSYCHIATRIST
0.0	0.0	0	23	NURSE
0.0	0.0	0	27	VOCATIONAL COUNSELOR
0.0	0.0	0	28	CERTIFIED FAMILY COUNSELOR
0.0	0.0	0	29	TEACHER
0.0	0.0	0	71	STAFF FROM ANOTHER AGENCY
100.0	0.1	1	91	OTHER
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2957-2958

GL105	#TIMES MET W/YOUR PRO #1
--------------	---------------------------------

How many times have you met with your (PROVIDER #1 FROM L104a) for help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.3	3	1	
16.7	0.1	1	2	
16.7	0.1	1	4	
16.7	0.1	1	10	
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2959-2960

GL105A_1	SERVICE RECEIVED/COUNSELING
-----------------	------------------------------------

What types of services or help have you received?

Counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2961-2962

GL105A_2	SERVICE RECEIVED/ASSIST W/BUDGET
-----------------	---

What types of services or help have you received?

Assistance with budgeting and money management

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2963-2964

GL105A_3	SERVICE RECEIVED/REFERRAL TO AGENCY
-----------------	--

What types of services or help have you received?

Referral to outside agency (Social Services, Social Security, Veteran's Affairs, private charitable organization)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	3	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2965-2966

GL105A_4	SERVICE RECEIVED/EMERGENCY FUNDS
-----------------	---

What types of services or help have you received?

Emergency or other special purpose funds

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2967-2968

GL105A_5	SERVICE RECEIVED/CONCRETE SERVICES
-----------------	---

What types of services or help have you received?

Concrete services (food, clothing, bus ticket, eyeglasses, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2969-2970

GL105A_6	SERVICE RECEIVED/OTHER
-----------------	-------------------------------

What types of services or help have you received?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2971-2972

GL105_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
16.7	0.1	1	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
83.3	0.4	5	2	VERY HELPFUL
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2973-2974

GL106	#TIMES YOU MET W/PRO #2
--------------	--------------------------------

How many times have you met with your (PROVIDER #2 FROM L104a) for help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	1	
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2975-2976

GL106A_1**SERVICE RECEIVED/COUNSELING**

What types of services or help have you received?

Counseling

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2977-2978

GL106A_2**SERVICE RECEIVED/ASSIST W/BUDGET**

What types of services or help have you received?

Assistance with budgeting and money management

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2979-2980

GL106A_3	SERVICE RECEIVED/REFERRAL TO AGENCY
-----------------	--

What types of services or help have you received?

Referral to outside agency (Social Services, Social Security, Veterans Affairs, private charitable organization)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	3	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2981-2982

GL106A_4	SERVICE RECEIVED/EMERGENCY FUNDS
-----------------	---

What types of services or help have you received?

Emergency or other special purpose funds

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2983-2984

GL106A_5**SERVICE RECEIVED/CONCRETE SERVICES**

What types of services or help have you received?

Concrete services (food, clothing, bus ticket, eyeglasses, etc.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	5	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2985-2986

GL106A_6**SERVICE RECEIVED/OTHER**

What types of services or help have you received?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	6	CIRCLED
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 2987-2988

GL106_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
100.0	0.1	1	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.0	1,109	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2989-2990

GL107	RECEIVED SERVICES AT OTHER PLACE
--------------	---

During the past 3 months, have you received any scheduled services at some place other than this program to help with financial problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	0.3	3	1	YES
82.4	1.2	14	2	NO
	98.0	1,098	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2991-2992

GL107A51**RECEIVE SERVICE/SOCIAL SERVICES**

Where have you received these services?

Social Services

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	51	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2993-2994

GL107A52**RECEIVE SERVICE/VOCATIONAL REHABILITATION**

Where have you received these services?

Vocational rehabilitation

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	52	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2995-2996

GL107A53	RECEIVE SERVICE/VETERANS AFFAIRS
-----------------	---

Where have you received these services?

Veterans Affairs

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	53	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2997-2998

GL107A54	RECEIVE SERVICE/SOCIAL SECURITY
-----------------	--

Where have you received these services?

Social Security

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	54	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 2999-3000

GL107A91**RECEIVE SERVICE/OTHER**

Where have you received these services?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	91	CIRCLED
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3001-3002

GL107B_1**FINANCIAL OTHER PLACE/LOCATION #1**

Which 2 places did you visit most often? First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	0.1	1	51	SOCIAL SERVICES
0.0	0.0	0	52	VOCATIONAL REHABILITATION
0.0	0.0	0	53	VETERANS AFFAIRS
66.7	0.2	2	54	SOCIAL SECURITY
0.0	0.0	0	91	OTHER
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3003-3004

GL107C_1 WHO REFERRED YOU TO LOCATION #1

Who referred you to (LOCATION - 1st mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3005-3006

GL107D_1 #DAYS YOU RECEIVED SERVICES/LOC #1

On how many days have you received these services at (LOCATION - 1st mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	1	
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3007-3008

GL107E_1**HOW HELPFUL THE SERVICES/LOCATION #1**

Overall, how helpful were these services you received at (LOCATION - 1st mention)? Were they not at all helpful, somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
66.7	0.2	2	1	SOMEWHAT
33.3	0.1	1	2	VERY HELPFUL
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3009-3010

GL107B_2**FINANCIAL OTHER PLACE/LOCATION #2**

Which 2 places did you visit most often? Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	51	SOCIAL SERVICES
0.0	0.0	0	52	VOCATIONAL REHABILITATION
0.0	0.0	0	53	VETERANS AFFAIRS
0.0	0.0	0	54	SOCIAL SECURITY
0.0	0.0	0	91	OTHER
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3011-3012

GL107C_2	WHO REFERRED YOU TO LOCATION #2
----------	---------------------------------

Who referred you to (LOCATION - 2nd mention)? Was it a staff member in this program, someone else, or did you go to (LOCATION) on your own?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	PROGRAM
0.0	0.0	0	2	SOMEONE ELSE
0.0	0.0	0	3	SELF
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3013-3014

GL107D_2**#DAYS YOU RECEIVED SERVICES/LOC #2**

On how many days have you received these services at
(LOCATION - 2nd mention)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3015-3016

GL107E_2**HOW HELPFUL SERVICES/LOCATION #2**

Overall, how helpful were these services you received at
(LOCATION - 2nd mention)? Were they not at all helpful,
somewhat helpful, or very helpful?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NOT AT ALL
0.0	0.0	0	1	SOMEWHAT
0.0	0.0	0	2	VERY HELPFUL
	99.3	1,112	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3017-3018

GL108	HAD ANY COUNSELING BECAUSE OF CRISIS
--------------	---

During the past 3 months, have you had any counseling sessions with your counselor or any other professional because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.2	4.2	47	1	YES
95.8	95.5	1,070	2	NO
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3019-3020

GL108_A	#SESSIONS YOU HAD BECAUSE OF CRISES
----------------	--

During the past 3 months, how many counseling sessions have you had because of a crisis or an emergency?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.9	2.1	23	1	
21.3	0.9	10	2	
12.8	0.5	6	3	
4.3	0.2	2	4	
4.3	0.2	2	5	
4.3	0.2	2	10	
4.3	0.2	2	20	
	95.5	1,070	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3021-3022

GL108_B	HOW HELPFUL THE SERVICES
----------------	---------------------------------

How helpful was this service? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	0.3	3	0	NOT AT ALL HELPFUL
21.3	0.9	10	1	SOMEWHAT HELPFUL
72.3	3.0	34	2	VERY HELPFUL
	95.5	1,070	-9	LEGITIMATE NONRESPONSE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3023-3024

GL109	RECEIVED UNSCHEDULED HELP AT THIS PROGRAM
--------------	--

During the past 3 months, have you received any unscheduled help from anyone at this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
11.6	11.6	130	1	YES
88.4	88.0	986	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3025-3026

GL110 RECEIVED UNSCHEDULED HELP/REFERRED TO

During the past 3 months, have you received any unscheduled help from anyone at a place you've been referred to by this program?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.4	0.4	4	1	YES
99.6	99.3	1,112	2	NO
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3027-3028

GL111_A UNSCHEDULED HELP/STOP ON USE OF DRUGS

How much has the unscheduled assistance that you received helped you stop or cut down on your use of drugs? Would you say . . .

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.0	3.3	37	0	NOT AT ALL
34.1	4.0	45	1	SOMEWHAT
37.9	4.5	50	2	VERY MUCH
	87.6	981	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3029-3030

GL111_B**UNSCHEDULED HELP W/OTHER PROBLEMS**

How much has the unscheduled assistance that you received helped you with other problems you may have had?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.0	1.2	13	0	NOT AT ALL
41.5	4.8	54	1	SOMEWHAT
48.5	5.6	63	2	VERY MUCH
	87.6	981	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3031-3032

GL113_01**RECEIVED HELP FROM/REGULAR COUNSELOR**

During the past 3 months, who have you received this kind of help from?

Primary / regular counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	7.9	88	1	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	4.5	50	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3033-3034

GL113_02**RECEIVED HELP FROM/CASE MANAGER**

During the past 3 months, who have you received this kind of help from?

Case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	2	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	12.1	136	-8	MISSING

100.0 100.0 1,120 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3035-3036

GL113_11**RECEIVED HELP FROM/OTHER COUNSELOR**

During the past 3 months, who have you received this kind of help from?

Other counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.9	66	11	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	6.4	72	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3037-3038

GL113_12**RECEIVED HELP FROM/OTHER CASE MANAGER**

During the past 3 months, who have you received this kind of help from?

Other case manager

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	12	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	12.3	138	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3039-3040

GL113_13	RECEIVED HELP FROM/SOCIAL WORKER
-----------------	---

During the past 3 months, who have you received this kind of help from?

Social worker

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	13	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	12.3	138	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3041-3042

GL113_21	RECEIVED HELP FROM/PSYCHOLOGIST
-----------------	--

During the past 3 months, who have you received this kind of help from?

Psychologist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	21	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	11.7	131	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3043-3044

GL113_22**RECEIVED HELP FROM/PSYCHIATRIST**

During the past 3 months, who have you received this kind of help from?

Psychiatrist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	22	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	12.1	135	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3045-3046

GL113_23**RECEIVED HELP FROM/NURSE**

During the past 3 months, who have you received this kind of help from?

Nurse

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	23	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	11.7	131	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3047-3048

GL113_24 RECEIVED HELP FROM/PHYSICIAN

During the past 3 months, who have you received this kind of help from?

Physician

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	24	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	12.2	137	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3049-3050

GL113_25 RECEIVED HELP FROM/PHYSICIAN'S ASSIST

During the past 3 months, who have you received this kind of help from?

Physician's assistant

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	25	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	12.3	138	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3051-3052

GL113_26**RECEIVED HELP FROM/DENTIST**

During the past 3 months, who have you received this kind of help from?

Dentist

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	26	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	12.3	138	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3053-3054

GL113_27**RECEIVED HELP FROM/VOCATIONAL COUNSELOR**

During the past 3 months, who have you received this kind of help from?

Vocational counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	27	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	12.3	138	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3055-3056

GL113_28	RECEIVED HELP FROM/CERTIFIED COUNSELOR
-----------------	---

During the past 3 months, who have you received this kind of help from?

Certified family counselor

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.2	2	28	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	12.1	136	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3057-3058

GL113_29	RECEIVED HELP FROM/TEACHER
-----------------	-----------------------------------

During the past 3 months, who have you received this kind of help from?

Teacher

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.6	7	29	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	11.7	131	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3059-3060

GL113_71**RECEIVED HELP FROM/STAFF FROM OTHER AGENCY**

During the past 3 months, who have you received this kind of help from?

Staff from another agency who provided services at the program

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	71	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	12.2	137	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3061-3062

GL113_91**RECEIVED HELP FROM/OTHER**

During the past 3 months, who have you received this kind of help from?

Other

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	5.3	59	91	CIRCLED
	87.7	982	-9	LEGITIMATE NONRESPONSE
	7.1	79	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3063-3064

GL114_C**HOW OFTEN RECEIVE HELP/EMOTIONAL HEALTH**

During the past 3 months, how often have you received this kind of help for your emotional or mental health, including feeling down, depressed, tense, or anxious?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
13.0	1.5	17	0	NEVER
35.1	4.1	46	1	SOME SESSIONS
31.3	3.7	41	2	MOST SESSIONS
20.6	2.4	27	3	EVERY SESSION
	87.6	981	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3069-3070

GL114_D**HOW OFTEN RECEIVE HELP/RELATION W/FAMILY**

During the past 3 months, how often have you received this kind of help for your relationship with your spouse, partner, child, or other family member?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	2.7	30	0	NEVER
35.9	4.2	47	1	SOME SESSIONS
23.7	2.8	31	2	MOST SESSIONS
17.6	2.1	23	3	EVERY SESSION
	87.6	981	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3071-3072

GL114_E	HOW OFTEN RECEIVE HELP/YOUR PHYS HEALTH
----------------	--

During the past 3 months, how often have you received this kind of help for your physical health, including any need for medical care?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.3	8.4	94	0	NEVER
23.1	2.7	30	1	SOME SESSIONS
1.5	0.2	2	2	MOST SESSIONS
3.1	0.4	4	3	EVERY SESSION
	87.6	981	-9	LEGITIMATE NONRESPONSE
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3073-3074

GL114_F	HOW OFTEN RECEIVE HELP/EDUCATION/TRAINING
----------------	--

During the past 3 months, how often have you received this kind of help for your education, schooling, courses, or vocational training?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
54.2	6.3	71	0	NEVER
31.3	3.7	41	1	SOME SESSIONS
10.7	1.2	14	2	MOST SESSIONS
3.8	0.4	5	3	EVERY SESSION
	87.6	981	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3075-3076

GL114_G**HOW OFTEN RECEIVE HELP/INVOLVE W/COURT**

During the past 3 months, how often have you received this kind of help for involvement with the police or courts or other legal matters?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
61.8	7.2	81	0	NEVER
26.7	3.1	35	1	SOME SESSIONS
7.6	0.9	10	2	MOST SESSIONS
3.8	0.4	5	3	EVERY SESSION
	87.6	981	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3077-3078

GL114_H**HOW OFTEN RECEIVE HELP/YOUR JOB**

During the past 3 months, how often have you received this kind of help for your job or employment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.8	8.8	98	0	NEVER
19.8	2.3	26	1	SOME SESSIONS
5.3	0.6	7	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	87.6	981	-9	LEGITIMATE NONRESPONSE
	0.7	8	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3079-3080

GL114_K	HOW OFTEN RECEIVE HELP/OTHER IMPORTANT ISSUES
----------------	--

During the past 3 months, how often have you received this kind of help for any other important issues?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
12.7	1.4	16	1	YES
87.3	9.8	110	2	NO
	87.6	981	-9	LEGITIMATE NONRESPONSE
	1.2	13	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3085-3086

GL114K_1	HOW OFTEN RECEIVE HELP/FIRST SPECIFY
-----------------	---

During the past 3 months, how often have you received this kind of help for any other important issues? 1st mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
36.8	0.6	7	1	SOME SESSIONS
36.8	0.6	7	2	MOST SESSIONS
26.3	0.4	5	3	EVERY SESSION
	97.3	1,090	-9	LEGITIMATE NONRESPONSE
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3087-3088

GL114K_2 HOW OFTEN RECEIVE HELP/SECOND SPECIFY

During the past 3 months, how often have you received this kind of help for any other important issues? 2nd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
50.0	0.2	2	1	SOME SESSIONS
25.0	0.1	1	2	MOST SESSIONS
25.0	0.1	1	3	EVERY SESSION
	97.4	1,091	-9	LEGITIMATE NONRESPONSE
	2.2	25	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3089-3090

GL114K_3 HOW OFTEN RECEIVE HELP/THIRD SPECIFY

During the past 3 months, how often have you received this kind of help for any other important issues? 3rd mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
100.0	0.1	1	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	97.4	1,091	-9	LEGITIMATE NONRESPONSE
	2.5	28	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3091-3092

GL114K_4

HOW OFTEN RECEIVE HELP/FOURTH SPECIFY

During the past 3 months, how often have you received this kind of help for any other important issues? 4th mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NEVER
0.0	0.0	0	1	SOME SESSIONS
0.0	0.0	0	2	MOST SESSIONS
0.0	0.0	0	3	EVERY SESSION
	97.4	1,091	-9	LEGITIMATE NONRESPONSE
	2.6	29	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3093-3094

GL115	THE SERVICE MOST HELPFUL TO YOU
--------------	--

During the past 3 months, which of the services you have received has been most helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.0	7.0	78	0	NO SERVICES
22.9	22.8	255	1	REGULAR ADDICTION GROUP
9.5	9.5	106	2	OTHER GROUP COUNSELING
23.2	23.1	259	3	INDIVIDUAL COUNSELING
6.9	6.9	77	4	12-STEP/SELF-HELP GROUP
0.2	0.2	2	5	CRISIS COUNSELING
1.3	1.3	15	6	UNSCHEDULED HELP
1.7	1.7	19	7	TALKS/FILMS/DISCUSSIONS
0.4	0.4	5	8	DRUG COUNSELING
0.1	0.1	1	9	ALCOHOL COUNSELING
0.1	0.1	1	10	DRUG TESTING
0.2	0.2	2	11	PSYCHOLOGICAL/MENTAL HEALTH
8.5	8.5	95	12	FAMILY RELATIONSHIP COUNSELING
0.1	0.1	1	13	MEDICATION
0.3	0.3	3	14	MEDICAL
0.4	0.4	4	15	LEGAL
14.6	14.6	163	16	EDUCATION/JOB TRAINING
0.0	0.0	0	17	HELP FINDING A JOB
0.0	0.0	0	18	OTHER JOB ASSISTANCE
0.0	0.0	0	19	FINANCIAL ASSISTANCE
2.5	2.5	28	91	OTHER
	0.3	3	-8	MISSING
	0.3	3	-4	DON'T KNOW

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3095-3096

GL116

THE SERVICE LEAST HELPFUL TO YOU

During the past 3 months, which of the services you have received has been least helpful to you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.6	35.5	398	0	NO SERVICES
12.1	11.8	132	1	REGULAR ADDICTION GROUP
11.9	11.5	129	2	OTHER GROUP COUNSELING
3.8	3.7	41	3	INDIVIDUAL COUNSELING
11.3	11.0	123	4	12-STEP/SELF-HELP GROUP
0.1	0.1	1	5	CRISIS COUNSELING
0.0	0.0	0	6	UNSCHEDULED HELP
3.7	3.6	40	7	TALKS/FILMS/DISCUSSIONS
0.8	0.8	9	8	DRUG COUNSELING
0.4	0.4	4	9	ALCOHOL COUNSELING
0.7	0.7	8	10	DRUG TESTING
0.6	0.6	7	11	PSYCHOLOGICAL/MENTAL HEALTH
1.6	1.5	17	12	FAMILY RELATIONSHIP COUNSELING
0.2	0.2	2	13	MEDICATION
2.5	2.4	27	14	MEDICAL
0.5	0.4	5	15	LEGAL
6.2	6.1	68	16	EDUCATION/JOB TRAINING
0.0	0.0	0	17	HELP FINDING A JOB
0.0	0.0	0	18	OTHER JOB ASSISTANCE
0.1	0.1	1	19	FINANCIAL ASSISTANCE
7.0	6.8	76	91	OTHER
	0.6	7	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-5	BAD DATA
	2.1	23	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3097-3098

GL117	NOTICED CHANGES IN YOUR THOUGHTS/FEELING
--------------	---

During the past 3 months, have you noticed changes in your thoughts, feelings, or relationships?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
68.8	68.2	764	1	YES
31.2	31.0	347	2	NO
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3099-3100

GL117_B1	FIRST CAUSE FOR CHANGE
-----------------	-------------------------------

You mentioned a change in (CHANGE)? What do you think caused this change? First mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.8	27.6	309	1	SELF
7.3	4.9	55	2	COUNSELOR OR CASE MANAGER
0.3	0.2	2	3	ANOTHER STAFF MEMBER
1.2	0.8	9	4	ANOTHER CLIENT/RESIDENT/PATIENT
45.1	30.5	342	5	THE PROGRAM OVERALL
1.3	0.9	10	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
4.1	2.8	31	7	OTHER
	30.9	346	-9	LEGITIMATE NONRESPONSE
	0.9	10	-8	MISSING
	0.2	2	-7	REFUSAL
	0.4	4	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3101-3102

GL117_B2**SECOND CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change? Second mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.4	17.9	200	1	SELF
6.3	2.6	29	2	COUNSELOR OR CASE MANAGER
0.0	0.0	0	3	ANOTHER STAFF MEMBER
1.5	0.6	7	4	ANOTHER CLIENT/RESIDENT/PATIENT
44.7	18.4	206	5	THE PROGRAM OVERALL
1.3	0.5	6	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
2.8	1.2	13	7	OTHER
	30.9	346	-9	LEGITIMATE NONRESPONSE
	27.7	310	-8	MISSING
	0.2	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3103-3104

GL117_B3**THIRD CAUSE FOR CHANGE**

You mentioned a change in (CHANGE)? What do you think caused this change? Third mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
36.2	7.9	89	1	SELF
6.9	1.5	17	2	COUNSELOR OR CASE MANAGER
0.8	0.2	2	3	ANOTHER STAFF MEMBER
1.6	0.4	4	4	ANOTHER CLIENT/RESIDENT/PATIENT
50.8	11.2	125	5	THE PROGRAM OVERALL
1.2	0.3	3	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
2.4	0.5	6	7	OTHER
	31.0	347	-9	LEGITIMATE NONRESPONSE
	46.8	524	-8	MISSING
	0.2	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3105-3106

GL117_B4	FOURTH CAUSE FOR CHANGE
-----------------	--------------------------------

You mentioned a change in (CHANGE)? What do you think caused this change? Fourth mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.9	3.8	43	1	SELF
4.7	0.5	6	2	COUNSELOR OR CASE MANAGER
0.8	0.1	1	3	ANOTHER STAFF MEMBER
0.8	0.1	1	4	ANOTHER CLIENT/RESIDENT/PATIENT
57.5	6.5	73	5	THE PROGRAM OVERALL
0.8	0.1	1	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
1.6	0.2	2	7	OTHER
	31.0	347	-9	LEGITIMATE NONRESPONSE
	57.3	642	-8	MISSING
	0.2	2	-7	REFUSAL
	0.1	1	-5	BAD DATA
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3107-3108

GL117_B5	FIFTH CAUSE FOR CHANGE
-----------------	-------------------------------

You mentioned a change in (CHANGE)? What do you think caused this change? Fifth mention

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	1.2	13	1	SELF
6.2	0.4	4	2	COUNSELOR OR CASE MANAGER
0.0	0.0	0	3	ANOTHER STAFF MEMBER
3.1	0.2	2	4	ANOTHER CLIENT/RESIDENT/PATIENT
69.2	4.0	45	5	THE PROGRAM OVERALL
0.0	0.0	0	6	SOMETHING/SOMEONE OUTSIDE PROGRAM
1.5	0.1	1	7	OTHER
	31.0	347	-9	LEGITIMATE NONRESPONSE
	62.9	705	-8	MISSING
	0.2	2	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3109-3110

GL118	PROGRAM TREATMENT HELP STOP YOUR DRUG USE
--------------	--

Now, please think about all the treatment you have received in this program during the past 3 months. Has this treatment helped you stop or cut down on your drug use?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.8	79.2	887	1	YES
20.2	20.1	225	2	NO
	0.6	7	-8	MISSING
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3111-3112

GL118_A	HOW MUCH TREATMENT HAS HELPED YOU
----------------	--

Would you say it has helped . . . ?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
25.1	20.0	224	1	A LITTLE
74.9	59.6	668	2	A LOT
	19.5	218	-9	LEGITIMATE NONRESPONSE
	0.6	7	-8	MISSING
	0.3	3	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3113-3114

GL121_A	PRESSURE TO STAY IN PROGRAM/YOURSELF
----------------	---

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from yourself to stay in this program until you complete your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.5	30.4	341	0	NONE
24.0	23.9	268	1	A LITTLE
45.5	45.4	508	2	A LOT
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3119-3120

GL121_B	PRESSURE TO STAY IN PROGRAM/HUSBAND/WIFE
----------------	---

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from your (parents/husband/wife/partner)?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.7	37.5	420	0	NONE
16.0	15.9	178	1	A LITTLE
46.3	46.1	516	2	A LOT
	0.4	4	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3121-3122

GL121_C	PRESSURE TO STAY IN PROGRAM/FAMILY MEMBER
----------------	--

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from other family members?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
52.9	52.5	588	0	NONE
19.4	19.3	216	1	A LITTLE
27.6	27.4	307	2	A LOT
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3123-3124

GL121_D	PRESSURE TO STAY IN PROGRAM/PEOPLE IN PROGRAM
----------------	--

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from people in the program, including staff and clients?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.2	40.0	448	0	NONE
21.2	21.1	236	1	A LITTLE
38.6	38.4	430	2	A LOT
	0.4	4	-8	MISSING
	0.2	2	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3125-3126

GL121_E	PRESSURE TO STAY IN PROGRAM/FRIENDS
----------------	--

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from friends?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.7	60.4	677	0	NONE
20.4	20.4	228	1	A LITTLE
18.8	18.8	210	2	A LOT
	0.4	5	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3127-3128

GL121_F	PRESSURE TO STAY IN PROGRAM/ANYONE ELSE
----------------	--

Now, I'd like to know your feelings about staying in this program, and how long you think you will continue in treatment here. During the past 3 months, how much pressure have you felt from anyone else, such as school staff, teachers, and principals?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.0	69.6	780	0	NONE
7.3	7.1	80	1	A LITTLE
21.7	21.2	238	2	A LOT
	2.0	22	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3129-3130

GL124**HOW MUCH/COUNSELOR AGREES W/YOU/GOALS**

How much do you feel your current counselor agrees with you about what would be useful goals for your treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.5	8.0	90	0	NOT AT ALL
35.4	33.6	376	1	A LITTLE BIT
56.1	53.2	596	2	VERY MUCH
	0.3	3	-8	MISSING
	4.3	48	-4	DON'T KNOW
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3135-3136

GL125**HOW MUCH/COUNSELOR UNDERSTANDS/YOU/PROBLEM**

How much does your counselor show a sincere desire to understand you and your problems?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.4	6.1	68	0	NOT AT ALL
27.0	25.7	288	1	A LITTLE BIT
66.6	63.4	710	2	VERY MUCH
	0.3	3	-8	MISSING
	3.9	44	-4	DON'T KNOW
	0.6	7	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3137-3138

GL128**HOW MUCH/PROGRAM TREATMENT MATCH W/YOUR IDEAS**

How much has the treatment you have received in this program so far matched with your ideas about what helps people in treatment?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
17.6	17.1	192	0	NOT AT ALL
46.9	45.7	512	1	A LITTLE BIT
35.5	34.6	387	2	VERY MUCH
	0.3	3	-8	MISSING
	2.3	26	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3143-3144

GLDM**DATE: MONTH**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.8	26.6	298	1	JAN. - MARCH
24.9	24.7	277	2	APR. - JUNE
24.9	24.7	277	3	JULY - SEPT.
23.5	23.4	262	4	OCT. - DEC.
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3145-3146

GLTH **TIME: HOUR**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.0	6.0	67	1	
13.0	12.9	144	2	
10.8	10.7	120	3	
12.5	12.4	139	4	
4.6	4.6	51	5	
3.9	3.8	43	6	
4.2	4.2	47	7	
4.4	4.4	49	8	
7.1	7.1	79	9	
6.2	6.2	69	10	
15.7	15.5	174	11	
11.6	11.5	129	12	
	0.8	9	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3147-3148

GLTM **TIME: MINUTE**

1,120 cases (Range of valid codes: 0-59)

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3149-3150

GLAMPM **TIME RECORDED AS AM OR PM**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.9	22.1	248	1	AM
77.1	74.6	835	2	PM
	3.3	37	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3151-3152

MINIMENTAL STATUS EXAM

GM1	EVER TALKED TO DOCTOR/MEMORY PROBLEM?
------------	--

Now, I'd like to ask about your memory. Have you ever had occasion to talk to a doctor about problems with your memory?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3153-3154

GM2	WHAT IS THE YEAR?
------------	--------------------------

What is the year?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3155-3156

GM3 **WHAT SEASON OF THE YEAR?**

What season of the year is it?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3157-3158

GM4 **WHAT IS THE DATE?**

What is the date?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3159-3160

GM5 **WHAT IS THE DAY OF THE WEEK?**

What is the day of the week?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3161-3162

GM6	WHAT IS THE MONTH?
------------	---------------------------

What is the month?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3163-3164

GM7	CAN YOU TELL WHERE WE ARE NOW?
------------	---------------------------------------

Can you tell me where we are right now?
For instance, what State are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3165-3166

GM8	WHAT COUNTY ARE WE IN?
------------	-------------------------------

What (county/parish) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3167-3168

GM9 **WHAT CITY/TOWN ARE WE IN?**

What (city/town) are we in?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3169-3170

GM10A **WHAT FLOOR OF BUILDING ARE WE ON?**

What floor of the building are we on?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3171-3172

GM10B **WHAT IS THE NAME OF THIS PLACE?**

What is this address (IF INSTITUTIONALIZED) or name of this place?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3173-3174

GM11A	APPLE/3 OBJECTS/REMEMBER OBJECTS
--------------	---

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are ... APPLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3175-3176

GM11B	TABLE/3 OBJECTS/REMEMBER OBJECTS
--------------	---

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are ... TABLE.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3177-3178

GM11C **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

I am going to name 3 objects. After I have said them, I want you to repeat them. Remember what they are because I am going to ask you to name them again in a few minutes. The objects are ... PENNY.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3179-3180

GM12A **WOULD YOU SUBTRACT 7 FROM 100**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

93

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CAN'T DO
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3181-3182

GM12B**WOULD YOU SUBTRACT 7 FROM 93**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

86

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CAN'T DO
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3183-3184

GM12C**WOULD YOU SUBTRACT 7 FROM 86**

Would you subtract 7 from 100, and then subtract 7 from the answer you get and keep subtracting 7 until I tell you to stop?

79

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR
0.0	0.0	0	7	SAYS CAN'T DO
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3185-3186

GM13**CIRCLE NUMBER OF ERRORS/REFUSED**

Now, I am going to spell a word forwards and I want you to spell it backwards. The word is "WORLD," W-0-R-L-D. Spell "world" backwards.

NUMBER OF ERRORS					
PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.0	0.0	0	0	NO ERROR	
0.0	0.0	0	1	1 ERROR	
0.0	0.0	0	2	2 ERRORS	
0.0	0.0	0	3	3 ERRORS	
0.0	0.0	0	4	4 ERRORS	
0.0	0.0	0	5	5 ERRORS	
	100.0	1,120	-8	MISSING	
-----	-----	-----			
100.0	100.0	1,120	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3191-3192

GM14A**APPLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

APPLE

PCT	PCT	N	VALUE	LABEL	
VALID	ALL				
0.0	0.0	0	1	CORRECT	
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE	
	100.0	1,120	-8	MISSING	
-----	-----	-----			
100.0	100.0	1,120	cases		

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3193-3194

GM14B **TABLE/3 OBJECTS/REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

TABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3195-3196

GM14C **PENNY/3 OBJECTS/ REMEMBER OBJECTS**

Now, what were the 3 objects I asked you to remember?

PENNY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3197-3198

GM15A	SHOW WRIST WATCH/ASK/WHAT IS THIS?
--------------	---

[SHOW WRIST WATCH] What is this called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3199-3200

GM15B	SHOW PENCIL/ASK/WHAT IS THIS?
--------------	--------------------------------------

[SHOW PENCIL] What is this called?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3201-3202

GM16	REPEAT A PHRASE AFTER ME
-------------	---------------------------------

I'd like you to repeat a phrase after me. The phrase is . . . "No if's, and's or but's"

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3203-3204

GM17 **HAND 'CLOSE YOUR EYES' CARD TO RESPONDENT**

Read the words on this page and then do what it says.

[HAND "CLOSE YOUR EYES" CARD TO RESPONDENT.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CAN'T READ ENGLISH
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3205-3206

GM18A **TAKE PAPER IN YOUR RIGHT HAND**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

TAKES PAPER IN RIGHT HAND

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3207-3208

GM18B**FOLD PAPER IN HALF**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

FOLDS PAPER IN HALF.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3209-3210

GM18C**PUT PAPER DOWN ON YOUR LAP**

I am going to give you a piece of paper. When I do, take the paper in your right hand, fold the paper in half with both hands, and put the paper down on your lap.

PUTS PAPER DOWN ON LAP

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO/REFUSE
0.0	0.0	0	6	HANDICAP
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3211-3212

GM19**WRITE COMPLETE SENTENCE ON PAPER**

Write any complete sentence on that piece of paper for me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO
0.0	0.0	0	6	HANDICAP
0.0	0.0	0	7	CAN'T WRITE (ENGLISH)
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3213-3214

GM20**COPY THE DRAWING ON SAME PAPER**

Here's a drawing. Please copy the drawing on the same paper.

[HAND RESPONDENT "PENTAGONS" CARD.]

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CORRECT
0.0	0.0	0	5	ERROR/CAN'T DO
0.0	0.0	0	6	HANDICAP
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3215-3216

GM21	12/>12 05S CODED IN M2-M11/M14-M20?
-------------	---

ARE 12 OR MORE "05's" CODED IN M2-M11 AND M14-M20?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	YES
0.0	0.0	0	2	NO
	100.0	1,120	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3217-3218

GMDM	DATE: MONTH
-------------	--------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	1	JAN. - MARCH
40.0	0.2	2	2	APR. - JUNE
0.0	0.0	0	3	JULY - SEPT.
40.0	0.2	2	4	OCT. - DEC.
	99.6	1,115	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3219-3220

GMTH	TIME: HOUR
-------------	-------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
20.0	0.1	1	4	
20.0	0.1	1	5	
40.0	0.2	2	8	
20.0	0.1	1	12	
	99.6	1,115	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3221-3222

GMTM	TIME: MINUTE
-------------	---------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.0	0.3	3	30	
20.0	0.1	1	33	
20.0	0.1	1	35	
	99.6	1,115	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3223-3224

GMAMP	TIME RECORDED AS AM OR PM
--------------	----------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	AM
100.0	0.4	4	2	PM
	99.6	1,116	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3225-3226

INTERVIEWER OBSERVATIONS

GN1	WERE ALL APPLICABLE QUESTIONS ANSWERED?
------------	--

DID THE RESPONDENT ANSWER ALL APPLICABLE QUESTIONS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.4	90.0	1,008	1	YES
3.6	3.4	38	2	NO
	6.5	73	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3227-3228

GN2	RESPONDENT UNDERSTOOD ALL QUESTION ASKED
------------	---

DID THE RESPONDENT UNDERSTAND ALL OF THE QUESTION(S) THAT WERE ASKED?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.6	92.1	1,032	1	YES
1.4	1.3	15	2	NO
	6.5	73	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3229-3230

GN2A	# OF QUESTIONS RESPONDENT DIDN'T UNDERSTAND
-------------	--

HOW MANY QUESTIONS DID THE RESPONDENT NOT UNDERSTAND?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
55.6	0.4	5	1	
11.1	0.1	1	2	
33.3	0.3	3	20	
	92.1	1,032	-9	LEGITIMATE NONRESPONSE
	6.9	77	-8	MISSING
	0.2	2	-5	BAD DATA
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3231-3232

GN3_1_1	NOT UNDERSTOOD: INTELLECTUALLY UNABLE
----------------	--

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

INTELLECTUALLY UNABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.7	8	1	CIRCLED
	99.3	1,112	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3233-3234

GN3_1_2**SEVERITY OF INTELLECTUAL DIFFICULTY**

HOW SEVERE WOULD YOU SAY THE INTELLECTUAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
71.4	0.4	5	1	MILD
28.6	0.2	2	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.4	1,113	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3235-3236

GN3_2_1**NOT UNDERSTOOD: LANGUAGE BARRIER**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

LANGUAGE BARRIER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.4	4	2	CIRCLED
	99.6	1,116	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3237-3238

GN3_2_2**SEVERITY OF LANGUAGE BARRIER**

HOW SEVERE WOULD YOU SAY THE LANGUAGE BARRIER WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
50.0	0.2	2	1	MILD
50.0	0.2	2	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.6	1,116	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3239-3240

GN3_3_1	NOT UNDERSTOOD: PHYSICALLY UNABLE
----------------	--

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

PHYSICALLY UNABLE

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.1	1	3	CIRCLED
	99.9	1,119	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3241-3242

GN3_3_2	SEVERITY OF PHYSICAL DIFFICULTY
----------------	--

HOW SEVERE WOULD YOU SAY THE PHYSICAL DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	MILD
100.0	0.1	1	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.9	1,119	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3243-3244

GN3_4_1**NOT UNDERSTOOD: OTHER**

WHY DO YOU THINK THE RESPONDENT DID NOT UNDERSTAND THE QUESTIONS?

OTHER

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.5	6	4	CIRCLED
	99.5	1,114	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3245-3246

GN3_4_2**SEVERITY OF OTHER PROBLEM**

HOW SEVERE WOULD YOU SAY THIS DIFFICULTY WAS?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.0	0.3	3	1	MILD
25.0	0.1	1	2	MODERATE
0.0	0.0	0	3	EXTREME
	99.6	1,116	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3247-3248

GN4**WAS THE INTERVIEW A BREAK-OFF?**

WAS THE INTERVIEW A BREAK-OFF?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.7	0.6	7	1	YES
99.3	92.6	1,037	2	NO
	6.7	75	-8	MISSING
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3249-3250

GN4A1 **BREAK-OFF: INTERVIEWER EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

INTERVIEWER EMERGENCY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	1	CIRCLED
	92.6	1,037	-9	LEGITIMATE NONRESPONSE
	7.4	83	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3251-3252

GN4A2 **BREAK-OFF: RESPONDENT EMERGENCY**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT EMERGENCY

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	2	CIRCLED
	92.6	1,037	-9	LEGITIMATE NONRESPONSE
	7.4	83	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3253-3254

GN4A3**BREAK-OFF: RESPONDENT TIRED, BORED**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT TIRED, BORED

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
100.0	0.3	3	3	CIRCLED
	92.6	1,037	-9	LEGITIMATE NONRESPONSE
	7.1	80	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3255-3256

GN4A4**BREAK-OFF: RESPONDENT ANGRY ABOUT QUESTIONS**

WHAT WAS THE REASON FOR THE BREAK-OFF?

RESPONDENT ANGRY ABOUT QUESTIONS

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	4	CIRCLED
	92.6	1,037	-9	LEGITIMATE NONRESPONSE
	7.4	83	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3257-3258

GN5**RESPONSE TO POSSIBLE FUTURE INTERVIEW**

WHAT WAS THE RESPONDENT'S RESPONSE TO A POSSIBLE FUTURE INTERVIEW?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.9	26.8	300	1	EAGER
49.1	45.5	510	2	RECEPTIVE
13.2	12.2	137	3	NO REACTION
1.5	1.4	16	4	RELUCTANT
0.1	0.1	1	5	REFUSED
7.2	6.7	75	6	NOT DISCUSSED
	6.9	77	-8	MISSING
	0.4	4	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3263-3264

GN6**WAS INTERVIEW GIVEN IN MORE THAN 1 SESSION**

WAS THE INTERVIEW GIVEN IN MORE THAN 1 SESSION?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.0	1.9	21	1	YES
98.0	91.1	1,020	2	NO
	7.1	79	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3265-3266

FEELINGS AND BELIEFS

GP1A	FEELINGS FOR PEOPLE LESS FORTUNATE
-------------	---

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I often have tender, concerned feelings for people less fortunate than me.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
6.1	6.1	68	0	NOT AT ALL
27.8	27.6	309	1	A LITTLE BIT
21.0	20.9	234	2	MODERATELY
31.8	31.6	354	3	QUITE A BIT
13.3	13.2	148	4	EXTREMELY
	0.3	3	-8	MISSING
	0.3	3	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3311-3312

GP1B FEELINGS FOR OTHERS POINT OF VIEW

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I sometimes find it difficult to see things from the "other guy's" point of view.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.3	19.2	215	0	NOT AT ALL
37.4	37.2	417	1	A LITTLE BIT
21.2	21.1	236	2	MODERATELY
16.9	16.8	188	3	QUITE A BIT
5.2	5.2	58	4	EXTREMELY
	0.2	2	-8	MISSING
	0.4	4	-7	REFUSAL

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3313-3314

GP1C DO NOT FEEL SORRY FOR OTHER PEOPLE

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

Sometimes I don't feel very sorry for other people when they are having problems.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.2	29.9	335	0	NOT AT ALL
37.7	37.4	419	1	A LITTLE BIT
16.7	16.5	185	2	MODERATELY
11.7	11.6	130	3	QUITE A BIT
3.8	3.8	42	4	EXTREMELY
	0.4	4	-8	MISSING
	0.4	4	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3315-3316

GP1D**FEELING FOR OTHERS SIDE OF ARGUMENTS**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I try to look at everybody's side of a disagreement before I make a decision.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.5	10.4	116	0	NOT AT ALL
23.4	23.2	260	1	A LITTLE BIT
21.3	21.1	236	2	MODERATELY
30.9	30.6	343	3	QUITE A BIT
14.0	13.8	155	4	EXTREMELY
	0.5	6	-8	MISSING
	0.4	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3317-3318

GP1E**PROTECTIVE FEELINGS FOR OTHERS**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

When I see someone being taken advantage of, I feel kind of protective towards them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.1	9.0	101	0	NOT AT ALL
21.3	21.2	237	1	A LITTLE BIT
19.9	19.7	221	2	MODERATELY
30.8	30.6	343	3	QUITE A BIT
18.9	18.8	210	4	EXTREMELY
	0.3	3	-8	MISSING
	0.4	4	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3319-3320

GP1F	FEELING FOR OTHERS PERSPECTIVE
-------------	---------------------------------------

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I sometimes try to understand my friends better by Imagining how things look from their perspective.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.2	7.1	80	0	NOT AT ALL
27.7	27.4	307	1	A LITTLE BIT
21.2	21.0	235	2	MODERATELY
31.7	31.4	352	3	QUITE A BIT
12.2	12.1	135	4	EXTREMELY
	0.5	6	-8	MISSING
	0.4	4	-7	REFUSAL
	0.1	1	-3	NOT APPLICABLE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3321-3322

GP1G

FEELINGS FOR OTHERS MISFORTUNES

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

Other people's misfortunes do not usually disturb me a great deal.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
27.5	27.1	304	0	NOT AT ALL
36.7	36.2	405	1	A LITTLE BIT
20.4	20.1	225	2	MODERATELY
12.0	11.9	133	3	QUITE A BIT
3.4	3.3	37	4	EXTREMELY
	0.7	8	-8	MISSING
	0.4	4	-7	REFUSAL
	0.2	2	-6	MULTIPLE RESPONSE
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3323-3324

GP1H

FEELINGS FOR OTHERS ARGUMENTS

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

If I'm sure I'm right about something, I don't waste much time listening to other people's arguments.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
15.0	14.9	167	0	NOT AT ALL
23.0	22.9	256	1	A LITTLE BIT
17.1	17.1	191	2	MODERATELY
23.9	23.8	266	3	QUITE A BIT
21.0	20.9	234	4	EXTREMELY
	0.2	2	-8	MISSING
	0.4	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3325-3326

GP1I**FEELINGS OF PITY FOR OTHERS**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

When I see someone being treated unfairly, I sometimes don't feel very much pity for them.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
35.8	35.5	398	0	NOT AT ALL
36.2	36.0	403	1	A LITTLE BIT
14.7	14.6	164	2	MODERATELY
9.4	9.3	104	3	QUITE A BIT
3.9	3.8	43	4	EXTREMELY
	0.4	4	-8	MISSING
	0.4	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3327-3328

GP1J**TOUCHED BY THINGS THAT HAPPEN**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I am often quite touched by things that I see happen.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.7	7.6	85	0	NOT AT ALL
23.9	23.7	265	1	A LITTLE BIT
23.3	23.0	258	2	MODERATELY
30.9	30.5	342	3	QUITE A BIT
14.3	14.1	158	4	EXTREMELY
	0.6	7	-8	MISSING
	0.4	4	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3329-3330

GP1K BELIEF THERE ARE 2 SIDES TO QUESTIONS

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I believe that there are two sides to every question and try to look at them both.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
7.6	7.5	84	0	NOT AT ALL
23.0	22.8	255	1	A LITTLE BIT
20.0	19.7	221	2	MODERATELY
28.7	28.4	318	3	QUITE A BIT
20.7	20.4	229	4	EXTREMELY
	0.7	8	-8	MISSING
	0.4	4	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3331-3332

GP1L DESCRIBE MYSELF AS SOFT-HEARTED

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

I would describe myself as a pretty soft hearted person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
9.9	9.8	110	0	NOT AT ALL
23.1	22.9	256	1	A LITTLE BIT
18.4	18.2	204	2	MODERATELY
27.4	27.1	304	3	QUITE A BIT
21.3	21.1	236	4	EXTREMELY
	0.5	6	-8	MISSING
	0.4	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3333-3334

GP1M**WHEN UPSET TRY TO SEE OTHERS SIDE**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

When I'm upset at someone, I usually try to "put myself in his shoes" for a while.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	31.1	348	0	NOT AT ALL
28.3	28.1	315	1	A LITTLE BIT
18.8	18.7	209	2	MODERATELY
16.0	15.9	178	3	QUITE A BIT
5.6	5.5	62	4	EXTREMELY
	0.3	3	-8	MISSING
	0.4	4	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3335-3336

GP1N**FEELINGS FOR THOSE CRITICIZED**

Now, I am going to read you several statements about your thoughts and feelings in a variety of situations. Please listen to each statement carefully, then tell me how well it describes you.

Before criticizing somebody, I try to imagine how I would feel if I were in their place.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
18.5	18.4	206	0	NOT AT ALL
28.8	28.7	321	1	A LITTLE BIT
20.4	20.3	227	2	MODERATELY
19.6	19.5	218	3	QUITE A BIT
12.7	12.6	141	4	EXTREMELY
	0.3	3	-8	MISSING
	0.4	4	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3337-3338

GP2A STATEMENT A FOR P2

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers like the way they are leading their lives, but . . .

Other teenagers don't like the way they are leading their lives.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
75.1	73.9	828	1	TEENS LIKES WAY LEADING LIFE
24.9	24.5	274	2	TEENS DON'T LIKE WAY LEADING LIFE
	1.3	15	-8	MISSING
	0.3	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3339-3340

GP3A STATEMENT A FOR P3

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
43.9	43.5	487	1	SORT OF TRUE
56.1	55.5	622	2	REALLY TRUE
	0.7	8	-8	MISSING
	0.3	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3341-3342

GP2B**STATEMENT B FOR P2**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers feel that they are enjoyable to be with, but . . .

Other teenagers often question whether they are enjoyable to be with.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.8	75.5	846	1	TEENS ENJOYABLE TO BE WITH
23.2	22.9	256	2	TEENS NOT SURE ENJOYABLE TO BE WITH
	1.3	15	-8	MISSING
	0.3	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3343-3344

GP3B**STATEMENT B FOR P3**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.9	37.5	420	1	SORT OF TRUE
62.1	61.3	687	2	REALLY TRUE
	0.9	10	-8	MISSING
	0.3	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3345-3346

GP2C STATEMENT C FOR P2

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers are very happy being the way they are, but . . .

Other teenagers would like to be different.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	62.6	701	1	TEENS HAPPY TO BE WAY THEY ARE
36.2	35.5	398	2	OTHER TEENS WOULD BE DIFFERENT
	1.6	18	-8	MISSING
	0.3	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3347-3348

GP3C STATEMENT C FOR P3

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.3	32.9	368	1	SORT OF TRUE
66.7	65.8	737	2	REALLY TRUE
	1.1	12	-8	MISSING
	0.3	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3349-3350

GP2D**STATEMENT D FOR P2**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers feel uncomfortable when they have to meet new people, but . . .

Other teenagers like to meet new people.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	34.3	384	1	UNCOMFORTABLE MEETING NEW PEOPLE
65.1	63.8	715	2	LIKE TO MEET NEW PEOPLE
	1.4	16	-8	MISSING
	0.3	3	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3351-3352

GP3D**STATEMENT D FOR P3**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.8	34.4	385	1	SORT OF TRUE
65.2	64.3	720	2	REALLY TRUE
	1.0	11	-8	MISSING
	0.3	3	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3353-3354

GP2E STATEMENT E FOR P2

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers sometimes question whether they are a worthwhile person, but . . .

Other teenagers feel that they are a worthwhile person.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
28.5	27.9	313	1	TEENS QUESTION WHETHER WORTHWHILE
71.5	70.3	787	2	TEENS FEEL THEY ARE WORTHWHILE
	1.5	17	-8	MISSING
	0.3	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3355-3356

GP3E STATEMENT E FOR P3

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.6	39.1	438	1	SORT OF TRUE
60.4	59.7	669	2	REALLY TRUE
	0.9	10	-8	MISSING
	0.3	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3357-3358

GP2F**STATEMENT F FOR P2**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers are disappointed with themselves, but . . .

Other teenagers are quite pleased with themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
31.3	30.7	344	1	TEENS DISAPPOINTED WITH SELF
68.7	67.5	756	2	TEENS PLEASED WITH SELF
	1.3	15	-8	MISSING
	0.3	3	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3359-3360

GP3F**STATEMENT F FOR P3**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
41.6	41.1	460	1	SORT OF TRUE
58.4	57.7	646	2	REALLY TRUE
	0.8	9	-8	MISSING
	0.3	3	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3361-3362

GP2G STATEMENT G FOR P2

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers feel at ease with other people, but . . .

Other teenagers are quite shy.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.2	61.9	693	1	TEENS FEEL AT EASE WITH OTHER
36.8	36.1	404	2	OTHER TEENS ARE QUITE SHY
	1.7	19	-8	MISSING
	0.3	3	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3363-3364

GP3G STATEMENT G FOR P3

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
44.8	44.2	495	1	SORT OF TRUE
55.2	54.6	611	2	REALLY TRUE
	0.9	10	-8	MISSING
	0.3	3	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3365-3366

GP2H**STATEMENT H FOR P2**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers are dissatisfied with themselves, but . . .

Other teenagers are satisfied with themselves.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
24.5	24.0	269	1	TEENS DISSATISFIED WITH SELF
75.5	74.0	829	2	TEENS SATISFIED WITH SELF
	1.6	18	-8	MISSING
	0.3	3	-7	REFUSAL
	0.1	1	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3367-3368

GP3H**STATEMENT H FOR P3**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
40.9	40.3	451	1	SORT OF TRUE
59.1	58.3	653	2	REALLY TRUE
	1.0	11	-8	MISSING
	0.3	3	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3369-3370

GP2I	STATEMENT I FOR P2
-------------	---------------------------

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers are not very sociable, but . . .

Other teenagers are sociable.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
26.6	26.0	291	1	SOME TEENS ARE NOT SOCIABLE
73.4	71.8	804	2	OTHER TEENS ARE SOCIABLE
	1.8	20	-8	MISSING
	0.3	3	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3371-3372

GP3I	STATEMENT I FOR P3
-------------	---------------------------

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.2	36.7	411	1	SORT OF TRUE
62.8	62.0	694	2	REALLY TRUE
	0.9	10	-8	MISSING
	0.3	3	-7	REFUSAL
	0.2	2	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3373-3374

GP2J**STATEMENT J FOR P2**

Now, I am going to read you several pairs of statements that allow people to describe themselves. Please listen to both statements, then decide which one of the two best describes you. There are no right or wrong answers.

Some teenagers like the kind of person they are, but . . .

Other teenagers would like to be someone else.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
76.8	75.5	846	1	SOME TEENS LIKE THEMSELVES
23.2	22.8	255	2	OTHER TEENS WOULD BE SOMEONE ELSE
	1.3	15	-8	MISSING
	0.3	3	-7	REFUSAL
	0.1	1	-6	MULTIPLE RESPONSE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3375-3376

GP3J**STATEMENT J FOR P3**

Is this statement sort of true for you or really true for you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
33.7	33.4	374	1	SORT OF TRUE
66.3	65.7	736	2	REALLY TRUE
	0.6	7	-8	MISSING
	0.3	3	-7	REFUSAL
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3377-3378

INTERVIEW COMPLETION

QU3	3MO IN TREATMENT QUESTIONNAIRE
------------	---------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	0	NO
99.9	99.9	1,119	1	YES
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Column: 3379

IA3	3MO IN TREATMENT ILLEGAL ACTS
------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
1.5	1.5	17	0	NO
98.5	98.5	1,103	1	YES
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Column: 3380

SU3	3MO IN TREATMENT SUPPLEMENTAL
------------	--------------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.1	0.1	1	0	NO
99.9	99.9	1,119	1	YES
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Column: 3381

RECODED VARIABLES: CLIENT CHARACTERISTICS
--

SEX	GENDER
------------	---------------

I do need to ask if you are male or female.

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
79.3	79.3	888	1	MALE
20.7	20.7	232	2	FEMALE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Column: 3383

AGE	AGE AT INTAKE
------------	----------------------

I'd like to start the interview with some questions about your background. How old are you?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.8	0.8	9	12	12 OR YOUNGER
3.3	3.3	37	13	
12.4	12.4	139	14	
22.2	22.2	249	15	
26.2	26.2	294	16	
24.7	24.7	277	17	
10.3	10.3	115	18	18 OR OLDER
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3384-3385

HLTHINS	HEALTH INSURANCE
----------------	-------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
22.7	20.7	232	0	NONE
28.2	25.7	288	1	PRIVATE /OTHER
38.5	35.1	393	2	PUBLIC
10.5	9.6	107	3	UNKNOWN TYPE
	0.4	4	-8	MISSING
	8.6	96	-4	DON'T KNOW

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3386-3387

FTWORK	WEEKS FULL-TIME WORK YEAR BEFORE TREATMENT
---------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
86.8	86.0	963	0	NONE
8.2	8.1	91	1	1-13 WKS
4.0	3.9	44	2	14-39 WKS
1.1	1.1	12	3	40-52 WKS
	0.9	10	-8	MISSING

 100.0 100.0 1,120 cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3388-3389

MSTAT**MARITAL STATUS**

Are you now married, separated, divorced, widowed, living with someone as married, or have you never been married?

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.2	0.2	2	1	MARRIED
0.0	0.0	0	2	SEPARATED
0.0	0.0	0	3	DIVORCED OR WIDOWED
0.4	0.4	5	5	LIVING AS MARRIED
99.4	99.3	1,112	6	NEVER MARRIED
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3390-3391

INSCHOOL**CURRENTLY IN SCHOOL**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	38.7	433	0	NO
61.3	61.3	687	1	YES
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Column: 3392

RACE**RACE & ETHNICITY**

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
39.7	39.7	445	1	CAUCASIAN/WHITE
32.7	32.7	366	2	AFRO-AMERICAN/BLACK
24.5	24.5	274	3	HISPANIC
3.1	3.1	35	4	OTHER
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Column: 3393

EDLEV	HIGHEST GRADE ATTENDED
--------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
0.0	0.0	0	0	NONE
0.2	0.2	2	1	GRADE SCHOOL
19.8	19.8	222	2	MIDDLE SCHOOL
31.0	31.0	347	3	GRADE 9
27.6	27.6	309	4	GRADE 10
14.8	14.8	166	5	GRADE 11
3.8	3.8	43	6	GRADE 12
2.7	2.7	30	7	HS GRADUATE/GED
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3394-3395

RACESEX	ETHNICITY & GENDER
----------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
30.0	30.0	336	1	CAUCASIAN/WHITE MALE
27.1	27.1	303	2	AFRO-AMERICAN/BLACK MALE
19.7	19.7	221	3	HISPANIC MALE
2.5	2.5	28	4	OTHER MALE
9.7	9.7	109	5	CAUCASIAN/WHITE FEMALE
5.6	5.6	63	6	AFRO-AMERICAN/BLACK FEMALE
4.7	4.7	53	7	HISPANIC FEMALE
0.6	0.6	7	8	OTHER FEMALE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Column: 3396

CJ_STAT	CRIMINAL JUSTICE STATUS			
----------------	--------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
34.9	34.7	389	0	NO LEGAL STATUS
16.6	16.5	185	1	IN JAIL/DETENTION
38.8	38.6	432	2	PROBATION
1.2	1.2	13	3	PAROLE
8.5	8.5	95	4	CASE PENDING
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3444-3445

IAY_SIA	SERIOUS ILLEGAL ACTS YEAR BEFORE TREATMENT			
----------------	---	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
42.8	40.4	452	0	NONE
15.5	14.6	164	1	1-2 ACTS
18.8	17.7	198	2	3-10 ACTS
22.9	21.6	242	3	10 OR MORE ACTS
	5.7	64	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric

Missing-data codes: lowest thru -1

Columns: 3446-3447

MAJSRC	MAJOR SOURCE OF INCOME
---------------	-------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
8.8	8.0	90	0	NO INCOME
21.4	19.6	220	1	LEGAL WORK
1.8	1.6	18	2	PUB ASSISTANCE
1.0	0.9	10	3	SOCIAL SECURITY
27.5	25.3	283	4	FAMILY, FRIENDS
38.9	35.7	400	5	ILLEGAL SOURCES
0.7	0.6	7	6	OTHER SOURCES
	1.1	12	-8	MISSING
	7.1	80	-4	DON'T KNOW
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3448-3449

REFER	REFERRAL SOURCE
--------------	------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
4.3	4.3	48	0	SELF (ONLY IF NO OTHER PRIMARY OR SECONDARY MENTIONED)
1.3	1.2	14	1	MEDICAL SERVICE
7.2	7.2	81	2	COMMUNITY AGENCY
47.3	47.2	529	3	LEGAL SYSTEM
36.5	36.4	408	4	FAMILY OR FRIENDS
3.0	3.0	34	5	SCHOOL OR EMPLOYER
0.4	0.4	4	6	OTHER
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3450-3451

RESTRICT	WEEKS RESTRICTED IN YEAR BEFORE TREATMENT			
-----------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
37.6	36.2	405	0	NO WEEKS RESTRICTED
24.4	23.5	263	1	1 TO 4 WEEKS RESTRICTED
18.2	17.5	196	2	5 TO 13 WEEKS RESTRICTED
15.8	15.2	170	3	14 TO 26 WEEKS RESTRICTED
3.9	3.8	42	4	27 TO 39 WEEKS RESTRICTED
0.0	0.0	0	5	40 TO 50 WEEKS RESTRICTED
0.0	0.0	0	6	51 TO 52 WEEKS RESTRICTED
	3.9	44	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3452-3453

SCHOOL	SCHOOL STATUS AT INTAKE			
---------------	--------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
38.7	38.7	433	0	NOT IN SCHOOL
3.5	3.5	39	1	SPECIAL EDUCATION
10.9	10.9	122	2	MIDDLE SCHOOL
40.6	40.5	454	3	HIGH SCHOOL
0.5	0.5	6	4	POST-SECONDARY
5.8	5.8	65	5	OTHER
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3456-3457

DEP_YR	DEPRESSIVE SYMPTOMS YEAR BEFORE TREATMENT			
---------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
72.4	72.4	811	0	NO SIGNS OF DEPRESSION
9.1	9.1	102	1	FELT DEPRESSED
10.4	10.4	116	2	SUICIDAL THOUGHTS
8.1	8.1	91	3	SUICIDAL ATTEMPT (S)
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Column: 3458

EMPSTAT	EMPLOYMENT WEEK BF/ADMISSION			
----------------	-------------------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
5.5	5.5	62	1	WORKING
23.9	23.9	268	2	LOOKING FOR WORK/GOING TO SCHOOL
2.1	2.1	23	3	KEEPING HOUSE
0.1	0.1	1	4	DISABLED/RETIRED
29.4	29.4	329	5	IN JAIL, RESIDENTIAL TX, OTHER INST
13.0	13.0	146	6	DRUG RELATED OR ILLEGAL ACTIVITIES
26.0	26.0	291	7	OTHER, MULTIPLE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Column: 3459

IAPY	FREQUENCY OF ILLEGAL ACTIVITY YEAR BEFORE TREATMENT			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
46.3	45.6	511	0	NONE
17.1	16.9	189	1	MONTHLY
15.6	15.4	172	2	WEEKLY
20.9	20.6	231	3	DAILY
	1.5	17	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3460-3461

RECODED VARIABLES: SUBSTANCE USE

HVY_ALC	HEAVY ALCOHOL USE
----------------	--------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
74.0	73.6	824	0	NOT A HEAVY USER
26.0	25.9	290	1	HEAVY ALCOHOL USER
	0.5	6	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3397-3398

ALCR	ALCOHOL USE YEAR BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
23.1	23.0	258	0	NO USE
37.1	37.0	414	1	MONTHLY
30.3	30.3	339	2	WEEKLY
9.5	9.5	106	3	DAILY
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3399-3400

MRJR	MARIJUANA USE YEAR BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
10.9	10.9	122	0	NO USE
8.5	8.5	95	1	MONTHLY
27.3	27.3	306	2	WEEKLY
53.3	53.3	597	3	DAILY
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Column: 3401

SEDR	SEDATIVES YEAR BEFORE TREATMENT			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.1	95.9	1,074	0	NO USE
2.2	2.2	25	1	MONTHLY
1.3	1.2	14	2	WEEKLY
0.4	0.4	5	3	DAILY
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3407-3408

AMPR	AMPHETAMINE USE YEAR BEFORE TREATMENT			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
92.4	92.3	1,034	0	NO USE
1.9	1.9	21	1	MONTHLY
3.1	3.1	35	2	WEEKLY
2.6	2.6	29	3	DAILY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3409-3410

HALR	HALLUCINOGENS YEAR BEFORE TREATMENT			
-------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
77.6	77.5	868	0	NO USE
11.7	11.7	131	1	MONTHLY
8.9	8.9	100	2	WEEKLY
1.8	1.8	20	3	DAILY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3411-3412

INHR	INHALANTS YEAR BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.7	93.7	1,049	0	NO USE
3.9	3.9	44	1	MONTHLY
1.7	1.7	19	2	WEEKLY
0.6	0.6	7	3	DAILY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3413-3414

ALCWK	ALCOHOL WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
60.2	60.0	672	0	LESS THAN WEEKLY USE
39.8	39.7	445	1	WEEKLY OR MORE USE
	0.3	3	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3415-3416

MRJWK	MARIJUANA WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
19.4	19.4	217	0	LESS THAN WEEKLY USE
80.6	80.6	903	1	WEEKLY OR MORE USE
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Column: 3417

COCWK	COCAINE WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.5	88.5	991	0	LESS THAN WEEKLY USE
11.5	11.5	129	1	WEEKLY OR MORE USE
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
Column: 3418

HERWK	HEROIN WEEKLY+ YEAR BEFORE TREATMENT
--------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.0	96.6	1,082	0	LESS THAN WEEKLY USE
3.0	3.0	34	1	WEEKLY OR MORE USE
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3419-3420

NARWK	OTHER OPIOIDS WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	96.7	1,083	0	LESS THAN WEEKLY USE
2.3	2.2	25	1	WEEKLY OR MORE USE
	1.1	12	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120		cases

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3421-3422

SEDWK	SEDATIVES WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
98.3	98.1	1,099	0	LESS THAN WEEKLY USE
1.7	1.7	19	1	WEEKLY OR MORE USE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3423-3424

AMPWK	AMPHETAMINE WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
94.3	94.2	1,055	0	LESS THAN WEEKLY USE
5.7	5.7	64	1	WEEKLY OR MORE USE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3425-3426

HALWK	HALLUCINOGEN WEEKLY+ YEAR BEFORE TREATMENT
--------------	---

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
89.3	89.2	999	0	LESS THAN WEEKLY USE
10.7	10.7	120	1	WEEKLY OR MORE USE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3427-3428

INHWK	INHALANTS WEEKLY+ YEAR BEFORE TREATMENT				
--------------	--	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
97.7	97.6	1,093	0	LESS THAN WEEKLY USE
2.3	2.3	26	1	WEEKLY OR MORE USE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3429-3430

MRJ_EV	MARIJUANA - EVER USED				
---------------	------------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
2.9	2.9	32	0	NO USE
5.7	5.7	64	1	1 - 5 TIMES
91.4	91.4	1,024	2	MORE THAN 5 TIMES
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Column: 3431

COC_EV	COCAINE EVER USED				
---------------	--------------------------	--	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
63.8	63.8	714	0	NO USE
17.4	17.4	195	1	1 - 5 TIMES
18.8	18.8	211	2	MORE THAN 5 TIMES
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Column: 3432

HER_EV	HEROIN - EVER USED
---------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
90.1	89.7	1,005	0	NO USE
6.0	6.0	67	1	1 - 5 TIMES
3.9	3.9	44	2	MORE THAN 5 TIMES
	0.4	4	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3433-3434

NAR_EV	OTHER OPIOIDS EVER USED
---------------	--------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
87.7	86.9	973	0	NO USE
6.7	6.6	74	1	1 - 5 TIMES
5.6	5.5	62	2	MORE THAN 5 TIMES
	1.0	11	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3435-3436

SED_EV	SEDATIVES EVER USED
---------------	----------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
88.4	88.2	988	0	NO USE
7.1	7.1	79	1	1 - 5 TIMES
4.6	4.6	51	2	MORE THAN 5 TIMES
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3437-3438

AMP_EV	AMPHETAMINES EVER USED			
--------	------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
85.5	85.4	956	0	NO USE
6.2	6.2	69	1	1 - 5 TIMES
8.3	8.3	93	2	MORE THAN 5 TIMES
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3439-3440

HAL_EV	HALLUCINOGENS - EVER USED			
--------	---------------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
57.1	57.0	638	0	NO USE
18.6	18.6	208	1	1 - 5 TIMES
24.3	24.3	272	2	MORE THAN 5 TIMES
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Missing-data codes: lowest thru -1
Columns: 3441-3442

INH_EV	INHALANTS - EVER USED			
--------	-----------------------	--	--	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
81.6	81.6	914	0	NO USE
9.4	9.4	105	1	1 - 5 TIMES
9.0	9.0	101	2	MORE THAN 5 TIMES
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
Column: 3443

CRKR	CRACK USE YEAR BEFORE TREATMENT
-------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
93.0	92.9	1,041	0	NO USE
3.6	3.6	40	1	MONTHLY
1.6	1.6	18	2	WEEKLY
1.8	1.8	20	3	DAILY
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3464-3465

CRKWK	CRACK WEEKLY+ YEAR BEFORE TREATMENT
--------------	--

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
96.6	96.5	1,081	0	LESS THAN WEEKLY USE
3.4	3.4	38	1	WEEKLY OR MORE USE
	0.1	1	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3466-3467

RECODED VARIABLES: TREATMENT

DRUGTX	# OF PRIOR DRUG TX
---------------	---------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	69.4	777	0	
20.2	20.2	226	1	
6.4	6.3	71	2	
2.4	2.4	27	3	
1.5	1.5	17	4	4 OR MORE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3454-3455

PDT	PRIOR DRUG TREATMENTS
------------	------------------------------

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
69.5	69.4	777	0	NONE
26.6	26.5	297	1	1-2
3.9	3.9	44	2	3 OR MORE
	0.2	2	-8	MISSING
-----	-----	-----		
100.0	100.0	1,120	cases	

Data type: numeric
 Missing-data codes: lowest thru -1
 Columns: 3462-3463

APPENDIX A: Publications

- Broome, K. M., Joe, G. W., & Simpson, D. D. (2001). Engagement models for adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 608-623.
- Delany, P. J., Broome, K. M., Flynn, P. M., & Fletcher, B. W. (2001). Treatment service patterns and organizational structures: An analysis of programs in DATOS-A. *Journal of Adolescent Research*, 16(6), 590-607.
- Etheridge, R. M., Rounds-Bryant, J. L., Smith, J. C., & Hubbard, R. L. (2001). Drug abuse treatment and comprehensive services for adolescents. *Journal of Adolescent Research*, 16(6), 563-589.
- Farabee, D., Shen, H., Hser, Y., Grella, C. E., & Anglin, M. D. (2001). The effect of drug treatment on criminal behavior among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 679-696.
- Galaif, E. R., Hser, Y., Grella, C. E., & Joshi, V. (2001). Prospective risk factors and treatment outcomes among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 661-678.
- Grella, C. E. & Joshi, V. (2003). Treatment processes and outcomes among adolescents with a history of abuse who are in drug treatment. *Child Maltreatment: Journal of the American Professional Society on the Abuse of Children*, 8(1), 7-18.
- Hser, Y., Grella, C. E., Hubbard, R. L., Hsieh, S. C., Fletcher, B. W., Brown, B. S., & Anglin, M. D. (2001). An evaluation of drug treatment for adolescents in four U.S. cities. *Archives of General Psychiatry*, 58(7), 689-695.
- Joshi, V., Hser, Y., Grella, C. E., & Houlton, R. (2001). Sex-related HIV risk reduction behavior among adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 642-660.
- Kristiansen, P. L., & Hubbard, R. L. (2001). Methodological overview and research design for adolescents in the Drug Abuse Treatment Outcomes Studies (DATOS-A). *Journal of Adolescent Research*, 16(6), 545-562.
- Rounds-Bryant, J. L., Kristiansen, P. L., Fairbank, J. A., & Hubbard, R. L. (1998). Substance use, mental disorders, abuse, and crime: Gender comparisons among a national sample of adolescent drug treatment clients. *Journal of Child and Adolescent Substance Abuse*, 7(4), 19-34.
- Rounds-Bryant, J. L., & Staab, J. (2001). Patient characteristics and treatment outcomes for African American, Hispanic, and White adolescents in DATOS-A. *Journal of Adolescent Research*, 16(6), 624-641.

Wong, M. M., Hser, Y. I., & Grella, C. E. (2002). Compliance among adolescents during drug treatment. *Journal of Child & Adolescent Substance Use*, 12(2), 13-31.

Grella, C. E. (in press). The drug abuse treatment outcomes studies: Outcomes with adolescent substance abusers. In H. Liddle and C. Rowe (Eds.), *Adolescent Substance Abuse: Intervention and Management*. Cambridge, UK: Cambridge University Press.