

SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

National Survey of Substance Abuse Treatment Services (N-SSATS), 2002

United States Department of Health and Human Services. Substance Abuse and Mental Health Services Administration. Office of Applied Studies

Codebook

SAMHDA

is sponsored by



U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES

Substance Abuse and Mental Health Services Administration

www.samhsa.gov

Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA (samhda-support@samhsa.hhs.gov)

Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

Definitions

CBHSQ

Center for Behavioral Health Statistics and Quality

Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

SAMHDA

Substance Abuse and Mental Health Data Archive

SAMHSA

Substance Abuse and Mental Health Services Administration

Information about Copyrighted Content

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.

DESCRIPTION OF THE NATIONAL SURVEY OF SUBSTANCE ABUSE TREATMENT SERVICES (N-SSATS)

The 2002 National Survey of Substance Abuse Treatment Services (N-SSATS) was conducted between March and October 2002, with a reference date of March 29, 2002. It is the 25th in a series of national surveys designed to collect data on the location, characteristics, and use of alcohol and drug abuse treatment facilities and services throughout the 50 States, the District of Columbia, and other U.S. jurisdictions.¹ The Office of Applied Studies, Substance Abuse and Mental Health Services Administration (SAMHSA), U.S. Department of Health and Human Services, plans and directs N-SSATS.

N-SSATS is designed to collect information from all facilities² in the United States, both public and private, that provide substance abuse treatment. (Additional information on N-SSATS, its history, and changes in the survey and survey universe over time is provided in *N-SSATS Background*.)

N-SSATS provides the mechanism for quantifying the dynamic character and composition of the U.S. substance abuse treatment delivery system. The objectives of N-SSATS are to collect multipurpose data that can be used to—

- ◆ assist SAMHSA and State and local governments in assessing the nature and extent of services provided in State-supported and other treatment facilities and in forecasting treatment resource requirements;
- ◆ update SAMHSA's Inventory of Substance Abuse Treatment Services (I-SATS), which includes all known drug and alcohol abuse treatment facilities;
- ◆ analyze general treatment services trends and conduct comparative analyses for the nation, regions, and States;
- ◆ generate the *National Directory of Drug and Alcohol Abuse Treatment Programs*, a compendium of facilities approved by State substance abuse agencies for the provision of substance abuse treatment; and
- ◆ update the information in SAMHSA's Substance Abuse Treatment Facility Locator, a searchable database of facilities approved by State substance abuse agencies for the provision of substance abuse treatment. The Facility Locator is available on the Internet at:

<http://findtreatment.samhsa.gov>

¹ The jurisdictions include the territory of Guam, the Federated States of Micronesia, the Republic of Palau, the Commonwealth of Puerto Rico, and the Virgin Islands of the United States.

² In this report, entities responding to N-SSATS are referred to as "facilities." As discussed later in the report, a "facility" may be a program-level, clinic-level, or multi-site respondent.

Data Collection Procedures for the 2002 N-SSATS

Field period and reference date

The field period for the 2002 N-SSATS ran from March 2002 through October 2002, with a reference date of March 29, 2002.

Survey coverage

The 2002 survey was sent to all 18,204 active facilities that were on SAMHSA's Inventory of Substance Abuse Treatment Services (I-SATS; see *N-SSATS Background*) as of about 6 weeks before the survey reference date. These facilities were contacted by mail. Facilities added by State substance abuse agencies or discovered during the survey prior to the second mailing were also included in the survey.

Content

The 2002 N-SSATS survey instrument was a 9-page document with 37 numbered questions (see *Questionnaire*). Topics included:

- ◆ Facility identification information
- ◆ Ownership
- ◆ Primary focus (substance abuse treatment services, mental health services, general health care, a mix of mental health and substance abuse treatment services, other)
- ◆ Hotline operation
- ◆ Services offered (assessment services, substance abuse therapy and counseling, pharmacotherapies, testing, transitional services, other services)
- ◆ Special programs or groups provided (dually-diagnosed clients (mental and substance abuse disorders), adolescents, persons with HIV/AIDS, gays and lesbians, seniors/older adults, pregnant/postpartum women, women only, men only, criminal justice clients, DUI/DWI offenders, other)

- ◆ Operation of an Opioid Treatment Program (OTP) certified by the Center for Substance Abuse Treatment, SAMHSA
- ◆ Services for the hearing impaired
- ◆ Services in languages other than English
- ◆ Types of treatment provided
 - ◆ Hospital inpatient (detoxification, rehabilitation)
 - ◆ Non-hospital residential (detoxification, rehabilitation)
 - ◆ Outpatient (regular, intensive, day treatment/partial hospitalization, detoxification, methadone/LAAM maintenance)
- ◆ Number of beds designated for non-hospital residential and hospital inpatient substance abuse treatment
- ◆ Payment options
- ◆ Managed care participation
- ◆ Number of clients treated
- ◆ Facility licensure, approval, certification, or accreditation

Data collection

Six weeks before the survey, letters were mailed to all facilities to alert them to expect the survey. An additional benefit of the letters was to update records with new address information returned from the post office. Data collection packets, including the questionnaire, SAMHSA cover letter, State-specific letters of endorsement, information on completing the survey on the Internet, and a sheet of *Frequently Asked Questions* were mailed to each facility. During the data collection phase, contract personnel were available to answer facilities' questions concerning the survey. Support in responding to questions for those facilities completing the questionnaire over the Internet was also available. Four to five weeks after the initial mailing, thank you/reminder letters were sent to all facilities. Approxi-

Table 1
Survey forms accounting and response rates:
N-SSATS 2002

	<i>Number</i>	<i>Percent</i>
Total facilities in survey	18,204	100.0
Closed/Ineligible	2,745	15.1
Eligible	15,459	84.9
Total eligible	15,459	100.0
Non-respondents	703	4.5
Respondents	14,756	95.5
Excluded from <i>Report</i>	654	4.2
Client data only ¹	382	2.5
Included in <i>Report</i>	13,720	88.8
Mode of response	13,720	100.0
Mail	7,797	56.8
Telephone	3,126	22.8
Internet	2,797	20.4

¹ Facilities for which client counts were reported by another facility, but no facility information was received from the facility itself.

mately 8 weeks after the initial mailing, non-responding facilities were sent a second mailing. About four to five weeks after the second mailing, non-respondents received a reminder telephone call. Those facilities that had not responded within two to three weeks of the reminder call were telephoned and asked to complete the survey by telephone. The overall response rate was 96 percent.

Forms accounting and response rate

Summary response rate information is presented in Table 1. Questionnaires were mailed to a total of 18,204 facilities believed to offer substance abuse treatment services. Of these facilities, 15 percent were found to be ineligible for the survey because they had closed or were not providing substance abuse treatment on March 29, 2002. Of the remaining 15,459 facilities, 96 percent completed the survey.

Exclusions

Of the 14,756 survey respondents, 654 facilities provided information to I-SATS but were deemed out of the scope of this report and were excluded from the analyses presented here (see *N-SSATS Background*).

- ◆ 354 excluded facilities were jails, prisons, or other organizations that treated incarcerated clients only.
- ◆ 206 excluded facilities were solo practitioners. I-SATS and N-SSATS are designed to include facilities rather than individuals. Solo practitioners are listed and surveyed only if the State substance abuse agency explicitly requests that they be included. The excluded solo practitioners had not been identified for inclusion by the State substance abuse agency.
- ◆ 94 excluded facilities were halfway houses that did not provide substance abuse treatment. These facilities were included in the survey so that they could be listed in the *Directory* and on the Treatment Facility Locator, but were excluded from the analyses in this report.

An additional 382 facilities did not provide data on facility characteristics, although another facility provided their client counts. These were excluded from the facility counts in this report.

Number of respondents reporting facility and client data

Table 2. There were a total of 13,720 eligible respondents to the 2002 N-SSATS. The breakdown of these respondents with respect to their reporting of facility data and client counts is summarized below.

There were 11,969 facilities that reported both facility data and client counts for their own organization.

An additional 678 facilities reported on characteristics of their own facility and provided client counts for their own facility as well as other facilities. These

Table 2
Number of facilities reporting client and/or facility data: N-SSATS 2002

<i>Type of data reported</i>	<i>Number of facilities for which facility characteristics reported¹</i>	<i>Number of facilities for which client counts reported</i>
Total	13,720	14,735
Facility characteristics and client counts for responding facility only	11,969	11,969
Facility characteristics for responding facility only; client counts for responding facility and other facilities as well	678	2,732
Facility characteristics only (client counts reported by another facility)	1,039	0
Facility characteristics and client counts for responding facility, but number of other facilities reported for is unknown	34	34

¹ Excludes 354 facilities treating incarcerated clients only, 206 non-State-approved solo practitioners, and 94 non-treatment halfway houses.

678 facilities reported client counts for a total of 2,732 facilities.

There were 1,039 facilities that reported facility characteristics only. Their client counts were reported by another facility.

There were 34 facilities that reported facility characteristics and client counts for their facility, but the number of other facilities for which they reported for was unknown.

Quality assurance

All mail questionnaires were reviewed for inconsistencies and missing data. Calls were made to facilities to obtain missing data and to clarify questionable responses. After data entry, automated quality assurance reviews were conducted. These incorporated the rules used in manual editing, plus consistency checks not readily implemented by manual review.

If facilities could not be reached during the edit call-backs, responses that were clearly in error were deleted and imputed.

Item non-response

Careful editing and extensive follow-up have minimized item non-response. There are instances of non-response in most data items, however, and some variables have an explicit *Unknown* response option. Missing data for client count variables (e.g., the number of clients in hospital inpatient, non-hospital residential, and outpatient treatment) were imputed.

For the remaining unimputed variables, facilities with missing values for a given variable were excluded from the tabulations using that variable. As a result, the number of treatment facilities on which tables are based may vary somewhat from table to table. The number of facilities actually reporting data is generally included on each table.

Methodology of Imputation of Missing Client Counts

A total of 232 facilities were missing client count values for one or more types of service (i.e., hospital inpatient detoxification, hospital inpatient rehabilitation, residential detoxification, etc.). A facility was given imputed values for a type of service

if it reported that it provided the service but had not provided client counts for that service type. For example, if a facility reported that it provided hospital inpatient services and outpatient services, but not residential services, client values were imputed for the hospital inpatient and outpatient variables only. Missing values for the number of clients under age 18 and the number of hospital and/or residential beds were not imputed.

When available, client values from the 2000 N-SSATS were used to impute the missing client counts on the 2002 N-SSATS. In all other cases, the average client value stratified by State and type of ownership was used to impute the missing client counts. If a facility were unique in its ownership category and State, values were imputed using average values for the State only. Client counts were imputed for each type of service (i.e., hospital inpatient detoxification, hospital inpatient rehabilitation, residential detoxification, etc.) and summed to the larger totals (total hospital inpatient, residential, and outpatient clients, and total clients).

Further Data Considerations and Limitations

As with any data collection effort, certain procedural considerations and data limitations must be taken into account when interpreting data from the 2002 N-SSATS. Some of these are outlined above. Other general issues are listed below. Considerations and limitations of specific data items are discussed where the data are presented.

- ◆ Multiple responses were allowed for certain variables (e.g., services provided and specialized programs). Tabulations of these variables include the total number of facilities reporting each response.
- ◆ N-SSATS attempts to obtain responses from all known treatment facilities, but it is a voluntary survey. There is no adjustment for the approximately 4 percent facility non-response.
- ◆ N-SSATS is a point-prevalence survey. It provides information on the substance abuse treatment system and its clients on the reference date. Client counts reported here do not represent annual totals. Rather, N-SSATS provides a “snapshot” of substance abuse treatment facilities and clients on an average day.

N-SSATS BACKGROUND

Survey History

N-SSATS has evolved from national survey efforts begun in the 1970s by the National Institute on Drug Abuse (NIDA) to measure the scope and use of drug abuse treatment services in the United States. The sixth of these surveys, conducted in 1976, introduced the data elements and format that have formed the core of subsequent surveys. These include organizational focus, service orientation, services available, clients in treatment by type of care, and inpatient/residential capacity. The 1976 survey, called the National Drug Abuse Treatment Utilization Survey, was repeated in 1977 and 1978. In 1979, the National Institute on Alcohol Abuse and Alcoholism (NIAAA) became a cosponsor of the survey, alcoholism treatment facilities were added, and the study was renamed the National Drug and Alcoholism Treatment Utilization Survey. This survey was repeated in 1980 and 1982. In 1984, a one-page version was used (the National Alcoholism and Drug Abuse Program Inventory). In 1987, the full version of the survey was reinstated and renamed the National Drug and Alcoholism Treatment Unit Survey (NDATUS). NDATUS was conducted annually from 1989 to 1993. In 1992, with the creation of SAMHSA, responsibility for conducting the survey shifted to SAMHSA's Office of Applied Studies. The survey was redesigned, and conducted annually as the Uniform Facility Data Set survey from 1995 to 1998. During these years, the survey was conducted by mail with telephone follow-up of non-respondents. The 1999 survey year was a transition year during which the survey was redesigned, and an abbreviated telephone survey of treatment facilities was conducted. In 2000, a redesigned full mail survey was reinstated with telephone follow-up; it was renamed the National Survey of Substance Abuse

Treatment Services (N-SSATS). In 2002, facilities were given the option of responding to the survey on the Internet.

N-SSATS in the Context of the Drug and Alcohol Services Information System (DASIS)

N-SSATS is one of the three components of SAMHSA's Drug and Alcohol Services Information System (DASIS). The core of DASIS is the Inventory of Substance Abuse Treatment Services (I-SATS), a continuously-updated, comprehensive listing of all known substance abuse treatment facilities. The other components of DASIS are N-SSATS and the Treatment Episode Data Set (TEDS), a client-level database of persons admitted to substance abuse treatment. A unique ID number assigned to each facility by I-SATS is used in the collection of facility-level data (N-SSATS) and client-level data (TEDS) so that the three data sets can be linked. Together, they provide national- and State-level information on the numbers and characteristics of individuals admitted to alcohol and drug treatment programs and describe the facilities that deliver care to those individuals.

I-SATS is the list frame for N-SSATS. Facilities in I-SATS fall into two general categories and are distinguished by the relationship of the facility to its State substance abuse agency. These categories are described below.

Treatment facilities approved by State substance abuse agencies

The largest group of facilities (about 12,000 in 2002) includes facilities that are licensed, certified, or otherwise approved by the State substance abuse

agency to provide substance abuse treatment. The majority of these facilities are required by the State agency to provide TEDS client-level data. State DASIS representatives maintain this segment of I-SATS by reporting new facilities, closures, and address changes to SAMHSA. Some facilities are not required by the State agency to provide TEDS client-level data. Some private for-profit facilities fall into this category. This group also includes programs operated by Federal agencies, the Department of Veterans Affairs (VA), the Department of Defense, and the Indian Health Service. I-SATS records for Federally-operated facilities are updated annually through lists provided by these agencies.

Treatment facilities not approved by State substance abuse agencies

This group of facilities (about 2,000 in 2002) represents the SAMHSA effort in recent years to make I-SATS as comprehensive as possible by including treatment facilities that State substance abuse agencies, for a variety of reasons, do not fund, license, or certify. Many of these facilities are private for-profit, small group practices, or hospital-based programs. Most of them are identified through periodic screening of alternative source databases. (See *Expansion of survey coverage*.) State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Survey Coverage

The use of I-SATS as the list frame for N-SSATS imposes certain constraints related to the unit of response and the scope of facilities included. In addition, the expansion of I-SATS in recent years to provide a more complete enumeration of substance abuse treatment facilities means that year-to-year comparisons of the numbers of facilities reporting to N-SSATS must be interpreted with caution.

Figure 1 is a time line detailing the major changes in survey scope and administration that may have affected the numbers of reporting facilities and

clients. Beginning in 1995, changes in data collection methods enabled more complete identification of duplicate reporting by networks of facilities, causing a slight reduction in the total number of facilities.


Expansion of survey coverage to include all sites within networks at which treatment was provided (detailed below) yielded a net of increase of about 2,600 facilities between 1997 and 1998. These additions were not necessarily new facilities, but were facilities not previously included in the survey as separate sites. The number of facilities reporting continued to increase in 1999, but at a slower pace, a net increase of 1,800 facilities. The increase between 1998 and 1999 was in large part because of the improved survey response rate (95 percent in 1999 vs. 90 percent in 1998).

In 2002, the number of facilities reporting increased slightly. The survey response rate increased by 1 percent over the 2000 response rate, to 96 percent.

Unit of response

N-SSATS is designed to collect data from each physical location where treatment services are provided. Accordingly, SAMHSA requests that State substance abuse agencies use the point of delivery of service (i.e., physical location) as the defining factor for a facility. It also requests that facilities be included in I-SATS, N-SSATS, and TEDS at the same administrative level so that record linkage among the three data sets is valid. Because of the different State administrative systems, however, there are some inconsistencies in implementation. For example, in some States, multiple treatment programs (e.g., detoxification, residential, and outpatient) at the same address and under the same management have separate State licenses. These are treated as separate by the State substance abuse agency, and are given separate I-SATS ID numbers. In other States, multiple sites are included as a single entity under a parent or administrative unit. In many of these cases, individual sites can report services data in N-SSATS, but client data are avail-

Figure 1
Numbers of facilities and clients in treatment: UFDS - N-SSATS 1995-2002



* BOP = Bureau of Prisons

SOURCE: Office of Applied Studies, Substance Abuse and Mental Health Services Administration, Uniform Facility Data Set (UFDS) survey 1995-1999; National Survey of Substance Abuse Treatment Services (N-SSATS) 2000 and 2002.

● Clients in treatment (not collected in 1999)
 ● Facilities

able only at a higher administrative level. Beginning in 1995, efforts have been made to identify facility networks and to eliminate duplicate reporting by networks. For most facilities, reporting level remains consistent from year to year. However, beginning in 1998, an emphasis was placed on collecting minimum information from all physical locations, and this has resulted in an increase in the number of facilities.

Special efforts to improve survey coverage

The great majority of treatment facilities in I-SATS are administratively monitored by State substance abuse agencies. Therefore, the scope of facilities included in I-SATS is affected by differences in State systems of licensure, certification, accreditation, and the disbursement of public funds. For example, some State substance abuse agencies regulate private facilities and individual practitioners while others do not. In some States, hospital-based substance abuse treatment facilities are not licensed through the State substance abuse agency.

To address these differences, SAMHSA conducted a large-scale effort during 1995 and 1996 to identify substance abuse treatment facilities that, for a variety of reasons, were not on I-SATS. Some 15 source lists were considered, and facilities not on I-SATS were contacted to ascertain whether they provided substance abuse treatment. As expected, this yielded a number of hospital-based and small private facilities that were not on I-SATS. (These facilities were surveyed in 1995 and 1996, but they were not included in the published results of the survey until 1997.) Analysis of the results of this effort led to similar but more targeted updates before subsequent surveys. Potential new facilities are identified using data from the American Business Index, the annual American Hospital Association survey, and SAMHSA's biannual Inventory of Mental Health Organizations, the source lists that had yielded the most new facilities in 1995 and 1996. Additional facilities are also identified during the survey itself by survey participants, who are asked to report all of the treatment facili-

ties in their administrative networks. All newly identified facilities are initially included as not approved by the State substance abuse agency. State substance abuse agencies are given the opportunity to review these facilities and to add them to the State agency-approved list, if appropriate.

Data collection

Until 1996, State substance abuse agencies distributed and collected the UFDS survey forms. Beginning in 1996, data collection was centralized; since that time, SAMHSA has mailed facility survey forms directly to and collected forms directly from the facilities, and has conducted follow-up telephone interviews with the facility director or his/her designee.

Non-response

Beginning in 1992, SAMHSA expanded efforts to obtain information from non-responding facilities. A representative sample of non-respondents was contacted and administered an abbreviated version of the survey instrument via telephone. In 1993 and later years, this effort was extended to all non-responding facilities. In 1997, a series of measures was introduced to enhance the survey response rate. These included advance notification and improved methods for updating address and contact information. In 2002, use of these methods and intensive telephone follow-up resulted in a non-response rate of only 4 percent. For 96 percent of facilities in the sample, it was possible either to complete the survey or to determine that the facility had closed or was otherwise ineligible.

Exclusions

In 1997, facilities offering only DUI/DWI programs were excluded; these facilities were reinstated in 1998.

Facilities operated by the Bureau of Prisons (BOP) were excluded from the 1997 UFDS survey and subsequent surveys because SAMHSA conducted a separate survey of correctional facilities.¹ During that survey, it was discovered that jails, prisons, and

Table 3
Survey contents: UFDS - N-SSATS 1995-2002

Survey contents	UFDS - N-SSATS survey year					
	1995	1996	1997-1998	1999	2000	2002
Ownership/operation	X	X	X	X	X	X
Services offered	X	X	X	X	X	X
Organizational setting	X	X	X	X	X	X
Primary focus				X	X	X
Type of treatment provided	X	X	X	X	X	X
No. of clients by age, sex, and race/ethnicity	X	X	X			
No. of clients (total and under age 18)	X	X	X		X	X
No. of beds	X	X	X		X	X
Types of payment accepted	X			X	X	X
Programs or groups for special populations	X			X	X	X
Licensure/certification of staff	X					
Licensure/certification of facility	X			X	X	X
Sources and amounts of revenue	X	X	X			
Managed care agreements	X	X	X	X	X	X
Languages other than English					X	X

other organizations treating incarcerated persons only were poorly enumerated on the I-SATS. Beginning in 1999, these facilities were identified during the survey and excluded from analyses and public use data files.

I-SATS and N-SSATS are designed to include specialty substance abuse treatment facilities rather than individuals. Solo practitioners are listed on I-SATS and surveyed in N-SSATS only if the State substance abuse agency explicitly requests that they be included.

Beginning in 2000, halfway houses that did not provide substance abuse treatment were included on the I-SATS and in N-SSATS so that they could be listed in the *Directory* and on the Treatment Facility Locator. These facilities were excluded from analyses and public use data files.

Changes in Survey Content

Since 1992, SAMHSA has made adjustments each year to the survey design, both to minimize non-response and to include areas of emerging interest such as the role of managed care.

Table 3 shows the major content areas for the UFDS survey and N-SSATS from 1995 to 2002.

¹ SAMHSA, Office of Applied Studies. *Substance Abuse Treatment in Adult and Juvenile Correctional Facilities: Findings from the Uniform Facility Data Set 1997 Survey of Correctional Facilities*. Drug and Alcohol Services Information System Series: S-9. DHHS Publication No. (SMA) 00-3380. Rockville MD, 2000.

National Survey of Substance Abuse Treatment Services (N-SSATS), 2002

Variable Description and Frequencies

Note: Frequencies displayed for the variables are not weighted. They are purely descriptive and may not be representative of the study population. Please review any sampling or weighting information available with the study.

Summary statistics (minimum, maximum, mean, median, and standard deviation) may not be available for every variable in the codebook. Conversely, a listing of frequencies in table format may not be present for every variable in the codebook either. However, all variables in the dataset are present and display sufficient information about each variable. These decisions are made intentionally and are at the discretion of the archive producing this codebook.

CASEID: Case Identification Number

Based upon 13,720 valid cases out of 13,720 total cases.

Location: 1-5 (width: 5; decimal: 0)

Variable Type: numeric

MODE: Control: Completes 1=phone 2=mail 9=web

Mode of Data Collection

Value	Label	Unweighted Frequency	%
1	Phone	3126	22.8 %
2	Mail	7797	56.8 %
9	Web	2797	20.4 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 3.20
- Median: 2.00
- Mode: 2.00
- Minimum: 1
- Maximum: 9
- Standard Deviation: 2.96

Location: 6-6 (width: 1; decimal: 0)

Variable Type: numeric

STFIPS: Census State FIPS codes label

State FIPS codes consistent with those used by the U.S. Bureau of the Census.

Value	Label	Unweighted Frequency	%
1	ALABAMA	118	0.9 %
2	ALASKA	87	0.6 %
4	ARIZONA	212	1.5 %
5	ARKANSAS	59	0.4 %
6	CALIFORNIA	1772	12.9 %
8	COLORADO	389	2.8 %
9	CONNECTICUT	247	1.8 %
10	DELAWARE	42	0.3 %
11	DIST OF COLUMBIA	60	0.4 %
12	FLORIDA	612	4.5 %
13	GEORGIA	263	1.9 %
15	HAWAII	91	0.7 %
16	IDAHO	67	0.5 %
17	ILLINOIS	608	4.4 %
18	INDIANA	288	2.1 %

Value	Label	Unweighted Frequency	%
19	IOWA	119	0.9 %
20	KANSAS	182	1.3 %
21	KENTUCKY	308	2.2 %
22	LOUISIANA	167	1.2 %
23	MAINE	177	1.3 %
24	MARYLAND	345	2.5 %
25	MASSACHUSETTS	352	2.6 %
26	MICHIGAN	562	4.1 %
27	MINNESOTA	263	1.9 %
28	MISSISSIPPI	121	0.9 %
29	MISSOURI	253	1.8 %
30	MONTANA	52	0.4 %
31	NEBRASKA	104	0.8 %
32	NEVADA	77	0.6 %
33	NEW HAMPSHIRE	64	0.5 %
34	NEW JERSEY	315	2.3 %
35	NEW MEXICO	120	0.9 %
36	NEW YORK	1260	9.2 %
37	NORTH CAROLINA	283	2.1 %
38	NORTH DAKOTA	47	0.3 %
39	OHIO	515	3.8 %
40	OKLAHOMA	149	1.1 %
41	OREGON	232	1.7 %
42	PENNSYLVANIA	488	3.6 %
44	RHODE ISLAND	56	0.4 %
45	SOUTH CAROLINA	93	0.7 %
46	SOUTH DAKOTA	61	0.4 %
47	TENNESSEE	190	1.4 %
48	TEXAS	555	4.0 %
49	UTAH	134	1.0 %
50	VERMONT	40	0.3 %
51	VIRGINIA	228	1.7 %
53	WASHINGTON	310	2.3 %
54	WEST VIRGINIA	85	0.6 %
55	WISCONSIN	324	2.4 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 27.00
- Median: 26.00

- Mode: 6.00
- Minimum: 1
- Maximum: 78
- Standard Deviation: 15.93

Location: 7-8 (width: 2; decimal: 0)

Variable Type: numeric

REGION: Added: Census Region

CENSUS REGION: Geographic regions used are based on divisions used by the U.S. Bureau of Census, 1970 Census of Population.

They are comprised of the following states and territories:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NORTHEAST: New England Division (Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, Vermont) and Middle Atlantic Division (New Jersey, New York, Pennsylvania).
- MIDWEST: East North Central Division (Illinois, Indiana, Michigan, Ohio, Wisconsin) and West North Central Division (Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, South Dakota).
- SOUTH: South Atlantic Division (Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, West Virginia) and East South Central Division (Alabama, Kentucky, Mississippi, Tennessee), and West South Central Division (Arkansas, Louisiana, Oklahoma, Texas).
- WEST: Mountain Division (Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, Wyoming) and Pacific Division (Alaska, California, Hawaii, Oregon, Washington).

Value	Label	Unweighted Frequency	%
0	US Jurisdiction/Territory	120	0.9 %
1	Northeast	2999	21.9 %
2	Midwest	3326	24.2 %
3	South	3678	26.8 %
4	West	3597	26.2 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 2.56
- Median: 3.00
- Mode: 3.00
- Minimum: 0
- Maximum: 4

- Standard Deviation: 1.12

Location: 9-9 (width: 1; decimal: 0)

Variable Type: numeric

DIVISION: Added: Census Division

CENSUS DIVISION: Census divisions are groupings of states that are subdivisions of the four census regions. There are nine divisions, which the Census Bureau adopted in 1910 for the presentation of data. The divisions and the states included in them are:

- U.S. TERRITORIES: American Samoa, Fed Micronesia, Guam, Palau, Puerto Rico, Virgin Islands.
- NEW ENGLAND: Connecticut, Maine, Massachusetts, New Hampshire, Rhode Island, and Vermont.
- MIDDLE ATLANTIC: New Jersey, New York, and Pennsylvania.
- EAST NORTH CENTRAL: Illinois, Indiana, Michigan, Ohio, and Wisconsin.
- WEST NORTH CENTRAL: Iowa, Kansas, Minnesota, Missouri, Nebraska, North Dakota, and South Dakota.
- SOUTH ATLANTIC: Delaware, District of Columbia, Florida, Georgia, Maryland, North Carolina, South Carolina, Virginia, and West Virginia.
- EAST SOUTH CENTRAL: Alabama, Kentucky, Mississippi, and Tennessee.
- WEST SOUTH CENTRAL: Arkansas, Louisiana, Oklahoma, and Texas.
- MOUNTAIN: Arizona, Colorado, Idaho, Montana, Nevada, New Mexico, Utah, and Wyoming.
- PACIFIC: Alaska, California, Hawaii, Oregon, and Washington.

Value	Label	Unweighted Frequency	%
0	US Jurisdiction/Territory	120	0.9 %
1	New England	936	6.8 %
2	Mid-Atlantic	2063	15.0 %
3	East North Central	2297	16.7 %
4	West North Central	1029	7.5 %
5	South Atlantic	2011	14.7 %
6	East South Central	737	5.4 %
7	West South Central	930	6.8 %

Value	Label	Unweighted Frequency	%
8	Mountain	1105	8.1 %
9	Pacific	2492	18.2 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 4.98
- Median: 5.00
- Mode: 9.00
- Minimum: 0
- Maximum: 9
- Standard Deviation: 2.71

Location: 10-10 (width: 1; decimal: 0)

Variable Type: numeric

TREATMT: Q1. Offered Substance Abuse Tx Svcs 3/29/02

1. On March 29, 2002, were SUBSTANCE ABUSE TREATMENT services offered at this facility, that is, the facility listed on the front cover?

If Yes -> Skip to Q.2

By treatment, we mean services that focus on initiating and maintaining an individual's recovery from substance abuse and on averting relapse.

Value	Label	Unweighted Frequency	%
0	No	83	0.6 %
1	Yes	13637	99.4 %
	Missing Data		
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.99
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.08

Location: 11-13 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

DETOX: Q1a. Offered Detox Svcs 3/29/02

1a. On March 29, 2002, were DETOXIFICATION services offered at this facility?

Value	Label	Unweighted Frequency	%
0	No	0	0.0 %
1	Yes	83	0.6 %
	Missing Data		
-6	Logical Skip	13637	99.4 %
	Total	13,720	100%

Based upon 83 valid cases out of 13,720 total cases.

- Mean: 1.00
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 1
- Standard Deviation: 0.00

Location: 14-16 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OWNERSHP: Q2. Operated by

2. Is this facility operated by . . .

MARK ONLY ONE

If 1 or 2 then Skip to Q.3

If 3, 4, or 5 then Skip to Q.6

If 6 then continue to Q.2a

Value	Label	Unweighted Frequency	%
1	Private for-profit organization	3357	24.5 %
2	Private non-profit organization	8365	61.0 %
3	State government	441	3.2 %
4	Local, county, or community government	1046	7.6 %
5	Tribal government	176	1.3 %
6	Federal government	335	2.4 %
	Missing Data		
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 2.08
- Median: 2.00
- Mode: 2.00
- Minimum: 1
- Maximum: 6
- Standard Deviation: 1.04

Location: 17-19 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

FEDOWN: Q2a. Federal Govt Agency

2a. Which federal government agency?

MARK ONLY ONE

Skip to Q.6

Value	Label	Unweighted Frequency	%
1	Department of Veterans Affairs	189	1.4 %
2	Department of Defense	111	0.8 %
3	Indian Health Service	28	0.2 %
4	Other	7	0.1 %
	Missing Data		
-6	Logical Skip	13385	97.6 %
	Total	13,720	100%

Based upon 335 valid cases out of 13,720 total cases.

- Mean: 1.56
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 4
- Standard Deviation: 0.74

Location: 20-22 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LOC15: Q3. Private Solo Practice

3. Is this a private solo practice, that is, an office with a single practitioner or therapist?

Value	Label	Unweighted Frequency	%
0	No	10921	79.6 %
1	Yes	691	5.0 %
	Missing Data		
-6	Logical Skip	1998	14.6 %
-2	Missing	107	0.8 %
-1	Don't Know	3	0.0 %
	Total	13,720	100%

Based upon 11,612 valid cases out of 13,720 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.24

Location: 23-25 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

RELIG: Q4. Affiliated w/Religious Org

4. Is this facility affiliated with a religious organization?

Value	Label	Unweighted Frequency	%
0	No	10720	78.1 %
1	Yes	950	6.9 %
Missing Data			
-6	Logical Skip	1998	14.6 %
-4	Refused	1	0.0 %
-2	Missing	48	0.3 %
-1	Don't Know	3	0.0 %
Total		13,720	100%

Based upon 11,670 valid cases out of 13,720 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.27

Location: 26-28 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HOSPITAL: Q6. Located In/Operated by Hospital

6. Is this facility located in, or operated by, a hospital?

If No, Skip to Q.7

Value	Label	Unweighted Frequency	%
0	No	11662	85.0 %
1	Yes	2017	14.7 %
Missing Data			
-5	Multiple Responses	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	37	0.3 %
-1	Don't Know	3	0.0 %
	Total	13,720	100%

Based upon 13,679 valid cases out of 13,720 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.35

Location: 29-31 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LOCS: Q6a. Hospital Type

6a. What type of hospital?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	General hospital (including VA)	1596	11.6 %
2	Psychiatric hospital	325	2.4 %
3	Other specialty hospital	79	0.6 %
	Missing Data		
-6	Logical Skip	11703	85.3 %
-5	Multiple Responses	2	0.0 %
-2	Missing	14	0.1 %
-1	Don't Know	1	0.0 %
	Total	13,720	100%

Based upon 2,000 valid cases out of 13,720 total cases.

- Mean: 1.24
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 3
- Standard Deviation: 0.51

Location: 32-34 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

FOCUS: Q7. Primary Focus SA/MH/Genl Health/Mix

7. What is the primary focus of this facility?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Substance abuse treatment services	8292	60.4 %
2	Mental health services	1126	8.2 %
3	General health care	462	3.4 %
4	Mix of mental health and substance abuse	3440	25.1 %
5	Other	349	2.5 %
	Missing Data		
-5	Multiple Responses	20	0.1 %
-2	Missing	31	0.2 %
	Total	13,720	100%

Based upon 13,669 valid cases out of 13,720 total cases.

- Mean: 2.01
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 5
- Standard Deviation: 1.37

Location: 35-37 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HOTYN: Q8. SA Hotline

8. Does this facility operate or participate in a substance abuse hotline?

A hotline is a telephone service that provides information and referral and immediate counseling, frequently in a crisis situation.

Do not consider 911 or the local police number a hotline for the purpose of this survey.

Value	Label	Unweighted Frequency	%
0	No	10657	77.7 %
1	Yes	3004	21.9 %
	Missing Data		
-4	Refused	2	0.0 %
-2	Missing	32	0.2 %
-1	Don't Know	25	0.2 %

Value	Label	Unweighted Frequency	%
	Total	13,720	100%

Based upon 13,661 valid cases out of 13,720 total cases.

- Mean: 0.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.41

Location: 38-40 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC1: Q10. Assessment: Substance Abuse

10. Which of the following services are provided by this facility at this location?

Assessment Services:

(1) Comprehensive substance abuse assessment or diagnosis

Value	Label	Unweighted Frequency	%
0	No	1020	7.4 %
1	Yes	12668	92.3 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	23	0.2 %
-1	Don't Know	8	0.1 %
	Total	13,720	100%

Based upon 13,688 valid cases out of 13,720 total cases.

- Mean: 0.93
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.26

Location: 41-43 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC2: Q10. Assessment: Mental Health

10. Which of the following services are provided by this

facility at this location?

Assessment Services:

(2) Comprehensive mental health assessment / diagnosis (for example, psychological or psychiatric evaluation and testing)

Value	Label	Unweighted Frequency	%
0	No	7391	53.9 %
1	Yes	5895	43.0 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	426	3.1 %
-1	Don't Know	7	0.1 %
	Total	13,720	100%

Based upon 13,286 valid cases out of 13,720 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 44-46 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC4: Q10. Therapy: Family Counseling

10. Which of the following services are provided by this facility at this location?

Substance Abuse Therapy and Counseling:

(3) Family counseling

Value	Label	Unweighted Frequency	%
0	No	3200	23.3 %
1	Yes	10395	75.8 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	121	0.9 %
-1	Don't Know	3	0.0 %
	Total	13,720	100%

Based upon 13,595 valid cases out of 13,720 total cases.

- Mean: 0.76

- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.42

Location: 47-49 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC5: Q10. Therapy: Group

10. Which of the following services are provided by this facility at this location?

Substance Abuse Therapy and Counseling:

(4) Group therapy, not including relapse prevention

Value	Label	Unweighted Frequency	%
0	No	1471	10.7 %
1	Yes	12170	88.7 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	72	0.5 %
-1	Don't Know	6	0.0 %
	Total	13,720	100%

Based upon 13,641 valid cases out of 13,720 total cases.

- Mean: 0.89
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.31

Location: 50-52 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC6: Q10. Therapy: Individual

10. Which of the following services are provided by this facility at this location?

Substance Abuse Therapy and Counseling:

(5) Individual therapy

Value	Label	Unweighted Frequency	%
0	No	722	5.3 %
1	Yes	12964	94.5 %
Missing Data			
-4	Refused	1	0.0 %
-2	Missing	29	0.2 %
-1	Don't Know	4	0.0 %
Total		13,720	100%

Based upon 13,686 valid cases out of 13,720 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.22

Location: 53-55 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC8: Q10. Therapy: Relapse Prevention

10. Which of the following services are provided by this facility at this location?

Substance Abuse Therapy and Counseling:

(6) Relapse prevention groups

Value	Label	Unweighted Frequency	%
0	No	2908	21.2 %
1	Yes	10639	77.5 %
Missing Data			
-4	Refused	1	0.0 %
-2	Missing	164	1.2 %
-1	Don't Know	8	0.1 %
Total		13,720	100%

Based upon 13,547 valid cases out of 13,720 total cases.

- Mean: 0.79
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.41

Location: 56-58 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC27: Q10. Therapy: Aftercare Counseling

10. Which of the following services are provided by this facility at this location?

Substance Abuse Therapy and Counseling:

(7) Aftercare counseling

Value	Label	Unweighted Frequency	%
0	No	3115	22.7 %
1	Yes	10440	76.1 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	156	1.1 %
-1	Don't Know	8	0.1 %
	Total	13,720	100%

Based upon 13,555 valid cases out of 13,720 total cases.

- Mean: 0.77
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.42

Location: 59-61 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC70: Q10. Pharmacotherapies: Antabuse

10. Which of the following services are provided by this facility at this location?

Pharmacotherapies:

(8) Antabuse

Value	Label	Unweighted Frequency	%
0	No	11335	82.6 %
1	Yes	2312	16.9 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	39	0.3 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	33	0.2 %
	Total	13,720	100%

Based upon 13,647 valid cases out of 13,720 total cases.

- Mean: 0.17
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.38

Location: 62-64 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC71: Q10. Pharmacotherapies: Naltrexone

10. Which of the following services are provided by this facility at this location?

Pharmacotherapies:

(9) Naltrexone

Value	Label	Unweighted Frequency	%
0	No	11872	86.5 %
1	Yes	1714	12.5 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	69	0.5 %
-1	Don't Know	64	0.5 %
	Total	13,720	100%

Based upon 13,586 valid cases out of 13,720 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.33

Location: 65-67 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC10: Q10. Testing: Blood/Alcohol

10. Which of the following services are provided by this facility at this location?

Testing:

(10) Blood alcohol testing (including breathalyzer)

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	7170	52.3 %
1	Yes	6448	47.0 %
Missing Data			
-2	Missing	95	0.7 %
-1	Don't Know	7	0.1 %
Total		13,720	100%

Based upon 13,618 valid cases out of 13,720 total cases.

- Mean: 0.47
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 68-70 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC11: Q10. Testing: Drug/Alcohol Urine Screen

10. Which of the following services are provided by this facility at this location?

Testing:

(11) Drug / alcohol urine screening

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	2671	19.5 %
1	Yes	11020	80.3 %
Missing Data			
-2	Missing	25	0.2 %
-1	Don't Know	4	0.0 %

Value	Label	Unweighted Frequency	%
	Total	13,720	100%

Based upon 13,691 valid cases out of 13,720 total cases.

- Mean: 0.80
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.40

Location: 71-73 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC13: Q10. Testing: Hepatitis

10. Which of the following services are provided by this facility at this location?

Testing:

(12) Hepatitis testing

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	10153	74.0 %
1	Yes	3357	24.5 %
	Missing Data		
-2	Missing	194	1.4 %
-1	Don't Know	16	0.1 %
	Total	13,720	100%

Based upon 13,510 valid cases out of 13,720 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.43

Location: 74-76 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC14: Q10. Testing: HIV

10. Which of the following services are provided by this facility at this location?

Testing:
(13) HIV testing

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	9028	65.8 %
1	Yes	4529	33.0 %
Missing Data			
-2	Missing	156	1.1 %
-1	Don't Know	7	0.1 %
Total		13,720	100%

Based upon 13,557 valid cases out of 13,720 total cases.

- Mean: 0.33
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.47

Location: 77-79 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC15: Q10. Testing: STD

10. Which of the following services are provided by this facility at this location?

Testing:
(14) STD testing

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	10182	74.2 %
1	Yes	3322	24.2 %
Missing Data			
-2	Missing	202	1.5 %
-1	Don't Know	14	0.1 %

Value	Label	Unweighted Frequency	%
	Total	13,720	100%

Based upon 13,504 valid cases out of 13,720 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.43

Location: 80-82 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC16: Q10. Testing: TB Screen

10. Which of the following services are provided by this facility at this location?

Testing:

(15) TB screening

Include testing service even if specimen is sent to outside source for chemical analysis.

Value	Label	Unweighted Frequency	%
0	No	8469	61.7 %
1	Yes	5093	37.1 %
	Missing Data		
-2	Missing	147	1.1 %
-1	Don't Know	11	0.1 %
	Total	13,720	100%

Based upon 13,562 valid cases out of 13,720 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 83-85 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC36: Q10. Transitional: Assistance w/Social Svcs

10. Which of the following services are provided by this facility at this location?

Transitional Services:

(16) Assistance with obtaining social services

(for example, Medicaid, WIC, SSI, SSDI)

Value	Label	Unweighted Frequency	%
0	No	6208	45.2 %
1	Yes	7418	54.1 %
	Missing Data		
-2	Missing	86	0.6 %
-1	Don't Know	8	0.1 %
	Total	13,720	100%

Based upon 13,626 valid cases out of 13,720 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 86-88 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC37: Q10. Transitional: Discharge Plan

10. Which of the following services are provided by this facility at this location?

Transitional Services:

(17) Discharge planning

Value	Label	Unweighted Frequency	%
0	No	2387	17.4 %
1	Yes	11288	82.3 %
	Missing Data		
-2	Missing	37	0.3 %
-1	Don't Know	8	0.1 %
	Total	13,720	100%

Based upon 13,675 valid cases out of 13,720 total cases.

- Mean: 0.83
- Median: 1.00

- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.38

Location: 89-91 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC38: Q10. Transitional: Employment

10. Which of the following services are provided by this facility at this location?

Transitional Services:

(18) Employment counseling / training

Value	Label	Unweighted Frequency	%
0	No	8409	61.3 %
1	Yes	5170	37.7 %
	Missing Data		
-2	Missing	135	1.0 %
-1	Don't Know	6	0.0 %
	Total	13,720	100%

Based upon 13,579 valid cases out of 13,720 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

Location: 92-94 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC39: Q10. Transitional: Housing

10. Which of the following services are provided by this facility at this location?

Transitional Services:

(19) Housing assistance

Value	Label	Unweighted Frequency	%
0	No	8956	65.3 %
1	Yes	4612	33.6 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-2	Missing	148	1.1 %
-1	Don't Know	4	0.0 %
	Total	13,720	100%

Based upon 13,568 valid cases out of 13,720 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.47

Location: 95-97 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC40: Q10. Transitional: Referral to Transitional Svcs

10. Which of the following services are provided by this facility at this location?

Transitional Services:

(20) Referral to other transitional services

Value	Label	Unweighted Frequency	%
0	No	2101	15.3 %
1	Yes	11589	84.5 %
	Missing Data		
-2	Missing	27	0.2 %
-1	Don't Know	3	0.0 %
	Total	13,720	100%

Based upon 13,690 valid cases out of 13,720 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.36

Location: 98-100 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC49: Q10. Other Svcs: Case Management

10. Which of the following services are provided by this facility at this location?

Other Services:

(21) Case management services

Value	Label	Unweighted Frequency	%
0	No	4295	31.3 %
1	Yes	9362	68.2 %
Missing Data			
-2	Missing	50	0.4 %
-1	Don't Know	13	0.1 %
Total		13,720	100%

Based upon 13,657 valid cases out of 13,720 total cases.

- Mean: 0.69
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.46

Location: 101-103 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC50: Q10. Other Svcs: Child Svcs

10. Which of the following services are provided by this facility at this location?

Other Services:

(22) Child care

Value	Label	Unweighted Frequency	%
0	No	12341	89.9 %
1	Yes	1227	8.9 %
Missing Data			
-2	Missing	150	1.1 %
-1	Don't Know	2	0.0 %
Total		13,720	100%

Based upon 13,568 valid cases out of 13,720 total cases.

- Mean: 0.09
- Median: 0.00

- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.29

Location: 104-106 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC52: Q10. Other Svcs: Domestic Violence

10. Which of the following services are provided by this facility at this location?

Other Services:

(23) Domestic violence-family or partner violence services (physical, sexual, and emotional abuse)

Value	Label	Unweighted Frequency	%
0	No	9202	67.1 %
1	Yes	4388	32.0 %
	Missing Data		
-2	Missing	121	0.9 %
-1	Don't Know	9	0.1 %
	Total	13,720	100%

Based upon 13,590 valid cases out of 13,720 total cases.

- Mean: 0.32
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.47

Location: 107-109 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC24: Q10. Other Svcs: HIV/AIDS Educ

10. Which of the following services are provided by this facility at this location?

Other Services:

(24) HIV/AIDS education / counseling / support

Value	Label	Unweighted Frequency	%
0	No	6071	44.2 %

Value	Label	Unweighted Frequency	%
1	Yes	7562	55.1 %
	Missing Data		
-2	Missing	76	0.6 %
-1	Don't Know	11	0.1 %
	Total	13,720	100%

Based upon 13,633 valid cases out of 13,720 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 110-112 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC55: Q10. Other Svcs: Outcome Follow-Up

10. Which of the following services are provided by this facility at this location?

Other Services:

(25) Outcome follow-up (post discharge)

Value	Label	Unweighted Frequency	%
0	No	6740	49.1 %
1	Yes	6860	50.0 %
	Missing Data		
-2	Missing	89	0.6 %
-1	Don't Know	31	0.2 %
	Total	13,720	100%

Based upon 13,600 valid cases out of 13,720 total cases.

- Mean: 0.50
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 113-115 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC59: Q10. Other Svcs: Transportation Assistance

10. Which of the following services are provided by this facility at this location?

Other Services:

(26) Transportation assistance to treatment

Value	Label	Unweighted Frequency	%
0	No	8746	63.7 %
1	Yes	4855	35.4 %
	Missing Data		
-2	Missing	116	0.8 %
-1	Don't Know	3	0.0 %
	Total	13,720	100%

Based upon 13,601 valid cases out of 13,720 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 116-118 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC48: Q10. Other Svcs: Acupuncture

10. Which of the following services are provided by this facility at this location?

Other Services:

(27) Acupuncture

Value	Label	Unweighted Frequency	%
0	No	12806	93.3 %
1	Yes	736	5.4 %
	Missing Data		
-2	Missing	173	1.3 %
-1	Don't Know	5	0.0 %
	Total	13,720	100%

Based upon 13,542 valid cases out of 13,720 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.23

Location: 119-121 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTP: Q11. Operates Opioid Treatment Program

11. Does this facility operate an Opioid Treatment Program (OTP) at this location?

Opioid Treatment Programs are certified by the Substance Abuse and Mental Health Services Administration to use opioid drugs such as methadone and LAAM in the treatment of opiate (narcotic) addiction. Prior to May 18, 2001, such programs required approval by the Food and Drug Administration (FDA).

If No, Skip to Q.12

Value	Label	Unweighted Frequency	%
0	No	12629	92.0 %
1	Yes	1080	7.9 %
	Missing Data		
-2	Missing	2	0.0 %
-1	Don't Know	9	0.1 %
	Total	13,720	100%

Based upon 13,709 valid cases out of 13,720 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.27

Location: 122-124 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTPTYPE: Q11a. OTP is Maint/Detox/Both

11a. Is the Opioid Treatment Program at this location a maintenance program, a detoxification program, or both?

MARK ONE ONLY

Value	Label	Unweighted Frequency	%
1	Maintenance program	353	2.6 %
2	Detoxification program	115	0.8 %
3	Both	612	4.5 %
Missing Data			
-6	Logical Skip	12639	92.1 %
-1	Don't Know	1	0.0 %
Total		13,720	100%

Based upon 1,080 valid cases out of 13,720 total cases.

- Mean: 2.24
- Median: 3.00
- Mode: 3.00
- Minimum: 1
- Maximum: 3
- Standard Deviation: 0.91

Location: 125-127 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTPAL: Q11b. Are All SA Clients in OTP?

11b. Are ALL of the substance abuse clients at this facility currently in the Opioid Treatment Program?

Value	Label	Unweighted Frequency	%
0	No	367	2.7 %
1	Yes	713	5.2 %
Missing Data			
-6	Logical Skip	12639	92.1 %
-2	Missing	1	0.0 %
Total		13,720	100%

Based upon 1,080 valid cases out of 13,720 total cases.

- Mean: 0.66
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.47

Location: 128-130 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

DUI_DWI: Q12. Pgm for DUI/DWI Offenders

12. Does this facility offer a special program for DUI/DWI or other drunk driver offenders?

If No, Skip to Q.13

Value	Label	Unweighted Frequency	%
0	No	8889	64.8 %
1	Yes	4823	35.2 %
Missing Data			
-4	Refused	1	0.0 %
-2	Missing	4	0.0 %
-1	Don't Know	3	0.0 %
Total		13,720	100%

Based upon 13,712 valid cases out of 13,720 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 131-133 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ONLYDUI: Q12A. Are All SA Tx Clients DUI/DWI?

12a. Are ALL of the substance abuse treatment clients at this facility DUI/DWI or other drunk driver offenders?

Value	Label	Unweighted Frequency	%
0	No	4368	31.8 %
1	Yes	426	3.1 %
Missing Data			
-6	Logical Skip	8897	64.8 %
-2	Missing	29	0.2 %
Total		13,720	100%

Based upon 4,794 valid cases out of 13,720 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.28

Location: 134-136 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC61: Q13. Pgm/Grp for Non-DUI/DWI Criminal Justice Clients

13. Does this facility offer a specially designed substance abuse treatment program or group for criminal justice clients, other than DUI/DWI clients?

Value	Label	Unweighted Frequency	%
0	No	8918	65.0 %
1	Yes	4800	35.0 %
	Missing Data		
-1	Don't Know	2	0.0 %
	Total	13,720	100%

Based upon 13,718 valid cases out of 13,720 total cases.

- Mean: 0.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 137-139 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SIGNLANG: Q14. SA Tx in Sign Language

14. Does this facility provide substance abuse treatment services in sign language (for example, American Sign Language, Signed English, or Cued Speech) for the hearing impaired?

Mark "yes" if either a staff counselor or an on-call interpreter provides this service.

Value	Label	Unweighted Frequency	%
0	No	10200	74.3 %
1	Yes	3469	25.3 %
	Missing Data		
-5	Multiple Responses	2	0.0 %
-2	Missing	35	0.3 %
-1	Don't Know	14	0.1 %
	Total	13,720	100%

Based upon 13,669 valid cases out of 13,720 total cases.

- Mean: 0.25

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.44

Location: 140-142 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG: Q15. SA Tx in Language Other Than English

15. Does this facility provide substance abuse treatment services in a language other than English?

Mark "yes" if either a staff counselor or an on-call interpreter provides this service.

If No, Skip to Q.16

Value	Label	Unweighted Frequency	%
0	No	8169	59.5 %
1	Yes	5535	40.3 %
	Missing Data		
-2	Missing	16	0.1 %
	Total	13,720	100%

Based upon 13,704 valid cases out of 13,720 total cases.

- Mean: 0.40
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.49

Location: 143-145 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG1: Q15a. SA Tx in Hopi

15a. In what other language(s) is substance abuse treatment offered at this facility?

(1) Hopi

Value	Label	Unweighted Frequency	%
0	No	5346	39.0 %

Value	Label	Unweighted Frequency	%
1	Yes	112	0.8 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	29	0.2 %
	Total	13,720	100%

Based upon 5,458 valid cases out of 13,720 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.14

Location: 146-148 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG2: Q15a. SA Tx in Lakota

15a. In what other language(s) is substance abuse treatment offered at this facility?

(2) Lakota

Value	Label	Unweighted Frequency	%
0	No	5326	38.8 %
1	Yes	130	0.9 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	31	0.2 %
	Total	13,720	100%

Based upon 5,456 valid cases out of 13,720 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.15

Location: 149-151 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG3: Q15a. SA Tx in Navajo

15a. In what other language(s) is substance abuse treatment offered at this facility?

(3) Navajo

Value	Label	Unweighted Frequency	%
0	No	5294	38.6 %
1	Yes	164	1.2 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	29	0.2 %
	Total	13,720	100%

Based upon 5,458 valid cases out of 13,720 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.17

Location: 152-154 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG4: Q15a. SA Tx in Yupik

15a. In what other language(s) is substance abuse treatment offered at this facility?

(4) Yupik

Value	Label	Unweighted Frequency	%
0	No	5335	38.9 %
1	Yes	122	0.9 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %

Value	Label	Unweighted Frequency	%
-2	Missing	47	0.3 %
-1	Don't Know	30	0.2 %
	Total	13,720	100%

Based upon 5,457 valid cases out of 13,720 total cases.

- Mean: 0.02
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.15

Location: 155-157 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG5: Tx in Other American Indian/Alaska Native

15a. In what other language(s) is substance abuse treatment offered at this facility?

(5) Other American Indian or Alaska Native language

Value	Label	Unweighted Frequency	%
0	No	5242	38.2 %
1	Yes	217	1.6 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	28	0.2 %
	Total	13,720	100%

Based upon 5,459 valid cases out of 13,720 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.20

Location: 158-160 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG6: Q15a. SA Tx in Arabic

15a. In what other language(s) is substance abuse treatment offered at this facility?

(6) Arabic

Value	Label	Unweighted Frequency	%
0	No	5185	37.8 %
1	Yes	277	2.0 %
Missing Data			
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	25	0.2 %
Total		13,720	100%

Based upon 5,462 valid cases out of 13,720 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.22

Location: 161-163 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG7: Q15a. SA Tx in Chinese

15a. In what other language(s) is substance abuse treatment offered at this facility?

(7) Chinese

Value	Label	Unweighted Frequency	%
0	No	5096	37.1 %
1	Yes	370	2.7 %
Missing Data			
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	21	0.2 %
Total		13,720	100%

Based upon 5,466 valid cases out of 13,720 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.25

Location: 164-166 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG8: Q15a. SA Tx in Creole

15a. In what other language(s) is substance abuse treatment offered at this facility?

(8) Creole

Value	Label	Unweighted Frequency	%
0	No	5191	37.8 %
1	Yes	261	1.9 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	35	0.3 %
	Total	13,720	100%

Based upon 5,452 valid cases out of 13,720 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.21

Location: 167-169 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG9: Q15a. SA Tx in French

15a. In what other language(s) is substance abuse treatment offered at this facility?

(9) French

Value	Label	Unweighted Frequency	%
0	No	4905	35.8 %
1	Yes	564	4.1 %
Missing Data			
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	18	0.1 %
Total		13,720	100%

Based upon 5,469 valid cases out of 13,720 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.30

Location: 170-172 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG10: Q15a. SA Tx in German

15a. In what other language(s) is substance abuse treatment offered at this facility?

(10) German

Value	Label	Unweighted Frequency	%
0	No	5048	36.8 %
1	Yes	421	3.1 %
Missing Data			
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	18	0.1 %
Total		13,720	100%

Based upon 5,469 valid cases out of 13,720 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1

- Standard Deviation: 0.27

Location: 173-175 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG11: Q15a. SA Tx in Hmong

15a. In what other language(s) is substance abuse treatment offered at this facility?

(11) Hmong

Value	Label	Unweighted Frequency	%
0	No	5200	37.9 %
1	Yes	246	1.8 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	41	0.3 %
	Total	13,720	100%

Based upon 5,446 valid cases out of 13,720 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.21

Location: 176-178 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG12: Q15a. SA Tx in Korean

15a. In what other language(s) is substance abuse treatment offered at this facility?

(12) Korean

Value	Label	Unweighted Frequency	%
0	No	5120	37.3 %
1	Yes	344	2.5 %
	Missing Data		
-6	Logical Skip	8185	59.7 %

Value	Label	Unweighted Frequency	%
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	23	0.2 %
	Total	13,720	100%

Based upon 5,464 valid cases out of 13,720 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.24

Location: 179-181 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG13: Q15a. SA Tx in Polish

15a. In what other language(s) is substance abuse treatment offered at this facility?

(13) Polish

Value	Label	Unweighted Frequency	%
0	No	5107	37.2 %
1	Yes	349	2.5 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	31	0.2 %
	Total	13,720	100%

Based upon 5,456 valid cases out of 13,720 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.24

Location: 182-184 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG14: Q15a. SA Tx in Portuguese

15a. In what other language(s) is substance abuse treatment offered at this facility?

(14) Portuguese

Value	Label	Unweighted Frequency	%
0	No	5119	37.3 %
1	Yes	336	2.4 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	32	0.2 %
	Total	13,720	100%

Based upon 5,455 valid cases out of 13,720 total cases.

- Mean: 0.06
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.24

Location: 185-187 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG15: Q15a. SA Tx in Russian

15a. In what other language(s) is substance abuse treatment offered at this facility?

(15) Russian

Value	Label	Unweighted Frequency	%
0	No	4968	36.2 %
1	Yes	490	3.6 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	29	0.2 %
	Total	13,720	100%

Based upon 5,458 valid cases out of 13,720 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.29

Location: 188-190 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG16: Q15a. SA Tx in Spanish

15a. In what other language(s) is substance abuse treatment offered at this facility?

(16) Spanish

Value	Label	Unweighted Frequency	%
0	No	472	3.4 %
1	Yes	5005	36.5 %
	Missing Data		
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	10	0.1 %
	Total	13,720	100%

Based upon 5,477 valid cases out of 13,720 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.28

Location: 191-193 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG17: Q15a. SA Tx in Vietnamese

15a. In what other language(s) is substance abuse treatment offered at this facility?

(17) Vietnamese

Value	Label	Unweighted Frequency	%
0	No	5017	36.6 %
1	Yes	448	3.3 %
Missing Data			
-6	Logical Skip	8185	59.7 %
-4	Refused	1	0.0 %
-2	Missing	47	0.3 %
-1	Don't Know	22	0.2 %
Total		13,720	100%

Based upon 5,465 valid cases out of 13,720 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.27

Location: 194-196 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LANG18: Q15a. SA Tx in Other Language

15a. In what other language(s) is substance abuse treatment offered at this facility?

(18) Other language

Value	Label	Unweighted Frequency	%
0	No	4791	34.9 %
1	Yes	682	5.0 %
Missing Data			
-6	Logical Skip	8185	59.7 %
-2	Missing	47	0.3 %
-1	Don't Know	15	0.1 %
Total		13,720	100%

Based upon 5,473 valid cases out of 13,720 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.33

Location: 197-199 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC30: Q16. Pgm/Grp for Adolescents

16. Does this facility at this location offer a substance abuse treatment program or group specially designed for any of the following populations?

(a) Adolescents

CHECK YES if this facility has a special program for the specified population OR if this facility serves only the specified population.

Value	Label	Unweighted Frequency	%
0	No	8690	63.3 %
1	Yes	5022	36.6 %
	Missing Data		
-2	Missing	6	0.0 %
-1	Don't Know	2	0.0 %
	Total	13,720	100%

Based upon 13,712 valid cases out of 13,720 total cases.

- Mean: 0.37
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 200-202 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC31: Q16. Pgm/Grp for Dually-Diagnosed

16. Does this facility at this location offer a substance abuse treatment program or group specially designed for any of the following populations?

(b) Dually diagnosed clients (mental and substance abuse disorders)

CHECK YES if this facility has a special program for the specified population OR if this facility serves only the specified population.

Value	Label	Unweighted Frequency	%
0	No	7010	51.1 %
1	Yes	6696	48.8 %
Missing Data			
-5	Multiple Responses	2	0.0 %
-2	Missing	5	0.0 %
-1	Don't Know	7	0.1 %
Total		13,720	100%

Based upon 13,706 valid cases out of 13,720 total cases.

- Mean: 0.49
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 203-205 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC32: Q16. Pgm/Grp for Persons with HIV/AIDS

16. Does this facility at this location offer a substance abuse treatment program or group specially designed for any of the following populations?

(c) Persons with HIV / AIDS

CHECK YES if this facility has a special program for the specified population OR if this facility serves only the specified population.

Value	Label	Unweighted Frequency	%
0	No	11036	80.4 %
1	Yes	2670	19.5 %
Missing Data			
-2	Missing	8	0.1 %
-1	Don't Know	6	0.0 %
Total		13,720	100%

Based upon 13,706 valid cases out of 13,720 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1

- Standard Deviation: 0.40

Location: 206-208 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC62: Q16. Pgm/Grp for Gays/Lesbians

16. Does this facility at this location offer a substance abuse treatment program or group specially designed for any of the following populations?

(d) Gays and lesbians

CHECK YES if this facility has a special program for the specified population OR if this facility serves only the specified population.

Value	Label	Unweighted Frequency	%
0	No	11952	87.1 %
1	Yes	1756	12.8 %
	Missing Data		
-2	Missing	8	0.1 %
-1	Don't Know	4	0.0 %
	Total	13,720	100%

Based upon 13,708 valid cases out of 13,720 total cases.

- Mean: 0.13
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.33

Location: 209-211 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC63: Q16. Pgm/Grp for Seniors/Older Adults

16. Does this facility at this location offer a substance abuse treatment program or group specially designed for any of the following populations?

(e) Seniors / older adults

CHECK YES if this facility has a special program for the specified population OR if this facility serves only the specified population.

Value	Label	Unweighted Frequency	%
0	No	11788	85.9 %
1	Yes	1922	14.0 %
Missing Data			
-2	Missing	10	0.1 %
Total		13,720	100%

Based upon 13,710 valid cases out of 13,720 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.35

Location: 212-214 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC33: Q16. Pgm/Grp for Pregnant/Postpartum Women

16. Does this facility at this location offer a substance abuse treatment program or group specially designed for any of the following populations?

(f) Pregnant / postpartum women

CHECK YES if this facility has a special program for the specified population OR if this facility serves only the specified population.

Value	Label	Unweighted Frequency	%
0	No	11136	81.2 %
1	Yes	2573	18.8 %
Missing Data			
-2	Missing	8	0.1 %
-1	Don't Know	3	0.0 %
Total		13,720	100%

Based upon 13,709 valid cases out of 13,720 total cases.

- Mean: 0.19
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.39

Location: 215-217 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC34: Q16. Pgm/Grp for Women Only

16. Does this facility at this location offer a substance abuse treatment program or group specially designed for any of the following populations?

(g) Other programs or groups for women only

CHECK YES if this facility has a special program for the specified population OR if this facility serves only the specified population.

Value	Label	Unweighted Frequency	%
0	No	8556	62.4 %
1	Yes	5150	37.5 %
	Missing Data		
-2	Missing	10	0.1 %
-1	Don't Know	4	0.0 %
	Total	13,720	100%

Based upon 13,706 valid cases out of 13,720 total cases.

- Mean: 0.38
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 218-220 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC64: Q16. Pgm/Grp for Men Only

16. Does this facility at this location offer a substance abuse treatment program or group specially designed for any of the following populations?

(h) Programs or groups for men only

CHECK YES if this facility has a special program for the specified population OR if this facility serves only the specified population.

Value	Label	Unweighted Frequency	%
0	No	9615	70.1 %
1	Yes	4091	29.8 %
Missing Data			
-2	Missing	8	0.1 %
-1	Don't Know	6	0.0 %
Total		13,720	100%

Based upon 13,706 valid cases out of 13,720 total cases.

- Mean: 0.30
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.46

Location: 221-223 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

SRVC35: Q16. Pgm/Grp for Other Groups

16. Does this facility at this location offer a substance abuse treatment program or group specially designed for any of the following populations?

(i) Other

CHECK YES if this facility has a special program for the specified population OR if this facility serves only the specified population.

Value	Label	Unweighted Frequency	%
0	No	11746	85.6 %
1	Yes	1063	7.7 %
Missing Data			
-2	Missing	907	6.6 %
-1	Don't Know	4	0.0 %
Total		13,720	100%

Based upon 12,809 valid cases out of 13,720 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.28

Location: 224-226 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE4: Q17. Hospital Inpatient SA Svcs Offered

17. Does this facility offer HOSPITAL INPATIENT substance abuse services?

If No, Skip to Q.18

Value	Label	Unweighted Frequency	%
0	No	12651	92.2 %
1	Yes	1069	7.8 %
	Missing Data		
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.27

Location: 227-229 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPEH1: Q17a. Hospital Inpatient Svcs - Detox

17a. Which of the following HOSPITAL INPATIENT substance abuse services are offered?

(a) Inpatient detoxification

Value	Label	Unweighted Frequency	%
0	No	101	0.7 %
1	Yes	968	7.1 %
	Missing Data		
-6	Logical Skip	12651	92.2 %
	Total	13,720	100%

Based upon 1,069 valid cases out of 13,720 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00

- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.29

Location: 230-232 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPEHI2: Q17a. Hospital Inpatient Svcs - Rehab

17a. Which of the following HOSPITAL INPATIENT substance abuse services are offered?

(b) Inpatient rehabilitation

Value	Label	Unweighted Frequency	%
0	No	520	3.8 %
1	Yes	549	4.0 %
	Missing Data		
-6	Logical Skip	12651	92.2 %
	Total	13,720	100%

Based upon 1,069 valid cases out of 13,720 total cases.

- Mean: 0.51
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 233-235 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HOSPBED: Q17b. Beds Designated for SA Tx - Hospital Inpatient

17b. How many of the HOSPITAL INPATIENT beds at this facility are specifically designated for substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	-	301	2.2 %
1	-	2	0.0 %
2	-	18	0.1 %
3	-	12	0.1 %
4	-	27	0.2 %
5	-	23	0.2 %
6	-	37	0.3 %
7	-	5	0.0 %
8	-	28	0.2 %

Value	Label	Unweighted Frequency	%
9	-	6	0.0 %
10	-	59	0.4 %
11	-	8	0.1 %
12	-	36	0.3 %
13	-	10	0.1 %
14	-	25	0.2 %
15	-	28	0.2 %
16	-	36	0.3 %
17	-	11	0.1 %
18	-	22	0.2 %
19	-	10	0.1 %
20	-	62	0.5 %
21	-	3	0.0 %
22	-	16	0.1 %
23	-	3	0.0 %
24	-	28	0.2 %
25	-	12	0.1 %
26	-	20	0.1 %
27	-	2	0.0 %
28	-	11	0.1 %
29	-	1	0.0 %
30	-	33	0.2 %
31	-	2	0.0 %
32	-	12	0.1 %
33	-	1	0.0 %
34	-	8	0.1 %
35	-	4	0.0 %
36	-	10	0.1 %
37	-	3	0.0 %
38	-	3	0.0 %
39	-	3	0.0 %
40	-	8	0.1 %
41	-	1	0.0 %
42	-	1	0.0 %
43	-	1	0.0 %
44	-	7	0.1 %
45	-	4	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	3	0.0 %
50	-	9	0.1 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-6	Logical Skip	12651	92.2 %
-2	Missing	37	0.3 %
-1	Don't Know	8	0.1 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,024 valid cases out of 13,720 total cases.

- Mean: 15.37
- Median: 10.00
- Mode: 0.00
- Minimum: 0
- Maximum: 172
- Standard Deviation: 19.34

Location: 236-238 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE7: Q18. Residential SA Svcs Offered

18. Does this facility offer NON-HOSPITAL RESIDENTIAL substance abuse services?

If No, Skip to Q.19

Value	Label	Unweighted Frequency	%
0	No	9938	72.4 %
1	Yes	3781	27.6 %
	Missing Data		
-1	Don't Know	1	0.0 %
	Total	13,720	100%

Based upon 13,719 valid cases out of 13,720 total cases.

- Mean: 0.28
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.45

Location: 239-241 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPERC1: Q18a. Residential Svcs - Detox

18a. Which of the following NON-HOSPITAL RESIDENTIAL substance abuse services are offered?

(a) Residential detoxification

Value	Label	Unweighted Frequency	%
0	No	2756	20.1 %
1	Yes	1024	7.5 %
Missing Data			
-6	Logical Skip	9939	72.4 %
-2	Missing	1	0.0 %
Total		13,720	100%

Based upon 3,780 valid cases out of 13,720 total cases.

- Mean: 0.27
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.44

Location: 242-244 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPERC2: Q18a. Residential Svcs - Rehab

18a. Which of the following NON-HOSPITAL RESIDENTIAL substance abuse services are offered?

(b) Residential rehabilitation

Value	Label	Unweighted Frequency	%
0	No	189	1.4 %
1	Yes	3592	26.2 %
Missing Data			
-6	Logical Skip	9939	72.4 %
Total		13,720	100%

Based upon 3,781 valid cases out of 13,720 total cases.

- Mean: 0.95
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1

• Standard Deviation: 0.22

Location: 245-247 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

RESBED: Q18b. Beds Designated for SA Tx - Residential

18b. How many of the NON-HOSPITAL RESIDENTIAL beds at this facility are specifically designated for substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	-	153	1.1 %
2	-	9	0.1 %
3	-	9	0.1 %
4	-	27	0.2 %
5	-	31	0.2 %
6	-	199	1.5 %
7	-	29	0.2 %
8	-	126	0.9 %
9	-	42	0.3 %
10	-	157	1.1 %
11	-	28	0.2 %
12	-	204	1.5 %
13	-	50	0.4 %
14	-	123	0.9 %
15	-	153	1.1 %
16	-	200	1.5 %
17	-	36	0.3 %
18	-	114	0.8 %
19	-	24	0.2 %
20	-	219	1.6 %
21	-	36	0.3 %
22	-	78	0.6 %
23	-	38	0.3 %
24	-	150	1.1 %
25	-	75	0.5 %
26	-	56	0.4 %
27	-	33	0.2 %
28	-	49	0.4 %
29	-	14	0.1 %
30	-	139	1.0 %
31	-	9	0.1 %
32	-	70	0.5 %
33	-	28	0.2 %
34	-	27	0.2 %

Value	Label	Unweighted Frequency	%
35	-	39	0.3 %
36	-	49	0.4 %
37	-	11	0.1 %
38	-	15	0.1 %
39	-	9	0.1 %
40	-	85	0.6 %
41	-	9	0.1 %
42	-	30	0.2 %
43	-	3	0.0 %
44	-	15	0.1 %
45	-	26	0.2 %
46	-	13	0.1 %
47	-	4	0.0 %
48	-	28	0.2 %
49	-	10	0.1 %
50	-	86	0.6 %
	Missing Data		
-6	Logical Skip	9939	72.4 %
-2	Missing	64	0.5 %
-1	Don't Know	6	0.0 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,711 valid cases out of 13,720 total cases.

- Mean: 30.67
- Median: 20.00
- Mode: 20.00
- Minimum: 0
- Maximum: 417
- Standard Deviation: 35.03

Location: 248-250 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE1: Q19. Outpatient SA Svcs Offered

19. Does this facility offer OUTPATIENT substance abuse services?

If No, Skip to Q.20

Value	Label	Unweighted Frequency	%
0	No	2659	19.4 %
1	Yes	11061	80.6 %
	Missing Data		
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.81
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.40

Location: 251-253 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE6: Q19a. Outpatient Svcs - Detox

19a. Which of the following OUTPATIENT substance abuse services are offered?

(a) Outpatient detoxification

Value	Label	Unweighted Frequency	%
0	No	9394	68.5 %
1	Yes	1667	12.2 %
	Missing Data		
-6	Logical Skip	2659	19.4 %
	Total	13,720	100%

Based upon 11,061 valid cases out of 13,720 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.36

Location: 254-256 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPEML: Q19a. Outpatient Svcs - Methadone/LAAM Maint

19a. Which of the following OUTPATIENT substance abuse

services are offered?

(b) Outpatient methadone / LAAM maintenance

Value	Label	Unweighted Frequency	%
0	No	10067	73.4 %
1	Yes	994	7.2 %
	Missing Data		
-6	Logical Skip	2659	19.4 %
	Total	13,720	100%

Based upon 11,061 valid cases out of 13,720 total cases.

- Mean: 0.09
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.29

Location: 257-259 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE3: Q19a. Outpatient Svcs - Regular

19a. Which of the following OUTPATIENT substance abuse services are offered?

(c) Regular outpatient treatment

Value	Label	Unweighted Frequency	%
0	No	872	6.4 %
1	Yes	10189	74.3 %
	Missing Data		
-6	Logical Skip	2659	19.4 %
	Total	13,720	100%

Based upon 11,061 valid cases out of 13,720 total cases.

- Mean: 0.92
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.27

Location: 260-262 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPE2: Q19a. Outpatient- Intensive

19a. Which of the following OUTPATIENT substance abuse services are offered?

(d) Intensive outpatient treatment (defined as a minimum of 2 hours per day on 3 or more days per week)

Value	Label	Unweighted Frequency	%
0	No	4978	36.3 %
1	Yes	6083	44.3 %
	Missing Data		
-6	Logical Skip	2659	19.4 %
	Total	13,720	100%

Based upon 11,061 valid cases out of 13,720 total cases.

- Mean: 0.55
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 263-265 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CTYPEOP: Q19a. Outpatient Svcs - Day Tx/Partial Hosp

19a. Which of the following OUTPATIENT substance abuse services are offered?

(e) Day treatment or partial hospitalization program

Value	Label	Unweighted Frequency	%
0	No	8976	65.4 %
1	Yes	2085	15.2 %
	Missing Data		
-6	Logical Skip	2659	19.4 %
	Total	13,720	100%

Based upon 11,061 valid cases out of 13,720 total cases.

- Mean: 0.19
- Median: 0.00

- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.39

Location: 266-268 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK1: Q20. Cash or Self-Payment for SA Tx

20. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(a) Cash or self-payment

Value	Label	Unweighted Frequency	%
0	No	1287	9.4 %
1	Yes	12311	89.7 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	1	0.0 %
-2	Missing	19	0.1 %
-1	Don't Know	101	0.7 %
	Total	13,720	100%

Based upon 13,598 valid cases out of 13,720 total cases.

- Mean: 0.91
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.29

Location: 269-271 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK8: Q20. Medicare Payments for SA Tx

20. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(b) Medicare

Value	Label	Unweighted Frequency	%
0	No	8284	60.4 %

Value	Label	Unweighted Frequency	%
1	Yes	4743	34.6 %
	Missing Data		
-5	Multiple Responses	4	0.0 %
-2	Missing	17	0.1 %
-1	Don't Know	672	4.9 %
	Total	13,720	100%

Based upon 13,027 valid cases out of 13,720 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 272-274 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK5: Q20. Medicaid Payments for SA Tx

20. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(c) Medicaid

Value	Label	Unweighted Frequency	%
0	No	6047	44.1 %
1	Yes	7216	52.6 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-2	Missing	18	0.1 %
-1	Don't Know	438	3.2 %
	Total	13,720	100%

Based upon 13,263 valid cases out of 13,720 total cases.

- Mean: 0.54
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 275-277 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK10: Q20. State-Financed Health Ins

20. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(d) A state-financed health insurance plan other than Medicaid (for example, State Children's Health Insurance Program (SCHIP) or high risk insurance pools)

Value	Label	Unweighted Frequency	%
0	No	7825	57.0 %
1	Yes	4383	31.9 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-2	Missing	18	0.1 %
-1	Don't Know	1493	10.9 %
	Total	13,720	100%

Based upon 12,208 valid cases out of 13,720 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 278-280 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK15: Q20. Federal Military Ins for SA Tx

20. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(e) Federal military insurance such as TRICARE or Champ VA

Value	Label	Unweighted Frequency	%
0	No	7757	56.5 %
1	Yes	4335	31.6 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-2	Missing	19	0.1 %
-1	Don't Know	1608	11.7 %
	Total	13,720	100%

Based upon 12,092 valid cases out of 13,720 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 281-283 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK2: Q20. Private Health Ins for SA Tx

20. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(f) Private health insurance

Value	Label	Unweighted Frequency	%
0	No	4012	29.2 %
1	Yes	9328	68.0 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-2	Missing	17	0.1 %
-1	Don't Know	362	2.6 %
	Total	13,720	100%

Based upon 13,340 valid cases out of 13,720 total cases.

- Mean: 0.70
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.46

Location: 284-286 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

REVCHK2A: Q20. Other Payments for SA Tx

20. Which of the following types of payments are accepted by this facility for substance abuse treatment?

(g) Other

Value	Label	Unweighted Frequency	%
0	No	8130	59.3 %
1	Yes	1294	9.4 %
	Missing Data		
-2	Missing	31	0.2 %
-1	Don't Know	4265	31.1 %
	Total	13,720	100%

Based upon 9,424 valid cases out of 13,720 total cases.

- Mean: 0.14
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.34

Location: 287-289 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

EARMARK: Q21. Rcv's Fed, State, County, Local Funds for SA Tx

21. Does this facility receive any public funds such as federal, state, county, or local government funds for substance abuse treatment programs?

Do not include Medicare, Medicaid, or federal military insurance.

Value	Label	Unweighted Frequency	%
0	No	4510	32.9 %
1	Yes	9131	66.6 %
	Missing Data		
-3	Invalid Response	7	0.1 %
-2	Missing	27	0.2 %
-1	Don't Know	45	0.3 %
	Total	13,720	100%

Based upon 13,641 valid cases out of 13,720 total cases.

- Mean: 0.67
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.47

Location: 290-292 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

FEESCALE: Q22. Uses Sliding Fee Scale

22. Does this facility use a sliding fee scale?

Value	Label	Unweighted Frequency	%
0	No	4703	34.3 %
1	Yes	8926	65.1 %
	Missing Data		
-5	Multiple Responses	4	0.0 %
-4	Refused	2	0.0 %
-3	Invalid Response	7	0.1 %
-2	Missing	52	0.4 %
-1	Don't Know	26	0.2 %
	Total	13,720	100%

Based upon 13,629 valid cases out of 13,720 total cases.

- Mean: 0.65
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 293-295 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

PAYASST: Q23. Offers Other Payment Assistance

22a. Other than a sliding fee scale, does this facility offer any type of payment assistance for clients receiving substance abuse treatment?

Value	Label	Unweighted Frequency	%
0	No	8779	64.0 %
1	Yes	4741	34.6 %
	Missing Data		
-5	Multiple Responses	4	0.0 %
-4	Refused	1	0.0 %
-3	Invalid Response	7	0.1 %
-2	Missing	142	1.0 %
-1	Don't Know	46	0.3 %
	Total	13,720	100%

Based upon 13,520 valid cases out of 13,720 total cases.

- Mean: 0.35

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 296-298 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

WRITARRA: Q23. Agreements/Contracts w/Managed Care Orgs

23. Does this facility have agreements or contracts with managed care organizations for providing substance abuse treatment services?

Value	Label	Unweighted Frequency	%
0	No	6537	47.6 %
1	Yes	7031	51.2 %
	Missing Data		
-3	Invalid Response	7	0.1 %
-2	Missing	71	0.5 %
-1	Don't Know	74	0.5 %
	Total	13,720	100%

Based upon 13,568 valid cases out of 13,720 total cases.

- Mean: 0.52
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 299-301 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LICENSED: Q24. Licen/Cert by State SA Agency

24. Does this facility or program have licensing, approval, certification, or accreditation from any of the following organizations?

(a) State substance abuse agency

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse treatment services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	2054	15.0 %
1	Yes	11224	81.8 %
Missing Data			
-5	Multiple Responses	5	0.0 %
-2	Missing	10	0.1 %
-1	Don't Know	427	3.1 %
Total		13,720	100%

Based upon 13,278 valid cases out of 13,720 total cases.

- Mean: 0.85
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.36

Location: 302-304 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LICENMH: Q24. Licen/Cert by State Mental Health Dept

24. Does this facility or program have licensing, approval, certification, or accreditation from any of the following organizations?

(b) State mental health department

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse treatment services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	8313	60.6 %
1	Yes	4650	33.9 %
Missing Data			
-5	Multiple Responses	3	0.0 %
-4	Refused	1	0.0 %
-2	Missing	11	0.1 %
-1	Don't Know	742	5.4 %
Total		13,720	100%

Based upon 12,963 valid cases out of 13,720 total cases.

- Mean: 0.36
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.48

Location: 305-307 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LICENPH: Q24. Licen/Cert by State Public Health Dept

24. Does this facility or program have licensing, approval, certification, or accreditation from any of the following organizations?

(c) State public health department / board of health

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse treatment services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	8282	60.4 %
1	Yes	4208	30.7 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	1	0.0 %
-2	Missing	12	0.1 %
-1	Don't Know	1216	8.9 %
	Total	13,720	100%

Based upon 12,490 valid cases out of 13,720 total cases.

- Mean: 0.34
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.47

Location: 308-310 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LICENHOS: Q24. Licen/Cert by Hospital Licensing Authority

24. Does this facility or program have licensing, approval, certification, or accreditation from any of the following organizations?

(d) Hospital licensing authority

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse treatment services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	11579	84.4 %
1	Yes	1256	9.2 %
	Missing Data		
-5	Multiple Responses	2	0.0 %
-4	Refused	1	0.0 %
-2	Missing	10	0.1 %
-1	Don't Know	872	6.4 %
	Total	13,720	100%

Based upon 12,835 valid cases out of 13,720 total cases.

- Mean: 0.10
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.30

Location: 311-313 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

JCAHO: Q24. Accred by JCAHO

24. Does this facility or program have licensing, approval, certification, or accreditation from any of the following organizations?

(e) JCAHO (Joint Commission on Accreditation of Healthcare Organizations)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse treatment services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	9793	71.4 %
1	Yes	3329	24.3 %
	Missing Data		
-5	Multiple Responses	3	0.0 %
-4	Refused	1	0.0 %
-2	Missing	10	0.1 %
-1	Don't Know	584	4.3 %
	Total	13,720	100%

Based upon 13,122 valid cases out of 13,720 total cases.

- Mean: 0.25
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.44

Location: 314-316 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

CARF: Q24. Accredited by CARF

24. Does this facility or program have licensing, approval, certification, or accreditation from any of the following organizations?

(f) CARF (The Rehabilitation Accreditation Commission)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse treatment services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	11202	81.6 %
1	Yes	1526	11.1 %
	Missing Data		
-5	Multiple Responses	1	0.0 %

Value	Label	Unweighted Frequency	%
-4	Refused	1	0.0 %
-2	Missing	11	0.1 %
-1	Don't Know	979	7.1 %
	Total	13,720	100%

Based upon 12,728 valid cases out of 13,720 total cases.

- Mean: 0.12
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.32

Location: 317-319 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

NCQA: Q24. Accred by NCQA

24. Does this facility or program have licensing, approval, certification, or accreditation from any of the following organizations?

(g) NCQA (National Committee for Quality Assurance)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse treatment services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	11973	87.3 %
1	Yes	326	2.4 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	1	0.0 %
-2	Missing	10	0.1 %
-1	Don't Know	1409	10.3 %
	Total	13,720	100%

Based upon 12,299 valid cases out of 13,720 total cases.

- Mean: 0.03
- Median: 0.00

- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.16

Location: 320-322 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

COA: Q24. Accred by COA

24. Does this facility or program have licensing, approval, certification, or accreditation from any of the following organizations?

(h) COA (Council on Accreditation for Children & Family Services)

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse treatment services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	11958	87.2 %
1	Yes	586	4.3 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	11	0.1 %
-1	Don't Know	1164	8.5 %
	Total	13,720	100%

Based upon 12,544 valid cases out of 13,720 total cases.

- Mean: 0.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.21

Location: 323-325 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTHSTATE: Q24. Licen/Cert by Other State Agency

24. Does this facility or program have licensing, approval, certification, or accreditation from any of the following

organizations?

(i) Another state / local agency or other organization

Only include facility-level licensing, accreditation, etc., related to the provision of substance abuse treatment services.

Do not include general business licenses, fire marshal approvals, personal-level credentials, food service licenses, etc.

Value	Label	Unweighted Frequency	%
0	No	9826	71.6 %
1	Yes	1737	12.7 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	1	0.0 %
-2	Missing	23	0.2 %
-1	Don't Know	2132	15.5 %
	Total	13,720	100%

Based upon 11,563 valid cases out of 13,720 total cases.

- Mean: 0.15
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.36

Location: 326-328 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ADMINLNK: Q25. Part of Org with Multiple Facilities/Sites

25. On March 29, 2002, was this facility part of an organization with multiple facilities or sites that provide substance abuse treatment?

If No, Skip to Q.26

Value	Label	Unweighted Frequency	%
0	No	4375	31.9 %
1	Yes	9324	68.0 %
	Missing Data		
-2	Missing	13	0.1 %

Value	Label	Unweighted Frequency	%
-1	Don't Know	8	0.1 %
	Total	13,720	100%

Based upon 13,699 valid cases out of 13,720 total cases.

- Mean: 0.68
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.47

Location: 329-331 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTHFAC2: Q25a. Client Counts for This Facility Only

25a. The next section asks about the number of clients in treatment at this facility on March 29, 2002. We would prefer to get this information separately for this facility, that is, the facility named on the front cover. However, we understand there are situations when this is not possible.

Please check the option below that best describes how client counts will be reported in Section B of this questionnaire.

(1) This questionnaire will include client counts for this facility alone -> Skip to Q.26 (Page 7)

Value	Label	Unweighted Frequency	%
0	No	1717	12.5 %
1	Yes	7594	55.3 %
	Missing Data		
-6	Logical Skip	4375	31.9 %
-4	Refused	9	0.1 %
-1	Don't Know	25	0.2 %
	Total	13,720	100%

Based upon 9,311 valid cases out of 13,720 total cases.

- Mean: 0.82
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.39

Location: 332-334 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTHFAC1: Q25a. Client Counts for This Facility & Others in Org

25a. The next section asks about the number of clients in treatment at this facility on March 29, 2002. We would prefer to get this information separately for this facility, that is, the facility named on the front cover. However, we understand there are situations when this is not possible.

Please check the option below that best describes how client counts will be reported in Section B of this questionnaire.

(2) This questionnaire will include client counts for this facility combined with other facilities in the organization
-> Skip to Q.26 (Page 7)

Value	Label	Unweighted Frequency	%
0	No	8633	62.9 %
1	Yes	678	4.9 %
	Missing Data		
-6	Logical Skip	4375	31.9 %
-4	Refused	9	0.1 %
-1	Don't Know	25	0.2 %
	Total	13,720	100%

Based upon 9,311 valid cases out of 13,720 total cases.

- Mean: 0.07
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.26

Location: 335-337 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OTHFAC3: Q25a. Client Counts Reported by Another Facility

25a. The next section asks about the number of clients in treatment at this facility on March 29, 2002. We would prefer to get this information separately for this facility, that is, the facility named on the front cover. However, we understand there are situations when this is not possible.

Please check the option below that best describes how client counts will be reported in Section B of this questionnaire.

(3) This questionnaire will not include any client counts.

Client counts for this facility will be reported by another facility

Value	Label	Unweighted Frequency	%
0	No	8272	60.3 %
1	Yes	1039	7.6 %
	Missing Data		
-6	Logical Skip	4375	31.9 %
-4	Refused	9	0.1 %
-1	Don't Know	25	0.2 %
	Total	13,720	100%

Based upon 9,311 valid cases out of 13,720 total cases.

- Mean: 0.11
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.31

Location: 338-340 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

TYPE4: Q26. Hospital Inpatient SA Clients 3/29/02

26. On March 29, 2002, did any clients receive hospital inpatient substance abuse treatment or detoxification at this facility?

If No, Skip to Q.27

Value	Label	Unweighted Frequency	%
0	No	11729	85.5 %
1	Yes	952	6.9 %
	Missing Data		
-6	Logical Skip	1039	7.6 %
	Total	13,720	100%

Based upon 12,681 valid cases out of 13,720 total cases.

- Mean: 0.08
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.26

Location: 341-343 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI1: Q26a. Hospital Inpatient Clients - Detox

26a. On March 29, 2002, how many hospital inpatients received the following substance abuse services at this facility?

(a) Inpatient detoxification

COUNT a client in one service only, even if the client received both services.

DO NOT count co-dependents, parents, other relatives, friends (that is "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	234	1.7 %
1	-	75	0.5 %
2	-	99	0.7 %
3	-	104	0.8 %
4	-	73	0.5 %
5	-	90	0.7 %
6	-	59	0.4 %
7	-	35	0.3 %
8	-	49	0.4 %
9	-	18	0.1 %
10	-	46	0.3 %
11	-	13	0.1 %
12	-	29	0.2 %
13	-	9	0.1 %
14	-	12	0.1 %
15	-	18	0.1 %
16	-	9	0.1 %
17	-	3	0.0 %
18	-	6	0.0 %
19	-	3	0.0 %
20	-	11	0.1 %
21	-	2	0.0 %
22	-	3	0.0 %
23	-	1	0.0 %
24	-	6	0.0 %
25	-	7	0.1 %
26	-	3	0.0 %
27	-	2	0.0 %

Value	Label	Unweighted Frequency	%
28	-	2	0.0 %
29	-	1	0.0 %
30	-	2	0.0 %
31	-	1	0.0 %
32	-	3	0.0 %
34	-	1	0.0 %
36	-	3	0.0 %
38	-	2	0.0 %
45	-	2	0.0 %
48	-	2	0.0 %
49	-	1	0.0 %
50	-	1	0.0 %
54	-	1	0.0 %
60	-	2	0.0 %
62	-	1	0.0 %
70	-	1	0.0 %
77	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12674	92.4 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,046 valid cases out of 13,720 total cases.

- Mean: 6.03
- Median: 4.00
- Mode: 0.00
- Minimum: 0
- Maximum: 77
- Standard Deviation: 8.35

Location: 344-346 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI2: Q26a. Hospital Inpatient Clients - Rehab

26a. On March 29, 2002, how many hospital inpatients received the following substance abuse services at this facility?

(b) Inpatient rehabilitation

COUNT a client in one service only, even if the client received both services.

DO NOT count co-dependents, parents, other relatives, friends

(that is "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	609	4.4 %
1	-	32	0.2 %
2	-	32	0.2 %
3	-	23	0.2 %
4	-	24	0.2 %
5	-	21	0.2 %
6	-	18	0.1 %
7	-	12	0.1 %
8	-	20	0.1 %
9	-	14	0.1 %
10	-	22	0.2 %
11	-	9	0.1 %
12	-	18	0.1 %
13	-	9	0.1 %
14	-	8	0.1 %
15	-	19	0.1 %
16	-	12	0.1 %
17	-	9	0.1 %
18	-	12	0.1 %
19	-	7	0.1 %
20	-	14	0.1 %
21	-	2	0.0 %
22	-	11	0.1 %
23	-	5	0.0 %
24	-	6	0.0 %
25	-	2	0.0 %
26	-	2	0.0 %
27	-	2	0.0 %
28	-	4	0.0 %
29	-	2	0.0 %
30	-	6	0.0 %
31	-	1	0.0 %
32	-	4	0.0 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	7	0.1 %
36	-	1	0.0 %
38	-	1	0.0 %
40	-	5	0.0 %
42	-	2	0.0 %

Value	Label	Unweighted Frequency	%
43	-	1	0.0 %
44	-	1	0.0 %
45	-	2	0.0 %
48	-	1	0.0 %
49	-	1	0.0 %
50	-	3	0.0 %
51	-	2	0.0 %
52	-	3	0.0 %
55	-	2	0.0 %
58	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12674	92.4 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,046 valid cases out of 13,720 total cases.

- Mean: 7.05
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 260
- Standard Deviation: 16.84

Location: 347-349 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIHI: Q26a. Hospital Inpatient Clients - Total

26a. On March 29, 2002, how many clients received hospital inpatient substance abuse treatment or detoxification at this facility?

_____ HOSPITAL INPATIENT TOTAL

COUNT a client in one service only, even if the client received both services.

DO NOT count co-dependents, parents, other relatives, friends (that is "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	94	0.7 %
1	-	52	0.4 %

Value	Label	Unweighted Frequency	%
2	-	91	0.7 %
3	-	77	0.6 %
4	-	54	0.4 %
5	-	72	0.5 %
6	-	47	0.3 %
7	-	30	0.2 %
8	-	57	0.4 %
9	-	25	0.2 %
10	-	59	0.4 %
11	-	18	0.1 %
12	-	35	0.3 %
13	-	17	0.1 %
14	-	15	0.1 %
15	-	26	0.2 %
16	-	20	0.1 %
17	-	9	0.1 %
18	-	14	0.1 %
19	-	8	0.1 %
20	-	32	0.2 %
21	-	5	0.0 %
22	-	11	0.1 %
23	-	10	0.1 %
24	-	18	0.1 %
25	-	14	0.1 %
26	-	9	0.1 %
27	-	6	0.0 %
28	-	7	0.1 %
29	-	3	0.0 %
30	-	8	0.1 %
31	-	3	0.0 %
32	-	8	0.1 %
33	-	3	0.0 %
34	-	4	0.0 %
35	-	10	0.1 %
36	-	5	0.0 %
37	-	1	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	7	0.1 %
42	-	1	0.0 %
44	-	1	0.0 %
45	-	6	0.0 %

Value	Label	Unweighted Frequency	%
46	-	2	0.0 %
47	-	1	0.0 %
48	-	2	0.0 %
50	-	4	0.0 %
51	-	3	0.0 %
52	-	3	0.0 %
	Missing Data		
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 1,046 valid cases out of 13,720 total cases.

- Mean: 13.08
- Median: 8.00
- Mode: 0.00
- Minimum: 0
- Maximum: 260
- Standard Deviation: 18.68

Location: 350-352 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

H_AGE1: Q26b. Hospital Inpatient Clients Under Age 18

26b. How many of the clients from the HOSPITAL INPATIENT TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	784	5.7 %
1	-	30	0.2 %
2	-	18	0.1 %
3	-	8	0.1 %
4	-	10	0.1 %
5	-	10	0.1 %
6	-	3	0.0 %
7	-	3	0.0 %
8	-	2	0.0 %
9	-	3	0.0 %
10	-	3	0.0 %
12	-	5	0.0 %
13	-	2	0.0 %
14	-	2	0.0 %
15	-	5	0.0 %
16	-	4	0.0 %

Value	Label	Unweighted Frequency	%
18	-	1	0.0 %
19	-	2	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %
24	-	2	0.0 %
25	-	1	0.0 %
28	-	1	0.0 %
30	-	1	0.0 %
32	-	1	0.0 %
50	-	1	0.0 %
55	-	1	0.0 %
74	-	1	0.0 %
102	-	1	0.0 %
	Missing Data		
-6	Logical Skip	12768	93.1 %
-2	Missing	31	0.2 %
-1	Don't Know	12	0.1 %
	Total	13,720	100%

Based upon 909 valid cases out of 13,720 total cases.

- Mean: 1.24
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 102
- Standard Deviation: 5.96

Location: 353-355 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HIMETNUM: Q26c. Hospital Inpatient Clients - Methadone Detox/Maint

26c. How many of the clients from the HOSPITAL INPATIENT TOTAL BOX received methadone or LAAM dispensed at this facility?

(a) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	480	3.5 %
1	-	15	0.1 %

Value	Label	Unweighted Frequency	%
2	-	12	0.1 %
3	-	12	0.1 %
4	-	4	0.0 %
5	-	13	0.1 %
6	-	7	0.1 %
7	-	4	0.0 %
8	-	12	0.1 %
9	-	2	0.0 %
10	-	10	0.1 %
11	-	1	0.0 %
12	-	5	0.0 %
13	-	2	0.0 %
14	-	2	0.0 %
15	-	1	0.0 %
16	-	1	0.0 %
17	-	1	0.0 %
18	-	4	0.0 %
20	-	3	0.0 %
24	-	3	0.0 %
25	-	1	0.0 %
30	-	2	0.0 %
35	-	1	0.0 %
36	-	1	0.0 %
60	-	1	0.0 %
	Missing Data		
-6	Logical Skip	13114	95.6 %
-2	Missing	6	0.0 %
	Total	13,720	100%

Based upon 600 valid cases out of 13,720 total cases.

- Mean: 1.72
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 60
- Standard Deviation: 5.21

Location: 356-358 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HILAMNUM: Q26c. Hospital Inpatient Clients - LAAM Detox/Maint

26c. How many of the clients from the HOSPITAL INPATIENT

TOTAL BOX received methadone or LAAM dispensed at this facility?

(b) LAAM

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	596	4.3 %
1	-	2	0.0 %
12	-	2	0.0 %
	Missing Data		
-6	Logical Skip	13114	95.6 %
-2	Missing	6	0.0 %
	Total	13,720	100%

Based upon 600 valid cases out of 13,720 total cases.

- Mean: 0.04
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 12
- Standard Deviation: 0.69

Location: 359-361 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

TYPE7: Q27. Residential SA Clients 3/29/02

27. On March 29, 2002, did any clients receive non-hospital residential substance abuse treatment or detoxification at this facility?

If No, Skip to Q.28

Value	Label	Unweighted Frequency	%
0	No	9161	66.8 %
1	Yes	3520	25.7 %
	Missing Data		
-6	Logical Skip	1039	7.6 %
	Total	13,720	100%

Based upon 12,681 valid cases out of 13,720 total cases.

- Mean: 0.28
- Median: 0.00

- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.45

Location: 362-364 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI3: Q27a. Residential Clients - Detox

27a. On March 29, 2002, how many non-hospital residential clients received the following substance abuse services at this facility?

(a) Residential detoxification

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, parents, other relatives, friends (that is "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	2827	20.6 %
1	-	67	0.5 %
2	-	88	0.6 %
3	-	62	0.5 %
4	-	59	0.4 %
5	-	45	0.3 %
6	-	48	0.3 %
7	-	28	0.2 %
8	-	54	0.4 %
9	-	21	0.2 %
10	-	30	0.2 %
11	-	12	0.1 %
12	-	25	0.2 %
13	-	12	0.1 %
14	-	22	0.2 %
15	-	19	0.1 %
16	-	14	0.1 %
17	-	7	0.1 %
18	-	10	0.1 %
19	-	3	0.0 %
20	-	7	0.1 %
21	-	6	0.0 %
22	-	8	0.1 %

Value	Label	Unweighted Frequency	%
23	-	6	0.0 %
24	-	10	0.1 %
25	-	10	0.1 %
26	-	4	0.0 %
27	-	6	0.0 %
28	-	8	0.1 %
29	-	4	0.0 %
30	-	4	0.0 %
31	-	4	0.0 %
32	-	5	0.0 %
33	-	2	0.0 %
34	-	2	0.0 %
35	-	2	0.0 %
36	-	4	0.0 %
38	-	4	0.0 %
39	-	1	0.0 %
40	-	7	0.1 %
41	-	3	0.0 %
42	-	1	0.0 %
47	-	1	0.0 %
52	-	1	0.0 %
54	-	3	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
61	-	1	0.0 %
70	-	1	0.0 %
	Missing Data		
-6	Logical Skip	10142	73.9 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,578 valid cases out of 13,720 total cases.

- Mean: 2.35
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 218
- Standard Deviation: 8.10

Location: 365-367 (width: 3; decimal: 0)

Variable Type: numeric

T_CLI4: Q27a. Residential Clients - Rehab

27a. On March 29, 2002, how many non-hospital residential clients received the following substance abuse services at this facility?

(b) Residential rehabilitation

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, parents, other relatives, friends (that is "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	257	1.9 %
1	-	20	0.1 %
2	-	30	0.2 %
3	-	42	0.3 %
4	-	53	0.4 %
5	-	79	0.6 %
6	-	140	1.0 %
7	-	58	0.4 %
8	-	141	1.0 %
9	-	73	0.5 %
10	-	155	1.1 %
11	-	73	0.5 %
12	-	175	1.3 %
13	-	72	0.5 %
14	-	103	0.8 %
15	-	133	1.0 %
16	-	144	1.0 %
17	-	76	0.6 %
18	-	123	0.9 %
19	-	53	0.4 %
20	-	140	1.0 %
21	-	55	0.4 %
22	-	63	0.5 %
23	-	46	0.3 %
24	-	81	0.6 %
25	-	64	0.5 %
26	-	68	0.5 %
27	-	39	0.3 %

Value	Label	Unweighted Frequency	%
28	-	52	0.4 %
29	-	30	0.2 %
30	-	77	0.6 %
31	-	21	0.2 %
32	-	35	0.3 %
33	-	25	0.2 %
34	-	24	0.2 %
35	-	37	0.3 %
36	-	38	0.3 %
37	-	18	0.1 %
38	-	20	0.1 %
39	-	15	0.1 %
40	-	40	0.3 %
41	-	12	0.1 %
42	-	18	0.1 %
43	-	7	0.1 %
44	-	16	0.1 %
45	-	22	0.2 %
46	-	14	0.1 %
47	-	15	0.1 %
48	-	25	0.2 %
49	-	12	0.1 %
	Missing Data		
-6	Logical Skip	10142	73.9 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,578 valid cases out of 13,720 total cases.

- Mean: 26.27
- Median: 17.00
- Mode: 0.00
- Minimum: 0
- Maximum: 425
- Standard Deviation: 33.18

Location: 368-370 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIRC: Q27a. Residential Clients - Total

27a. On March 29, 2002, how many clients received non-hospital residential substance abuse treatment or detoxification at

this facility?

_____ RESIDENTIAL TOTAL

COUNT a client in one service only, even if the client received multiple services.

DO NOT count co-dependents, parents, other relatives, friends (that is "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	58	0.4 %
1	-	20	0.1 %
2	-	32	0.2 %
3	-	35	0.3 %
4	-	58	0.4 %
5	-	85	0.6 %
6	-	147	1.1 %
7	-	65	0.5 %
8	-	150	1.1 %
9	-	65	0.5 %
10	-	158	1.2 %
11	-	77	0.6 %
12	-	180	1.3 %
13	-	75	0.5 %
14	-	106	0.8 %
15	-	129	0.9 %
16	-	154	1.1 %
17	-	77	0.6 %
18	-	119	0.9 %
19	-	61	0.4 %
20	-	149	1.1 %
21	-	60	0.4 %
22	-	71	0.5 %
23	-	48	0.3 %
24	-	82	0.6 %
25	-	65	0.5 %
26	-	71	0.5 %
27	-	42	0.3 %
28	-	56	0.4 %
29	-	38	0.3 %
30	-	78	0.6 %
31	-	28	0.2 %
32	-	41	0.3 %
33	-	27	0.2 %

Value	Label	Unweighted Frequency	%
34	-	27	0.2 %
35	-	32	0.2 %
36	-	33	0.2 %
37	-	17	0.1 %
38	-	25	0.2 %
39	-	19	0.1 %
40	-	47	0.3 %
41	-	18	0.1 %
42	-	19	0.1 %
43	-	9	0.1 %
44	-	13	0.1 %
45	-	25	0.2 %
46	-	15	0.1 %
47	-	15	0.1 %
48	-	35	0.3 %
49	-	14	0.1 %
	Missing Data		
-6	Logical Skip	10142	73.9 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,578 valid cases out of 13,720 total cases.

- Mean: 28.62
- Median: 18.00
- Mode: 12.00
- Minimum: 0
- Maximum: 425
- Standard Deviation: 34.11

Location: 371-373 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

R_AGE1: Q27b. Residential Clients Under Age 18

27b. How many of the clients from the RESIDENTIAL TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	2831	20.6 %
1	-	63	0.5 %
2	-	31	0.2 %
3	-	35	0.3 %
4	-	24	0.2 %

Value	Label	Unweighted Frequency	%
5	-	30	0.2 %
6	-	29	0.2 %
7	-	16	0.1 %
8	-	27	0.2 %
9	-	11	0.1 %
10	-	28	0.2 %
11	-	20	0.1 %
12	-	37	0.3 %
13	-	15	0.1 %
14	-	21	0.2 %
15	-	22	0.2 %
16	-	16	0.1 %
17	-	17	0.1 %
18	-	23	0.2 %
19	-	7	0.1 %
20	-	29	0.2 %
21	-	6	0.0 %
22	-	11	0.1 %
23	-	9	0.1 %
24	-	9	0.1 %
25	-	11	0.1 %
26	-	10	0.1 %
27	-	2	0.0 %
28	-	8	0.1 %
29	-	3	0.0 %
30	-	7	0.1 %
31	-	2	0.0 %
32	-	11	0.1 %
33	-	1	0.0 %
34	-	3	0.0 %
35	-	6	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
40	-	4	0.0 %
41	-	2	0.0 %
43	-	3	0.0 %
44	-	3	0.0 %
45	-	1	0.0 %
47	-	1	0.0 %
48	-	1	0.0 %
50	-	4	0.0 %
51	-	2	0.0 %

Value	Label	Unweighted Frequency	%
52	-	2	0.0 %
54	-	1	0.0 %
57	-	1	0.0 %
	Missing Data		
-6	Logical Skip	10200	74.3 %
-4	Refused	2	0.0 %
-2	Missing	33	0.2 %
-1	Don't Know	8	0.1 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 3,477 valid cases out of 13,720 total cases.

- Mean: 2.97
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 220
- Standard Deviation: 10.54

Location: 374-376 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

RCMETNUM: Q27c. Residential Clients - Methadone Detox/Maint

27c. How many of the clients from the RESIDENTIAL TOTAL BOX received methadone or LAAM dispensed at this facility?

(a) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	2046	14.9 %
1	-	8	0.1 %
2	-	12	0.1 %
3	-	3	0.0 %
4	-	4	0.0 %
5	-	8	0.1 %
6	-	3	0.0 %
7	-	2	0.0 %
8	-	4	0.0 %

Value	Label	Unweighted Frequency	%
9	-	1	0.0 %
10	-	2	0.0 %
12	-	1	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	5	0.0 %
16	-	2	0.0 %
17	-	2	0.0 %
18	-	2	0.0 %
19	-	2	0.0 %
20	-	5	0.0 %
21	-	2	0.0 %
26	-	1	0.0 %
27	-	3	0.0 %
30	-	2	0.0 %
34	-	1	0.0 %
36	-	1	0.0 %
40	-	1	0.0 %
41	-	1	0.0 %
45	-	1	0.0 %
50	-	1	0.0 %
55	-	1	0.0 %
60	-	1	0.0 %
72	-	1	0.0 %
110	-	1	0.0 %
	Missing Data		
-6	Logical Skip	11584	84.4 %
-2	Missing	4	0.0 %
	Total	13,720	100%

Based upon 2,132 valid cases out of 13,720 total cases.

- Mean: 0.61
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 110
- Standard Deviation: 4.65

Location: 377-379 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

RCLAMNUM: Q27c. Residential - LAAM Detox/Maint

27c. How many of the clients from the RESIDENTIAL TOTAL BOX received methadone or LAAM dispensed at this facility?

(b) LAAM

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	2130	15.5 %
3	-	1	0.0 %
12	-	1	0.0 %
	Missing Data		
-6	Logical Skip	11584	84.4 %
-2	Missing	4	0.0 %
	Total	13,720	100%

Based upon 2,132 valid cases out of 13,720 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 12
- Standard Deviation: 0.27

Location: 380-382 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

TYPE1: Q28. Outpatient SA Clients 3/29/02

28. In the 30 days from February 28 through March 29, 2002, did any clients receive outpatient substance abuse services at this facility?

If No, Skip to Q.29

Value	Label	Unweighted Frequency	%
0	No	2708	19.7 %
1	Yes	9973	72.7 %
	Missing Data		
-6	Logical Skip	1039	7.6 %
	Total	13,720	100%

Based upon 12,681 valid cases out of 13,720 total cases.

- Mean: 0.79

- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.41

Location: 383-385 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI7: Q28a. Outpatient Clients - Detox

28a. In the 30 days from February 28 through March 29, 2002, how many outpatients received the following substance abuse services at this facility?

(a) Outpatient detoxification

DO NOT count clients discharged on or before March 29, 2002.

COUNT a client in one service category only, even if the client received multiple services.

DO NOT count co-dependents, parents, other relatives, friends (that is, "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	9279	67.6 %
1	-	89	0.6 %
2	-	129	0.9 %
3	-	63	0.5 %
4	-	49	0.4 %
5	-	74	0.5 %
6	-	25	0.2 %
7	-	24	0.2 %
8	-	27	0.2 %
9	-	16	0.1 %
10	-	63	0.5 %
11	-	9	0.1 %
12	-	19	0.1 %
13	-	5	0.0 %
14	-	9	0.1 %
15	-	21	0.2 %
16	-	8	0.1 %
17	-	4	0.0 %
18	-	4	0.0 %
19	-	2	0.0 %

Value	Label	Unweighted Frequency	%
20	-	31	0.2 %
21	-	6	0.0 %
22	-	7	0.1 %
23	-	5	0.0 %
24	-	2	0.0 %
25	-	16	0.1 %
26	-	6	0.0 %
27	-	2	0.0 %
28	-	2	0.0 %
29	-	4	0.0 %
30	-	22	0.2 %
31	-	1	0.0 %
32	-	5	0.0 %
33	-	1	0.0 %
34	-	3	0.0 %
36	-	3	0.0 %
37	-	3	0.0 %
38	-	3	0.0 %
39	-	1	0.0 %
40	-	9	0.1 %
41	-	4	0.0 %
42	-	2	0.0 %
43	-	2	0.0 %
44	-	1	0.0 %
45	-	7	0.1 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	1	0.0 %
50	-	17	0.1 %
51	-	1	0.0 %
	Missing Data		
-6	Logical Skip	3563	26.0 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,157 valid cases out of 13,720 total cases.

- Mean: 1.80
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 2500

• Standard Deviation: 27.02

Location: 386-389 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIML: Q28a. Outpatient Clients - Methadone/LAAM Maint

28a. In the 30 days from February 28 through March 29, 2002, how many outpatients received the following substance abuse services at this facility?

(b) Outpatient methadone / LAAM maintenance

DO NOT count clients discharged on or before March 29, 2002.

COUNT a client in one service category only, even if the client received multiple services.

DO NOT count co-dependents, parents, other relatives, friends (that is, "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	9247	67.4 %
1	-	4	0.0 %
2	-	7	0.1 %
3	-	4	0.0 %
4	-	3	0.0 %
5	-	1	0.0 %
6	-	1	0.0 %
7	-	3	0.0 %
8	-	2	0.0 %
10	-	1	0.0 %
11	-	1	0.0 %
12	-	6	0.0 %
15	-	3	0.0 %
16	-	1	0.0 %
17	-	2	0.0 %
18	-	1	0.0 %
19	-	1	0.0 %
20	-	4	0.0 %
21	-	1	0.0 %
22	-	2	0.0 %
24	-	1	0.0 %
25	-	1	0.0 %
26	-	1	0.0 %

Value	Label	Unweighted Frequency	%
27	-	2	0.0 %
29	-	1	0.0 %
30	-	3	0.0 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	3	0.0 %
36	-	1	0.0 %
38	-	2	0.0 %
39	-	2	0.0 %
40	-	5	0.0 %
42	-	2	0.0 %
43	-	1	0.0 %
45	-	3	0.0 %
46	-	1	0.0 %
47	-	2	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %
50	-	13	0.1 %
54	-	6	0.0 %
55	-	4	0.0 %
56	-	1	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	-	7	0.1 %
61	-	1	0.0 %
	Missing Data		
-6	Logical Skip	3563	26.0 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,157 valid cases out of 13,720 total cases.

- Mean: 21.23
- Minimum: 0
- Maximum: 1584
- Standard Deviation: 87.18

Location: 390-393 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI5: Q28a. Outpatient Clients - Regular Outpatient

28a. In the 30 days from February 28 through March 29, 2002, how many outpatients received the following substance abuse services at this facility?

(c) Regular outpatient treatment (do not count clients in methadone / LAAM maintenance)

DO NOT count clients discharged on or before March 29, 2002.

COUNT a client in one service category only, even if the client received multiple services.

DO NOT count co-dependents, parents, other relatives, friends (that is, "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	1997	14.6 %
1	-	96	0.7 %
2	-	147	1.1 %
3	-	125	0.9 %
4	-	132	1.0 %
5	-	238	1.7 %
6	-	136	1.0 %
7	-	74	0.5 %
8	-	126	0.9 %
9	-	64	0.5 %
10	-	309	2.3 %
11	-	63	0.5 %
12	-	201	1.5 %
13	-	74	0.5 %
14	-	73	0.5 %
15	-	287	2.1 %
16	-	75	0.5 %
17	-	57	0.4 %
18	-	100	0.7 %
19	-	38	0.3 %
20	-	316	2.3 %
21	-	50	0.4 %
22	-	74	0.5 %
23	-	50	0.4 %
24	-	62	0.5 %
25	-	205	1.5 %
26	-	56	0.4 %

Value	Label	Unweighted Frequency	%
27	-	59	0.4 %
28	-	60	0.4 %
29	-	43	0.3 %
30	-	276	2.0 %
31	-	40	0.3 %
32	-	75	0.5 %
33	-	45	0.3 %
34	-	41	0.3 %
35	-	125	0.9 %
36	-	37	0.3 %
37	-	38	0.3 %
38	-	62	0.5 %
39	-	29	0.2 %
40	-	209	1.5 %
41	-	25	0.2 %
42	-	54	0.4 %
43	-	42	0.3 %
44	-	16	0.1 %
45	-	119	0.9 %
46	-	31	0.2 %
47	-	29	0.2 %
48	-	43	0.3 %
49	-	23	0.2 %
	Missing Data		
-6	Logical Skip	3563	26.0 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,157 valid cases out of 13,720 total cases.

- Mean: 60.74
- Minimum: 0
- Maximum: 5155
- Standard Deviation: 126.61

Location: 394-397 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI6: Q28a. Outpatient Clients - Intensive Outpatient

28a. In the 30 days from February 28 through March 29, 2002, how many outpatients received the following substance abuse services at this facility?

(d) Intensive outpatient treatment (defined as a minimum of 2 hours per day on 3 or more days per week)

DO NOT count clients discharged on or before March 29, 2002.

COUNT a client in one service category only, even if the client received multiple services.

DO NOT count co-dependents, parents, other relatives, friends (that is, "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	5738	41.8 %
1	-	92	0.7 %
2	-	141	1.0 %
3	-	143	1.0 %
4	-	128	0.9 %
5	-	192	1.4 %
6	-	150	1.1 %
7	-	103	0.8 %
8	-	155	1.1 %
9	-	65	0.5 %
10	-	269	2.0 %
11	-	75	0.5 %
12	-	177	1.3 %
13	-	58	0.4 %
14	-	90	0.7 %
15	-	244	1.8 %
16	-	92	0.7 %
17	-	51	0.4 %
18	-	89	0.6 %
19	-	35	0.3 %
20	-	203	1.5 %
21	-	43	0.3 %
22	-	48	0.3 %
23	-	50	0.4 %
24	-	55	0.4 %
25	-	131	1.0 %
26	-	32	0.2 %
27	-	41	0.3 %
28	-	33	0.2 %
29	-	28	0.2 %
30	-	166	1.2 %

Value	Label	Unweighted Frequency	%
31	-	20	0.1 %
32	-	35	0.3 %
33	-	19	0.1 %
34	-	25	0.2 %
35	-	71	0.5 %
36	-	34	0.2 %
37	-	23	0.2 %
38	-	17	0.1 %
39	-	14	0.1 %
40	-	97	0.7 %
41	-	15	0.1 %
42	-	23	0.2 %
43	-	15	0.1 %
44	-	9	0.1 %
45	-	52	0.4 %
46	-	12	0.1 %
47	-	10	0.1 %
48	-	15	0.1 %
49	-	12	0.1 %
	Missing Data		
-6	Logical Skip	3563	26.0 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,157 valid cases out of 13,720 total cases.

- Mean: 13.76
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1416
- Standard Deviation: 39.92

Location: 398-401 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI8: Q28a. Outpatient Clients - Day Tx/Partial Hosp

28a. In the 30 days from February 28 through March 29, 2002, how many outpatients received the following substance abuse services at this facility?

(e) Day treatment or partial hospitalization

DO NOT count clients discharged on or before March 29, 2002.

COUNT a client in one service category only, even if the client received multiple services.

DO NOT count co-dependents, parents, other relatives, friends (that is, "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	8877	64.7 %
1	-	64	0.5 %
2	-	99	0.7 %
3	-	72	0.5 %
4	-	55	0.4 %
5	-	77	0.6 %
6	-	60	0.4 %
7	-	26	0.2 %
8	-	48	0.3 %
9	-	20	0.1 %
10	-	74	0.5 %
11	-	17	0.1 %
12	-	47	0.3 %
13	-	12	0.1 %
14	-	26	0.2 %
15	-	62	0.5 %
16	-	16	0.1 %
17	-	15	0.1 %
18	-	22	0.2 %
19	-	12	0.1 %
20	-	47	0.3 %
21	-	17	0.1 %
22	-	21	0.2 %
23	-	14	0.1 %
24	-	18	0.1 %
25	-	35	0.3 %
26	-	7	0.1 %
27	-	6	0.0 %
28	-	13	0.1 %
29	-	7	0.1 %
30	-	35	0.3 %
31	-	4	0.0 %
32	-	11	0.1 %
33	-	2	0.0 %

Value	Label	Unweighted Frequency	%
34	-	5	0.0 %
35	-	14	0.1 %
36	-	11	0.1 %
37	-	3	0.0 %
38	-	4	0.0 %
39	-	4	0.0 %
40	-	23	0.2 %
41	-	3	0.0 %
42	-	5	0.0 %
43	-	4	0.0 %
44	-	2	0.0 %
45	-	11	0.1 %
46	-	4	0.0 %
47	-	2	0.0 %
48	-	4	0.0 %
49	-	1	0.0 %
	Missing Data		
-6	Logical Skip	3563	26.0 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,157 valid cases out of 13,720 total cases.

- Mean: 2.90
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1417
- Standard Deviation: 20.81

Location: 402-405 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIOP: Q28a. Outpatient Clients - Total

28a. In the 30 days from February 28 through March 29, 2002, how many clients received outpatient substance abuse services at this facility?

_____ OUTPATIENT TOTAL

DO NOT count clients discharged on or before March 29, 2002.

COUNT a client in one service category only, even if the client received multiple services.

DO NOT count co-dependents, parents, other relatives, friends (that is, "collaterals"), or other non-treatment clients.

Value	Label	Unweighted Frequency	%
0	-	184	1.3 %
1	-	81	0.6 %
2	-	114	0.8 %
3	-	103	0.8 %
4	-	109	0.8 %
5	-	160	1.2 %
6	-	141	1.0 %
7	-	75	0.5 %
8	-	129	0.9 %
9	-	71	0.5 %
10	-	243	1.8 %
11	-	94	0.7 %
12	-	181	1.3 %
13	-	84	0.6 %
14	-	97	0.7 %
15	-	251	1.8 %
16	-	100	0.7 %
17	-	75	0.5 %
18	-	100	0.7 %
19	-	59	0.4 %
20	-	278	2.0 %
21	-	79	0.6 %
22	-	96	0.7 %
23	-	74	0.5 %
24	-	68	0.5 %
25	-	218	1.6 %
26	-	74	0.5 %
27	-	76	0.6 %
28	-	86	0.6 %
29	-	59	0.4 %
30	-	220	1.6 %
31	-	47	0.3 %
32	-	76	0.6 %
33	-	55	0.4 %
34	-	72	0.5 %
35	-	137	1.0 %
36	-	52	0.4 %

Value	Label	Unweighted Frequency	%
37	-	56	0.4 %
38	-	73	0.5 %
39	-	48	0.3 %
40	-	198	1.4 %
41	-	41	0.3 %
42	-	61	0.4 %
43	-	58	0.4 %
44	-	35	0.3 %
45	-	136	1.0 %
46	-	38	0.3 %
47	-	44	0.3 %
48	-	60	0.4 %
49	-	40	0.3 %
	Missing Data		
-6	Logical Skip	3563	26.0 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 10,157 valid cases out of 13,720 total cases.

- Mean: 100.44
- Minimum: 0
- Maximum: 7988
- Standard Deviation: 171.85

Location: 406-409 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

O_AGE1: Q28b. Outpatient Clients Under Age 18

28b. How many of the clients from the OUTPATIENT TOTAL BOX were under the age of 18?

Value	Label	Unweighted Frequency	%
0	-	5561	40.5 %
1	-	335	2.4 %
2	-	422	3.1 %
3	-	272	2.0 %
4	-	258	1.9 %
5	-	282	2.1 %
6	-	210	1.5 %
7	-	115	0.8 %
8	-	132	1.0 %
9	-	81	0.6 %

Value	Label	Unweighted Frequency	%
10	-	245	1.8 %
11	-	63	0.5 %
12	-	130	0.9 %
13	-	53	0.4 %
14	-	47	0.3 %
15	-	178	1.3 %
16	-	58	0.4 %
17	-	37	0.3 %
18	-	51	0.4 %
19	-	35	0.3 %
20	-	161	1.2 %
21	-	24	0.2 %
22	-	55	0.4 %
23	-	29	0.2 %
24	-	31	0.2 %
25	-	88	0.6 %
26	-	11	0.1 %
27	-	36	0.3 %
28	-	17	0.1 %
29	-	12	0.1 %
30	-	97	0.7 %
31	-	17	0.1 %
32	-	21	0.2 %
33	-	14	0.1 %
34	-	14	0.1 %
35	-	43	0.3 %
36	-	16	0.1 %
37	-	12	0.1 %
38	-	13	0.1 %
39	-	17	0.1 %
40	-	50	0.4 %
41	-	5	0.0 %
42	-	8	0.1 %
43	-	9	0.1 %
44	-	6	0.0 %
45	-	20	0.1 %
46	-	7	0.1 %
47	-	6	0.0 %
48	-	9	0.1 %
49	-	12	0.1 %
	Missing Data		
-6	Logical Skip	3747	27.3 %

Value	Label	Unweighted Frequency	%
-4	Refused	20	0.1 %
-2	Missing	117	0.9 %
-1	Don't Know	62	0.5 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 9,774 valid cases out of 13,720 total cases.

- Mean: 8.22
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1494
- Standard Deviation: 29.98

Location: 410-413 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OPMETNUM: Q28c. Outpatient Clients - Methadone Detox/Maint

28c. How many of the clients from the OUTPATIENT TOTAL BOX received methadone or LAAM dispensed at this facility?

(a) Methadone

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	5508	40.1 %
1	-	2	0.0 %
2	-	4	0.0 %
3	-	4	0.0 %
4	-	2	0.0 %
6	-	2	0.0 %
7	-	4	0.0 %
8	-	2	0.0 %
10	-	3	0.0 %
11	-	2	0.0 %
12	-	4	0.0 %
14	-	2	0.0 %
15	-	2	0.0 %
16	-	1	0.0 %

Value	Label	Unweighted Frequency	%
17	-	3	0.0 %
18	-	1	0.0 %
19	-	2	0.0 %
20	-	3	0.0 %
21	-	1	0.0 %
22	-	1	0.0 %
25	-	2	0.0 %
26	-	2	0.0 %
27	-	1	0.0 %
30	-	5	0.0 %
32	-	1	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	1	0.0 %
37	-	1	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	4	0.0 %
42	-	1	0.0 %
43	-	2	0.0 %
45	-	5	0.0 %
46	-	2	0.0 %
47	-	2	0.0 %
48	-	3	0.0 %
50	-	12	0.1 %
51	-	3	0.0 %
52	-	1	0.0 %
54	-	4	0.0 %
55	-	4	0.0 %
56	-	2	0.0 %
57	-	1	0.0 %
58	-	1	0.0 %
59	-	1	0.0 %
60	-	5	0.0 %
61	-	3	0.0 %
62	-	4	0.0 %
	Missing Data		
-6	Logical Skip	7289	53.1 %
-2	Missing	1	0.0 %
-1	Don't Know	2	0.0 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,428 valid cases out of 13,720 total cases.

- Mean: 34.72
- Minimum: 0
- Maximum: 1584
- Standard Deviation: 111.34

Location: 414-417 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OPLAMNUM: Q28c. Outpatient Clients - LAAM Detox/Maint

27c. How many of the clients from the OUTPATIENT TOTAL BOX received methadone or LAAM dispensed at this facility?

(b) LAAM

Include clients who received these drugs for detoxification or maintenance purposes.

Value	Label	Unweighted Frequency	%
0	-	6245	45.5 %
1	-	14	0.1 %
2	-	18	0.1 %
3	-	13	0.1 %
4	-	10	0.1 %
5	-	19	0.1 %
6	-	5	0.0 %
7	-	3	0.0 %
8	-	8	0.1 %
9	-	4	0.0 %
10	-	11	0.1 %
11	-	6	0.0 %
12	-	9	0.1 %
13	-	2	0.0 %
15	-	4	0.0 %
16	-	2	0.0 %
17	-	2	0.0 %
18	-	5	0.0 %
19	-	1	0.0 %
20	-	6	0.0 %
21	-	3	0.0 %
22	-	4	0.0 %

Value	Label	Unweighted Frequency	%
23	-	1	0.0 %
25	-	3	0.0 %
30	-	8	0.1 %
31	-	1	0.0 %
34	-	1	0.0 %
36	-	2	0.0 %
38	-	1	0.0 %
39	-	1	0.0 %
40	-	1	0.0 %
42	-	1	0.0 %
45	-	3	0.0 %
50	-	2	0.0 %
60	-	2	0.0 %
79	-	1	0.0 %
106	-	1	0.0 %
130	-	1	0.0 %
138	-	1	0.0 %
150	-	1	0.0 %
152	-	1	0.0 %
165	-	1	0.0 %
	Missing Data		
-6	Logical Skip	7289	53.1 %
-2	Missing	1	0.0 %
-1	Don't Know	2	0.0 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 6,428 valid cases out of 13,720 total cases.

- Mean: 0.48
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 165
- Standard Deviation: 5.27

Location: 418-421 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

B_PCT: Q29. Percent Treated for Alcohol & Drug Abuse

29. Approximately what percent of all substance abuse treatment clients enrolled at this facility on March

29, 2002, were being treated for . . .

(a) . . . Abuse of both alcohol and drugs?

Value	Label	Unweighted Frequency	%
0	-	963	7.0 %
1	-	38	0.3 %
2	-	54	0.4 %
3	-	27	0.2 %
4	-	17	0.1 %
5	-	110	0.8 %
6	-	23	0.2 %
7	-	37	0.3 %
8	-	26	0.2 %
9	-	20	0.1 %
10	-	332	2.4 %
11	-	30	0.2 %
12	-	29	0.2 %
13	-	28	0.2 %
14	-	24	0.2 %
15	-	161	1.2 %
16	-	21	0.2 %
17	-	35	0.3 %
18	-	27	0.2 %
19	-	15	0.1 %
20	-	436	3.2 %
21	-	33	0.2 %
22	-	25	0.2 %
23	-	29	0.2 %
24	-	33	0.2 %
25	-	334	2.4 %
26	-	23	0.2 %
27	-	24	0.2 %
28	-	18	0.1 %
29	-	23	0.2 %
30	-	444	3.2 %
31	-	22	0.2 %
32	-	33	0.2 %
33	-	58	0.4 %
34	-	70	0.5 %
35	-	134	1.0 %
36	-	28	0.2 %
37	-	22	0.2 %

Value	Label	Unweighted Frequency	%
38	-	38	0.3 %
39	-	18	0.1 %
40	-	506	3.7 %
41	-	15	0.1 %
42	-	28	0.2 %
43	-	20	0.1 %
44	-	20	0.1 %
45	-	130	0.9 %
46	-	29	0.2 %
47	-	31	0.2 %
48	-	33	0.2 %
49	-	22	0.2 %
	Missing Data		
-6	Logical Skip	1158	8.4 %
-4	Refused	5	0.0 %
-2	Missing	52	0.4 %
-1	Don't Know	99	0.7 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,406 valid cases out of 13,720 total cases.

- Mean: 55.49
- Median: 60.00
- Mode: 100.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 31.92

Location: 422-424 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

A_PCT: Q29. Percent Treated for Alcohol Abuse Only

29. Approximately what percent of all substance abuse treatment clients enrolled at this facility on March 29, 2002, were being treated for . . .

(b) . . . Alcohol abuse only?

Value	Label	Unweighted Frequency	%
0	-	2984	21.7 %
1	-	135	1.0 %

Value	Label	Unweighted Frequency	%
2	-	148	1.1 %
3	-	108	0.8 %
4	-	57	0.4 %
5	-	644	4.7 %
6	-	54	0.4 %
7	-	69	0.5 %
8	-	92	0.7 %
9	-	48	0.3 %
10	-	1312	9.6 %
11	-	56	0.4 %
12	-	97	0.7 %
13	-	57	0.4 %
14	-	35	0.3 %
15	-	563	4.1 %
16	-	34	0.2 %
17	-	52	0.4 %
18	-	70	0.5 %
19	-	33	0.2 %
20	-	1001	7.3 %
21	-	40	0.3 %
22	-	51	0.4 %
23	-	27	0.2 %
24	-	23	0.2 %
25	-	766	5.6 %
26	-	33	0.2 %
27	-	17	0.1 %
28	-	27	0.2 %
29	-	21	0.2 %
30	-	584	4.3 %
31	-	22	0.2 %
32	-	24	0.2 %
33	-	103	0.8 %
34	-	23	0.2 %
35	-	150	1.1 %
36	-	29	0.2 %
37	-	19	0.1 %
38	-	27	0.2 %
39	-	26	0.2 %
40	-	391	2.8 %
41	-	22	0.2 %
42	-	20	0.1 %
43	-	30	0.2 %

Value	Label	Unweighted Frequency	%
44	-	26	0.2 %
45	-	78	0.6 %
46	-	22	0.2 %
47	-	27	0.2 %
48	-	18	0.1 %
49	-	25	0.2 %
	Missing Data		
-6	Logical Skip	1158	8.4 %
-4	Refused	5	0.0 %
-2	Missing	52	0.4 %
-1	Don't Know	99	0.7 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,406 valid cases out of 13,720 total cases.

- Mean: 22.97
- Median: 15.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 25.20

Location: 425-427 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

D_PCT: Q29. Percent Treated for Drug Abuse Only

29. Approximately what percent of all substance abuse treatment clients enrolled at this facility on March 29, 2002, were being treated for . . .

(c) . . . Drug abuse only?

Value	Label	Unweighted Frequency	%
0	-	3263	23.8 %
1	-	118	0.9 %
2	-	128	0.9 %
3	-	103	0.8 %
4	-	57	0.4 %
5	-	707	5.2 %
6	-	63	0.5 %
7	-	55	0.4 %

Value	Label	Unweighted Frequency	%
8	-	69	0.5 %
9	-	53	0.4 %
10	-	1522	11.1 %
11	-	46	0.3 %
12	-	81	0.6 %
13	-	65	0.5 %
14	-	53	0.4 %
15	-	617	4.5 %
16	-	47	0.3 %
17	-	68	0.5 %
18	-	56	0.4 %
19	-	36	0.3 %
20	-	1079	7.9 %
21	-	43	0.3 %
22	-	55	0.4 %
23	-	39	0.3 %
24	-	39	0.3 %
25	-	755	5.5 %
26	-	31	0.2 %
27	-	33	0.2 %
28	-	40	0.3 %
29	-	36	0.3 %
30	-	492	3.6 %
31	-	29	0.2 %
32	-	53	0.4 %
33	-	93	0.7 %
34	-	29	0.2 %
35	-	129	0.9 %
36	-	20	0.1 %
37	-	21	0.2 %
38	-	22	0.2 %
39	-	15	0.1 %
40	-	249	1.8 %
41	-	18	0.1 %
42	-	23	0.2 %
43	-	25	0.2 %
44	-	10	0.1 %
45	-	59	0.4 %
46	-	12	0.1 %
47	-	13	0.1 %
48	-	17	0.1 %
49	-	15	0.1 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	1158	8.4 %
-4	Refused	5	0.0 %
-2	Missing	52	0.4 %
-1	Don't Know	100	0.7 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,405 valid cases out of 13,720 total cases.

- Mean: 21.54
- Median: 12.00
- Mode: 0.00
- Minimum: 0
- Maximum: 100
- Standard Deviation: 26.40

Location: 428-430 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

TOTADMIS: Q30. Total Annual Admissions for SA Tx

30. During the 12 months between April 1, 2001, and March 31, 2002, how many admissions for substance abuse treatment did this facility have?

Number of substance abuse admissions in 12-month period

IF DATA FOR THIS TIME PERIOD are not available, use the most recent 12-month period for which you have data.

COUNT every admission and re-admission in this 12-month period. If a person is admitted 3 times, count this as 3 admissions.

FOR OUTPATIENT FACILITIES, consider an admission as the initiation of a treatment episode.

Value	Label	Unweighted Frequency	%
0	-	45	0.3 %
1	-	26	0.2 %
2	-	25	0.2 %
3	-	31	0.2 %
4	-	27	0.2 %
5	-	48	0.3 %

Value	Label	Unweighted Frequency	%
6	-	34	0.2 %
7	-	26	0.2 %
8	-	46	0.3 %
9	-	31	0.2 %
10	-	99	0.7 %
11	-	25	0.2 %
12	-	86	0.6 %
13	-	32	0.2 %
14	-	32	0.2 %
15	-	89	0.6 %
16	-	43	0.3 %
17	-	25	0.2 %
18	-	55	0.4 %
19	-	21	0.2 %
20	-	129	0.9 %
21	-	29	0.2 %
22	-	52	0.4 %
23	-	40	0.3 %
24	-	60	0.4 %
25	-	101	0.7 %
26	-	28	0.2 %
27	-	47	0.3 %
28	-	30	0.2 %
29	-	26	0.2 %
30	-	139	1.0 %
31	-	35	0.3 %
32	-	55	0.4 %
33	-	35	0.3 %
34	-	29	0.2 %
35	-	102	0.7 %
36	-	75	0.5 %
37	-	32	0.2 %
38	-	50	0.4 %
39	-	39	0.3 %
40	-	141	1.0 %
41	-	34	0.2 %
42	-	52	0.4 %
43	-	28	0.2 %
44	-	31	0.2 %
45	-	101	0.7 %
46	-	39	0.3 %
47	-	39	0.3 %

Value	Label	Unweighted Frequency	%
48	-	75	0.5 %
49	-	25	0.2 %
Missing Data			
-2	Missing	14	0.1 %
-1	Don't Know	6	0.0 %
Total		13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,661 valid cases out of 13,720 total cases.

- Mean: 319.60
- Minimum: 0
- Maximum: 25000
- Standard Deviation: 614.61

Location: 431-435 (width: 5; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1 , .

FACCLI: Q31. Other Facilities Included in Client Counts

31. How many facilities are included in the client counts reported in Q.26 - Q28c?

Value	Label	Unweighted Frequency	%
1	Only this facility	11969	87.2 %
2	This facility plus others	678	4.9 %
Missing Data			
-6	Logical Skip	1039	7.6 %
-4	Refused	9	0.1 %
-1	Don't Know	25	0.2 %
Total		13,720	100%

Based upon 12,647 valid cases out of 13,720 total cases.

- Mean: 1.05
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.23

Location: 436-438 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

FACNUM: Q31. # of Other Facilities in Client Counts

31. How many facilities are included in the client counts reported in Q.26 - Q28c?

Value	Label	Unweighted Frequency	%
2	-	374	2.7 %
3	-	154	1.1 %
4	-	61	0.4 %
5	-	39	0.3 %
6	-	20	0.1 %
7	-	10	0.1 %
8	-	7	0.1 %
9	-	2	0.0 %
10	-	3	0.0 %
11	-	3	0.0 %
13	-	1	0.0 %
14	-	1	0.0 %
15	-	1	0.0 %
18	-	2	0.0 %
	Missing Data		
-6	Logical Skip	13042	95.1 %
	Total	13,720	100%

Based upon 678 valid cases out of 13,720 total cases.

- Mean: 3.03
- Median: 2.00
- Mode: 2.00
- Minimum: 2
- Maximum: 18
- Standard Deviation: 1.86

Location: 439-441 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ACTHI: Q32. Actual/Est Hospital Inpatient Client Count

32. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(a) Hospital inpatient client counts (Q.26a, Pg. 7)

Mark "N/A" for any type of care not provided by this facility on March 29, 2002.

Value	Label	Unweighted Frequency	%
1	Actual	461	3.4 %
2	Estimate	416	3.0 %
	Missing Data		

Value	Label	Unweighted Frequency	%
-7	Not Applicable	12768	93.1 %
-4	Refused	2	0.0 %
-2	Missing	8	0.1 %
-1	Don't Know	65	0.5 %
	Total	13,720	100%

Based upon 877 valid cases out of 13,720 total cases.

- Mean: 1.47
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.50

Location: 442-444 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ACTRES: Q32. Actual/Est Residential Client Count

32. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(b) Non-hospital residential client counts (Q.27a, Pg. 7)

Mark "N/A" for any type of care not provided by this facility on March 29, 2002.

Value	Label	Unweighted Frequency	%
1	Actual	2340	17.1 %
2	Estimate	944	6.9 %
	Missing Data		
-7	Not Applicable	10200	74.3 %
-4	Refused	3	0.0 %
-2	Missing	63	0.5 %
-1	Don't Know	170	1.2 %
	Total	13,720	100%

Based upon 3,284 valid cases out of 13,720 total cases.

- Mean: 1.29
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.45

Location: 445-447 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

ACTOP: Q32. Actual/Est Outpatient Client Count

32. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(c) Outpatient client counts (Q.28a, Pg. 8)

Mark "N/A" for any type of care not provided by this facility on March 29, 2002.

Value	Label	Unweighted Frequency	%
1	Actual	4801	35.0 %
2	Estimate	4713	34.4 %
	Missing Data		
-7	Not Applicable	3747	27.3 %
-4	Refused	28	0.2 %
-2	Missing	139	1.0 %
-1	Don't Know	292	2.1 %
	Total	13,720	100%

Based upon 9,514 valid cases out of 13,720 total cases.

- Mean: 1.50
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.50

Location: 448-450 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

TOTADEST: Q32. Actual/Est Annual Admissions

32. For which of the numbers you just reported did you provide actual client counts and for which did you provide your best estimate?

(d) 12-month admissions (Q.30)

Mark "N/A" for any type of care not provided by this facility on March 29, 2002.

Value	Label	Unweighted Frequency	%
1	Actual	5469	39.9 %
2	Estimate	6058	44.2 %
	Missing Data		
-7	Not Applicable	1039	7.6 %
-4	Refused	33	0.2 %
-2	Missing	448	3.3 %
-1	Don't Know	673	4.9 %
	Total	13,720	100%

Based upon 11,527 valid cases out of 13,720 total cases.

- Mean: 1.53
- Median: 2.00
- Mode: 2.00
- Minimum: 1
- Maximum: 2
- Standard Deviation: 0.50

Location: 451-453 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

LOC5: Q33. Operates Halfway House

33. Does this facility operate a halfway house for substance abuse clients?

Value	Label	Unweighted Frequency	%
0	No	11630	84.8 %
1	Yes, at this location	855	6.2 %
2	Yes, at another location	971	7.1 %
3	Yes, at this and other locations	117	0.9 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	98	0.7 %
-1	Don't Know	48	0.3 %
	Total	13,720	100%

Based upon 13,573 valid cases out of 13,720 total cases.

- Mean: 0.23
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 3
- Standard Deviation: 0.61

Location: 454-456 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

INTERNET: Q34. Has Internet Access

34. Does this facility have internet access?

Value	Label	Unweighted Frequency	%
0	No	2168	15.8 %
1	Yes	11455	83.5 %
	Missing Data		
-4	Refused	1	0.0 %
-2	Missing	51	0.4 %
-1	Don't Know	45	0.3 %
	Total	13,720	100%

Based upon 13,623 valid cases out of 13,720 total cases.

- Mean: 0.84
- Median: 1.00
- Mode: 1.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.37

Location: 457-459 (width: 3; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

HASWEB: Q35. Has Web Site

35. Does this facility have a Web site with information about the facility's substance abuse treatment programs?

Value	Label	Unweighted Frequency	%
0	No	7531	54.9 %
1	Yes	5955	43.4 %
	Missing Data		
-5	Multiple Responses	1	0.0 %
-4	Refused	2	0.0 %
-2	Missing	120	0.9 %
-1	Don't Know	111	0.8 %
	Total	13,720	100%

Based upon 13,486 valid cases out of 13,720 total cases.

- Mean: 0.44
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.50

Location: 460-462 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

RPTLVL: Added: Reporting for Self, Self & Others, No Counts

Value	Label	Unweighted Frequency	%
1	Reporting for self	11969	87.2 %
2	Reporting for self and others	678	4.9 %
3	Client counts reported by another facility	1039	7.6 %
Missing Data			
-2	Missing	34	0.2 %
Total		13,720	100%

Based upon 13,686 valid cases out of 13,720 total cases.

- Mean: 1.20
- Median: 1.00
- Mode: 1.00
- Minimum: 1
- Maximum: 3
- Standard Deviation: 0.56

Location: 463-465 (width: 3; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLI9: Added: Total Clients 3/29/02

Value	Label	Unweighted Frequency	%
0	-	119	0.9 %
1	-	82	0.6 %
2	-	120	0.9 %
3	-	115	0.8 %
4	-	131	1.0 %
5	-	207	1.5 %
6	-	237	1.7 %
7	-	122	0.9 %
8	-	198	1.4 %
9	-	108	0.8 %
10	-	300	2.2 %
11	-	156	1.1 %
12	-	276	2.0 %
13	-	138	1.0 %
14	-	170	1.2 %
15	-	329	2.4 %
16	-	199	1.5 %

Value	Label	Unweighted Frequency	%
17	-	135	1.0 %
18	-	194	1.4 %
19	-	108	0.8 %
20	-	344	2.5 %
21	-	124	0.9 %
22	-	146	1.1 %
23	-	102	0.7 %
24	-	140	1.0 %
25	-	246	1.8 %
26	-	126	0.9 %
27	-	102	0.7 %
28	-	129	0.9 %
29	-	77	0.6 %
30	-	267	1.9 %
31	-	71	0.5 %
32	-	115	0.8 %
33	-	89	0.6 %
34	-	101	0.7 %
35	-	158	1.2 %
36	-	77	0.6 %
37	-	82	0.6 %
38	-	94	0.7 %
39	-	67	0.5 %
40	-	228	1.7 %
41	-	51	0.4 %
42	-	75	0.5 %
43	-	67	0.5 %
44	-	56	0.4 %
45	-	153	1.1 %
46	-	56	0.4 %
47	-	58	0.4 %
48	-	89	0.6 %
49	-	48	0.3 %
	Missing Data		
-6	Logical Skip	1039	7.6 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,681 valid cases out of 13,720 total cases.

- Mean: 89.61
- Minimum: 0

- Maximum: 8053
- Standard Deviation: 158.67

Location: 466-469 (width: 4; decimal: 0)

Variable Type: numeric

(Range of Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIJUV: Added: Total Clients Under Age 18 3/29/02

Value	Label	Unweighted Frequency	%
0	-	7628	55.6 %
1	-	390	2.8 %
2	-	446	3.3 %
3	-	304	2.2 %
4	-	262	1.9 %
5	-	305	2.2 %
6	-	227	1.7 %
7	-	130	0.9 %
8	-	149	1.1 %
9	-	87	0.6 %
10	-	252	1.8 %
11	-	80	0.6 %
12	-	151	1.1 %
13	-	65	0.5 %
14	-	58	0.4 %
15	-	193	1.4 %
16	-	72	0.5 %
17	-	52	0.4 %
18	-	68	0.5 %
19	-	44	0.3 %
20	-	165	1.2 %
21	-	29	0.2 %
22	-	63	0.5 %
23	-	36	0.3 %
24	-	47	0.3 %
25	-	98	0.7 %
26	-	21	0.2 %
27	-	38	0.3 %
28	-	25	0.2 %
29	-	14	0.1 %
30	-	104	0.8 %
31	-	18	0.1 %
32	-	33	0.2 %
33	-	21	0.2 %
34	-	22	0.2 %

Value	Label	Unweighted Frequency	%
35	-	47	0.3 %
36	-	15	0.1 %
37	-	16	0.1 %
38	-	18	0.1 %
39	-	19	0.1 %
40	-	55	0.4 %
41	-	9	0.1 %
42	-	8	0.1 %
43	-	9	0.1 %
44	-	6	0.0 %
45	-	24	0.2 %
46	-	8	0.1 %
47	-	9	0.1 %
48	-	13	0.1 %
49	-	11	0.1 %
	Missing Data		
-6	Logical Skip	1361	9.9 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 12,359 valid cases out of 13,720 total cases.

- Mean: 7.43
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1494
- Standard Deviation: 27.85

Location: 470-473 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

T_CLIMET: Added: Total Methadone/LAAM Detox/Maint Clients 3/29/02

Value	Label	Unweighted Frequency	%
0	-	6908	50.3 %
1	-	15	0.1 %
2	-	23	0.2 %
3	-	18	0.1 %
4	-	11	0.1 %
5	-	15	0.1 %
6	-	10	0.1 %
7	-	10	0.1 %

Value	Label	Unweighted Frequency	%
8	-	18	0.1 %
9	-	3	0.0 %
10	-	13	0.1 %
11	-	3	0.0 %
12	-	8	0.1 %
13	-	2	0.0 %
14	-	4	0.0 %
15	-	7	0.1 %
16	-	4	0.0 %
17	-	7	0.1 %
18	-	4	0.0 %
19	-	3	0.0 %
20	-	10	0.1 %
21	-	3	0.0 %
22	-	1	0.0 %
23	-	1	0.0 %
24	-	2	0.0 %
25	-	3	0.0 %
26	-	3	0.0 %
27	-	3	0.0 %
30	-	7	0.1 %
32	-	2	0.0 %
33	-	1	0.0 %
34	-	4	0.0 %
35	-	2	0.0 %
36	-	1	0.0 %
38	-	1	0.0 %
39	-	2	0.0 %
40	-	4	0.0 %
41	-	1	0.0 %
42	-	3	0.0 %
43	-	2	0.0 %
45	-	8	0.1 %
46	-	2	0.0 %
47	-	3	0.0 %
48	-	3	0.0 %
50	-	8	0.1 %
51	-	5	0.0 %
54	-	4	0.0 %
55	-	6	0.0 %
56	-	2	0.0 %
57	-	2	0.0 %

Value	Label	Unweighted Frequency	%
	Missing Data		
-6	Logical Skip	5722	41.7 %
	Total	13,720	100%

Please note that only the first 50 response categories are displayed in the PDF codebook. To view all response categories, please analyze the data file in the statistical package of your choice (SAS, SPSS, Stata, R).

Based upon 7,998 valid cases out of 13,720 total cases.

- Mean: 28.59
- Minimum: 0
- Maximum: 1584
- Standard Deviation: 101.78

Location: 474-477 (width: 4; decimal: 0)

Variable Type: numeric

(Range of) Missing Values: -10 , -9 , -8 , -7 , -6 , -5 , -4 , -3 , -2 , -1

OWNRSPFL: Flag: Q2 Operated by

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13701	99.9 %
1	Data Imputed	19	0.1 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.04

Location: 478-478 (width: 1; decimal: 0)

Variable Type: numeric

FEDOWNFL: Flag: Q2a Federal Govt Agency

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13719	100.0 %
1	Data Imputed	1	0.0 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00

- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.01

Location: 479-479 (width: 1; decimal: 0)

Variable Type: numeric

OTPFL: Flag: Q11 Q11a Q11b OTP Logic

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13650	99.5 %
1	Data Imputed	70	0.5 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.07

Location: 480-480 (width: 1; decimal: 0)

Variable Type: numeric

CTYPEHFL: Flag: Q17 Q17a Q26 Q26a Hospital Svc/Client Counts Logic

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13618	99.3 %
1	Data Imputed	102	0.7 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.09

Location: 481-481 (width: 1; decimal: 0)

Variable Type: numeric

CTYPERFL: Flag: Q18 Q18a Q27 Q27a Residential Svc/Client Counts Logic

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13569	98.9 %
1	Data Imputed	151	1.1 %

Value	Label	Unweighted Frequency	%
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.10

Location: 482-482 (width: 1; decimal: 0)

Variable Type: numeric

CTYPEOFL: Flag: Q19 Q19a Q28 Q28a Outpatient Svc/Client Counts Logic

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13363	97.4 %
1	Data Imputed	357	2.6 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.16

Location: 483-483 (width: 1; decimal: 0)

Variable Type: numeric

CTYPEMLF: Flag: Q19a Q26a Outpatient Methadone Svc/Client Counts Logic

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13716	100.0 %
1	Data Imputed	4	0.0 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.02

Location: 484-484 (width: 1; decimal: 0)

Variable Type: numeric

LINKSFL: Flag: Q25 Q25a Q31 Administrative Links Logic

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13682	99.7 %
1	Data Imputed	38	0.3 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.05

Location: 485-485 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI1FL: Flag: Q26a Hospital Inpatient Clients - Detox

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13681	99.7 %
1	Data Imputed	39	0.3 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.05

Location: 486-486 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI2FL: Flag: Q26a Hospital Inpatient Clients - Rehab

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13688	99.8 %
1	Data Imputed	32	0.2 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00

- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.05

Location: 487-487 (width: 1; decimal: 0)
 Variable Type: numeric

T_CLIHIF: Flag: Q26a Hospital Inpatient Clients - Total

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13680	99.7 %
1	Data Imputed	40	0.3 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.05

Location: 488-488 (width: 1; decimal: 0)
 Variable Type: numeric

HIMTNMFL: Flag: Q26c Hospital Inpatient Clients - Methadone Detox/Maint

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13713	99.9 %
1	Data Imputed	7	0.1 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.02

Location: 489-489 (width: 1; decimal: 0)
 Variable Type: numeric

HILNMFL: Flag: Q26c Hospital Inpatient Clients - LAAM Detox/Maint

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13714	100.0 %

Value	Label	Unweighted Frequency	%
1	Data Imputed	6	0.0 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.02

Location: 490-490 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI3FL: Flag: Q27a Residential Clients - Detox

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13685	99.7 %
1	Data Imputed	35	0.3 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.05

Location: 491-491 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI4FL: Flag: Q27a Residential Clients - Rehab

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13692	99.8 %
1	Data Imputed	28	0.2 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.05

Location: 492-492 (width: 1; decimal: 0)

Variable Type: numeric

T_CLIRCF: Flag: Q27a Residential Clients - Total

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13682	99.7 %
1	Data Imputed	38	0.3 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.05

Location: 493-493 (width: 1; decimal: 0)

Variable Type: numeric

RCMTNMFL: Flag: Q27c Residential Clients - Methadone Detox/Maint

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13719	100.0 %
1	Data Imputed	1	0.0 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.01

Location: 494-494 (width: 1; decimal: 0)

Variable Type: numeric

RCLNMFL: Flag: Q27c Residential - LAAM Detox/Maint

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13719	100.0 %
1	Data Imputed	1	0.0 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.01

Location: 495-495 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI7FL: Flag: Q28a Outpatient Clients - Detox

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13615	99.2 %
1	Data Imputed	105	0.8 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.09

Location: 496-496 (width: 1; decimal: 0)

Variable Type: numeric

T_CLIMLF: Flag: Q28a Outpatient Clients - Meth/LAAM Maint

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13614	99.2 %
1	Data Imputed	106	0.8 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.09

Location: 497-497 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI5FL: Flag: Q28a Outpatient Clients - Regular Outpatient

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13589	99.0 %
1	Data Imputed	131	1.0 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.10

Location: 498-498 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI6FL: Flag: Q28a Outpatient Clients - Intensive Outpatient

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13613	99.2 %
1	Data Imputed	107	0.8 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.09

Location: 499-499 (width: 1; decimal: 0)

Variable Type: numeric

T_CLI8FL: Flag: Q28a Outpatient Clients - Day Tx/Partial Hosp

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13609	99.2 %
1	Data Imputed	111	0.8 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1

- Standard Deviation: 0.09

Location: 500-500 (width: 1; decimal: 0)

Variable Type: numeric

T_CLIOPF: Flag: Q28a Outpatient Clients - Total

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13538	98.7 %
1	Data Imputed	182	1.3 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.01
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.11

Location: 501-501 (width: 1; decimal: 0)

Variable Type: numeric

OPMTNMFL: Flag: Q28c Outpatient Clients - Methadone Detox/Maint

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13655	99.5 %
1	Data Imputed	65	0.5 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.07

Location: 502-502 (width: 1; decimal: 0)

Variable Type: numeric

OPLMMFL: Flag: Q28c Outpatient Clients - LAAM Detox/Maint

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13694	99.8 %
1	Data Imputed	26	0.2 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.04

Location: 503-503 (width: 1; decimal: 0)

Variable Type: numeric

B_PCTFL: Flag: Q29 Percent Treated for Alcohol & Drug Abuse

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13710	99.9 %
1	Data Imputed	10	0.1 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.03

Location: 504-504 (width: 1; decimal: 0)

Variable Type: numeric

A_PCTFL: Flag: Q29 Percent Treated for Alcohol Abuse Only

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13717	100.0 %
1	Data Imputed	3	0.0 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.01

Location: 505-505 (width: 1; decimal: 0)

Variable Type: numeric

D_PCTFL: Flag: Q29 Percent Treated for Drug Abuse Only

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13710	99.9 %
1	Data Imputed	10	0.1 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.00
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.03

Location: 506-506 (width: 1; decimal: 0)

Variable Type: numeric

TOTADMFL: Flag: Q30 Total Annual Admissions for SA Tx

Value	Label	Unweighted Frequency	%
0	Data Not Imputed	13243	96.5 %
1	Data Imputed	477	3.5 %
	Total	13,720	100%

Based upon 13,720 valid cases out of 13,720 total cases.

- Mean: 0.03
- Median: 0.00
- Mode: 0.00
- Minimum: 0
- Maximum: 1
- Standard Deviation: 0.18

Location: 507-507 (width: 1; decimal: 0)

Variable Type: numeric