National Drug Abuse Treatment System Survey, Waves II-IV

Thomas D'Aunno
University of Michigan. Institute for Social Research

Richard Price
University of Michigan. Institute for Social Research

Wave III, 1990, Codebook

Terms of Use

The terms of use for this study can be found at:

http://datafiles.samhsa.gov/terms-use-nid3422

NATIONAL DRUG ABUSE TREATMENT SYSTEM SURVEY (NDATSS) CODEBOOK[1]

Introduction

The National Drug Abuse Treatment System Survey (NDATSS) is a longitudinal program of research into organizational structures, operating characteristics, and treatment modalities of outpatient drug treatment programs in the United States. This is done through interviews with program directors and clinical supervisors. In some publications, this research is referred to as the Outpatient Drug Abuse Treatment Studies (ODATS).

Data being released through the Substance Abuse and Mental Health Data Archive (SAMHDA) include Wave II (1988), Wave III (1990), and Wave IV (1995).

Wave I (1984) of NDATSS included only drug-free outpatient treatment programs. Wave II saw a significant redesign; most notable was the inclusion of methadone-based, as well as outpatient treatment programs. Wave I is not planned for public release because it had a significantly different sample design than the other waves.

Sample Design and Universe

Wave I
Though Wave I is not a part of this public release, its sample design is relevant due to the longitudinal design. A stratified random sample of n=413 outpatient drug treatment units were selected. The sample was selected from national databases of federally supported treatment programs and was restricted to outpatient drug treatment programs that were drug-free (i.e., they did not use methadone or related treatments). Alcohol treatment programs were excluded. The primary stratification criteria included: location (inner city, suburban, rural), funding agency (NIMH or NIDA), and program classification (freestanding versus those based in a community mental health clinic (CMHC)).

Wave II
As mentioned previously, the survey population for Wave II was expanded to include methadone-based treatment programs. The Survey Research Center's (SRC) sampling section developed a comprehensive national frame of approximately 8149 program listings to meet the expanded sample requirements. The primary stratification criteria of the National Sample Frame of Drug Treatment Programs (NSFDTP) had: public versus private program, methadone versus drug-free treatment, and program type (CMHC, hospital, or freestanding). After selecting a stratified random sample, screening for eligibility, and selecting a stratified subsample, 438 programs were chosen for inclusion in the survey.

---

[1] Sections of this codebook were taken from Steven G. Heeringa, "Outpatient Drug Abuse Treatment Studies (ODATS). Technical Documentation for ODATS IV." SRC Survey Design and Analysis Unit. Institute for Social Research, March 12, 1996 and from P. Flyer, "Final Weighting Documentation". Sampling Section, Survey Research Center, Institute for Social Research, 1990.

In addition to these programs, an additional 207 programs from Wave I were deemed to be eligible programs and were added as a recontact sample, A total of 575 programs provided a program director interview, a clinical supervisor interview, or both.

Wave III
No sample of new programs was included in Wave III, which was a longitudinal follow-up of the programs that were successfully interviewed in Wave II. In Wave III, 550 programs were found to be still operating and eligible, and 481 total programs provided a program director interview, a clinical supervisor interview, or both.

Wave IV
Wave IV included both a longitudinal sample of those programs that completed waves II and III, and was also supplemented with a new stratified random sample from a completely updated National Frame of Substance Abuse Treatment Programs (NFSATP).

Interviews were attempted with the 429 programs that participated in Waves II and III, and were also still operating and eligible. In Wave IV, 387 total programs provided a program director interview, a clinical supervisor interview, or both.

The sample frame for the new supplemental cross sectional sample is a subset of the NFSATP. The full NFSATP database is the integration of four drug treatment program databases:
- National Facilities Register (NFR), 1992 NDATUS (a predecessor to the National Survey of Substance Abuse Treatment Services, N-SSATS) – provided to the SRC by the Substance Abuse and Mental Health Services Administration (SAMHSA).
- The 1994 American Hospital Association (AHA) Survey – added to ensure comprehensive coverage of hospital-based programs.
- 1994 FDA List of Licensed Methadone Treatment Programs – printed list provided to SRC by the FDA at the request of SAMHSA.
- The Survey Sampling, Inc. (SSI) Business Data Base – purchased in order to ensure comprehensive coverage of privately operated programs.

The Wave IV sample was assigned to 12 stratum codes as defined by the same primary stratification criteria as existed for the Wave II sample (public vs. private program, methadone vs. drug-free treatment, and program – CMHC, hospital, or freestanding). However, the database components of the NFSATP did not always supply all the necessary information needed to classify each program to one of the 12 strata. These programs with incomplete information for stratum assignments were, as a rule, included in the private, non-hospital, non-methadone stratum.

It was determined that the outpatient drug treatment program sector that had experienced the most growth correlated with the private, non-hospital, non-methadone stratum. Thus it was decided that the supplemental sample would be a subsample of the NFSATP programs that were known to be private, non-hospital, non-methadone programs or for which there was incomplete information for proper classification into one of the 12 stratum as described above. After initial screening of this subsample for eligibility, 270 programs were determined to be eligible for interviews. Of these, 231 total programs provided a program director interview, a clinical

supervisor interview, or both. Based on the more complete information gathered from the interviews, 81 programs were reclassified into one of the other 11 stratum.

Nature of the Data

Many of the variables fall into three categories: facility financial information, client counts, and director/supervisor background information. The remaining variables fall into a wide range of topics (opinions, staff/client information, programs and services offered, etc.). Staff and client information are only reported in aggregate.

Confidentiality Protection

Several measures were taken to protect the confidentiality of the NDATSS facilities, as well as the facility directors and clinical supervisors. First, direct identifiers such as facility, supervisor, and director IDs were removed from the file. Second, no geographic identifiers are included in the public-use file. Finally, some variables were categorized and recoded so that details that might identify an individual (e.g., specific age) would be less likely to do so. The recodes are provided in Table 1.

Table 1. Recodes

Wave	Variable	Original codes	Recodes
Wave II	Director/ Respondent Hispanicity V4743	1. Yes, Mexican American/Chicano 2. Yes, Puerto Rican 3. Yes, Cuban 4. Yes, Other Hispanic 5. No	1. Yes 5. No
Wave II	Director/ Respondent Race V4744	1. White 2. Black 3. American Indian or Alaskan Native 4. Asian or Pacific Islander 5. Other	1. White 2. Black 5. Other
Wave II	Director/ Respondent Age V4741	Continuous	1. 29 years old or younger 2. 30-34 years old 3. 35-39 years old 4. 40-44 years old 5. 45-49 years old 6. 50-54 years old 7. 55-59 years old 8. 60 years old or older

Table 1. Recodes

Wave	Variable	Original codes	Recodes
Wave II	Supervisor/ Respondent Hispanicity V5616	1. Yes, Mexican American/Chicano 2. Yes, Puerto Rican 3. Yes, Cuban 4. Yes, Other Hispanic 5. No	1. Yes 5. No
Wave II	Supervisor/ Respondent Race V5617	1. White 2. Black 3. American Indian or Alaskan Native 4. Asian or Pacific Islander 5. Other	1. White 2. Black 5. Other
Wave II	Supervisor/ Respondent Age V5614	Continuous	1. 29 years old or younger 2. 30-34 years old 3. 35-39 years old 4. 40-44 years old 5. 45-49 years old 6. 50-54 years old 7. 55-59 years old 8. 60 years old or older
Wave III	Director/ Respondent Race V7653	1. White 2. Black 3. American Indian or Alaskan Native 4. Asian or Pacific Islander 5. Other	1. White 2. Black 5. Other
Wave III	Director/ Respondent Age V7651	Continuous	1. 29 years old or younger 2. 30-34 years old 3. 35-39 years old 4. 40-44 years old 5. 45-49 years old 6. 50-54 years old 7. 55-59 years old 8. 60 years old or older
Wave III	Supervisor/ Respondent Race V8527	1. White 2. Black 3. American Indian or Alaskan Native 4. Asian or Pacific Islander 5. Other	1. White 2. Black 5. Other

Table 1. Recodes

Wave	Variable	Original codes	Recodes
Wave III	Supervisor/ Respondent Age V8525	Continuous	1. 29 years old or younger 2. 30-34 years old 3. 35-39 years old 4. 40-44 years old 5. 45-49 years old 6. 50-54 years old 7. 55-59 years old 8. 60 years old or older
Wave IV	Director/ Respondent Race V10541	1. White 2. Black 3. American Indian or Alaskan Native 4. Asian or Pacific Islander 5. Other	1. White 2. Black 5. Other
Wave IV	Director/ Respondent Age V10539	Continuous	1. 29 years old or younger 2. 30-34 years old 3. 35-39 years old 4. 40-44 years old 5. 45-49 years old 6. 50-54 years old 7. 55-59 years old 8. 60 years old or older
Wave IV	Supervisor/ Respondent Race V11631	1. White 2. Black 3. American Indian or Alaskan Native 4. Asian or Pacific Islander 5. Other	1. White 2. Black 5. Other
Wave IV	Supervisor/ Respondent Age V11629	Continuous	1. 29 years old or younger 2. 30-34 years old 3. 35-39 years old 4. 40-44 years old 5. 45-49 years old 6. 50-54 years old 7. 55-59 years old 8. 60 years old or older

Weighting Information

Each of the three data files come with two weight variables, a trimmed weight and a centered weight. Both of these weight variables are derived from an original weight variable (not included in the public data file). For each wave of the data, the original weight variable was produced by the principal investigator in order to reduce bias, which may be associated with unequal sample

selection probabilities and non-response. Trimmed and centered weights are defined as follows:

Trimmed Weight: One disadvantage of weighting to decrease bias is that it might increase the variance of weighted estimates. When it appears that a few weights are disproportionately affecting the variance, then outlier weights are often trimmed. With trimming it is implicitly assumed that the potential increase in bias is small relative to the reduction in variance. The ultimate goal of weight trimming is to reduce the sampling variance more than enough to compensate for the possible increase in bias and, thereby, to reduce the mean squared error. For this study, the trimming consisted of reducing outlier weights to a value slightly larger than the next largest value within the same stratum. To maintain the total sum of all weight values, the excess "trimmed" weight was then redistributed to the other weight values within the same stratum.

Centered Weight: When a typical weight is applied, the weighted estimates are inflated to the full population value from which the sample was drawn. This results in standard errors that are inappropriately deflated. Centered weights are commonly used to avoid this problem. The centered weights for this study are calculated by taking the trimmed weight for each case and dividing by the mean of the trimmed weight variable.

User Responsibility

Users are reminded that the data are to be used solely for statistical analysis and reporting of aggregated information and not for investigation of specific individuals or organizations.

Processor Note

Many of the variables in this study have value labels that have been shortened or abbreviated by the principal investigator (PI) due to space considerations. For many of these instances, the original PI supplied codebooks can be referenced for a more detailing listing of value labels. These codebooks are included in this document as appendices. There are two PI codebooks, one director and one supervisor codebook for this wave of data. The variable numbering (naming) in the PI codebooks does not always exactly match up with the variable numbering in the public release data files. However, the primary use of these PI codebooks is the value label tables within each codebook.

FREQUENCIES

UNIT DIRECTOR INTERVIEW

INTERVIEW INFORMATION

CASEID   CASE IDENTIFICATION NUMBER

    481 cases (Range of valid codes: 1-481)

    Data type: numeric
    Columns: 1-3

UNITID   ID NUMBER FOR UNIT/OSAT CENTER

    UNIT ID #

    481 cases (Range of valid codes: 1-9951)

    Data type: numeric
    Columns: 4-8

V7004   FS INTERVIEWERS ID

    Interviewer ID No. (4 digit)

    481 cases (Range of valid codes: 109-6,020)

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 9-13

V7005   **FS MONTH BEGAN IW**

Date Iw Began--MONTH

```
   PCT     PCT     N   VALUE   LABEL
  VALID    ALL
   3.0     2.9    14       1   01. January
   0.2     0.2     1       2   02. February
   0.0     0.0     0       3   03. March
   1.1     1.0     5       4   04. April
   0.0     0.0     0       5   05. May
   0.0     0.0     0       6   06. June
  10.1    10.0    48       7   07. July
  39.5    38.9   187       8   08. August
  10.1    10.0    48       9   09. September
  10.1    10.0    48      10   10. October
  14.2    13.9    67      11   11. November
  11.6    11.4    55      12   12. December
           1.7     8      -5   -5. NO INTERVIEW
  -----   -----   ---
 100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 14-16

V7006	FS DAY BEGAN IW

Date Iw Began--DAY

PCT VALID	PCT ALL	N	VALUE	LABEL
4.7	4.6	22	1	
3.0	2.9	14	2	
3.6	3.5	17	3	
1.9	1.9	9	4	
2.7	2.7	13	5	
3.8	3.7	18	6	
5.1	5.0	24	7	
3.2	3.1	15	8	
3.0	2.9	14	9	
3.8	3.7	18	10	
1.9	1.9	9	11	
1.1	1.0	5	12	
6.1	6.0	29	13	
4.7	4.6	22	14	
3.0	2.9	14	15	
3.2	3.1	15	16	
4.0	4.0	19	17	
1.3	1.2	6	18	
2.3	2.3	11	19	
4.7	4.6	22	20	
3.4	3.3	16	21	
1.3	1.2	6	22	
1.1	1.0	5	23	
3.0	2.9	14	24	
3.8	3.7	18	25	
2.7	2.7	13	26	
4.2	4.2	20	27	
2.5	2.5	12	28	
3.0	2.9	14	29	
4.4	4.4	21	30	
3.8	3.7	18	31	
	1.7	8	-5	-5. NO INTERVIEW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 17-19

V7007   **FS YEAR BEGAN IW**

Date Iw Began--YEAR

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	88	88. 1988
0.0	0.0	0	89	89. 1989
96.0	94.4	454	90	90. 1990
4.0	4.0	19	91	91. 1991
	1.7	8	-5	-5. NO INTERVIEW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 20-22

V7008   **FS MONTH FINISH IW**

Date Iw Completed--MONTH

PCT VALID	PCT ALL	N	VALUE	LABEL
6.1	6.0	29	1	01. January
0.8	0.8	4	2	02. February
0.0	0.0	0	3	03. March
1.1	1.0	5	4	04. April
0.0	0.0	0	5	05. May
0.0	0.0	0	6	06. June
6.8	6.7	32	7	07. July
30.7	30.1	145	8	08. August
12.3	12.1	58	9	09. September
10.0	9.8	47	10	10. October
15.5	15.2	73	11	11. November
16.7	16.4	79	12	12. December
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 23-25

```
┌─────────────────────────────────────────────────────────────────┐
│ V7009                    FS DAY FINISH IW                         │
└─────────────────────────────────────────────────────────────────┘
```

Date Iw Completed--DAY

```
  PCT     PCT    N   VALUE  LABEL
 VALID    ALL
  3.6     3.5   17       1
  3.0     2.9   14       2
  3.0     2.9   14       3
  1.3     1.2    6       4
  2.1     2.1   10       5
  3.4     3.3   16       6
  5.9     5.8   28       7
  1.3     1.2    6       8
  2.3     2.3   11       9
  4.7     4.6   22      10
  2.8     2.7   13      11
  2.8     2.7   13      12
  3.8     3.7   18      13
  3.8     3.7   18      14
  2.3     2.3   11      15
  2.8     2.7   13      16
  4.4     4.4   21      17
  3.6     3.5   17      18
  2.5     2.5   12      19
  5.9     5.8   28      20
  4.2     4.2   20      21
  3.0     2.9   14      22
  1.7     1.7    8      23
  2.8     2.7   13      24
  2.8     2.7   13      25
  2.3     2.3   11      26
  3.4     3.3   16      27
  3.2     3.1   15      28
  3.6     3.5   17      29
  4.7     4.6   22      30
  3.2     3.1   15      31
          1.7    8      -5  -5. NO INTERVIEW
          0.2    1      -3  -3. REFUSED/NA
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 26-28

```
V7010                    FS YEAR FINISH IW
```

Date Iw Completed--YEAR

```
   PCT     PCT    N   VALUE   LABEL
  VALID   ALL
   0.0    0.0    0      88   88. 1988
   0.0    0.0    0      89   89. 1989
  91.8   90.2   434     90   90. 1990
   8.2    8.1    39     91   91. 1991
          1.7    8      -5   -5. NO INTERVIEW
  -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 29-31

```
V7011                    FS IW LENGTH (MINS.)
```

Length of Iw (Minutes)

481 cases (Range of valid codes: 42-186)

Data type: numeric
Missing-data codes: -5--1
Columns: 32-35

UNIT HISTORY AND MISSION

V7012	A1 OSAT START MONTH

In what month and year did this unit begin providing
outpatient substance abuse treatment services?--MONTH

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  9.9    8.3   40      1  01. January
  4.0    3.3   16      2  02. February
  4.5    3.7   18      3  03. March
  5.2    4.4   21      4  04. April
  4.5    3.7   18      5  05. May
 42.3   35.6  171      6  06. June
 15.3   12.9   62      7  07. July
  0.0    0.0    0      8  08. August
  0.0    0.0    0      9  09. September
  7.7    6.4   31     10  10. October
  4.0    3.3   16     11  11. November
  2.7    2.3   11     12  12. December
         1.7    8     -5  -5. NO INTERVIEW
         7.5   36     -3  -3. REFUSED/NA
         6.9   33     -2  -2. DONT KNOW
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 36-38

```
V7013                    A1 OSAT START YEAR
```

In what month and year did this unit begin providing
outpatient substance abuse treatment services?--YEAR

```
   PCT     PCT    N   VALUE  LABEL
  VALID    ALL
   0.2     0.2    1     55
   0.2     0.2    1     57
   0.2     0.2    1     60
   0.2     0.2    1     62
   0.4     0.4    2     63
   0.2     0.2    1     64
   0.2     0.2    1     65
   0.9     0.8    4     66
   1.9     1.9    9     67
   2.6     2.5   12     68
   3.0     2.9   14     69
   8.4     8.1   39     70
  10.2     9.8   47     71
   7.8     7.5   36     72
   7.8     7.5   36     73
   6.0     5.8   28     74
   5.8     5.6   27     75
   5.4     5.2   25     76
   2.8     2.7   13     77
   4.5     4.4   21     78
   3.9     3.7   18     79
   4.8     4.6   22     80
   4.3     4.2   20     81
   3.0     2.9   14     82
   1.3     1.2    6     83
   3.2     3.1   15     84
   3.2     3.1   15     85
   1.9     1.9    9     86
   2.4     2.3   11     87
   1.3     1.2    6     88
   1.1     1.0    5     89
   0.6     0.6    3     90
           1.7    8     -5  -5. NO INTERVIEW
           0.8    4     -3  -3. REFUSED/NA
           1.2    6     -2  -2. DONT KNOW
  -----   -----  ---
  100.0   100.0  481 cases

  Data type: numeric
  Missing-data codes: -5--1
  Columns: 39-41
```

V7014   **A2 EXTNT FOUNDERS INFL NOW**

To what extent do the individuals who originally founded this
outpatient unit influence current policies and goals? Would
you say to no extent, a little, some, great, or to a very
great extent? (DON'T PROBE ANY DK'S.)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 17.9   17.5   84      1  1. No extent
 16.6   16.2   78      2  2. A little extent
 19.8   19.3   93      3  3. Some extent
 21.9   21.4  103      4  4. A great extent
 23.8   23.3  112      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 42-43

V7015   **A3 MI CH LAST 2 YRS:Y/N?**

Have the mission and goals of this treatment unit changed
significantly in the last two years?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 70.0   68.8  331      0  0. No
 30.0   29.5  142      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 44-45

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7016                    A3AM1 HOW MI CHANGED?                        │
└─────────────────────────────────────────────────────────────────────┘
```

In what ways have they changed? (Any other ways?)

PCT VALID	PCT ALL	N	VALUE	LABEL
2.2	0.6	3	10	10. CHANGPOP
5.8	1.7	8	11	11. AGERANGE
3.6	1.0	5	12	12. OUTREACH
0.7	0.2	1	13	13. LOINCOME
2.2	0.6	3	14	14. MORECTRE
2.9	0.8	4	19	19. OTHTARGT
0.7	0.2	1	21	21. INCALCOH
5.8	1.7	8	22	22. ALCO+OTH
2.2	0.6	3	23	23. COCAINTX
0.0	0.0	0	29	29. OTHDRUGS
5.0	1.5	7	31	31. MAIN2FRE
4.3	1.2	6	32	32. MOREMETH
2.2	0.6	3	33	33. MOREFAMI
5.8	1.7	8	34	34. TXMOREIN
0.0	0.0	0	35	35. SELFHELP
8.6	2.5	12	41	41. BROADTX
2.2	0.6	3	42	42. >EDUCATN
2.9	0.8	4	43	43. SATRTMT
1.4	0.4	2	44	44. TARGET
15.1	4.4	21	49	49. BRODPROG
0.0	0.0	0	51	51. REFERRAL
5.0	1.5	7	52	52. AIDS.ED
0.7	0.2	1	53	53. DETOX
1.4	0.4	2	81	81. REDUCED NON-SA INVOLV
7.2	2.1	10	91	91. NOW/ALWAYS CHNG/IMPROVING
12.2	3.5	17	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	68.8	331	-1	-1. SKIPPED QUESTION

```
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 46-48

V7017	A3AM2 HOW MI CHANGED?

In what ways have they changed? (Any other ways?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	10	10. CHANGPOP
5.4	0.8	4	11	11. AGERANGE
6.8	1.0	5	12	12. OUTREACH
4.1	0.6	3	13	13. LOINCOME
1.4	0.2	1	14	14. MORECTRE
2.7	0.4	2	19	19. OTHTARGT
1.4	0.2	1	21	21. INCALCOH
1.4	0.2	1	22	22. ALCO+OTH
5.4	0.8	4	23	23. COCAINTX
0.0	0.0	0	29	29. OTHDRUGS
1.4	0.2	1	31	31. MAIN2FRE
1.4	0.2	1	32	32. MOREMETH
2.7	0.4	2	33	33. MOREFAMI
6.8	1.0	5	34	34. TXMOREIN
4.1	0.6	3	35	35. SELFHELP
9.5	1.5	7	41	41. BROADTX
8.1	1.2	6	42	42. >EDUCATN
1.4	0.2	1	43	43. SATRTMT
4.1	0.6	3	44	44. TARGET
10.8	1.7	8	49	49. BRODPROG
0.0	0.0	0	51	51. REFERRAL
8.1	1.2	6	52	52. AIDS.ED
4.1	0.6	3	53	53. DETOX
0.0	0.0	0	81	81. REDUCED NON-SA INVOLV
2.7	0.4	2	91	91. NOW/ALWAYS CHNG/IMPROVING
6.8	1.0	5	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	83.0	399	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 49-51

V7018	A4A DEGREE IMP KEEP COST LOW

It is important for this outpatient substance abuse unit to
keep its costs as low as possible even if it means "cutting
corners" on some clinical services. Would you say that you
strongly agree, somewhat agree, neither agree nor disagree,
somewhat disagree, or strongly disagree?

```
  PCT     PCT    N  VALUE  LABEL
VALID    ALL
  5.7     5.6   27      1  1. STRONGLY AGREE
 25.6    25.2  121      2  2. SOMEWHAT AGREE
  6.6     6.4   31      3  3. NEITHER
 30.9    30.4  146      4  4. SOMEWHAT DISAGREE
 31.3    30.8  148      5  5. STRONGLY DISAGREE
  0.0     0.0    0      6  6. DOES NOT APPLY
          1.7    8     -5  -5. NO INTERVIEW
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 52-53

V7019	A4B DEGREE CL SELE IMP 4COST

Careful screening and selection of clients is important to
control costs. (Would you say that you strongly agree,
somewhat agree, neither agree nor disagree, somewhat disagree,
or strongly disagree?)

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
 18.9   18.5   89      1   1. STRONGLY AGREE
 24.4   23.9  115      2   2. SOMEWHAT AGREE
  7.9    7.7   37      3   3. NEITHER
 20.2   19.8   95      4   4. SOMEWHAT DISAGREE
 28.7   28.1  135      5   5. STRONGLY DISAGREE
  0.0    0.0    0      6   6. DOES NOT APPLY
         1.7    8     -5   -5. NO INTERVIEW
         0.2    1     -3   -3. REFUSED/NA
         0.2    1     -2   -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 54-55

V7020   **A4C DEGREE IMP U MAKE PROFIT**

It is important for this unit to make a financial profit from
the services it offers. (Would you say that you strongly
agree, somewhat agree, neither agree nor disagree, somewhat
disagree, or strongly disagree?)

PCT VALID	PCT ALL	N	VALUE	LABEL
12.4	12.1	58	1	1. STRONGLY AGREE
15.6	15.2	73	2	2. SOMEWHAT AGREE
6.0	5.8	28	3	3. NEITHER
16.8	16.4	79	4	4. SOMEWHAT DISAGREE
49.3	48.0	231	5	5. STRONGLY DISAGREE
0.0	0.0	0	6	6. DOES NOT APPLY
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 56-57

V7021   **A4D DEGREE 4-PROFIT UNITS OK**

It is acceptable for substance abuse treatment units to make
a financial profit from the services they offer. (Would you
say that you strongly agree, somewhat agree, neither agree
nor disagree, somewhat disagree, or strongly disagree?)

PCT VALID	PCT ALL	N	VALUE	LABEL
30.4	29.7	143	1	1. STRONGLY AGREE
39.1	38.3	184	2	2. SOMEWHAT AGREE
8.5	8.3	40	3	3. NEITHER
8.3	8.1	39	4	4. SOMEWHAT DISAGREE
13.6	13.3	64	5	5. STRONGLY DISAGREE
0.0	0.0	0	6	6. DOES NOT APPLY
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 58-59

V7022	A4E DEGREE 4PROFIT U MOR EFF

Private for-profit substance abuse treatment units are able
to provide services more efficiently than public treatment
units.(Would you say that you strongly agree, somewhat agree,
neither agree nor disagree, somewhat disagree, or strongly
disagree?)

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
  8.7     8.5    41      1  1. STRONGLY AGREE
 13.0    12.7    61      2  2. SOMEWHAT AGREE
 10.0     9.8    47      3  3. NEITHER
 21.7    21.2   102      4  4. SOMEWHAT DISAGREE
 46.6    45.5   219      5  5. STRONGLY DISAGREE
  0.0     0.0     0      6  6. DOES NOT APPLY
          1.7     8     -5  -5. NO INTERVIEW
          0.2     1     -3  -3. REFUSED/NA
          0.4     2     -2  -2. DONT KNOW
 -----   -----   ---
100.0   100.0   481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 60-61
```

V7023	A4F DEGREE STANDRDS NOT COST

It is important for this unit to maintain the highest
possible standards of care regardless of the costs.(Would you
say that you strongly agree, somewhat agree, neither agree
nor disagree, somewhat disagree, or strongly disagree?)

PCT VALID	PCT ALL	N	VALUE	LABEL
57.6	56.5	272	1	1. STRONGLY AGREE
26.3	25.8	124	2	2. SOMEWHAT AGREE
5.1	5.0	24	3	3. NEITHER
9.5	9.4	45	4	4. SOMEWHAT DISAGREE
1.5	1.5	7	5	5. STRONGLY DISAGREE
0.0	0.0	0	6	6. DOES NOT APPLY
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 62-63

V7024	A4G DEGREE CL ACC CARE W/O $

Clients should have access to high quality care regardless
of their ability to pay. (Would you say that you strongly
agree, somewhat agree, neither agree nor disagree, somewhat
disagree, or strongly disagree?)

PCT VALID	PCT ALL	N	VALUE	LABEL
83.9	82.1	395	1	1. STRONGLY AGREE
12.7	12.5	60	2	2. SOMEWHAT AGREE
1.9	1.9	9	3	3. NEITHER
1.3	1.2	6	4	4. SOMEWHAT DISAGREE
0.2	0.2	1	5	5. STRONGLY DISAGREE
0.0	0.0	0	6	6. DOES NOT APPLY
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 64-65

V7025	A4H DEGREE $ FOR TX PUB RESP

The financing of substance abuse treatment is primarily a
public sector responsibility. (Would you say that you
strongly agree, somewhat agree, neither agree nor disagree,
somewhat disagree, or strongly disagree?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 16.1   15.8   76      1  1. STRONGLY AGREE
 29.4   28.9  139      2  2. SOMEWHAT AGREE
 14.0   13.7   66      3  3. NEITHER
 29.4   28.9  139      4  4. SOMEWHAT DISAGREE
 11.0   10.8   52      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 66-67

V7026	A4I DEGREE PR SCTR SHD COVER

Private insurers and employers should be required to provide
coverage for substance abuse treatment. (Would you say that
you strongly agree, somewhat agree, neither agree nor
disagree, somewhat disagree, or strongly disagree?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 75.0   73.6  354      1  1. STRONGLY AGREE
 18.9   18.5   89      2  2. SOMEWHAT AGREE
  2.8    2.7   13      3  3. NEITHER
  2.1    2.1   10      4  4. SOMEWHAT DISAGREE
  1.3    1.2    6      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 68-69

UNIT FUNDING

V7027   **B1 OTHR R FOR FUNDGS:Y/N?**

The following questions concern revenues, expenses, and the
volume of services at your unit. I am interested in getting
as accurate information as possible. If someone else in your
organization would be the more appropriate person to give us
this information, I would be glad to contact this person after
we finish this interview and skip over these questions for
now. Is there another person whom you would prefer us to
contact for revenue and expense information?

PCT VALID	PCT ALL	N	VALUE	LABEL
71.8	70.3	338	0	0. No
28.2	27.7	133	1	1. Yes
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 70-71

V7028   **B2 U PRV NONOSAT SERV:Y/N?**

Does your unit provide treatment services other than
outpatient substance abuse treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.1	49.3	237	0	0. No
49.9	49.1	236	1	1. Yes
	1.7	8	-5	-5. NO INTERVIEW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 72-73

V7029   **B2AM1 OTHER SERV PROV**

(What are these other treatment services?)

481 cases (Range of valid codes: 1-95)

Data type: numeric
Missing-data codes: -5--1
Columns: 74-76

V7030   **B2AM2 OTHER SERV PROV**

(What are these other treatment services?)

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 77-79

V7031   **B2AM3 OTHER SERV PROV**

(What are these other treatment services?)

481 cases (Range of valid codes: 1-95)

Data type: numeric
Missing-data codes: -5--1
Columns: 80-82

V7032   **B2AM4 OTHER SERV PROV**

(What are these other treatment services?)

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 83-85

V7033   **B2B % TOT CL ARE OSAT**

Overall what percent of the clients seen at your unit are
outpatient substance abuse treatment clients?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 86-89

V7034   **B2C % TOT REV FR OSAT**

...and overall what percent of your unit's revenues come from
providing outpatient substance abuse treatment services?

481 cases (Range of valid codes: 1-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 90-93

V7035   **B3 $#S FOR JUST OSAT:Y/N?**

For the different categories of revenues and expenses in your
unit's budget, do you think you can give us reasonably
accurate figures for just the outpatient substance abuse
treatment services your unit provides?

PCT VALID	PCT ALL	N	VALUE	LABEL
18.9	7.5	36	0	0. No
81.1	32.0	154	1	1. Yes
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	58.6	282	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 94-95

V7036   **B4 BEGIN MONTH MRCFYR**

BEGINNING--MONTH

PCT VALID	PCT ALL	N	VALUE	LABEL
13.9	1.0	5	1	01. January
2.8	0.2	1	2	02. February
0.0	0.0	0	3	03. March
0.0	0.0	0	4	04. April
0.0	0.0	0	5	05. May
2.8	0.2	1	6	06. June
63.9	4.8	23	7	07. July
0.0	0.0	0	8	08. August
2.8	0.2	1	9	09. September
11.1	0.8	4	10	10. October
2.8	0.2	1	11	11. November
0.0	0.0	0	12	12. December
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	90.6	436	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 96-98

V7037   **B4 BEGIN DAY MRCFYR**

BEGINNING--DAY

PCT VALID	PCT ALL	N	VALUE	LABEL
97.2	7.3	35	1	
2.8	0.2	1	24	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	90.6	436	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 99-101

```
V7038                    B4 BEGIN YEAR MRCFYR
```

BEGINNING--YEAR

PCT VALID	PCT ALL	N	VALUE	LABEL
5.6	0.4	2	88	
86.1	6.4	31	89	
8.3	0.6	3	90	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	90.6	436	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 102-104

```
V7039                    B4 END MONTH MRCFYR
```

ENDING--MONTH

PCT VALID	PCT ALL	N	VALUE	LABEL
2.8	0.2	1	1	01. January
0.0	0.0	0	2	02. February
0.0	0.0	0	3	03. March
0.0	0.0	0	4	04. April
0.0	0.0	0	5	05. May
63.9	4.8	23	6	06. June
0.0	0.0	0	7	07. July
2.8	0.2	1	8	08. August
11.1	0.8	4	9	09. September
2.8	0.2	1	10	10. October
0.0	0.0	0	11	11. November
16.7	1.2	6	12	12. December
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	90.6	436	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 105-107

```
V7040                    B4 END DAY MRCFYR
```

```
        ENDING--DAY

      PCT    PCT    N   VALUE  LABEL
     VALID   ALL
      2.8    0.2    1      1
     77.8    5.8   28     30
     19.4    1.5    7     31
             1.7    8     -5   -5. NO INTERVIEW
             0.2    1     -3   -3. REFUSED/NA
            90.6  436     -1   -1. SKIPPED QUESTION
     -----  -----  ---
     100.0  100.0  481 cases

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 108-110
```

```
V7041                    B4 END YEAR MRCFYR
```

```
        ENDING--YEAR

      PCT    PCT    N   VALUE  LABEL
     VALID   ALL
     13.9    1.0    5     89
     86.1    6.4   31     90
             1.7    8     -5   -5. NO INTERVIEW
             0.2    1     -3   -3. REFUSED/NA
            90.6  436     -1   -1. SKIPPED QUESTION
     -----  -----  ---
     100.0  100.0  481 cases

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 111-113
```

V7042	B4A TOT U REV MRCFYR

What was your treatment unit's total revenue for the most
recent complete fiscal year?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.1	0.2	1	68766	
3.1	0.2	1	110000	
3.1	0.2	1	178660	
3.1	0.2	1	208171	
3.1	0.2	1	230667	
3.1	0.2	1	263811	
3.1	0.2	1	264412	
3.1	0.2	1	307000	
3.1	0.2	1	308000	
3.1	0.2	1	380367	
3.1	0.2	1	382000	
3.1	0.2	1	382953	
3.1	0.2	1	529875	
3.1	0.2	1	574000	
3.1	0.2	1	600000	
3.1	0.2	1	600350	
3.1	0.2	1	708872	
3.1	0.2	1	820016	
3.1	0.2	1	865018	
3.1	0.2	1	994572	
3.1	0.2	1	1003521	
6.2	0.4	2	1800000	
3.1	0.2	1	1890500	
3.1	0.2	1	2218600	
3.1	0.2	1	2500000	
3.1	0.2	1	2630721	
3.1	0.2	1	3100000	
3.1	0.2	1	3200000	
3.1	0.2	1	3712177	
3.1	0.2	1	4345672	
3.1	0.2	1	9999995	
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	90.6	436	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 114-121

V7043	B4B TOT U XPNS MRCFYR

What were your unit's total expenses, including wages and
salaries, for the most recent complete fiscal year?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.3	0.2	1	63363	
3.3	0.2	1	97000	
3.3	0.2	1	110000	
3.3	0.2	1	151938	
3.3	0.2	1	235700	
3.3	0.2	1	236134	
3.3	0.2	1	240075	
3.3	0.2	1	290352	
3.3	0.2	1	297783	
3.3	0.2	1	307000	
3.3	0.2	1	382000	
3.3	0.2	1	394000	
3.3	0.2	1	450000	
3.3	0.2	1	512000	
3.3	0.2	1	529875	
3.3	0.2	1	597153	
3.3	0.2	1	655500	
3.3	0.2	1	665018	
3.3	0.2	1	828399	
3.3	0.2	1	994254	
3.3	0.2	1	1244609	
3.3	0.2	1	1400000	
3.3	0.2	1	1867436	
3.3	0.2	1	2500000	
3.3	0.2	1	2653074	
3.3	0.2	1	3100000	
3.3	0.2	1	3500000	
3.3	0.2	1	3700062	
3.3	0.2	1	4278631	
3.3	0.2	1	9999995	
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	0.8	4	-2	-2. DONT KNOW
	90.6	436	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 122-129

V7044	B4C $FOR WAGES,SALARY

Of these total expenses, how much did your unit spend on
salaries and wages, including fringe benefits, during the most
recent complete fiscal year?

```
  PCT    PCT    N    VALUE  LABEL
VALID    ALL
  3.1    0.2    1    53635
  3.1    0.2    1    75000
  3.1    0.2    1    104273
  3.1    0.2    1    110000
  3.1    0.2    1    155871
  3.1    0.2    1    181729
  3.1    0.2    1    198661
  3.1    0.2    1    218963
  3.1    0.2    1    235515
  3.1    0.2    1    280000
  3.1    0.2    1    297328
  3.1    0.2    1    325000
  6.2    0.4    2    360000
  3.1    0.2    1    432820
  3.1    0.2    1    433126
  3.1    0.2    1    460905
  3.1    0.2    1    475715
  3.1    0.2    1    476000
  3.1    0.2    1    601896
  3.1    0.2    1    672786
  3.1    0.2    1    854998
  3.1    0.2    1    1260000
  3.1    0.2    1    1440000
  3.1    0.2    1    1457581
  3.1    0.2    1    1641760
  6.2    0.4    2    2000000
  3.1    0.2    1    2007087
  3.1    0.2    1    2300000
  3.1    0.2    1    3001065
  3.1    0.2    1    7787680
         1.7    8        -5  -5. NO INTERVIEW
         0.8    4        -3  -3. REFUSED/NA
         0.2    1        -2  -2. DONT KNOW
        90.6  436        -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 130-137

```
┌────────────────────────────────────────────────────────────────────┐
│ V7045                    B5 OSAT BEGIN MO FYR                        │
└────────────────────────────────────────────────────────────────────┘
```

BEGINNING--MONTH

```
   PCT    PCT    N   VALUE   LABEL
  VALID   ALL
  17.7   16.0   77      1   01. January
   0.5    0.4    2      2   02. February
   0.5    0.4    2      3   03. March
   2.5    2.3   11      4   04. April
   0.2    0.2    1      5   05. May
   0.2    0.2    1      6   06. June
  61.6   55.7  268      7   07. July
   0.0    0.0    0      8   08. August
   3.2    2.9   14      9   09. September
  13.3   12.1   58     10   10. October
   0.0    0.0    0     11   11. November
   0.2    0.2    1     12   12. December
          1.7    8     -5   -5. NO INTERVIEW
          0.2    1     -2   -2. DONT KNOW
          7.7   37     -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481  cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 138-140

```
┌────────────────────────────────────────────────────────────────────┐
│ V7046                    B5 OSAT BEGIN DAY FYR                       │
└────────────────────────────────────────────────────────────────────┘
```

BEGINNING--DAY

```
   PCT    PCT    N   VALUE   LABEL
  VALID   ALL
  99.8   90.2  434      1
   0.2    0.2    1     25
          1.7    8     -5   -5. NO INTERVIEW
          0.2    1     -2   -2. DONT KNOW
          7.7   37     -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481  cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 141-143

V7047	B5 OSAT BEGIN YR FYR

BEGINNING--YEAR

PCT VALID	PCT ALL	N	VALUE	LABEL
7.4	6.7	32	88	
90.8	82.1	395	89	
1.8	1.7	8	90	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-2	-2. DONT KNOW
	7.7	37	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 144-146

V7048	B5 OSAT END MONTH FYR

ENDING--MONTH

PCT VALID	PCT ALL	N	VALUE	LABEL
0.5	0.4	2	1	01. January
0.5	0.4	2	2	02. February
2.5	2.3	11	3	03. March
0.2	0.2	1	4	04. April
0.2	0.2	1	5	05. May
61.4	55.5	267	6	06. June
0.0	0.0	0	7	07. July
3.2	2.9	14	8	08. August
13.3	12.1	58	9	09. September
0.2	0.2	1	10	10. October
0.2	0.2	1	11	11. November
17.7	16.0	77	12	12. December
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-2	-2. DONT KNOW
	7.7	37	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 147-149

V7049   **B5 OSAT END DAY MRFYR**

ENDING--DAY

```
  PCT    PCT    N   VALUE  LABEL
 VALID   ALL
  0.2    0.2    1     25
  0.5    0.4    2     28
 74.7   67.6  325     30
 24.6   22.2  107     31
         1.7    8     -5   -5. NO INTERVIEW
         0.2    1     -2   -2. DONT KNOW
         7.7   37     -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 150-152

V7050   **B5 OSAT END YEAR FYR**

ENDING--YEAR

```
  PCT    PCT    N   VALUE  LABEL
 VALID   ALL
 23.7   21.4  103     89
 76.1   68.8  331     90
  0.2    0.2    1     91
         1.7    8     -5   -5. NO INTERVIEW
         0.2    1     -2   -2. DONT KNOW
         7.7   37     -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 153-155

V7051   **B5A OSATU REV MRCFYR**

What was the total revenue for your outpatient substance abuse
treatment unit for the most recent complete fiscalyear?

481 cases (Range of valid codes: 0-9999995)

Data type: numeric
Missing-data codes: -5--1
Columns: 156-163

V7052   **B5B OSATU XPNS MRCFYR**

What were your outpatient substance abuse treatment unit's
total expenses, including wages and salaries, for the most
recent complete fiscal year?

481 cases (Range of valid codes: 14000-9999995)

Data type: numeric
Missing-data codes: -5--1
Columns: 164-171

V7053   **B5C OSAT WAGES,SALARY**

Of these total expenses, how much did your unit spend on
salaries and wages, including fringe benefits, during the most
recent complete fiscal year?

481 cases (Range of valid codes: 8000-9999995)

Data type: numeric
Missing-data codes: -5--1
Columns: 172-179

V7054   **B6 TOT FEDERAL $ TO U**

How much money altogether did your unit receive directly from
the federal government?

481 cases (Range of valid codes: 0-584,498)

Data type: numeric
Missing-data codes: -5--1
Columns: 180-186

V7055 **B7A U $ FR: MEDICARE:Y/N?**

Did your unit receive any month directly from... Medicare?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 50.3   15.0   72      0  0. No
 49.7   14.8   71      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
        66.3  319     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 187-188

V7056 **B8A MEDICARE $ AMOUNT**

How much money did your unit receive from (SOURCE)?

481 cases (Range of valid codes: 39-584,498)

Data type: numeric
Missing-data codes: -5--1
Columns: 189-195

V7057	B9A MEDICARE PAYBASIS

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, orsomething else?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 45.3   6.0   29     1   1. VISITS
 25.0   3.3   16     2   2. TIME
  7.8   1.0    5     3   3. CLIENTS
  4.7   0.6    3     4   4. COMB 01&02
  1.6   0.2    1     5   5. COMB 02&03
  0.0   0.0    0     6   6. COMB 01&03
  0.0   0.0    0     7   7. ALL 1&2&3
  0.0   0.0    0    10  10. PER WK/MO
  0.0   0.0    0    11  11. PER DAY/DIEM
  0.0   0.0    0    12  12. PER MEDICAL
  0.0   0.0    0    13  13. PER DOSE METH
  4.7   0.6    3    14  14. PER UNIT COST
  0.0   0.0    0    15  15. PER PRGM
  0.0   0.0    0    21  21. MATCHING FUNDS
  1.6   0.2    1    22  22. GRANT
  0.0   0.0    0    23  23. CONTRACT
  9.4   1.2    6    24  24. PAY EXPENS
  0.0   0.0    0    25  25. DONATION
  0.0   0.0    0    26  26. TAX/FEE
  0.0   0.0    0    29  29. OTR GOVPAY
  0.0   0.0    0    61  61. INTEREST
  0.0   0.0    0    62  62. SALE GOODS
  0.0   0.0    0    63  63. SOLICITATION
  0.0   0.0    0    97  97. OTHER
        1.7    8    -5  -5. NO INTERVIEW
        1.0    5    -3  -3. REFUSED/NA
        0.4    2    -2  -2. DONT KNOW
       83.6  402    -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 196-198

V7058	B7B U $FR: FED COURTS:Y/N?

Did your unit receive any month directly from... The federal
court system?

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  70.4   20.8   100      0   0. No
  29.6    8.7    42      1   1. Yes
          1.7     8     -5  -5. NO INTERVIEW
          2.5    12     -3  -3. REFUSED/NA
         66.3   319     -1  -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 199-200

V7059	B8B FED COURTS $ AMT

How much money did your unit receive from (SOURCE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.4	0.2	1	275	
2.4	0.2	1	380	
4.9	0.4	2	1500	
2.4	0.2	1	1574	
2.4	0.2	1	2000	
2.4	0.2	1	2445	
2.4	0.2	1	2737	
2.4	0.2	1	2897	
12.2	1.0	5	3000	
2.4	0.2	1	4000	
2.4	0.2	1	4500	
2.4	0.2	1	4646	
2.4	0.2	1	5000	
2.4	0.2	1	8369	
2.4	0.2	1	9000	
2.4	0.2	1	10000	
2.4	0.2	1	11040	
2.4	0.2	1	12524	
2.4	0.2	1	13000	
2.4	0.2	1	14720	
2.4	0.2	1	15000	
2.4	0.2	1	17000	
2.4	0.2	1	19398	
2.4	0.2	1	24000	
2.4	0.2	1	25000	
2.4	0.2	1	32450	
2.4	0.2	1	36000	
2.4	0.2	1	40000	
2.4	0.2	1	45000	
2.4	0.2	1	50064	
2.4	0.2	1	52126	
2.4	0.2	1	60000	
2.4	0.2	1	63542	
2.4	0.2	1	68000	
2.4	0.2	1	85000	
2.4	0.2	1	98000	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-2	-2. DONT KNOW
	89.6	431	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 201-206

V7060	B9B F COURTS PAYBASIS

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
25.0	2.1	10	1	1. VISITS
25.0	2.1	10	2	2. TIME
15.0	1.2	6	3	3. CLIENTS
2.5	0.2	1	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
22.5	1.9	9	14	14. PER UNIT COST
2.5	0.2	1	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
0.0	0.0	0	22	22. GRANT
2.5	0.2	1	23	23. CONTRACT
5.0	0.4	2	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	89.6	431	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 207-209

V7061	B7C U $ FR: DHHS:Y/N?

Did your unit receive any month directly from... The
department of health and human services?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 87.2   25.6  123      0  0. No
 12.8    3.7   18      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         2.7   13     -3  -3. REFUSED/NA
        66.3  319     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 210-211

V7062	B8C DHHS $ AMOUNT

How much money did your unit receive from (SOURCE)?

```
  PCT    PCT    N    VALUE  LABEL
VALID    ALL
  5.9    0.2    1    1800
  5.9    0.2    1    16537
  5.9    0.2    1    18265
  5.9    0.2    1    19499
  5.9    0.2    1    22000
  5.9    0.2    1    28956
  5.9    0.2    1    55610
  5.9    0.2    1    57957
  5.9    0.2    1    70000
  5.9    0.2    1    70417
  5.9    0.2    1    80000
  5.9    0.2    1    102957
  5.9    0.2    1    125000
  5.9    0.2    1    143714
  5.9    0.2    1    145000
  5.9    0.2    1    165000
  5.9    0.2    1    331000
         1.7    8      -5   -5. NO INTERVIEW
         0.2    1      -2   -2. DONT KNOW
        94.6  455      -1   -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 212-218

V7063	B9C DHHS PAY BASIS

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
5.9	0.2	1	1	1. VISITS
5.9	0.2	1	2	2. TIME
17.6	0.6	3	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
0.0	0.0	0	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
58.8	2.1	10	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
11.8	0.4	2	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	94.6	455	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 219-221

V7064	B7D U $ FR:OTH F SRC1:Y/N?

Did your unit receive any month directly from... Any other
federal sources?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 74.3   21.6  104      0  0. No
 25.7    7.5   36      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         2.9   14     -3  -3. REFUSED/NA
        66.3  319     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 222-223

V7065	B7D OTHER FED SOURCE1

Any other federal sources (SPECIFY)?

481 cases (Range of valid codes: 21-39)

Data type: numeric
Missing-data codes: -5--1
Columns: 224-226

V7066	B8D OTH FED SRC1 $AMT

How much money did your unit receive from (SOURCE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.8	0.2	1	205	
2.8	0.2	1	600	
2.8	0.2	1	1335	
2.8	0.2	1	7019	
2.8	0.2	1	10000	
2.8	0.2	1	22787	
2.8	0.2	1	23500	
2.8	0.2	1	25789	
2.8	0.2	1	32335	
2.8	0.2	1	35000	
2.8	0.2	1	38009	
2.8	0.2	1	40706	
2.8	0.2	1	40975	
2.8	0.2	1	41687	
2.8	0.2	1	55938	
2.8	0.2	1	57000	
2.8	0.2	1	69000	
2.8	0.2	1	69177	
2.8	0.2	1	106933	
2.8	0.2	1	113000	
2.8	0.2	1	115000	
2.8	0.2	1	126000	
2.8	0.2	1	143917	
2.8	0.2	1	170000	
2.8	0.2	1	179142	
2.8	0.2	1	200966	
2.8	0.2	1	212169	
2.8	0.2	1	214000	
2.8	0.2	1	230000	
2.8	0.2	1	259000	
2.8	0.2	1	270000	
2.8	0.2	1	287000	
2.8	0.2	1	294315	
2.8	0.2	1	322000	
2.8	0.2	1	360000	
2.8	0.2	1	382000	
	1.7	8	-5	-5. NO INTERVIEW
	90.9	437	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 227-233

V7067	B9D O F SRC1 PAYBASIS

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. VISITS
16.0	0.8	4	2	2. TIME
8.0	0.4	2	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
4.0	0.2	1	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
40.0	2.1	10	22	22. GRANT
8.0	0.4	2	23	23. CONTRACT
24.0	1.2	6	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	90.9	437	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 234-236

V7068   **B7E U $ FR:OTH F SRC2:Y/N?**

Did your unit receive any month directly from... Any other
federal sources?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 85.7   6.2   30      0  0. No
 14.3   1.0    5      1  1. Yes
        1.7    8     -5  -5. NO INTERVIEW
        0.2    1     -3  -3. REFUSED/NA
       90.9  437     -1  -1. SKIPPED QUESTION
-----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 237-238

V7069   **B7E OTHER FED SOURCE2**

Any other federal sources (SPECIFY)?

481 cases (Range of valid codes: 37-39)

Data type: numeric
Missing-data codes: -5--1
Columns: 239-241

```
V7070                    B8E OTH FED SRC2 $AMT
```

How much money did your unit receive from (SOURCE)?

```
  PCT    PCT    N   VALUE  LABEL
VALID    ALL
 20.0    0.2    1    8844
 20.0    0.2    1   25000
 20.0    0.2    1   50000
 20.0    0.2    1  119704
 20.0    0.2    1  188184
         1.7    8      -5  -5. NO INTERVIEW
        97.3  468      -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 242-248

V7071	B9E O F SRC2 PAYBASIS

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or

PCT VALID	PCT ALL	N	VALUE	LABEL
33.3	0.2	1	1	1. VISITS
0.0	0.0	0	2	2. TIME
0.0	0.0	0	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
0.0	0.0	0	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
33.3	0.2	1	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
33.3	0.2	1	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	97.3	468	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 249-251

V7072   **B7F U $ FR:OTH F SRC3:Y/N?**

Did your unit receive any month directly from... Any other
federal sources?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
100.0    1.5    7      0  0. No
  0.0    0.0    0      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        96.7  465     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 252-253

V7073   **B7F OTHER FED SOURCE3**

Any other federal sources (SPECIFY)?

481 cases (Range of valid codes: nan--2,147,483,648)

Data type: numeric
Missing-data codes: -5--1
Columns: 254-255

V7074   **B8F OTH FED SRC3 $AMT**

How much money did your unit receive from (SOURCE)?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
         1.7    8     -5  -5. NO INTERVIEW
        98.3  473     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 256-257

```
 V7075                  B9F O F SRC3 PAYBASIS
```

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
  0.0     0.0    0      1  1. VISITS
  0.0     0.0    0      2  2. TIME
  0.0     0.0    0      3  3. CLIENTS
  0.0     0.0    0      4  4. COMB 01&02
  0.0     0.0    0      5  5. COMB 02&03
  0.0     0.0    0      6  6. COMB 01&03
  0.0     0.0    0      7  7. ALL 1&2&3
  0.0     0.0    0     10  10. PER WK/MO
  0.0     0.0    0     11  11. PER DAY/DIEM
  0.0     0.0    0     12  12. PER MEDICAL
  0.0     0.0    0     13  13. PER DOSE METH
  0.0     0.0    0     14  14. PER UNIT COST
  0.0     0.0    0     15  15. PER PRGM
  0.0     0.0    0     21  21. MATCHING FUNDS
  0.0     0.0    0     22  22. GRANT
  0.0     0.0    0     23  23. CONTRACT
  0.0     0.0    0     24  24. PAY EXPENS
  0.0     0.0    0     25  25. DONATION
  0.0     0.0    0     26  26. TAX/FEE
  0.0     0.0    0     29  29. OTR GOVPAY
  0.0     0.0    0     61  61. INTEREST
  0.0     0.0    0     62  62. SALE GOODS
  0.0     0.0    0     63  63. SOLICITATION
  0.0     0.0    0     97  97. OTHER
          1.7    8     -5  -5. NO INTERVIEW
         98.3  473     -1  -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 258-259

V7076   **B10 TOT STATE $ TO U**

How much money altogether did your unit receive directly from
the state government, including block grant funds
administered by your state?

481 cases (Range of valid codes: 0-9999995)

Data type: numeric
Missing-data codes: -5--1
Columns: 260-267

V7077   **B10A %TOT FR BLKGRNTS**

What percent of this total came from block grants
administered by your state?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 268-271

V7078   **B11A U $ FR:MEDICAID:Y/N?**

Did your unit receive any month directly from... Medicaid?

```
  PCT     PCT    N  VALUE  LABEL
VALID    ALL
 42.9    32.8  158      0  0. No
 57.1    43.7  210      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          2.9   14     -3  -3. REFUSED/NA
         18.9   91     -1  -1. SKIPPED QUESTION
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 272-273

V7079   **B12A MEDICAID $AMOUNT**

How much money did your unit receive from (SOURCE)?

481 cases (Range of valid codes: 193-7,416,266)

Data type: numeric
Missing-data codes: -5--1
Columns: 274-281

V7080	B13A MEDICAID PAYBASE

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
40.8	16.6	80	1	1. VISITS
33.2	13.5	65	2	2. TIME
5.1	2.1	10	3	3. CLIENTS
2.6	1.0	5	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
1.0	0.4	2	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
2.6	1.0	5	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
1.5	0.6	3	12	12. PER MEDICAL
0.5	0.2	1	13	13. PER DOSE METH
6.1	2.5	12	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
3.6	1.5	7	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
3.1	1.2	6	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
	0.8	4	-2	-2. DONT KNOW
	54.7	263	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 282-284

V7081   **B11B U $ FR:STATE OSA:Y/N?**

Did your unit receive any month directly from... A state
agency or office of substance abuse

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 28.5   21.6  104      0  0. No
 71.5   54.3  261      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         3.5   17     -3  -3. REFUSED/NA
        18.9   91     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 285-286

V7082   **B12B STATE OSA $ AMT**

How much money did your unit receive from (SOURCE)?

481 cases (Range of valid codes: 585-4,801,304)

Data type: numeric
Missing-data codes: -5--1
Columns: 287-294

V7083	B13B ST OSA PAYBASIS

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
9.8	5.0	24	1	1. VISITS
17.1	8.7	42	2	2. TIME
10.2	5.2	25	3	3. CLIENTS
0.4	0.2	1	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.8	0.4	2	6	6. COMB 01&03
0.4	0.2	1	7	7. ALL 1&2&3
0.4	0.2	1	10	10. PER WK/MO
0.4	0.2	1	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
4.1	2.1	10	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
42.7	21.8	105	22	22. GRANT
2.0	1.0	5	23	23. CONTRACT
7.3	3.7	18	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
2.0	1.0	5	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
2.4	1.2	6	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	3.1	15	-3	-3. REFUSED/NA
	44.1	212	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 295-297

V7084   **B11C U $ FR:ST COURTS:Y/N?**

Did your unit receive any month directly from... The State
Court System?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 94.8   71.7  345      0  0. No
  5.2    4.0   19      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         3.7   18     -3  -3. REFUSED/NA
        18.9   91     -1  -1. SKIPPED QUESTION
-----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 298-299

V7085	B12C ST COURTS $ AMT

How much money did your unit receive from (SOURCE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	0.2	1	500	
5.3	0.2	1	945	
5.3	0.2	1	1000	
5.3	0.2	1	1500	
5.3	0.2	1	1539	
5.3	0.2	1	1800	
5.3	0.2	1	2000	
5.3	0.2	1	2200	
5.3	0.2	1	2400	
5.3	0.2	1	3000	
5.3	0.2	1	14768	
5.3	0.2	1	15000	
5.3	0.2	1	18057	
5.3	0.2	1	18700	
5.3	0.2	1	25000	
5.3	0.2	1	25200	
5.3	0.2	1	103538	
5.3	0.2	1	120000	
5.3	0.2	1	138300	
	1.7	8	-5	-5. NO INTERVIEW
	94.4	454	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 300-306

V7086   **B13C ST CORT PAYBASIS**

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
27.8	1.0	5	1	1. VISITS
22.2	0.8	4	2	2. TIME
11.1	0.4	2	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
5.6	0.2	1	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
22.2	0.8	4	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
5.6	0.2	1	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
0.0	0.0	0	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
5.6	0.2	1	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	94.4	454	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 307-309

V7087   **B11D U $FR:OTH S SRC1:Y/N?**

Did your unit receive any month directly from... Any other
state sources?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 64.7   49.1  236      0  0. No
 35.3   26.8  129      1  1. Yes
               1.7    8     -5  -5. NO INTERVIEW
               3.5   17     -3  -3. REFUSED/NA
              18.9   91     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 310-311

V7088   **B11D OTH STATE SORCE1**

Any other state sources (SPECIFY)?\

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 312-314

V7089   **B12D OTH S SRC1 $ AMT**

How much money did your unit receive from (SOURCE)?

481 cases (Range of valid codes: 26-5,254,000)

Data type: numeric
Missing-data codes: -5--1
Columns: 315-322

V7090	B13D O S SRC1 PAYBASE

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
17.5	3.7	18	1	1. VISITS
15.5	3.3	16	2	2. TIME
4.9	1.0	5	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
1.0	0.2	1	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
5.8	1.2	6	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
42.7	9.1	44	22	22. GRANT
1.9	0.4	2	23	23. CONTRACT
4.9	1.0	5	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
2.9	0.6	3	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
2.9	0.6	3	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	5.2	25	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	71.5	344	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 323-325

V7091	B11E U $FR:OTH S SRC2:Y/N?

Did your unit receive any month directly from... Any other
state sources?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 75.8   19.5   94      0  0. No
 24.2    6.2   30      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
        71.1  342     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 326-327

V7092	B11E OTH STATE SORCE2

Any other state sources (SPECIFY)?

481 cases (Range of valid codes: 3-61)

Data type: numeric
Missing-data codes: -5--1
Columns: 328-330

V7093 **B12E OTH S SRC2 $ AMT**

How much money did your unit receive from (SOURCE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.4	0.2	1	348	
3.4	0.2	1	500	
3.4	0.2	1	1176	
3.4	0.2	1	2120	
3.4	0.2	1	5059	
3.4	0.2	1	7393	
3.4	0.2	1	7900	
3.4	0.2	1	12909	
3.4	0.2	1	13000	
3.4	0.2	1	15457	
3.4	0.2	1	18029	
3.4	0.2	1	19913	
3.4	0.2	1	21346	
3.4	0.2	1	33527	
3.4	0.2	1	36770	
3.4	0.2	1	38000	
3.4	0.2	1	38547	
3.4	0.2	1	41600	
3.4	0.2	1	45000	
3.4	0.2	1	63503	
3.4	0.2	1	65487	
3.4	0.2	1	75000	
3.4	0.2	1	107835	
3.4	0.2	1	129372	
3.4	0.2	1	165000	
3.4	0.2	1	258014	
3.4	0.2	1	333839	
3.4	0.2	1	337500	
3.4	0.2	1	433106	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	92.1	443	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 331-337

V7094	B13E O S SRC2 PAYBASE

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
9.1	0.4	2	1	1. VISITS
4.5	0.2	1	2	2. TIME
4.5	0.2	1	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
4.5	0.2	1	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
4.5	0.2	1	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
45.5	2.1	10	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
9.1	0.4	2	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
4.5	0.2	1	26	26. TAX/FEE
4.5	0.2	1	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
4.5	0.2	1	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
4.5	0.2	1	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	92.1	443	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 338-340

```
┌─────────────────────────────────────────────────────────────────┐
│ V7095                    B11F U $FR:OTH S SRC3:Y/N?                │
└─────────────────────────────────────────────────────────────────┘
```

Did your unit receive any month directly from... Any other
state sources?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  65.5    4.0   19      0  0. No
  34.5    2.1   10      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
         91.7  441     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 341-342

```
┌─────────────────────────────────────────────────────────────────┐
│ V7096                    B11F OTH STATE SORCE3                     │
└─────────────────────────────────────────────────────────────────┘
```

Any other state sources (SPECIFY)?

481 cases (Range of valid codes: 39-49)

Data type: numeric
Missing-data codes: -5--1
Columns: 343-345

V7097	B12F OTH S SRC3 $ AMT

How much money did your unit receive from (SOURCE)?

```
  PCT    PCT    N    VALUE  LABEL
 VALID   ALL
  10.0    0.2   1      400
  10.0    0.2   1    13569
  10.0    0.2   1    14000
  10.0    0.2   1    14622
  10.0    0.2   1    22255
  10.0    0.2   1    31806
  10.0    0.2   1    36000
  10.0    0.2   1    56173
  10.0    0.2   1   114024
  10.0    0.2   1   124733
          1.7   8       -5  -5. NO INTERVIEW
         96.3  463      -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 346-352
```

V7098	B13F O S SRC3 PAYBASE

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
16.7	0.2	1	1	1. VISITS
0.0	0.0	0	2	2. TIME
0.0	0.0	0	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
0.0	0.0	0	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
66.7	0.8	4	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
0.0	0.0	0	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
16.7	0.2	1	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	96.3	463	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 353-355

V7099   **B14 TOT $FR CITY,CNTY**

How much money altogether did your unit receive directly from
city or county programs?

481 cases (Range of valid codes: 0-9,999,995)

Data type: numeric
Missing-data codes: -5--1
Columns: 356-363

V7100   **B15A U $FR:CI,CO CRTS:Y/N?**

Did your unit receive any money directly from... The court
system in your city or county?

```
  PCT     PCT    N  VALUE  LABEL
VALID    ALL
 85.5    44.3   213      0  0. No
 14.5     7.5    36      1  1. Yes
          1.7     8     -5  -5. NO INTERVIEW
          2.9    14     -3  -3. REFUSED/NA
         43.7   210     -1  -1. SKIPPED QUESTION
-----   ----- ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 364-365

V7101   **B16A CI,CO CORTS $AMT**

How much money did your unit receive from (SOURCE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.8	0.2	1	100	
2.8	0.2	1	600	
2.8	0.2	1	620	
2.8	0.2	1	700	
2.8	0.2	1	900	
2.8	0.2	1	1200	
2.8	0.2	1	1600	
2.8	0.2	1	1848	
2.8	0.2	1	2000	
2.8	0.2	1	2750	
5.6	0.4	2	3000	
2.8	0.2	1	4000	
8.3	0.6	3	5000	
2.8	0.2	1	5562	
2.8	0.2	1	5690	
2.8	0.2	1	5698	
2.8	0.2	1	8333	
2.8	0.2	1	9351	
5.6	0.4	2	10000	
2.8	0.2	1	15000	
2.8	0.2	1	15600	
2.8	0.2	1	16000	
2.8	0.2	1	18900	
2.8	0.2	1	20000	
2.8	0.2	1	21014	
5.6	0.4	2	25000	
5.6	0.4	2	30000	
2.8	0.2	1	41000	
2.8	0.2	1	42000	
2.8	0.2	1	214000	
	1.7	8	-5	-5. NO INTERVIEW
	90.9	437	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 366-372

V7102	B17A CTY CORT PAYBASE

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
32.4	2.3	11	1	1. VISITS
14.7	1.0	5	2	2. TIME
14.7	1.0	5	3	3. CLIENTS
8.8	0.6	3	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
2.9	0.2	1	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
0.0	0.0	0	14	14. PER UNIT COST
2.9	0.2	1	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
11.8	0.8	4	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
2.9	0.2	1	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
2.9	0.2	1	26	26. TAX/FEE
2.9	0.2	1	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
2.9	0.2	1	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	90.9	437	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 373-375

V7103   **B15B U$FR:OTH CO SRC1:Y/N?**

Did your unit receive any money directly from... Any other county sources?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 36.7   19.1   92       0  0. No
 63.3   33.1  159       1  1. Yes
               1.7    8      -5  -5. NO INTERVIEW
               2.5   12      -3  -3. REFUSED/NA
              43.7  210      -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 376-377

V7104   **B15B OTH COUNTY SRC 1**

Any other county sources? SPECIFY

481 cases (Range of valid codes: 51-61)

Data type: numeric
Missing-data codes: -5--1
Columns: 378-380

V7105   **B16B OTH CO SRC1 $AMT**

How much money did your unit receive from (SOURCE)?

481 cases (Range of valid codes: 195-1,318,110)

Data type: numeric
Missing-data codes: -5--1
Columns: 381-388

V7106	B17B O CO SRC1PAYBASE

What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
9.6	2.7	13	1	1. VISITS
3.7	1.0	5	2	2. TIME
5.9	1.7	8	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
5.2	1.5	7	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
3.7	1.0	5	21	21. MATCHING FUNDS
39.3	11.0	53	22	22. GRANT
2.2	0.6	3	23	23. CONTRACT
16.3	4.6	22	24	24. PAY EXPENS
0.7	0.2	1	25	25. DONATION
10.4	2.9	14	26	26. TAX/FEE
2.2	0.6	3	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.7	0.2	1	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	4.8	23	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	65.3	314	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 389-391

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7107                    B15C U$FR:OTH CO SRC2:Y/N?                        │
└─────────────────────────────────────────────────────────────────────────┘
```

Did your unit receive any money directly from... Any other
county sources?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 81.5   24.7  119      0  0. No
 18.5    5.6   27      1  1. Yes
               1.7    8     -5  -5. NO INTERVIEW
               2.7   13     -3  -3. REFUSED/NA
              65.3  314     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 392-393

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7108                    B15C OTH COUNTY SRC 2                             │
└─────────────────────────────────────────────────────────────────────────┘
```

Any other county sources (SPECIFY)?

481 cases (Range of valid codes: 51-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 394-396

V7109	B16C OTH CO SRC2 $AMT

How much money did your unit receive from (SOURCE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.6	0.2	1	0	
3.6	0.2	1	900	
3.6	0.2	1	2500	
3.6	0.2	1	2725	
3.6	0.2	1	2996	
3.6	0.2	1	4192	
3.6	0.2	1	6000	
3.6	0.2	1	7000	
3.6	0.2	1	8000	
3.6	0.2	1	9750	
3.6	0.2	1	12664	
3.6	0.2	1	13000	
3.6	0.2	1	14000	
3.6	0.2	1	20000	
3.6	0.2	1	24321	
3.6	0.2	1	26644	
3.6	0.2	1	29000	
3.6	0.2	1	35669	
3.6	0.2	1	36800	
3.6	0.2	1	38772	
3.6	0.2	1	42136	
3.6	0.2	1	49912	
3.6	0.2	1	56867	
3.6	0.2	1	100000	
3.6	0.2	1	101700	
3.6	0.2	1	129170	
3.6	0.2	1	175191	
3.6	0.2	1	187000	
	1.7	8	-5	-5. NO INTERVIEW
	92.5	445	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 397-403

```
┌──────────────────────────────────────────────────────────────────┐
│ V7110                    B17C O CO SRC2PAYBASE                      │
└──────────────────────────────────────────────────────────────────┘
```

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

```
  PCT     PCT    N   VALUE   LABEL
VALID    ALL
  4.8     0.2    1      1    1. VISITS
  4.8     0.2    1      2    2. TIME
  4.8     0.2    1      3    3. CLIENTS
  0.0     0.0    0      4    4. COMB 01&02
  0.0     0.0    0      5    5. COMB 02&03
  0.0     0.0    0      6    6. COMB 01&03
  0.0     0.0    0      7    7. ALL 1&2&3
  0.0     0.0    0     10    10. PER WK/MO
  0.0     0.0    0     11    11. PER DAY/DIEM
  0.0     0.0    0     12    12. PER MEDICAL
  0.0     0.0    0     13    13. PER DOSE METH
  0.0     0.0    0     14    14. PER UNIT COST
  0.0     0.0    0     15    15. PER PRGM
  0.0     0.0    0     21    21. MATCHING FUNDS
 57.1     2.5   12     22    22. GRANT
  0.0     0.0    0     23    23. CONTRACT
  4.8     0.2    1     24    24. PAY EXPENS
  4.8     0.2    1     25    25. DONATION
 19.0     0.8    4     26    26. TAX/FEE
  0.0     0.0    0     29    29. OTR GOVPAY
  0.0     0.0    0     61    61. INTEREST
  0.0     0.0    0     62    62. SALE GOODS
  0.0     0.0    0     63    63. SOLICITATION
  0.0     0.0    0     97    97. OTHER
          1.7    8     -5    -5. NO INTERVIEW
          1.0    5     -3    -3. REFUSED/NA
          0.2    1     -2    -2. DONT KNOW
         92.7  446     -1    -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 404-406

V7111	B15D U$FR:OTH C1 SRC3:Y/N?

Did your unit receive any money directly from... Any other city sources?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 82.3   42.4  204      0  0. No
 17.7    9.1   44      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         3.1   15     -3  -3. REFUSED/NA
        43.7  210     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 407-408

V7112	B15D OTH CITY SOURCE3

Any other city sources (SPECIFY)?

481 cases (Range of valid codes: 52-61)

Data type: numeric
Missing-data codes: -5--1
Columns: 409-411

V7113	B16D OTH CI SRC3 $AMT

How much money did your unit receive from (SOURCE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.3	0.2	1	500	
2.3	0.2	1	1000	
2.3	0.2	1	1500	
2.3	0.2	1	2000	
2.3	0.2	1	2755	
2.3	0.2	1	4630	
2.3	0.2	1	6250	
2.3	0.2	1	8622	
2.3	0.2	1	8706	
2.3	0.2	1	9000	
2.3	0.2	1	10000	
2.3	0.2	1	11220	
2.3	0.2	1	12260	
2.3	0.2	1	13300	
2.3	0.2	1	13760	
2.3	0.2	1	14000	
2.3	0.2	1	14400	
4.5	0.4	2	15000	
2.3	0.2	1	18103	
2.3	0.2	1	20000	
2.3	0.2	1	31006	
2.3	0.2	1	32609	
2.3	0.2	1	32759	
2.3	0.2	1	36000	
2.3	0.2	1	42047	
2.3	0.2	1	61758	
2.3	0.2	1	70190	
2.3	0.2	1	70543	
2.3	0.2	1	81000	
2.3	0.2	1	90000	
2.3	0.2	1	100000	
2.3	0.2	1	102187	
2.3	0.2	1	105000	
2.3	0.2	1	111000	
2.3	0.2	1	118984	
2.3	0.2	1	125118	
2.3	0.2	1	150000	
2.3	0.2	1	350000	
2.3	0.2	1	475098	
2.3	0.2	1	500000	
2.3	0.2	1	517626	
2.3	0.2	1	553400	

V7113 (CONT.) **B16D OTH CI SRC3 $AMT**

```
    PCT     PCT    N    VALUE   LABEL
   VALID    ALL
    2.3     0.2    1  9999995
            1.7    8        -5  -5. NO INTERVIEW
           89.2  429        -1  -1. SKIPPED QUESTION
   -----   -----  ---
   100.0   100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 412-419
```

V7114   **B17D O CI SRC3PAYBASE**

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

```
  PCT     PCT    N  VALUE  LABEL
VALID     ALL
  7.5     0.6    3      1  1. VISITS
  5.0     0.4    2      2  2. TIME
  0.0     0.0    0      3  3. CLIENTS
  0.0     0.0    0      4  4. COMB 01&02
  0.0     0.0    0      5  5. COMB 02&03
  0.0     0.0    0      6  6. COMB 01&03
  0.0     0.0    0      7  7. ALL 1&2&3
  0.0     0.0    0     10  10. PER WK/MO
  0.0     0.0    0     11  11. PER DAY/DIEM
  0.0     0.0    0     12  12. PER MEDICAL
  0.0     0.0    0     13  13. PER DOSE METH
  0.0     0.0    0     14  14. PER UNIT COST
  0.0     0.0    0     15  15. PER PRGM
  0.0     0.0    0     21  21. MATCHING FUNDS
 50.0     4.2   20     22  22. GRANT
  2.5     0.2    1     23  23. CONTRACT
 17.5     1.5    7     24  24. PAY EXPENS
  0.0     0.0    0     25  25. DONATION
  5.0     0.4    2     26  26. TAX/FEE
 10.0     0.8    4     29  29. OTR GOVPAY
  0.0     0.0    0     61  61. INTEREST
  0.0     0.0    0     62  62. SALE GOODS
  0.0     0.0    0     63  63. SOLICITATION
  2.5     0.2    1     97  97. OTHER
          1.7    8     -5  -5. NO INTERVIEW
          0.8    4     -3  -3. REFUSED/NA
         89.2  429     -1  -1. SKIPPED QUESTION
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 420-422

V7115	B15E U$FR:OTH CI SRC4:Y/N?

Did your unit receive any money directly from... Any other city sources?

PCT VALID	PCT ALL	N	VALUE	LABEL
91.9	7.1	34	0	0. No
8.1	0.6	3	1	1. Yes
	1.7	8	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	89.2	429	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 423-424

V7116	B15E OTH CITY SOURCE4

Any other city sources (SPECIFY)?

481 cases (Range of valid codes: 56-61)

Data type: numeric
Missing-data codes: -5--1
Columns: 425-427

V7117	B16E OTH CI SRC4 $AMT

How much money did your unit receive from (SOURCE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.3	0.2	1	1642	
33.3	0.2	1	18025	
33.3	0.2	1	60063	
	1.7	8	-5	-5. NO INTERVIEW
	97.7	470	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 428-433

V7118	B17E O CI SRC4PAYBASE

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. VISITS
0.0	0.0	0	2	2. TIME
50.0	0.2	1	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
50.0	0.2	1	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
0.0	0.0	0	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
0.0	0.0	0	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	97.7	470	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 434-436

V7119   **B15F U$FR:O CI&COSRC5:Y/N?**

Did your unit receive any money directly from... Any (other)
mix of city and/or county sources?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  79.1   40.1  193      0  0. No
  20.9   10.6   51      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          4.0   19     -3  -3. REFUSED/NA
         43.7  210     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 437-438

V7120   **B15F O CITY&CNTY SRC5**

Any (other) mix of city and/or county sources? (SPECIFY)

481 cases (Range of valid codes: 55-61)

Data type: numeric
Missing-data codes: -5--1
Columns: 439-441

V7121   **B16F O CI&CO SRC5$AMT**

How much money did your unit receive from (SOURCE)?

481 cases (Range of valid codes: 88-2,032,028)

Data type: numeric
Missing-data codes: -5--1
Columns: 442-449

V7122   **B17F OTH SRC5 PAYBASE**

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. VISITS
0.0	0.0	0	2	2. TIME
0.0	0.0	0	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
0.0	0.0	0	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
45.5	1.0	5	22	22. GRANT
9.1	0.2	1	23	23. CONTRACT
9.1	0.2	1	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
18.2	0.4	2	26	26. TAX/FEE
9.1	0.2	1	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
9.1	0.2	1	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	8.3	40	-3	-3. REFUSED/NA
	87.7	422	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 450-452

V7123 **B18 TOT FEES,INS$TO U**

How much money altogether did your unit receive directly from
client fees and private insurance?

481 cases (Range of valid codes: 0-3169490)

Data type: numeric
Missing-data codes: -5--1
Columns: 453-460

V7124 **B19A U $ FR: CL FEES:Y/N?**

Did your unit receive any money directly from... Client fees,
not including amounts paid by insurance?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  3.7    3.3   16      0  0. No
 96.3   86.9  418      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         3.5   17     -3  -3. REFUSED/NA
         4.6   22     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 461-462

V7125 **B20A CL FEES $ AMOUNT**

How much money did your unit receive from (SOURCE)?

481 cases (Range of valid codes: 1-3100000)

Data type: numeric
Missing-data codes: -5--1
Columns: 463-470

V7126	B21A CL FEES PAYBASIS

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
40.7	33.3	160	1	1. VISITS
21.9	17.9	86	2	2. TIME
2.5	2.1	10	3	3. CLIENTS
16.3	13.3	64	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.3	0.2	1	7	7. ALL 1&2&3
8.1	6.7	32	10	10. PER WK/MO
0.5	0.4	2	11	11. PER DAY/DIEM
0.8	0.6	3	12	12. PER MEDICAL
0.8	0.6	3	13	13. PER DOSE METH
4.8	4.0	19	14	14. PER UNIT COST
3.3	2.7	13	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
0.0	0.0	0	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
0.0	0.0	0	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	5.2	25	-3	-3. REFUSED/NA
	11.4	55	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 471-473

V7127	B19B U $FR: PRIV INS:Y/N?

Did your unit receive any money directly from... Private insurance companies excluding Health Maintanance Organizations (HMO)?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 33.9   30.6  147      0  0. No
 66.1   59.5  286      1  1. Yes
              1.7    8     -5  -5. NO INTERVIEW
              3.7   18     -3  -3. REFUSED/NA
              4.6   22     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 474-475

V7128	B20B PRIV INS $AMOUNT

How much money did your unit receive from (SOURCE)?

481 cases (Range of valid codes: 1-2,490,000)

Data type: numeric
Missing-data codes: -5--1
Columns: 476-483

V7129   **B21B PRIV INS PAYBASE**

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
48.9	26.6	128	1	1. VISITS
32.4	17.7	85	2	2. TIME
0.8	0.4	2	3	3. CLIENTS
4.6	2.5	12	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.4	0.2	1	10	10. PER WK/MO
0.4	0.2	1	11	11. PER DAY/DIEM
2.7	1.5	7	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
8.0	4.4	21	14	14. PER UNIT COST
0.8	0.4	2	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
0.0	0.0	0	22	22. GRANT
0.4	0.2	1	23	23. CONTRACT
0.8	0.4	2	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	5.0	24	-3	-3. REFUSED/NA
	38.9	187	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 484-486

V7130	B19C U $ FR: HMO:Y/N?

Did your unit receive any money directly from... Health
Maintenance Organizations (HMO)?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 79.4   70.5  339      0  0. No
 20.6   18.3   88      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         4.2   20     -3  -3. REFUSED/NA
         0.8    4     -2  -2. DONT KNOW
         4.6   22     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 487-488

V7131	B20C HMO $ AMOUNT

How much money did your unit receive from (SOURCE)?

481 cases (Range of valid codes: 1-1,331,190)

Data type: numeric
Missing-data codes: -5--1
Columns: 489-496

V7132	B21C HMO PAY BASIS

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
51.9	8.5	41	1	1. VISITS
22.8	3.7	18	2	2. TIME
1.3	0.2	1	3	3. CLIENTS
8.9	1.5	7	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
2.5	0.4	2	10	10. PER WK/MO
1.3	0.2	1	11	11. PER DAY/DIEM
2.5	0.4	2	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
5.1	0.8	4	14	14. PER UNIT COST
1.3	0.2	1	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
0.0	0.0	0	22	22. GRANT
1.3	0.2	1	23	23. CONTRACT
1.3	0.2	1	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA
	80.0	385	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 497-499

V7133	B19D U $ FR: PPO:Y/N?

Did your unit receive any money directly from... Preferred
Provider Organizations (PPO)?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 88.3   78.4  377      0  0. No
 11.7   10.4   50      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         4.2   20     -3  -3. REFUSED/NA
         0.8    4     -2  -2. DONT KNOW
         4.6   22     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 500-501

V7134	B20D PPO $ AMOUNT

How much money did your unit receive from (SOURCE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.0	0.2	1	532	
3.0	0.2	1	1119	
12.1	0.8	4	2000	
3.0	0.2	1	2500	
3.0	0.2	1	2900	
6.1	0.4	2	3000	
3.0	0.2	1	4000	
9.1	0.6	3	5000	
3.0	0.2	1	9975	
3.0	0.2	1	10000	
3.0	0.2	1	14000	
9.1	0.6	3	15000	
3.0	0.2	1	15414	
3.0	0.2	1	15600	
3.0	0.2	1	16255	
3.0	0.2	1	23000	
3.0	0.2	1	30000	
3.0	0.2	1	40211	
3.0	0.2	1	50000	
3.0	0.2	1	51000	
3.0	0.2	1	52830	
3.0	0.2	1	57000	
6.1	0.4	2	100000	
3.0	0.2	1	200000	
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	2.9	14	-2	-2. DONT KNOW
	87.9	423	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 502-508

V7135	B21D PPO PAY BASIS

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
51.2	4.6	22	1	1. VISITS
27.9	2.5	12	2	2. TIME
2.3	0.2	1	3	3. CLIENTS
9.3	0.8	4	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
2.3	0.2	1	10	10. PER WK/MO
2.3	0.2	1	11	11. PER DAY/DIEM
2.3	0.2	1	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
2.3	0.2	1	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
0.0	0.0	0	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
0.0	0.0	0	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	87.9	423	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 509-511

V7136   **B19E U $FR:O C,I SRC1:Y/N?**

Did your unit receive any money directly from... Any other
client or insurance sources?

```
   PCT     PCT    N   VALUE   LABEL
 VALID    ALL
  89.1    80.0   385      0   0. No
  10.9     9.8    47      1   1. Yes
           1.7     8     -5   -5. NO INTERVIEW
           4.0    19     -3   -3. REFUSED/NA
           4.6    22     -1   -1. SKIPPED QUESTION
 -----   -----   ---
 100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 512-513

V7137   **B19E OTH CL, INS SRC1**

Any other client or insurance sources (SPECIFY)?

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 514-516

V7138	B20E OTH C,I SRC1$AMT

How much money did your unit receive from (SOURCE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.3	0.2	1	100	
2.3	0.2	1	200	
2.3	0.2	1	250	
2.3	0.2	1	290	
2.3	0.2	1	375	
2.3	0.2	1	399	
4.7	0.4	2	1000	
2.3	0.2	1	1400	
2.3	0.2	1	2503	
2.3	0.2	1	2581	
2.3	0.2	1	3200	
2.3	0.2	1	3935	
2.3	0.2	1	3965	
4.7	0.4	2	5000	
2.3	0.2	1	7500	
2.3	0.2	1	8263	
2.3	0.2	1	8729	
2.3	0.2	1	9135	
2.3	0.2	1	10000	
2.3	0.2	1	12600	
2.3	0.2	1	12662	
2.3	0.2	1	16450	
2.3	0.2	1	19253	
2.3	0.2	1	19950	
2.3	0.2	1	20000	
2.3	0.2	1	20541	
2.3	0.2	1	21505	
2.3	0.2	1	24000	
2.3	0.2	1	28500	
2.3	0.2	1	30777	
2.3	0.2	1	38496	
2.3	0.2	1	38621	
2.3	0.2	1	45751	
2.3	0.2	1	48000	
2.3	0.2	1	55500	
2.3	0.2	1	70000	
2.3	0.2	1	76800	
2.3	0.2	1	80469	
2.3	0.2	1	110104	
2.3	0.2	1	120000	

V7138 (CONT.)	B20E OTH C,I SRC1$AMT

```
   PCT     PCT    N    VALUE   LABEL
  VALID    ALL
   2.3     0.2    1   288000
           1.7    8      -5    -5. NO INTERVIEW
           0.2    1      -3    -3. REFUSED/NA
           0.6    3      -2    -2. DONT KNOW
          88.6  426      -1    -1. SKIPPED QUESTION
  -----   -----  ---
  100.0   100.0  481  cases


  Data type: numeric
  Missing-data codes: -5--1
  Columns: 517-523
```

V7139	B21E O C,I SRC1 PAYBA

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
27.3	1.9	9	1	1. VISITS
33.3	2.3	11	2	2. TIME
9.1	0.6	3	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
0.0	0.0	0	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
6.1	0.4	2	11	11. PER DAY/DIEM
9.1	0.6	3	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
6.1	0.4	2	14	14. PER UNIT COST
0.0	0.0	0	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
0.0	0.0	0	22	22. GRANT
6.1	0.4	2	23	23. CONTRACT
0.0	0.0	0	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
3.0	0.2	1	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	2.7	13	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	88.6	426	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 524-526

V7140   **B19F U $FR:O C,I SRC2:Y/N?**

Did your unit receive any money directly from... Any other
client or insurance sources?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  80.0   7.5   36      0  0. No
  20.0   1.9    9      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        88.6  426     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 527-528

V7141   **B19F OTH CL,INS SRC 2**

Any other client or insurance sources (SPECIFY)?

481 cases (Range of valid codes: 4-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 529-531

V7142	B20F OTH C,I SRC2$AMT

How much money did your unit receive from (SOURCE)?

```
  PCT    PCT    N    VALUE   LABEL
 VALID   ALL
  11.1   0.2    1      595
  11.1   0.2    1     1360
  11.1   0.2    1     1600
  11.1   0.2    1     5000
  11.1   0.2    1    10150
  11.1   0.2    1    27717
  11.1   0.2    1    28000
  11.1   0.2    1    65000
  11.1   0.2    1   146000
         1.7    8       -5   -5. NO INTERVIEW
        96.5  464       -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 532-538

V7143   **B21F O C,I SRC2 PAYBA**

What was the unit of payment that (SOURCE) used? (Did they
pay primarily on the basis of: number of client visits, time
spent with clients, number of clients in treatment, a lump sum
grant, expenses incurred, or something else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
20.0	0.2	1	1	1. VISITS
20.0	0.2	1	2	2. TIME
20.0	0.2	1	3	3. CLIENTS
0.0	0.0	0	4	4. COMB 01&02
0.0	0.0	0	5	5. COMB 02&03
0.0	0.0	0	6	6. COMB 01&03
20.0	0.2	1	7	7. ALL 1&2&3
0.0	0.0	0	10	10. PER WK/MO
0.0	0.0	0	11	11. PER DAY/DIEM
0.0	0.0	0	12	12. PER MEDICAL
0.0	0.0	0	13	13. PER DOSE METH
0.0	0.0	0	14	14. PER UNIT COST
20.0	0.2	1	15	15. PER PRGM
0.0	0.0	0	21	21. MATCHING FUNDS
0.0	0.0	0	22	22. GRANT
0.0	0.0	0	23	23. CONTRACT
0.0	0.0	0	24	24. PAY EXPENS
0.0	0.0	0	25	25. DONATION
0.0	0.0	0	26	26. TAX/FEE
0.0	0.0	0	29	29. OTR GOVPAY
0.0	0.0	0	61	61. INTEREST
0.0	0.0	0	62	62. SALE GOODS
0.0	0.0	0	63	63. SOLICITATION
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	96.5	464	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 539-541

V7144   **B22A U $FR:PRV DONATN:Y/N?**

Did your unit receive any money directly from any of the
following sources? Total private donations, including gifts
from individuals, foundations, corporations, charitable
organizations, or the United Way?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  61.4   58.6  282      0  0. No
  38.6   36.8  177      1  1. Yes
               1.7    8     -5  -5. NO INTERVIEW
               2.7   13     -3  -3. REFUSED/NA
               0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 542-543

V7145   **B23A PRV DONATION$AMT**

How much money did your unit receive from (SOURCE(S) in
total)?

481 cases (Range of valid codes: 3-380,931)

Data type: numeric
Missing-data codes: -5--1
Columns: 544-550

V7146	B22B U $FR:OTH SORCE1:Y/N?

Did your unit receive any money directly from any of the
following sources? Any other source?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 78.3   74.2  357      0  0. No
 21.7   20.6   99      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         3.5   17     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 551-552

V7147	B22B OTH U $ SOURCE 1

Any other source? SPECIFY

481 cases (Range of valid codes: 22-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 553-555

V7148	B23B OTH SOURCE1 $AMT

How much money did your unit receive from (SOURCE(S) in
total?)

481 cases (Range of valid codes: 22-350,000)

Data type: numeric
Missing-data codes: -5--1
Columns: 556-562

V7149   **B22C U $FR:OTH SORCE2**

Did your unit receive any money directly from any of the
following sources? Any other source?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  64.1   12.3   59      0  0. No
  35.9    6.9   33      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          1.5    7     -3  -3. REFUSED/NA
         77.8  374     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 563-564

V7150   **B22C OTH U $ SOURCE 2**

Any other source? SPECIFY

481 cases (Range of valid codes: 76-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 565-567

V7151	B23C OTH SOURCE2 $AMT

How much money did your unit receive from (SOURCE(S) in total?)

PCT VALID	PCT ALL	N	VALUE	LABEL
3.0	0.2	1	30	
3.0	0.2	1	350	
3.0	0.2	1	406	
3.0	0.2	1	475	
3.0	0.2	1	570	
3.0	0.2	1	763	
3.0	0.2	1	828	
3.0	0.2	1	965	
3.0	0.2	1	1600	
3.0	0.2	1	2062	
3.0	0.2	1	2080	
3.0	0.2	1	2300	
3.0	0.2	1	2400	
3.0	0.2	1	2401	
3.0	0.2	1	2803	
3.0	0.2	1	2892	
3.0	0.2	1	2897	
3.0	0.2	1	2965	
3.0	0.2	1	3000	
3.0	0.2	1	3093	
3.0	0.2	1	4094	
3.0	0.2	1	4333	
3.0	0.2	1	4800	
3.0	0.2	1	4890	
3.0	0.2	1	5000	
3.0	0.2	1	5600	
3.0	0.2	1	11878	
3.0	0.2	1	13000	
3.0	0.2	1	16785	
3.0	0.2	1	21383	
3.0	0.2	1	30047	
3.0	0.2	1	53949	
3.0	0.2	1	66448	
	1.7	8	-5	-5. NO INTERVIEW
	91.5	440	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 568-573

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7152                    B22D U $FR:OTH SORCE3:Y/N?                    │
└─────────────────────────────────────────────────────────────────────┘
```

Did your unit receive any money directly from any of the
following sources? Any other source?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 58.1    3.7   18      0  0. No
 41.9    2.7   13      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        91.5  440     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 574-575

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7153                    B22D OTH U $ SOURCE 3                         │
└─────────────────────────────────────────────────────────────────────┘
```

Any other source? SPECIFY

481 cases (Range of valid codes: 81-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 576-578

```
+---------------------------------------------------------------------+
| V7154                    B23D OTH SOURCE3 $AMT                       |
+---------------------------------------------------------------------+
```

How much money did your unit receive from (SOURCE(S) in total?)

```
    PCT    PCT    N   VALUE  LABEL
  VALID    ALL
    8.3    0.2    1      19
    8.3    0.2    1      22
    8.3    0.2    1      50
    8.3    0.2    1     881
    8.3    0.2    1     963
    8.3    0.2    1    1135
    8.3    0.2    1    1755
    8.3    0.2    1    2226
    8.3    0.2    1    3000
    8.3    0.2    1    6500
    8.3    0.2    1    6597
    8.3    0.2    1   12697
           1.7    8      -5   -5. NO INTERVIEW
           0.2    1      -2   -2. DONT KNOW
          95.6  460      -1   -1. SKIPPED QUESTION
   -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 579-584

```
+---------------------------------------------------------------------+
| V7155                    B22E U $FR:OTH SORCE4:Y/N?                  |
+---------------------------------------------------------------------+
```

Did your unit receive any money directly from any of the following sources? Any other source?

```
    PCT    PCT    N   VALUE  LABEL
  VALID    ALL
   83.3    2.1   10       0   0. No
   16.7    0.4    2       1   1. Yes
           1.7    8      -5   -5. NO INTERVIEW
           0.2    1      -3   -3. REFUSED/NA
          95.6  460      -1   -1. SKIPPED QUESTION
   -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 585-586

V7156   **B22E OTH U $ SOURCE 4**

Any other source? SPECIFY

481 cases (Range of valid codes: 81-82)

Data type: numeric
Missing-data codes: -5--1
Columns: 587-589

V7157   **B23E OTH SOURCE4 $AMT**

How much money did your unit receive from (SOURCE(S) in
total?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  50.0    0.2   1    896
  50.0    0.2   1    990
          1.7   8    -5  -5. NO INTERVIEW
         97.9  471   -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 590-593

V7158   **B22F U $FR:OTH SORCE5:Y/N?**

Did your unit receive any money directly from any of the
following sources? Any other source?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 100.0    0.4   2     0  0. No
   0.0    0.0   0     1  1. Yes
          1.7   8    -5  -5. NO INTERVIEW
         97.9  471   -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 594-595

V7159   **B22F OTH U $ SOURCE 5**

Any other source? SPECIFY

481 cases (Range of valid codes: nan--2,147,483,648)

Data type: numeric
Missing-data codes: -5--1
Columns: 596-597

V7160   **B23F OTH SOURCE5 $AMT**

How much money did your unit receive from (SOURCE(S) in total?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
         1.7    8      -5  -5. NO INTERVIEW
        98.3  473      -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 598-599

V7161   **B24 INKINDPARENT SUPT:Y/N?**

Did your unit receive monetary or in-kind support from a parent organization during the most recent complete fiscal year?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 76.2   72.6  349       0   0. No
 23.8   22.7  109       1   1. Yes
         1.7    8      -5  -5. NO INTERVIEW
         3.1   15      -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 600-601

V7162   **B24A $AMT PARENT SUPT**

What was the total dollar value of this support?

481 cases (Range of valid codes: 600-1,000,000)

Data type: numeric
Missing-data codes: -5--1
Columns: 602-609

V7163   **B25 U PROV OTH SERVS?**

INTERVIEWER CHECKPOINT

PCT VALID	PCT ALL	N	VALUE	LABEL
50.3	49.5	238	0	0. NO B2
49.7	48.9	235	1	1. YES B2
	1.7	8	-5	-5. NO INTERVIEW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 610-611

V7164   **B26 CAN R SEP OSAT#S:Y/N?**

For the next questions about public and private insurance
coverage, do you think you can give us reasonably accurate
figures for just the outpatient substance abuse treatment
clients your unit serves?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.1	9.1	44	0	0. No
80.9	38.7	186	1	1. Yes
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	49.5	238	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 612-613

V7165   **B27 %TOT CL PR,PU ASS**

What percent of your unit's clients were covered for treatment
by either private insurance or public programs?

```
   PCT    PCT    N   VALUE  LABEL
  VALID   ALL
   8.6    0.6    3       0
   2.9    0.2    1       2
   5.7    0.4    2       3
   8.6    0.6    3       5
   2.9    0.2    1       6
   5.7    0.4    2      10
   2.9    0.2    1      15
   2.9    0.2    1      20
   2.9    0.2    1      25
   2.9    0.2    1      43
   2.9    0.2    1      45
   2.9    0.2    1      50
   5.7    0.4    2      60
   2.9    0.2    1      70
   5.7    0.4    2      80
   2.9    0.2    1      84
   8.6    0.6    3      90
   5.7    0.4    2      95
  17.1    1.2    6     100
          1.7    8      -5  -5. NO INTERVIEW
          1.9    9      -3  -3. REFUSED/NA
          1.0    5      -2  -2. DONT KNOW
         88.1  424      -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 614-617

V7166	B28 %TOT CL W PRI INS

What percent of your unit's clients were covered through private insurance?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  6.2    0.4    2     0
  6.2    0.4    2     1
  6.2    0.4    2     2
  6.2    0.4    2     3
  3.1    0.2    1     4
  9.4    0.6    3     5
  3.1    0.2    1    10
  6.2    0.4    2    15
  6.2    0.4    2    20
  6.2    0.4    2    25
  3.1    0.2    1    28
  3.1    0.2    1    39
  3.1    0.2    1    40
  9.4    0.6    3    50
  6.2    0.4    2    65
  3.1    0.2    1    80
  9.4    0.6    3    90
  3.1    0.2    1    98
         1.7    8    -5   -5. NO INTERVIEW
         1.7    8    -3   -3. REFUSED/NA
         1.2    6    -2   -2. DONT KNOW
        88.8  427    -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 618-620

V7167   **B28A%TOT PR INS@75%PD**

Of the clients who were privately insured, what percentage of
them had coverage that paid for most of the cost of treatment,
that is at least 75% or more of the total costof treatment?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 10.0     0.6    3      0
  3.3     0.2    1      1
  3.3     0.2    1      3
  3.3     0.2    1      5
 10.0     0.6    3     10
  3.3     0.2    1     20
 13.3     0.8    4     25
  3.3     0.2    1     50
 10.0     0.6    3     60
  3.3     0.2    1     75
 13.3     0.8    4     80
  3.3     0.2    1     85
  3.3     0.2    1     95
  3.3     0.2    1     98
  3.3     0.2    1     99
 10.0     0.6    3    100
          1.7    8     -5  -5. NO INTERVIEW
          1.5    7     -3  -3. REFUSED/NA
          1.5    7     -2  -2. DONT KNOW
         89.2  429     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 621-624

V7168	B28B %TOT PRINS<=50%P

(Of the clients who were privately insured,) what percentage
had coverage that paid for only 50% or less (of the total cost
of treatment)?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  4.2    0.2    1     0
  4.2    0.2    1     1
  4.2    0.2    1     2
  4.2    0.2    1    10
 12.5    0.6    3    15
  8.3    0.4    2    20
  4.2    0.2    1    30
  8.3    0.4    2    40
 16.7    0.8    4    50
  4.2    0.2    1    70
  8.3    0.4    2    75
  4.2    0.2    1    90
  4.2    0.2    1    99
 12.5    0.6    3   100
         1.7    8    -5  -5. NO INTERVIEW
         1.7    8    -3  -3. REFUSED/NA
         1.9    9    -2  -2. DONT KNOW
        89.8  432    -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 625-628

V7169	B29 %TOT CL W PUB ASS

What percent of your unit's clients were covered through
public insurance or assistance programs?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.5	3.1	15	0	
5.4	0.4	2	3	
13.5	1.0	5	5	
2.7	0.2	1	10	
2.7	0.2	1	15	
2.7	0.2	1	20	
2.7	0.2	1	25	
2.7	0.2	1	34	
2.7	0.2	1	35	
2.7	0.2	1	40	
2.7	0.2	1	41	
2.7	0.2	1	60	
2.7	0.2	1	75	
5.4	0.4	2	80	
2.7	0.2	1	85	
2.7	0.2	1	90	
2.7	0.2	1	100	
	1.7	8	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	88.8	427	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 629-632

V7170   **B29A %TOT PU ASS@75%P**

Of the clients who were publicly covered, what percentage of
them had coverage that paid for most of the cost of treatment,
that is at least 75% or more of the total cost of treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
18.2	0.8	4	0	
4.5	0.2	1	9	
4.5	0.2	1	10	
4.5	0.2	1	15	
4.5	0.2	1	20	
4.5	0.2	1	36	
4.5	0.2	1	65	
13.6	0.6	3	80	
9.1	0.4	2	90	
4.5	0.2	1	95	
4.5	0.2	1	99	
22.7	1.0	5	100	
	1.7	8	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	91.9	442	-1	-1. SKIPPED QUESTION

```
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 633-636

V7171   **B29B %TOT PUASS<=50%P**

(Of the clients who were publicly covered,) what percentage
had coverage that paid for only 50% or less (of the total cost
of treatment)?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.0	0.6	3	0	
6.7	0.2	1	1	
6.7	0.2	1	3	
6.7	0.2	1	5	
13.3	0.4	2	20	
6.7	0.2	1	30	
6.7	0.2	1	35	
6.7	0.2	1	40	
6.7	0.2	1	64	
6.7	0.2	1	75	
13.3	0.4	2	100	
	1.7	8	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	0.8	4	-2	-2. DONT KNOW
	92.9	447	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 637-640

V7172   **B30 %TOTCL HMO,PPO FY**

In the most recent complete fiscal year, what percent of your
unit's clients were members of a Health Maintenance
Organization or a Preferred Provider Organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.1	3.7	18	0	
10.3	0.6	3	1	
13.8	0.8	4	10	
6.9	0.4	2	15	
3.4	0.2	1	20	
3.4	0.2	1	25	
	1.7	8	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	1.9	9	-2	-2. DONT KNOW
	88.8	427	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 641-643

V7173   **B31 %TOTCL PAYAUTH FY**

(In the most recent complete fiscal year,) for what percent of
your unit's clients did a payment source require prior
authorization before treatment began?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.4	2.3	11	0	
6.2	0.4	2	1	
3.1	0.2	1	2	
6.2	0.4	2	3	
9.4	0.6	3	5	
9.4	0.6	3	10	
3.1	0.2	1	20	
3.1	0.2	1	40	
9.4	0.6	3	50	
3.1	0.2	1	70	
3.1	0.2	1	75	
3.1	0.2	1	90	
6.2	0.4	2	100	
	1.7	8	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	1.5	7	-2	-2. DONT KNOW
	88.8	427	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 644-647

V7174	B32 %TOTCL CONCREV FY

(In the most recent complete fiscal year,) for what percent of
your unit's clients did a payment source require some form of
concurrent review during treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
44.1	3.1	15	0	
2.9	0.2	1	2	
8.8	0.6	3	5	
2.9	0.2	1	6	
8.8	0.6	3	10	
2.9	0.2	1	15	
2.9	0.2	1	20	
8.8	0.6	3	50	
2.9	0.2	1	55	
2.9	0.2	1	75	
2.9	0.2	1	79	
2.9	0.2	1	90	
5.9	0.4	2	100	
	1.7	8	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA
	0.6	3	-2	-2. DONT KNOW
	88.8	427	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 648-651

V7175	B33 %TOTCL CANTPAY FY

In the most recent complete fiscal year, what percent of your
unit's clients were unable to pay anything for the care they
received?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.5	1.7	8	0	
2.6	0.2	1	1	
5.1	0.4	2	2	
2.6	0.2	1	3	
2.6	0.2	1	4	
15.4	1.2	6	5	
12.8	1.0	5	10	
2.6	0.2	1	15	
5.1	0.4	2	20	
2.6	0.2	1	23	
5.1	0.4	2	25	
5.1	0.4	2	30	
2.6	0.2	1	40	
2.6	0.2	1	50	
5.1	0.4	2	60	
2.6	0.2	1	80	
2.6	0.2	1	90	
2.6	0.2	1	100	
	1.7	8	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	88.1	424	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 652-655

V7176	B34 %TOTCL PAYLESS FY

(In the most recent complete fiscal year,) what percent paid a
reduced fee, that is, a fee lower than the maximum charge?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.6	1.2	6	0	
2.4	0.2	1	1	
2.4	0.2	1	3	
2.4	0.2	1	5	
9.8	0.8	4	10	
2.4	0.2	1	15	
2.4	0.2	1	18	
7.3	0.6	3	20	
2.4	0.2	1	35	
2.4	0.2	1	40	
4.9	0.4	2	50	
2.4	0.2	1	55	
4.9	0.4	2	60	
2.4	0.2	1	70	
4.9	0.4	2	75	
2.4	0.2	1	80	
2.4	0.2	1	85	
2.4	0.2	1	89	
4.9	0.4	2	90	
2.4	0.2	1	94	
9.8	0.8	4	95	
2.4	0.2	1	98	
4.9	0.4	2	100	
	1.7	8	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	88.1	424	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 656-659

V7177   **B35 %TOTCL TURNAWY FY**

(In the most recent complete fiscal year,) what percent of
people seeking treatment at your unit were turned away because
they were unable to pay?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 94.7    7.5   36     0
  2.6    0.2    1     4
  2.6    0.2    1    10
         1.7    8    -5  -5. NO INTERVIEW
         1.7    8    -3  -3. REFUSED/NA
         0.6    3    -2  -2. DONT KNOW
        88.1  424    -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 660-662

V7178   **B36 %OSAT W PR,PU ASS**

For your unit's most recent complete fiscal year... What percent
of your unit's outpatient substance abuse clients were covered
for substance abuse treatment by either private insurance or
public programs?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 663-666

V7179   **B37 %OSAT CL W PR INS**

For your unit's most recent complete fiscal year... What percent
of your unit's outpatient substance abuse clients were covered
through private insurance?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 667-670

V7180	B37A %OSAT PRINS@75%P

Of the (outpatient substance abuse) clients who were privately
insured, what percentage of them had coverage that paid for
most of the cost of treatment, that is at least 75% or more of
the total cost of treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.8	9.6	46	0	
5.5	3.3	16	1	
2.4	1.5	7	2	
1.0	0.6	3	3	
0.3	0.2	1	4	
3.8	2.3	11	5	
0.7	0.4	2	8	
6.5	4.0	19	10	
1.4	0.8	4	15	
0.3	0.2	1	17	
0.7	0.4	2	18	
1.4	0.8	4	20	
4.1	2.5	12	25	
0.3	0.2	1	29	
1.0	0.6	3	30	
1.0	0.6	3	33	
0.7	0.4	2	40	
0.3	0.2	1	45	
9.6	5.8	28	50	
2.4	1.5	7	60	
0.3	0.2	1	63	
0.3	0.2	1	64	
1.0	0.6	3	65	
0.3	0.2	1	67	
1.4	0.8	4	70	
0.3	0.2	1	71	
3.1	1.9	9	75	
5.8	3.5	17	80	
1.4	0.8	4	85	
5.8	3.5	17	90	
1.0	0.6	3	95	
0.3	0.2	1	98	
0.3	0.2	1	99	

```
V7180 (CONT.)                  B37A %OSAT PRINS@75%P
```

```
   PCT     PCT    N   VALUE   LABEL
  VALID    ALL
  18.9    11.4   55    100
          1.7    8     -5   -5. NO INTERVIEW
          1.7    8     -3   -3. REFUSED/NA
          1.7    8     -2   -2. DONT KNOW
         34.5  166     -1   -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 671-674
```

V7181	B37B %OSAT PRINS<=50%

(Of the outpatient substance abuse clients who were privately insured,) what percentage had coverage that paid for only 50% or less (of the total cost of treatment)?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.2	4.0	19	0	
3.0	1.5	7	1	
2.1	1.0	5	2	
0.9	0.4	2	3	
0.4	0.2	1	4	
4.3	2.1	10	5	
0.4	0.2	1	8	
11.2	5.4	26	10	
0.4	0.2	1	11	
2.1	1.0	5	15	
0.4	0.2	1	18	
6.0	2.9	14	20	
4.7	2.3	11	25	
0.4	0.2	1	29	
3.0	1.5	7	30	
0.4	0.2	1	33	
0.9	0.4	2	35	
0.4	0.2	1	36	
0.4	0.2	1	37	
2.6	1.2	6	40	
13.3	6.4	31	50	
0.4	0.2	1	55	
1.7	0.8	4	60	
0.9	0.4	2	66	
0.9	0.4	2	67	
1.3	0.6	3	70	
0.4	0.2	1	71	
3.4	1.7	8	75	
2.1	1.0	5	80	
0.9	0.4	2	82	
0.4	0.2	1	85	
4.7	2.3	11	90	
2.1	1.0	5	95	
0.4	0.2	1	98	
1.3	0.6	3	99	
13.3	6.4	31	100	
	1.7	8	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7181 (CONT.)                     B37B %OSAT PRINS<=50%               │
└─────────────────────────────────────────────────────────────────────┘
```

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
          2.5   12     -2  -2. DONT KNOW
         45.5  219     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 675-678

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7182                  B38 %OSAT CL W PU ASS                          │
└─────────────────────────────────────────────────────────────────────┘
```

For your unit's most recent complete fiscal year... What percent
of your unit's outpatient substance abuse clients were covered
through public insurance or assistance programs?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 679-682

V7183   **B38A %OSAT PUASS@75%P**

Of the (outpatient substance abuse) clients who were publicly
covered, what percentage had coverage that paid for most of
the cost of treatment, that is at least 75% or more of the
total cost of treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.1	13.3	64	0	
1.9	1.0	5	1	
0.4	0.2	1	2	
0.4	0.2	1	3	
1.1	0.6	3	5	
1.9	1.0	5	10	
0.4	0.2	1	20	
2.3	1.2	6	25	
1.1	0.6	3	30	
0.8	0.4	2	40	
0.4	0.2	1	41	
0.4	0.2	1	43	
2.6	1.5	7	50	
0.4	0.2	1	51	
0.4	0.2	1	54	
0.4	0.2	1	55	
0.4	0.2	1	57	
1.5	0.8	4	60	
0.8	0.4	2	65	
0.4	0.2	1	66	
1.1	0.6	3	70	
0.4	0.2	1	71	
3.0	1.7	8	75	
0.4	0.2	1	78	
0.4	0.2	1	79	
3.0	1.7	8	80	
0.8	0.4	2	85	
0.4	0.2	1	87	
3.4	1.9	9	90	
0.8	0.4	2	95	
1.1	0.6	3	98	
0.4	0.2	1	99	
43.2	23.9	115	100	
	1.7	8	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	1.2	6	-2	-2. DONT KNOW
	39.3	189	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 683-686

V7184	B38B %OSAT PUASS<=50%

(Of the outpatient substance abuse clients who were publicly covered), what percentage had coverage that paid for only 50% or less (of the total cost of treatment)?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.8	6.4	31	0	
2.0	0.6	3	1	
4.0	1.2	6	2	
0.7	0.2	1	3	
0.7	0.2	1	4	
3.4	1.0	5	5	
0.7	0.2	1	7	
4.7	1.5	7	10	
0.7	0.2	1	13	
3.4	1.0	5	20	
0.7	0.2	1	22	
5.4	1.7	8	25	
2.0	0.6	3	30	
1.3	0.4	2	33	
0.7	0.2	1	34	
5.4	1.7	8	40	
0.7	0.2	1	41	
0.7	0.2	1	43	
0.7	0.2	1	49	
2.7	0.8	4	50	
1.3	0.4	2	60	
1.3	0.4	2	70	
2.0	0.6	3	75	
2.0	0.6	3	80	
2.7	0.8	4	90	
1.3	0.4	2	95	
28.2	8.7	42	100	
	1.7	8	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	1.7	8	-2	-2. DONT KNOW
	63.4	305	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 687-690

V7185	B39 %OSAT HMO,PPO FYR

In the most recent complete fiscal year, what percent of your
unit's outpatient substance abuse clients were members of a
Health Maintenance Organization or a Preferred Provider
Organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
45.0	29.7	143	0	
12.9	8.5	41	1	
4.7	3.1	15	2	
2.8	1.9	9	3	
1.9	1.2	6	4	
11.3	7.5	36	5	
0.6	0.4	2	7	
0.3	0.2	1	8	
0.3	0.2	1	9	
6.9	4.6	22	10	
0.6	0.4	2	12	
0.3	0.2	1	13	
1.9	1.2	6	15	
1.3	0.8	4	20	
2.5	1.7	8	25	
1.6	1.0	5	30	
0.3	0.2	1	35	
1.3	0.8	4	40	
0.3	0.2	1	44	
0.6	0.4	2	45	
0.6	0.4	2	50	
0.6	0.4	2	55	
0.6	0.4	2	60	
0.3	0.2	1	85	
0.3	0.2	1	100	
	1.7	8	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA
	4.8	23	-2	-2. DONT KNOW
	25.6	123	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 691-694

V7186	B40 %OSAT PAY AUTH FY

(In the most recent complete fiscal year,) for what percent of
your unit's outpatient substance abuse clients did a payment
source require prior authorization before treatment began?

PCT VALID	PCT ALL	N	VALUE	LABEL
36.6	25.8	124	0	
11.2	7.9	38	1	
3.5	2.5	12	2	
1.5	1.0	5	3	
0.3	0.2	1	4	
6.5	4.6	22	5	
0.6	0.4	2	6	
0.9	0.6	3	7	
1.2	0.8	4	8	
8.3	5.8	28	10	
0.3	0.2	1	13	
1.8	1.2	6	15	
1.5	1.0	5	20	
1.2	0.8	4	25	
1.2	0.8	4	30	
0.3	0.2	1	32	
0.3	0.2	1	33	
0.3	0.2	1	34	
0.3	0.2	1	35	
0.3	0.2	1	36	
0.3	0.2	1	37	
2.7	1.9	9	40	
0.3	0.2	1	42	
0.9	0.6	3	45	
2.4	1.7	8	50	
0.3	0.2	1	54	
0.9	0.6	3	60	
0.6	0.4	2	65	
0.6	0.4	2	70	
2.4	1.7	8	75	
0.3	0.2	1	78	
1.5	1.0	5	80	
0.3	0.2	1	81	
0.9	0.6	3	90	
0.3	0.2	1	95	
0.3	0.2	1	99	

V7186 (CONT.)   **B40 %OSAT PAY AUTH FY**

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  7.4    5.2   25    100
         1.7    8     -5  -5. NO INTERVIEW
         1.7    8     -3  -3. REFUSED/NA
         1.2    6     -2  -2. DONT KNOW
        24.9  120     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 695-698
```

```
V7187                    B41 %OSAT CONC REV FY
```

(In the most recent complete fiscal year,) for what percent of
your unit's outpatient substance abuse clients did a payment
source require some form of concurrent review during
treatment?

```
  PCT     PCT    N   VALUE  LABEL
 VALID    ALL
 36.7    25.6   123      0
  6.6     4.6    22      1
  3.9     2.7    13      2
  2.7     1.9     9      3
  0.6     0.4     2      4
  7.2     5.0    24      5
  0.3     0.2     1      6
  0.3     0.2     1      7
  0.3     0.2     1      8
  0.3     0.2     1      9
  7.8     5.4    26     10
  0.3     0.2     1     12
  0.3     0.2     1     14
  2.4     1.7     8     15
  0.3     0.2     1     18
  2.4     1.7     8     20
  2.1     1.5     7     25
  1.2     0.8     4     30
  0.3     0.2     1     35
  0.3     0.2     1     37
  1.5     1.0     5     40
  0.3     0.2     1     45
  5.1     3.5    17     50
  1.5     1.0     5     60
  1.5     1.0     5     70
  0.6     0.4     2     75
  0.3     0.2     1     80
  0.6     0.4     2     85
  0.3     0.2     1     87
  0.9     0.6     3     90
  0.3     0.2     1     95
  0.3     0.2     1     99
 10.7     7.5    36    100
          1.7     8     -5   -5. NO INTERVIEW
          1.9     9     -3   -3. REFUSED/NA
          2.1    10     -2   -2. DONT KNOW
         24.7   119     -1   -1. SKIPPED QUESTION
 -----   -----   ---
100.0   100.0   481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 699-702
```

V7188	B42 %OSAT CANT PAY FY

In the most recent complete fiscal year, what percent of your
unit's outpatient substance abuse clients were unable to pay
anything for the care they received?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.5	8.3	40	0	
6.6	3.1	15	1	
3.9	1.9	9	2	
3.1	1.5	7	3	
1.8	0.8	4	4	
9.6	4.6	22	5	
0.4	0.2	1	6	
0.9	0.4	2	7	
1.3	0.6	3	8	
8.8	4.2	20	10	
0.4	0.2	1	11	
0.9	0.4	2	14	
2.2	1.0	5	15	
6.6	3.1	15	20	
3.5	1.7	8	25	
0.9	0.4	2	27	
4.4	2.1	10	30	
0.4	0.2	1	33	
0.4	0.2	1	34	
1.3	0.6	3	35	
0.9	0.4	2	40	
1.3	0.6	3	45	
7.9	3.7	18	50	
2.2	1.0	5	60	
0.4	0.2	1	63	
0.9	0.4	2	65	
0.9	0.4	2	70	
1.3	0.6	3	75	
0.4	0.2	1	77	
1.8	0.8	4	80	
0.4	0.2	1	85	
0.4	0.2	1	87	
1.8	0.8	4	90	
1.3	0.6	3	95	
0.4	0.2	1	97	
0.9	0.4	2	99	
1.8	0.8	4	100	
	1.7	8	-5	-5. NO INTERVIEW

```
V7188 (CONT.)                B42 %OSAT CANT PAY FY
```

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
          1.5    7     -3  -3. REFUSED/NA
          0.6    3     -2  -2. DONT KNOW
         48.9  235     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 703-706
```

V7189	B43 %OSAT PAY LESS FY

(In the most recent complete fiscal year,) what percent paid a
reduced fee, that is, a fee lower than the maximum charge?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.4	8.1	39	0	
3.6	1.7	8	1	
1.8	0.8	4	2	
0.9	0.4	2	3	
0.9	0.4	2	4	
2.7	1.2	6	5	
7.1	3.3	16	10	
0.4	0.2	1	12	
2.7	1.2	6	15	
5.4	2.5	12	20	
3.6	1.7	8	25	
0.4	0.2	1	26	
2.2	1.0	5	30	
0.4	0.2	1	33	
2.7	1.2	6	35	
3.6	1.7	8	40	
0.4	0.2	1	44	
0.4	0.2	1	45	
0.4	0.2	1	46	
0.4	0.2	1	49	
3.1	1.5	7	50	
0.4	0.2	1	56	
0.9	0.4	2	58	
2.7	1.2	6	60	
0.9	0.4	2	65	
0.4	0.2	1	68	
3.6	1.7	8	70	
2.7	1.2	6	75	
0.4	0.2	1	77	
0.4	0.2	1	79	
3.6	1.7	8	80	
1.3	0.6	3	85	
3.1	1.5	7	90	
0.4	0.2	1	92	
0.4	0.2	1	93	
0.4	0.2	1	94	
4.5	2.1	10	95	
0.4	0.2	1	96	
0.4	0.2	1	97	
1.8	0.8	4	98	
1.8	0.8	4	99	

V7189 (CONT.)   **B43 %OSAT PAY LESS FY**

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   8.5    4.0   19    100
          1.7    8     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
          0.8    4     -2  -2. DONT KNOW
         48.9  235     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 707-710

V7190   **B44 %OSAT TURNAWAY FY**

(In the most recent complete fiscal year), what percent of
people seeking outpatient substance abuse treatment at your
unit were turned away because they were unable to pay?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  86.3   40.5  195     0
   2.7    1.2    6     1
   2.7    1.2    6     2
   0.4    0.2    1     3
   0.4    0.2    1     4
   2.7    1.2    6     5
   3.5    1.7    8    10
   0.4    0.2    1    40
   0.4    0.2    1    63
   0.4    0.2    1    75
          1.7    8     -5  -5. NO INTERVIEW
          1.9    9     -3  -3. REFUSED/NA
          0.6    3     -2  -2. DONT KNOW
         48.9  235     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 711-713

V7191   **B45 U RENT OR OWN?**

Does your unit rent or own its facility?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 63.2   61.3  295       1  1. RENT
 27.6   26.8  129       2  2. OWN
  9.2    8.9   43       3  3. NEITHER
  0.0    0.0    0       4  4. BOTH 1 & 2
         1.7    8      -5  -5. NO INTERVIEW
         1.2    6      -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 714-715

V7192   **B45A TOT RENT XPNS FY**

What was the total rental expense for your unit for the most
recent complete fiscal year?

481 cases (Range of valid codes: 1-450,000)

Data type: numeric
Missing-data codes: -5--1
Columns: 716-722

V7193   **B46 U SIZE IN SQ FEET**

What is the physical size of your treatment unit in square
feet?

481 cases (Range of valid codes: 30-140,000)

Data type: numeric
Missing-data codes: -5--1
Columns: 723-729

V7194   **B47 U HAS FIN REPORT:Y/N?**

We have found it useful to read financial statements of
organizations. Does your treatment unit have financial
statements?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 18.7   18.3   88      0  0. No
 81.3   79.4  382      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 730-731

V7195   **B47A U SEND FIN REPT:Y/N?**

We would like to receive a copy of these financial statements
for the most recent complete fiscal year. Would you be
willing to send a copy of them to us if we send a written
request and postage-paid envelope for you to use?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 15.6   11.6   56      0  0. No
 84.4   63.0  303      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         3.3   16     -2  -2. DONT KNOW
        18.9   91     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 732-733

V7196   **B48 TOT STAFF HRS/WK**

During a typical week, what is the total number of hours that
your staff, including consultants, independent contractors and
administrative staff, work at all activities for your
outpatient unit?

481 cases (Range of valid codes: 8-8000)

Data type: numeric
Missing-data codes: -5--1
Columns: 734-738

V7197   **B48A OSAT STAF HRS/WK**

Adding together the hours all of these staff members devote
just to outpatient substance abuse treatment each week, what
is the total number of staff treatment hours provided by your
outpatient unit in a typical week?

481 cases (Range of valid codes: 3-6,000)

Data type: numeric
Missing-data codes: -5--1
Columns: 739-743

V7198   **B49 U VOLUNTEER SUPT:Y/N?**

Did your unit receive support services from volunteers during
the most recent complete fiscal year?

```
   PCT     PCT    N  VALUE  LABEL
 VALID    ALL
  62.3   61.1  294      0  0. No
  37.7   37.0  178      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 744-745

V7199   **B49A TOT VOLUNTER HRS**

How many hours of volunteer support did your unit receive
(during the most recent fiscal year)?

481 cases (Range of valid codes: 0-9,995)

Data type: numeric
Missing-data codes: -5--1
Columns: 746-750

V7200   **B50A TOT#OP CL MRCFYR**

Altogether, how many clients received outpatient services of
any kind, including counseling, substance abuse services,
therapy, and dispensing methadone at your unit in the most
recent complete fiscal year?

481 cases (Range of valid codes: 21-9995)

Data type: numeric
Missing-data codes: -5--1
Columns: 751-755

V7201   **B50B TOT#OSAT CL MRFY**

Altogether, how many clients received outpatient substance
abuse treatment services at your unit in the most recent
complete fiscal year?

481 cases (Range of valid codes: 10-9995)

Data type: numeric
Missing-data codes: -5--1
Columns: 756-760

V7202   **B51 #OSAT CL PER WEEK**

In a typical week, how many outpatient substance abuse clients
are treated at your unit?

481 cases (Range of valid codes: 2-4,000)

Data type: numeric
Missing-data codes: -5--1
Columns: 761-765

V7203   **B52 U PROV INDIV THER:Y/N?**

Does your unit provide outpatient individual therapy for
substance abuse clients?

```
   PCT     PCT    N  VALUE  LABEL
 VALID    ALL
   1.7    1.7     8      0  0. No
  98.3   96.7   465      1  1. Yes
          1.7     8     -5  -5. NO INTERVIEW
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 766-767

V7204   **B52A #IND THER SES/WK**

What is the total number of outpatient individual therapy
sessions your unit provides for substance abuse clients in a
typical week?

481 cases (Range of valid codes: 1-1,575)

Data type: numeric
Missing-data codes: -5--1
Columns: 768-772

V7205   **B52B #IND THER CL/WK**

For how many outpatient substance abuse clients does your unit provide individual therapy in a typical week?

481 cases (Range of valid codes: 1-3,150)

Data type: numeric
Missing-data codes: -5--1
Columns: 773-777

V7206	B52C #MIN/SESS IND TH

What is the typical length in minutes of an outpatient
individual therapy session at your unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	1	10	
0.4	0.4	2	15	
1.1	1.0	5	20	
0.9	0.8	4	25	
0.2	0.2	1	27	
8.6	8.3	40	30	
0.2	0.2	1	31	
0.2	0.2	1	33	
0.4	0.4	2	35	
0.6	0.6	3	37	
1.7	1.7	8	40	
10.2	9.8	47	45	
0.9	0.8	4	47	
24.8	23.9	115	50	
0.2	0.2	1	52	
1.9	1.9	9	53	
7.3	7.1	34	55	
37.1	35.8	172	60	
0.4	0.4	2	65	
0.2	0.2	1	70	
0.4	0.4	2	75	
0.2	0.2	1	80	
1.3	1.2	6	90	
0.2	0.2	1	120	
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	1.7	8	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 778-781

V7207   **B52D #IND TH HRS/WEEK**

What is the total number of hours of outpatient individual
therapy your unit provides (for substance abuse clients) in a
typical week?

481 cases (Range of valid codes: 1-1,575)

Data type: numeric
Missing-data codes: -5--1
Columns: 782-786

V7208   **B52E IND TH COST/SESS**

What is the typical charge (for an outpatient individual
therapy session at your unit)?

481 cases (Range of valid codes: 0-996)

Data type: numeric
Missing-data codes: -5--1
Columns: 787-790

V7209	B52FM1 %OITS:PSYCHIAT

1. Psychiatrists?

PCT VALID	PCT ALL	N	VALUE	LABEL
74.5	71.5	344	0	
5.8	5.6	27	1	
2.6	2.5	12	2	
1.3	1.2	6	3	
0.6	0.6	3	4	
6.1	5.8	28	5	
0.4	0.4	2	6	
0.4	0.4	2	7	
0.2	0.2	1	8	
4.1	4.0	19	10	
0.2	0.2	1	12	
0.4	0.4	2	13	
0.4	0.4	2	15	
0.2	0.2	1	16	
1.3	1.2	6	20	
0.2	0.2	1	40	
0.2	0.2	1	45	
0.2	0.2	1	60	
0.6	0.6	3	100	
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	1.7	8	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 791-794

```
V7210                    B52FM2 %OITS:PSYCHOLO
```

2. Ph.D. psychologists?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  77.2   74.0  356     0
   2.8    2.7   13     1
   1.7    1.7    8     2
   1.5    1.5    7     3
   5.9    5.6   27     5
   0.7    0.6    3     7
   0.2    0.2    1     8
   4.1    4.0   19    10
   0.4    0.4    2    12
   0.2    0.2    1    13
   0.2    0.2    1    14
   1.1    1.0    5    15
   0.2    0.2    1    19
   1.7    1.7    8    20
   1.3    1.2    6    25
   0.2    0.2    1    30
   0.2    0.2    1    50
   0.2    0.2    1    80
          1.7    8    -5  -5. NO INTERVIEW
          0.6    3    -3  -3. REFUSED/NA
          0.2    1    -2  -2. DONT KNOW
          1.7    8    -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 795-797

```
V7211                    B52FM3 %OITS:MA SW,PS
```

3. Masters in social work or psychology?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 798-801

V7212	B52FM4 OTH OPIT STAF1

Other (Specify):

PCT VALID	PCT ALL	N	VALUE	LABEL
0.8	0.6	3	1	1. MD
2.3	1.9	9	2	2. RN
0.5	0.4	2	3	3. LPN
1.0	0.8	4	7	7. OTHHCP
0.3	0.2	1	9	9. HCPUNSP
0.0	0.0	0	11	11. PHDSOCWK
0.8	0.6	3	17	17. PHD.OTH
0.0	0.0	0	19	19. PHD.UNSP
10.1	8.3	40	27	27. MA.ANY
2.8	2.3	11	29	29. MA.UNSP
7.6	6.2	30	31	31. BA.SWPS
7.8	6.4	31	37	37. BA.OTH
28.5	23.5	113	39	39. BA.UNSP
1.5	1.2	6	41	41. AA.ANY
15.9	13.1	63	51	51. CERTALDA
3.0	2.5	12	57	57. CERT.OTH
1.8	1.5	7	59	59. CERTUNSP
0.8	0.6	3	61	61. NODEGREE
11.4	9.4	45	81	81. ALSACOUN
0.0	0.0	0	82	82. ALSASENR
3.3	2.7	13	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	14.6	70	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 802-804

V7213	B52FM4 %SES OTH SITS1

Other (PERCENT)

481 cases (Range of valid codes: 1-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 805-808

```
┌─────────────────────────────────────────────────────────────────┐
│ V7214                   B52FM5 OTH OPIT STAF2                      │
└─────────────────────────────────────────────────────────────────┘
```

Other (Specify):

```
  PCT     PCT     N   VALUE   LABEL
 VALID    ALL
  4.1     1.2     6       1   1. MD
 15.8     4.8    23       2   2. RN
  2.1     0.6     3       3   3. LPN
  0.7     0.2     1       7   7. OTHHCP
  1.4     0.4     2       9   9. HCPUNSP
  0.0     0.0     0      11   11. PHDSOCWK
  0.0     0.0     0      17   17. PHD.OTH
  0.0     0.0     0      19   19. PHD.UNSP
  3.4     1.0     5      27   27. MA.ANY
  2.7     0.8     4      29   29. MA.UNSP
  9.6     2.9    14      31   31. BA.SWPS
  4.1     1.2     6      37   37. BA.OTH
 12.3     3.7    18      39   39. BA.UNSP
 12.3     3.7    18      41   41. AA.ANY
  9.6     2.9    14      51   51. CERTALDA
  2.7     0.8     4      57   57. CERT.OTH
  2.7     0.8     4      59   59. CERTUNSP
  6.2     1.9     9      61   61. NODEGREE
  5.5     1.7     8      81   81. ALSACOUN
  1.4     0.4     2      82   82. ALSASENR
  3.4     1.0     5      97   97. OTHER
          1.7     8      -5   -5. NO INTERVIEW
          1.0     5      -3   -3. REFUSED/NA
         66.9   322      -1   -1. SKIPPED QUESTION
 -----   -----   ---
100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 809-811

V7215	B52FM5 %SES OTH OITS2

Other (PERCENT)

PCT VALID	PCT ALL	N	VALUE	LABEL
2.1	0.6	3	1	
4.8	1.5	7	2	
6.2	1.9	9	5	
2.1	0.6	3	7	
1.4	0.4	2	8	
1.4	0.4	2	9	
13.1	4.0	19	10	
1.4	0.4	2	11	
0.7	0.2	1	12	
0.7	0.2	1	14	
6.9	2.1	10	15	
0.7	0.2	1	16	
0.7	0.2	1	19	
9.7	2.9	14	20	
0.7	0.2	1	24	
11.0	3.3	16	25	
0.7	0.2	1	27	
1.4	0.4	2	28	
0.7	0.2	1	29	
6.2	1.9	9	30	
1.4	0.4	2	33	
1.4	0.4	2	35	
2.1	0.6	3	37	
2.1	0.6	3	40	
0.7	0.2	1	42	
0.7	0.2	1	43	
0.7	0.2	1	44	
2.1	0.6	3	45	
0.7	0.2	1	46	
0.7	0.2	1	49	
4.1	1.2	6	50	
0.7	0.2	1	51	
0.7	0.2	1	52	
0.7	0.2	1	55	
0.7	0.2	1	60	
0.7	0.2	1	62	
1.4	0.4	2	70	
0.7	0.2	1	73	
1.4	0.4	2	75	
0.7	0.2	1	80	
0.7	0.2	1	87	
1.4	0.4	2	90	

```
V7215 (CONT.)                B52FM5 %SES OTH OITS2
```

```
    PCT     PCT    N  VALUE  LABEL
  VALID    ALL
   1.4     0.4    2    100
           1.7    8     -5  -5. NO INTERVIEW
           1.0    5     -3  -3. REFUSED/NA
           0.2    1     -2  -2. DONT KNOW
          66.9  322     -1  -1. SKIPPED QUESTION
  -----   ----- ---
  100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 812-815

V7216   **B52FM6 OTH OPIT STAF3**

Other (Specify):

```
  PCT     PCT    N   VALUE   LABEL
 VALID    ALL
  6.0     0.6    3      1   1. MD
 12.0     1.2    6      2   2. RN
  0.0     0.0    0      3   3. LPN
  0.0     0.0    0      7   7. OTHHCP
  2.0     0.2    1      9   9. HCPUNSP
  0.0     0.0    0     11   11. PHDSOCWK
  0.0     0.0    0     17   17. PHD.OTH
  0.0     0.0    0     19   19. PHD.UNSP
  4.0     0.4    2     27   27. MA.ANY
  2.0     0.2    1     29   29. MA.UNSP
  0.0     0.0    0     31   31. BA.SWPS
  8.0     0.8    4     37   37. BA.OTH
  4.0     0.4    2     39   39. BA.UNSP
 24.0     2.5   12     41   41. AA.ANY
 14.0     1.5    7     51   51. CERTALDA
  0.0     0.0    0     57   57. CERT.OTH
  2.0     0.2    1     59   59. CERTUNSP
 16.0     1.7    8     61   61. NODEGREE
  2.0     0.2    1     81   81. ALSACOUN
  0.0     0.0    0     82   82. ALSASENR
  4.0     0.4    2     97   97. OTHER
          1.7    8     -5   -5. NO INTERVIEW
          0.8    4     -3   -3. REFUSED/NA
         87.1  419     -1   -1. SKIPPED QUESTION
 -----   ----- ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 816-818

```
V7217                    B52FM6 %SES OTH OITS3
```

Other (PERCENT)

PCT VALID	PCT ALL	N	VALUE	LABEL
4.1	0.4	2	1	
4.1	0.4	2	2	
14.3	1.5	7	5	
6.1	0.6	3	8	
4.1	0.4	2	10	
4.1	0.4	2	11	
6.1	0.6	3	14	
6.1	0.6	3	15	
16.3	1.7	8	20	
2.0	0.2	1	22	
4.1	0.4	2	25	
2.0	0.2	1	28	
2.0	0.2	1	29	
6.1	0.6	3	30	
2.0	0.2	1	33	
2.0	0.2	1	40	
4.1	0.4	2	45	
4.1	0.4	2	55	
2.0	0.2	1	60	
4.1	0.4	2	70	
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	87.1	419	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 819-821

```
V7218                    B52G #OPIT SESS/CL/WK
```

How many individual therapy sessions do substance abuse
clients receiving outpatient individual therapy at your unit
typically attend per week?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  1.3    1.2    6   0.10
  0.4    0.4    2   0.20
  0.6    0.6    3   0.30
  4.5    4.4   21   0.50
  0.2    0.2    1   0.60
  1.3    1.2    6   0.70
 79.1   76.5  368   1.00
  2.4    2.3   11   1.50
  0.2    0.2    1   1.60
  5.2    5.0   24   2.00
  0.2    0.2    1   2.50
  0.4    0.4    2   3.00
  0.2    0.2    1   4.00
  0.4    0.4    2   5.00
  0.2    0.2    1   6.00
  0.2    0.2    1  20.00
  0.4    0.4    2  99.80
  2.6    2.5   12  99.89
         1.7    8  -5.00  -5. NO INTERVIEW
         1.7    8  -1.00  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Decimals: 2
Missing-data codes: -5.00--1.00
Columns: 822-827

```
V7219                    B52H #OPIT SESS/CL/TX
```

How many sessions of outpatient individual therapy does a
typical substance abuse client receive over the entire course
of treatment at your unit?

481 cases (Range of valid codes: 1-520)

Data type: numeric
Missing-data codes: -5--1
Columns: 828-831

V7220   **B53 U PROV GROUP THER:Y/N?**

Does your unit provide outpatient group therapy for substance
abuse clients?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  9.1    8.9   43      0  0. No
 90.9   89.2  429      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 832-833

V7221   **B53A #GP THER SESS/WK**

What is the total number of outpatient group therapy sessions
your unit provides for substance abuse clients in a typical
week?

481 cases (Range of valid codes: 1-253)

Data type: numeric
Missing-data codes: -5--1
Columns: 834-837

V7222   **B53B #GP THERPY CL/WK**

For how many separate outpatient substance abuse clients does
your unit provide group therapy in a typical week?

481 cases (Range of valid codes: 2-800)

Data type: numeric
Missing-data codes: -5--1
Columns: 838-841

V7223	B53C #MIN/SESS GP TH

What is the typical length in minutes of an outpatient group
therapy session at your unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.5	0.4	2	12	
0.2	0.2	1	17	
0.5	0.4	2	45	
1.6	1.5	7	50	
0.7	0.6	3	55	
17.3	15.4	74	60	
0.5	0.4	2	65	
0.5	0.4	2	67	
4.7	4.2	20	75	
0.5	0.4	2	80	
0.2	0.2	1	83	
45.6	40.5	195	90	
0.2	0.2	1	97	
0.9	0.8	4	100	
1.9	1.7	8	105	
0.5	0.4	2	110	
16.8	15.0	72	120	
0.2	0.2	1	121	
0.2	0.2	1	130	
0.5	0.4	2	135	
2.1	1.9	9	150	
0.2	0.2	1	160	
2.3	2.1	10	180	
0.2	0.2	1	210	
0.9	0.8	4	240	
0.2	0.2	1	300	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	9.1	44	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 842-845

V7224	B53D #GROUP TH HRS/WK

What is the total number of hours of outpatient group therapy
your unit provides (for substance abuse clients) in a typical
week?

481 cases (Range of valid codes: 1-737)

Data type: numeric
Missing-data codes: -5--1
Columns: 846-849

V7225	B53E GP TH $/CL/SESS

What is the typical charge for each client (for an outpatient
group therapy session at your unit)?

481 cases (Range of valid codes: 1-996)

Data type: numeric
Missing-data codes: -5--1
Columns: 850-853

V7226	B53F #CL/SESS GP THER

How many clients are involved in a typical outpatient group
therapy session (for substance abuse clients at your unit)?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	1	3	
1.6	1.5	7	4	
6.1	5.4	26	5	
10.6	9.4	45	6	
9.2	8.1	39	7	
16.0	14.1	68	8	
8.5	7.5	36	9	
20.2	17.9	86	10	
1.9	1.7	8	11	
8.5	7.5	36	12	
2.1	1.9	9	13	
0.5	0.4	2	14	
6.3	5.6	27	15	
0.2	0.2	1	16	
1.2	1.0	5	17	
0.9	0.8	4	18	
2.6	2.3	11	20	
0.2	0.2	1	22	
0.9	0.8	4	25	
0.2	0.2	1	27	
0.9	0.8	4	30	
0.2	0.2	1	35	
0.7	0.6	3	50	
0.2	0.2	1	59	
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	9.1	44	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 854-856

V7227	B53G #COUNSLRS/SES GT

How many counselors are typically involved in one outpatient
group therapy session (for substance abuse clients at your
unit)?

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	59.3	285	1	
31.9	28.3	136	2	
0.5	0.4	2	3	
0.2	0.2	1	4	
0.5	0.4	2	5	
0.2	0.2	1	9	
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	9.1	44	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 857-858

V7228   **B53HM1 %OGTS:PSYCHIAT**

---

1. Psychiatrists?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.1	84.6	407	0	
0.7	0.6	3	1	
0.9	0.8	4	2	
0.2	0.2	1	3	
0.7	0.6	3	5	
0.5	0.4	2	6	
0.2	0.2	1	8	
0.5	0.4	2	10	
0.2	0.2	1	20	
0.5	0.4	2	25	
0.2	0.2	1	30	
0.2	0.2	1	50	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-2	-2. DONT KNOW
	9.1	44	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 859-861

V7229 **B53HM2 %OGTS:PSYCHOLO**

---

2. Ph.D. psychologists?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  87.6   78.0   375      0
   0.7    0.6     3      1
   0.5    0.4     2      2
   1.2    1.0     5      3
   0.2    0.2     1      4
   1.9    1.7     8      5
   0.2    0.2     1      8
   3.5    3.1    15     10
   0.2    0.2     1     14
   0.5    0.4     2     15
   1.6    1.5     7     20
   0.2    0.2     1     25
   0.7    0.6     3     50
   0.5    0.4     2     60
   0.2    0.2     1     80
   0.2    0.2     1    100
          1.7     8     -5  -5. NO INTERVIEW
          0.2     1     -2  -2. DONT KNOW
          9.1    44     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 862-865

V7230	B53HM3 %OGTS:MA SW,PS

3. Masters in social work or psychology?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.8	22.0	106	0	
0.7	0.6	3	1	
0.9	0.8	4	2	
0.5	0.4	2	3	
0.2	0.2	1	4	
1.9	1.7	8	5	
0.2	0.2	1	7	
6.5	5.8	28	10	
0.7	0.6	3	12	
0.2	0.2	1	13	
0.2	0.2	1	14	
1.6	1.5	7	15	
0.2	0.2	1	16	
1.2	1.0	5	17	
6.1	5.4	26	20	
0.2	0.2	1	24	
2.6	2.3	11	25	
0.2	0.2	1	26	
3.3	2.9	14	30	
0.2	0.2	1	31	
1.6	1.5	7	33	
0.2	0.2	1	36	
3.5	3.1	15	40	
0.5	0.4	2	43	
0.2	0.2	1	45	
9.8	8.7	42	50	
0.2	0.2	1	53	
2.3	2.1	10	60	
0.2	0.2	1	61	
1.4	1.2	6	65	
0.2	0.2	1	66	
0.5	0.4	2	67	
1.4	1.2	6	70	
2.3	2.1	10	75	
3.5	3.1	15	80	
0.2	0.2	1	84	
1.4	1.2	6	85	
0.5	0.4	2	88	
2.8	2.5	12	90	
0.9	0.8	4	95	
0.2	0.2	1	96	
13.3	11.9	57	100	

```
┌────────────────────────────────────────────────────────────────────────────┐
│ V7230 (CONT.)                    B53HM3 %OGTS:MA SW,PS                        │
└────────────────────────────────────────────────────────────────────────────┘


      PCT     PCT    N  VALUE   LABEL
    VALID    ALL
             1.7     8     -5   -5. NO INTERVIEW
             0.2     1     -2   -2. DONT KNOW
             9.1    44     -1   -1. SKIPPED QUESTION
    -----   -----   ---
    100.0   100.0   481 cases


    Data type: numeric
    Missing-data codes: -5--1
    Columns: 866-869
```

```
┌────────────────────────────────────────────────────────────────────────────┐
│ V7231                            B53HM4 OTH OPGT STAF1                        │
└────────────────────────────────────────────────────────────────────────────┘


    Other (Specify):

      PCT     PCT    N  VALUE   LABEL
    VALID    ALL
     0.6     0.4     2      1   1. MD
     1.7     1.2     6      2   2. RN
     0.0     0.0     0      3   3. LPN
     0.8     0.6     3      7   7. OTHHCP
     0.3     0.2     1      9   9. HCPUNSP
     0.0     0.0     0     11   11. PHDSOCWK
     0.6     0.4     2     17   17. PHD.OTH
     0.0     0.0     0     19   19. PHD.UNSP
     7.5     5.6    27     27   27. MA.ANY
     5.8     4.4    21     29   29. MA.UNSP
     7.2     5.4    26     31   31. BA.SWPS
     6.1     4.6    22     37   37. BA.OTH
    30.1    22.5   108     39   39. BA.UNSP
     2.2     1.7     8     41   41. AA.ANY
    15.9    11.9    57     51   51. CERTALDA
     1.9     1.5     7     57   57. CERT.OTH
     2.5     1.9     9     59   59. CERTUNSP
     1.4     1.0     5     61   61. NODEGREE
    12.3     9.1    44     81   81. ALSACOUN
     0.0     0.0     0     82   82. ALSASENR
     3.1     2.3    11     97   97. OTHER
             1.7     8     -5   -5. NO INTERVIEW
             0.4     2     -3   -3. REFUSED/NA
            23.3   112     -1   -1. SKIPPED QUESTION
    -----   -----   ---
    100.0   100.0   481 cases


    Data type: numeric
    Missing-data codes: -5--1
    Columns: 870-872
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7232                    B53HM4 %SES OTH OGTS1                         │
└─────────────────────────────────────────────────────────────────────┘
```

Other (PERCENT)

481 cases (Range of valid codes: 1-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 873-876

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7233                    B53HM5 OTH OPGT STAF2                         │
└─────────────────────────────────────────────────────────────────────┘
```

Other (Specify):

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. MD
10.8	2.7	13	2	2. RN
0.8	0.2	1	3	3. LPN
0.0	0.0	0	7	7. OTHHCP
0.0	0.0	0	9	9. HCPUNSP
0.0	0.0	0	11	11. PHDSOCWK
0.8	0.2	1	17	17. PHD.OTH
0.0	0.0	0	19	19. PHD.UNSP
5.0	1.2	6	27	27. MA.ANY
0.8	0.2	1	29	29. MA.UNSP
5.8	1.5	7	31	31. BA.SWPS
7.5	1.9	9	37	37. BA.OTH
16.7	4.2	20	39	39. BA.UNSP
13.3	3.3	16	41	41. AA.ANY
12.5	3.1	15	51	51. CERTALDA
3.3	0.8	4	57	57. CERT.OTH
1.7	0.4	2	59	59. CERTUNSP
6.7	1.7	8	61	61. NODEGREE
6.7	1.7	8	81	81. ALSACOUN
1.7	0.4	2	82	82. ALSASENR
5.8	1.5	7	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	72.8	350	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0 100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 877-879

V7234	B53HM5 %SES OTH OGTS2

Other (PERCENT)

PCT VALID	PCT ALL	N	VALUE	LABEL
2.5	0.6	3	1	
1.7	0.4	2	2	
6.7	1.7	8	5	
0.8	0.2	1	6	
2.5	0.6	3	7	
0.8	0.2	1	8	
0.8	0.2	1	9	
9.2	2.3	11	10	
2.5	0.6	3	11	
0.8	0.2	1	12	
0.8	0.2	1	14	
5.9	1.5	7	15	
0.8	0.2	1	16	
11.8	2.9	14	20	
0.8	0.2	1	24	
9.2	2.3	11	25	
0.8	0.2	1	27	
0.8	0.2	1	29	
3.4	0.8	4	30	
2.5	0.6	3	33	
1.7	0.4	2	35	
0.8	0.2	1	38	
3.4	0.8	4	40	
1.7	0.4	2	42	
0.8	0.2	1	43	
0.8	0.2	1	44	
2.5	0.6	3	45	
0.8	0.2	1	46	
0.8	0.2	1	49	
6.7	1.7	8	50	
0.8	0.2	1	51	
0.8	0.2	1	54	
0.8	0.2	1	55	
1.7	0.4	2	60	
0.8	0.2	1	66	
1.7	0.4	2	70	
1.7	0.4	2	75	
2.5	0.6	3	80	
0.8	0.2	1	90	
2.5	0.6	3	100	
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7234                    B53HM5 %SES OTH OGTS2                        │
└─────────────────────────────────────────────────────────────────────┘
```

```
     PCT    PCT    N  VALUE  LABEL
    VALID   ALL
           72.8   350    -1  -1. SKIPPED QUESTION
    -----  -----  ---
    100.0  100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 880-883
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7235                    B53HM6 OTH OPGT STAF3                        │
└─────────────────────────────────────────────────────────────────────┘
```

Other (Specify):

```
     PCT    PCT    N  VALUE  LABEL
    VALID   ALL
     3.2    0.2    1     1   1. MD
     6.5    0.4    2     2   2. RN
     0.0    0.0    0     3   3. LPN
     0.0    0.0    0     7   7. OTHHCP
     0.0    0.0    0     9   9. HCPUNSP
     0.0    0.0    0    11   11. PHDSOCWK
     0.0    0.0    0    17   17. PHD.OTH
     0.0    0.0    0    19   19. PHD.UNSP
     3.2    0.2    1    27   27. MA.ANY
     0.0    0.0    0    29   29. MA.UNSP
     3.2    0.2    1    31   31. BA.SWPS
     3.2    0.2    1    37   37. BA.OTH
     6.5    0.4    2    39   39. BA.UNSP
    35.5    2.3   11    41   41. AA.ANY
    16.1    1.0    5    51   51. CERTALDA
     0.0    0.0    0    57   57. CERT.OTH
     0.0    0.0    0    59   59. CERTUNSP
    12.9    0.8    4    61   61. NODEGREE
     3.2    0.2    1    81   81. ALSACOUN
     0.0    0.0    0    82   82. ALSASENR
     6.5    0.4    2    97   97. OTHER
            1.7    8    -5   -5. NO INTERVIEW
            0.2    1    -3   -3. REFUSED/NA
           91.7  441    -1   -1. SKIPPED QUESTION
    -----  -----  ---
    100.0  100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 884-886
```

V7236	B53HM6 %SES OTH OGTS3

Other (PERCENT)

PCT VALID	PCT ALL	N	VALUE	LABEL
3.2	0.2	1	1	
3.2	0.2	1	2	
12.9	0.8	4	5	
3.2	0.2	1	6	
3.2	0.2	1	8	
9.7	0.6	3	10	
3.2	0.2	1	11	
6.5	0.4	2	14	
3.2	0.2	1	15	
6.5	0.4	2	17	
16.1	1.0	5	20	
6.5	0.4	2	25	
6.5	0.4	2	30	
6.5	0.4	2	33	
3.2	0.2	1	40	
3.2	0.2	1	55	
3.2	0.2	1	70	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	91.7	441	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 887-889

V7237	B53I #OPGT SESS/CL/WK

How many group sessions do substance abuse clients (receiving outpatient group therapy at your unit typically attend per week?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  0.2    0.2    1   0.10
  1.2    1.0    5   0.20
  0.9    0.8    4   0.30
  1.2    1.0    5   0.50
  0.2    0.2    1   0.70
  0.5    0.4    2   0.80
 61.1   54.5  262   1.00
  0.2    0.2    1   1.30
  1.9    1.7    8   1.50
 13.1   11.6   56   2.00
  1.2    1.0    5   2.50
  7.7    6.9   33   3.00
  0.2    0.2    1   3.50
  4.0    3.5   17   4.00
  1.6    1.5    7   5.00
  0.7    0.6    3   6.00
  0.5    0.4    2   7.00
  0.5    0.4    2  10.00
  0.9    0.8    4  12.00
  0.9    0.8    4  15.00
  0.2    0.2    1  19.40
  0.2    0.2    1  42.80
  0.9    0.8    4  99.89
         1.7    8  -5.00  -5. NO INTERVIEW
         9.1   44  -1.00  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Decimals: 2
Missing-data codes: -5.00--1.00
Columns: 890-895

V7238	B53J #OPGT SESS/CL/TX

How many sessions of outpatient group therapy does a typical
substance abuse client receive over the entire course of
treatment at your unit?

481 cases (Range of valid codes: 1-772)

Data type: numeric
Missing-data codes: -5--1
Columns: 896-899

V7239	B54 U PROV FAMILY TH:Y/N?

Does your unit provide outpatient family therapy for substance
abuse clients?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 21.6   21.2  102      0  0. No
 78.4   76.9  370      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 900-901

V7240   **B54A #FA THER SESS/WK**

What is the total number of outpatient family therapy sessions
your unit provides for substance abuse clients in a typical
week?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.5	15.0	72	1	
13.6	10.0	48	2	
10.2	7.5	36	3	
7.1	5.2	25	4	
11.6	8.5	41	5	
3.4	2.5	12	6	
2.8	2.1	10	7	
2.3	1.7	8	8	
1.4	1.0	5	9	
7.4	5.4	26	10	
1.7	1.2	6	12	
0.3	0.2	1	14	
2.3	1.7	8	15	
0.9	0.6	3	16	
0.9	0.6	3	17	
0.3	0.2	1	18	
3.7	2.7	13	20	
0.3	0.2	1	21	
0.3	0.2	1	24	
0.6	0.4	2	25	
0.3	0.2	1	26	
1.7	1.2	6	30	
0.6	0.4	2	35	
2.0	1.5	7	40	
0.6	0.4	2	48	
0.6	0.4	2	50	
0.3	0.2	1	51	
0.3	0.2	1	70	
0.9	0.6	3	75	
0.3	0.2	1	99	
0.6	0.4	2	100	
0.3	0.2	1	180	
0.3	0.2	1	350	
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	2.9	14	-2	-2. DONT KNOW
	21.4	103	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 902-905

V7241	B54B #FAMLYTHER CL/WK

For how many outpatient substance abuse clients does your unit
provide family therapy, including couples without children, in
a typical week?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.6	6.2	30	1	
7.2	5.2	25	2	
8.6	6.2	30	3	
7.5	5.4	26	4	
11.5	8.3	40	5	
6.9	5.0	24	6	
2.0	1.5	7	7	
2.3	1.7	8	8	
1.1	0.8	4	9	
9.2	6.7	32	10	
0.9	0.6	3	11	
4.0	2.9	14	12	
0.9	0.6	3	13	
3.4	2.5	12	15	
1.7	1.2	6	16	
1.1	0.8	4	17	
1.4	1.0	5	18	
0.3	0.2	1	19	
3.7	2.7	13	20	
0.3	0.2	1	21	
0.3	0.2	1	23	
0.6	0.4	2	24	
2.3	1.7	8	25	
0.6	0.4	2	26	
0.3	0.2	1	28	
2.9	2.1	10	30	
0.3	0.2	1	32	
0.3	0.2	1	34	
0.9	0.6	3	35	
1.1	0.8	4	40	
0.3	0.2	1	45	
0.6	0.4	2	48	
1.7	1.2	6	50	
0.6	0.4	2	55	
1.1	0.8	4	60	
0.3	0.2	1	62	
0.3	0.2	1	70	
0.3	0.2	1	75	
0.3	0.2	1	85	
0.3	0.2	1	90	

V7241 (CONT.)   **B54B #FAMLYTHER CL/WK**

```
     PCT     PCT    N  VALUE  LABEL
    VALID    ALL
     0.3     0.2    1     99
     0.6     0.4    2    150
     0.3     0.2    1    180
     0.6     0.4    2    350
     0.3     0.2    1    500
             1.7    8     -5  -5. NO INTERVIEW
             1.5    7     -3  -3. REFUSED/NA
             3.1   15     -2  -2. DONT KNOW
            21.4  103     -1  -1. SKIPPED QUESTION
    -----   ----- ---
    100.0   100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 906-909

V7242	B54C #MIN/SESS F THER

What is the typical length in minutes of an outpatient family
therapy session at your unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.3	0.2	1	25	
0.3	0.2	1	30	
1.1	0.8	4	40	
3.6	2.7	13	45	
16.1	12.3	59	50	
5.2	4.0	19	55	
37.7	28.7	138	60	
3.0	2.3	11	75	
0.3	0.2	1	80	
20.8	15.8	76	90	
0.3	0.2	1	93	
0.5	0.4	2	105	
0.3	0.2	1	110	
6.3	4.8	23	120	
0.3	0.2	1	135	
1.6	1.2	6	150	
0.8	0.6	3	180	
0.3	0.2	1	200	
0.5	0.4	2	210	
0.5	0.4	2	240	
0.3	0.2	1	390	
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	21.4	103	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 910-913

V7243	B54D #FAM THER HRS/WK

What is the total number of hours of outpatient family therapy
your unit provides (for substance abuse clients) in a typical
week?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.8	9.4	45	1	
10.3	7.5	36	2	
10.3	7.5	36	3	
7.4	5.4	26	4	
11.1	8.1	39	5	
7.1	5.2	25	6	
5.1	3.7	18	7	
2.0	1.5	7	8	
1.7	1.2	6	9	
5.7	4.2	20	10	
1.1	0.8	4	11	
2.0	1.5	7	12	
0.9	0.6	3	13	
0.6	0.4	2	14	
3.7	2.7	13	15	
0.9	0.6	3	16	
0.3	0.2	1	17	
1.4	1.0	5	18	
0.3	0.2	1	19	
4.0	2.9	14	20	
0.3	0.2	1	21	
0.6	0.4	2	23	
0.6	0.4	2	24	
0.3	0.2	1	25	
0.3	0.2	1	29	
2.3	1.7	8	30	
0.6	0.4	2	35	
1.1	0.8	4	40	
0.3	0.2	1	42	
0.9	0.6	3	45	
0.3	0.2	1	48	
0.6	0.4	2	50	
0.6	0.4	2	60	
0.3	0.2	1	70	
0.9	0.6	3	75	
0.3	0.2	1	77	
0.3	0.2	1	80	
0.3	0.2	1	100	
0.3	0.2	1	120	
0.3	0.2	1	150	

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7243 (CONT.)                    B54D #FAM THER HRS/WK                     │
└─────────────────────────────────────────────────────────────────────────┘
```

```
     PCT    PCT    N  VALUE  LABEL
   VALID    ALL
    0.3    0.2    1    170
           1.7    8    -5   -5. NO INTERVIEW
           0.8    4    -3   -3. REFUSED/NA
           3.1   15    -2   -2. DONT KNOW
          21.4  103    -1   -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 914-917
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7244                    B54E FT COST/FAM/SESS                             │
└─────────────────────────────────────────────────────────────────────────┘
```

```
   What is the typical charge (for an outpatient family therapy
   session at your unit)?

   481 cases (Range of valid codes: 2-996)

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 918-921
```

```
┌─────────────────────────────────────────────────────────────────┐
│ V7245                    B54F #FAM MEM/SESS FT                    │
└─────────────────────────────────────────────────────────────────┘
```

How many family members, including the substance abuse client,
are involved in a typical outpatient family therapy session
(for substance abuse clients at your unit)?

```
   PCT     PCT    N  VALUE  LABEL
 VALID    ALL
   3.6     2.7   13      1
  33.1    24.7  119      2
  41.1    30.8  148      3
  14.7    11.0   53      4
   3.1     2.3   11      5
   0.3     0.2    1      6
   0.6     0.4    2      8
   0.3     0.2    1      9
   1.4     1.0    5     10
   0.6     0.4    2     12
   0.3     0.2    1     13
   0.3     0.2    1     18
   0.3     0.2    1     20
   0.3     0.2    1     24
   0.3     0.2    1     25
           1.7    8     -5  -5. NO INTERVIEW
           1.0    5     -3  -3. REFUSED/NA
           1.0    5     -2  -2. DONT KNOW
          21.4  103     -1  -1. SKIPPED QUESTION
 -----   ----- ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 922-924

V7246	B54G #COUNSLRS/SES FT

How many counselors are typically involved in one outpatient family therapy session for substance abuse clients at your unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
84.7	64.4	310	1	
14.5	11.0	53	2	
0.5	0.4	2	3	
0.3	0.2	1	5	
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	21.4	103	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 925-926

V7247	B54HM1 %OFTS:PSYCHIAT

1. Psychiatrists?

PCT VALID	PCT ALL	N	VALUE	LABEL
92.1	70.5	339	0	
1.6	1.2	6	1	
0.8	0.6	3	2	
0.3	0.2	1	3	
1.6	1.2	6	5	
0.3	0.2	1	6	
0.3	0.2	1	7	
1.4	1.0	5	10	
0.3	0.2	1	12	
0.3	0.2	1	20	
0.3	0.2	1	25	
0.3	0.2	1	30	
0.3	0.2	1	50	
0.3	0.2	1	75	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	21.4	103	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 927-929

```
V7248                    B54HM2 %OFTS:PSYCHOLO
```

2. Ph.D. psychologists?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  83.2   63.6  306      0
   1.6    1.2    6      1
   0.5    0.4    2      2
   1.6    1.2    6      3
   0.3    0.2    1      4
   1.9    1.5    7      5
   0.3    0.2    1      7
   3.0    2.3   11     10
   0.3    0.2    1     12
   0.5    0.4    2     15
   2.7    2.1   10     20
   0.5    0.4    2     25
   0.3    0.2    1     27
   0.5    0.4    2     30
   0.5    0.4    2     33
   0.5    0.4    2     40
   1.4    1.0    5     50
   0.3    0.2    1    100
          1.7    8     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         21.4  103     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 930-933
```

V7249	B54HM3 %OFTS:MA SW,PS

3. Masters in social work or psychology?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.2	16.2	78	0	
1.9	1.5	7	1	
0.3	0.2	1	3	
2.2	1.7	8	5	
3.0	2.3	11	10	
0.3	0.2	1	12	
0.5	0.4	2	13	
0.3	0.2	1	14	
1.9	1.5	7	15	
0.3	0.2	1	16	
0.5	0.4	2	17	
0.3	0.2	1	18	
3.8	2.9	14	20	
0.3	0.2	1	22	
0.3	0.2	1	24	
3.3	2.5	12	25	
0.3	0.2	1	26	
1.9	1.5	7	30	
0.8	0.6	3	33	
0.3	0.2	1	35	
2.7	2.1	10	40	
9.5	7.3	35	50	
3.3	2.5	12	60	
1.4	1.0	5	65	
0.8	0.6	3	66	
0.3	0.2	1	67	
1.9	1.5	7	70	
0.3	0.2	1	71	
0.3	0.2	1	73	
3.3	2.5	12	75	
3.3	2.5	12	80	
0.3	0.2	1	84	
0.5	0.4	2	85	
2.4	1.9	9	90	
1.9	1.5	7	95	
0.3	0.2	1	97	
0.5	0.4	2	98	
0.3	0.2	1	99	
23.4	17.9	86	100	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW

```
V7249 (CONT.)                B54HM3 %OFTS:MA SW,PS


     PCT     PCT    N  VALUE  LABEL
   VALID    ALL
           21.4  103     -1  -1. SKIPPED QUESTION
   -----   -----  ---
   100.0   100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 934-937
```

```
V7250                        B54HM4 OTH OFTS STAF1


   Other (Specify):

     PCT     PCT    N  VALUE  LABEL
   VALID    ALL
    0.4     0.2    1      1  1. MD
    0.8     0.4    2      2  2. RN
    0.0     0.0    0      3  3. LPN
    1.6     0.8    4      7  7. OTHHCP
    0.8     0.4    2      9  9. HCPUNSP
    0.4     0.2    1     11  11. PHDSOCWK
    0.8     0.4    2     17  17. PHD.OTH
    0.0     0.0    0     19  19. PHD.UNSP
   11.2     6.0   29     27  27. MA.ANY
    4.3     2.3   11     29  29. MA.UNSP
    5.8     3.1   15     31  31. BA.SWPS
    4.3     2.3   11     37  37. BA.OTH
   29.5    15.8   76     39  39. BA.UNSP
    1.9     1.0    5     41  41. AA.ANY
   17.8     9.6   46     51  51. CERTALDA
    3.5     1.9    9     57  57. CERT.OTH
    1.9     1.0    5     59  59. CERTUNSP
    1.6     0.8    4     61  61. NODEGREE
    8.9     4.8   23     81  81. ALSACOUN
    0.0     0.0    0     82  82. ALSASENR
    4.7     2.5   12     97  97. OTHER
            1.7    8     -5  -5. NO INTERVIEW
            0.4    2     -3  -3. REFUSED/NA
           44.3  213     -1  -1. SKIPPED QUESTION
   -----   -----  ---
   100.0   100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 938-940
```

V7251   **B54HM4 %SES OTH OFTS1**

Other (PERCENT)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.8	0.4	2	1	
0.4	0.2	1	2	
1.9	1.0	5	5	
4.7	2.5	12	10	
0.8	0.4	2	11	
1.2	0.6	3	15	
0.4	0.2	1	16	
0.4	0.2	1	17	
0.8	0.4	2	18	
6.2	3.3	16	20	
0.8	0.4	2	24	
6.6	3.5	17	25	
3.5	1.9	9	30	
0.4	0.2	1	32	
1.6	0.8	4	33	
0.4	0.2	1	34	
2.3	1.2	6	35	
0.4	0.2	1	37	
4.3	2.3	11	40	
0.4	0.2	1	43	
0.8	0.4	2	45	
13.6	7.3	35	50	
0.4	0.2	1	55	
3.9	2.1	10	60	
0.4	0.2	1	63	
0.8	0.4	2	65	
1.2	0.6	3	66	
0.8	0.4	2	67	
1.6	0.8	4	70	
0.4	0.2	1	71	
0.4	0.2	1	74	
3.1	1.7	8	75	
2.7	1.5	7	80	
0.4	0.2	1	83	
1.6	0.8	4	85	
1.2	0.6	3	88	
3.1	1.7	8	90	
0.4	0.2	1	92	
1.6	0.8	4	95	
0.4	0.2	1	97	
0.4	0.2	1	98	
2.3	1.2	6	99	

```
V7251 (CONT.)              B54HM4 %SES OTH OFTS1
```

```
     PCT    PCT    N  VALUE  LABEL
   VALID   ALL
   20.9   11.2   54    100
          1.7    8     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
         44.3  213     -1  -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases
```

```
   Data type: numeric
   Missing-data codes: -5--1
   Columns: 941-944
```

```
V7252                     B54HM5 OTH OFTS STAF2
```

Other (Specify):

```
     PCT    PCT    N  VALUE  LABEL
   VALID   ALL
    1.6    0.2    1      1  1. MD
    7.9    1.0    5      2  2. RN
    1.6    0.2    1      3  3. LPN
    0.0    0.0    0      7  7. OTHHCP
    0.0    0.0    0      9  9. HCPUNSP
    0.0    0.0    0     11  11. PHDSOCWK
    1.6    0.2    1     17  17. PHD.OTH
    0.0    0.0    0     19  19. PHD.UNSP
    1.6    0.2    1     27  27. MA.ANY
    1.6    0.2    1     29  29. MA.UNSP
   11.1    1.5    7     31  31. BA.SWPS
   11.1    1.5    7     37  37. BA.OTH
   11.1    1.5    7     39  39. BA.UNSP
   12.7    1.7    8     41  41. AA.ANY
   17.5    2.3   11     51  51. CERTALDA
    0.0    0.0    0     57  57. CERT.OTH
    3.2    0.4    2     59  59. CERTUNSP
    7.9    1.0    5     61  61. NODEGREE
    9.5    1.2    6     81  81. ALSACOUN
    0.0    0.0    0     82  82. ALSASENR
    0.0    0.0    0     97  97. OTHER
           1.7    8     -5  -5. NO INTERVIEW
           0.2    1     -3  -3. REFUSED/NA
          85.0  409     -1  -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases
```

```
   Data type: numeric
   Missing-data codes: -5--1
   Columns: 945-947
```

V7253	B54HM5 %SES OTH OFTS2

Other (PERCENT)

PCT VALID	PCT ALL	N	VALUE	LABEL
1.6	0.2	1	1	
3.2	0.4	2	2	
4.8	0.6	3	5	
12.9	1.7	8	10	
8.1	1.0	5	15	
1.6	0.2	1	17	
1.6	0.2	1	18	
8.1	1.0	5	20	
1.6	0.2	1	24	
12.9	1.7	8	25	
4.8	0.6	3	30	
3.2	0.4	2	33	
1.6	0.2	1	37	
4.8	0.6	3	40	
1.6	0.2	1	43	
3.2	0.4	2	45	
1.6	0.2	1	49	
9.7	1.2	6	50	
1.6	0.2	1	55	
1.6	0.2	1	58	
1.6	0.2	1	65	
3.2	0.4	2	80	
1.6	0.2	1	85	
3.2	0.4	2	100	
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	85.0	409	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 948-951

V7254	B54HM6 OTH OFTS STAF3

Other (Specify):

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	0.2	1	1	1. MD
5.3	0.2	1	2	2. RN
0.0	0.0	0	3	3. LPN
5.3	0.2	1	7	7. OTHHCP
0.0	0.0	0	9	9. HCPUNSP
0.0	0.0	0	11	11. PHDSOCWK
0.0	0.0	0	17	17. PHD.OTH
0.0	0.0	0	19	19. PHD.UNSP
5.3	0.2	1	27	27. MA.ANY
0.0	0.0	0	29	29. MA.UNSP
5.3	0.2	1	31	31. BA.SWPS
0.0	0.0	0	37	37. BA.OTH
21.1	0.8	4	39	39. BA.UNSP
31.6	1.2	6	41	41. AA.ANY
10.5	0.4	2	51	51. CERTALDA
0.0	0.0	0	57	57. CERT.OTH
0.0	0.0	0	59	59. CERTUNSP
10.5	0.4	2	61	61. NODEGREE
0.0	0.0	0	81	81. ALSACOUN
0.0	0.0	0	82	82. ALSASENR
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	94.2	453	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 952-954

V7255	B54HM6 %SES OTH OFTS3

Other (PERCENT)

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	0.2	1	1	
5.3	0.2	1	5	
5.3	0.2	1	10	
10.5	0.4	2	14	
5.3	0.2	1	15	
31.6	1.2	6	20	
15.8	0.6	3	25	
5.3	0.2	1	33	
5.3	0.2	1	40	
5.3	0.2	1	50	
5.3	0.2	1	70	
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	94.2	453	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 955-957

V7256 **B54I #OPFT SESS/CL/WK**

How many family therapy sessions do substance abuse clients
(receiving outpatient group therapy at your unit typically
attend per week?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	2.9	14	0.10	
1.1	0.8	4	0.20	
2.2	1.7	8	0.30	
3.2	2.5	12	0.50	
0.5	0.4	2	0.70	
76.8	59.0	284	1.00	
0.8	0.6	3	1.50	
4.1	3.1	15	2.00	
0.5	0.4	2	3.00	
0.3	0.2	1	4.00	
0.3	0.2	1	5.00	
0.3	0.2	1	8.00	
0.3	0.2	1	9.00	
0.5	0.4	2	12.00	
2.2	1.7	8	99.80	
3.2	2.5	12	99.89	
	1.7	8	-5.00	-5. NO INTERVIEW
	21.4	103	-1.00	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Decimals: 2
Missing-data codes: -5.00--1.00
Columns: 958-963

V7257	B54J #OPFT SESS/CL/TX

How many sessions of outpatient family therapy does a typical
substance abuse client receive over the entire course of
treatment at your unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	1.0	5	0	
5.3	3.7	18	1	
2.7	1.9	9	2	
6.5	4.6	22	3	
7.7	5.4	26	4	
5.9	4.2	20	5	
10.9	7.7	37	6	
1.5	1.0	5	7	
5.0	3.5	17	8	
1.8	1.2	6	9	
13.0	9.1	44	10	
0.3	0.2	1	11	
11.8	8.3	40	12	
0.9	0.6	3	13	
0.6	0.4	2	14	
4.4	3.1	15	15	
2.1	1.5	7	16	
0.3	0.2	1	18	
0.3	0.2	1	19	
4.4	3.1	15	20	
0.3	0.2	1	21	
0.9	0.6	3	22	
2.1	1.5	7	24	
1.8	1.2	6	25	
1.2	0.8	4	26	
0.3	0.2	1	28	
0.6	0.4	2	30	
0.6	0.4	2	32	
0.3	0.2	1	33	
0.3	0.2	1	35	
0.6	0.4	2	36	
0.3	0.2	1	40	
0.3	0.2	1	45	
0.6	0.4	2	48	
0.6	0.4	2	50	
0.3	0.2	1	52	
0.3	0.2	1	56	
1.2	0.8	4	60	
0.3	0.2	1	77	
0.3	0.2	1	100	

```
V7257 (CONT.)                 B54J #OPFT SESS/CL/TX


      PCT     PCT    N  VALUE  LABEL
    VALID    ALL
     0.3     0.2    1    520
             1.7    8     -5  -5. NO INTERVIEW
             3.1   15     -3  -3. REFUSED/NA
             3.3   16     -2  -2. DONT KNOW
            21.4  103     -1  -1. SKIPPED QUESTION
    -----   -----  ---
    100.0   100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 964-967
```

```
V7258                 B55 W PROV OP METH TX:Y/N?


    Does your unit provide outpatient methadone treatment?

      PCT     PCT    N  VALUE  LABEL
    VALID    ALL
     69.8    68.6  330     0   0. No
     30.2    29.7  143     1   1. Yes
             1.7    8     -5  -5. NO INTERVIEW
    -----   -----  ---
    100.0   100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 968-969
```

```
V7259                 B55A MT BEGN LAST2YRS:Y/N?


    Is outpatient methadone treatment a service that your unit
    began to provide within the last two years?

      PCT     PCT    N  VALUE  LABEL
    VALID    ALL
     93.7    27.7  133     0   0. No
      6.3     1.9    9     1   1. Yes
             1.7    8     -5  -5. NO INTERVIEW
             0.2    1     -3  -3. REFUSED/NA
            68.6  330     -1  -1. SKIPPED QUESTION
    -----   -----  ---
    100.0   100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 970-971
```

V7260   **B55B #OP METH CL/WEEK**

In a typical week, for how many clients does your unit provide
outpatient methadone treatment?

481 cases (Range of valid codes: 2-3,150)

Data type: numeric
Missing-data codes: -5--1
Columns: 972-976

V7261   **B55C TOT #METHDOSE/WK**

In a typical week, what is the total number of dosages of
methadone that your unit provides on an outpatient basis?

481 cases (Range of valid codes: 11-22,050)

Data type: numeric
Missing-data codes: -5--1
Columns: 977-982

V7262	B55D $/DOSE METHADONE

What is the typical charge for a dose of methadone at your
outpatient unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	1.0	5	1	
1.5	0.4	2	2	
12.3	3.3	16	3	
3.8	1.0	5	4	
13.8	3.7	18	5	
8.5	2.3	11	6	
3.1	0.8	4	7	
2.3	0.6	3	8	
1.5	0.4	2	9	
3.8	1.0	5	10	
1.5	0.4	2	12	
1.5	0.4	2	13	
0.8	0.2	1	14	
0.8	0.2	1	17	
0.8	0.2	1	25	
0.8	0.2	1	30	
0.8	0.2	1	50	
0.8	0.2	1	60	
23.8	6.4	31	994	
2.3	0.6	3	995	
11.5	3.1	15	996	
	1.7	8	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
	0.6	3	-2	-2. DONT KNOW
	68.6	330	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 983-986

V7263	B56 MT STOP LAST 2YRS:Y/N?

Is outpatient methadone treatment a service that your unit
used to provide but discontinued within the last two years?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 97.3   66.3  319       0  0. No
  2.7    1.9    9       1  1. Yes
         1.7    8      -5  -5. NO INTERVIEW
         0.4    2      -3  -3. REFUSED/NA
        29.7  143      -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 987-988

V7264	B57 U PRO OTH OSATSER:Y/N?

Does your outpatient unit provide any substance abuse
treatment services other than those already mentioned?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 65.4   64.0  308       0  0. No
 34.6   33.9  163       1  1. Yes
         1.7    8      -5  -5. NO INTERVIEW
         0.4    2      -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 989-990

V7265	B58 #STAFHRS OTH SERV

What is the total number of staff hours devoted to all of
these other services in a typical week?

481 cases (Range of valid codes: 1-3,020)

Data type: numeric
Missing-data codes: -5--1
Columns: 991-995

V7266	B59 OSATU PUB OR PRIV

Is your outpatient treatment unit private for-profit, private
not-for-profit, or public?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  6.3    6.2   30      1  1. Private For-Profit
 65.1   64.0  308      2  2. Private Not-For-Profit
 28.5   28.1  135      3  3. Public
         1.7    8     -5  -5. NO INTERVIEW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 996-997

V7267	B60 PUB/PRIV CH L2YRS:Y/N?

Does this represent a change in the status of your outpatient
treatment unit in the last two years?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 98.1   96.0  462      0  0. No
  1.9    1.9    9      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 998-999

UNIT - ORGANIZATION RELATIONS

V7268	C1 U PART OF OTH ORG:Y/N?

Is your outpatient treatment unit part of a larger
organization? (By "part of" I mean that your unit is an
integral component of a larger organization.)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 23.0   22.7  109      0  0. No
 77.0   75.7  364      1  1. Yes
               1.7   8     -5  -5. NO INTERVIEW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1000-1001

V7269	C1A PART-OF:CHG 2 YRS:Y/N?

Does this represent a change in the status of your outpatient
treatment unit in the last two years?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 95.1   93.3  449      0  0. No
  4.9    4.8   23      1  1. Yes
               1.7    8     -5  -5. NO INTERVIEW
               0.2    1     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1002-1003

V7270   **C2 IWR CKPT:U PART-OF**

INTERVIEWER CHECKPOINT

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 23.0   22.7  109      0  0. ALL OTHER
 77.0   75.7  364      1  1. YES TO C1
         1.7    8     -5  -5. NO INTERVIEW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1004-1005

V7271   **C3 PART-OF:PUB,FP,NFP**

Is the organization which your outpatient treatment unit is
part of, public, private for-profit, or private not-for-
profit?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 34.6   25.6  123      1  1. Public
 10.7    7.9   38      2  2. Private For-Profit
 54.8   40.5  195      3  3. Private Not-For-Profit
         1.7    8     -5  -5. NO INTERVIEW
         1.2    6     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        22.9  110     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1006-1007

V7272	C3A PART-OF:FED,ST,LO

Is the public organization that your unit is part of best
described as federal, state, or local?

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
  4.1    1.0    5      1  1. FEDERAL
 20.3    5.2   25      2  2. STATE
 75.6   19.3   93      3  3. LOCAL
         1.7    8     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
        71.3  343     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1008-1009

V7273	C4 PART-OF:HOSP,MHC,O

Which of the following describe the organization that your
outpatient unit is part of? Is it a hospital, a mental health
center, or some other kind of organization?

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
 27.5   20.8  100      1  1.  HOSPITAL
 31.4   23.7  114      2  2.  MENTAL HEALTH CENTER
 16.0   12.1   58      3  3.  (Free standing) Substance Abuse
                               Treatment Facility
 11.0    8.3   40      4  4.  City/county/state department
  6.9    5.2   25      5  5.  Multi-service social service agency
  7.2    5.4   26      7  7.  OTHER ORG (SPECIFY)
         1.7    8     -5  -5. NO INTERVIEW
        22.9  110     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1010-1011

V7274   **C6 U OWND BY OTH ORG:Y/N?**

Is your outpatient treatment unit owned by another
organization? (By "owned" we mean that another organization
has legal responsibility for, and authority to control, this
unit and its property.)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 69.3   68.2  328      0  0. No
 30.7   30.1  145      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1012-1013

V7275   **C6A OWN STATUS CH 2YR:Y/N?**

Does this represent a change (in the ownership status of your
outpatient treatment unit) in the last two years?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 97.2   95.4  459      0  0. No
  2.8    2.7   13      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1014-1015

V7276	C7 IWR CKPT:U OWNEBY

INTERVIEWER CHECKPOINT

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 69.3   68.2  328      0  0. ALL OTHER
 30.7   30.1  145      1  1. YES TO C6
         1.7    8     -5  -5. NO INTERVIEW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1016-1017

V7277	C8 OWNER IS:PU,FP,NFP

Is the organization which owns your outpatient treatment unit public, private for-profit, or private not-for-profit?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 37.1   11.0   53      1  1. Public
 11.9    3.5   17      2  2. Private For-Profit
 51.0   15.2   73      3  3. Private Not-For-Profit
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        68.2  328     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1018-1019

```
┌─────────────────────────────────────────────────────────────────────────┐
│  V7278                    C8A PU OWNR FED,ST,LO                          │
└─────────────────────────────────────────────────────────────────────────┘
```

Is the public organization that owns your unit best described
as federal, state, or local?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  1.9    0.2    1      1  1. FEDERAL
 32.1    3.5   17      2  2. STATE
 66.0    7.3   35      3  3. LOCAL
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        86.9  418     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1020-1021

```
┌─────────────────────────────────────────────────────────────────────────┐
│  V7279                    C9 OWNR IS HOSP,MHC,O                          │
└─────────────────────────────────────────────────────────────────────────┘
```

Which of the following describe the organization that owns
your outpatient unit? Is it a hospital, a mental health
center, or some other kind of organization?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
 28.5    8.5   41      1  1.  HOSPITAL
 22.9    6.9   33      2  2.  MENTAL HEALTH CENTER
 10.4    3.1   15      3  3.  (Free standing) Substance Abuse
                              Treatment Facility
 15.3    4.6   22      4  4.  City/county/state department
  7.6    2.3   11      5  5.  Multi-service social service agency
 15.3    4.6   22      7  7.  OTHER ORG (SPECIFY)
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        68.2  328     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1022-1023

V7280   **C11 U MANGBY OTH ORG:Y/N?**

Is your outpatient treatment unit managed by another
organization? (By "managed" we mean that another organization
has a contract to administer the work of this unit.)

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  92.8   91.3  439      0  0. No
   7.2    7.1   34      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1024-1025

V7281   **C11A MGMT STA CHG 2YR:Y/N?**

Does this represent a change (in the management status of your
outpatient treatment unit) in the last two years?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  96.8   95.0  457      0  0. No
   3.2    3.1   15      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1026-1027

```
V7282                    C12 IWR CKPT:U MANAGD
```

INTERVIEWER CHECKPOINT

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  92.8   91.3  439      0  0. ALL OTHER
   7.2    7.1   34      1  1. YES TO C11
          1.7    8     -5  -5. NO INTERVIEW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1028-1029

```
V7283                    C13 MANAGR:PUB,FP,NFP
```

Is the organization which manages your outpatient treatment
unit public, private for-profit, or private not-for-profit?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  30.3    2.1   10      1  1. Public
  15.2    1.0    5      2  2. Private For-Profit
  54.5    3.7   18      3  3. Private Not-For-Profit
          1.7    8     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
         91.3  439     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1030-1031

V7284   **C13A MANAGR:FED,ST,LO**

Is the public organization that manages your unit best
described as federal, state, or local?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  0.0    0.0    0      1  1. FEDERAL
 30.0    0.6    3      2  2. STATE
 70.0    1.5    7      3  3. LOCAL
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        96.0  462     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1032-1033

V7285   **C14 MANAGR HOSP,MHC,O**

Which of the following describe the organization that manages
your outpatient unit? Is it a hospital, a mental health
center, or some other kind of organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 15.2    1.0    5      1  1.  HOSPITAL
 36.4    2.5   12      2  2.  MENTAL HEALTH CENTER
 21.2    1.5    7      3  3.  (Free standing) Substance Abuse
                             Treatment Facility
  6.1    0.4    2      4  4.  City/county/state department
  6.1    0.4    2      5  5.  Multi-service social service agency
 15.2    1.0    5      7  7.  OTHER ORG (SPECIFY)
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        91.3  439     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1034-1035

```
V7286                    C16 IWR CKPT:U PARENT
```

INTERVIEWER CHECKPOINT

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  23.0   22.7  109      0  0. ALL OTHER
  77.0   75.7  364      1  1. Y/PARENT
          1.7    8     -5  -5. NO INTERVIEW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1036-1037

```
V7287                    C17 EXTNT PARENT ACCEPTCE U
```

How much is your outpatient unit and its staff accepted by
[NAME OF PARENT ORGANIZATION]? Would you say there is no
acceptance, a little, some, considerable acceptance or
complete acceptance?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   0.3    0.2    1      1  1. NO ACCCEPTANCE
   2.0    1.5    7      2  2. LITTLE ACCEPTANCE
   8.3    6.0   29      3  3. SOME ACCEPTANCE
  21.5   15.6   75      4  4. CONSIDERABLE ACCEPTANCE
  67.9   49.3  237      5  5. COMPLETE ACCEPTANCE
          1.7    8     -5  -5. NO INTERVIEW
          2.9   14     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         22.7  109     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1038-1039

UNIT LICENSE/ACCREDITATION AND LEGITIMACY

V7288	D1A U LIC: JCAHC:Y/N?

Which of the following organizations accredit or license your
outpatient substance abuse unit: Joint Commission [on the
Accreditation of Healthcare Organizations (JCAHO)]?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 74.1   72.1  347      0  0. No
 25.9   25.2  121      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
         0.8    4     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1040-1041

V7289	D1B U LIC: FDA:Y/N?

Which of the following organizations accredit or license your
outpatient substance abuse unit: Federal Food and Drug
Administration (FDA)?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 69.9   68.6  330      0  0. No
 30.1   29.5  142      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1042-1043

V7290   **D1C U LIC: DEA:Y/N?**

Which of the following organizations accredit or license your
outpatient substance abuse unit: DEA (Drug Enforcement
Agency)?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 69.1   67.8  326      0  0. No
 30.9   30.4  146      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -2  -2. DONT KNOW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1044-1045

V7291   **D1D U LIC: ST AGENCY:Y/N?**

Which of the following organizations accredit or license your
outpatient substance abuse unit: A state agency or office?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  5.1    5.0   24      0  0. No
 94.9   93.1  448      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -2  -2. DONT KNOW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1046-1047

V7292   **D1EM1 ST LIC AGENCY1**

A state agency or office? (Which ones?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	40	40. PHARMACY
0.0	0.0	0	41	41. COURT
28.6	26.6	128	42	42. HEALTH
5.6	5.2	25	43	43. SOCSERVC
60.9	56.8	273	44	44. ALCOHOL
0.0	0.0	0	46	46. 508509FD
0.2	0.2	1	47	47. OTHSTATE
2.9	2.7	13	48	48. LICUNSP
1.8	1.7	8	49	49. STATEAGC
	1.7	8	-5	-5. NO INTERVIEW
	5.2	25	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 1048-1050

V7293   **D1EM2 ST LIC AGENCY2**

A state agency or office? (Which ones?)

PCT VALID	PCT ALL	N	VALUE	LABEL
9.2	2.1	10	40	40. PHARMACY
0.0	0.0	0	41	41. COURT
45.0	10.2	49	42	42. HEALTH
4.6	1.0	5	43	43. SOCSERVC
26.6	6.0	29	44	44. ALCOHOL
0.0	0.0	0	46	46. 508509FD
9.2	2.1	10	47	47. OTHSTATE
5.5	1.2	6	48	48. LICUNSP
0.0	0.0	0	49	49. STATEAGC
	1.7	8	-5	-5. NO INTERVIEW
	75.7	364	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 1051-1053

V7294   **D1F U LIC: CTY,CO AGY:Y/N?**

Which of the following organizations accredit or license your
outpatient substance abuse unit: A city or county agency or
office?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 83.9   82.5  397      0  0. No
 16.1   15.8   76      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1054-1055

V7295   **D1GM1 CTY,CO LIC AGY1**

A city or county agency or office? (Which ones)?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  1.3    0.2    1     51  51. CITYCRT
 25.3    4.0   19     52  52. HEALTH
  4.0    0.6    3     53  53. SOCSERVC
 36.0    5.6   27     54  54. ALCOHOL
  2.7    0.4    2     57  57. OTHCTYCT
  6.7    1.0    5     58  58. CITYLIC
 24.0    3.7   18     59  59. CITYAGC
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -2  -2. DONT KNOW
        82.5  397     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1056-1058

```
V7296                  D1GM2 CTY,CO LIC AGY2
```

A city or county agency or office? (Which ones)?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  0.0    0.0    0     51  51. CITYCRT
 22.2    0.4    2     52  52. HEALTH
  0.0    0.0    0     53  53. SOCSERVC
 22.2    0.4    2     54  54. ALCOHOL
  0.0    0.0    0     57  57. OTHCTYCT
 11.1    0.2    1     58  58. CITYLIC
 44.4    0.8    4     59  59. CITYAGC
         1.7    8     -5  -5. NO INTERVIEW
        96.5  464     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1059-1061

```
V7297                  D1H U LIC: OTHER ORGS:Y/N?
```

Which of the following organizations accredit or license your
outpatient substance abuse unit: Any other organizations?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 94.3   92.7  446      0  0. No
  5.7    5.6   27      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1062-1063

V7298	D1IM1 OTH LIC AGENCY1

Any other organizations? (Which ones)?

481 cases (Range of valid codes: 1-77)

Data type: numeric
Missing-data codes: -5--1
Columns: 1064-1066

V7299	D1IM2 OTH LIC AGENCY2

Any other organizations? (Which ones)?

481 cases (Range of valid codes: 2-73)

Data type: numeric
Missing-data codes: -5--1
Columns: 1067-1069

V7300	D2 U LIC: ST REQMENT:Y/N?

Does the state require your outpatient unit to have a license
or accreditation to operate as a treatment facility?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 12.9   12.7   61      0  0. No
 87.1   85.4  411      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1070-1071

V7301	D2AM1 REQ ST LIC AGY1

What state agency or office issues this license or
accreditation?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	40	40. PHARMACY
0.0	0.0	0	41	41. COURT
31.0	26.4	127	42	42. HEALTH
4.9	4.2	20	43	43. SOCSERVC
58.3	49.7	239	44	44. ALCOHOL
0.0	0.0	0	46	46. 508509FD
0.5	0.4	2	47	47. OTHSTATE
3.7	3.1	15	48	48. LICUNSP
1.7	1.5	7	49	49. STATEAGC
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-2	-2. DONT KNOW
	12.9	62	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1072-1074

```
┌─────────────────────────────────────────────────────────────────────┐
│  V7302                    D2AM2 REQ ST LIC AGY2                        │
└─────────────────────────────────────────────────────────────────────┘
```

What state agency or office issues this license or
accreditation?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
   1.6    0.2    1     40  40. PHARMACY
   0.0    0.0    0     41  41. COURT
  46.0    6.0   29     42  42. HEALTH
   7.9    1.0    5     43  43. SOCSERVC
  38.1    5.0   24     44  44. ALCOHOL
   0.0    0.0    0     46  46. 508509FD
   0.0    0.0    0     47  47. OTHSTATE
   4.8    0.6    3     48  48. LICUNSP
   1.6    0.2    1     49  49. STATEAGC
          1.7    8     -5  -5. NO INTERVIEW
         85.2  410     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1075-1077

```
┌─────────────────────────────────────────────────────────────────────┐
│  V7303                    D2B U LIC:SUBSTITUTES:Y/N?                   │
└─────────────────────────────────────────────────────────────────────┘
```

Are there other licenses or forms of accreditation that your
unit can substitute for this license or accreditation?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  92.9   79.0  380      0  0. No
   7.1    6.0   29      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
         12.9   62     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1078-1079

V7304	D3 U LIC:NEED FOR PAY:Y/N?

Does your outpatient unit need licensing or accreditation to
receive payment for services?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 15.5   15.2   73      0  0. No
 84.5   83.0  399      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1080-1081

V7305	D3AM1 LIC REQD 4PAY 1

(What licenses or accreditations?)

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1082-1084

V7306	D3AM2 LIC REQD 4PAY 2

(What licenses or accreditations?)

481 cases (Range of valid codes: 2-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1085-1087

V7307 **D3BM1 LIC REQ BY AGY1**

(What agency or organization requires this license or
accreditation?)

481 cases (Range of valid codes: 1-74)

Data type: numeric
Missing-data codes: -5--1
Columns: 1088-1090

V7308 **D3BM2 LIC REQ BY AGY2**

(What agency or organization requires this license or
accreditation?)

481 cases (Range of valid codes: 1-96)

Data type: numeric
Missing-data codes: -5--1
Columns: 1091-1093

V7309 **D4 U REVU:OUTSIDE AGY:Y/N?**

Is there a periodic review of your outpatient unit and its
substance abuse services by an outside agency or agencies?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  3.0    2.9   14      0  0. No
 97.0   95.4  459      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1094-1095

V7310   **D5A U REVU: JCAHO:Y/N?**

Which of the following agencies conduct such a review? Is it
the ...Joint Commission on Accreditation of Healthcare
Organizations?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 74.9   71.5  344      0  0. No
 25.1   23.9  115      1  1. Yes
              1.7   8     -5  -5. NO INTERVIEW
              2.9  14     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1096-1097

V7311   **D5B U REVU:JCAHO-FREQ**

How often does this review take place? (Is it every two
years, annually, semi-annually, quarterly, monthly, or
something else?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 23.5    5.6   27      1  1. 2 YR OR LESS
  8.7    2.1   10      2  2. ANNUALLY
  0.0    0.0    0      3  3. SEMI-ANNUAL
  0.0    0.0    0      4  4. QUARTERLY
  0.0    0.0    0      5  5. MONTHLY
  1.7    0.4    2      6  6. RANDOM
 66.1   15.8   76      7  7. OTHER
         1.7    8     -5  -5. NO INTERVIEW
        74.4  358     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1098-1099

V7312   **D5C U REVU:ST DEPT PH:Y/N?**

Which of the following agencies conduct such a review? Is it
the ...State Office or Department of Public Health?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 51.5   49.1  236       0  0. No
 48.5   46.2  222       1  1. Yes
               1.7    8      -5  -5. NO INTERVIEW
               0.2    1      -3  -3. REFUSED/NA
               2.9   14      -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1100-1101

V7313   **D5D U REVU:SDPH-FREQY**

How often does this review take place? (Is it every two
years, annually, semi-annually, quarterly, monthly, or
something else?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 22.8   10.4   50       1  1. 2 YR OR LESS
 59.8   27.2  131       2  2. ANNUALLY
  2.7    1.2    6       3  3. SEMI-ANNUAL
  5.9    2.7   13       4  4. QUARTERLY
  0.5    0.2    1       5  5. MONTHLY
  3.2    1.5    7       6  6. RANDOM
  5.0    2.3   11       7  7. OTHER
         1.7    8      -5  -5. NO INTERVIEW
         0.6    3      -2  -2. DONT KNOW
        52.2  251      -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1102-1103

V7314	D5E U REVU:ST DEPT MH:Y/N?

Which of the following agencies conduct such a review? Is it
the ...State Office or Department of Mental Health?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 73.9   70.1  337      0  0. No
 26.1   24.7  119      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
         2.9   14     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1104-1105

V7315	D5F U REVU:SDMH-FREQY

How often does the review take place? (Is it every two years,
annually, semi-annually, quarterly, monthly, or something
else?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 27.7    6.9   33      1  1. 2 YR OR LESS
 53.8   13.3   64      2  2. ANNUALLY
  6.7    1.7    8      3  3. SEMI-ANNUAL
  6.7    1.7    8      4  4. QUARTERLY
  0.0    0.0    0      5  5. MONTHLY
  2.5    0.6    3      6  6. RANDOM
  2.5    0.6    3      7  7. OTHER
         1.7    8     -5  -5. NO INTERVIEW
        73.6  354     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1106-1107

V7316   **D5G U REVU:ST DEPT SA:Y/N?**

Which of the following agencies conduct such a review? Is it
the ...State Office or Department of Substance Abuse?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.7	20.6	99	0	0. No
78.3	74.4	358	1	1. Yes
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	2.9	14	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1108-1109

V7317   **D5H U REVU:SDSA-FREQY**

How often does the review take place? (Is it every two years,
annually, semi-annually, quarterly, monthly, or something
else?)

PCT VALID	PCT ALL	N	VALUE	LABEL
22.5	16.6	80	1	1. 2 YR OR LESS
56.1	41.4	199	2	2. ANNUALLY
4.5	3.3	16	3	3. SEMI-ANNUAL
7.9	5.8	28	4	4. QUARTERLY
0.6	0.4	2	5	5. MONTHLY
4.2	3.1	15	6	6. RANDOM
4.2	3.1	15	7	7. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	23.9	115	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1110-1111

V7318　　　　　　　　　**D5I U REVU: FDA:Y/N?**

Which of the following agencies conduct such a review? Is it
the ...Food and Drug Administration?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 71.5  67.8  326       0  0. No
 28.5  27.0  130       1  1. Yes
        1.7    8      -5  -5. NO INTERVIEW
        0.4    2      -3  -3. REFUSED/NA
        0.2    1      -2  -2. DONT KNOW
        2.9   14      -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1112-1113

V7319　　　　　　　　　**D5J U REVU:FDA-FREQCY**

How often does the review take place? (Is it every two years,
annually, semi-annually, quarterly, monthly, or something
else?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 21.7    5.8   28       1  1. 2 YR OR LESS
 34.9    9.4   45       2  2. ANNUALLY
  3.9    1.0    5       3  3. SEMI-ANNUAL
  0.0    0.0    0       4  4. QUARTERLY
  0.0    0.0    0       5  5. MONTHLY
 23.3    6.2   30       6  6. RANDOM
 16.3    4.4   21       7  7. OTHER
        1.7    8      -5  -5. NO INTERVIEW
        0.2    1      -2  -2. DONT KNOW
       71.3  343      -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1114-1115

V7320   **D5K U REVU: DEA:Y/N?**

Which of the following agencies conduct such a review? Is it
the ...Drug Enforcement Agency?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 70.8   67.2  323      0  0. No
 29.2   27.7  133      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
         2.9   14     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1116-1117

V7321   **D5L U REVU:DEA-FREQCY**

How often does the review take place? (Is it every two years,
annually, semi-annually, quarterly, monthly, or something
else?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 25.0    6.9   33      1  1. 2 YR OR LESS
 34.1    9.4   45      2  2. ANNUALLY
  1.5    0.4    2      3  3. SEMI-ANNUAL
  0.0    0.0    0      4  4. QUARTERLY
  0.0    0.0    0      5  5. MONTHLY
 22.0    6.0   29      6  6. RANDOM
 17.4    4.8   23      7  7. OTHER
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -2  -2. DONT KNOW
        70.7  340     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1118-1119

V7322   **D6 U REVU:OTH AGENCY:Y/N?**

Which of the following agencies conduct such a review? ...Any
agency other than those just mentioned?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 69.7   66.5  320      0  0. No
 30.3   28.9  139      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         2.9   14     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1120-1121

V7323   **D6A U REVU:O AGY NAME**

...Any agency other than those just mentioned? (SPECIFY)

481 cases (Range of valid codes: 1-77)

Data type: numeric
Missing-data codes: -5--1
Columns: 1122-1124

V7324   **D6B U REVU:O AGY FREQ**

How often does the review take place? (Is it every two years, annually, semi-annually, quarterly, monthly, or something else?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 10.1    2.9   14      1  1. 2 YR OR LESS
 48.6   13.9   67      2  2. ANNUALLY
  6.5    1.9    9      3  3. SEMI-ANNUAL
 12.3    3.5   17      4  4. QUARTERLY
  5.1    1.5    7      5  5. MONTHLY
  7.2    2.1   10      6  6. RANDOM
 10.1    2.9   14      7  7. OTHER
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -2  -2. DONT KNOW
        69.4  334     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1125-1126

V7325   **D7A REV INCL:$RECORDS:Y/N?**

Do these review procedures include... A review of financial records?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 24.3   23.1  111      0  0. No
 75.7   71.9  346      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
         2.9   14     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1127-1128

V7326   **D7B REV INCL:CL CNTCT:Y/N?**

Do these review procedures include... Contact with clients?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 37.0   35.1  169      0  0. No
 63.0   59.9  288      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
         2.9   14     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1129-1130

V7327   **D7C REV INCL:SITEVSIT:Y/N?**

Do these review procedures include... A site visit?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  0.7    0.6    3      0  0. No
 99.3   94.4  454      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
         2.9   14     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1131-1132

```
┌─────────────────────────────────────────────────────────────────────┐
│  V7328                    D7D REV INCL:REV REPT:Y/N?                   │
└─────────────────────────────────────────────────────────────────────┘
```

Do these review procedures include... A review of a report
written by your unit?

```
   PCT     PCT     N  VALUE  LABEL
  VALID    ALL
  18.9    17.9    86       0   0. No
  81.1    76.5   368       1   1. Yes
                   8      -5  -5. NO INTERVIEW
           1.7     2      -3  -3. REFUSED/NA
           0.4     3      -2  -2. DONT KNOW
           0.6    14      -1  -1. SKIPPED QUESTION
           2.9
  -----   -----   ---
  100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1133-1134

```
┌─────────────────────────────────────────────────────────────────────┐
│  V7329                    D7E REV INCL:CL RECRD:Y/N?                   │
└─────────────────────────────────────────────────────────────────────┘
```

Do these review procedures include... A review of client
records or charts?

```
   PCT     PCT     N  VALUE  LABEL
  VALID    ALL
   0.7     0.6     3       0   0. No
  99.3    94.4   454       1   1. Yes
                   8      -5  -5. NO INTERVIEW
           1.7     2      -3  -3. REFUSED/NA
           0.4    14      -1  -1. SKIPPED QUESTION
           2.9
  -----   -----   ---
  100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1135-1136

V7330	D7F REV INCL:POLICIES:Y/N?

Do these review procedures include... A review of policy and procedures manuals?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
  1.1     1.0    5      0  0. No
 98.9    94.2  453      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
          2.9   14     -1  -1. SKIPPED QUESTION
 -----   ----- ---
 100.0   100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1137-1138

V7331	D7G REV INCL:QA PROCD:Y/N?

Do these review procedures include... A review of procedures your unit uses to assure quality?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
  0.9     0.8    4      0  0. No
 99.1    94.4  454      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
          2.9   14     -1  -1. SKIPPED QUESTION
 -----   ----- ---
 100.0   100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1139-1140

V7332	D8 EXTNT U SHD INVLVD POL DVLP

Treatment units are sometimes involved in professional associations or other groups that develop policies and procedures for substance abuse treatment programs. In your view, to what extent should treatment units be involved in external policy development? Would you say to no extent, a little, some, great, or to a very great extent?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
  2.7     2.3   11      1  1. No extent
  6.9     5.8   28      2  2. A little extent
 34.2    28.7  138      3  3. Some extent
 34.5    28.9  139      4  4. A great extent
 21.6    18.1   87      5  5. A very great extent
          1.7    8     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
         14.1   68     -1  -1. SKIPPED QUESTION
 -----   ----- ---
 100.0   100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1141-1142

V7333   **D8A EXTNT U IS INVLVD POL DVLP**

To what extent is your unit involved in developing policies
and procedures for other substance abuse treatment programs?
(Would you say to no extent, a little, some, great, or to a
very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 25.2   21.2  102      1  1. No extent
 21.3   17.9   86      2  2. A little extent
 33.4   28.1  135      3  3. Some extent
 13.9   11.6   56      4  4. A great extent
  6.2    5.2   25      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -2  -2. DONT KNOW
        14.1   68     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1143-1144

V7334   **D9A EXTNT RELY CURR:PROF PUBLS**

To what extent do you personally rely on each of the following
as a way of finding out about developments in the field of
substance abuse? Journals, newsletters and other professional
publications? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  0.7    0.6    3      1  1. No extent
  6.4    5.4   26      2  2. A little extent
 43.7   36.8  177      3  3. Some extent
 38.3   32.2  155      4  4. A great extent
 10.9    9.1   44      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
        14.1   68     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1145-1146

V7335	D9B EXTNT RELY CURR:ATTND CONF

To what extent do you personally rely on each of the following
as a way of finding out about developments in the field of
substance abuse? Attendance at conferences or meetings of
professional associations? (Would you say to no extent, a
little, some, great, or to a very great extent?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	1	1	1. No extent
6.7	5.6	27	2	2. A little extent
40.8	34.3	165	3	3. Some extent
42.1	35.3	170	4	4. A great extent
10.1	8.5	41	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-2	-2. DONT KNOW
	14.1	68	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1147-1148

V7336	D9C EXTNT RELY CURR:SPEC TRAIN

To what extent do you personally rely on each of the following
as a way of finding out about developments in the field of
substance abuse? Participation in special training sessions,
seminars or workshops?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. No extent
7.4	6.2	30	2	2. A little extent
44.0	37.0	178	3	3. Some extent
40.0	33.7	162	4	4. A great extent
8.6	7.3	35	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	14.1	68	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1149-1150

V7337	D9D EXTNT RELY CURR:PROF ASSNS

To what extent do you personally rely on each of the following
as a way of finding out about developments in the field of
substance abuse? Membership in professional or provider
associations?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  7.2    7.1   34      1  1. No extent
 14.4   14.1   68      2  2. A little extent
 42.5   41.8  201      3  3. Some extent
 30.7   30.1  145      4  4. A great extent
  5.3    5.2   25      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1151-1152

V7338	D9E EXTNT RELY CURR:PART BORDS

To what extent do you personally rely on each of the following
as a way of finding out about developments in the field of
substance abuse? Participation on advisory boards, commissions
or panels?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  9.1    8.9   43      1  1. No extent
 19.6   19.1   92      2  2. A little extent
 45.5   44.5  214      3  3. Some extent
 21.3   20.8  100      4  4. A great extent
  4.5    4.4   21      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1153-1154

V7339   **D9F EXTNT RELY CURR:MKT RESRCH**

To what extent do you personally rely on each of the following
as a way of finding out about developments in the field of
substance abuse? Market research sponsored by your unit or
purchased from an outside source?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 52.2    51.4   247      1  1. No extent
 30.7    30.1   145      2  2. A little extent
 13.5    13.3    64      3  3. Some extent
  3.2     3.1    15      4  4. A great extent
  0.4     0.4     2      5  5. A very great extent
          1.7     8     -5  -5. NO INTERVIEW
 -----   -----   ---
100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1155-1156

V7340   **D9G EXTNT RELY CURR:TALK-ORGS**

To what extent do you personally rely on each of the following
as a way of finding out about developments in the field of
substance abuse? Informal conversations with members of other
substance abuse treatment organizations?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
  0.6     0.6     3      1  1. No extent
  5.9     5.8    28      2  2. A little extent
 44.5    43.7   210      3  3. Some extent
 39.2    38.5   185      4  4. A great extent
  9.7     9.6    46      5  5. A very great extent
          1.7     8     -5  -5. NO INTERVIEW
          0.2     1     -3  -3. REFUSED/NA
 -----   -----   ---
100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1157-1158

V7341   **D10 EXTNT MSN:FORMAL AGRMNT**

The next questions ask about the rationale behind particular
features of your outpatient unit. To what extent has your
outpatient unit adopted its current mission and goals because
of a formal agreement between your outpatient unit and some
other organization? (Would you say to no extent, a little,
some, great, or to a very great extent?)

PCT VALID	PCT ALL	N	VALUE	LABEL
38.6	37.8	182	1	1. No extent
10.8	10.6	51	2	2. A little extent
21.8	21.4	103	3	3. Some extent
18.9	18.5	89	4	4. A great extent
10.0	9.8	47	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1159-1160

V7342   **D10 MSN:AGR-#ORGNAMES**

SUMMARY # OF MENTIONS

PCT VALID	PCT ALL	N	VALUE	LABEL
46.7	28.3	136	1	
30.9	18.7	90	2	
18.2	11.0	53	3	
1.4	0.8	4	4	
1.0	0.6	3	5	
1.0	0.6	3	6	
0.7	0.4	2	7	
	1.7	8	-5	-5. NO INTERVIEW
	37.8	182	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1161-1162

V7343   **D10A MSN:AGR-ORGNAME1**

What are the names of these organizations? ORGNAME1

481 cases (Range of valid codes: 10-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1163-1165

V7344   **D10B MSN:AGR-FUNDAGY1**

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.8	21.0	101	0	0. NO CHECK
65.2	39.3	189	1	1. CHECKED
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	37.8	182	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1166-1167

V7345   **D10B MSN:AGR-LIC AGY1**

...a licensing or accreditation organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
49.7	29.9	144	0	0. NO CHECK
50.3	30.4	146	1	1. CHECKED
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	37.8	182	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1168-1169

```
┌──────────────────────────────────────────────────────────────────┐
│ V7346                    D10B MSN:AGR-REF AGY1                      │
└──────────────────────────────────────────────────────────────────┘
```

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 63.8   38.5  185      0  0. NO CHECK
 36.2   21.8  105      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        37.8  182     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1170-1171

```
┌──────────────────────────────────────────────────────────────────┐
│ V7347                    D10B MSN:AGR-TX AGY 1                      │
└──────────────────────────────────────────────────────────────────┘
```

...a substance abuse treatment unit?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 87.9   53.0  255      0  0. NO CHECK
 12.1    7.3   35      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        37.8  182     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1172-1173

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7348                    D10C MSN:AGR-LVL AGY1                             │
└─────────────────────────────────────────────────────────────────────────┘
```

Is it a local, state, or federal organization; or is it a
national organization? (CHECK ONLY ONE.) [IF R SAYS MORE
THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  38.1    22.9  110      1   1. LOCAL
  55.0    33.1  159      2   2. STATE
   2.4     1.5    7      3   3. FEDERAL
   4.5     2.7   13      4   4. NATIONAL
           1.7    8     -5   -5. NO INTERVIEW
           0.4    2     -3   -3. REFUSED/NA
          37.8  182     -1   -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1174-1175

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7349                    D10A MSN:AGR:ORGNAME2                             │
└─────────────────────────────────────────────────────────────────────────┘
```

ORGNAME2

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1176-1178

```
V7350                    D10B MSN:AGR-FUNDAGY2
```

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 47.7   15.4   74      0  0. NO CHECK
 52.3   16.8   81      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
        66.1  318     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1179-1180

```
V7351                    D10B MSN:AGR-LIC AGY2
```

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 58.1   18.7   90      0  0. NO CHECK
 41.9   13.5   65      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
        66.1  318     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1181-1182

V7352   **D10B MSN:AGR-REF AGY2**

```
...a referral source?

  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 62.6   20.2   97       0  0. NO CHECK
 37.4   12.1   58       1  1. CHECKED
         1.7    8      -5  -5. NO INTERVIEW
        66.1  318      -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 1183-1184
```

V7353   **D10B MSN:AGR-TX AGY 2**

```
...a substance abuse treatment unit?

  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 88.4   28.5  137       0  0. NO CHECK
 11.6    3.7   18       1  1. CHECKED
         1.7    8      -5  -5. NO INTERVIEW
        66.1  318      -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 1185-1186
```

V7354   **D10C MSN:AGR-LVL AGY2**

Is it a local, state, or federal organization; or is it a
national organization? (CHECK ONLY ONE.) [IF R SAYS MORE
THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  39.4   12.7    61      1  1. LOCAL
  44.5   14.3    69      2  2. STATE
   9.0    2.9    14      3  3. FEDERAL
   7.1    2.3    11      4  4. NATIONAL
          1.7     8     -5  -5. NO INTERVIEW
         66.1   318     -1  -1. SKIPPED QUESTION
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1187-1188

V7355   **D10A MSN:AGR-ORGNAME3**

ORGNAME3

481 cases (Range of valid codes: 1-77)

Data type: numeric
Missing-data codes: -5--1
Columns: 1189-1191

```
V7356                   D10B MSN:AGR-FUNDAGY3
```

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT     PCT    N  VALUE  LABEL
VALID    ALL
 73.0    9.6    46      0  0. NO CHECK
 27.0    3.5    17      1  1. CHECKED
         1.7     8     -5  -5. NO INTERVIEW
         0.4     2     -3  -3. REFUSED/NA
        84.8   408     -1  -1. SKIPPED QUESTION
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1192-1193

```
V7357                   D10B MSN:AGR-LIC AGY3
```

...a licensing or accreditation organization?

```
  PCT     PCT    N  VALUE  LABEL
VALID    ALL
 55.6    7.3    35      0  0. NO CHECK
 44.4    5.8    28      1  1. CHECKED
         1.7     8     -5  -5. NO INTERVIEW
         0.4     2     -3  -3. REFUSED/NA
        84.8   408     -1  -1. SKIPPED QUESTION
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1194-1195

```
V7358                D10B MSN:AGR-REF AGY3
```

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 57.1    7.5   36      0  0. NO CHECK
 42.9    5.6   27      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        84.8  408     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1196-1197

```
V7359                D10B MSN:AGR-TX AGY 3
```

...a substance abuse treatment unit?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 77.8   10.2   49      0  0. NO CHECK
 22.2    2.9   14      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        84.8  408     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1198-1199

V7360   **D10C MSN:AGR-LVL AGY3**

Is it a local, state, or federal organization; or is it a
national organization? (CHECK ONLY ONE.) [IF R SAYS MORE
THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 36.5    4.8   23      1  1. LOCAL
 39.7    5.2   25      2  2. STATE
 12.7    1.7    8      3  3. FEDERAL
 11.1    1.5    7      4  4. NATIONAL
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        84.8  408     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1200-1201

V7361   **D11 EXTNT MSN:AGR-CONFL REQ**

To what extent do the organizations you mentioned have
conflicting expectations or requirements of your outpatient
unit? (Would you say to no extent, a little, some, great, or
to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 23.4    7.5   36      1  1. No extent
 42.9   13.7   66      2  2. A little extent
 28.6    9.1   44      3  3. Some extent
  4.5    1.5    7      4  4. A great extent
  0.6    0.2    1      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        66.1  318     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1202-1203

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7362                  D12 EXTNT MSN:INCENTVS OFRD                        │
└─────────────────────────────────────────────────────────────────────────┘
```

(To what extent has your outpatient unit adopted its current
mission and goals) because some other organization offered
your outpatient unit incentives, like technical assistance or
seed money, to do so? (Would you say to no extent, a little,
some, great, or to a very great extent?)

```
   PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 68.7   67.2   323      1   1. No extent
 10.4   10.2    49      2   2. A little extent
 10.6   10.4    50      3   3. Some extent
  8.5    8.3    40      4   4. A great extent
  1.7    1.7     8      5   5. A very great extent
         1.7     8     -5   -5. NO INTERVIEW
         0.2     1     -3   -3. REFUSED/NA
         0.4     2     -2   -2. DONT KNOW
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1204-1205

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7363                  D13 EXTNT MSN:GOV AGCY REGS                        │
└─────────────────────────────────────────────────────────────────────────┘
```

(To what extent has your outpatient unit adopted its current
mission and goals) to comply with government agency
regulations? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
   PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 16.7   16.4    79      1   1. No extent
  7.0    6.9    33      2   2. A little extent
 25.4   24.9   120      3   3. Some extent
 37.2   36.6   176      4   4. A great extent
 13.7   13.5    65      5   5. A very great extent
         1.7     8     -5   -5. NO INTERVIEW
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1206-1207

V7364   **D13 MSN:GOV-#AGYNAMES**

```
SUMMARY # OF MENTIONS

  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  44.6  36.4  175      1
  31.4  25.6  123      2
  21.9  17.9   86      3
   1.3   1.0    5      4
   0.5   0.4    2      5
   0.3   0.2    1      6
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        16.4   79     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 1208-1209
```

V7365   **D13A MSN:GOV-AGYNAME1**

```
What are the names of these agencies? GOV-AGYNAME1

481 cases (Range of valid codes: 1-77)

Data type: numeric
Missing-data codes: -5--1
Columns: 1210-1212
```

```
┌──────────────────────────────────────────────────────────────────┐
│ V7366                   D13B MSN:GOV-FUNDAGY1                      │
└──────────────────────────────────────────────────────────────────┘
```

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 32.1   26.2  126       0  0. NO CHECK
 67.9   55.3  266       1  1. CHECKED
              1.7   8      -5  -5. NO INTERVIEW
              0.4   2      -3  -3. REFUSED/NA
             16.4  79      -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1213-1214

```
┌──────────────────────────────────────────────────────────────────┐
│ V7367                   D13B MSN:GOV-LIC AGY1                      │
└──────────────────────────────────────────────────────────────────┘
```

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 17.6   14.3   69       0  0. NO CHECK
 82.4   67.2  323       1  1. CHECKED
              1.7   8      -5  -5. NO INTERVIEW
              0.4   2      -3  -3. REFUSED/NA
             16.4  79      -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1215-1216

V7368   **D13B MSN:GOV-REF AGY1**

...a referral source?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  82.9   67.4  324      0  0. NO CHECK
  17.1   13.9   67      1  1. CHECKED
          1.7    8     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
         16.4   79     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1217-1218

V7369   **D13C MSN:GOV-LVL AGY1**

Is it a local, state, or federal agency? (CHECK ONLY ONE.)[IF
R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
   9.1    7.3   35      1  1. LOCAL
  74.5   59.7  287      2  2. STATE
  16.4   13.1   63      3  3. FEDERAL
   0.0    0.0    0      4  4. NATIONAL
          1.7    8     -5  -5. NO INTERVIEW
          1.9    9     -3  -3. REFUSED/NA
         16.4   79     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1219-1220

```
┌────────────────────────────────────────────────────────────────────────────┐
│  V7370                     D13A MSN:GOV-AGYNAME2                            │
└────────────────────────────────────────────────────────────────────────────┘
```

What are the names of these agencies? GOV-AGYNAME2

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1221-1223

```
┌────────────────────────────────────────────────────────────────────────────┐
│  V7371                     D13B MSN:GOV-FUNDAGY2                            │
└────────────────────────────────────────────────────────────────────────────┘
```

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  53.2   23.9  115      0  0. NO CHECK
  46.8   21.0  101      1  1. CHECKED
          1.7    8     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         52.8  254     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1224-1225

```
┌─────────────────────────────────────────────────────────────────┐
│ V7372                  D13B MSN:GOV-LIC AGY2                       │
└─────────────────────────────────────────────────────────────────┘
```

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 31.9   14.3   69      0  0. NO CHECK
 68.1   30.6  147      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        52.8  254     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1226-1227

```
┌─────────────────────────────────────────────────────────────────┐
│ V7373                  D13B MSN:GOV-REF AGY2                       │
└─────────────────────────────────────────────────────────────────┘
```

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 79.6   35.8  172      0  0. NO CHECK
 20.4    9.1   44      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        52.8  254     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1228-1229

V7374   **D13C MSN:GOV-LVL AGY2**

Is it a local, state, or federal agency? (CHECK ONLY ONE.)[IF
R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
 18.6    8.3   40      1  1. LOCAL
 42.8   19.1   92      2  2. STATE
 38.6   17.3   83      3  3. FEDERAL
  0.0    0.0    0      4  4. NATIONAL
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
        52.8  254     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1230-1231

V7375   **D13A MSN:GOV-AGYNAME3**

What are the names of these agencies? GOV-AGYNAME3

481 cases (Range of valid codes: 1-77)

Data type: numeric
Missing-data codes: -5--1
Columns: 1232-1234

```
V7376              D13B MSN:GOV-FUNDAGY3
```

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 62.8   12.3   59      0  0. NO CHECK
 37.2    7.3   35      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        78.4  377     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1235-1236

```
V7377              D13B MSN:GOV-LIC AGY3
```

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 22.3    4.4   21      0  0. NO CHECK
 77.7   15.2   73      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        78.4  377     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1237-1238

```
V7378                   D13B MSN:GOV-REF AGY3
```

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 89.4   17.5   84      0  0. NO CHECK
 10.6    2.1   10      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        78.4  377     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1239-1240

```
V7379                   D13C MSN:GOV-LVL AGY3
```

Is it a local, state, or federal agency? (CHECK ONLY ONE.)[IF
R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 11.8    2.3   11      1  1. LOCAL
 51.6   10.0   48      2  2. STATE
 36.6    7.1   34      3  3. FEDERAL
  0.0    0.0    0      4  4. NATIONAL
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        78.4  377     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1241-1242

V7380   **D14 EXTNT MSN:GOV-CONFL REQ**

To what extent do the government agencies you mentioned have
conflicting expectations or requirements of your outpatient
unit? (Would you say to no extent, a little, some, great, or
to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 22.6   10.2   49     1  1. No extent
 32.7   14.8   71     2  2. A little extent
 34.1   15.4   74     3  3. Some extent
  6.5    2.9   14     4  4. A great extent
  4.1    1.9    9     5  5. A very great extent
         1.7    8    -5  -5. NO INTERVIEW
         0.4    2    -3  -3. REFUSED/NA
        52.8  254    -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1243-1244

V7381   **D15 EXTNT MSN:ENHANCE IMAGE**

(To what extent has your outpatient unit adopted its current
mission and goals) to enhance the public image, reputation or
acceptance of your outpatient unit? (Would you say to no
extent, a little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 15.7   15.4   74     1  1. No extent
 14.2   13.9   67     2  2. A little extent
 36.3   35.6  171     3  3. Some extent
 27.6   27.0  130     4  4. A great extent
  6.2    6.0   29     5  5. A very great extent
         1.7    8    -5  -5. NO INTERVIEW
         0.4    2    -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1245-1246

```
V7382                    D16 EXTNT MSN: STAY CURRENTX
```

(To what extent has your outpatient unit adopted its current
mission and goals) because it is important to keep up with the
substance abuse field? (Would you say to no extent, a little,
some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  5.7    5.6    27     1  1. No extent
  6.8    6.7    32     2  2. A little extent
 27.0   26.4   127     3  3. Some extent
 47.7   46.6   224     4  4. A great extent
 12.8   12.5    60     5  5. A very great extent
         1.7     8    -5  -5. NO INTERVIEW
         0.4     2    -3  -3. REFUSED/NA
         0.2     1    -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1247-1248

```
V7383                    D17 EXTNT ASS:FORMAL AGRMNT
```

To what extent has your outpatient unit adopted its current
client assessment practices and procedures because of a formal
agreement between your outpatient unit and some other
organization? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 33.6   32.8   158     1  1. No extent
 11.1   10.8    52     2  2. A little extent
 22.3   21.8   105     3  3. Some extent
 26.0   25.4   122     4  4. A great extent
  7.0    6.9    33     5  5. A very great extent
         1.7     8    -5  -5. NO INTERVIEW
         0.6     3    -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1249-1250

```
V7384                    D17 ASS:AGR-#ORGNAMES
```

```
       SUMMARY # OF MENTIONS

     PCT    PCT    N   VALUE  LABEL
    VALID   ALL
     55.0   35.8  172      1
     25.9   16.8   81      2
     17.6   11.4   55      3
      1.3    0.8    4      4
      0.3    0.2    1      7
             1.7    8     -5  -5. NO INTERVIEW
             0.4    2     -3  -3. REFUSED/NA
            32.8  158     -1  -1. SKIPPED QUESTION
    -----  ----- ---
    100.0  100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 1251-1252
```

```
V7385                    D17A ASS:AGR-ORGNAME1
```

```
    What are the names of these organizations? ORGNAME1

    481 cases (Range of valid codes: 1-97)

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 1253-1255
```

V7386	D17B ASS:AGR-FUNDAGY1

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 29.2   18.9   91      0  0. NO CHECK
 70.8   45.9  221      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        32.8  158     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1256-1257

V7387	D17B ASS:AGR-LIC AGY1

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 34.0   22.0  106      0  0. NO CHECK
 66.0   42.8  206      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        32.8  158     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1258-1259

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7388                    D17B ASS:AGR-REF AGY1                       │
└─────────────────────────────────────────────────────────────────────┘
```

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 74.7   48.4  233      0  0. NO CHECK
 25.3   16.4   79      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        32.8  158     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1260-1261

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7389                    D17B ASS:AGR-TX AGY 1                       │
└─────────────────────────────────────────────────────────────────────┘
```

...a substance abuse treatment unit?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 93.3   60.5  291      0  0. NO CHECK
  6.7    4.4   21      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        32.8  158     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1262-1263

V7390   **D17C ASS:AGR-LVL AGY1**

Is it a local, state, or federal organization; or is it a
national organization? (CHECK ONLY ONE.) [IF R SAYS MORE
THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

```
   PCT    PCT    N  VALUE   LABEL
 VALID    ALL
  23.1   15.0   72      1   1. LOCAL
  65.4   42.4  204      2   2. STATE
   5.4    3.5   17      3   3. FEDERAL
   6.1    4.0   19      4   4. NATIONAL
          1.7    8     -5   -5. NO INTERVIEW
          0.6    3     -3   -3. REFUSED/NA
         32.8  158     -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1264-1265

V7391   **D17A ASS:AGR-ORGNAME2**

What are the names of these organizations? ORGNAME2

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1266-1268

```
┌─────────────────────────────────────────────────────────────────────┐
│  V7392                  D17B ASS:AGR-FUNDAGY2                          │
└─────────────────────────────────────────────────────────────────────┘
```

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
    PCT    PCT    N  VALUE  LABEL
  VALID    ALL
   52.5   15.2   73      0  0. NO CHECK
   47.5   13.7   66      1  1. CHECKED
           1.7    8     -5  -5. NO INTERVIEW
           0.8    4     -3  -3. REFUSED/NA
          68.6  330     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1269-1270

```
┌─────────────────────────────────────────────────────────────────────┐
│  V7393                  D17B ASS:AGR-LIC AGY2                          │
└─────────────────────────────────────────────────────────────────────┘
```

...a licensing or accreditation organization?

```
    PCT    PCT    N  VALUE  LABEL
  VALID    ALL
   43.2   12.5   60      0  0. NO CHECK
   56.8   16.4   79      1  1. CHECKED
           1.7    8     -5  -5. NO INTERVIEW
           0.8    4     -3  -3. REFUSED/NA
          68.6  330     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1271-1272

```
┌──────────────────────────────────────────────────────────────────┐
│ V7394                    D17B ASS:AGR-REF AGY2                      │
└──────────────────────────────────────────────────────────────────┘
```

...a referral source?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  68.3   19.8   95        0  0. NO CHECK
  31.7    9.1   44        1  1. CHECKED
          1.7    8       -5  -5. NO INTERVIEW
          0.8    4       -3  -3. REFUSED/NA
         68.6  330       -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1273-1274

```
┌──────────────────────────────────────────────────────────────────┐
│ V7395                    D17B ASS:AGR-TX AGY 2                      │
└──────────────────────────────────────────────────────────────────┘
```

...a substance abuse treatment unit?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  95.7   27.7  133        0  0. NO CHECK
   4.3    1.2    6        1  1. CHECKED
          1.7    8       -5  -5. NO INTERVIEW
          0.8    4       -3  -3. REFUSED/NA
         68.6  330       -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1275-1276

V7396   **D17C ASS:AGR-LVL AGY2**

Is it a local, state, or federal organization; or is it a
national organization? (CHECK ONLY ONE.) [IF R SAYS MORE
THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 28.6    8.3    40      1  1. LOCAL
 43.6   12.7    61      2  2. STATE
 21.4    6.2    30      3  3. FEDERAL
  6.4    1.9     9      4  4. NATIONAL
         1.7     8     -5  -5. NO INTERVIEW
         0.6     3     -3  -3. REFUSED/NA
        68.6   330     -1  -1. SKIPPED QUESTION
 -----  -----   ---
100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1277-1278

V7397   **D17A ASS:AGR-ORGNAME3**

What are the names of these organizations? ORGNAME3

481 cases (Range of valid codes: 11-74)

Data type: numeric
Missing-data codes: -5--1
Columns: 1279-1281

```
V7398                    D17B ASS:AGR-FUNDAGY3
```

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 72.9    8.9   43      0  0. NO CHECK
 27.1    3.3   16      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        85.4  411     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1282-1283

```
V7399                    D17B ASS:AGR-LIC AGY3
```

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 35.6    4.4   21      0  0. NO CHECK
 64.4    7.9   38      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        85.4  411     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1284-1285

```
┌──────────────────────────────────────────────────────────────────────┐
│  V7400                    D17B ASS:AGR-REF AGY3                         │
└──────────────────────────────────────────────────────────────────────┘
```

...a referral source?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 69.5    8.5    41       0  0. NO CHECK
 30.5    3.7    18       1  1. CHECKED
         1.7     8      -5  -5. NO INTERVIEW
         0.6     3      -3  -3. REFUSED/NA
        85.4   411      -1  -1. SKIPPED QUESTION
 -----  -----   ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1286-1287

```
┌──────────────────────────────────────────────────────────────────────┐
│  V7401                    D17B ASS:AGR-TX AGY 3                         │
└──────────────────────────────────────────────────────────────────────┘
```

...a substance abuse treatment unit?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 91.5   11.2    54       0  0. NO CHECK
  8.5    1.0     5       1  1. CHECKED
         1.7     8      -5  -5. NO INTERVIEW
         0.6     3      -3  -3. REFUSED/NA
        85.4   411      -1  -1. SKIPPED QUESTION
 -----  -----   ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1288-1289

```
V7402                    D17C ASS:AGR-LVL AGY3
```

Is it a local, state, or federal organization; or is it a
national organization? (CHECK ONLY ONE.) [IF R SAYS MORE
THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 23.7    2.9   14      1  1. LOCAL
 40.7    5.0   24      2  2. STATE
 23.7    2.9   14      3  3. FEDERAL
 11.9    1.5    7      4  4. NATIONAL
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        85.4  411     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1290-1291

```
V7403                    D18 EXTNT ASS:AGR-CONFL REQ
```

To what extent do the organizations you mentioned have
conflicting expectations or requirements of your outpatient
unit? (Would you say to no extent, a little, some, great, or
to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 28.6    8.3   40      1  1. No extent
 32.9    9.6   46      2  2. A little extent
 27.1    7.9   38      3  3. Some extent
 10.0    2.9   14      4  4. A great extent
  1.4    0.4    2      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        68.6  330     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1292-1293

V7404	D19 EXTNT ASS:INCENTIV OFRD

(To what extent has your outpatient unit adopted its current
client assessment practices and procedures) because some other
organization offered your outpatient unit incentives, like
technical assistance or seed money, to do so? (Would you say
to no extent, a little, some, great, or to a very great
extent?)

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
 74.6    72.6  349      1  1. No extent
  9.8     9.6   46      2  2. A little extent
  7.3     7.1   34      3  3. Some extent
  6.2     6.0   29      4  4. A great extent
  2.1     2.1   10      5  5. A very great extent
          1.7    8     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
          0.4    2     -2  -2. DONT KNOW
 -----   -----  ---
100.0   100.0  481 cases


Data type: numeric
Missing-data codes: -5--1
Columns: 1294-1295
```

V7405	**D20 EXTNT ASS:GOV AGCY REQS**

(To what extent has your outpatient unit adopted its current
client assessment practices and procedures) to comply with
government agency regulations? (Would you say to no extent, a
little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 13.9   13.5   65      1  1. No extent
  6.4    6.2   30      2  2. A little extent
 24.7   24.1  116      3  3. Some extent
 41.6   40.5  195      4  4. A great extent
 13.4   13.1   63      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1296-1297

V7406	**D20 ASS:GOV-#AGYNAMES**

SUMMARY # OF MENTIONS

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 52.0   43.7  210      1
 27.5   23.1  111      2
 19.6   16.4   79      3
  1.0    0.8    4      4
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        13.5   65     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1298-1299

V7407   **D20A ASS:GOV-AGYNAME1**

What are the names of these agencies? AGYNAME1

481 cases (Range of valid codes: 1-77)

Data type: numeric
Missing-data codes: -5--1
Columns: 1300-1302

V7408   **D20B ASS:GOV-FUNDAGY1**

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 31.5   26.4  127      0  0. NO CHECK
 68.5   57.4  276      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        13.5   65     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1303-1304

V7409   **D20B ASS:GOV-LIC AGY1**

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 16.1   13.5   65      0  0. NO CHECK
 83.9   70.3  338      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        13.5   65     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1305-1306

```
┌──────────────────────────────────────────────────────────────────────────┐
│  V7410                    D20B ASS:GOV-REF AGY1                             │
└──────────────────────────────────────────────────────────────────────────┘
```

...a referral source?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  83.4   69.9  336      0  0. NO CHECK
  16.6   13.9   67      1  1. CHECKED
          1.7    8     -5  -5. NO INTERVIEW
          1.0    5     -3  -3. REFUSED/NA
         13.5   65     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1307-1308

```
┌──────────────────────────────────────────────────────────────────────────┐
│  V7411                    D20C ASS:GOV-LVL AGY1                             │
└──────────────────────────────────────────────────────────────────────────┘
```

Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF
R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWESTCODE
VALUE.]

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
   9.0    7.5   36      1  1. LOCAL
  76.2   63.2  304      2  2. STATE
  14.8   12.3   59      3  3. FEDERAL
   0.0    0.0    0      4  4. NATIONAL
          1.7    8     -5  -5. NO INTERVIEW
          1.9    9     -3  -3. REFUSED/NA
         13.5   65     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1309-1310

V7412   **D20A ASS:GOV-AGYNAME2**

What are the names of these agencies? AGYNAME2

481 cases (Range of valid codes: 1-76)

Data type: numeric
Missing-data codes: -5--1
Columns: 1311-1313

V7413   **D20B ASS:GOV-FUNDAGY2**

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 50.8   20.4   98      0  0. NO CHECK
 49.2   19.8   95      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        57.2  275     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1314-1315

V7414   **D20B ASS:GOV-LIC AGY2**

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 25.9   10.4   50      0  0. NO CHECK
 74.1   29.7  143      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        57.2  275     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1316-1317

V7415	D20B ASS:GOV-REF AGY2

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 82.9   33.3  160      0  0. NO CHECK
 17.1    6.9   33      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        57.2  275     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1318-1319

V7416	D20C ASS:GOV-LVL AGY2

Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF
R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWESTCODE
VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 14.6    5.8   28      1  1. LOCAL
 48.4   19.3   93      2  2. STATE
 37.0   14.8   71      3  3. FEDERAL
  0.0    0.0    0      4  4. NATIONAL
         1.7    8     -5  -5. NO INTERVIEW
         1.2    6     -3  -3. REFUSED/NA
        57.2  275     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1320-1321

V7417   **D20A ASS:GOV-AGYNAME3**

What are the names of these agencies? AGYNAME3

481 cases (Range of valid codes: 2-74)

Data type: numeric
Missing-data codes: -5--1
Columns: 1322-1324

V7418   **D20B ASS:GOV-FUNDAGY3**

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 63.9   11.0   53     0  0. NO CHECK
 36.1    6.2   30     1  1. CHECKED
         1.7    8    -5  -5. NO INTERVIEW
         0.8    4    -3  -3. REFUSED/NA
        80.2  386    -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1325-1326

V7419   **D20B ASS:GOV-LIC AGY3**

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 14.5    2.5   12     0  0. NO CHECK
 85.5   14.8   71     1  1. CHECKED
         1.7    8    -5  -5. NO INTERVIEW
         0.8    4    -3  -3. REFUSED/NA
        80.2  386    -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1327-1328

```
V7420                    D20B ASS:GOV-REF AGY3
```

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 84.3   14.6   70      0  0. NO CHECK
 15.7    2.7   13      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
        80.2  386     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1329-1330

```
V7421                    D20C ASS:GOV-LVL AGY3
```

Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF
R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWESTCODE
VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 14.6    2.5   12      1  1. LOCAL
 52.4    8.9   43      2  2. STATE
 32.9    5.6   27      3  3. FEDERAL
  0.0    0.0    0      4  4. NATIONAL
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        80.2  386     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1331-1332

V7422   **D21 EXTNT ASS:GOV-CONFL REQ**

To what extent do the government agencies you mentioned have conflicting expectations or requirements of your outpatient unit? (Would you say to no extent, a little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 26.8   10.8   52      1  1. No extent
 35.6   14.3   69      2  2. A little extent
 30.4   12.3   59      3  3. Some extent
  5.7    2.3   11      4  4. A great extent
  1.5    0.6    3      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
        57.2  275     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1333-1334

V7423   **D22 EXTNT ASS:ENHANCE IMAGE**

(To what extent has your outpatient unit adopted its current client assessment practices and procedures) to enhance the public image, reputation or acceptance of your outpatient unit? (Would you say to no extent, a little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 24.6   24.1  116      1  1. No extent
 20.6   20.2   97      2  2. A little extent
 32.9   32.2  155      3  3. Some extent
 18.3   17.9   86      4  4. A great extent
  3.6    3.5   17      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1335-1336

V7424	D23 EXTNT ASS: STAY CURRENTX

(To what extent has your outpatient unit adopted its current client assessment practices and procedures) because it is important to keep up with the substance abuse field? (Would you say to no extent, a little, some, great, or to a very great extent?)

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  6.8     6.7   32      1  1. No extent
  6.4     6.2   30      2  2. A little extent
 32.3    31.6  152      3  3. Some extent
 45.6    44.7  215      4  4. A great extent
  8.9     8.7   42      5  5. A very great extent
          1.7    8     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
 -----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1337-1338

V7425	D24 EXTNT TX:FORMAL AGRMENT

To what extent has your outpatient unit adopted its current treatment approaches because of a formal agreement between your outpatient unit and some other organization? (Would you say to no extent, a little, some, great, or to a very great extent?)

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 44.6    43.5  209      1  1. No extent
 10.4    10.2   49      2  2. A little extent
 22.0    21.4  103      3  3. Some extent
 18.6    18.1   87      4  4. A great extent
  4.5     4.4   21      5  5. A very great extent
          1.7    8     -5  -5. NO INTERVIEW
          0.8    4     -3  -3. REFUSED/NA
 -----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1339-1340

V7426   **D24 TX:AGR-#ORG NAMES**

```
       SUMMARY # OF MENTIONS

     PCT    PCT    N  VALUE  LABEL
    VALID   ALL
     55.2   29.9  144      1
     25.3   13.7   66      2
     18.0    9.8   47      3
      1.1    0.6    3      4
      0.4    0.2    1      5
             1.7    8     -5  -5. NO INTERVIEW
             0.4    2     -3  -3. REFUSED/NA
             0.2    1     -2  -2. DONT KNOW
            43.5  209     -1  -1. SKIPPED QUESTION
    -----  -----  ---
    100.0  100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 1341-1342
```

V7427   **D24A TX:AGR-ORG NAME1**

```
    What are the names of these organizations? ORGNAME1

    481 cases (Range of valid codes: 1-97)

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 1343-1345
```

V7428	D24B TX:AGR-FUND AGY1

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
26.4	14.3	69	0	0. NO CHECK
73.6	39.9	192	1	1. CHECKED
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	43.5	209	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1346-1347

V7429	D24B TX:AGR-LIC AGY 1

...a licensing or accreditation organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
36.0	19.5	94	0	0. NO CHECK
64.0	34.7	167	1	1. CHECKED
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	43.5	209	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1348-1349

```
V7430                    D24B TX:AGR-REF AGY 1
```

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 68.2   37.0  178      0  0. NO CHECK
 31.8   17.3   83      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        43.5  209     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1350-1351

```
V7431                    D24B TX:AGR- TX AGY 1
```

...a substance abuse treatment unit?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 92.0   49.9  240      0  0. NO CHECK
  8.0    4.4   21      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        43.5  209     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1352-1353

V7432	D24C TX:AGR-LVL AGY 1

Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 23.9   12.9   62      1  1. LOCAL
 66.8   36.0  173      2  2. STATE
  6.2    3.3   16      3  3. FEDERAL
  3.1    1.7    8      4  4. NATIONAL
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        43.5  209     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1354-1355

V7433	D24A TX:AGR-ORG NAME2

What are the names of these organizations? ORGNAME2

481 cases (Range of valid codes: 10-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1356-1358

V7434   **D24B TX:AGR-FUND AGY2**

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 47.9   11.6   56      0  0. NO CHECK
 52.1   12.7   61      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        73.4  353     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1359-1360

V7435   **D24B TX:AGR-LIC AGY 2**

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 37.6    9.1   44      0  0. NO CHECK
 62.4   15.2   73      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        73.4  353     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1361-1362

V7436   **D24B TX:AGR-REF AGY 2**

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 64.1   15.6   75      0  0. NO CHECK
 35.9    8.7   42      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        73.4  353     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1363-1364

V7437   **D24B TX:AGR- TX AGY 2**

...a substance abuse treatment unit?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 93.2   22.7  109      0  0. NO CHECK
  6.8    1.7    8      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        73.4  353     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1365-1366

```
V7438                    D24C TX:AGR-LVL AGY 2
```

Is it a local, state, or federal organization; or is it a
national organization? (CHECK ONLY ONE.) [IF R SAYS MORE
THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

```
   PCT    PCT   N  VALUE   LABEL
 VALID   ALL
  27.6   6.7   32      1  1. LOCAL
  43.1  10.4   50      2  2. STATE
  24.1   5.8   28      3  3. FEDERAL
   5.2   1.2    6      4  4. NATIONAL
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
        73.4  353     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1367-1368

```
V7439                    D24A TX:AGR-ORG NAME3
```

What are the names of these organizations? ORGNAME3

481 cases (Range of valid codes: 2-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1369-1371

V7440	D24B TX:AGR-FUND AGY3

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 66.7    7.1   34      0  0. NO CHECK
 33.3    3.5   17      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        87.1  419     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1372-1373

V7441	D24B TX:AGR-LIC AGY 3

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 37.3    4.0   19      0  0. NO CHECK
 62.7    6.7   32      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        87.1  419     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1374-1375

```
V7442                    D24B TX:AGR-REF AGY 3
```

...a referral source?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 76.5    8.1   39        0  0. NO CHECK
 23.5    2.5   12        1  1. CHECKED
         1.7    8       -5  -5. NO INTERVIEW
         0.6    3       -3  -3. REFUSED/NA
        87.1  419       -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1376-1377

```
V7443                    D24B TX:AGR- TX AGY 3
```

...a substance abuse treatment unit?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 96.1   10.2   49        0  0. NO CHECK
  3.9    0.4    2        1  1. CHECKED
         1.7    8       -5  -5. NO INTERVIEW
         0.6    3       -3  -3. REFUSED/NA
        87.1  419       -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1378-1379

```
V7444              D24C TX:AGR-LVL AGY 3
```

Is it a local, state, or federal organization; or is it a
national organization? (CHECK ONLY ONE.) [IF R SAYS MORE
THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  23.5    2.5   12      1  1. LOCAL
  39.2    4.2   20      2  2. STATE
  31.4    3.3   16      3  3. FEDERAL
   5.9    0.6    3      4  4. NATIONAL
          1.7    8     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
         87.1  419     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1380-1381

```
V7445              D25 TX:EXTNT AGR-CONFL REQS
```

To what extent do the organizations you mentioned have
conflicting expectations or requirements of your outpatient
unit? (Would you say to no extent, a little,some, great, or
to a very great extent?)

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  27.4    6.7   32      1  1. No extent
  37.6    9.1   44      2  2. A little extent
  26.5    6.4   31      3  3. Some extent
   7.7    1.9    9      4  4. A great extent
   0.9    0.2    1      5  5. A very great extent
          1.7    8     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
         73.4  353     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1382-1383

V7446   **D26 TX:EXTNT INCENTIVS OFRD**

(To what extent has your outpatient unit adopted its current
treatment approaches) because some other organization offered
your outpatient unit incentives, like technical assistance or
seed money, to do so? (Would you say to no extent, a little,
some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 71.2   69.2  333      1  1. No extent
  9.4    9.1   44      2  2. A little extent
  9.8    9.6   46      3  3. Some extent
  7.3    7.1   34      4  4. A great extent
  2.4    2.3   11      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1384-1385

V7447   **D27 TX:EXTNT GOV AGNCY REQS**

(To what extent has your outpatient unit adopted its current
client assessment practices and procedures) to comply with
government agency regulations? (Would you say to no extent, a
little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 19.8   19.3   93      1  1. No extent
  7.7    7.5   36      2  2. A little extent
 31.3   30.6  147      3  3. Some extent
 32.3   31.6  152      4  4. A great extent
  8.9    8.7   42      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1386-1387

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7448                    D27 TX:GOV-#AGY NAMES                       │
└─────────────────────────────────────────────────────────────────────┘
```

```
      SUMMARY # OF MENTIONS

      PCT     PCT    N   VALUE   LABEL
     VALID    ALL
     47.6    37.2  179      1
     29.3    22.9  110      2
     20.7    16.2   78      3
      1.9     1.5    7      4
      0.5     0.4    2      6
              1.7    8     -5   -5. NO INTERVIEW
              0.6    3     -3   -3. REFUSED/NA
              0.2    1     -2   -2. DONT KNOW
             19.3   93     -1   -1. SKIPPED QUESTION
     -----   -----  ---
     100.0   100.0  481 cases

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 1388-1389
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7449                    D27A TX:GOV-AGY NAME1                       │
└─────────────────────────────────────────────────────────────────────┘
```

```
     What are the names of these agencies?

     481 cases (Range of valid codes: 1-77)

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 1390-1392
```

V7450	D27B TX:GOV-FUND AGY1

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
28.8	22.5	108	0	0. NO CHECK
71.2	55.5	267	1	1. CHECKED
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	19.3	93	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1393-1394

V7451	D27B TX:GOV-LIC AGY 1

...a licensing or accreditation organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.9	11.6	56	0	0. NO CHECK
85.1	66.3	319	1	1. CHECKED
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	19.3	93	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1395-1396

```
V7452                    D27B TX:GOV-REF AGY 1
```

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 83.5   65.1  313      0  0. NO CHECK
 16.5   12.9   62      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        19.3   93     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1397-1398

```
V7453                    D27C TX:GOV-LVL AGY 1
```

Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF
R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  9.4    7.3   35      1  1. LOCAL
 75.5   58.4  281      2  2. STATE
 15.1   11.6   56      3  3. FEDERAL
  0.0    0.0    0      4  4. NATIONAL
         1.7    8     -5  -5. NO INTERVIEW
         1.7    8     -3  -3. REFUSED/NA
        19.3   93     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1399-1400

V7454   **D27A TX:GOV-AGY NAME2**

What are the names of these agencies?

481 cases (Range of valid codes: 1-73)

Data type: numeric
Missing-data codes: -5--1
Columns: 1401-1403

V7455   **D27B TX:GOV-FUND AGY2**

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 56.9   23.3  112      0  0. NO CHECK
 43.1   17.7   85      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
        56.5  272     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1404-1405

V7456   **D27B TX:GOV-LIC AGY 2**

...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 22.3    9.1   44      0  0. NO CHECK
 77.7   31.8  153      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
        56.5  272     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1406-1407

```
┌──────────────────────────────────────────────────────────────────────────┐
│ V7457                       D27B TX:GOV-REF AGY 2                           │
└──────────────────────────────────────────────────────────────────────────┘
```

       ...a referral source?

         PCT   PCT   N VALUE LABEL
       VALID   ALL
        81.2   33.3 160   0 0. NO CHECK
        18.8   7.7   37   1 1. CHECKED
                1.7   8   -5 -5. NO INTERVIEW
                0.8   4   -3 -3. REFUSED/NA
               56.5 272   -1 -1. SKIPPED QUESTION
       ----- ----- ---
       100.0 100.0 481 cases

       Data type: numeric
       Missing-data codes: -5--1
       Columns: 1408-1409

```
┌──────────────────────────────────────────────────────────────────────────┐
│ V7458                       D27C TX:GOV-LVL AGY 2                           │
└──────────────────────────────────────────────────────────────────────────┘
```

       Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF
       R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
       VALUE.]

         PCT   PCT   N VALUE LABEL
       VALID   ALL
        16.3   6.7   32   1 1. LOCAL
        46.4   18.9   91   2 2. STATE
        37.2   15.2   73   3 3. FEDERAL
         0.0   0.0   0   4 4. NATIONAL
                1.7   8   -5 -5. NO INTERVIEW
                1.0   5   -3 -3. REFUSED/NA
               56.5 272   -1 -1. SKIPPED QUESTION
       ----- ----- ---
       100.0 100.0 481 cases

       Data type: numeric
       Missing-data codes: -5--1
       Columns: 1410-1411

V7459   **D27A TX:GOV-AGY NAME3**

What are the names of these agencies?

481 cases (Range of valid codes: 2-74)

Data type: numeric
Missing-data codes: -5--1
Columns: 1412-1414

V7460   **D27B TX:GOV-FUND AGY3**

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
63.2	11.4	55	0	0. NO CHECK
36.8	6.7	32	1	1. CHECKED
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	79.4	382	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1415-1416

V7461   **D27B TX:GOV-LIC AGY 3**

...a licensing or accreditation organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.7	3.7	18	0	0. NO CHECK
79.3	14.3	69	1	1. CHECKED
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	79.4	382	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1417-1418

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7462                    D27B TX:GOV-REF AGY 3                        │
└─────────────────────────────────────────────────────────────────────┘
```

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 85.1   15.4   74      0  0. NO CHECK
 14.9    2.7   13      1  1. CHECKED
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
        79.4  382     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1419-1420

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7463                    D27C TX:GOV-LVL AGY 3                        │
└─────────────────────────────────────────────────────────────────────┘
```

Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF
R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 11.5    2.1   10      1  1. LOCAL
 47.1    8.5   41      2  2. STATE
 41.4    7.5   36      3  3. FEDERAL
  0.0    0.0    0      4  4. NATIONAL
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
        79.4  382     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1421-1422

V7464   **D28 TX:EXTNT GOV-CONFL REQS**

To what extent do the government agencies you mentioned have
conflicting expectations or requirements of your outpatient
unit? (Would you say to no extent, a little,some, great, or
to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 26.5   10.8   52      1  1. No extent
 36.7   15.0   72      2  2. A little extent
 29.1   11.9   57      3  3. Some extent
  5.6    2.3   11      4  4. A great extent
  2.0    0.8    4      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        56.5  272     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1423-1424

V7465   **D29 TX:EXTNT ENHANCE IMAGE**

(To what extent has your outpatient unit adopted its current
treatment approaches) to enhance the public image, reputation
or acceptance of your outpatient unit? (Would you say to no
extent, a little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 19.6   19.1   92      1  1. No extent
 17.9   17.5   84      2  2. A little extent
 35.0   34.1  164      3  3. Some extent
 20.7   20.2   97      4  4. A great extent
  6.8    6.7   32      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1425-1426

V7466	D30 TX:EXTNT STAY CURRENT

(To what extent has your outpatient unit adopted its current
treatment approaches) because it is important to keep up with
the substance abuse field? (Would you say to no extent, a
little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  7.0    6.9   33      1  1. No extent
  5.8    5.6   27      2  2. A little extent
 26.7   26.0  125      3  3. Some extent
 45.2   44.1  212      4  4. A great extent
 15.4   15.0   72      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1427-1428

COMPETITION, COLLABORATION, AND CHANGE

V7467　　　　　　　**E1A COMPETE:EXTNT HOSP SATU**

To what extent is your outpatient unit in competition for
personnel, clients and funds with: Hospital-based substance
abuse treatment units? (Would you say to no extent, a little,
some, great, or to a very great extent?)

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  28.1   27.4  132      1  1. No extent
  25.2   24.5  118      2  2. A little extent
  27.9   27.2  131      3  3. Some extent
  13.9   13.5   65      4  4. A great extent
   4.9    4.8   23      5  5. A very great extent
          1.7    8     -5  -5. NO INTERVIEW
          0.8    4     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1429-1430

V7468　　　　　　　**E1B COMPETE:HOSP PUB/PRI**

Are these units public, private or both?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
   2.4    1.7    8      1  1. PUBLIC
  34.6   24.3  117      2  2. PRIVATE
  63.0   44.3  213      3  3. BOTH
          1.7    8     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         27.4  132     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1431-1432

V7469   **E1C COMPETE: HOSP FP/NFP**

Are the private units for-profit or not-for-profit? (ACCEPT
"BOTH" IF VOLUNTEERED, BUT DON'T ASK.)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
49.7	33.5	161	1	1. FOR-PROFIT
21.6	14.6	70	2	2. NOT-FOR-PROFIT
28.7	19.3	93	3	3. BOTH
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	1.2	6	-2	-2. DONT KNOW
	29.1	140	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1433-1434

V7470   **E1D COMPETE:EXTNT MHC SATU**

(To what extent is your outpatient unit in competition for
personnel, clients, and funds) with mental health center-
sponsored substance abuse units? (Would you say to no extent,
a little, some, great, or to a very great extent?)

PCT	PCT	N	VALUE	LABEL
VALID	ALL			
48.2	47.2	227	1	1. No extent
22.9	22.5	108	2	2. A little extent
20.2	19.8	95	3	3. Some extent
7.4	7.3	35	4	4. A great extent
1.3	1.2	6	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1435-1436

V7471	E1E COMPETE:MHC PUB/PRIV

Are these units public, private or both?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  28.0   14.1   68      1  1. PUBLIC
  15.6    7.9   38      2  2. PRIVATE
  56.4   28.5  137      3  3. BOTH
          1.7    8     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         47.2  227     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1437-1438

V7472	E1F COMPETE: MHC FP/NFP

Are the private units for-profit or not-for-profit?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  33.7   12.3   59      1  1. FOR-PROFIT
  28.6   10.4   50      2  2. NOT-FOR-PROFIT
  37.7   13.7   66      3  3. BOTH
          1.7    8     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         61.3  295     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1439-1440

V7473   **E1G COMPETE:EXTNT FREE-ST SATU**

(To what extent is your outpatient unit in competition for
personnel, clients, and funds) with free-standing substance
abuse units? (Would you say to no extent,

PCT VALID	PCT ALL	N	VALUE	LABEL
29.1	28.5	137	1	1. No extent
20.9	20.4	98	2	2. A little extent
34.3	33.5	161	3	3. Some extent
13.6	13.3	64	4	4. A great extent
2.1	2.1	10	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1441-1442

V7474   **E1H COMPETE:FR-ST PUB/PR**

Are these units public, private or both?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.6	4.6	22	1	1. PUBLIC
36.8	25.6	123	2	2. PRIVATE
56.6	39.3	189	3	3. BOTH
	1.7	8	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	28.5	137	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1443-1444

V7475   **E1I COMPETE:FR-ST FP/NFP**

Are the private units for-profit or not-for-profit?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  45.2   29.1  140      1  1. FOR-PROFIT
  21.9   14.1   68      2  2. NOT-FOR-PROFIT
  32.9   21.2  102      3  3. BOTH
          1.7    8     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         33.1  159     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1445-1446

V7476   **E2A COMP4:EXTNT CLIENT REFS**

To what extent is there competition between your outpatient
unit and other substance abuse treatment units for each of the
following kinds of resources: Client referrals? (Would you say
to no extent, a little, some, great, or to a very great
extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  25.1   24.5  118      1  1. No extent
  25.1   24.5  118      2  2. A little extent
  29.4   28.7  138      3  3. Some extent
  16.2   15.8   76      4  4. A great extent
   4.3    4.2   20      5  5. A very great extent
          1.7    8     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1447-1448

V7477   **E2B COMP4:EXTNT GOV FUNDING**

To what extent is there competition between your outpatient
unit and other substance abuse treatment units for each of the
following kinds of resources: Funding from government sources?
(Would you say to no extent, a little, some, great, or to a
very great extent?)

PCT VALID	PCT ALL	N	VALUE	LABEL
30.9	30.1	145	1	1. No extent
18.3	17.9	86	2	2. A little extent
25.7	25.2	121	3	3. Some extent
21.7	21.2	102	4	4. A great extent
3.4	3.3	16	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1449-1450

V7478   **E2C COMP4:EXTNT POL SUPPORT**

To what extent is there competition between your outpatient
unit and other substance abuse treatment units for each of the
following kinds of resources: Political support?

PCT VALID	PCT ALL	N	VALUE	LABEL
33.6	32.8	158	1	1. No extent
21.7	21.2	102	2	2. A little extent
30.6	29.9	144	3	3. Some extent
11.7	11.4	55	4	4. A great extent
2.3	2.3	11	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1451-1452

V7479	E2D COMP4:EXTNT COMM SUPORT

To what extent is there competition between your outpatient
unit and other substance abuse treatment units for each of the
following kinds of resources: Community support?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 27.6   27.0  130      1  1. No extent
 21.9   21.4  103      2  2. A little extent
 34.4   33.7  162      3  3. Some extent
 13.0   12.7   61      4  4. A great extent
  3.2    3.1   15      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1453-1454

V7480	E2E COMP4:EXTNT PR INSURNCE

To what extent is there competition between your outpatient
unit and other substance abuse treatment units for each of the
following kinds of resources: Private insurance reimbursement?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 40.3   39.1  188      1  1. No extent
 18.4   17.9   86      2  2. A little extent
 23.6   22.9  110      3  3. Some extent
 14.1   13.7   66      4  4. A great extent
  3.6    3.5   17      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.2    6     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1455-1456

V7481   **E2F COMP4:EXTNT ACCREDITATN**

To what extent is there competition between your outpatient
unit and other substance abuse treatment units for each of the
following kinds of resources: Accreditation or licensing?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 75.1   73.4  353      1  1. No extent
 14.0   13.7   66      2  2. A little extent
  6.2    6.0   29      3  3. Some extent
  3.4    3.3   16      4  4. A great extent
  1.3    1.2    6      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1457-1458

V7482   **E2G COMP4:EXTNT PERSONNEL**

To what extent is there competition between your outpatient
unit and other substance abuse treatment units for each of the
following kinds of resources: Personnel?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 20.4   20.0   96      1  1. No extent
 13.0   12.7   61      2  2. A little extent
 39.1   38.3  184      3  3. Some extent
 20.8   20.4   98      4  4. A great extent
  6.8    6.7   32      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1459-1460

V7483	E2H COMP4:EXTNT PRESTIGE

To what extent is there competition between your outpatient
unit and other substance abuse treatment units for each of the
following kinds of resources: Prestige?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 29.4   28.7  138      1  1. No extent
 19.8   19.3   93      2  2. A little extent
 35.4   34.5  166      3  3. Some extent
 12.2   11.9   57      4  4. A great extent
  3.2    3.1   15      5  5. A very great extent
        1.7    8     -5  -5. NO INTERVIEW
        0.6    3     -3  -3. REFUSED/NA
        0.2    1     -2  -2. DONT KNOW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1461-1462

V7484	E3A COMP BASE:EXTNT COST CL

To what extent is competition between your outpatient unit and
other substance abuse treatment units based on each of the
following factors: The cost of treatment to clients? (Would
you say to no extent, a little, some, great, or to a very
great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 28.8   28.1  135      1  1. No extent
 21.3   20.8  100      2  2. A little extent
 29.6   28.9  139      3  3. Some extent
 17.7   17.3   83      4  4. A great extent
  2.6    2.5   12      5  5. A very great extent
        1.7    8     -5  -5. NO INTERVIEW
        0.8    4     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1463-1464

V7485	E3B COMPBASE:EXTNT COST OTH

To what extent is competition between your outpatient unit and
other substance abuse treatment units based on each of the
following factors: Costs for treatment assessed to payment
sources other than clients? (Would you say to no extent, a
little, some, great, or to a very great extent?)

PCT VALID	PCT ALL	N	VALUE	LABEL
37.1	36.2	174	1	1. No extent
20.5	20.0	96	2	2. A little extent
28.4	27.7	133	3	3. Some extent
12.2	11.9	57	4	4. A great extent
1.9	1.9	9	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1465-1466

V7486	E3C COMP B:EXTNT STAFF CRED

To what extent is competition between your outpatient unit and
other substance abuse treatment units based on each of the
following factors: The credentials of treatment staff?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.3	33.5	161	1	1. No extent
18.5	18.1	87	2	2. A little extent
31.9	31.2	150	3	3. Some extent
13.6	13.3	64	4	4. A great extent
1.7	1.7	8	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1467-1468

```
V7487                    E3D COMP B:EXTNT TX SETTING
```

To what extent is competition between your outpatient unit and
other substance abuse treatment units based on each of the
following factors: The physical attractiveness of the
treatment setting?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 32.3   31.6  152      1  1. No extent
 18.3   17.9   86      2  2. A little extent
 36.2   35.3  170      3  3. Some extent
 10.9   10.6   51      4  4. A great extent
  2.3    2.3   11      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1469-1470

```
V7488                    E3E COMP B:EXTNT EASE ACCES
```

To what extent is competition between your outpatient unit and
other substance abuse treatment units based on each of the
following factors: Ease of access?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 38.4   37.4  180      1  1. No extent
 18.3   17.9   86      2  2. A little extent
 28.1   27.4  132      3  3. Some extent
 14.3   13.9   67      4  4. A great extent
  0.9    0.8    4      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1471-1472

V7489	E3F COMP B:EXTNT QUAL CARE

To what extent is competition between your outpatient unit and
other substance abuse treatment units based on each of the
following factors: Quality of care for clients?

PCT VALID	PCT ALL	N	VALUE	LABEL
29.2	28.5	137	1	1. No extent
16.8	16.4	79	2	2. A little extent
27.1	26.4	127	3	3. Some extent
23.5	22.9	110	4	4. A great extent
3.4	3.3	16	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1473-1474

V7490	E3G COMPB:EXTNT MARKET EFFS

To what extent is competition between your outpatient unit and
other substance abuse treatment units based on each of the
following factors: The extent of marketing efforts?

PCT VALID	PCT ALL	N	VALUE	LABEL
32.9	32.0	154	1	1. No extent
17.9	17.5	84	2	2. A little extent
29.7	28.9	139	3	3. Some extent
16.0	15.6	75	4	4. A great extent
3.4	3.3	16	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1475-1476

V7491	E3H COMPB:EXTNT RANG OF SRV

To what extent is competition between your outpatient unit and other substance abuse treatment units based on each of the following factors: The range of services or treatment approaches available?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.6	22.9	110	1	1. No extent
16.3	15.8	76	2	2. A little extent
39.2	38.0	183	3	3. Some extent
18.8	18.3	88	4	4. A great extent
2.1	2.1	10	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1477-1478

V7492	E3I COMPB:EXTNT PRICE STRAT

To what extent is competition between your outpatient unit and other substance abuse treatment units based on each of the following factors: Pricing strategies?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.3	33.3	160	1	1. No extent
21.9	21.2	102	2	2. A little extent
30.7	29.7	143	3	3. Some extent
10.3	10.0	48	4	4. A great extent
2.8	2.7	13	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1479-1480

V7493   **E3J COMPBASE:EXTNT COSTCTRL**

To what extent is competition between your outpatient unit and
other substance abuse treatment units based on each of the
following factors: Cost control strategies?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 36.6   35.3  170      1  1. No extent
 24.3   23.5  113      2  2. A little extent
 29.2   28.3  136      3  3. Some extent
  7.5    7.3   35      4  4. A great extent
  2.4    2.3   11      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.2    6     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1481-1482

V7494   **E4 DEGREE COMP RESORCS CH YR**

Over the past year, would you say competition for resources
between your outpatient unit and other substance abuse
treatment units has increased a great deal, increased some,
remained the same, decreased some, or decreased a great deal?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 22.3   21.6  104      1  1. Increased a great deal
 32.4   31.4  151      2  2. Increased some
 36.5   35.3  170      3  3. Remained the same
  7.5    7.3   35      4  4. Decreased some
  1.3    1.2    6      5  5. Decreased a great deal
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1483-1484

V7495	E4AM1 Y COMP CHNGE-YR

In your opinion why has the competition for resources changed?

PCT VALID	PCT ALL	N	VALUE	LABEL
31.2	19.1	92	1	1. LESS $
15.3	9.4	45	2	2. MORE $
2.7	1.7	8	3	3. PROFITS
0.3	0.2	1	4	4. MARKETNG
9.2	5.6	27	11	11. MOREWORK
28.5	17.5	84	12	12. MORE AGY
4.1	2.5	12	13	13. FEWRSTAF
3.1	1.9	9	14	14. FEWERAGY
1.4	0.8	4	21	21. MORE COOPERAT
4.4	2.7	13	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	36.8	177	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1485-1487

V7496	E4AM2 Y COMP CHNGE-YR

In your opinion why has the competition for resources changed?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  26.2    7.7   37      1  1. LESS $
   9.9    2.9   14      2  2. MORE $
   4.3    1.2    6      3  3. PROFITS
   2.1    0.6    3      4  4. MARKETNG
  11.3    3.3   16     11  11. MOREWORK
  31.9    9.4   45     12  12. MORE AGY
   6.4    1.9    9     13  13. FEWRSTAF
   0.7    0.2    1     14  14. FEWERAGY
   0.7    0.2    1     21  21. MORE COOPERAT
   6.4    1.9    9     97  97. OTHER
          1.7    8     -5  -5. NO INTERVIEW
         69.0  332     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1488-1490

V7497   **E5A HR/WK R:NEG $ AGY**

In the performance of your job, in an average week how many
hours do you (personally) devote to each of the following:
Negotiating or communicating with your unit's current funding
agencies or payment sources?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.9	14.6	70	0	
23.7	23.1	111	1	1. 1 HR OR LESS
17.9	17.5	84	2	
8.1	7.9	38	3	
8.1	7.9	38	4	
13.2	12.9	62	5	
2.1	2.1	10	6	
0.9	0.8	4	7	
2.3	2.3	11	8	
0.9	0.8	4	9	
4.9	4.8	23	10	
0.4	0.4	2	12	
0.2	0.2	1	13	
1.1	1.0	5	15	
0.4	0.4	2	16	
0.2	0.2	1	20	
0.2	0.2	1	25	
0.2	0.2	1	30	
0.2	0.2	1	49	
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1491-1493

V7498	E5B HR/WK R:LIASN LIC

In the performance of your job, in an average week how many
hours do you (personally) devote to each of the following:
Engaging in liaison activities with organizations that monitor
or license your unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.7	10.4	50	0	
40.0	38.9	187	1	1. 1 HR OR LESS
19.9	19.3	93	2	
4.9	4.8	23	3	
7.1	6.9	33	4	
11.6	11.2	54	5	
0.9	0.8	4	6	
0.6	0.6	3	8	
0.2	0.2	1	9	
2.6	2.5	12	10	
0.2	0.2	1	11	
0.4	0.4	2	12	
0.2	0.2	1	13	
0.2	0.2	1	17	
0.2	0.2	1	20	
0.2	0.2	1	30	
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1494-1496

V7499   **E5C HR/WK R:COMM TALK**

In the performance of your job, in an average week how many
hours do you (personally) devote to each of the following:
Making public presentations and appearances in the community?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 16.2    15.8   76      0
 31.0    30.1  145      1  1. 1 HR OR LESS
 20.5    20.0   96      2
  9.2     8.9   43      3
  4.7     4.6   22      4
  8.8     8.5   41      5
  1.9     1.9    9      6
  1.9     1.9    9      8
  4.3     4.2   20     10
  0.6     0.6    3     12
  0.2     0.2    1     15
  0.6     0.6    3     20
          1.7    8     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
          0.4    2     -2  -2. DONT KNOW
 -----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1497-1499

V7500   **E5D HR/WK R:LOOK4 NU$**

In the performance of your job, in an average week how many
hours do you (personally) devote to each of the following:
Identifying possible new payment sources, or new funding
sources, or raising funds?

PCT VALID	PCT ALL	N	VALUE	LABEL
26.0	25.2	121	0	
29.0	28.1	135	1	1. 1 HR OR LESS
17.4	16.8	81	2	
6.7	6.4	31	3	
4.9	4.8	23	4	
6.9	6.7	32	5	
0.9	0.8	4	6	
0.9	0.8	4	7	
1.5	1.5	7	8	
4.3	4.2	20	10	
0.6	0.6	3	15	
0.9	0.8	4	20	
0.2	0.2	1	25	
	1.7	8	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1500-1502

V7501   **E5E HR/WK R:OTH PROVR**

In the performance of your job, in an average week how many
hours do you (personally) devote to each of the following:
Consulting with and exchanging information with other
providers of treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.7	4.6	22	0	
33.3	32.4	156	1	1. 1 HR OR LESS
24.3	23.7	114	2	
9.4	9.1	44	3	
7.0	6.9	33	4	
11.1	10.8	52	5	
1.5	1.5	7	6	
0.6	0.6	3	7	
0.4	0.4	2	8	
4.5	4.4	21	10	
0.4	0.4	2	11	
0.2	0.2	1	13	
0.6	0.6	3	15	
0.2	0.2	1	16	
1.5	1.5	7	20	
0.2	0.2	1	36	
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1503-1505

V7502   **E5F HR/WK R:MK POLICY**

In the performance of your job, in an average week how many
hours do you (personally) devote to each of the following:
Contributing to policy making at the local or state level?

```
  PCT     PCT    N  VALUE  LABEL
VALID    ALL
 27.7    27.0  130      0
 36.9    36.0  173      1  1. 1 HR OR LESS
 13.2    12.9   62      2
  6.4     6.2   30      3
  4.1     4.0   19      4
  4.9     4.8   23      5
  1.5     1.5    7      6
  0.2     0.2    1      7
  1.3     1.2    6      8
  1.7     1.7    8     10
  0.4     0.4    2     12
  0.2     0.2    1     13
  0.4     0.4    2     15
  0.2     0.2    1     16
  0.4     0.4    2     20
  0.2     0.2    1     23
  0.2     0.2    1     25
          1.7    8     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
 -----   ----- ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1506-1508

V7503	E5G HR/WK R:RECRUT ST

In the performance of your job, in an average week how many
hours do you (personally) devote to each of the following:
Recruiting potential staff?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.2	26.4	127	0	
45.4	44.1	212	1	1. 1 HR OR LESS
14.3	13.9	67	2	
4.7	4.6	22	3	
1.9	1.9	9	4	
5.1	5.0	24	5	
0.2	0.2	1	7	
0.2	0.2	1	8	
0.6	0.6	3	10	
0.2	0.2	1	15	
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1509-1511

V7504   **E5H HR/WK R:PROF ASSN**

In the performance of your job, in an average week how many
hours do you (personally) devote to each of the following:
Engaging in activities with professional or occupational
associations?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.9	15.4	74	0	
48.1	46.6	224	1	1. 1 HR OR LESS
17.2	16.6	80	2	
4.9	4.8	23	3	
4.3	4.2	20	4	
6.0	5.8	28	5	
0.6	0.6	3	6	
0.4	0.4	2	7	
0.9	0.8	4	8	
1.1	1.0	5	10	
0.2	0.2	1	15	
0.2	0.2	1	20	
0.2	0.2	1	30	
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1512-1514

V7505	E6 SOU LARGST# REFRLS

What organization provides the largest number of client
referrals to your outpatient unit? (PROBE: What kind of
organization is that?)

PCT VALID	PCT ALL	N	VALUE	LABEL
55.5	53.6	258	1	1. POLICE
1.7	1.7	8	2	2. MHC
5.8	5.6	27	3	3. HOSPITAL
1.1	1.0	5	4	4. RESID FAC (EXC 03)
0.0	0.0	0	5	5. CHURCH
1.3	1.2	6	6	6. SCHOOL
5.4	5.2	25	7	7. EAP/EMPLOYER/CO
4.7	4.6	22	8	8. DEPT SOC SVC
0.0	0.0	0	9	9. DEPT VOC REHAB
1.3	1.2	6	10	10. AA/NA
0.6	0.6	3	11	11. HMO
2.2	2.1	10	12	12. REFERL CENTER
4.7	4.6	22	61	61. ST/LOC GOV
1.7	1.7	8	62	62. OTR OUTPT UNIT
13.1	12.7	61	96	96. NO REF
0.9	0.8	4	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW

```
----- ----- ---
100.0 100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1515-1517

V7506	E7A M REF SOU:INF AGR:Y/N?

Next I have some questions about your outpatient unit's relationship with (SOURCE FROM E6). Does your unit have an informal agreement for receiving client referrals from them?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 24.8   20.8  100      0  0. No
 75.2   63.0  303      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.9    9     -3  -3. REFUSED/NA
        12.7   61     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1518-1519

V7507	E7B M REF SOU:OWNS U:Y/N?

Is your unit owned by them (SOURCE FROM E6)?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 96.5   80.9  389      0  0. No
  3.5    2.9   14      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.7    8     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        12.7   61     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1520-1521

```
V7508                    E8 M REF SOU:CONTRACT:Y/N?
```

Does your unit have a contract with (SOURCE FROM E6) to
receive client referrals from them?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 70.8   59.5  286      0  0. No
 29.2   24.5  118      1  1. Yes
               1.7    8     -5  -5. NO INTERVIEW
               1.7    8     -3  -3. REFUSED/NA
              12.7   61     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1522-1523

```
V7509                    E9A CONTRACT:U LICNSD:Y/N?
```

I would like you to tell us about various features of the
contract agreement. Does the contract specify that your unit
be certified or licensed?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 27.8    6.7   32      0  0. No
 72.2   17.3   83      1  1. Yes
               1.7    8     -5  -5. NO INTERVIEW
               0.2    1     -3  -3. REFUSED/NA
               0.4    2     -2  -2. DONT KNOW
              73.8  355     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1524-1525

V7510	E9B CONTRACT:INCENTVE:Y/N?

Does the contract specify incentives for your unit to provide
satisfactory service?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 66.4   16.0   77      0  0. No
 33.6    8.1   39      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        73.8  355     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1526-1527

V7511	E9C CONTRACT:STD PROC:Y/N?

(Does the contract specify) that your unit have standard
operating procedures for treatment or referral of clients?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 13.6    3.3   16      0  0. No
 86.4   21.2  102      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
        73.8  355     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1528-1529

V7512   **E9D CONTRACT:DISPUTES:Y/N?**

(Does the contract specify) a method of resolving disputes
between the contracting parties?

```
  PCT     PCT    N  VALUE  LABEL
 VALID   ALL
 35.3    8.5    41      0  0. No
 64.7   15.6    75      1  1. Yes
         1.7     8     -5  -5. NO INTERVIEW
         0.4     2     -3  -3. REFUSED/NA
        73.8   355     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1530-1531

V7513   **E9E CONTRACT:FEE SCHD:Y/N?**

(Does the contract specify) a fee schedule for your unit's
services?

```
  PCT     PCT    N  VALUE  LABEL
 VALID   ALL
 22.0    5.4    26      0  0. No
 78.0   19.1    92      1  1. Yes
         1.7     8     -5  -5. NO INTERVIEW
        73.8   355     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1532-1533

V7514   **E10M1 OTHR ARANG W/E6**

Please describe any other features of the arrangement your
outpatient unit has with (SOURCE FROM E6) regarding client
referrals (that you haven't already mentioned)

PCT VALID	PCT ALL	N	VALUE	LABEL
9.0	7.5	36	1	1. REPORTNG
15.1	12.5	60	2	2. REQUIRED
1.5	1.2	6	3	3. OPTREFUS
4.8	4.0	19	4	4. QUALITY
5.5	4.6	22	5	5. PAYMENT
4.8	4.0	19	21	21. EVALUATN
3.5	2.9	14	22	22. SEECLJAL
1.0	0.8	4	23	23. URINAL
1.8	1.5	7	24	24. DRUGEDUC
8.3	6.9	33	51	51. COOPERAT
6.5	5.4	26	52	52. MUSTREFR
3.3	2.7	13	95	95. INFAGREE
31.9	26.4	127	96	96. NONE
3.0	2.5	12	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	12.7	61	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1534-1536

V7515	E10M2 OTHR ARANG W/E6

Please describe any other features of the arrangement your outpatient unit has with (SOURCE FROM E6) regarding client referrals (that you haven't already mentioned)

PCT VALID	PCT ALL	N	VALUE	LABEL
16.7	2.7	13	1	1. REPORTNG
6.4	1.0	5	2	2. REQUIRED
5.1	0.8	4	3	3. OPTREFUS
7.7	1.2	6	4	4. QUALITY
6.4	1.0	5	5	5. PAYMENT
17.9	2.9	14	21	21. EVALUATN
9.0	1.5	7	22	22. SEECLJAL
5.1	0.8	4	23	23. URINAL
5.1	0.8	4	24	24. DRUGEDUC
11.5	1.9	9	51	51. COOPERAT
2.6	0.4	2	52	52. MUSTREFR
0.0	0.0	0	95	95. INFAGREE
0.0	0.0	0	96	96. NONE
6.4	1.0	5	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	82.1	395	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1537-1539

V7516   **E11A E6:RECVNG CL CRITCL**

Now I would like to ask some additional questions about your
outpatient unit's relationship with (SOURCE FROM E6),
particularly as this relationship applies to client referrals.
Please tell me how much you personally agree or disagree with
the following statements: Receiving clients from (SOURCE FROM
E6) is critical for the survival of your treatment unit.
(Would you say you strongly agree, somewhat agree, neither
agree nor disagree, somewhat disagree, or strongly disagree?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 31.9   26.8  129      1  1. STRONGLY AGREE
 29.2   24.5  118      2  2. SOMEWHAT AGREE
 15.3   12.9   62      3  3. NEITHER
 13.4   11.2   54      4  4. SOMEWHAT DISAGREE
 10.1    8.5   41      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.7    8     -5  -5. NO INTERVIEW
         1.7    8     -3  -3. REFUSED/NA
        12.7   61     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1540-1541

V7517   **E11B E6:CNTRL REFRLS TO U**

Please tell me how much you personally agree or disagree with
the following statements: They have a great deal of control
over whether they refer clients to your unit or not.

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
 55.7    46.8   225      1  1. STRONGLY AGREE
 24.3    20.4    98      2  2. SOMEWHAT AGREE
  3.7     3.1    15      3  3. NEITHER
  7.7     6.4    31      4  4. SOMEWHAT DISAGREE
  8.7     7.3    35      5  5. STRONGLY DISAGREE
  0.0     0.0     0      6  6. DOES NOT APPLY
          1.7     8     -5  -5. NO INTERVIEW
          1.7     8     -3  -3. REFUSED/NA
         12.7    61     -1  -1. SKIPPED QUESTION
 -----   -----   ---
100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1542-1543

V7518	E11C E6:U INFLNCES E6

Please tell me how much you personally agree or disagree with
the following statements: Your unit has a great deal of
influence over whether they refer clients to your unit or not.

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 29.4    24.5   118     1   1. STRONGLY AGREE
 33.6    28.1   135     2   2. SOMEWHAT AGREE
  7.2     6.0    29     3   3. NEITHER
 16.7    13.9    67     4   4. SOMEWHAT DISAGREE
 13.2    11.0    53     5   5. STRONGLY DISAGREE
  0.0     0.0     0     6   6. DOES NOT APPLY
          1.7     8    -5   -5. NO INTERVIEW
          1.9     9    -3   -3. REFUSED/NA
          0.2     1    -2   -2. DONT KNOW
         12.7    61    -1   -1. SKIPPED QUESTION
 -----   -----   ---
100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1544-1545

V7519			**E11D E6:FUT REF UNCER**	

Please tell me how much you personally agree or disagree with
the following statements: It is uncertain whether they will
provide your unit with client referrals in the future.

PCT VALID	PCT ALL	N	VALUE	LABEL
4.5	3.7	18	1	1. STRONGLY AGREE
17.1	14.3	69	2	2. SOMEWHAT AGREE
6.2	5.2	25	3	3. NEITHER
24.3	20.4	98	4	4. SOMEWHAT DISAGREE
47.9	40.1	193	5	5. STRONGLY DISAGREE
0.0	0.0	0	6	6. DOES NOT APPLY
	1.7	8	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA
	12.7	61	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1546-1547

V7520	E11E E6:OTHER U COMPETING FOR REFRLS

Please tell me how much you personally agree or disagree with
the following statements: There are many other treatment units
competing for client referrals from (SOURCE FROM E6).

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 21.9    18.3    88      1  1. STRONGLY AGREE
 22.7    18.9    91      2  2. SOMEWHAT AGREE
  4.5     3.7    18      3  3. NEITHER
 19.2    16.0    77      4  4. SOMEWHAT DISAGREE
 31.7    26.4   127      5  5. STRONGLY DISAGREE
  0.0     0.0     0      6  6. DOES NOT APPLY
          1.7     8     -5  -5. NO INTERVIEW
          1.7     8     -3  -3. REFUSED/NA
          0.6     3     -2  -2. DONT KNOW
         12.7    61     -1  -1. SKIPPED QUESTION
 -----   -----   ---
 100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1548-1549

V7521	E11F E6:DEALINGS CRIT TO FUT SURVIVAL

Please tell me how much you personally agree or disagree with
the following statements: How your unit deals with them is
critical to your unit's survival in the future.

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 31.0   26.0  125     1  1. STRONGLY AGREE
 31.5   26.4  127     2  2. SOMEWHAT AGREE
  7.2    6.0   29     3  3. NEITHER
 11.7    9.8   47     4  4. SOMEWHAT DISAGREE
 18.6   15.6   75     5  5. STRONGLY DISAGREE
  0.0    0.0    0     6  6. DOES NOT APPLY
         1.7    8    -5  -5. NO INTERVIEW
         1.7    8    -3  -3. REFUSED/NA
         0.2    1    -2  -2. DONT KNOW
        12.7   61    -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1550-1551

```
V7522                    E11G E6:U UNDRSTDS E6
```

Please tell me how much you personally agree or disagree with
the following statements: You can really understand them
because your unit is in a similar situation.

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 17.4   14.1   68      1  1. STRONGLY AGREE
 28.1   22.9  110      2  2. SOMEWHAT AGREE
 18.2   14.8   71      3  3. NEITHER
 15.1   12.3   59      4  4. SOMEWHAT DISAGREE
 21.2   17.3   83      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.7    8     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         1.9    9     -2  -2. DONT KNOW
        12.7   61     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1552-1553

V7523	E11H E6:EYE TO EYE-TX

Please tell me how much you personally agree or disagree with
the following statements: They and your unit really see "eye
to eye" when it comes to treating substance abuse clients.

```
  PCT     PCT    N   VALUE   LABEL
VALID    ALL
 25.8    21.4  103      1  1. STRONGLY AGREE
 38.8    32.2  155      2  2. SOMEWHAT AGREE
 11.8     9.8   47      3  3. NEITHER
 16.3    13.5   65      4  4. SOMEWHAT DISAGREE
  7.3     6.0   29      5  5. STRONGLY DISAGREE
  0.0     0.0    0      6  6. DOES NOT APPLY
          1.7    8     -5  -5. NO INTERVIEW
          2.5   12     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         12.7   61     -1  -1. SKIPPED QUESTION
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1554-1555

```
V7524                    E11I E6:SHARE BELIEFS
```

Please tell me how much you personally agree or disagree with
the following statements: Your unit shares a lot of the same
beliefs as (SOURCE FROM E6) about how substance abuse clients
should be handled.

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  21.8   18.1    87      1  1. STRONGLY AGREE
  40.1   33.3   160      2  2. SOMEWHAT AGREE
  10.8    8.9    43      3  3. NEITHER
  19.0   15.8    76      4  4. SOMEWHAT DISAGREE
   8.3    6.9    33      5  5. STRONGLY DISAGREE
   0.0    0.0     0      6  6. DOES NOT APPLY
          1.7     8     -5  -5. NO INTERVIEW
          1.9     9     -3  -3. REFUSED/NA
          0.8     4     -2  -2. DONT KNOW
         12.7    61     -1  -1. SKIPPED QUESTION
 -----  -----   ---
 100.0  100.0   481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 1556-1557
```

V7525	E11J CLIMATE COMP-REFRLS

Please tell me how much you personally agree or disagree with the following statements: There is a strong climate of competition for client referrals now developing in the substance abuse field.

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
 41.0    34.1  164      1   1. STRONGLY AGREE
 29.5    24.5  118      2   2. SOMEWHAT AGREE
  6.0     5.0   24      3   3. NEITHER
 13.5    11.2   54      4   4. SOMEWHAT DISAGREE
 10.0     8.3   40      5   5. STRONGLY DISAGREE
  0.0     0.0    0      6   6. DOES NOT APPLY
          1.7    8     -5   -5. NO INTERVIEW
          2.3   11     -3   -3. REFUSED/NA
          0.2    1     -2   -2. DONT KNOW
         12.7   61     -1   -1. SKIPPED QUESTION
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1558-1559

V7526   **E12A +1YR:DEGREE AMT AVAIL $**

Thinking about one year from now, please tell me how strongly
you agree or disagree with each of the following statements
about your outpatient substance abuse treatment unit. You know
how much funding will be available to your treatment unit one
year from now. (Would you say that you strongly agree,
somewhat agree, neither agree nor disagree, somewhat disagree,
or strongly disagree?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 16.6   16.0   77      1  1. STRONGLY AGREE
 39.0   37.6  181      2  2. SOMEWHAT AGREE
  6.2    6.0   29      3  3. NEITHER
 19.6   18.9   91      4  4. SOMEWHAT DISAGREE
 18.5   17.9   86      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.7    8     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1560-1561

```
V7527                    E12B +1YR:LVL DEMAND SERVC
```

Thinking about one year from now, please tell me how strongly
you agree or disagree with each of the following statements
about your outpatient substance abuse treatment unit. You have
good estimates of the level of demand for treatment and other
services from your unit one year from now. (Would you say
that you strongly agree, somewhat agree, neither agree nor
disagree, somewhat disagree or strongly disagree?)

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 32.8    32.0   154      1  1. STRONGLY AGREE
 55.4    54.1   260      2  2. SOMEWHAT AGREE
  2.8     2.7    13      3  3. NEITHER
  6.4     6.2    30      4  4. SOMEWHAT DISAGREE
  2.6     2.5    12      5  5. STRONGLY DISAGREE
  0.0     0.0     0      6  6. DOES NOT APPLY
          1.7     8     -5  -5. NO INTERVIEW
          0.8     4     -3  -3. REFUSED/NA
 -----   -----   ---
 100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1562-1563

V7528   **E12C +1YR:KIND OF SERVCS IN DEMAND**

Thinking about one year from now, please tell me how strongly
you agree or disagree with each of the following statements
about your outpatient substance abuse treatment unit. You know
what kinds of services will be in demand from your unit.

PCT VALID	PCT ALL	N	VALUE	LABEL
35.9	34.9	168	1	1. STRONGLY AGREE
57.9	56.3	271	2	2. SOMEWHAT AGREE
1.5	1.5	7	3	3. NEITHER
3.2	3.1	15	4	4. SOMEWHAT DISAGREE
1.5	1.5	7	5	5. STRONGLY DISAGREE
0.0	0.0	0	6	6. DOES NOT APPLY
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1564-1565

```
V7529                    E12D +1YR:KIND OF STAFF NEEDED
```

Thinking about one year from now, please tell me how strongly
you agree or disagree with each of the following statements
about your outpatient substance abuse treatment unit. You know
the kinds of staff members that will be needed to provide
treatment in your unit.

```
   PCT    PCT    N  VALUE   LABEL
  VALID   ALL
  55.3   53.8   259      1  1. STRONGLY AGREE
  40.6   39.5   190      2  2. SOMEWHAT AGREE
   0.9    0.8     4      3  3. NEITHER
   2.4    2.3    11      4  4. SOMEWHAT DISAGREE
   0.9    0.8     4      5  5. STRONGLY DISAGREE
   0.0    0.0     0      6  6. DOES NOT APPLY
          1.7     8     -5  -5. NO INTERVIEW
          1.0     5     -3  -3. REFUSED/NA
  -----  -----   ---
  100.0  100.0   481 cases

  Data type: numeric
  Missing-data codes: -5--1
  Columns: 1566-1567
```

V7530   **E12E +1YR:ACCREDT REQUIRED**

Thinking about one year from now, please tell me how strongly
you agree or disagree with each of the following statements
about your outpatient substance abuse treatment unit. You know
what accrediting agencies will expect and require for your
unit to maintain licensing or accreditation.

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
 55.7    54.1  260      1   1. STRONGLY AGREE
 33.8    32.8  158      2   2. SOMEWHAT AGREE
  2.6     2.5   12      3   3. NEITHER
  5.8     5.6   27      4   4. SOMEWHAT DISAGREE
  2.1     2.1   10      5   5. STRONGLY DISAGREE
  0.0     0.0    0      6   6. DOES NOT APPLY
          1.7    8     -5   -5. NO INTERVIEW
          1.0    5     -3   -3. REFUSED/NA
          0.2    1     -2   -2. DONT KNOW
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1568-1569

V7531   **E12F +1YR:OTH SAT OFFERING**

Thinking about one year from now, please tell me how strongly
you agree or disagree with each of the following statements
about your outpatient substance abuse treatment unit. You know
what other substance abuse treatment units will be offering in
terms of treatment and other services.

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
 16.9    16.4   79      1   1. STRONGLY AGREE
 57.7    56.1  270      2   2. SOMEWHAT AGREE
  9.2     8.9   43      3   3. NEITHER
 13.2    12.9   62      4   4. SOMEWHAT DISAGREE
  3.0     2.9   14      5   5. STRONGLY DISAGREE
  0.0     0.0    0      6   6. DOES NOT APPLY
          1.7    8     -5   -5. NO INTERVIEW
          0.6    3     -3   -3. REFUSED/NA
          0.4    2     -2   -2. DONT KNOW
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1570-1571

V7532   **E12G +1YR:OTH SAT CHARGING**

Thinking about one year from now, please tell me how strongly
you agree or disagree with each of the following statements
about your outpatient substance abuse treatment unit. You know
what other substance abuse treatment units will be charging
for their services.

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
  8.1     7.9    38      1  1. STRONGLY AGREE
 43.6    42.4   204      2  2. SOMEWHAT AGREE
 15.4    15.0    72      3  3. NEITHER
 23.1    22.5   108      4  4. SOMEWHAT DISAGREE
  9.8     9.6    46      5  5. STRONGLY DISAGREE
  0.0     0.0     0      6  6. DOES NOT APPLY
          1.7     8     -5  -5. NO INTERVIEW
          1.0     5     -3  -3. REFUSED/NA
 -----   -----   ---
100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1572-1573

V7533   **E12H +1YR:OTH SAT QUAL**

Thinking about one year from now, please tell me how strongly
you agree or disagree with each of the following statements
about your outpatient substance abuse treatment unit. You know
the quality of services that other substance abuse treatment
units will be providing.

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 12.8    12.5    60      1   1. STRONGLY AGREE
 54.0    52.8   254      2   2. SOMEWHAT AGREE
 14.0    13.7    66      3   3. NEITHER
 15.5    15.2    73      4   4. SOMEWHAT DISAGREE
  3.6     3.5    17      5   5. STRONGLY DISAGREE
  0.0     0.0     0      6   6. DOES NOT APPLY
          1.7     8     -5   -5. NO INTERVIEW
          0.6     3     -3   -3. REFUSED/NA
 -----   -----   ---
100.0   100.0   481  cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1574-1575

V7534	E12I +1YR:$SOU EXPECT

Thinking about one year from now, please tell me how strongly
you agree or disagree with each of the following statements
about your outpatient substance abuse treatment unit. You know
what funding and payment sources will expect from your unit in
terms of accounting and quality one year from now.

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 36.2   35.1  169      1  1. STRONGLY AGREE
 45.2   43.9  211      2  2. SOMEWHAT AGREE
  1.9    1.9    9      3  3. NEITHER
 14.3   13.9   67      4  4. SOMEWHAT DISAGREE
  2.4    2.3   11      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.7    8     -5  -5. NO INTERVIEW
         1.2    6     -3  -3. REFUSED/NA
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1576-1577

V7535	E13A L2YR:JOIND COAL:Y/N?

In the last two years has your outpatient unit done any of the
following: Joined a coalition or association with other
treatment units?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 64.6   63.0  303      0  0. No
 35.4   34.5  166      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1578-1579

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7536                    E13B L2YR:PARTNERSHP:Y/N?                         │
└─────────────────────────────────────────────────────────────────────────┘
```

In the last two years has your outpatient unit done any of the
following: Formed a partnership or entered into a joint
venture with other treatment unit groups or organizations?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 78.7   76.7  369      0  0. No
 21.3   20.8  100      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1580-1581

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7537                    E13C L2YR:MERGED O U:Y/N?                        │
└─────────────────────────────────────────────────────────────────────────┘
```

In the last two years has your outpatient unit done any of the
following: Merged with another treatment unit or organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 97.2   95.0  457      0  0. No
  2.8    2.7   13      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1582-1583

V7538   **E13D L2YR:PLAN MERGE:Y/N?**

In the last two years has your outpatient unit done any of the
following: Begun plans to merge with another treatment unit or
organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
95.4	90.2	434	0	0. No
4.6	4.4	21	1	1. Yes
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	2.7	13	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1584-1585

V7539   **E14M1 Y U PLAN 2MERGE**

Could you tell me, briefly, why your outpatient unit (has
merged/is planning to merge) with another treatment unit or
organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.7	0.6	3	1	1. INCRREV
22.6	1.5	7	2	2. REDUCECT
19.4	1.2	6	9	9. FINUNSPE
16.1	1.0	5	11	11. INCRSERV
6.5	0.4	2	12	12. REDDUP
3.2	0.2	1	19	19. EFFIUNSP
9.7	0.6	3	21	21. MO43DLI
0.0	0.0	0	22	22. 43EDOMP
12.9	0.8	4	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	91.3	439	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1586-1588

V7540   **E14M2 Y U PLAN 2MERGE**

Could you tell me, briefly, why your outpatient unit (has merged/is planning to merge) with another treatment unit or organization?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. INCRREV
31.2	1.0	5	2	2. REDUCECT
0.0	0.0	0	9	9. FINUNSPE
18.8	0.6	3	11	11. INCRSERV
18.8	0.6	3	12	12. REDDUP
6.2	0.2	1	19	19. EFFIUNSP
12.5	0.4	2	21	21. MO43DLI
0.0	0.0	0	22	22. 43EDOMP
12.5	0.4	2	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	95.0	457	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 1589-1591

V7541   **E15M1 NEC SV NOT OFRD**

What service that your unit does not currently offer, is most needed by your unit's outpatient substance abuse clients?

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1592-1594

V7542   **E15M2 NEC SV NOT OFRD**

What service that your unit does not currently offer, is most
needed by your unit's outpatient substance abuse clients?

481 cases (Range of valid codes: 1-95)

Data type: numeric
Missing-data codes: -5--1
Columns: 1595-1597

V7543   **E16 NEW SA SERV L2YR:Y/N?**

In the last two years has your outpatient unit developed a new
service or product directly related to substance abuse
treatment, for example, an apartment house for recovering
clients?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 60.6   59.3  285      0  0. No
 39.4   38.5  185      1  1. Yes
               1.7    8     -5  -5. NO INTERVIEW
               0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1598-1599

V7544   **E16AM1 DESC NU SA SVC**

Please briefly describe this new product or service.

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1600-1602

V7545   **E16AM2 DESC NU SA SVC**

Please briefly describe this new product or service.

481 cases (Range of valid codes: 1-95)

Data type: numeric
Missing-data codes: -5--1
Columns: 1603-1605

V7546   **E16AM3 DESC NU SA SVC**

Please briefly describe this new product or service.

481 cases (Range of valid codes: 1-94)

Data type: numeric
Missing-data codes: -5--1
Columns: 1606-1608

V7547   **E16AM4 DESC NU SA SVC**

Please briefly describe this new product or service.

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1609-1611

V7548 **E17 NU NON-SA SVC 2YR:Y/N?**

In the last two years has your outpatient unit developed a new
service or product not directly related to substance abuse
treatment?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 82.3   80.2  386     0  0. No
 17.7   17.3   83     1  1. Yes
         1.7    8    -5  -5. NO INTERVIEW
         0.8    4    -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1612-1613

V7549 **E17AM1 DESC NU NON-SA**

Please briefly describe this new product or service.

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1614-1616

V7550 **E17AM2 DESC NU NON-SA**

Please briefly describe this new product or service.

481 cases (Range of valid codes: 1-94)

Data type: numeric
Missing-data codes: -5--1
Columns: 1617-1619

V7551   **E17AM3 DESC NU NON-SA**

Please briefly describe this new product or service.

481 cases (Range of valid codes: 1-94)

Data type: numeric
Missing-data codes: -5--1
Columns: 1620-1622

V7552   **E17AM4 DESC NU NON-SA**

Please briefly describe this new product or service.

481 cases (Range of valid codes: 1-74)

Data type: numeric
Missing-data codes: -5--1
Columns: 1623-1625

V7553   **E18 NEW SVC SP SA CL:Y/N?**

In the last two years has your outpatient unit started
providing services for certain types of substance abuse
clients who are new to your unit, for example, the elderly?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 68.3   66.7  321      0  0. No
 31.7   31.0  149      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1626-1627

V7554	E18A TYPE NEW SA CL 1

(What types of clients?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. GEN PUBLIC
0.0	0.0	0	2	2. SEG PUB DEAL DRUG PROBS
0.0	0.0	0	3	3. ALL CLIENTS
2.7	0.8	4	6	6. CHILDREN
15.4	4.8	23	7	7. OLDER CLIENTS
0.0	0.0	0	8	8. CODEPENDS
2.0	0.6	3	9	9. LOW INCOME
0.0	0.0	0	10	10. MEN
0.7	0.2	1	12	12. BLACKS
0.7	0.2	1	13	13. GAYS/LESBIANS
0.7	0.2	1	14	14. PARENT GRPS
3.4	1.0	5	15	15. MINORITIES EXC BLACKS
3.4	1.0	5	16	16. HANDICAP
9.4	2.9	14	17	17. PREG WOMEN/TEENS
12.1	3.7	18	18	18. OTR PROGS FOR WOMEN
16.1	5.0	24	19	19. TEENS
1.3	0.4	2	20	20. SPOUSE/SIG OTHR/CLOSE FAM
0.7	0.2	1	21	21. ALCOHOL
4.0	1.2	6	22	22. COCAINE
0.7	0.2	1	23	23. HEROIN/OPIATES
8.7	2.7	13	27	27. DUAL DIAGNOSIS
1.3	0.4	2	28	28. SEVERE ADDICT CLNTS
0.0	0.0	0	29	29. EARLY STAGE ADDICTION
0.0	0.0	0	31	31. CHRONIC PAIN
0.0	0.0	0	32	32. METH RECIPIENTS
10.1	3.1	15	33	33. AIDS RELATED
0.7	0.2	1	34	34. MENTAL HLTH PROBS
4.7	1.5	7	35	35. DUI/DWI CLIENTS
0.0	0.0	0	37	37. PERIPHERAL PROBS
0.7	0.2	1	41	41. AFTERCARE
0.7	0.2	1	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	67.4	324	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 1628-1630

V7555   **E18B NEW CLTYPE1:SVC1**

CLTYPE1:SVC1 (What services are you providing?)

481 cases (Range of valid codes: 1-95)

Data type: numeric
Missing-data codes: -5--1
Columns: 1631-1633

V7556   **E18B NEW CLTYPE1:SVC2**

CLTYPE1:SVC2 (What services are you providing?)

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1634-1636

V7557   **E18B NEW CLTYPE1:SVC3**

CLTYPE1:SVC3 (What services are you providing?)

481 cases (Range of valid codes: 2-94)

Data type: numeric
Missing-data codes: -5--1
Columns: 1637-1639

V7558   **E18A TYPE NEW SA CL 2**

(What types of clients?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. GEN PUBLIC
0.0	0.0	0	2	2. SEG PUB DEAL DRUG PROBS
0.0	0.0	0	3	3. ALL CLIENTS
5.6	0.8	4	6	6. CHILDREN
0.0	0.0	0	7	7. OLDER CLIENTS
1.4	0.2	1	8	8. CODEPENDS
5.6	0.8	4	9	9. LOW INCOME
0.0	0.0	0	10	10. MEN
1.4	0.2	1	12	12. BLACKS
0.0	0.0	0	13	13. GAYS/LESBIANS
1.4	0.2	1	14	14. PARENT GRPS
4.2	0.6	3	15	15. MINORITIES EXC BLACKS
0.0	0.0	0	16	16. HANDICAP
11.3	1.7	8	17	17. PREG WOMEN/TEENS
11.3	1.7	8	18	18. OTR PROGS FOR WOMEN
8.5	1.2	6	19	19. TEENS
5.6	0.8	4	20	20. SPOUSE/SIG OTHR/CLOSE FAM
0.0	0.0	0	21	21. ALCOHOL
8.5	1.2	6	22	22. COCAINE
0.0	0.0	0	23	23. HEROIN/OPIATES
9.9	1.5	7	27	27. DUAL DIAGNOSIS
1.4	0.2	1	28	28. SEVERE ADDICT CLNTS
0.0	0.0	0	29	29. EARLY STAGE ADDICTION
0.0	0.0	0	31	31. CHRONIC PAIN
0.0	0.0	0	32	32. METH RECIPIENTS
7.0	1.0	5	33	33. AIDS RELATED
0.0	0.0	0	34	34. MENTAL HLTH PROBS
7.0	1.0	5	35	35. DUI/DWI CLIENTS
2.8	0.4	2	37	37. PERIPHERAL PROBS
2.8	0.4	2	41	41. AFTERCARE
4.2	0.6	3	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	83.6	402	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0 100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1640-1642

V7559	E18B NEW CLTYPE2:SVC1

CLTYPE2:SVC1 (What services are you providing?)

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 1643-1645

V7560	E18B NEW CLTYPE2:SVC2

CLTYPE2:SVC2 (What services are you providing?)

481 cases (Range of valid codes: 1-94)

Data type: numeric
Missing-data codes: -5--1
Columns: 1646-1648

V7561	E18B NEW CLTYPE2:SVC3

CLTYPE2:SVC3 (What services are you providing?)

481 cases (Range of valid codes: 1-95)

Data type: numeric
Missing-data codes: -5--1
Columns: 1649-1651

V7562	E18A TYPE NEW SA CL 3

(What types of clients?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. GEN PUBLIC
0.0	0.0	0	2	2. SEG PUB DEAL DRUG PROBS
0.0	0.0	0	3	3. ALL CLIENTS
4.5	0.2	1	6	6. CHILDREN
0.0	0.0	0	7	7. OLDER CLIENTS
0.0	0.0	0	8	8. CODEPENDS
4.5	0.2	1	9	9. LOW INCOME
0.0	0.0	0	10	10. MEN
0.0	0.0	0	12	12. BLACKS
0.0	0.0	0	13	13. GAYS/LESBIANS
4.5	0.2	1	14	14. PARENT GRPS
0.0	0.0	0	15	15. MINORITIES EXC BLACKS
4.5	0.2	1	16	16. HANDICAP
4.5	0.2	1	17	17. PREG WOMEN/TEENS
4.5	0.2	1	18	18. OTR PROGS FOR WOMEN
13.6	0.6	3	19	19. TEENS
13.6	0.6	3	20	20. SPOUSE/SIG OTHR/CLOSE FAM
4.5	0.2	1	21	21. ALCOHOL
0.0	0.0	0	22	22. COCAINE
0.0	0.0	0	23	23. HEROIN/OPIATES
4.5	0.2	1	27	27. DUAL DIAGNOSIS
0.0	0.0	0	28	28. SEVERE ADDICT CLNTS
0.0	0.0	0	29	29. EARLY STAGE ADDICTION
0.0	0.0	0	31	31. CHRONIC PAIN
4.5	0.2	1	32	32. METH RECIPIENTS
18.2	0.8	4	33	33. AIDS RELATED
0.0	0.0	0	34	34. MENTAL HLTH PROBS
4.5	0.2	1	35	35. DUI/DWI CLIENTS
0.0	0.0	0	37	37. PERIPHERAL PROBS
4.5	0.2	1	41	41. AFTERCARE
4.5	0.2	1	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	93.8	451	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1652-1654

V7563 **E18B NEW CLTYPE3:SVC1**

CLTYPE3:SVC1 (What services are you providing?)

481 cases (Range of valid codes: 1-93)

Data type: numeric
Missing-data codes: -5--1
Columns: 1655-1657

V7564 **E18B NEW CLTYPE3:SVC2**

CLTYPE3:SVC2 (What services are you providing?)

481 cases (Range of valid codes: 1-95)

Data type: numeric
Missing-data codes: -5--1
Columns: 1658-1660

V7565 **E18B NEW CLTYPE3:SVC3**

CLTYPE3:SVC3 (What services are you providing?)

481 cases (Range of valid codes: 12-93)

Data type: numeric
Missing-data codes: -5--1
Columns: 1661-1663

V7566   **E18A TYPE NEW SA CL 4**

(What types of clients?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. GEN PUBLIC
0.0	0.0	0	2	2. SEG PUB DEAL DRUG PROBS
0.0	0.0	0	3	3. ALL CLIENTS
8.3	0.2	1	6	6. CHILDREN
8.3	0.2	1	7	7. OLDER CLIENTS
8.3	0.2	1	8	8. CODEPENDS
0.0	0.0	0	9	9. LOW INCOME
0.0	0.0	0	10	10. MEN
0.0	0.0	0	12	12. BLACKS
0.0	0.0	0	13	13. GAYS/LESBIANS
0.0	0.0	0	14	14. PARENT GRPS
8.3	0.2	1	15	15. MINORITIES EXC BLACKS
0.0	0.0	0	16	16. HANDICAP
0.0	0.0	0	17	17. PREG WOMEN/TEENS
0.0	0.0	0	18	18. OTR PROGS FOR WOMEN
16.7	0.4	2	19	19. TEENS
0.0	0.0	0	20	20. SPOUSE/SIG OTHR/CLOSE FAM
0.0	0.0	0	21	21. ALCOHOL
0.0	0.0	0	22	22. COCAINE
0.0	0.0	0	23	23. HEROIN/OPIATES
8.3	0.2	1	27	27. DUAL DIAGNOSIS
0.0	0.0	0	28	28. SEVERE ADDICT CLNTS
0.0	0.0	0	29	29. EARLY STAGE ADDICTION
0.0	0.0	0	31	31. CHRONIC PAIN
0.0	0.0	0	32	32. METH RECIPIENTS
8.3	0.2	1	33	33. AIDS RELATED
0.0	0.0	0	34	34. MENTAL HLTH PROBS
0.0	0.0	0	35	35. DUI/DWI CLIENTS
8.3	0.2	1	37	37. PERIPHERAL PROBS
8.3	0.2	1	41	41. AFTERCARE
16.7	0.4	2	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	95.8	461	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0 100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1664-1666

V7567 **E18B NEW CLTYPE4:SVC1**

CLTYPE4:SVC1 (What services are you providing?)

481 cases (Range of valid codes: 1-93)

Data type: numeric
Missing-data codes: -5--1
Columns: 1667-1669

V7568 **E18B NEW CLTYPE4:SVC2**

CLTYPE4:SVC2 (What services are you providing?)

481 cases (Range of valid codes: 1-72)

Data type: numeric
Missing-data codes: -5--1
Columns: 1670-1672

V7569 **E18B NEW CLTYPE4:SVC3**

CLTYPE4:SVC3 (What services are you providing?)

481 cases (Range of valid codes: 1-94)

Data type: numeric
Missing-data codes: -5--1
Columns: 1673-1675

V7570	E19 U STOP SP SERV 2Y:Y/N?

In the last two years has your outpatient unit stopped
providing services or products of some kind?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 91.3   89.2  429       0  0. No
  8.7    8.5   41       1  1. Yes
                1.7    8      -5  -5. NO INTERVIEW
                0.6    3      -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1676-1677

V7571	E19AM1 SERV U STOPPED

Please briefly describe these products or services.

481 cases (Range of valid codes: 1-94)

Data type: numeric
Missing-data codes: -5--1
Columns: 1678-1680

V7572	E19AM2 SERV U STOPPED

Please briefly describe these products or services.

481 cases (Range of valid codes: 13-93)

Data type: numeric
Missing-data codes: -5--1
Columns: 1681-1683

V7573	E19AM3 SERV U STOPPED

Please briefly describe these products or services.

481 cases (Range of valid codes: nan--2,147,483,648)

Data type: numeric
Missing-data codes: -5--1
Columns: 1684-1685

V7574	E20 U STOP SVC SP CL:Y/N?

In the last two years has your outpatient unit stopped
providing services for certain types of substance abuse
clients?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 95.3   93.1  448      0  0. No
  4.7    4.6   22      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1686-1687

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7575                      E20AM1 SVCSTOP CLTYPE                       │
└─────────────────────────────────────────────────────────────────────┘
```

(What types of clients?)

```
   PCT     PCT    N   VALUE   LABEL
  VALID    ALL
   0.0     0.0    0      1   1. GEN PUBLIC
   4.5     0.2    1      2   2. SEG PUB DEAL DRUG PROBS
   0.0     0.0    0      3   3. ALL CLIENTS
   0.0     0.0    0      6   6. CHILDREN
   0.0     0.0    0      7   7. OLDER CLIENTS
   0.0     0.0    0      8   8. CODEPENDS
  13.6     0.6    3      9   9. LOW INCOME
   0.0     0.0    0     10  10. MEN
   0.0     0.0    0     12  12. BLACKS
   0.0     0.0    0     13  13. GAYS/LESBIANS
   0.0     0.0    0     14  14. PARENT GRPS
   0.0     0.0    0     15  15. MINORITIES EXC BLACKS
   0.0     0.0    0     16  16. HANDICAP
   0.0     0.0    0     17  17. PREG WOMEN/TEENS
   4.5     0.2    1     18  18. OTR PROGS FOR WOMEN
   9.1     0.4    2     19  19. TEENS
   0.0     0.0    0     20  20. SPOUSE/SIG OTHR/CLOSE FAM
   0.0     0.0    0     21  21. ALCOHOL
   4.5     0.2    1     22  22. COCAINE
   0.0     0.0    0     23  23. HEROIN/OPIATES
   9.1     0.4    2     27  27. DUAL DIAGNOSIS
   0.0     0.0    0     28  28. SEVERE ADDICT CLNTS
   0.0     0.0    0     29  29. EARLY STAGE ADDICTION
   0.0     0.0    0     31  31. CHRONIC PAIN
   4.5     0.2    1     32  32. METH RECIPIENTS
   0.0     0.0    0     33  33. AIDS RELATED
   0.0     0.0    0     34  34. MENTAL HLTH PROBS
  27.3     1.2    6     35  35. DUI/DWI CLIENTS
   0.0     0.0    0     37  37. PERIPHERAL PROBS
   4.5     0.2    1     41  41. AFTERCARE
  18.2     0.8    4     97  97. OTHER
           1.7    8     -5  -5. NO INTERVIEW
          93.8  451     -1  -1. SKIPPED QUESTION
  -----   -----  ---
  100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1688-1690

V7576   **E20AM2 SVCSTOP CLTYPE**

(What types of clients?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. GEN PUBLIC
0.0	0.0	0	2	2. SEG PUB DEAL DRUG PROBS
0.0	0.0	0	3	3. ALL CLIENTS
0.0	0.0	0	6	6. CHILDREN
25.0	0.2	1	7	7. OLDER CLIENTS
0.0	0.0	0	8	8. CODEPENDS
25.0	0.2	1	9	9. LOW INCOME
0.0	0.0	0	10	10. MEN
0.0	0.0	0	12	12. BLACKS
0.0	0.0	0	13	13. GAYS/LESBIANS
0.0	0.0	0	14	14. PARENT GRPS
0.0	0.0	0	15	15. MINORITIES EXC BLACKS
0.0	0.0	0	16	16. HANDICAP
0.0	0.0	0	17	17. PREG WOMEN/TEENS
0.0	0.0	0	18	18. OTR PROGS FOR WOMEN
0.0	0.0	0	19	19. TEENS
25.0	0.2	1	20	20. SPOUSE/SIG OTHR/CLOSE FAM
0.0	0.0	0	21	21. ALCOHOL
0.0	0.0	0	22	22. COCAINE
0.0	0.0	0	23	23. HEROIN/OPIATES
0.0	0.0	0	27	27. DUAL DIAGNOSIS
0.0	0.0	0	28	28. SEVERE ADDICT CLNTS
0.0	0.0	0	29	29. EARLY STAGE ADDICTION
0.0	0.0	0	31	31. CHRONIC PAIN
0.0	0.0	0	32	32. METH RECIPIENTS
0.0	0.0	0	33	33. AIDS RELATED
0.0	0.0	0	34	34. MENTAL HLTH PROBS
0.0	0.0	0	35	35. DUI/DWI CLIENTS
0.0	0.0	0	37	37. PERIPHERAL PROBS
25.0	0.2	1	41	41. AFTERCARE
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	97.5	469	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1691-1693

V7577	E20AM3 SVCSTOP CLTYPE

(What types of clients?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. GEN PUBLIC
0.0	0.0	0	2	2. SEG PUB DEAL DRUG PROBS
0.0	0.0	0	3	3. ALL CLIENTS
0.0	0.0	0	6	6. CHILDREN
0.0	0.0	0	7	7. OLDER CLIENTS
0.0	0.0	0	8	8. CODEPENDS
0.0	0.0	0	9	9. LOW INCOME
0.0	0.0	0	10	10. MEN
0.0	0.0	0	12	12. BLACKS
0.0	0.0	0	13	13. GAYS/LESBIANS
0.0	0.0	0	14	14. PARENT GRPS
0.0	0.0	0	15	15. MINORITIES EXC BLACKS
0.0	0.0	0	16	16. HANDICAP
0.0	0.0	0	17	17. PREG WOMEN/TEENS
0.0	0.0	0	18	18. OTR PROGS FOR WOMEN
0.0	0.0	0	19	19. TEENS
0.0	0.0	0	20	20. SPOUSE/SIG OTHR/CLOSE FAM
0.0	0.0	0	21	21. ALCOHOL
0.0	0.0	0	22	22. COCAINE
0.0	0.0	0	23	23. HEROIN/OPIATES
0.0	0.0	0	27	27. DUAL DIAGNOSIS
0.0	0.0	0	28	28. SEVERE ADDICT CLNTS
0.0	0.0	0	29	29. EARLY STAGE ADDICTION
0.0	0.0	0	31	31. CHRONIC PAIN
0.0	0.0	0	32	32. METH RECIPIENTS
0.0	0.0	0	33	33. AIDS RELATED
0.0	0.0	0	34	34. MENTAL HLTH PROBS
0.0	0.0	0	35	35. DUI/DWI CLIENTS
0.0	0.0	0	37	37. PERIPHERAL PROBS
0.0	0.0	0	41	41. AFTERCARE
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	98.3	473	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0 100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1694-1695

```
┌──────────────────────────────────────────────────────────────────────┐
│ V7578                    E20AM4 SVCSTOP CLTYPE                          │
└──────────────────────────────────────────────────────────────────────┘
```

(What types of clients?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. GEN PUBLIC
0.0	0.0	0	2	2. SEG PUB DEAL DRUG PROBS
0.0	0.0	0	3	3. ALL CLIENTS
0.0	0.0	0	6	6. CHILDREN
0.0	0.0	0	7	7. OLDER CLIENTS
0.0	0.0	0	8	8. CODEPENDS
0.0	0.0	0	9	9. LOW INCOME
0.0	0.0	0	10	10. MEN
0.0	0.0	0	12	12. BLACKS
0.0	0.0	0	13	13. GAYS/LESBIANS
0.0	0.0	0	14	14. PARENT GRPS
0.0	0.0	0	15	15. MINORITIES EXC BLACKS
0.0	0.0	0	16	16. HANDICAP
0.0	0.0	0	17	17. PREG WOMEN/TEENS
0.0	0.0	0	18	18. OTR PROGS FOR WOMEN
0.0	0.0	0	19	19. TEENS
0.0	0.0	0	20	20. SPOUSE/SIG OTHR/CLOSE FAM
0.0	0.0	0	21	21. ALCOHOL
0.0	0.0	0	22	22. COCAINE
0.0	0.0	0	23	23. HEROIN/OPIATES
0.0	0.0	0	27	27. DUAL DIAGNOSIS
0.0	0.0	0	28	28. SEVERE ADDICT CLNTS
0.0	0.0	0	29	29. EARLY STAGE ADDICTION
0.0	0.0	0	31	31. CHRONIC PAIN
0.0	0.0	0	32	32. METH RECIPIENTS
0.0	0.0	0	33	33. AIDS RELATED
0.0	0.0	0	34	34. MENTAL HLTH PROBS
0.0	0.0	0	35	35. DUI/DWI CLIENTS
0.0	0.0	0	37	37. PERIPHERAL PROBS
0.0	0.0	0	41	41. AFTERCARE
0.0	0.0	0	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	98.3	473	-1	-1. SKIPPED QUESTION

```
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1696-1697

UNIT DATA COLLECTION

V7579   **F1 EXTNT U GETS FOLWUP INFO**

To what extent does your unit attempt to collect on site, or
obtain from some other source, follow-up data for each of your
outpatient substance abuse clients within the first year after
they leave treatment? (Would you say to no extent, a little,
some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 26.4   25.8  124      1  1. No extent
 22.0   21.4  103      2  2. A little extent
 26.0   25.4  122      3  3. Some extent
 15.8   15.4   74      4  4. A great extent
  9.8    9.6   46      5  5. A very great extent
               1.7    8     -5  -5. NO INTERVIEW
               0.8    4     -3  -3. REFUSED/NA
----- ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1698-1699

V7580   **F2A 6MOS:%CL CONT USE**

Six months after leaving treatment, what percent of your
outpatient substance abuse clients... continued to be
substance abusers?

481 cases (Range of valid codes: 1-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 1700-1703

V7581	F2B 6MOS:%CL DRUGFREE

Six months after leaving treatment, what percent of your
outpatient substance abuse clients... were free from substance
abuse?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.7	1.0	5	1	
0.3	0.2	1	2	
1.7	1.0	5	5	
2.3	1.5	7	10	
0.3	0.2	1	13	
0.7	0.4	2	15	
0.7	0.4	2	18	
5.3	3.3	16	20	
3.6	2.3	11	25	
0.3	0.2	1	27	
0.3	0.2	1	29	
6.6	4.2	20	30	
0.3	0.2	1	33	
2.3	1.5	7	35	
0.7	0.4	2	37	
10.9	6.9	33	40	
1.7	1.0	5	45	
0.3	0.2	1	47	
14.9	9.4	45	50	
0.3	0.2	1	53	
2.0	1.2	6	55	
0.3	0.2	1	56	
0.7	0.4	2	57	
0.3	0.2	1	59	
13.9	8.7	42	60	
0.3	0.2	1	61	
0.3	0.2	1	62	
0.3	0.2	1	63	
3.0	1.9	9	65	
1.3	0.8	4	66	
0.7	0.4	2	67	
0.7	0.4	2	68	
5.0	3.1	15	70	
0.7	0.4	2	71	
0.3	0.2	1	73	
4.0	2.5	12	75	
6.3	4.0	19	80	
0.7	0.4	2	82	
0.3	0.2	1	84	
1.0	0.6	3	85	

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7581 (CONT.)              F2B 6MOS:%CL DRUGFREE                           │
└─────────────────────────────────────────────────────────────────────────┘


       PCT     PCT    N  VALUE  LABEL
      VALID    ALL
       0.3     0.2    1     87
       1.0     0.6    3     90
       0.3     0.2    1     92
       0.7     0.4    2     95
       0.3     0.2    1     97
               1.7    8     -5  -5. NO INTERVIEW
               2.1   10     -3  -3. REFUSED/NA
               7.7   37     -2  -2. DONT KNOW
              25.8  124     -1  -1. SKIPPED QUESTION
      -----   ----- ---
      100.0   100.0 481  cases


      Data type: numeric
      Missing-data codes: -5--1
      Columns: 1704-1706
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7582                  F3A FOLOW:1-3MO AFT TX                              │
└─────────────────────────────────────────────────────────────────────────┘


      At what points does your unit typically obtain follow-up
      information on its outpatient substance abuse clients after
      they end treatment?  (Would you say at 1-3 months, 4-6 months,
      7-9 months, 10-12 months, 13-18 months, 19-24 months, or more
      than 24 months?)  (CHECK ALL THAT APPLY.) A.  1-3 MONTHS

       PCT     PCT    N  VALUE  LABEL
      VALID    ALL
       45.1    31.6  152     0  0. NO CHECK
       54.9    38.5  185     1  1. CHECKED
               1.7    8     -5  -5. NO INTERVIEW
               2.1   10     -3  -3. REFUSED/NA
               0.4    2     -2  -2. DONT KNOW
              25.8  124     -1  -1. SKIPPED QUESTION
      -----   ----- ---
      100.0   100.0 481  cases


      Data type: numeric
      Missing-data codes: -5--1
      Columns: 1707-1708
```

```
┌──────────────────────────────────────────────────────────────────┐
│ V7583                      F3B FOLOW:4-6MO AFT TX                   │
└──────────────────────────────────────────────────────────────────┘
```

At what points does your unit typically obtain follow-up
information on its outpatient substance abuse clients after
they end treatment? (CHECK ALL THAT APPLY.) B. 4-6 MONTHS

```
   PCT    PCT    N  VALUE   LABEL
 VALID    ALL
  52.2   36.6  176      0   0. NO CHECK
  47.8   33.5  161      1   1. CHECKED
          1.7    8     -5   -5. NO INTERVIEW
          2.1   10     -3   -3. REFUSED/NA
          0.4    2     -2   -2. DONT KNOW
         25.8  124     -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1709-1710

```
┌──────────────────────────────────────────────────────────────────┐
│ V7584                      F3C FOLOW:7-9MO AFT TX                   │
└──────────────────────────────────────────────────────────────────┘
```

At what points does your unit typically obtain follow-up
information on its outpatient substance abuse clients after
they end treatment? (CHECK ALL THAT APPLY.) C. 7-9 MONTHS

```
   PCT    PCT    N  VALUE   LABEL
 VALID    ALL
  91.7   64.2  309      0   0. NO CHECK
   8.3    5.8   28      1   1. CHECKED
          1.7    8     -5   -5. NO INTERVIEW
          2.1   10     -3   -3. REFUSED/NA
          0.4    2     -2   -2. DONT KNOW
         25.8  124     -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1711-1712

```
 ┌─────────────────────────────────────────────────────────────┐
 │ V7585                  F3D FOLLOW:10-12MO AFT                 │
 └─────────────────────────────────────────────────────────────┘
```

At what points does your unit typically obtain follow-up
information on its outpatient substance abuse clients after
they end treatment? (CHECK ALL THAT APPLY.) D. 10-12 MONTHS

```
    PCT    PCT    N  VALUE  LABEL
  VALID    ALL
   71.8   50.3  242      0  0. NO CHECK
   28.2   19.8   95      1  1. CHECKED
           1.7    8     -5  -5. NO INTERVIEW
           2.1   10     -3  -3. REFUSED/NA
           0.4    2     -2  -2. DONT KNOW
          25.8  124     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1713-1714

```
 ┌─────────────────────────────────────────────────────────────┐
 │ V7586                  F3E FOLOW:13-18MO AFT                  │
 └─────────────────────────────────────────────────────────────┘
```

At what points does your unit typically obtain follow-up
information on its outpatient substance abuse clients after
they end treatment? (CHECK ALL THAT APPLY.) E. 13-18 MONTHS

```
    PCT    PCT    N  VALUE  LABEL
  VALID    ALL
   95.5   66.9  322      0  0. NO CHECK
    4.5    3.1   15      1  1. CHECKED
           1.7    8     -5  -5. NO INTERVIEW
           2.1   10     -3  -3. REFUSED/NA
           0.4    2     -2  -2. DONT KNOW
          25.8  124     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1715-1716

```
V7587                    F3F FOLOW:19-24MO AFT
```

At what points does your unit typically obtain follow-up
information on its outpatient substance abuse clients after
they end treatment? (CHECK ALL THAT APPLY.) F. 19-24 MONTHS

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  96.1   67.4  324      0  0. NO CHECK
   3.9    2.7   13      1  1. CHECKED
          1.7    8     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
          0.4    2     -2  -2. DONT KNOW
         25.8  124     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1717-1718

```
V7588                    F3G FOLOW:>24MO AFT TX
```

At what points does your unit typically obtain follow-up
information on its outpatient substance abuse clients after
they end treatment? (CHECK ALL THAT APPLY.) G. MORE THAN 24
MONTHS

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  97.6   68.4  329      0  0. NO CHECK
   2.4    1.7    8      1  1. CHECKED
          1.7    8     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
          0.4    2     -2  -2. DONT KNOW
         25.8  124     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1719-1720

V7589   **F4 FOLLOW:EXTNT ALL CL-SUCES**

To what extent is the collection of follow-up data successful
for all outpatient substance abuse clients for whom your unit
attempts to obtain follow-up data? (Would you say to no
extent, a little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  2.7    1.9    9      1  1. No extent
 36.5   25.4  122      2  2. A little extent
 41.0   28.5  137      3  3. Some extent
 17.1   11.9   57      4  4. A great extent
  2.7    1.9    9      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         1.7    8     -2  -2. DONT KNOW
        25.8  124     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1721-1722

V7590   **F5A FOLLOW:EXTNT LIV SITUATN**

Please tell me which of the following kinds of follow-up
information are obtained for your unit's outpatient substance
abuse clients. Does your unit obtain information regarding
...the client's living arrangements or "living situation"?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 27.7   19.5   94      0  0. No
 72.3   50.9  245      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.7    8     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
        25.8  124     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1723-1724

V7591   **F5B FOLOW:EXTNT EMPLOY STAT**

Does your unit obtain information regarding ...(the client's)
employment or student status?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 14.7   10.4   50      0  0. No
 85.3   60.1  289      1  1. Yes
        1.7     8     -5  -5. NO INTERVIEW
        1.5     7     -3  -3. REFUSED/NA
        0.6     3     -2  -2. DONT KNOW
       25.8   124     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1725-1726

V7592   **F5C FOLOW:EXTNT HEALTH STAT**

Does your unit obtain information regarding ...(the client's)
health status?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 24.2   17.0   82      0  0. No
 75.8   53.4  257      1  1. Yes
        1.7     8     -5  -5. NO INTERVIEW
        1.7     8     -3  -3. REFUSED/NA
        0.4     2     -2  -2. DONT KNOW
       25.8   124     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1727-1728

```
┌─────────────────────────────────────────────────────────────────┐
│ V7593                    F5D FOLOW:EXTNT PROBAT STAT              │
└─────────────────────────────────────────────────────────────────┘
```

Does your unit obtain information regarding ...(the client's)
legal probation status?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  19.4   13.7   66      0  0. No
  80.6   57.2  275      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          1.5    7     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         25.8  124     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1729-1730

```
┌─────────────────────────────────────────────────────────────────┐
│ V7594                    F5E FOLOW:EXTNT FINANC STAT             │
└─────────────────────────────────────────────────────────────────┘
```

Does your unit obtain information regarding ...(the client's)
financial status?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  48.4   34.3  165      0  0. No
  51.6   36.6  176      1  1. Yes
          1.7    8     -5  -5. NO INTERVIEW
          1.5    7     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         25.8  124     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1731-1732

```
V7595                    F5F FOLLOW:EXTNT IN RECMD TX
```

Does your unit obtain information regarding ...whether the
client is in the treatment recommended by your unit's staff?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 12.9   9.1   44      0  0. No
 87.1  61.5  296      1  1. Yes
              1.7    8     -5  -5. NO INTERVIEW
              1.5    7     -3  -3. REFUSED/NA
              0.4    2     -2  -2. DONT KNOW
             25.8  124     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1733-1734

```
V7596                    F5G FOLLOW:EXTNT DRUG,AL USE
```

Does your unit obtain information regarding ...(the client's)
drug or alcohol use?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  3.5   2.5   12      0  0. No
 96.5  68.4  329      1  1. Yes
              1.7    8     -5  -5. NO INTERVIEW
              1.5    7     -3  -3. REFUSED/NA
              0.2    1     -2  -2. DONT KNOW
             25.8  124     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1735-1736

V7597   **F5H FOLOW:EXTNT CL EVALU TX**

Does your unit obtain information regarding ...(the client's)
evaluation of the treatment experience?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 25.2   17.9   86      0  0. No
 74.8   53.0  255      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        25.8  124     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1737-1738

V7598   **F5I FOLLOW:EXTNT CL EVALU U**

Does your unit obtain information regarding ...(the client's)
evaluation of the agency in general?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 37.5   26.4  127      0  0. No
 62.5   44.1  212      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         0.6    3     -2  -2. DONT KNOW
        25.8  124     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1739-1740

V7599	F5J FOLOW:EXTNT GT DROPS RE

Does your unit obtain information regarding... Does your unit
obtain information to get drop outs to return to treatment?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  40.5   28.7  138       0  0. No
  59.5   42.2  203       1  1. Yes
                1.7    8      -5  -5. NO INTERVIEW
                1.5    7      -3  -3. REFUSED/NA
                0.2    1      -2  -2. DONT KNOW
               25.8  124      -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1741-1742

V7600	F5KM1 FOLOW:OTHR INFO

Does your unit obtain any information other than those kinds
just mentioned? (SPECIFY:)

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  23.6    2.7   13       1  1. OTHER CLI TRT
  12.7    1.5    7       2  2. CHANGE IN FAM
  32.7    3.7   18       3  3. FAM INFO
   0.0    0.0    0      11  11. AIDS INFO
  14.5    1.7    8      12  12. MENTAL HEALTH
  16.4    1.9    9      97  97. OTHER
                1.7    8      -5  -5. NO INTERVIEW
                2.1   10      -3  -3. REFUSED/NA
                0.2    1      -2  -2. DONT KNOW
               84.6  407      -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1743-1745

V7601   **F5KM2 FOLOW:OTHR INFO**

Does your unit obtain any information other than those kinds
just mentioned? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
26.3	1.0	5	1	1. OTHER CLI TRT
5.3	0.2	1	2	2. CHANGE IN FAM
36.8	1.5	7	3	3. FAM INFO
0.0	0.0	0	11	11. AIDS INFO
0.0	0.0	0	12	12. MENTAL HEALTH
31.6	1.2	6	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	93.1	448	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 1746-1748

V7602   **F5KM3 FOLOW:OTHR INFO**

Does your unit obtain any information other than those kinds
just mentioned? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
16.7	0.2	1	1	1. OTHER CLI TRT
0.0	0.0	0	2	2. CHANGE IN FAM
0.0	0.0	0	3	3. FAM INFO
0.0	0.0	0	11	11. AIDS INFO
33.3	0.4	2	12	12. MENTAL HEALTH
50.0	0.6	3	97	97. OTHER
	1.7	8	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	95.8	461	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 1749-1751

V7603   **F6A FOLOW:SLF-ADM SUR:Y/N?**

Is this information collected through: Self-administered
surveys, including mail outs?

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
 34.9   24.7  119      0  0. No
 65.1   46.2  222      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.7    8     -3  -3. REFUSED/NA
        25.8  124     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1752-1753

V7604   **F6B FOLLOW-UP: PHONE:Y/N?**

Is this information collected through: Telephone follow-ups?

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
 22.9   16.2   78      0  0. No
 77.1   54.5  262      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.7    8     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        25.8  124     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1754-1755

V7605 **F6C FOLOW:FACE 2 FACE:Y/N?**

Is this information collected through: Face-to-face
interviews?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 42.9   30.4  146      0  0. No
 57.1   40.3  194      1  1. Yes
               1.7    8     -5  -5. NO INTERVIEW
               1.7    8     -3  -3. REFUSED/NA
               0.2    1     -2  -2. DONT KNOW
              25.8  124     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1756-1757

V7606 **F6DM1 FOLOW:OTH MEANS**

Is this information collected through: Some other means?
(PLEASE SPECIFY:)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 14.3    2.1   10      1  1. LETTERS
 38.6    5.6   27      2  2. FRND/REL
 10.0    1.5    7      3  3. CLIENTS
 32.9    4.8   23     11  11. OTHER AGY
  4.3    0.6    3     97  97. OTHER
         1.7    8     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
        81.5  392     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1758-1760

V7607   **F6DM2 FOLOW:OTH MEANS**

Some other means? (PLEASE SPECIFY:)

```
  PCT    PCT    N   VALUE   LABEL
VALID    ALL
  5.9    0.2    1       1   1. LETTERS
 41.2    1.5    7       2   2. FRND/REL
 23.5    0.8    4       3   3. CLIENTS
 17.6    0.6    3      11   11. OTHER AGY
 11.8    0.4    2      97   97. OTHER
         1.7    8      -5   -5. NO INTERVIEW
         1.0    5      -3   -3. REFUSED/NA
        93.8  451      -1   -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1761-1763

V7608   **F6DM3 FOLOW:OTH MEANS**

Some other means? (PLEASE SPECIFY:)

```
  PCT    PCT    N   VALUE   LABEL
VALID    ALL
  0.0    0.0    0       1   1. LETTERS
  0.0    0.0    0       2   2. FRND/REL
  0.0    0.0    0       3   3. CLIENTS
100.0    0.2    1      11   11. OTHER AGY
  0.0    0.0    0      97   97. OTHER
         1.7    8      -5   -5. NO INTERVIEW
         1.0    5      -3   -3. REFUSED/NA
        97.1  467      -1   -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1764-1766

V7609	F7 FOLOW:EXTNT USE-COMPAREU

To what extent does your unit use this follow-up information
to make comparisons between your outpatient unit and other
substance abuse treatment units? (Would you say to no extent,
a little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 41.3   29.3  141      1  1. No extent
 29.9   21.2  102      2  2. A little extent
 22.0   15.6   75      3  3. Some extent
  6.2    4.4   21      4  4. A great extent
  0.6    0.4    2      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.7    8     -3  -3. REFUSED/NA
        25.8  124     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 1767-1768
```

V7610   **F8 FOLOW:EXTNT USE-CHG PROG**

To what extent does your unit use this follow-up information
to make changes in your outpatient unit's substance abuse
programs? (Would you say to no extent, a little, some, great,
or to a very great extent?)

```
  PCT    PCT   N  VALUE  LABEL
 VALID   ALL
  7.6    5.4   26      1  1. No extent
 15.6   11.0   53      2  2. A little extent
 42.1   29.7  143      3  3. Some extent
 32.1   22.7  109      4  4. A great extent
  2.6    1.9    9      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.7    8     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        25.8  124     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1769-1770

AIDS

V7611	G1A AIDS:EXTNT KNOW-PREVENT

To what extent are the following statements about AIDS prevention true for your outpatient treatment unit: In this unit we have adequate knowledge to inform clients about preventing AIDS. Would you say this is true to no extent, a little, some, great, or to a very great extent?

```
  PCT     PCT     N  VALUE   LABEL
 VALID    ALL
   0.4    0.4     2      1  1. No extent
   3.4    3.3    16      2  2. A little extent
  13.5   13.1    63      3  3. Some extent
  45.1   43.9   211      4  4. A great extent
  37.6   36.6   176      5  5. A very great extent
                 1.7     8     -5  -5. NO INTERVIEW
                 1.0     5     -3  -3. REFUSED/NA
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1771-1772

V7612	G1B AIDS:EXTNT TEACH CL PRV

To what extent are the following statements about AIDS
prevention true for your outpatient treatment unit: This unit
has provided its staff members with special training about
teaching clients how to prevent AIDS. (Would you say this is
true to no extent, a little, some, great, or to a very great
extent?)

PCT VALID	PCT ALL	N	VALUE	LABEL
3.8	3.7	18	1	1. No extent
3.0	2.9	14	2	2. A little extent
19.0	18.5	89	3	3. Some extent
46.6	45.3	218	4	4. A great extent
27.6	26.8	129	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1773-1774

V7613	G1C AIDS:EXTNT HOW WRK W CL

To what extent are the following statements about AIDS
prevention true for your outpatient treatment unit: (This unit
has provided staff members with) special training about how to
work with clients who have the HIV AIDS) virus.

PCT VALID	PCT ALL	N	VALUE	LABEL
6.2	6.0	29	1	1. No extent
6.2	6.0	29	2	2. A little extent
32.1	31.2	150	3	3. Some extent
37.6	36.6	176	4	4. A great extent
17.9	17.5	84	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1775-1776

V7614	G1D AIDS:EXTNT STAF RISK-CL

To what extent are the following statements about AIDS
prevention true for your outpatient treatment unit: (This unit
has provided staff members with) special training about their
risk of acquiring AIDS from clients.

PCT VALID	PCT ALL	N	VALUE	LABEL
2.6	2.5	12	1	1. No extent
4.9	4.8	23	2	2. A little extent
25.9	25.2	121	3	3. Some extent
41.5	40.3	194	4	4. A great extent
25.1	24.3	117	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1777-1778

V7615	G1E AIDS:EXTNT STAF FEAR CL

To what extent are the following statements about AIDS
prevention true for your outpatient treatment unit: Staff
members in this unit fear acquiring AIDS from clients.

PCT VALID	PCT ALL	N	VALUE	LABEL
44.8	43.5	209	1	1. No extent
37.3	36.2	174	2	2. A little extent
15.2	14.8	71	3	3. Some extent
2.4	2.3	11	4	4. A great extent
0.4	0.4	2	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1779-1780

V7616	G2A AIDS:EXTNT CLEAN NEEDLS

To what extent do you support each of the following statements
about AIDS prevention among IV drug users? Clean needles
should be distributed to IV drug users to prevent AIDS. (Do
you support this to no extent, a little, some, great, or to a
very great extent?)

```
   PCT    PCT    N  VALUE   LABEL
  VALID   ALL
  21.8   20.8  100      1  1. No extent
  17.4   16.6   80      2  2. A little extent
  25.9   24.7  119      3  3. Some extent
  21.6   20.6   99      4  4. A great extent
  13.3   12.7   61      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.7    8     -3  -3. REFUSED/NA
         1.2    6     -2  -2. DONT KNOW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1781-1782

V7617	G2B AIDS:EXTNT BLEACH SOLUT

To what extent do you support each of the following statements
about AIDS prevention among IV drug users? Bleach solutions
should be distributed to IV drug users to clean their needles.
(Do you support this to no extent, a little, some, great, or
to a very great extent?)

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
 17.7   16.8   81      1  1. No extent
 13.8   13.1   63      2  2. A little extent
 23.8   22.7  109      3  3. Some extent
 28.2   26.8  129      4  4. A great extent
 16.6   15.8   76      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         1.7    8     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 1783-1784
```

V7618	G2C AIDS:EXTNT CONDOMS 2 IV

To what extent do you support each of the following statements about AIDS prevention among IV drug users? Condoms should be distributed to IV drug users to encourage "safe" sexual practices.

PCT VALID	PCT ALL	N	VALUE	LABEL
7.3	7.1	34	1	1. No extent
6.0	5.8	28	2	2. A little extent
15.6	15.0	72	3	3. Some extent
41.3	39.7	191	4	4. A great extent
29.8	28.7	138	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	0.6	3	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1785-1786

V7619	G2D AIDS:EXTNT EDUCATN 2 IV

To what extent do you support each of the following statements about AIDS prevention among IV drug users? Educational information such as pamphlets should be distributed to IV drug users about how to prevent AIDS.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. No extent
1.3	1.2	6	2	2. A little extent
6.6	6.4	31	3	3. Some extent
49.1	47.8	230	4	4. A great extent
42.9	41.8	201	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1787-1788

V7620   **G2E AIDS:EXTNT NEEDLE XCHGE**

To what extent do you support each of the following statements
about AIDS prevention among IV drug users? Needle exchange
programs should be available for IV drug users.

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 23.4    22.5   108      1  1. No extent
 12.8    12.3    59      2  2. A little extent
 23.4    22.5   108      3  3. Some extent
 26.6    25.6   123      4  4. A great extent
 13.9    13.3    64      5  5. A very great extent
          1.7     8     -5  -5. NO INTERVIEW
          1.2     6     -3  -3. REFUSED/NA
          1.0     5     -2  -2. DONT KNOW
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1789-1790

V7621   **G3A AIDS:EXTNT U ADEQUATE $**

Some outpatient substance abuse treatment units are involved
in various efforts to prevent AIDS. To what extent is each of
the following true of your unit? Your unit has adequate funds
to allocate for AIDS prevention efforts. (Would you say this
is true to no extent, a little, some, great, or to a very
great extent?)

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 35.3    34.3   165      1  1. No extent
 27.0    26.2   126      2  2. A little extent
 22.9    22.2   107      3  3. Some extent
 12.0    11.6    56      4  4. A great extent
  2.8     2.7    13      5  5. A very great extent
          1.7     8     -5  -5. NO INTERVIEW
          1.2     6     -3  -3. REFUSED/NA
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1791-1792

V7622	G3B AIDS:EXTNT U ENUF STAFF

Some outpatient substance abuse treatment units are involved
in various efforts to prevent AIDS. To what extent is each of
the following true of your unit? Your unit has enough staff
members or staff hours to devote to AIDS prevention. (Would
you say this is true to no extent, a little, some, great, or
to a very great

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 25.0    24.3  117      1  1. No extent
 24.4    23.7  114      2  2. A little extent
 29.3    28.5  137      3  3. Some extent
 17.7    17.3   83      4  4. A great extent
  3.6     3.5   17      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1793-1794

V7623   **G3C AIDS:EXTNT TALK CL-SE**

Some outpatient substance abuse treatment units are involved
in various efforts to prevent AIDS. To what extent is each of
the following true of your unit? Counselors routinely talk to
clients about the risks of transmitting AIDS through sexual
contact.

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	1.9	9	1	1. No extent
8.5	8.3	40	2	2. A little extent
21.4	20.8	100	3	3. Some extent
51.5	50.1	241	4	4. A great extent
16.7	16.2	78	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1795-1796

V7624   **G3D AIDS:EXTNT TALK CL-IV**

Some outpatient substance abuse treatment units are involved
in various efforts to prevent AIDS. To what extent is each of
the following true of your unit? Counselors routinely talk to
clients about ways to prevent transmitting AIDS through IV
needle use.

PCT VALID	PCT ALL	N	VALUE	LABEL
2.4	2.3	11	1	1. No extent
11.1	10.8	52	2	2. A little extent
21.4	20.8	100	3	3. Some extent
47.9	46.6	224	4	4. A great extent
17.3	16.8	81	5	5. A very great extent
	1.7	8	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1797-1798

V7625   **G3E AIDS:EXTNT TALK-CL FETU**

Some outpatient substance abuse treatment units are involved
in various efforts to prevent AIDS. To what extent is each of
the following true of your unit? Counselors routinely talk to
clients about the risks of transmitting AIDS to unborn
children.

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  2.1    2.1   10      1  1. No extent
  9.2    8.9   43      2  2. A little extent
 30.3   29.5  142      3  3. Some extent
 42.3   41.2  198      4  4. A great extent
 16.0   15.6   75      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1799-1800

V7626   **G3F AIDS:EXTNT GIV CL READG**

Some outpatient substance abuse treatment units are involved
in various efforts to prevent AIDS. To what extent is each of
the following true of your unit? Written materials that
explain ways to prevent AIDS are routinely distributed to
clients.

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  7.1    6.9   33      1  1. No extent
  9.0    8.7   42      2  2. A little extent
 19.5   18.9   91      3  3. Some extent
 44.5   43.2  208      4  4. A great extent
 19.9   19.3   93      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         1.2    6     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1801-1802

```
 V7627                 G3G AIDS:EXTNT USE MASS MED
```

Some outpatient substance abuse treatment units are involved
in various efforts to prevent AIDS. To what extent is each of
the following true of your unit? Your unit has used mass media
such as radio, TV, or newspapers to try to prevent AIDS.

```
   PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 68.8   66.5   320     1   1. No extent
 10.1    9.8    47     2   2. A little extent
 11.4   11.0    53     3   3. Some extent
  7.5    7.3    35     4   4. A great extent
  2.2    2.1    10     5   5. A very great extent
         1.7     8    -5   -5. NO INTERVIEW
         1.5     7    -3   -3. REFUSED/NA
         0.2     1    -2   -2. DONT KNOW
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1803-1804

```
 V7628                 G3H AIDS:EXTNT SPECIAL STAF
```

Some outpatient substance abuse treatment units are involved
in various efforts to prevent AIDS. To what extent is each of
the following true of your unit? Your unit has staff members
who work specifically on AIDS prevention.

```
   PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 54.0   52.4   252     1   1. No extent
  7.1    6.9    33     2   2. A little extent
 12.6   12.3    59     3   3. Some extent
 16.1   15.6    75     4   4. A great extent
 10.3   10.0    48     5   5. A very great extent
         1.7     8    -5   -5. NO INTERVIEW
         1.2     6    -3   -3. REFUSED/NA
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1805-1806

```
V7629                    G4 AIDS:EXTNT WRK W OTH GPS
```

To what extent has your outpatient unit worked with other
groups or organizations to prevent AIDS. (Would you say to no
extent, a little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 13.0   12.7   61      1  1. No extent
 17.5   17.0   82      2  2. A little extent
 34.8   33.9  163      3  3. Some extent
 26.4   25.8  124      4  4. A great extent
  8.3    8.1   39      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1807-1808

```
V7630                    G5 AIDS:EXTNT COMMUNTY WORK
```

To what extent do staff members from your outpatient unit work
in the community to prevent AIDS? (Would you say to no
extent, a little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 30.1   29.3  141      1  1. No extent
 20.5   20.0   96      2  2. A little extent
 33.0   32.2  155      3  3. Some extent
 10.9   10.6   51      4  4. A great extent
  5.5    5.4   26      5  5. A very great extent
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1809-1810

V7631	G6 AIDS:COMUNTY WK-HR

Thinking of all of the staff members from your outpatient unit
who do work in the community to prevent AIDS, how many total
hours per week do they work in the community?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.5	15.4	74	1	
19.7	12.9	62	2	
4.8	3.1	15	3	
5.7	3.7	18	4	
7.3	4.8	23	5	
1.0	0.6	3	6	
1.0	0.6	3	7	
1.6	1.0	5	8	
4.8	3.1	15	10	
0.6	0.4	2	12	
1.9	1.2	6	15	
4.4	2.9	14	20	
1.3	0.8	4	25	
1.3	0.8	4	30	
0.3	0.2	1	32	
0.3	0.2	1	35	
2.5	1.7	8	40	
0.3	0.2	1	43	
0.3	0.2	1	45	
1.6	1.0	5	50	
0.3	0.2	1	52	
1.0	0.6	3	60	
0.3	0.2	1	65	
0.3	0.2	1	70	
1.0	0.6	3	80	
1.0	0.6	3	100	
0.3	0.2	1	110	
0.3	0.2	1	114	
0.3	0.2	1	130	
1.0	0.6	3	160	
0.3	0.2	1	180	
0.3	0.2	1	200	
0.3	0.2	1	220	
0.3	0.2	1	240	
0.3	0.2	1	280	
0.3	0.2	1	350	
0.3	0.2	1	360	
0.3	0.2	1	400	
7.6	5.0	24	9996	9996. NONE OR LT 1HR
	1.7	8	-5	-5. NO INTERVIEW

```
┌──────────────────────────────────────────────────────────────────────┐
│ V7631 (CONT.)                  G6 AIDS:COMUNTY WK-HR                    │
└──────────────────────────────────────────────────────────────────────┘
```

```
     PCT     PCT    N  VALUE  LABEL
    VALID    ALL
             0.8     4     -3  -3. REFUSED/NA
             2.7    13     -2  -2. DONT KNOW
            29.3   141     -1  -1. SKIPPED QUESTION
    -----   -----   ---
    100.0   100.0   481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 1811-1815
```

```
┌──────────────────────────────────────────────────────────────────────┐
│ V7632                          G7 AIDS:SPEC TRAINING:Y/N?               │
└──────────────────────────────────────────────────────────────────────┘
```

Have these staff members received special training of any kind
on AIDS prevention?

```
     PCT     PCT    N  VALUE  LABEL
    VALID    ALL
     1.5     1.0     5      0  0. No
    98.5    66.9   322      1  1. Yes
             1.7     8     -5  -5. NO INTERVIEW
             0.8     4     -3  -3. REFUSED/NA
             0.2     1     -2  -2. DONT KNOW
            29.3   141     -1  -1. SKIPPED QUESTION
    -----   -----   ---
    100.0   100.0   481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 1816-1817
```

V7633	G8A AIDS:INFO-CLEANIV:Y/N?

Do these staff members do any of the following as part of
their work to prevent AIDS: Distribute written materials that
indicate how to sterilize needles?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 43.6   29.5  142      0  0. No
 56.4   38.3  184      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        29.3  141     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1818-1819

V7634	G8B AIDS:INFO-CONDOMS:Y/N?

Do these staff members do any of the following as part of
their work to prevent AIDS: Distribute written materials that
encourage the use of condoms?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 16.5   11.2   54      0  0. No
 83.5   56.8  273      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        29.3  141     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1820-1821

V7635   **G8C AIDS:INFO-PREVENT:Y/N?**

Do these staff members do any of the following as part of
their work to prevent AIDS: Distribute written materials that
generally inform about ways to prevent AIDS?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  7.3    5.0   24      0  0. No
 92.7   63.2  304      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
        29.3  141     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1822-1823

V7636   **G8D AIDS:GIVE CONDOMS:Y/N?**

Do these staff members do any of the following as part of
their work to prevent AIDS: Distribute condoms?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 54.0   36.6  176      0  0. No
 46.0   31.2  150      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        29.3  141     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1824-1825

V7637	G8E AIDS:GIVE CLEN IV:Y/N?

Do these staff members do any of the following as part of their work to prevent AIDS: Distribute clean needles?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 98.5   67.2  323      0  0. No
  1.5    1.0    5      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
        29.3  141     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1826-1827

V7638	G8F AIDS: GIVE BLEACH:Y/N?

Do these staff members do any of the following as part of their work to prevent AIDS: Distribute bleach solutions in order to clean needles?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 84.4   57.4  276      0  0. No
 15.6   10.6   51      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        29.3  141     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1828-1829

```
V7639                 G8G AIDS:TALK-IVUSERS:Y/N?
```

Do these staff members do any of the following as part of
their work to prevent AIDS: Talk to IV drug users on the
streets or in places such as crack houses?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 67.0   45.5  219      0  0. No
 33.0   22.5  108      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.8    4     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        29.3  141     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1830-1831

```
V7640                 G8H AIDS:TALK-IVFAMLY:Y/N?
```

Do these staff members do any of the following as part of
their work to prevent AIDS: Talk to family members, friends,
or acquaintances of IV drug users?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 18.3   12.5   60      0  0. No
 81.7   55.5  267      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        29.3  141     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1832-1833

V7641	G8I AIDS:XCHG NEEDLES:Y/N?

Do these staff members do any of the following as part of their work to prevent AIDS: Exchange clean needles for used ones?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 98.8   67.2  323      0  0. No
  1.2    0.8    4      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
        29.3  141     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1834-1835

RESPONDENT DEMOGRAPHICS

V7642   **H1 IWR CKPT:R THIS SE**

INTERVIEWER CHECKPOINT: Check ONE BOX ONLY

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  94.1   89.4  430      1  1. PERS ON DIR LABEL
   4.6    4.4   21      2  2. PROXY #1
   0.9    0.8    4      3  3. PROXY #2
   0.2    0.2    1      4  4. PROXY #3
   0.2    0.2    1      5  5. PROXY #4
          1.7    8     -5  -5. NO INTERVIEW
          3.3   16     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1836-1837

V7643   **H1A IWR CKPT:DEM IN S**

INTERVIEWER CHECKPOINT

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  94.3   92.7  446      0  0. ALL OTHER
   5.7    5.6   27      1  1. DEM IN SUPV
          1.7    8     -5  -5. NO INTERVIEW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1838-1839

V7644	H2 #YRS EMPLOYED BY U

The following questions concern your own background and
training. How many years have you been employed by this
treatment unit?--# OF YEARS

PCT VALID	PCT ALL	N	VALUE	LABEL
9.5	8.7	42	0	
3.8	3.5	17	1	
8.1	7.5	36	2	
7.9	7.3	35	3	
4.8	4.4	21	4	
5.9	5.4	26	5	
4.5	4.2	20	6	
5.2	4.8	23	7	
4.3	4.0	19	8	
4.3	4.0	19	9	
5.9	5.4	26	10	
3.4	3.1	15	11	
4.3	4.0	19	12	
3.4	3.1	15	13	
3.4	3.1	15	14	
6.1	5.6	27	15	
2.7	2.5	12	16	
2.7	2.5	12	17	
3.8	3.5	17	18	
1.4	1.2	6	19	
2.9	2.7	13	20	
0.9	0.8	4	21	
0.2	0.2	1	22	
0.2	0.2	1	24	
0.2	0.2	1	25	
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	5.6	27	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1840-1842

V7645	H2 #MOS EMPLOYED BY U

```
       PCT    PCT    N  VALUE  LABEL
      VALID   ALL
      90.7   83.6  402      0
       0.7    0.6    3      1
       0.2    0.2    1      2
       0.5    0.4    2      3
       0.7    0.6    3      4
       0.2    0.2    1      5
       0.2    0.2    1      6
       0.5    0.4    2      8
       0.5    0.4    2      9
       0.2    0.2    1     10
       0.2    0.2    1     11
       0.2    0.2    1     14
       1.4    1.2    6     18
       0.2    0.2    1     22
       1.4    1.2    6     30
       0.2    0.2    1     33
       1.6    1.5    7     42
       0.5    0.4    2     54
              1.7    8     -5  -5. NO INTERVIEW
              0.6    3     -3  -3. REFUSED/NA
              5.6   27     -1  -1. SKIPPED QUESTION
      -----  -----  ---
      100.0  100.0  481 cases

      Data type: numeric
      Missing-data codes: -5--1
      Columns: 1843-1845
```

V7646	H3 #YRS WORK IN FIELD

How many years have you been working in the field of substance
abuse treatment?--# OF YEARS

PCT VALID	PCT ALL	N	VALUE	LABEL
2.3	2.1	10	0	
0.9	0.8	4	1	
1.4	1.2	6	2	
2.3	2.1	10	3	
2.7	2.5	12	4	
2.3	2.1	10	5	
4.1	3.7	18	6	
3.6	3.3	16	7	
4.1	3.7	18	8	
2.7	2.5	12	9	
5.9	5.4	26	10	
3.8	3.5	17	11	
6.3	5.8	28	12	
4.5	4.2	20	13	
2.7	2.5	12	14	
10.6	9.8	47	15	
7.0	6.4	31	16	
5.7	5.2	25	17	
7.2	6.7	32	18	
4.3	4.0	19	19	
6.1	5.6	27	20	
2.9	2.7	13	21	
2.5	2.3	11	22	
1.1	1.0	5	23	
0.5	0.4	2	24	
0.5	0.4	2	25	
0.2	0.2	1	26	
0.7	0.6	3	27	
0.5	0.4	2	30	
0.5	0.4	2	35	
0.2	0.2	1	38	
	1.7	8	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	5.6	27	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1846-1848

V7647	H3 #MOS WORK IN FIELD

```
    PCT    PCT    N  VALUE  LABEL
   VALID   ALL
   98.4   90.2  434      0
    0.2    0.2    1      6
    0.5    0.4    2      9
    0.5    0.4    2     18
    0.2    0.2    1     30
    0.2    0.2    1     42
           1.7    8     -5  -5. NO INTERVIEW
           1.0    5     -3  -3. REFUSED/NA
           5.6   27     -1  -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1849-1851

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7648                        H4 R PRESENT POSITION                        │
└─────────────────────────────────────────────────────────────────────────┘
```

What is your present position or job title?

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 47.4   43.5  209      1   1.  DIRECTOR
  5.0    4.6   22      2   2.  DEPUTY
  2.3    2.1   10      3   3.  CONTROLL
  1.6    1.5    7      4   4.  ADMIUNSP
  2.5    2.3   11      5   5.  ADMASST
  0.2    0.2    1      6   6.  OFFMANA
  0.2    0.2    1      7   7.  SECTARY
  0.0    0.0    0      9   9.  PUBRELAT
  0.0    0.0    0     10   10. LEGALSER
  0.2    0.2    1     19   19. OTHRADM
 31.5   28.9  139     21   21. ANYHEAD
  1.4    1.2    6     22   22. ASSTGEAD
  4.8    4.4   21     23   23. SUPERVISOR
  0.0    0.0    0     31   31. PROBOFFC
  1.6    1.5    7     32   32. COUNSELR
  0.0    0.0    0     34   34. CLERGY
  0.5    0.4    2     38   38. ADVISOR
  0.2    0.2    1     41   41. PHYSICN
  0.0    0.0    0     42   42. NURSE
  0.2    0.2    1     43   43. OTHHCP
  0.0    0.0    0     44   44. PSYCHOL
  0.0    0.0    0     45   45. SOCWORK
  0.0    0.0    0     71   71. VOLUNTR
  0.0    0.0    0     72   72. STUDENT
  0.0    0.0    0     73   73. PUBOFFIC
  0.0    0.0    0     74   74. TEACHER
  0.5    0.4    2     97   97. OTHER
         1.7    8     -5   -5. NO INTERVIEW
         1.0    5     -3   -3. REFUSED/NA
         5.6   27     -1   -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 1852-1854
```

V7649	H4A #YRS PRES POSITON

How long have you been in this position?--# OF YEARS

PCT VALID	PCT ALL	N	VALUE	LABEL
19.2	17.7	85	0	
6.8	6.2	30	1	
10.6	9.8	47	2	
11.1	10.2	49	3	
6.8	6.2	30	4	
8.8	8.1	39	5	
5.4	5.0	24	6	
4.3	4.0	19	7	
2.0	1.9	9	8	
2.7	2.5	12	9	
7.0	6.4	31	10	
2.3	2.1	10	11	
2.0	1.9	9	12	
1.6	1.5	7	13	
1.8	1.7	8	14	
2.9	2.7	13	15	
0.9	0.8	4	16	
1.1	1.0	5	17	
0.9	0.8	4	18	
0.2	0.2	1	19	
1.1	1.0	5	20	
0.2	0.2	1	21	
0.2	0.2	1	25	
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	5.6	27	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1855-1857

V7650	G4A #MOS PRES POSITON

```
       PCT    PCT    N  VALUE  LABEL
      VALID   ALL
      80.8   74.4  358      0
       2.3    2.1   10      1
       1.4    1.2    6      2
       1.4    1.2    6      3
       1.1    1.0    5      4
       0.5    0.4    2      5
       1.4    1.2    6      6
       1.1    1.0    5      8
       0.2    0.2    1      9
       0.2    0.2    1     10
       0.2    0.2    1     11
       0.5    0.4    2     14
       0.5    0.4    2     15
       3.2    2.9   14     18
       0.2    0.2    1     22
       2.7    2.5   12     30
       0.2    0.2    1     33
       1.6    1.5    7     42
       0.7    0.6    3     54
              1.7    8     -5  -5. NO INTERVIEW
              0.6    3     -3  -3. REFUSED/NA
              5.6   27     -1  -1. SKIPPED QUESTION
      -----  -----  ---
      100.0  100.0  481 cases

      Data type: numeric
      Missing-data codes: -5--1
      Columns: 1858-1860
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7651                    H5 WHAT IS YOUR AGE? - CATEGORIZED               │
└─────────────────────────────────────────────────────────────────────────┘
```

What is your age?

```
   PCT    PCT    N   VALUE  LABEL
 VALID   ALL
   2.3    2.1   10       1  1. 29 YEARS OLD OR YOUNGER
   4.6    4.2   20       2  2. 30-34 YEARS OLD
  23.5   21.4  103       3  3. 35-39 YEARS OLD
  28.8   26.2  126       4  4. 40-44 YEARS OLD
  19.6   17.9   86       5  5. 45-49 YEARS OLD
   9.6    8.7   42       6  6. 50-54 YEARS OLD
   6.4    5.8   28       7  7. 55-59 YEARS OLD
   5.3    4.8   23       8  8. 60 YEARS OLD OR OLDER
          1.7    8      -5  -5. NO INTERVIEW
          1.7    8      -3  -3. REFUSED/NA
          5.6   27      -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1861-1863

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V7652                    H6 ARE YOU MALE/FEM?                             │
└─────────────────────────────────────────────────────────────────────────┘
```

(Are you male or female?)

```
   PCT    PCT    N   VALUE  LABEL
 VALID   ALL
  35.4   32.6  157       0  0. Female
  64.6   59.5  286       1  1. Male
          1.7    8      -5  -5. NO INTERVIEW
          0.6    3      -3  -3. REFUSED/NA
          5.6   27      -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1864-1865

V7653	H7 RACE - RECODED

Are you white, black, American Indian, Alaskan native, Asian, or Pacific Islander, or what?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 84.2   77.3  372      1  1. WHITE
 11.5   10.6   51      2  2. BLACK
  4.3    4.0   19      5  5. OTHER
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
         5.6   27     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1866-1867

V7654	H8 RACE: HISPANIC:Y/N?

Are you of Hispanic origin?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 95.7   87.9  423      0  0. No
  4.3    4.0   19      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
         5.6   27     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1868-1869

V7655   **H9 R:HOURS WORK OSATU**

Considering all of your job responsibilities, how many hours per week do you typically work for your outpatient substance abuse treatment unit?

481 cases (Range of valid codes: 0-75)

Data type: numeric
Missing-data codes: -5--1
Columns: 1870-1872

V7656   **H10A R: HR/WK THERAPY**

Of these hours worked, how many are spent in ...providing
therapy or counseling directly to clients?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 51.5   47.4  228      0
  6.1    5.6   27      1
  5.2    4.8   23      2
  3.6    3.3   16      3
  1.1    1.0    5      4
  6.1    5.6   27      5
  1.6    1.5    7      6
  0.9    0.8    4      7
  1.6    1.5    7      8
  0.2    0.2    1      9
  6.8    6.2   30     10
  0.2    0.2    1     11
  0.5    0.4    2     12
  0.2    0.2    1     14
  2.9    2.7   13     15
  0.5    0.4    2     16
  0.7    0.6    3     17
  3.8    3.5   17     20
  0.2    0.2    1     22
  0.2    0.2    1     23
  2.5    2.3   11     25
  0.2    0.2    1     28
  1.4    1.2    6     30
  0.2    0.2    1     32
  0.2    0.2    1     33
  0.2    0.2    1     34
  0.9    0.8    4     35
  0.2    0.2    1     40
  0.2    0.2    1     80
         1.7    8     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
         5.6   27     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1873-1875

V7657   **H10B R:HR/WK SUPRVISE**

Of these hours worked, how many are spent in ...directly
supervising the work of staff therapists?

PCT VALID	PCT ALL	N	VALUE	LABEL
27.1	24.9	120	0	
5.0	4.6	22	1	
7.7	7.1	34	2	
5.6	5.2	25	3	
5.9	5.4	26	4	
10.4	9.6	46	5	
2.9	2.7	13	6	
2.3	2.1	10	7	
2.3	2.1	10	8	
0.5	0.4	2	9	
13.1	12.1	58	10	
1.1	1.0	5	12	
0.2	0.2	1	13	
0.7	0.6	3	14	
3.8	3.5	17	15	
0.5	0.4	2	16	
0.5	0.4	2	17	
0.2	0.2	1	18	
4.3	4.0	19	20	
0.2	0.2	1	23	
1.6	1.5	7	25	
0.2	0.2	1	28	
1.4	1.2	6	30	
0.2	0.2	1	33	
0.7	0.6	3	35	
0.9	0.8	4	40	
0.5	0.4	2	45	
0.2	0.2	1	50	
0.2	0.2	1	58	
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	5.6	27	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1876-1878

V7658	H11 R:HI GRADE YR SCH

What is the highest grade of school or year of college you completed?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	1	11	
0.9	0.8	4	12	
1.8	1.7	8	13	
5.0	4.6	22	14	
2.0	1.9	9	15	
10.8	10.0	48	16	
79.2	73.0	351	17	
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	5.6	27	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1879-1881

V7659	H11A R:PASS HI SCHOOL:Y/N?

Did you get a high school graduation diploma or pass a high school equivalency test?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	0. No
100.0	1.0	5	1	1. Yes
	1.7	8	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	96.7	465	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1882-1883

V7660   **H11B R:COLLEGE DEGREE**

Do you have a college degree?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  9.1    8.3   40      0  0. No
 90.9   82.7  398      1  1. Yes
         1.7    8     -5  -5. NO INTERVIEW
         7.3   35     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1884-1885

V7661   **H11C R: WHAT DEGREE 1**

What degree(s) do you have?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  3.0    2.5   12      1  1. A.A.2YR
  0.8    0.6    3      2  2. R.N.
 63.1   52.0  250      3  3. BA/BS
 30.6   25.2  121      4  4. MA/MS
  0.0    0.0    0      5  5. MD
  2.3    1.9    9      6  6. PH.D.
  0.3    0.2    1      7  7. OTHER
         1.7    8     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        15.6   75     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1886-1887

V7662	H11D R:DEGREE FIELD 1

(What field or fields is that in?)

PCT VALID	PCT ALL	N	VALUE	LABEL
1.8	1.5	7	1	1. BIOLOGY
6.3	5.2	25	2	2. BUSINESS
0.5	0.4	2	3	3. CHEMISTR
7.3	6.0	29	4	4. COUNSEL
0.3	0.2	1	5	5. COMM SCI
0.8	0.6	3	6	6. CRIMJUST
0.0	0.0	0	7	7. DIETETIC
2.5	2.1	10	8	8. ECONOMIC
4.3	3.5	17	9	9. EDUCATON
0.0	0.0	0	10	10. ED ADMIN
0.0	0.0	0	11	11. PHYS ED
0.3	0.2	1	12	12. SPECL ED
0.5	0.4	2	13	13. Engineering--any type
3.0	2.5	12	15	15. ENG LANG
4.0	3.3	16	16	16. HISTORY
1.5	1.2	6	17	17. HUMANSRV
0.5	0.4	2	18	18. LANGUAGE
0.0	0.0	0	19	19. LAW
1.3	1.0	5	20	20. LIB ARTS
0.0	0.0	0	21	21. MED DOC
0.5	0.4	2	22	22. PERSONEL
0.0	0.0	0	23	23. PHARMACY
2.3	1.9	9	24	24. PHILOPHY
0.0	0.0	0	25	25. PSYCHIAT
24.1	20.0	96	26	26. PSYCHLGY
3.3	2.7	13	27	27. PUB ADMN
3.0	2.5	12	28	28. PUB HLTH
2.0	1.7	8	30	30. SCIENCE
0.5	0.4	2	31	31. SOCPSYCH
2.8	2.3	11	32	32. SOCL SCI
11.3	9.4	45	33	33. SOC WORK
9.0	7.5	36	34	34. SOCIOLGY
1.8	1.5	7	35	35. THEOLOGY
0.3	0.2	1	36	36. SUBABUSE
0.5	0.4	2	41	41. ARTS
2.5	2.1	10	42	42. NURSING
0.3	0.2	1	43	43. 3VOCREHA
0.0	0.0	0	51	51. GENPRACT
0.0	0.0	0	52	52. PEDIATRC
0.0	0.0	0	53	53. INTRNMED
0.0	0.0	0	57	57. OTHR MED
1.3	1.0	5	97	97. OTHER

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7662 (CONT.)               H11D R:DEGREE FIELD 1                     │
└─────────────────────────────────────────────────────────────────────┘
```

```
      PCT    PCT    N  VALUE  LABEL
    VALID    ALL
             1.7    8     -5   -5. NO INTERVIEW
            15.6   75     -1   -1. SKIPPED QUESTION
    -----  -----  ---
    100.0  100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 1888-1890
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7663                       H11C R: WHAT DEGREE 2                     │
└─────────────────────────────────────────────────────────────────────┘
```

What degree(s) do you have?

```
      PCT    PCT    N  VALUE  LABEL
    VALID    ALL
     2.8    1.7    8      1   1. A.A.2YR
     1.4    0.8    4      2   2. R.N.
    30.3   18.1   87      3   3. BA/BS
    62.0   37.0  178      4   4. MA/MS
     2.1    1.2    6      5   5. MD
     1.4    0.8    4      6   6. PH.D.
     0.0    0.0    0      7   7. OTHER
            1.7    8     -5   -5. NO INTERVIEW
           38.7  186     -1   -1. SKIPPED QUESTION
    -----  -----  ---
    100.0  100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 1891-1892
```

V7664	H11D R:DEGREE FIELD 2

(What field or fields is that in?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.2	1	1	1. BIOLOGY
4.2	2.5	12	2	2. BUSINESS
0.0	0.0	0	3	3. CHEMISTR
14.4	8.5	41	4	4. COUNSEL
0.7	0.4	2	5	5. COMM SCI
1.4	0.8	4	6	6. CRIMJUST
0.0	0.0	0	7	7. DIETETIC
1.1	0.6	3	8	8. ECONOMIC
2.1	1.2	6	9	9. EDUCATON
0.4	0.2	1	10	10. ED ADMIN
0.4	0.2	1	11	11. PHYS ED
0.4	0.2	1	12	12. SPECL ED
0.0	0.0	0	13	13. Engineering--any type
1.1	0.6	3	15	15. ENG LANG
2.1	1.2	6	16	16. HISTORY
2.8	1.7	8	17	17. HUMANSRV
0.0	0.0	0	18	18. LANGUAGE
0.0	0.0	0	19	19. LAW
1.1	0.6	3	20	20. LIB ARTS
0.7	0.4	2	21	21. MED DOC
0.0	0.0	0	22	22. PERSONEL
0.4	0.2	1	23	23. PHARMACY
0.7	0.4	2	24	24. PHILOPHY
1.1	0.6	3	25	25. PSYCHIAT
20.0	11.9	57	26	26. PSYCHLGY
3.2	1.9	9	27	27. PUB ADMN
3.2	1.9	9	28	28. PUB HLTH
2.1	1.2	6	30	30. SCIENCE
0.4	0.2	1	31	31. SOCPSYCH
1.1	0.6	3	32	32. SOCL SCI
18.2	10.8	52	33	33. SOC WORK
7.0	4.2	20	34	34. SOCIOLGY
5.3	3.1	15	35	35. THEOLOGY
0.4	0.2	1	36	36. SUBABUSE
0.7	0.4	2	41	41. ARTS
1.1	0.6	3	42	42. NURSING
0.4	0.2	1	43	43. 3VOCREHA
0.0	0.0	0	51	51. GENPRACT
0.0	0.0	0	52	52. PEDIATRC
0.4	0.2	1	53	53. INTRNMED
0.7	0.4	2	57	57. OTHR MED
1.1	0.6	3	97	97. OTHER

V7664 (CONT.) **H11D R:DEGREE FIELD 2**

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
          1.7    8     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
         38.9  187     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1893-1895

V7665 **H11C R: WHAT DEGREE 3**

What degree(s) do you have?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   1.7    0.2    1      1  1. A.A.2YR
   1.7    0.2    1      2  2. R.N.
  18.3    2.3   11      3  3. BA/BS
  46.7    5.8   28      4  4. MA/MS
   0.0    0.0    0      5  5. MD
  28.3    3.5   17      6  6. PH.D.
   3.3    0.4    2      7  7. OTHER
          1.7    8     -5  -5. NO INTERVIEW
         85.9  413     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1896-1897

V7666	H11D R:DEGREE FIELD 3

(What field or fields is that in?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. BIOLOGY
3.3	0.4	2	2	2. BUSINESS
0.0	0.0	0	3	3. CHEMISTR
18.3	2.3	11	4	4. COUNSEL
0.0	0.0	0	5	5. COMM SCI
5.0	0.6	3	6	6. CRIMJUST
0.0	0.0	0	7	7. DIETETIC
0.0	0.0	0	8	8. ECONOMIC
8.3	1.0	5	9	9. EDUCATON
0.0	0.0	0	10	10. ED ADMIN
0.0	0.0	0	11	11. PHYS ED
0.0	0.0	0	12	12. SPECL ED
0.0	0.0	0	13	13. Engineering--any type
1.7	0.2	1	15	15. ENG LANG
3.3	0.4	2	16	16. HISTORY
0.0	0.0	0	17	17. HUMANSRV
0.0	0.0	0	18	18. LANGUAGE
0.0	0.0	0	19	19. LAW
1.7	0.2	1	20	20. LIB ARTS
0.0	0.0	0	21	21. MED DOC
0.0	0.0	0	22	22. PERSONEL
0.0	0.0	0	23	23. PHARMACY
0.0	0.0	0	24	24. PHILOPHY
0.0	0.0	0	25	25. PSYCHIAT
18.3	2.3	11	26	26. PSYCHLGY
5.0	0.6	3	27	27. PUB ADMN
3.3	0.4	2	28	28. PUB HLTH
1.7	0.2	1	30	30. SCIENCE
0.0	0.0	0	31	31. SOCPSYCH
1.7	0.2	1	32	32. SOCL SCI
8.3	1.0	5	33	33. SOC WORK
5.0	0.6	3	34	34. SOCIOLGY
5.0	0.6	3	35	35. THEOLOGY
0.0	0.0	0	36	36. SUBABUSE
3.3	0.4	2	41	41. ARTS
1.7	0.2	1	42	42. NURSING
0.0	0.0	0	43	43. 3VOCREHA
0.0	0.0	0	51	51. GENPRACT
0.0	0.0	0	52	52. PEDIATRC
0.0	0.0	0	53	53. INTRNMED
1.7	0.2	1	57	57. OTHR MED
3.3	0.4	2	97	97. OTHER

```
V7666 (CONT.)                 H11D R:DEGREE FIELD 3
```

```
     PCT    PCT   N  VALUE  LABEL
   VALID   ALL
            1.7    8     -5  -5. NO INTERVIEW
           85.9  413     -1  -1. SKIPPED QUESTION
   -----  ----- ---
   100.0  100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 1898-1900
```

```
V7667                     H11C R: WHAT DEGREE 4
```

What degree(s) do you have?

```
     PCT    PCT   N  VALUE  LABEL
   VALID   ALL
    16.7   0.4    2      1  1. A.A.2YR
     0.0   0.0    0      2  2. R.N.
     0.0   0.0    0      3  3. BA/BS
    41.7   1.0    5      4  4. MA/MS
     0.0   0.0    0      5  5. MD
    41.7   1.0    5      6  6. PH.D.
     0.0   0.0    0      7  7. OTHER
            1.7    8     -5  -5. NO INTERVIEW
           95.8  461     -1  -1. SKIPPED QUESTION
   -----  ----- ---
   100.0  100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 1901-1902
```

V7668	H11D R:DEGREE FIELD 4

(What field or fields is that in?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. BIOLOGY
0.0	0.0	0	2	2. BUSINESS
0.0	0.0	0	3	3. CHEMISTR
33.3	0.8	4	4	4. COUNSEL
0.0	0.0	0	5	5. COMM SCI
0.0	0.0	0	6	6. CRIMJUST
0.0	0.0	0	7	7. DIETETIC
0.0	0.0	0	8	8. ECONOMIC
0.0	0.0	0	9	9. EDUCATON
0.0	0.0	0	10	10. ED ADMIN
0.0	0.0	0	11	11. PHYS ED
0.0	0.0	0	12	12. SPECL ED
0.0	0.0	0	13	13. Engineering--any type
0.0	0.0	0	15	15. ENG LANG
0.0	0.0	0	16	16. HISTORY
0.0	0.0	0	17	17. HUMANSRV
0.0	0.0	0	18	18. LANGUAGE
8.3	0.2	1	19	19. LAW
8.3	0.2	1	20	20. LIB ARTS
0.0	0.0	0	21	21. MED DOC
0.0	0.0	0	22	22. PERSONEL
0.0	0.0	0	23	23. PHARMACY
0.0	0.0	0	24	24. PHILOPHY
0.0	0.0	0	25	25. PSYCHIAT
25.0	0.6	3	26	26. PSYCHLGY
0.0	0.0	0	27	27. PUB ADMN
0.0	0.0	0	28	28. PUB HLTH
8.3	0.2	1	30	30. SCIENCE
0.0	0.0	0	31	31. SOCPSYCH
0.0	0.0	0	32	32. SOCL SCI
8.3	0.2	1	33	33. SOC WORK
0.0	0.0	0	34	34. SOCIOLGY
0.0	0.0	0	35	35. THEOLOGY
0.0	0.0	0	36	36. SUBABUSE
0.0	0.0	0	41	41. ARTS
0.0	0.0	0	42	42. NURSING
0.0	0.0	0	43	43. 3VOCREHA
0.0	0.0	0	51	51. GENPRACT
0.0	0.0	0	52	52. PEDIATRC
0.0	0.0	0	53	53. INTRNMED
0.0	0.0	0	57	57. OTHR MED
8.3	0.2	1	97	97. OTHER

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7668 (CONT.)                    H11D R:DEGREE FIELD 4                │
└─────────────────────────────────────────────────────────────────────┘


      PCT    PCT    N  VALUE  LABEL
    VALID    ALL
            1.7     8      -5  -5. NO INTERVIEW
           95.8   461      -1  -1. SKIPPED QUESTION
    -----  -----  ---
    100.0  100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 1903-1905
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V7669                       H12 R:CERTF SA COUNSL                     │
└─────────────────────────────────────────────────────────────────────┘


    Do you have a license or certification as a substance abuse
    counselor?

      PCT    PCT    N  VALUE  LABEL
    VALID    ALL
     57.8   53.2  256       0  0. No
     42.2   38.9  187       1  1. Yes
            1.7     8      -5  -5. NO INTERVIEW
            0.6     3      -2  -2. DONT KNOW
            5.6    27      -1  -1. SKIPPED QUESTION
    -----  -----  ---
    100.0  100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 1906-1907
```

HEALTH SUPERVISOR INTERVIEW

INTERVIEW INFORMATION

V8004	FS. INTERVIEWERS ID

Interviewer ID No. (4 digit)

481 cases (Range of valid codes: 109-6,020)

Data type: numeric
Missing-data codes: -5--1
Columns: 1908-1912

V8005	FS. MONTH BEGAN IW

Date Iw Began--MONTH

PCT VALID	PCT ALL	N	VALUE	LABEL
5.9	5.8	28	1	01. January
0.4	0.4	2	2	02. February
0.4	0.4	2	3	03. March
0.8	0.8	4	4	04. April
0.0	0.0	0	5	05. May
0.2	0.2	1	6	06. June
4.0	4.0	19	7	07. July
31.6	31.2	150	8	08. August
13.1	12.9	62	9	09. September
12.6	12.5	60	10	10. October
14.7	14.6	70	11	11. November
16.2	16.0	77	12	12. December
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1913-1915

V8006	FS. DAY BEGAN IW

Date Iw Began--DAY

PCT VALID	PCT ALL	N	VALUE	LABEL
3.4	3.3	16	1	
4.4	4.4	21	2	
4.6	4.6	22	3	
3.4	3.3	16	4	
3.6	3.5	17	5	
3.2	3.1	15	6	
3.2	3.1	15	7	
2.1	2.1	10	8	
2.7	2.7	13	9	
4.0	4.0	19	10	
2.7	2.7	13	11	
2.9	2.9	14	12	
3.4	3.3	16	13	
4.8	4.8	23	14	
4.0	4.0	19	15	
3.6	3.5	17	16	
3.4	3.3	16	17	
2.7	2.7	13	18	
3.4	3.3	16	19	
5.1	5.0	24	20	
5.7	5.6	27	21	
1.5	1.5	7	22	
1.9	1.9	9	23	
1.5	1.5	7	24	
1.7	1.7	8	25	
2.5	2.5	12	26	
2.9	2.9	14	27	
3.4	3.3	16	28	
2.3	2.3	11	29	
2.9	2.9	14	30	
3.2	3.1	15	31	
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1916-1918

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8007                    FS. YEAR BEGAN IW                           │
└─────────────────────────────────────────────────────────────────────┘

      Date Iw Began--YEAR

        PCT    PCT    N  VALUE  LABEL
      VALID   ALL
        0.0    0.0    0     88  88. 1988
        0.0    0.0    0     89  89. 1989
       92.2   91.3  439     90  90. 1990
        7.8    7.7   37     91  91. 1991
               1.0    5     -5  -5. NO INTERVIEW
      -----  -----  ---
      100.0  100.0  481 cases

      Data type: numeric
      Missing-data codes: -5--1
      Columns: 1919-1921
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8008                    FS. MONTH FINISH IW                         │
└─────────────────────────────────────────────────────────────────────┘

      Date Iw Completed--MONTH

        PCT    PCT    N  VALUE  LABEL
      VALID   ALL
        9.9    9.8   47      1  01. January
        1.1    1.0    5      2  02. February
        0.4    0.4    2      3  03. March
        0.8    0.8    4      4  04. April
        0.0    0.0    0      5  05. May
        0.2    0.2    1      6  06. June
        3.2    3.1   15      7  07. July
       25.5   25.2  121      8  08. August
       13.1   12.9   62      9  09. September
       12.0   11.9   57     10  10. October
       14.8   14.6   70     11  11. November
       19.0   18.7   90     12  12. December
               1.0    5     -5  -5. NO INTERVIEW
               0.4    2     -3  -3. REFUSED/NA
      -----  -----  ---
      100.0  100.0  481 cases

      Data type: numeric
      Missing-data codes: -5--1
      Columns: 1922-1924
```

V8009	FS. DAY FINISH IW

Date Iw Completed--DAY

PCT VALID	PCT ALL	N	VALUE	LABEL
3.2	3.1	15	1	
3.0	2.9	14	2	
3.0	2.9	14	3	
3.8	3.7	18	4	
3.6	3.5	17	5	
3.6	3.5	17	6	
4.9	4.8	23	7	
2.3	2.3	11	8	
2.3	2.3	11	9	
4.0	4.0	19	10	
2.5	2.5	12	11	
3.0	2.9	14	12	
4.2	4.2	20	13	
5.5	5.4	26	14	
4.0	4.0	19	15	
2.7	2.7	13	16	
5.1	5.0	24	17	
2.3	2.3	11	18	
3.2	3.1	15	19	
3.4	3.3	16	20	
5.5	5.4	26	21	
2.7	2.7	13	22	
2.1	2.1	10	23	
1.5	1.5	7	24	
1.9	1.9	9	25	
2.5	2.5	12	26	
2.7	2.7	13	27	
2.3	2.3	11	28	
2.7	2.7	13	29	
4.2	4.2	20	30	
2.3	2.3	11	31	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 1925-1927

```
V8010                    FS. YEAR FINISH IW
```

Date Iw Completed--YEAR

```
   PCT     PCT    N  VALUE  LABEL
  VALID   ALL
   0.0     0.0    0     88  88. 1988
   0.0     0.0    0     89  89. 1989
  88.7    87.7  422     90  90. 1990
  11.3    11.2   54     91  91. 1991
           1.0    5     -5  -5. NO INTERVIEW
  -----   -----  ---
  100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1928-1930

```
V8011                    FS. IW LENGTH (MINS.)
```

Length of Iw (Minutes)

481 cases (Range of valid codes: 30-232)

Data type: numeric
Missing-data codes: -5--1
Columns: 1931-1934

UNIT REFERRALS

V8012	A1A. EXTENT REF FRM VOC REHAB

I would like to ask you some questions about sources that
refer clients to your outpatient unit. In the last 12 months,
to what extent has your outpatient unit received referrals
from the following:...vocational rehabilitation centers? Would
you say to no extent, a little, some, great, or to a very
great extent?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 38.5   38.0  183      1  1. No extent
 45.5   44.9  216      2  2. A little extent
 14.3   14.1   68      3  3. Some extent
  1.3    1.2    6      4  4. A great extent
  0.4    0.4    2      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1935-1936

```
┌────────────────────────────────────────────────────────────────────┐
│ V8013                  A1B. EXTENT REFRL FROM COURTS               │
└────────────────────────────────────────────────────────────────────┘
```

In the last 12 months, to what extent has your outpatient unit
received referrals from the following: ...courts, including
parole and probation? (Would you say to no extent, a little,
some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  2.7    2.7   13      1  1. No extent
 11.6   11.4   55      2  2. A little extent
 25.1   24.7  119      3  3. Some extent
 38.1   37.6  181      4  4. A great extent
 22.5   22.2  107      5  5. A very great extent
        1.0    5     -5  -5. NO INTERVIEW
        0.2    1     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1937-1938

```
┌────────────────────────────────────────────────────────────────────┐
│ V8014                  A1C. EXTENT REF FRM HOSPITALS              │
└────────────────────────────────────────────────────────────────────┘
```

In the last 12 months, to what extent has your outpatient unit
received referrals from the following: ...hospitals?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  6.7    6.7   32      1  1. No extent
 36.0   35.6  171      2  2. A little extent
 41.5   41.0  197      3  3. Some extent
 13.3   13.1   63      4  4. A great extent
  2.5    2.5   12      5  5. A very great extent
        1.0    5     -5  -5. NO INTERVIEW
        0.2    1     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1939-1940

V8015	A1D. EXTENT REF FRM MH AGENCY

In the last 12 months, to what extent has your outpatient unit received referrals from the following: ...mental health agencies?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.5	10.4	50	1	1. No extent
33.5	33.1	159	2	2. A little extent
42.1	41.6	200	3	3. Some extent
12.4	12.3	59	4	4. A great extent
1.5	1.5	7	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1941-1942

V8016	A1E. EXTENT REFRL FROM EAP

In the last 12 months, to what extent has your outpatient unit received referrals from the following: ...employee assistance programs?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.5	21.2	102	1	1. No extent
38.3	37.8	182	2	2. A little extent
30.9	30.6	147	3	3. Some extent
7.8	7.7	37	4	4. A great extent
1.5	1.5	7	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1943-1944

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8017                    A1F. EXTENT REFRL FROM POLICE                │
└─────────────────────────────────────────────────────────────────────┘
```

In the last 12 months, to what extent has your outpatient unit
received referrals from the following: ...the police and other
law enforcement agencies?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 26.2   25.8  124      1  1. No extent
 33.1   32.6  157      2  2. A little extent
 27.8   27.4  132      3  3. Some extent
 11.0   10.8   52      4  4. A great extent
  1.9    1.9    9      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1945-1946

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8018                    A1G. EXTEMT SELF-REFERRALS                   │
└─────────────────────────────────────────────────────────────────────┘
```

In the last 12 months, to what extent has your outpatient unit
received referrals from the following: ...self-referrals
(walk-ins)?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  0.8    0.8    4      1  1. No extent
  8.2    8.1   39      2  2. A little extent
 35.7   35.1  169      3  3. Some extent
 37.3   36.8  177      4  4. A great extent
 17.9   17.7   85      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1947-1948

V8019	A1H. EXTENT REF CL FRIEND/FAM

In the last 12 months, to what extent has your outpatient unit received referrals from the following: ...friends or family of clients? (incl. former clients)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  2.3    2.3   11      1  1. No extent
 15.4   15.2   73      2  2. A little extent
 48.2   47.6  229      3  3. Some extent
 28.2   27.9  134      4  4. A great extent
  5.9    5.8   28      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1949-1950

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8020                A1I.M1 OTHER REFRL FRM M1                         │
└─────────────────────────────────────────────────────────────────────┘
```

In the last 12 months, to what extent has your outpatient unit
received referrals from the following: Other major sources of
referrals? (SPECIFY)

```
  PCT    PCT   N  VALUE   LABEL
 VALID   ALL
  0.0    0.0   0      1  1. VOCREHAB
  0.0    0.0   0      2  2. COURTS
  0.0    0.0   0      3  3. HOSPITAL
  1.6    0.8   4      4  4. PRIVCLIN
  9.2    4.8  23      5  5. PHYSICAN
  0.0    0.0   0      6  6. DSS
  0.0    0.0   0      7  7. MH AGNCY
  0.0    0.0   0      8  8. EAP
  0.0    0.0   0      9  9. POLICE
 21.7   11.2  54     10  10. SCHOOLS
  5.2    2.7  13     11  11. CHURCHES
  0.0    0.0   0     12  12. SELF_REF
  0.0    0.0   0     13  13. FRIENDS
  0.0    0.0   0     14  14. FAMILY
  5.6    2.9  14     51  51. INPT FAC
  2.8    1.5   7     52  52. AA
  1.6    0.8   4     53  53. HMO
  2.0    1.0   5     54  54. HOTLINE
  1.2    0.6   3     61  61. DUI/DWI
  0.0    0.0   0     62  62. PAROLE
  6.0    3.1  15     63  63. DEPT CHILD
  1.2    0.6   3     71  71. PROFCNSL
  1.6    0.8   4     72  72. LAWYERS
 12.0    6.2  30     73  73. OTHOSAT
  2.0    1.0   5     74  74. INTAKERE
 17.3    8.9  43     75  75. SERVPROV
  8.8    4.6  22     97  97. OTHER
         1.0   5     -5  -5. NO INTERVIEW
         0.4   2     -3  -3. REFUSED/NA
        46.8 225     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1951-1953

V8021   **A1I.M1 EXTENT OF REFRL FROM M1**

OTHER: EXTENT SCALE

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.2	1	1	1. No extent
17.8	8.5	41	2	2. A little extent
46.1	22.0	106	3	3. Some extent
26.5	12.7	61	4	4. A great extent
9.1	4.4	21	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	4.4	21	-3	-3. REFUSED/NA
	46.8	225	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1954-1955

V8022	A1I.M2 OTHER REFRL FRM M2

In the last 12 months, to what extent has your outpatient unit received referrals from the following: Other major sources of referrals? (SPECIFY)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. VOCREHAB
0.0	0.0	0	2	2. COURTS
0.0	0.0	0	3	3. HOSPITAL
2.5	0.6	3	4	4. PRIVCLIN
5.0	1.2	6	5	5. PHYSICAN
0.0	0.0	0	6	6. DSS
0.0	0.0	0	7	7. MH AGNCY
0.0	0.0	0	8	8. EAP
0.0	0.0	0	9	9. POLICE
16.0	4.0	19	10	10. SCHOOLS
5.0	1.2	6	11	11. CHURCHES
0.0	0.0	0	12	12. SELF_REF
0.0	0.0	0	13	13. FRIENDS
0.0	0.0	0	14	14. FAMILY
4.2	1.0	5	51	51. INPT FAC
3.4	0.8	4	52	52. AA
2.5	0.6	3	53	53. HMO
2.5	0.6	3	54	54. HOTLINE
1.7	0.4	2	61	61. DUI/DWI
0.0	0.0	0	62	62. PAROLE
5.9	1.5	7	63	63. DEPT CHILD
2.5	0.6	3	71	71. PROFCNSL
3.4	0.8	4	72	72. LAWYERS
7.6	1.9	9	73	73. OTHOSAT
3.4	0.8	4	74	74. INTAKERE
24.4	6.0	29	75	75. SERVPROV
10.1	2.5	12	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	74.0	356	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1956-1958

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8023                    A1I.M2 EXTENT OF REFRL FROM M2               │
└─────────────────────────────────────────────────────────────────────┘


        OTHER: EXTENT SCALE

          PCT     PCT    N   VALUE   LABEL
        VALID    ALL
          1.0     0.2    1      1   1. No extent
         16.2     3.5   17      2   2. A little extent
         54.3    11.9   57      3   3. Some extent
         24.8     5.4   26      4   4. A great extent
          3.8     0.8    4      5   5. A very great extent
                  1.0    5     -5   -5. NO INTERVIEW
                  3.1   15     -3   -3. REFUSED/NA
                 74.0  356     -1   -1. SKIPPED QUESTION
        -----   ----- ---
        100.0   100.0  481 cases

        Data type: numeric
        Missing-data codes: -5--1
        Columns: 1959-1960
```

```
┌─────────────────────────────────────────────────────────────────┐
│ V8024              A1I.M3 OTHER REFRL FRM M3                       │
└─────────────────────────────────────────────────────────────────┘
```

In the last 12 months, to what extent has your outpatient unit
received referrals from the following: Other major sources of
referrals? (SPECIFY)

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  0.0     0.0    0      1   1. VOCREHAB
  0.0     0.0    0      2   2. COURTS
  0.0     0.0    0      3   3. HOSPITAL
  4.5     0.4    2      4   4. PRIVCLIN
 15.9     1.5    7      5   5. PHYSICAN
  0.0     0.0    0      6   6. DSS
  0.0     0.0    0      7   7. MH AGNCY
  0.0     0.0    0      8   8. EAP
  0.0     0.0    0      9   9. POLICE
 20.5     1.9    9     10   10. SCHOOLS
  0.0     0.0    0     11   11. CHURCHES
  0.0     0.0    0     12   12. SELF_REF
  0.0     0.0    0     13   13. FRIENDS
  0.0     0.0    0     14   14. FAMILY
  2.3     0.2    1     51   51. INPT FAC
  6.8     0.6    3     52   52. AA
  0.0     0.0    0     53   53. HMO
  2.3     0.2    1     54   54. HOTLINE
  0.0     0.0    0     61   61. DUI/DWI
  0.0     0.0    0     62   62. PAROLE
  2.3     0.2    1     63   63. DEPT CHILD
  2.3     0.2    1     71   71. PROFCNSL
  2.3     0.2    1     72   72. LAWYERS
  9.1     0.8    4     73   73. OTHOSAT
  0.0     0.0    0     74   74. INTAKERE
 15.9     1.5    7     75   75. SERVPROV
 15.9     1.5    7     97   97. OTHER
          1.0    5     -5   -5. NO INTERVIEW
          0.4    2     -3   -3. REFUSED/NA
         89.4  430     -1   -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1961-1963

V8025   **A1I.M3 EXTENT OF REFRL FROM M3**

OTHER: EXTENT SCALE

```
  PCT    PCT    N   VALUE   LABEL
 VALID   ALL
  0.0    0.0    0      1  1. No extent
 30.0    2.5   12      2  2. A little extent
 52.5    4.4   21      3  3. Some extent
 17.5    1.5    7      4  4. A great extent
  0.0    0.0    0      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         1.2    6     -3  -3. REFUSED/NA
        89.4  430     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1964-1965

V8026	A1I.M4 OTHER REFRL FRM M4

In the last 12 months, to what extent has your outpatient unit received referrals from the following: Other major sources of referrals? (SPECIFY)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. VOCREHAB
0.0	0.0	0	2	2. COURTS
0.0	0.0	0	3	3. HOSPITAL
5.9	0.2	1	4	4. PRIVCLIN
17.6	0.6	3	5	5. PHYSICAN
0.0	0.0	0	6	6. DSS
0.0	0.0	0	7	7. MH AGNCY
0.0	0.0	0	8	8. EAP
0.0	0.0	0	9	9. POLICE
17.6	0.6	3	10	10. SCHOOLS
11.8	0.4	2	11	11. CHURCHES
0.0	0.0	0	12	12. SELF_REF
0.0	0.0	0	13	13. FRIENDS
0.0	0.0	0	14	14. FAMILY
23.5	0.8	4	51	51. INPT FAC
11.8	0.4	2	52	52. AA
0.0	0.0	0	53	53. HMO
0.0	0.0	0	54	54. HOTLINE
0.0	0.0	0	61	61. DUI/DWI
0.0	0.0	0	62	62. PAROLE
0.0	0.0	0	63	63. DEPT CHILD
0.0	0.0	0	71	71. PROFCNSL
0.0	0.0	0	72	72. LAWYERS
0.0	0.0	0	73	73. OTHOSAT
0.0	0.0	0	74	74. INTAKERE
11.8	0.4	2	75	75. SERVPROV
0.0	0.0	0	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	95.2	458	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1966-1968

V8027	A1I.M4 EXTENT OF REFRL FROM M4

OTHER: EXTENT SCALE

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. No extent
56.2	1.9	9	2	2. A little extent
25.0	0.8	4	3	3. Some extent
18.8	0.6	3	4	4. A great extent
0.0	0.0	0	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	95.2	458	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1969-1970

V8028   **A1I.M5 OTHER REFRL FRM M5**

In the last 12 months, to what extent has your outpatient unit
received referrals from the following: Other major sources of
referrals? (SPECIFY)

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
  0.0    0.0    0      1   1. VOCREHAB
  0.0    0.0    0      2   2. COURTS
  0.0    0.0    0      3   3. HOSPITAL
  0.0    0.0    0      4   4. PRIVCLIN
 33.3    0.2    1      5   5. PHYSICAN
  0.0    0.0    0      6   6. DSS
  0.0    0.0    0      7   7. MH AGNCY
  0.0    0.0    0      8   8. EAP
  0.0    0.0    0      9   9. POLICE
 33.3    0.2    1     10   10. SCHOOLS
  0.0    0.0    0     11   11. CHURCHES
  0.0    0.0    0     12   12. SELF_REF
  0.0    0.0    0     13   13. FRIENDS
  0.0    0.0    0     14   14. FAMILY
  0.0    0.0    0     51   51. INPT FAC
  0.0    0.0    0     52   52. AA
  0.0    0.0    0     53   53. HMO
  0.0    0.0    0     54   54. HOTLINE
  0.0    0.0    0     61   61. DUI/DWI
  0.0    0.0    0     62   62. PAROLE
 33.3    0.2    1     63   63. DEPT CHILD
  0.0    0.0    0     71   71. PROFCNSL
  0.0    0.0    0     72   72. LAWYERS
  0.0    0.0    0     73   73. OTHOSAT
  0.0    0.0    0     74   74. INTAKERE
  0.0    0.0    0     75   75. SERVPROV
  0.0    0.0    0     97   97. OTHER
         1.0    5     -5   -5. NO INTERVIEW
         0.4    2     -3   -3. REFUSED/NA
        97.9  471     -1   -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1971-1973

V8029   **A1I.M5 EXTENT OF REFRL FROM M5**

OTHER: EXTENT SCALE

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. No extent
25.0	0.2	1	2	2. A little extent
25.0	0.2	1	3	3. Some extent
50.0	0.4	2	4	4. A great extent
0.0	0.0	0	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	97.9	471	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1974-1975

V8030   **A2. MOST IMP REF SOURCE**

Of the referral sources just mentioned, which is the most
important source of referrals to your outpatient substance
abuse treatment unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. VOCREHAB
40.6	39.7	191	2	2. COURTS
3.6	3.5	17	3	3. HOSPITAL
0.8	0.8	4	4	4. PRIVCLIN
0.2	0.2	1	5	5. PHYSICAN
0.0	0.0	0	6	6. DSS
1.1	1.0	5	7	7. MH AGNCY
2.8	2.7	13	8	8. EAP
0.0	0.0	0	9	9. POLICE
3.2	3.1	15	10	10. SCHOOLS
0.0	0.0	0	11	11. CHURCHES
33.3	32.6	157	12	12. SELF_REF
6.2	6.0	29	13	13. FRIENDS
0.0	0.0	0	14	14. FAMILY
1.3	1.2	6	51	51. INPT FAC
0.2	0.2	1	52	52. AA
0.4	0.4	2	53	53. HMO
0.2	0.2	1	54	54. HOTLINE
0.6	0.6	3	61	61. DUI/DWI
0.0	0.0	0	62	62. PAROLE
0.8	0.8	4	63	63. DEPT CHILD
0.0	0.0	0	71	71. PROFCNSL
0.2	0.2	1	72	72. LAWYERS
0.8	0.8	4	73	73. OTHOSAT
0.6	0.6	3	74	74. INTAKERE
2.3	2.3	11	75	75. SERVPROV
0.6	0.6	3	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA

```
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1976-1978

V8031	A3.M1 REASON MOST IMP SOURCE

Why do you consider (FILL IN WITH RESPONSE FROM A2) the most important source of referrals to your outpatient substance abuse treatment unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	1	1	1. FEWSOURC
54.0	52.8	254	2	2. LARGE %
0.6	0.6	3	3	3. EXCHANGE
6.0	5.8	28	4	4. GOODCAND
0.6	0.6	3	5	5. QUALREFR
18.5	18.1	87	6	6. MOTIV CL
1.9	1.9	9	7	7. FUNDING
3.0	2.9	14	8	8. GOOD REP
4.5	4.4	21	9	9. TARGTPOP
1.7	1.7	8	21	21. ONLYAVAL
5.3	5.2	25	22	22. CL REFRL
1.1	1.0	5	29	29. OTHER CL
1.5	1.5	7	51	51. FINANCAL
0.0	0.0	0	95	95. NOT CRIT
1.1	1.0	5	97	97. OTHR AGY
	1.0	5	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1979-1981

V8032	A3.M2 REASON MOST IMP SOURCE

Why do you consider (FILL IN WITH RESPONSE FROM A2) the most
important source of referrals to your outpatient substance
abuse treatment unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. FEWSOURC
6.5	1.9	9	2	2. LARGE %
0.7	0.2	1	3	3. EXCHANGE
6.5	1.9	9	4	4. GOODCAND
10.9	3.1	15	5	5. QUALREFR
41.3	11.9	57	6	6. MOTIV CL
4.3	1.2	6	7	7. FUNDING
9.4	2.7	13	8	8. GOOD REP
5.8	1.7	8	9	9. TARGTPOP
2.2	0.6	3	21	21. ONLYAVAL
5.8	1.7	8	22	22. CL REFRL
2.2	0.6	3	29	29. OTHER CL
2.9	0.8	4	51	51. FINANCAL
0.0	0.0	0	95	95. NOT CRIT
1.4	0.4	2	97	97. OTHR AGY
	1.0	5	-5	-5. NO INTERVIEW
	70.3	338	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1982-1984

```
V8033                     A4A. EXTENT REFER TO HOSPITAL
```

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...hospitals? Would you
say to no extent, a little, some, great, or to a very great
extent?

```
  PCT    PCT    N  VALUE   LABEL
VALID   ALL
  5.1    5.0   24      1  1. No extent
 33.9   33.5  161      2  2. A little extent
 46.5   45.9  221      3  3. Some extent
 12.6   12.5   60      4  4. A great extent
  1.9    1.9    9      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1985-1986

```
V8034                     A4B. EXTENT REF TO RES T UNIT
```

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...residential treatment
units? (Would you say to no extent, a little, some, great, or
to a very great extent?)

```
  PCT    PCT    N  VALUE   LABEL
VALID   ALL
  4.2    4.2   20      1  1. No extent
 20.2   20.0   96      2  2. A little extent
 53.7   53.0  255      3  3. Some extent
 20.8   20.6   99      4  4. A great extent
  1.1    1.0    5      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1987-1988

V8035	A4C. EXTENT REF TO PHYSICIANS

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...physicians?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.7	14.6	70	1	1. No extent
41.1	40.5	195	2	2. A little extent
33.1	32.6	157	3	3. Some extent
10.1	10.0	48	4	4. A great extent
1.1	1.0	5	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1989-1990

V8036	A4D. EXTENT REF TO VOC REHAB

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...vocational
rehabilitation services?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.3	6.2	30	1	1. No extent
34.5	34.1	164	2	2. A little extent
43.6	43.0	207	3	3. Some extent
14.7	14.6	70	4	4. A great extent
0.8	0.8	4	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1991-1992

V8037   **A4E. EXTENT REF TO MH AGENCY**

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...mental health agencies?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.5	5.4	26	1	1. No extent
29.5	29.1	140	2	2. A little extent
54.2	53.4	257	3	3. Some extent
9.5	9.4	45	4	4. A great extent
1.3	1.2	6	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1993-1994

V8038   **A4F. EXTENT REF TO OTHR OSATU**

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...other outpatient
substance abuse treatment units?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.9	13.7	66	1	1. No extent
42.3	41.8	201	2	2. A little extent
35.6	35.1	169	3	3. Some extent
7.4	7.3	35	4	4. A great extent
0.8	0.8	4	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 1995-1996

V8039	A4G. EXTENT REFER TO AA, NA

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...self-help groups, such
as Alcoholics Anonymous or Narcotics Anonymous?

```
  PCT     PCT    N  VALUE  LABEL
VALID    ALL
  0.0     0.0    0      1  1. No extent
  3.8     3.7   18      2  2. A little extent
  8.0     7.9   38      3  3. Some extent
 42.0    41.4  199      4  4. A great extent
 46.2    45.5  219      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1997-1998

```
V8040                    A4H.M1 OTHER REFER TO M1
```

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...any groups or
organizations other than any just mentioned? (SPECIFY)

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  0.0     0.0    0      1   1. HOSPITAL
  0.0     0.0    0      2   2. PRIVCLIN
  0.0     0.0    0      3   3. PHYSICAN
  0.0     0.0    0      4   4. VOCREHAB
  7.3     3.3   16      5   5. DSS
  0.0     0.0    0      6   6. MH AGNCY
  0.0     0.0    0      7   7. OTHROSAT
  2.3     1.0    5      8   8. SCHOOLS
  4.6     2.1   10      9   9. CHURCHES
  0.0     0.0    0     10   10. AA/NA
 10.0     4.6   22     51   51. SELFHELP
  4.6     2.1   10     52   52. INPATENT
 20.5     9.4   45     53   53. SUPPORT
  0.9     0.4    2     54   54. CRISIS
  5.5     2.5   12     61   61. AIDS
  8.2     3.7   18     62   62. MH TRMT
  4.6     2.1   10     71   71. MEDICAL
  0.9     0.4    2     72   72. LEGAL
  7.8     3.5   17     73   73. EMPLOYMT
  5.0     2.3   11     74   74. HOUSING
  0.0     0.0    0     75   75. PAROLE
  5.0     2.3   11     76   76. FINANCAL
  5.0     2.3   11     77   77. EDUCATON
  7.8     3.5   17     97   97. OTHER
          1.0    5     -5   -5. NO INTERVIEW
          0.6    3     -3   -3. REFUSED/NA
         52.8  254     -1   -1. SKIPPED QUESTION
 -----   ----- ---
 100.0   100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 1999-2001

V8041   **A4H.M1 EXTENT UNIT REF TO M1**

OTHER: EXTENT SCALE

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. No extent
15.8	6.7	32	2	2. A little extent
55.9	23.5	113	3	3. Some extent
22.8	9.6	46	4	4. A great extent
5.4	2.3	11	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	4.2	20	-3	-3. REFUSED/NA
	52.8	254	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2002-2003

```
┌─────────────────────────────────────────────────────────────────┐
│ V8042                    A4H.M2 OTHER REFER TO M2                 │
└─────────────────────────────────────────────────────────────────┘
```

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...any groups or
organizations other than any just mentioned? (SPECIFY)

```
 PCT     PCT    N   VALUE   LABEL
VALID    ALL
  0.0    0.0    0      1    1. HOSPITAL
  0.0    0.0    0      2    2. PRIVCLIN
  0.0    0.0    0      3    3. PHYSICAN
  0.0    0.0    0      4    4. VOCREHAB
 12.7    2.9   14      5    5. DSS
  0.0    0.0    0      6    6. MH AGNCY
  0.0    0.0    0      7    7. OTHROSAT
  1.8    0.4    2      8    8. SCHOOLS
  0.9    0.2    1      9    9. CHURCHES
  0.0    0.0    0     10   10. AA/NA
 12.7    2.9   14     51   51. SELFHELP
  0.9    0.2    1     52   52. INPATENT
 19.1    4.4   21     53   53. SUPPORT
  0.0    0.0    0     54   54. CRISIS
  3.6    0.8    4     61   61. AIDS
  7.3    1.7    8     62   62. MH TRMT
  5.5    1.2    6     71   71. MEDICAL
  4.5    1.0    5     72   72. LEGAL
 10.0    2.3   11     73   73. EMPLOYMT
  8.2    1.9    9     74   74. HOUSING
  1.8    0.4    2     75   75. PAROLE
  1.8    0.4    2     76   76. FINANCAL
  4.5    1.0    5     77   77. EDUCATON
  4.5    1.0    5     97   97. OTHER
         1.0    5     -5   -5. NO INTERVIEW
         0.2    1     -3   -3. REFUSED/NA
        75.9  365     -1   -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2004-2006

V8043	A4H.M2 EXTENT UNIT REF TO M2

```
      OTHER: EXTENT SCALE

        PCT     PCT     N   VALUE   LABEL
      VALID     ALL
        0.0     0.0     0       1   1. No extent
       24.2     5.0    24       2   2. A little extent
       57.6    11.9    57       3   3. Some extent
       13.1     2.7    13       4   4. A great extent
        5.1     1.0     5       5   5. A very great extent
                1.0     5      -5   -5. NO INTERVIEW
                2.5    12      -3   -3. REFUSED/NA
               75.9   365      -1   -1. SKIPPED QUESTION
      -----   -----   ---
      100.0   100.0   481 cases

      Data type: numeric
      Missing-data codes: -5--1
      Columns: 2007-2008
```

```
┌─────────────────────────────────────────────────────────────┐
│ V8044                 A4H.M3 OTHER REFER TO M3                │
└─────────────────────────────────────────────────────────────┘
```

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...any groups or
organizations other than any just mentioned? (SPECIFY)

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
  0.0    0.0    0      1   1. HOSPITAL
  0.0    0.0    0      2   2. PRIVCLIN
  0.0    0.0    0      3   3. PHYSICAN
  0.0    0.0    0      4   4. VOCREHAB
  8.9    1.0    5      5   5. DSS
  0.0    0.0    0      6   6. MH AGNCY
  0.0    0.0    0      7   7. OTHROSAT
  0.0    0.0    0      8   8. SCHOOLS
  7.1    0.8    4      9   9. CHURCHES
  0.0    0.0    0     10   10. AA/NA
  8.9    1.0    5     51   51. SELFHELP
  3.6    0.4    2     52   52. INPATENT
 26.8    3.1   15     53   53. SUPPORT
  0.0    0.0    0     54   54. CRISIS
  3.6    0.4    2     61   61. AIDS
  7.1    0.8    4     62   62. MH TRMT
  7.1    0.8    4     71   71. MEDICAL
  1.8    0.2    1     72   72. LEGAL
  1.8    0.2    1     73   73. EMPLOYMT
  7.1    0.8    4     74   74. HOUSING
  0.0    0.0    0     75   75. PAROLE
 10.7    1.2    6     76   76. FINANCAL
  5.4    0.6    3     77   77. EDUCATON
  0.0    0.0    0     97   97. OTHER
         1.0    5     -5   -5. NO INTERVIEW
         0.2    1     -3   -3. REFUSED/NA
        87.1  419     -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2009-2011

V8045	A4H.M3 EXTENT UNIT REF TO M3

```
     OTHER: EXTENT SCALE

       PCT     PCT    N   VALUE   LABEL
     VALID     ALL
       0.0     0.0    0      1   1. No extent
      29.8     2.9   14      2   2. A little extent
      51.1     5.0   24      3   3. Some extent
      14.9     1.5    7      4   4. A great extent
       4.3     0.4    2      5   5. A very great extent
               1.0    5     -5   -5. NO INTERVIEW
               2.1   10     -3   -3. REFUSED/NA
              87.1  419     -1   -1. SKIPPED QUESTION
     -----   -----  ---
     100.0   100.0  481 cases

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 2012-2013
```

V8046	A4H.M4 OTHER REFER TO M4

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...any groups or
organizations other than any just mentioned? (SPECIFY)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. HOSPITAL
0.0	0.0	0	2	2. PRIVCLIN
0.0	0.0	0	3	3. PHYSICAN
0.0	0.0	0	4	4. VOCREHAB
12.0	0.6	3	5	5. DSS
0.0	0.0	0	6	6. MH AGNCY
0.0	0.0	0	7	7. OTHROSAT
0.0	0.0	0	8	8. SCHOOLS
4.0	0.2	1	9	9. CHURCHES
0.0	0.0	0	10	10. AA/NA
12.0	0.6	3	51	51. SELFHELP
0.0	0.0	0	52	52. INPATENT
20.0	1.0	5	53	53. SUPPORT
0.0	0.0	0	54	54. CRISIS
0.0	0.0	0	61	61. AIDS
4.0	0.2	1	62	62. MH TRMT
12.0	0.6	3	71	71. MEDICAL
0.0	0.0	0	72	72. LEGAL
4.0	0.2	1	73	73. EMPLOYMT
12.0	0.6	3	74	74. HOUSING
0.0	0.0	0	75	75. PAROLE
8.0	0.4	2	76	76. FINANCAL
4.0	0.2	1	77	77. EDUCATON
8.0	0.4	2	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	93.6	450	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2014-2016

V8047	A4H.M4 EXTENT UNIT REF TO M4

```
   OTHER: EXTENT SCALE

    PCT     PCT    N   VALUE   LABEL
   VALID    ALL
    0.0     0.0    0      1   1. No extent
   22.7     1.0    5      2   2. A little extent
   63.6     2.9   14      3   3. Some extent
   13.6     0.6    3      4   4. A great extent
    0.0     0.0    0      5   5. A very great extent
            1.0    5     -5   -5. NO INTERVIEW
            0.8    4     -3   -3. REFUSED/NA
           93.6  450     -1   -1. SKIPPED QUESTION
   -----   -----  ---
   100.0   100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2017-2018
```

```
┌─────────────────────────────────────────────────────────────────┐
│ V8048                    A4H.M5 OTHER REFER TO M5                 │
└─────────────────────────────────────────────────────────────────┘
```

To what extent does your unit refer outpatient substance abuse
clients to each of the following for treatment or for other
services not provided by your unit? ...any groups or
organizations other than any just mentioned? (SPECIFY)

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  0.0     0.0    0      1   1. HOSPITAL
  0.0     0.0    0      2   2. PRIVCLIN
  0.0     0.0    0      3   3. PHYSICAN
  0.0     0.0    0      4   4. VOCREHAB
 12.5     0.2    1      5   5. DSS
  0.0     0.0    0      6   6. MH AGNCY
  0.0     0.0    0      7   7. OTHROSAT
  0.0     0.0    0      8   8. SCHOOLS
  0.0     0.0    0      9   9. CHURCHES
  0.0     0.0    0     10   10. AA/NA
 12.5     0.2    1     51   51. SELFHELP
  0.0     0.0    0     52   52. INPATENT
  0.0     0.0    0     53   53. SUPPORT
  0.0     0.0    0     54   54. CRISIS
  0.0     0.0    0     61   61. AIDS
 12.5     0.2    1     62   62. MH TRMT
  0.0     0.0    0     71   71. MEDICAL
  0.0     0.0    0     72   72. LEGAL
  0.0     0.0    0     73   73. EMPLOYMT
 37.5     0.6    3     74   74. HOUSING
  0.0     0.0    0     75   75. PAROLE
 12.5     0.2    1     76   76. FINANCAL
  0.0     0.0    0     77   77. EDUCATON
 12.5     0.2    1     97   97. OTHER
          1.0    5     -5   -5. NO INTERVIEW
          0.2    1     -3   -3. REFUSED/NA
         97.1  467     -1   -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2019-2021

V8049	A4H.M5 EXTENT UNIT REF TO M5

OTHER: EXTENT SCALE

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. No extent
37.5	0.6	3	2	2. A little extent
50.0	0.8	4	3	3. Some extent
0.0	0.0	0	4	4. A great extent
12.5	0.2	1	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	97.1	467	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 2022-2023

V8050   **A5. MOST IMP ORG RF TO**

Of the organizations to which your unit refers outpatient
substance abuse clients, which is the most important?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.9	11.4	55	1	1. HOSPTL
10.0	9.6	46	2	2. RESTXUNT
2.4	2.3	11	3	3. PHYSICAN
2.2	2.1	10	4	4. VOCREHAB
1.7	1.7	8	5	5. DSS
3.5	3.3	16	6	6. MT.AGN
3.2	3.1	15	7	7. OTH.OSAT
0.0	0.0	0	8	8. SCHOOLS
0.0	0.0	0	9	9. CHURCHES
54.1	52.0	250	10	10. SELFHELP
0.4	0.4	2	51	51. SELFHELP-NA
4.8	4.6	22	52	52. INPT.TX
0.4	0.4	2	53	53. SUPPORT
0.0	0.0	0	54	54. CRISIS
0.6	0.6	3	61	61. AIDS
0.4	0.4	2	62	62. MH.TX
0.9	0.8	4	71	71. OTH.MED
0.0	0.0	0	72	72. LEGAL
1.5	1.5	7	73	73. EMPLOYMT
0.9	0.8	4	74	74. HOUSING
0.0	0.0	0	75	75. PAROLE
0.4	0.4	2	76	76. FINANCE
0.0	0.0	0	77	77. EDUCATN
0.6	0.6	3	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	2.7	13	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2024-2026

V8051   **A6.M1 REASON MOST IMP RF TO**

Why do you consider (ORGANIZATION FROM A5) the most important
organization to which your unit refers clients?

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
  1.1    1.0    5      1   1. LIKE.US
  4.7    4.6   22      2   2. COMPSERV
  3.9    3.7   18      3   3. MORECOMP
  9.3    8.9   43     11   11. INPATN
  0.2    0.2    1     12   12. METHMAIN
  8.8    8.5   41     14   14. MEDCARE
  1.7    1.7    8     15   15. HOUSING
  1.9    1.9    9     16   16. EMPLYMT
  2.2    2.1   10     17   17. MT.THPY
  1.7    1.7    8     31   31. LOW.COST
  5.8    5.6   27     32   32. GOODSERV
  0.2    0.2    1     33   33. QUALSTAF
  0.6    0.6    3     34   34. CONVIENT
  6.5    6.2   30     35   35. ROUTINE
  4.1    4.0   19     36   36. SUPP.AVL
  9.5    9.1   44     39   39. GOOD.GEN
  2.2    2.1   10     41   41. STRUCENV
  8.0    7.7   37     42   42. NEW.ENV
 26.3   25.4  122     43   43. WORKS
  1.3    1.2    6     97   97. OTHER
         1.0    5     -5   -5. NO INTERVIEW
         2.3   11     -3   -3. REFUSED/NA
         0.2    1     -2   -2. DONT KNOW
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2027-2029

V8052	A6.M2 REASON MOST IMP RF TO

Why do you consider (ORGANIZATION FROM A5) the most important
organization to which your unit refers clients?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.6	0.2	1	1	1. LIKE.US
5.9	2.1	10	2	2. COMPSERV
3.6	1.2	6	3	3. MORECOMP
7.1	2.5	12	11	11. INPATN
0.6	0.2	1	12	12. METHMAIN
5.3	1.9	9	14	14. MEDCARE
1.2	0.4	2	15	15. HOUSING
0.6	0.2	1	16	16. EMPLYMT
0.6	0.2	1	17	17. MT.THPY
8.9	3.1	15	31	31. LOW.COST
2.4	0.8	4	32	32. GOODSERV
0.6	0.2	1	33	33. QUALSTAF
6.5	2.3	11	34	34. CONVIENT
6.5	2.3	11	35	35. ROUTINE
10.1	3.5	17	36	36. SUPP.AVL
4.1	1.5	7	39	39. GOOD.GEN
3.0	1.0	5	41	41. STRUCENV
14.2	5.0	24	42	42. NEW.ENV
17.8	6.2	30	43	43. WORKS
0.6	0.2	1	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	63.8	307	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2030-2032

V8053   **A7A. FREQ SEND WR SUMRY TO REFERRAL**

Thinking of all the treatment agencies to which your unit
refers outpatient clients, how often does your unit... ...send
a written case summary? Would you say never, rarely,
sometimes, often, or always?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  3.2    3.1   15      1  1. NEVER
 12.3   12.1   58      2  2. RARELY
 28.8   28.3  136      3  3. SOMETIME
 29.2   28.7  138      4  4. OFTEN
 26.6   26.2  126      5  5. ALWAYS
        1.0    5     -5  -5. NO INTERVIEW
        0.4    2     -3  -3. REFUSED/NA
        0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2033-2034

V8054   **A7B. FREQ SEND CHART TO REFERRAL**

Thinking of all the treatment agencies to which your unit
refers outpatient clients, how often does your unit... ...send
a complete chart? (Would you say never, rarely, sometimes,
often or always?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 52.2   51.4  247      1  1. NEVER
 30.2   29.7  143      2  2. RARELY
 12.7   12.5   60      3  3. SOMETIME
  3.4    3.3   16      4  4. OFTEN
  1.5    1.5    7      5  5. ALWAYS
        1.0    5     -5  -5. NO INTERVIEW
        0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2035-2036

V8055	A7C. FREQ PHON CASE SUM TO REFERRAL

Thinking of all the treatment agencies to which your unit
refers outpatient clients, how often does your unit...
...provide a case summary over the phone?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 14.8    14.6    70      1  1. NEVER
 19.0    18.7    90      2  2. RARELY
 31.9    31.4   151      3  3. SOMETIME
 23.7    23.3   112      4  4. OFTEN
 10.6    10.4    50      5  5. ALWAYS
          1.0     5     -5  -5. NO INTERVIEW
          0.6     3     -3  -3. REFUSED/NA
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2037-2038

V8056	A7D. FREQ FOLLOW-UP CALL TO REFERRAL

Thinking of all the treatment agencies to which your unit
refers outpatient clients, how often does your unit... ...make
a follow-up call to the receiving agency?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
  2.1     2.1    10      1  1. NEVER
  8.4     8.3    40      2  2. RARELY
 30.8    30.4   146      3  3. SOMETIME
 37.8    37.2   179      4  4. OFTEN
 20.9    20.6    99      5  5. ALWAYS
          1.0     5     -5  -5. NO INTERVIEW
          0.4     2     -3  -3. REFUSED/NA
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2039-2040

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8057                    A7E.M1 OTHR PROCED TO REFERRAL M1            │
└─────────────────────────────────────────────────────────────────────┘
```

Thinking of all the treatment agencies to which your unit
refers outpatient clients, how often does your unit... ...any
procedures other than those just mentioned? (SPECIFY)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  0.0    0.0    0     1   1. MONTMETH
 17.8    5.0   24     2   2. MAINTNCL
  6.7    1.9    9     3   3. INTRO CL
 37.0   10.4   50     4   4. STAF_STF
 15.6    4.4   21     5   5. RECORDS
  7.4    2.1   10     6   6. CLRELEAS
  0.7    0.2    1    11  11. MAKEAPPT
  5.9    1.7    8    12  12. GETREPRT
  8.9    2.5   12    97  97. OTHER
         1.0    5    -5  -5. NO INTERVIEW
         0.4    2    -3  -3. REFUSED/NA
        70.5  339    -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2041-2043
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8058                    A7E.M1 FREQ PROCEDURE M1                     │
└─────────────────────────────────────────────────────────────────────┘
```

OTHER: SCALE

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  0.0    0.0    0     1   1. NEVER
  9.2    2.3   11     2   2. RARELY
 29.2    7.3   35     3   3. SOMETIME
 26.7    6.7   32     4   4. OFTEN
 35.0    8.7   42     5   5. ALWAYS
         1.0    5    -5  -5. NO INTERVIEW
         3.5   17    -3  -3. REFUSED/NA
        70.5  339    -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2044-2045
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8059                    A7E.M2 OTHR PROCED TO REFERRAL M2                │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of all the treatment agencies to which your unit
refers outpatient clients, how often does your unit... ...any
procedures other than those just mentioned? (SPECIFY)

```
   PCT    PCT    N  VALUE   LABEL
  VALID   ALL
   0.0    0.0    0      1   1. MONTMETH
   5.6    0.2    1      2   2. MAINTNCL
   0.0    0.0    0      3   3. INTRO CL
  33.3    1.2    6      4   4. STAF_STF
  16.7    0.6    3      5   5. RECORDS
  11.1    0.4    2      6   6. CLRELEAS
   0.0    0.0    0     11  11. MAKEAPPT
   5.6    0.2    1     12  12. GETREPRT
  27.8    1.0    5     97  97. OTHER
          1.0    5     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
         94.8  456     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2046-2048

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8060                    A7E.M2 FREQ PROCEDURE M2                         │
└─────────────────────────────────────────────────────────────────────────┘
```

OTHER: SCALE

```
   PCT    PCT    N  VALUE   LABEL
  VALID   ALL
   0.0    0.0    0      1   1. NEVER
  12.5    0.4    2      2   2. RARELY
  31.2    1.0    5      3   3. SOMETIME
  25.0    0.8    4      4   4. OFTEN
  31.2    1.0    5      5   5. ALWAYS
          1.0    5     -5  -5. NO INTERVIEW
          0.8    4     -3  -3. REFUSED/NA
         94.8  456     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2049-2050

V8061   **A7E.M3 OTHR PROCEDURE TO REFERRAL M3**

Thinking of all the treatment agencies to which your unit
refers outpatient clients, how often does your unit... ...any
procedures other than those just mentioned? (SPECIFY)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  0.0    0.0    0      1  1. MONTMETH
  0.0    0.0    0      2  2. MAINTNCL
  0.0    0.0    0      3  3. INTRO CL
 50.0    0.2    1      4  4. STAF_STF
  0.0    0.0    0      5  5. RECORDS
  0.0    0.0    0      6  6. CLRELEAS
  0.0    0.0    0     11  11. MAKEAPPT
  0.0    0.0    0     12  12. GETREPRT
 50.0    0.2    1     97  97. OTHER
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        98.1  472     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2051-2053

V8062   **A7E.M3 FREQ PROCEDURE M3**

OTHER: SCALE

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  0.0    0.0    0      1  1. NEVER
  0.0    0.0    0      2  2. RARELY
100.0    0.4    2      3  3. SOMETIME
  0.0    0.0    0      4  4. OFTEN
  0.0    0.0    0      5  5. ALWAYS
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        98.1  472     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2054-2055

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8063                    A7E.M4 OTHR PROCED TO REFERRAL M4                │
└─────────────────────────────────────────────────────────────────────────┘
```

Thinking of all the treatment agencies to which your unit
refers outpatient clients, how often does your unit... ...any
procedures other than those just mentioned? (SPECIFY)

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
  0.0    0.0   0      1  1. MONTMETH
  0.0    0.0   0      2  2. MAINTNCL
  0.0    0.0   0      3  3. INTRO CL
  0.0    0.0   0      4  4. STAF_STF
  0.0    0.0   0      5  5. RECORDS
  0.0    0.0   0      6  6. CLRELEAS
  0.0    0.0   0     11  11. MAKEAPPT
  0.0    0.0   0     12  12. GETREPRT
  0.0    0.0   0     97  97. OTHER
         1.0   5     -5  -5. NO INTERVIEW
         0.4   2     -3  -3. REFUSED/NA
        98.5 474     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2056-2057

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8064                    A7E.M4 FREQ PROCEDURE M4                         │
└─────────────────────────────────────────────────────────────────────────┘
```

OTHER: SCALE

```
  PCT    PCT   N  VALUE  LABEL
VALID   ALL
  0.0    0.0   0      1  1. NEVER
  0.0    0.0   0      2  2. RARELY
  0.0    0.0   0      3  3. SOMETIME
  0.0    0.0   0      4  4. OFTEN
  0.0    0.0   0      5  5. ALWAYS
         1.0   5     -5  -5. NO INTERVIEW
         0.4   2     -3  -3. REFUSED/NA
        98.5 474     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2058-2059

V8065   **A7E.M5 OTHR PROCED TO REFERRAL M5**

Thinking of all the treatment agencies to which your unit
refers outpatient clients, how often does your unit ...any
procedures other than those just mentioned? (SPECIFY)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  0.0    0.0    0      1  1. MONTMETH
  0.0    0.0    0      2  2. MAINTNCL
  0.0    0.0    0      3  3. INTRO CL
  0.0    0.0    0      4  4. STAF_STF
  0.0    0.0    0      5  5. RECORDS
  0.0    0.0    0      6  6. CLRELEAS
  0.0    0.0    0     11  11. MAKEAPPT
  0.0    0.0    0     12  12. GETREPRT
  0.0    0.0    0     97  97. OTHER
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        98.5  474     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2060-2061

V8066   **A7E.M5 FREQ PROCEDURE M5**

OTHER: SCALE

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  0.0    0.0    0      1  1. NEVER
  0.0    0.0    0      2  2. RARELY
  0.0    0.0    0      3  3. SOMETIME
  0.0    0.0    0      4  4. OFTEN
  0.0    0.0    0      5  5. ALWAYS
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        98.5  474     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2062-2063

UNIT STAFF AND STAFF RELATIONS

V8067   **B1. # F-T PD STAFF CURRENTLY IN OSAT**

Excluding consultants and independent contractors, how many
full-time paid staff, those working 35 hours per week or more,
are currently employed at your outpatient unit?

481 cases (Range of valid codes: 0-205)

Data type: numeric
Missing-data codes: -5--1
Columns: 2064-2067

V8068   **B1A. # HRS/WK F-T STAFFS CURRLY OSAT**

(Again, not counting consultants and independent contractors),
as a group, what is the sum total number of hours per week
these full-time staff typically work at your outpatient unit?

481 cases (Range of valid codes: 20-7,175)

Data type: numeric
Missing-data codes: -5--1
Columns: 2068-2072

V8069	B2. # P-T PD STAFF CURRENTLY IN OSAT

Excluding consultants and independent contractors, how many
part-time paid staff, those working less than 35 hours per
week, are currently employed at your outpatient unit?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 25.8   25.4  122      0
 22.2   21.8  105      1
 17.1   16.8   81      2
  9.5    9.4   45      3
  8.0    7.9   38      4
  5.9    5.8   28      5
  3.8    3.7   18      6
  2.1    2.1   10      7
  1.1    1.0    5      8
  0.8    0.8    4      9
  0.8    0.8    4     10
  0.6    0.6    3     12
  0.6    0.6    3     14
  0.4    0.4    2     15
  0.4    0.4    2     16
  0.4    0.4    2     25
  0.2    0.2    1     28
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2073-2075

V8070	B2A. # HRS/WK P-T STAFFS CURRLY OSAT

(Again, not counting consultants and independent contractors),
as a group, what is the sum total number of hours per week
these part-time staff typically work at your outpatient unit?

481 cases (Range of valid codes: 2-700)

Data type: numeric
Missing-data codes: -5--1
Columns: 2076-2079

V8071   **B3. # CONSLT&CONTR CURRENTLY IN OSAT**

In addition, how many consultants and independent contractors
are currently working for your outpatient unit?

```
 PCT    PCT    N  VALUE  LABEL
VALID   ALL
 30.4   29.7  143     0
 27.4   26.8  129     1
 16.8   16.4   79     2
 10.4   10.2   49     3
  3.8    3.7   18     4
  3.0    2.9   14     5
  1.9    1.9    9     6
  1.1    1.0    5     7
  1.7    1.7    8     8
  0.9    0.8    4     9
  0.6    0.6    3    10
  0.4    0.4    2    11
  0.4    0.4    2    12
  0.2    0.2    1    13
  0.2    0.2    1    15
  0.2    0.2    1    20
  0.2    0.2    1    22
  0.2    0.2    1    45
         1.0    5    -5   -5. NO INTERVIEW
         0.6    3    -3   -3. REFUSED/NA
         0.6    3    -2   -2. DONT KNOW
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2080-2082

V8072   **B3A. # HRS/WK CONSLT&CONT CURRLY OSAT**

As a group, what is the sum total number of hours per week
these consultants and independent contractors typically work
for your outpatient unit?

481 cases (Range of valid codes: 1-815)

Data type: numeric
Missing-data codes: -5--1
Columns: 2083-2086

V8073	B4A. PERC HRS ALL STAFF:ADMIN WORK

Of all the hours worked by all of your outpatient unit's
employees each week, including consultants and independent
contractors, what percent of total staff hours are typically
devoted to ...administrative work, like supervision, hiring,
or program development?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.9	0.8	4	0	
0.2	0.2	1	1	
1.5	1.5	7	2	
0.9	0.8	4	3	
0.6	0.6	3	4	
6.7	6.4	31	5	
0.6	0.6	3	6	
1.3	1.2	6	7	
2.2	2.1	10	8	
2.6	2.5	12	9	
17.6	17.0	82	10	
1.3	1.2	6	11	
1.3	1.2	6	12	
3.7	3.5	17	13	
1.7	1.7	8	14	
8.6	8.3	40	15	
1.1	1.0	5	16	
1.7	1.7	8	17	
0.9	0.8	4	18	
0.4	0.4	2	19	
14.0	13.5	65	20	
0.9	0.8	4	21	
0.9	0.8	4	22	
0.4	0.4	2	23	
0.4	0.4	2	24	
9.2	8.9	43	25	
0.6	0.6	3	26	
0.2	0.2	1	27	
4.7	4.6	22	30	
0.2	0.2	1	31	
1.7	1.7	8	33	
0.2	0.2	1	34	
1.1	1.0	5	35	
0.2	0.2	1	37	
0.4	0.4	2	38	
3.4	3.3	16	40	
0.2	0.2	1	44	
3.4	3.3	16	50	

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8073 (CONT.)              B4A. PERC HRS ALL STAFF:ADMIN WORK              │
└─────────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT    N  VALUE  LABEL
  VALID    ALL
   0.4     0.4    2    60
   0.6     0.6    3    70
   0.2     0.2    1    73
   0.6     0.6    3    75
           1.0    5    -5   -5. NO INTERVIEW
           0.8    4    -3   -3. REFUSED/NA
           1.5    7    -2   -2. DONT KNOW
  -----   -----  ---
  100.0   100.0  481 cases


  Data type: numeric
  Missing-data codes: -5--1
  Columns: 2087-2089
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8074              B4B. PERC HRS ALL STAFF:CLER&SUPPRT WK                  │
└─────────────────────────────────────────────────────────────────────────┘
```

   Of all the hours worked by all of your outpatient unit's
   employees each week, including consultants and independent
   contractors, what percent of total staff hours are typically
   devoted to ... clerical and support services, such as
   accounting, billing and other record-keeping activities?

   481 cases (Range of valid codes: 0-90)

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2090-2092

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8075              B5. # HRS/WK BY ALL TX STAFF ON CL TMT                  │
└─────────────────────────────────────────────────────────────────────────┘
```

   In a typical week, how many staff treatment hours altogether
   are provided to clients?

   481 cases (Range of valid codes: 5-5,740)

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2093-2097

V8076	B6A.# TX STAFF WITH PHD

I'd like you to tell me how many treatment staff your unit has
with the following qualifications. How many of your unit's
treatment staff ...have as their highest degree a Ph.D.?

PCT VALID	PCT ALL	N	VALUE	LABEL
62.7	61.7	297	0	
25.9	25.6	123	1	
8.4	8.3	40	2	
1.5	1.5	7	3	
0.6	0.6	3	4	
0.4	0.4	2	5	
0.4	0.4	2	7	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 2098-2099

V8077	B6B.# TX STAFF WITH PSYCHOLOGY DG

Of these, how many are psychologists?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.0	6.2	30	0	
64.2	23.5	113	1	
13.6	5.0	24	2	
2.3	0.8	4	3	
1.7	0.6	3	4	
0.6	0.2	1	6	
0.6	0.2	1	7	
	1.0	5	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	61.7	297	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 2100-2101

V8078   **B7A.# TX STAFF WITH MD,DO**

How many of your unit's treatment staff ...have as their
highest degree an MD or DO?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  35.3   34.7  167      0
  41.6   41.0  197      1
  14.0   13.7   66      2
   5.3    5.2   25      3
   1.9    1.9    9      4
   1.3    1.2    6      5
   0.2    0.2    1      6
   0.2    0.2    1      7
   0.2    0.2    1     10
          1.0    5     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2102-2104

V8079   **B7B.# TX STAFF WI PSYCHIATRY DG**

Of these, how many are psychiatrists?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  43.0   26.8  129      0
  44.3   27.7  133      1
   8.0    5.0   24      2
   3.0    1.9    9      3
   1.3    0.8    4      4
   0.3    0.2    1      5
          1.0    5     -5  -5. NO INTERVIEW
          1.9    9     -3  -3. REFUSED/NA
         34.7  167     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2105-2106

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8080                    B8A.# TX STAFF WI MASTR DEG                   │
└─────────────────────────────────────────────────────────────────────┘
```

How many of your unit's treatment staff ...have as their
highest degree a Master's degree?

```
  PCT     PCT    N   VALUE   LABEL
 VALID    ALL
 11.0    10.8   52      0
 18.8    18.5   89      1
 16.5    16.2   78      2
 13.3    13.1   63      3
 10.8    10.6   51      4
  7.0     6.9   33      5
  4.9     4.8   23      6
  4.7     4.6   22      7
  3.4     3.3   16      8
  1.5     1.5    7      9
  1.5     1.5    7     10
  1.3     1.2    6     11
  0.4     0.4    2     12
  1.7     1.7    8     13
  0.6     0.6    3     14
  0.2     0.2    1     15
  0.4     0.4    2     16
  0.2     0.2    1     17
  0.2     0.2    1     18
  0.2     0.2    1     19
  0.2     0.2    1     20
  0.6     0.6    3     22
  0.2     0.2    1     28
  0.2     0.2    1     41
  0.2     0.2    1     55
          1.0    5     -5   -5. NO INTERVIEW
          0.4    2     -3   -3. REFUSED/NA
          0.2    1     -2   -2. DONT KNOW
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2107-2109

V8081	B8B # TX STAFF WI MA PSYCHOLOG DG

Of these, how many have a Master's degree in Psychology?

PCT VALID	PCT ALL	N	VALUE	LABEL
43.6	37.6	181	0	
27.0	23.3	112	1	
14.7	12.7	61	2	
7.0	6.0	29	3	
2.4	2.1	10	4	
2.2	1.9	9	5	
1.2	1.0	5	6	
1.0	0.8	4	7	
0.5	0.4	2	10	
0.2	0.2	1	11	
0.2	0.2	1	13	
	1.0	5	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	10.8	52	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2110-2112

V8082	B8C # TX STAFF WI MA SOCIAL WK DG

How many have a Master's degree in Social Work?

PCT VALID	PCT ALL	N	VALUE	LABEL
36.2	31.2	150	0	
28.0	24.1	116	1	
14.3	12.3	59	2	
8.7	7.5	36	3	
4.6	4.0	19	4	
3.1	2.7	13	5	
1.2	1.0	5	6	
1.0	0.8	4	7	
1.2	1.0	5	8	
0.7	0.6	3	9	
0.5	0.4	2	10	
0.2	0.2	1	17	
0.2	0.2	1	25	
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	10.8	52	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2113-2115

V8083   **B9A.# TX STAFF WI BA DEG**

How many of your unit's treatment staff ...have as their
highest degree a bachelor's degree excluding those with
Registered Nurse (RN) degrees?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 23.6   23.3  112      0
 19.8   19.5   94      1
 15.6   15.4   74      2
 10.8   10.6   51      3
  8.0    7.9   38      4
  7.2    7.1   34      5
  3.0    2.9   14      6
  3.2    3.1   15      7
  2.3    2.3   11      8
  0.8    0.8    4      9
  1.5    1.5    7     10
  0.8    0.8    4     11
  0.2    0.2    1     12
  0.8    0.8    4     14
  0.2    0.2    1     16
  0.2    0.2    1     17
  0.4    0.4    2     18
  0.2    0.2    1     19
  0.2    0.2    1     23
  0.2    0.2    1     26
  0.2    0.2    1     27
  0.2    0.2    1     30
  0.2    0.2    1     35
  0.2    0.2    1     80
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2116-2118

```
V8084                    B10A.# TX STF WI RNS
```

How many of your unit's treatment staff ...have an RN as their
highest degree?

```
  PCT     PCT    N   VALUE  LABEL
VALID     ALL
 64.5    63.4  305      0
 17.5    17.3   83      1
  6.6     6.4   31      2
  3.4     3.3   16      3
  2.1     2.1   10      4
  3.0     2.9   14      5
  0.8     0.8    4      6
  1.1     1.0    5      7
  0.4     0.4    2      8
  0.2     0.2    1     10
  0.2     0.2    1     14
  0.2     0.2    1     29
          1.0    5     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2119-2121

V8085   **B11A.# TX STF WITH W ASSOC DEG**

How many of your unit's treatment staff ...have an Associate's Degree, or at least some college as their highest level of schooling?

PCT VALID	PCT ALL	N	VALUE	LABEL
42.7	42.0	202	0	
22.2	21.8	105	1	
13.5	13.3	64	2	
7.4	7.3	35	3	
5.1	5.0	24	4	
3.2	3.1	15	5	
1.5	1.5	7	6	
0.8	0.8	4	7	
0.8	0.8	4	8	
0.2	0.2	1	9	
0.8	0.8	4	10	
0.2	0.2	1	12	
0.4	0.4	2	13	
0.2	0.2	1	14	
0.2	0.2	1	16	
0.2	0.2	1	17	
0.2	0.2	1	19	
0.2	0.2	1	30	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2122-2124

```
V8086                    B12A.# TX STF WITH HS OR LESS
```

How many of your unit's treatment staff ...have a high school
diploma or less as their highest level of schooling?

```
   PCT    PCT    N   VALUE   LABEL
 VALID    ALL
 62.5   61.3   295      0
 14.4   14.1    68      1
  7.8    7.7    37      2
  5.9    5.8    28      3
  3.2    3.1    15      4
  2.3    2.3    11      5
  0.4    0.4     2      6
  0.6    0.6     3      8
  0.4    0.4     2     10
  0.6    0.6     3     11
  0.2    0.2     1     12
  0.2    0.2     1     13
  0.4    0.4     2     15
  0.2    0.2     1     17
  0.4    0.4     2     20
  0.2    0.2     1     30
         1.0     5     -5   -5. NO INTERVIEW
         0.6     3     -3   -3. REFUSED/NA
         0.2     1     -2   -2. DONT KNOW
 -----  -----   ---
100.0  100.0   481  cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2125-2127
```

V8087   **B13A.# TX STAFF EXADDICTS OR REC ALC**

(Of all your paid treatment staff) how many are ex-addicts or
recovering alcoholics?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.9	23.1	111	0	
19.8	19.1	92	1	
17.0	16.4	79	2	
12.3	11.9	57	3	
7.5	7.3	35	4	
5.8	5.6	27	5	
3.9	3.7	18	6	
2.6	2.5	12	7	
2.2	2.1	10	8	
0.6	0.6	3	9	
0.6	0.6	3	10	
0.2	0.2	1	11	
0.6	0.6	3	12	
0.4	0.4	2	13	
0.2	0.2	1	14	
0.4	0.4	2	15	
0.2	0.2	1	16	
0.2	0.2	1	18	
0.2	0.2	1	19	
0.2	0.2	1	22	
0.2	0.2	1	24	
0.2	0.2	1	30	
0.4	0.4	2	40	
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	1.5	7	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2128-2130

V8088	B14A.# TX STAFF HAVE SPEC SAT TRNG

(Of all your paid treatment staff) how many have specialized training in substance abuse treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.5	1.5	7	0	
4.2	4.2	20	1	
9.3	9.1	44	2	
10.8	10.6	51	3	
10.6	10.4	50	4	
8.3	8.1	39	5	
8.5	8.3	40	6	
6.4	6.2	30	7	
4.9	4.8	23	8	
5.1	5.0	24	9	
4.2	4.2	20	10	
2.8	2.7	13	11	
2.5	2.5	12	12	
3.0	2.9	14	13	
1.3	1.2	6	14	
1.9	1.9	9	15	
1.9	1.9	9	16	
1.9	1.9	9	17	
1.3	1.2	6	18	
0.2	0.2	1	19	
0.8	0.8	4	20	
0.6	0.6	3	21	
0.6	0.6	3	22	
0.4	0.4	2	23	
0.6	0.6	3	24	
0.6	0.6	3	25	
1.1	1.0	5	26	
0.2	0.2	1	27	
0.4	0.4	2	29	
0.6	0.6	3	30	
0.2	0.2	1	31	
0.4	0.4	2	32	
0.2	0.2	1	34	
0.6	0.6	3	35	
0.2	0.2	1	36	
0.2	0.2	1	39	
0.4	0.4	2	45	
0.2	0.2	1	46	
0.2	0.2	1	51	
0.2	0.2	1	58	
0.2	0.2	1	70	

V8088 (CONT.)	B14A.# TX STAFF HAVE SPEC SAT TRNG

```
  PCT    PCT    N   VALUE  LABEL
 VALID   ALL
  0.2    0.2    1    150
         1.0    5     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2131-2134

V8089   **B15A.# TX STAFF HAVE SAT CERTIF**

(Of all your paid treatment staff) how many have special
certification in substance abuse treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
18.0	17.7	85	0	
17.5	17.3	83	1	
15.6	15.4	74	2	
9.9	9.8	47	3	
8.2	8.1	39	4	
6.6	6.4	31	5	
5.5	5.4	26	6	
3.8	3.7	18	7	
3.2	3.1	15	8	
1.1	1.0	5	9	
2.1	2.1	10	10	
0.8	0.8	4	11	
1.5	1.5	7	12	
1.3	1.2	6	13	
0.8	0.8	4	14	
0.4	0.4	2	15	
0.4	0.4	2	16	
0.8	0.8	4	20	
0.4	0.4	2	22	
0.2	0.2	1	24	
0.4	0.4	2	25	
0.2	0.2	1	27	
0.2	0.2	1	35	
0.2	0.2	1	40	
0.2	0.2	1	45	
0.2	0.2	1	46	
0.2	0.2	1	58	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW

```
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2135-2137

V8090	B16A. PERC OSAT BY PHD

What percent of the outpatient substance abuse treatment
provided by your unit is done by persons whose highest degree
is: a Ph.D?

```
   PCT     PCT    N   VALUE   LABEL
  VALID    ALL
  71.2    69.0   332      0
   3.6     3.5    17      1
   1.9     1.9     9      2
   1.5     1.5     7      3
   0.4     0.4     2      4
   6.4     6.2    30      5
   0.9     0.8     4      6
   0.2     0.2     1      7
   0.4     0.4     2      8
   6.9     6.7    32     10
   0.2     0.2     1     11
   0.9     0.8     4     12
   0.6     0.6     3     13
   0.4     0.4     2     14
   0.6     0.6     3     15
   0.2     0.2     1     19
   1.3     1.2     6     20
   0.2     0.2     1     23
   0.6     0.6     3     25
   0.2     0.2     1     30
   0.4     0.4     2     60
   0.2     0.2     1     83
   0.2     0.2     1     84
   0.2     0.2     1     85
           1.0     5     -5   -5. NO INTERVIEW
           1.5     7     -3   -3. REFUSED/NA
           0.6     3     -2   -2. DONT KNOW
  -----   -----   ---
  100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2138-2140

V8091	B16B. PERC OSAT BY MD,DO

What percent of the outpatient substance abuse treatment
provided by your unit is done by persons whose highest degree
is: an MD or DO?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.8	49.1	236	0	
7.3	7.1	34	1	
4.7	4.6	22	2	
1.9	1.9	9	3	
1.3	1.2	6	4	
9.7	9.4	45	5	
0.6	0.6	3	6	
0.4	0.4	2	7	
0.9	0.8	4	8	
0.2	0.2	1	9	
9.2	8.9	43	10	
0.2	0.2	1	13	
0.4	0.4	2	14	
1.3	1.2	6	15	
0.4	0.4	2	16	
0.2	0.2	1	17	
2.8	2.7	13	20	
0.2	0.2	1	24	
3.4	3.3	16	25	
1.9	1.9	9	30	
0.2	0.2	1	35	
0.4	0.4	2	45	
0.9	0.8	4	50	
0.2	0.2	1	70	
0.2	0.2	1	75	
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	0.6	3	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2141-2143

V8092   **B16C. PERC OSAT BY MASTER**

What percent of the outpatient substance abuse treatment
provided by your unit is done by persons whose highest degree
is: a Master's degree?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2144-2147

V8093   **B16D. PERC OSAT BY BA**

What percent of the outpatient substance abuse treatment
provided by your unit is done by persons whose highest degree
is: a bachelor's degree excluding those with Registered Nurse
(R.N.) degrees?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2148-2151

V8094   **B16E. PERC OSAT BY OTHER**

What percent of the outpatient substance abuse treatment
provided by your unit is done by persons whose highest degree
is: some other level of schooling?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2152-2155

V8095   **B17.# OSAT TX STAFF ARE CONSLT&CONTR**

How many consultants or independent contractors, either part-
time or full-time, are used to provide substance abuse
treatment at your unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
50.7	49.9	240	0	
21.4	21.0	101	1	
9.9	9.8	47	2	
6.6	6.4	31	3	
2.7	2.7	13	4	
1.7	1.7	8	5	
1.7	1.7	8	6	
1.5	1.5	7	7	
1.1	1.0	5	8	
0.8	0.8	4	9	
0.4	0.4	2	10	
0.2	0.2	1	12	
0.2	0.2	1	13	
0.2	0.2	1	15	
0.4	0.4	2	20	
0.2	0.2	1	25	
0.2	0.2	1	45	
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2156-2158

```
V8096                    B18A.# OSAT TX STAFF C&C ARE PHYSICIANS
```

Of these, how many: are physicians?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  40.3   19.5   94      0
  44.6   21.6  104      1
  10.7    5.2   25      2
   2.6    1.2    6      3
   0.9    0.4    2      4
   0.9    0.4    2      5
          1.0    5     -5  -5. NO INTERVIEW
          0.4    2     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         49.9  240     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2159-2160

```
V8097                    B18B.# OSAT TX STAFF C&C ARE PSYC PHDXS
```

Of these, how many: are Ph.D's in psychology?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  65.9   31.8  153      0
  27.2   13.1   63      1
   5.2    2.5   12      2
   1.7    0.8    4      3
          1.0    5     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         49.9  240     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2161-2162

V8098	B18C.# OSAT TX STAFF C&C ARE MSW,PSY MA

Of these, how many: are Master's level social workers or psychologists?

PCT VALID	PCT ALL	N	VALUE	LABEL
66.7	32.0	154	0	
16.5	7.9	38	1	
6.9	3.3	16	2	
1.7	0.8	4	3	
0.4	0.2	1	4	
0.9	0.4	2	5	
2.2	1.0	5	6	
1.3	0.6	3	7	
0.9	0.4	2	8	
0.9	0.4	2	9	
0.9	0.4	2	10	
0.4	0.2	1	15	
0.4	0.2	1	42	
	1.0	5	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	49.9	240	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2163-2165

```
V8099                   B19.INTV CHKPT:TMT STAF EXADD/NOT
```

INTERVIEWER CHECKPOINT

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  23.7   23.1  111      0  0. NO TX PROV BY X-ADDICTS
  76.3   74.2  357      1  1. YES TX PROV BY X-ADDICTS
          1.0    5     -5  -5. NO INTERVIEW
          0.6    3     -3  -3. REFUSED/NA
          1.0    5     -2  -2. DONT KNOW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2166-2167

```
V8100                   B20.EXTENT USE EXADICT:PUB IMAGE
```

To what extent does your outpatient substance abuse treatment
unit employ ex-addicts or recovering alcoholics to enhance the
public image, reputation or acceptance of this outpatient
unit? (Would you say to no extent, a little, some, great, or
to a very great extent?)

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  36.2   26.8  129      1  1. No extent
  23.0   17.0   82      2  2. A little extent
  27.5   20.4   98      3  3. Some extent
  10.7    7.9   38      4  4. A great extent
   2.5    1.9    9      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          1.5    7     -3  -3. REFUSED/NA
          0.4    2     -2  -2. DONT KNOW
         23.1  111     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2168-2169

V8101	B21.EXTENT USE EXADICT:KEEP UP WI FLD

(To what extent does your outpatient substance abuse treatment
unit employ ex-addicts or recovering alcoholics) because it is
important to keep up with the substance abuse field? (Would
you say to no extent, a little, some, great, or to a very
great extent?)

```
   PCT     PCT    N  VALUE   LABEL
  VALID    ALL
  37.7    27.9  134      1  1. No extent
  20.6    15.2   73      2  2. A little extent
  24.2    17.9   86      3  3. Some extent
  14.1    10.4   50      4  4. A great extent
   3.4     2.5   12      5  5. A very great extent
           1.0    5     -5  -5. NO INTERVIEW
           1.5    7     -3  -3. REFUSED/NA
           0.6    3     -2  -2. DONT KNOW
          23.1  111     -1  -1. SKIPPED QUESTION
  -----   -----  ---
  100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2170-2171

V8102	B22.INTV CHKPT:PRO TX ST >=MA/NOT

INTERVIEWER CHECKPOINT

```
   PCT     PCT    N  VALUE   LABEL
  VALID    ALL
   4.2     4.2   20      0  0. NO PROF STAFF
  95.8    94.8  456      1  1. MASTERS DEG +
           1.0    5     -5  -5. NO INTERVIEW
  -----   -----  ---
  100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2172-2173

V8103	B23.EXT USE PROF:BY FORML AGREMNT AGY

To what extent does your outpatient unit employ professional
treatment staff because of a formal agreement between your
outpatient unit and some other organization? (Would you say
to no extent, a little, some, great, or to a very great
extent?)

PCT VALID	PCT ALL	N	VALUE	LABEL
62.5	58.6	282	1	1. No extent
6.4	6.0	29	2	2. A little extent
13.7	12.9	62	3	3. Some extent
9.3	8.7	42	4	4. A great extent
8.0	7.5	36	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	4.2	20	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2174-2175

V8104	B23A.PROF STF:SUMMARY # AGY/ORG

What are the names of these organizations?--SUMMARY

PCT VALID	PCT ALL	N	VALUE	LABEL
48.5	17.0	82	1	
34.9	12.3	59	2	
16.0	5.6	27	3	
0.6	0.2	1	4	
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	62.8	302	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2176-2177

V8105   **B23A.PROF STF: AGY/ORGN NAME M1**

What are the names of these organizations?

481 cases (Range of valid codes: 1-77)

Data type: numeric
Missing-data codes: -5--1
Columns: 2178-2180

V8106   **B23B.PROF STF: M1 FUNDING AGY:C/N?**

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 40.2    14.1   68      0  0. NO CHECK
 59.8    21.0  101      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          1.0    5     -3  -3. REFUSED/NA
         62.8  302     -1  -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2181-2182

V8107   **B23B PROF STF: M1 LICN/ACCRED:C/N?**

Is it   ...a licensing or accreditation organization?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 51.5    18.1   87      0  0. NO CHECK
 48.5    17.0   82      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          1.0    5     -3  -3. REFUSED/NA
         62.8  302     -1  -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2183-2184

V8108   **B23B PROF STF: M1 REFERRAL AGY:C/N?**

Is it   ...a referral source?

PCT VALID	PCT ALL	N	VALUE	LABEL
68.0	23.9	115	0	0. NO CHECK
32.0	11.2	54	1	1. CHECKED
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	62.8	302	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2185-2186

V8109   **B23B PROF STF: M1 TRMT AGY:C/N?**

Is it   ...a substance abuse treatment unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
91.7	32.2	155	0	0. NO CHECK
8.3	2.9	14	1	1. CHECKED
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	62.8	302	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2187-2188

V8110	B23C PROF STF: M1 GOVT LEVL

Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  33.1   11.4    55      1  1. LOCAL
  54.2   18.7    90      2  2. STATE
   6.6    2.3    11      3  3. FEDERAL
   6.0    2.1    10      4  4. NATIONAL
          1.0     5     -5  -5. NO INTERVIEW
          1.5     7     -3  -3. REFUSED/NA
          0.2     1     -2  -2. DONT KNOW
         62.8   302     -1  -1. SKIPPED QUESTION
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2189-2190

V8111	B23A PROF STF: AGY/ORGN NAME M2

What are the names of these organizations?

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2191-2193

V8112   **B23B PROF STF: M2 FUNDING AGY:C/N?**

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 51.7    9.4   45       0  0. NO CHECK
 48.3    8.7   42       1  1. CHECKED
         1.0    5      -5  -5. NO INTERVIEW
         1.0    5      -3  -3. REFUSED/NA
        79.8  384      -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2194-2195

V8113   **B23B PROF STF: M2 LICN/ACCRED: C/N?**

Is it   ...a licensing or accreditation organization?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 40.2    7.3   35       0  0. NO CHECK
 59.8   10.8   52       1  1. CHECKED
         1.0    5      -5  -5. NO INTERVIEW
         1.0    5      -3  -3. REFUSED/NA
        79.8  384      -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2196-2197

V8114   **B23B PROF STF: M2 REFERRAL AGY:C/N?**

Is it   ...a referral source?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  70.1   12.7   61      0  0. NO CHECK
  29.9    5.4   26      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          1.0    5     -3  -3. REFUSED/NA
         79.8  384     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2198-2199

V8115   **B23B PROF STF: M2 TREATMT AGY:C/N?**

Is it   ...a substance abuse treatment unit?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  89.7   16.2   78      0  0. NO CHECK
  10.3    1.9    9      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          1.0    5     -3  -3. REFUSED/NA
         79.8  384     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2200-2201

V8116	B23C PROF STF: M2 GOVT LEVEL

Is it a local, state, or federal organization; or is it a
national organization? (CHECK ONLY ONE.) [IF R SAYS MORE THAN
ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 26.7     4.8   23      1   1. LOCAL
 53.5     9.6   46      2   2. STATE
  7.0     1.2    6      3   3. FEDERAL
 12.8     2.3   11      4   4. NATIONAL
          1.0    5     -5   -5. NO INTERVIEW
          1.2    6     -3   -3. REFUSED/NA
         79.8  384     -1   -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2202-2203

V8117	B23A PROF STF: AGY/ORGN NAME M3

What are the names of these organizations?

481 cases (Range of valid codes: 26-76)

Data type: numeric
Missing-data codes: -5--1
Columns: 2204-2206

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8118              B23B PROF STF: M3 FUNDING AGY:C/N?                    │
└─────────────────────────────────────────────────────────────────────────┘
```

Which of the following describe (NAME OF ORGANIZATION)? Is it
a funding organization?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  75.0    4.4   21      0  0. NO CHECK
  25.0    1.5    7      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          1.0    5     -3  -3. REFUSED/NA
         92.1  443     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2207-2208

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8119              B23B PROF STF: M3 LICN/ACCRED:C/N?                    │
└─────────────────────────────────────────────────────────────────────────┘
```

Is it   ...a licensing or accreditation organization?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  46.4    2.7   13      0  0. NO CHECK
  53.6    3.1   15      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          1.0    5     -3  -3. REFUSED/NA
         92.1  443     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2209-2210

V8120   **B23B PROF STF: M3 REFERRAL AGY:C/N?**

Is it   ...a referral source?

PCT VALID	PCT ALL	N	VALUE	LABEL
71.4	4.2	20	0	0. NO CHECK
28.6	1.7	8	1	1. CHECKED
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	92.1	443	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2211-2212

V8121   **B23B PROF STF: M3 TREATMENT AGY: /N?**

Is it   ...a substance abuse treatment unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
89.3	5.2	25	0	0. NO CHECK
10.7	0.6	3	1	1. CHECKED
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	92.1	443	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2213-2214

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8122                    B23C PROF STF: M3 GOVT LEVEL                 │
└─────────────────────────────────────────────────────────────────────┘
```

Is it a local, state, or federal organization; or is it a
national organization? (CHECK ONLY ONE.) [IF R SAYS MORE THAN
ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  33.3    1.9    9      1  1. LOCAL
  33.3    1.9    9      2  2. STATE
  29.6    1.7    8      3  3. FEDERAL
   3.7    0.2    1      4  4. NATIONAL
          1.0    5     -5  -5. NO INTERVIEW
          1.0    5     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         92.1  443     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2215-2216

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8123                    B24.EXTENT PROF ST:CONFLICT REQ             │
└─────────────────────────────────────────────────────────────────────┘
```

To what extent do the organizations you mentioned have
conflicting expectations or requirements of your unit? (Would
you say to no extent, a little, some, great, or to a very
great extent?)

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  29.9    5.4   26      1  1. No extent
  31.0    5.6   27      2  2. A little extent
  28.7    5.2   25      3  3. Some extent
   9.2    1.7    8      4  4. A great extent
   1.1    0.2    1      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          1.0    5     -3  -3. REFUSED/NA
         79.8  384     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2217-2218

V8124   **B25.EXTENT PROF ST:ORG OFRD INCT**

(To what extent does your outpatient unit employ professional
treatment staff) because some other organization offered your
outpatient unit incentives like technical assistance or seed
money to do so? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
 84.5   79.2  381      1   1. No extent
  6.0    5.6   27      2   2. A little extent
  5.8    5.4   26      3   3. Some extent
  3.1    2.9   14      4   4. A great extent
  0.7    0.6    3      5   5. A very great extent
         1.0    5     -5   -5. NO INTERVIEW
         0.8    4     -3   -3. REFUSED/NA
         0.2    1     -2   -2. DONT KNOW
         4.2   20     -1   -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2219-2220

V8125	B26.EXTENT PROF ST:COMPLY GOV AGY REGS

(To what extent does your outpatient unit employ professional
treatment staff) in order to comply with government agency
regulations? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 24.8   23.1  111      1  1. No extent
  6.5    6.0   29      2  2. A little extent
 23.7   22.0  106      3  3. Some extent
 33.0   30.8  148      4  4. A great extent
 12.1   11.2   54      5  5. A very great extent
        1.0    5     -5  -5. NO INTERVIEW
        1.5    7     -3  -3. REFUSED/NA
        0.2    1     -2  -2. DONT KNOW
        4.2   20     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2221-2222

V8126	B26A.PROF STF:SUMMARY # GOVT AGY NAMES

What are the names of these agencies?--SUMMARY

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 50.0   34.9  168      1
 27.7   19.3   93      2
 21.4   15.0   72      3
  0.3    0.2    1      4
  0.3    0.2    1      5
  0.3    0.2    1      6
        1.0    5     -5  -5. NO INTERVIEW
        1.2    6     -3  -3. REFUSED/NA
        0.6    3     -2  -2. DONT KNOW
       27.2  131     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2223-2224

V8127 **B26A PROF STF:GV-AGY NAME M1**

What are the names of these agencies?

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2225-2227

V8128 **B26B PROF STF:M1 A FUNDING AGY:C/N?**

Which of the following describe (NAME OF AGENCY)? Is it a
funding agency?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 36.7   25.6  123      0  0. NO CHECK
 63.3   44.1  212      1  1. CHECKED
         1.0    5     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         0.6    3     -2  -2. DONT KNOW
        27.2  131     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2228-2229

V8129	B26B PROF STF:M1 A LICN/ACCRED AGY:C/N?

Is it ...a licensing or accreditation agency?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  20.6   14.3   69      0  0. NO CHECK
  79.4   55.3  266      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          1.5    7     -3  -3. REFUSED/NA
          0.6    3     -2  -2. DONT KNOW
         27.2  131     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2230-2231

V8130	B26B PROF STF:M1 A REFERRAL AGY:C/N?

Is it ...a referral source?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  80.6   56.1  270      0  0. NO CHECK
  19.4   13.5   65      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          1.5    7     -3  -3. REFUSED/NA
          0.6    3     -2  -2. DONT KNOW
         27.2  131     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2232-2233

```
┌──────────────────────────────────────────────────────────────────┐
│ V8131                    B26C PROF STF:M1 GOVT LEVEL               │
└──────────────────────────────────────────────────────────────────┘
```

Is it a local, state, or federal agency? (CHECK ONLY ONE.)
[IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 10.5    7.3   35      1   1. LOCAL
 74.9   52.0  250      2   2. STATE
 14.7   10.2   49      3   3. FEDERAL
  0.0    0.0    0      4   4. NATIONAL
         1.0    5     -5   -5. NO INTERVIEW
         1.7    8     -3   -3. REFUSED/NA
         0.6    3     -2   -2. DONT KNOW
        27.2  131     -1   -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2234-2235

```
┌──────────────────────────────────────────────────────────────────┐
│ V8132                    B26A PROF STF::GV-AGY NAME M2             │
└──────────────────────────────────────────────────────────────────┘
```

What are the names of these agencies?

481 cases (Range of valid codes: 1-74)

Data type: numeric
Missing-data codes: -5--1
Columns: 2236-2238

V8133   **B26B PROF STF:M2 A FUNDING AGY:C/N?**

Which of the following describe (NAME OF AGENCY)? Is it a
funding agency?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  51.2   17.9   86      0  0. NO CHECK
  48.8   17.0   82      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          1.5    7     -3  -3. REFUSED/NA
          0.4    2     -2  -2. DONT KNOW
         62.2  299     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2239-2240

V8134   **B26B PROF STF:M2 A LICN/ACCRED AGY:C/N?**

Is it ...a licensing or accreditation agency?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  23.2    8.1   39      0  0. NO CHECK
  76.8   26.8  129      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          1.5    7     -3  -3. REFUSED/NA
          0.4    2     -2  -2. DONT KNOW
         62.2  299     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2241-2242

V8135   **B26B PROF STF:M2 A REFERRAL AGY:C/N?**

Is it ...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 82.7   28.9  139      0  0. NO CHECK
 17.3    6.0   29      1  1. CHECKED
         1.0    5     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
        62.2  299     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2243-2244

V8136   **B26C PROF STF:M2 GOVT LEVEL**

Is it a local, state, or federal agency? (CHECK ONLY ONE.)
[IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 11.7    4.0   19      1  1. LOCAL
 56.8   19.1   92      2  2. STATE
 31.5   10.6   51      3  3. FEDERAL
  0.0    0.0    0      4  4. NATIONAL
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         0.6    3     -2  -2. DONT KNOW
        62.2  299     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2245-2246

V8137   **B26A PROF STF:M3 GV-AGY NAME M3**

What are the names of these agencies?

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2247-2249

V8138   **B26B PROF STF:M3 A FUNDING AGY:C/N?**

Which of the following describe (NAME OF AGENCY)? Is it a
funding agency?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 62.7    9.8   47      0  0. NO CHECK
 37.3    5.8   28      1  1. CHECKED
         1.0    5     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
        81.5  392     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2250-2251

```
V8139                B26B PROF STF:M3 A LICN/ACCRED AGY:C/N?
```

...a licensing or accreditation agency?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 27.0    4.2   20      0  0. NO CHECK
 73.0   11.2   54      1  1. CHECKED
         1.0    5     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         0.6    3     -2  -2. DONT KNOW
        81.5  392     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2252-2253

```
V8140                B26B PROF STF:M3 A REFERRAL AGY:C/N?
```

...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 76.0   11.9   57      0  0. NO CHECK
 24.0    3.7   18      1  1. CHECKED
         1.0    5     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
        81.5  392     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2254-2255

V8141	B26C PROF STF:M3 GOVT LEVEL

Is it a local, state, or federal agency? (CHECK ONLY ONE.)
[IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

PCT VALID	PCT ALL	N	VALUE	LABEL
15.1	2.3	11	1	1. LOCAL
49.3	7.5	36	2	2. STATE
35.6	5.4	26	3	3. FEDERAL
0.0	0.0	0	4	4. NATIONAL
	1.0	5	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	81.5	392	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2256-2257

V8142	B27 EXTENT PROF STF:GV-CONFLT REQ

To what extent do the government agencies you mentioned have
conflicting expectations or requirements of your unit? (Would
you say to no extent, a little, some, great, or to a very
great extent?)

PCT VALID	PCT ALL	N	VALUE	LABEL
32.9	11.4	55	1	1. No extent
29.3	10.2	49	2	2. A little extent
26.3	9.1	44	3	3. Some extent
10.2	3.5	17	4	4. A great extent
1.2	0.4	2	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	62.2	299	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2258-2259

V8143	B28 EXTENT PROF STF:ENHANC PUB IMAGE

(To what extent does your outpatient unit employ professional
treatment staff) to enhance the public image, reputation or
acceptance of this outpatient unit? (Would you say to no
extent, a little, some, great, or to a very great extent?)

```
  PCT     PCT    N  VALUE   LABEL
VALID     ALL
 24.7    23.1  111      1   1. No extent
 10.7    10.0   48      2   2. A little extent
 27.6    25.8  124      3   3. Some extent
 29.3    27.4  132      4   4. A great extent
  7.8     7.3   35      5   5. A very great extent
          1.0    5     -5   -5. NO INTERVIEW
          1.0    5     -3   -3. REFUSED/NA
          0.2    1     -2   -2. DONT KNOW
          4.2   20     -1   -1. SKIPPED QUESTION
 -----   ----- ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2260-2261

V8144   **B29 EXTENT PROF STF:KEEP UP W FLD**

(To what extent does your outpatient unit employ professional
treatment staff) because it is important to keep up with the
substance abuse field? (Would you say to no extent, a little,
some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 13.2   12.3   59      1  1. No extent
  7.6    7.1   34      2  2. A little extent
 23.2   21.6  104      3  3. Some extent
 41.1   38.3  184      4  4. A great extent
 15.0   13.9   67      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
         0.6    3     -2  -2. DONT KNOW
         4.2   20     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2262-2263

V8145	B30.AVG # MO CLIN SUPV TRNG BY OT STAFF

On average, how many months of clinically supervised training
did each of your outpatient treatment staff have prior to
joining this unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.4	3.7	18	0	
2.4	2.1	10	1	1. 1 MO OR LESS
1.5	1.2	6	2	
4.4	3.7	18	3	
1.7	1.5	7	4	
0.5	0.4	2	5	
9.0	7.7	37	6	
0.2	0.2	1	7	
0.7	0.6	3	8	
1.0	0.8	4	9	
0.5	0.4	2	10	
0.2	0.2	1	11	
20.5	17.5	84	12	
1.0	0.8	4	15	
0.2	0.2	1	16	
3.4	2.9	14	18	
0.5	0.4	2	20	
0.2	0.2	1	21	
0.2	0.2	1	22	
21.2	18.1	87	24	
0.2	0.2	1	27	
2.9	2.5	12	30	
8.0	6.9	33	36	
0.5	0.4	2	42	
3.7	3.1	15	48	
0.5	0.4	2	51	
0.5	0.4	2	54	
5.4	4.6	22	60	
0.2	0.2	1	66	
1.0	0.8	4	72	
0.5	0.4	2	75	
1.0	0.8	4	84	
0.2	0.2	1	96	
0.2	0.2	1	99	
0.2	0.2	1	108	
0.5	0.4	2	120	
0.2	0.2	1	126	

```
  V8145 (CONT.)                  B30.AVG # MO CLIN SUPV TRNG BY OT STAFF
```

```
    PCT    PCT    N  VALUE  LABEL
   VALID   ALL
    0.2    0.2    1    132
           1.0    5    -5  -5. NO INTERVIEW
           2.3   11    -3  -3. REFUSED/NA
          11.4   55    -2  -2. DONT KNOW
   -----  -----  ---
   100.0  100.0  481 cases
```

```
   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2264-2267
```

```
  V8146                   B31.FREQ TX-STAFF EVAL ON PERFM
```

How often are performance evaluations conducted with each of
the treatment staff in your outpatient unit after their
probationary period? (Would you say it is done on a monthly
basis, a quarterly basis, semi-annually, on an annual basis,
less than once a year, or not done at all?)

```
    PCT    PCT    N  VALUE  LABEL
   VALID   ALL
    0.4    0.4    2     0  0. Not Done/Never
    0.8    0.8    4     1  1. LT Once/Yr
   77.8   76.7  369     2  2. Annual
   12.4   12.3   59     3  3. Semi-annual
    5.3    5.2   25     4  4. Quarterly
    3.2    3.1   15     5  5. Monthly
           1.0    5    -5  -5. NO INTERVIEW
           0.4    2    -3  -3. REFUSED/NA
   -----  -----  ---
   100.0  100.0  481 cases
```

```
   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2268-2269
```

V8147	B32.HOW MUCH CASELOAD TOO HI/LOW

Based on the current caseload in your outpatient unit, is the number of clients per staff member in your unit much too low, too low, about right, too high, or much too high?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  0.6    0.6    3      1  1. Much Too Low
  7.4    7.3   35      2  2. Too Low
 53.3   52.6  253      3  3. About Right
 28.6   28.3  136      4  4. Too High
 10.1   10.0   48      5  5. Much Too High
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2270-2271

V8148	B33.# CLIENTS IN TYP CASELOAD F-T STAFF

What is the typical active caseload for a full-time member of the treatment staff at your outpatient unit?

481 cases (Range of valid codes: 2-135)

Data type: numeric
Missing-data codes: -5--1
Columns: 2272-2275

V8149	B34.# CLIENTS IN IDEAL CASELOAD F-T STF

What is the ideal active caseload for a full-time member of the treatment staff at your outpatient unit?

481 cases (Range of valid codes: 3-115)

Data type: numeric
Missing-data codes: -5--1
Columns: 2276-2279

V8150	B35A.EXTENT AGREE APLCNT:PROF DEGR

Now I'd like you to think about your outpatient unit's hiring
policies and practices. When hiring or contracting for
treatment staff how much do you agree or disagree with each of
the following statements about the applicant's background? An
applicant should have a professional degree. Would you say
that you strongly agree, somewhat agree, neither agree nor
disagree, somewhat disagree or strongly disagree?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
 49.5   48.6  234      1  1. STRONGLY AGREE
 34.2   33.7  162      2  2. SOMEWHAT AGREE
  9.3    9.1   44      3  3. NEITHER
  4.9    4.8   23      4  4. SOMEWHAT DISAGREE
  2.1    2.1   10      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2280-2281

V8151   **B35B.EXTENT AGREE APLCNT:WORK EXPR**

When hiring or contracting for treatment staff how much do you
agree or disagree with... An applicant should have previous
experience working in a substance abuse agency. (Would you say
that you strongly agree, somewhat agree, neither agree nor
disagree, somewhat disagree, or strongly disagree?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 50.2   49.5   238     1  1. STRONGLY AGREE
 39.5   38.9   187     2  2. SOMEWHAT AGREE
  5.5    5.4    26     3  3. NEITHER
  4.0    4.0    19     4  4. SOMEWHAT DISAGREE
  0.8    0.8     4     5  5. STRONGLY DISAGREE
  0.0    0.0     0     6  6. DOES NOT APPLY
         1.0     5    -5  -5. NO INTERVIEW
         0.4     2    -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2282-2283

V8152   **B35C EXTENT AGREE APLCNT:SPECL TRN**

When hiring or contracting for treatment staff how much do you
agree or disagree with... (An applicant) should have specialized
training in the substance abuse field.

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 56.6   55.9   269     1  1. STRONGLY AGREE
 33.7   33.3   160     2  2. SOMEWHAT AGREE
  5.5    5.4    26     3  3. NEITHER
  3.4    3.3    16     4  4. SOMEWHAT DISAGREE
  0.8    0.8     4     5  5. STRONGLY DISAGREE
  0.0    0.0     0     6  6. DOES NOT APPLY
         1.0     5    -5  -5. NO INTERVIEW
         0.2     1    -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2284-2285

V8153	B35D EXTENT AGREE APLCNT:HSTY ABUS

When hiring or contracting for treatment staff how much do you
agree or disagree with... (An applicant) should have a personal
history of substance abuse problems.

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
  1.9    1.9    9      1  1. STRONGLY AGREE
 12.1   11.9   57      2  2. SOMEWHAT AGREE
 32.5   31.8  153      3  3. NEITHER
 23.4   22.9  110      4  4. SOMEWHAT DISAGREE
 30.1   29.5  142      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2286-2287

V8154	B35E EXTENT AGREE APLCNT:CERT CNSL

When hiring or contracting for treatment staff how much do you
agree or disagree with... (An applicant) should have
certification as a substance abuse counselor.

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 26.8   26.4  127      1  1. STRONGLY AGREE
 31.4   31.0  149      2  2. SOMEWHAT AGREE
 20.3   20.0   96      3  3. NEITHER
 15.6   15.4   74      4  4. SOMEWHAT DISAGREE
  5.9    5.8   28      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2288-2289

```
V8155                    B35F EXTENT AGREE APLCNT:CLINC EXP
```

When hiring or contracting for treatment staff how much do you
agree or disagree with... (An applicant) should have had
supervised clinical experience during training.

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  70.0    69.0   332      1  1. STRONGLY AGREE
  23.2    22.9   110      2  2. SOMEWHAT AGREE
   3.8     3.7    18      3  3. NEITHER
   1.9     1.9     9      4  4. SOMEWHAT DISAGREE
   1.1     1.0     5      5  5. STRONGLY DISAGREE
   0.0     0.0     0      6  6. DOES NOT APPLY
           1.0     5     -5  -5. NO INTERVIEW
           0.2     1     -3  -3. REFUSED/NA
           0.2     1     -2  -2. DONT KNOW
 -----   -----   ---
 100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2290-2291

V8156	B36A EXTENT AGREE X-AD MORE EFFECT

Please tell me how much you agree or disagree with each of the following statements about the effectiveness of substance abuse treatment staff. Ex-addicts or recovering staff have a special kind of experience that enables them to work more effectively with clients than non-recovering staff. (Would you say that you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree,or strongly disagree?)

```
  PCT     PCT     N  VALUE   LABEL
VALID     ALL
  7.4     7.3    35      1  1. STRONGLY AGREE
 28.8    28.5   137      2  2. SOMEWHAT AGREE
 27.6    27.2   131      3  3. NEITHER
 22.9    22.7   109      4  4. SOMEWHAT DISAGREE
 13.3    13.1    63      5  5. STRONGLY DISAGREE
  0.0     0.0     0      6  6. DOES NOT APPLY
          1.0     5     -5  -5. NO INTERVIEW
          0.2     1     -3  -3. REFUSED/NA
 -----   -----   ---
100.0   100.0   481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2292-2293
```

V8157	B36B EXTENT AGREE PROF DEG> EFFECT

Please tell me how much you agree or disagree with each of the
following statements about the effectiveness of substance
abuse treatment staff. Staff with professional degrees have
greater knowledge than those without professional degrees
about the underlying causes of substance abuse that enables
them to be more effective in treatment. (Would you say that
you strongly agree, somewhat agree, neither agree nor
disagree, somewhat disagree, or strongly disagree?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 15.8   15.6   75      1  1. STRONGLY AGREE
 35.7   35.1  169      2  2. SOMEWHAT AGREE
 21.5   21.2  102      3  3. NEITHER
 19.8   19.5   94      4  4. SOMEWHAT DISAGREE
  7.2    7.1   34      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2294-2295

V8158	B36C EXTENT AGREE X-AD>W CL DENIAL

Please tell me how much you agree or disagree with each of the
following statements about the effectiveness of substance
abuse treatment staff. A recovering substance abuse staff
person is better able to deal with client denial and
resistance than a non- recovering staff person.

```
  PCT    PCT    N  VALUE   LABEL
VALID   ALL
  7.4    7.3   35      1   1. STRONGLY AGREE
 27.4   27.0  130      2   2. SOMEWHAT AGREE
 26.7   26.4  127      3   3. NEITHER
 21.5   21.2  102      4   4. SOMEWHAT DISAGREE
 17.1   16.8   81      5   5. STRONGLY DISAGREE
  0.0    0.0    0      6   6. DOES NOT APPLY
         1.0    5     -5   -5. NO INTERVIEW
         0.2    1     -3   -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2296-2297

V8159	B36D EXTENT AGREE PROF DEG> OBJECT

Please tell me how much you agree or disagree with each of the
following statements about the effectiveness of substance
abuse treatment staff. Staff with professional degrees are
better able to maintain an objective view of clients'
substance abuse problems than staff without professional
degrees.

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 14.5    14.3   69      1  1. STRONGLY AGREE
 35.4    34.9  168      2  2. SOMEWHAT AGREE
 23.2    22.9  110      3  3. NEITHER
 18.1    17.9   86      4  4. SOMEWHAT DISAGREE
  8.8     8.7   42      5  5. STRONGLY DISAGREE
  0.0     0.0    0      6  6. DOES NOT APPLY
          1.0    5     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
 -----   ----- ---
100.0   100.0  481 cases


Data type: numeric
Missing-data codes: -5--1
Columns: 2298-2299
```

V8160	**B37A EXTENT AGREE ST REWARD-INOVAT**

Please tell me how much you agree or disagree with the
following statements about innovation in your unit. Staff
members in this unit are encouraged and rewarded for coming up
with new ways to improve services. (Would you say that you
strongly agree, somewhat agree, neither agree nor disagree,
somewhat disagree, or strongly disagree?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 53.3   52.6  253      1  1. STRONGLY AGREE
 33.7   33.3  160      2  2. SOMEWHAT AGREE
  6.1    6.0   29      3  3. NEITHER
  4.6    4.6   22      4  4. SOMEWHAT DISAGREE
  2.3    2.3   11      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
 -----  ----- ---
 100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2300-2301

V8161   **B37B EXTENT AGREE LIMT PROCD CHANG**

Please tell me how much you agree or disagree with the
following statements about innovation in your unit. It is
important to limit changes in the procedures followed in this
unit to prevent disruptions in the delivery of services.
(Would you say that you strongly agree, somewhat agree,
neither agree nor disagree, somewhat disagree, or strongly
disagree?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 12.2   12.1   58      1  1. STRONGLY AGREE
 30.3   29.9  144      2  2. SOMEWHAT AGREE
 12.0   11.9   57      3  3. NEITHER
 29.1   28.7  138      4  4. SOMEWHAT DISAGREE
 16.4   16.2   78      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2302-2303

V8162   **B37C EXTENT AGREE STAF UNCMF W CHG**

Please tell me how much you agree or disagree with the
following statements about innovation in your unit. Key staff
members in this unit are uncomfortable with changes in
established policies and procedures.

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  6.5    6.4   31      1  1. STRONGLY AGREE
 29.5   29.1  140      2  2. SOMEWHAT AGREE
 10.1   10.0   48      3  3. NEITHER
 31.4   31.0  149      4  4. SOMEWHAT DISAGREE
 22.4   22.0  106      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2304-2305

V8163   **B37D EXTENT AGREE ENUF $-NEW PROCD**

Please tell me how much you agree or disagree with the
following statements about innovation in your unit. This unit
has adequate funds and personnel to learn about new procedures
and practices in the area of substance abuse treatment.

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 14.1   13.9   67      1  1. STRONGLY AGREE
 28.6   28.3  136      2  2. SOMEWHAT AGREE
  3.4    3.3   16      3  3. NEITHER
 27.2   26.8  129      4  4. SOMEWHAT DISAGREE
 26.7   26.4  127      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2306-2307

CLIENT CHARACTERISTICS

V8164	C1 BEG MO MOST REC FY

First, I need to establish dates for your unit's most recent
complete fiscal year. What are the beginning and ending dates
of your unit's most recent complete fiscal year?-- BEGINNING:
MONTH

PCT VALID	PCT ALL	N	VALUE	LABEL
18.3	18.1	87	1	01. January
0.4	0.4	2	2	02. February
0.2	0.2	1	3	03. March
1.9	1.9	9	4	04. April
0.0	0.0	0	5	05. May
0.2	0.2	1	6	06. June
60.6	59.9	288	7	07. July
0.2	0.2	1	8	08. August
2.9	2.9	14	9	09. September
14.9	14.8	71	10	10. October
0.2	0.2	1	11	11. November
0.0	0.0	0	12	12. December
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2308-2310

```
┌─────────────────────────────────────────────────────────────────────────┐
│  V8165                    C1 BEG DY MOST REC FY                          │
└─────────────────────────────────────────────────────────────────────────┘

        BEGINNING: DAY

      PCT     PCT     N   VALUE   LABEL
     VALID    ALL
     100.0   98.8   475      1
              1.0     5     -5   -5. NO INTERVIEW
              0.2     1     -3   -3. REFUSED/NA
     -----   -----   ---
     100.0   100.0   481 cases

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 2311-2312
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│  V8166                    C1 BEG YR MOST REC FY                          │
└─────────────────────────────────────────────────────────────────────────┘

        BEGINNING: YEAR

      PCT     PCT     N   VALUE   LABEL
     VALID    ALL
      6.7     6.7    32     88   88. 1988
     91.2    90.0   433     89   89. 1989
      2.1     2.1    10     90   90. 1990
      0.0     0.0     0     91   91. 1991
              1.0     5     -5   -5. NO INTERVIEW
              0.2     1     -3   -3. REFUSED/NA
     -----   -----   ---
     100.0   100.0   481 cases

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 2313-2315
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8167                    C1 END MO MOST REC FY                        │
└─────────────────────────────────────────────────────────────────────┘
```

      ENDING: MONTH

        PCT   PCT   N   VALUE   LABEL
       VALID   ALL
        0.4   0.4   2   1   01. January
        0.2   0.2   1   2   02. February
        1.9   1.9   9   3   03. March
        0.0   0.0   0   4   04. April
        0.2   0.2   1   5   05. May
       60.6   59.9 288   6   06. June
        0.2   0.2   1   7   07. July
        2.9   2.9   14   8   08. August
       14.9   14.8   71   9   09. September
        0.2   0.2   1   10   10. October
        0.0   0.0   0   11   11. November
       18.3   18.1   87   12   12. December
               1.0   5   -5   -5. NO INTERVIEW
               0.2   1   -3   -3. REFUSED/NA
       ----- ----- ---
       100.0 100.0 481 cases

       Data type: numeric
       Missing-data codes: -5--1
       Columns: 2316-2318

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8168                    C1 END DY MOST REC FY                        │
└─────────────────────────────────────────────────────────────────────┘
```

      ENDING: DAY

        PCT   PCT   N   VALUE   LABEL
       VALID   ALL
        0.2   0.2   1   28
       75.4   74.4 358   30
       24.4   24.1 116   31
               1.0   5   -5   -5. NO INTERVIEW
               0.2   1   -3   -3. REFUSED/NA
       ----- ----- ---
       100.0 100.0 481 cases

       Data type: numeric
       Missing-data codes: -5--1
       Columns: 2319-2321

V8169 **C1 END YR MOST REC FY**

ENDING: YEAR

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	88	88. 1988
22.9	22.7	109	89	89. 1989
77.1	76.1	366	90	90. 1990
0.0	0.0	0	91	91. 1991
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2322-2324

V8170 **C2.TOTAL #CL:ANY OP TMT-MRCFY**

Altogether, what is the total number of clients who received outpatient treatment services of any kind at your unit in the most recent complete fiscal year?

481 cases (Range of valid codes: 10-8500)

Data type: numeric
Missing-data codes: -5--1
Columns: 2325-2329

V8171 **C3 PERC OP CL:PROB W ALCOHOL**

Of all the clients receiving outpatient treatment services at your unit in the most recent complete fiscal year, what percent had a problem of alcohol abuse?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2330-2333

| V8172 | C3A PERC OP CL:ALCH T-REQUIR |

Of the outpatient clients who had an alcohol abuse problem,
what percent were in treatment because employers or courts
required it?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2334-2337

| V8173 | C4 PERC OP CL:PROB W DRUG AB |

Of all the clients receiving outpatient treatment services at
your unit in the most recent complete fiscal year, what
percent had a problem of drug abuse?

481 cases (Range of valid codes: 2-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2338-2341

| V8174 | C4A PERC OP CL:DRG T-REQUIRE |

Of the outpatient clients who had a drug abuse problem, what
percent were in treatment because employers or courts required
it?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2342-2345

V8175	C5A PERC OP CL:HEROIN ABUSE

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? Abuse of heroin?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.3	18.7	90	0	
15.8	15.4	74	1	
9.0	8.7	42	2	
4.1	4.0	19	3	
1.5	1.5	7	4	
7.7	7.5	36	5	
0.9	0.8	4	6	
1.1	1.0	5	7	
0.4	0.4	2	8	
0.2	0.2	1	9	
4.9	4.8	23	10	
0.2	0.2	1	11	
0.6	0.6	3	12	
0.4	0.4	2	13	
2.8	2.7	13	15	
0.2	0.2	1	17	
3.9	3.7	18	20	
0.4	0.4	2	23	
0.4	0.4	2	24	
0.9	0.8	4	25	
0.4	0.4	2	28	
1.5	1.5	7	30	
0.2	0.2	1	32	
0.2	0.2	1	33	
0.2	0.2	1	39	
0.9	0.8	4	40	
0.9	0.8	4	45	
0.6	0.6	3	50	
0.2	0.2	1	51	
0.2	0.2	1	53	
0.2	0.2	1	57	
1.5	1.5	7	60	
0.2	0.2	1	63	
0.2	0.2	1	70	
0.2	0.2	1	75	
0.9	0.8	4	80	
1.1	1.0	5	85	
3.0	2.9	14	90	
0.2	0.2	1	92	
1.7	1.7	8	95	

V8175 (CONT.)   **C5A PERC OP CL:HEROIN ABUSE**

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   0.2    0.2    1    98
   0.4    0.4    2    99
  10.1    9.8   47   100
          1.0    5    -5  -5. NO INTERVIEW
          0.8    4    -3  -3. REFUSED/NA
          1.0    5    -2  -2. DONT KNOW
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2346-2349

V8176   **C5B PERC OP CL:NONPESCR METH**

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? Abuse of
nonprescription methadone?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  62.1   59.0  284     0
  15.1   14.3   69     1
   4.4    4.2   20     2
   2.0    1.9    9     3
   1.1    1.0    5     4
   7.0    6.7   32     5
   0.2    0.2    1     6
   0.7    0.6    3     7
   4.6    4.4   21    10
   0.7    0.6    3    15
   0.2    0.2    1    17
   0.7    0.6    3    20
   0.7    0.6    3    25
   0.2    0.2    1    30
   0.2    0.2    1    50
   0.2    0.2    1    60
          1.0    5    -5  -5. NO INTERVIEW
          1.5    7    -3  -3. REFUSED/NA
          2.5   12    -2  -2. DONT KNOW
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2350-2352

V8177 **C5C PERC OP CL:OPIATE/SYNTH**

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? Abuse of other opiates
or synthetics?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.3	16.4	79	0	
13.3	12.7	61	1	
8.8	8.3	40	2	
4.6	4.4	21	3	
0.7	0.6	3	4	
17.9	17.0	82	5	
0.7	0.6	3	6	
0.9	0.8	4	7	
0.4	0.4	2	8	
0.2	0.2	1	9	
12.5	11.9	57	10	
0.7	0.6	3	12	
0.2	0.2	1	13	
0.2	0.2	1	14	
2.8	2.7	13	15	
0.2	0.2	1	17	
5.3	5.0	24	20	
0.2	0.2	1	23	
0.2	0.2	1	24	
2.0	1.9	9	25	
2.4	2.3	11	30	
0.4	0.4	2	35	
0.2	0.2	1	37	
1.3	1.2	6	40	
0.4	0.4	2	45	
2.2	2.1	10	50	
0.2	0.2	1	55	
1.1	1.0	5	60	
0.4	0.4	2	65	
0.4	0.4	2	75	
0.4	0.4	2	80	
0.7	0.6	3	90	
0.2	0.2	1	92	
0.2	0.2	1	98	

V8177 (CONT.)   **C5C PERC OP CL:OPIATE/SYNTH**

```
     PCT     PCT    N   VALUE   LABEL
   VALID    ALL
    0.2     0.2    1     99
            1.0    5     -5   -5. NO INTERVIEW
            1.5    7     -3   -3. REFUSED/NA
            2.5   12     -2   -2. DONT KNOW
   -----   -----   ---
   100.0   100.0   481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2353-2355
```

V8178   **C5D PERC OP CL:BARBIT/TRANQL**

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? (Abuse of) barbiturates
or tranquilizers?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.4	7.1	34	0	
9.0	8.5	41	1	
6.6	6.2	30	2	
7.4	7.1	34	3	
1.3	1.2	6	4	
18.8	17.9	86	5	
0.9	0.8	4	6	
0.7	0.6	3	7	
1.1	1.0	5	8	
0.4	0.4	2	9	
16.8	16.0	77	10	
0.7	0.6	3	12	
0.7	0.6	3	13	
0.2	0.2	1	14	
4.6	4.4	21	15	
0.2	0.2	1	17	
0.4	0.4	2	18	
0.2	0.2	1	19	
8.5	8.1	39	20	
0.2	0.2	1	22	
3.1	2.9	14	25	
0.2	0.2	1	27	
3.9	3.7	18	30	
0.4	0.4	2	35	
2.8	2.7	13	40	
0.7	0.6	3	45	
0.2	0.2	1	50	
0.2	0.2	1	55	
0.2	0.2	1	58	
0.4	0.4	2	60	
0.2	0.2	1	65	
0.4	0.4	2	70	
0.7	0.6	3	75	
0.2	0.2	1	90	
	1.0	5	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	2.7	13	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2356-2358

V8179   **C5E PERC OP CL:OTHR SEDATIVE**

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? (Abuse of) other
sedatives or hypnotics?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.1	21.6	104	0	
10.4	9.8	47	1	
7.8	7.3	35	2	
4.7	4.4	21	3	
1.1	1.0	5	4	
22.6	21.2	102	5	
0.4	0.4	2	6	
0.7	0.6	3	7	
0.9	0.8	4	8	
12.4	11.6	56	10	
0.2	0.2	1	11	
0.2	0.2	1	12	
0.4	0.4	2	13	
4.2	4.0	19	15	
0.2	0.2	1	17	
0.2	0.2	1	18	
4.4	4.2	20	20	
0.9	0.8	4	25	
1.3	1.2	6	30	
0.2	0.2	1	35	
0.7	0.6	3	40	
0.2	0.2	1	50	
0.2	0.2	1	60	
0.2	0.2	1	65	
0.7	0.6	3	70	
0.2	0.2	1	75	
0.7	0.6	3	80	
0.2	0.2	1	90	
0.4	0.4	2	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	3.5	17	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2359-2362

V8180   **C5F PERC OP CL:COCAIN(~CRAK)**

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? (Abuse of) cocaine,
other than crack?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2363-2366

V8181	C5G PERC OP CL:CRACK ABUSE

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? (Abuse of) crack?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.3	13.5	65	0	
6.8	6.0	29	1	
5.4	4.8	23	2	
4.2	3.7	18	3	
17.4	15.4	74	5	
0.9	0.8	4	6	
0.5	0.4	2	7	
0.5	0.4	2	8	
8.9	7.9	38	10	
0.2	0.2	1	12	
0.5	0.4	2	14	
3.5	3.1	15	15	
0.2	0.2	1	16	
0.2	0.2	1	17	
0.2	0.2	1	18	
6.8	6.0	29	20	
0.2	0.2	1	21	
0.7	0.6	3	23	
3.8	3.3	16	25	
0.2	0.2	1	27	
0.2	0.2	1	28	
0.2	0.2	1	29	
4.2	3.7	18	30	
0.7	0.6	3	33	
1.2	1.0	5	35	
0.2	0.2	1	37	
4.5	4.0	19	40	
0.5	0.4	2	45	
0.7	0.6	3	47	
0.2	0.2	1	49	
3.5	3.1	15	50	
0.2	0.2	1	59	
0.7	0.6	3	60	
0.2	0.2	1	63	
0.2	0.2	1	65	
0.9	0.8	4	70	
1.4	1.2	6	75	
0.9	0.8	4	80	
0.2	0.2	1	83	
0.5	0.4	2	85	

V8181 (CONT.)			**C5G PERC OP CL:CRACK ABUSE**		

```
     PCT     PCT    N  VALUE  LABEL
    VALID    ALL
     0.2     0.2    1     86
     1.2     1.0    5     90
     0.2     0.2    1     95
             7.3   35     -6  -6. CRACK INCLUDED W/COCAINE
             1.0    5     -5  -5. NO INTERVIEW
             1.0    5     -3  -3. REFUSED/NA
             2.3   11     -2  -2. DONT KNOW
    -----   -----  ---
    100.0   100.0  481 cases

    Data type: numeric
    Missing-data codes: -6--1
    Columns: 2367-2369
```

V8182 **C5H PERC OP CL:ICE ABUSE**

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? (Abuse of) "ice"
(crystal methamphetamine)?

PCT VALID	PCT ALL	N	VALUE	LABEL
67.1	63.2	304	0	
10.8	10.2	49	1	
5.5	5.2	25	2	
2.2	2.1	10	3	
6.0	5.6	27	5	
0.2	0.2	1	6	
0.2	0.2	1	7	
4.0	3.7	18	10	
1.3	1.2	6	15	
0.2	0.2	1	17	
0.7	0.6	3	20	
0.7	0.6	3	25	
0.2	0.2	1	30	
0.2	0.2	1	40	
0.4	0.4	2	50	
0.2	0.2	1	60	
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	3.1	15	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2370-2372

V8183	C5I PERC OP CL:AMPHETAMINES

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? (Abuse of)
amphetamines, other than ice?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.2	20.8	100	0	
14.4	13.5	65	1	
8.2	7.7	37	2	
3.8	3.5	17	3	
0.7	0.6	3	4	
14.2	13.3	64	5	
0.7	0.6	3	6	
0.7	0.6	3	7	
1.1	1.0	5	8	
12.9	12.1	58	10	
0.2	0.2	1	11	
0.2	0.2	1	12	
0.2	0.2	1	13	
0.2	0.2	1	14	
7.8	7.3	35	15	
0.4	0.4	2	17	
0.2	0.2	1	18	
4.2	4.0	19	20	
1.1	1.0	5	25	
0.2	0.2	1	26	
0.2	0.2	1	28	
1.8	1.7	8	30	
0.2	0.2	1	33	
0.7	0.6	3	35	
0.7	0.6	3	40	
0.2	0.2	1	45	
1.3	1.2	6	50	
0.4	0.4	2	60	
0.4	0.4	2	70	
0.2	0.2	1	85	
0.2	0.2	1	90	
	1.0	5	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	2.7	13	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2373-2375

V8184	C5J PERC OP CL:OVER-THE-COUN

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? (Abuse of) over-the-
counter drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
28.6	26.6	128	0	
17.7	16.4	79	1	
6.7	6.2	30	2	
4.3	4.0	19	3	
0.9	0.8	4	4	
15.4	14.3	69	5	
0.4	0.4	2	6	
0.9	0.8	4	7	
0.2	0.2	1	9	
7.8	7.3	35	10	
0.2	0.2	1	13	
0.2	0.2	1	14	
2.9	2.7	13	15	
0.2	0.2	1	17	
5.1	4.8	23	20	
0.2	0.2	1	23	
1.1	1.0	5	25	
1.3	1.2	6	30	
0.2	0.2	1	35	
0.7	0.6	3	40	
0.2	0.2	1	45	
0.4	0.4	2	50	
0.2	0.2	1	55	
1.1	1.0	5	60	
0.2	0.2	1	70	
0.9	0.8	4	75	
0.7	0.6	3	80	
0.2	0.2	1	85	
0.2	0.2	1	90	
0.2	0.2	1	95	
0.2	0.2	1	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	4.4	21	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2376-2379

V8185	C5K PERC OP CL:PRSCRPT DRUGS

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? (Abuse of) prescription
drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.9	8.3	40	0	
10.0	9.4	45	1	
7.5	7.1	34	2	
4.9	4.6	22	3	
1.1	1.0	5	4	
14.0	13.1	63	5	
1.1	1.0	5	6	
0.4	0.4	2	7	
0.9	0.8	4	8	
0.4	0.4	2	9	
17.1	16.0	77	10	
0.4	0.4	2	12	
0.2	0.2	1	13	
6.0	5.6	27	15	
0.2	0.2	1	16	
0.2	0.2	1	17	
9.8	9.1	44	20	
3.5	3.3	16	25	
0.2	0.2	1	27	
3.8	3.5	17	30	
0.7	0.6	3	35	
2.9	2.7	13	40	
0.9	0.8	4	45	
1.6	1.5	7	50	
0.4	0.4	2	55	
1.1	1.0	5	60	
0.2	0.2	1	65	
0.7	0.6	3	70	
0.4	0.4	2	75	
0.2	0.2	1	80	
0.2	0.2	1	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA
	3.3	16	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2380-2383

V8186	C5L PERC OP CL:MARIJUNA/HASH

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? (Abuse of) marijuana or
hashish?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2384-2387

V8187	C5M PERC OP CL:HALLUCINOGENS

During the most recent complete fiscal year, what percent of
all your unit's outpatient clients had any of the following
types of substance abuse as a problem? (Abuse of)
hallucinogens such as LSD or PCP?

PCT VALID	PCT ALL	N	VALUE	LABEL
24.4	23.1	111	0	
18.5	17.5	84	1	
10.1	9.6	46	2	
4.0	3.7	18	3	
1.8	1.7	8	4	
13.2	12.5	60	5	
0.2	0.2	1	6	
0.4	0.4	2	7	
0.9	0.8	4	8	
0.7	0.6	3	9	
10.4	9.8	47	10	
0.4	0.4	2	11	
0.4	0.4	2	12	
0.7	0.6	3	13	
4.0	3.7	18	15	
0.4	0.4	2	17	
0.2	0.2	1	18	
3.7	3.5	17	20	
0.2	0.2	1	23	
1.3	1.2	6	25	
1.3	1.2	6	30	
0.2	0.2	1	31	
0.4	0.4	2	40	
0.4	0.4	2	45	
0.2	0.2	1	47	
0.4	0.4	2	50	
0.4	0.4	2	60	
0.2	0.2	1	65	
0.2	0.2	1	75	
	1.0	5	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA
	2.7	13	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2388-2390

V8188	C5N PERC OP CL:MULTIPLE DRUG

During the most recent complete fiscal year, what percent of all your unit's outpatient clients had any of the following types of substance abuse as a problem? (Abuse of) multiple drugs?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2391-2394

V8189 **C5O.OTHR ABUSED DRG NAME M1**

What other drugs, including drug combinations, were abused by
your unit's outpatient clients in the most recent complete
fiscal year? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
12.9	6.0	29	1	1. ALCOHOL
0.9	0.4	2	2	2. STEROIDS
23.1	10.8	52	3	3. INHALNT
0.4	0.2	1	4	4. QUAALUDE
0.4	0.2	1	31	31. AMPHET/MARIJUANA
0.4	0.2	1	32	32. MARIJUANA/HALLUC
1.3	0.6	3	41	41. HEROIN/OTR EXC 55,61
7.6	3.5	17	51	51. ALCOHOL/MARIJUANA
6.2	2.9	14	52	52. ALCO/COCAINE
4.9	2.3	11	53	53. ALC/MARI/COC
0.0	0.0	0	54	54. ALC/TRANQ
0.9	0.4	2	55	55. ALC/HEROIN
1.3	0.6	3	56	56. ALC/AMPHET
1.8	0.8	4	59	59. ALC&ANY/EVERYTHG
11.1	5.2	25	61	61. COCA/HEROIN
0.9	0.4	2	62	62. COCA/MARIJ
2.2	1.0	5	63	63. COCA/OTH
0.4	0.2	1	71	71. OVER COUNTER
0.4	0.2	1	72	72. PRESCRIP
0.4	0.2	1	73	73. DESIGNER
0.9	0.4	2	81	81. CAFFEINE
1.8	0.8	4	82	82. NICOTINE
1.8	0.8	4	91	91. OPIATE
2.7	1.2	6	92	92. BARB/TRANQ
2.2	1.0	5	93	93. SEDATIVE/HYPNO
1.3	0.6	3	94	94. AMPHETA
1.3	0.6	3	95	95. HALLUC
3.6	1.7	8	96	96. PAINKILL
6.7	3.1	15	97	97. OTHERS
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	1.7	8	-2	-2. DONT KNOW
	48.9	235	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0 100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2395-2397

V8190	C5P. PERC OP CL:ABUSED DRUG M1

What percent of your unit's outpatient clients abused (DRUG)?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.0	6.4	31	1	
7.2	3.3	16	2	
4.1	1.9	9	3	
1.8	0.8	4	4	
8.6	4.0	19	5	
0.9	0.4	2	6	
0.9	0.4	2	7	
0.9	0.4	2	8	
0.5	0.2	1	9	
5.0	2.3	11	10	
0.5	0.2	1	12	
1.4	0.6	3	13	
3.6	1.7	8	15	
0.9	0.4	2	17	
5.0	2.3	11	20	
3.2	1.5	7	25	
0.5	0.2	1	29	
4.5	2.1	10	30	
0.5	0.2	1	33	
0.9	0.4	2	35	
0.5	0.2	1	37	
6.3	2.9	14	40	
0.5	0.2	1	45	
0.5	0.2	1	46	
0.5	0.2	1	47	
7.7	3.5	17	50	
0.5	0.2	1	55	
0.5	0.2	1	57	
1.4	0.6	3	60	
0.9	0.4	2	65	
0.5	0.2	1	67	
1.8	0.8	4	70	
0.5	0.2	1	73	
0.5	0.2	1	74	
2.3	1.0	5	75	
3.6	1.7	8	80	
1.8	0.8	4	85	
0.5	0.2	1	87	
2.7	1.2	6	90	
1.4	0.6	3	95	
0.5	0.2	1	98	
0.9	0.4	2	100	

V8190 (CONT.)   **C5P. PERC OP CL:ABUSED DRUG M1**

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
          1.0    5     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
          1.9    9     -2  -2. DONT KNOW
         48.9  235     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases

  Data type: numeric
  Missing-data codes: -5--1
  Columns: 2398-2401
```

V8191	C5O.OTHR ABUSED DRG NAME M2

What other drugs, including drug combinations, were abused
your unit's outpatient clients in the most recent complete
fiscal year? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
2.1	0.4	2	1	1. ALCOHOL
0.0	0.0	0	2	2. STEROIDS
8.5	1.7	8	3	3. INHALNT
2.1	0.4	2	4	4. QUAALUDE
1.1	0.2	1	31	31. AMPHET/MARIJUANA
2.1	0.4	2	32	32. MARIJUANA/HALLUC
2.1	0.4	2	41	41. HEROIN/OTR EXC 55,61
10.6	2.1	10	51	51. ALCOHOL/MARIJUANA
7.4	1.5	7	52	52. ALCO/COCAINE
5.3	1.0	5	53	53. ALC/MARI/COC
5.3	1.0	5	54	54. ALC/TRANQ
1.1	0.2	1	55	55. ALC/HEROIN
1.1	0.2	1	56	56. ALC/AMPHET
2.1	0.4	2	59	59. ALC&ANY/EVERYTHG
8.5	1.7	8	61	61. COCA/HEROIN
4.3	0.8	4	62	62. COCA/MARIJ
2.1	0.4	2	63	63. COCA/OTH
0.0	0.0	0	71	71. OVER COUNTER
1.1	0.2	1	72	72. PRESCRIP
1.1	0.2	1	73	73. DESIGNER
1.1	0.2	1	81	81. CAFFEINE
1.1	0.2	1	82	82. NICOTINE
1.1	0.2	1	91	91. OPIATE
5.3	1.0	5	92	92. BARB/TRANQ
2.1	0.4	2	93	93. SEDATIVE/HYPNO
1.1	0.2	1	94	94. AMPHETA
0.0	0.0	0	95	95. HALLUC
10.6	2.1	10	96	96. PAINKILL
9.6	1.9	9	97	97. OTHERS
	1.0	5	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	77.8	374	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2402-2404

V8192	C5P. PERC OP CL:ABUSED DRUG M2

What percent of your unit's outpatient clients abused (DRUG)?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.6	1.5	7	1	
7.6	1.5	7	2	
5.4	1.0	5	3	
15.2	2.9	14	5	
1.1	0.2	1	6	
2.2	0.4	2	9	
16.3	3.1	15	10	
2.2	0.4	2	12	
3.3	0.6	3	15	
6.5	1.2	6	20	
2.2	0.4	2	25	
9.8	1.9	9	30	
2.2	0.4	2	35	
6.5	1.2	6	40	
2.2	0.4	2	50	
1.1	0.2	1	60	
2.2	0.4	2	70	
2.2	0.4	2	75	
1.1	0.2	1	80	
1.1	0.2	1	85	
1.1	0.2	1	87	
1.1	0.2	1	98	
	1.0	5	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	0.6	3	-2	-2. DONT KNOW
	77.8	374	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2405-2407

V8193   **C5O.OTHR ABUSED DRG NAME M3**

What other drugs, including drug combinations, were abused
your unit's outpatient clients in the most recent complete
fiscal year? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
2.2	0.2	1	1	1. ALCOHOL
2.2	0.2	1	2	2. STEROIDS
13.3	1.2	6	3	3. INHALNT
0.0	0.0	0	4	4. QUAALUDE
2.2	0.2	1	31	31. AMPHET/MARIJUANA
0.0	0.0	0	32	32. MARIJUANA/HALLUC
6.7	0.6	3	41	41. HEROIN/OTR EXC 55,61
8.9	0.8	4	51	51. ALCOHOL/MARIJUANA
6.7	0.6	3	52	52. ALCO/COCAINE
0.0	0.0	0	53	53. ALC/MARI/COC
6.7	0.6	3	54	54. ALC/TRANQ
6.7	0.6	3	55	55. ALC/HEROIN
0.0	0.0	0	56	56. ALC/AMPHET
0.0	0.0	0	59	59. ALC&ANY/EVERYTHG
8.9	0.8	4	61	61. COCA/HEROIN
8.9	0.8	4	62	62. COCA/MARIJ
6.7	0.6	3	63	63. COCA/OTH
0.0	0.0	0	71	71. OVER COUNTER
0.0	0.0	0	72	72. PRESCRIP
0.0	0.0	0	73	73. DESIGNER
0.0	0.0	0	81	81. CAFFEINE
0.0	0.0	0	82	82. NICOTINE
0.0	0.0	0	91	91. OPIATE
2.2	0.2	1	92	92. BARB/TRANQ
0.0	0.0	0	93	93. SEDATIVE/HYPNO
0.0	0.0	0	94	94. AMPHETA
0.0	0.0	0	95	95. HALLUC
4.4	0.4	2	96	96. PAINKILL
13.3	1.2	6	97	97. OTHERS
	1.0	5	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	87.9	423	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2408-2410

V8194	C5P. PERC OP CL:ABUSED DRUG M3

What percent of your unit's outpatient clients abused (DRUG)?

PCT VALID	PCT ALL	N	VALUE	LABEL
16.7	1.5	7	1	
4.8	0.4	2	2	
4.8	0.4	2	3	
2.4	0.2	1	4	
9.5	0.8	4	5	
2.4	0.2	1	6	
2.4	0.2	1	7	
7.1	0.6	3	10	
7.1	0.6	3	15	
2.4	0.2	1	17	
16.7	1.5	7	20	
2.4	0.2	1	25	
7.1	0.6	3	30	
4.8	0.4	2	40	
2.4	0.2	1	50	
2.4	0.2	1	60	
2.4	0.2	1	70	
2.4	0.2	1	90	
	1.0	5	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
	0.8	4	-2	-2. DONT KNOW
	87.9	423	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2411-2413

V8195   **C5O.OTHR ABUSED DRG NAME M4**

What other drugs, including drug combinations, were abused
your unit's outpatient clients in the most recent complete
fiscal year? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. ALCOHOL
0.0	0.0	0	2	2. STEROIDS
13.3	0.4	2	3	3. INHALNT
0.0	0.0	0	4	4. QUAALUDE
6.7	0.2	1	31	31. AMPHET/MARIJUANA
0.0	0.0	0	32	32. MARIJUANA/HALLUC
6.7	0.2	1	41	41. HEROIN/OTR EXC 55,61
0.0	0.0	0	51	51. ALCOHOL/MARIJUANA
6.7	0.2	1	52	52. ALCO/COCAINE
6.7	0.2	1	53	53. ALC/MARI/COC
13.3	0.4	2	54	54. ALC/TRANQ
6.7	0.2	1	55	55. ALC/HEROIN
0.0	0.0	0	56	56. ALC/AMPHET
6.7	0.2	1	59	59. ALC&ANY/EVERYTHG
6.7	0.2	1	61	61. COCA/HEROIN
0.0	0.0	0	62	62. COCA/MARIJ
0.0	0.0	0	63	63. COCA/OTH
0.0	0.0	0	71	71. OVER COUNTER
0.0	0.0	0	72	72. PRESCRIP
0.0	0.0	0	73	73. DESIGNER
0.0	0.0	0	81	81. CAFFEINE
0.0	0.0	0	82	82. NICOTINE
0.0	0.0	0	91	91. OPIATE
6.7	0.2	1	92	92. BARB/TRANQ
0.0	0.0	0	93	93. SEDATIVE/HYPNO
0.0	0.0	0	94	94. AMPHETA
0.0	0.0	0	95	95. HALLUC
0.0	0.0	0	96	96. PAINKILL
20.0	0.6	3	97	97. OTHERS
	1.0	5	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	94.2	453	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0 100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2414-2416

V8196 **C5P. PERC OP CL:ABUSED DRUG M4**

What percent of your unit's outpatient clients abused (DRUG)?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 14.3   0.4    2     1
 21.4   0.6    3     2
  7.1   0.2    1     5
 21.4   0.6    3    15
  7.1   0.2    1    20
  7.1   0.2    1    40
  7.1   0.2    1    60
  7.1   0.2    1    85
  7.1   0.2    1    90
        1.0    5    -5   -5. NO INTERVIEW
        1.2    6    -3   -3. REFUSED/NA
        0.6    3    -2   -2. DONT KNOW
       94.2  453    -1   -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2417-2419

V8197 **SC6 #CL:OSAT-FISCAL YR**

This next set of questions is about those clients who received at least some substance abuse treatment services at your outpatient unit. Altogether, how many clients received outpatient substance abuse treatment services from your unit in the most recent complete fiscal year?

481 cases (Range of valid codes: 10-8500)

Data type: numeric
Missing-data codes: -5--1
Columns: 2420-2424

V8198   **SC7A PERC OSAT CL:BLACK NOT HIS**

Of these outpatient substance abuse clients your unit treated
in the most recent complete fiscal year, what percent were:
Black, not of Hispanic origin?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2425-2428

V8199   **SC7B PERC OSAT CL:WHITE NOT HIS**

Of these outpatient substance abuse clients your unit treated
in the most recent complete fiscal year, what percent were:
White, not of Hispanic origin?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2429-2432

V8200   **SC7C PERC OSAT CL:HISPANIC**

Of these outpatient substance abuse clients your unit treated
in the most recent complete fiscal year, what percent were:
Hispanic?

481 cases (Range of valid codes: 0-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2433-2435

V8201	SC7D PERC OSAT CL:OTHER RACES

Of these outpatient substance abuse clients your unit treated
in the most recent complete fiscal year, what percent were:
Other races or ethnic groups?

PCT VALID	PCT ALL	N	VALUE	LABEL
51.0	49.7	239	0	
19.0	18.5	89	1	
6.6	6.4	31	2	
3.8	3.7	18	3	
2.3	2.3	11	4	
6.4	6.2	30	5	
0.9	0.8	4	6	
1.1	1.0	5	7	
0.4	0.4	2	8	
0.2	0.2	1	9	
1.9	1.9	9	10	
0.6	0.6	3	12	
0.2	0.2	1	13	
0.6	0.6	3	15	
0.2	0.2	1	17	
1.9	1.9	9	20	
0.4	0.4	2	25	
0.2	0.2	1	26	
0.2	0.2	1	30	
0.2	0.2	1	32	
0.2	0.2	1	43	
0.2	0.2	1	48	
0.2	0.2	1	50	
0.2	0.2	1	75	
0.2	0.2	1	90	
0.2	0.2	1	98	
0.2	0.2	1	99	
0.2	0.2	1	100	
	1.0	5	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	0.8	4	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2436-2439

V8202	SC8A PERC OSAT CL: <20 YRS OLD

Of all the outpatient substance abuse clients your unit
treated in the most recent complete fiscal year, what percent
were in the following age categories: Under 20 years of age?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2440-2443

V8203	SC8B PERC OSAT CL:20-29 YRS OLD

Of all the outpatient substance abuse clients your unit
treated in the most recent complete fiscal year, what percent
were in the following age categories: 20-29?

481 cases (Range of valid codes: 0-93)

Data type: numeric
Missing-data codes: -5--1
Columns: 2444-2446

V8204	SC8C PERC OSAT CL:30-39 YRS OLD

Of all the outpatient substance abuse clients your unit
treated in the most recent complete fiscal year, what percent
were in the following age categories: 30-39?

481 cases (Range of valid codes: 0-82)

Data type: numeric
Missing-data codes: -5--1
Columns: 2447-2449

V8205	SC8D PERC OSAT CL:40-49 YRS OLD

Of all the outpatient substance abuse clients your unit
treated in the most recent complete fiscal year, what percent
were in the following age categories: 40-49?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.2	2.1	10	0	
1.1	1.0	5	1	
2.2	2.1	10	2	
2.6	2.5	12	3	
2.0	1.9	9	4	
10.7	10.2	49	5	
0.4	0.4	2	6	
2.2	2.1	10	7	
2.0	1.9	9	8	
1.3	1.2	6	9	
19.1	18.3	88	10	
0.9	0.8	4	11	
1.3	1.2	6	12	
2.2	2.1	10	13	
1.5	1.5	7	14	
8.7	8.3	40	15	
0.7	0.6	3	16	
2.4	2.3	11	17	
1.5	1.5	7	18	
2.0	1.9	9	19	
11.1	10.6	51	20	
0.9	0.8	4	21	
0.9	0.8	4	22	
1.3	1.2	6	23	
0.4	0.4	2	24	
3.5	3.3	16	25	
0.4	0.4	2	26	
0.4	0.4	2	27	
0.7	0.6	3	28	
0.7	0.6	3	29	
5.2	5.0	24	30	
0.4	0.4	2	32	
0.2	0.2	1	33	
2.8	2.7	13	35	
0.7	0.6	3	36	
0.2	0.2	1	38	
1.1	1.0	5	40	
0.2	0.2	1	42	
0.9	0.8	4	45	
0.7	0.6	3	50	

```
┌──────────────────────────────────────────────────────────────────────┐
│ V8205 (CONT.)              SC8D PERC OSAT CL:40-49 YRS OLD              │
└──────────────────────────────────────────────────────────────────────┘
```

```
    PCT    PCT    N   VALUE  LABEL
   VALID   ALL
    0.2    0.2    1     52
    0.2    0.2    1     60
    0.2    0.2    1     80
           1.0    5     -5  -5. NO INTERVIEW
           1.2    6     -3  -3. REFUSED/NA
           2.1   10     -2  -2. DONT KNOW
   -----  -----  ---
   100.0  100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2450-2452
```

V8206	SC8E PERC OSAT CL:50-64 YRS OLD

Of all the outpatient substance abuse clients your unit
treated in the most recent complete fiscal year, what percent
were in the following age categories: 50-64?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.1	10.6	51	0	
8.0	7.7	37	1	
7.6	7.3	35	2	
8.2	7.9	38	3	
5.0	4.8	23	4	
21.9	21.0	101	5	
2.6	2.5	12	6	
2.4	2.3	11	7	
3.9	3.7	18	8	
3.3	3.1	15	9	
14.5	13.9	67	10	
0.7	0.6	3	11	
0.9	0.8	4	12	
0.7	0.6	3	13	
0.9	0.8	4	14	
4.1	4.0	19	15	
0.7	0.6	3	16	
0.4	0.4	2	18	
0.2	0.2	1	19	
2.2	2.1	10	20	
0.2	0.2	1	24	
0.2	0.2	1	25	
0.2	0.2	1	30	
0.2	0.2	1	35	
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	2.1	10	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2453-2455

V8207	SC8F PERC OSAT CL: >64 YRS OLD

Of all the outpatient substance abuse clients your unit
treated in the most recent complete fiscal year, what percent
were in the following age categories: 65 or over?

PCT VALID	PCT ALL	N	VALUE	LABEL
40.8	39.1	188	0	
22.3	21.4	103	1	
12.1	11.6	56	2	
5.2	5.0	24	3	
1.7	1.7	8	4	
12.1	11.6	56	5	
0.2	0.2	1	6	
0.4	0.4	2	7	
0.4	0.4	2	8	
0.4	0.4	2	9	
3.0	2.9	14	10	
0.4	0.4	2	14	
0.7	0.6	3	20	
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	2.1	10	-2	-2. DONT KNOW
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2456-2458

V8208	SC9 PERC OSAT CL:MALES-FYR

What percent were male?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2459-2462

V8209   **C10 PERC OSAT CL:USED NEEDLES**

What was the percent of outpatient substance abuse clients at
your unit in the most recent complete fiscal year whose use of
drugs involved injection with needles?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2463-2466

V8210   **C11 PERC OSAT CL:NEEDLES-30DAY**

What percent of outpatient substance abuse clients in
treatment at your unit during the last 30 days still
occasionally inject drugs using needles?

PCT VALID	PCT ALL	N	VALUE	LABEL
32.6	30.8	148	0	
13.4	12.7	61	1	
5.3	5.0	24	2	
2.0	1.9	9	3	
1.1	1.0	5	4	
10.1	9.6	46	5	
0.4	0.4	2	6	
0.4	0.4	2	7	
0.9	0.8	4	8	
0.2	0.2	1	9	
9.5	8.9	43	10	
0.2	0.2	1	11	
0.4	0.4	2	12	
2.2	2.1	10	15	
0.2	0.2	1	17	
4.4	4.2	20	20	
0.4	0.4	2	22	
0.7	0.6	3	23	
0.2	0.2	1	24	
2.9	2.7	13	25	
0.2	0.2	1	27	
2.0	1.9	9	30	
0.2	0.2	1	33	
0.7	0.6	3	35	
2.9	2.7	13	40	
0.2	0.2	1	43	
0.9	0.8	4	45	
2.2	2.1	10	50	
1.1	1.0	5	60	
0.4	0.4	2	65	
0.2	0.2	1	66	
0.4	0.4	2	80	
0.2	0.2	1	85	
0.2	0.2	1	97	
0.4	0.4	2	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	3.3	16	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2467-2470

V8211   **C12A PERC OSAT CL:+ AIDS VIRUS**

Of the total number of outpatient substance abuse clients your
unit treated in the most recent complete fiscal year, what
percent: ...have tested positive for the HIV/AIDS virus?

PCT VALID	PCT ALL	N	VALUE	LABEL
30.3	26.0	125	0	
30.0	25.8	124	1	
10.4	8.9	43	2	
4.4	3.7	18	3	
1.9	1.7	8	4	
6.3	5.4	26	5	
0.2	0.2	1	6	
1.2	1.0	5	7	
0.5	0.4	2	8	
0.2	0.2	1	9	
3.6	3.1	15	10	
0.7	0.6	3	11	
0.2	0.2	1	14	
2.2	1.9	9	15	
0.7	0.6	3	18	
1.0	0.8	4	20	
0.2	0.2	1	23	
0.7	0.6	3	25	
1.0	0.8	4	30	
0.5	0.4	2	33	
1.7	1.5	7	35	
0.2	0.2	1	39	
0.2	0.2	1	40	
0.2	0.2	1	45	
0.2	0.2	1	48	
0.5	0.4	2	50	
0.2	0.2	1	52	
0.2	0.2	1	60	
	1.0	5	-5	-5. NO INTERVIEW
	3.1	15	-3	-3. REFUSED/NA
	10.0	48	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2471-2473

V8212   **C12B PERC OSAT CL:DIAGNOS-AIDS**

Of the total number of outpatient substance abuse clients your
unit treated in the most recent complete fiscal year, what
percent: ...have been diagnosed as having AIDS?

PCT VALID	PCT ALL	N	VALUE	LABEL
44.7	39.3	189	0	
29.3	25.8	124	1	
6.6	5.8	28	2	
5.0	4.4	21	3	
0.5	0.4	2	4	
5.4	4.8	23	5	
0.7	0.6	3	6	
0.7	0.6	3	7	
1.2	1.0	5	8	
0.2	0.2	1	9	
1.2	1.0	5	10	
0.2	0.2	1	11	
0.9	0.8	4	15	
0.2	0.2	1	18	
0.9	0.8	4	20	
0.5	0.4	2	25	
0.2	0.2	1	30	
0.7	0.6	3	35	
0.5	0.4	2	40	
0.2	0.2	1	50	
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	8.7	42	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2474-2476

V8213	C12C PERC OSAT CL:DIED FR AIDS

Of the total number of outpatient substance abuse clients your
unit treated in the most recent complete fiscal year, what
percent: ... died from AIDS?

PCT VALID	PCT ALL	N	VALUE	LABEL
72.5	64.7	311	0	
19.6	17.5	84	1	
3.0	2.7	13	2	
0.7	0.6	3	3	
0.5	0.4	2	4	
0.7	0.6	3	5	
0.7	0.6	3	6	
0.2	0.2	1	8	
1.4	1.2	6	10	
0.2	0.2	1	15	
0.2	0.2	1	18	
0.2	0.2	1	20	
	1.0	5	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	7.3	35	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2477-2479

V8214	C13A PERC OSAT CL:PROSTITUTION

Of the outpatient substance abuse clients treated by your unit
in the most recent complete fiscal year, what percent have
ever engaged in any of the following types of illegal
activities to support their habit: Prostitution?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.8	6.9	33	0	
9.7	8.5	41	1	
7.3	6.4	31	2	
3.3	2.9	14	3	
0.7	0.6	3	4	
17.0	15.0	72	5	
0.2	0.2	1	6	
0.5	0.4	2	7	
0.9	0.8	4	8	
0.2	0.2	1	9	
14.2	12.5	60	10	
0.5	0.4	2	11	
0.2	0.2	1	12	
0.2	0.2	1	13	
0.2	0.2	1	14	
5.9	5.2	25	15	
0.2	0.2	1	17	
0.7	0.6	3	18	
9.5	8.3	40	20	
0.2	0.2	1	23	
4.5	4.0	19	25	
4.0	3.5	17	30	
0.2	0.2	1	31	
0.5	0.4	2	33	
0.9	0.8	4	35	
3.3	2.9	14	40	
0.5	0.4	2	45	
1.4	1.2	6	50	
0.2	0.2	1	55	
0.5	0.4	2	60	
0.9	0.8	4	70	
0.7	0.6	3	75	
1.7	1.5	7	80	
0.2	0.2	1	90	
0.7	0.6	3	100	
	1.0	5	-5	-5. NO INTERVIEW

V8214 (CONT>)   **C13A PERC OSAT CL:PROSTITUTION**

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
          2.5   12     -3  -3. REFUSED/NA
          8.5   41     -2  -2. DONT KNOW
 -----  -----  ---
 100.0  100.0  481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 2480-2483
```

V8215	C13B PERC OSAT CL:THEFT/BURGLR

Of the outpatient substance abuse clients treated by your unit
in the most recent complete fiscal year, what percent have
ever engaged in any of the following types of illegal
activities to support their habit: Theft or burglary?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	1.7	8	0	
1.6	1.5	7	1	
1.2	1.0	5	2	
2.1	1.9	9	3	
0.2	0.2	1	4	
7.7	6.9	33	5	
0.2	0.2	1	6	
1.2	1.0	5	7	
0.2	0.2	1	8	
0.5	0.4	2	9	
9.1	8.1	39	10	
0.5	0.4	2	11	
4.4	4.0	19	15	
0.5	0.4	2	18	
8.9	7.9	38	20	
0.2	0.2	1	21	
0.5	0.4	2	23	
6.3	5.6	27	25	
7.0	6.2	30	30	
0.2	0.2	1	33	
3.0	2.7	13	35	
0.2	0.2	1	37	
7.5	6.7	32	40	
0.5	0.4	2	45	
0.2	0.2	1	46	
0.2	0.2	1	49	
8.4	7.5	36	50	
5.2	4.6	22	60	
2.1	1.9	9	65	
0.2	0.2	1	67	
5.4	4.8	23	70	
2.3	2.1	10	75	
0.2	0.2	1	79	
3.3	2.9	14	80	
1.6	1.5	7	85	
0.2	0.2	1	87	
2.3	2.1	10	90	
1.2	1.0	5	95	
0.5	0.4	2	98	

V8215 (CONT.)   **C13B PERC OSAT CL:THEFT/BURGLR**

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   0.7    0.6    3    100
          1.0    5     -5  -5. NO INTERVIEW
          2.3   11     -3  -3. REFUSED/NA
          7.9   38     -2  -2. DONT KNOW
  -----  -----  ---
  100.0  100.0  481 cases

  Data type: numeric
  Missing-data codes: -5--1
  Columns: 2484-2487
```

V8216	C13C PERC OSAT CL:DEALT DRUGS

Of the outpatient substance abuse clients treated by your unit
in the most recent complete fiscal year, what percent have
ever engaged in any of the following types of illegal
activities to support their habit: Dealing drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.6	1.5	7	0	
1.2	1.0	5	1	
1.9	1.7	8	2	
0.7	0.6	3	3	
6.8	6.0	29	5	
0.7	0.6	3	7	
0.5	0.4	2	8	
0.2	0.2	1	9	
9.1	8.1	39	10	
0.5	0.4	2	12	
0.2	0.2	1	13	
0.2	0.2	1	14	
4.9	4.4	21	15	
0.7	0.6	3	17	
11.0	9.8	47	20	
0.2	0.2	1	22	
0.2	0.2	1	23	
7.7	6.9	33	25	
9.4	8.3	40	30	
0.2	0.2	1	31	
0.2	0.2	1	32	
2.3	2.1	10	35	
7.3	6.4	31	40	
0.9	0.8	4	45	
10.1	8.9	43	50	
0.2	0.2	1	53	
6.1	5.4	26	60	
0.2	0.2	1	63	
1.2	1.0	5	65	
0.2	0.2	1	67	
2.1	1.9	9	70	
3.0	2.7	13	75	
3.0	2.7	13	80	
1.2	1.0	5	85	
2.1	1.9	9	90	
0.2	0.2	1	95	
0.2	0.2	1	98	
1.2	1.0	5	100	
	1.0	5	-5	-5. NO INTERVIEW

V8216 (CONT.)　　　　　　　　　**C13C PERC OSAT CL:DEALT DRUGS**

```
   PCT     PCT    N   VALUE  LABEL
  VALID   ALL
          2.3    11     -3   -3. REFUSED/NA
          7.9    38     -2   -2. DONT KNOW
  -----   -----  ---
  100.0   100.0  481 cases

  Data type: numeric
  Missing-data codes: -5--1
  Columns: 2488-2491
```

```
V8217                    C13D PERC OSAT CL:VIOLNT CRIM
```

Of the outpatient substance abuse clients treated by your unit
in the most recent complete fiscal year, what percent have
ever engaged in any of the following types of illegal
activities to support their habit: Violent crimes (such as
mugging or armed robbery)?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
 14.6   12.9   62      0
  9.9    8.7   42      1
 10.6    9.4   45      2
  4.9    4.4   21      3
  0.5    0.4    2      4
 22.5   20.0   96      5
  0.9    0.8    4      7
  0.2    0.2    1      9
 13.6   12.1   58     10
  0.2    0.2    1     12
  0.2    0.2    1     13
  4.9    4.4   21     15
  7.5    6.7   32     20
  0.2    0.2    1     21
  1.9    1.7    8     25
  3.8    3.3   16     30
  0.2    0.2    1     33
  0.2    0.2    1     35
  1.4    1.2    6     40
  0.2    0.2    1     45
  0.9    0.8    4     50
  0.2    0.2    1     55
  0.2    0.2    1     70
         1.0    5     -5   -5. NO INTERVIEW
         2.3   11     -3   -3. REFUSED/NA
         8.1   39     -2   -2. DONT KNOW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2492-2494

V8218	C13E OTHR ILEG ACT M1

Other illegal activities to support their habit? (SPECIFY:)

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  31.2   11.2   54      1  1. THEFT
  23.7    8.5   41      2  2. FORGE CHEK
   6.4    2.3   11      3  3. FORGE RX
  13.3    4.8   23      4  4. CON GAME
   9.8    3.5   17      5  5. SELLDRUG
   1.2    0.4    2      6  6. SELLOTHR
   1.7    0.6    3      7  7. ASSAULT/MURDER
   4.6    1.7    8      8  8. GAMBLE
   1.7    0.6    3      9  9. PROSTIT
   3.5    1.2    6     96  96. OTHER ILLEG BEHVR
   2.9    1.0    5     97  97. OTHER
          1.0    5     -5  -5. NO INTERVIEW
          4.4   21     -3  -3. REFUSED/NA
          4.6   22     -2  -2. DONT KNOW
         54.1  260     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases

  Data type: numeric
  Missing-data codes: -5--1
  Columns: 2495-2497
```

```
V8219                  C13F PERC OSAT CL:ILEG ACT M1
```

What percent of your unit's outpatient clients engage in
(ACTIVITY)?

```
  PCT     PCT    N   VALUE  LABEL
 VALID    ALL
  8.9     3.3   16      1
  7.8     2.9   14      2
  2.8     1.0    5      3
  2.2     0.8    4      4
 16.7     6.2   30      5
  0.6     0.2    1      6
  0.6     0.2    1      8
 17.2     6.4   31     10
  0.6     0.2    1     12
  1.1     0.4    2     13
  6.1     2.3   11     15
  0.6     0.2    1     17
  6.1     2.3   11     20
  0.6     0.2    1     23
  5.6     2.1   10     25
  0.6     0.2    1     28
  3.9     1.5    7     30
  2.8     1.0    5     40
  3.3     1.2    6     50
  3.3     1.2    6     60
  1.1     0.4    2     65
  0.6     0.2    1     67
  1.1     0.4    2     75
  1.7     0.6    3     80
  0.6     0.2    1     85
  1.1     0.4    2     90
  0.6     0.2    1     95
  0.6     0.2    1     99
  1.7     0.6    3    100
          1.0    5     -5   -5. NO INTERVIEW
          2.9   14     -3   -3. REFUSED/NA
          4.6   22     -2   -2. DONT KNOW
         54.1  260     -1   -1. SKIPPED QUESTION
 -----   ----- ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2498-2501

V8220	C13E OTHR ILEG ACT M2

Other illegal activities to support their habit? (SPECIFY:)

```
   PCT     PCT    N  VALUE   LABEL
  VALID    ALL
  33.3     4.6   22      1   1. THEFT
  25.8     3.5   17      2   2. FORGE CHEK
  10.6     1.5    7      3   3. FORGE RX
   6.1     0.8    4      4   4. CON GAME
   6.1     0.8    4      5   5. SELLDRUG
   0.0     0.0    0      6   6. SELLOTHR
   1.5     0.2    1      7   7. ASSAULT/MURDER
   3.0     0.4    2      8   8. GAMBLE
   3.0     0.4    2      9   9. PROSTIT
   9.1     1.2    6     96   96. OTHER ILLEG BEHVR
   1.5     0.2    1     97   97. OTHER
           1.0    5     -5   -5. NO INTERVIEW
           2.1   10     -3   -3. REFUSED/NA
           0.4    2     -2   -2. DONT KNOW
          82.7  398     -1   -1. SKIPPED QUESTION
  -----   ----- ---
 100.0   100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2502-2504
```

V8221	C13F PERC OSAT CL:ILEG ACT M2

What percent of your unit's outpatient clients engage in (ACTIVITY)?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.2	1.2	6	1	
13.8	1.9	9	2	
3.1	0.4	2	3	
1.5	0.2	1	4	
16.9	2.3	11	5	
1.5	0.2	1	6	
1.5	0.2	1	8	
10.8	1.5	7	10	
1.5	0.2	1	13	
1.5	0.2	1	15	
4.6	0.6	3	20	
3.1	0.4	2	25	
1.5	0.2	1	27	
1.5	0.2	1	28	
6.2	0.8	4	30	
1.5	0.2	1	33	
1.5	0.2	1	35	
3.1	0.4	2	40	
1.5	0.2	1	45	
3.1	0.4	2	50	
3.1	0.4	2	60	
1.5	0.2	1	70	
1.5	0.2	1	80	
4.6	0.6	3	90	
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	82.7	398	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2505-2507

V8222 **C13E OTHR ILEG ACT M3**

Other illegal activities to support their habit? (SPECIFY:)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 24.0    1.2    6      1  1. THEFT
 16.0    0.8    4      2  2. FORGE CHEK
  4.0    0.2    1      3  3. FORGE RX
 28.0    1.5    7      4  4. CON GAME
  8.0    0.4    2      5  5. SELLDRUG
  0.0    0.0    0      6  6. SELLOTHR
  0.0    0.0    0      7  7. ASSAULT/MURDER
  0.0    0.0    0      8  8. GAMBLE
  4.0    0.2    1      9  9. PROSTIT
 16.0    0.8    4     96  96. OTHER ILLEG BEHVR
  0.0    0.0    0     97  97. OTHER
         1.0    5     -5  -5. NO INTERVIEW
         2.1   10     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
        91.3  439     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2508-2510

V8223	C13F PERC OSAT CL:ILEG ACT M3

What percent of your unit's outpatient clients engage in (ACTIVITY)?

```
  PCT    PCT    N   VALUE  LABEL
 VALID   ALL
  8.7    0.4    2     1
 13.0    0.6    3     2
  4.3    0.2    1     3
  4.3    0.2    1     4
 13.0    0.6    3     5
  4.3    0.2    1     7
  4.3    0.2    1     8
  4.3    0.2    1     9
 13.0    0.6    3    10
  4.3    0.2    1    12
  4.3    0.2    1    15
  8.7    0.4    2    20
  4.3    0.2    1    50
  4.3    0.2    1    80
  4.3    0.2    1    85
         1.0    5    -5   -5. NO INTERVIEW
         2.5   12    -3   -3. REFUSED/NA
         0.4    2    -2   -2. DONT KNOW
        91.3  439    -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2511-2513

V8224	C13E OTHR ILEG ACT M4

Other illegal activities to support their habit? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
20.0	0.4	2	1	1. THEFT
10.0	0.2	1	2	2. FORGE CHEK
10.0	0.2	1	3	3. FORGE RX
20.0	0.4	2	4	4. CON GAME
20.0	0.4	2	5	5. SELLDRUG
0.0	0.0	0	6	6. SELLOTHR
0.0	0.0	0	7	7. ASSAULT/MURDER
0.0	0.0	0	8	8. GAMBLE
0.0	0.0	0	9	9. PROSTIT
20.0	0.4	2	96	96. OTHER ILLEG BEHVR
0.0	0.0	0	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	94.4	454	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2514-2516

V8225   **C13F PERC OSAT CL:ILEG ACT M4**

What percent of your unit's outpatient clients engage in
(ACTIVITY)?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.0	0.4	2	1	
20.0	0.4	2	2	
10.0	0.2	1	8	
10.0	0.2	1	10	
10.0	0.2	1	12	
10.0	0.2	1	20	
10.0	0.2	1	31	
10.0	0.2	1	50	
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	94.4	454	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2517-2519

V8226   **C13E OTHR ILEG ACT M5**

Other illegal activities to support their habit? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
16.7	0.2	1	1	1. THEFT
0.0	0.0	0	2	2. FORGE CHEK
0.0	0.0	0	3	3. FORGE RX
0.0	0.0	0	4	4. CON GAME
50.0	0.6	3	5	5. SELLDRUG
0.0	0.0	0	6	6. SELLOTHR
0.0	0.0	0	7	7. ASSAULT/MURDER
0.0	0.0	0	8	8. GAMBLE
0.0	0.0	0	9	9. PROSTIT
33.3	0.4	2	96	96. OTHER ILLEG BEHVR
0.0	0.0	0	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	95.2	458	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2520-2522

V8227   **C13F PERC OSAT CL:ILEG ACT M5**

What percent of your unit's outpatient clients engage in (ACTIVITY)?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 16.7     0.2    1      2
 16.7     0.2    1      4
 16.7     0.2    1      5
 16.7     0.2    1      8
 33.3     0.4    2     10
          1.0    5     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
          0.4    2     -2  -2. DONT KNOW
         95.2  458     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2523-2525

V8228   **C14A PERC OSAT CL:INC <$12500**

Of the outpatient substance abuse clients treated by your unit in the most recent complete fiscal year, what percent would you estimate: ...had annual household incomes of under $12,500?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2526-2529

V8229   **C14B PERC OSAT CL:$12.5-25000**

Of the outpatient substance abuse clients treated by your unit
in the most recent complete fiscal year, what percent would
you estimate: ...had annual household incomes of at least
$12,500, but less than $25,000?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2530-2533

V8230	C14C PERC OSAT CL:$ 25K-50000

Of the outpatient substance abuse clients treated by your unit
in the most recent complete fiscal year, what percent would
you estimate: ...had annual household incomes of at least
$25,000, but less than $50,000?

PCT VALID	PCT ALL	N	VALUE	LABEL
11.5	11.0	53	0	
5.7	5.4	26	1	
2.8	2.7	13	2	
3.0	2.9	14	3	
2.8	2.7	13	4	
14.1	13.5	65	5	
0.9	0.8	4	6	
1.5	1.5	7	7	
1.5	1.5	7	8	
1.7	1.7	8	9	
12.2	11.6	56	10	
0.4	0.4	2	12	
1.7	1.7	8	13	
0.4	0.4	2	14	
4.8	4.6	22	15	
0.2	0.2	1	16	
0.4	0.4	2	17	
0.2	0.2	1	18	
8.7	8.3	40	20	
0.2	0.2	1	21	
0.4	0.4	2	22	
0.7	0.6	3	23	
4.8	4.6	22	25	
0.4	0.4	2	27	
0.4	0.4	2	29	
5.2	5.0	24	30	
0.2	0.2	1	32	
1.3	1.2	6	35	
0.2	0.2	1	36	
0.2	0.2	1	39	
4.6	4.4	21	40	
0.4	0.4	2	43	
0.2	0.2	1	45	
0.2	0.2	1	49	
2.2	2.1	10	50	
0.2	0.2	1	52	
0.2	0.2	1	54	
0.9	0.8	4	55	
0.9	0.8	4	60	

V8230 (CONT.)   **C14C PERC OSAT CL:$ 25K-50000**

```
      PCT    PCT    N  VALUE  LABEL
    VALID    ALL
     0.4    0.4    2     65
     0.4    0.4    2     70
     0.2    0.2    1     75
     0.2    0.2    1     80
            1.0    5     -5  -5. NO INTERVIEW
            1.7    8     -3  -3. REFUSED/NA
            1.7    8     -2  -2. DONT KNOW
    -----  -----  ---
    100.0  100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 2534-2536
```

V8231	C14D PERC OSAT CL:INC $50K 0R>

Of the outpatient substance abuse clients treated by your unit in the most recent complete fiscal year, what percent would you estimate: ...had annual household incomes of $50,000 or more?

PCT VALID	PCT ALL	N	VALUE	LABEL
48.5	46.4	223	0	
12.4	11.9	57	1	
7.4	7.1	34	2	
2.0	1.9	9	3	
0.2	0.2	1	4	
11.7	11.2	54	5	
0.4	0.4	2	6	
0.9	0.8	4	7	
0.2	0.2	1	8	
0.2	0.2	1	9	
8.7	8.3	40	10	
0.2	0.2	1	12	
0.2	0.2	1	13	
0.2	0.2	1	14	
2.8	2.7	13	15	
0.2	0.2	1	18	
0.4	0.4	2	19	
1.5	1.5	7	20	
0.2	0.2	1	22	
0.2	0.2	1	24	
0.2	0.2	1	25	
0.2	0.2	1	27	
0.2	0.2	1	30	
0.2	0.2	1	44	
0.2	0.2	1	50	
0.2	0.2	1	53	
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	1.7	8	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2537-2539

V8232   **C15 PERC OSAT CL IN MRCFY UNEMPL**

Of the outpatient substance abuse clients treated by your unit
in the most recent complete fiscal year, what percent would
you estimate were unemployed?

481 cases (Range of valid codes: 0-99)

Data type: numeric
Missing-data codes: -5--1
Columns: 2540-2542

V8233   **C16 #CLIENTS:OSAT LAST 30DY**

How many clients received outpatient substance abuse treatment
services of any type in your unit in the last 30 days?

481 cases (Range of valid codes: 2-4,000)

Data type: numeric
Missing-data codes: -5--1
Columns: 2543-2547

V8234   **C17A PERC REC OSAT CL:NO PRIOR TX OTH U**

Of these clients, what percent entered treatment under the
following conditions: ...with prior treatment for substance
abuse at some other unit?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2548-2551

V8235	C17B PERC RECENT OSAT CL:PRIOR TX YOUR U

Of these clients, what percent entered treatment under the
following conditions: ...with prior treatment for substance
abuse at your unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.6	6.2	30	0	
3.5	3.3	16	1	
4.0	3.7	18	2	
2.4	2.3	11	3	
0.4	0.4	2	4	
11.2	10.6	51	5	
0.7	0.6	3	6	
0.2	0.2	1	7	
0.7	0.6	3	8	
15.4	14.6	70	10	
0.2	0.2	1	12	
0.4	0.4	2	13	
5.7	5.4	26	15	
0.2	0.2	1	17	
13.4	12.7	61	20	
5.3	5.0	24	25	
7.9	7.5	36	30	
0.2	0.2	1	33	
1.1	1.0	5	35	
0.2	0.2	1	36	
0.2	0.2	1	37	
0.2	0.2	1	38	
0.2	0.2	1	39	
4.2	4.0	19	40	
0.2	0.2	1	42	
0.9	0.8	4	45	
5.3	5.0	24	50	
0.7	0.6	3	55	
1.8	1.7	8	60	
0.2	0.2	1	65	
0.2	0.2	1	66	
1.8	1.7	8	70	
1.1	1.0	5	75	
0.7	0.6	3	80	
0.2	0.2	1	83	
0.4	0.4	2	85	
0.9	0.8	4	90	
0.2	0.2	1	95	
0.2	0.2	1	98	
0.7	0.6	3	100	

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8235 (CONT.)              C17B PERC RECENT OSAT CL:PRIOR TX YOUR U    │
└─────────────────────────────────────────────────────────────────────┘
```

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
          1.0    5      -5  -5. NO INTERVIEW
          1.9    9      -3  -3. REFUSED/NA
          2.5   12      -2  -2. DONT KNOW
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2552-2555

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8236                      C17C PERC REC OSAT CL:PRIOR TMT OTHR UNT    │
└─────────────────────────────────────────────────────────────────────┘
```

Of these clients, what percent entered treatment under the
following conditions: ...with no prior treatment for substance
abuse?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 2556-2559

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8237                      C18A PERC ALL OSAT CL:ABSTINT 2 YR          │
└─────────────────────────────────────────────────────────────────────┘
```

Of all persons who enter treatment at your unit for substance
abuse problems, what percent would you estimate ...eventually
achieve abstinence for at least two years?

481 cases (Range of valid codes: 0-85)

Data type: numeric
Missing-data codes: -5--1
Columns: 2560-2562

V8238	C18B PERC ALL OSAT CL:CNTRL USE 2YR

Of all persons who enter treatment at your unit for substance abuse problems, what percent would you estimate ...eventually achieve controlled use for at least two years?

PCT VALID	PCT ALL	N	VALUE	LABEL
26.7	22.5	108	0	
2.5	2.1	10	1	
2.5	2.1	10	2	
0.7	0.6	3	3	
0.2	0.2	1	4	
9.2	7.7	37	5	
0.2	0.2	1	8	
11.1	9.4	45	10	
0.5	0.4	2	12	
0.5	0.4	2	13	
0.2	0.2	1	14	
3.5	2.9	14	15	
11.6	9.8	47	20	
0.2	0.2	1	22	
4.0	3.3	16	25	
5.9	5.0	24	30	
0.7	0.6	3	33	
1.5	1.2	6	35	
3.5	2.9	14	40	
0.2	0.2	1	42	
0.2	0.2	1	43	
0.2	0.2	1	45	
0.2	0.2	1	46	
5.4	4.6	22	50	
3.2	2.7	13	60	
0.5	0.4	2	65	
0.2	0.2	1	67	
0.2	0.2	1	69	
1.0	0.8	4	70	
0.2	0.2	1	74	
1.7	1.5	7	75	
1.0	0.8	4	80	
	1.0	5	-5	-5. NO INTERVIEW
	4.4	21	-3	-3. REFUSED/NA
	10.6	51	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2563-2565

METHADONE SERVICES

V8239   **D1 U PROV OUT METH TX:Y/N?**

Does your unit provide outpatient methadone treatment
services?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 70.0   69.2  333     0  0. No
 30.0   29.7  143     1  1. Yes
         1.0    5    -5  -5. NO INTERVIEW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2566-2567

V8240   **D2 TOTAL # METH CLIENTS IN MRCFY**

In the most recent complete fiscal year, what was the total
number of clients in your outpatient unit who were methadone
clients?

481 cases (Range of valid codes: 3-5,200)

Data type: numeric
Missing-data codes: -5--1
Columns: 2568-2572

V8241   **D2A CURRENT # METHADONE CLIENTS**

Currently, how many methadone clients does your outpatient
unit have?

481 cases (Range of valid codes: 2-2,300)

Data type: numeric
Missing-data codes: -5--1
Columns: 2573-2577

V8242	D3A PERC CURR MX CL: <DOSES METH

Of all the methadone clients currently served by your
outpatient unit, what percent are receiving: ...progressively
smaller doses of methadone?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.1	0.6	3	0	
3.5	1.0	5	1	
1.4	0.4	2	2	
2.1	0.6	3	3	
1.4	0.4	2	4	
14.2	4.2	20	5	
0.7	0.2	1	7	
11.3	3.3	16	10	
5.0	1.5	7	15	
1.4	0.4	2	19	
15.6	4.6	22	20	
0.7	0.2	1	22	
8.5	2.5	12	25	
2.1	0.6	3	30	
0.7	0.2	1	33	
1.4	0.4	2	35	
0.7	0.2	1	37	
1.4	0.4	2	40	
5.0	1.5	7	50	
1.4	0.4	2	60	
0.7	0.2	1	65	
2.1	0.6	3	70	
2.1	0.6	3	75	
5.0	1.5	7	80	
0.7	0.2	1	85	
0.7	0.2	1	87	
1.4	0.4	2	90	
2.1	0.6	3	95	
0.7	0.2	1	98	
3.5	1.0	5	100	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	69.2	333	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2578-2581

V8243	D3B PERC CURR MX CL: >DOSES METH

Of all the methadone clients currently served by your outpatient unit, what percent are receiving: ...progressively larger doses of methadone?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.7	6.7	32	0	
5.7	1.7	8	1	
7.1	2.1	10	2	
2.8	0.8	4	3	
18.4	5.4	26	5	
0.7	0.2	1	6	
0.7	0.2	1	7	
0.7	0.2	1	8	
15.6	4.6	22	10	
0.7	0.2	1	12	
4.3	1.2	6	15	
0.7	0.2	1	19	
5.0	1.5	7	20	
1.4	0.4	2	25	
3.5	1.0	5	30	
0.7	0.2	1	35	
1.4	0.4	2	40	
3.5	1.0	5	50	
1.4	0.4	2	60	
0.7	0.2	1	80	
0.7	0.2	1	90	
1.4	0.4	2	99	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	69.2	333	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2582-2584

V8244	D3C PERC CURR MX CL: =DOSES METH 2 WKS

What percent have received the same size dose of methadone for
the past 2 weeks?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.2	1	0	
0.7	0.2	1	1	
0.7	0.2	1	3	
1.4	0.4	2	10	
2.1	0.6	3	15	
1.4	0.4	2	20	
2.8	0.8	4	30	
0.7	0.2	1	35	
2.8	0.8	4	40	
0.7	0.2	1	45	
6.4	1.9	9	50	
0.7	0.2	1	53	
2.1	0.6	3	55	
2.1	0.6	3	60	
2.1	0.6	3	65	
0.7	0.2	1	66	
1.4	0.4	2	67	
2.8	0.8	4	70	
9.2	2.7	13	75	
0.7	0.2	1	77	
19.9	5.8	28	80	
0.7	0.2	1	83	
0.7	0.2	1	84	
8.5	2.5	12	85	
0.7	0.2	1	86	
0.7	0.2	1	89	
7.1	2.1	10	90	
0.7	0.2	1	91	
2.1	0.6	3	93	
0.7	0.2	1	94	
7.1	2.1	10	95	
0.7	0.2	1	96	
1.4	0.4	2	97	
1.4	0.4	2	98	
2.1	0.6	3	99	
2.8	0.8	4	100	
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA

V8244 (CONT.)   **D3C PERC CURR MX CL: =DOSES METH 2 WKS**

```
     PCT     PCT    N   VALUE   LABEL
    VALID    ALL
             0.2    1     -2   -2. DONT KNOW
            69.2   333     -1   -1. SKIPPED QUESTION
    -----   -----  ---
    100.0   100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 2585-2588
```

V8245	D4A PERC SAME SIZE MX CL=METH:< 40 MG

Thinking only about outpatient methadone clients who have
received the same size dose of methadone for at least two
weeks, what percent of these clients receive: ...under 40
milligrams of methadone?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.1	0.6	3	0	
2.9	0.8	4	5	
1.4	0.4	2	8	
7.9	2.3	11	10	
0.7	0.2	1	11	
0.7	0.2	1	12	
0.7	0.2	1	13	
2.1	0.6	3	14	
5.7	1.7	8	15	
1.4	0.4	2	16	
0.7	0.2	1	18	
0.7	0.2	1	19	
3.6	1.0	5	20	
0.7	0.2	1	21	
0.7	0.2	1	23	
2.1	0.6	3	25	
0.7	0.2	1	27	
12.1	3.5	17	30	
0.7	0.2	1	31	
0.7	0.2	1	33	
0.7	0.2	1	34	
1.4	0.4	2	35	
0.7	0.2	1	36	
1.4	0.4	2	38	
1.4	0.4	2	39	
7.1	2.1	10	40	
2.1	0.6	3	41	
0.7	0.2	1	42	
0.7	0.2	1	43	
4.3	1.2	6	45	
6.4	1.9	9	50	
0.7	0.2	1	55	
0.7	0.2	1	59	
4.3	1.2	6	60	
0.7	0.2	1	63	
0.7	0.2	1	64	
2.9	0.8	4	65	
1.4	0.4	2	68	
0.7	0.2	1	70	

V8245 (CONT.)   **D4A PERC SAME SIZE MX CL=METH:< 40 MG**

```
       PCT     PCT    N  VALUE  LABEL
      VALID    ALL
       2.9     0.8    4     75
       5.7     1.7    8     80
       1.4     0.4    2     90
       0.7     0.2    1     95
       1.4     0.4    2    100
               1.0    5     -5  -5. NO INTERVIEW
               0.4    2     -3  -3. REFUSED/NA
               0.2    1     -2  -2. DONT KNOW
              69.2  333     -1  -1. SKIPPED QUESTION
      -----   -----  ---
      100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2589-2592

V8246	D4B PERC SAME SIZE MX CL=METH:40-59 MG

Thinking only about outpatient methadone clients who have received the same size dose of methadone for at least two weeks, what percent of these clients receive: ...40-59 milligrams?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.8	0.8	4	0	
0.7	0.2	1	2	
2.8	0.8	4	5	
5.6	1.7	8	10	
2.8	0.8	4	15	
1.4	0.4	2	18	
12.7	3.7	18	20	
1.4	0.4	2	21	
1.4	0.4	2	22	
1.4	0.4	2	23	
3.5	1.0	5	25	
2.1	0.6	3	26	
0.7	0.2	1	27	
0.7	0.2	1	28	
10.6	3.1	15	30	
0.7	0.2	1	31	
1.4	0.4	2	32	
2.8	0.8	4	33	
0.7	0.2	1	34	
8.5	2.5	12	35	
1.4	0.4	2	37	
0.7	0.2	1	39	
6.3	1.9	9	40	
0.7	0.2	1	41	
0.7	0.2	1	42	
0.7	0.2	1	44	
3.5	1.0	5	45	
0.7	0.2	1	47	
4.9	1.5	7	50	
0.7	0.2	1	51	
0.7	0.2	1	52	
1.4	0.4	2	55	
2.8	0.8	4	60	
2.1	0.6	3	70	
0.7	0.2	1	75	
3.5	1.0	5	80	
0.7	0.2	1	85	
1.4	0.4	2	90	
0.7	0.2	1	92	

V8246 (CONT.)   **D4B PERC SAME SIZE MX CL=METH:40-59 MG**

```
   PCT     PCT    N   VALUE  LABEL
  VALID    ALL
   0.7     0.2    1    100
           1.0    5     -5  -5. NO INTERVIEW
           0.2    1     -3  -3. REFUSED/NA
          69.2  333     -1  -1. SKIPPED QUESTION
  -----   -----  ---
  100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2593-2596

V8247	D4C PERC SAME SUZE MX CL=METH:60-79 MG

Thinking only about outpatient methadone clients who have received the same size dose of methadone for at least two weeks, what percent of these clients receive: ...60-79 milligrams?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.1	3.5	17	0	
2.1	0.6	3	1	
4.3	1.2	6	2	
0.7	0.2	1	3	
7.9	2.3	11	5	
0.7	0.2	1	7	
0.7	0.2	1	8	
10.7	3.1	15	10	
0.7	0.2	1	11	
2.1	0.6	3	12	
1.4	0.4	2	13	
8.6	2.5	12	15	
2.1	0.6	3	17	
0.7	0.2	1	19	
10.0	2.9	14	20	
0.7	0.2	1	21	
0.7	0.2	1	22	
1.4	0.4	2	23	
1.4	0.4	2	24	
4.3	1.2	6	25	
0.7	0.2	1	27	
7.1	2.1	10	30	
1.4	0.4	2	31	
1.4	0.4	2	33	
1.4	0.4	2	35	
1.4	0.4	2	36	
2.9	0.8	4	40	
0.7	0.2	1	41	
0.7	0.2	1	42	
0.7	0.2	1	43	
0.7	0.2	1	44	
0.7	0.2	1	48	
4.3	1.2	6	50	
0.7	0.2	1	53	
1.4	0.4	2	65	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA

V8247 (CONT.)   **D4C PERC SAME SUZE MX CL=METH:60-79 MG**

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
         0.2    1     -2  -2. DONT KNOW
        69.2  333     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 2597-2599
```

V8248	D4D PERC SAME SIZE MX CL=METH:80-99 MG

Thinking only about outpatient methadone clients who have
received the same size dose of methadone for at least two
weeks, what percent of these clients receive: ...80-99
milligrams?

PCT VALID	PCT ALL	N	VALUE	LABEL
39.4	11.6	56	0	
6.3	1.9	9	1	
4.2	1.2	6	2	
2.1	0.6	3	3	
2.1	0.6	3	4	
13.4	4.0	19	5	
2.8	0.8	4	7	
1.4	0.4	2	8	
1.4	0.4	2	9	
10.6	3.1	15	10	
0.7	0.2	1	12	
0.7	0.2	1	13	
4.9	1.5	7	15	
0.7	0.2	1	16	
0.7	0.2	1	18	
1.4	0.4	2	19	
2.1	0.6	3	20	
0.7	0.2	1	21	
0.7	0.2	1	22	
0.7	0.2	1	23	
0.7	0.2	1	25	
0.7	0.2	1	26	
0.7	0.2	1	30	
0.7	0.2	1	67	
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	69.2	333	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2600-2602

V8249	D4E PERC SAME SIZE MX CL=METH:=/>100MG

Thinking only about outpatient methadone clients who have
received the same size dose of methadone for at least two
weeks, what percent of these clients receive: ...100 or more
milligrams?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 75.4   22.2  107      0
  7.7    2.3   11      1
  5.6    1.7    8      2
  1.4    0.4    2      3
  1.4    0.4    2      4
  2.8    0.8    4      5
  0.7    0.2    1      8
  2.8    0.8    4     10
  1.4    0.4    2     15
  0.7    0.2    1     20
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        69.2  333     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2603-2605

V8250	D5A PERC ALL CURR MX CL:CONT METH<3MO

Of all the methadone clients currently in treatment at your outpatient unit, what percent have been in continuous methadone treatment for: ...less than 3 months?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.2	1	0	
3.6	1.0	5	1	
2.9	0.8	4	2	
2.9	0.8	4	3	
0.7	0.2	1	4	
12.9	3.7	18	5	
0.7	0.2	1	6	
2.9	0.8	4	7	
2.2	0.6	3	8	
0.7	0.2	1	9	
20.9	6.0	29	10	
1.4	0.4	2	11	
2.9	0.8	4	12	
0.7	0.2	1	13	
0.7	0.2	1	14	
10.8	3.1	15	15	
0.7	0.2	1	16	
10.1	2.9	14	20	
0.7	0.2	1	23	
0.7	0.2	1	24	
5.0	1.5	7	25	
0.7	0.2	1	27	
2.9	0.8	4	30	
1.4	0.4	2	33	
2.2	0.6	3	40	
1.4	0.4	2	50	
0.7	0.2	1	52	
1.4	0.4	2	60	
0.7	0.2	1	65	
0.7	0.2	1	70	
0.7	0.2	1	85	
0.7	0.2	1	90	
1.4	0.4	2	100	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	69.2	333	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2606-2609

V8251   **D5B PERC ALL CURR MX CL:METH 3MO-1 YR**

Of all the methadone clients currently in treatment at your
outpatient unit, what percent have been in continuous
methadone treatment for: ...at least 3 months but less than 1
year?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.9	0.8	4	0	
2.2	0.6	3	2	
0.7	0.2	1	3	
2.9	0.8	4	5	
0.7	0.2	1	6	
1.5	0.4	2	7	
10.2	2.9	14	10	
5.8	1.7	8	15	
0.7	0.2	1	18	
11.7	3.3	16	20	
0.7	0.2	1	23	
1.5	0.4	2	24	
10.2	2.9	14	25	
0.7	0.2	1	29	
10.2	2.9	14	30	
0.7	0.2	1	33	
3.6	1.0	5	35	
0.7	0.2	1	36	
0.7	0.2	1	39	
6.6	1.9	9	40	
0.7	0.2	1	44	
1.5	0.4	2	45	
0.7	0.2	1	46	
0.7	0.2	1	48	
10.2	2.9	14	50	
0.7	0.2	1	51	
2.2	0.6	3	60	
1.5	0.4	2	65	
0.7	0.2	1	70	
2.2	0.6	3	75	
1.5	0.4	2	80	
0.7	0.2	1	85	
1.5	0.4	2	90	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	0.8	4	-2	-2. DONT KNOW
	69.2	333	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2610-2612

V8252   **D5C PERC ALL CURR MX CL:METH 1YR-2 YR**

Of all the methadone clients currently in treatment at your
outpatient unit, what percent have been in continuous
methadone treatment for: ...at least 1 year but less than 2
years?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.7	1.9	9	0	
0.7	0.2	1	1	
3.7	1.0	5	5	
0.7	0.2	1	6	
0.7	0.2	1	7	
15.7	4.4	21	10	
0.7	0.2	1	12	
0.7	0.2	1	13	
8.2	2.3	11	15	
0.7	0.2	1	19	
24.6	6.9	33	20	
11.9	3.3	16	25	
0.7	0.2	1	26	
0.7	0.2	1	27	
11.2	3.1	15	30	
0.7	0.2	1	31	
0.7	0.2	1	33	
2.2	0.6	3	35	
0.7	0.2	1	37	
5.2	1.5	7	40	
0.7	0.2	1	45	
0.7	0.2	1	50	
0.7	0.2	1	70	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	1.5	7	-2	-2. DONT KNOW
	69.2	333	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2613-2615

V8253	D5D PERC ALL CURR MX CL:METH 2YR -3YR

Of all the methadone clients currently in treatment at your outpatient unit, what percent have been in continuous methadone treatment for: ...at least 2 years but less than 3 years?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.4	3.7	18	0	
2.2	0.6	3	1	
3.7	1.0	5	2	
0.7	0.2	1	3	
0.7	0.2	1	4	
8.2	2.3	11	5	
0.7	0.2	1	6	
4.5	1.2	6	7	
22.4	6.2	30	10	
0.7	0.2	1	13	
11.9	3.3	16	15	
0.7	0.2	1	18	
9.0	2.5	12	20	
0.7	0.2	1	23	
6.0	1.7	8	25	
0.7	0.2	1	27	
6.0	1.7	8	30	
0.7	0.2	1	32	
0.7	0.2	1	33	
2.2	0.6	3	35	
0.7	0.2	1	40	
0.7	0.2	1	45	
0.7	0.2	1	50	
0.7	0.2	1	51	
0.7	0.2	1	63	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	1.5	7	-2	-2. DONT KNOW
	69.2	333	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2616-2618

V8254	D5E PERC ALL CURR MX CL:METH =OR> 3YR

Of all the methadone clients currently in treatment at your outpatient unit, what percent have been in continuous methadone treatment for: ...3 years or more?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.2	3.7	18	0	
3.7	1.0	5	1	
0.7	0.2	1	2	
2.9	0.8	4	3	
0.7	0.2	1	4	
9.6	2.7	13	5	
0.7	0.2	1	6	
2.2	0.6	3	7	
2.2	0.6	3	8	
13.2	3.7	18	10	
2.2	0.6	3	13	
6.6	1.9	9	15	
0.7	0.2	1	16	
0.7	0.2	1	18	
7.4	2.1	10	20	
0.7	0.2	1	24	
5.1	1.5	7	25	
0.7	0.2	1	26	
4.4	1.2	6	30	
0.7	0.2	1	32	
1.5	0.4	2	33	
0.7	0.2	1	35	
0.7	0.2	1	37	
0.7	0.2	1	38	
3.7	1.0	5	40	
0.7	0.2	1	42	
1.5	0.4	2	45	
2.2	0.6	3	50	
0.7	0.2	1	55	
2.2	0.6	3	60	
0.7	0.2	1	62	
0.7	0.2	1	65	
0.7	0.2	1	66	
0.7	0.2	1	67	
0.7	0.2	1	71	
0.7	0.2	1	77	
1.5	0.4	2	80	
0.7	0.2	1	90	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA

```
┌─────────────────────────────────────────────────────────────────────────┐
│  V8254 (CONT.)                 D5E PERC ALL CURR MX CL:METH =OR> 3YR       │
└─────────────────────────────────────────────────────────────────────────┘
```

```
    PCT    PCT    N  VALUE  LABEL
   VALID   ALL
           1.0    5      -2  -2. DONT KNOW
          69.2  333      -1  -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2619-2621
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│  V8255                 D6A EXTENT CL AWAR METH LEVL                        │
└─────────────────────────────────────────────────────────────────────────┘
```

Methadone treatment programs vary in their policies and
practices. In your outpatient unit ...to what extent are
clients aware of the dose level of methadone they are
receiving? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
    PCT    PCT    N  VALUE  LABEL
   VALID   ALL
   16.9    5.0   24      1  1. No extent
    9.9    2.9   14      2  2. A little extent
   12.7    3.7   18      3  3. Some extent
   14.8    4.4   21      4  4. A great extent
   45.8   13.5   65      5  5. A very great extent
           1.0    5      -5  -5. NO INTERVIEW
           0.2    1      -3  -3. REFUSED/NA
          69.2  333      -1  -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2622-2623
```

V8256   **D6B EXTENT CL INFLU METH LVL**

In your outpatient unit ...to what extent do clients influence
decisions about their dose level? (Would you say to no
extent, a little, some, great, or to a very great extent?)

PCT VALID	PCT ALL	N	VALUE	LABEL
5.6	1.7	8	1	1. No extent
13.4	4.0	19	2	2. A little extent
45.8	13.5	65	3	3. Some extent
26.8	7.9	38	4	4. A great extent
8.5	2.5	12	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	69.2	333	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2624-2625

V8257   **D6C EXTENT ALLOW TAK-HM METH**

In your outpatient unit ...to what extent does your unit
permit take-home methadone dosages?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.4	1.9	9	1	1. No extent
13.6	4.0	19	2	2. A little extent
54.3	15.8	76	3	3. Some extent
22.9	6.7	32	4	4. A great extent
2.9	0.8	4	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	69.2	333	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2626-2627

V8258	D7 EXTENT ENCOURG METH DETO

To what extent does your unit encourage outpatient clients to
detoxify from maintenance? (Would you say to no extent, a
little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  3.5    1.0    5      1  1. No extent
 11.3    3.3   16      2  2. A little extent
 36.2   10.6   51      3  3. Some extent
 36.2   10.6   51      4  4. A great extent
 12.8    3.7   18      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
        69.2  333     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2628-2629

V8259   **D7A AMT TIME UNTIL CLI URGED TO DETOX**

How long after clients are admitted to your outpatient unit
are they typically encouraged to detoxify? (Would you say
under 3 months, 3-6 months, 7-12 months, 13-18 months, 19-24
months, 25-36 months, or 37 months or more?)

PCT VALID	PCT ALL	N	VALUE	LABEL
11.1	2.9	14	1	1. Under 3 mos
23.0	6.0	29	2	2. 3 to 6 mos
24.6	6.4	31	3	3. 7 to 12 mos
15.9	4.2	20	4	4. 13 to 18 mos
11.1	2.9	14	5	5. 19 to 24 mos
8.7	2.3	11	6	6. 25 to 36 mos
5.6	1.5	7	7	7. 37 mos or more
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	70.3	338	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2630-2631

V8260   **D8 HAVE MAX TIME TX WHEN MUST DTOX:Y/N?**

Does your unit have a maximum time in treatment after which
outpatient clients must detoxify from maintenance?

PCT VALID	PCT ALL	N	VALUE	LABEL
90.8	26.8	129	0	0. No
9.2	2.7	13	1	1. Yes
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	69.2	333	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2632-2633

```
V8261                    D8A AMT TIME UNTIL REQUIRE DTOX
```

How long after outpatient clients are admitted to your unit
are they required to detoxify?

```
   PCT     PCT    N  VALUE  LABEL
  VALID    ALL
   8.3     0.2    1      1  1. Under 3 mos
  25.0     0.6    3      2  2. 3 to 6 mos
   8.3     0.2    1      3  3. 7 to 12 mos
   8.3     0.2    1      4  4. 13 to 18 mos
  50.0     1.2    6      5  5. 19 to 24 mos
   0.0     0.0    0      6  6. 25 to 36 mos
   0.0     0.0    0      7  7. 37 mos or more
           1.0    5     -5  -5. NO INTERVIEW
           0.2    1     -3  -3. REFUSED/NA
          96.3  463     -1  -1. SKIPPED QUESTION
  -----   -----  ---
  100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2634-2635

```
V8262                    D9 EXTENT SET UPPER LIMIT FOR METH LVL
```

To what extent does your unit set an upper limit on methadone
dose levels for outpatient clients? (Would you say to no
extent, a little, some, great, or to a very great extent?)

```
   PCT     PCT    N  VALUE  LABEL
  VALID    ALL
   6.4     1.9    9      1  1. No extent
   5.0     1.5    7      2  2. A little extent
  16.4     4.8   23      3  3. Some extent
  36.4    10.6   51      4  4. A great extent
  35.7    10.4   50      5  5. A very great extent
           1.0    5     -5  -5. NO INTERVIEW
           0.4    2     -3  -3. REFUSED/NA
           0.2    1     -2  -2. DONT KNOW
          69.2  333     -1  -1. SKIPPED QUESTION
  -----   -----  ---
  100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2636-2637

V8263	D9A TYPICAL #MG SET UPPR METH LIMIT

What is the upper limit typically set on methadone dose levels?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.8	0.2	1	40	
1.5	0.4	2	45	
0.8	0.2	1	47	
6.1	1.7	8	50	
0.8	0.2	1	55	
7.6	2.1	10	60	
4.5	1.2	6	65	
7.6	2.1	10	70	
1.5	0.4	2	75	
29.5	8.1	39	80	
2.3	0.6	3	85	
0.8	0.2	1	87	
3.8	1.0	5	90	
0.8	0.2	1	95	
1.5	0.4	2	99	
26.5	7.3	35	100	
2.3	0.6	3	120	
1.5	0.4	2	160	
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	71.1	342	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2638-2641

V8264	D10 EXT POLICY ON MX DS LV:FORML AGREMNT

To what extent has your outpatient unit adopted its current
policy on methadone dose levels because of a formal agreement
between your outpatient unit and some other organization?
(Would you say to no extent, a little, some, great, or to a
very great extent?)

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 63.4   18.7   90      1  1. No extent
  4.9    1.5    7      2  2. A little extent
  6.3    1.9    9      3  3. Some extent
 13.4    4.0   19      4  4. A great extent
 12.0    3.5   17      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        69.2  333     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2642-2643

V8265   **D11 EXT POLICY ON MX DS LV:ORG OFR INCEN**

(To what extent has your outpatient unit adopted its current
policy on methadone dose levels) because some other
organization offered your outpatient unit incentives like
technical assistance or seed money to do so? (Would you say
to no extent, a little, some, great, or to a very great
extent?)

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
 93.0   27.4  132      1  1. No extent
  2.8    0.8    4      2  2. A little extent
  0.7    0.2    1      3  3. Some extent
  1.4    0.4    2      4  4. A great extent
  2.1    0.6    3      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        69.2  333     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2644-2645
```

V8266	D12 EXT POLICY ON MX DS LV:GOV AGY REGS

(To what extent has your outpatient unit adopted its current
policy on methadone dose levels) to comply with government
agency regulations? (Would you say to no extent, a little,
some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 25.4    7.5   36      1  1. No extent
  5.6    1.7    8      2  2. A little extent
 14.1    4.2   20      3  3. Some extent
 32.4    9.6   46      4  4. A great extent
 22.5    6.7   32      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        69.2  333     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2646-2647

V8267	D12A MX DS LV:SUMMARY # GOVT AGY NAMES

What are the names of these agencies?--SUMMARY

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 37.7    8.3   40      1
 34.9    7.7   37      2
 26.4    5.8   28      3
  0.9    0.2    1      4
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        76.7  369     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2648-2649

V8268 **D12A MX DS LV:GOV-AGY M1**

What are the names of these agencies?

481 cases (Range of valid codes: 23-58)

Data type: numeric
Missing-data codes: -5--1
Columns: 2650-2652

V8269 **D12B MX DS LV:M1 A FUNDING AGY:Y/N?**

Which of the following describe (NAME OF AGENCY)? Is it a
funding agency?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 64.2   14.1   68      0  0. NO CHECK
 35.8    7.9   38      1  1. CHECKED
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        76.7  369     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2653-2654

V8270 **D12B MX DS LV:M1 A LICN/ACCRED AGY:Y/N?**

Is it ...a licensing or accreditation agency?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  4.7    1.0    5      0  0. NO CHECK
 95.3   21.0  101      1  1. CHECKED
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        76.7  369     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2655-2656

```
V8271                    D12B MX DS LV:M1 A REFERRAL AGY:Y/N?
```

Is it ...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 87.7   19.3   93      0  0. NO CHECK
 12.3    2.7   13      1  1. CHECKED
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        76.7  369     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2657-2658

```
V8272                    D12C MX DS LV:GOVT LEVEL M1
```

Is it a local, state, or federal agency? (CHECK ONLY ONE.)
[IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  2.8    0.6    3      1  1. LOCAL
 53.8   11.9   57      2  2. STATE
 43.4    9.6   46      3  3. FEDERAL
  0.0    0.0    0      4  4. NATIONAL
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        76.7  369     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2659-2660

V8273   **D12A MX DS LV:GOV AGY M2**

What are the names of these agencies?

481 cases (Range of valid codes: 23-55)

Data type: numeric
Missing-data codes: -5--1
Columns: 2661-2663

V8274   **D12B MX DS LV:M2 A FUNDING AGY:Y/N?**

Which of the following describe (NAME OF AGENCY)? Is it a
funding agency?

PCT VALID	PCT ALL	N	VALUE	LABEL
77.3	10.6	51	0	0. NO CHECK
22.7	3.1	15	1	1. CHECKED
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	85.0	409	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2664-2665

V8275   **D12B MX DS LV:M2 A LICN/ACCRED AGY:Y/N?**

Is it ...a licensing or accreditation agency?

PCT VALID	PCT ALL	N	VALUE	LABEL
6.1	0.8	4	0	0. NO CHECK
93.9	12.9	62	1	1. CHECKED
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	85.0	409	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2666-2667

V8276   **D12B MX DS LV:M2 A REFERRAL AGY:Y/N?**

Is it ...a referral source?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  95.5   13.1   63      0  0. NO CHECK
   4.5    0.6    3      1  1. CHECKED
          1.0    5     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
         85.0  409     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2668-2669

V8277   **D12C MX DS LV:GOVT LEVEL M2**

Is it a local, state, or federal agency? (CHECK ONLY ONE.)
[IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   1.5    0.2    1      1  1. LOCAL
  30.3    4.2   20      2  2. STATE
  68.2    9.4   45      3  3. FEDERAL
   0.0    0.0    0      4  4. NATIONAL
          1.0    5     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
         85.0  409     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2670-2671

V8278   **D12A MX DS LV:GOV AGY M3**

What are the names of these agencies?

481 cases (Range of valid codes: 23-58)

Data type: numeric
Missing-data codes: -5--1
Columns: 2672-2674

V8279   **D12B MX DS LV:M3 A FUNDING AGY:Y/N?**

Which of the following describe (NAME OF AGENCY)? Is it a
funding agency?

PCT VALID	PCT ALL	N	VALUE	LABEL
72.4	4.4	21	0	0. NO CHECK
27.6	1.7	8	1	1. CHECKED
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	92.7	446	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2675-2676

V8280   **D12B MX DS LV:M3 A LICN/ACCRED AGY:Y/N?**

Is it ...a licensing or accreditation agency?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.4	0.2	1	0	0. NO CHECK
96.6	5.8	28	1	1. CHECKED
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	92.7	446	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2677-2678

```
V8281                    D12B MX DS LV:M3 A REFERRAL AGY:Y/N?
```

Is it ...a referral source?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 82.8    5.0   24      0  0. NO CHECK
 17.2    1.0    5      1  1. CHECKED
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        92.7  446     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2679-2680

```
V8282                    D12C MX DS LV:GOVT LEVEL M3
```

Is it a local, state, or federal agency? (CHECK ONLY ONE.)
[IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  6.9    0.4    2      1  1. LOCAL
 37.9    2.3   11      2  2. STATE
 55.2    3.3   16      3  3. FEDERAL
  0.0    0.0    0      4  4. NATIONAL
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        92.7  446     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2681-2682

V8283	D13 EXTENT MX DS LV:GOV-CNFLT REQ

To what extent do the government agencies you mentioned have
conflicting expectations or requirements of your unit? (Would
you say to no extent, a little, some, great, or to a very
great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 30.3    4.2   20      1  1. No extent
 28.8    4.0   19      2  2. A little extent
 36.4    5.0   24      3  3. Some extent
  0.0    0.0    0      4  4. A great extent
  4.5    0.6    3      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        85.0  409     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2683-2684

V8284	D14 EXTENT MX DS LV:ENHNC PUB IMG

(To what extent has your outpatient unit adopted its current
policy on methadone dose levels) to enhance the public image,
reputation, or acceptance of your outpatient unit? (Would you
say to no extent, a little, some, great, or to a very great
extent?)

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 66.2   19.5   94      1  1. No extent
 14.8    4.4   21      2  2. A little extent
 14.1    4.2   20      3  3. Some extent
  2.8    0.8    4      4  4. A great extent
  2.1    0.6    3      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.2    1     -3  -3. REFUSED/NA
        69.2  333     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2685-2686

```
┌─────────────────────────────────────────────────────────────────────┐
│  V8285                    D15 EXTENT MX DS LV:KEEP UP W FLD           │
└─────────────────────────────────────────────────────────────────────┘
```

(To what extent has your outpatient unit adopted its current
policy on methadone dose levels) because it is important to
keep up with the substance abuse field? (Would you say to no
extent, a little, some, great, or to a very great extent?)

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 36.4    10.6   51      1   1. No extent
  9.3     2.7   13      2   2. A little extent
 29.3     8.5   41      3   3. Some extent
 21.4     6.2   30      4   4. A great extent
  3.6     1.0    5      5   5. A very great extent
          1.0    5     -5   -5. NO INTERVIEW
          0.6    3     -3   -3. REFUSED/NA
         69.2  333     -1   -1. SKIPPED QUESTION
 -----   ----- ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2687-2688

ASSESSMENT

V8286	E1 PERC OSAT CL:OBTAIN DRUG HISTORY

Next I have some questions about assessment and treatment of
your unit's outpatient substance abuse clients. In the
following questions I want you to include services either
administered by your unit directly or by contract with others.

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.4	2	10	
0.2	0.2	1	20	
0.2	0.2	1	34	
0.2	0.2	1	40	
0.2	0.2	1	50	
0.2	0.2	1	70	
0.2	0.2	1	75	
1.1	1.0	5	80	
0.4	0.4	2	90	
0.6	0.6	3	95	
0.2	0.2	1	97	
0.6	0.6	3	98	
95.3	92.9	447	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2689-2692

V8287	E2 PERC OSAT CL:OBTAIN INFO-PERCEPTN

(For what percent of outpatient substance abuse clients does
your unit) obtain information on the client's perception of
his or her dependence?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	1	4	
0.4	0.4	2	10	
0.2	0.2	1	20	
0.4	0.4	2	25	
0.2	0.2	1	30	
0.2	0.2	1	35	
0.2	0.2	1	50	
0.2	0.2	1	60	
0.2	0.2	1	65	
0.4	0.4	2	70	
0.6	0.6	3	75	
0.9	0.8	4	80	
0.4	0.4	2	90	
0.9	0.8	4	95	
0.4	0.4	2	98	
0.2	0.2	1	99	
93.8	91.5	440	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2693-2696

V8288	E3 PERC OSAT CL:DO TEST FOR AIDS

(For what percent of outpatient substance abuse clients does
your unit) test specifically for AIDS?

PCT VALID	PCT ALL	N	VALUE	LABEL
53.7	50.9	245	0	
4.2	4.0	19	1	
1.3	1.2	6	2	
0.9	0.8	4	3	
7.9	7.5	36	5	
5.5	5.2	25	10	
1.1	1.0	5	15	
3.3	3.1	15	20	
0.2	0.2	1	24	
1.1	1.0	5	25	
0.2	0.2	1	27	
2.6	2.5	12	30	
0.2	0.2	1	33	
0.2	0.2	1	35	
0.2	0.2	1	39	
1.8	1.7	8	40	
0.2	0.2	1	45	
2.0	1.9	9	50	
0.9	0.8	4	60	
0.7	0.6	3	70	
0.4	0.4	2	75	
0.2	0.2	1	77	
0.7	0.6	3	80	
0.7	0.6	3	85	
1.1	1.0	5	90	
0.7	0.6	3	95	
0.4	0.4	2	98	
0.2	0.2	1	99	
7.5	7.1	34	100	
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	1.9	9	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2697-2700

V8289	E4 PERC OSAT CL:ASSESS SUPPORT NETWORK

(For what percent of outpatient substance abuse clients does
your unit) assess support networks available to the client?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.4	2	0	
0.4	0.4	2	10	
0.2	0.2	1	15	
1.1	1.0	5	20	
0.2	0.2	1	25	
0.4	0.4	2	30	
0.4	0.4	2	40	
1.7	1.7	8	50	
0.9	0.8	4	60	
0.4	0.4	2	65	
0.6	0.6	3	70	
0.9	0.8	4	75	
2.3	2.3	11	80	
0.9	0.8	4	85	
2.8	2.7	13	90	
1.3	1.2	6	95	
0.4	0.4	2	98	
84.7	82.7	398	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2701-2704

V8290	E5 PERC OSAT CL:DO PHYSICAL EXAM

(For what percent of outpatient substance abuse clients does
your unit) conduct physical examinations?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.9	33.9	163	0	
0.9	0.8	4	1	
0.6	0.6	3	2	
0.6	0.6	3	3	
0.2	0.2	1	4	
4.1	4.0	19	5	
0.2	0.2	1	7	
0.2	0.2	1	8	
4.1	4.0	19	10	
0.9	0.8	4	15	
0.2	0.2	1	17	
0.2	0.2	1	18	
4.1	4.0	19	20	
2.1	2.1	10	25	
1.5	1.5	7	30	
0.2	0.2	1	33	
0.6	0.6	3	35	
1.1	1.0	5	40	
2.8	2.7	13	50	
1.1	1.0	5	60	
0.2	0.2	1	65	
0.4	0.4	2	70	
1.3	1.2	6	75	
1.1	1.0	5	80	
0.2	0.2	1	81	
0.2	0.2	1	85	
0.4	0.4	2	90	
0.9	0.8	4	95	
0.2	0.2	1	98	
34.5	33.5	161	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2705-2708

V8291	E6 PERC OSAT CL:ASSESS MH PROB

(For what percent of outpatient substance abuse clients does
your unit) assess current or past mental health problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.3	1.2	6	0	
0.2	0.2	1	2	
1.1	1.0	5	5	
0.2	0.2	1	7	
0.9	0.8	4	10	
0.4	0.4	2	15	
1.3	1.2	6	20	
0.6	0.6	3	25	
0.2	0.2	1	30	
0.4	0.4	2	35	
1.5	1.5	7	40	
1.5	1.5	7	50	
0.4	0.4	2	60	
0.6	0.6	3	70	
1.3	1.2	6	75	
1.7	1.7	8	80	
0.4	0.4	2	85	
0.9	0.8	4	90	
1.1	1.0	5	95	
0.2	0.2	1	98	
83.8	81.7	393	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.5	7	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2709-2712

```
V8292                    E7 USE PSYCH TESTS WI CL:Y/N/OTHR?
```

Does your unit use psychological tests with outpatient
substance abuse clients?

```
  PCT    PCT    N  VALUE   LABEL
VALID   ALL
 42.0   40.5  195      0   0. NO
 57.5   55.5  267      1   1. YES
  0.4    0.4    2      6   6. R VOL: REF OTR ORG
         1.0    5     -5   -5. NO INTERVIEW
         1.2    6     -3   -3. REFUSED/NA
         1.2    6     -1   -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2713-2714

V8293	E7A M1 PSYCH TESTS USE

Which ones does your unit use? (LIST THE FIRST THREE TESTS R MENTIONS.)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.8	0.4	2	6	6. 16 PERS FACTORS (16PF)
2.4	1.2	6	7	7. BECK DEP INV
0.0	0.0	0	8	8. DRAW PICT
2.0	1.0	5	9	9. MILLON TESTS
64.2	32.8	158	10	10. MMPI/MMP
1.2	0.6	3	11	11. RORSCHACH
0.0	0.0	0	12	12. TAT
0.8	0.4	2	13	13. HOUSE TREE PERS
0.8	0.4	2	14	14. WPI
1.2	0.6	3	15	15. SCL 90R
0.4	0.2	1	16	16. OTR PROJECTIVE
5.3	2.7	13	17	17. OTR PERS PROFIL
2.4	1.2	6	19	19. OTR NOT 16,17
2.0	1.0	5	20	20. WAIS
0.8	0.4	2	21	21. WISC
0.4	0.2	1	22	22. GESTALT
0.4	0.2	1	23	23. SHIPLEY
0.0	0.0	0	24	24. SENTCOMP
0.0	0.0	0	25	25. WECH MEM
0.8	0.4	2	27	27. IQ TESTS
0.4	0.2	1	28	28. ACHIEVE
0.4	0.2	1	29	29. OTHER IQ
1.2	0.6	3	30	30. MAST
0.0	0.0	0	31	31. MORT_FIL
0.0	0.0	0	32	32. MANSON
0.0	0.0	0	33	33. WASI
2.8	1.5	7	39	39. OTR ALC/DRUG
0.4	0.2	1	40	40. HISTORIES
0.0	0.0	0	50	50. UNIT OWN QNAIRE
0.4	0.2	1	60	60. Employ/Vocational
4.1	2.1	10	96	96. DK TEST OUTSIDE
4.1	2.1	10	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	3.7	18	-2	-2. DONT KNOW
	43.5	209	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2715-2717

V8294	E7A M2 PSYCH TESTS USE

Which ones does your unit use? (LIST THE FIRST THREE TESTS R
MENTIONS.)

PCT VALID	PCT ALL	N	VALUE	LABEL
1.9	0.6	3	6	6. 16 PERS FACTORS (16PF)
8.9	2.9	14	7	7. BECK DEP INV
0.0	0.0	0	8	8. DRAW PICT
6.3	2.1	10	9	9. MILLON TESTS
5.1	1.7	8	10	10. MMPI/MMP
7.0	2.3	11	11	11. RORSCHACH
4.4	1.5	7	12	12. TAT
0.0	0.0	0	13	13. HOUSE TREE PERS
0.6	0.2	1	14	14. WPI
0.6	0.2	1	15	15. SCL 90R
1.3	0.4	2	16	16. OTR PROJECTIVE
12.0	4.0	19	17	17. OTR PERS PROFIL
1.9	0.6	3	19	19. OTR NOT 16,17
7.0	2.3	11	20	20. WAIS
0.6	0.2	1	21	21. WISC
3.8	1.2	6	22	22. GESTALT
6.3	2.1	10	23	23. SHIPLEY
3.2	1.0	5	24	24. SENTCOMP
0.6	0.2	1	25	25. WECH MEM
0.6	0.2	1	27	27. IQ TESTS
0.6	0.2	1	28	28. ACHIEVE
0.6	0.2	1	29	29. OTHER IQ
3.2	1.0	5	30	30. MAST
1.3	0.4	2	31	31. MORT_FIL
1.9	0.6	3	32	32. MANSON
0.0	0.0	0	33	33. WASI
8.2	2.7	13	39	39. OTR ALC/DRUG
0.6	0.2	1	40	40. HISTORIES
0.6	0.2	1	50	50. UNIT OWN QNAIRE
1.3	0.4	2	60	60. Employ/Vocational
0.0	0.0	0	96	96. DK TEST OUTSIDE
9.5	3.1	15	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	65.5	315	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 2718-2720

V8295   **E7A M3 PSYCH TESTS USE**

Which ones does your unit use? (LIST THE FIRST THREE TESTS R
MENTIONS.)

PCT VALID	PCT ALL	N	VALUE	LABEL
1.2	0.2	1	6	6. 16 PERS FACTORS (16PF)
5.9	1.0	5	7	7. BECK DEP INV
2.4	0.4	2	8	8. DRAW PICT
2.4	0.4	2	9	9. MILLON TESTS
4.7	0.8	4	10	10. MMPI/MMP
8.2	1.5	7	11	11. RORSCHACH
1.2	0.2	1	12	12. TAT
1.2	0.2	1	13	13. HOUSE TREE PERS
1.2	0.2	1	14	14. WPI
0.0	0.0	0	15	15. SCL 90R
3.5	0.6	3	16	16. OTR PROJECTIVE
7.1	1.2	6	17	17. OTR PERS PROFIL
1.2	0.2	1	19	19. OTR NOT 16,17
8.2	1.5	7	20	20. WAIS
3.5	0.6	3	21	21. WISC
5.9	1.0	5	22	22. GESTALT
4.7	0.8	4	23	23. SHIPLEY
7.1	1.2	6	24	24. SENTCOMP
0.0	0.0	0	25	25. WECH MEM
1.2	0.2	1	27	27. IQ TESTS
1.2	0.2	1	28	28. ACHIEVE
2.4	0.4	2	29	29. OTHER IQ
7.1	1.2	6	30	30. MAST
0.0	0.0	0	31	31. MORT_FIL
0.0	0.0	0	32	32. MANSON
0.0	0.0	0	33	33. WASI
7.1	1.2	6	39	39. OTR ALC/DRUG
0.0	0.0	0	40	40. HISTORIES
1.2	0.2	1	50	50. UNIT OWN QNAIRE
1.2	0.2	1	60	60. Employ/Vocational
0.0	0.0	0	96	96. DK TEST OUTSIDE
9.4	1.7	8	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-2	-2. DONT KNOW
	81.1	390	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2721-2723

V8296	E8 PERC OSAT CL:OBTAIN DSM3 DIAGNOSIS

For what percent of outpatient substance abuse clients does
your unit obtain DSM III-R diagnosis?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 14.1   13.7   66      0
  0.4    0.4    2      1
  0.4    0.4    2      3
  2.4    2.3   11      5
  0.2    0.2    1      7
  0.2    0.2    1      8
  2.4    2.3   11     10
  0.9    0.8    4     15
  1.9    1.9    9     20
  0.6    0.6    3     25
  1.1    1.0    5     30
  0.2    0.2    1     33
  0.2    0.2    1     35
  0.6    0.6    3     40
  1.3    1.2    6     50
  0.2    0.2    1     55
  0.4    0.4    2     60
  0.6    0.6    3     70
  1.1    1.0    5     75
  1.3    1.2    6     80
  1.1    1.0    5     90
  0.2    0.2    1     95
  0.2    0.2    1     98
 67.9   65.9  317    100
         1.0    5     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2724-2727

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8297                    E9A MAKE DX OF CL-DSM3:PSYCHIATR:Y/N?         │
└─────────────────────────────────────────────────────────────────────┘
```

Who is the main person that makes the DSM III-R diagnosis? Is
this person ...a psychiatrist?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  71.6   59.7  287      0  0. No
  28.4   23.7  114      1  1. Yes
          1.0    5     -5  -5. NO INTERVIEW
          1.2    6     -3  -3. REFUSED/NA
          0.6    3     -2  -2. DONT KNOW
         13.7   66     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2728-2729

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8298                    E9B MAKE DX OF CL-DSM3:PHYSICIAN:Y/N?         │
└─────────────────────────────────────────────────────────────────────┘
```

Who is the main person that makes the DSM III-R diagnosis? Is
this person ...a physician other than a psychiatrist?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  82.5   68.4  329      0  0. No
  17.5   14.6   70      1  1. Yes
          1.0    5     -5  -5. NO INTERVIEW
          1.7    8     -3  -3. REFUSED/NA
          0.6    3     -2  -2. DONT KNOW
         13.7   66     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2730-2731

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8299                    E9C MAKE DX OF CL-DSM3:PSYCHOLOG:Y/N?            │
└─────────────────────────────────────────────────────────────────────────┘
```

Who is the main person that makes the DSM III-R diagnosis? Is
this person ...a psychologist?

```
   PCT    PCT   N  VALUE  LABEL
 VALID   ALL
  78.2   64.9  312      0  0. No
  21.8   18.1   87      1  1. Yes
               1.0    5     -5  -5. NO INTERVIEW
               1.7    8     -3  -3. REFUSED/NA
               0.6    3     -2  -2. DONT KNOW
              13.7   66     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2732-2733

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8300                    E9D MAKE DX OF CL-DSM3:SOC WORKR:Y/N?            │
└─────────────────────────────────────────────────────────────────────────┘
```

Who is the main person that makes the DSM III-R diagnosis? Is
this person ...a social worker?

```
   PCT    PCT   N  VALUE  LABEL
 VALID   ALL
  81.2   67.2  323      0  0. No
  18.8   15.6   75      1  1. Yes
               1.0    5     -5  -5. NO INTERVIEW
               1.9    9     -3  -3. REFUSED/NA
               0.6    3     -2  -2. DONT KNOW
              13.7   66     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2734-2735

V8301   **E9E MAKE DX OF CL-DSM3: RN:Y/N?**

Who is the main person that makes the DSM III-R diagnosis? Is
this person ...a registered nurse?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 98.2   80.9  389      0  0. No
  1.8    1.5    7      1  1. Yes
         1.0    5     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
         0.6    3     -2  -2. DONT KNOW
        13.7   66     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2736-2737

V8302   **E9F MAKE DX OF CL-DSM3:DR.ASST:Y/N?**

Who is the main person that makes the DSM III-R diagnosis? Is
this person ...a physician's assistant?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 99.5   82.3  396      0  0. No
  0.5    0.4    2      1  1. Yes
         1.0    5     -5  -5. NO INTERVIEW
         1.9    9     -3  -3. REFUSED/NA
         0.6    3     -2  -2. DONT KNOW
        13.7   66     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2738-2739

V8303	E9G MAKE DX OF CL-DSM3: OTHER:Y/N?

Who is the main person that makes the DSM III-R diagnosis? Is
this person ...some other staff person?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 71.2   59.0  284       0  0. No
 28.8   23.9  115       1  1. Yes
               1.0    5      -5  -5. NO INTERVIEW
               1.7    8      -3  -3. REFUSED/NA
               0.6    3      -2  -2. DONT KNOW
              13.7   66      -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2740-2741

V8304	E9G WHO MAKES CX OF CL-DSM3:OTHER

Who is the main person that makes the DSM III-R diagnosis? Is
this person (SPECIFY:) Other staff person

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 58.8   13.9   67       1  1. COUNSLOR
  7.9    1.9    9       2  2. CLINICAN
  5.3    1.2    6       3  3. CLNC.SUP
 12.3    2.9   14       4  4. MA.PERS
 10.5    2.5   12      95  95. ANY/ALL
  5.3    1.2    6      97  97. OTHER
               1.0    5      -5  -5. NO INTERVIEW
               0.2    1      -3  -3. REFUSED/NA
              75.1  361      -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2742-2744

V8305   **E10A EXTENT ASSES:WRITN PROC**

To what extent does your outpatient substance abuse treatment
unit do each of the following for assessment: Make sure there
are written procedures or instructions for each type of
assessment? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  1.9    1.9    9      1  1. No extent
  4.7    4.6   22      2  2. A little extent
 14.1   13.7   66      3  3. Some extent
 28.8   28.1  135      4  4. A great extent
 50.4   49.1  236      5  5. A very great extent
        1.0    5     -5  -5. NO INTERVIEW
        1.7    8     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2745-2746

V8306   **E10B EXTENT ASSESMT:STAF TRN**

To what extent does your outpatient substance abuse treatment
unit do each of the following for assessment: Have regular
staff training to assure appropriate use of assessment
procedures? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  0.4    0.4    2      1  1. No extent
  3.8    3.7   18      2  2. A little extent
 20.4   20.0   96      3  3. Some extent
 45.7   44.7  215      4  4. A great extent
 29.6   28.9  139      5  5. A very great extent
        1.0    5     -5  -5. NO INTERVIEW
        1.2    6     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2747-2748

V8307	E10C EXTENT ASSESMT:STF EVAL

To what extent does your outpatient substance abuse treatment
unit do each of the following for assessment: Conduct formal
evaluations of staff accuracy in client assessment?

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
  3.2     3.1   15      1  1. No extent
 10.0     9.8   47      2  2. A little extent
 24.3    23.7  114      3  3. Some extent
 41.5    40.5  195      4  4. A great extent
 21.1    20.6   99      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          1.2    6     -3  -3. REFUSED/NA
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2749-2750

	TREATMENT

V8308 **F1 UNIT OFFR IND THERPY:Y/N?**

Does your outpatient unit offer individual therapy?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  0.6    0.6    3      0  0. No
 99.4   97.7  470      1  1. Yes
         1.0    5     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2751-2752

V8309 **F1A COMMON TYPES IND THERPY:Y/N?**

Are there particular types of therapy your unit uses most commonly during outpatient individual therapy?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 44.1   42.4  204      0  0. No
 55.9   53.8  259      1  1. Yes
         1.0    5     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
         0.8    4     -2  -2. DONT KNOW
         1.2    6     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2753-2754

```
V8310                    F1B M1 IND THERPY USED
```

(What types?)

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2755-2757

```
V8311                    F1B M2 IND THERPY USED
```

(What types?)

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2758-2760

```
V8312                    F1B M3 IND THERPY USED
```

(What types?)

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2761-2763

```
V8313                    F1B M4 IND THERPY USED
```

(What types?)

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2764-2766

V8314   **F1B M5 IND THERPY USED**

(What types?)

481 cases (Range of valid codes: 4-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2767-2769

V8315	F1C PERC CURR OSAT CL NOW:IND THERP

What percent of your unit's outpatient substance abuse clients
currently receive individual therapy?

```
   PCT    PCT    N   VALUE  LABEL
  VALID   ALL
   0.4    0.4    2      1
   0.2    0.2    1      2
   0.2    0.2    1      3
   1.5    1.5    7      5
   0.2    0.2    1      6
   2.1    2.1   10     10
   0.9    0.8    4     15
   0.2    0.2    1     17
   2.4    2.3   11     20
   2.1    2.1   10     25
   0.2    0.2    1     27
   3.2    3.1   15     30
   0.2    0.2    1     33
   1.1    1.0    5     35
   0.4    0.4    2     38
   3.0    2.9   14     40
   0.2    0.2    1     42
   0.4    0.4    2     45
   4.7    4.6   22     50
   3.2    3.1   15     60
   0.6    0.6    3     65
   2.1    2.1   10     70
   5.6    5.4   26     75
   6.4    6.2   30     80
   3.0    2.9   14     85
   5.8    5.6   27     90
   0.2    0.2    1     92
   3.4    3.3   16     95
   0.2    0.2    1     97
   0.6    0.6    3     98
   0.2    0.2    1     99
  44.6   43.2  208    100
          1.0    5     -5   -5. NO INTERVIEW
          0.6    3     -3   -3. REFUSED/NA
          0.2    1     -2   -2. DONT KNOW
          1.2    6     -1   -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases


  Data type: numeric
  Missing-data codes: -5--1
  Columns: 2770-2773
```

V8316	F2 PERC CURR OSAT CL NOW:GRP THERPY

What percent of your unit's outpatient substance abuse clients currently receive group therapy?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.4	7.3	35	0	
0.6	0.6	3	1	
0.2	0.2	1	2	
0.2	0.2	1	3	
0.2	0.2	1	4	
2.1	2.1	10	5	
0.4	0.4	2	8	
7.0	6.9	33	10	
0.4	0.4	2	11	
0.2	0.2	1	12	
1.9	1.9	9	15	
6.6	6.4	31	20	
0.4	0.4	2	23	
0.2	0.2	1	24	
3.6	3.5	17	25	
3.4	3.3	16	30	
0.6	0.6	3	33	
1.7	1.7	8	35	
4.2	4.2	20	40	
0.4	0.4	2	45	
0.2	0.2	1	46	
7.2	7.1	34	50	
0.2	0.2	1	55	
4.2	4.2	20	60	
1.1	1.0	5	65	
0.2	0.2	1	66	
0.2	0.2	1	68	
3.0	2.9	14	70	
0.2	0.2	1	72	
2.8	2.7	13	75	
7.4	7.3	35	80	
1.9	1.9	9	85	
0.2	0.2	1	88	
5.1	5.0	24	90	
0.2	0.2	1	93	
3.6	3.5	17	95	
0.2	0.2	1	97	
0.8	0.8	4	98	
0.6	0.6	3	99	

```
┌─────────────────────────────────────────────────────────────────────┐
│  V8316 (CONT.)              F2 PERC CURR OSAT CL NOW:GRP THERPY        │
└─────────────────────────────────────────────────────────────────────┘


     PCT     PCT    N   VALUE  LABEL
   VALID    ALL
   18.6    18.3    88    100
           1.0     5     -5   -5. NO INTERVIEW
           0.8     4     -3   -3. REFUSED/NA
   -----   -----   ---
   100.0   100.0  481  cases


   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2774-2777
```

```
┌─────────────────────────────────────────────────────────────────────┐
│  V8317              F2A IC:F1=NO,F1C=NO/0                              │
└─────────────────────────────────────────────────────────────────────┘


     INTERVIEWER CHECKPOINT

     PCT     PCT    N   VALUE  LABEL
   VALID    ALL
   98.9    90.6   436      0   0. ALL OTRS
    1.1    1.0     5       1   1. NO F1/NONE F1C
           1.0     5      -5   -5. NO INTERVIEW
           7.3    35      -1   -1. SKIPPED QUESTION
   -----   -----   ---
   100.0   100.0  481  cases


   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2778-2779
```

```
V8318                    F3 PERC CURR OSAT CL:BOTH IND&GP THERPY
```

What percent of your unit's outpatient substance abuse clients
currently receive both individual and group therapy?

```
   PCT     PCT    N   VALUE  LABEL
  VALID    ALL
   1.9     1.7    8      0
   1.9     1.7    8      1
   0.9     0.8    4      2
   0.5     0.4    2      3
   0.5     0.4    2      4
   7.3     6.4   31      5
   1.2     1.0    5      8
  12.0    10.6   51     10
   0.2     0.2    1     11
   3.8     3.3   16     15
   7.5     6.7   32     20
   0.2     0.2    1     23
   0.2     0.2    1     24
   3.5     3.1   15     25
   4.5     4.0   19     30
   0.5     0.4    2     33
   1.9     1.7    8     35
   5.4     4.8   23     40
   0.9     0.8    4     45
   7.3     6.4   31     50
   0.2     0.2    1     55
   3.8     3.3   16     60
   1.4     1.2    6     65
   1.6     1.5    7     70
   3.3     2.9   14     75
   6.1     5.4   26     80
   0.5     0.4    2     85
   0.2     0.2    1     89
   3.3     2.9   14     90
   0.2     0.2    1     93
   2.1     1.9    9     95
   0.2     0.2    1     97
   0.7     0.6    3     98
   0.2     0.2    1     99
  13.9    12.3   59    100
           1.0    5     -5   -5. NO INTERVIEW
           1.7    8     -3   -3. REFUSED/NA
           0.6    3     -2   -2. DONT KNOW
           8.3   40     -1   -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2780-2783
```

V8319	F4A PERC OSAT CL:MEDICAL CARE FR UNT/OTH

We are interested in the scope of outpatient substance abuse
services your unit provides, including those provided through
a contract with others. What percent of your unit's outpatient
substance abuse clients receive medical care?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.6	33.3	160	0	
1.7	1.7	8	1	
1.9	1.9	9	2	
0.9	0.8	4	3	
6.9	6.7	32	5	
0.6	0.6	3	7	
0.2	0.2	1	8	
6.5	6.2	30	10	
0.4	0.4	2	11	
0.2	0.2	1	12	
1.5	1.5	7	15	
0.2	0.2	1	17	
0.2	0.2	1	18	
4.8	4.6	22	20	
1.9	1.9	9	25	
3.5	3.3	16	30	
0.4	0.4	2	33	
0.6	0.6	3	35	
1.1	1.0	5	40	
0.2	0.2	1	43	
0.6	0.6	3	45	
2.2	2.1	10	50	
0.2	0.2	1	55	
1.1	1.0	5	60	
0.4	0.4	2	65	
0.4	0.4	2	70	
1.7	1.7	8	75	
0.6	0.6	3	80	
0.2	0.2	1	83	
0.2	0.2	1	85	
0.9	0.8	4	90	
1.1	1.0	5	95	
21.8	21.0	101	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	1.5	7	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2784-2787

V8320	F4B PERC OSAT CL:TMT-MH PROBS FR UNT/OTH

(What percent of your unit's outpatient substance abuse
clients receive) treatment for mental health problems?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.7	13.3	64	0	
2.8	2.7	13	1	
1.7	1.7	8	2	
1.3	1.2	6	3	
0.6	0.6	3	4	
11.8	11.4	55	5	
0.2	0.2	1	6	
0.9	0.8	4	7	
0.2	0.2	1	8	
16.2	15.8	76	10	
0.4	0.4	2	13	
7.7	7.5	36	15	
0.2	0.2	1	18	
9.6	9.4	45	20	
0.2	0.2	1	23	
4.3	4.2	20	25	
7.9	7.7	37	30	
0.2	0.2	1	33	
0.9	0.8	4	35	
2.6	2.5	12	40	
0.2	0.2	1	45	
1.7	1.7	8	50	
1.1	1.0	5	60	
0.4	0.4	2	65	
1.1	1.0	5	70	
1.1	1.0	5	75	
1.7	1.7	8	80	
0.2	0.2	1	85	
1.1	1.0	5	90	
0.2	0.2	1	95	
0.2	0.2	1	97	
7.7	7.5	36	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	0.6	3	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2788-2791

V8321	F4C PERC OSAT CL:TMT-MULT DRG FR UNT/OTH

(What percent of your unit's outpatient substance abuse
clients receive) specific treatment for use of multiple drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.6	13.1	63	0	
0.6	0.6	3	1	
0.6	0.6	3	2	
0.2	0.2	1	4	
2.6	2.5	12	5	
0.2	0.2	1	6	
0.2	0.2	1	7	
0.6	0.6	3	8	
4.8	4.6	22	10	
0.6	0.6	3	12	
2.2	2.1	10	15	
0.2	0.2	1	17	
6.1	5.8	28	20	
0.2	0.2	1	22	
0.2	0.2	1	23	
2.2	2.1	10	25	
4.1	4.0	19	30	
0.2	0.2	1	34	
1.3	1.2	6	35	
0.2	0.2	1	38	
4.5	4.4	21	40	
1.1	1.0	5	45	
5.6	5.4	26	50	
0.9	0.8	4	55	
0.2	0.2	1	56	
6.9	6.7	32	60	
1.9	1.9	9	65	
0.2	0.2	1	66	
0.2	0.2	1	68	
6.1	5.8	28	70	
0.2	0.2	1	73	
3.5	3.3	16	75	
0.2	0.2	1	77	
6.9	6.7	32	80	
1.7	1.7	8	85	
0.2	0.2	1	89	
3.7	3.5	17	90	
0.2	0.2	1	91	
0.2	0.2	1	92	
1.3	1.2	6	95	
0.2	0.2	1	98	

V8321 (CONT.)　　　　　　　　**F4C PERC OSAT CL:TMT-MULT DRG FR UNT/OTH**

```
     PCT     PCT    N   VALUE   LABEL
   VALID    ALL
    0.2     0.2    1     99
   12.6    12.1   58    100
            1.0    5     -5   -5. NO INTERVIEW
            1.7    8     -3   -3. REFUSED/NA
            1.2    6     -2   -2. DONT KNOW
   -----   -----  ---
   100.0   100.0  481  cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 2792-2795
```

V8322	F4D PERC OSAT CL:EMPLYMT CNSL FR UNT/OTH

(What percent of your unit's outpatient substance abuse
clients receive) employment counseling?

PCT VALID	PCT ALL	N	VALUE	LABEL
22.9	22.2	107	0	
1.9	1.9	9	1	
2.1	2.1	10	2	
0.2	0.2	1	3	
0.2	0.2	1	4	
11.1	10.8	52	5	
0.2	0.2	1	7	
1.1	1.0	5	8	
11.8	11.4	55	10	
0.2	0.2	1	12	
0.2	0.2	1	13	
4.9	4.8	23	15	
0.2	0.2	1	17	
7.7	7.5	36	20	
5.1	5.0	24	25	
5.8	5.6	27	30	
0.2	0.2	1	33	
1.7	1.7	8	35	
3.2	3.1	15	40	
0.2	0.2	1	43	
0.2	0.2	1	45	
5.4	5.2	25	50	
0.2	0.2	1	53	
1.3	1.2	6	60	
0.2	0.2	1	67	
1.7	1.7	8	70	
0.9	0.8	4	75	
0.9	0.8	4	80	
0.6	0.6	3	85	
0.4	0.4	2	90	
0.2	0.2	1	97	
6.9	6.7	32	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	0.8	4	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2796-2799

V8323	F4E PERC OSAT CL:FINANCL CNSL FR UNT/OTH

(What percent of your unit's outpatient substance abuse clients receive) financial counseling?

PCT VALID	PCT ALL	N	VALUE	LABEL
34.5	33.5	161	0	
4.3	4.2	20	1	
4.1	4.0	19	2	
1.1	1.0	5	3	
0.2	0.2	1	4	
10.1	9.8	47	5	
0.2	0.2	1	6	
0.4	0.4	2	7	
0.4	0.4	2	8	
11.2	10.8	52	10	
0.2	0.2	1	12	
2.6	2.5	12	15	
7.9	7.7	37	20	
2.6	2.5	12	25	
0.2	0.2	1	28	
2.8	2.7	13	30	
0.2	0.2	1	35	
0.9	0.8	4	40	
0.2	0.2	1	45	
4.1	4.0	19	50	
1.7	1.7	8	60	
0.4	0.4	2	65	
0.2	0.2	1	66	
0.2	0.2	1	70	
1.1	1.0	5	75	
0.9	0.8	4	80	
0.4	0.4	2	90	
0.2	0.2	1	93	
0.2	0.2	1	97	
6.4	6.2	30	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	1.0	5	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2800-2803

V8324	F4F PERC OSAT CL:LEGAL COUNSL FR UNT/OTH

(What percent of your unit's outpatient substance abuse
clients receive) legal counseling?

PCT VALID	PCT ALL	N	VALUE	LABEL
58.4	57.0	274	0	
3.2	3.1	15	1	
1.7	1.7	8	2	
0.6	0.6	3	3	
8.1	7.9	38	5	
0.2	0.2	1	7	
0.2	0.2	1	8	
7.9	7.7	37	10	
1.1	1.0	5	15	
0.2	0.2	1	17	
0.2	0.2	1	18	
4.3	4.2	20	20	
1.3	1.2	6	25	
0.9	0.8	4	30	
0.4	0.4	2	35	
1.3	1.2	6	40	
0.9	0.8	4	45	
3.0	2.9	14	50	
0.2	0.2	1	55	
0.4	0.4	2	60	
0.4	0.4	2	65	
0.9	0.8	4	70	
0.6	0.6	3	75	
1.3	1.2	6	80	
0.2	0.2	1	85	
0.2	0.2	1	90	
1.9	1.9	9	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2804-2807

V8325	F4G PERC OSAT CL:DWI PRGRMS FR UNIT/OTHR

(What percent of your unit's outpatient substance abuse
clients receive) Driving While Intoxicated programs?

PCT VALID	PCT ALL	N	VALUE	LABEL
41.8	40.3	194	0	
1.3	1.2	6	1	
3.0	2.9	14	2	
1.3	1.2	6	3	
0.4	0.4	2	4	
4.1	4.0	19	5	
0.4	0.4	2	8	
7.5	7.3	35	10	
0.4	0.4	2	13	
2.6	2.5	12	15	
0.2	0.2	1	16	
0.4	0.4	2	17	
5.0	4.8	23	20	
0.2	0.2	1	22	
0.2	0.2	1	23	
4.3	4.2	20	25	
4.1	4.0	19	30	
0.6	0.6	3	33	
1.3	1.2	6	35	
3.4	3.3	16	40	
1.3	1.2	6	45	
0.2	0.2	1	48	
3.7	3.5	17	50	
2.8	2.7	13	60	
0.2	0.2	1	61	
1.1	1.0	5	65	
0.2	0.2	1	67	
1.1	1.0	5	70	
1.1	1.0	5	75	
0.9	0.8	4	80	
0.9	0.8	4	85	
0.9	0.8	4	90	
0.2	0.2	1	93	
2.8	2.7	13	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.2	6	-3	-3. REFUSED/NA
	1.2	6	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2808-2811

V8326	F4H PERC OSAT CL:ANTABUSE FROM UNIT/OTHR

(What percent of your unit's outpatient substance abuse
clients receive) antabuse from your unit?

```
   PCT    PCT    N   VALUE  LABEL
 VALID    ALL
  64.1   62.4  300      0
   6.2    6.0   29      1
   2.8    2.7   13      2
   1.7    1.7    8      3
   0.2    0.2    1      4
   8.5    8.3   40      5
   0.2    0.2    1      7
   0.9    0.8    4      8
   6.2    6.0   29     10
   0.2    0.2    1     12
   0.2    0.2    1     13
   1.3    1.2    6     15
   1.9    1.9    9     20
   0.9    0.8    4     25
   1.1    1.0    5     30
   0.6    0.6    3     40
   0.6    0.6    3     45
   1.3    1.2    6     50
   0.2    0.2    1     60
   0.2    0.2    1     95
   0.6    0.6    3    100
          1.0    5     -5   -5. NO INTERVIEW
          1.0    5     -3   -3. REFUSED/NA
          0.6    3     -2   -2. DONT KNOW
  -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2812-2815

V8327	F4I PERC OSAT CL:NALTREXONE FR UNIT/OTHR

(What percent of your unit's outpatient substance abuse
clients receive) naltrexone from your unit?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 94.0   91.3  439      0
  1.5    1.5    7      1
  1.1    1.0    5      2
  0.9    0.8    4      3
  0.4    0.4    2      4
  1.3    1.2    6      5
  0.9    0.8    4     15
         1.0    5     -5  -5. NO INTERVIEW
         1.2    6     -3  -3. REFUSED/NA
         0.6    3     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2816-2818
```

V8328	F5A HAVE SPEC PRGS FOR WM:Y/N?

We are interested in special programs for certain types of
outpatient substance abuse clients. Does your unit provide
special outpatient substance abuse programs for pregnant
women?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 71.5   70.1  337      0  0. No
 28.5   27.9  134      1  1. Yes
         1.0    5     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2819-2820
```

V8329	F5B #WM IN PRGMS IN TYPICAL WK

How many persons are in these programs in a typical week?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.6	4.0	19	1	
13.1	3.5	17	2	
13.1	3.5	17	3	
3.1	0.8	4	4	
6.9	1.9	9	5	
7.7	2.1	10	6	
0.8	0.2	1	7	
3.1	0.8	4	8	
0.8	0.2	1	9	
7.7	2.1	10	10	
2.3	0.6	3	12	
0.8	0.2	1	13	
2.3	0.6	3	14	
6.9	1.9	9	15	
0.8	0.2	1	18	
1.5	0.4	2	20	
0.8	0.2	1	21	
0.8	0.2	1	25	
0.8	0.2	1	27	
0.8	0.2	1	28	
1.5	0.4	2	30	
1.5	0.4	2	35	
0.8	0.2	1	37	
0.8	0.2	1	40	
0.8	0.2	1	53	
0.8	0.2	1	85	
1.5	0.4	2	100	
3.8	1.0	5	996	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	71.1	342	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2821-2824

V8330	F5C M1 PROGRAM CONTENT

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.3	4.2	20	1	1. INDIV.TH
14.5	4.0	19	2	2. GROUP.TH
0.0	0.0	0	3	3. FAMIL.TH
0.8	0.2	1	8	8. CODEPEND
7.6	2.1	10	9	9. THERAPY
0.0	0.0	0	11	11. 12.STEP
0.8	0.2	1	12	12. SUPPRTGP
22.1	6.0	29	21	21. PREVENT
1.5	0.4	2	22	22. EVALUATN
0.0	0.0	0	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
3.1	0.8	4	31	31. INPATINT
31.3	8.5	41	32	32. OTHERMED
0.0	0.0	0	41	41. SOCSERVS
3.1	0.8	4	95	95. PROBAREA
0.0	0.0	0	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	71.1	342	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0 100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2825-2827

```
┌────────────────────────────────────────────────────────────────────┐
│ V8331                    F5C M2 PROGRAM CONTENT                      │
└────────────────────────────────────────────────────────────────────┘
```

What do these programs consist of?

```
   PCT    PCT    N  VALUE   LABEL
  VALID   ALL
  17.7    3.5   17      1  1. INDIV.TH
  18.8    3.7   18      2  2. GROUP.TH
   0.0    0.0    0      3  3. FAMIL.TH
   2.1    0.4    2      8  8. CODEPEND
   8.3    1.7    8      9  9. THERAPY
   0.0    0.0    0     11  11. 12.STEP
   4.2    0.8    4     12  12. SUPPRTGP
  13.5    2.7   13     21  21. PREVENT
   8.3    1.7    8     22  22. EVALUATN
   0.0    0.0    0     23  23. AFTERCAR
   0.0    0.0    0     24  24. CASEMANG
   1.0    0.2    1     31  31. INPATINT
  25.0    5.0   24     32  32. OTHERMED
   1.0    0.2    1     41  41. SOCSERVS
   0.0    0.0    0     95  95. PROBAREA
   0.0    0.0    0     97  97. OTHPROGS
          1.0    5     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
         78.8  379     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2828-2830

V8332   **F5C M3 PROGRAM CONTENT**

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.9	0.4	2	1	1. INDIV.TH
11.8	1.2	6	2	2. GROUP.TH
2.0	0.2	1	3	3. FAMIL.TH
2.0	0.2	1	8	8. CODEPEND
2.0	0.2	1	9	9. THERAPY
2.0	0.2	1	11	11. 12.STEP
3.9	0.4	2	12	12. SUPPRTGP
19.6	2.1	10	21	21. PREVENT
9.8	1.0	5	22	22. EVALUATN
2.0	0.2	1	23	23. AFTERCAR
2.0	0.2	1	24	24. CASEMANG
2.0	0.2	1	31	31. INPATINT
35.3	3.7	18	32	32. OTHERMED
2.0	0.2	1	41	41. SOCSERVS
0.0	0.0	0	95	95. PROBAREA
0.0	0.0	0	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	88.1	424	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2831-2833

V8333	F5D HAVE SPEC PRGS FOR PREG WOMEN:Y/N?

Does your unit provide special outpatient substance abuse
programs for other programs for women?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 48.4   47.4  228      0  0. No
 51.6   50.5  243      1  1. Yes
         1.0    5     -5  -5. NO INTERVIEW
         1.0    5     -3  -3. REFUSED/NA
----- ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2834-2835

V8334   **F5E # WM IN PRGS IN TYPICAL WEEK**

How many persons are in these programs in a typical week?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.9	0.4	2	1	
1.3	0.6	3	2	
1.3	0.6	3	3	
1.7	0.8	4	4	
7.7	3.7	18	5	
6.8	3.3	16	6	
3.4	1.7	8	7	
6.4	3.1	15	8	
3.4	1.7	8	9	
13.7	6.7	32	10	
0.9	0.4	2	11	
7.3	3.5	17	12	
1.7	0.8	4	13	
0.4	0.2	1	14	
7.3	3.5	17	15	
0.4	0.2	1	16	
1.3	0.6	3	17	
0.9	0.4	2	18	
0.4	0.2	1	19	
9.0	4.4	21	20	
0.4	0.2	1	22	
0.9	0.4	2	23	
0.4	0.2	1	24	
5.6	2.7	13	25	
0.4	0.2	1	27	
0.4	0.2	1	28	
4.7	2.3	11	30	
0.4	0.2	1	32	
0.9	0.4	2	35	
1.3	0.6	3	40	
0.4	0.2	1	45	
3.4	1.7	8	50	
0.9	0.4	2	60	
0.4	0.2	1	63	
0.4	0.2	1	65	
0.4	0.2	1	90	
0.9	0.4	2	100	
0.9	0.4	2	150	
0.4	0.2	1	250	
0.4	0.2	1	996	
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ V8334 (CONT.)              F5E # WM IN PRGS IN TYPICAL WEEK                    │
└─────────────────────────────────────────────────────────────────────────────┘
```

```
   PCT     PCT    N  VALUE  LABEL
  VALID    ALL
           0.8    4    -2   -2. DONT KNOW
          48.4  233    -1   -1. SKIPPED QUESTION
  -----   -----  ---
  100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2836-2839

```
┌─────────────────────────────────────────────────────────────────────────────┐
│ V8335                      F5F M1 PROGRAM CONTENT                             │
└─────────────────────────────────────────────────────────────────────────────┘
```

What do these programs consist of?

```
   PCT     PCT    N  VALUE  LABEL
  VALID    ALL
   6.6     3.3   16      1  1. INDIV.TH
  46.3    23.3  112      2  2. GROUP.TH
   0.4     0.2    1      3  3. FAMIL.TH
   7.0     3.5   17      8  8. CODEPEND
   3.3     1.7    8      9  9. THERAPY
   0.4     0.2    1     11  11. 12.STEP
  11.6     5.8   28     12  12. SUPPRTGP
  10.3     5.2   25     21  21. PREVENT
   0.8     0.4    2     22  22. EVALUATN
   1.7     0.8    4     23  23. AFTERCAR
   0.0     0.0    0     24  24. CASEMANG
   0.0     0.0    0     31  31. INPATINT
   2.5     1.2    6     32  32. OTHERMED
   1.7     0.8    4     41  41. SOCSERVS
   6.2     3.1   15     95  95. PROBAREA
   1.2     0.6    3     97  97. OTHPROGS
           1.0    5     -5  -5. NO INTERVIEW
           0.2    1     -3  -3. REFUSED/NA
          48.4  233     -1  -1. SKIPPED QUESTION
  -----   -----  ---
  100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2840-2842

V8336   **F5F M2 PROGRAM CONTENT**

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
19.8	4.6	22	1	1. INDIV.TH
24.3	5.6	27	2	2. GROUP.TH
4.5	1.0	5	3	3. FAMIL.TH
5.4	1.2	6	8	8. CODEPEND
5.4	1.2	6	9	9. THERAPY
0.0	0.0	0	11	11. 12.STEP
15.3	3.5	17	12	12. SUPPRTGP
12.6	2.9	14	21	21. PREVENT
3.6	0.8	4	22	22. EVALUATN
3.6	0.8	4	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.9	0.2	1	31	31. INPATINT
1.8	0.4	2	32	32. OTHERMED
0.9	0.2	1	41	41. SOCSERVS
0.9	0.2	1	95	95. PROBAREA
0.9	0.2	1	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	75.7	364	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2843-2845

V8337	F5F M3 PROGRAM CONTENT

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.3	0.8	4	1	1. INDIV.TH
18.6	1.7	8	2	2. GROUP.TH
2.3	0.2	1	3	3. FAMIL.TH
2.3	0.2	1	8	8. CODEPEND
2.3	0.2	1	9	9. THERAPY
4.7	0.4	2	11	11. 12.STEP
4.7	0.4	2	12	12. SUPPRTGP
23.3	2.1	10	21	21. PREVENT
11.6	1.0	5	22	22. EVALUATN
2.3	0.2	1	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.0	0.0	0	31	31. INPATINT
16.3	1.5	7	32	32. OTHERMED
0.0	0.0	0	41	41. SOCSERVS
0.0	0.0	0	95	95. PROBAREA
2.3	0.2	1	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	89.8	432	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 2846-2848

V8338	F5G HAVE SPEC PRGS FOR ADOLESCT:Y/N?

Does your unit provide special outpatient substance abuse
programs for...adolescents?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 52.3   51.1  246       0  0. No
 47.7   46.6  224       1  1. Yes
               1.0    5      -5  -5. NO INTERVIEW
               1.2    6      -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2849-2850

V8339	F5H # ADOLS IN PRGS IN TYPICAL WEEK

How many persons are in these programs in a typical week?

481 cases (Range of valid codes: 1-996)

Data type: numeric
Missing-data codes: -5--1
Columns: 2851-2854

V8340	F5I M1 PROGRAM CONTENT

What do these programs consist of?

```
 PCT    PCT    N   VALUE   LABEL
VALID   ALL
 17.6   8.1   39      1   1.  INDIV.TH
 36.2  16.6   80      2   2.  GROUP.TH
  3.6   1.7    8      3   3.  FAMIL.TH
  0.5   0.2    1      8   8.  CODEPEND
  6.3   2.9   14      9   9.  THERAPY
  0.0   0.0    0     11   11. 12.STEP
  3.6   1.7    8     12   12. SUPPRTGP
 20.4   9.4   45     21   21. PREVENT
  5.0   2.3   11     22   22. EVALUATN
  2.3   1.0    5     23   23. AFTERCAR
  0.0   0.0    0     24   24. CASEMANG
  0.5   0.2    1     31   31. INPATINT
  0.5   0.2    1     32   32. OTHERMED
  0.0   0.0    0     41   41. SOCSERVS
  1.8   0.8    4     95   95. PROBAREA
  1.8   0.8    4     97   97. OTHPROGS
        1.0    5     -5   -5. NO INTERVIEW
        0.4    2     -3   -3. REFUSED/NA
        0.2    1     -2   -2. DONT KNOW
       52.4  252     -1   -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2855-2857

V8341				F5I M2 PROGRAM CONTENT

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
17.9	5.8	28	1	1. INDIV.TH
27.6	8.9	43	2	2. GROUP.TH
18.6	6.0	29	3	3. FAMIL.TH
0.6	0.2	1	8	8. CODEPEND
8.3	2.7	13	9	9. THERAPY
1.3	0.4	2	11	11. 12.STEP
4.5	1.5	7	12	12. SUPPRTGP
14.1	4.6	22	21	21. PREVENT
1.9	0.6	3	22	22. EVALUATN
1.3	0.4	2	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.6	0.2	1	31	31. INPATINT
1.3	0.4	2	32	32. OTHERMED
0.0	0.0	0	41	41. SOCSERVS
0.6	0.2	1	95	95. PROBAREA
1.3	0.4	2	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	66.3	319	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2858-2860

V8342	F5I M3 PROGRAM CONTENT

What do these programs consist of?

```
  PCT     PCT     N  VALUE   LABEL
VALID     ALL
 10.0     1.7     8      1   1.  INDIV.TH
 11.2     1.9     9      2   2.  GROUP.TH
 38.8     6.4    31      3   3.  FAMIL.TH
  0.0     0.0     0      8   8.  CODEPEND
  6.2     1.0     5      9   9.  THERAPY
  0.0     0.0     0     11   11. 12.STEP
  6.2     1.0     5     12   12. SUPPRTGP
 16.2     2.7    13     21   21. PREVENT
  6.2     1.0     5     22   22. EVALUATN
  2.5     0.4     2     23   23. AFTERCAR
  0.0     0.0     0     24   24. CASEMANG
  0.0     0.0     0     31   31. INPATINT
  1.2     0.2     1     32   32. OTHERMED
  1.2     0.2     1     41   41. SOCSERVS
  0.0     0.0     0     95   95. PROBAREA
  0.0     0.0     0     97   97. OTHPROGS
          1.0     5     -5   -5. NO INTERVIEW
          0.2     1     -3   -3. REFUSED/NA
         82.1   395     -1   -1. SKIPPED QUESTION
-----   -----   ---
100.0   100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2861-2863

V8343   **F5J HAVE SPEC PRGS FOR FAMILIES:Y/N?**

Does your unit provide special outpatient substance abuse
programs for...

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 31.8   31.0  149      0  0. No
 68.2   66.5  320      1  1. Yes
         1.0    5     -5  -5. NO INTERVIEW
         1.5    7     -3  -3. REFUSED/NA
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2864-2865

V8344   **F5K # PERSONS IN PROGS IN TYP WEEK**

How many persons are in these programs in a typical week?

481 cases (Range of valid codes: 1-996)

Data type: numeric
Missing-data codes: -5--1
Columns: 2866-2869

V8345	F5L M1 PROGRAM CONTENT

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.2	9.4	45	1	1. INDIV.TH
23.3	15.4	74	2	2. GROUP.TH
23.0	15.2	73	3	3. FAMIL.TH
7.6	5.0	24	8	8. CODEPEND
3.5	2.3	11	9	9. THERAPY
0.0	0.0	0	11	11. 12.STEP
6.0	4.0	19	12	12. SUPPRTGP
20.8	13.7	66	21	21. PREVENT
0.6	0.4	2	22	22. EVALUATN
0.3	0.2	1	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.0	0.0	0	31	31. INPATINT
0.6	0.4	2	32	32. OTHERMED
0.0	0.0	0	41	41. SOCSERVS
0.0	0.0	0	95	95. PROBAREA
0.0	0.0	0	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	32.4	156	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 2870-2872

V8346	F5L M2 PROGRAM CONTENT

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.8	5.0	24	1	1. INDIV.TH
30.2	13.9	67	2	2. GROUP.TH
18.0	8.3	40	3	3. FAMIL.TH
6.3	2.9	14	8	8. CODEPEND
3.2	1.5	7	9	9. THERAPY
0.9	0.4	2	11	11. 12.STEP
11.3	5.2	25	12	12. SUPPRTGP
14.0	6.4	31	21	21. PREVENT
3.6	1.7	8	22	22. EVALUATN
0.0	0.0	0	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.0	0.0	0	31	31. INPATINT
1.4	0.6	3	32	32. OTHERMED
0.0	0.0	0	41	41. SOCSERVS
0.5	0.2	1	95	95. PROBAREA
0.0	0.0	0	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	52.4	252	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2873-2875

V8347	F5L M3 PROGRAM CONTENT

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
15.3	2.7	13	1	1. INDIV.TH
16.5	2.9	14	2	2. GROUP.TH
24.7	4.4	21	3	3. FAMIL.TH
4.7	0.8	4	8	8. CODEPEND
1.2	0.2	1	9	9. THERAPY
4.7	0.8	4	11	11. 12.STEP
12.9	2.3	11	12	12. SUPPRTGP
11.8	2.1	10	21	21. PREVENT
7.1	1.2	6	22	22. EVALUATN
1.2	0.2	1	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.0	0.0	0	31	31. INPATINT
0.0	0.0	0	32	32. OTHERMED
0.0	0.0	0	41	41. SOCSERVS
0.0	0.0	0	95	95. PROBAREA
0.0	0.0	0	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	80.9	389	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2876-2878

V8348	F5M HAVE OTHER SPEC PRGS OR GROUPS:Y/N?

Does your unit provide special outpatient substance abuse
programs for other types of clients or groups?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 51.4   49.9  240      0  0. No
 48.6   47.2  227      1  1. Yes
               1.0    5     -5  -5. NO INTERVIEW
               1.7    8     -3  -3. REFUSED/NA
               0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2879-2880

```
V8349                    F5M M1 TYPE OF CL/GRP
```

Specify (type of client or group):

```
 PCT    PCT    N  VALUE   LABEL
VALID   ALL
 0.5    0.2    1     1  1. GEN PUBLIC
 0.9    0.4    2     2  2. SEG PUB DEAL DRUG PROBS
 4.1    1.9    9     3  3. ALL CLIENTS
 6.3    2.9   14     6  6. CHILDREN
 3.6    1.7    8     7  7. OLDER CLIENTS
 3.2    1.5    7     8  8. CODEPENDS
 0.5    0.2    1     9  9. LOW INCOME
 2.3    1.0    5    10  10. MEN
 1.4    0.6    3    12  12. BLACKS
 0.5    0.2    1    13  13. GAYS/LESBIANS
 1.4    0.6    3    14  14. PARENT GRPS
 6.8    3.1   15    15  15. MINORITIES EXC BLACKS
 3.6    1.7    8    16  16. HANDICAP
 0.9    0.4    2    17  17. PREG WOMEN/TEENS
 0.0    0.0    0    18  18. OTR PROGS FOR WOMEN
 1.8    0.8    4    19  19. TEENS
 4.5    2.1   10    20  20. SPOUSE/SIG OTHR/CLOSE FAM
 1.4    0.6    3    21  21. ALCOHOL
 4.5    2.1   10    22  22. COCAINE
 0.9    0.4    2    23  23. HEROIN/OPIATES
 9.0    4.2   20    27  27. DUAL DIAGNOSIS
 5.0    2.3   11    28  28. SEVERE ADDICT CLNTS
 1.4    0.6    3    29  29. EARLY STAGE ADDICTION
 0.0    0.0    0    31  31. CHRONIC PAIN
 0.5    0.2    1    32  32. METH RECIPIENTS
 8.1    3.7   18    33  33. AIDS RELATED
 0.9    0.4    2    34  34. MENTAL HLTH PROBS
 9.5    4.4   21    35  35. DUI/DWI CLIENTS
 4.1    1.9    9    37  37. PERIPHERAL PROBS
 6.3    2.9   14    41  41. AFTERCARE
 6.8    3.1   15    97  97. OTHER
        1.0    5    -5  -5. NO INTERVIEW
        1.0    5    -3  -3. REFUSED/NA
       51.8  249    -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2881-2883

V8350	F5N M1 # PERSONS IN PROG/WEEK

How many persons are in these programs in a typical week?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.8	0.8	4	1	
3.2	1.5	7	2	
3.7	1.7	8	3	
1.8	0.8	4	4	
5.9	2.7	13	5	
3.7	1.7	8	6	
2.3	1.0	5	7	
8.7	4.0	19	8	
1.4	0.6	3	9	
13.2	6.0	29	10	
0.5	0.2	1	11	
7.8	3.5	17	12	
0.5	0.2	1	13	
0.9	0.4	2	14	
7.3	3.3	16	15	
0.5	0.2	1	16	
0.5	0.2	1	17	
1.4	0.6	3	18	
10.0	4.6	22	20	
0.5	0.2	1	23	
2.7	1.2	6	25	
0.5	0.2	1	28	
5.5	2.5	12	30	
0.5	0.2	1	33	
1.4	0.6	3	35	
0.5	0.2	1	36	
2.7	1.2	6	40	
0.5	0.2	1	42	
0.9	0.4	2	45	
3.2	1.5	7	50	
1.4	0.6	3	60	
0.5	0.2	1	65	
0.5	0.2	1	75	
0.5	0.2	1	78	
0.5	0.2	1	100	
0.5	0.2	1	150	
0.5	0.2	1	180	
0.5	0.2	1	205	
1.8	0.8	4	996	
	1.0	5	-5	-5. NO INTERVIEW

```
┌────────────────────────────────────────────────────────────────────────────┐
│ V8350 (CONT.)              F5N M1 # PERSONS IN PROG/WEEK                      │
└────────────────────────────────────────────────────────────────────────────┘
```

How many persons are in these programs in a typical week?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
         1.5    7     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        51.8  249     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2884-2887

```
┌────────────────────────────────────────────────────────────────────────────┐
│ V8351                      F5O M1A PROGRAM CONTENT                           │
└────────────────────────────────────────────────────────────────────────────┘
```

What do these programs consist of?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  14.6    6.9   33      1  1. INDIV.TH
  30.1   14.1   68      2  2. GROUP.TH
   1.8    0.8    4      3  3. FAMIL.TH
   2.7    1.2    6      8  8. CODEPEND
   8.4    4.0   19      9  9. THERAPY
   2.7    1.2    6     11  11. 12.STEP
   4.9    2.3   11     12  12. SUPPRTGP
  19.9    9.4   45     21  21. PREVENT
   3.5    1.7    8     22  22. EVALUATN
   4.0    1.9    9     23  23. AFTERCAR
   0.0    0.0    0     24  24. CASEMANG
   0.4    0.2    1     31  31. INPATINT
   4.4    2.1   10     32  32. OTHERMED
   0.9    0.4    2     41  41. SOCSERVS
   0.9    0.4    2     95  95. PROBAREA
   0.9    0.4    2     97  97. OTHPROGS
          1.0    5     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
         51.8  249     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2888-2890

V8352   **F5O M1B PROGRAM CONTENT**

What do these programs consist of?

```
   PCT    PCT    N  VALUE   LABEL
  VALID   ALL
  28.3    6.7   32      1  1. INDIV.TH
  30.1    7.1   34      2  2. GROUP.TH
   1.8    0.4    2      3  3. FAMIL.TH
   0.9    0.2    1      8  8. CODEPEND
   0.9    0.2    1      9  9. THERAPY
   1.8    0.4    2     11  11. 12.STEP
   3.5    0.8    4     12  12. SUPPRTGP
  16.8    4.0   19     21  21. PREVENT
   3.5    0.8    4     22  22. EVALUATN
   2.7    0.6    3     23  23. AFTERCAR
   1.8    0.4    2     24  24. CASEMANG
   0.9    0.2    1     31  31. INPATINT
   6.2    1.5    7     32  32. OTHERMED
   0.9    0.2    1     41  41. SOCSERVS
   0.0    0.0    0     95  95. PROBAREA
   0.0    0.0    0     97  97. OTHPROGS
          1.0    5     -5  -5. NO INTERVIEW
         75.5  363     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2891-2893

V8353	F5O M1C PROGRAM CONTENT

What do these programs consist of?

```
  PCT    PCT    N   VALUE   LABEL
 VALID   ALL
  2.6    0.2    1      1   1. INDIV.TH
 15.4    1.2    6      2   2. GROUP.TH
 10.3    0.8    4      3   3. FAMIL.TH
  0.0    0.0    0      8   8. CODEPEND
  5.1    0.4    2      9   9. THERAPY
  5.1    0.4    2     11   11. 12.STEP
 12.8    1.0    5     12   12. SUPPRTGP
 20.5    1.7    8     21   21. PREVENT
 12.8    1.0    5     22   22. EVALUATN
  0.0    0.0    0     23   23. AFTERCAR
  2.6    0.2    1     24   24. CASEMANG
  0.0    0.0    0     31   31. INPATINT
  7.7    0.6    3     32   32. OTHERMED
  2.6    0.2    1     41   41. SOCSERVS
  0.0    0.0    0     95   95. PROBAREA
  2.6    0.2    1     97   97. OTHPROGS
         1.0    5     -5   -5. NO INTERVIEW
        90.9  437     -1   -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2894-2896

V8354	F5M M2 TYPE OF CL/GRP

Specify (type of client or group):

```
  PCT   PCT    N  VALUE   LABEL
 VALID  ALL
  1.1   0.2    1      1   1. GEN PUBLIC
  2.1   0.4    2      2   2. SEG PUB DEAL DRUG PROBS
  2.1   0.4    2      3   3. ALL CLIENTS
  5.3   1.0    5      6   6. CHILDREN
  2.1   0.4    2      7   7. OLDER CLIENTS
  2.1   0.4    2      8   8. CODEPENDS
  3.2   0.6    3      9   9. LOW INCOME
  1.1   0.2    1     10  10. MEN
  1.1   0.2    1     12  12. BLACKS
  0.0   0.0    0     13  13. GAYS/LESBIANS
  2.1   0.4    2     14  14. PARENT GRPS
  3.2   0.6    3     15  15. MINORITIES EXC BLACKS
  1.1   0.2    1     16  16. HANDICAP
  0.0   0.0    0     17  17. PREG WOMEN/TEENS
  0.0   0.0    0     18  18. OTR PROGS FOR WOMEN
  4.3   0.8    4     19  19. TEENS
  7.4   1.5    7     20  20. SPOUSE/SIG OTHR/CLOSE FAM
  2.1   0.4    2     21  21. ALCOHOL
  5.3   1.0    5     22  22. COCAINE
  1.1   0.2    1     23  23. HEROIN/OPIATES
  2.1   0.4    2     27  27. DUAL DIAGNOSIS
  1.1   0.2    1     28  28. SEVERE ADDICT CLNTS
  2.1   0.4    2     29  29. EARLY STAGE ADDICTION
  0.0   0.0    0     31  31. CHRONIC PAIN
  4.3   0.8    4     32  32. METH RECIPIENTS
  4.3   0.8    4     33  33. AIDS RELATED
  1.1   0.2    1     34  34. MENTAL HLTH PROBS
 16.0   3.1   15     35  35. DUI/DWI CLIENTS
  3.2   0.6    3     37  37. PERIPHERAL PROBS
 10.6   2.1   10     41  41. AFTERCARE
  8.5   1.7    8     97  97. OTHER
        1.0    5     -5  -5. NO INTERVIEW
        0.8    4     -3  -3. REFUSED/NA
       78.6  378     -1  -1. SKIPPED QUESTION
 ----- -----  ---
100.0 100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2897-2899

V8355	F5N M2 # PERSONS IN PROG/WEEK

How many persons are in these programs in a typical week?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.1	0.2	1	2	
2.1	0.4	2	3	
6.3	1.2	6	5	
2.1	0.4	2	6	
4.2	0.8	4	7	
3.2	0.6	3	8	
2.1	0.4	2	9	
15.8	3.1	15	10	
1.1	0.2	1	11	
10.5	2.1	10	12	
2.1	0.4	2	13	
6.3	1.2	6	15	
1.1	0.2	1	16	
1.1	0.2	1	17	
10.5	2.1	10	20	
1.1	0.2	1	22	
2.1	0.4	2	23	
1.1	0.2	1	24	
4.2	0.8	4	25	
1.1	0.2	1	26	
3.2	0.6	3	30	
1.1	0.2	1	35	
3.2	0.6	3	40	
2.1	0.4	2	45	
3.2	0.6	3	50	
1.1	0.2	1	60	
1.1	0.2	1	75	
1.1	0.2	1	449	
1.1	0.2	1	450	
1.1	0.2	1	461	
3.2	0.6	3	996	
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	78.6	378	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2900-2903

V8356   **F5O M2A PROGRAM CONTENT**

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.7	1.9	9	1	1. INDIV.TH
28.0	5.4	26	2	2. GROUP.TH
1.1	0.2	1	3	3. FAMIL.TH
0.0	0.0	0	8	8. CODEPEND
10.8	2.1	10	9	9. THERAPY
2.2	0.4	2	11	11. 12.STEP
11.8	2.3	11	12	12. SUPPRTGP
17.2	3.3	16	21	21. PREVENT
4.3	0.8	4	22	22. EVALUATN
7.5	1.5	7	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.0	0.0	0	31	31. INPATINT
4.3	0.8	4	32	32. OTHERMED
0.0	0.0	0	41	41. SOCSERVS
3.2	0.6	3	95	95. PROBAREA
0.0	0.0	0	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	78.6	378	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2904-2906

V8357	**F5O M2B PROGRAM CONTENT**

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
21.6	1.7	8	1	1. INDIV.TH
35.1	2.7	13	2	2. GROUP.TH
0.0	0.0	0	3	3. FAMIL.TH
0.0	0.0	0	8	8. CODEPEND
10.8	0.8	4	9	9. THERAPY
0.0	0.0	0	11	11. 12.STEP
0.0	0.0	0	12	12. SUPPRTGP
21.6	1.7	8	21	21. PREVENT
5.4	0.4	2	22	22. EVALUATN
0.0	0.0	0	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.0	0.0	0	31	31. INPATINT
2.7	0.2	1	32	32. OTHERMED
2.7	0.2	1	41	41. SOCSERVS
0.0	0.0	0	95	95. PROBAREA
0.0	0.0	0	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	91.3	439	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2907-2909

| V8358 | | | F5O M2C PROGRAM CONTENT | |

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
23.1	0.6	3	1	1. INDIV.TH
7.7	0.2	1	2	2. GROUP.TH
7.7	0.2	1	3	3. FAMIL.TH
0.0	0.0	0	8	8. CODEPEND
0.0	0.0	0	9	9. THERAPY
0.0	0.0	0	11	11. 12.STEP
15.4	0.4	2	12	12. SUPPRTGP
23.1	0.6	3	21	21. PREVENT
7.7	0.2	1	22	22. EVALUATN
0.0	0.0	0	23	23. AFTERCAR
7.7	0.2	1	24	24. CASEMANG
0.0	0.0	0	31	31. INPATINT
0.0	0.0	0	32	32. OTHERMED
7.7	0.2	1	41	41. SOCSERVS
0.0	0.0	0	95	95. PROBAREA
0.0	0.0	0	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	96.3	463	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2910-2912

V8359	F5M M3 TYPE OF CL/GRP

Specify (type of client or group):

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. GEN PUBLIC
2.3	0.2	1	2	2. SEG PUB DEAL DRUG PROBS
2.3	0.2	1	3	3. ALL CLIENTS
9.1	0.8	4	6	6. CHILDREN
4.5	0.4	2	7	7. OLDER CLIENTS
0.0	0.0	0	8	8. CODEPENDS
2.3	0.2	1	9	9. LOW INCOME
2.3	0.2	1	10	10. MEN
0.0	0.0	0	12	12. BLACKS
0.0	0.0	0	13	13. GAYS/LESBIANS
0.0	0.0	0	14	14. PARENT GRPS
2.3	0.2	1	15	15. MINORITIES EXC BLACKS
0.0	0.0	0	16	16. HANDICAP
0.0	0.0	0	17	17. PREG WOMEN/TEENS
0.0	0.0	0	18	18. OTR PROGS FOR WOMEN
0.0	0.0	0	19	19. TEENS
0.0	0.0	0	20	20. SPOUSE/SIG OTHR/CLOSE FAM
9.1	0.8	4	21	21. ALCOHOL
0.0	0.0	0	22	22. COCAINE
0.0	0.0	0	23	23. HEROIN/OPIATES
6.8	0.6	3	27	27. DUAL DIAGNOSIS
2.3	0.2	1	28	28. SEVERE ADDICT CLNTS
2.3	0.2	1	29	29. EARLY STAGE ADDICTION
0.0	0.0	0	31	31. CHRONIC PAIN
0.0	0.0	0	32	32. METH RECIPIENTS
4.5	0.4	2	33	33. AIDS RELATED
0.0	0.0	0	34	34. MENTAL HLTH PROBS
18.2	1.7	8	35	35. DUI/DWI CLIENTS
6.8	0.6	3	37	37. PERIPHERAL PROBS
13.6	1.2	6	41	41. AFTERCARE
11.4	1.0	5	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	89.2	429	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0 100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2913-2915

```
 V8360                    F5N M3 # PERSONS IN PROG/WEEK
```

How many persons are in these programs in a typical week?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   4.3    0.4    2      3
   2.2    0.2    1      4
   6.5    0.6    3      5
   2.2    0.2    1      6
   6.5    0.6    3      8
   4.3    0.4    2      9
  21.7    2.1   10     10
   2.2    0.2    1     12
   2.2    0.2    1     15
  13.0    1.2    6     20
   2.2    0.2    1     21
   2.2    0.2    1     23
   2.2    0.2    1     24
   6.5    0.6    3     25
   2.2    0.2    1     27
   4.3    0.4    2     30
   6.5    0.6    3     40
   4.3    0.4    2     50
   2.2    0.2    1     80
   2.2    0.2    1    300
          1.0    5     -5  -5. NO INTERVIEW
          0.2    1     -3  -3. REFUSED/NA
         89.2  429     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2916-2919

V8361	F5O M3A PROGRAM CONTENT

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.4	0.4	2	1	1. INDIV.TH
37.8	3.5	17	2	2. GROUP.TH
2.2	0.2	1	3	3. FAMIL.TH
0.0	0.0	0	8	8. CODEPEND
11.1	1.0	5	9	9. THERAPY
0.0	0.0	0	11	11. 12.STEP
4.4	0.4	2	12	12. SUPPRTGP
28.9	2.7	13	21	21. PREVENT
0.0	0.0	0	22	22. EVALUATN
2.2	0.2	1	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.0	0.0	0	31	31. INPATINT
2.2	0.2	1	32	32. OTHERMED
0.0	0.0	0	41	41. SOCSERVS
4.4	0.4	2	95	95. PROBAREA
2.2	0.2	1	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	89.2	429	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 2920-2922

V8362   **F5O M3B PROGRAM CONTENT**

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.0	0.8	4	1	1. INDIV.TH
12.5	0.4	2	2	2. GROUP.TH
0.0	0.0	0	3	3. FAMIL.TH
0.0	0.0	0	8	8. CODEPEND
12.5	0.4	2	9	9. THERAPY
6.2	0.2	1	11	11. 12.STEP
12.5	0.4	2	12	12. SUPPRTGP
12.5	0.4	2	21	21. PREVENT
12.5	0.4	2	22	22. EVALUATN
0.0	0.0	0	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.0	0.0	0	31	31. INPATINT
6.2	0.2	1	32	32. OTHERMED
0.0	0.0	0	41	41. SOCSERVS
0.0	0.0	0	95	95. PROBAREA
0.0	0.0	0	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	95.6	460	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2923-2925

V8363	F5 OM3C PROGRAM CONTENT

What do these programs consist of?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. INDIV.TH
0.0	0.0	0	2	2. GROUP.TH
0.0	0.0	0	3	3. FAMIL.TH
0.0	0.0	0	8	8. CODEPEND
0.0	0.0	0	9	9. THERAPY
0.0	0.0	0	11	11. 12.STEP
0.0	0.0	0	12	12. SUPPRTGP
20.0	0.2	1	21	21. PREVENT
0.0	0.0	0	22	22. EVALUATN
0.0	0.0	0	23	23. AFTERCAR
0.0	0.0	0	24	24. CASEMANG
0.0	0.0	0	31	31. INPATINT
40.0	0.4	2	32	32. OTHERMED
0.0	0.0	0	41	41. SOCSERVS
20.0	0.2	1	95	95. PROBAREA
20.0	0.2	1	97	97. OTHPROGS
	1.0	5	-5	-5. NO INTERVIEW
	97.9	471	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2926-2928

V8364   **F6 PERC OSAT CL RECV OTHR SERV**

What percent of your unit's outpatient substance abuse clients
receive any services other than those mentioned?

PCT VALID	PCT ALL	N	VALUE	LABEL
70.9	67.8	326	0	
0.9	0.8	4	1	
0.7	0.6	3	2	
1.5	1.5	7	3	
3.0	2.9	14	5	
0.2	0.2	1	6	
0.2	0.2	1	7	
0.4	0.4	2	8	
6.5	6.2	30	10	
0.4	0.4	2	11	
0.2	0.2	1	13	
0.9	0.8	4	15	
0.2	0.2	1	17	
2.6	2.5	12	20	
0.9	0.8	4	25	
1.7	1.7	8	30	
0.7	0.6	3	35	
1.1	1.0	5	40	
1.3	1.2	6	50	
0.7	0.6	3	60	
0.2	0.2	1	65	
0.2	0.2	1	70	
0.2	0.2	1	75	
0.2	0.2	1	76	
0.7	0.6	3	80	
0.2	0.2	1	90	
0.2	0.2	1	95	
3.0	2.9	14	100	
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
	1.2	6	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2929-2932

V8365   **F6A M1 WHAT SERVICES**

What services are these?

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2933-2935

```
┌────────────────────────────────────────────────────────────────────────┐
│ V8366                    F6B M1 PERCCL:RECV SERVCE                       │
└────────────────────────────────────────────────────────────────────────┘
```

What percent of your unit's outpatient substance abuse clients
receive (SERVICE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.5	1.2	6	1	
5.2	1.5	7	2	
3.7	1.0	5	3	
0.7	0.2	1	4	
16.4	4.6	22	5	
1.5	0.4	2	6	
0.7	0.2	1	7	
1.5	0.4	2	8	
17.2	4.8	23	10	
0.7	0.2	1	11	
0.7	0.2	1	13	
5.2	1.5	7	15	
7.5	2.1	10	20	
2.2	0.6	3	25	
3.7	1.0	5	30	
2.2	0.6	3	35	
3.7	1.0	5	40	
4.5	1.2	6	50	
1.5	0.4	2	60	
2.2	0.6	3	80	
1.5	0.4	2	90	
0.7	0.2	1	95	
0.7	0.2	1	98	
11.2	3.1	15	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA
	1.5	7	-2	-2. DONT KNOW
	67.8	326	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2936-2939

V8367   **F6A M2 WHAT SERVICES**

What services are these?

481 cases (Range of valid codes: 1-93)

Data type: numeric
Missing-data codes: -5--1
Columns: 2940-2942

V8368   **F6B M2 PERCCL:RECV SERVCE**

What percent of your unit's outpatient substance abuse clients
receive (SERVICE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.2	0.4	2	1	
8.3	0.8	4	2	
2.1	0.2	1	3	
2.1	0.2	1	4	
16.7	1.7	8	5	
2.1	0.2	1	6	
25.0	2.5	12	10	
2.1	0.2	1	13	
2.1	0.2	1	19	
14.6	1.5	7	20	
2.1	0.2	1	25	
2.1	0.2	1	30	
2.1	0.2	1	33	
4.2	0.4	2	50	
2.1	0.2	1	69	
8.3	0.8	4	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.9	9	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	86.7	417	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2943-2946

```
V8369                    F6A M3 WHAT SERVICES
```

What services are these?

481 cases (Range of valid codes: 1-93)

Data type: numeric
Missing-data codes: -5--1
Columns: 2947-2949

```
V8370                    F6B M3 PERCCL:RECV SERVCE
```

What percent of your unit's outpatient substance abuse clients
receive (SERVICE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.5	0.2	1	1	
13.6	0.6	3	2	
4.5	0.2	1	3	
9.1	0.4	2	5	
4.5	0.2	1	9	
22.7	1.0	5	10	
4.5	0.2	1	17	
13.6	0.6	3	20	
9.1	0.4	2	25	
4.5	0.2	1	35	
4.5	0.2	1	60	
4.5	0.2	1	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	92.3	444	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2950-2953

V8371 **F6A M4 WHAT SERVICES**

What services are these?

481 cases (Range of valid codes: 1-97)

Data type: numeric
Missing-data codes: -5--1
Columns: 2954-2956

V8372 **F6B M4 PERCCL:RECV SERVCE**

What percent of your unit's outpatient substance abuse clients
receive (SERVICE)?

PCT VALID	PCT ALL	N	VALUE	LABEL
12.5	0.2	1	2	
12.5	0.2	1	10	
25.0	0.4	2	15	
25.0	0.4	2	20	
12.5	0.2	1	75	
12.5	0.2	1	100	
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	95.4	459	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2957-2960

V8373 **F6A M5 WHAT SERVICES**

What services are these?

481 cases (Range of valid codes: 44-91)

Data type: numeric
Missing-data codes: -5--1
Columns: 2961-2963

```
V8374                    F6B M5 PERCCL:RECV SERVCE
```

What percent of your unit's outpatient substance abuse clients
receive (SERVICE)?

```
  PCT     PCT    N   VALUE  LABEL
 VALID    ALL
  50.0    0.2    1      3
  50.0    0.2    1      5
          1.0    5     -5   -5. NO INTERVIEW
          1.5    7     -3   -3. REFUSED/NA
          0.2    1     -2   -2. DONT KNOW
         96.9  466     -1   -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2964-2965

V8375	F7 AVG # MONTHS CLIENTS IN OSAT

What is the average number of months a substance abuseclient spends in outpatient treatment at your unit?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  4.1    4.0   19      1  1. 1 MO OR LESS
  3.1    2.9   14      2
 12.7   12.1   58      3
 10.3    9.8   47      4
  7.0    6.7   32      5
 20.7   19.8   95      6
  2.8    2.7   13      7
  3.7    3.5   17      8
  4.8    4.6   22      9
  1.7    1.7    8     10
  1.3    1.2    6     11
  8.5    8.1   39     12
  0.9    0.8    4     13
  0.4    0.4    2     15
  0.4    0.4    2     16
  0.2    0.2    1     17
  3.7    3.5   17     18
  0.2    0.2    1     21
  0.2    0.2    1     22
  5.5    5.2   25     24
  0.2    0.2    1     25
  0.2    0.2    1     27
  0.2    0.2    1     28
  1.1    1.0    5     30
  0.2    0.2    1     33
  0.2    0.2    1     34
  2.2    2.1   10     36
  0.2    0.2    1     38
  0.4    0.4    2     42
  0.2    0.2    1     43
  1.1    1.0    5     48
  0.2    0.2    1     57
  0.9    0.8    4     60
  0.2    0.2    1     72
         1.0    5     -5  -5. NO INTERVIEW
         2.7   13     -3  -3. REFUSED/NA
         1.0    5     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2966-2968
```

V8376   **F8 CURR MAX # OSAT CL CAN SRV PER WEEK**

Given your current outpatient substance abuse treatment
service capacity, what is the maximum number of outpatient
substance abuse treatment clients your unit can serve on a
weekly basis?

481 cases (Range of valid codes: 8-4,500)

Data type: numeric
Missing-data codes: -5--1
Columns: 2969-2973

V8377   **F9 CURRENT # PEOPLE WAITING OSA TRMT**

Currently, how many people are waiting to receive outpatient
substance abuse treatment from your unit?

481 cases (Range of valid codes: 0-324)

Data type: numeric
Missing-data codes: -5--1
Columns: 2974-2977

V8378	F9A AVG # DAYS HAVE TO WAIT FOR TMT

How many days on average do these people have to wait to begin treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.9	2.3	11	1	1. ONE OR LESS
2.2	1.0	5	3	
1.3	0.6	3	4	
2.7	1.2	6	5	
0.9	0.4	2	6	
11.7	5.4	26	7	
0.9	0.4	2	8	
1.8	0.8	4	9	
5.4	2.5	12	10	
0.9	0.4	2	11	
0.9	0.4	2	12	
0.4	0.2	1	13	
16.6	7.7	37	14	
3.1	1.5	7	15	
0.4	0.2	1	16	
1.3	0.6	3	17	
1.3	0.6	3	18	
3.6	1.7	8	20	
7.6	3.5	17	21	
1.8	0.8	4	25	
3.6	1.7	8	28	
9.0	4.2	20	30	
0.4	0.2	1	31	
1.3	0.6	3	35	
0.4	0.2	1	40	
1.8	0.8	4	42	
2.2	1.0	5	45	
0.9	0.4	2	56	
3.6	1.7	8	60	
0.4	0.2	1	70	
0.4	0.2	1	75	
1.3	0.6	3	90	
4.5	2.1	10	95	95. 95 OR MORE
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	50.3	242	-1	-1. SKIPPED QUESTION

```
----- ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2978-2980

V8379	**F10 EXTENT TX EFFECTV FOR CL ORDR TO TX**

To what extent is treatment effective for outpatient substance abuse clients who are admitted to your unit because they were ordered to enter treatment by the legal system or their employer? (Would you say to no extent, a little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  3.9    3.7   18      1  1. No extent
 17.2   16.4   79      2  2. A little extent
 51.3   48.9  235      3  3. Some extent
 22.7   21.6  104      4  4. A great extent
  4.8    4.6   22      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.7   13     -3  -3. REFUSED/NA
         1.0    5     -2  -2. DONT KNOW
 -----  ----- ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2981-2982
```

```
V8380                   F11 EXT AA,NA MODEL EFFTV W SAT CLIENTS
```

In your view, to what extent is the Alcoholics Anonymous or
Narcotics Anonymous 12-step model of treatment effective with
substance abuse clients? (Would you say to no extent, a
little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  0.9    0.8    4      1  1. No extent
  6.3    6.0   29      2  2. A little extent
 20.5   19.8   95      3  3. Some extent
 44.9   43.2  208      4  4. A great extent
 27.4   26.4  127      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2983-2984

```
V8381                   F12 ENCOURGE CL AA,NA:Y/N?
```

Does your outpatient unit encourage clients to participate in
Alcoholics Anonymous or Narcotics Anonymous groups?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  0.9    0.8    4      0  0. No
 99.1   96.0  462      1  1. Yes
         1.0    5     -5  -5. NO INTERVIEW
         2.1   10     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2985-2986

V8382 **F12A EXTENT AA,NA USED BY OP CLIENTS**

To what extent is this service used by your outpatient
clients? (Would you say to no extent, a little, some, great,
or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  0.4    0.4    2      1  1. No extent
 10.2    9.8   47      2  2. A little extent
 28.8   27.7  133      3  3. Some extent
 35.5   34.1  164      4  4. A great extent
 25.1   24.1  116      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.9   14     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2987-2988

V8383 **F12B EXTENT UNIT URG AA,NA:PUB IM**

To what extent does your outpatient unit encourage clients to
participate in AA or NA self-help groups to enhance the public
image, reputation, or acceptance of your outpatient unit?
(Would you say to no extent, a little, some, great, or to a
very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 50.0   47.8  230      1  1. No extent
 21.3   20.4   98      2  2. A little extent
 16.3   15.6   75      3  3. Some extent
  8.3    7.9   38      4  4. A great extent
  4.1    4.0   19      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         0.4    2     -3  -3. REFUSED/NA
         2.9   14     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2989-2990

V8384	F12C EXTENT UNIT URG AA,NA:UP FLD

(To what extent does your outpatient unit encourage clients to participate in AA or NA self-help groups) because it is important to keep up with the substance abuse field? (Would you say to no extent, a little, some, great, or to a very great extent?

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
 39.7   37.6  181       1  1. No extent
 16.2   15.4   74       2  2. A little extent
 22.1   21.0  101       3  3. Some extent
 15.1   14.3   69       4  4. A great extent
  6.8    6.4   31       5  5. A very great extent
         1.0    5      -5  -5. NO INTERVIEW
         0.6    3      -3  -3. REFUSED/NA
         0.6    3      -2  -2. DONT KNOW
         2.9   14      -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 2991-2992
```

```
┌─────────────────────────────────────────────────────────────────┐
│ V8385                   F13 M1 MOST EFFECTV OSAT                  │
└─────────────────────────────────────────────────────────────────┘
```

In your view, what are the most effective outpatient treatment
approaches for substance abuse problems? (Are there any
others?)

PCT VALID	PCT ALL	N	VALUE	LABEL
4.3	4.2	20	1	1. SUPRTGRP
2.4	2.3	11	2	2. SELFHELP
21.5	20.6	99	3	3. INDTHRPY
19.1	18.3	88	4	4. GRPTHRPY
3.3	3.1	15	5	5. OUTPATNT
2.0	1.9	9	6	6. INPATENT
5.9	5.6	27	7	7. MEDICAL
2.4	2.3	11	8	8. COUNSEL
0.4	0.4	2	9	9. CONTLBEH
1.7	1.7	8	10	10. ASSESMNT
1.1	1.0	5	11	11. DRUGFREE
3.3	3.1	15	12	12. FAMTHRPY
2.8	2.7	13	13	13. MULTTRMT
0.9	0.8	4	14	14. OUTPTDAY
0.0	0.0	0	15	15. AFTRCARE
6.9	6.7	32	16	16. AA/NA
6.9	6.7	32	17	17. 12_STEP
1.7	1.7	8	19	19. OTHTHRPY
3.9	3.7	18	21	21. EDUCATON
0.0	0.0	0	22	22. ENVIRMOD
0.7	0.6	3	23	23. CHANGBEH
0.9	0.8	4	24	24. THRPQUAL
0.9	0.8	4	25	25. CLRESPBL
0.0	0.0	0	31	31. REHABLTN
5.0	4.8	23	41	41. CL_DEPNT
0.4	0.4	2	42	42. SUB_DETR
0.4	0.4	2	91	91. NOT AREA
1.3	1.2	6	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	2.9	14	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW

```
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2993-2995

	V8386		F13 M2 MOST EFFECTV OSAT

In your view, what are the most effective outpatient treatment
approaches for substance abuse problems? (Are there any
others?)

PCT VALID	PCT ALL	N	VALUE	LABEL
4.4	3.3	16	1	1. SUPRTGRP
4.1	3.1	15	2	2. SELFHELP
16.3	12.3	59	3	3. INDTHRPY
18.5	13.9	67	4	4. GRPTHRPY
2.2	1.7	8	5	5. OUTPATNT
1.7	1.2	6	6	6. INPATENT
4.4	3.3	16	7	7. MEDICAL
2.8	2.1	10	8	8. COUNSEL
0.6	0.4	2	9	9. CONTLBEH
0.8	0.6	3	10	10. ASSESMNT
2.5	1.9	9	11	11. DRUGFREE
5.2	4.0	19	12	12. FAMTHRPY
0.6	0.4	2	13	13. MULTTRMT
0.0	0.0	0	14	14. OUTPTDAY
1.4	1.0	5	15	15. AFTRCARE
9.1	6.9	33	16	16. AA/NA
7.2	5.4	26	17	17. 12_STEP
3.9	2.9	14	19	19. OTHTHRPY
6.9	5.2	25	21	21. EDUCATON
0.3	0.2	1	22	22. ENVIRMOD
2.8	2.1	10	23	23. CHANGBEH
1.1	0.8	4	24	24. THRPQUAL
0.6	0.4	2	25	25. CLRESPBL
0.8	0.6	3	31	31. REHABLTN
1.7	1.2	6	41	41. CL_DEPNT
0.0	0.0	0	42	42. SUB_DETR
0.0	0.0	0	91	91. NOT AREA
0.3	0.2	1	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	22.0	106	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 2996-2998

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8387                    F13 M3 MOST EFFECTV OSAT                     │
└─────────────────────────────────────────────────────────────────────┘
```

In your view, what are the most effective outpatient treatment
approaches for substance abuse problems? (Are there any
others?)

PCT VALID	PCT ALL	N	VALUE	LABEL
11.2	5.4	26	1	1. SUPRTGRP
3.4	1.7	8	2	2. SELFHELP
8.6	4.2	20	3	3. INDTHRPY
10.3	5.0	24	4	4. GRPTHRPY
0.4	0.2	1	5	5. OUTPATNT
3.0	1.5	7	6	6. INPATENT
5.2	2.5	12	7	7. MEDICAL
3.0	1.5	7	8	8. COUNSEL
2.1	1.0	5	9	9. CONTLBEH
1.7	0.8	4	10	10. ASSESMNT
2.1	1.0	5	11	11. DRUGFREE
10.7	5.2	25	12	12. FAMTHRPY
1.3	0.6	3	13	13. MULTTRMT
0.0	0.0	0	14	14. OUTPTDAY
1.3	0.6	3	15	15. AFTRCARE
13.7	6.7	32	16	16. AA/NA
7.3	3.5	17	17	17. 12_STEP
1.7	0.8	4	19	19. OTHTHRPY
4.3	2.1	10	21	21. EDUCATON
0.0	0.0	0	22	22. ENVIRMOD
3.4	1.7	8	23	23. CHANGBEH
0.9	0.4	2	24	24. THRPQUAL
1.7	0.8	4	25	25. CLRESPBL
0.4	0.2	1	31	31. REHABLTN
0.0	0.0	0	41	41. CL_DEPNT
0.0	0.0	0	42	42. SUB_DETR
0.0	0.0	0	91	91. NOT AREA
2.1	1.0	5	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	48.9	235	-1	-1. SKIPPED QUESTION

```
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 2999-3001

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8388                F14 M1 CRITERIA USE TO DETERMINE CL SUC          │
└─────────────────────────────────────────────────────────────────────┘
```

What criteria does your unit use to determine whether
outpatient substance abuse clients are successful or not in
substance abuse treatment?

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 39.9    38.0  183      1   1. ABSTAIN
  8.7     8.3   40      2   2. LENGTHAB
  2.6     2.5   12      3   3. LESSDOSAGE
 15.9    15.2   73     11  11. TRMTPLAN
  4.6     4.4   21     12  12. STAFEVAL
  2.2     2.1   10     13  13. LEGAL
 10.9    10.4   50     14  14. FOLLOWUP
  6.1     5.8   28     21  21. SLFREPRT
  3.1     2.9   14     30  30. LESSQUALIFE
  1.3     1.2    6     31  31. EMPLOYMT
  0.7     0.6    3     32  32. RELATONS
  0.7     0.6    3     33  33. AVOIDNEG
  1.1     1.0    5     34  34. SELFHELP
  0.4     0.4    2     35  35. MOREPHEALT
  2.0     1.9    9     97  97. OTHER
          1.0    5     -5  -5. NO INTERVIEW
          2.9   14     -3  -3. REFUSED/NA
          0.6    3     -2  -2. DONT KNOW
 -----   ----- ---
 100.0   100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3002-3004

V8389	F14 M2 CRITERIA USE TO DETERMINE CL SUC

What criteria does your unit use to determine whether
outpatient substance abuse clients are successful or not in
substance abuse treatment?

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 16.8    11.6   56      1   1. ABSTAIN
  4.5     3.1   15      2   2. LENGTHAB
  2.7     1.9    9      3   3. LESSDOSAGE
 14.7    10.2   49     11   11. TRMTPLAN
  5.7     4.0   19     12   12. STAFEVAL
  3.9     2.7   13     13   13. LEGAL
  4.8     3.3   16     14   14. FOLLOWUP
  5.1     3.5   17     21   21. SLFREPRT
 10.5     7.3   35     30   30. LESSQUALIFE
 13.5     9.4   45     31   31. EMPLOYMT
  6.9     4.8   23     32   32. RELATONS
  3.9     2.7   13     33   33. AVOIDNEG
  5.7     4.0   19     34   34. SELFHELP
  0.6     0.4    2     35   35. MOREPHEALT
  0.9     0.6    3     97   97. OTHER
          1.0    5     -5   -5. NO INTERVIEW
          1.7    8     -3   -3. REFUSED/NA
         27.9  134     -1   -1. SKIPPED QUESTION
 -----   ----- ---
 100.0   100.0 481  cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3005-3007
```

V8390	F14 M3 CRITERIA USE TO DETERMINE CL SUC

What criteria does your unit use to determine whether outpatient substance abuse clients are successful or not in substance abuse treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.7	3.1	15	1	1. ABSTAIN
1.0	0.4	2	2	2. LENGTHAB
2.1	0.8	4	3	3. LESSDOSAGE
7.7	3.1	15	11	11. TRMTPLAN
2.6	1.0	5	12	12. STAFEVAL
8.7	3.5	17	13	13. LEGAL
3.1	1.2	6	14	14. FOLLOWUP
6.7	2.7	13	21	21. SLFREPRT
7.2	2.9	14	30	30. LESSQUALIFE
16.9	6.9	33	31	31. EMPLOYMT
19.0	7.7	37	32	32. RELATONS
3.6	1.5	7	33	33. AVOIDNEG
10.8	4.4	21	34	34. SELFHELP
1.5	0.6	3	35	35. MOREPHEALT
1.5	0.6	3	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	1.7	8	-3	-3. REFUSED/NA
	56.8	273	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3008-3010

V8391	F14 M4 CRITERIA USE TO DETERMINE CL SUC

What criteria does your unit use to determine whether
outpatient substance abuse clients are successful or not in
substance abuse treatment?

```
  PCT     PCT    N   VALUE   LABEL
 VALID    ALL
  7.6     1.5    7       1   1. ABSTAIN
  1.1     0.2    1       2   2. LENGTHAB
  2.2     0.4    2       3   3. LESSDOSAGE
  7.6     1.5    7      11   11. TRMTPLAN
  1.1     0.2    1      12   12. STAFEVAL
 12.0     2.3   11      13   13. LEGAL
  1.1     0.2    1      14   14. FOLLOWUP
  6.5     1.2    6      21   21. SLFREPRT
  9.8     1.9    9      30   30. LESSQUALIFE
 17.4     3.3   16      31   31. EMPLOYMT
 18.5     3.5   17      32   32. RELATONS
  4.3     0.8    4      33   33. AVOIDNEG
  4.3     0.8    4      34   34. SELFHELP
  6.5     1.2    6      35   35. MOREPHEALT
  0.0     0.0    0      97   97. OTHER
          1.0    5      -5   -5. NO INTERVIEW
          1.7    8      -3   -3. REFUSED/NA
         78.2  376      -1   -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 3011-3013
```

V8392	F14 M5 CRITERIA USE TO DETERMINE CL SUC

What criteria does your unit use to determine whether
outpatient substance abuse clients are successful or not in
substance abuse treatment?

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
   0.0     0.0    0     1    1. ABSTAIN
   0.0     0.0    0     2    2. LENGTHAB
   2.2     0.2    1     3    3. LESSDOSAGE
   2.2     0.2    1    11   11. TRMTPLAN
   4.3     0.4    2    12   12. STAFEVAL
  17.4     1.7    8    13   13. LEGAL
   2.2     0.2    1    14   14. FOLLOWUP
   6.5     0.6    3    21   21. SLFREPRT
   2.2     0.2    1    30   30. LESSQUALIFE
  17.4     1.7    8    31   31. EMPLOYMT
  19.6     1.9    9    32   32. RELATONS
   2.2     0.2    1    33   33. AVOIDNEG
  13.0     1.2    6    34   34. SELFHELP
  10.9     1.0    5    35   35. MOREPHEALT
   0.0     0.0    0    97   97. OTHER
           1.0    5    -5   -5. NO INTERVIEW
           1.7    8    -3   -3. REFUSED/NA
          87.7  422    -1   -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3014-3016

V8393	F15 PERC OSAT CL:HAVE WRTTN PST-TMT PLN

For what percent of outpatient substance abuse clients does
your unit have individual written plans for care to continue
after treatment, such as aftercare plans, support groups, or
return visits?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.6	7.3	35	0	
0.7	0.6	3	1	
0.7	0.6	3	2	
0.7	0.6	3	3	
1.7	1.7	8	5	
0.4	0.4	2	7	
3.7	3.5	17	10	
1.1	1.0	5	15	
2.6	2.5	12	20	
1.5	1.5	7	25	
2.2	2.1	10	30	
0.2	0.2	1	35	
1.5	1.5	7	40	
5.0	4.8	23	50	
0.2	0.2	1	59	
1.1	1.0	5	60	
0.7	0.6	3	65	
2.4	2.3	11	70	
0.2	0.2	1	72	
3.5	3.3	16	75	
2.4	2.3	11	80	
0.2	0.2	1	85	
0.2	0.2	1	87	
3.3	3.1	15	90	
0.4	0.4	2	93	
0.2	0.2	1	95	
0.2	0.2	1	98	
55.5	53.2	256	100	
	1.0	5	-5	-5. NO INTERVIEW
	2.9	14	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3017-3020

V8394	F16A HOW IMPT CL KNOW IS SUBST ABUSR

How important do you believe each of the following is for
effective outpatient substance abuse treatment? How important
is it ...that the client recognize and acknowledge that he or
she is a substance abuser? (Would you say it is not at all
important, a little important, somewhat important, very
important, or extremely important to the effectiveness of
treatment?)

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
   0.4    0.4    2      1  1. NOT AT ALL IMPORTANT
   0.9    0.8    4      2  2. LITTLE IMPORTANT
   4.3    4.2   20      3  3. SOMEWT IMPORTANT
  23.4   22.7  109      4  4. VERY IMPORTANT
  71.0   68.6  330      5  5. EXTREMELY IMPORTANT
          1.0    5     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3021-3022

V8395	F16B HOW IMPT CL ACCEPT RESPNBL RECOV

How important is it ...that the client accept personal
responsibility for his or her recovery?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
   0.2    0.2    1      1  1. NOT AT ALL IMPORTANT
   0.2    0.2    1      2  2. LITTLE IMPORTANT
   0.9    0.8    4      3  3. SOMEWT IMPORTANT
  27.5   26.6  128      4  4. VERY IMPORTANT
  71.2   69.0  332      5  5. EXTREMELY IMPORTANT
          1.0    5     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3023-3024

V8396   **F16C HOW IMPT CL GAIN INSIGHT**

How important is it ...that clients gain insight and
understanding of the role that substance abuse plays in their
lives?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.2	0.2	1	1	1. NOT AT ALL IMPORTANT
0.0	0.0	0	2	2. LITTLE IMPORTANT
6.2	6.0	29	3	3. SOMEWT IMPORTANT
35.2	34.1	164	4	4. VERY IMPORTANT
58.4	56.5	272	5	5. EXTREMELY IMPORTANT
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3025-3026

V8397   **F16D HOW IMPT CL HIT BOTTOM**

How important is it ...that clients "hit bottom" or experience
a major personal crisis related to their substance abuse
problem?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.2	7.9	38	1	1. NOT AT ALL IMPORTANT
15.3	14.8	71	2	2. LITTLE IMPORTANT
51.2	49.5	238	3	3. SOMEWT IMPORTANT
18.9	18.3	88	4	4. VERY IMPORTANT
6.5	6.2	30	5	5. EXTREMELY IMPORTANT
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3027-3028

V8398	F17A EXTENT AGREE TX GOAL:ABSTINCE

We would like to know how important certain goals for
treatment are in your outpatient unit. Please tell me how
much you agree or disagree with each of the following
statements: Complete abstinence from alcohol and drugs is an
important goal for treatment. Would you say that you strongly
agree, somewhat agree, neither agree nor disagree, somewhat
disagree, or strongly disagree?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
  82.8   80.2  386      1  1. STRONGLY AGREE
  13.3   12.9   62      2  2. SOMEWHAT AGREE
   2.6    2.5   12      3  3. NEITHER
   1.1    1.0    5      4  4. SOMEWHAT DISAGREE
   0.2    0.2    1      5  5. STRONGLY DISAGREE
   0.0    0.0    0      6  6. DOES NOT APPLY
          1.0    5     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3029-3030

V8399	F17B EXTENT AGREE TX GOAL:RESPNBL USE

Please tell me how much you agree or disagree with each of the
following statements: Clients learning how to use alcohol or
drugs in a socially responsible way is an important goal for
treatment.   (Would you say that you strongly agree, somewhat
agree, neither agree nor disagree, somewhat disagree, or
strongly disagree?)

```
   PCT     PCT    N  VALUE  LABEL
 VALID    ALL
   6.3    6.0    29      1  1. STRONGLY AGREE
  13.8   13.3    64      2  2. SOMEWHAT AGREE
   7.1    6.9    33      3  3. NEITHER
  11.7   11.2    54      4  4. SOMEWHAT DISAGREE
  61.1   58.8   283      5  5. STRONGLY DISAGREE
   0.0    0.0     0      6  6. DOES NOT APPLY
          1.0     5     -5  -5. NO INTERVIEW
          2.7    13     -3  -3. REFUSED/NA
 -----  -----   ---
 100.0  100.0   481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3031-3032
```

V8400   **F17C EXTENT AGREE TX GOAL:STEADY EMPL**

Please tell me how much you agree or disagree with each of the
following statements: Steady employment (is an important goal
for treatment).

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  57.8    55.9  269      1  1. STRONGLY AGREE
  35.5    34.3  165      2  2. SOMEWHAT AGREE
   5.2     5.0   24      3  3. NEITHER
   1.1     1.0    5      4  4. SOMEWHAT DISAGREE
   0.4     0.4    2      5  5. STRONGLY DISAGREE
   0.0     0.0    0      6  6. DOES NOT APPLY
           1.0    5     -5  -5. NO INTERVIEW
           2.3   11     -3  -3. REFUSED/NA
 -----   ----- ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3033-3034

V8401   **F17D EXTENT AGREE TX GOAL:+PHY HEALTH**

Please tell me how much you agree or disagree with each of the
following statements: Positive physical health (is an
important goal for treatment).

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  66.1    64.0  308      1  1. STRONGLY AGREE
  32.0    31.0  149      2  2. SOMEWHAT AGREE
   1.9     1.9    9      3  3. NEITHER
   0.0     0.0    0      4  4. SOMEWHAT DISAGREE
   0.0     0.0    0      5  5. STRONGLY DISAGREE
   0.0     0.0    0      6  6. DOES NOT APPLY
           1.0    5     -5  -5. NO INTERVIEW
           2.1   10     -3  -3. REFUSED/NA
 -----   ----- ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3035-3036

V8402	F17E EXTENT AGREE TX GOAL:SPIRIT STRN

Please tell me how much you agree or disagree with each of the
following statements: Improved spiritual strength (is an
important goal for treatment).

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 59.7   57.8  278      1  1. STRONGLY AGREE
 33.9   32.8  158      2  2. SOMEWHAT AGREE
  5.8    5.6   27      3  3. NEITHER
  0.2    0.2    1      4  4. SOMEWHAT DISAGREE
  0.4    0.4    2      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         2.1   10     -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3037-3038

V8403	F17F EXTENT AGREE TX GOAL:MET LEG REQ

Please tell me how much you agree or disagree with each of the
following statements: Meeting legally mandated requirements
for those with legal problems (is an important goal for
treatment).

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 70.7   68.2  328      1  1. STRONGLY AGREE
 21.1   20.4   98      2  2. SOMEWHAT AGREE
  5.0    4.8   23      3  3. NEITHER
  2.8    2.7   13      4  4. SOMEWHAT DISAGREE
  0.4    0.4    2      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3039-3040

V8404	F18 EXTENT CL PARTIC IN ESTAB TX GOALS

To what extent do outpatient substance abuse clients at your
outpatient unit participate in establishing their own
treatment goals? (Would you say to no extent, a little, some,
great, or to a very great extent?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. No extent
1.7	1.7	8	2	2. A little extent
16.1	15.6	75	3	3. Some extent
41.6	40.3	194	4	4. A great extent
40.6	39.3	189	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3041-3042

V8405	F19 EXT UNT HAS COMPLTE ABSTNCE TX GOAL

To what extent has your outpatient unit adopted complete
abstinence from alcohol and drugs as a treatment goal? (Would
you say to no extent, a little, some, great or to a very great
extent?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.9	0.8	4	1	1. No extent
2.4	2.3	11	2	2. A little extent
14.0	13.5	65	3	3. Some extent
35.7	34.5	166	4	4. A great extent
47.1	45.5	219	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3043-3044

V8406	F19A EXTENT ABSTINCE:GOV REG

To what extent has your outpatient unit adopted complete
abstinence from alcohol and drugs as a treatment goal to
comply with government agency regulations? (Would you say to
no extent, a little, some, great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 53.4   50.7  244      1  1. No extent
 14.9   14.1   68      2  2. A little extent
 15.8   15.0   72      3  3. Some extent
  9.0    8.5   41      4  4. A great extent
  7.0    6.7   32      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         0.6    3     -2  -2. DONT KNOW
         0.8    4     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3045-3046

V8407	F19B EXTENT ABSTINCE:PUB IMG

(To what extent has your outpatient unit adopted complete
abstinence from alcohol and drugs as a treatment goal) to
enhance the public image, reputation, or acceptance of your
outpatient unit? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
 47.1   45.1   217      1  1. No extent
 14.8   14.1    68      2  2. A little extent
 24.3   23.3   112      3  3. Some extent
  8.9    8.5    41      4  4. A great extent
  5.0    4.8    23      5  5. A very great extent
         1.0     5     -5  -5. NO INTERVIEW
         2.3    11     -3  -3. REFUSED/NA
         0.8     4     -1  -1. SKIPPED QUESTION
 -----  -----   ---
100.0  100.0   481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3047-3048
```

V8408   **F19C EXTENT ABSTINCE:UP FLD**

(To what extent has your outpatient unit adopted complete
abstinence from alcohol and drugs as a treatment goal) because
it is important to keep up with the substance abuse field?
(Would you say to no extent, a little, some, great, or to a
very great extent?)

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
 38.7   36.8  177      1  1. No extent
 12.0   11.4   55      2  2. A little extent
 24.1   22.9  110      3  3. Some extent
 15.3   14.6   70      4  4. A great extent
  9.8    9.4   45      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.9   14     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
         0.8    4     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3049-3050

V8409	F20 EXTENT DIFFIC TO CONTACT AFTER HRS

How difficult is it for your outpatient unit's clients to
contact a staff member outside of normal operating hours, such
as at night, or on weekends, when they are in a crisis
situation regarding their abuse problem. Would you say it is
very difficult, somewhat difficult, a little difficult,
somewhat easy, or very easy?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 22.5    21.8  105      1  1. No extent
 14.8    14.3   69      2  2. A little extent
 11.2    10.8   52      3  3. Some extent
 18.7    18.1   87      4  4. A great extent
 32.8    31.8  153      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3051-3052

```
V8410                    F21A EXTENT MONITOR:CL RECRD
```

We are interested in how client progress is monitored during
the course of treatment. For clients presently in outpatient
substance abuse treatment, to what extent does your unit
monitor treatment using... ...client case records or patient
charts? (Would you say to no extent, a little, some, great,
or to a very great extent?)

```
   PCT     PCT    N  VALUE  LABEL
 VALID    ALL
   0.6    0.6     3      1  1. No extent
   0.9    0.8     4      2  2. A little extent
   7.1    6.9    33      3  3. Some extent
  41.2   39.9   192      4  4. A great extent
  50.2   48.6   234      5  5. A very great extent
          1.0     5     -5  -5. NO INTERVIEW
          2.1    10     -3  -3. REFUSED/NA
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3053-3054

```
V8411                    F21B EXTENT MONTR:SLF-REPORT
```

For clients presently in outpatient substance abuse treatment,
to what extent does your unit monitor treatment using...
...client self-reports? (Would you say to no extent, a
little, some, great, or to a very great extent?)

```
   PCT     PCT    N  VALUE  LABEL
 VALID    ALL
   1.5    1.5     7      1  1. No extent
   4.9    4.8    23      2  2. A little extent
  34.8   33.7   162      3  3. Some extent
  43.6   42.2   203      4  4. A great extent
  15.2   14.8    71      5  5. A very great extent
          1.0     5     -5  -5. NO INTERVIEW
          2.1    10     -3  -3. REFUSED/NA
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3055-3056

```
V8412                    F21C EXTENT MONTR:URINE TEST
```

For clients presently in outpatient substance abuse treatment,
to what extent does your unit monitor treatment using...
...urine testing?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
 15.9    15.4   74      1  1. No extent
 13.1    12.7   61      2  2. A little extent
 28.5    27.7  133      3  3. Some extent
 27.0    26.2  126      4  4. A great extent
 15.5    15.0   72      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3057-3058

```
V8413                    F21D EXTENT MONTR:SIGO REPRT
```

For clients presently in outpatient substance abuse treatment,
to what extent does your unit monitor treatment using...
...reports of significant others?

```
  PCT     PCT    N  VALUE  LABEL
 VALID    ALL
  3.9     3.7   18      1  1. No extent
 18.3    17.7   85      2  2. A little extent
 50.9    49.1  236      3  3. Some extent
 20.3    19.5   94      4  4. A great extent
  6.7     6.4   31      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          2.5   12     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3059-3060

```
┌────────────────────────────────────────────────────────────────────────┐
│ V8414                    F21E EXTENT MONTR:THERP EVAL                    │
└────────────────────────────────────────────────────────────────────────┘
```

For clients presently in outpatient substance abuse treatment,
to what extent does your unit monitor treatment using... ...a
therapist's evaluation?

```
  PCT     PCT     N   VALUE  LABEL
 VALID    ALL
   1.5    1.5     7      1   1. No extent
   2.4    2.3    11      2   2. A little extent
  18.7   18.1    87      3   3. Some extent
  55.6   53.8   259      4   4. A great extent
  21.9   21.2   102      5   5. A very great extent
          1.0     5     -5   -5. NO INTERVIEW
          2.1    10     -3   -3. REFUSED/NA
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3061-3062

```
┌────────────────────────────────────────────────────────────────────────┐
│ V8415                    F21F EXTENT MONTR:EMPL REPRT                    │
└────────────────────────────────────────────────────────────────────────┘
```

For clients presently in outpatient substance abuse treatment,
to what extent does your unit monitor treatment using... ...a
report from the client's employer?

```
  PCT     PCT     N   VALUE  LABEL
 VALID    ALL
  16.1   15.6    75      1   1. No extent
  34.8   33.7   162      2   2. A little extent
  35.1   33.9   163      3   3. Some extent
  10.8   10.4    50      4   4. A great extent
   3.2    3.1    15      5   5. A very great extent
          1.0     5     -5   -5. NO INTERVIEW
          2.3    11     -3   -3. REFUSED/NA
 -----  -----   ---
 100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3063-3064

V8416	F21G EXTENT MONTR:COURT OFIC

For clients presently in outpatient substance abuse treatment,
to what extent does your unit monitor treatment using...
...court probation officer or legal records?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.3	4.2	20	1	1. No extent
19.6	18.9	91	2	2. A little extent
45.4	43.9	211	3	3. Some extent
20.4	19.8	95	4	4. A great extent
10.3	10.0	48	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3065-3066

V8417	F21H M1 MONTR:OTH METH

For clients presently in outpatient substance abuse treatment,
to what extent does your unit monitor treatment using...
...any methods other than those mentioned? (SPECIFY)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. MONITOR
15.0	3.1	15	2	2. MEDRECRD
3.0	0.6	3	3	3. PSYCHIAT
2.0	0.4	2	4	4. POLICE/CRT REC
17.0	3.5	17	5	5. STAFEVAL
11.0	2.3	11	6	6. PEER
2.0	0.4	2	7	7. CL BEHVR
1.0	0.2	1	11	11. VISITS
6.0	1.2	6	12	12. TESTING
11.0	2.3	11	13	13. SCHL.REP
3.0	0.6	3	14	14. AA/NA
8.0	1.7	8	15	15. INFORMAL
15.0	3.1	15	16	16. AGENCIES
1.0	0.2	1	51	51. RECRDAPP
5.0	1.0	5	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	75.7	364	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3067-3069

```
┌─────────────────────────────────────────────────────────────────┐
│ V8418                    F21H M1   EXT OTHR MONTR                 │
└─────────────────────────────────────────────────────────────────┘
```

    ...any methods other than those mentioned?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   0.0    0.0    0      1  1. No extent
   5.6    1.0    5      2  2. A little extent
  34.4    6.4   31      3  3. Some extent
  44.4    8.3   40      4  4. A great extent
  15.6    2.9   14      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          4.6   22     -3  -3. REFUSED/NA
         75.7  364     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3070-3071

V8419   **F21H M2 MONTR:OTH METH**

...any methods other than those mentioned? (SPECIFY)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. MONITOR
6.2	0.2	1	2	2. MEDRECRD
12.5	0.4	2	3	3. PSYCHIAT
0.0	0.0	0	4	4. POLICE/CRT REC
25.0	0.8	4	5	5. STAFEVAL
0.0	0.0	0	6	6. PEER
0.0	0.0	0	7	7. CL BEHVR
0.0	0.0	0	11	11. VISITS
6.2	0.2	1	12	12. TESTING
6.2	0.2	1	13	13. SCHL.REP
0.0	0.0	0	14	14. AA/NA
0.0	0.0	0	15	15. INFORMAL
37.5	1.2	6	16	16. AGENCIES
0.0	0.0	0	51	51. RECRDAPP
6.2	0.2	1	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
	93.6	450	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 3072-3074

V8420   **F21H M2   EXT OTHR MONTR**

...any methods other than those mentioned?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  0.0    0.0    0      1  1. No extent
 14.3    0.4    2      2  2. A little extent
 28.6    0.8    4      3  3. Some extent
 50.0    1.5    7      4  4. A great extent
  7.1    0.2    1      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
        93.6  450     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3075-3076

V8421   **F21H M3 MONTR:OTH METH**

...any methods other than those mentioned? (SPECIFY)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. MONITOR
66.7	0.4	2	2	2. MEDRECRD
0.0	0.0	0	3	3. PSYCHIAT
0.0	0.0	0	4	4. POLICE/CRT REC
33.3	0.2	1	5	5. STAFEVAL
0.0	0.0	0	6	6. PEER
0.0	0.0	0	7	7. CL BEHVR
0.0	0.0	0	11	11. VISITS
0.0	0.0	0	12	12. TESTING
0.0	0.0	0	13	13. SCHL.REP
0.0	0.0	0	14	14. AA/NA
0.0	0.0	0	15	15. INFORMAL
0.0	0.0	0	16	16. AGENCIES
0.0	0.0	0	51	51. RECRDAPP
0.0	0.0	0	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
	96.3	463	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3077-3078

```
V8422                     F21 HM3   EXT OTHR MONTR
```

...any methods other than those mentioned?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   0.0    0.0    0      1  1. No extent
   0.0    0.0    0      2  2. A little extent
 100.0    0.6    3      3  3. Some extent
   0.0    0.0    0      4  4. A great extent
   0.0    0.0    0      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
         96.3  463     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3079-3080

```
V8423                     F22 EXTENT MUST MEET CONDTNS:REMAIN TP
```

To what extent are there specific conditions outpatient
substance abuse clients must meet in order to remain in
therapy at your unit? (Would you say to no extent, a little,
some, great, or to a very great extent?)

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   1.3    1.2    6      1  1. No extent
   5.6    5.4   26      2  2. A little extent
  25.2   24.3  117      3  3. Some extent
  48.2   46.6  224      4  4. A great extent
  19.8   19.1   92      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          2.3   11     -3  -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3081-3082

V8424   **F22A EXTENT CONDTN:SOBRIETY**

To what extent do these conditions include maintaining
sobriety? (Would you say to no extent, a little, some, great,
or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  4.8    4.6   22      1  1. No extent
  9.4    8.9   43      2  2. A little extent
 27.1   25.8  124      3  3. Some extent
 38.2   36.4  175      4  4. A great extent
 20.5   19.5   94      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         1.2    6     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3083-3084

V8425   **F22B EXTENT CONDTN:COMPLY-TX**

(To what extent do these conditions involve) compliance with a
treatment plan? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  0.7    0.6    3      1  1. No extent
  3.9    3.7   18      2  2. A little extent
 22.3   21.2  102      3  3. Some extent
 55.7   53.0  255      4  4. A great extent
 17.5   16.6   80      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         1.2    6     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3085-3086

V8426	F22C EXTENT COND:CMPLY-COURT

(To what extent do these conditions involve) ...compliance
with probation conditions established by the courts (for those
with legal problems)?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  9.6    9.1   44      1  1. No extent
 11.0   10.4   50      2  2. A little extent
 23.2   22.0  106      3  3. Some extent
 39.7   37.6  181      4  4. A great extent
 16.4   15.6   75      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.7   13     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
         1.2    6     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3087-3088

V8427	**F22D M1 OTHR CONDITION**

(To what extent do these conditions involve) ...any conditions
other than those just mentioned? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	0. NONE
28.3	10.6	51	1	1. KEEPAPPT
1.1	0.4	2	2	2. PARTINTH
5.6	2.1	10	3	3. PARTGRTH
2.8	1.0	5	4	4. FAMINVOL
1.7	0.6	3	5	5. DO.ASSN
0.0	0.0	0	61	61. MEET.REQ
2.8	1.0	5	62	62. LABRESUL
1.7	0.6	3	63	63. SOBERSM
1.7	0.6	3	71	71. PROGRESS
31.1	11.6	56	81	81. APP.BEH
5.0	1.9	9	82	82. COOPERAT
4.4	1.7	8	83	83. EMPLOYMT
9.4	3.5	17	84	84. PAY.FEES
4.4	1.7	8	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	59.0	284	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3089-3091

V8428	F22D M1 EXT OTHR CONDT

...any conditions other than those just mentioned?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  0.0    0.0    0      1  1. No extent
  4.1    1.5    7      2  2. A little extent
 18.7    6.7   32      3  3. Some extent
 45.6   16.2   78      4  4. A great extent
 31.6   11.2   54      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         4.4   21     -3  -3. REFUSED/NA
        59.0  284     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3092-3093

V8429   **F22D M2 OTHR CONDITION**

...any conditions other than those just mentioned? (SPECIFY:)

```
   PCT    PCT    N  VALUE   LABEL
  VALID   ALL
   0.0    0.0    0      0  0. NONE
  34.6    3.7   18      1  1. KEEPAPPT
   0.0    0.0    0      2  2. PARTINTH
   5.8    0.6    3      3  3. PARTGRTH
   3.8    0.4    2      4  4. FAMINVOL
   0.0    0.0    0      5  5. DO.ASSN
   0.0    0.0    0     61  61. MEET.REQ
   0.0    0.0    0     62  62. LABRESUL
   1.9    0.2    1     63  63. SOBERSM
   1.9    0.2    1     71  71. PROGRESS
  21.2    2.3   11     81  81. APP.BEH
   9.6    1.0    5     82  82. COOPERAT
   3.8    0.4    2     83  83. EMPLOYMT
  11.5    1.2    6     84  84. PAY.FEES
   5.8    0.6    3     97  97. OTHER
          1.0    5     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
         86.1  414     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3094-3096

V8430	F22D M2 EXT OTHR CONDT

...any conditions other than those just mentioned?

```
   PCT    PCT    N  VALUE  LABEL
 VALID    ALL
   0.0    0.0    0      1  1. No extent
   2.1    0.2    1      2  2. A little extent
  16.7    1.7    8      3  3. Some extent
  52.1    5.2   25      4  4. A great extent
  29.2    2.9   14      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          2.9   14     -3  -3. REFUSED/NA
         86.1  414     -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3097-3098

V8431	F22D M3 OTHR CONDITION

...any conditions other than those just mentioned? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	0	0. NONE
14.3	0.4	2	1	1. KEEPAPPT
0.0	0.0	0	2	2. PARTINTH
7.1	0.2	1	3	3. PARTGRTH
0.0	0.0	0	4	4. FAMINVOL
0.0	0.0	0	5	5. DO.ASSN
0.0	0.0	0	61	61. MEET.REQ
0.0	0.0	0	62	62. LABRESUL
0.0	0.0	0	63	63. SOBERSM
0.0	0.0	0	71	71. PROGRESS
50.0	1.5	7	81	81. APP.BEH
7.1	0.2	1	82	82. COOPERAT
0.0	0.0	0	83	83. EMPLOYMT
14.3	0.4	2	84	84. PAY.FEES
7.1	0.2	1	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA
	94.0	452	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3099-3101

V8432	F22D M3 EXT OTHR CONDT

...any conditions other than those just mentioned?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   0.0    0.0    0      1  1. No extent
   0.0    0.0    0      2  2. A little extent
  14.3    0.4    2      3  3. Some extent
  50.0    1.5    7      4  4. A great extent
  35.7    1.0    5      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          2.1   10     -3  -3. REFUSED/NA
         94.0  452     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3102-3103

V8433	F23 HAVE WRITTEN QUAL ASURNC PLN:Y/N?

Does your outpatient unit have a formal written quality
assurance plan?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  14.8   14.1   68      0  0. No
  85.2   81.7  393      1  1. Yes
          1.0    5     -5  -5. NO INTERVIEW
          2.3   11     -3  -3. REFUSED/NA
          0.8    4     -2  -2. DONT KNOW
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3104-3105

V8434   **F23A EXTENT BASED ON JCAHCO STANDARDS**

To what extent is it based on Joint Commission on
Accreditation of Healthcare Organizations standards? (Would
you say to no extent, a little, some, great, or to a very
great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 19.0   15.0   72     1  1. No extent
  6.9    5.4   26     2  2. A little extent
 17.7   13.9   67     3  3. Some extent
 30.6   24.1  116     4  4. A great extent
 25.9   20.4   98     5  5. A very great extent
         1.0    5    -5  -5. NO INTERVIEW
         0.4    2    -3  -3. REFUSED/NA
         2.5   12    -2  -2. DONT KNOW
        17.3   83    -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3106-3107

V8435   **F24A EXTENT REVU:T PLAN ADDR**

To what extent does your outpatient unit review (the
following): ...whether treatment plans address all identified
impairments? (Would you say to no extent, a little, some,
great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  1.1    1.0    5     1  1. No extent
  3.4    3.3   16     2  2. A little extent
 20.2   19.5   94     3  3. Some extent
 49.7   48.0  231     4  4. A great extent
 25.6   24.7  119     5  5. A very great extent
         1.0    5    -5  -5. NO INTERVIEW
         2.3   11    -3  -3. REFUSED/NA
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3108-3109

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8436                      F24B EXTENT REVU:REFERS MADE                   │
└─────────────────────────────────────────────────────────────────────────┘
```

To what extent does your outpatient unit review: ...whether
appropriate referrals to other agencies have been made? (Would
you say to no extent, a little, some, great, or to a very
great extent?)

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
   0.9    0.8    4      1   1. No extent
   3.4    3.3   16      2   2. A little extent
  22.6   21.8  105      3   3. Some extent
  53.4   51.6  248      4   4. A great extent
  19.6   18.9   91      5   5. A very great extent
         1.0    5     -5   -5. NO INTERVIEW
         2.5   12     -3   -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3110-3111

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8437                      F24C EXTENT REVU:CHANGE TRMT                   │
└─────────────────────────────────────────────────────────────────────────┘
```

To what extent does your outpatient unit review: ...whether
changes in the treatment plan have been made when pertinent
clinical problems arise?

```
   PCT     PCT    N  VALUE   LABEL
 VALID    ALL
   0.6    0.6    3      1   1. No extent
   1.9    1.9    9      2   2. A little extent
  18.1   17.5   84      3   3. Some extent
  56.8   54.9  264      4   4. A great extent
  22.6   21.8  105      5   5. A very great extent
         1.0    5     -5   -5. NO INTERVIEW
         2.3   11     -3   -3. REFUSED/NA
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3112-3113

V8438	F24D EXTENT REVU:TRMT DURATN

To what extent does your outpatient unit review: ...whether
treatment duration has been altered based on individual client
need?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  2.2    2.1   10      1  1. No extent
  2.2    2.1   10      2  2. A little extent
 23.6   22.7  109      3  3. Some extent
 52.6   50.5  243      4  4. A great extent
 19.5   18.7   90      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         0.4    2     -2  -2. DONT KNOW
-----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3114-3115

V8439	F24E EXTENT REVU:DOC T PROBS

To what extent does your outpatient unit review: ...whether
there is documentation of treatment complications and their
implications?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  0.2    0.2    1      1  1. No extent
  0.9    0.8    4      2  2. A little extent
 14.2   13.7   66      3  3. Some extent
 57.0   55.1  265      4  4. A great extent
 27.7   26.8  129      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
-----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3116-3117

```
V8440                    F24F EXTENT REVU:DISCHG PLAN
```

To what extent does your outpatient unit review: ...whether
there is a written discharge plan?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  1.1    1.0    5      1  1. No extent
  3.4    3.3   16      2  2. A little extent
 11.8   11.4   55      3  3. Some extent
 48.2   46.6  224      4  4. A great extent
 35.5   34.3  165      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3118-3119

```
V8441                    F24G EXTENT REVU:CPLNT RESLV
```

To what extent does your outpatient unit review: ...whether
patient complaints have been resolved?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  1.5    1.5    7      1  1. No extent
  1.9    1.9    9      2  2. A little extent
 17.7   17.0   82      3  3. Some extent
 52.6   50.7  244      4  4. A great extent
 26.3   25.4  122      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3120-3121

V8442   **F25A CL END T:PERC CMPT TX**

Of those outpatient substance abuse clients who ended
treatment in the most recent complete fiscal year, what
percent ended treatment because they: completed treatment?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 3122-3125

V8443	F25B CL END T:PERC NOT CMP TX

What percent ended treatment because they: failed to comply
with the treatment plan?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.3	3.1	15	0	
1.8	1.7	8	1	
2.0	1.9	9	2	
1.3	1.2	6	3	
0.9	0.8	4	4	
8.9	8.3	40	5	
0.4	0.4	2	6	
0.9	0.8	4	7	
0.4	0.4	2	8	
0.4	0.4	2	9	
14.7	13.7	66	10	
0.4	0.4	2	11	
0.4	0.4	2	12	
0.2	0.2	1	13	
4.7	4.4	21	15	
0.4	0.4	2	16	
0.7	0.6	3	17	
12.7	11.9	57	20	
0.2	0.2	1	21	
0.2	0.2	1	22	
0.2	0.2	1	23	
6.2	5.8	28	25	
0.4	0.4	2	28	
12.7	11.9	57	30	
0.2	0.2	1	33	
2.9	2.7	13	35	
0.2	0.2	1	37	
0.2	0.2	1	39	
4.2	4.0	19	40	
0.2	0.2	1	43	
2.2	2.1	10	45	
4.9	4.6	22	50	
0.9	0.8	4	55	
0.2	0.2	1	58	
0.2	0.2	1	59	
3.3	3.1	15	60	
0.2	0.2	1	62	
0.4	0.4	2	63	
1.1	1.0	5	70	
1.1	1.0	5	75	
1.3	1.2	6	80	

V8443 (CONT.)   **F25B CL END T:PERC NOT CMP TX**

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  0.7    0.6    3     90
  0.2    0.2    1     95
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         3.3   16     -2  -2. DONT KNOW
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3126-3128

V8444   **F25C CL END T:PERC DROP TX**

What percent ended treatment because they: dropped out of
treatment?

481 cases (Range of valid codes: 0-98)

Data type: numeric
Missing-data codes: -5--1
Columns: 3129-3131

V8445   **F25D CL END T:PERC DRGFREE**

What percent ended treatment because they: were free from drug
or alcohol use?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 3132-3135

V8446	F25E CL END T:PERC CNTRL USE

What percent ended treatment because they: achieved controlled drug or alcohol use?

PCT VALID	PCT ALL	N	VALUE	LABEL
49.0	42.6	205	0	
1.7	1.5	7	1	
2.6	2.3	11	2	
1.0	0.8	4	3	
0.5	0.4	2	4	
10.8	9.4	45	5	
0.2	0.2	1	6	
0.7	0.6	3	7	
13.6	11.9	57	10	
0.2	0.2	1	13	
2.2	1.9	9	15	
0.2	0.2	1	18	
6.5	5.6	27	20	
2.2	1.9	9	25	
0.5	0.4	2	28	
2.6	2.3	11	30	
1.0	0.8	4	40	
0.2	0.2	1	45	
1.2	1.0	5	50	
0.2	0.2	1	55	
1.2	1.0	5	60	
0.7	0.6	3	70	
0.5	0.4	2	75	
0.2	0.2	1	80	
0.2	0.2	1	90	
	1.0	5	-5	-5. NO INTERVIEW
	3.7	18	-3	-3. REFUSED/NA
	8.3	40	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3136-3138

V8447   **F25F CL END T:PERC CONT ABUSE**

What percent ended treatment because they: continued to abuse
drugs or alcohol?

PCT VALID	PCT ALL	N	VALUE	LABEL
2.7	2.5	12	0	
1.8	1.7	8	1	
0.5	0.4	2	2	
0.7	0.6	3	3	
0.5	0.4	2	4	
5.9	5.4	26	5	
0.2	0.2	1	6	
0.7	0.6	3	7	
0.9	0.8	4	8	
0.5	0.4	2	9	
10.2	9.4	45	10	
0.2	0.2	1	11	
0.2	0.2	1	13	
4.3	4.0	19	15	
0.5	0.4	2	16	
0.5	0.4	2	17	
12.4	11.4	55	20	
0.2	0.2	1	21	
5.2	4.8	23	25	
0.5	0.4	2	27	
0.2	0.2	1	28	
13.1	12.1	58	30	
0.5	0.4	2	33	
2.5	2.3	11	35	
0.2	0.2	1	38	
7.9	7.3	35	40	
0.2	0.2	1	43	
0.7	0.6	3	45	
11.5	10.6	51	50	
0.9	0.8	4	55	
0.2	0.2	1	58	
0.2	0.2	1	59	
4.1	3.7	18	60	
0.2	0.2	1	62	
0.2	0.2	1	63	
0.2	0.2	1	65	
0.2	0.2	1	67	
1.6	1.5	7	70	
1.4	1.2	6	75	
2.7	2.5	12	80	
0.5	0.4	2	85	

V8447 (CONT.)   **F25F CL END T:PERC CONT ABUSE**

```
   PCT     PCT     N  VALUE  LABEL
  VALID    ALL
   1.1     1.0     5     90
   0.7     0.6     3     95
   0.2     0.2     1     98
   0.2     0.2     1    100
           1.0     5     -5  -5. NO INTERVIEW
           2.3    11     -3  -3. REFUSED/NA
           4.8    23     -2  -2. DONT KNOW
  -----   -----   ---
  100.0   100.0   481 cases

  Data type: numeric
  Missing-data codes: -5--1
  Columns: 3139-3142
```

V8448	F25G CL END T:PERC FAIL TO PAY

What percent ended treatment because they: failed to pay for their treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
41.8	38.7	186	0	
3.8	3.5	17	1	
4.3	4.0	19	2	
0.7	0.6	3	3	
0.2	0.2	1	4	
8.5	7.9	38	5	
0.4	0.4	2	7	
0.9	0.8	4	8	
9.7	8.9	43	10	
0.2	0.2	1	11	
0.4	0.4	2	13	
2.7	2.5	12	15	
0.2	0.2	1	17	
0.4	0.4	2	18	
6.5	6.0	29	20	
3.1	2.9	14	25	
4.5	4.2	20	30	
0.2	0.2	1	33	
0.7	0.6	3	35	
2.0	1.9	9	40	
0.2	0.2	1	45	
1.3	1.2	6	50	
2.5	2.3	11	60	
0.2	0.2	1	65	
0.9	0.8	4	70	
0.2	0.2	1	75	
1.8	1.7	8	80	
0.2	0.2	1	81	
0.7	0.6	3	90	
0.4	0.4	2	100	
	1.0	5	-5	-5. NO INTERVIEW
	2.9	14	-3	-3. REFUSED/NA
	3.5	17	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3143-3146

V8449	F25H CL END T:PERC EXHAUSTED INS

What percent ended treatment because they: exhausted their
insurance coverage?

PCT VALID	PCT ALL	N	VALUE	LABEL
72.4	65.9	317	0	
4.1	3.7	18	1	
1.8	1.7	8	2	
0.9	0.8	4	3	
0.2	0.2	1	4	
7.8	7.1	34	5	
0.2	0.2	1	7	
3.7	3.3	16	10	
1.1	1.0	5	15	
0.2	0.2	1	17	
2.5	2.3	11	20	
0.7	0.6	3	25	
1.6	1.5	7	30	
0.9	0.8	4	40	
0.7	0.6	3	50	
0.2	0.2	1	60	
0.7	0.6	3	70	
0.2	0.2	1	90	
	1.0	5	-5	-5. NO INTERVIEW
	4.0	19	-3	-3. REFUSED/NA
	4.0	19	-2	-2. DONT KNOW
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3147-3149

V8450	F25I CL END T:PERC TRNSFR OTHR UNIT/PRG

What percent ended treatment because they: transferred to
another unit or program?

PCT VALID	PCT ALL	N	VALUE	LABEL
5.3	5.0	24	0	
7.3	6.9	33	1	
5.8	5.4	26	2	
4.9	4.6	22	3	
0.9	0.8	4	4	
23.6	22.0	106	5	
0.2	0.2	1	6	
0.9	0.8	4	7	
0.9	0.8	4	8	
0.4	0.4	2	9	
24.9	23.3	112	10	
0.4	0.4	2	11	
0.4	0.4	2	12	
0.4	0.4	2	13	
8.4	7.9	38	15	
0.2	0.2	1	17	
7.3	6.9	33	20	
2.9	2.7	13	25	
0.2	0.2	1	29	
2.7	2.5	12	30	
0.2	0.2	1	31	
0.9	0.8	4	50	
0.2	0.2	1	60	
0.4	0.4	2	70	
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	3.1	15	-2	-2. DONT KNOW
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3150-3152

V8451	F25J M1 CL END T:OTH-REASON

What percent ended treatment because they: Any other reasons
not mentioned? (SPECIFY:)

```
  PCT     PCT    N   VALUE   LABEL
 VALID    ALL
  0.0     0.0    0       0   0. NONE
 14.3     4.6   22       4   4. MOVEAWAY
 12.3     4.0   19      11   11. ASKED2GO
 37.0    11.9   57      21   21. INCAR.IN
 29.2     9.4   45      22   22. DIED
  7.1     2.3   11      97   97. OTHER
          1.0    5      -5   -5. NO INTERVIEW
          2.9   14      -3   -3. REFUSED/NA
          0.8    4      -2   -2. DONT KNOW
         63.2  304      -1   -1. SKIPPED QUESTION
 -----   ----- ---
 100.0   100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3153-3155

V8452	F25J M1 CL END T:PERC OTHR

Any other reasons not mentioned?--PERCENT

PCT VALID	PCT ALL	N	VALUE	LABEL
27.9	8.5	41	1	
12.2	3.7	18	2	
8.2	2.5	12	3	
2.7	0.8	4	4	
21.1	6.4	31	5	
2.0	0.6	3	6	
0.7	0.2	1	9	
10.2	3.1	15	10	
0.7	0.2	1	14	
4.8	1.5	7	15	
4.1	1.2	6	20	
0.7	0.2	1	25	
0.7	0.2	1	30	
0.7	0.2	1	35	
0.7	0.2	1	38	
0.7	0.2	1	50	
0.7	0.2	1	60	
0.7	0.2	1	75	
0.7	0.2	1	99	
	1.0	5	-5	-5. NO INTERVIEW
	3.5	17	-3	-3. REFUSED/NA
	1.7	8	-2	-2. DONT KNOW
	63.2	304	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3156-3158

V8453	F25J M2 CL END T:OTH-REASON

Any other reasons not mentioned? (SPECIFY:)

```
  PCT    PCT    N   VALUE   LABEL
 VALID   ALL
  0.0    0.0    0      0  0. NONE
 17.2    2.1   10      4  4. MOVEAWAY
  1.7    0.2    1     11  11. ASKED2GO
 43.1    5.2   25     21  21. INCAR.IN
 29.3    3.5   17     22  22. DIED
  8.6    1.0    5     97  97. OTHER
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        84.2  405     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3159-3161

V8454	F25J M2 CL END T:PERC OTHR

Any other reasons not mentioned?--PERCENT

PCT VALID	PCT ALL	N	VALUE	LABEL
24.6	2.9	14	1	
5.3	0.6	3	2	
7.0	0.8	4	3	
7.0	0.8	4	4	
28.1	3.3	16	5	
3.5	0.4	2	7	
1.8	0.2	1	8	
10.5	1.2	6	10	
1.8	0.2	1	12	
5.3	0.6	3	15	
1.8	0.2	1	17	
1.8	0.2	1	20	
1.8	0.2	1	22	
	1.0	5	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	84.2	405	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3162-3164

```
  V8455                    F25J M3 CL END T:OTH-REASON
```

Any other reasons not mentioned? (SPECIFY:)

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   0.0    0.0    0      0  0. NONE
  23.1    0.6    3      4  4. MOVEAWAY
   7.7    0.2    1     11  11. ASKED2GO
  38.5    1.0    5     21  21. INCAR.IN
   7.7    0.2    1     22  22. DIED
  23.1    0.6    3     97  97. OTHER
          1.0    5     -5  -5. NO INTERVIEW
          2.3   11     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         93.8  451     -1  -1. SKIPPED QUESTION
  -----  ----- ---
  100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3165-3167

```
  V8456                    F25J M3 CL END T:PERC OTHR
```

Any other reasons not mentioned?--PERCENT

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  18.2    0.4    2      1
   9.1    0.2    1      3
  45.5    1.0    5      5
  18.2    0.4    2     10
   9.1    0.2    1     15
          1.0    5     -5  -5. NO INTERVIEW
          2.3   11     -3  -3. REFUSED/NA
          0.6    3     -2  -2. DONT KNOW
         93.8  451     -1  -1. SKIPPED QUESTION
  -----  ----- ---
  100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3168-3170

V8457	F26 CL END T:PERC ENDED INVOLNTY

Of your unit's outpatient substance abuse clients who ended
treatment in the most recent complete fiscal year, what
percent ended treatment involuntarily?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.7	9.1	44	0	
5.1	4.8	23	1	
4.4	4.2	20	2	
3.1	2.9	14	3	
0.2	0.2	1	4	
14.6	13.7	66	5	
0.9	0.8	4	6	
0.9	0.8	4	7	
0.4	0.4	2	8	
0.9	0.8	4	9	
17.0	16.0	77	10	
0.4	0.4	2	11	
1.1	1.0	5	12	
0.9	0.8	4	13	
0.2	0.2	1	14	
7.9	7.5	36	15	
0.7	0.6	3	16	
7.5	7.1	34	20	
0.2	0.2	1	21	
2.0	1.9	9	25	
0.2	0.2	1	27	
7.7	7.3	35	30	
0.2	0.2	1	33	
0.9	0.8	4	35	
3.5	3.3	16	40	
0.2	0.2	1	42	
0.2	0.2	1	44	
0.7	0.6	3	45	
0.2	0.2	1	47	
2.2	2.1	10	50	
0.2	0.2	1	57	
1.1	1.0	5	60	
0.4	0.4	2	65	
1.1	1.0	5	70	
0.2	0.2	1	71	
0.4	0.4	2	75	
0.7	0.6	3	80	
0.2	0.2	1	87	
0.9	0.8	4	90	
0.2	0.2	1	95	

V8457 (CONT.)	F26 CL END T:PERC ENDED INVOLNTY

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
   0.2    0.2   1    98
          1.0   5    -5  -5. NO INTERVIEW
          2.5  12    -3  -3. REFUSED/NA
          2.3  11    -2  -2. DONT KNOW
  -----  ----- ---
  100.0  100.0 481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3171-3173

V8458	F27 CL END T:PERC MET GOALS OF TX

What percent of your unit's outpatient substance abuse clients
who ended treatment in the most recent complete fiscal year
met the goals set for their treatment?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 3174-3177

INVOLUNTARY TREATMENT

V8459   **G1 PERC OF OSAT CL MRCFY:COURT-ORD TX**

Among all the outpatient substance abuse clients treated by
your unit in the most recent complete fiscal year, what
percent were involuntary clients compelled to come for
treatment because of a court order?

481 cases (Range of valid codes: 0-100)

Data type: numeric
Missing-data codes: -5--1
Columns: 3178-3181

V8460	G2A PERC CT-ORD CL CHARGED WITH DWI/DUI

Among these, what percent had been charged with each of the
following kinds of offenses: Driving while intoxicated (DWI)
or under the influence (DUI)?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.0	10.6	51	0	
2.8	2.3	11	1	
2.5	2.1	10	2	
1.3	1.0	5	3	
6.1	5.0	24	5	
0.3	0.2	1	7	
0.3	0.2	1	9	
4.8	4.0	19	10	
0.3	0.2	1	12	
2.8	2.3	11	15	
4.3	3.5	17	20	
0.3	0.2	1	22	
0.5	0.4	2	24	
3.6	2.9	14	25	
0.3	0.2	1	28	
4.1	3.3	16	30	
0.5	0.4	2	33	
1.0	0.8	4	35	
3.1	2.5	12	40	
0.3	0.2	1	41	
0.5	0.4	2	45	
8.4	6.9	33	50	
0.5	0.4	2	55	
5.1	4.2	20	60	
1.0	0.8	4	65	
0.3	0.2	1	69	
4.3	3.5	17	70	
3.8	3.1	15	75	
6.9	5.6	27	80	
2.3	1.9	9	85	
0.3	0.2	1	86	
0.3	0.2	1	88	
7.6	6.2	30	90	
1.8	1.5	7	95	
0.3	0.2	1	96	
0.5	0.4	2	98	
4.3	3.5	17	100	
	1.0	5	-5	-5. NO INTERVIEW

V8460 (CONT.)   **G2A PERC CT-ORD CL CHARGED WITH DWI/DUI**

```
     PCT    PCT    N  VALUE  LABEL
   VALID    ALL
          2.3   11      -3  -3. REFUSED/NA
          2.5   12      -2  -2. DONT KNOW
         12.5   60      -1  -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 3182-3185
```

V8461	G2B PERC CT-ORD CL CHARGED WITH VIOLENCE

Among these, what percent had been charged with each of the following kinds of offenses: Domestic violence?

PCT VALID	PCT ALL	N	VALUE	LABEL
26.1	20.8	100	0	
10.2	8.1	39	1	
7.8	6.2	30	2	
2.6	2.1	10	3	
0.8	0.6	3	4	
19.3	15.4	74	5	
0.3	0.2	1	6	
1.0	0.8	4	7	
15.9	12.7	61	10	
0.5	0.4	2	13	
0.3	0.2	1	14	
2.1	1.7	8	15	
5.2	4.2	20	20	
2.6	2.1	10	25	
1.0	0.8	4	30	
0.3	0.2	1	33	
0.3	0.2	1	35	
2.1	1.7	8	40	
0.5	0.4	2	50	
0.3	0.2	1	60	
0.3	0.2	1	66	
0.3	0.2	1	75	
0.3	0.2	1	100	
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	4.6	22	-2	-2. DONT KNOW
	12.5	60	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3186-3189

V8462	G2C PERC CT-ORD CL CHRGED W DRUNK,DISORD

Among these, what percent had been charged with each of the
following kinds of offenses: Drunk and disorderly conduct?

PCT VALID	PCT ALL	N	VALUE	LABEL
29.3	23.5	113	0	
7.3	5.8	28	1	
9.3	7.5	36	2	
4.4	3.5	17	3	
0.3	0.2	1	4	
20.2	16.2	78	5	
1.6	1.2	6	7	
0.3	0.2	1	8	
11.9	9.6	46	10	
0.3	0.2	1	12	
0.3	0.2	1	14	
1.8	1.5	7	15	
0.3	0.2	1	17	
5.7	4.6	22	20	
0.3	0.2	1	24	
1.3	1.0	5	25	
2.1	1.7	8	30	
1.0	0.8	4	40	
1.6	1.2	6	50	
0.3	0.2	1	55	
0.5	0.4	2	70	
0.3	0.2	1	90	
	1.0	5	-5	-5. NO INTERVIEW
	2.7	13	-3	-3. REFUSED/NA
	3.5	17	-2	-2. DONT KNOW
	12.5	60	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3190-3192

V8463	G2D PERC CT-ORD CL CHRGED W DRUG DEALING

Among these, what percent had been charged with each of the following kinds of offenses: Dealing illegal drugs?

PCT VALID	PCT ALL	N	VALUE	LABEL
14.0	11.2	54	0	
9.0	7.3	35	1	
4.1	3.3	16	2	
1.6	1.2	6	3	
1.6	1.2	6	4	
13.2	10.6	51	5	
0.5	0.4	2	6	
0.3	0.2	1	7	
0.8	0.6	3	8	
12.4	10.0	48	10	
0.5	0.4	2	12	
0.3	0.2	1	13	
0.3	0.2	1	14	
8.0	6.4	31	15	
0.3	0.2	1	16	
6.5	5.2	25	20	
0.3	0.2	1	21	
0.3	0.2	1	23	
1.8	1.5	7	25	
0.3	0.2	1	27	
5.2	4.2	20	30	
0.8	0.6	3	33	
1.8	1.5	7	35	
0.3	0.2	1	37	
3.9	3.1	15	40	
0.3	0.2	1	41	
4.9	4.0	19	50	
0.3	0.2	1	55	
1.3	1.0	5	60	
0.3	0.2	1	65	
1.3	1.0	5	70	
1.3	1.0	5	75	
0.5	0.4	2	80	
0.3	0.2	1	85	
1.0	0.8	4	90	
1.0	0.8	4	100	
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8463 (CONT.)              G2D PERC CT-ORD CL CHRGED W DRUG DEALING        │
└─────────────────────────────────────────────────────────────────────────┘
```

```
    PCT    PCT    N  VALUE  LABEL
   VALID   ALL
          3.7   18     -2  -2. DONT KNOW
         12.5   60     -1  -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 3193-3196
```

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8464             G2E M1 OTHER OFFENSE                                     │
└─────────────────────────────────────────────────────────────────────────┘
```

Among these, what percent had been charged with each of the
following kinds of offenses: Any other offenses? (SPECIFY:)

```
    PCT    PCT    N  VALUE  LABEL
   VALID   ALL
   43.0   20.4   98      1  1. THEFT
    0.9    0.4    2      2  2. FORGE CHECK
    0.4    0.2    1      3  3. FORGE RX
    0.0    0.0    0      4  4. CON GAME
    1.8    0.8    4      5  5. SELL DRUGS
    0.0    0.0    0      6  6. SELL OTHER ILLEG
   12.3    5.8   28      7  7. MURDER/ASSAULT/CH ABUSE
    2.6    1.2    6      8  8. OTHER FELONY
   25.0   11.9   57      9  9. DRUG POSSESS
    4.8    2.3   11     10  10. PROBATN/PAROLE VIOL
    5.3    2.5   12     11  11. CRIM SEX CONDUCT/PROSTIT
    3.9    1.9    9     97  97. OTHER
           1.0    5     -5  -5. NO INTERVIEW
           2.9   14     -3  -3. REFUSED/NA
           1.9    9     -2  -2. DONT KNOW
          46.8  225     -1  -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 3197-3199
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8465                   G2E M1 PERC CT-ORD CL CHARGED W OFFENSE       │
└─────────────────────────────────────────────────────────────────────┘
```

Any other offenses?--PERCENT

```
   PCT    PCT     N  VALUE  LABEL
 VALID    ALL
  6.7    3.1    15      1
  3.6    1.7     8      2
  4.9    2.3    11      3
  0.9    0.4     2      4
 14.2    6.7    32      5
  0.4    0.2     1      6
  1.8    0.8     4      7
  1.3    0.6     3      8
  0.9    0.4     2      9
 16.0    7.5    36     10
  0.4    0.2     1     11
  0.4    0.2     1     12
  0.4    0.2     1     13
  0.4    0.2     1     14
  4.0    1.9     9     15
 10.2    4.8    23     20
  4.9    2.3    11     25
  0.4    0.2     1     29
  4.9    2.3    11     30
  2.7    1.2     6     35
  1.8    0.8     4     40
  1.8    0.8     4     45
  7.6    3.5    17     50
  1.8    0.8     4     60
  0.9    0.4     2     65
  0.4    0.2     1     67
  1.8    0.8     4     70
  1.8    0.8     4     75
  0.4    0.2     1     80
  0.9    0.4     2     85
  0.4    0.2     1     90
  0.9    0.4     2    100
         1.0     5     -5  -5. NO INTERVIEW
         2.9    14     -3  -3. REFUSED/NA
         2.5    12     -2  -2. DONT KNOW
        46.8   225     -1  -1. SKIPPED QUESTION
 -----  -----   ---
100.0  100.0   481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3200-3203

V8466	G2E M2 OTHER OFFENSE

Any other offenses? (SPECIFY:)

PCT VALID	PCT ALL	N	VALUE	LABEL
37.7	8.3	40	1	1. THEFT
3.8	0.8	4	2	2. FORGE CHECK
1.9	0.4	2	3	3. FORGE RX
0.9	0.2	1	4	4. CON GAME
1.9	0.4	2	5	5. SELL DRUGS
0.0	0.0	0	6	6. SELL OTHER ILLEG
18.9	4.2	20	7	7. MURDER/ASSAULT/CH ABUSE
4.7	1.0	5	8	8. OTHER FELONY
13.2	2.9	14	9	9. DRUG POSSESS
3.8	0.8	4	10	10. PROBATN/PAROLE VIOL
6.6	1.5	7	11	11. CRIM SEX CONDUCT/PROSTIT
6.6	1.5	7	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	74.6	359	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3204-3206

V8467	G2E M2 PERC CT-ORD CL CHARGED W OFFENCE

Any other offenses?--PERCENT

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 11.4    2.5   12      1
  3.8    0.8    4      2
  1.9    0.4    2      3
  1.0    0.2    1      4
 15.2    3.3   16      5
  1.0    0.2    1      6
  1.0    0.2    1      7
  1.9    0.4    2      8
 20.0    4.4   21     10
  1.0    0.2    1     13
  6.7    1.5    7     15
  3.8    0.8    4     20
  1.0    0.2    1     21
  7.6    1.7    8     25
  4.8    1.0    5     30
  1.0    0.2    1     33
  1.9    0.4    2     35
  3.8    0.8    4     40
  1.0    0.2    1     45
  2.9    0.6    3     50
  3.8    0.8    4     60
  1.0    0.2    1     75
  1.9    0.4    2     80
  1.0    0.2    1    100
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
        74.6  359     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3207-3210

```
V8468                    G2E M3 OTHER OFFENSE
```

Any other offenses? (SPECIFY:)

```
   PCT     PCT     N   VALUE   LABEL
  VALID    ALL
  35.0     2.9    14       1   1. THEFT
   2.5     0.2     1       2   2. FORGE CHECK
   2.5     0.2     1       3   3. FORGE RX
   0.0     0.0     0       4   4. CON GAME
   2.5     0.2     1       5   5. SELL DRUGS
   0.0     0.0     0       6   6. SELL OTHER ILLEG
  17.5     1.5     7       7   7. MURDER/ASSAULT/CH ABUSE
   2.5     0.2     1       8   8. OTHER FELONY
  17.5     1.5     7       9   9. DRUG POSSESS
   5.0     0.4     2      10   10. PROBATN/PAROLE VIOL
   7.5     0.6     3      11   11. CRIM SEX CONDUCT/PROSTIT
   7.5     0.6     3      97   97. OTHER
           1.0     5      -5   -5. NO INTERVIEW
           1.9     9      -3   -3. REFUSED/NA
          88.8   427      -1   -1. SKIPPED QUESTION
  -----   -----   ---
 100.0   100.0   481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 3211-3213
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8469                  G2E M3 PERC CT-ORD CL CHARGED W OFFENCE        │
└─────────────────────────────────────────────────────────────────────┘
```

Any other offenses?--PERCENT

```
   PCT    PCT    N   VALUE  LABEL
  VALID   ALL
  12.8    1.0    5      1
  10.3    0.8    4      2
   5.1    0.4    2      3
   2.6    0.2    1      4
  12.8    1.0    5      5
   7.7    0.6    3      8
  15.4    1.2    6     10
   2.6    0.2    1     14
  10.3    0.8    4     15
   7.7    0.6    3     20
  10.3    0.8    4     40
   2.6    0.2    1     80
          1.0    5     -5   -5. NO INTERVIEW
          2.1   10     -3   -3. REFUSED/NA
         88.8  427     -1   -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3214-3216

V8470	G3 PERC CT-ORD CL MRCFY:PROB W ALCHL ABU

Of the court-ordered clients receiving outpatient treatment
services at your unit in the most recent complete fiscal year,
what percent had a problem of alcohol abuse?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.0	2.5	12	0	
0.8	0.6	3	1	
0.3	0.2	1	2	
0.3	0.2	1	3	
1.3	1.0	5	5	
2.0	1.7	8	10	
0.3	0.2	1	13	
1.5	1.2	6	15	
2.0	1.7	8	20	
1.8	1.5	7	25	
3.0	2.5	12	30	
1.3	1.0	5	33	
1.5	1.2	6	35	
0.3	0.2	1	37	
3.3	2.7	13	40	
0.8	0.6	3	45	
7.1	5.8	28	50	
0.3	0.2	1	51	
1.3	1.0	5	55	
7.3	6.0	29	60	
1.5	1.2	6	65	
0.8	0.6	3	68	
8.1	6.7	32	70	
0.5	0.4	2	73	
7.6	6.2	30	75	
0.5	0.4	2	78	
11.3	9.4	45	80	
2.3	1.9	9	85	
8.6	7.1	34	90	
0.3	0.2	1	93	
0.3	0.2	1	94	
6.0	5.0	24	95	
0.3	0.2	1	96	
0.5	0.4	2	97	
1.3	1.0	5	98	
0.8	0.6	3	99	
10.6	8.7	42	100	
	1.0	5	-5	-5. NO INTERVIEW

```
V8470 (CONT.)                    G3 PERC CT-ORD CL MRCFY:PROB W ALCHL ABU
```

Of the court-ordered clients receiving outpatient treatment
services at your unit in the most recent complete fiscal year,
what percent had a problem of alcohol abuse?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
         2.5   12     -3  -3. REFUSED/NA
         1.5    7     -2  -2. DONT KNOW
        12.5   60     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3217-3220

V8471	G4 PERC CT-ORD CL MRCFY:PROB W DRUG ABUS

Of the court-ordered clients receiving outpatient treatment
services at your unit in the most recent complete fiscal year,
what percent had a problem of drug abuse?

PCT VALID	PCT ALL	N	VALUE	LABEL
1.0	0.8	4	0	
0.5	0.4	2	2	
0.5	0.4	2	3	
0.5	0.4	2	5	
0.3	0.2	1	6	
0.3	0.2	1	8	
4.3	3.5	17	10	
1.3	1.0	5	15	
0.3	0.2	1	17	
6.3	5.2	25	20	
0.3	0.2	1	22	
5.5	4.6	22	25	
0.3	0.2	1	27	
5.3	4.4	21	30	
0.5	0.4	2	32	
0.3	0.2	1	33	
1.3	1.0	5	35	
7.0	5.8	28	40	
0.5	0.4	2	45	
0.3	0.2	1	49	
12.3	10.2	49	50	
0.3	0.2	1	53	
0.8	0.6	3	55	
4.8	4.0	19	60	
1.5	1.2	6	65	
4.3	3.5	17	70	
4.0	3.3	16	75	
3.8	3.1	15	80	
0.3	0.2	1	83	
1.0	0.8	4	85	
6.3	5.2	25	90	
0.3	0.2	1	93	
3.3	2.7	13	95	
1.0	0.8	4	98	
20.3	16.8	81	100	
	1.0	5	-5	-5. NO INTERVIEW
	2.1	10	-3	-3. REFUSED/NA

V8471 (CONT.)   **G4 PERC CT-ORD CL MRCFY:PROB W DRUG ABUS**

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
         1.5    7     -2  -2. DONT KNOW
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 3221-3224
```

V8472	G5A PERC CT-ORD CL END TX:BEC MET GOALS

Of your unit's court-ordered outpatient substance abuse
clients who ended treatment during the most recent complete
fiscal year, what percent ... ended treatment because they met
the goals set for their treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.6	3.7	18	0	
1.0	0.8	4	1	
1.8	1.5	7	2	
0.3	0.2	1	3	
3.1	2.5	12	5	
0.3	0.2	1	6	
0.3	0.2	1	7	
0.5	0.4	2	8	
6.2	5.0	24	10	
1.5	1.2	6	15	
3.8	3.1	15	20	
0.3	0.2	1	22	
0.3	0.2	1	24	
3.8	3.1	15	25	
0.3	0.2	1	28	
7.9	6.4	31	30	
0.3	0.2	1	32	
0.8	0.6	3	35	
0.5	0.4	2	37	
6.4	5.2	25	40	
1.5	1.2	6	45	
0.3	0.2	1	48	
13.3	10.8	52	50	
0.5	0.4	2	52	
0.8	0.6	3	55	
0.3	0.2	1	57	
0.3	0.2	1	59	
9.5	7.7	37	60	
2.1	1.7	8	65	
6.2	5.0	24	70	
0.3	0.2	1	73	
4.6	3.7	18	75	
0.3	0.2	1	78	
6.4	5.2	25	80	
0.3	0.2	1	83	
1.0	0.8	4	85	
4.1	3.3	16	90	
0.3	0.2	1	92	
1.3	1.0	5	95	

V8472 (CONT.)   **G5A PERC CT-ORD CL END TX:BEC MET GOALS**

```
   PCT     PCT    N  VALUE  LABEL
  VALID    ALL
   3.1     2.5   12    100
           1.0    5     -5  -5. NO INTERVIEW
           2.5   12     -3  -3. REFUSED/NA
           2.9   14     -2  -2. DONT KNOW
          12.5   60     -1  -1. SKIPPED QUESTION
  -----   -----  ---
  100.0   100.0  481 cases

  Data type: numeric
  Missing-data codes: -5--1
  Columns: 3225-3228
```

V8473	G5B PERC CT-ORD CL END TX:BEC ABSTINENT

What percent ...were abstinent at the end of treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.7	3.7	18	0	
1.3	1.0	5	1	
1.8	1.5	7	2	
0.3	0.2	1	4	
3.1	2.5	12	5	
0.3	0.2	1	7	
0.3	0.2	1	8	
8.3	6.7	32	10	
0.3	0.2	1	11	
0.3	0.2	1	12	
2.3	1.9	9	15	
0.3	0.2	1	18	
4.4	3.5	17	20	
0.5	0.4	2	22	
0.3	0.2	1	24	
4.1	3.3	16	25	
0.3	0.2	1	28	
8.3	6.7	32	30	
0.5	0.4	2	32	
1.8	1.5	7	35	
7.0	5.6	27	40	
1.0	0.8	4	45	
0.3	0.2	1	48	
13.0	10.4	50	50	
0.5	0.4	2	52	
1.0	0.8	4	55	
0.3	0.2	1	57	
0.3	0.2	1	58	
0.3	0.2	1	59	
7.8	6.2	30	60	
1.6	1.2	6	65	
4.4	3.5	17	70	
0.3	0.2	1	73	
3.4	2.7	13	75	
5.2	4.2	20	80	
1.6	1.2	6	85	
0.3	0.2	1	87	
2.8	2.3	11	90	
1.6	1.2	6	95	
0.3	0.2	1	98	
0.3	0.2	1	99	
3.9	3.1	15	100	

V8473 (CONT.)   **G5B PERC CT-ORD CL END TX:BEC ABSTINENT**

```
   PCT     PCT    N   VALUE  LABEL
  VALID    ALL
           1.0    5       -5  -5. NO INTERVIEW
           2.3   11       -3  -3. REFUSED/NA
           4.0   19       -2  -2. DONT KNOW
          12.5   60       -1  -1. SKIPPED QUESTION
  -----   -----  ---
  100.0   100.0  481 cases

  Data type: numeric
  Missing-data codes: -5--1
  Columns: 3229-3232
```

V8474	G5C PERC CT-ORD CL END TX:BEC FAIL COMPL

What percent ...were remanded back to the court because of
failure to comply with the treatment requirements?

PCT VALID	PCT ALL	N	VALUE	LABEL
8.3	6.7	32	0	
1.8	1.5	7	1	
2.3	1.9	9	2	
1.8	1.5	7	3	
0.3	0.2	1	4	
8.6	6.9	33	5	
0.3	0.2	1	6	
0.5	0.4	2	7	
0.5	0.4	2	8	
0.5	0.4	2	9	
14.0	11.2	54	10	
0.5	0.4	2	11	
0.3	0.2	1	12	
6.8	5.4	26	15	
0.5	0.4	2	17	
13.5	10.8	52	20	
0.3	0.2	1	22	
0.3	0.2	1	23	
7.8	6.2	30	25	
0.3	0.2	1	29	
10.1	8.1	39	30	
0.3	0.2	1	32	
0.3	0.2	1	33	
1.0	0.8	4	35	
0.5	0.4	2	37	
3.6	2.9	14	40	
0.5	0.4	2	45	
6.8	5.4	26	50	
0.3	0.2	1	52	
0.3	0.2	1	55	
2.6	2.1	10	60	
0.3	0.2	1	67	
2.1	1.7	8	70	
0.3	0.2	1	75	
0.5	0.4	2	80	
0.3	0.2	1	85	
0.3	0.2	1	90	
1.0	0.8	4	100	
	1.0	5	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	4.0	19	-2	-2. DONT KNOW

V8474 (CONT.)   **G5C PERC CT-ORD CL END TX:BEC FAIL COMPL**

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
         12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3233-3236

V8475   **G6 INTV CHKPT:ALL CL CRT-ORDR/NOT**

INTERVIEWER CHECKPOINT

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  99.5   86.1  414      0  0. ALL OTRS
   0.5    0.4    2      1  1. G1=100% (ALL CRT ORDRD)
          1.0    5     -5  -5. NO INTERVIEW
         12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3237-3238

V8476   **G7A EXTENT CO MR HOSTILE THAN NON-C0**

Compared to non-court-ordered outpatient substance abuse
clients in your unit, would you say your unit's court-ordered
outpatient substance abuse clients are much more (hostile),
somewhat more, about the same, somewhat less, or much less
(hostile)? Hostile?

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
  18.3   15.2   73      1   1. MUCH MORE
  53.5   44.3  213      2   2. SOMEWHAT MORE
  25.4   21.0  101      3   3. ABOUT SAME
   2.3    1.9    9      4   4. SOMEWHAT LESS
   0.5    0.4    2      5   5. MUCH LESS
          1.0    5     -5   -5. NO INTERVIEW
          3.1   15     -3   -3. REFUSED/NA
          0.2    1     -2   -2. DONT KNOW
         12.9   62     -1   -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3239-3240

V8477	G7B EXTENT CO MR COMPLIANT THAN NON-CO

Compared to non-court-ordered outpatient substance abuse
clients in your unit, would you say your unit's court-ordered
outpatient substance abuse clients are much more, somewhat
more, about the same, somewhat less, or much less... Compliant?
(Are your unit's court-ordered outpatient substance abuse
clients much more compliant, somewhat more, about the same,
somewhat less, or much less compliant than your unit's non-
court-ordered outpatient substance abuse clients?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  5.8    4.8   23      1  1. MUCH MORE
 18.8   15.6   75      2  2. SOMEWHAT MORE
 28.6   23.7  114      3  3. ABOUT SAME
 32.6   27.0  130      4  4. SOMEWHAT LESS
 14.3   11.9   57      5  5. MUCH LESS
         1.0    5     -5  -5. NO INTERVIEW
         2.9   14     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        12.9   62     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3241-3242

V8478	G7C EXTENT CO MR MOTIVATED THAN NON-CO

Compared to non-court-ordered outpatient substance abuse
clients in your unit, would you say your unit's court-ordered
outpatient substance abuse clients are much more, somewhat
more, about the same, somewhat less, or much less... Motivated
for treatment?

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
  0.5    0.4    2      1   1. MUCH MORE
  5.2    4.4   21      2   2. SOMEWHAT MORE
 19.4   16.2   78      3   3. ABOUT SAME
 47.8   39.9  192      4   4. SOMEWHAT LESS
 27.1   22.7  109      5   5. MUCH LESS
         1.0    5     -5   -5. NO INTERVIEW
         2.5   12     -3   -3. REFUSED/NA
        12.9   62     -1   -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3243-3244
```

V8479	G7D EXT CO MR MANIPULATIVE THAN NON-CO

Compared to non-court-ordered outpatient substance abuse
clients in your unit, would you say your unit's court-ordered
outpatient substance abuse clients are much more, somewhat
more, about the same, somewhat less, or much less...
Manipulative?

PCT VALID	PCT ALL	N	VALUE	LABEL
25.3	21.2	102	1	1. MUCH MORE
37.7	31.6	152	2	2. SOMEWHAT MORE
34.5	28.9	139	3	3. ABOUT SAME
1.7	1.5	7	4	4. SOMEWHAT LESS
0.7	0.6	3	5	5. MUCH LESS
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	12.9	62	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3245-3246

V8480   **G7E EXTENT CO MR SUSPICIOUS THAN NON-CO**

Compared to non-court-ordered outpatient substance abuse
clients in your unit, would you say your unit's court-ordered
outpatient substance abuse clients are much more, somewhat
more, about the same, somewhat less, or much less... Suspicious?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 24.1   20.2   97      1  1. MUCH MORE
 41.8   34.9  168      2  2. SOMEWHAT MORE
 32.3   27.0  130      3  3. ABOUT SAME
  1.5    1.2    6      4  4. SOMEWHAT LESS
  0.2    0.2    1      5  5. MUCH LESS
         1.0    5     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        12.9   62     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3247-3248

V8481	G7F EXTENT CO MR FRIGHTENED THAN NON-CO

Compared to non-court-ordered outpatient substance abuse
clients in your unit, would you say your unit's court-ordered
outpatient substance abuse clients are much more, somewhat
more, about the same, somewhat less, or much less... Frightened?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.2	7.7	37	1	1. MUCH MORE
28.8	23.9	115	2	2. SOMEWHAT MORE
47.5	39.5	190	3	3. ABOUT SAME
11.0	9.1	44	4	4. SOMEWHAT LESS
3.5	2.9	14	5	5. MUCH LESS
	1.0	5	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	0.4	2	-2	-2. DONT KNOW
	12.9	62	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3249-3250

V8482	G7G EXTENT CO MR SECRETIVE THAN NON-CO

Compared to non-court-ordered outpatient substance abuse
clients in your unit, would you say your unit's court-ordered
outpatient substance abuse clients are much more, somewhat
more, about the same, somewhat less, or much less... Secretive?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 25.4   21.2  102      1  1. MUCH MORE
 38.9   32.4  156      2  2. SOMEWHAT MORE
 33.2   27.7  133      3  3. ABOUT SAME
  2.0    1.7    8      4  4. SOMEWHAT LESS
  0.5    0.4    2      5  5. MUCH LESS
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        12.9   62     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3251-3252

V8483	G7H EXT CO MR UNHAPPY AT TX THAN NON-CO

Compared to non-court-ordered outpatient substance abuse clients in your unit, would you say your unit's court-ordered outpatient substance abuse clients are much more, somewhat more, about the same, somewhat less, or much less... Unhappy to be in treatment?

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
 35.0   29.3  141      1   1. MUCH MORE
 40.7   34.1  164      2   2. SOMEWHAT MORE
 20.6   17.3   83      3   3. ABOUT SAME
  3.0    2.5   12      4   4. SOMEWHAT LESS
  0.7    0.6    3      5   5. MUCH LESS
         1.0    5     -5   -5. NO INTERVIEW
         2.3   11     -3   -3. REFUSED/NA
        12.9   62     -1   -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3253-3254
```

V8484	G8A EXT AGR ABSTNNCE IMPT GOAL FOR CO CL

Please tell me how much you agree or disagree with each of the
following treatment goals for court-ordered outpatient
substance abuse clients? Complete abstinence from alcohol and
drugs is an important goal for court-ordered treatment. (Would
you say that you strongly agree, somewhat agree, neither agree
nor disagree, somewhat disagree, or strongly disagree?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 76.4   64.4  310      1  1. STRONGLY AGREE
 17.5   14.8   71      2  2. SOMEWHAT AGREE
  3.2    2.7   13      3  3. NEITHER
  2.2    1.9    9      4  4. SOMEWHAT DISAGREE
  0.7    0.6    3      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         2.1   10     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3255-3256
```

V8485	G8B EXT AGR RESPN USE IMPT GOAL FOR CO C

Please tell me how much you agree or disagree with each of the
following treatment goals for court-ordered outpatient
substance abuse clients? Clients learning how to use alcohol
or drugs in a socially responsible way is an important goal
for court-ordered treatment. (Would you say that you strongly
agree, somewhat agree, neither agree nor disagree, somewhat
disagree, or strongly disagree?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  7.2    6.0   29      1  1. STRONGLY AGREE
 15.3   12.9   62      2  2. SOMEWHAT AGREE
  5.4    4.6   22      3  3. NEITHER
 12.3   10.4   50      4  4. SOMEWHAT DISAGREE
 59.8   50.3  242      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         2.1   10     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3257-3258

V8486	G8C EXT AGR CRME REDUC IMPT GOAL F CO CL

Please tell me how much you agree or disagree with each of the
following treatment goals for court-ordered outpatient
substance abuse clients? Reduction in criminal behavior of
court-ordered clients (is an important goal for treatment).

PCT VALID	PCT ALL	N	VALUE	LABEL
83.2	70.1	337	1	1. STRONGLY AGREE
13.6	11.4	55	2	2. SOMEWHAT AGREE
1.5	1.2	6	3	3. NEITHER
0.2	0.2	1	4	4. SOMEWHAT DISAGREE
1.5	1.2	6	5	5. STRONGLY DISAGREE
0.0	0.0	0	6	6. DOES NOT APPLY
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	12.5	60	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3259-3260

V8487   **G8D EXT AGR STEADY EMP IMPT GOAL F CO CL**

Please tell me how much you agree or disagree with each of the
following treatment goals for court-ordered outpatient
substance abuse clients? Steady employment.

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 62.8   53.0  255      1  1. STRONGLY AGREE
 33.7   28.5  137      2  2. SOMEWHAT AGREE
  2.5    2.1   10      3  3. NEITHER
  0.7    0.6    3      4  4. SOMEWHAT DISAGREE
  0.2    0.2    1      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         2.1   10     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3261-3262

V8488   **G8E EXT AGR +PHY HLTH IMPT GOAL FOR CO C**

Please tell me how much you agree or disagree with each of the
following treatment goals for court-ordered outpatient
substance abuse clients? Positive physical health.

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 59.1   49.9  240      1  1. STRONGLY AGREE
 37.2   31.4  151      2  2. SOMEWHAT AGREE
  3.7    3.1   15      3  3. NEITHER
  0.0    0.0    0      4  4. SOMEWHAT DISAGREE
  0.0    0.0    0      5  5. STRONGLY DISAGREE
  0.0    0.0    0      6  6. DOES NOT APPLY
         1.0    5     -5  -5. NO INTERVIEW
         2.1   10     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  ----- ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3263-3264

```
V8489                    G8F EXT AGR IMP SPRT STR IMPT GOAL F CO
```

Please tell me how much you agree or disagree with each of the
following treatment goals for court-ordered outpatient
substance abuse clients? Improved spiritual strength.

```
  PCT     PCT    N  VALUE   LABEL
 VALID    ALL
 51.6    43.5  209      1  1. STRONGLY AGREE
 40.2    33.9  163      2  2. SOMEWHAT AGREE
  6.9     5.8   28      3  3. NEITHER
  0.5     0.4    2      4  4. SOMEWHAT DISAGREE
  0.7     0.6    3      5  5. STRONGLY DISAGREE
  0.0     0.0    0      6  6. DOES NOT APPLY
          1.0    5     -5  -5. NO INTERVIEW
          2.3   11     -3  -3. REFUSED/NA
         12.5   60     -1  -1. SKIPPED QUESTION
 -----   ----- ---
100.0   100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3265-3266
```

V8490	G8G EXT AGR MTG LEGL REQ IMPT GOAL F CO

Please tell me how much you agree or disagree with each of the
following treatment goals for court-ordered outpatient
substance abuse clients? Meeting legally mandated requirements
for treatment.

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
 79.5   66.9  322      1   1. STRONGLY AGREE
 17.0   14.3   69      2   2. SOMEWHAT AGREE
  2.7    2.3   11      3   3. NEITHER
  0.5    0.4    2      4   4. SOMEWHAT DISAGREE
  0.2    0.2    1      5   5. STRONGLY DISAGREE
  0.0    0.0    0      6   6. DOES NOT APPLY
         1.0    5     -5   -5. NO INTERVIEW
         2.3   11     -3   -3. REFUSED/NA
        12.5   60     -1   -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3267-3268
```

V8491   **G9A EXT CO CL HVE CNTRL:WHICH THERAPIST**

To what extent do your unit's court-ordered outpatient
substance abuse clients have control over each of the
following: ...the particular therapist they have been
assigned? (Would you say to no extent, a little, some, a
great, or to a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 37.8   31.8  153      1  1. NO EXTENT
 36.0   30.4  146      2  2. A LITTLE EXTENT
 20.2   17.0   82      3  3. SOME EXTENT
  2.5    2.1   10      4  4. A GREAT EXTENT
  3.2    2.7   13      5  5. A VERY GREAT EXTENT
  0.2    0.2    1      6  6. NOT DONE AT ALL
         1.0    5     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3269-3270

V8492	G9B EXT CO CL HVE CNTRL:WHETHER MEDCATN

To what extent do your unit's court-ordered outpatient substance abuse clients have control over each of the following: ...whether they are given medication as part of treatment?

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
 28.3    23.7  114      1   1. NO EXTENT
 10.9     9.1   44      2   2. A LITTLE EXTENT
 12.2    10.2   49      3   3. SOME EXTENT
 16.1    13.5   65      4   4. A GREAT EXTENT
 15.4    12.9   62      5   5. A VERY GREAT EXTENT
 17.1    14.3   69      6   6. NOT DONE AT ALL
          1.0    5     -5   -5. NO INTERVIEW
          2.5   12     -3   -3. REFUSED/NA
          0.2    1     -2   -2. DONT KNOW
         12.5   60     -1   -1. SKIPPED QUESTION
-----   -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3271-3272

```
V8493                G9C EXT CO CL HVE CNTRL:WHETHER CLIN TST
```

To what extent do your unit's court-ordered outpatient
substance abuse clients have control over each of the
following: ...whether they are monitored for abstinence by
clinical tests such as urine testing?

```
  PCT    PCT    N  VALUE   LABEL
VALID   ALL
 51.1   42.8  206      1  1. NO EXTENT
 13.9   11.6   56      2  2. A LITTLE EXTENT
 13.4   11.2   54      3  3. SOME EXTENT
  9.4    7.9   38      4  4. A GREAT EXTENT
  3.7    3.1   15      5  5. A VERY GREAT EXTENT
  8.4    7.1   34      6  6. NOT DONE AT ALL
         1.0    5     -5  -5. NO INTERVIEW
         2.7   13     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3273-3274
```

V8494	G9D EXT CO CL HVE CNTRL:WHETHER EMPLOYER

To what extent do your unit's court-ordered outpatient
substance abuse clients have control over each of the
following: ...whether they are monitored for abstinence by
obtaining information from an employer?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 19.5   16.4   79      1  1. NO EXTENT
 15.1   12.7   61      2  2. A LITTLE EXTENT
 25.7   21.6  104      3  3. SOME EXTENT
 20.2   17.0   82      4  4. A GREAT EXTENT
 12.6   10.6   51      5  5. A VERY GREAT EXTENT
  6.9    5.8   28      6  6. NOT DONE AT ALL
         1.0    5     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3275-3276
```

V8495   **G9E EXT CO CL HVE CNTRL:# TX SESSIONS**

To what extent do your unit's court-ordered outpatient
substance abuse clients have control over each of the
following: ...the number of treatment sessions they must
attend?

```
  PCT    PCT    N  VALUE   LABEL
VALID    ALL
 38.9   32.6  157      1  1. NO EXTENT
 22.5   18.9   91      2  2. A LITTLE EXTENT
 25.5   21.4  103      3  3. SOME EXTENT
  8.2    6.9   33      4  4. A GREAT EXTENT
  4.7    4.0   19      5  5. A VERY GREAT EXTENT
  0.2    0.2    1      6  6. NOT DONE AT ALL
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
-----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3277-3278

V8496	G9F EXT CO CL HVE CNTRL:WHICH TX GOALS

To what extent do your unit's court-ordered outpatient
substance abuse clients have control over each of the
following: ...the goals of treatment?

PCT VALID	PCT ALL	N	VALUE	LABEL
3.2	2.7	13	1	1. NO EXTENT
3.0	2.5	12	2	2. A LITTLE EXTENT
44.9	37.6	181	3	3. SOME EXTENT
38.7	32.4	156	4	4. A GREAT EXTENT
9.9	8.3	40	5	5. A VERY GREAT EXTENT
0.2	0.2	1	6	6. NOT DONE AT ALL
	1.0	5	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	12.5	60	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3279-3280

V8497	G9G EXT CO CL HVE CNTRL:INFO TO COURT

To what extent do your unit's court-ordered outpatient
substance abuse clients have control over each of the
following: ...what information is disclosed to the courts by
the treatment unit?

```
  PCT     PCT    N  VALUE  LABEL
VALID    ALL
 18.8    15.6   75      1  1. NO EXTENT
 13.5    11.2   54      2  2. A LITTLE EXTENT
 31.2    26.0  125      3  3. SOME EXTENT
 23.0    19.1   92      4  4. A GREAT EXTENT
 13.2    11.0   53      5  5. A VERY GREAT EXTENT
  0.2     0.2    1      6  6. NOT DONE AT ALL
          1.0    5     -5  -5. NO INTERVIEW
          3.3   16     -3  -3. REFUSED/NA
         12.5   60     -1  -1. SKIPPED QUESTION
 -----   -----  ---
100.0   100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3281-3282
```

V8498   **G9H EXT CO CL HVE CNTRL:IF REMAIN IN TX**

To what extent do your unit's court-ordered outpatient
substance abuse clients have control over each of the
following: ...whether to remain in treatment or not?

PCT VALID	PCT ALL	N	VALUE	LABEL
13.6	11.4	55	1	1. NO EXTENT
13.6	11.4	55	2	2. A LITTLE EXTENT
24.4	20.6	99	3	3. SOME EXTENT
30.4	25.6	123	4	4. A GREAT EXTENT
17.3	14.6	70	5	5. A VERY GREAT EXTENT
0.7	0.6	3	6	6. NOT DONE AT ALL
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	12.5	60	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3283-3284

V8499	G9I EXT CO CL HVE CNTRL:IF EMPLOYERS INF

To what extent do your unit's court-ordered outpatient
substance abuse clients have control over each of the
following: ...whether employers are informed about treatment
status?

PCT VALID	PCT ALL	N	VALUE	LABEL
7.4	6.2	30	1	1. NO EXTENT
6.2	5.2	25	2	2. A LITTLE EXTENT
21.5	18.1	87	3	3. SOME EXTENT
39.9	33.5	161	4	4. A GREAT EXTENT
24.0	20.2	97	5	5. A VERY GREAT EXTENT
1.0	0.8	4	6	6. NOT DONE AT ALL
	1.0	5	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	12.5	60	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3285-3286

V8500	G10A EXT EDUC STAFF ON SPEC PROBS CO CL

To what extent does your unit do each of the following in
managing treatment of court-ordered outpatient substance abuse
clients? Continuing staff education is provided on the special
problems of treating court-ordered clients. (Would you say to
no extent, a little, some, great, or a very great extent?)

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 11.1    9.4   45      1  1. No extent
 20.2   17.0   82      2  2. A little extent
 39.3   33.1  159      3  3. Some extent
 22.7   19.1   92      4  4. A great extent
  6.7    5.6   27      5  5. A very great extent
         1.0    5     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3287-3288

V8501	G10B EXT CLIN SUPV ADDRESS PROBS CO CL

To what extent does your unit do each of the following in managing treatment of court-ordered outpatient substance abuse clients? Clinical supervision addresses the problems of treating court-ordered clients.

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
   4.0    3.3   16      1  1. No extent
   7.4    6.2   30      2  2. A little extent
  34.1   28.7  138      3  3. Some extent
  43.0   36.2  174      4  4. A great extent
  11.6    9.8   47      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          2.3   11     -3  -3. REFUSED/NA
         12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3289-3290

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8502              G10C EXT DISCUSS DIFFIC TX-REL W CO CL             │
└─────────────────────────────────────────────────────────────────────┘
```

To what extent does your unit do each of the following in
managing treatment of court-ordered outpatient substance abuse
clients? Discussions are held with the client about
difficulties in the court-ordered therapeutic relationship.

```
  PCT     PCT    N  VALUE  LABEL
VALID    ALL
   5.4    4.6   22      1  1. No extent
   7.4    6.2   30      2  2. A little extent
  41.6   34.9  168      3  3. Some extent
  37.9   31.8  153      4  4. A great extent
   7.7    6.4   31      5  5. A very great extent
          1.0    5     -5  -5. NO INTERVIEW
          2.3   11     -3  -3. REFUSED/NA
          0.2    1     -2  -2. DONT KNOW
         12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3291-3292

V8503	G10D EXT CLIN SUPV CAN REASSIGN THERPST

To what extent does your unit do each of the following in managing treatment of court-ordered outpatient substance abuse clients? Clinical supervisors can reassign clients to other clinicians if difficulties arise.

PCT VALID	PCT ALL	N	VALUE	LABEL
4.7	4.0	19	1	1. No extent
6.4	5.4	26	2	2. A little extent
27.7	23.3	112	3	3. Some extent
47.0	39.5	190	4	4. A great extent
14.1	11.9	57	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	2.5	12	-3	-3. REFUSED/NA
	12.5	60	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3293-3294

V8504	G10E EXT TELL CO CL INFO GIVEN TO COURT

To what extent does your unit do each of the following in managing treatment of court-ordered outpatient substance abuse clients? Clients are told exactly what information is given to the courts by the treatment unit.

PCT VALID	PCT ALL	N	VALUE	LABEL
1.7	1.5	7	1	1. No extent
2.0	1.7	8	2	2. A little extent
11.6	9.8	47	3	3. Some extent
54.6	45.9	221	4	4. A great extent
30.1	25.4	122	5	5. A very great extent
	1.0	5	-5	-5. NO INTERVIEW
	2.3	11	-3	-3. REFUSED/NA
	12.5	60	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3295-3296

V8505	G10F EXT INVITE FAM MMBERS PARTCIPTE IN

To what extent does your unit do each of the following in
managing treatment of court-ordered outpatient substance abuse
clients? Family members are invited to participate in
treatment.

```
   PCT    PCT    N  VALUE   LABEL
 VALID    ALL
   2.7    2.3   11     1  1. No extent
   4.7    4.0   19     2  2. A little extent
  24.0   20.2   97     3  3. Some extent
  46.8   39.3  189     4  4. A great extent
  21.8   18.3   88     5  5. A very great extent
         1.0    5    -5  -5. NO INTERVIEW
         2.5   12    -3  -3. REFUSED/NA
        12.5   60    -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3297-3298

V8506   **G11A EXT BELEVE CO TX HLPS CL MOTVATION**

Do you believe that being in treatment because of a court
order helps or hinders each of the following: Client
motivation? Does being in treatment because of a court order
help a lot, help some, neither help nor hinder, hinder some,
or hinder a lot?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 16.1   13.5   65      1  1. HELP LOT
 40.4   33.9  163      2  2. HELP SOME
 18.9   15.8   76      3  3. NEITHER HELP/HINDER
 20.1   16.8   81      4  4. HINDER SOME
  4.5    3.7   18      5  5. HINDER LOT
         1.0    5     -5  -5. NO INTERVIEW
         2.7   13     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3299-3300

V8507   **G11B EXT BELEVE CO TX HLPS THERAP RELTN**

Do you believe that being in treatment because of a court
order helps or hinders each of the following: The therapeutic
relationship?

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  9.9    8.3   40      1  1. HELP LOT
 17.3   14.6   70      2  2. HELP SOME
 24.8   20.8  100      3  3. NEITHER HELP/HINDER
 44.1   37.0  178      4  4. HINDER SOME
  4.0    3.3   16      5  5. HINDER LOT
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3301-3302

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8508                    G11C EXT BELEVE CO TX HLPS CL REMAIN TX          │
└─────────────────────────────────────────────────────────────────────────┘
```

Do you believe that being in treatment because of a court
order helps or hinders each of the following: Clients
remaining in treatment?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  36.1   30.4  146      1  1. HELP LOT
  40.1   33.7  162      2  2. HELP SOME
   8.7    7.3   35      3  3. NEITHER HELP/HINDER
  11.4    9.6   46      4  4. HINDER SOME
   3.7    3.1   15      5  5. HINDER LOT
          1.0    5     -5  -5. NO INTERVIEW
          2.5   12     -3  -3. REFUSED/NA
         12.5   60     -1  -1. SKIPPED QUESTION
  -----  ----- ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3303-3304

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8509                    G11D EXT BELEVE CO TX HLPS OVRCME CL DEN         │
└─────────────────────────────────────────────────────────────────────────┘
```

Do you believe that being in treatment because of a court
order helps or hinders each of the following: Overcoming
client denial and resistance?

```
   PCT    PCT    N  VALUE  LABEL
  VALID   ALL
  17.1   14.3   69      1  1. HELP LOT
  29.5   24.7  119      2  2. HELP SOME
  25.0   21.0  101      3  3. NEITHER HELP/HINDER
  23.0   19.3   93      4  4. HINDER SOME
   5.4    4.6   22      5  5. HINDER LOT
          1.0    5     -5  -5. NO INTERVIEW
          2.5   12     -3  -3. REFUSED/NA
         12.5   60     -1  -1. SKIPPED QUESTION
  -----  ----- ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3305-3306

```
V8510                  G11E EXT BELEVE CO TX HLPS MEET PRSNL GO
```

Do you believe that being in treatment because of a court
order helps or hinders each of the following: Clients meeting
personal treatment goals?

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 13.1   11.0   53      1  1. HELP LOT
 35.9   30.1  145      2  2. HELP SOME
 32.9   27.7  133      3  3. NEITHER HELP/HINDER
 16.3   13.7   66      4  4. HINDER SOME
  1.7    1.5    7      5  5. HINDER LOT
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3307-3308

```
V8511                  G11F EXT BELEVE CO TX HLPS MAINT ABST
```

Do you believe that being in treatment because of a court
order helps or hinders each of the following: Maintaining
abstinence after treatment?

```
  PCT    PCT    N  VALUE   LABEL
 VALID   ALL
 15.4   12.9   62      1  1. HELP LOT
 32.5   27.2  131      2  2. HELP SOME
 39.5   33.1  159      3  3. NEITHER HELP/HINDER
  9.9    8.3   40      4  4. HINDER SOME
  2.7    2.3   11      5  5. HINDER LOT
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
         0.2    1     -2  -2. DONT KNOW
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3309-3310

V8512	G11G EXT BELEVE CO TX HLPS COUNS EFFVEN

Do you believe that being in treatment because of a court
order helps or hinders each of the following: Counselor
effectiveness?

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
 11.9   10.0   48      1  1. HELP LOT
 23.5   19.8   95      2  2. HELP SOME
 43.2   36.4  175      3  3. NEITHER HELP/HINDER
 19.5   16.4   79      4  4. HINDER SOME
  2.0    1.7    8      5  5. HINDER LOT
         1.0    5     -5  -5. NO INTERVIEW
         2.3   11     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3311-3312

V8513	G12A EXT BELEVE CO TX HLPS STAFF MORALE

Does having court-ordered outpatient substance abuse clients
in your unit help or hinder each of the following aspects of
unit operations: Staff morale? (Does having court-ordered
outpatient substance abuse clients help a lot, help some,
neither help nor hinder, hinder some, or hinder a lot?)

```
  PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  1.7    1.5    7      1  1. HELP LOT
  7.2    6.0   29      2  2. HELP SOME
 55.9   47.0  226      3  3. NEITHER HELP/HINDER
 32.2   27.0  130      4  4. HINDER SOME
  3.0    2.5   12      5  5. HINDER LOT
         1.0    5     -5  -5. NO INTERVIEW
         2.5   12     -3  -3. REFUSED/NA
        12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3313-3314

V8514	G12B EXT BELEVE CO TX HLPS +STAFF ATTDL

Does having court-ordered outpatient substance abuse clients
in your unit help or hinder each of the following aspects of
unit operations: Maintaining positive staff attitudes toward
clients?

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
  2.7     2.3   11      1  1. HELP LOT
  7.4     6.2   30      2  2. HELP SOME
 51.5    43.2  208      3  3. NEITHER HELP/HINDER
 37.6    31.6  152      4  4. HINDER SOME
  0.7     0.6    3      5  5. HINDER LOT
          1.0    5     -5  -5. NO INTERVIEW
          2.5   12     -3  -3. REFUSED/NA
         12.5   60     -1  -1. SKIPPED QUESTION
 -----   ----- ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3315-3316

V8515	G12C EXT BELEVE CO TX HLPS COUNS FEEL GD

Does having court-ordered outpatient substance abuse clients
in your unit help or hinder each of the following aspects of
unit operations: Counselors feeling they can do a good job?

```
  PCT     PCT    N  VALUE   LABEL
VALID    ALL
  5.4     4.6   22      1  1. HELP LOT
 12.4    10.4   50      2  2. HELP SOME
 47.0    39.5  190      3  3. NEITHER HELP/HINDER
 34.2    28.7  138      4  4. HINDER SOME
  1.0     0.8    4      5  5. HINDER LOT
          1.0    5     -5  -5. NO INTERVIEW
          2.5   12     -3  -3. REFUSED/NA
         12.5   60     -1  -1. SKIPPED QUESTION
 -----   ----- ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3317-3318

V8516	G12D EXT BELEVE CO TX HLPS STFF COMMT

Does having court-ordered outpatient substance abuse clients
in your unit help or hinder each of the following aspects of
unit operations: Staff commitment to the unit?

```
  PCT     PCT    N  VALUE   LABEL
VALID     ALL
  6.2     5.2   25      1  1. HELP LOT
  9.9     8.3   40      2  2. HELP SOME
 68.1    57.2  275      3  3. NEITHER HELP/HINDER
 15.1    12.7   61      4  4. HINDER SOME
  0.7     0.6    3      5  5. HINDER LOT
          1.0    5     -5  -5. NO INTERVIEW
          2.5   12     -3  -3. REFUSED/NA
         12.5   60     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3319-3320

RESPONDENT DEMOGRAPHICS

V8517   **H0 INTV CHKPT:DEMOGRPH IN DIR/NOT**

INTERVIEWER CHECKPOINT

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
 55.0   54.5  262      0  0. ALL OTHER
 45.0   44.5  214      1  1. DEM IN DIR
         1.0    5     -5  -5. NO INTERVIEW
 -----  -----  ---
100.0  100.0  481 cases

Data type: numeric
Missing-data codes: -5--1
Columns: 3321-3322
```

V8518	H1 #YRS:EMPLOYED BY UNIT

How many years have you been employed by this treatment
unit?--# OF YEARS

```
  PCT    PCT    N  VALUE  LABEL
VALID   ALL
  7.7    3.5   17     1
 10.9    5.0   24     2
 10.9    5.0   24     3
  6.3    2.9   14     4
  9.0    4.2   20     5
  8.6    4.0   19     6
  8.6    4.0   19     7
  1.8    0.8    4     8
  3.6    1.7    8     9
  6.3    2.9   14    10
  2.3    1.0    5    11
  3.6    1.7    8    12
  3.6    1.7    8    13
  2.3    1.0    5    14
  4.1    1.9    9    15
  1.4    0.6    3    16
  3.6    1.7    8    17
  2.3    1.0    5    18
  0.9    0.4    2    19
  1.8    0.8    4    20
  0.5    0.2    1    21
         1.0    5    -5  -5. NO INTERVIEW
         0.4    2    -3  -3. REFUSED/NA
        52.6  253    -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3323-3325

```
 V8519                    H1 #MOS:EMPLOYED BY UNIT
```

```
     PCT     PCT    N   VALUE  LABEL
    VALID    ALL
     2.6     0.2    1      2
     7.9     0.6    3      4
     7.9     0.6    3      5
    10.5     0.8    4      6
     2.6     0.2    1      7
     2.6     0.2    1      8
     5.3     0.4    2     13
     2.6     0.2    1     15
    23.7     1.9    9     18
     2.6     0.2    1     19
    13.2     1.0    5     30
    18.4     1.5    7     42
             1.0    5     -5  -5. NO INTERVIEW
            91.1  438     -1  -1. SKIPPED QUESTION
    -----   -----  ---
    100.0   100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 3326-3328
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8520                    H2 #YRS:WORK IN FIELD OF SA OR MH            │
└─────────────────────────────────────────────────────────────────────┘
```

How many years have you been working in the field of substance
abuse treatment or mental health?--# OF YEARS

```
    PCT    PCT    N   VALUE  LABEL
  VALID    ALL
    0.4    0.2    1      1
    2.0    1.0    5      2
    2.4    1.2    6      3
    4.4    2.3   11      4
    7.9    4.2   20      5
    7.5    4.0   19      6
    5.2    2.7   13      7
    4.8    2.5   12      8
    5.6    2.9   14      9
   11.5    6.0   29     10
    3.6    1.9    9     11
    4.0    2.1   10     12
    4.8    2.5   12     13
    4.8    2.5   12     14
    6.7    3.5   17     15
    4.4    2.3   11     16
    4.8    2.5   12     17
    4.0    2.1   10     18
    2.4    1.2    6     19
    3.6    1.9    9     20
    1.6    0.8    4     21
    0.8    0.4    2     22
    0.4    0.2    1     23
    1.2    0.6    3     24
    0.4    0.2    1     27
    0.4    0.2    1     28
    0.4    0.2    1     30
    0.4    0.2    1     36
           1.0    5     -5  -5. NO INTERVIEW
           0.4    2     -3  -3. REFUSED/NA
          46.2  222     -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3329-3331

```
V8521                    H2 #MOS:WORK IN FIELD OF SA OR MH
```

```
    PCT     PCT    N  VALUE  LABEL
   VALID    ALL
   16.7     0.2    1      4
   50.0     0.6    3     18
   16.7     0.2    1     30
   16.7     0.2    1     42
            1.0    5     -5  -5. NO INTERVIEW
           97.7  470     -1  -1. SKIPPED QUESTION
   -----   -----  ---
   100.0   100.0  481 cases

   Data type: numeric
   Missing-data codes: -5--1
   Columns: 3332-3334
```

V8522   **H3 PRSNT POSN,JOB TITLE**

What is your present position or job title?

PCT VALID	PCT ALL	N	VALUE	LABEL
10.4	5.6	27	1	1. DIRECTOR
4.2	2.3	11	2	2. DEPUTY
1.2	0.6	3	3	3. CONTROLL
1.2	0.6	3	4	4. ADMIUNSP
1.2	0.6	3	5	5. ADMASST
1.2	0.6	3	6	6. OFFMANA
0.0	0.0	0	7	7. SECTARY
0.0	0.0	0	9	9. PUBRELAT
0.0	0.0	0	10	10. LEGALSER
0.8	0.4	2	19	19. OTHRADM
50.4	27.2	131	21	21. ANYHEAD
2.3	1.2	6	22	22. ASSTGEAD
17.7	9.6	46	23	23. SUPERVISOR
0.0	0.0	0	31	31. PROBOFFC
8.5	4.6	22	32	32. COUNSELR
0.0	0.0	0	34	34. CLERGY
0.0	0.0	0	38	38. ADVISOR
0.4	0.2	1	41	41. PHYSICN
0.0	0.0	0	42	42. NURSE
0.0	0.0	0	43	43. OTHHCP
0.4	0.2	1	44	44. PSYCHOL
0.4	0.2	1	45	45. SOCWORK
0.0	0.0	0	71	71. VOLUNTR
0.0	0.0	0	72	72. STUDENT
0.0	0.0	0	73	73. PUBOFFIC
0.0	0.0	0	74	74. TEACHER
0.0	0.0	0	97	97. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	0.4	2	-3	-3. REFUSED/NA
	44.5	214	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481 cases		

Data type: numeric
Missing-data codes: -5--1
Columns: 3335-3337

V8523	H3A #YR:PRSNT POSITON

How long have you been in this position?--# OF YEARS

PCT VALID	PCT ALL	N	VALUE	LABEL
33.0	17.9	86	0	
12.3	6.7	32	1	
10.7	5.8	28	2	
11.9	6.4	31	3	
4.6	2.5	12	4	
5.7	3.1	15	5	
4.2	2.3	11	6	
3.1	1.7	8	7	
4.6	2.5	12	8	
1.5	0.8	4	9	
2.3	1.2	6	10	
0.4	0.2	1	11	
0.8	0.4	2	12	
1.5	0.8	4	13	
0.8	0.4	2	14	
0.8	0.4	2	15	
1.1	0.6	3	17	
0.4	0.2	1	20	
0.4	0.2	1	21	
	1.0	5	-5	-5. NO INTERVIEW
	0.2	1	-3	-3. REFUSED/NA
	44.5	214	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3338-3340

V8524	H3A #MO:PRSNT POSITON

```
   PCT    PCT   N  VALUE  LABEL
  VALID   ALL
  67.2   36.6  176     0
   2.7    1.5    7     1
   1.5    0.8    4     2
   1.9    1.0    5     3
   2.7    1.5    7     4
   2.7    1.5    7     5
   3.8    2.1   10     6
   1.1    0.6    3     7
   1.1    0.6    3     8
   0.8    0.4    2     9
   0.4    0.2    1    10
   0.8    0.4    2    13
   0.4    0.2    1    14
   0.4    0.2    1    15
   8.0    4.4   21    18
   0.4    0.2    1    21
   2.3    1.2    6    30
   1.9    1.0    5    42
          1.0    5    -5  -5. NO INTERVIEW
         44.5  214    -1  -1. SKIPPED QUESTION
 -----  ----- ---
 100.0  100.0 481 cases

 Data type: numeric
 Missing-data codes: -5--1
 Columns: 3341-3343
```

```
V8525                        H4 RESPONDENTS AGE? - CATEGORIZED
```

What is your age?

```
   PCT     PCT    N  VALUE  LABEL
 VALID     ALL
   4.3     2.3   11      1  1. 29 YEARS OLD OR YOUNGER
  11.8     6.2   30      2  2. 30-34 YEARS OLD
  20.1    10.6   51      3  3. 35-39 YEARS OLD
  29.1    15.4   74      4  4. 40-44 YEARS OLD
  17.7     9.4   45      5  5. 45-49 YEARS OLD
   6.7     3.5   17      6  6. 50-54 YEARS OLD
   6.3     3.3   16      7  7. 55-59 YEARS OLD
   3.9     2.1   10      8  8. 60 YEARS OLD OR OLDER
           1.0    5     -5  -5. NO INTERVIEW
           1.7    8     -3  -3. REFUSED/NA
          44.5  214     -1  -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3344-3346

```
V8526                        H5 RESPONDENTS GENDER: MALE/FEM:M/NM?
```

(Are you male or female?)

```
   PCT     PCT    N  VALUE  LABEL
 VALID     ALL
  50.4    27.0  130      0  0. Female
  49.6    26.6  128      1  1. Male
           1.0    5     -5  -5. NO INTERVIEW
           0.8    4     -3  -3. REFUSED/NA
          44.5  214     -1  -1. SKIPPED QUESTION
 -----   -----  ---
 100.0   100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3347-3348

```
 ┌──────────────────────────────────────────────────────────────────────┐
 │ V8527                    H6 RACE - RECODED                             │
 └──────────────────────────────────────────────────────────────────────┘


     Are you white, black, American Indian, Alaskan native, Asian,
     or Pacific Islander, or what?

       PCT    PCT    N  VALUE  LABEL
     VALID   ALL
      82.5   44.1  212      1  1. WHITE
      10.5    5.6   27      2  2. BLACK
       7.0    3.7   18      5  5. OTHER
              1.0    5     -5  -5. NO INTERVIEW
              1.0    5     -3  -3. REFUSED/NA
             44.5  214     -1  -1. SKIPPED QUESTION
     -----  -----  ---
     100.0  100.0  481 cases

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 3349-3350
```

```
 ┌──────────────────────────────────────────────────────────────────────┐
 │ V8528                    H7 RESPONDENTS HISPANIC ORIGIN:Y/N?           │
 └──────────────────────────────────────────────────────────────────────┘


     Are you of Hispanic origin?

       PCT    PCT    N  VALUE  LABEL
     VALID   ALL
      94.6   50.7  244      0  0. No
       5.4    2.9   14      1  1. Yes
              1.0    5     -5  -5. NO INTERVIEW
              0.8    4     -3  -3. REFUSED/NA
             44.5  214     -1  -1. SKIPPED QUESTION
     -----  -----  ---
     100.0  100.0  481 cases

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 3351-3352
```

V8529	H8 TYPICAL # HR/WK WORK-OSATU

Considering all of your job responsibilities, how many hours
per week do you typically work for your outpatient substance
abuse treatment unit?

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.2	1	0	
0.4	0.2	1	1	
0.4	0.2	1	2	
0.4	0.2	1	4	
1.2	0.6	3	5	
1.2	0.6	3	6	
0.4	0.2	1	8	
0.8	0.4	2	9	
4.6	2.5	12	10	
0.4	0.2	1	11	
0.8	0.4	2	12	
0.4	0.2	1	13	
2.3	1.2	6	15	
0.4	0.2	1	16	
0.4	0.2	1	17	
0.8	0.4	2	18	
5.0	2.7	13	20	
0.4	0.2	1	23	
0.8	0.4	2	24	
1.2	0.6	3	25	
3.1	1.7	8	30	
1.2	0.6	3	32	
0.4	0.2	1	34	
8.8	4.8	23	35	
0.4	0.2	1	36	
4.6	2.5	12	37	
1.2	0.6	3	38	
26.9	14.6	70	40	
0.8	0.4	2	41	
0.8	0.4	2	42	
2.3	1.2	6	43	
2.3	1.2	6	44	
6.2	3.3	16	45	
0.4	0.2	1	47	
1.2	0.6	3	48	
10.8	5.8	28	50	
1.2	0.6	3	55	
0.8	0.4	2	57	
3.8	2.1	10	60	
0.4	0.2	1	62	

V8529 (CONT.)   **H8 TYPICAL # HR/WK WORK-OSATU**

```
     PCT     PCT    N   VALUE   LABEL
    VALID    ALL
     0.4     0.2    1     70
             1.0    5     -5   -5. NO INTERVIEW
             0.4    2     -3   -3. REFUSED/NA
            44.5  214     -1   -1. SKIPPED QUESTION
    -----   -----  ---
    100.0   100.0  481 cases

    Data type: numeric
    Missing-data codes: -5--1
    Columns: 3353-3355
```

V8530	H9A # HRS/WK-PROVIDINGTHERAPY

Of these hours worked, how many are spent in ...providing
therapy or counseling directly to clients?

PCT VALID	PCT ALL	N	VALUE	LABEL
20.5	11.0	53	0	
3.9	2.1	10	1	
3.1	1.7	8	2	
6.6	3.5	17	3	
1.9	1.0	5	4	
5.0	2.7	13	5	
6.2	3.3	16	6	
1.2	0.6	3	7	
2.3	1.2	6	8	
11.6	6.2	30	10	
4.7	2.5	12	12	
0.8	0.4	2	13	
6.6	3.5	17	15	
0.4	0.2	1	16	
1.9	1.0	5	17	
0.4	0.2	1	18	
10.1	5.4	26	20	
0.8	0.4	2	22	
0.4	0.2	1	24	
2.3	1.2	6	25	
0.4	0.2	1	27	
3.5	1.9	9	30	
0.4	0.2	1	31	
1.2	0.6	3	32	
0.8	0.4	2	33	
0.4	0.2	1	34	
0.4	0.2	1	35	
0.4	0.2	1	36	
0.4	0.2	1	40	
0.4	0.2	1	42	
0.4	0.2	1	45	
0.4	0.2	1	56	
0.4	0.2	1	75	
	1.0	5	-5	-5. NO INTERVIEW
	0.8	4	-3	-3. REFUSED/NA
	44.5	214	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3356-3358

V8531   **H9B # HRS/WK-DIRECTLY SUPRVISNG**

Of these hours worked, how many are spent in ...directly
supervising the work of staff therapists or counselors?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.7	5.2	25	0	
3.5	1.9	9	1	
4.7	2.5	12	2	
3.9	2.1	10	3	
4.7	2.5	12	4	
11.6	6.2	30	5	
2.3	1.2	6	6	
1.9	1.0	5	7	
3.5	1.9	9	8	
1.2	0.6	3	9	
17.8	9.6	46	10	
0.4	0.2	1	11	
2.7	1.5	7	12	
1.2	0.6	3	13	
4.3	2.3	11	15	
1.2	0.6	3	16	
1.2	0.6	3	17	
0.4	0.2	1	18	
9.3	5.0	24	20	
0.8	0.4	2	24	
4.3	2.3	11	25	
0.4	0.2	1	28	
4.7	2.5	12	30	
0.4	0.2	1	33	
0.8	0.4	2	34	
1.9	1.0	5	35	
0.8	0.4	2	40	
0.4	0.2	1	50	
0.4	0.2	1	60	
	1.0	5	-5	-5. NO INTERVIEW
	0.6	3	-3	-3. REFUSED/NA
	0.2	1	-2	-2. DONT KNOW
	44.5	214	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3359-3361

V8532   **H10 HIGHEST GRADE/YR SCH**

What is the highest grade of school or year of college you
completed?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
  0.4    0.2    1      9
  2.3    1.2    6     12
  1.9    1.0    5     13
  7.3    4.0   19     14
  2.7    1.5    7     15
 17.8    9.6   46     16
 67.6   36.4  175     17
         1.0    5     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        44.5  214     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3362-3364

V8533   **H10A HIGH SCHOL/GED:Y/N?**

Did you get a high school graduation diploma or pass a high
school equivalency test?

```
  PCT    PCT    N  VALUE  LABEL
VALID    ALL
 97.3   52.4  252      0  0. No
  2.7    1.5    7      1  1. Yes
         1.0    5     -5  -5. NO INTERVIEW
         0.6    3     -3  -3. REFUSED/NA
        44.5  214     -1  -1. SKIPPED QUESTION
 -----  -----  ---
100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3365-3366

V8534 **H10B COLLEGE DEGREE:Y/N?**

Do you have a college degree?

PCT VALID	PCT ALL	N	VALUE	LABEL
9.1	4.8	23	0	0. No
90.9	47.6	229	1	1. Yes
	1.0	5	-5	-5. NO INTERVIEW
	46.6	224	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3367-3368

V8535 **H10C M1 R:WHAT DEGREE**

What degree(s) do you have?

PCT VALID	PCT ALL	N	VALUE	LABEL
4.9	2.3	11	1	1. A.A.2YR
0.0	0.0	0	2	2. R.N.
68.8	32.0	154	3	3. BA/BS
21.9	10.2	49	4	4. MA/MS
0.4	0.2	1	5	5. MD
4.0	1.9	9	6	6. PH.D.
0.0	0.0	0	7	7. OTHER
	1.0	5	-5	-5. NO INTERVIEW
	1.0	5	-3	-3. REFUSED/NA
	51.4	247	-1	-1. SKIPPED QUESTION
-----	-----	---		
100.0	100.0	481	cases	

Data type: numeric
Missing-data codes: -5--1
Columns: 3369-3370

V8536   **H10D M1 R:DEGREE FIELD**

(What field or fields is that in?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.4	0.2	1	1	1. BIOLOGY
3.1	1.5	7	2	2. BUSINESS
0.0	0.0	0	3	3. CHEMISTR
5.7	2.7	13	4	4. COUNSEL
0.9	0.4	2	5	5. COMM SCI
1.8	0.8	4	6	6. CRIMJUST
0.0	0.0	0	7	7. DIETETIC
0.9	0.4	2	8	8. ECONOMIC
3.5	1.7	8	9	9. EDUCATON
0.0	0.0	0	10	10. ED ADMIN
0.4	0.2	1	11	11. PHYS ED
0.0	0.0	0	12	12. SPECL ED
0.9	0.4	2	13	13. Engineering--any type
3.1	1.5	7	15	15. ENG LANG
1.3	0.6	3	16	16. HISTORY
1.8	0.8	4	17	17. HUMANSRV
0.9	0.4	2	18	18. LANGUAGE
0.0	0.0	0	19	19. LAW
2.6	1.2	6	20	20. LIB ARTS
0.0	0.0	0	21	21. MED DOC
0.0	0.0	0	22	22. PERSONEL
0.0	0.0	0	23	23. PHARMACY
0.9	0.4	2	24	24. PHILOPHY
0.0	0.0	0	25	25. PSYCHIAT
36.1	17.0	82	26	26. PSYCHLGY
2.2	1.0	5	27	27. PUB ADMN
0.4	0.2	1	28	28. PUB HLTH
3.1	1.5	7	30	30. SCIENCE
0.0	0.0	0	31	31. SOCPSYCH
2.6	1.2	6	32	32. SOCL SCI
17.2	8.1	39	33	33. SOC WORK
4.0	1.9	9	34	34. SOCIOLGY
1.3	0.6	3	35	35. THEOLOGY
0.4	0.2	1	36	36. SUBABUSE
0.9	0.4	2	41	41. ARTS
2.2	1.0	5	42	42. NURSING
0.0	0.0	0	43	43. 3VOCREHA
0.0	0.0	0	51	51. GENPRACT
0.0	0.0	0	52	52. PEDIATRC
0.0	0.0	0	53	53. INTRNMED
0.4	0.2	1	57	57. OTHR MED
0.9	0.4	2	97	97. OTHER

```
V8536 (CONT.)                H10D M1 R:DEGREE FIELD
```

```
    PCT    PCT    N  VALUE  LABEL
  VALID    ALL
           1.0    5      -5  -5. NO INTERVIEW
           0.4    2      -3  -3. REFUSED/NA
          51.4  247      -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

```
  Data type: numeric
  Missing-data codes: -5--1
  Columns: 3371-3373
```

```
V8537                        H10C M2 R:WHAT DEGREE
```

```
  What degree(s) do you have?
```

```
    PCT    PCT    N  VALUE  LABEL
  VALID    ALL
    2.7    0.8    4       1  1. A.A.2YR
    0.0    0.0    0       2  2. R.N.
   26.0    7.9   38       3  3. BA/BS
   69.2   21.0  101       4  4. MA/MS
    0.7    0.2    1       5  5. MD
    1.4    0.4    2       6  6. PH.D.
    0.0    0.0    0       7  7. OTHER
           1.0    5      -5  -5. NO INTERVIEW
           0.6    3      -3  -3. REFUSED/NA
          68.0  327      -1  -1. SKIPPED QUESTION
  -----  -----  ---
  100.0  100.0  481 cases
```

```
  Data type: numeric
  Missing-data codes: -5--1
  Columns: 3374-3375
```

V8538	H10D M2 R:DEGREE FIELD

(What field or fields is that in?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.7	0.2	1	1	1. BIOLOGY
1.3	0.4	2	2	2. BUSINESS
0.0	0.0	0	3	3. CHEMISTR
25.5	7.9	38	4	4. COUNSEL
0.0	0.0	0	5	5. COMM SCI
0.0	0.0	0	6	6. CRIMJUST
0.0	0.0	0	7	7. DIETETIC
0.0	0.0	0	8	8. ECONOMIC
3.4	1.0	5	9	9. EDUCATON
1.3	0.4	2	10	10. ED ADMIN
0.0	0.0	0	11	11. PHYS ED
0.7	0.2	1	12	12. SPECL ED
0.7	0.2	1	13	13. Engineering--any type
0.7	0.2	1	15	15. ENG LANG
0.0	0.0	0	16	16. HISTORY
1.3	0.4	2	17	17. HUMANSRV
0.0	0.0	0	18	18. LANGUAGE
0.0	0.0	0	19	19. LAW
2.0	0.6	3	20	20. LIB ARTS
0.7	0.2	1	21	21. MED DOC
0.0	0.0	0	22	22. PERSONEL
0.0	0.0	0	23	23. PHARMACY
0.0	0.0	0	24	24. PHILOPHY
0.0	0.0	0	25	25. PSYCHIAT
26.8	8.3	40	26	26. PSYCHLGY
2.0	0.6	3	27	27. PUB ADMN
0.7	0.2	1	28	28. PUB HLTH
2.0	0.6	3	30	30. SCIENCE
0.0	0.0	0	31	31. SOCPSYCH
1.3	0.4	2	32	32. SOCL SCI
16.1	5.0	24	33	33. SOC WORK
4.7	1.5	7	34	34. SOCIOLGY
3.4	1.0	5	35	35. THEOLOGY
0.0	0.0	0	36	36. SUBABUSE
2.0	0.6	3	41	41. ARTS
0.7	0.2	1	42	42. NURSING
0.0	0.0	0	43	43. 3VOCREHA
0.0	0.0	0	51	51. GENPRACT
0.0	0.0	0	52	52. PEDIATRC
0.0	0.0	0	53	53. INTRNMED
0.0	0.0	0	57	57. OTHR MED
2.0	0.6	3	97	97. OTHER

```
V8538 (CONT.)                H10D M2 R:DEGREE FIELD
```

```
     PCT    PCT    N  VALUE  LABEL
   VALID   ALL
           1.0    5      -5  -5. NO INTERVIEW
          68.0  327      -1  -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3376-3378

```
V8539                        H10C M3 R:WHAT DEGREE
```

What degree(s) do you have?

```
     PCT    PCT    N  VALUE  LABEL
   VALID   ALL
   10.0    0.6    3       1  1. A.A.2YR
    0.0    0.0    0       2  2. R.N.
   26.7    1.7    8       3  3. BA/BS
   50.0    3.1   15       4  4. MA/MS
    0.0    0.0    0       5  5. MD
   13.3    0.8    4       6  6. PH.D.
    0.0    0.0    0       7  7. OTHER
           1.0    5      -5  -5. NO INTERVIEW
          92.7  446      -1  -1. SKIPPED QUESTION
   -----  -----  ---
   100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3379-3380

```
┌─────────────────────────────────────────────────────────────────────────┐
│ V8540                    H10D M3 R:DEGREE FIELD                           │
└─────────────────────────────────────────────────────────────────────────┘
```

(What field or fields is that in?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. BIOLOGY
0.0	0.0	0	2	2. BUSINESS
0.0	0.0	0	3	3. CHEMISTR
23.3	1.5	7	4	4. COUNSEL
0.0	0.0	0	5	5. COMM SCI
0.0	0.0	0	6	6. CRIMJUST
0.0	0.0	0	7	7. DIETETIC
0.0	0.0	0	8	8. ECONOMIC
6.7	0.4	2	9	9. EDUCATON
3.3	0.2	1	10	10. ED ADMIN
0.0	0.0	0	11	11. PHYS ED
0.0	0.0	0	12	12. SPECL ED
0.0	0.0	0	13	13. Engineering--any type
0.0	0.0	0	15	15. ENG LANG
0.0	0.0	0	16	16. HISTORY
3.3	0.2	1	17	17. HUMANSRV
0.0	0.0	0	18	18. LANGUAGE
0.0	0.0	0	19	19. LAW
0.0	0.0	0	20	20. LIB ARTS
0.0	0.0	0	21	21. MED DOC
3.3	0.2	1	22	22. PERSONEL
0.0	0.0	0	23	23. PHARMACY
0.0	0.0	0	24	24. PHILOPHY
0.0	0.0	0	25	25. PSYCHIAT
33.3	2.1	10	26	26. PSYCHLGY
3.3	0.2	1	27	27. PUB ADMN
0.0	0.0	0	28	28. PUB HLTH
0.0	0.0	0	30	30. SCIENCE
0.0	0.0	0	31	31. SOCPSYCH
3.3	0.2	1	32	32. SOCL SCI
6.7	0.4	2	33	33. SOC WORK
10.0	0.6	3	34	34. SOCIOLGY
0.0	0.0	0	35	35. THEOLOGY
3.3	0.2	1	36	36. SUBABUSE
0.0	0.0	0	41	41. ARTS
0.0	0.0	0	42	42. NURSING
0.0	0.0	0	43	43. 3VOCREHA
0.0	0.0	0	51	51. GENPRACT
0.0	0.0	0	52	52. PEDIATRC
0.0	0.0	0	53	53. INTRNMED
0.0	0.0	0	57	57. OTHR MED
0.0	0.0	0	97	97. OTHER

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8540 (CONT.)                 H10D M3 R:DEGREE FIELD                 │
└─────────────────────────────────────────────────────────────────────┘
```

```
      PCT    PCT    N  VALUE  LABEL
     VALID   ALL
            1.0    5      -5  -5. NO INTERVIEW
           92.7  446      -1  -1. SKIPPED QUESTION
     -----  -----  ---
     100.0  100.0  481 cases

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 3381-3383
```

```
┌─────────────────────────────────────────────────────────────────────┐
│ V8541                    H10C M4 R:WHAT DEGREE                       │
└─────────────────────────────────────────────────────────────────────┘
```

```
     What degree(s) do you have?

      PCT    PCT    N  VALUE  LABEL
     VALID   ALL
     12.5    0.2    1       1  1. A.A.2YR
      0.0    0.0    0       2  2. R.N.
      0.0    0.0    0       3  3. BA/BS
     37.5    0.6    3       4  4. MA/MS
      0.0    0.0    0       5  5. MD
     50.0    0.8    4       6  6. PH.D.
      0.0    0.0    0       7  7. OTHER
            1.0    5      -5  -5. NO INTERVIEW
           97.3  468      -1  -1. SKIPPED QUESTION
     -----  -----  ---
     100.0  100.0  481 cases

     Data type: numeric
     Missing-data codes: -5--1
     Columns: 3384-3385
```

V8542	H10D M4 R:DEGREE FIELD

(What field or fields is that in?)

PCT VALID	PCT ALL	N	VALUE	LABEL
0.0	0.0	0	1	1. BIOLOGY
0.0	0.0	0	2	2. BUSINESS
0.0	0.0	0	3	3. CHEMISTR
12.5	0.2	1	4	4. COUNSEL
0.0	0.0	0	5	5. COMM SCI
0.0	0.0	0	6	6. CRIMJUST
0.0	0.0	0	7	7. DIETETIC
0.0	0.0	0	8	8. ECONOMIC
12.5	0.2	1	9	9. EDUCATON
0.0	0.0	0	10	10. ED ADMIN
0.0	0.0	0	11	11. PHYS ED
12.5	0.2	1	12	12. SPECL ED
0.0	0.0	0	13	13. Engineering--any type
0.0	0.0	0	15	15. ENG LANG
0.0	0.0	0	16	16. HISTORY
0.0	0.0	0	17	17. HUMANSRV
0.0	0.0	0	18	18. LANGUAGE
0.0	0.0	0	19	19. LAW
12.5	0.2	1	20	20. LIB ARTS
0.0	0.0	0	21	21. MED DOC
0.0	0.0	0	22	22. PERSONEL
0.0	0.0	0	23	23. PHARMACY
0.0	0.0	0	24	24. PHILOPHY
0.0	0.0	0	25	25. PSYCHIAT
37.5	0.6	3	26	26. PSYCHLGY
0.0	0.0	0	27	27. PUB ADMN
0.0	0.0	0	28	28. PUB HLTH
0.0	0.0	0	30	30. SCIENCE
0.0	0.0	0	31	31. SOCPSYCH
0.0	0.0	0	32	32. SOCL SCI
0.0	0.0	0	33	33. SOC WORK
0.0	0.0	0	34	34. SOCIOLGY
12.5	0.2	1	35	35. THEOLOGY
0.0	0.0	0	36	36. SUBABUSE
0.0	0.0	0	41	41. ARTS
0.0	0.0	0	42	42. NURSING
0.0	0.0	0	43	43. 3VOCREHA
0.0	0.0	0	51	51. GENPRACT
0.0	0.0	0	52	52. PEDIATRC
0.0	0.0	0	53	53. INTRNMED
0.0	0.0	0	57	57. OTHR MED
0.0	0.0	0	97	97. OTHER

```
V8542 (CONT.)              H10D M4 R:DEGREE FIELD
```

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
         1.0    5      -5  -5. NO INTERVIEW
        97.3  468      -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3386-3388

```
V8543                      H11 CERTF SA COUNSL:Y/N?
```

Do you have a license or certification as a substance abuse
counselor?

```
   PCT    PCT    N  VALUE  LABEL
 VALID   ALL
  44.0   23.7  114       0  0. No
  56.0   30.1  145       1  1. Yes
         1.0    5      -5  -5. NO INTERVIEW
         0.6    3      -3  -3. REFUSED/NA
        44.5  214      -1  -1. SKIPPED QUESTION
 -----  -----  ---
 100.0  100.0  481 cases
```

Data type: numeric
Missing-data codes: -5--1
Columns: 3389-3390

WEIGHTS

V9118	**SMP:TRIMMED.WEIGHTS**

SMP:TRIMMED.WEIGHTS

481 cases (Range of valid codes: 0.32929993-22.85328674)

Data type: numeric
Decimals: 8
Columns: 3391-3401

V9119	**SMP:CENTERED.WEIGHTS**

SMP:CENTERED.WEIGHTS

481 cases (Range of valid codes: 0.05929998-4.11839676)

Data type: numeric
Decimals: 8
Columns: 3402-3412

APPENDICES

APPENDIX A: WAVE III DIRECTOR QUESTIONNAIRE CODEBOOK

<div style="border:1px solid black; padding:2em;">

Outpatient Drug Abuse Treatment Survey

DIRECTOR'S QUESTIONNAIRE, WAVE 3 (1990)

Codebook

</div>

<u>Outpatient Drug Assessment</u>

General Coding Instructions
Director's & Supervisor's Questionnaires

1. <u>Project Staff Editors</u> have used **green pencil** to indicate changes/ updates/revised data for you to code--always enter the figures indicated in green. If you have a question about the editing, feel free to ask the Editing (Tom Vaughn) or Coding (Joan Scheffler) Supervisors.

2. Before you begin coding, read the Thumbnail sketch.

3. As you code, read <u>all marginal notes</u>! This is critical for these questionnaires, as there are a wide variety of SA units or agencies trying to answer questions that may be very difficult for some kinds of units. If no one is immediately available to answer a question, do <u>not</u> ignore the problem. Indicate what you code in blue pencil beside the item and flag the page with a small "yellow sticky" (post-it-note). If your decision requires a MAKE CARD, fill it out, <u>but</u> leave it in the interview at the flagged page. Put these interviews on the Coding Supervisor's desk or in a "problem box" if one is provided.

4. If <u>a range</u> is given in answer to an amount or % question, code the midpoint. If the midpoint = .5 (and no decimal places are allowed in the coding format), round to the nearest whole <u>odd</u> number.

    <u>NOTE</u>: If a range is given in answer to a request for an average or "typical" amount and it is broader than 20 points, make a card or ask a supervisor before coding a midpoint.

    <u>ALSO NOTE</u>: Many numbers are indicated by interviewers as 10 ---> 25. This is <u>not</u> a range. This indicates a change in the Respondent's answer and should be coded as the new figure only (in this example, code 25).

5. If you have an answer <u>outside a valid code range</u>, code the actual amount given by R, override the error message, and make a card. We will expand the machine range to include actual responses. Be sure to give the card to the Coding Supervisor, not just put it in a stack on your desk or the Card Box, as I want to get these changes made as promptly as possible.

6. When any "MAKE CARDs" are required, leave inside interview (at appropriate pages) and give to Joan for review.

7. On "organization grids" like D10 (DIR) or B23 (SUP), when item b (type) is all blank, or "none" is written in, code 5 for each of the options (A-C or A-D); when item c (level) is left blank or "none", code 9 (NA).

ODA 3 -- GLOSSARY OF ABBREVIATIONS

AA -- Alcoholics Anonymous

ADAMHA -- Alcohol and Drug Abuse and Mental Health Administration
(source of funds often only referred to as "Block Grant")

ACOA -- Adult Children of Alcoholics

ADETS -- Alcohol/Drug Education Traffic School

CMHC -- Community Mental Health Center

COA -- Children of Alcoholics

Co-Dependency Program -- Client and partner go through a therapy program
together

DA -- Drug Abuse

DEA -- Drug Enforcement Agency

DRG -- Diagnostic Reference Group

Dual Diagnosis -- Client with a (major) mental health problem and a drug
problem

DUI/DWI -- Driving Under the Influence or Driving While Intoxicated
(court designations which often send arrestees into counseling programs)

EAP -- Employee Assistance Program

FDA -- Food and Drug Administration

HERO -- An AIDS program

JCAH -- Joint Commission on Accreditation of Hospitals

JCAHO -- Joint Commission on Accreditation of Health Organizations

MHMR -- Mental Health and Mental Retardation

NA -- Narcotics Anonymous

OSAS -- Office of Substance Abuse Services (state)

Outreach --   has two different uses:
                  a. outreach into community to educate the general public
                  b. outreach to where clients are -- onto the streets, etc.

PTSD -- Post Traumatic Stress Disorder (frequently refers Vietnam veterans)

SA -- Substance Abuse

STARR -- Street Teens for AIDS Risk Reduction

Title 20 -- Federal Public Insurance funded by H.H.S.

648 Board -- Community Mental Health Contract Board (name comes from the
                 number of the legislation designating their function)

VAR NAMES

Missing Data Codes referred to below:

.A = REFUSAL   (respondent refuses to answer)
.B = NFM   (respondent gives no further mentions to open-ended question)
.C = SKIP Q   (question was skipped due to a skip pattern from an earlier question)
.D = DK   (respondent does not know)
.E = NA   (not ascertained by interviewer)
.F = NO INTVW   (no interview with this Director)
.G = SEE OTHR   (see other question as indicated)
.H = W COCAIN   (crack figures are included with cocaine)
.J = NOT WAVE   (Unit was not in this wave)

V7001   CASE ID: 0001 Series for Directors -- BUILT VAR

                   1001 - 1599

                   .F   NO INTVW
                   .J   NOT WAVE

V7002   LABEL ID NUMBER (5 digit)

                   00004 - 00543
                   10077 - 15082
                   20001 - 22110
                   30001 - 30587
                   40003 - 41202
                   99999

                   .F   NO INTVW
                   .J   NOT WAVE

V7003   AREA CODE (3 digit)

                   .F   NO INTVW
                   .J   NOT WAVE

V7004   2.   Interviewer's ID No. (4 digit)

                   If 2 Iwer's, code ID of Iwer who completed Iw.

                   .E   NA
                   .F   NO INTVW
                   .J   NOT WAVE

VAR NAMES

V7005   3.   Date Iw Began--MONTH

                        Code month (01-04, 06-12)

                        .E NA
                        .F NO INTVW
                        .J NOT WAVE

V7006   3.   Date Iw Began--DAY

                        Code day (01-31)

                        .E NA
                        .F NO INTVW
                        .J NOT WAVE

V7007   3.   Date Iw Began--YEAR

                        Code year (90-91)

                        .F NO INTVW
                        .J NOT WAVE

V7008   4.   Date Iw Completed--MONTH

                        Code month (01-04, 06-12)

                        .E NA
                        .F NO INTVW
                        .J NOT WAVE

V7009   4.   Date Iw Completed--DAY

                        Code day (01-31)

                        .E NA
                        .F NO INTVW
                        .J NOT WAVE

V7010   4.   Date Iw Completed--YEAR

                        Code year (90-91)

                        .F NO INTVW
                        .J NOT WAVE

V7011   5.   Length of Iw (Minutes)

                        Code number of minutes (020-240)

                        .E NA
                        .F NO INTVW

VAR NAMES

.J NOT WAVE

VAR NAMES

SECTION A

We would like to begin the interview by asking you some questions about the history and mission of this outpatient unit.

V7012　A1.　　　　In what month and year did this unit begin providing outpatient substance abuse treatment services?--MONTH

Code MONTH (01-12)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7013　A1.　　　　In what month and year did this unit begin providing outpatient substance abuse treatment services?--YEAR

Code YEAR (50-90)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7014　A2.　　　　To what extent do the individuals who <u>originally</u> founded this outpatient unit influence <u>current</u> policies and goals? Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to <u>a very great extent</u>? (DON'T PROBE ANY DK'S.)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7015　A3.　　　　Have the mission and goals of this treatment unit changed significantly in the last two years?

1. YES

.C in V7016-V7017 _____ 0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7016   A3a.   In what ways have they changed? (Any other ways?)

CHANGED TARGET POPULATIONS

10.   Changed population served--NFS
11.   Expanded or changed age range
12.   Outreach to find those (most) in need of treatment; now do (family) intervention
13.   Now treat poor/low income
14.   Now (more) court referrals/DWI's

19.   Other target population change

CHANGED TARGET DRUGS

21.   Now include alcohol
22.   Broadened from alcohol to include other drugs
23.   (More) cocain treatment now

29.   Other change in drugs treated

CHANGED METHODOLOGY OR TREATMENT APPROACH

31.   From maintenance goal to abstinence/drug free; from medication (incl. methadone) approach to therapy/ counseling emphasis
32.   Increased/more methadone treatment
33.   (More) group or family treatment now
34.   Program or treatment more intensive; more hours per week; more monitoring of drug use; "more structured short-term program"
35.   (More) use of AA and other self-help or 12-step groups

BROADENED/EXPANDED SERVICES OFFERED

41.   Broader focus of treatment for an individual client: we now involve the family/now try to solve secondary problems like unemployment or housing; provide (more) peripheral services to substance abusers: halfway house; nutrution counseling; job training
42.   Now do (more) education/prevention
43.   Now does SA treatment/counseling (previously only education, referral, etc.)
44.   Now offer specialized treatment programs for target populations (exc. 52)

49.   "Broader/more comprehensive program"--NFS; treat all mental health problems now; have added more services (not per client as in 41) to cover more types of needs

51.   Now do referrals
52.   Now do AIDS counseling/education
53.   Now do detox or have inpatient capability

81.   Reduced non-SA involvement; no longer treat general mental health problems

91.   Now/always changing/improving/re-evaluating our approach; keep doing research or trying new ways to deal with SA treatment

97.   Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

VAR NAMES

    .B NFM
    .C Skip Q (when V7015= No, DK or NA)

V7017   A3a.   In what ways have they changed? (Any other ways?)

CHANGED TARGET POPULATIONS

10.   Changed population served--NFS
11.   Expanded or changed <u>age range</u>
12.   <u>Outreach</u> to find those (most) in need of treatment; now do (family) intervention
13.   Now treat poor/low income
14.   Now (more) court referrals/DWI's

19.   Other target population change

CHANGED TARGET DRUGS

21.   Now include alcohol
22.   Broadened from alcohol to include other drugs
23.   (More) cocain treatment now

29.   Other change in drugs treated

CHANGED METHODOLOGY OR TREATMENT APPROACH

31.   From maintenance goal to abstinence/drug free; from medication (incl. methadone) approach to therapy/ counseling emphasis
32.   Increased/<u>more methadone</u> treatment
33.   (More) group or family treatment now
34.   Program or <u>treatment more intensive</u>; more hours per week; more monitoring of drug use; "more structured short-term program"
35.   (More) use of AA and other self-help or 12-step groups

BROADENED/EXPANDED SERVICES OFFERED

41.   <u>Broader focus</u> of treatment <u>for an individual client</u>: we now involve the family/now try to solve secondary problems like unemployment or housing; provide (more) peripheral services to substance abusers: halfway house; nutrution counseling; job training
42.   Now do <u>(more) education</u>/prevention
43.   Now does SA treatment/counseling (previously only education, referral, etc.)
44.   Now offer specialized treatment programs for <u>target</u> populations (exc. 52)

49.   "<u>Broader/more comprehensive program</u>"--NFS; treat all mental health problems now; have added more services (not per client as in 41) to cover more types of needs

51.   Now do <u>referrals</u>
52.   Now do <u>AIDS</u> counseling/education
53.   Now do <u>detox</u> or have <u>inpatient</u> capability

81.   Reduced non-SA involvement; no longer treat general mental health problems

91.   Now/always changing/improving/re-evaluating our approach; keep doing research or trying new ways to deal with SA treatment

97.   Other

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM
.C Skip Q (when V7015= No, DK or NA)

A4.　　We would like to get your views about certain quality of service and cost issues. Please tell me how strongly you agree or disagree with each of the following statements.

V7018　A4a.　　It is important for this outpatient substance abuse unit to keep its costs as low as possible even if it means "cutting corners" on some clinical services. Would you say that you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree?

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7019　A4b.　　Careful screening and selection of clients is important to control costs. (Would you say that you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7020　A4c.　　It is important for this unit to make a financial profit from the services it offers.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

VAR NAMES

V7021　A4d.　　　　It is acceptable for substance abuse treatment units to make a financial profit from the services they offer.

　　　　　　　　　　1. STRONGLY AGREE
　　　　　　　　　　2. SOMEWHAT AGREE
　　　　　　　　　　3. NEITHER AGREE NOR DISAGREE
　　　　　　　　　　4. SOMEWHAT DISAGREE
　　　　　　　　　　5. STRONGLY DISAGREE

　　　　　　　　　　.D DK
　　　　　　　　　　.E NA
　　　　　　　　　　.F NO INTVW
　　　　　　　　　　.J NOT WAVE

V7022　A4e.　　　　Private <u>for-profit</u> substance abuse treatment units are able to provide services more efficiently than public treatment units.

　　　　　　　　　　1. STRONGLY AGREE
　　　　　　　　　　2. SOMEWHAT AGREE
　　　　　　　　　　3. NEITHER AGREE NOR DISAGREE
　　　　　　　　　　4. SOMEWHAT DISAGREE
　　　　　　　　　　5. STRONGLY DISAGREE

　　　　　　　　　　.D DK
　　　　　　　　　　.E NA
　　　　　　　　　　.F NO INTVW
　　　　　　　　　　.J NOT WAVE

V7023　A4f.　　　　It is important for this unit to maintain the highest possible standards of care regardless of the costs.

　　　　　　　　　　1. STRONGLY AGREE
　　　　　　　　　　2. SOMEWHAT AGREE
　　　　　　　　　　3. NEITHER AGREE NOR DISAGREE
　　　　　　　　　　4. SOMEWHAT DISAGREE
　　　　　　　　　　5. STRONGLY DISAGREE

　　　　　　　　　　.D DK
　　　　　　　　　　.E NA
　　　　　　　　　　.F NO INTVW
　　　　　　　　　　.J NOT WAVE

V7024　A4g.　　　　Clients should have access to high quality care regardless of their ability to pay.

　　　　　　　　　　1. STRONGLY AGREE
　　　　　　　　　　2. SOMEWHAT AGREE
　　　　　　　　　　3. NEITHER AGREE NOR DISAGREE
　　　　　　　　　　4. SOMEWHAT DISAGREE
　　　　　　　　　　5. STRONGLY DISAGREE

　　　　　　　　　　.D DK
　　　　　　　　　　.E NA
　　　　　　　　　　.F NO INTVW
　　　　　　　　　　.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7025   A4h.   The financing of substance abuse treatment is primarily a public sector responsibility.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7026   A4i.   Private insurers and employers should be required to provide coverage for substance abuse treatment.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

SECTION B

V7027 B1. The following questions concern revenues, expenses, and the volume of services at your unit. I am interested in getting as accurate information as possible. If someone else in your organization would be the more appropriate person to give us this information, I would be glad to contact this person after we finish this interview and skip over these questions for now. Is there another person whom you would prefer us to contact for revenue and expense information?

    1. YES
    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7028 B2. Does your unit provide treatment services other than outpatient substance abuse treatment?

    1. YES

.C in V7029-V7044 _____   0. NO

    .D DK

    .E NA
    .F NO INTVW
    .J NOT WAVE

V7029 B2a. (What are these other treatment services?)

Use TREATMENT/SERVICES Master Code (p. 183), except:

    .B NFM
    .C Skip Q (when V7028= No, DK or NA)

V7030 B2a. (What are these other treatment services?)

Use TREATMENT/SERVICES Master Code (p. 183), except:

    .B NFM
    .C Skip Q (when V7028= No, DK or NA)

V7031 B2a. (What are these other treatment services?)

Use TREATMENT/SERVICES Master Code (p. 183), except:

    .B NFM
    .C Skip Q (when V7028= No, DK or NA)

UNIVERSITY OF MICHIGAN   *NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS*
INSTITUTE FOR SOCIAL RESEARCH   *WAVE 3 (1990), DIRECTOR INTERVIEW*
SURVEY RESEARCH CENTER   *Fall 1990 (Reprinted 5/98)*

VAR NAMES

V7032 B2a.   (What are these other treatment services?)

                      Use TREATMENT/SERVICES Master Code (p. 183), <u>except</u>:

                      .B NFM
                      .C Skip Q (when V7028= No, DK or NA)

V7033 B2b.   <u>Overall</u> what percent of the clients seen at your unit are outpatient substance abuse treatment clients?

                      Code % TOTAL CLIENTS (001-100)

.C in V7034-V7044_____100. 100%

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C Skip Q (when V7028=No, DK or NA)

V7034 B2c.   <u>...and overall what percent of your unit's revenues come from providing outpatient substance abuse treatment services?</u>

                      Code % TOTAL REVENUES (001-100)

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C Skip Q (when V7028= No, DK or NA, when V7033= 100)

V7035 B3.   For the different categories of revenues and expenses in your unit's budget, do you think you can give us reasonably accurate figures for <u>just</u> the outpatient substance abuse treatment services your unit provides?

.C in V7036-V7044_____1. YES

.C in V7045-V7053_____0. NO

                      .D DK
                      .E NA

                      .F NO INTVW
                      .J NOT WAVE
                      .C Skip Q (when V7028= No, DK or NA, when V7033= 100)

VAR NAMES

For the following questions about revenues and expenses ust give us the totals in each category <u>without</u> trying to <u>separate</u> outpatient substance abuse treatment from other services your unit provides. First, what are the beginning and ending dates of your unit's <u>most recent   complete fiscal year</u>?

V7036   B4.   BEGINNING--MONTH

Code MONTH (01-12)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7028= No, DK or NA, when V7033= 100, when V7035=1)

V7037   B4.   BEGINNING--DAY

Code DAY (01-31)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7028= No, DK or NA, when V7033= 100, when V7035=1)

V7038   B4.   BEGINNING--YEAR

Code YEAR (88-90)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7028= No, DK or NA, when V7033= 100, when V7035=1)

V7039   B4.   ENDING--MONTH

Code MONTH (01-12)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7028= No, DK or NA, when V7033= 100, when V7035=1)

V7040   B4.   ENDING--DAY

Code DAY (01-31)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

VAR NAMES

.C Skip Q (when V7028= No, DK or NA, when V7033= 100, when V7035=1)

V7041   B4.   ENDING--YEAR

Code YEAR (88-90)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7028= No, DK or NA, when V7033= 100, when V7035=1)

V7042   B4a.   What was your treatment unit's total revenue for the most recent complete fiscal year?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7028= No, DK or NA, when V7033= 100, when V7035=1)

V7043   B4b.   What were your unit's total expenses, including wages and salaries, for the most recent complete fiscal year?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7028= No, DK or NA, when V7033= 100, when V7035=1)

V7044   B4c.   Of these total expenses, how much did your unit spend on salaries and wages, including fringe benefits, during the most recent complete fiscal year?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7028= No, DK or NA, when V7033= 100, when V7035=1)

VAR NAMES

Now I will read a list of typical payment sources and ask how much revenue your unit received directly from each payment source during the <u>most recent complete fiscal year</u>. If you completed the financial data worksheet or retrieved data from your files, you may wish to refer to that information for the following questions. I will also ask how your unit was paid by each source.

| B5. | The following questions refer to revenues and expenses for outpatient substance abuse treatment services in your unit's <u>most recent complete fiscal year</u>. First, what are the beginning and ending dates of your unit's <u>most recent complete fiscal year</u>? |

V7045   B5.   BEGINNING--MONTH

Code MONTH (01-12)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7035= No, DK or NA)

V7046   B5.   BEGINNING--DAY

Code DAY (01-31)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7035= No, DK or NA)

V7047   B5.   BEGINNING--YEAR

Code YEAR (88-90)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7035= No, DK or NA)

V7048   B5.   ENDING--MONTH

Code MONTH (01-12)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7035= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7049   B5.   ENDING--DAY

Code DAY (01-31)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7035= No, DK or NA)

V7050   B5.   ENDING--YEAR

Code YEAR (88-90)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7035= No, DK or NA)

V7051   B5a.   What was the total revenue for your outpatient substance abuse treatment unit for the most recent complete fiscalyear?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7035= No, DK or NA)

V7052   B5b.   What were your outpatient substance abuse treatment unit's total expenses, including wages and salaries, for the most recent complete fiscal year?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7035= No, DK or NA)

V7053   B5c.   Of these total expenses, how much did your unit spend on salaries and wages, including fringe benefits, during the most recent complete fiscal year?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7035= No, DK or NA)

VAR NAMES

Now I will read a list of typical payment sources for outpatient substance abuse treatment and ask how much revenue your unit received directly from each source, during the <u>most recent complete fiscal year</u>. If you completed the financial data worksheet or retrieved data from your files, you may wish to refer to that information for the following questions. I will also ask how your unit was paid by each source.

V7054   B6.   How much money <u>altogether</u> did your unit receive <u>directly</u> from the federal government?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D   DK
.E   NA
.F   NO INTVW
.J   NOT WAVE

.C in V7055-V7075 _____0   None

       B7.   Did your unit receive any month directly from...

V7055   B7a.   Medicare?
                       1.   YES

.C in V7056-V7057 _____0.   NO

.D   DK
.E   NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7054= 0)

V7056   B8a.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D   DK
.E   NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7054= 0, when V7055= No, DK or NA)

V7057   B9a.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: <u>number of</u> <u>client visits</u>, <u>time spent with</u> <u>clients</u>, <u>number of clients in treatment</u>, <u>a lump sum grant</u>, <u>expenses</u> <u>incurred</u>, orsomething else?)

Use Funding Basis Master Code (p 182), <u>except</u>:

.C   Skip Q (when V7054= 0, when V7055= No, DK or NA)

VAR NAMES

V7058   B7b.   The federal court system?
                      1. YES

.C in V7059-V7060 _____ 0. NO

                      .D DK
                      .E NA

                      .F NO INTVW
                      .J NOT WAVE
                      .C   Skip Q (when V7054= 0)

V7059   B8b.   How much money did your unit receive from (SOURCE)?

                      Code DOLLAR AMOUNT (0 000 001-9 999 995)

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C   Skip Q (when V7054= 0, when V7058= No, DK or NA)

V7060   B9b.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
                      of: <u>number of</u> <u>client visits</u>, <u>time spent with</u> <u>clients</u>, <u>number of clients in treatment</u>, <u>a lump</u>
                      <u>sum grant</u>, <u>expenses</u> <u>incurred</u>, or something else?)

                      Use Funding Basis Master Code (p 182), <u>except</u>:

                      .C   Skip Q (when V7054= 0, when V7058= No, DK or NA)

V7061   B7c.   The department of health and human services?
                      1. YES

.C in V7062-V7063 _____ 0. NO

                      .D DK
                      .E NA

                      .F NO INTVW
                      .J NOT WAVE
                      .C   Skip Q (when V7054= 0)

V7062   B8c.   How much money did your unit receive from (SOURCE)?

                      Code DOLLAR AMOUNT (0 000 001-9 999 995)

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C   Skip Q (when V7054= 0, when V7058= No, DK or NA)

VAR NAMES

V7063   B9c.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
                      of: number of client visits, time spent with clients, number of clients in treatment, a lump
                      sum grant, expenses incurred, or something else?)

                      Use Funding Basis Master Code (p 182), except:

                      .C   Skip Q (when V7054= 0, when V7061= No, DK or NA)

V7064   B7d.   Any other federal sources?

                      1. YES

.C in V7065-V7075 _____   0. NO

                      .D DK
                      .E NA

                      .F   NO INTVW
                      .J   NOT WAVE
                      .C   Skip Q (when V7054= 0)

V7065   B7d.1   Any other federal sources (SPECIFY)?

                      Use Agency and Organization Master code (p 180), except:

                      .C   Skip Q (when V7054= 0, when V7064= No, DK or NA)

V7066   B8d.2   How much money did your unit receive from (SOURCE)?

                      Code DOLLAR AMOUNT (0 000 001-9 999 995)

                      .D DK
                      .E NA
                      .F   NO INTVW
                      .J   NOT WAVE
                      .C Skip Q (when V7054= 0, when V7064= No, DK or NA)

V7067   B9d.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
                      of: number of client visits, time spent with clients, number of clients in treatment, a lump
                      sum grant, expenses incurred, or something else?)

                      Use Funding Basis Master Code (p 182), except:

                      .C Skip Q (when V7054= 0, when V7064= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7068   B7e.1.   Any other federal sources?

                      1. YES

.C in V7069-V7075 ————— 0. NO

                      .D DK
                      .E NA

                      .F   NO INTVW
                      .J   NOT WAVE
                      .C Skip Q (when V7054= 0, when V7069= No, DK or NA)

V7069   B7e.2   Any other federal sources (SPECIFY)?

                     Use Agency and Organization Master code (p 180), except:

                     .C Skip Q (when V7054= 0, when V7064 or V7068= No, DK or NA)

V7070 B8e.   How much money did your unit receive from (SOURCE)?

                     Code DOLLAR AMOUNT (0 000 001-9 999 995)

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE
                     .C Skip Q (when V7054= 0, when V7064 or V7068= No, DK or NA)

V7071   B9e.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
                     of: <u>number of</u> <u>client visits</u>, <u>time spent with</u> <u>clients</u>, <u>number of clients in treatment</u>, <u>a lump
                     sum grant</u>, <u>expenses</u> <u>incurred</u>, or
                     <u>something else?)</u>

                     Use Funding Basis Master Code (p 182), <u>except</u>:

                     .C Skip Q (when V7054= 0, when V7064 or V7068= No, DK or NA)

V7072   B7f.   Any other federal sources?

                     1. YES

.C in V7073-V7075 ————— 0. NO

                     .D DK
                     .E NA

                     .F   NO INTVW
                     .J   NOT WAVE
                     .C   Skip Q (when V7054= 0, when V7064 or V7068= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7073   B7f.   Any other federal sources (SPECIFY)?

Use Agency and Organization Master code (p 180), except:

.C Skip Q (when V7054= 0, when V7064, V7068 or V7072= No, DK or NA)

V7074   B8f.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7054= 0, when V7064, V7068 or V7072= No, DK or NA)

V7075   B9f.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C Skip Q (when V7054= 0, when V7064, V7068 or V7072= No, DK or NA)

          B11.   Did your unit receive any month directly from...

V7078   B11a.   Medicaid?

1. YES

.C in V7079-V7080 ——— 0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7076= 0)

V7079   B12a.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7076= 0, when V7078= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7080   B13a.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C   Skip Q (when V7076= 0, when V7078= No, DK or NA)

V7081   B11b.   A state agency or office of substance abuse
1. YES

.C in V7082-V7083_____0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7076= 0)

V7082   B12b.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7076= 0, when V7081= No, DK or NA)

V7083   B13b.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C   Skip Q (when V7076= 0, when V7081= No, DK or NA)

V7084   B11c.   The State Court System?

1. YES

.C in V7085-V7086_____0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7076= 0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7085   B12c.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7076= 0, when V7084= No, DK or NA)

V7086   B13c.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
of: number of client visits, time spent with clients, number of clients in treatment, a lump
sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C Skip Q (when V7076= 0, when V7084= No, DK or NA)

V7087   B11d.   Any other state sources?

1. YES

.C in V7088-V7098 _____ 0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7076= 0)

V7088   B11d.   Any other state sources (SPECIFY)?\
Use Agency and Organization Master code (p 180), except:

.C Skip Q (when V7076= 0, when V7087= No, DK or NA)

V7089   B12d.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7076= 0, when V7087= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7090   B13d.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C   Skip Q (when V7076= 0, when V7087= No, DK or NA)

V7091   B11e.   Any other state sources?

1. YES

.C in V7092-V7098   0. NO

.D DK
.E NA

.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7076= 0, when V7087= No, DK or NA)

V7092   B11e.   Any other state sources (SPECIFY)?

Use Agency and Organization Master code (p 180), except:

.C   Skip Q (when V7076= 0, when V7087or V7091= No, DK or NA)

V7093   B12e.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7076= 0, when V7087or V7091= No, DK or NA)

V7094   B13e.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C   Skip Q (when V7076= 0, when V7087or V7091= No, DK or NA)

VAR NAMES

V7095   B11f.   Any other state sources?

                             1. YES

.C in V7096-V7098   0. NO

                             .D DK
                             .E NA

                             .F NO INTVW
                             .J NOT WAVE
                             .C Skip Q (when V7076= 0, when V7087or V7091= No, DK or NA)

V7096   B11f.   Any other state sources (SPECIFY)?
                             Use Agency and Organization Master code (p 180), except:

                             .C Skip Q (when V7076= 0, when V7087, V7091 or V7095= No, DK or NA)

V7097   B12f.   How much money did your unit receive from (SOURCE)?

                             Code DOLLAR AMOUNT (0 000 001-9 999 995)

                             .D DK
                             .E NA
                             .F NO INTVW
                             .J NOT WAVE
                             .C Skip Q (when V7076= 0, when V7087, V7091 or V7095= No, DK or NA)

V7098   B13f.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
                             of: number of client visits, time spent with clients, number of clients in treatment, a lump
                             sum grant, expenses incurred, or something else?)

                             Use Funding Basis Master Code (p 182), except:

                             .C Skip Q (when V7076= 0, when V7087, V7091 or V7095= No, DK or NA)

V7099   B14.   How much money altogether did your unit receive directly from city or county programs?

                             Code DOLLAR AMOUNT (0 000 001-9 999 995)

                             .D DK
                             .E NA
                             .F NO INTVW
                             .J NOT WAVE

.C in V7100-V7122   0 NONE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

B15.   Did your unit receive any month directly from...

V7100   B15a.   The court system in your city or county?
                       1. YES

.C in V7101-V7102 _____ 0. NO

                       .D DK
                       .E NA

                       .F NO INTVW
                       .J NOT WAVE
                       .C Skip Q (when V7099= 0)

V7101   B16a.   How much money did your unit receive from (SOURCE)?

                       Code DOLLAR AMOUNT (0 000 001-9 999 995)

                       .D DK
                       .E NA
                       .F NO INTVW
                       .J NOT WAVE
                       .C Skip Q (when V7099= 0, when V7100= No, DK or NA)

V7102   B17a.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
                       of: number of client visits, time spent with clients, number of clients in treatment, a lump
                       sum grant, expenses incurred, or something else?)

                       Use Funding Basis Master Code (p 182), except:

                       .C Skip Q (when V7099= 0, when V7100= No, DK or NA)

V7103   B15b.   Any other county sources?
                       1. YES

.C in V7104-V7110 _____ 0. NO

                       .D DK
                       .E NA

                       .F NO INTVW
                       .J NOT WAVE
                       .C Skip Q (when V7099= 0)

V7104   B15b.   SPECIFY

                       Use Agency and Organization Master code (p 180), except:

                       .C Skip Q (when V7099= 0, when V7103= No, DK or NA)

VAR NAMES

V7105   B16b.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7099= 0, when V7103= No, DK or NA)

V7106   B17b.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: <u>number of</u> <u>client visits</u>, <u>time spent with</u> <u>clients</u>, <u>number of clients in treatment</u>, <u>a lump sum grant</u>, <u>expenses</u> <u>incurred</u>, or something else?)

Use Funding Basis Master Code (p 182), <u>except</u>:

.C Skip Q (when V7099= 0, when V7103= No, DK or NA)

V7107   B15c.   Any other county sources?

1. YES

.C in V7108-V7110 _____ 0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7099= 0, when V7103= No, DK or NA)

V7108   B15c.   Any other county sources (SPECIFY)?

Use Agency and Organization Master code (p 180), except:

.C Skip Q (when V7099= 0, when V7103 or V7107= No, DK or NA)

V7109   B16c.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7099= 0, when V7103 or V7107= No, DK or NA)

VAR NAMES

V7110   B17c.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
                       of: number of client visits, time spent with clients, number of clients in treatment, a lump
                       sum grant, expenses incurred, or something else?)

                       Use Funding Basis Master Code (p 182), except:

                       .C   Skip Q (when V7099= 0, when V7103 or V7107= No, DK or NA)

V7111   B15d.   Any other city sources?

                       1. YES

                       0. NO

                       .D DK
                       .E NA

                       .F   NO INTVW
                       .J   NOT WAVE
                       .C   Skip Q (when V7099= 0)

.C in V7112-V7118

V7112   B15d.   Any other city sources (SPECIFY)?

                       Use Agency and Organization Master code (p 180), except:

                       .C   Skip Q (when V7099= 0, when V7111= No, DK or NA)

V7113   B16d.   How much money did your unit receive from (SOURCE)?

                       Code DOLLAR AMOUNT (0 000 001-9 999 995)

                       .D DK
                       .E NA
                       .F   NO INTVW
                       .J   NOT WAVE
                       .C   Skip Q (when V7099= 0, when V7111= No, DK or NA)

V7114   B17d.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
                       of: number of client visits, time spent with clients, number of clients in treatment, a lump
                       sum grant, expenses incurred, or something else?)

                       Use Funding Basis Master Code (p 182), except:

                       .C   Skip Q (when V7099= 0, when V7111= No, DK or NA)

VAR NAMES

V7115　B15e.　　　　Any other city sources?

　　　　　　　　　　　1. YES

.C in V7116-V7118　　　　0. NO

　　　　　　　　　　　.D DK
　　　　　　　　　　　.E NA

　　　　　　　　　　　.F NO INTVW
　　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　　.C Skip Q (when V7099= 0, when V7111= No, DK or NA)

V7116　B15e.　　　　Any other city sources (SPECIFY)?

　　　　　　　　　　　Use Agency and Organization Master code (p 180), except:

　　　　　　　　　　　.C Skip Q (when V7099= 0, when V7111 or V7115= No, DK or NA)

V7117　B16e.　　　　How much money did your unit receive from (SOURCE)?

　　　　　　　　　　　Code DOLLAR AMOUNT (0 000 001-9 999 995)

　　　　　　　　　　　.D DK
　　　　　　　　　　　.E NA
　　　　　　　　　　　.F NO INTVW
　　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　　.C Skip Q (when V7099= 0, when V7111 or V7115= No, DK or NA)

V7118　B17e.　　　　What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

　　　　　　　　　　　Use Funding Basis Master Code (p 182), except:

　　　　　　　　　　　.C Skip Q (when V7099= 0, when V7111 or V7115= No, DK or NA)

V7119　B15f.　　　　Any (other) mix of city and/or county sources?

　　　　　　　　　　　1. YES

.C in V7120-V7122　　　　0. NO

　　　　　　　　　　　.D DK
　　　　　　　　　　　.E NA

　　　　　　　　　　　.F NO INTVW
　　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　　.C Skip Q (when V7099= 0)

VAR NAMES

V7120 B15f.   Any (other) mix of city and/or county sources? (SPECIFY)

Use Agency and Organization Master code (p 180), except:

.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7099= 0, when V7119= No, DK or NA)

V7121 B16f.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7099= 0, when V7119= No, DK or NA)

V7122 B17f.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C   Skip Q (when V7099= 0, when V7119= No, DK or NA)

V7123 B18.   How much money altogether did your unit receive directly from client fees and private insurance?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

| .C in V7124-V7143 |_____ 0 NONE

B19.   Did your unit receive any month directly from...

V7124 B19a.   Client fees, not including amounts paid by insurance?

1. YES

| .C in V7125-V7126 |____ 0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7123= 0)

VAR NAMES

V7125   B20a.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7123= 0, when V7124= No, DK or NA)

V7126   B21a.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C Skip Q (when V7123= 0, when V7124= No, DK or NA)

V7127   B19b.   Private insurance companies excluding Health Maintanance Organizations (HMO)?

1. YES

.C in V7128-V7129_____0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7123= 0)

V7128   B20b.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7123= 0, when V7127= No, DK or NA)

V7129   B21b.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C Skip Q (when V7123= 0, when V7127= No, DK or NA)

VAR NAMES

V7130   B19c.   Health Maintenance Organizations (HMO)?

                         1. YES

.C in V7131-V7132_____0. NO

                            .D DK
                            .E NA

                            .F NO INTVW
                            .J NOT WAVE
                            .C Skip Q (when V7123= 0)

V7131   B20c.   How much money did your unit receive from (SOURCE)?

                         Code DOLLAR AMOUNT (0 000 001-9 999 995)

                            .D DK
                            .E NA
                            .F NO INTVW
                            .J NOT WAVE
                            .C Skip Q (when V7123= 0, when V7130= No, DK or NA)

V7132   B21c.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
                         of: number of client visits, time spent with clients, number of clients in treatment, a lump
                         sum grant, expenses incurred, or something else?)

                         Use Funding Basis Master Code (p 182), except:

                            .C Skip Q (when V7123= 0, when V7130= No, DK or NA)

V7133   B19d.   Preferred Provider Organizations (PPO)?

                         1. YES

.C in V7134-V7135_____0. NO

                            .D DK
                            .E NA

                            .F NO INTVW
                            .J NOT WAVE
                            .C Skip Q (when V7123= 0)

V7134   B20d.   How much money did your unit receive from (SOURCE)?

                         Code DOLLAR AMOUNT (0 000 001-9 999 995)

                            .D DK
                            .E NA
                            .F NO INTVW
                            .J NOT WAVE
                            .C Skip Q (when V7123= 0, when V7133= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7135   B21d.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C Skip Q (when V7123= 0, when V7133= No, DK or NA)

V7136   B19e.   Any other client or insurance sources?

1. YES

.C in V7137-V7143 ———— 0. NO

.D DK
.E NA

.F   NO INTVW
.J   NOT WAVE
.C Skip Q (when V7123= 0)

V7137   B19e.   Any other client or insurance sources (SPECIFY)?

Use Agency and Organization Master code (p 180), except

.C Skip Q (when V7123= 0, when V7136= No, DK or NA)

V7138   B20e.   How much money did your unit receive from (SOURCE)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C Skip Q (when V7123= 0, when V7136= No, DK or NA)

V7139   B21e.   What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis of: number of client visits, time spent with clients, number of clients in treatment, a lump sum grant, expenses incurred, or something else?)

Use Funding Basis Master Code (p 182), except:

.C Skip Q (when V7123= 0, when V7136= No, DK or NA)

VAR NAMES

V7140　B19f.　　　　　　　Any other client or insurance sources?

　　　　　　　　　　　　　1. YES

.C in V7141-V7143　　　　0. NO

　　　　　　　　　　　　　.D DK
　　　　　　　　　　　　　.E NA

　　　　　　　　　　　　　.F NO INTVW
　　　　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　　　　.C Skip Q (when V7123= 0, when V7136= No, DK or NA)

V7141　B19f.　　　　　　　Any other client or insurance sources (SPECIFY)?

　　　　　　　　　　　　　Use Agency and Organization Master code (p 180), except:

　　　　　　　　　　　　　.C Skip Q (when V7123= 0, when V7136 or V7140= No, DK or NA)

V7142　B20f.　　　　　　　How much money did your unit receive from (SOURCE)?

　　　　　　　　　　　　　Code DOLLAR AMOUNT (0 000 001-9 999 995)

　　　　　　　　　　　　　.D DK
　　　　　　　　　　　　　.E NA
　　　　　　　　　　　　　.F NO INTVW
　　　　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　　　　.C Skip Q (when V7123= 0, when V7136 or V7140= No, DK or NA)

V7143　B21f.　　　　　　　What was the unit of payment that (SOURCE) used? (Did they pay primarily on the basis
　　　　　　　　　　　　　of: number of client visits, time spent with clients, number of clients in treatment, a lump
　　　　　　　　　　　　　sum grant, expenses incurred, or something else?)

　　　　　　　　　　　　　Use Funding Basis Master Code (p 182), except:

　　　　　　　　　　　　　.C Skip Q (when V7123= 0, when V7136 or V7140= No, DK or NA)

　　　　　　B22.　　　　　　Did your unit receive any money directly from any of the following sources?

V7144(a) B22a　　　　　　Total private donations, including gifts from individuals, foundations, corporations,
　　　　　　　　　　　　　charitable organizations, or the United Way?

　　　　　　　　　　　　　1. YES

.C in V7145　　　　　　　　0. NO

　　　　　　　　　　　　　.D DK
　　　　　　　　　　　　　.E NA

　　　　　　　　　　　　　.F NO INTVW
　　　　　　　　　　　　　.J NOT WAVE

UNIVERSITY OF MICHIGAN   *NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS*
INSTITUTE FOR SOCIAL RESEARCH   *WAVE 3 (1990), DIRECTOR INTERVIEW*
SURVEY RESEARCH CENTER   *Fall 1990 (Reprinted 5/98)*

VAR NAMES

V7145(a) B23.   How much money did your unit receive from (SOURCE(S) in total)?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7144= No, DK or NA)

V7146(b) B22.   Any other source?

1. YES

.C in V7147-V7160   0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE

V7147(b) B22.   SPECIFY

Use Agency and Organization Master code (p 180), except:

.C Skip Q (when V7146, V7149, V7152, V7155 or V7158= No, DK or NA)

V7148(b) B23.   How much money did your unit receive from (SOURCE(S) in total?)

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7146, V7149, V7152, V7155 or V7158= No, DK or NA)

V7149(c) B22.   Any other source?

1. YES

.C in V7147-V7160   0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7150(c) B22.   SPECIFY

Use Agency and Organization Master code (p 180), except:

.C   Skip Q (when V7146, V7149, V7152, V7155 or V7158= No, DK or NA)

V7151(c) B23.   How much money did your unit receive from (SOURCE(S) in total?)

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7146, V7149, V7152, V7155 or V7158= No, DK or NA)

V7152(d) B22.   Any other source?

1. YES

.C in V7147-V7160   0. NO

.D DK
.E NA

.F   NO INTVW
.J   NOT WAVE

V7153(d) B22.   SPECIFY

Use Agency and Organization Master code (p 180), except:

.C   Skip Q (when V7146, V7149, V7152, V7155 or V7158= No, DK or NA)

V7154(d) B23.   How much money did your unit receive from (SOURCE(S) in total?)

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7146, V7149, V7152, V7155 or V7158= No, DK or NA)

VAR NAMES

V7155(e) B22.   Any other source?

                        1. YES

.C in V7147-7160 _____ 0. NO

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE

V7156(e) B22.   SPECIFY

                        Use Agency and Organization Master code (p 180), except:

                        .C Skip Q (when V7146, V7149, V7152, V7155 or V7158= No, DK or NA)

V7157(e) B23.   How much money did your unit receive from (SOURCE(S) in total?)

                        Code DOLLAR AMOUNT (0 000 001-9 999 995)

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7146, V7149, V7152, V7155 or V7158= No, DK or NA)

V7158(f) B22.   Any other source?

                        1. YES

.C in V7147-7160 _____ 0. NO

                        .D DK
                        .E NA

                        .F NO INTVW
                        .J NOT WAVE

V7159(f) B22.   SPECIFY

                        Use Agency and Organization Master code (p 180), except:

                        .C Skip Q (when V7146, V7149, V7152, V7155 or V7158= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7160(f) B23.   How much money did your unit receive from (SOURCE(S) in total?)

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7146, V7149, V7152, V7155 or V7158= No, DK or NA)

V7161   B24.   Did your unit receive monetary or in-kind support from a parent organization during the most recent complete fiscal year?

1. YES

.C in V7162 _____ 0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE

V7162   B24a.   What was the total dollar value of this support?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7162= No, DK or NA)

V7163   B25.   INTERVIEWER CHECKPOINT

.C in V7164-V7177 _____ 1. R ANSWERED "YES" TO B2 PAGE 3 (UNIT PROVIDES OTHER SERVICES)

.C in V7178-V7190 _____ 2. R ANSWERED "NO" TO B2 PAGE 3 (NO OTHER SERVICES)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7164   B26.   For the next questions about public and private insurance coverage, do you think you can give us reasonably accurate figures for just the outpatient substance abuse treatment clients your unit serves?

.C in V7165-V7177_____   1. YES

0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7163= 1)

For the questions about public and private insurance coverage, please give us the totals without trying to separate outpatient substance abuse treatment clients from other clients your unit serves. Please answer in terms of your unit's most recent complete fiscal year.

V7165   B27.   What percent of your unit's clients were covered for treatment by either private insurance or public programs?

Code PERCENT (000-100)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
0 NONE

.C in V7166-V7174 _____   .C Skip Q (when V7163= 1, when V7164= 1)

V7166   B28.   What percent of your unit's clients were covered through private insurance?

Code PERCENT (000-100)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
0 NONE

.C in V7167-V7168_____   .C Skip Q (when V7163= 1, when V7164= 1, when V7165= 0)

VAR NAMES

V7167   B28a.   Of the clients who were <u>privately</u> insured, what percentage of them had coverage that paid
                       for most of the cost of treatment, that is <u>at least 75%</u> or more of the total costof treatment?

                       Code PERCENT (000-100)

.C in V7168

———————————100. 100%

                            .D DK
                            .E NA
                            .F NO INTVW
                            .J NOT WAVE
                            .C   Skip Q (when V7163= 1, when V7164= 1, when V7165 or V7166= 0)

V7168   B28b.   (Of the clients who were <u>privately</u> insured,) what percentage had coverage that paid for
                       only <u>50% or less</u> (of the total cost of treatment)?

                       Code PERCENT (000-100)

                       100. 100%

                            .D DK
                            .E NA
                            .F NO INTVW
                            .J NOT WAVE
                            .C   Skip Q (when V7163=1, when V7164= 1, when V7165 or V7166= 0, when V7167=100))

V7169   B29.   What percent of your unit's clients were covered through public insurance or assistance
                       programs?

                       Code PERCENT (000-100)

                            .D DK
                            .E NA
                            .F NO INTVW
                            .J NOT WAVE

.C in V7170-V71V71

———————————.C   Skip Q (when V7163= 1, when V7164= 1, when V7165= 0)

V7170   B29a.   Of the clients who were <u>publicly</u> covered, what percentage of them had coverage that paid
                       for most of the cost of treatment, that is <u>at least 75%</u> or more of the total cost of
                       treatment?

                       Code PERCENT (000-100)

.C in V7171

———————————100. 100%

                            .D DK
                            .E NA
                            .F NO INTVW
                            .J NOT WAVE
                            .C   Skip Q (when V7163= 1, when V7164= 1, when V7165 or V7169= 0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7171   B29b.   (Of the clients who were <u>publicly</u> covered,) what percentage had coverage that paid for only <u>50% or less</u> (of the total cost of treatment)?

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7163= 2, when V7164= 1, when V7165 or V7169= 0, when V7170= 100)

V7172   B30.   In the <u>most recent complete fiscal year</u>, what percent of your unit's clients were members of a Health Maintenance <u>Organization or a Preferred Provider Organization?</u>

Code PERCENT (000-100)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7163= 2, when V7164= 1, when V7165= 0)

V7173   B31.   (In the <u>most recent complete fiscal year</u>,) for what percent of your unit's clients did a payment source require prior authorization before treatment began?

Code PERCENT (000-100)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7163= 2, when V7164= 1, when V7165= 0)

V7174   B32.   (In the <u>most recent complete fiscal year</u>,) for what percent of your unit's clients did a payment source require some form of concurrent review during treatment?

Code PERCENT (000-100)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7163= 1, when V7164= 1, when V7165= 0)

V7175   B33.   In the <u>most recent complete fiscal year</u>, what percent of your unit's clients were unable to pay anything for the care they received?

Code PERCENT (000-100)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7163= 1, when V7164= 1)

VAR NAMES

V7176   B34.   (In the most recent complete fiscal year,) what percent paid a reduced fee, that is, a fee
                    lower than the maximum charge?

                    Code PERCENT (000-100)

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    .C   Skip Q (when V7163= 1, when V7164= 1)

V7177   B35.   (In the most recent complete fiscal year,) what percent of people seeking treatment at your
                    unit were turned away because they were unable to pay?

                    Code PERCENT (000-100)

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    .C   Skip Q (when V7163= 1, when V7164= 1)

V7178   B36.   For the questions about public and private insurance coverage, please answer in terms of
                    your unit's most recent complete fiscal year.

                    What percent of your unit's outpatient substance abuse clients were covered for substance
                    abuse treatment by either private insurance or public programs?

                    Code PERCENT (000-100)

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    0   NONE

.C in V7179-V7187 _____   .C   Skip Q (when V7163= 2)

V7179   B37.   What percent of your unit's outpatient substance abuse clients were covered through
                    private insurance?

                    Code PERCENT (000-100)

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    0   NONE

.C in V7180-V7181 _____   .C   Skip Q(when V7163=2, when V7178= 0)

VAR NAMES

V7180   B37a.   Of the (outpatient substance abuse) clients who were <u>privately</u> insured, what percentage
of them had coverage that paid for most of the cost of treatment, that is at least 75% or
more of the total cost of treatment?

Code PERCENT (000-100)

.C in V7181 _____ 100. 100%

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7163= 2, when V7178 or V7179= 0)

V7181   B37b.   (Of the outpatient substance abuse clients who were <u>privately</u> insured,) what percentage
had coverage that paid for only 50% or less (of the total cost of treatment)?

Code PERCENT (000-100)

100. 100%

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7163= 2, when V7178 or V7179= 0, when V7180= 100)

V7182   B38.   What percent of your unit's outpatient substance abuse clients were covered through
<u>public</u> insurance or assistance programs?

Code PERCENT (000-100)

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    0 NONE

.C in V7183-V7184 _____ .C Skip Q (when V7163=2, when V7178= 0)

V7183   B38a.   Of the (outpatient substance abuse) clients who were <u>publicly</u> covered, what percentage
had coverage that paid for most of the cost of treatment, that is <u>at least 75%</u> or more of
the total cost of treatment?

Code PERCENT (000-100)

.C in V7184 _____ 100. 100%

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7163= 2, when V7178 or V7182= 0)

VAR NAMES

V7184   B38b.   (Of the outpatient substance abuse clients who were <u>publicly</u> covered), what percentage
                     had coverage that paid for only 50% or less (of the total cost of treatment)?

                     Code PERCENT (000-100)

                     100. 100%

                     .D DK
                     .E NA
                     .F   NO INTVW
                     .J   NOT WAVE
                     .C   Skip Q (when V7163= 2, when V7178 or V7182= 0, when V7183= 100)

V7185   B39.   In the <u>most recent complete fiscal year</u>, what percent of your unit's outpatient substance
                     abuse clients were members of a Health Maintenance Organization or a Preferred
                     Provider Organization?

                     Code PERCENT (000-100)

                     .D DK
                     .E NA
                     .F   NO INTVW
                     .J NOT WAVE
                     .C   Skip Q (when V7163=21, when V7178 or V7182= 0, when V7183= 100, when
                            V7183=100)

V7186   B40.   (In the <u>most recent complete fiscal year</u>,) for what percent of your unit's outpatient
                     substance abuse clients did a payment source require prior authorization before <u>treatment
                     began?</u>

                     Code PERCENT (000-100)

                     .D DK
                     .E NA
                     .F   NO INTVW
                     .J NOT WAVE
                     .C Skip Q (when V7163= 2, when V7178= 0)

V7187   B41.   (In the <u>most recent complete fiscal year</u>,) for what percent of your unit's outpatient
                     substance abuse clients did a payment source require some form of concurrent review
                     during treatment?

                     Code PERCENT (000-100)

                     .D DK
                     .E NA
                     .F   NO INTVW
                     .J   NOT WAVE

                     .C Skip Q (when V7163= 2, when V7178= 0)

V7188   B42.   In the <u>most recent complete fiscal year</u>, what percent of your unit's outpatient substance
                     abuse clients were unable to pay anything for the care they received?

VAR NAMES

Code PERCENT (000-100)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7163=2)

V7189   B43.   (In the most recent complete fiscal year,) what percent paid a reduced fee, that is, a fee lower than the maximum charge?

Code PERCENT (000-100)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7163=2)

V7190   B44.   (In the most recent complete fiscal year), what percent of people seeking outpatient substance abuse treatment at your unit were turned away because they were unable to pay?

Code PERCENT (000-100)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7163= 2)

This completes the revenue section of the interview. Now I will ask a series of questions relating to other financial aspects of your unit.

V7191   B45.   Does your unit rent or own its facility?

1. RENT

.C in V7192 ——————— 2. OWN
           ——————— 3. NEITHER

.D DK
.E NA

.F NO INTVW
.J NOT WAVE

V7192   B45a.   What was the total rental expense for your unit for the most recent complete fiscal year?

Code DOLLAR AMOUNT (0 000 001-9 999 995)

.D DK

VAR NAMES

        .E NA
        .F NO INTVW
        .J NOT WAVE
        .C   Skip Q (when V7191= 2,3,DK or NA)

V7193   B46.   What is the physical size of your treatment unit in square feet?

                        Code SQUARE FEET (0 000 001-9 999 995)

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE

V7194   B47.   We have found it useful to read financial statements of organizations. Does your
                        <u>treatment unit</u> have financial statements?

                        1. YES

.C in V7195_____0. NO

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE

VAR NAMES

V7195   B47a.   We would like to receive a copy of these financial statements for the <u>most recent complete fiscal year</u>. Would you be willing to send a copy of them to us if we send a written request and postage-paid envelope for you to use?

    1. YES

    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7194= No, DK or NA)

V7196   B48.   <u>During a typical week</u>, what is the <u>total</u> number of hours that your staff, including consultants, independent contractors and administrative staff, work at <u>all</u> activities for your outpatient unit?

    Code TOTAL HOURS PER WEEK (0001-9995)

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7197   B48a.   Adding together the hours <u>all</u> of these staff members devote just to outpatient substance abuse <u>treatment</u> each week, what is the total number of staff treatment hours provided by your outpatient unit in a typical week?

    Code TOTAL TREATMENT HOURS/WEEK (0001-4000)

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7198   B49.   Did your unit receive support services from volunteers during the most recent complete fiscal year?

    1. YES

.C in V7199 ──────── 0. NO

    .D DK
    .E NA

    .F NO INTVW
    .J NOT WAVE

VAR NAMES

V7199 B49a.   How many <u>hours</u> of volunteer support did your unit receive (during the most recent fiscal
                      year)?

                      Code # HOURS/YEAR (0001-8000)

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C Skip Q (when V7198= No, DK or NA)

       B50.   The following questions ask about client number totals and treatment services at your unit.
                      If you completed the therapy worksheet or retrieved client therapy data from your files,
                      you may wish to refer to that information now.

V7200 B50a.   Altogether, how many clients received <u>outpatient services of any kind</u>, including
                      counseling, substance abuse services, therapy, and dispensing methadone at your unit <u>in
                      the most recent complete fiscal year?</u>

                      Code # OF CLIENTS/YEAR (0001-9995)

                      9997. Editor flag for problem case

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE

V7201 B50b.   Altogether, how many clients received outpatient <u>substance abuse</u> treatment services at
                      your unit in the most recent complete fiscal year?

                      Code # OF CLIENTS/YEAR (0001-9995)

                      9997. Editor flag for problem case

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE

V7202 B51.   <u>In a typical week</u>, how many <u>outpatient substance abuse</u> clients are treated at your unit?

                      Code # OF CLIENTS/WEEK (0001-4000)

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE

       Next, I have some questions about the types of therapy your unit provides to outpatient substance abuse
       clients.

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7203   B52.   Does your unit provide outpatient <u>individual</u> therapy for substance abuse clients?

1. YES

.C in V7204-V7219   0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7204   B52a.   What is the total number of outpatient individual therapy <u>sessions</u> your unit provides for substance abuse clients in a typical week?

Code # OF SESSIONS (0001-5000)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7203= No, DK or NA)

V7205   B52b.   For how many outpatient substance abuse <u>clients</u> does your unit provide individual therapy in a typical week?

Code # OF CLIENTS (0001-4000)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7203= No, DK or NA)

V7206   B52c.   What is the typical <u>length</u> in minutes of an outpatient individual therapy session at your unit?

Code # OF MINUTES (010-180)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7203= No, DK or NA)

V7207   B52d.   What is the <u>total</u> number of <u>hours</u> of outpatient individual therapy your unit provides (for substance abuse clients) in a typical week?

Code TOTAL # OF THERAPY HOURS (0001-9995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.C Skip Q (when V7203= No, DK or NA)

V7208 B52e. What is the typical <u>charge</u> (for an outpatient individual therapy session at your unit)?

Code DOLLAR AMOUNT (001-150)

994. Flat rate for any/all services provided; pay one amount for the program
995. Sliding scale--NFS

996. None; no charge

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7203= No, DK or NA)

B52f. What <u>percent of the outpatient individual therapy sessions</u> for substance abuse clients are provided by each of the following staff:

V7209 B52f. 1. Psychiatrists?
Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7203= No, DK or NA)

V7210 B52f. 2. Ph.D. psychologists?

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7203= No, DK or NA)

V7211 B52f. 3. Masters in social work or psychology?

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7203= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

VAR NAMES

V7212(4) B52f.   Other (Specify):

Health Care Professionals

01.   MD; medical doctor except psychiatrists
02.   RN; "nurse"--NFS
03.   LPN; practical nurse

07.   <u>Other</u> health care professional
09.   Health care professional--NA type

Other PhD's

11.   PhD in social work

17.   Other PhD's
19.   PhD's--NA

Master's Level

27.   Any topic (exc. social work or psychology)
29.   Master's--NA specialty

Bachelor's Degree

31.   Social work, psychology, sociology

37.   Other Bachelor's level
39.   Bachelor's--NA area

Associate's Degree or "Some" College

41.   Any area or NA area

Certification or License

51.   In alcohol or DA counseling; CAC (Certified Addiction Counselor)

57.   Other certification or license
59.   Certification or license--NA type

61.   High school or less; "no degree"--NFS

Education/Training--Level NA

81.   Drug or substance abuse/alcohol counselors--NA level of education; "counselors"--
      NFS
82.   Senior drug or substance abuse/alcohol counselors--NA level of education; "senior
      counselors"--NFS

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM

VAR NAMES

| .C in V7213-V7217 | .C   Skip Q (when V7203= No, DK or NA) |

V7213(4) B52f.   Other (PERCENT)
                         Code PERCENT (000-100)

                         100. 100%

                         .D DK
                         .E NA
                         .F   NO INTVW
                         .J   NOT WAVE
                         .B   NFM
                         .C   Skip Q (when V7203= No, DK or NA)

V7214(5) B52f.   Other (Specify):

                         Health Care Professionals

                         01.   MD; medical doctor except psychiatrists
                         02.   RN; "nurse"--NFS
                         03.   LPN; practical nurse

                         07.   Other health care professional
                         09.   Health care professional--NA type

                         Other PhD's

                         11.   PhD in social work

                         17.   Other PhD's
                         19.   PhD's--NA

                         Master's Level

                         27.   Any topic (exc. social work or psychology)
                         29.   Master's--NA specialty

                         Bachelor's Degree

                         31.   Social work, psychology, sociology

                         37.   Other Bachelor's level
                         39.   Bachelor's--NA area

                         Associate's Degree or "Some" College

                         41.   Any area or NA area

                         Certification or License

                         51.   In alcohol or DA counseling; CAC (Certified Addiction Counselor)
                         57.   Other certification or license
                         59.   Certification or license--NA type

                         61.   High school or less; "no degree"--NFS

                         Education/Training--Level NA

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

81. Drug or substance abuse/alcohol counselors--NA level of education; "counselors"--NFS
82. Senior drug or substance abuse/alcohol counselors--NA level of education; "senior counselors"--NFS

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM

.C in V7213-V7217   .C Skip Q (when V7203= No, DK or NA)

V7215(5) B52f.   Other (PERCENT)
Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM
.C Skip Q (when V7203= No, DK or NA)

V7216(6) B52f.   Other (Specify):

Health Care Professionals

01. MD; medical doctor except psychiatrists
02. RN; "nurse"--NFS
03. LPN; practical nurse

07. Other health care professional
09. Health care professional--NA type

Other PhD's

11. PhD in social work

17. Other PhD's
19. PhD's--NA

Master's Level

27. Any topic (exc. social work or psychology)
29. Master's--NA specialty

Bachelor's Degree

31. Social work, psychology, sociology

VAR NAMES

37.   Other Bachelor's level
39.   Bachelor's--NA area

Associate's Degree or "Some" College

41.   Any area or NA area

Certification or License

51.   In alcohol or DA counseling; CAC (Certified Addiction Counselor)

57.   Other certification or license
59.   Certification or license--NA type

61.   High school or less; "no degree"--NFS

Education/Training--Level NA

81.   Drug or substance abuse/alcohol counselors--NA level of education; "counselors"--NFS
82.   Senior drug or substance abuse/alcohol counselors--NA level of education; "senior counselors"--NFS

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM

.C in V7213-V7217 _____ .C   Skip Q (when V7203= No, DK or NA)

V7217(6) B52f.   Other (PERCENT)
                        Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM
.C   Skip Q (when V7203= No, DK or NA)

V7218   B52g.   How many individual therapy <u>sessions</u> do substance abuse clients receiving outpatient individual therapy at your unit typically attend per week?

                        Code # OF SESSIONS ATTENDED (00.1-99.5) to <u>one decimal</u> place

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7203= No, DK or NA)

V7219   B52h.   How many <u>sessions</u> of outpatient individual therapy does a typical substance abuse client
                      receive <u>over the entire</u> course of treatment at your unit?

                      Code # OF SESSIONS (001-995)

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C   Skip Q (when V7203= No, DK or NA)

V7220   B53.   Does your unit provide outpatient <u>group</u> therapy for substance abuse clients?

                      1. YES

.C in V7221-V7238 _____ 0. NO

                      .D DK
                      .E NA

                      .F NO INTVW
                      .J NOT WAVE

V7221   B53a.   What is the total number of outpatient group therapy <u>sessions</u> your unit provides for
                      substance abuse clients in a typical week?

                      Code # OF SESSIONS (0001-5000)

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C   Skip Q (when V7220= No, DK or NA)

V7222   B53b.   For how many separate outpatient substance abuse clients does your unit provide group
                      therapy in a typical week?

                      Code # OF CLIENTS (0001-4000)

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C Skip Q (when V7220= No, DK or NA)

V7223   B53c.   What is the typical <u>length</u> in minutes of an outpatient group therapy session at your unit?

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

Code # OF MINUTES (010-360)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7220= No, DK or NA)

V7224   B53d.   What is the <u>total</u> number of <u>hours</u> of outpatient group therapy your unit provides (for substance abuse clients) in a typical week?

Code TOTAL # OF THERAPY HOURS (0001-9995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7220= No, DK or NA)

V7225   B53e.   What is the typical <u>charge</u> for each client (for an outpatient group therapy session at your unit)?

Code DOLLAR AMOUNT (001-150)

994. Flat rate for any/all services provided; pay one
        amount for the program
995. Sliding scale--NFS

996. None; no charge

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7220= No, DK or NA)

V7226   B53f.   How many <u>clients</u> are involved in a typical outpatient group therapy session (for substance abuse clients at your unit)?

Code # OF CLIENTS (01-95)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7220= No, DK or NA)

V7227   B53g.   How many <u>counselors</u> are typically involved in one outpatient group therapy session (for substance abuse clients at your unit)?

Code # OF COUNSELORS (01-20)

.D DK

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7220= No, DK or NA)

B53h.   What <u>percent of the outpatient group therapy sessions</u> for substance abuse clients are provided by each of the following staff:

V7228   B53h.   1. Psychiatrists?

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7220= No, DK or NA)

V7229   B53h.   2. Ph.D. psychologists?

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7220= No, DK or NA)

V7230   B53h.   3. Masters in social work or psychology?

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7220= No, DK or NA)

V7231(4) B53h.   Other (Specify):

<u>Health Care Professionals</u>

01.   MD; medical doctor except psychiatrists
02.   RN; "nurse"--NFS
03.   LPN; practical nurse

07.   <u>Other</u> health care professional
09.   Health care professional--NA type

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

Other PhD's

11. PhD in social work
17. Other PhD's
19. PhD's--NA

Master's Level

27. Any topic (exc. social work or psychology)
29. Master's--NA specialty

Bachelor's Degree

31. Social work, psychology, sociology

37. Other Bachelor's level
39. Bachelor's--NA area

Associate's Degree or "Some" College

41. Any area or NA area

Certification or License

51. In alcohol or DA counseling; CAC (Certified Addiction Counselor)

57. Other certification or license
59. Certification or license--NA type

61. High school or less; "no degree"--NFS

Education/Training--Level NA

81. Drug or substance abuse/alcohol counselors--NA level of education; "counselors"--NFS
82. Senior drug or substance abuse/alcohol counselors--NA level of education; "senior counselors"--NFS

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM

.C in V7232-V7236 _____ .C Skip Q (when V7220= No, DK or NA)

V7232(4) B53h. Other (PERCENT)

Code PERCENT (000-100)

100. 100%

.D DK
.E NA

VAR NAMES

.F   NO INTVW
.J   NOT WAVE
.B   NFM
.C   Skip Q (when V7220= No, DK or NA)

V7233(5) B53h.   Other (Specify):

Other (Specify):

<u>Health Care Professionals</u>

01.   MD; medical doctor except psychiatrists
02.   RN; "nurse"--NFS
03.   LPN; practical nurse

07.   <u>Other</u> health care professional
09.   Health care professional--NA type

<u>Other PhD's</u>

11.   PhD in social work

17.   Other PhD's
19.   PhD's--NA

<u>Master's Level</u>

27.   Any topic (exc. social work or psychology)
29.   Master's--NA specialty

<u>Bachelor's Degree</u>

31.   Social work, psychology, sociology

37.   Other Bachelor's level
39.   Bachelor's--NA area

<u>Associate's Degree or "Some" College</u>

41.   Any area or NA area

<u>Certification or License</u>

51.   In alcohol or DA counseling; CAC (Certified Addiction Counselor)

57.   Other certification or license
59.   Certification or license--NA type

61.   High school or less; "no degree"--NFS

<u>Education/Training--Level NA</u>

81.   Drug or substance abuse/alcohol counselors--NA level of education; "counselors"--
      NFS
82.   Senior drug or substance abuse/alcohol counselors--NA level of education; "senior
      counselors"--NFS

97.   Other

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM

.C in V7232-V7236 _____ .C Skip Q (when V7220= No, DK or NA)

V7234(5) B53h. Other (PERCENT)

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM
.C   Skip Q (when V7220= No, DK or NA)

V7235(6) B53h. Other (Specify):

Health Care Professionals

01. MD; medical doctor except psychiatrists
02. RN; "nurse"--NFS
03. LPN; practical nurse

07. Other health care professional
09. Health care professional--NA type

Other PhD's

11. PhD in social work

17. Other PhD's
19. PhD's--NA

Master's Level

27. Any topic (exc. social work or psychology)
29. Master's--NA specialty

Bachelor's Degree

31. Social work, psychology, sociology

37. Other Bachelor's level
39. Bachelor's--NA area

Associate's Degree or "Some" College

41. Any area or NA area

VAR NAMES

Certification or License

51.   In alcohol or DA counseling; CAC (Certified Addiction Counselor)

57.   Other certification or license
59.   Certification or license--NA type

61.   High school or less; "no degree"--NFS

Education/Training--Level NA

81.   Drug or substance abuse/alcohol counselors--NA level of education; "counselors"--NFS
82.   Senior drug or substance abuse/alcohol counselors--NA level of education; "senior counselors"--NFS

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM

.C in V7232-V7236   .C Skip Q (when V7220= No, DK or NA)

V7236(6) B53h.   Other (PERCENT)

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM
.C   Skip Q (when V7220= No, DK or NA)

V7237   B53i.   How many group <u>sessions</u> do substance abuse clients (receiving outpatient group therapy at your unit typically attend per week?

Code # OF SESSIONS ATTENDED (00.1-99.5) to <u>one decimal</u> place

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7220= No, DK or NA)

V7238   B53j.   How many <u>sessions</u> of outpatient group therapy does a typical substance abuse client receive over the entire course of treatment at your unit?

Code # OF SESSIONS (001-995)

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7220= No, DK or NA)

V7239   B54.   Does your unit provide outpatient <u>family</u> therapy for substance abuse clients?
                  1. YES

.C in V7240-V7257 _____ 0. NO

                  .D DK
                  .E NA

                  .F NO INTVW
                  .J NOT WAVE

V7240   B54a.   What is the total number of outpatient <u>family therapy</u> <u>sessions</u> your unit provides for
                  substance abuse clients in a typical week?

                  Code # OF SESSIONS (0001-5000)

                  .D DK
                  .E NA
                  .F NO INTVW
                  .J NOT WAVE
                  .C Skip Q (when V7239= No, DK or NA)

V7241   B54b.   For how many outpatient substance abuse <u>clients</u> does your unit provide family therapy,
                  including couples without children, in a typical week?

                  Code # OF CLIENTS (0001-4000)

                  .D DK
                  .E NA
                  .F NO INTVW
                  .J NOT WAVE
                  .C Skip Q (when V7239= No, DK or NA)

V7242   B54c.   What is the typical <u>length</u> in minutes of an outpatient family therapy session at your unit?

                  Code # OF MINUTES (010-480)

                  .D DK
                  .E NA
                  .F NO INTVW
                  .J NOT WAVE
                  .C Skip Q (when V7239= No, DK or NA)

V7243   B54d.   What is the <u>total number of hours</u> of outpatient family therapy your unit provides (for
                  substance abuse clients) in a typical week?

                  Code TOTAL # OF THERAPY HOURS (0001-9995)

                  .D DK

VAR NAMES

.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7239= No, DK or NA)

V7244 B54e.   What is the typical <u>charge</u> (for an outpatient family therapy session at your unit)?

Code DOLLAR AMOUNT (001-300)
994. Flat rate for any/all services provided; pay one amount for the program
995. Sliding scale--NFS

996. None; no charge

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7239= No, DK or NA)

V7245 B54f.   How many <u>family members</u>, including the substance abuse client, are involved in a typical outpatient family therapy session (for substance abuse clients at your unit)?

Code # OF CLIENTS (01-30)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7239= No, DK or NA)

V7246 B54g.   How many <u>counselors</u> are typically involved in one outpatient family therapy session for substance abuse clients at your unit?

Code # OF COUNSELORS (01-07)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7239= No, DK or NA)

       B54h.   What <u>percent of the outpatient family therapy sessions</u> for substance abuse clients are provided by each of the following staff:

V7247 B54h.   1. Psychiatrists?

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7239= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7248   B54h.   2. Ph.D. psychologists?

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7239= No, DK or NA)

V7249   B54h.   3. Masters in social work or psychology?

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7239= No, DK or NA)

V7250(4) B54h.   Other (Specify):

<u>Health Care Professionals</u>

01.   MD; medical doctor except psychiatrists
02.   RN; "nurse"--NFS
03.   LPN; practical nurse

07.   <u>Other</u> health care professional
09.   Health care professional--NA type

<u>Other PhD's</u>

11.   PhD in social work

17.   Other PhD's
19.   PhD's--NA

<u>Master's Level</u>

27.   Any topic (exc. social work or psychology)
29.   Master's--NA specialty

<u>Bachelor's Degree</u>

31.   Social work, psychology, sociology

37.   Other Bachelor's level
39.   Bachelor's--NA area

<u>Associate's Degree or "Some" College</u>

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

41.   Any area or NA area

Certification or License

51.   In alcohol or DA counseling; CAC (Certified Addiction Counselor)

57.   Other certification or license
59.   Certification or license--NA type
61.   High school or less; "no degree"--NFS

Education/Training--Level NA

81.   Drug or substance abuse/alcohol counselors--NA level of education; "counselors"--NFS
82.   Senior drug or substance abuse/alcohol counselors--NA level of education; "senior counselors"--NFS

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
. B NFM

.C in V7251-V7255 _____.C   Skip Q (when V7239= No, DK or NA)

V7252(5) B54h.   Other (Specify):

Health Care Professionals

01.   MD; medical doctor except psychiatrists
02.   RN; "nurse"--NFS
03.   LPN; practical nurse

07.   Other health care professional
09.   Health care professional--NA type

Other PhD's

11.   PhD in social work

17.   Other PhD's
19.   PhD's--NA

Master's Level

27.   Any topic (exc. social work or psychology)
29.   Master's--NA specialty

Bachelor's Degree

31.   Social work, psychology, sociology

37.   Other Bachelor's level

UNIVERSITY OF MICHIGAN   *NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS*
INSTITUTE FOR SOCIAL RESEARCH   *WAVE 3 (1990), DIRECTOR INTERVIEW*
SURVEY RESEARCH CENTER   *Fall 1990 (Reprinted 5/98)*

VAR NAMES

39.   Bachelor's--NA area

<u>Associate's Degree or "Some" College</u>

41.   Any area or NA area

<u>Certification or License</u>

51.   In alcohol or DA counseling; CAC (Certified Addiction Counselor)

57.   Other certification or license
59.   Certification or license--NA type
61.   High school or less; "no degree"--NFS

<u>Education/Training--Level NA</u>

81.   Drug or substance abuse/alcohol counselors--NA level of education; "counselors"--NFS
82.   Senior drug or substance abuse/alcohol counselors--NA level of education; "senior counselors"--NFS

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
. B NFM

.C in V7251-V7255 _____.C Skip Q (when V7239= No, DK or NA)

V7254(6) B54h.   Other (Specify):

<u>Health Care Professionals</u>

01.   MD; medical doctor except psychiatrists
02.   RN; "nurse"--NFS
03.   LPN; practical nurse

07.   <u>Other</u> health care professional
09.   Health care professional--NA type

<u>Other PhD's</u>

11.   PhD in social work

17.   Other PhD's
19.   PhD's--NA

<u>Master's Level</u>

27.   Any topic (exc. social work or psychology)
29.   Master's--NA specialty

<u>Bachelor's Degree</u>

31.   Social work, psychology, sociology

VAR NAMES

37. Other Bachelor's level
39. Bachelor's--NA area

Associate's Degree or "Some" College

41. Any area or NA area

Certification or License

51. In alcohol or DA counseling; CAC (Certified Addiction Counselor)

57. Other certification or license
59. Certification or license--NA type

61. High school or less; "no degree"--NFS

Education/Training--Level NA

81. Drug or substance abuse/alcohol counselors--NA level of education; "counselors"--NFS
82. Senior drug or substance abuse/alcohol counselors--NA level of education; "senior counselors"--NFS

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
. B NFM

.C in V7251-V7255_____ .C Skip Q (when V7239= No, DK or NA)

V7251(4) B54h. Other (PERCENT)

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM
.C Skip Q (when V7239= No, DK or NA)

V7253(5) B54h. Other (PERCENT)

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW

VAR NAMES

.J NOT WAVE
.B NFM
.C Skip Q (when V7239= No, DK or NA)

V7255(6) B54h.   Other (PERCENT)

Code PERCENT (000-100)

100. 100%

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.B NFM
.C Skip Q (when V7239= No, DK or NA)

V7256 B54i.   How many family therapy <u>sessions</u> do substance abuse clients (receiving outpatient group therapy at your unit typically attend per week?

Code # OF SESSIONS ATTENDED (00.1-99.5) to <u>one decimal</u> place

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7239= No, DK or NA)

V7257 B54j.   How many <u>sessions</u> of outpatient family therapy does a typical substance abuse client receive over the entire course of treatment at your unit?

Code # OF SESSIONS (000-995)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7239= No, DK or NA)

V7258 B55.   Does your unit provide outpatient methadone treatment?

.C in V7263 ———————— 1. YES

.C in V7259-V7262 ———— 0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE

V7259 B55a.   Is outpatient methadone treatment a service that your unit began to provide within the last

VAR NAMES

two years?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7258= No, DK or NA)

V7260   B55b.   In a typical week, for how many <u>clients</u> does your unit provide outpatient methadone
                       treatment?

                       Code # OF CLIENTS (0001-3200)

                       9996. NONE

                       .D DK
                       .E NA
                       .F NO INTVW
                       .J NOT WAVE
                       .C   Skip Q (when V7258= No, DK or NA)

V7261   B55c.   In a typical week, what is the total number of <u>dosages</u> of methadone that your unit
                       provides on an outpatient basis?

                       Code TOTAL # OF DOSAGES (00001-23000)

                       99996. NONE

                       .D DK
                       .E NA
                       .F NO INTVW
                       .J NOT WAVE
                       .C Skip Q (when V7258= No, DK or NA)

V7262   B55d.   What is the typical <u>charge</u> for a <u>dose</u> of methadone at your outpatient unit?

                       Code DOLLARS PER DOSE (001-100)

                       994. Flat rate for any/all services provided; pay one amount for the program
                       995. Sliding scale--NFS
                       996. None; no charge

                       .D   DK
                       .E.   NA
                       .F   NO INTVW
                       .J   NOT WAVE
                       .C   Skip Q (when V7258= No, DK or NA)

V7263   B56.   Is outpatient methadone treatment a service that your unit used to provide but
                       discontinued within the last two years?

                       1. YES

VAR NAMES

    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7258= No, DK or NA)

V7264   B57.   Does your outpatient unit provide any substance abuse treatment services other than those already mentioned?

    1. YES

.C in V7265   0. NO

    .D DK
    .E NA

    .F NO INTVW
    .J NOT WAVE

V7265   B58.   What is the total number of staff hours devoted to all of these other services in a typical week?

    Code STAFF HOURS/WEEK (0001-4000)

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7264= No, DK or NA)

V7266   B59.   Is your outpatient treatment unit <u>private for-profit</u>, private not-for-profit, or public?

    1. PRIVATE FOR-PROFIT
    2. PRIVATE NOT-FOR-PROFIT
    3. PUBLIC

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7267   B60.   Does this represent a change in the status of your outpatient treatment unit in the last two years?

    1. YES
    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

SECTION C

Next I want to ask some questions about possible relationships between your outpatient treatment unit and other organizations.

V7268   C1.   Is your outpatient treatment unit <u>part of</u> a larger organization? (By "part of" I mean that your unit is an integral component of a larger organization.)

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7269   C1a.   Does this represent a change in the status of your outpatient treatment unit in the last two years?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7270   C2.   INTERVIEWER CHECKPOINT

1. R ANSWERED "YES" TO C1

.C in V7271-V7273 _____2. ALL OTHERS

V7271   C3.   Is the organization which your outpatient treatment unit is part of, public, private <u>for-profit</u>, or private not-for-profit?

1. PUBLIC

.C in V7272 _____2. PRIVATE FOR-PROFIT
_____3. PRIVATE NOT-FOR-PROFIT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7270= 2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7272   C3a.   Is the public organization that your unit is part of best described as federal, state, or local?

1. FEDERAL
2. STATE
3. LOCAL

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C Skip Q (when V7270= 2, when V7271= 2 or 3)

V7273   C4.   Which of the following describe the organization that your outpatient unit is part of? Is it a hospital, a mental health center, or some other kind of organization?

1. A HOSPITAL
2. A MENTAL HEALTH CENTER
3. (Free standing) Substance Abuse Treatment Facility
4. City/county/state department (incl. Health/Human
     services/substance abuse)
5. Multi-service social service agency

7. SOME OTHER KIND OF ORGANIZATION (PLEASE SPECIFY)

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C Skip Q (when V7270= 2)

V7274   C6.   Is your outpatient treatment unit <u>owned</u> by <u>another</u> organization? (By "owned" we mean that another organization has legal responsibility for, and authority to control, this unit and its property.)

1. YES
0. NO

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

V7275   C6a.   Does this represent a change (in the <u>ownership</u> status of your outpatient treatment unit) in the last two years?

1. YES
0. NO

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

VAR NAMES

V7276   C7.   INTERVIEWER CHECKPOINT

                         1. R ANSWERED "YES" TO C6

.C in V7277-V7279 ───────2. ALL OTHERS

V7277   C8.   Is the organization which owns your outpatient treatment unit public, private for-profit, or private not-for-profit?

                         1. PUBLIC

.C in V7278 ─────────────2. PRIVATE FOR-PROFIT
            ─────────────3. PRIVATE NOT-FOR-PROFIT

                         .D DK
                         .E NA
                         .F NO INTVW
                         .J NOT WAVE
                         .C Skip Q (when V7276= 2)

V7278   C8a.   Is the public organization that owns your unit best described as federal, state, or local?

                         1. FEDERAL
                         2. STATE
                         3. LOCAL

                         .D DK
                         .E NA
                         .F NO INTVW
                         .J NOT WAVE
                         .C Skip Q (when V7276= 2, when V7277= 2 or 3))

V7279   C9.   Which of the following describe the organization that owns your outpatient unit? Is it a hospital, a mental health center, or some other kind of organization?

                         1. A HOSPITAL
                         2. A MENTAL HEALTH CENTER

                         7. SOME OTHER KIND OF ORGANIZATION (PLEASE SPECIFY)

                         .D DK
                         .E NA
                         .F NO INTVW
                         .J NOT WAVE
                         .C Skip Q (when V7276= 2)

V7280   C11.   Is your outpatient treatment unit managed by another organization? (By "managed" we mean that another organization has a contract to administer the work of this unit.)

                         1. YES
                         0. NO

                         .D DK
                         .E NA

VAR NAMES

          .F NO INTVW
          .J NOT WAVE

V7281   C11a.   Does this represent a change (in the management status of your outpatient treatment unit) in the last two years?

          1. YES
          0. NO

          .D DK
          .E NA
          .F NO INTVW
          .J NOT WAVE

V7282   C12.   INTERVIEWER CHECKPOINT

          1. R ANSWERED "YES" TO C11

.C in V7283-V7285   2. ALL OTHERS

V7283   C13.   Is the organization which manages your outpatient treatment unit public, private <u>for-profit</u>, or private not-for-profit?

          1. PUBLIC

.C in V7284   2. PRIVATE FOR-PROFIT
          3. PRIVATE NOT-FOR-PROFIT

          .D DK
          .E NA
          .F NO INTVW
          .J NOT WAVE
          .C Skip Q (when V7282= 2)

V7284   C13a.   Is the public organization that manages your unit best described as federal, state, or local?

          1. FEDERAL
          2. STATE
          3. LOCAL

          .D DK
          .E NA
          .F NO INTVW
          .J NOT WAVE
          .C Skip Q (when V7282= 2, when V7283= 2 or 3)

V7285   C14.   Which of the following describe the organization that <u>manages</u> your outpatient unit? Is it a hospital, a mental health center, or some other kind of organization?

          1. A HOSPITAL
          2. A MENTAL HEALTH CENTER

          7. SOME OTHER KIND OF ORGANIZATION (PLEASE SPECIFY)

VAR NAMES

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    .C Skip Q (when V7282= 2)

V7286   C16.   INTERVIEWER CHECKPOINT

          1.   UNIT HAS A PARENT ORGANIZATION (RESPONDENT ANSWERED YES TO C1,
                C6, OR C11)

.C in V7287 _____ 2. ALL OTHERS

V7287   C17.   How much is your outpatient unit and its staff accepted by [NAME OF PARENT
                    ORGANIZATION]? Would you say there is no acceptance, a little, some, considerable
                    acceptance or complete acceptance?

                    1. NO ACCEPTANCE
                    2. A LITTLE ACCEPTANCE
                    3. SOME ACCEPTANCE
                    4. CONSIDERABLE ACCEPTANCE
                    5. COMPLETE ACCEPTANCE

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    .C Skip Q (when V7286= 2)

VAR NAMES

SECTION D

I will now ask some questions about licensing and accreditation of your unit.

D1.　　　　　Which of the following organizations accredit or license your outpatient substance abuse unit:

V7288　D1a.　　　　Joint Commission [on the Accreditation of Healthcare Organizations (JCAHO)]?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7289　D1b.　　　　Federal Food and Drug Administration (FDA)?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7290　D1c.　　　　DEA (Drug Enforcement Agency)?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7291　D1d.　　　　A state agency or office?

1. YES

.C in V7292-V7293 ────── 0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7292   D1e.   (Which ones?)

STATE AGENCIES OR DEPARTMENTS

40.   State Board of Pharmacy
41.   Court; parole/probation system
42.   Health/Public Health/Mental Health/Health and Rehabilitative Services/Mental Health and Mental Retardation/Public Institutions
43.   Social Services/Human Resources/Social and Rehabilitative Services/Welfare Services; Dept. of Education
44.   Alcohol/Drug Abuse/Substance Abuse--any unit (div/dept/office/commission, etc.)

46.   (State) 508 or 509 Funds

47. Other State Agencies

48.   "Licensing Dept."--NFS
49.   State Level--NA agency

.D   DK
.E   NA
.F   NO INTVW
.J   NOT WAVE
.B   NFM
.C   Skip Q (when V7291= No, DK or NA)

V7293   D1e.   (Which ones?)

STATE AGENCIES OR DEPARTMENTS

40.   State Board of Pharmacy
41.   Court; parole/probation system
42.   Health/Public Health/Mental Health/Health and Rehabilitative Services/Mental Health and Mental Retardation/Public Institutions
43.   Social Services/Human Resources/Social and Rehabilitative Services/Welfare Services; Dept. of Education
44.   Alcohol/Drug Abuse/Substance Abuse--any unit (div/dept/office/commission, etc.)

46.   (State) 508 or 509 Funds

47. Other State Agencies

48.   "Licensing Dept."--NFS
49.   State Level--NA agency

.D   DK
.E   NA
.F   NO INTVW
.J   NOT WAVE
.B   NFM
.C   Skip Q (when V7291= No, DK or NA)

VAR NAMES

V7294   D1f.   A city or county agency or office?

                       1. YES

.C in V7295-V7296   0. NO

                       .D DK
                       .E NA

                       .F   NO INTVW
                       .J   NOT WAVE

V7295   D1g.   (Which ones)?

                       CITY/COUNTY AGENCIES OR DEPARTMENTS
Delete mentions   51.   Court; parole/probation system
of Building   52.   Health/Public Health/Mental Health/Health and
Safety and Fire   Rehabilitative Services/Mental Health and Mental
Depts.   Retardation (MHMR)
                       53.   Social Services/Human Resources/Social and Rehabilitative Services/Welfare
                             Services; Education
                       54.   Alcohol/Drug Abuse/Substance Abuse services

                       57. Other City/County Agencies

                       58.   City/County Licensing Dept.--NFS
                       59.   City/County--NA agency

                       .D   DK
                       .E   NA
                       .F   NO INTVW
                       .J   NOT WAVE
                       .B   NFM
                       .C   Skip Q (when V7294= No, DK or NA)

V7296   D1g.   (Which ones)?

                       CITY/COUNTY AGENCIES OR DEPARTMENTS
Delete mentions   51.   Court; parole/probation system
of Building   52.   Health/Public Health/Mental Health/Health and
Safety and Fire   Rehabilitative Services/Mental Health and Mental
Depts.   Retardation (MHMR)
                       53.   Social Services/Human Resources/Social and Rehabilitative Services/Welfare
                             Services; Education
                       54.   Alcohol/Drug Abuse/Substance Abuse services

                       57. Other City/County Agencies

                       58.   City/County Licensing Dept.--NFS
                       59.   City/County--NA agency

                       .D   DK
                       .E   NA
                       .F   NO INTVW
                       .J   NOT WAVE
                       .B   NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

            .C Skip Q (when V7294= No, DK or NA)

V7297   D1h.   Any other organizations?

            1. YES

.C in V7298-V7299   0. NO

            .D DK
            .E NA

            .F NO INTVW
            .J NOT WAVE

V7298   D1i.   (Which ones)?

            Use Agency and Organization Master Code (p 180), <u>except</u>:

            .B NFM
NOTE: If the   .C Skip Q (when V7297= No, DK or NA)
government
level isn't
stated, assume
state.

V7299   D1i.   (Which ones)?

            Use Agency and Organization Master Code (p 180), <u>except</u>:

            .B NFM
NOTE: If the   .C Skip Q (when V7297= No, DK or NA)
government
level isn't
stated, assume
state.

V7300   D2.   Does the state <u>require</u> your outpatient unit to have a license or accreditation to operate as a treatment facility?

            1. YES

.C in V7301-V7303   0. NO

            .D DK
            .E NA

            .F NO INTVW
            .J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7301   D2a.   What state agency or office issues this license or V7302 accreditation?

STATE AGENCIES OR DEPARTMENTS

40.   State Board of Pharmacy
41.   Court; parole/probation system
42.   Health/Public Health/Mental Health/Health and Rehabilitative Services/Mental Health and Mental Retardation/Public Institutions
43.   Social Services/Human Resources/Social and Rehabilitative Services/Welfare Services; Dept. of Education
44.   Alcohol/Drug Abuse/Substance Abuse--any unit (div/dept/office/commission, etc.)

46.   (State) 508 or 509 Funds

47.   Other State Agencies

48.   Dept of licensing, certification, regulations
49.   State Level--NA agency

.D   DK
.E   NA
.F   NO INTVW
.J   NOT WAVE
.B   NFM
.C   Skip Q (when V7300= No, DK or NA)

V7303   D2b.   Are there other licenses or forms of accreditation that your unit can substitute for this license or accreditation?

1. YES
0. NO

.D DK
.E NA
.F   NO INTVW
.J NOT WAVE
.C Skip Q (when V7300= No, DK or NA)

V7304   D3.   Does your outpatient unit need licensing or accreditation to receive payment for services?

1. YES

| .C in V7305-V7308 |──── 0. NO

.D DK
.E NA

.F   NO INTVW
.J NOT WAVE

VAR NAMES

V7305   D3a.   (What licenses or accreditations?)

                      Use Agency and Organization Master Code (p 180), <u>except</u>:

NOTE: If the government   .C Skip Q (when V7304= No, DK or NA)

level isn't stated, assume state.

V7306   D3a.   (What licenses or accreditations?)

                      Use Agency and Organization Master Code (p 180), <u>except</u>:

NOTE: If the government   .C Skip Q (when V7304= No, DK or NA)

level isn't stated, assume state.

V7307   D3b.   (What agency or organization <u>requires</u> this license or <u>accreditation?)</u>

                      Use Agency and Organization Master Code (see p.   ), <u>except</u>:

NOTE: If the government   .C Skip Q (when V7304= No, DK or NA)

level isn't stated, assume state.

V7308   D3b.   (What agency or organization <u>requires</u> this license or accreditation?)

                      Use Agency and Organization Master Code (see p.   ), <u>except</u>:

NOTE: If the government   .C Skip Q (when V7304= No, DK or NA)

level isn't stated, assume state.

V7309   D4.   Is there a <u>periodic review</u> of your outpatient unit and its substance abuse services by an outside agency or agencies?

                      1. YES

.C in V7310-V7331_____0. NO

                      .D DK
                      .E NA

VAR NAMES

                    .F NO INTVW
                    .J NOT WAVE

       D5.   Which of the following agencies conduct such a review? Is it the...

V7310   D5a.   ...Joint Commission on Accreditation of Healthcare Organizations?

                    1. YES

.C in V7311   0. NO

                    .D DK
                    .E NA

                    .F NO INTVW
                    .J NOT WAVE
                    .C   Skip Q (when V7309= No, DK or NA)

V7311   D5b.   How often does this review take place? (Is it <u>every two years</u>, <u>annually</u>, <u>semi-annually</u>, <u>quarterly</u>, <u>monthly</u>, or something else?)

                    1. EVERY TWO YEARS
                    2. ANNUALLY
                    3. SEMI-ANNUALLY
                    4. QUARTERLY
                    5. MONTHLY
                    6. RANDOMLY

                    7. OTHER (SPECIFY)

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    .C   Skip Q (when V7309 or V7310= No, DK or NA)

V7312   D5c.   ...State Office or Department of Public Health?

                    1. YES

.C in V7313   0. NO

                      .D DK
                    .E NA

                    .F NO INTVW
                    .J NOT WAVE
                    .C   Skip Q (when V7309= No, DK or NA)

VAR NAMES

V7313   D5d.   How often does this review take place? (Is it <u>every two years</u>, <u>annually</u>, <u>semi-annually</u>, <u>quarterly</u>, <u>monthly</u>, or something else?)

                      1. EVERY TWO YEARS
                      2. ANNUALLY
                      3. SEMI-ANNUALLY
                      4. QUARTERLY
                      5. MONTHLY
                      6. RANDOMLY

                      7. OTHER (SPECIFY)

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C   Skip Q (when V7309 or V7312= No, DK or NA)

V7314   D5e.   ...State Office or Department of Mental Health?

                      1. YES

.C in V7315   0. NO

                      .D DK
                      .E NA

                      .F NO INTVW
                      .J NOT WAVE
                      .C   Skip Q (when V7309= No, DK or NA)

V7315   D5f.   How often does the review take place? (Is it <u>every two years</u>, <u>annually</u>, <u>semi-annually</u>, <u>quarterly</u>, <u>monthly</u>, or something else?)

                      1. EVERY TWO YEARS
                      2. ANNUALLY
                      3. SEMI-ANNUALLY
                      4. QUARTERLY
                      5. MONTHLY
                      6. RANDOMLY

                      7. OTHER (SPECIFY)

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C   Skip Q (when V7309 or V7314= No, DK or NA)

VAR NAMES

V7316   D5g.   ...State Office or Department of Substance Abuse?

                        1. YES

.C in V7317 _____   0. NO

                        .D DK
                        .E NA

                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7309= No, DK or NA)

V7317   D5h.   How often does the review take place? (Is it <u>every two years</u>, <u>annually</u>, <u>semi-annually</u>, <u>quarterly</u>, <u>monthly</u>, or something else?)

                        1. EVERY TWO YEARS
                        2. ANNUALLY
                        3. SEMI-ANNUALLY
                        4. QUARTERLY
                        5. MONTHLY
                        6. RANDOMLY

                        7. OTHER (SPECIFY)

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7309 or V7316= No, DK or NA)

V7318   D5i.   ...Food and Drug Administration?

                        1. YES

.C in V7319 _____   0. NO

                        .D DK
                        .E NA

                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7309= No, DK or NA)

VAR NAMES

V7319   D5j.   How often does the review take place? (Is it every two years, annually, semi-annually, quarterly, monthly, or something else?)

                          1. EVERY TWO YEARS
                          2. ANNUALLY
                          3. SEMI-ANNUALLY
                          4. QUARTERLY
                          5. MONTHLY
                          6. RANDOMLY

                          7. OTHER (SPECIFY)

                          .D DK
                          .E NA
                          .F NO INTVW
                          .J NOT WAVE
                          .C   Skip Q (when V7309 or V7318= No, DK or NA)

V7320   D5k.   ...Drug Enforcement Agency?

                          1. YES

.C in V7321_____ 0. NO

                          .D DK
                          .E NA

                          .F NO INTVW
                          .J NOT WAVE
                          .C   Skip Q (when V7309= No, DK or NA)

V7321   D5l.   How often does the review take place? (Is it every two years, annually, semi-annually, quarterly, monthly, or something else?)

                          1. EVERY TWO YEARS
                          2. ANNUALLY
                          3. SEMI-ANNUALLY
                          4. QUARTERLY
                          5. MONTHLY
                          6. RANDOMLY

                          7. OTHER (SPECIFY)

                          .D DK
                          .E NA
                          .F NO INTVW
                          .J NOT WAVE
                          .C   Skip Q (when V7309 or V7320= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7322 D6.   ...Any agency other than those just mentioned?

1. YES

.C in V7323-V7324   0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7309= No, DK or NA)

V7323 D6a.   (SPECIFY)

Use Agency and Organization Master Code (see p.   ), <u>except</u>:

NOTE: If the government level isn't stated, assume state.

.C   Skip Q (when V7309 or V7322= No, DK or NA)

V7324 D6b.   How often does the review take place? (Is it <u>every two years</u>, <u>annually</u>, <u>semi-annually</u>, <u>quarterly</u>, <u>monthly</u>, or something else?)

1. EVERY TWO YEARS
2. ANNUALLY
3. SEMI-ANNUALLY
4. QUARTERLY
5. MONTHLY
6. RANDOMLY

7. OTHER (SPECIFY)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7309 or V7322= No, DK or NA)

        D7.   Do these review procedures include...

V7325 D7a.   A review of financial records?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7309= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7326   D7b.   Contact with clients?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7309= No, DK or NA)

V7327   D7c.   A site visit?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7309= No, DK or NA)

V7328   D7d.   A review of a report written by your unit?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7309= No, DK or NA)

V7329   D7e.   A review of client records or charts?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7309= No, DK or NA)

V7330   D7f.   A review of policy and procedures manuals?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C   Skip Q (when V7309= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7331 D7g.   A review of procedures your unit uses to assure quality?

1. YES
0. NO

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7309= No, DK or NA)

V7332 D8.   Treatment units are sometimes involved in professional associations or other groups that develop policies and procedures for substance abuse treatment programs. In your view, to what extent should treatment units be involved in external policy development? Would you say to no extent, a little, some, great, or to a very great extent?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

V7333 D8a.   To what extent is your unit involved in developing policies and procedures for other substance abuse treatment programs? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F   NO INTVW
.J NOT WAVE

       D9.   To what extent do you personally rely on each of the following as a way of finding out about developments in the field of substance abuse?

V7334 D9a.   Journals, newsletters and other professional publications? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7335   D9b.   Attendance at conferences or meetings of professional associations? (Would you say to
                      <u>no extent</u>, <u>a little</u>, some, great, or to a very great extent?)

                      1. NO EXTENT
                      2. A LITTLE EXTENT
                      3. SOME EXTENT
                      4. A GREAT EXTENT
                      5. A VERY GREAT EXTENT

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE

V7336   D9c.   Participation in special training sessions, seminars or workshops?

                      1. NO EXTENT
                      2. A LITTLE EXTENT
                      3. SOME EXTENT
                      4. A GREAT EXTENT
                      5. A VERY GREAT EXTENT

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE

V7337   D9d.   Membership in professional or provider associations?

                      1. NO EXTENT
                      2. A LITTLE EXTENT
                      3. SOME EXTENT
                      4. A GREAT EXTENT
                      5. A VERY GREAT EXTENT

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE

V7338   D9e.   Participation on advisory boards, commissions or panels?

                      1. NO EXTENT
                      2. A LITTLE EXTENT
                      3. SOME EXTENT
                      4. A GREAT EXTENT
                      5. A VERY GREAT EXTENT

                      .D DK
                      .E NA

VAR NAMES

.F   NO INTVW
.J   NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7339   D9f.   Market research sponsored by your unit or purchased from an outside source?

       1. NO EXTENT
       2. A LITTLE EXTENT
       3. SOME EXTENT
       4. A GREAT EXTENT
       5. A VERY GREAT EXTENT

       .D DK
       .E NA
       .F NO INTVW
       .J NOT WAVE

V7340   D9g.   Informal conversations with members of other substance abuse treatment organizations?

       1. NO EXTENT
       2. A LITTLE EXTENT
       3. SOME EXTENT
       4. A GREAT EXTENT
       5. A VERY GREAT EXTENT

       .D DK
       .E NA
       .F NO INTVW
       .J NOT WAVE

The next questions ask about the rationale behind particular features of your outpatient unit.

V7341   D10.   To what extent has your outpatient unit adopted its current <u>mission and goals</u> because of a formal agreement between your outpatient unit and some other organization? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to a very great extent?)

.C in V7342-V7361 _____1. NO EXTENT

       2. A LITTLE EXTENT
       3. SOME EXTENT
       4. A GREAT EXTENT
       5. A VERY GREAT EXTENT

       .D DK
       .E NA
       .F NO INTVW
       .J NOT WAVE

VAR NAMES

V7342   D10.   SUMMARY # OF MENTIONS

                        Code SUMMARY # of Mentions (1-7)

.C in V7349-V7361 _____ 1. One

.C in V7355-V7360 _____ 2. Two

                        3. Three

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7341=1)

V7343(#1) D10a.   What are the names of these organizations?

                       Use Agency and Organization Master Code, except:

                       .C   Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

         D10b.   Which of the following describe (NAME OF ORGANIZATION)? Is it a funding
                        organization?
                            ...a licensing or accreditation organization?
                            ...a referral source?
                            ...a substance abuse treatment unit?
                        (CHECK ALL THAT APPLY.)

V7344(#1) D10b.   A. FUNDING

                        1. Checked
                        0. Not checked

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7345(#1) D10b.   B. LICENSING/ACCREDITATION

         D10b.   A. FUNDING

                        1. Checked
                        0. Not checked

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

VAR NAMES

V7346(#1) D10b.   C. REFERRAL

           D10b.   A. FUNDING

                       1. Checked
                       0. Not checked

                       .D DK
                       .E NA
                       .F NO INTVW
                       .J NOT WAVE
                       .C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7347(#1) D10b.   D. TREATMENT

           D10b.   A. FUNDING

                       1. Checked
                       0. Not checked

                       .D DK
                       .E NA
                       .F NO INTVW
                       .J NOT WAVE
                       .C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7348(#1) D10c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY
                       ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
                       VALUE.]

                       1. LOCAL
                       2. STATE
                       3. FEDERAL
                       4. NATIONAL

                       .D DK
                       .E NA
                       .F NO INTVW
                       .J NOT WAVE
                       .C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7349(#2) D10a.   What are the names of these organizations?
                       Use Agency and Organization Master Code (p 180), except:

                       .C   Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7350(#2) D10b.   A. FUNDING

                       1. Checked
                       0. Not checked

                       .D DK
                       .E NA
                       .F NO INTVW
                       .J NOT WAVE

VAR NAMES

.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7351(#2) D10b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7352(#2) D10b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7353(#2) D10b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7354(#2) D10c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY
ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

1. LOCAL
2. STATE
3. FEDERAL
4. NATIONAL

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7355(#3) D10a.   What are the names of these organizations?
Use Agency and Organization Master Code (p 180), except:

.C   Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7356(#3) D10b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7357(#3) D10b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7358(#3) D10b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7359(#3) D10b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7360(#3) D10c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL
4. NATIONAL

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1, when V7342 (#3 only)= 2)

V7361   D11.   To what extent do the organizations you mentioned have conflicting expectations or requirements of your outpatient unit? (Would you say to <u>no extent</u>, <u>a little</u>, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7341= 1, when V7342 (#2 & #3 only)= 1)

V7362   D12.   (To what extent has your outpatient unit adopted its current <u>mission and goals</u>) because some other organization offered your outpatient unit incentives, like technical assistance or seed money, to do so? (Would you say to <u>no</u> extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7363   D13.   (To what extent has your outpatient unit adopted its current <u>mission and goals</u>) to comply with government agency regulations? (Would you say to <u>no extent, a little, some, great, or to a very great extent?</u>)

.C in V7364-V7380 —————— 1. NO EXTENT

2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

VAR NAMES

V7364 D13.   SUMMARY # OF MENTIONS
                     Code SUMMARY # of Mentions (1-7)

.C in V7370-V7380 ———— 1. One

.C in V7375-V7379 ———— 2. Two

                     3. Three

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE
                     .C Skip Q (when V7363= 1)

V7365(#1) D13a.   What are the names of these agencies?
                     Use Agency and Organization Master Code (p 180), except:

                     .C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

         D13b.   Which of the following describe (NAME OF ORGANIZATION)? Is it a funding
                     organization?
                        ...a licensing or accreditation organization?
                        ...a referral source?
                     (CHECK ALL THAT APPLY.)

V7366(#1) D13b.   A. FUNDING
                     1. Checked
                     0. Not checked

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE
                     .C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7367(#1) D13b.   B. LICENSING/ACCREDITATION

                     1. Checked
                     0. Not checked

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE
                     .C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

VAR NAMES

V7368(#1) D13b.　　　　C. REFERRAL

　　　　　　　　　　　1. Checked
　　　　　　　　　　　0. Not checked

　　　　　　　　　　　.D DK
　　　　　　　　　　　.E NA
　　　　　　　　　　　.F NO INTVW
　　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　　.C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7369(#1) D13c.　　　　Is it a local, state, or federal agency? (CHECK ONLY ONE.)[IF R SAYS MORE THAN
　　　　　　　　　　　ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

　　　　　　　　　　　1. LOCAL
　　　　　　　　　　　2. STATE
　　　　　　　　　　　3. FEDERAL

　　　　　　　　　　　.D DK
　　　　　　　　　　　.E NA
　　　　　　　　　　　.F NO INTVW
　　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　　.C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7370(#2) D13a.　　　　What are the names of these agencies?
　　　　　　　　　　　Use Agency and Organization Master Code (p 180), except:

　　　　　　　　　　　.C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7371(#2) D13b.　　　　A. FUNDING
　　　　　　　　　　　1. Checked
　　　　　　　　　　　0. Not checked

　　　　　　　　　　　.D DK
　　　　　　　　　　　.E NA
　　　　　　　　　　　.F NO INTVW
　　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　　.C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7372(#2) D13b.　　　　B. LICENSING/ACCREDITATION
　　　　　　　　　　　1. Checked
　　　　　　　　　　　0. Not checked

　　　　　　　　　　　.D DK
　　　　　　　　　　　.E NA
　　　　　　　　　　　.F NO INTVW
　　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　　.C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7373(#2) D13b.　　　　C. REFERRAL

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

    1. Checked
    0. Not checked

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7374(#2) D13c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.)[IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

    1. LOCAL
    2. STATE
    3. FEDERAL

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7375(#3) D13a.   What are the names of these agencies?

Use Agency and Organization Master Code (p 180), except:

    .C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7376(#3) D13b.   A. FUNDING

    1. Checked
    0. Not checked

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7377(#3) D13b.   B. LICENSING/ACCREDITATION

    1. Checked
    0. Not checked

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7378(#3) D13b.   C. REFERRAL

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7379(#3) D13c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.)[IF R SAYS MORE THAN
ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1, when V7364 (#3 only)= 2)

V7380   D14.   To what extent do the government agencies you mentioned have conflicting expectations
or requirements of your outpatient unit? (Would you say to no extent, a little, some, great,
or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7363=1, when V7364 (#2 & #3 only)= 1)

V7381   D15.   (To what extent has your outpatient unit adopted its current mission and goals) to enhance
the public image, reputation or acceptance of your outpatient unit? (Would you say to no
extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7382   D16.   (To what extent has your outpatient unit adopted its current <u>mission and goals</u>) because it is important to keep up with the substance abuse field? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

V7383   D17.   To what extent has your outpatient unit adopted its current <u>client assessment practices and procedures</u> because of a formal agreement between your outpatient unit and some other organization? (Would you say to <u>no extent</u>, a little, some, great, or to a very great extent?)

| .C in V7384-V7403 | 1. NO EXTENT |

2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

V7384   D17.   SUMMARY # OF MENTIONS

Code SUMMARY # of Mentions (1-7)

| .C in V7391-V7403 | 1   One |

| .C in V7397-V7402 | 2. Two |

3. Three

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C   Skip Q (when V7383= 1)

V7385(#1) D17a.   What are the names of these organizations?
Use Agency and Organization Master Code (p 180), except:

.C   Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

VAR NAMES

D17b.   Which of the following describe (NAME OF ORGANIZATION)? Is it a funding organization?
    ...a licensing or accreditation organization?
    ...a referral source?
    ...a substance abuse treatment unit?
(CHECK ALL THAT APPLY.)

V7386(#1) D17b.   A. FUNDING

    1. Checked
    0. Not checked

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7387(#1) D17b.   B. LICENSING/ACCREDITATION

    1. Checked
    0. Not checked

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7388(#1) D17b.   C. REFERRAL

    1. Checked
    0. Not checked

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7389(#1) D17b.   D. TREATMENT

    1. Checked
    0. Not checked

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE
    .C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

VAR NAMES

V7390(#1) D17c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY ONE.) [IF R SAYS MORE <u>THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]</u>

1. LOCAL
2. STATE
3. FEDERAL
4. NATIONAL

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7391(#2) D17a.   What are the names of these organizations?
Use Agency and Organization Master Code (p 180), except:

.C   Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7392(#2) D17b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7393(#2)   B. LICENSING/ACCREDITATION

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7394(#2)   C. REFERRAL

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7395(#2)   D. TREATMENT

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7396(#2) D17c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL
4. NATIONAL

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7397(#3) D17a.   What are the names of these organizations?
Use AGENCY/ORGANIZATION Master Code (p 180), except:

.C   Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7398(#3) D17b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7399(#3)   B. LICENSING/ACCREDITATION

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

VAR NAMES

V7400(#3)   C. REFERRAL

                    1. Checked
                    0. Not checked

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    .C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7401(#3)   D. TREATMENT

                    1. Checked
                    0. Not checked

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    .C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7402(#3) D17c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY
                    ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
                    VALUE.]

                    1. LOCAL
                    2. STATE
                    3. FEDERAL
                    4. NATIONAL

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    .C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1, when V7384 (#3 only)=2)

V7403   D18.   To what extent do the organizations you mentioned have conflicting expectations or
                    requirements of your outpatient unit? (Would you say to no extent, a little, some, great, or
                    to a very great extent?)

                    1. NO EXTENT
                    2. A LITTLE EXTENT
                    3. SOME EXTENT
                    4. A GREAT EXTENT
                    5. A VERY GREAT EXTENT

                    .D DK
                    .E NA
                    .F NO INTVW
                    .J NOT WAVE
                    .C Skip Q (when V7383= 1, when V7384 (#2 & #3 only)= 1)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

VAR NAMES

V7404   D19.   (To what extent has your outpatient unit adopted its current <u>client assessment practices</u>
                      <u>and procedures</u>) because some other organization offered your outpatient unit incentives,
                      like technical assistance or seed money, to do so? (Would you say to <u>no extent</u>, <u>a little</u>,
                      <u>some</u>, great, or to a very great extent?)

                      1. NO EXTENT
                      2. A LITTLE EXTENT
                      3. SOME EXTENT
                      4. A GREAT EXTENT
                      5. A VERY GREAT EXTENT

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE

V7405   D20.   (To what extent has your outpatient unit adopted its current <u>client assessment practices</u>
                      <u>and procedures</u>) to comply with government agency regulations? (Would you say to <u>no</u>
                      <u>extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to a very great extent?)

┌────────────────┐
│.C in V7406-V7422│_____1. NO EXTENT
└────────────────┘
                      2. A LITTLE EXTENT
                      3. SOME EXTENT
                      4. A GREAT EXTENT
                      5. A VERY GREAT EXTENT

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE

V7406   D20.   SUMMARY # OF MENTIONS
                      Code SUMMARY # of Mentions (1-7)

┌────────────────┐
│.C in V7412-V7422│_____1. One
└────────────────┘
┌────────────────┐
│.C in V7417-V7421│_____2. Two
└────────────────┘
                      3. Three

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE
                      .C Skip Q (when V7405= 1)

V7407(#1) D20a.   What are the names of these agencies?

                      Use Agency and Organization Master Code (p 180), except:

                      .C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

VAR NAMES

D20b.   Which of the following describe (NAME OF ORGANIZATION)? Is it a funding organization?
...a licensing or accreditation organization?
...a referral source?
(CHECK ALL THAT APPLY.)

V7408(#1) D20b.   A. FUNDING
1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7409(#1) D20b.   B. LICENSING/ACCREDITATION

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7410(#1) D20b.   C. REFERRAL

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7411(#1) D20c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWESTCODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7412(#2) D20a.   What are the names of these agencies?

Use Agency and Organization Master Code (p 180), except:

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7413(#2) D20b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7414(#2)   B. LICENSING/ACCREDITATION

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7415(#2)   C. REFERRAL

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7416(#2) D20c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWESTCODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7417(#3) D20a.   What are the names of these agencies?

Use Agency and Organization Master Code (p 180), except:

.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7418(#3) D20b.   A. FUNDING
1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7419(#3)   B. LICENSING/ACCREDITATION

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7420(#3)   C. REFERRAL

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

V7421(#3) D20c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWESTCODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1, when V7406 (#3 only)=2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7422   D21.   To what extent do the government agencies you mentioned have conflicting expectations or requirements of your outpatient unit? (Would you say to <u>no extent</u>, <u>a little</u>, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7405= 1, when V7406 (#2 & #3 only)= 1)

V7423   D22.   (To what extent has your outpatient unit adopted its current <u>client assessment practices and procedures</u>) to enhance the public image, reputation or acceptance of your outpatient unit? (Would you say to <u>no extent</u>, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7424   D23.   (To what extent has your outpatient unit adopted its current <u>client assessment practices and procedures</u>) because it is important to keep up with the substance abuse field? (Would you say to <u>no extent</u>, <u>a little</u>, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

VAR NAMES

V7425   D24.   To what extent has your outpatient unit adopted its current <u>treatment approaches</u> because of a formal agreement between your outpatient unit and some other organization? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to a very great extent?)

| .C in V7426-V7445 |———— 1. NO EXTENT

2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7426   D24.   SUMMARY # OF MENTIONS

Code SUMMARY # of Mentions (1-7)

| .C in V7433-V7445 |———— 1. One

| .C in V7439-V7444 |———— 2. Two

3. Three

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425= 1)

V7427(#1) D24a.   What are the names of these organizations?
                     Use Agency and Organization Master Code (p 180), except:

.C   Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

         D24b.   Which of the following describe (NAME OF ORGANIZATION)? Is it a funding organization?
                         ...a licensing or accreditation organization?
                         ...a referral source?
                         ...a substance abuse treatment unit?
                      (CHECK ALL THAT APPLY.)

V7428(#1) D24b.   A. FUNDING

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7429(#1) D24b.   B. LICENSING/ACCREDITATION
1. Checked
0. Not checked

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7430(#1) D24b.   C. REFERRAL

1. Checked
0. Not checked

.D DK
.E NA   .F   NO I
.J   NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7431(#1) D24b.   D. TREATMENT

1. Checked
0. Not checked

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7432(#1) D24c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY
ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
VALUE.]

1. LOCAL
2. STATE
3. FEDERAL
4. NATIONAL

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7433(#2) D24a.   What are the names of these organizations?
Use Agency and Organization Master Code (p 180), except:
.C   Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

VAR NAMES

V7434(#2) D24b.   A. FUNDING
                         1. Checked
                         0. Not checked

                         .D DK
                         .E NA
                         .F NO INTVW
                         .J NOT WAVE
                         .C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7435(#2)   B. LICENSING/ACCREDITATION
                         1. Checked
                         0. Not checked

                         .D DK
                         .E NA
                         .F NO INTVW
                         .J NOT WAVE
                         .C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7436(#2)   C. REFERRAL

                         1. Checked
                         0. Not checked

                         .D DK
                         .E NA
                         .F NO INTVW
                         .J NOT WAVE
                         .C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7437(#2)   D. TREATMENT

                         1. Checked
                         0. Not checked

                         .D DK
                         .E NA
                         .F NO INTVW
                         .J NOT WAVE
                         .C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7438(#2) D24c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY
                         ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE
                         VALUE.]

                         1. LOCAL
                         2. STATE
                         3. FEDERAL
                         4. NATIONAL

                         .D DK
                         .E NA
                         .F NO INTVW
                         .J NOT WAVE
                         .C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

VAR NAMES

V7439(#3) D24a.　　　What are the names of these organizations?
　　　　　　　　　　Use Agency and Organization Master Code (p 180), except:

　　　　　　　　　　.C　Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7440(#3) D24b.　　　A. FUNDING
　　　　　　　　　　1. Checked
　　　　　　　　　　0. Not checked

　　　　　　　　　　.D DK
　　　　　　　　　　.E NA
　　　　　　　　　　.F NO INTVW
　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7441(#3)　　　　　B. LICENSING/ACCREDITATION
　　　　　　　　　　1. Checked
　　　　　　　　　　0. Not checked

　　　　　　　　　　.D DK
　　　　　　　　　　.E NA
　　　　　　　　　　.F NO INTVW
　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7442(#3)　　　　　C. REFERRAL

　　　　　　　　　　1. Checked
　　　　　　　　　　0. Not checked

　　　　　　　　　　.D DK
　　　　　　　　　　.E NA
　　　　　　　　　　.F NO INTVW
　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7443(#3)　　　　　D. TREATMENT

　　　　　　　　　　1. Checked
　　　　　　　　　　0. Not checked

　　　　　　　　　　.D DK
　　　　　　　　　　.E NA
　　　　　　　　　　.F NO INTVW
　　　　　　　　　　.J NOT WAVE
　　　　　　　　　　.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

VAR NAMES

V7444(#3) D24c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL
4. NATIONAL

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7445   D25.   To what extent do the organizations you mentioned have conflicting expectations or requirements of your outpatient unit? (Would you say to <u>no extent</u>, a little,some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1)

V7446   D26.   (To what extent has your outpatient unit adopted its current <u>treatment approaches</u>) because some other organization offered your outpatient unit incentives, like technical assistance or seed money, to do so? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

VAR NAMES

V7447   D27.   (To what extent has your outpatient unit adopted its current <u>client assessment practices and procedures</u>) to comply with government agency regulations? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to a very great extent?)

.C in V7448-V7464 _____ 1. NO EXTENT

2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7448   D27.   SUMMARY # OF MENTIONS

Code SUMMARY # of Mentions (1-7)

.C in V7454-V7464 _____ 1. One

.C in V7459-V7463 _____ 2. Two

3. Three

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7447=1)

V7449(#1) D27a.   What are the names of these agencies?

Use Agency and Organization Master Code (p 180), except:

.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

D27b.   Which of the following describe (NAME OF ORGANIZATION)? Is it a funding organization?
   ...a licensing or accreditation organization?
   ...a referral source?
(CHECK ALL THAT APPLY.)

V7450(#1) D27b.   A. FUNDING
                          1. Checked   0. Not ch

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7451(#1) D27b.   B. LICENSING/ACCREDITATION
1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7452(#1) D27b.   C. REFERRAL
1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7453(#1) D27c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7454(#2) D27a.   What are the names of these agencies?

Use Agency and Organization Master Code (p 180), except:

.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7455(#2) D27b.   A. FUNDING
1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

VAR NAMES

V7456(#2)   B. LICENSING/ACCREDITATION

                        1. Checked
                        0. Not checked

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7457(#2)   C. REFERRAL

                        1. Checked
                        0. Not checked

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7458(#2) D27c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN
                        ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

                        1. LOCAL
                        2. STATE
                        3. FEDERAL

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7459(#3) D27a.   What are the names of these agencies?

                        Use Agency and Organization Master Code (p 180), except:

                        .C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7460(#3) D27b.   A. FUNDING
                        1. Checked
                        0. Not checked

                        .D DK
                        .E NA
                        .F NO INTVW
                        .J NOT WAVE
                        .C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

VAR NAMES

V7461(#3)   B. LICENSING/ACCREDITATION

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7462(#3)   C. REFERRAL

1. Checked
0. Not checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7463(#3) D27c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN
                        ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1, when V7426 (#3 only)=2)

V7464   D28.   To what extent do the government agencies you mentioned have conflicting expectations
                        or requirements of your outpatient unit? (Would you say to no extent, a little, some, great,
                        or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7425=1, when V7426 (#2 &#3 only)= 1)

VAR NAMES

V7465   D29.   (To what extent has your outpatient unit adopted its current treatment approaches) to
                      enhance the public image, reputation or acceptance of your outpatient unit? (Would you
                      say to no extent, a little, some, great, or to a very great extent?)

                      1. NO EXTENT
                      2. A LITTLE EXTENT
                      3. SOME EXTENT
                      4. A GREAT EXTENT
                      5. A VERY GREAT EXTENT

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE

V7466   D30.   (To what extent has your outpatient unit adopted its current treatment approaches)
                      because it is important to keep up with the substance abuse field? (Would you say to no
                      extent, a little, some, great, or to a very great extent?)

                      1. NO EXTENT
                      2. A LITTLE EXTENT
                      3. SOME EXTENT
                      4. A GREAT EXTENT
                      5. A VERY GREAT EXTENT

                      .D DK
                      .E NA
                      .F NO INTVW
                      .J NOT WAVE

VAR NAMES

SECTION E

Directors of outpatient units like your's report varying degrees of competition with other treatment organizations for personnel, clients and funds.

E1.   To what extent is your outpatient unit in competition for personnel, clients and funds with:

V7467   E1a.   Hospital-based substance abuse treatment units? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to <u>a very</u> great extent?)

.C in V7468-V7469 _____1. NO EXTENT

2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7468   E1b.   Are these units public, private or both?

.C in V7469 _____1. PUBLIC

2. PRIVATE
3. BOTH

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C   Skip Q (when V7467=1)

V7469   E1c.   Are the private units <u>for-profit</u> or <u>not-for-profit</u>? <u>(ACCEPT "BOTH" IF VOLUNTEERED, BUT DON'T ASK.)</u>

1. FOR-PROFIT
2. NOT-FOR-PROFIT
3. BOTH

.D DK
.E NA
.F NO INTVW
.J NOT WAVE
.C Skip Q (when V7467 or V7468=1)

VAR NAMES

V7470   E1d.   (To what extent is your outpatient unit in competition for personnel, clients, and funds) with
                     mental health center-sponsored substance abuse units? (Would you say to <u>no</u> extent, a
                     little, some, great, or to a very great extent?)

.C in V7471-V7472 _____ 1. NO EXTENT

                     2. A LITTLE EXTENT
                     3. SOME EXTENT
                     4. A GREAT EXTENT
                     5. A VERY GREAT EXTENT

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE

V7471   E1e.   Are these units public, private or both?

.C in V7472 _____ 1. PUBLIC

                     2. PRIVATE
                     3. BOTH

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE

                     .C Skip Q (when V7470=1)

V7472   E1f.   Are the private units <u>for-profit</u> or <u>not-for-profit</u>?
                     (ACCEPT "BOTH" IF VOLUNTEERED, BUT DON'T ASK.)

                     1. FOR-PROFIT
                     2. NOT-FOR-PROFIT
                     3. BOTH

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE

                     .C Skip Q (when V7470 or V7471=1)

V7473   E1g.   (To what extent is your outpatient unit in competition for personnel, clients, and funds) with
                     free-standing substance abuse units? (Would you say to <u>no extent,
                     a little, some, great, or to a very great extent?)</u>

.C in V7474-V7475 _____ 1. NO EXTENT

                     2. A LITTLE EXTENT
                     3. SOME EXTENT
                     4. A GREAT EXTENT
                     5. A VERY GREAT EXTENT

                     .D DK

VAR NAMES

.E NA
.F NO INTVW
.J NOT WAVE

V7474   E1h.   Are these units public, private or both?

.C in V7475 —————— 1. PUBLIC

2. PRIVATE
3. BOTH

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7473=1)

V7475   E1i.   Are the private units for-profit or not-for-profit?
                    (ACCEPT "BOTH" IF VOLUNTEERED, BUT DON'T ASK.)

1. FOR-PROFIT
2. NOT-FOR-PROFIT
3. BOTH

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7473 or V7474=1)

        E2.   To what extent is there competition between your outpatient unit and other substance
                    abuse treatment units for each of the following kinds of resources:

V7476   E2a.   Client referrals? (Would you say to no extent, a little, some, great, or to a very great
                    extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT   4. A GRE
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7477   E2b.   Funding from government sources? (Would you say to no extent, a little, some, great, or
                    to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT   4. A GRE
5. A VERY GREAT EXTENT

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7478   E2c.   Political support?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT   4. A GRI
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7479   E2d.   Community support?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT   4. A GRI
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7480   E2e.   Private insurance reimbursement?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT   4. A GRI
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7481   E2f.   Accreditation or licensing?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT   4. A GRI
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7482   E2g.   Personnel?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT   4. A GRI
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7483   E2h.   Prestige?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT   4. A GRI
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

        E3.   To what extent is competition between your outpatient unit and other substance abuse
                   treatment units based on each of the following factors:

V7484   E3a.   The cost of treatment to clients? (Would you say to no extent, a little, some, great, or to a
                   very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7485   E3b.   Costs for treatment assessed to payment sources other than clients? (Would you say to
                   no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK

VAR NAMES

.E NA
.F NO INTVW
.J NOT WAVE

V7486   E3c.   The credentials of treatment staff?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7487   E3d.   The physical attractiveness of the treatment setting?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7488   E3e.   Ease of access?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7489   E3f.   Quality of care for clients?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.J NOT WAVE

V7490   E3g.   The extent of marketing efforts?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

V7491   E3h.   The range of services or treatment approaches available?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

V7492   E3i.   Pricing strategies?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

V7493   E3j.   Cost control strategies?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.E NA
.F NO INTVW
.J NOT WAVE

V7494   E4.   Over the past year, would you say competition for resources between your outpatient unit and other substance abuse treatment units has <u>increased a great deal</u>, <u>increased some</u>, <u>remained the same</u>, <u>decreased some</u>, or decreased a great deal?

1. INCREASED A GREAT DEAL
2. INCREASED SOME

.C in V7495-V7496 _____ 3. REMAINED THE SAME

4. DECREASED SOME
5. DECREASED A GREAT DEAL

.D DK
.E NA

V7495   E4a.   In your opinion why has the competition for resources changed?

V7496

<u>Financial</u>

01.   No money/<u>less money</u> available; compete for scarce funding
02.   <u>(More) money</u> available; agencies move into areas/types of programs for which there is funding available (hence, more competition); (more) insurance plans will pay for SA treatment
03.   <u>Profits</u>/increase in revenues to agencies; money to be made in (certain types of) treatment
04.   Advertising/marketing of services by treatment units

11.   <u>More work</u>/clients; there are more people in need of help/treatment
12.   <u>More agencies</u> in the field; increased # of treatment providers; increase in competition for gov't. funds by for-profit agencies
13.   Fewer (well trained/qualified) staff available; smaller pool of treatment workers; more work therefore more competition for the present pool of workers
14.   <u>Fewer agencies</u> available; agencies have closed or no longer do SA (therefore less competition for clients)

21.   (More) cooperation/coordination among treatment units; "working together more"

97.   Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM

VAR NAMES

.C Skip Q (when V7494= remained the same, DK or NA)

E5. In the performance of your job, in an average week how many hours do you (personally) devote to each of the following:

V7497 E5a. Negotiating or communicating with your unit's current funding agencies or payment sources?

Code # HOURS (00-50)

01. One hour or less

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7498 E5b. Engaging in liaison activities with organizations that monitor or license your unit?

Code # HOURS (00-50)

01. One hour or less

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7499 E5c. Making public presentations and appearances in the community?

Code # HOURS (00-50)

01. One hour or less

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7500 E5d. Identifying possible new payment sources, or new funding sources, or raising funds?

Code # HOURS (00-50)

01. One hour or less

.D DK
.E NA

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

		.F NO INTVW
		.J NOT WAVE

V7501　E5e.　　Consulting with and exchanging information with other providers of treatment?

Code # HOURS (00-50)

01. One hour or less

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7502　E5f.　　Contributing to policy making at the local or state level?

Code # HOURS (00-50)

01. One hour or less

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7503　E5g.　　Recruiting potential staff?

Code # HOURS (00-50)

01. One hour or less

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7504　E5h.　　Engaging in activities with professional or occupational associations?

Code # HOURS (00-50)

01. One hour or less

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7505　E6.　　What <u>organization</u> provides the largest number of <u>client referrals</u> to your outpatient unit?
(PROBE: What kind of organization is that?)

01.　Police/courts; probation or parole unit
02.　Mental health center
03.　Hospital
04.　Residential facility, exc. 03

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

05.   Church
06.   School
07.   Employee Assistance Program; employer or company (include "army")
08.   Dept. of Social Services; welfare
09.   Dept. of Vocational Rehabilitation
10.   Alcoholics/Narcotics Anonymous; AA/NA
11.   An HMO
12.   Referral center

61.   Other state or local government units or programs; county health dept.; City Council on Alcoholism
62.   Other (outpatient) treatment units--NFS

.C in V7506-V7525   96.   NO REFERRALS FROM ORGANIZATIONS

97.   Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

E7.   Next I have some questions about your outpatient unit's relationship with (SOURCE FROM E6).

V7506   E7a.   Does your unit have an informal agreement for receiving client referrals from them?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505= 96)

V7507   E7b.   Is your unit owned by them?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505= 96)

V7508   E8.   Does your unit have a contract with (SOURCE FROM E6) to receive client referrals from them?

1. YES

VAR NAMES

```
.C in V7509-V7513 |_____ 0. NO
                  |
                  |          .D  DK
                  |          .E  NA
                  |
                  |          .F  NO INTVW
                  |          .J  NOT WAVE
                  |
                             .C Skip Q (when V7505= 96)
```

E9. I would like you to tell us about various features of the contract agreement.

V7509 E9a. Does the contract specify that your unit be certified or licensed?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505=96, when V7508= No, DK or NA)

V7510 E9b. Does the contract specify incentives for your unit to provide satisfactory service?

1. YES   0. NO
.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505=96, when V7508= No, DK or NA)

V7511 E9c. (Does the contract specify) that your unit have standard operating procedures for treatment or referral of clients?

1. YES   0. NO
.D DK   .E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505=96, when V7508= No, DK or NA)

V7512 E9d. (Does the contract specify) a method of resolving disputes between the contracting parties?
1. YES

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

    0. NO
    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7505=96, when V7508= No, DK or NA)

V7513   E9e.   (Does the contract specify) a fee schedule for your unit's services?

    1. YES   0. NO
    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7505=96, when V7508= No, DK or NA)

V7514   E10.   Please describe any other features of the arrangement your outpatient unit has with (SOURCE FROM E6) regarding client referrals (that you haven't already mentioned)

V7515

    01.   <u>Reporting/auditing</u> requirements or agreements
    02.   Required/agreed to take <u>referred clients</u> from them; we are paid to accept their referrals; our clients (only/must/always) come from E6 source
    03.   <u>Option to refuse</u> clients/referrals; provisions to terminate referral relationship
    04.   Expectation of <u>quality of services</u> provided by R's unit; require we be licensed/certified
    05.   Arrangements concerning <u>payment</u> of client fees

    <u>SERVICES WE WILL PROVIDE:</u>

    21.   Provide <u>evaluation/referral</u> services
    22.   Provide <u>treatment at specific times</u> or locations; "open evenings"; "<u>see</u> clients in jail"
    23.   Urinalysis; drug <u>use monitoring</u>
    24.   Agreement that we provide <u>drug education</u> either to clients or to personnel at E6 source

    51.   <u>Cooperation</u>; good working relationship; exchange referrals
    52.   Referral source (E6) must refer to us; E6 source is required by regulation or statuteto send clients to us; nowhere else is feasible; "sole source provider"

    95.   "Not a contract"; "informal agreement only"--NFS

    96.   None; no arrangements with (E6) organization

    97.   Other

    .D DK
    .E NA

VAR NAMES

.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7505= 96)

E11.   Now I would like to ask some additional questions about your outpatient unit's relationship with (SOURCE FROM E6), particularly as this relationship applies to client referrals. Please tell me how much you personally agree or disagree with the following statements:

V7516 E11a.   Receiving clients from (SOURCE FROM E6) is critical for the survival of your treatment unit. (Would you say you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505 = 96)

V7517 E11b.   They have a great deal of control over whether they refer clients to your unit or not.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505 = 96)

V7518 E11c.   Your unit has a great deal of influence over whether they refer clients to your unit or not.

1. STRONGLY AGREE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

    2. SOMEWHAT AGREE
    3. NEITHER AGREE NOR DISAGREE
    4. SOMEWHAT DISAGREE
    5. STRONGLY DISAGREE

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7505 = 96)

V7519   E11d.   It is uncertain whether they will provide your unit with client referrals in the future.

    1. STRONGLY AGREE
    2. SOMEWHAT AGREE
    3. NEITHER AGREE NOR DISAGREE
    4. SOMEWHAT DISAGREE
    5. STRONGLY DISAGREE

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7505 = 96)

V7520   E11e.   There are many other treatment units competing for client referrals from (SOURCE FROM E6).

    1. STRONGLY AGREE
    2. SOMEWHAT AGREE
    3. NEITHER AGREE NOR DISAGREE
    4. SOMEWHAT DISAGREE
    5. STRONGLY DISAGREE

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7505 = 96)

V7521   E11f.   How your unit deals with them is critical to your unit's survival in the future.

    1. STRONGLY AGREE
    2. SOMEWHAT AGREE
    3. NEITHER AGREE NOR DISAGREE
    4. SOMEWHAT DISAGREE
    5. STRONGLY DISAGREE

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505 = 96)

V7522 E11g.   You can really understand them because your unit is in a similar situation.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505 = 96)

V7523 E11h.   They and your unit really see "eye to eye" when it comes to treating substance abuse
                      clients.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505 = 96)

V7524 E11i.   Your unit shares a lot of the same beliefs as (SOURCE FROM E6) about how substance
                      abuse clients should be handled.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505 = 96)

V7525 E11j.   There is a strong climate of competition for client referrals now developing in the

VAR NAMES

substance abuse field.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7505 = 96)

E12.   Thinking about <u>one year from now</u>, please tell me how strongly <u>you</u> agree or disagree with each of the following statements about <u>your outpatient substance abuse treatment unit</u>.

V7526   E12a.   You know how much funding will be available to your treatment unit one year from now. (Would you say that you <u>strongly agree</u>, <u>somewhat</u> <u>agree</u>, neither agree nor disagree, somewhat disagree, or strongly disagree?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7527   E12b.   You have good estimates of the level of demand for treatment and other services from your unit one year from now. (Would you say that you <u>strongly agree</u>, <u>somewhat agree</u>, <u>neither agree nor disagree</u>, <u>somewhat disagree</u> or strongly disagree?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7528　E12c.　　　You know what kinds of services will be in demand from your unit.
1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7529　E12d.　　　You know the kinds of staff members that will be needed to provide treatment in your unit.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7530　E12e.　　　You know what accrediting agencies will expect and require for your unit to maintain licensing or accreditation.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7531　E12f.　　　You know what other substance abuse treatment units will be offering in terms of treatment and other services.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7532   E12g.   You know what other substance abuse treatment units will be charging for their services.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7533   E12h.   You know the quality of services that other substance abuse treatment units will be providing.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7534   E12i.   You know what funding and payment sources will expect from your unit in terms of accounting and quality one year from now.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

         E13.   In the last two years has your outpatient unit done any of the following:

V7535   E13a.   Joined a coalition or association with other treatment units?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7536   E13b.   Formed a partnership or entered into a joint venture with other treatment unit groups or organizations?

                         1. YES
                         0. NO

                         .D DK
                         .E NA
                         .F NO INTVW
                         .J NOT WAVE

V7537   E13c.   Merged with another treatment unit or organization?

.C in V7538 ———————— 1. YES

                         0. NO

                         .D DK
                         .E NA
                         .F NO INTVW
                         .J NOT WAVE

V7538   E13d.   Begun plans to merge with another treatment unit or organization?

                         1. YES

.C in V7539-V7540 ———— 0. NO

                         .D DK
                         .E NA

                         .F NO INTVW
                         .J NOT WAVE

                         .C   Skip Q(when V7537=1)

V7539   E14.   Could you tell me, briefly, <u>why</u> your outpatient unit (has V7540 merged/is planning to merge) with another treatment unit or organization?

                         <u>FINANCES</u>

                         01.   <u>Increase revenues</u>
                         02.   <u>Reduce costs</u>; cut overlap; more economical; "to improve financial situation"; "efficiency"--NFS; cost control; share resources

                         09.   Finances/money--NFS

VAR NAMES

SERVICES

11.   Increase range of services offered; added complementary services
12.   Reduce duplication of services

19.   Efficiency/convenience--NFS

CLIENTS

21.   Broader client base; more referrals
22.   Reduce competition (for clients)

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7538= No, DK or NA)

V7541   E15.   What service that your unit does not currently offer, is most needed by your unit's
                    outpatient substance abuse clients?
V7542
                    Use Other Treatment/ Services Master Code (p 183), except:

                    96. None; nothing needed

                    .B NFM

V7543   E16.   In the last two years has your outpatient unit developed a new service or product directly
                    related to substance abuse treatment, for example, an apartment house for recovering
                    clients?

                    1. YES

.C in V7544-V7547 ——— 0. NO

                    .D DK
                    .E NA

                    .F NO INTVW
                    .J NOT WAVE

V7544   E16a.   Please briefly describe this new product or service.
                    Use Other Treatment/ Services Master Code (p 183), except:

                    .B NFM
                    .C Skip Q (when V7543= No, DK or NA)

V7545   E16a.   Please briefly describe this new product or service.

VAR NAMES

Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B NFM
.C Skip Q (when V7543= No, DK or NA)

V7546   E16a.   Please briefly describe this new product or service.
                      Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

                      .B NFM
                      .C Skip Q (when V7543= No, DK or NA)

V7547   E16a.   Please briefly describe this new product or service.
                      Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

                      .B NFM
                      .C Skip Q (when V7543= No, DK or NA)

V7548   E17.   In the last two years has your outpatient unit developed a new service or product <u>not</u>
                      directly related to substance abuse treatment?

                      1. YES

.C in V7549-V7552 ────── 0. NO

                      .D DK
                      .E NA

                      .F NO INTVW
                      .J NOT WAVE

V7549   E17a.   Please briefly describe this new product or service.
                      Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

                      .B NFM
                      .C Skip Q (when V7548= No, DK or NA)

V7550   E17a.   Please briefly describe this new product or service.
                      Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

                      .B NFM
                      .C Skip Q (when V7548= No, DK or NA)

V7551   E17a.   Please briefly describe this new product or service.
                      Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

                      .B NFM
                      .C Skip Q (when V7548= No, DK or NA)

VAR NAMES

V7552   E17a.   Please briefly describe this new product or service.
                       Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

                       .B   NFM
                       .C   Skip Q (when V7548= No, DK or NA)

V7553   E18.   In the <u>last two years</u> has your outpatient unit started providing services for certain <u>types</u> of
                       substance abuse <u>clients</u> who are new to your unit, for example, the elderly?

                       1. YES

.C in V7554-V7569 _____0. NO

                       .D DK
                       .E NA

                       .F NO INTVW
                       .J NOT WAVE

V7554(1) E18a.   (What types of clients?)

                       01.   General public
                       02.   Segments of the public who deal with drug problems; police, courts, hospitals,
                             teachers, employers
                       03.   All <u>clients</u>; "range of clients"; "everyone"
                       06.   Children; juveniles; infants (see also 19)
                       07.   Older clients; seniors
                       08.   Co-dependents
                       09.   Low income/poor/homeless
                       10.   Men

                       12.   Blacks
                       13.   Gays/lesbians
                       14.   Parent groups
                       15.   Minorities (exc. 12), including Native Americans
                       16.   Handicapped/physically impaired
                       17.   Pregnant women/teens
                       18.   Other programs for women
                       19.   Adolescents (if NA whether 06 or 19, code 06); teens
                       20.   Spouses, significant others and/or extended families of substance abusers; Adult
                             Children of Alcoholics

                       <u>CLIENTS WITH SPECIFIED ADDICTION/DRUG PROBLEM</u>

                       21.   Alcohol
                       22.   Cocaine
                       23.   Heroin; opiates

                       27.   Dual diagnosed (drug and mental health problem)
                       28.   Very or <u>severely addicted</u> clients; chronic abusers; "IV drug users"

                       <u>CLIENTS WITH OTHER (SPECIFIED) PROBLEMS</u>

                       31.   Chronic pain sufferers

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

32. Methadone recipients
33. AIDS related clients
34. <u>Mental health</u> problems (see also code 27)
35. DUI/DWI clients; other clients from the courts with arrest records (or in jail); work release program
37. Programs for peripheral problems: smoking; weight watchers, exercise; assertiveness training

41. Aftercare; recovery; relapse prevention
97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (whenV7553= No, DK or NA)

V7555(1) E18b. (What services are you providing?)
Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B NFM
.C Skip Q (when V7553= NO, DK or NA)

V7556 E18b. (What services are you providing?)

Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B NFM
.C Skip Q (when V7553= NO, DK or NA)

V7557 E18b. (What services are you providing?)
Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B NFM
.C Skip Q (when V7553= NO, DK or NA)

V7558(2) E18a. (What types of clients?)

01. General public
02. Segments of the public who deal with drug problems; police, courts, hospitals, teachers, employers
03. All <u>clients</u>; "range of clients"; "everyone"
06. Children; juveniles; infants (see also 19)
07. Older clients; seniors
08. Co-dependents
09. Low income/poor/homeless
10. Men

12. Blacks
13. Gays/lesbians
14. Parent groups
15. Minorities (exc. 12), including Native Americans
16. Handicapped/physically impaired

VAR NAMES

17. Pregnant women/teens
18. Other programs for women
19. Adolescents (if NA whether 06 or 19, code 06); teens
20. Spouses, significant others and/or extended families of substance abusers; Adult Children of Alcoholics

CLIENTS WITH SPECIFIED ADDICTION/DRUG PROBLEM

21. Alcohol
22. Cocaine
23. Heroin; opiates

27. Dual diagnosed (drug and mental health problem)
28. Very or severely addicted clients; chronic abusers; "IV drug users"

CLIENTS WITH OTHER (SPECIFIED) PROBLEMS

31. Chronic pain sufferers
32. Methadone recipients
33. AIDS related clients
34. Mental health problems (see also code 27)
35. DUI/DWI clients; other clients from the courts with arrest records (or in jail); work release program
37. Programs for peripheral problems: smoking; weight watchers, exercise; assertiveness training

41. Aftercare; recovery; relapse prevention

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (whenV7553= No, DK or NA)

V7559(2) E18b.   (What services are you providing?)
                     Use Other Treatment/ Services Master Code (p 183), except:

                     .B NFM
                     .C Skip Q (when V7553= NO, DK or NA)

V7560 E18b.   (What services are you providing?)
                     Use Other Treatment/ Services Master Code (p 183), except:

                     .B NFM
                     .C Skip Q (when V7553= NO, DK or NA)

V7561 E18b.   (What services are you providing?)

VAR NAMES

Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B NFM
.C Skip Q (when V7553= NO, DK or NA)

V7562(3) E18a.   (What types of clients?)

01. General public
02. Segments of the public who deal with drug problems; police, courts, hospitals, teachers, employers
03. All <u>clients</u>; "range of clients"; "everyone"
06. Children; juveniles; infants (see also 19)
07. Older clients; seniors
08. Co-dependents
09. Low income/poor/homeless
10. Men

12. Blacks
13. Gays/lesbians
14. Parent groups
15. Minorities (exc. 12), including Native Americans
16. Handicapped/physically impaired
17. Pregnant women/teens
18. Other programs for women
19. Adolescents (if NA whether 06 or 19, code 06); teens
20. Spouses, significant others and/or extended families of substance abusers; Adult Children of Alcoholics

<u>CLIENTS WITH SPECIFIED ADDICTION/DRUG PROBLEM</u>

21. Alcohol
22. Cocaine
23. Heroin; opiates

27. Dual diagnosed (drug and mental health problem)
28. Very or <u>severely addicted</u> clients; chronic abusers; "IV drug users"

<u>CLIENTS WITH OTHER (SPECIFIED) PROBLEMS</u>

31. Chronic pain sufferers
32. Methadone recipients
33. AIDS related clients
34. <u>Mental health</u> problems (see also code 27)
35. DUI/DWI clients; other clients from the courts with arrest records (or in jail); work release program
37. Programs for peripheral problems: smoking; weight watchers, exercise; assertiveness training

41. Aftercare; recovery; relapse prevention

97. Other

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

	.B NFM
	.C Skip Q (whenV7553= No, DK or NA)

V7563(3) E18b.   (What services are you providing?)
Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B NFM
.C Skip Q (when V7553= NO, DK or NA)

V7564 E18b.   (What services are you providing?)
Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B NFM
.C Skip Q (when V7553= NO, DK or NA)

V7565 E18b.   (What services are you providing?)
Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B NFM
.C Skip Q (when V7553= NO, DK or NA)

V7566(4) E18a.   (What types of clients?)

01. General public
02. Segments of the public who deal with drug problems; police, courts, hospitals, teachers, employers
03. All <u>clients</u>; "range of clients"; "everyone"
06. Children; juveniles; infants (see also 19)
07. Older clients; seniors
08. Co-dependents
09. Low income/poor/homeless
10. Men

12. Blacks
13. Gays/lesbians
14. Parent groups
15. Minorities (exc. 12), including Native Americans
16. Handicapped/physically impaired
17. Pregnant women/teens
18. Other programs for women
19. Adolescents (if NA whether 06 or 19, code 06); teens
20. Spouses, significant others and/or extended families of substance abusers; Adult Children of Alcoholics

<u>CLIENTS WITH SPECIFIED ADDICTION/DRUG PROBLEM</u>

21. Alcohol
22. Cocaine
23. Heroin; opiates

27. Dual diagnosed (drug and mental health problem)
28. Very or <u>severely addicted</u> clients; chronic abusers; "IV drug users"

<u>CLIENTS WITH OTHER (SPECIFIED) PROBLEMS</u>

VAR NAMES

31. Chronic pain sufferers
32. Methadone recipients
33. AIDS related clients
34. <u>Mental health</u> problems (see also code 27)
35. DUI/DWI clients; other clients from the courts with arrest records (or in jail); work release program
37. Programs for peripheral problems: smoking; weight watchers, exercise; assertiveness training

41. Aftercare; recovery; relapse prevention

97. Other
.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (whenV7553= No, DK or NA)

V7567(4) E18b.   (What services are you providing?)
                  Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

                  .B NFM
                  .C Skip Q (when V7553= NO, DK or NA)

V7568 E18b.   (What services are you providing?)
                  Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

                  .B NFM
                  .C Skip Q (when V7553= NO, DK or NA)

V7569 E18b.   (What services are you providing?)
                  Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

                  .B NFM
                  .C Skip Q (when V7553= NO, DK or NA)

V7570 E19.   In the last two years has your outpatient unit <u>stopped</u> providing services or products of some kind?

                  1. YES

.C in V7571-V7573 ──── 0. NO

                  .D DK
                  .E NA

VAR NAMES

.F   NO INTVW
.J   NOT WAVE

V7571   E19a.   Please briefly describe these products or services.

Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B   NFM
.C   Skip Q (when V7570= No, DK or NA)

V7572   E19a.   Please briefly describe these products or services.
Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B   NFM
.C   Skip Q (when V7570= No, DK or NA)

V7573   E19a.   Please briefly describe these products or services.

Use Other Treatment/ Services Master Code (p 183), <u>except</u>:

.B   NFM
.C   Skip Q (when V7570= No, DK or NA)

V7574   E20.   In the last two years has your outpatient unit <u>stopped</u> providing services for certain <u>types</u> of substance abuse clients?

1. YES
.C in V7575-V7578 ———— 0. NO

.D   DK
.E   NA

.F   NO INTVW
.J   NOT WAVE

V7575   E20a.   (What types of clients?)

Use same code as for E18a (V7554), <u>except</u>:

.B   NFM
.C   Skip Q (when V7574= No, DK or NA)

V7576   E20a.   (What types of clients?)

Use same code as for E18a (V7554), <u>except</u>:

.B   NFM
.C   Skip Q (when V7574= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

V7577   E20a.   (What types of clients?)

Use same code as for E18a (V7554), <u>except</u>:

.B   NFM
.C   Skip Q (when V7574= No, DK or NA)

V7578   E20a.   (What types of clients?)

Use same code as for E18a (V7554), <u>except</u>:

.B   NFM
.C   Skip Q (when V7574= No, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

SECTION F

V7579 F1. To what extent does your unit attempt to collect on site, <u>or obtain</u> from some <u>other source</u>, follow-up data for each of your outpatient substance abuse clients <u>within the first year after they leave treatment</u>? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to <u>a very great</u> extent?)

.C in V7580-V7610 _____ 1. NO EXTENT

2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

F2. <u>Six months after leaving treatment</u>, what percent of your outpatient substance abuse clients...

V7580 F2a. continued to be substance abusers?

Code PERCENT (000-100)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C   Skip Q (when V7579=1)

V7581 F2b. were free from substance abuse?

Code PERCENT (000-100)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C   Skip Q (when V7579=1)

F3. At what points does your unit typically obtain follow-up information on its outpatient substance abuse clients after they end treatment? (Would you say at <u>1-3 months</u>, <u>4-6 months</u>, <u>7-9 months</u>, <u>10-12 months</u>, <u>13-18 months</u>, <u>19-24 months</u>, or <u>more than 24 months</u>?) (CHECK ALL THAT APPLY.)

V7582 F3. A. 1-3 MONTHS

1. Checked
0. NOt checked

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

VAR NAMES

               .C Skip Q (when V7579=1)

V7583   F3.   B. 4-6 MONTHS

               1. Checked
               0. NOt checked

               .D DK
               .E NA
               .F NO INTVW
               .J NOT WAVE

               .C Skip Q (when V7579=1)

V7584   F3.   C. 7-9 MONTHS

               1. Checked
               0. NOt checked

               .D DK
               .E NA
               .F NO INTVW
               .J NOT WAVE

               .C Skip Q (when V7579=1)

V7585   F3.   D. 10-12 MONTHS

               1. Checked
               0. NOt checked

               .D DK
               .E NA
               .F NO INTVW
               .J NOT WAVE

               .C Skip Q (when V7579=1)

V7586   F3.   E. 13-18 MONTHS

               1. Checked
               0. NOt checked

               .D DK
               .E NA
               .F NO INTVW
               .J NOT WAVE

               .C Skip Q (when V7579=1)

V7587   F3.   F. 19-24 MONTHS

               1. Checked
               0. NOt checked

               .D DK
               .E NA

VAR NAMES

          .F NO INTVW
          .J NOT WAVE
          .C Skip Q (when V7579=1)

V7588   F3.   G. MORE THAN 24 MONTHS

                     1. Checked
                     0. NOt checked

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE

                     .C Skip Q (when V7579=1)

V7589   F4.   To what extent is the collection of follow-up data <u>successful</u> for <u>all</u> outpatient substance
                     abuse clients for whom your unit attempts to obtain follow-up data? (Would you say to <u>no</u>
                     <u>extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to <u>a very</u> great extent?)

                     1. NO EXTENT
                     2. A LITTLE EXTENT
                     3. SOME EXTENT
                     4. A GREAT EXTENT
                     5. A VERY GREAT EXTENT

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE

                     .C Skip Q (when V7579=1)

        F5.   Please tell me which of the following kinds of <u>follow-up information</u> are obtained for your
                     unit's outpatient substance abuse clients. Does your unit obtain information regarding...

V7590   F5a.   ...the client's living arrangements or "living situation"?

                     1. YES

                     0. NO

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE

                     .C Skip Q (when V7579=1)

V7591   F5b.   ...(the client's) employment or student status?

                     1. YES
                     0. NO

VAR NAMES

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7579=1)

V7592   F5c.   ...(the client's) health status?

    1. YES
    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7579=1)

V7593   F5d.   ...(the client's) legal probation status?

    1. YES
    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7579=1)

V7594   F5e.   ...(the client's) financial status?

    1. YES
    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7579=1)

V7595   F5f.   ...whether the client is in the treatment recommended by your unit's staff?

    1. YES
    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7579=1)

V7596   F5g.   ...(the client's) drug or alcohol use?

VAR NAMES

    1. YES
    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7579=1)

V7597   F5h.   ...(the client's) evaluation of the treatment experience?

    1. YES   0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7579=1)

V7598   F5i.   ...(the client's) evaluation of the agency in general?

    1. YES
    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7579=1)

V7599   F5j.   Does your unit obtain information to get drop outs to return to treatment?

    1. YES
    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7579=1)

V7600   F5k.   Does your unit obtain any information other than those kinds just mentioned? (SPECIFY:)

    01.   On other treatment programs client has been in
    02.   Changes in family composition--marriage, etc.
    03.   Family info; family history; "relationships"

    11.   AIDS related information
    12.   Mental health/emotional/psychological status

    NOTE: "Whether in AA/NA"
    mentions were edited to YES
    in V7595 (F5f).

VAR NAMES

    97. Other

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .B NFM

.C in V7601-V7602 ——————— .C Skip Q (when V7579=1)

V7601 F5k.　　　　　　Does your unit obtain any information other than those kinds just mentioned? (SPECIFY:)

    01.　On other treatment programs client has been in
    02.　Changes in family composition--marriage, etc.
    03.　Family info; family history; "relationships"

    11.　AIDS related information
    12.　Mental health/emotional/psychological status

    NOTE: "Whether in AA/NA"
    mentions were edited to YES
    in V7595 (F5f).

    97. Other

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .B NFM
    .C Skip Q (when V7579=1)

V7602 F5k.　　　　　　Does your unit obtain any information other than those kinds just mentioned? (SPECIFY:)

    01.　On other treatment programs client has been in
    02.　Changes in family composition--marriage, etc.
    03.　Family info; family history; "relationships"

    11.　AIDS related information
    12.　Mental health/emotional/psychological status

    NOTE: "Whether in AA/NA"
    mentions were edited to YES
    in V7595 (F5f).

    97. Other

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7579=1)

F6.   Is this information collected through:

V7603   F6a.   Self-administered surveys, including mail outs?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7579=1)

V7604   F6b.   Telephone follow-ups?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7579=1)

V7605   F6c.   Face-to-face interviews?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7579=1)

V7606   F6d.   Some other means? (PLEASE SPECIFY:)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

01. Letters
02. Friends/relatives; "word of mouth"; "third parties"
03. Clients themselves come to unit or casual meeting outside

11. Through other agencies: courts; mental health agencies (including AA/NA)

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7579=1)

.C in V7607-V7608

V7607   F6d.   Some other means? (PLEASE SPECIFY:)

01. Letters
02. Friends/relatives; "word of mouth"; "third parties"
03. Clients themselves come to unit or casual meeting outside

11. Through other agencies: courts; mental health agencies (including AA/NA)

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7579=1)

V7608   F6d.   Some other means? (PLEASE SPECIFY:)

01. Letters
02. Friends/relatives; "word of mouth"; "third parties"
03. Clients themselves come to unit or casual meeting outside

11. Through other agencies: courts; mental health agencies (including AA/NA)

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7579=1)

V7609   F7.   To what extent does your unit use this follow-up information to make comparisons

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

between your outpatient unit and other substance abuse treatment units? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to <u>a very</u> great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

.C Skip Q (when V7579=1)

V7610   F8.   To what extent does your unit use this follow-up information to make changes in your outpatient unit's substance abuse programs? (Would you say to <u>no extent</u>, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

.C Skip Q (when V7579=1)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

SECTION G

G1.   To what extent are the following statements about <u>AIDS prevention</u> true for your outpatient treatment unit:

V7611 G1a.   In this unit we have adequate knowledge to inform clients about preventing AIDS. Would you say this is true to <u>no</u> extent, a little, some, great, or to a very great extent?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7612 G1b.   This unit has provided its staff members with special training about teaching clients how to prevent AIDS. (Would you say this is true to <u>no extent</u>, <u>a</u> <u>little</u>, <u>some</u>, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7613 G1c.   (This unit has provided staff members with) special training about how to work with clients who have the HIV AIDS) virus.

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7614 G1d.   (This unit has provided staff members with) special training about their risk of acquiring AIDS from clients.

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.F NO INTVW
.J NOT WAVE

V7615 G1e. Staff members in this unit fear acquiring AIDS from clients.

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

G2. To what extent do you support each of the following statements about AIDS prevention among IV drug users?

V7616 G2a. Clean needles should be distributed to IV drug users to prevent AIDS. (Do you support this to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7617 G2b. Bleach solutions should be distributed to IV drug users to clean their needles. (Do you support this to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7618 G2c. Condoms should be distributed to IV drug users to encourage "safe" sexual practices.

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7619 G2d.   Educational information such as pamphlets should be distributed to IV drug users about
                     how to prevent AIDS.

                     1. NO EXTENT
                     2. A LITTLE EXTENT
                     3. SOME EXTENT
                     4. A GREAT EXTENT
                     5. A VERY GREAT EXTENT

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE

V7620 G2e.   Needle exchange programs should be available for IV drug users.

                     1. NO EXTENT
                     2. A LITTLE EXTENT
                     3. SOME EXTENT
                     4. A GREAT EXTENT
                     5. A VERY GREAT EXTENT

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE

       G3.   Some outpatient substance abuse treatment units are involved in various efforts to prevent
                     AIDS. To what extent is each of the following true of your unit?

V7621 G3a.   Your unit has adequate funds to allocate for AIDS prevention efforts. (Would you say this
                     is true to <u>no</u> extent, a little, some, great, or to a very great extent?)

                     1. NO EXTENT
                     2. A LITTLE EXTENT
                     3. SOME EXTENT
                     4. A GREAT EXTENT
                     5. A VERY GREAT EXTENT

                     .D DK
                     .E NA
                     .F NO INTVW
                     .J NOT WAVE

V7622 G3b.   Your unit has enough staff members or staff hours to devote to AIDS prevention. (Would
                     you say this is true to <u>no extent</u>, <u>a</u> <u>little</u>, <u>some</u>, <u>great</u>, or to <u>a very</u> <u>great</u>
                     <u>extent?)</u>

                     1. NO EXTENT
                     2. A LITTLE EXTENT

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT
    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7623   G3c.   Counselors routinely talk to clients about the risks of transmitting AIDS through sexual contact.

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7624   G3d.   Counselors routinely talk to clients about ways to prevent transmitting AIDS through IV needle use.

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7625   G3e.   Counselors routinely talk to clients about the risks of transmitting AIDS to unborn children.

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7626   G3f.   Written materials that explain ways to prevent AIDS are routinely distributed to clients.

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7627   G3g.   Your unit has used mass media such as radio, TV, or newspapers to try to prevent AIDS.

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7628   G3h.   Your unit has staff members who work specifically on AIDS prevention.

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7629   G4.   To what extent has your outpatient unit worked with other groups or organizations to prevent AIDS. (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to <u>a very great</u> extent?)

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

V7630   G5.   To what extent do staff members from your outpatient unit work in the community to prevent AIDS? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to a very great extent?)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.C in V7631-V7641 ———— 1. NO EXTENT

2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

V7631 G6.   Thinking of all of the staff members from your outpatient unit who <u>do work in the community to prevent AIDS</u>, how <u>many total hours per week do they work in the community?</u>

Code HOURS/TOTAL STAFF (0001-1000)

9996. None; less than 1 hour per week

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C   Skip Q (when V7630=1)

V7632 G7.   Have these staff members received special training of any <u>kind on AIDS prevention?</u>

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7630=1)

       G8.   Do these staff members do any of the following as part of their work to prevent AIDS:

V7633 G8a.   Distribute written materials that indicate how to <u>sterilize needles?</u>

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7630=1)

VAR NAMES

V7634   G8b.   Distribute written materials that encourage the use of <u>condoms</u>?

      1. YES
      0. NO

      .D DK
      .E NA
      .F NO INTVW
      .J NOT WAVE

      .C Skip Q (when V7630=1)

V7635   G8c.   Distribute written materials that generally inform about <u>ways to prevent AIDS?</u>

      1. YES
      0. NO

      .D DK
      .E NA
      .F NO INTVW
      .J NOT WAVE

      .C Skip Q (when V7630=1)

V7636   G8d.   Distribute condoms?

      1. YES
      0. NO

      .D DK
      .E NA
      .F NO INTVW
      .J NOT WAVE

      .C Skip Q (when V7630=1)

V7637   G8e.   Distribute clean needles?

      1. YES
      0. NO

      .D DK
      .E NA
      .F NO INTVW
      .J NOT WAVE

      .C Skip Q (when V7630=1)

V7638   G8f.   Distribute bleach solutions in order to clean needles?

      1. YES
      0. NO

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7630=1)

V7639   G8g.   Talk to IV drug users on the streets or in places such as <u>crack houses?</u>

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7630=1)

V7640   G8h.   Talk to family members, friends, or acquaintances of IV <u>drug users?</u>

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7630=1)

V7641   G8i.   Exchange clean needles for used ones?

1. YES
0. NO

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7630=1)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

SECTION H

V7642   H1.   INTERIVEWER CHECKPOINT: Check ONE BOX ONLY

RESPONDENT FOR THIS SECTION IS:

1. PERSON LISTED ON DIRECTOR COVERSHEET LABEL
2. PERSON LISTED AS PROXY #1 ON COVERSHEET
3. PERSON LISTED AS PROXY #2 ON COVERSHEET
4. PERSON LISTED AS PROXY #3 ON COVERSHEET
5. PERSON LISTED AS PROXY #4 ON COVERSHEET

.E NA
.F   NO INTVW
.J NOT WAVE

V7643   H1a.   INTERVIEWER CHECKPOINT

.C in V7644-V7669 ———— 1. R COMPLETED DEMOGRAPHICS IN SUPERVISOR QUESTIONNAIRE

2. ALL OTHERS

The following questions concern your own background and training.

V7644   H2.   How many years have you been employed by this treatment unit?--# OF YEARS

Code # OF YEARS (01-40)

.D DK
.E NA
.F   NO INTVW
.J NOT WAVE

.C   Skip Q (when R answers in Months, when V7643=1)

V7645   H2.   # OF MONTHS

Code # OF MONTHS (01-60)

.D DK
.E NA
.F   NO INTVW
.J NOT WAVE

.C   Skip Q (when R answers in Years, when V7643=1)

V7646   H3.   How many years have you been working in the field of substance abuse treatment?--# OF YEARS

Code # OF YEARS (01-40)

.D DK
.E NA
.F   NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.C Skip Q (when R answers in Years, when V7643=1)

V7647   H3.   # OF MONTHS

Code # OF MONTHS (01-60)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C R answers in YEARS; Inap, 1 in V7643

V7648   H4.   What is your present position or job title?

UNDERLINE ADMINISTRATION

ADMINISTRATION

01. <u>Director</u>; Executive/Administrative Director; Regional/ Division/Center/Agency Director; CEO
02. <u>Deputy/Assistant/Associate Director</u>
03. Controller; <u>Finance Director</u>; "Business Administrator" (incl. assoc. or deputy financial officer)
04. "Administrator" NFS; "planner" NFS
05. <u>Administrative Assistant</u>; "Assistant to the Director"
06. Office Manager
07. Secretary; clerk; receptionist

09. Public relations; advertising; "community liaison"
10. Legal services

19. Other Administration; "program development"

PROGRAM/PROJECT/DEPARTMENT HEAD

21. Head or Director of any (sub-) unit/ operation/service; Program director/ manager/coordinator; Outpatient Director
22. Deputy or Assistant Program/Project/Department head
23. "Supervisor" or assistant supervisor; <u>clinical supervisor</u>; "team leader"; case manager

OTHER PROFESSIONALS IN THE FIELD

31. (Sr./Chief) Probation Officer
32. (Sr./Head) <u>Counselor</u>; group worker; mental health worker; "therapist"; "SA therapist/specialist"; senior therapist; "practitioner"; "clinician"; O.T. (occupational therapist)
34. Clergy; priest/minister/rabbi; chaplain
38. "Advisor" NFS; "consultant" NFS

41. Physician; psychiatrist
42. Nurse

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

43. Other health care professional; speech/physical therapist
44. Psychologist
45. Social worker (include psychiatric)

<u>MISCELLANEOUS OTHER JOBS</u>

71. Volunteer; VISTA
72. Student; graduate assistant
73. Public official; City Clerk
74. Professor/teacher; assistant professor; "researcher"

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7643=1)

V7649 H4a.   How long have you been in this position?--# OF YEARS

Code # OF YEARS (01-30)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when R answers in Months, when V7643=1)

V7650 H4a.   # OF MONTHS

Code # OF MONTHS (01-60)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when R answers in Years, when V7643=1)

V7651 H5.   What is your age?

Code YEARS OLD (18-75)

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7643=1)

V7652 H6.   (Are you male or female?)

VAR NAMES

    1. MALE
    2. FEMALE

    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7643=1)

V7653   H7.   Are you white, black, American Indian, Alaskan native, Asian, or Pacific Islander, or what?

    1. WHITE
    2. BLACK
    3. AMERICAN INDIAN OR ALASKAN NATIVE
    4. ASIAN OR PACIFIC ISLANDER

    5. SOMETHING ELSE

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7643=1)

V7654   H8.   Are you of Hispanic origin?

    1. YES
    0. NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7643=1)

V7655   H8.   Considering all of your job responsibilities, how many hours per week do you typically work
                    for your outpatient substance abuse treatment unit?

    Code NUMBER OF HOURS PER WEEK (00-80)

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7643=1)

       H10.   Of these hours worked, <u>how many</u> are spent in...

V7656   H10a.   ...providing therapy or counseling directly to clients?

    Code number of hours (00-80)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7643=1)

V7657   H10b.   ...directly supervising the work of staff therapists?

Code number of hours (00-80)

.D DK

.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7643=1)

V7658   H11.   What is the highest grade of school or year of college you completed?

.C in V7660-V7668 _____ 00-12.

.C in V7659 _____ 13.

17. 17+

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7643=1)

V7659   H11a.   Did you get a high school graduation diploma or pass a high school equivalency test?

1. YES

.C in V7660-V7668 _____ 0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7643=1)

V7660   H11b.   Do you have a college degree?

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

1. YES

.C in V7661-V7668 —— 0. NO

.D DK
.E NA

.F NO INTVW
.J NOT WAVE

.C Skip Q (when V7643=1, when V7658= 00-12, when V7659= No, DK or NA)

V7661(#1) H11c.   What degree(s) do you have?

1. A.A.; "2 yr. degree"; Associate Degree

2. R.N.

3. B.A./B.S.; Bachelor's Degree

4. M.A./M.S.; Master's Degree; M.S.W.; "specialist";
   A.B.D.

5. M.D.; D.O.; Medical Doctor; Doctor of Osteopathy

6. Ph.D.; Doctorate, except code 5

7. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7643=1, when V7658= 00-12, when V7659 or V7660= No, DK or NA)

V7662(#1) H11d.   (What field or fields is that in?)

Mentions here must match degree level coded
in previous variables.

41.   Art; music; drama

01.   "Biological Science" NFS; Biology; Pre Med
02.   Business (administration); MBA; Marketing (except Economics, code 08 and Public
       Administration, code 27); "Management"; Public Relations
03.   Chemistry; Biochemistry

04.   Counseling/Guidance; psychological counseling

05.   Communication Sciences; Media; "Speech"
06.   Criminology; Criminal Justice

VAR NAMES

07. Dietetics/Nutrition

08. Economics; Finance; Banking; Accounting
09. "Education" (general)--NFS (code Educ. Psych. as 26)
10.   Education Administration; Adult Education
11.   Physical Education
12.   Special Education
13. Engineering--any

15. English Language or Literature; Journalism

16. History; Political Science
17. "Human Services"; (Public Administration, code 27); "Social Services";
     "Rehabilitation"--NFS

18. Language--any foreign language
19. Law
20. "Liberal Arts"--NFS; "general studies"

22. Personnel Administration; Human Resources Admin.
23. Pharmacy
24. Philosophy
26. Psychology (incl. Ed. Psych.--exc. 04)); "Psych"; "Behavioral Science"; Clinical
     Psychology
27. Public Administration; Human Services Administration; MPA; Social Work
     Administration (see also 17); "Administration"--NFS
28. Public Health; Health Service Delivery or Administration
30. "Science" NFS; any specific natural science (exc. biology and chemistry); physics,
     geology; "BS"--NFS
31. Social Psychology
32. "Social Science" NFS; Anthropology
33. Social Work; BSW/MSW
34. Sociology
36. "Substance Abuse (Treatment)"/"Addictions"--NFS
35. Theology; Religion
43. Vocational Rehabilitation

HEALTH CARE PROFESSIONALS

21. M.D., Medical Doctor; physician--NFS (exc. psychiatry --code 25)
25. Psychiatry
51. General practice; family practice
52. Pediatrics
53. Internal Medicine
57. Other medical specialty
42. Nursing

97. Other

.E NA
.F   NO INTVW
.J   NOT WAVE

.B NFM
.C   Skip Q (when V7643= 1, when V7658= 00-12, when V7659 or V7660= No, DK or NA)

VAR NAMES

V7663(#2) H11c.   What degree(s) do you have?

1. A.A.; "2 yr. degree"; Associate Degree

2. R.N.

3. B.A./B.S.; Bachelor's Degree
4. M.A./M.S.; Master's Degree; M.S.W.; "specialist";
    A.B.D.

5. M.D.; D.O.; Medical Doctor; Doctor of Osteopathy

6. Ph.D.; Doctorate, except code 5

7. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7643=1, when V7658= 00-12, when V7659 or V7660= No, DK or NA)

V7664(#2) H11d.   (What field or fields is that in?)

Mentions here must match degree level coded
in previous variables.

41.   Art; music; drama

01.   "Biological Science" NFS; Biology; Pre Med
02.   Business (administration); MBA; Marketing (except Economics, code 08 and Public
      Administration, code 27); "Management"; Public Relations
03.   Chemistry; Biochemistry

04.   Counseling/Guidance; psychological counseling

05.   Communication Sciences; Media; "Speech"
06.   Criminology; Criminal Justice
07.   Dietetics/Nutrition

08.   Economics; Finance; Banking; Accounting
09.   "Education" (general)--NFS (code Educ. Psych. as 26)
10.   Education Administration; Adult Education
11.   Physical Education
12.   Special Education
13.   Engineering--any

15.   English Language or Literature; Journalism

16.   History; Political Science
17.   "Human Services"; (Public Administration, code 27); "Social Services";
      "Rehabilitation"--NFS
18.   Language--any foreign language
19.   Law

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

20. "Liberal Arts"--NFS; "general studies"

22. Personnel Administration; Human Resources Admin.
23. Pharmacy
24. Philosophy
26. <u>Psychology</u> (incl. Ed. Psych.--exc. 04)); "Psych"; "Behavioral Science"; Clinical Psychology
27. Public Administration; Human Services Administration; MPA; Social Work Administration (see also 17); "Administration"--NFS
28. Public Health; Health Service Delivery or Administration
30. "Science" NFS; any specific natural science (exc. biology and chemistry); physics, geology; "BS"--NFS
31. Social Psychology
32. "Social Science" NFS; Anthropology
33. <u>Social Work</u>; BSW/MSW
34. Sociology
36. "Substance Abuse (Treatment)"/"Addictions"--NFS
35. Theology; Religion
43. Vocational Rehabilitation

<u>HEALTH CARE PROFESSIONALS</u>

21. M.D., Medical Doctor; physician--NFS (exc. psychiatry --code 25)
25. Psychiatry
51. General practice; family practice
52. Pediatrics
53. Internal Medicine
57. Other medical specialty
42. Nursing

97. Other

.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7643= 1, when V7658= 00-12, when V7659 or V7660= No, DK or NA)

V7665(#3) H11c.   What degree(s) do you have?

1. A.A.; "2 yr. degree"; Associate Degree

2. R.N.

3. B.A./B.S.; Bachelor's Degree

4. M.A./M.S.; Master's Degree; M.S.W.; "specialist";
   A.B.D.

5. M.D.; D.O.; Medical Doctor; Doctor of Osteopathy

6. Ph.D.; Doctorate, except code 5

7. Other

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7643=1, when V7658= 00-12, when V7659 or V7660= No, DK or NA)

V7666(#3) H11d.   (What field or fields is that in?)

Mentions here must match degree level coded
in previous variables.

41. Art; music; drama

01. "Biological Science" NFS; Biology; Pre Med
02. Business (administration); MBA; Marketing (except Economics, code 08 and Public
     Administration, code 27); "Management"; Public Relations
03. Chemistry; Biochemistry

04. <u>Counseling/Guidance</u>; psychological counseling

05. Communication Sciences; Media; "Speech"
06. Criminology; Criminal Justice
07. Dietetics/Nutrition

08. Economics; Finance; Banking; Accounting
09. "<u>Education</u>" (general)--NFS (code Educ. Psych. as 26)
10.   Education Administration; Adult Education
11.   Physical Education
12.   Special Education
13. Engineering--any

15. English Language or Literature; Journalism

16. History; Political Science
17. "<u>Human Services</u>"; (Public Administration, code 27); "Social Services";
     "<u>Rehabilitation</u>"--NFS
18. Language--any foreign language
19. Law
20. "Liberal Arts"--NFS; "general studies"

22. Personnel Administration; Human Resources Admin.
23. Pharmacy
24. Philosophy
26. <u>Psychology</u> (incl. Ed. Psych.--exc. 04)); "Psych"; "Behavioral Science"; Clinical
     Psychology
27. Public Administration; Human Services Administration; MPA; Social Work
     Administration (see also 17); "Administration"--NFS
28. Public Health; Health Service Delivery or Administration
30. "Science" NFS; any specific natural science (exc. biology and chemistry); physics,
     geology; "BS"--NFS
31. Social Psychology
32. "Social Science" NFS; Anthropology
33. <u>Social Work</u>; BSW/MSW

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

34.   Sociology
36.   "Substance Abuse (Treatment)"/"Addictions"--NFS
35.   Theology; Religion
43.   Vocational Rehabilitation

<u>HEALTH CARE PROFESSIONALS</u>

21.   M.D., Medical Doctor; physician--NFS (exc. psychiatry --code 25)
25.   Psychiatry
51.   General practice; family practice
52.   Pediatrics
53.   Internal Medicine
57.   Other medical specialty
42.   Nursing

97. Other

.E NA
.F NO INTVW
.J NOT WAVE

.B NFM
.C Skip Q (when V7643= 1, when V7658= 00-12, when V7659 or V7660= No, DK or NA)

V7667(#4) H11c.   What degree(s) do you have?

1. A.A.; "2 yr. degree"; Associate Degree

2. R.N.

3. B.A./B.S.; Bachelor's Degree

4. M.A./M.S.; Master's Degree; M.S.W.; "specialist";
    A.B.D.

5. M.D.; D.O.; Medical Doctor; Doctor of Osteopathy

6. Ph.D.; Doctorate, except code 5

7. Other

.D DK
.E NA
.F   NO INTVW
.J   NOT WAVE

.B NFM
.C Skip Q (when V7643=1, when V7658= 00-12, when V7659 or V7660= No, DK or NA)

V7668(#4) H11d.   (What field or fields is that in?)

Mentions here must match degree level coded
in previous variables.

41.   Art; music; drama

VAR NAMES

01. "Biological Science" NFS; Biology; Pre Med
02. Business (administration); MBA; Marketing (except Economics, code 08 and Public Administration, code 27); "Management"; Public Relations
03. Chemistry; Biochemistry

04. Counseling/Guidance; psychological counseling

05. Communication Sciences; Media; "Speech"
06. Criminology; Criminal Justice
07. Dietetics/Nutrition

08. Economics; Finance; Banking; Accounting
09. "Education" (general)--NFS (code Educ. Psych. as 26)
10. Education Administration; Adult Education
11. Physical Education
12. Special Education
13. Engineering--any

15. English Language or Literature; Journalism
16. History; Political Science
17. "Human Services"; (Public Administration, code 27); "Social Services"; "Rehabilitation"--NFS

18. Language--any foreign language
19. Law
20. "Liberal Arts"--NFS; "general studies"

22. Personnel Administration; Human Resources Admin.
23. Pharmacy
24. Philosophy
26. Psychology (incl. Ed. Psych.--exc. 04)); "Psych"; "Behavioral Science"; Clinical Psychology
27. Public Administration; Human Services Administration; MPA; Social Work Administration (see also 17); "Administration"--NFS
28. Public Health; Health Service Delivery or Administration
30. "Science" NFS; any specific natural science (exc. biology and chemistry); physics, geology; "BS"--NFS
31. Social Psychology
32. "Social Science" NFS; Anthropology
33. Social Work; BSW/MSW
34. Sociology
36. "Substance Abuse (Treatment)"/"Addictions"--NFS
35. Theology; Religion
43. Vocational Rehabilitation

HEALTH CARE PROFESSIONALS

21. M.D., Medical Doctor; physician--NFS (exc. psychiatry --code 25)
25. Psychiatry
51. General practice; family practice
52. Pediatrics
53. Internal Medicine
57. Other medical specialty
42. Nursing

97. Other

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

    .E NA
    .F NO INTVW
    .J NOT WAVE

    .B NFM
    .C Skip Q (when V7643= 1, when V7658= 00-12, when V7659 or V7660= No, DK or NA)

v7679   H12.   Do you have a license or certification as a substance abuse counselor?

    1. YES
    .C NO

    .D DK
    .E NA
    .F NO INTVW
    .J NOT WAVE

    .C Skip Q (when V7643=1)

UNIVERSITY OF MICHIGAN   *NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS*
INSTITUTE FOR SOCIAL RESEARCH   *WAVE 3 (1990), DIRECTOR INTERVIEW*
SURVEY RESEARCH CENTER   *Fall 1990 (Reprinted 5/98)*

VAR NAMES

AGENCY AND ORGANIZATION MASTER CODE

For use with Director Q's B7d-f, B11d-f, B15b-f, B19e-f, B22,
Dei, D3a-b, D6a, D10a, D13a, D17a, D20a, D24a, D27a

Health Care Payers

01.   Medicaid; MediCal; "Title 19"
02.   Medicare; "Title 18"
03.   "Medical assistance"; "welfare"
04.   Champus

10.   Blue Cross/Blue Shield; Blue Care HMO
11.   HMO: any except 10
12.   Other specified insurance carrier: Aetna, Connecticut General, Travelers, Metropolitan, etc.

15.   Multiple insurance companies in a single mention: "many," "various companies," "all lumped together"; "3rd party payers"

16.   Company or group of workers listed as insurers (B18a-f) (may include union plans); "postal servers"; "oil field employees" [NOTE: these could include companies reimbursed by insurance cariers/unions/HMO's which are not identified]

17. Other health care payers

Federal Agencies

21.   Federal Court/parole/probation system; Federal Bureau of Prisons
22.   American Indian affairs--any federal agency
23.   NIDA--National Institute on Drug Abuse
24.   NIAAA--National Institute on Alcoholism and Alcohol Abuse
25.   NIMH--National Institute for Mental Health
26.   FDA--Food and Drug Administration
27.   DEA--Drug Enforcement Agency
28.   VA--Veteran's Administration
29.   Food Stamp Program
30.   HHS--Health & Human Services; Social Security; Education; "Human Affairs"
31.   ADAMHA--Alcohol, Drug Abuse, and Mental Health Administration; OSAP (Office of Substance Abuse Prevention)
32.   Federal Register
33.   CDC--Center for Disease Control

37.   Other Federal agencies
38.   Any references to "Title 20" funds not codeable elsewhere
39.   Other federal listings in B7d-f where an agency is not specified; "Alcoholism Block Grants"

Agency and Organization Master Code

State Agencies

40.   State Board of Pharmacy

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

41. State Court or parole/probation/prison system

42. Dept. of Health/Public Health/Mental Health/Health and Rehabilitative Services/Mental Health and Mental Retardation/Health and Human Services/Public Institutions

43. Dept. of Social Services/Human Resources/Social and Rehabilitative Services/Welfare Services; Dept. of Education

44. Alcohol/Drug Abuse/Substance Abuse--any unit (div./dept./ office/commission, etc.) (CADA) (ADAS)

46. (State) 508 or 509 Funds (Use in Section B funding questions only)

47. Other State Agencies

48. Dept. of Licensing/Certification/Regulations
49. State level--NA agency

Local Agencies (except United Way, code 72)

Courts:
51. County Court
52. City or municipal court
53. "Courts" NA city or county

All other local references (incl. schools):
55. "County" or specified county name; "county council"
56. "City" or specified city name; "city office of A+DA services"
57. "Regional" programs/agencies
58. Local--NA level; "community SA services"; "schools/ university"--NFS

61. Other Governmental programs--NA level; include here references to "taxes" as funding source where the gov't level is not specified; "mini bottle tax plan"

Agency and Organization Master Code

71. Business or industry donations or grants, include foundations; EAP (Employee Assistance Program)
72. United Way
73. JCAHO--Joint Commission on Accreditation of Healthcare Organizations; Commission on Accredidation of Rehab Services
74. Hospitals--NFS
75. CODAP--Client Outpatient Drug Abuse Profile
76. Community organizations (i.e., Kiwanis Club), incl. churches; AA
77. Professional organizations (i.e., American Association of Nurses; Family Service Association of America)

Unit's Own Efforts

81. Interest (income on savings or assets)
82. Sales of goods or services; book sales; consulting fees; students on field placements; training (other people's staff) to deal with SA
83. Fund raising activities (for donations); "membership drives"; campaign for funds; "gifts/donations"

97. Other funding source/agency/organization

VAR NAMES

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

FUNDING BASIS MASTER CODE
For use with B9, B13, B17, B21

01. VISITS (# of client visits)
02. TIME (spent with clients)
03. CLIENTS (# clients treated); "dynamic census";"size of unit"

04. Combination 01 + 02 (incl. "sliding scale by income" for B21a only)
05.   "   02 + 03
06.   "   01 + 03
07. "All 3" -- 01 + 02 + 03

10. Clients pay a fee by the week or month
11. Per day; per diem
12. Per medical intervention (exc. 13); "doctor's treatment"; include here "for services" if source is any health insurer
13. Per dose of methadone
14. Per unit cost of services; "based on unit rate for each service"; "by units"
15. Per program or per course of treatment

21. Matching funds
22. GRANT; block grant; grant-in-aid; "fund a program"
23. Contract: "performance contract"; "contract need basis" (example: employee contracts unit to handle its employee assistance program @ XXX dollars per year)
24. (Agreement to) PAY EXPENSES: "agreed to pay the rent for 3 years"; reimbursement for costs; "pay staff salaries"; "cost sharing"
25. Donations corporate or private not based on client statistics
26. Funds from a tax or fee assessed by the funding source and used to give money to the unit; "% of state liquor tax assigned to us"; HMO member fees
29. Other government payments; "line item"; "general fund"; "legislative appropriation"

Miscellaneous Sources

61. Interest (on savings)
62. Revenue/profits on sale of goods (manuals, books, etc.) or services (consulting; field placements for students, etc.)
63. Solicitation: unit efforts or campaigns to raise funds/donation; "booth at the fair"; "membership drive"

97. Other

.D DK
.E NA
.F NO INTVW
.J NOT WAVE

VAR NAMES

OTHER TREATMENT/SERVICES MASTER CODE**

NOTE: Ignore use of the adjective "intensive" with programs or
services (e.g., "intensive group therapy" = 93), except code
94. Ignore references to day, evening, weekend, etc. in
program descriptions except where indicating partial hospital-
ization, code 95.

COMMUNITY SERVICES

01.   Education/Prevention; outreach to community groups/schools (exc. 02); "education"--NFS
02.   AIDS education/information (any other AIDS mentions, code 61)
03.   Crisis intervention; Hot Line; emergency (medical) services

CLIENT SERVICES

11.   Evaluation/assessment--NFS or to assess treatment needs; "diagnostic assessment";
        psychiatric exam; "screening"; "consultation"--NFS
12.   Referral service: help client make other contacts for help; case management; resource
        networking
13.   Aftercare; treatment follow-up services; "extended care"; "relapse treatment"
14.   Rehabilitation program/services--NFS

21.   Job or vocational services: Employee Assistance Program (EAP);
        training/development/placement; vocational counseling; occupational therapy (OT)
22.   Educational assessment or placement; GED; Basic Education courses
23.   Family involvement/intervention; support for families of persons with alcohol/drug
        problems; parent groups; family education/program/therapy/counseling (also see code 34)

31.   Basic needs assistance: housing, food, clothing; include shelter for the homeless or
        abused; "social services"--NFS
32.   Daycare (for children, seniors, or as supervision for any adult)
33.   Independent Living program; halfway house; transition program from institution to living on
        one's own; group home
34.   Parenting/childcare education; "pregnancy and childbirth classes"; "Parents Anonymous"
35.   Exercise; nutrition info or counseling; weight loss; smoke stoppers; social events; arts &
        crafts
36.   Treatment accessibility; open/maintain other treatment locations; satellite offices; easier
        transportation; more convenient hours
37.   Spiritual/religious counseling

Treatment/Services Master Code

(OTHER) TYPES OF THERAPY

41.   AA (Alcoholics Anonymous) or NA (Narcotics Anonymous); "self help groups"--NFS
42.   Co-dependency treatment program
43.   Dual-diagnosis treatment program (drug and mental illness)
44.   General mental health counseling or therapy; marital counseling; "counseling for all/any
        kinds of problems"; "psychiatric"--NFS; grief or loss counseling; domestic violence
        program; sexual abuse; gambling

UNIVERSITY OF MICHIGAN   *NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS*
INSTITUTE FOR SOCIAL RESEARCH   *WAVE 3 (1990), DIRECTOR INTERVIEW*
SURVEY RESEARCH CENTER   *Fall 1990 (Reprinted 5/98)*

VAR NAMES

MEDICAL INTERVENTIONS

51. Medical services/exams; "physicals"; urine analysis; physician services; dental; chronic pain group
52. Detox; methadone detox
53. Methadone; methadone maintenance
54. Antabuse
55. Naltrexone; Trexan
56. Symmetrel
57. Acupuncture

59. Other medication treatment

TREATMENT/PROGRAMS FOR PEOPLE WITH SPECIFIED DRUG/PROBLEM AREA

61. AIDS (any mention except 02); HIV testing
62. DWI/DUI
63. Alcohol
64. Cocaine
65. Eating disorders; bulemia; anorexia
66. Multi-drug use or addiction
67. Prisoners/parolees/probationers/court generated clients (except 62)

69. Other specified drug/problem area

Treatment/Services Master Code

TREATMENT/PROGRAMS FOR TARGET POPULATIONS NOT CODEABLE ABOVE

70. Men
71. Women (include pregnancy problems)
72. Adolescents/teens; juvenile delinquents; runaways; children
73. Elderly/older adults; seniors
74. Minorities (including Native Americans)
75. Gays and/or lesbians
76. Veterans
77. Low income/poor; "people who can't pay for services"
78. Handicapped; wheelchair bound; hearing impaired

79. Other target population

SERVICES SPECIFIED AS INPATIENT/RESIDENTIAL

81. "Inpatient services or treatment"--NFS
82. Inpatient alcohol treatment
83. Inpatient detox
84. Inpatient methadone maintenance
85. Inpatient general mental health treatment

89. Other inpatient services; school/classes for inpatients; inpatient vocational training/counsel

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), DIRECTOR INTERVIEW
Fall 1990 (Reprinted 5/98)

VAR NAMES

<u>MISCELLANEOUS</u>

91. "Therapy"/"counseling"/"treatment"--NFS; "intervention"--NFS
92. Individual therapy/counseling--NFS
93. Group therapy--NFS
94. Intensive (outpatient) program--NFS
95. "Partial hospitalization" program; "4 hr. per day program"

97. Other
.D DK
.E NA
.F NO INTVW
.J NOT WAVE

.C Inap, no further mention

** For use with Director I'w #s B2a, E15, E16a, E17a, E19a, and for Supervisor I'w # F6a.

APPENDIX B: WAVE III SUPERVISOR QUESTIONNAIRE CODEBOOK

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

Outpatient Drug Abuse Treatment Survey

SUPERVISOR S QUESTIONNAIRE, WAVE 3 (1990)

Codebook

2

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

General Coding Instructions
Director's & Supervisor's Questionnaires

1. <u>Project Staff Editors</u> have used **green pencil** to indicate changes/ updates/revised data for you to code--always enter the figures indicated in green. If you have a question about the editing, feel free to ask the Editing (Tom Vaughn) or Coding (Joan Scheffler) Supervisors.

2. Before you begin coding, read the Thumbnail sketch.

3. As you code, read <u>all marginal notes</u>! This is critical for these questionnaires, as there are a wide variety of SA units or agencies trying to answer questions that may be very difficult for some kinds of units. If no one is immediately available to answer a question, do <u>not</u> ignore the problem. Indicate what you code in blue pencil beside the item and flag the page with a small "yellow sticky" (post-it-note). If your decision requires a MAKE CARD, fill it out, <u>but</u> leave it in the interview at the flagged page. Put these interviews on the Coding Supervisor's desk or in a "problem box" if one is provided.

4. If <u>a range</u> is given in answer to an amount or % question, code the midpoint. If the midpoint = .5 (and no decimal places are allowed in the coding format), round to the nearest whole <u>odd</u> number.

   <u>NOTE</u>: If a range is given in answer to a request for an average or "typical" amount and it is broader than 20 points, make a card or ask a supervisor before coding a midpoint.

   <u>ALSO NOTE</u>: Many numbers are indicated by interviewers as 10 ---> 25. This is <u>not</u> a range. This indicates a change in the Respondent's answer and should be coded as the new figure only (in this example, code 25).

5. If you have an answer <u>outside a valid code range</u>, code the actual amount given by R, override the error message, and make a card. We will expand the machine range to include actual responses. Be sure to give the card to the Coding Supervisor, not just put it in a stack on your desk or the Card Box, as I want to get these changes made as promptly as possible.

6. When any "MAKE CARDs" are required, leave inside interview (at appropriate pages) and give to Joan for review.

7. On "organization grids" like D10 (DIR) or B23 (SUP), when item b (type) is all blank, or "none" is written in, code 5 for each of the options (A-C or A-D); when item c (level) is left blank or "none", code 9 (NA).

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

ODA 3 -- GLOSSARY OF ABBREVIATIONS

AA -- Alcoholics Anonymous

ADAMHA -- Alcohol and Drug Abuse and Mental Health Administration
(source of funds often only referred to as "Block Grant")

ACOA -- Adult Children of Alcoholics

ADETS -- Alcohol/Drug Education Traffic School

CMHC -- Community Mental Health Center

COA -- Children of Alcoholics

Co-Dependency Program -- Client and partner go through a therapy program
together

DA -- Drug Abuse

DEA -- Drug Enforcement Agency

DRG -- Diagnostic Reference Group

Dual Diagnosis -- Client with a (major) mental health problem and a drug
problem

DUI/DWI -- Driving Under the Influence or Driving While Intoxicated
(court designations which often send arrestees into counseling programs)

EAP -- Employee Assistance Program

FDA -- Food and Drug Administration

HERO -- An AIDS program

JCAH -- Joint Commission on Accreditation of Hospitals
JCAHO -- Joint Commission on Accreditation of Health Organizations

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

MHMR -- Mental Health and Mental Retardation

NA -- Narcotics Anonymous

OSAS -- Office of Substance Abuse Services (state)

Outreach --   has two different uses:
        a. outreach into community to educate the general public
        b. outreach to where clients are -- onto the streets, etc.

PTSD -- Post Traumatic Stress Disorder (frequently refers Vietnam veterans)

SA -- Substance Abuse

STARR -- Street Teens for AIDS Risk Reduction

Title 20 -- Federal Public Insurance funded by H.H.S.

648 Board -- Community Mental Health Contract Board (name comes from the
        number of the legislation designating their function)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

Missing Data Codes referred to below:

.A = REFUSAL   (respondent refuses to answer)
.B = NFM   (respondent gives no further mentions to open-ended question)
.C = SKIP Q   (question was skipped due to a skip pattern from an earlier question)
.D = DK   (respondent does not know)
.E = NA   (not ascertained by interviewer)
.F = NO INTVW   (no interview with this Director)
.G = SEE OTHR   (see other question as indicated)
.H = W COCAIN   (crack figures are included with cocaine)
.J = NOT WAVE   (Unit was not in this wave)

V8001   Case ID (2000 series)

V8002   1.   LABEL ID NUMBER (5-digit)

V8003   1.   AREA CODE (3-digit)

V8004   2.   Interviewer's ID No. (4-digit)

            .E = NA

                              | If 2 Iw'rs, code ID of
                              | Iw'r who completed Iw.

V8005   3.   Date Iw Began--MONTH

            Code Month (01-04, 07-12)

            .E = NA

V8006   3.   Date Iw Began--DAY

            Code Day (01-31)

            .E = NA

V8007   3.   Date Iw Began--YEAR

            Code Year (90-91)

            .E = NA

V8008   4.   Date Iw Completed--MONTH

            Code Month (01-04, 07-12)

            .E = NA

VAR NAME

V8009   4.   Date Iw Completed--DAY

Code Day (01-31)

.E = NA

V8010   4.   Date Iw Completed--YEAR

Code Year (90-91)

.E = NA

V8011   5.   Length of Iw

Code Minutes (020-240)

.E = NA

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

SECTION A

In this interview, whenever I use the term "your outpatient unit", I am referring to (the) (NAME OF THE UNIT/UNIT DESIGNATION) located at (ADDRESS OF UNIT). Also, when I use the term "substance abuse", I am referring to <u>either</u> alcohol <u>or</u> drug abuse or <u>both</u>. I would like to ask you some questions about sources that refer clients to your <u>outpatient unit</u>.

A1.   <u>In the last 12 months</u>, to what extent has your outpatient unit received referrals from the following:

V8012   A1a.   ...vocational rehabilitation centers? Would you say to no extent, a little, some, great, or to a very great extent?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8013   A1b.   ...courts, including parole and probation? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8014   A1c.   ...hospitals?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8015 A1d. ...mental health agencies?

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8016 A1e. ...employee assistance programs?

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8017 A1f. ...the police and other law enforcement agencies?

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8018 A1g. ...self-referrals (walk-ins)?

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8019   A1h.   ...friends or family of clients? (incl. former clients)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8020   A1i.   Other major sources of referrals? (SPECIFY)

04.	Other (private) clinics
05.	Physicians
10.	Schools
11.	Churches; religious organizations
51.	Inpatient facilities/programs except hospitals
52.	AA/NA/CA
53.	HMO's (PPO)
54.	Hotline; crisis center; outreach program
61.	DUI/DWI programs
63.	Dept. of Youth/Children's Services
71.	Other professional counselors; persons in private practice
72.	Lawyers
73.	Other substance abuse treatment facilities
74.	Organizations that do assessment/referral; "central intake referral service"
75.	Social service providers (DSS); Lutheran social services; soup kitchens; shelters; welfare
97.	Other

> If employers or business mentioned tioned, move to to V8016 EAP.

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8021-V8029

.B = NFM

0 = NONE

V8021   A1i.   OTHER: EXTENT SCALE

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C = SKIP Q (when V8020=0, NFM)

V8022   A1i.   Other major sources of referrals? (SPECIFY)

> If employers or business mentioned move to V8016 EAP.

04.	Other (private) clinics
05.	Physicians
10.	Schools
11.	Churches; religious organizations
51.	Inpatient facilities/programs except hospitals
52.	AA/NA/CA
53.	HMO's (PPO)
54.	Hotline; crisis center; outreach program
61.	DUI/DWI programs
63.	Dept. of Youth/Children's Services
71.	Other professional counselors; persons in private practice
72.	Lawyers
73.	Other substance abuse treatment facilities
74.	Organizations that do assessment/referral; "central intake referral service"
75.	Social service providers (DSS); Lutheran social services; soup kitchens; shelters; welfare
97.	Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8020=0, NFM)

~~.C in V8023-V8029~~ ___ .B = NFM

0 = NONE

V8023   A1i.   OTHER: EXTENT SCALE

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8020=0, NFM; V8022=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8024   A1i.   Other major sources of referrals? (SPECIFY)

> If employers or business mentioned move to V8016 EAP.

04.   Other (private) clinics
05.   Physicians

10.   Schools
11.   Churches; religious organizations

51.   Inpatient facilities/programs except hospitals
52.   AA/NA/CA
53.   HMO's (PPO)
54.   Hotline; crisis center; outreach program

61.   DUI/DWI programs
63.   Dept. of Youth/Children's Services

71.   Other professional counselors; persons in private practice
72.   Lawyers
73.   Other substance abuse treatment facilities
74.   Organizations that do assessment/referral; "central intake referral service"
75.   Social service providers (DSS); Lutheran social services; soup kitchens; shelters; welfare

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8020=0, NFM; V8022=0, NFM)

.C in V8025-V8029 ———— .B = NFM

0.   NONE; Inap, no (further) "other" mentions; 0 in V8020

V8025   A1i.   OTHER: EXTENT SCALE

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8020=0, NFM; V8022=0, NFM; V8024=0, NFM)
.B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8026   A1i.   Other major sources of referrals? (SPECIFY)

04.	Other (private) clinics
05.	Physicians
10.	Schools
11.	Churches; religious organizations
51.	Inpatient facilities/programs except hospitals
52.	AA/NA/CA
53.	HMO's (PPO)
54.	Hotline; crisis center; outreach program
61.	DUI/DWI programs
63.	Dept. of Youth/Children's Services
71.	Other <u>professional counselors</u>; persons in private practice
72.	Lawyers
73.	Other substance abuse treatment facilities
74.	Organizations that do <u>assessment/referral</u>; "central intake referral service"
75.	<u>Social service providers</u> (DSS); Lutheran social services; soup kitchens; shelters; welfare
97.	Other

> If employers or business mentioned, move to V8016 EAP.

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8020=0, NFM; V8022=0, NFM; V8024=0, NFM)

.C in V8027-V8029 ___   .B = NFM

0 = NONE

V8027   A1i.   <u>OTHER: EXTENT SCALE</u>

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8020=0, NFM; V8022=0, NFM; V8024=0, NFM; V8026=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8028   A1i.   Other major sources of referrals? (SPECIFY)

04.	Other (private) clinics
05.	Physicians

> If employers or business mentioned move to V8016 EAP.

10.   Schools
11.   Churches; religious organizations

51.   Inpatient facilities/programs except hospitals
52.   AA/NA/CA
53.   HMO's (PPO)
54.   Hotline; crisis center; outreach program

61.   DUI/DWI programs
63.   Dept. of Youth/Children's Services

71.   Other <u>professional counselors</u>; persons in private practice
72.   Lawyers
73.   Other substance abuse treatment facilities
74.   Organizations that do <u>assessment/referral</u>; "central intake referral service"
75.   <u>Social service providers</u> (DSS); Lutheran social services; soup kitchens; shelters; welfare

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8020=0, NFM; V8022=0, NFM; V8024=0, NFM, V8026=0, NFM)

> .C in V8029

.B = NFM

0 = NONE

V8029   A1i.   <u>OTHER: EXTENT SCALE</u>

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8020=0, NFM; V8022=0, NFM; V8024=0, NFM; V8026=0, NFM; V8028=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8030   A2.   Of the referral sources just mentioned, which is the <u>most important</u> source of referrals to your outpatient substance abuse treatment unit?

<u>From QA1a-A1h</u>

01.   VOCATIONAL REHABILITATION CENTERS (a)
02.   COURTS INCLUDING PAROLE & PROBATION (b)
03.   HOSPITALS (c)

07.   MENTAL HEALTH AGENCIES (d)
08.   EMPLOYEE ASSISTANCE PROGRAMS (e)
09.   POLICE AND OTHER LAW ENFORCEMENT
       AGENCIES (f)

Categories 01-03, 07-09, 12-13 are matched to QA1a-h.

12.   SELF-REFERRALS (WALK-INS) (g)
13.   FRIENDS OR FAMILY OF CLIENTS (h) (include previous clients)

<u>From QA1i.</u>

04.   Other (private) clinics
05.   Physicians

10.   Schools
11.   Churches; religious organizations

51.   Inpatient facilities/programs except hospitals
52.   AA/NA/CA
53.   HMO's (PPO)
54.   Hotline; crisis center; outreach program

61.   DUI/DWI programs (except 12)
63.   Dept. of Youth/Children's Services

71.   Other professional counselors; persons in private practice
72.   Lawyers
73.   Other substance abuse treatment facilities
74.   Organizations that do <u>assessment/referral</u>; "central intake referral service"
75.   Social service providers (DSS); Lutheran Social Services; soup kitchens; shelters; welfare

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8031   A3.   Why do you consider (FILL IN WITH RESPONSE FROM A2) the most important source of referrals to your outpatient substance abuse treatment unit?

01.   Have only a few referral sources--therefore this/each one is important

02.   Source accounts for a large percent of our referrals; large # of referrals; a major source of clients

03.   Exchange of referrals; source takes referrals of cases we get that are more suitable for them/their services and they do the same for us

04.   Source has clients to refer who are good candidates for treatment; their clients are in early stages of addiction/abuse; "getting them young improves chances for success" (school referrals); they understand/recognize the problems and refer appropriate clients

05.   Qualities of referrals: source has continuing relationship with client/is supportive of the treatment which improves chances for success; "they follow up and help us"; "if family/friends involved in the referral, they help make it work"

06.   Motivated clients from this source (incl. self referrals); source provides motivation/sanctions which encourages clients to work in treatment (example: court referrals)

07.   Clients from this source meet funding or contractual obligations for our agency; "our funding requires that we treat 'x' type of client"

08.   (Continuing) Referrals from source shows we are doing a good job/have a good reputation/are effective; improves our public image/relationship with the community

09.   Clients from this source are agency's target population; they have access to the people we're trying to help/that we are geared to treat

R REFERS TO IMPORTANCE TO CLIENT RATHER THAN AGENCY

21.   We're the only (appropriate) agency available; we're the only ones in the area who provide "x" service (implication is that it's critical for these people to get help and referrals to R's agency is client's only chance for help)

22.   These clients bring other clients; our success with these (referral) clients means other people come to us; others see we are effective/helpful and they seek help or refer other people to us

29.   Other reference to importance to clients

51.   Financial reasons; important source of funds/fees

95.   Is not critical; we could manage without them

97.   Other reasons why referral source is important to agency

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

A4.   To what extent does your unit <u>refer</u> outpatient substance abuse clients to each of the following for treatment or for other services not provided by your unit?

V8033   A4a.   <u>...hospitals? Would you say to no extent, a little, some, great, or to a very great extent?</u>

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8034   A4b.   <u>...residential treatment units? (Would you say to no extent, a little, some, great, or to a very great extent?)</u>

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8035   A4c.   <u>...physicians?</u>

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8036   A4d.   <u>...vocational rehabilitation services?</u>

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8037   A4e.   ...mental health agencies?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8038   A4f.   ...other outpatient substance abuse treatment units?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8039   A4g.   ...self-help groups, such as Alcoholics Anonymous or Narcotics Anonymous?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8040   A4h.   ...any groups or organizations other than any just mentioned? (SPECIFY)

     05.   Dept. of Social Services--NFS or other social service agencies (not codeable in 71-77)

     08.   Schools/public school system--NFS
     09.   Churches; religious organizations

     51.   Other non-drug related <u>self-help</u> groups; Weight Watchers; self-improvement; "self help groups"--NA which
     52.   <u>Inpatient</u> treatment/services; "detox"--NFS
     53.   <u>Support</u> groups; singles' group; sexual abuse group; Al-Anon
     54.   <u>Crisis</u> center

     61.   <u>AIDS</u> related services
     62.   General <u>mental health</u> therapy/treatment; psychiatrist; family counseling; parenting classes

     71.   Other <u>medical</u>/dental services; Planned Parenthood; (Public) Health Dept.
     72.   <u>Legal</u> services; public defender's office
     73.   <u>Employment</u> related services; vocational counseling; employee assistance program
     74.   <u>Housing</u> services; shelters; Salvation Army; halfway houses
     75.   <u>Parole</u>; Probation dept.; prisoner release program
     76.   <u>Financial</u> services; welfare; public assistance; food stamps
     77.   <u>Education</u> services; junior colleges or vocational schools; adult education classes

     97.   Other

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

~~.C in V8041-V8049~~   .B = NFM

     0 = NONE

V8041   A4h.   <u>OTHER: EXTENT SCALE</u>

     1. NO EXTENT
     2. A LITTLE EXTENT
     3. SOME EXTENT
     4. A GREAT EXTENT
     5. A VERY GREAT EXTENT

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE
     .C = SKIP Q (when V8040=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8042   A4h.   ...any groups or organizations other than any just mentioned? (SPECIFY)

    05.   Dept. of Social Services--NFS or other social service agencies (not codeable in 71-77)

    08.   Schools/public school system--NFS
    09.   Churches; religious organizations

    51.   Other non-drug related <u>self-help</u> groups; Weight Watchers; self-improvement; "self help groups"--NA which
    52.   <u>Inpatient</u> treatment/services; "detox"--NFS
    53.   <u>Support</u> groups; singles' group; sexual abuse group; Al-Anon
    54.   <u>Crisis</u> center

    61.   <u>AIDS</u> related services
    62.   General <u>mental health</u> therapy/treatment; psychiatrist; family counseling; parenting classes

    71.   Other <u>medical</u>/dental services; Planned Parenthood; (Public) Health Dept.
    72.   <u>Legal</u> services; public defender's office
    73.   <u>Employment</u> related services; vocational counseling; employee assistance program
    74.   <u>Housing</u> services; shelters; Salvation Army; halfway houses
    75.   <u>Parole</u>; Probation dept.; prisoner release program
    76.   <u>Financial</u> services; welfare; public assistance; food stamps
    77.   <u>Education</u> services; junior colleges or vocational schools; adult education classes

    97.   Other

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8040=0, NFM)

~~.C in V8043-V8049~~   .B = NFM

    0 = NONE

V8043   A4h.   <u>OTHER: EXTENT SCALE</u>

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8040=0, NFM; V8042=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8044   A4h.   ...any groups or organizations other than any just mentioned? (SPECIFY)

    05.   Dept. of Social Services--NFS or other social service agencies (not codeable in 71-77)

    08.   Schools/public school system--NFS
    09.   Churches; religious organizations

    51.   Other non-drug related <u>self-help</u> groups; Weight Watchers; self-improvement; "self help groups"--NA which
    52.   <u>Inpatient</u> treatment/services; "detox"--NFS
    53.   <u>Support</u> groups; singles' group; sexual abuse group; Al-Anon
    54.   <u>Crisis</u> center

    61.   <u>AIDS</u> related services
    62.   General <u>mental health</u> therapy/treatment; psychiatrist; family counseling; parenting classes

    71.   Other <u>medical</u>/dental services; Planned Parenthood; (Public) Health Dept.
    72.   <u>Legal</u> services; public defender's office
    73.   <u>Employment</u> related services; vocational counseling; employee assistance program
    74.   <u>Housing</u> services; shelters; Salvation Army; halfway houses
    75.   <u>Parole</u>; Probation dept.; prisoner release program
    76.   <u>Financial</u> services; welfare; public assistance; food stamps
    77.   <u>Education</u> services; junior colleges or vocational schools; adult education classes

    97.   Other

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8040=0, NFM; V8042=0, NFM)

~~.C in V8045-V8049~~   .B = NFM

    0 = NONE

V8045   A4h.   <u>OTHER: EXTENT SCALE</u>

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8040=0, NFM; V8042=0, NFM; V8044=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8046   A4h.   ...any groups or organizations other than any just mentioned? (SPECIFY)

05.   Dept. of Social Services--NFS or other social service agencies (not codeable in 71-77)

08.   Schools/public school system--NFS
09.   Churches; religious organizations

51.   Other non-drug related <u>self-help</u> groups; Weight Watchers; self-improvement; "self help groups"--NA which
52.   <u>Inpatient</u> treatment/services; "detox"--NFS
53.   <u>Support</u> groups; singles' group; sexual abuse group; Al-Anon
54.   <u>Crisis</u> center

61.   <u>AIDS</u> related services
62.   General <u>mental health</u> therapy/treatment; psychiatrist; family counseling; parenting classes

71.   Other <u>medical</u>/dental services; Planned Parenthood; (Public) Health Dept.
72.   <u>Legal</u> services; public defender's office
73.   <u>Employment</u> related services; vocational counseling; employee assistance program
74.   <u>Housing</u> services; shelters; Salvation Army; halfway houses
75.   <u>Parole</u>; Probation dept.; prisoner release program
76.   <u>Financial</u> services; welfare; public assistance; food stamps
77.   <u>Education</u> services; junior colleges or vocational schools; adult education classes

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8040=0, NFM; V8042=0, NFM; V8044=0, NFM)

C in V8047-V8049 _____ .B = NFM

0 = NONE

V8047   A4h.   <u>OTHER: EXTENT SCALE</u>

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8040=0, NFM; V8042=0, NFM; V8044=0, NFM; V8046=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8048   A4h.   ...any groups or organizations other than any just mentioned? (SPECIFY)

05.   Dept. of Social Services--NFS or other social service agencies (not codeable in 71-77)

08.   Schools/public school system--NFS
09.   Churches; religious organizations

51.   Other non-drug related <u>self-help</u> groups; Weight Watchers; self-improvement; "self help groups"--NA which
52.   <u>Inpatient</u> treatment/services; "detox"--NFS
53.   <u>Support</u> groups; singles' group; sexual abuse group; Al-Anon
54.   <u>Crisis</u> center

61.   <u>AIDS</u> related services
62.   General <u>mental health</u> therapy/treatment; psychiatrist; family counseling; parenting classes

71.   Other <u>medical</u>/dental services; Planned Parenthood; (Public) Health Dept.
72.   <u>Legal</u> services; public defender's office
73.   <u>Employment</u> related services; vocational counseling; employee assistance program
74.   <u>Housing</u> services; shelters; Salvation Army; halfway houses
75.   <u>Parole</u>; Probation dept.; prisoner release program
76.   <u>Financial</u> services; welfare; public assistance; food stamps
77.   <u>Education</u> services; junior colleges or vocational schools; adult education classes

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8040=0, NFM; V8042=0, NFM; V8044=0, NFM; V8046=0, NFM)

~~.C in V8049~~   _   .B = NFM

0 = NONE

V8049   A4h.   <u>OTHER: EXTENT SCALE</u>

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8040=0, NFM; V8042=0, NFM; V8044=0, NFM; V8046=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8050   A5.   Of the <u>organizations</u> to which your unit <u>refers</u> outpatient substance abuse clients, which is the most important?

01.	HOSPITAL (a)
02.	RESIDENTIAL TREATMENT UNITS (b)
03.	PHYSICIAN (c)
04.	VOCATIONAL REHABILITATION SERVICE (d)
06.	MENTAL HEALTH AGENCIES (e)
07.	OTHER OUTPATIENT SUBSTANCE ABUSE TREATMENT UNITS (f)

> Categories 01-04, 06-07, 10 are matched to QA6a-g.

10.   SELF-HELP GROUPS SUCH AS AA/NA (g)

05.   Department of Social Services--NFS or other social service agencies (not codeable in 71-77)

08.   Schools/public school system--NFS
09.   Churches; religious organizations

51.   Other non-drug related <u>self-help</u> groups; Weight Watchers; self-improvement; "self help groups"--NA which
52.   <u>Inpatient</u> treatment/services; "detox"--NFS
53.   <u>Support</u> groups; singles' group; sexual abuse group; Al-Anon
54.   <u>Crisis</u> center

61.   <u>AIDS</u> related services
62.   General <u>mental health</u> therapy/treatment; psychiatrist; family counseling; parenting classes

71.   Other <u>medical</u>/dental services; Planned Parenthood; (Public) Health Dept.
72.   <u>Legal</u> services; public defender's office
73.   <u>Employment</u> related services; vocational counseling; employee assistance program
74.   <u>Housing</u> services; shelters; Salvation Army; halfway houses
75.   <u>Parole</u>; Probation dept.; prisoner release program
76.   <u>Financial</u> services; welfare; public assistance; food stamps
77.   <u>Education</u> services; junior colleges or vocational schools; adult education classes

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8051   A6.   Why do you consider (ORGANIZATION FROM A5) the most important organization to which your unit refers clients?

Services general

01.   Because they're (most) <u>like us</u>; offer same services, serve same client population as we do
02.   They <u>complement our services</u>, have the services we lack--NFS
03.   <u>More comprehensive</u>/broader program than our unit; can offer client better coverage or more services than we can; have access to other services/referral sources (that we don't)

Have specific services

11.   <u>Inpatient</u>, incl. detox
12.   Methadone <u>maintenance</u>
14.   <u>Medical</u> care or services; medicaid coverage; health a necessary prerequisite to recovery
15.   <u>Housing</u>; provide for basic needs; food; "for social services"--NFS
16.   <u>Employment</u> services; vocational rehabilitation
17.   General <u>mental health</u> therapy services

Service characteristics

31.   <u>Cost</u> is low(er)/reasonable; no charges
32.   <u>Quality</u> of service; "they are the best at what they do"; "well established"; "good reputation"
33.   <u>Quality of staff</u>; level of <u>staff training</u>; have more skilled/more highly trained staff
34.   <u>Accessible/convenient</u> for clients
35.   This is <u>part of our program</u>/routine; we work together to aid the client
36.   Treatment/support is <u>available</u> daily/all hours/ whenever client needs it; support available (after our treatment/indefinitely)

39.   It's good/best source--NA why; "philosophically the best approach"; "important/vital to follow 12-step model"--incl. NA why

Client progress

41.   <u>Removed client</u> from surroundings/source of problem/ people who are a bad influence; puts client into structured/controlled environment
42.   <u>Integrates client</u> into reality/new environment; provides a positive source of support/motivation to client; helps client accept/become aware of his disease/drug problem
43.   <u>Maintains/improves client progress</u>; help client stay clean/ sober after treatment; they need support after treatment to stay off drugs; "it works"

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8052   A6.   Why do you consider (ORGANIZATION FROM A5) the most important organization to which your unit refers clients?

Services general

01.   Because they're (most) like us; offer same services, serve same client population as we do
02.   They complement our services, have the services we lack--NFS
03.   More comprehensive/broader program than our unit; can offer client better coverage or more services than we can; have access to other services/referral sources (that we don't)

Have specific services

11.   Inpatient, incl. detox
12.   Methadone maintenance
14.   Medical care or services; medicaid coverage; health a necessary prerequisite to recovery
15.   Housing; provide for basic needs; food; "for social services"--NFS
16.   Employment services; vocational rehabilitation
17.   General mental health therapy services

Service characteristics

31.   Cost is low(er)/reasonable; no charges
32.   Quality of service; "they are the best at what they do"; "well established"; "good reputation"
33.   Quality of staff; level of staff training; have more skilled/more highly trained staff
34.   Accessible/convenient for clients
35.   This is part of our program/routine; we work together to aid the client
36.   Treatment/support is available daily/all hours/ whenever client needs it; support available (after our treatment/indefinitely)

39.   It's good/best source--NA why; "philosophically the best approach"; "important/vital to follow 12-step model"--incl. NA why

Client progress

41.   Removed client from surroundings/source of problem/ people who are a bad influence; puts client into structured/controlled environment
42.   Integrates client into reality/new environment; provides a positive source of support/motivation to client; helps client accept/become aware of his disease/drug problem
43.   Maintains/improves client progress; help client stay clean/ sober after treatment; they need support after treatment to stay off drugs; "it works"

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM

A7.   Thinking of all the treatment agencies to which your unit refers outpatient clients, how often does your unit...

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8053   A7a.   ...send a written case summary? Would you say never, rarely, sometimes, often, or always?

    1. NEVER
    2. RARELY
    3. SOMETIMES
    4. OFTEN
    5. ALWAYS

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8054   A7b.   ...send a complete chart? (Would you say never, rarely, sometimes, often or always?)

    1. NEVER
    2. RARELY
    3. SOMETIMES
    4. OFTEN
    5. ALWAYS

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8055   A7c.   ...provide a case summary over the phone?

    1. NEVER
    2. RARELY
    3. SOMETIMES
    4. OFTEN
    5. ALWAYS

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8056   A7d.   ...make a follow-up call to the receiving agency?

    1. NEVER
    2. RARELY
    3. SOMETIMES
    4. OFTEN
    5. ALWAYS

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8057   A7e.   ...any procedures other than those just mentioned? (SPECIFY)

    01.   Coordinate/<u>monitor methadone</u> dosages with referral agency
    02.   <u>Maintain client</u> contacts; continue visits or visit referral agency or aftercare
    03.   <u>Introduce client</u> to referral service; take them personally or brief them on what to expect; introductory letter
    04.   <u>Staff-to-staff</u> contacts/meetings/mail contacts
    05.   <u>Records</u>/papers on clients <u>sent</u> to referral organization
    06.   Get <u>client release</u> or consent to send records/ information to referral source

    11.   Make the appointment for the client
    12.   Receive a written report from the referral agency

    97.   Other

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

.C in V8058-V8066 ____   .B = NFM

    0 = NONE

V8058   A7e.   <u>OTHER: SCALE</u>

    1. NEVER
    2. RARELY
    3. SOMETIMES
    4. OFTEN
    5. ALWAYS

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8057=0, NFM)

V8059   A7e.   ...any procedures other than those just mentioned? (SPECIFY)

    01.   Coordinate/<u>monitor methadone</u> dosages with referral agency
    02.   <u>Maintain client</u> contacts; continue visits or visit referral agency or aftercare
    03.   <u>Introduce client</u> to referral service; take them personally or brief them on what to expect; introductory letter
    04.   <u>Staff-to-staff</u> contacts/meetings/mail contacts
    05.   <u>Records</u>/papers on clients <u>sent</u> to referral organization
    06.   Get <u>client release</u> or consent to send records/ information to referral source

    11.   Make the appointment for the client
    12.   Receive a written report from the referral agency

    97.   Other

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8057=0, NFM)

.C in V8060-V8066 ____   .B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

0 = NONE

V8060   A7e.   <u>OTHER: SCALE</u>

1. NEVER
2. RARELY
3. SOMETIMES
4. OFTEN
5. ALWAYS

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8057=0, NFM, V8059=O, NFM)

V8061   A7e.   <u>...any procedures other than those just mentioned? (SPECIFY)</u>

01.   Coordinate/<u>monitor methadone</u> dosages with referral agency
02.   <u>Maintain client</u> contacts; continue visits or visit referral agency or aftercare
03.   <u>Introduce client</u> to referral service; take them personally or brief them on what to expect; introductory letter
04.   <u>Staff-to-staff</u> contacts/meetings/mail contacts
05.   <u>Records</u>/papers on clients <u>sent</u> to referral organization
06.   Get <u>client release</u> or consent to send records/ information to referral source

11.   Make the appointment for the client
12.   Receive a written report from the referral agency

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8057=0, NFM, V8059=O, NFM)

.C in V8062-V8066 ____ .B = NFM

0 = NONE

V8062   A7e.   <u>OTHER: SCALE</u>

1. NEVER
2. RARELY
3. SOMETIMES
4. OFTEN
5. ALWAYS

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8057=0, NFM, V8059=O, NFM; V8061=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8063   A7e.   ...any procedures other than those just mentioned? (SPECIFY)

01.   Coordinate/<u>monitor methadone</u> dosages with referral agency
02.   <u>Maintain client</u> contacts; continue visits or visit referral agency or aftercare
03.   <u>Introduce client</u> to referral service; take them personally or brief them on what to expect; introductory letter
04.   <u>Staff-to-staff</u> contacts/meetings/mail contacts
05.   <u>Records</u>/papers on clients <u>sent</u> to referral organization
06.   Get <u>client release</u> or consent to send records/ information to referral source

11.   Make the appointment for the client
12.   Receive a written report from the referral agency

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8057=0, NFM, V8059=O, NFM; V8061=0, NFM)

~~.C in V8064 V8066~~ ___ .B = NFM

0 = NONE

V8064   A7e.   <u>OTHER: SCALE</u>

1. NEVER
2. RARELY
3. SOMETIMES
4. OFTEN
5. ALWAYS

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8057=0, NFM, V8059=O, NFM; V8061=0, NFM; V0864=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8065   A7e.   ...any procedures other than those just mentioned? (SPECIFY)

01.   Coordinate/<u>monitor methadone</u> dosages with referral agency
02.   <u>Maintain client</u> contacts; continue visits or visit referral agency or aftercare
03.   <u>Introduce client</u> to referral service; take them personally or brief them on what to expect; introductory letter
04.   <u>Staff-to-staff</u> contacts/meetings/mail contacts
05.   <u>Records</u>/papers on clients <u>sent</u> to referral organization
06.   Get <u>client release</u> or consent to send records/ information to referral source

11.   Make the appointment for the client
12.   Receive a written report from the referral agency

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8057=0, NFM, V8059=O, NFM; V8061=0, NFM; V0864=0, NFM)

~~.C in V8066~~   .B = NFM

0 = NONE

V8066   A7e.   <u>OTHER: SCALE</u>

1. NEVER
2. RARELY
3. SOMETIMES
4. OFTEN
5. ALWAYS

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8057=0, NFM, V8059=O, NFM; V8061=0, NFM; V0864=0, NFM; V8065=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

SECTION B

Next I have some questions about the staff in (NAME OF THE UNIT/DESIGNATION), <u>including yourself</u>.

V8067　　B1.　<u>Excluding consultants and independent contractors</u>, how many <u>full-time paid</u> staff, those working 35 hours per week or more, are currently employed at your outpatient unit?

Code # FULL-TIME PAID STAFF (000-250)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8068 |_____ 0.　NONE

V8068　　B1a.　(Again, not counting consultants and independent contractors), as a group, what is the <u>sum total number of hours per week</u> these full-time staff typically work at your outpatient unit?

Code TOTAL NUMBER OF HOURS (0001-9995)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8067=0)

V8069　　B2.　<u>Excluding</u> consultants and independent contractors, how many <u>part-time paid</u> staff, those working <u>less than</u> 35 hours per week, are currently employed at your <u>outpatient</u> unit?

Code # PART-TIME PAID STAFF (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8070 |_____ 0.　NONE

V8070　　B2a.　(Again, not counting consultants and independent contractors), as a group, what is the sum total number of hours per week these <u>part-time staff</u> typically work at your outpatient unit?

Code TOTAL NUMBER OF HOURS (0001-3000)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8069=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8071 B3. In addition, how many consultants and independent contractors are currently working for your outpatient unit?

Code # OF CONSULTANTS AND CONTRACTORS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8072 ——————— .0 = NONE

V8072 B3a. As a group, what is the sum total number of hours per week these consultants and independent contractors typically work for your outpatient unit?

Code TOTAL NUMBER OF HOURS (0001-3000)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8071=0)

B4. Of all the hours worked by all of your outpatient unit's employees each week, including consultants and independent contractors, what percent of total staff hours are typically devoted to...

V8073 B4a. ...administrative work, like supervision, hiring, or program development?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8074 B4b. ... clerical and support services, such as accounting, billing and other record-keeping activities?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

For this next set of questions I would like you to think about all of the staff who provide outpatient substance abuse treatment to clients at your unit, including consultants and independent contractors.

V8075 B5. In a typical week, how many staff treatment hours altogether are provided to clients?

Code TOTAL TREATMENT HOURS/WEEK (0001-9995)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

B6.   I'd like you to tell me how many treatment staff your unit has with the following qualifications. How many of your unit's <u>treatment</u> staff...

V8076   B6a.   <u>...have as their highest degree a Ph.D.?</u>

Code # OF STAFF (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8077 _____ 0 = NONE

V8077   B6b.   <u>Of these, how many are psychologists?</u>

Code # (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8076=0)

V8078   B7a.   <u>...have as their highest degree an MD or DO?</u>

Code # OF STAFF (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8079 _____ 0 = NONE

V8079   B7b.   Of these, how many are psychiatrists?

Code # (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8078=0)

V8080   B8a.   <u>...have as their highest degree a Master's degree?</u>

Code # OF STAFF (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C in V8081-V8082 —— 0 = NONE

V8081 B8b. Of these, how many have a Master's degree in Psychology?

     Code # (000-100)

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE
     .C = SKIP Q (when V8080=0)

V8082 B8c. How many have a Master's degree in Social Work?

     Code # (000-100)

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE
     .C = SKIP Q (when V8080=0)

V8083 B9a. ...have as their highest degree a bachelor's degree excluding those with Registered Nurse (RN) degrees?

     Code # OF STAFF (000-100)

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

V8084 B10a. ...have an RN as their highest degree?

     Code # OF STAFF (000-100)

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

V8085 B11a. ...have an Associate's Degree, or at least some college as their highest level of schooling?

     Code # OF STAFF (000-100)

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

V8086 B12a. ...have a high school diploma or less as their highest level of schooling?

     Code # OF STAFF (000-100)

     .D = DK

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8087   B13a.   (Of all your paid treatment staff) how many are ex-addicts or recovering alcoholics?

               Code # OF STAFF (000-100)

               .D = DK
               .E = NA
               .F = NO INTVW
               .J = NOT WAVE

V8088   B14a.   (Of all your paid treatment staff) how many have specialized training in substance abuse treatment?

               Code # OF STAFF (000-150)

               996. All

               .D = DK
               .E = NA
               .F = NO INTVW
               .J = NOT WAVE

V8089   B15a.   (Of all your paid treatment staff) how many have special certification in substance abuse treatment?

               Code # OF STAFF (000-100)

               996. All

               .D = DK
               .E = NA
               .F = NO INTVW
               .J = NOT WAVE

      B16.   What percent of the outpatient substance abuse treatment provided by your unit is done by persons whose highest degree is:

V8090   B16a.   a Ph.D?

               Code % (000-100)

               .D = DK
               .E = NA
               .F = NO INTVW
               .J = NOT WAVE

V8091   B16b.   an MD or DO?

               Code % (000-100)

               .D = DK
               .E = NA
               .F = NO INTVW
               .J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

VAR NAME

V8092　　　B16c.　　a Master's degree?

　　　　　　　　Code % (000-100)

　　　　　　　　.D = DK
　　　　　　　　.E = NA
　　　　　　　　.F = NO INTVW
　　　　　　　　.J = NOT WAVE

V8093　　　B16d.　　a bachelor's degree excluding those with Registered Nurse (R.N.) degrees?

　　　　　　　　Code % (000-100)

　　　　　　　　.D = DK
　　　　　　　　.E = NA
　　　　　　　　.F = NO INTVW
　　　　　　　　.J = NOT WAVE

V8094　　　B16e.　　some other level of schooling?

　　　　　　　　Code % (000-100)

　　　　　　　　.D = DK
　　　　　　　　.E = NA
　　　　　　　　.F = NO INTVW
　　　　　　　　.J = NOT WAVE

V8095　　　B17.　　How many consultants or independent contractors, either part-time or full-time, are used to provide substance abuse treatment at your unit?

　　　　　　　　Code # (000-100)

　　　　　　　　.D = DK
　　　　　　　　.E = NA
　　　　　　　　.F = NO INTVW
　　　　　　　　.J = NOT WAVE

.C in V8096-V8098 ⎯⎯ 0 = NONE

　　　　　　　　B18.　　Of these, how many:

V8096　　　B18a.　　are physicians?

　　　　　　　　Code # (000-100)

　　　　　　　　.D = DK
　　　　　　　　.E = NA
　　　　　　　　.F = NO INTVW
　　　　　　　　.J = NOT WAVE

V8097　　　B18b.　　are Ph.D's in psychology?

　　　　　　　　Code # (000-100)

　　　　　　　　.D = DK
　　　　　　　　.E = NA
　　　　　　　　.F = NO INTVW

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.J = NOT WAVE

V8098   B18c.   are Master's level social workers or psychologists?

Code # (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8099   B19.   INTERVIEWER CHECKPOINT

1. TREATMENT IS PROVIDED BY EX-ADDICTS OR RECOVERING STAFF

.C in V8100-V8101.   2. TREATMENT IS NOT PROVIDED BY EX-ADDICTS OR RECOVERING STAFF

V8100   B20.   To what extent does your outpatient substance abuse treatment unit employ ex-addicts or recovering alcoholics to enhance the public image, reputation or acceptance of this outpatient unit? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8099=2)

V8101   B21.   (To what extent does your outpatient substance abuse treatment unit employ ex-addicts or recovering alcoholics) because it is important to keep up with the substance abuse field? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8099=2)

V8102   B22.   INTERVIEWER CHECKPOINT

1.   UNIT HAS PROFESSIONAL TREATMENT STAFF WITH MASTER'S DEGREE OR HIGHER

VAR NAME

.C in V8103-V8124,　2.　　UNIT DOES NOT HAVE PROFESSIONAL STAFF
  V8125-V8144

V8103　　　B23.　To what extent does your outpatient unit employ professional treatment staff because of a formal agreement between your outpatient unit and some other organization? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to a very great extent?)

.C in V8104-V8123　1.　NO EXTENT

　　　　　　2.　A LITTLE EXTENT
　　　　　　3.　SOME EXTENT
　　　　　　4.　A GREAT EXTENT
　　　　　　5.　A VERY GREAT EXTENT

　　　　　　.D = DK
　　　　　　.E = NA
　　　　　　.F = NO INTVW
　　　　　　.J = NOT WAVE
　　　　　　.C = SKIP Q (when V8102=2)

V8104　　　B23a.　What are the names of these organizations?--SUMMARY

　　　　　　Code SUMMARY # of Mentions (1-7)

.C in V8111-V8123　1.　One

.C in V8117-V8122　2.　Two

　　　　　　3.　Three

　　　　　　.D = DK
　　　　　　.E = NA
　　　　　　.F = NO INTVW
　　　　　　.J = NOT WAVE
　　　　　　.C = SKIP Q (when V8102=2; V8103=1)

V8105　　　B23a.　What are the names of these organizations?

　　　　　　Use AGENCY/ORGANIZATION Master Code (see p.)

　　　　　　.D = DK
　　　　　　.E = NA
　　　　　　.F = NO INTVW
　　　　　　.J = NOT WAVE
　　　　　　.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

　　　　　　B23b.　Which of the following describe (NAME OF ORGANIZATION)? Is it a funding organization?
　　　　　　　　...a licensing or accreditation organization?
　　　　　　　　...a referral source?
　　　　　　　　...a substance abuse treatment unit?
　　　　　　　(CHECK ALL THAT APPLY)

V8106　　　B23b.　A. FUNDING

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8107   B23b.   LICENSING/ACCREDITATION

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8108   B23b.   REFERRAL

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8109   B23b.   TREATMENT

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8110   B23c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY ONE.)
[IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.

1. LOCAL
2. STATE
3. FEDERAL
4. NATIONAL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8111   B23a.   What are the names of these organizations?

VAR NAME

Use AGENCY/ORGANIZATION Master Code (see p .)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

B23b.　Which of the following describe (NAME OF ORGANIZATION)? Is it a funding organization?
　　　...a licensing or accreditation organization?
　　　...a referral source?
　　　...a substance abuse treatment unit?
　　(CHECK ALL THAT APPLY)

V8112　　B23b.　A. FUNDING

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8113　　B23b.　LICENSING/ACCREDITATION

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8114　　B23b.　REFERRAL

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8115　　B23b.　TREATMENT

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8116 B23c. Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY ONE.)
       [IF R SAYS MORE <u>THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.</u>

        1. LOCAL
        2. STATE
        3. FEDERAL
        4. NATIONAL

        .D = DK
        .E = NA
        .F = NO INTVW
        .J = NOT WAVE
        .C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8117 B23a. What are the names of these organizations?

       Use AGENCY/ORGANIZATION Master Code (see pp.)

       .D = DK
       .E = NA
       .F = NO INTVW
       .J = NOT WAVE
       .C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

      B23b. Which of the following describe (NAME OF ORGANIZATION)? Is it a funding organization?
        ...a licensing or accreditation organization?
        ...a referral source?
        ...a substance abuse treatment unit?
       (CHECK ALL THAT APPLY)

V8118 B23b. A. FUNDING

       1. Checked
       5. Not checked

       .D = DK
       .E = NA
       .F = NO INTVW
       .J = NOT WAVE
       .C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8119 B23b. LICENSING/ACCREDITATION

       1. Checked
       5. Not checked

       .D = DK
       .E = NA
       .F = NO INTVW
       .J = NOT WAVE
       .C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8120   B23b.   REFERRAL

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8121   B23b.   TREATMENT

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8122   B23c.   Is it a local, state, or federal organization; or is it a national organization? (CHECK ONLY ONE.)
[IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.

1. LOCAL
2. STATE
3. FEDERAL
4. NATIONAL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1-2)

V8123   B24.   To what extent do the organizations you mentioned have conflicting expectations or requirements
of your unit? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8103=1; V8104=1)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8124 B25. (To what extent does your outpatient unit employ professional treatment staff) because some other organization offered your outpatient unit incentives like technical assistance or seed money to do so? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to <u>a very</u> <u>great extent?</u>)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2)

V8125 B26. (To what extent does your outpatient unit employ professional treatment staff) in order to comply with government agency regulations? (Would you say to no extent, a little, some, great, or to a very great extent?)

.C in V8126-V8142 ── 1. NO EXTENT

2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2)

V8126 B26a. What are the names of these agencies?--SUMMARY

Code SUMMARY # of Mentions (1-7)

.C in V8132-V8142 ── 1. One

.C in V8137-V8141 ── 2. Two

3. Three

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8125=1)

V8127 B26a. What are the names of these agencies?

Use AGENCY/ORGANIZATION Master Code (see pp.)

.D = DK
.E = NA

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

B26b.   Which of the following describe (NAME OF AGENCY)? Is it a funding agency?
    ...a licensing or accreditation agency?
    ...a referral source?
    (CHECK ALL THAT APPLY)

V8128   B26b.   A. FUNDING

    1. Checked
    5. Not checked

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

V8129   B26b.   LICENSING/ACCREDITATION

    1. Checked
    5. Not checked

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

V8130   B26b.   REFERRAL

    1. Checked
    5. Not checked

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

V8131   B26c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

    1. LOCAL
    2. STATE
    3. FEDERAL

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8132 B26a. What are the names of these agencies?

         Use AGENCY/ORGANIZATION Master Code (see p.)

         .D = DK
         .E = NA
         .F = NO INTVW
         .J = NOT WAVE
         .C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

       B26b. Which of the following describe (NAME OF AGENCY)? Is it a funding agency?
         ...a licensing or accreditation agency?
         ...a referral source?
         (CHECK ALL THAT APPLY)

V8133 B26b. A. FUNDING

         1. Checked
         5. Not checked

         .D = DK
         .E = NA
         .F = NO INTVW
         .J = NOT WAVE
         .C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

V8134 B26b. LICENSING/ACCREDITATION

         1. Checked
         5. Not checked

         .D = DK
         .E = NA
         .F = NO INTVW
         .J = NOT WAVE
         .C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

V8135 B26b. REFERRAL

         1. Checked
         5. Not checked

         .D = DK
         .E = NA
         .F = NO INTVW
         .J = NOT WAVE
         .C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8136   B26c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

V8137   B26a.   What are the names of these agencies?

Use AGENCY/ORGANIZATION Master Code (see p.)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

           B26b.   Which of the following describe (NAME OF AGENCY)? Is it a funding agency?
                   ...a licensing or accreditation agency?
                   ...a referral source?
                   (CHECK ALL THAT APPLY)

V8138   B26b.   A. FUNDING

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

V8139   B26b.   LICENSING/ACCREDITATION

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8140   B26b.   REFERRAL

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

V8141   B26c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE,
                     CHECK THE BOX WITH THE LOWEST CODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8125=1; V8126=1-2)

V8142   B27.   To what extent do the government agencies you mentioned have conflicting expectations or
                     requirements of your unit? (Would you say to no extent, a little, some, great, or to a very great
                     extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2; V8125=1; V8126=1)

V8143   B28.   (To what extent does your outpatient unit employ professional treatment staff) to enhance the
                     public image, reputation or acceptance of this outpatient unit? (Would you say to no extent, a
                     little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8102=2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8144   B29.   (To what extent does your outpatient unit employ professional treatment staff) because it is important to keep up with the substance abuse field? (Would you say to no extent, a little, some, great, or to a very great extent?)

        1. NO EXTENT
        2. A LITTLE EXTENT
        3. SOME EXTENT
        4. A GREAT EXTENT
        5. A VERY GREAT EXTENT

        .D = DK
        .E = NA
        .F = NO INTVW
        .J = NOT WAVE
        .C = SKIP Q (when V8102=2)

V8145   B30.   On average, how many months of clinically supervised training did <u>each</u> of your outpatient treatment staff have prior to joining this unit?

        Code # OF MONTHS (000-300)

        001. One month or less

        .D = DK
        .E = NA
        .F = NO INTVW
        .J = NOT WAVE

> NOTE: To recode "YEARS" into months: 1=12, 2=24, 3=36, 4=48, 5=60, 6=72, 7=84, 8=96, 9=108, 10=120.

V8146   B31.   How often are performance evaluations conducted with each of the treatment staff in your outpatient unit <u>after their probationary period</u>? (Would you say it is done on a <u>monthly basis</u>, a <u>quarterly</u> basis, <u>semi-annually</u>, on an annual basis, less than once a year, or not done at all?)

        0. NOT DONE/NEVER
        1. LESS THAN ONCE A YEAR
        2. ANNUAL BASIS
        3. SEMI-ANNUAL
        4. QUARTERLY BASIS
        5. MONTHLY BASIS

        .D = DK
        .E = NA
        .F = NO INTVW
        .J = NOT WAVE

V8147   B32.   Based on the current caseload in your outpatient unit, is the number of clients per staff member in your unit much too low, too low, about right, too high, or much too high?

        1. MUCH TOO LOW
        2. TOO LOW
        3. ABOUT RIGHT
        4. TOO HIGH
        5. MUCH TOO HIGH

        .D = DK
        .E = NA
        .F = NO INTVW
        .J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8148   B33.   What is the <u>typical</u> active caseload for a full-time member of the treatment staff at your outpatient unit?

Code # OF CLIENTS (001-150)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8149   B34.   What is the <u>ideal</u> active caseload for a full-time member of the treatment staff at your outpatient unit?

Code # OF CLIENTS (001-150)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

B35.   Now I'd like you to think about your outpatient unit's hiring policies and practices. When hiring or contracting for treatment staff how much do <u>you</u> agree or disagree with each of the following statements about the applicant's background?

V8150   B35a.   An applicant should have a professional degree. Would you say that you <u>strongly agree</u>, <u>somewhat agree</u>, <u>neither agree</u> nor disagree, somewhat disagree or strongly disagree?

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8151   B35b.   An applicant should have previous experience working in a substance abuse agency. (Would you say that you <u>strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree</u>?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8152   B35c.   (An applicant) should have specialized training in the substance abuse field.

    1. STRONGLY AGREE
    2. SOMEWHAT AGREE
    3. NEITHER AGREE NOR DISAGREE
    4. SOMEWHAT DISAGREE
    5. STRONGLY DISAGREE

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8153   B35d.   (An applicant) should have a personal history of substance abuse problems.

    1. STRONGLY AGREE
    2. SOMEWHAT AGREE
    3. NEITHER AGREE NOR DISAGREE
    4. SOMEWHAT DISAGREE
    5. STRONGLY DISAGREE

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8154   B35e.   (An applicant) should have certification as a substance abuse counselor.

    1. STRONGLY AGREE
    2. SOMEWHAT AGREE
    3. NEITHER AGREE NOR DISAGREE
    4. SOMEWHAT DISAGREE
    5. STRONGLY DISAGREE

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8155   B35f.   (An applicant) should have had supervised clinical experience during training.

    1. STRONGLY AGREE
    2. SOMEWHAT AGREE
    3. NEITHER AGREE NOR DISAGREE
    4. SOMEWHAT DISAGREE
    5. STRONGLY DISAGREE

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

B36.   Please tell me how much <u>you</u> agree or disagree with each of the following statements about the effectiveness of substance abuse treatment staff.

V8156   B36a.   Ex-addicts or recovering staff have a special kind of experience that enables them to work more effectively with clients than non-recovering staff. (Would you say that you <u>strongly agree</u>, <u>somewhat agree</u>, <u>neither agree nor</u> disagree, somewhat disagree,or strongly disagree?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8157   B36b.   Staff with professional degrees have greater knowledge than those without professional degrees about the underlying causes of substance abuse that enables them to be more effective in treatment. (Would you say that you <u>strongly agree</u>, <u>somewhat agree</u>, <u>neither agree nor disagree,</u> <u>somewhat disagree, or strongly disagree?</u>)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8158   B36c.   A recovering substance abuse staff person is better able to deal with client denial and resistance than a non- <u>recovering staff person.</u>

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8159   B36d.   Staff with professional degrees are better able to maintain an objective view of clients' substance abuse problems than staff without professional degrees.

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

B37.   Please tell me how much you agree or disagree with the following statements about innovation in your unit. (Would you say you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree.)

V8160   B37a.   Staff members in this unit are encouraged and rewarded for coming up with new ways to improve services. (Would you say that you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8161   B37b.   It is important to limit changes in the procedures followed in this unit to prevent disruptions in the delivery of services. (Would you say that you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8162   B37c.   Key staff members in this unit are <u>uncomfortable</u> with changes in established policies and procedures.

    1. STRONGLY AGREE
    2. SOMEWHAT AGREE
    3. NEITHER AGREE NOR DISAGREE
    4. SOMEWHAT DISAGREE
    5. STRONGLY DISAGREE

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8163   B37d.   This unit has adequate funds and personnel to learn about new procedures and practices in the area of substance abuse treatment.

    1. STRONGLY AGREE
    2. SOMEWHAT AGREE
    3. NEITHER AGREE NOR DISAGREE
    4. SOMEWHAT DISAGREE
    5. STRONGLY DISAGREE

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

SECTION C

The following questions are concerned with clients receiving outpatient services at your unit. The first set of questions focuses on all of your unit's outpatient clients, whether or not they received substance abuse treatment. A different set of questions asks only about outpatient clients who received at least some substance abuse treatment at your unit.

Now, let me ask the first set of questions about all of your unit's outpatient clients for the most recent complete fiscal year.

V8164   C1.   First, I need to establish dates for your unit's most recent complete fiscal year. What are the beginning and ending dates of your unit's most recent complete fiscal year?--BEGINNING: MONTH

Code MONTH (01-12)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8165   C1.   BEGINNING: DAY

Code DAY (01-31)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8166   C1.   BEGINNING: YEAR

Code YEAR (88-90)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8167   C1.   ENDING: MONTH

Code MONTH (01-12)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8168   C1.   ENDING: DAY

Code DAY (01-31)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8169   C1.   <u>ENDING: YEAR</u>

Code YEAR (88-90)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8170   C2.   Altogether, what is the total number of clients who received outpatient treatment services of <u>any kind</u> at your unit in the most recent complete fiscal year?

Code # OF CLIENTS (00001-99995)

97. Editor's flag for problem Iw's

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8171   C3.   Of all the clients receiving outpatient treatment services at your unit in the <u>most recent complete fiscal year</u>, what percent had a problem of alcohol abuse?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8172 —————— 0

V8172   C3a.   Of the outpatient clients who had an <u>alcohol abuse</u> problem, what percent were in treatment because employers or courts required it?

Code % OF ALCOHOL CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8171=0)

V8173   C4.   Of all the clients receiving outpatient treatment services at your unit in the <u>most recent complete fiscal year</u>, what percent had a problem of drug abuse?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C in V8174 ———————— 0

V8174   C4a.   Of the outpatient clients who had a <u>drug abuse</u> problem, what percent were in treatment because employers or courts required it?

Code % OF DRUG CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8173=0)

C5.   During the <u>most recent complete fiscal year</u>, what percent of all your unit's outpatient clients had any of the following types of substance abuse as a problem?

V8175   C5a.   <u>Abuse of heroin?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8176   C5b.   Abuse of nonprescription methadone?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8177   C5c.   Abuse of other opiates or synthetics?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8178   C5d.   (Abuse of) barbiturates or tranquilizers?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8179   C5e.   (Abuse of) other sedatives or hypnotics?

Code % OF CLIENTS (000-100)

.D = DK

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8180   C5f.   (Abuse of) cocaine, other than crack?

    995. (V8181 only) % included in cocaine

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

> If R can't separate cocaine and crack-- code % given in cocaine and code 995 for crack (V8181)

V8181   C5g.   (Abuse of) crack?

    995. (V8181 only) % included in cocaine

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

> If R can't separate cocaine and crack-- code % given in cocaine and code 995 for crack (V8181)

V8182   C5h.   (Abuse of) "ice" (crystal methamphetamine)?

    Code % OF CLIENTS (000-100)

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8183   C5i.   (Abuse of) amphetamines, other than ice?

    Code % OF CLIENTS (000-100)

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8184   C5j.   (Abuse of) over-the-counter drugs?

    Code % OF CLIENTS (000-100)

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8185   C5k.   (Abuse of) prescription drugs?

    Code % OF CLIENTS (000-100)

    .D = DK
    .E = NA
    .F = NO INTVW

VAR NAME

.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8186   C5l.   (Abuse of) marijuana or hashish?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8187   C5m.   (Abuse of) hallucinogens such as LSD or PCP?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8188   C5n.   (Abuse of) multiple drugs?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8189   C5o.   What <u>other drugs</u>, including drug combinations, were abused by your unit's outpatient clients in the most recent complete fiscal year? (SPECIFY:)

01.   Alcohol (cough syrup, rubbing alcohol, etc.)
02.   Steroids
03.   Inhalants
04.   Quaaludes

31.   Amphetamines and marijuana
32.   Marijuana and hallucinogens

41.   Heroin and other drug (exc. 55 and 61)

51.   Alcohol and marijuana
52.   Alcohol and cocaine/crack
53.   Alcohol, marijuana and cocaine/crack
54.   Alcohol and tranquilizers
55.   Alcohol and heroin
56.   Alcohol and amphetamines

59.   Alcohol and "anything" or "everything"

61.   Cocaine/crack and heroin/opiates
62.   Cocaine and marijuana
63.   Cocaine and other drug (not codeable in 52, 61 or 62)

71.   Over-the-counter drugs--NFS
72.   Prescription drugs--NFS
73.   "Designer drugs"

81.   Caffeine
82.   Nicotine

<u>Other or specific mentions of:</u>

91.   Opiates
92.   Barbiturates or tranquilizers; Xanex; Prozac
93.   Sedatives or hypnotics; benzodiazepine/Doriden
94.   Amphetamines
95.   Hallucinogens
96.   Analgesics; painkillers: Talwin/Demerol/Darvon/ Percodan/Dilaudid

97. Other (incl. combinations)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8189-V8196 ⎯⎯ .B = NFM

0. NONE (in C5o#1 only)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8190   C5p.   What percent of your unit's outpatient clients abused (DRUG)?

Code % OF CLIENTS (001-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8189=0, NFM)
.B = NFM

V8191   C5o.   What <u>other drugs</u>, including drug combinations, were abused your unit's outpatient clients in the most recent complete fiscal year? (SPECIFY:)

01.   Alcohol (cough syrup, rubbing alcohol, etc.)
02.   Steroids
03.   Inhalants
04.   Quaaludes

31.   Amphetamines and marijuana
32.   Marijuana and hallucinogens

41.   Heroin and other drug (exc. 55 and 61)

51.   Alcohol and marijuana
52.   Alcohol and cocaine/crack
53.   Alcohol, marijuana and cocaine/crack
54.   Alcohol and tranquilizers
55.   Alcohol and heroin
56.   Alcohol and amphetamines

59.   Alcohol and "anything" or "everything"

61.   Cocaine/crack and heroin/opiates
62.   Cocaine and marijuana
63.   Cocaine and other drug (not codeable in 52, 61 or 62)

71.   Over-the-counter drugs--NFS
72.   Prescription drugs--NFS
73.   "Designer drugs"

81.   Caffeine
82.   Nicotine

<u>Other or specific mentions of:</u>
91.   Opiates
92.   Barbiturates or tranquilizers; Xanex; Prozac
93.   Sedatives or hypnotics; benzodiazepine/Doriden
94.   Amphetamines
95.   Hallucinogens
96.   Analgesics; painkillers: Talwin/Demerol/Darvon/ Percodan/Dilaudid

97.   Other (incl. combinations)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8192-V8196 ___   .B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8192   C5p.   What percent of your unit's outpatient clients abused (DRUG)?

Code % OF CLIENTS (001-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8189=0,NFM; V8191=NFM)
.B = NFM

V8193   C5o.   What <u>other drugs</u>, including drug combinations, were abused your unit's outpatient clients in the most recent complete fiscal year? (SPECIFY:)

01.   Alcohol (cough syrup, rubbing alcohol, etc.)
02.   Steroids
03.   Inhalants
04.   Quaaludes

31.   Amphetamines and marijuana
32.   Marijuana and hallucinogens

41.   Heroin and other drug (exc. 55 and 61)

51.   Alcohol and marijuana
52.   Alcohol and cocaine/crack
53.   Alcohol, marijuana and cocaine/crack
54.   Alcohol and tranquilizers
55.   Alcohol and heroin
56.   Alcohol and amphetamines

59.   Alcohol and "anything" or "everything"

61.   Cocaine/crack and heroin/opiates
62.   Cocaine and marijuana
63.   Cocaine and other drug (not codeable in 52, 61 or 62)

71.   Over-the-counter drugs--NFS
72.   Prescription drugs--NFS
73.   "Designer drugs"

81.   Caffeine
82.   Nicotine

Other or specific mentions of:
91.   Opiates
92.   Barbiturates or tranquilizers; Xanex; Prozac
93.   Sedatives or hypnotics; benzodiazepine/Doriden
94.   Amphetamines
95.   Hallucinogens
96.   Analgesics; painkillers: Talwin/Demerol/Darvon/ Percodan/Dilaudid

97.   Other (incl. combinations)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8189=0,NFM; V8191=NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C in V8194-V8196 ⎯⎯ .B = NFM

V8194   C5p.   What percent of your unit's outpatient clients abused (DRUG)?

Code % OF CLIENTS (001-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8189=0, NFM; V8191=NFM; V8193=NFM)
.B = NFM

V8195   C5o.   What <u>other drugs</u>, including drug combinations, were abused your unit's outpatient clients in the most recent complete fiscal year? (SPECIFY:)

01.   Alcohol (cough syrup, rubbing alcohol, etc.)
02.   Steroids
03.   Inhalants
04.   Quaaludes

31.   Amphetamines and marijuana
32.   Marijuana and hallucinogens

41.   Heroin and other drug (exc. 55 and 61)

51.   Alcohol and marijuana
52.   Alcohol and cocaine/crack
53.   Alcohol, marijuana and cocaine/crack
54.   Alcohol and tranquilizers
55.   Alcohol and heroin
56.   Alcohol and amphetamines

59.   Alcohol and "anything" or "everything"

61.   Cocaine/crack and heroin/opiates
62.   Cocaine and marijuana
63.   Cocaine and other drug (not codeable in 52, 61 or 62)

71.   Over-the-counter drugs--NFS
72.   Prescription drugs--NFS
73.   "Designer drugs"

81.   Caffeine
82.   Nicotine

<u>Other or specific mentions of</u>:
91.   Opiates
92.   Barbiturates or tranquilizers; Xanex; Prozac
93.   Sedatives or hypnotics; benzodiazepine/Doriden
94.   Amphetamines
95.   Hallucinogens
96.   Analgesics; painkillers: Talwin/Demerol/Darvon/ Percodan/Dilaudid

97.   Other (incl. combinations)

.D = DK
.E = NA
.F = NO INTVW

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.J = NOT WAVE
.C = SKIP Q (when V8189=0,NFM; V8191=NFM, V8193=NFM)

.C in V8196 ___ .B = NFM

V8196   C5p.   What percent of your unit's outpatient clients abused (DRUG)?

Code % OF CLIENTS (001-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8189=0,NFM; V8191=NFM); V8193=NFM; V8195=NFM)
.B = NFM

V8197   C6.   This next set of questions is about those clients who received at least some substance abuse treatment services at your outpatient unit. Altogether, how many clients received outpatient substance abuse treatment services from your unit in the most recent complete fiscal year?

Code # OF CLIENTS (00001-99995)

99997. Editor's flag for problem Iw's

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

            C7.   Of these outpatient substance abuse clients your unit treated in the most recent complete fiscal year, what percent were:

V8198   C7a.   Black, not of Hispanic origin?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8199   C7b.   White, not of Hispanic origin?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8200   C7c.   Hispanic?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.J = NOT WAVE

VAR NAME

V8201　　C7d.　Other races or ethnic groups?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

　　　　　C8.　Of all the outpatient substance abuse clients your unit treated in the most recent complete fiscal year, what percent were in the following age categories:

V8202　　C8a.　Under 20 years of age?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8203　　C8b.　20-29?

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8204　　C8c.　30-39?

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8205　　C8d.　40-49?

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8206　　C8e.　50-64?

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8207　　C8f.　65 or over?

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8208   C9.   What percent were male?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8209   C10.   What was the percent of outpatient substance abuse clients at your unit in the <u>most recent complete fiscal year</u> whose use of drugs involved injection with needles?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8210   C11.   What percent of outpatient substance abuse clients in treatment at your unit during the last 30 days still occasionally inject drugs using needles?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

C12.   Of the <u>total number</u> of outpatient substance abuse clients your unit treated in the most recent complete fiscal year, what percent...:

V8211   C12a.   <u>...have tested positive for the HIV/AIDS virus?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8212   C12b.   <u>...have been diagnosed as having AIDS?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8213   C12c.   <u>... died from AIDS?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW

VAR NAME

.J = NOT WAVE

C13. Of the outpatient substance abuse clients treated by your unit in the most recent complete fiscal year, what percent have ever engaged in any of the following types of illegal activities to support their habit:

V8214   C13a.   Prostitution?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8215   C13b.   Theft or burglary?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8216   C13c.   Dealing drugs?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8217   C13d.   Violent crimes (such as mugging or armed robbery)?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8218   C13e.   Other illegal activities <u>to support their habit</u>? <u>(SPECIFY:)</u>

    01.   <u>Theft</u>: grand theft; shoplifting; minor theft; B&E; auto theft (incl. "receiving stolen property")
    02.   <u>Forged checks</u>; embezzlement; "forgery"--NFS
    03.   <u>Forged</u> (or illegally obtained) <u>prescriptions</u>
    04.   <u>Con games</u>/fraud/swindles (exc. 03); mail fraud; extortion
    05.   <u>Selling</u>/transporting/smuggling/manufacturing drugs
    06.   <u>Sale of other illegal goods</u>; guns
    07.   Assault; murder
    08.   Gambling
    09.   Prostitution; pimping

    96.   Other illegal behavior <u>not directly related</u> to supporting drug habit or obtaining drugs; "disorderly conduct"; "destruction of property"; "rape"; "DWI"; "drug possession"

    97.   Other

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

.C in V8219-V8227.   .B = NFM

    0 = NONE

V8219   C13f.   What percent of your unit's outpatient clients engage in <u>(ACTIVITY)</u>?

Code % OF CLIENTS (000-100)

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8218=0, NFM)
    .B = NFM

V8220   C13e.   Other illegal activities <u>to support their habit</u>? <u>(SPECIFY:)</u>

    01.   <u>Theft</u>: grand theft; shoplifting; minor theft; B&E; auto theft (incl. "receiving stolen property")
    02.   <u>Forged checks</u>; embezzlement; "forgery"--NFS
    03.   <u>Forged</u> (or illegally obtained) <u>prescriptions</u>
    04.   <u>Con games</u>/fraud/swindles (exc. 03); mail fraud; extortion
    05.   <u>Selling</u>/transporting/smuggling/manufacturing drugs
    06.   <u>Sale of other illegal goods</u>; guns
    07.   Assault; murder
    08.   Gambling
    09.   Prostitution; pimping

    96.   Other illegal behavior <u>not directly related</u> to supporting drug habit or obtaining drugs; "disorderly conduct"; "destruction of property"; "rape"; "DWI"; "drug possession"

    97.   Other

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8218=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C in V8221-V8227   .B = NFM

V8221   C13f.   What percent of your unit's outpatient clients engage in (ACTIVITY)?

    Code % OF CLIENTS (000-100)

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8218=0,NFM; V8220=NFM)
    .B = NFM

V8222   C13e.   Other illegal activities to support their habit? (SPECIFY:)

    01.   Theft: grand theft; shoplifting; minor theft; B&E; auto theft (incl. "receiving stolen property")
    02.   Forged checks; embezzlement; "forgery"--NFS
    03.   Forged (or illegally obtained) prescriptions
    04.   Con games/fraud/swindles (exc. 03); mail fraud; extortion
    05.   Selling/transporting/smuggling/manufacturing drugs
    06.   Sale of other illegal goods; guns
    07.   Assault; murder
    08.   Gambling
    09.   Prostitution; pimping

    96.   Other illegal behavior not directly related to supporting drug habit or obtaining drugs; "disorderly conduct"; "destruction of property"; "rape"; "DWI"; "drug possession"

    97.   Other

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8218=0,NFM; V8220=NFM)

.C in V8223-V8227   .B = NFM

V8223   C13f.   What percent of your unit's outpatient clients engage in (ACTIVITY)?

    Code % OF CLIENTS (000-100)

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8218=0,NFM; V8220=NFM; V18222=NFM)
    .B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8224   C13e.   Other illegal activities <u>to support their habit</u>? <u>(SPECIFY:)</u>

    01.   <u>Theft</u>: grand theft; shoplifting; minor theft; B&E; auto theft (incl. "receiving stolen property")
    02.   <u>Forged checks</u>; embezzlement; "forgery"--NFS
    03.   <u>Forged</u> (or illegally obtained) <u>prescriptions</u>
    04.   <u>Con games</u>/fraud/swindles (exc. 03); mail fraud; extortion
    05.   <u>Selling</u>/transporting/smuggling/manufacturing drugs
    06.   <u>Sale of other illegal goods</u>; guns
    07.   Assault; murder
    08.   Gambling
    09.   Prostitution; pimping

    96.   Other illegal behavior <u>not directly related</u> to supporting drug habit or obtaining drugs; "disorderly conduct"; "destruction of property"; "rape"; "DWI"; "drug possession"

    97.   Other

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8218=0,NFM; V8220=NFM; V18222=NFM)

.C in V8225-V8227 —— .B = NFM

V8225   C13f.   What percent of your unit's outpatient clients engage in <u>(ACTIVITY)</u>?

    Code % OF CLIENTS (000-100)

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8218=0,NFM; V8220=NFM; V18222=NFM; V8224=NFM)
    .B = NFM

V8226   C13e.   Other illegal activities <u>to support their habit</u>? <u>(SPECIFY:)</u>

    01.   <u>Theft</u>: grand theft; shoplifting; minor theft; B&E; auto theft (incl. "receiving stolen property")
    02.   <u>Forged checks</u>; embezzlement; "forgery"--NFS
    03.   <u>Forged</u> (or illegally obtained) <u>prescriptions</u>
    04.   <u>Con games</u>/fraud/swindles (exc. 03); mail fraud; extortion
    05.   <u>Selling</u>/transporting/smuggling/manufacturing drugs
    06.   <u>Sale of other illegal goods</u>; guns
    07.   Assault; murder
    08.   Gambling
    09.   Prostitution; pimping

    96.   Other illegal behavior <u>not directly related</u> to supporting drug habit or obtaining drugs; "disorderly conduct"; "destruction of property"; "rape"; "DWI"; "drug possession"

    97.   Other

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8218=0,NFM; V8220=NFM; V18222=NFM; V8224=NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C in V8219-V8227___   .B = NFM

V8227   C13f.   What percent of your unit's outpatient clients engage in (ACTIVITY)?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8218=0,NFM; V8220=NFM; V18222=NFM; V8224=NFM; V8226=NFM)
.B = NFM

C14.   Of the outpatient substance abuse clients treated by your unit in the most recent complete fiscal year, what percent would you estimate...:

V8228   C14a.   ...had annual household incomes of under $12,500?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8229   C14b.   ...had annual household incomes of at least $12,500, but less than $25,000?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8230   C14c.   ...had annual household incomes of at least $25,000, but less than $50,000?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8231   C14d.   ...had annual household incomes of $50,000 or more?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8232   C15.   Of the outpatient substance abuse clients treated by your unit in the most recent complete fiscal year, what percent would you estimate were unemployed?

Code % OF CLIENTS (000-100)

.D = DK

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.E = NA
.F = NO INTVW
.J = NOT WAVE

V8233   C16.   <u>How many</u> clients received outpatient substance abuse treatment services <u>of any</u> <u>type</u> in your unit in the last 30 days?

Code % OF CLIENTS (00001-99995)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

C17.   Of these clients, what percent <u>entered</u> treatment under the following conditions:

V8234   C17a.   <u>...with prior treatment for substance abuse at some other unit?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8235   C17b.   <u>...with prior treatment for substance abuse at your unit?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8236   C17c.   <u>...with no prior treatment for substance abuse?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

C18.   Of <u>all</u> persons who enter treatment at your unit for substance abuse problems, what percent would you estimate...

V8237   C18a.   <u>...eventually achieve abstinence for at least two years?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8238   C18b.   ...eventually achieve controlled use for at least two years?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

SECTION D

V8239   D1.   Does your unit provide outpatient methadone treatment services?

           1.   YES

.C in V8240-V8265,

V8266-V8285   0.   NO

           .D = DK
           .E = NA
           .F = NO INTVW
           .J = NOT WAVE

V8240   D2.   In the <u>most recent complete fiscal year</u>, what was the total number of clients in your outpatient unit who were methadone clients?

           Code # OF CLIENTS (00000-99995)

           99997. Editor's flag for problem Iw's

           .D = DK
           .E = NA
           .F = NO INTVW
           .J = NOT WAVE
           .C = SKIP Q (when V8239=NO, DK or NA)

V8241   D2a.   <u>Currently</u>, how many methadone clients does your outpatient unit have?

           Code # OF CLIENTS (00000-99995)

           .D = DK
           .E = NA
           .F = NO INTVW
           .J = NOT WAVE
           .C = SKIP Q (when V8239=NO, DK or NA)

.C in V8242-V8254   0 = NONE

        D3.   Of all the methadone clients <u>currently</u> served by your outpatient unit, what percent are receiving:

V8242   D3a.   <u>...progressively smaller doses of methadone?</u>

           Code % OF CLIENTS (000-100)

           .D = DK
           .E = NA
           .F = NO INTVW
           .J = NOT WAVE
           .C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

V8243   D3b.   <u>...progressively larger doses of methadone?</u>

           Code % OF CLIENTS (000-100)

           .D = DK
           .E = NA
           .F = NO INTVW

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

V8244   D3c.   What percent have received the <u>same</u> size dose of methadone for the past 2 weeks?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

D4.   Thinking only about outpatient <u>methadone</u> clients who have received the <u>same size dose</u> of methadone for at least two weeks, what percent of these clients receive:

V8245   D4a.   <u>...under 40 milligrams of methadone?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

V8246   D4b.   <u>...40-59 milligrams?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

V8247   D4c.   <u>...60-79 milligrams?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

V8248   D4d.   <u>...80-99 milligrams?</u>

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8249   D4e.   ...100 or more milligrams?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

D5.   Of all the methadone clients currently in treatment at your outpatient unit, what percent have been in continuous methadone treatment for:

V8250   D5a.   ...less than 3 months?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

V8251   D5b.   ...at least 3 months but less than 1 year?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

V8252   D5c.   ...at least 1 year but less than 2 years?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

V8253   D5d.   ...at least 2 years but less than 3 years?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8254   D5e.   ...3 years or more?

Code % OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8241=NONE)

D6.   Methadone treatment programs vary in their policies and practices. In your outpatient unit...

V8255   D6a.   ...to what extent are clients aware of the dose level of methadone they are receiving? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA)

V8256   D6b.   ...to what extent do clients influence decisions about their dose level? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA)

V8257   D6c.   ...to what extent does your unit permit take-home methadone dosages?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8258   D7.   To what extent does your unit encourage outpatient clients to detoxify from maintenance? (Would you say to <u>no</u> extent, a little, some, great, or to a very great extent?)

.C in V8259 —————   1. NO EXTENT

2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA)

V8259   D7a.   How long after clients are admitted to your outpatient unit are they typically encouraged to detoxify? (Would you say under 3 months, 3-6 months, 7-12 months, 13-18 months, 19-24 months, 25-36 months, or 37 months or more?)

(CHECK ONLY ONE)

1. UNDER 3 MONTHS
2. 3-6 MONTHS
3. 7-12 MONTHS
4. 13-18 MONTHS
5. 19-24 MONTHS
6. 25-36 MONTHS
7. 37+ MONTHS

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8258=1)

V8260   D8.   Does your unit have a <u>maximum</u> time in treatment after which outpatient clients must detoxify from maintenance?

1. YES

.C in V8261 —————   0. NO

——————— .   .D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8261   D8a.   How long after outpatient clients are admitted to your unit are they required to detoxify?

(CHECK ONLY ONE)

1. UNDER 3 MONTHS
2. 3-6 MONTHS
3. 7-12 MONTHS
4. 13-18 MONTHS
5. 19-24 MONTHS
6. 25-36 MONTHS
7. 37+ MONTHS

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8260=NO, DK or NA)

V8262   D9.   To what extent does your unit set an upper limit on methadone dose levels for outpatient clients?
                       (Would you say to no extent, a little, some, great, or to a very great extent?)

.C in V8263   1. NO EXTENT

2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA)

V8263   D9a.   What is the upper limit typically set on methadone dose levels?

Code # OF MILLIGRAMS (001-500)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8262=1)

V8264   D10.   To what extent has your outpatient unit adopted its current policy on methadone dose levels
                       because of a formal agreement between your outpatient unit and some other organization?
                       (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

VAR NAME

.C = SKIP Q (when V8239=NO, DK or NA)

V8265   D11.   (To what extent has your outpatient unit adopted its current policy on methadone dose levels) because some other organization offered your outpatient unit incentives like technical assistance or seed money to do so? (Would you say to no extent, a little, some, great, or to a very great extent?)

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8239=NO, DK or NA)

V8266   D12.   (To what extent has your outpatient unit adopted its current policy on methadone dose levels) to comply with government agency regulations? (Would you say to no extent, a little, some, great, or to a very great extent?)

.C in V8267-V8283 —— 1. NO EXTENT

    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8239=NO, DK or NA)

V8267   D12a.   What are the names of these agencies?--SUMMARY

    Code SUMMARY # of Mentions (1-7)

.C in V8273-V8283 —— 1. One

.C in V8278-V8282 —— 2. Two

    3. Three

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8239=NO, DK or NA; V8266=1)

V8268   D12a.   What are the names of these agencies?

    Use AGENCY/ORGANIZATION Master Code (see p.   )

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

D12b.   Which of the following describe (NAME OF AGENCY)? Is it a funding agency?
...a licensing or accreditation agency?
...a referral source?
(CHECK ALL THAT APPLY)

V8269   D12b.   A. FUNDING

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

V8270   D12b.   LICENSING/ACCREDITATION

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

V8271   D12b.   REFERRAL

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

V8272   D12c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE,
CHECK THE BOX WITH THE LOWEST CODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8273   D12a.   What are the names of these agencies?

Use AGENCY/ORGANIZATION Master Code (see p.   )

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

          D12b.   Which of the following describe (NAME OF AGENCY)? Is it a funding agency?
                  ...a licensing or accreditation agency?
                  ...a referral source?
                  (CHECK ALL THAT APPLY)

V8274   D12b.   A. FUNDING

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

V8275   D12b.   LICENSING/ACCREDITATION

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

V8276   D12b.   REFERRAL

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8277   D12c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

1. LOCAL
2. STATE
3. FEDERAL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

V8278   D12a.   What are the names of these agencies?

Use AGENCY/ORGANIZATION Master Code (see p.   )

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

          D12b.   Which of the following describe (NAME OF AGENCY)? Is it a funding agency?
                  ...a licensing or accreditation agency?
                  ...a referral source?
                  (CHECK ALL THAT APPLY)

V8279   D12b.   A. FUNDING

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

V8280   D12b.   LICENSING/ACCREDITATION

1. Checked
5. Not checked

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8281   D12b.   REFERRAL

    1. Checked
    5. Not checked

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1 or 2)

V8282   D12c.   Is it a local, state, or federal agency? (CHECK ONLY ONE.) [IF R SAYS MORE THAN ONE, CHECK THE BOX WITH THE LOWEST CODE VALUE.]

    1. LOCAL
    2. STATE
    3. FEDERAL

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8239=NO, DK or NA; V8266-1; V8267=1 or 2)

V8283   D13.   To what extent do the government agencies you mentioned have conflicting expectations or requirements of your unit? (Would you say to no extent, a little, some, great, or to a very great extent?)

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8239=NO, DK or NA; V8266=1; V8267=1)

V8284   D14.   (To what extent has your outpatient unit adopted its current policy on methadone dose levels) to enhance the public image, reputation, or acceptance of your outpatient unit? (Would you say to no extent, a little, some, great, or to a very great extent?)

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8239=NO, DK or NA)

VAR NAME

V8285   D15.   (To what extent has your outpatient unit adopted its current policy on methadone dose levels)
                      because it is important to keep up with the substance abuse field? (Would you say to no extent, a
                      little, some, great, or to a very great extent?)

                      1. NO EXTENT
                      2. A LITTLE EXTENT
                      3. SOME EXTENT
                      4. A GREAT EXTENT
                      5. A VERY GREAT EXTENT

                      .D = DK
                      .E = NA
                      .F = NO INTVW
                      .J = NOT WAVE
                      .C = SKIP Q (when V8239=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

SECTION E

V8286   E1.   Next I have some questions about assessment and treatment of your unit's outpatient substance abuse clients. In the following questions I want you to include services either administered by your unit directly or by contract with others.

For what percent of outpatient substance abuse clients does your unit obtain a drug abuse history of the client?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8287   E2.   (For what percent of outpatient substance abuse clients does your unit) obtain information on the client's perception of his or her dependence?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8288   E3.   (For what percent of outpatient substance abuse clients does your unit) test specifically for AIDS?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8289   E4.   (For what percent of outpatient substance abuse clients does your unit) assess support networks available to the client?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8290   E5.   (For what percent of outpatient substance abuse clients does your unit) conduct physical examinations?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8291   E6.   (For what percent of outpatient substance abuse clients does your unit) assess current or past

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

mental health problems?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8292-V8295 ___ 0 = NONE

V8292   E7.   Does your unit use <u>psychological tests</u> with outpatient substance abuse clients?

1. YES

.C in V8293-V8295 ___ 0. NO

6. R volunteers: Referred to other organization for testing

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8291=NONE)

V8293   E7a.   Which ones does your unit use? (LIST THE FIRST THREE TESTS R MENTIONS.)

PERSONALITY/PSYCHOPATHOLOGY TESTS

06.   16 Personality Factors (16PF)
07.   BECK Depression Inventory/Scale
08.   Draw a Person/Draw a Picture
09.   Millon Tests (MCMI or MAPI or MBHI)
10.   Minnesota Multi-Phasic Personality Inventory (<u>MMPI</u>, MMP)
11.   Rorschach Test
12.   Thematic Apperception Test (<u>TAT</u>)
13.   House-Tree-Person Test
14.   Western Personality Inventory (<u>WPI</u>)
15.   Johns Hopkins Questionnaire/Symptom Checklist 9OR (SCL 9OR)

16.   Other projective tests
17.   Other personality profile tests; California Psych Inv. (CPI), Taylor-Johnson, Meyer-Briggs (MBTI), Edwards; Suicide Probability Scale (SPS); Culture Free Self Esteem Inventories (SET); Tennessee Self Concept

19.   Other personality/psychopathological tests which do not fit into 16 or 17; DSM III; "depression" or "anxiety"--NFS

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8293   E7a.   <u>IQ AND COGNITIVE TESTS</u>

20.   Wechsler Adult Intelligence Scale (<u>WAIS</u>); "<u>Wechsler</u>"--NA which
21.   Wechsler Intelligence Scale for Children (<u>WISC</u>)
22.   Bender Gestalt; "<u>Gestalt</u>"
23.   Shipley Institute of Living Scale; Shipley-Hartford
24.   Sentence Completion (old 29), any mention
25.   Wechsler Memory Scale

27.   "IQ tests"--NFS
28.   Achievement tests: Wide Range Achievement Test (WRAT); California Achievement Test (<u>CAT</u>)

29.   Other IQ/intelligence/cognitive tests; "Binet" or Stanford Binet; NFS

* Used ISR library reference book to look up and classify miscellaneous references: "TESTS" Edited by Sweetland, Kayser, 1986.

<u>ALCOHOL AND DRUG BEHAVIOR TESTS</u>

30.   Michigan Alcohol Screening Test (<u>MAST</u>)
31.   Mortimer-Filkins Alcohol Test
32.   Manson Evaluation
33.   Washington Alcohol Screening Inventory (WASI)

39.   Other alcohol and drug usage/assessment tests; "alcohol assessment"; Zung (SPI); Carlson; ALCADD; Luria-Nebraska; Halstead-Reitan

40.   HISTORIES: Client's health/legal/case history

50.   <u>UNIT'S OWN QUESTIONNAIRE</u>; "developed for our system"

60.   <u>Employment/Vocational</u> testing instrument; Strong-Campbell Vocational Interest Inventory; GAS (General Aptitude Series)

96.   DK because testing being done outside R's unit

97.   Other tests

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8291=NONE; V8292=6, NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8294   E7a.   Which ones does your unit use? (LIST THE FIRST THREE TESTS R MENTIONS.)

PERSONALITY/PSYCHOPATHOLOGY TESTS

06.   16 Personality Factors (16PF)
07.   BECK Depression Inventory/Scale
08.   Draw a Person/Draw a Picture
09.   Millon Tests (MCMI or MAPI or MBHI)
10.   Minnesota Multi-Phasic Personality Inventory (MMPI, MMP)
11.   Rorschach Test
12.   Thematic Apperception Test (TAT)
13.   House-Tree-Person Test
14.   Western Personality Inventory (WPI)
15.   Johns Hopkins Questionnaire/Symptom Checklist 9OR (SCL 9OR)

16.   Other projective tests
17.   Other personality profile tests; California Psych Inv. (CPI), Taylor-Johnson, Meyer-Briggs (MBTI), Edwards; Suicide Probability Scale (SPS); Culture Free Self Esteem Inventories (SET); Tennessee Self Concept

19.   Other personality/psychopathological tests which do not fit into 16 or 17; DSM III; "depression" or "anxiety"--NFS

IQ AND COGNITIVE TESTS

20.   Wechsler Adult Intelligence Scale (WAIS); "Wechsler"--NA which
21.   Wechsler Intelligence Scale for Children (WISC)
22.   Bender Gestalt; "Gestalt"
23.   Shipley Institute of Living Scale; Shipley-Hartford
24.   Sentence Completion (old 29), any mention
25.   Wechsler Memory Scale

27.   "IQ tests"--NFS
28.   Achievement tests: Wide Range Achievement Test (WRAT); California Achievement Test (CAT)

29.   Other IQ/intelligence/cognitive tests; "Binet" or Stanford Binet; NFS

* Used ISR library reference book to look up and classify miscellaneous references: "TESTS" Edited by Sweetland, Kayser, 1986.

ALCOHOL AND DRUG BEHAVIOR TESTS

30.   Michigan Alcohol Screening Test (MAST)
31.   Mortimer-Filkins Alcohol Test
32.   Manson Evaluation
33.   Washington Alcohol Screening Inventory (WASI)

39.   Other alcohol and drug usage/assessment tests; "alcohol assessment"; Zung (SPI); Carlson; ALCADD; Luria-Nebraska; Halstead-Reitan

40.   HISTORIES: Client's health/legal/case history

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8294   E7a.   50.   UNIT'S OWN QUESTIONNAIRE; "developed for our system"

            60.   Employment/Vocational testing instrument; Strong-Campbell Vocational Interest Inventory; GAS (General Aptitude Series)

            96.   DK because testing being done outside R's unit

            97.   Other tests

            .D = DK
            .E = NA
            .F = NO INTVW
            .J = NOT WAVE
            .B = NFM
            .C = SKIP Q (when V8291=NONE; V8292=6, NO, DK or NA)

V8295   E7a.   Which ones does your unit use? (LIST THE FIRST THREE TESTS R MENTIONS.)

            PERSONALITY/PSYCHOPATHOLOGY TESTS

            06.   16 Personality Factors (16PF)
            07.   BECK Depression Inventory/Scale
            08.   Draw a Person/Draw a Picture
            09.   Millon Tests (MCMI or MAPI or MBHI)
            10.   Minnesota Multi-Phasic Personality Inventory (MMPI, MMP)
            11.   Rorschach Test
            12.   Thematic Apperception Test (TAT)
            13.   House-Tree-Person Test
            14.   Western Personality Inventory (WPI)
            15.   Johns Hopkins Questionnaire/Symptom Checklist 9OR (SCL 9OR)

            16.   Other projective tests
            17.   Other personality profile tests; California Psych Inv. (CPI), Taylor-Johnson, Meyer-Briggs (MBTI), Edwards; Suicide Probability Scale (SPS); Culture Free Self Esteem Inventories (SET); Tennessee Self Concept

            19.   Other personality/psychopathological tests which do not fit into 16 or 17; DSM III; "depression" or "anxiety"--NFS

            IQ AND COGNITIVE TESTS

            20.   Wechsler Adult Intelligence Scale (WAIS); "Wechsler"--NA which
            21.   Wechsler Intelligence Scale for Children (WISC)
            22.   Bender Gestalt; "Gestalt"
            23.   Shipley Institute of Living Scale; Shipley-Hartford
            24.   Sentence Completion (old 29), any mention
            25.   Wechsler Memory Scale

            27.   "IQ tests"--NFS
            28.   Achievement tests: Wide Range Achievement Test (WRAT); California Achievement Test (CAT)

            29.   Other IQ/intelligence/cognitive tests; "Binet" or Stanford Binet; NFS

        * Used ISR library reference book to look up and classify miscellaneous references: "TESTS" Edited by Sweetland, Kayser, 1986.

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8295   E7a.   ALCOHOL AND DRUG BEHAVIOR TESTS

    30.   Michigan Alcohol Screening Test (MAST)
    31.   Mortimer-Filkins Alcohol Test
    32.   Manson Evaluation
    33.   Washington Alcohol Screening Inventory (WASI)

    39.   Other alcohol and drug usage/assessment tests; "alcohol assessment"; Zung (SPI); Carlson; ALCADD; Luria-Nebraska; Halstead-Reitan

    40.   HISTORIES: Client's health/legal/case history

    50.   UNIT'S OWN QUESTIONNAIRE; "developed for our system"

    60.   Employment/Vocational testing instrument; Strong-Campbell Vocational Interest Inventory; GAS (General Aptitude Series)

    96.   DK because testing being done outside R's unit

    97.   Other tests

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .B = NFM
    .C = SKIP Q (when V8291=NONE; V8292=6, NO, DK,or NA)

V8296   E8.   For what percent of outpatient substance abuse clients does your unit obtain DSM III-R diagnosis?

    Code PERCENT (000-100)

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

.C in V8297-V8304   0 = NONE

       E9.   Who is the main person that makes the DSM III-R diagnosis? Is this person...

V8297   E9a.   ...a psychiatrist?

> NOTE: The skips indicated in the Q'aire (to E9) are not programmed because we do allow R's to have multiple "YES" answers to E9a-g. If I'wer skipped after one "YES" answer, code remaining items as 5's, unless there is an "other" written in at E9g--then V8303 must be coded 1.

    1. YES
    0. NO

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8296=NONE)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8298   E9b.   <u>...a physician other than a psychiatrist?</u>

    1. YES
    0. NO

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8296=NONE)

V8299   E9c.   <u>...a psychologist?</u>

    1. YES
    0. NO

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8296=0)

V8300   E9d.   <u>...a social worker?</u>

    1. YES
    0. NO

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8296=NONE)

V8301   E9e.   <u>...a registered nurse?</u>

    1. YES
    0. NO

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8296=NONE)

V8302   E9f.   <u>...a physician's assistant?</u>

    1. YES
    0. NO

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8296=NONE)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8303   E9g.   ...some other staff person?

                        1. YES

.C in V8304   ⌐———   0. NO

                        .D = DK
                        .E = NA
                        .F = NO INTVW
                        .J = NOT WAVE
                        .C = SKIP Q (when V8296=NONE)

V8304   E9g.   (SPECIFY:) Other staff person

                        01.   Counselor/therapist
                        02.   Clinician--NFS
                        03.   Clinical supervisor
                        04.   Master's degree level personnel

                        95.   Any/all of the (treatment) staff

                        97.   Other

                        .D = DK
                        .E = NA
                        .F = NO INTVW
                        .J = NOT WAVE
                        .C = SKIP Q (when V8296=NONE; V8303=NO, DK or NA)

               E10.   To what extent does your outpatient substance abuse treatment unit do each of the following for
                        assessment:

V8305   E10a.   Make sure there are written procedures or instructions for each type of assessment? (Would you
                        say to no extent, a little, some, great, or to a very great extent?)

                        1. NO EXTENT
                        2. A LITTLE EXTENT
                        3. SOME EXTENT
                        4. A GREAT EXTENT
                        5. A VERY GREAT EXTENT

                        .D = DK
                        .E = NA
                        .F = NO INTVW
                        .J = NOT WAVE

V8306   E10b.   Have regular staff training to assure appropriate use of assessment procedures? (Would you say
                        to no extent, a little, some, great, or to a very great extent?)

                        1. NO EXTENT
                        2. A LITTLE EXTENT
                        3. SOME EXTENT
                        4. A GREAT EXTENT
                        5. A VERY GREAT EXTENT

                        .D = DK
                        .E = NA
                        .F = NO INTVW

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.J = NOT WAVE

V8307   E10c.   Conduct formal evaluations of staff accuracy in client assessment?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

SECTION F

V8308   F1.   Does your outpatient unit offer individual therapy?

        1. YES

.C in V8309-V8315   0. NO

        .D = DK
        .E = NA
        .F = NO INTVW
        .J = NOT WAVE

V8309   F1a.   Are there particular types of therapy your unit uses most commonly during outpatient individual therapy?

        1. YES

.C in V8310-V8314   0. NO

        .D = DK
        .E = NA
        .F = NO INTVW
        .J = NOT WAVE
        .C = SKIP Q (when V8308=NO, DK or NA)

V8310   F1b.   (What types?)

        01.   AA; NA; 12 step model/approach; "ACOA"
        02.   Abstinence; drug free
        49.   Adlerian
        (03.)

        04.   Behavioral; behavior modification

        05.   Client-centered
        06.   Codependency
        07.   Cognitive (behavioral)
        08.   Confrontive; confrontation
        09.   Counseling--NFS; "individual counseling"
        10.   Couples therapy
        (11.)
        (12.)

        13.   "Eclectic"--use only if NFS
        14.   Education/lectures/didactic
        15.   Ego-psychology; "ego"
        16.   Empathetic
        17.   Encounter
        54.   Experiential

        18.   Family; family systems; family education; "structured family therapy: (Erickson)
        (19.)

        20.   Gestalt
        21.   Group--NFS

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

| | | 22. | Here-n-now (Haley & Minuchin) |
| | | 23. | Holistic |

(Continued)

V8310	F1b.	39.	Rogerian
		40.	Role playing; psychodrama
		41.	Self-assessment
		(42.)	
		43.	Spiritual
		44.	Support; supportive; "sympathetic"
		45.	Systems theory
		46.	Task-centered; "goal-oriented"
		47.	Transactional analysis; TA
		95.	Therapy type depends on individual client needs
		97.	Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8308 or V8309=NO, DK or NA)

| V8311 | F1b. | (What types?) |

		01.	AA; NA; 12 step model/approach; "ACOA"
		02.	Abstinence; drug free
		49.	Adlerian
		(03.)	
		04.	Behavioral; behavior modification
		05.	Client-centered
		06.	Codependency
		07.	Cognitive (behavioral)
		08.	Confrontive; confrontation
		09.	Counseling--NFS; "individual counseling"
		10.	Couples therapy
		(11.)	
		(12.)	
		13.	"Eclectic"--use only if NFS
		14.	Education/lectures/didactic
		15.	Ego-psychology; "ego"
		16.	Empathetic
		17.	Encounter
		54.	Experiential
		18.	Family; family systems; family education; "structured family therapy: (Erickson)
		(19.)	
		20.	Gestalt
		21.	Group--NFS
		22.	Here-n-now (Haley & Minuchin)
		23.	Holistic

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

24.   Humanistic

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8311	F1b.	53.	Hypnosis
		25.	Individual--NFS; "one-on-one"--NFS
		26.	Insight; reflection
		52.	Interactional
		27.	Intervention
		28.	Marriage counseling
		29.	Medical; pharmacological
		01.	NA (Narcotics Anonymous)
		30.	Non-confrontive
		(31.)	
		50.	Problem solving
		32.	Process-oriented
		33.	Psychoanalytic; psychotherapy
		51.	Psychodynamic
		55.	Psycho-Educational
		34.	Psychological--NFS
		35.	Psycho-social
		36.	Rational; Rational Emotive; RET; "Rational Motive"
		37.	Reality (a la William Glasser)
		38.	Recovery model
		48.	Relaxation; stress management
		39.	Rogerian
		40.	Role playing; psychodrama
		41.	Self-assessment
		(42.)	
		43.	Spiritual
		44.	Support; supportive; "sympathetic"
		45.	Systems theory
		46.	Task-centered; "goal-oriented"
		47.	Transactional analysis; TA
		95.	Therapy type depends on individual client needs
		97.	Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8308 or V8309=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8312   F1b.   (What types?)

01.   AA; NA; 12 step model/approach; "ACOA"
02.   Abstinence; drug free
49.   Adlerian
(03.)

04.   Behavioral; behavior modification

05.   Client-centered
06.   Codependency
07.   Cognitive (behavioral)
08.   Confrontive; confrontation
09.   Counseling--NFS; "individual counseling"
10.   Couples therapy
(11.)
(12.)

13.   "Eclectic"--use only if NFS
14.   Education/lectures/didactic
15.   Ego-psychology; "ego"
16.   Empathetic
17.   Encounter
54.   Experiential

18.   Family; family systems; family education; "structured family therapy: (Erickson)
(19.)

20.   Gestalt
21.   Group--NFS

22.   Here-n-now (Haley & Minuchin)
23.   Holistic

24.   Humanistic
53.   Hypnosis

25.   Individual--NFS; "one-on-one"--NFS
26.   Insight; reflection
52.   Interactional
27.   Intervention

28.   Marriage counseling
29.   Medical; pharmacological

01.   NA (Narcotics Anonymous)
30.   Non-confrontive
(31.)

50.   Problem solving
32.   Process-oriented
33.   Psychoanalytic; psychotherapy
51.   Psychodynamic
55.   Psycho-Educational
34.   Psychological--NFS
35.   Psycho-social

36.   Rational; Rational Emotive; RET; "Rational Motive"
37.   Reality (a la William Glasser)
38.   Recovery model
48.   Relaxation; stress management

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8312	F1b.	39.	Rogerian
		40.	Role playing; psychodrama
		41.	Self-assessment
		(42.)	
		43.	Spiritual
		44.	Support; supportive; "sympathetic"
		45.	Systems theory
		46.	Task-centered; "goal-oriented"
		47.	Transactional analysis; TA
		95.	Therapy type depends on individual client needs
		97.	Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8308 or V8309=NO, DK or NA)

| V8313 | F1b. | (What types?) |

		01.	AA; NA; 12 step model/approach; "ACOA"
		02.	Abstinence; drug free
		49.	Adlerian
		(03.)	
		04.	Behavioral; behavior modification
		05.	Client-centered
		06.	Codependency
		07.	Cognitive (behavioral)
		08.	Confrontive; confrontation
		09.	Counseling--NFS; "individual counseling"
		10.	Couples therapy
		(11.)	
		(12.)	
		13.	"Eclectic"--use only if NFS
		14.	Education/lectures/didactic
		15.	Ego-psychology; "ego"
		16.	Empathetic
		17.	Encounter
		54.	Experiential
		18.	Family; family systems; family education; "structured family therapy: (Erickson)
		(19.)	
		20.	Gestalt
		21.	Group--NFS
		22.	Here-n-now (Haley & Minuchin)
		23.	Holistic

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8313   F1b.

24.	Humanistic
53.	Hypnosis

25.	Individual--NFS; "one-on-one"--NFS
26.	Insight; reflection
52.	Interactional
27.	Intervention

28.	Marriage counseling
29.	Medical; pharmacological

01.	NA (Narcotics Anonymous)
30.	Non-confrontive
(31.)	

50.	Problem solving
32.	Process-oriented
33.	Psychoanalytic; psychotherapy
51.	Psychodynamic
55.	Psycho-Educational
34.	Psychological--NFS
35.	Psycho-social

36.	Rational; Rational Emotive; RET; "Rational Motive"
37.	Reality (a la William Glasser)
38.	Recovery model
48.	Relaxation; stress management
39.	Rogerian
40.	Role playing; psychodrama

41.	Self-assessment
(42.)	
43.	Spiritual
44.	Support; supportive; "sympathetic"
45.	Systems theory

46.	Task-centered; "goal-oriented"
47.	Transactional analysis; TA

95.	Therapy type depends on individual client needs

97.	Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8308 or V8309=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8314   F1b.   (What types?)

01.	AA; NA; 12 step model/approach; "ACOA"
02.	Abstinence; drug free
49.	Adlerian
(03.)	
04.	Behavioral; behavior modification
05.	Client-centered
06.	Codependency
07.	Cognitive (behavioral)
08.	Confrontive; confrontation
09.	Counseling--NFS; "individual counseling"
10.	Couples therapy
(11.)	
(12.)	
13.	"Eclectic"--use only if NFS
14.	Education/lectures/didactic
15.	Ego-psychology; "ego"
16.	Empathetic
17.	Encounter
54.	Experiential
18.	Family; family systems; family education; "structured family therapy: (Erickson)
(19.)	
20.	Gestalt
21.	Group--NFS
22.	Here-n-now (Haley & Minuchin)
23.	Holistic
24.	Humanistic
53.	Hypnosis
25.	Individual--NFS; "one-on-one"--NFS
26.	Insight; reflection
52.	Interactional
27.	Intervention
28.	Marriage counseling
29.	Medical; pharmacological
01.	NA (Narcotics Anonymous)
30.	Non-confrontive
(31.)	
50.	Problem solving
32.	Process-oriented
33.	Psychoanalytic; psychotherapy
51.	Psychodynamic
55.	Psycho-Educational
34.	Psychological--NFS
35.	Psycho-social

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

| V8314 | F1b. | 36. | Rational; Rational Emotive; RET; "Rational Motive" |
| | | 37. | Reality (a la William Glasser) |

		38.	Recovery model
		48.	Relaxation; stress management
		39.	Rogerian
		40.	Role playing; psychodrama

		41.	Self-assessment
		(42.)	
		43.	Spiritual
		44.	Support; supportive; "sympathetic"
		45.	Systems theory

| | | 46. | Task-centered; "goal-oriented" |
| | | 47. | Transactional analysis; TA |

| | | 95. | Therapy type depends on individual client needs |

| | | 97. | Other |

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8308 or V8309=NO, DK or NA)

V8315   F1c.   What percent of your unit's outpatient substance abuse clients currently receive individual therapy?

Code PERCENT (001-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8308=NO, DK or NA)

V8316   F2.   What percent of your unit's outpatient substance abuse clients currently receive group therapy?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8317-V8318   0 = NONE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8317   F2a.   INTERVIEWER CHECKPOINT

.C in V8318 _____   1. R ANSWERS "NO" TO F1 OR R ANSWERS NONE OR ZERO TO F1c

2. ALL OTHERS

.C = SKIP Q (when V8316=0)

V8318   F3.   What percent of your unit's outpatient substance abuse clients currently receive both individual and group therapy?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP (when V8316=0; V8317=1)

F4.   We are interested in the scope of outpatient substance abuse services your unit provides, including those provided through a contract with others.

V8319   F4a.   What percent of your unit's outpatient substance abuse clients receive medical care?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8320   F4b.   (What percent of your unit's outpatient substance abuse clients receive) treatment for mental health problems?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8321   F4c.   (What percent of your unit's outpatient substance abuse clients receive) specific treatment for use of multiple drugs?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8322   F4d.   (What percent of your unit's outpatient substance abuse clients receive) employment counseling?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8323   F4e.   (What percent of your unit's outpatient substance abuse clients receive) financial counseling?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8324   F4f.   (What percent of your unit's outpatient substance abuse clients receive) legal counseling?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8325   F4g.   (What percent of your unit's outpatient substance abuse clients receive) Driving While Intoxicated programs?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8326   F4h.   (What percent of your unit's outpatient substance abuse clients receive) antabuse from your unit?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8327   F4i.   (What percent of your unit's outpatient substance abuse clients receive) naltrexone from your unit?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

    F5.   We are interested in special programs for certain types of outpatient substance abuse clients.

VAR NAME

V8328   F5a.   Does your unit provide special outpatient substance abuse programs for pregnant women?

                       1. YES

.C in V8329-V8332 ____ 0. NO

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE

V8329   F5b.   How many persons are in these programs in a typical week?

                       Code # (001-500)

                       996. None; service only periodic; less than one client per week

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       .C = SKIP Q (when V8328=NO, DK or NA)

V8330   F5c.   What do these programs consist of?

                       01.   Individual therapy
                       02.   Group therapy
                       03.   Family therapy

                       08.   "Codependency"--NFS
                       09.   "Therapy"; "counseling"; "treatment" NFS

                       11.   AA; NA; 12-Step method
                       12.   Support groups; ACOA

                       21.   Prevention/education (incl. AIDS educ.)
                       22.   Evaluation and/or referral
                       23.   Aftercare; relapse prevention
                       24.   Case management

                       31.   Inpatient
                       32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether
                              inpatient or not

                       41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals;
                              translator services

                       95.   R mentions <u>only</u> a problem area but not a treatment approach

                       97. Other

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       .B = NFM
                       .C = SKIP Q (when V8328=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8331   F5c.   What do these programs consist of?

      01.   Individual therapy
      02.   Group therapy
      03.   Family therapy

      08.   "Codependency"--NFS
      09.   "Therapy"; "counseling"; "treatment" NFS

      11.   AA; NA; 12-Step method
      12.   Support groups; ACOA

      21.   Prevention/education (incl. AIDS educ.)
      22.   Evaluation and/or referral
      23.   Aftercare; relapse prevention
      24.   Case management

      31.   Inpatient
      32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

      41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services

      95.   R mentions <u>only</u> a problem area but not a treatment approach

      97.   Other

      .D = DK
      .E = NA
      .F = NO INTVW
      .J = NOT WAVE
      .B = NFM
      .C = SKIP Q (when V8328=NO, DK or NA)

V8332   F5c.   What do these programs consist of?

      01.   Individual therapy
      02.   Group therapy
      03.   Family therapy

      08.   "Codependency"--NFS
      09.   "Therapy"; "counseling"; "treatment" NFS

      11.   AA; NA; 12-Step method
      12.   Support groups; ACOA

      21.   Prevention/education (incl. AIDS educ.)
      22.   Evaluation and/or referral
      23.   Aftercare; relapse prevention
      24.   Case management

      31.   Inpatient
      32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

      41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8332   F5c.   95.   R mentions <u>only</u> a problem area but not a treatment approach

                      97. Other

                      .D = DK
                      .E = NA
                      .F = NO INTVW
                      .J = NOT WAVE
                      .B = NFM
                      .C = SKIP Q (when V8328=NO, DK or NA)

V8333   F5d.   Does your unit provide special outpatient substance abuse programs for other programs for women?

                      1. YES

.C in V8334-V8337   0. NO

                      .D = DK
                      .E = NA
                      .F = NO INTVW
                      .J = NOT WAVE

V8334   F5e.   How many persons are in these programs in a typical week?

                      Code # (001-500)

                      996.   None; service only periodic; less than one client per week

                      .D = DK
                      .E = NA
                      .F = NO INTVW
                      .J = NOT WAVE
                      .C = SKIP Q (when V8333=NO, DK or NA)

V8335   F5f.   What do these programs consist of?

                      01.   Individual therapy
                      02.   Group therapy
                      03.   Family therapy

                      08.   "Codependency"--NFS
                      09.   "Therapy"; "counseling"; "treatment" NFS

                      11.   AA; NA; 12-Step method
                      12.   Support groups; ACOA

                      21.   Prevention/education (incl. AIDS educ.)
                      22.   Evaluation and/or referral
                      23.   Aftercare; relapse prevention
                      24.   Case management

                      31.   Inpatient
                      32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8335   F5f.   41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services

                        95.   R mentions <u>only</u> a problem area but not a treatment approach

                        97.   Other

                        .D = DK
                        .E = NA
                        .F = NO INTVW
                        .J = NOT WAVE
                        .B = NFM
                        .C = SKIP Q (when V8333=NO, DK or NA)

V8336   F5f.   What do these programs consist of?

                        01.   Individual therapy
                        02.   Group therapy
                        03.   Family therapy

                        08.   "Codependency"--NFS
                        09.   "Therapy"; "counseling"; "treatment" NFS

                        11.   AA; NA; 12-Step method
                        12.   Support groups; ACOA

                        21.   Prevention/education (incl. AIDS educ.)
                        22.   Evaluation and/or referral
                        23.   Aftercare; relapse prevention
                        24.   Case management

                        31.   Inpatient
                        32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

                        41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services

                        95.   R mentions <u>only</u> a problem area but not a treatment approach

                        97.   Other

                        .D = DK
                        .E = NA
                        .F = NO INTVW
                        .J = NOT WAVE
                        .B = NFM
                        .C = SKIP Q (when V8333=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8337   F5f.   What do these programs consist of?

       01.   Individual therapy
       02.   Group therapy
       03.   Family therapy

       08.   "Codependency"--NFS
       09.   "Therapy"; "counseling"; "treatment" NFS

       11.   AA; NA; 12-Step method
       12.   Support groups; ACOA

       21.   Prevention/education (incl. AIDS educ.)
       22.   Evaluation and/or referral
       23.   Aftercare; relapse prevention
       24.   Case management

       31.   Inpatient
       32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

       41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services

       95.   R mentions <u>only</u> a problem area but not a treatment approach

       97.   Other

       .D = DK
       .E = NA
       .F = NO INTVW
       .J = NOT WAVE
       .B = NFM
       .C = SKIP Q (when V8333=NO, DK or NA)

V8338   F5g.   Does your unit provide special outpatient substance abuse programs for...adolescents?

       1. YES

.C in V8339-V8342   0. NO

       .D = DK
       .E = NA
       .F = NO INTVW
       .J = NOT WAVE

V8339   F5h.   How many persons are in these programs in a typical week?

       Code # (001-500)

       996.   None; service only periodic; less than one client per week

       .D = DK
       .E = NA
       .F = NO INTVW
       .J = NOT WAVE
       .C = SKIP Q (when V8338=NO, DK or NA)

VAR NAME

V8340　　　F5i.　　What do these programs consist of?

　　　　01.　　Individual therapy
　　　　02.　　Group therapy
　　　　03.　　Family therapy

　　　　08.　　"Codependency"--NFS
　　　　09.　　"Therapy"; "counseling"; "treatment" NFS

　　　　11.　　AA; NA; 12-Step method
　　　　12.　　Support groups; ACOA

　　　　21.　　Prevention/education (incl. AIDS educ.)
　　　　22.　　Evaluation and/or referral
　　　　23.　　Aftercare; relapse prevention
　　　　24.　　Case management

　　　　31.　　Inpatient
　　　　32.　　Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

　　　　41.　　General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services

　　　　95.　　R mentions <u>only</u> a problem area but not a treatment approach

　　　　97.　　 Other

　　　　.D = DK
　　　　.E = NA
　　　　.F = NO INTVW
　　　　.J = NOT WAVE
　　　　.B = NFM
　　　　.C = SKIP Q (when V8338=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8341   F5i.   What do these programs consist of?

01.   Individual therapy
02.   Group therapy
03.   Family therapy

08.   "Codependency"--NFS
09.   "Therapy"; "counseling"; "treatment" NFS

11.   AA; NA; 12-Step method
12.   Support groups; ACOA

21.   Prevention/education (incl. AIDS educ.)
22.   Evaluation and/or referral
23.   Aftercare; relapse prevention
24.   Case management

31.   Inpatient
32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

41.   General social services: vocational/financial/legal/ housing asst.; transportation; meals; translator services

95.   R mentions only a problem area but not a treatment approach

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8338=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8342   F5i.   What do these programs consist of?

    01.   Individual therapy
    02.   Group therapy
    03.   Family therapy

    08.   "Codependency"--NFS
    09.   "Therapy"; "counseling"; "treatment" NFS

    11.   AA; NA; 12-Step method
    12.   Support groups; ACOA

    21.   Prevention/education (incl. AIDS educ.)
    22.   Evaluation and/or referral
    23.   Aftercare; relapse prevention
    24.   Case management

    31.   Inpatient
    32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

    41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services

    95.   R mentions <u>only</u> a problem area but not a treatment approach

    97.   Other

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .B = NFM
    .C = SKIP Q (when V8338=NO, DK or NA)

V8343   F5j.   Does your unit provide special outpatient substance abuse programs for...
    ...spouses, significant others and/or extended families of substance abusers?

    1. YES

.C in V8344-V8347 ⎯ 0. NO

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8344   F5k.   How many persons are in these programs in a typical week?

    Code # (001-500)

    996.   None; service only periodic; less than one client per week

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8343=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8345   F5l.   What do these programs consist of?

      01.   Individual therapy
      02.   Group therapy
      03.   Family therapy

      08.   "Codependency"--NFS
      09.   "Therapy"; "counseling"; "treatment" NFS

      11.   AA; NA; 12-Step method
      12.   Support groups; ACOA

      21.   Prevention/education (incl. AIDS educ.)
      22.   Evaluation and/or referral
      23.   Aftercare; relapse prevention
      24.   Case management

      31.   Inpatient
      32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

      41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services

      95.   R mentions <u>only</u> a problem area but not a treatment approach

      97.   Other

      .D = DK
      .E = NA
      .F = NO INTVW
      .J = NOT WAVE
      .B = NFM
      .C = SKIP Q (when V8343=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8346   F5l.   What do these programs consist of?

        01.   Individual therapy
        02.   Group therapy
        03.   Family therapy

        08.   "Codependency"--NFS
        09.   "Therapy"; "counseling"; "treatment" NFS

        11.   AA; NA; 12-Step method
        12.   Support groups; ACOA

        21.   Prevention/education (incl. AIDS educ.)
        22.   Evaluation and/or referral
        23.   Aftercare; relapse prevention
        24.   Case management

        31.   Inpatient
        32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

        41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services

        95.   R mentions <u>only</u> a problem area but not a treatment approach

        97.   Other

        .D = DK
        .E = NA
        .F = NO INTVW
        .J = NOT WAVE
        .B = NFM
        .C = SKIP Q (when V8343=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8347   F5l.   What do these programs consist of?

01.   Individual therapy
02.   Group therapy
03.   Family therapy

08.   "Codependency"--NFS
09.   "Therapy"; "counseling"; "treatment" NFS

11.   AA; NA; 12-Step method
12.   Support groups; ACOA

21.   Prevention/education (incl. AIDS educ.)
22.   Evaluation and/or referral
23.   Aftercare; relapse prevention
24.   Case management

31.   Inpatient
32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

41.   General social services: vocational/financial/legal/ housing asst.; transportation; meals; translator services

95.   R mentions only a problem area but not a treatment approach

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8343=NO, DK or NA)

V8348   F5m.   Does your unit provide special outpatient substance abuse programs for other types of clients or groups?

1. YES

.C in V8349-V8363 ⊐ 0. NO

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8349   F5m.   Specify (type of client or group):

01.   General public
02.   Segments of the public who deal with drug problems; police, courts, hospitals, teachers, employers
03.   All <u>clients</u>; "range of clients"; "everyone"; drug abuse clients--NFS

06.   Children; juveniles; infants (see also 19)
07.   Older clients; seniors
08.   Co-dependents
09.   Low income/poor/homeless
10.   Men

12.   Blacks
13.   Gays/lesbians
14.   Parent groups
15.   Minorities (exc. 12), including Native Americans
16.   Handicapped/physically impaired
17.   Pregnant women (incl. pregnant teens)
18.   Other programs for women
19.   Adolescents; teens (if NA whether 06 or 19, code 06)
20.   Spouses and/or extended family of abusers; Adult Children of Alcoholics

CLIENTS WITH SPECIFIED ADDICTION/DRUG PROBLEM

21.   Alcohol
22.   Cocaine
23.   Heroin; opiates

27.   Dual diagnosed (drug and mental health problem)
28.   Very or <u>severely addicted</u> clients; chronic abusers; IV drug users
29.   Early stage of addiction or treatment; tose just coming into a treatment program; orientation to treatment group

CLIENTS WITH OTHER (SPECIFIED) PROBLEMS

31.   Chronic pain sufferers
32.   Methadone recipients
33.   AIDS related clients
34.   <u>Mental health</u> problems (see also code 27)
35.   DUI/DWI clients; other clients from the courts with arrest records (or in jail); work release program

37.   Programs for peripheral problems: smoking; weight watchers, exercise; assertiveness training; gambling

41.   Aftercare; recovery; relapse prevention

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8348=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8350   F5n.   How many persons are in these programs in a typical week?

Code # (001-500)

996.   None; service only periodic; less than one client per week

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8348=NO, DK or NA)

V8351   F5o.   What do these programs consist of?

01.   Individual therapy
02.   Group therapy
03.   Family therapy

08.   "Codependency"--NFS
09.   "Therapy"; "counseling"; "treatment" NFS

11.   AA; NA; 12-Step method
12.   Support groups; ACOA

21.   Prevention/education (incl. AIDS educ.)
22.   Evaluation and/or referral
23.   Aftercare; relapse prevention
24.   Case management

31.   Inpatient
32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether
       inpatient or not

41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals;
       translator services

95.   R mentions <u>only</u> a problem area but not a treatment approach

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8328=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8352   F5o.   What do these programs consist of?

01.   Individual therapy
02.   Group therapy
03.   Family therapy

08.   "Codependency"--NFS
09.   "Therapy"; "counseling"; "treatment" NFS

11.   AA; NA; 12-Step method
12.   Support groups; ACOA

21.   Prevention/education (incl. AIDS educ.)
22.   Evaluation and/or referral
23.   Aftercare; relapse prevention
24.   Case management

31.   Inpatient
32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

41.   General social services: vocational/financial/legal/ housing asst.; transportation; meals; translator services

95.   R mentions only a problem area but not a treatment approach

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8328=NO, DK or NA)

V8353   F5o.   What do these programs consist of?

01.   Individual therapy
02.   Group therapy
03.   Family therapy

08.   "Codependency"--NFS
09.   "Therapy"; "counseling"; "treatment" NFS

11.   AA; NA; 12-Step method
12.   Support groups; ACOA

21.   Prevention/education (incl. AIDS educ.)
22.   Evaluation and/or referral
23.   Aftercare; relapse prevention
24.   Case management

31.   Inpatient
32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

41.   General social services: vocational/financial/legal/ housing asst.; transportation; meals; translator services

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8353   F5o.   95.   R mentions <u>only</u> a problem area but not a treatment approach

                97.   Other

                .D = DK
                .E = NA
                .F = NO INTVW
                .J = NOT WAVE
                .B = NFM
                .C = SKIP Q (when V8328=NO, DK or NA)

V8354   F5m.   Specify (type of client or group):

                01.   General public
                02.   Segments of the public who deal with drug problems; police, courts, hospitals, teachers, employers
                03.   All <u>clients</u>; "range of clients"; "everyone"; drug abuse clients--NFS

                06.   Children; juveniles; infants (see also 19)
                07.   Older clients; seniors
                08.   Co-dependents
                09.   Low income/poor/homeless
                10.   Men

                12.   Blacks
                13.   Gays/lesbians
                14.   Parent groups
                15.   Minorities (exc. 12), including Native Americans
                16.   Handicapped/physically impaired
                17.   Pregnant women (incl. pregnant teens)
                18.   Other programs for women
                19.   Adolescents; teens (if NA whether 06 or 19, code 06)
                20.   Spouses and/or extended family of abusers; Adult Children of Alcoholics

                <u>CLIENTS WITH SPECIFIED ADDICTION/DRUG PROBLEM</u>

                21.   Alcohol
                22.   Cocaine
                23.   Heroin; opiates

                27.   Dual diagnosed (drug and mental health problem)
                28.   Very or <u>severely addicted</u> clients; chronic abusers; IV drug users
                29.   Early stage of addiction or treatment; tose just coming into a treatment program; orientation to treatment group

                <u>CLIENTS WITH OTHER (SPECIFIED) PROBLEMS</u>

                31.   Chronic pain sufferers
                32.   Methadone recipients
                33.   AIDS related clients
                34.   <u>Mental health</u> problems (see also code 27)
                35.   DUI/DWI clients; other clients from the courts with arrest records (or in jail); work release program

                37.   Programs for peripheral problems: smoking; weight watchers, exercise; assertiveness training; gambling

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8354   F5m.   41.   Aftercare; recovery; relapse prevention

                     97. Other

                     .D = DK
                     .E = NA
                     .F = NO INTVW
                     .J = NOT WAVE
                     .B = NFM
                     .C = SKIP Q (when V8348=NO, DK or NA)

V8355   F5n.   How many persons are in these programs in a typical week?

                     Code # (001-500)

                     996.   None; service only periodic; less than one client per week

                     .D = DK
                     .E = NA
                     .F = NO INTVW
                     .J = NOT WAVE
                     .B = NFM
                     .C = SKIP Q (when V8348=NO, DK or NA)

V8356   F5o.   What do these programs consist of?

                     01.   Individual therapy
                     02.   Group therapy
                     03.   Family therapy

                     08.   "Codependency"--NFS
                     09.   "Therapy"; "counseling"; "treatment" NFS

                     11.   AA; NA; 12-Step method
                     12.   Support groups; ACOA

                     21.   Prevention/education (incl. AIDS educ.)
                     22.   Evaluation and/or referral
                     23.   Aftercare; relapse prevention
                     24.   Case management

                     31.   Inpatient
                     32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether
                            inpatient or not

                     41.   General social services: vocational/financial/legal/ housing asst.; transportation; meals;
                            translator services

                     95.   R mentions only a problem area but not a treatment approach

                     97. Other

                     .D = DK
                     .E = NA
                     .F = NO INTVW
                     .J = NOT WAVE
                     .B = NFM
                     .C = SKIP Q (when V8348=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8357   F5o.   What do these programs consist of?

01.   Individual therapy
02.   Group therapy
03.   Family therapy

08.   "Codependency"--NFS
09.   "Therapy"; "counseling"; "treatment" NFS

11.   AA; NA; 12-Step method
12.   Support groups; ACOA

21.   Prevention/education (incl. AIDS educ.)
22.   Evaluation and/or referral
23.   Aftercare; relapse prevention
24.   Case management

31.   Inpatient
32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services
95.   R mentions <u>only</u> a problem area but not a treatment approach

97. Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8348=NO, DK or NA)

V8358   F5o.   What do these programs consist of?

01.   Individual therapy
02.   Group therapy
03.   Family therapy

08.   "Codependency"--NFS
09.   "Therapy"; "counseling"; "treatment" NFS

11.   AA; NA; 12-Step method
12.   Support groups; ACOA

21.   Prevention/education (incl. AIDS educ.)
22.   Evaluation and/or referral
23.   Aftercare; relapse prevention
24.   Case management

31.   Inpatient
32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals; translator services

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8358   F5c.   95.   R mentions <u>only</u> a problem area but not a treatment approach

                                      97.   Other

                                      .D = DK
                                      .E = NA
                                      .F = NO INTVW
                                      .J = NOT WAVE
                                      .B = NFM
                                      .C = SKIP Q (when V8348=NO, DK or NA)

V8359   F5m.   Specify (type of client or group):

                             01.   General public
                             02.   Segments of the public who deal with drug problems; police, courts, hospitals, teachers, employers
                             03.   All <u>clients</u>; "range of clients"; "everyone"; drug abuse clients--NFS

                             06.   Children; juveniles; infants (see also 19)
                             07.   Older clients; seniors
                             08.   Co-dependents
                             09.   Low income/poor/homeless
                             10.   Men

                             12.   Blacks
                             13.   Gays/lesbians
                             14.   Parent groups
                             15.   Minorities (exc. 12), including Native Americans
                             16.   Handicapped/physically impaired
                             17.   Pregnant women (incl. pregnant teens)
                             18.   Other programs for women
                             19.   Adolescents; teens (if NA whether 06 or 19, code 06)
                             20.   Spouses and/or extended family of abusers; Adult Children of Alcoholics

                             <u>CLIENTS WITH SPECIFIED ADDICTION/DRUG PROBLEM</u>

                             21.   Alcohol
                             22.   Cocaine
                             23.   Heroin; opiates

                             27.   Dual diagnosed (drug and mental health problem)
                             28.   Very or <u>severely addicted</u> clients; chronic abusers; IV drug users
                             29.   Early stage of addiction or treatment; tose just coming into a treatment program; orientation to treatment group

                             <u>CLIENTS WITH OTHER (SPECIFIED) PROBLEMS</u>

                             31.   Chronic pain sufferers
                             32.   Methadone recipients
                             33.   AIDS related clients
                             34.   <u>Mental health</u> problems (see also code 27)
                             35.   DUI/DWI clients; other clients from the courts with arrest records (or in jail); work release program

                             37.   Programs for peripheral problems: smoking; weight watchers, exercise; assertiveness training; gambling

VAR NAME
(Continued)

V8359   F5m.   41.   Aftercare; recovery; relapse prevention

                       97. Other

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       .B = NFM
                       .C = SKIP Q (when V8348=NO, DK or NA)

V8360   F5n.   How many persons are in these programs in a typical week?

                       Code # (001-500)

                       996.   None; service only periodic; less than one client per week

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       .B = NFM
                       .C = SKIP Q (when V8348=NO, DK or NA)

V8361   F5o.   What do these programs consist of?

                       01.   Individual therapy
                       02.   Group therapy
                       03.   Family therapy

                       08.   "Codependency"--NFS
                       09.   "Therapy"; "counseling"; "treatment" NFS

                       11.   AA; NA; 12-Step method
                       12.   Support groups; ACOA

                       21.   Prevention/education (incl. AIDS educ.)
                       22.   Evaluation and/or referral
                       23.   Aftercare; relapse prevention
                       24.   Case management

                       31.   Inpatient
                       32.   Other medical interventions/health care or monitoring; acupuncture; detox--NA whether
                              inpatient or not

                       41.   General <u>social services</u>: vocational/financial/legal/ housing asst.; transportation; meals;
                              translator services
                       95.   R mentions <u>only</u> a problem area but not a treatment approach

                       97. Other

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       .B = NFM
                       .C = SKIP Q (when V8348=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8362 F5o. What do these programs consist of?

  01. Individual therapy
  02. Group therapy
  03. Family therapy

  08. "Codependency"--NFS
  09. "Therapy"; "counseling"; "treatment" NFS

  11. AA; NA; 12-Step method
  12. Support groups; ACOA

  21. Prevention/education (incl. AIDS educ.)
  22. Evaluation and/or referral
  23. Aftercare; relapse prevention
  24. Case management

  31. Inpatient
  32. Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

  41. General social services: vocational/financial/legal/ housing asst.; transportation; meals; translator services
  95. R mentions only a problem area but not a treatment approach

  97. Other

  .D = DK
  .E = NA
  .F = NO INTVW
  .J = NOT WAVE
  .B = NFM
  .C = SKIP Q (when V8348=NO, DK or NA)

V8363 F5o. What do these programs consist of?

  01. Individual therapy
  02. Group therapy
  03. Family therapy

  08. "Codependency"--NFS
  09. "Therapy"; "counseling"; "treatment" NFS

  11. AA; NA; 12-Step method
  12. Support groups; ACOA

  21. Prevention/education (incl. AIDS educ.)
  22. Evaluation and/or referral
  23. Aftercare; relapse prevention
  24. Case management

  31. Inpatient
  32. Other medical interventions/health care or monitoring; acupuncture; detox--NA whether inpatient or not

  41. General social services: vocational/financial/legal/ housing asst.; transportation; meals; translator services

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8363   F5c.   95.   R mentions only a problem area but not a treatment approach

                       97. Other

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       .B = NFM
                       .C = SKIP Q (when V8348=NO, DK or NA)

V8364   F6.   What percent of your unit's outpatient substance abuse clients receive any services other than
                       those mentioned?

                       Code PERCENT (000-100)

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE

.C in V8365-V8374 __   0 = NONE

V8365   F6a.   What services are these?

                       Use TREATMENT/SERVICES Master Code (see p.), except:

                       .F = NO INTVW
                       .J = NOT WAVE
                       .B = NFM
                       .C = SKIP Q (when V8364=NONE)

V8366   F6b.   What percent of your unit's outpatient substance abuse clients receive (SERVICE)?

                       Code % OF CLIENTS (001-100)

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       .B = NFM
                       .C = SKIP Q (when V8364=NONE)

V8367   F6a.   What services are these?

                       Use TREATMENT/SERVICES Master Code (see p.), except:

                       .F = NO INTVW
                       .J = NOT WAVE
                       .B = NFM
                       .C = SKIP Q (when V8364=NONE)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8368   F6b.   What percent of your unit's outpatient substance abuse clients receive (SERVICE)?

Code % OF CLIENTS (001-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8364=NONE)

V8369   F6a.   What services are these?

Use TREATMENT/SERVICES Master Code (see p.), <u>except</u>:

.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8364=NONE)

V8370   F6b.   What percent of your unit's outpatient substance abuse clients receive (SERVICE)?

Code % OF CLIENTS (001-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8364=NONE)

V8371   F6a.   What services are these?

Use TREATMENT/SERVICES Master Code (see p.), <u>except</u>:

.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8364=NONE)

V8372   F6b.   What percent of your unit's outpatient substance abuse clients receive (SERVICE)?

Code % OF CLIENTS (001-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8364=NONE)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8373   F6a.   What services are these?

Use TREATMENT/SERVICES Master Code (see p.), <u>except</u>:

.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8364=NONE)

V8374   F6b.   What percent of your unit's outpatient substance abuse clients receive (SERVICE)?

Code % OF CLIENTS (001-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8364=NONE)

V8375   F7.   What is the average number of months a substance abuseclient spends in outpatient treatment at your unit?

Code AVERAGE NUMBER OF MONTHS (001-120)

001. One month or less

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8376   F8.   Given your current outpatient substance abuse treatment service <u>capacity</u>, what is the <u>maximum number</u> of outpatient substance abuse treatment clients your unit can serve on a weekly basis?

Code # OF CLIENTS (00001-99995)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8377   F9.   <u>Currently</u>, how many people are waiting to receive outpatient substance abuse treatment from your unit?

Code NUMBER WAITING (0000-2000)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8378 _____ 0 = NONE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8378   F9a.   How many days on average do these people have to wait tobegin treatment?

Code NUMBER OF DAYS (01-95)

01. One day or less

95. 95 days or more

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8377=NONE)

V8379   F10.   To what extent is treatment effective for outpatient substance abuse clients who are admitted to your unit because they were <u>ordered</u> to enter treatment by the legal system or their employer? (Would you say to <u>no extent, a little, some, great, or to a very great extent?</u>)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8380   F11.   In your view, to what extent is the Alcoholics Anonymous or Narcotics Anonymous 12-step model of treatment effective with substance abuse clients? (Would you say to <u>no extent, a little, some, great, or to a very great extent</u>?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8381   F12.   Does your outpatient unit encourage clients to participate in Alcoholics Anonymous or Narcotics Anonymous groups?

1. YES

.C in V8382-V8384   0. NO

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

VAR NAME

V8382　　　F12a.　　To what extent is this service used by your outpatient clients? (Would you say <u>to no extent, a little, some, great, or to a very great extent?</u>)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8381=NO, DK or NA)

V8383　　　F12b.　　To what extent does your outpatient unit encourage clients to participate in AA or NA self-help groups to enhance the public image, reputation, or acceptance of your outpatient unit? (Would you say to <u>no extent, a little, some, great, or to a very great extent?</u>)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8381=NO, DK or NA)

V8384　　　F12c.　　(To what extent does your outpatient unit encourage clients to participate in AA or NA self-help groups) because it is important to keep up with the substance abuse field? (Would you say to no extent, a little, some, great, or to a very great extent?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8381=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8385   F13.   In <u>your</u> view, what are the most effective outpatient treatment approaches for substance abuse problems? (Are there any others?)

01.   <u>Support group</u> involvement; family/peer support groups; family education
02.   <u>Self-help groups</u>--NFS
03.   <u>Individual therapy</u>/counseling; incl. specific types such as confrontation, behavior modification, Gestalt, task-centered, reality-based, etc.
04.   <u>Group therapy</u>
05.   Outpatient program(s)/treatment--NFS
06.   <u>Inpatient</u>/residential program or treatment--any type; inpatient detox (unit); therapeutic community
07.   <u>Medical</u> treatment; treatment with Antabuse, Methadone, etc.; acupuncture
08.   "Counseling"/"therapy"/"treatment"--NFS
09.   <u>Strict/controlled behavior</u> of client; highly structured approach; regular urine testing

10.   <u>Assessment, diagnosis, referral</u>; accurate diagnosis; referral of client to appropriate service(s); case management; case managed care
11.   <u>Drug free/abstinence</u> approach
12.   Family therapy; marriage counseling
13.   Multiple treatments (without specification): ex. comprehensive treatment; eclectic approach; holistic approach
14.   Outpatient <u>day</u> treatment; day hospital
15.   Aftercare--NFS
16.   AA or NA; 12-step method in an AA/NA group
17.   12-step method, not specified as AA or NA

19.   Specific types of therapy, not clear whether group or individual, or not codeable as any of the above; e.g., psycho-drama, insight therapy, or psychotherapy

21.   <u>Education</u> of client; increased awareness/info about drugs or client's problems
22.   <u>Environmental modification</u>; change of friends, school, neighborhood
23.   Other <u>changes in client behavior</u>; improved coping/problem-solving/interpersonal skills; <u>change in interests/activities</u>; "maturity"
24.   Some quality which the therapeutic interaction must have; e.g., accepting people where they are without judgment, treat with dignity and respect, unconditional positive regard
25.   Client takes responsibility, becomes motivated, active, involved in treatment; e.g., participates in formulating goals

31.   <u>Rehabilitation programs</u> (incl. vocational and academic training)

41.   Treatment is <u>client-dependent</u>; approach depends on type of client or problem; different treatments are specified as being best for different kinds of clients
42.   Treatment is <u>substance-determined</u>; depends on type of addiction/substance used; different treatments are specified as being best for different kinds of substance abuse

91.   DK or can't answer because not my area of expertise: "I'm not a SA specialist"; not enough time/ background in the field
97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8386   F13.   In your view, what are the most effective outpatient treatment approaches for substance abuse problems? (Are there any others?)

01.   Support group involvement; family/peer support groups; family education
02.   Self-help groups--NFS
03.   Individual therapy/counseling; incl. specific types such as confrontation, behavior modification, Gestalt, task-centered, reality-based, etc.
04.   Group therapy
05.   Outpatient program(s)/treatment--NFS
06.   Inpatient/residential program or treatment--any type; inpatient detox (unit); therapeutic community
07.   Medical treatment; treatment with Antabuse, Methadone, etc.; acupuncture
08.   "Counseling"/"therapy"/"treatment"--NFS
09.   Strict/controlled behavior of client; highly structured approach; regular urine testing

10.   Assessment, diagnosis, referral; accurate diagnosis; referral of client to appropriate service(s); case management; case managed care
11.   Drug free/abstinence approach
12.   Family therapy; marriage counseling
13.   Multiple treatments (without specification): ex. comprehensive treatment; eclectic approach; holistic approach
14.   Outpatient day treatment; day hospital
15.   Aftercare--NFS
16.   AA or NA; 12-step method in an AA/NA group
17.   12-step method, not specified as AA or NA

19.   Specific types of therapy, not clear whether group or individual, or not codeable as any of the above; e.g., psycho-drama, insight therapy, or psychotherapy

21.   Education of client; increased awareness/info about drugs or client's problems
22.   Environmental modification; change of friends, school, neighborhood
23.   Other changes in client behavior; improved coping/problem-solving/interpersonal skills; change in interests/activities; "maturity"
24.   Some quality which the therapeutic interaction must have; e.g., accepting people where they are without judgment, treat with dignity and respect, unconditional positive regard
25.   Client takes responsibility, becomes motivated, active, involved in treatment; e.g., participates in formulating goals

31.   Rehabilitation programs (incl. vocational and academic training)

41.   Treatment is client-dependent; approach depends on type of client or problem; different treatments are specified as being best for different kinds of clients
42.   Treatment is substance-determined; depends on type of addiction/substance used; different treatments are specified as being best for different kinds of substance abuse

91.   DK or can't answer because not my area of expertise: "I'm not a SA specialist"; not enough time/ background in the field
97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8387   F13.   In <u>your</u> view, what are the most effective outpatient treatment approaches for substance abuse problems? (Are there any others?)

01.   <u>Support group</u> involvement; family/peer support groups; family education
02.   <u>Self-help groups</u>--NFS
03.   <u>Individual therapy</u>/counseling; incl. specific types such as confrontation, behavior modification, Gestalt, task-centered, reality-based, etc.
04.   <u>Group therapy</u>
05.   Outpatient program(s)/treatment--NFS
06.   <u>Inpatient</u>/residential program or treatment--any type; inpatient detox (unit); therapeutic community
07.   <u>Medical</u> treatment; treatment with Antabuse, Methadone, etc.; acupuncture
08.   "Counseling"/"therapy"/"treatment"--NFS
09.   <u>Strict/controlled behavior</u> of client; highly structured approach; regular urine testing

10.   <u>Assessment, diagnosis, referral</u>; accurate diagnosis; referral of client to appropriate service(s); case management; case managed care
11.   <u>Drug free/abstinence</u> approach
12.   Family therapy; marriage counseling
13.   Multiple treatments (without specification): ex. comprehensive treatment; eclectic approach; holistic approach
14.   Outpatient <u>day</u> treatment; day hospital
15.   Aftercare--NFS
16.   AA or NA; 12-step method in an AA/NA group
17.   12-step method, not specified as AA or NA

19.   Specific types of therapy, not clear whether group or individual, or not codeable as any of the above; e.g., psycho-drama, insight therapy, or psychotherapy

21.   <u>Education</u> of client; increased awareness/info about drugs or client's problems
22.   <u>Environmental modification</u>; change of friends, school, neighborhood
23.   Other <u>changes in client behavior</u>; improved coping/problem-solving/interpersonal skills; <u>change in interests/activities</u>; "maturity"
24.   Some quality which the therapeutic interaction must have; e.g., accepting people where they are without judgment, treat with dignity and respect, unconditional positive regard
25.   Client takes responsibility, becomes motivated, active, involved in treatment; e.g., participates in formulating goals

31.   <u>Rehabilitation programs</u> (incl. vocational and academic training)

41.   Treatment is <u>client-dependent</u>; approach depends on type of client or problem; different treatments are specified as being best for different kinds of clients
42.   Treatment is <u>substance-determined</u>; depends on type of addiction/substance used; different treatments are specified as being best for different kinds of substance abuse

91.   DK or can't answer because not my area of expertise: "I'm not a SA specialist"; not enough time/ background in the field
97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8388   F14.   What criteria does your unit use to determine whether outpatient substance abuse clients are successful or not in substance abuse treatment?

01.   Abstinence/sobriety--NFS; confirmed or verified abstinence (via urinalysis or other tests)
02.   Length of abstinence; abstinence for specified period of time; periods of abstinence
03.   Decreased dosage; decreased drug use

11.   Compliance with treatment plan; meet/complete treatment goals; participate in therapy/group
12.   Staff/therapist evaluations of progress; treatment reviews
13.   Legal system/court action resolved; no trouble with the law; completed probation/parole
14.   Follow up information; stability of progress made

21.   Self report of success/wellbeing; client insight; awareness of abuse problems

Characteristics of client's life improve/stabilize:

30.   (Overall) improved life functioning/quality of life
        --NFS; "better mental health"
31.   Employment or education; working (steadily); in school; improved financial/income situation; off welfare
32.   Home/social life/relationships; feedback from family/friends
33.   Avoidance of or changed negative influences; "made changes in lifestyle"
34.   Participation/involvement in self-help groups, incl. AA/NA; establishing support network (to aid sobriety); "they enroll in a good support system"
35.   Improved physical health

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM

V8389   F14.   What criteria does your unit use to determine whether outpatient substance abuse clients are successful or not in substance abuse treatment?

01.   Abstinence/sobriety--NFS; confirmed or verified abstinence (via urinalysis or other tests)
02.   Length of abstinence; abstinence for specified period of time; periods of abstinence
03.   Decreased dosage; decreased drug use

11.   Compliance with treatment plan; meet/complete treatment goals; participate in therapy/group
12.   Staff/therapist evaluations of progress; treatment reviews
13.   Legal system/court action resolved; no trouble with the law; completed probation/parole
14.   Follow up information; stability of progress made

21.   Self report of success/wellbeing; client insight; awareness of abuse problems

Characteristics of client's life improve/stabilize:

30.   (Overall) improved life functioning/quality of life
        --NFS; "better mental health"
31.   Employment or education; working (steadily); in school; improved financial/income situation; off welfare
32.   Home/social life/relationships; feedback from family/friends
33.   Avoidance of or changed negative influences; "made changes in lifestyle"
34.   Participation/involvement in self-help groups, incl. AA/NA; establishing support network (to aid sobriety); "they enroll in a good support system"

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

35.   Improved physical health

(Continued)

V8389	F14.	97.	Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM

V8390   F14.   What criteria does your unit use to determine whether outpatient substance abuse clients are successful or not in substance abuse treatment?

01.   Abstinence/sobriety--NFS; confirmed or verified abstinence (via urinalysis or other tests)
02.   Length of abstinence; abstinence for specified period of time; periods of abstinence
03.   Decreased dosage; decreased drug use

11.   Compliance with treatment plan; meet/complete treatment goals; participate in therapy/group
12.   Staff/therapist evaluations of progress; treatment reviews
13.   Legal system/court action resolved; no trouble with the law; completed probation/parole
14.   Follow up information; stability of progress made

21.   Self report of success/wellbeing; client insight; awareness of abuse problems

Characteristics of client's life improve/stabilize:

30.   (Overall) improved life functioning/quality of life --NFS; "better mental health"
31.   Employment or education; working (steadily); in school; improved financial/income situation; off welfare
32.   Home/social life/relationships; feedback from family/friends
33.   Avoidance of or changed negative influences; "made changes in lifestyle"
34.   Participation/involvement in self-help groups, incl. AA/NA; establishing support network (to aid sobriety); "they enroll in a good support system"
35.   Improved physical health

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM

V8391   F14.   What criteria does your unit use to determine whether outpatient substance abuse clients are successful or not in substance abuse treatment?

01.   Abstinence/sobriety--NFS; confirmed or verified abstinence (via urinalysis or other tests)
02.   Length of abstinence; abstinence for specified period of time; periods of abstinence
03.   Decreased dosage; decreased drug use

11.   Compliance with treatment plan; meet/complete treatment goals; participate in therapy/group
12.   Staff/therapist evaluations of progress; treatment reviews
13.   Legal system/court action resolved; no trouble with the law; completed probation/parole
14.   Follow up information; stability of progress made

21.   Self report of success/wellbeing; client insight; awareness of abuse problems

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

Characteristics of client's life improve/stabilize:

VAR NAME
(Continued)

V8391   F14.   30.   (Overall) improved life functioning/quality of life
                            --NFS; "better mental health"

                    31.   Employment or education; working (steadily); in school; improved financial/income situation; off welfare
                    32.   Home/social life/relationships; feedback from family/friends
                    33.   Avoidance of or changed negative influences; "made changes in lifestyle"
                    34.   Participation/involvement in self-help groups, incl. AA/NA; establishing support network (to aid sobriety); "they enroll in a good support system"
                    35.   Improved physical health

                    97.   Other

                    .D = DK
                    .E = NA
                    .F = NO INTVW
                    .J = NOT WAVE
                    .B = NFM

V8392   F14.   What criteria does your unit use to determine whether outpatient substance abuse clients are successful or not in substance abuse treatment?

                    01.   Abstinence/sobriety--NFS; confirmed or verified abstinence (via urinalysis or other tests)
                    02.   Length of abstinence; abstinence for specified period of time; periods of abstinence
                    03.   Decreased dosage; decreased drug use

                    11.   Compliance with treatment plan; meet/complete treatment goals; participate in therapy/group
                    12.   Staff/therapist evaluations of progress; treatment reviews
                    13.   Legal system/court action resolved; no trouble with the law; completed probation/parole
                    14.   Follow up information; stability of progress made

                    21.   Self report of success/wellbeing; client insight; awareness of abuse problems

Characteristics of client's life improve/stabilize:

                    30.   (Overall) improved life functioning/quality of life
                            --NFS; "better mental health"
                    31.   Employment or education; working (steadily); in school; improved financial/income situation; off welfare
                    32.   Home/social life/relationships; feedback from family/friends
                    33.   Avoidance of or changed negative influences; "made changes in lifestyle"
                    34.   Participation/involvement in self-help groups, incl. AA/NA; establishing support network (to aid sobriety); "they enroll in a good support system"
                    35.   Improved physical health

                    97.   Other

                    .D = DK
                    .E = NA
                    .F = NO INTVW
                    .J = NOT WAVE
                    .B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8393   F15.   For what percent of outpatient substance abuse clients does your unit have individual written plans for care to continue after treatment, such as aftercare plans, support groups, or return visits?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

F16.   How important do <u>you</u> believe each of the following is for <u>effective outpatient</u> substance abuse treatment? How important is it...

V8394   F16a.   <u>...that the client recognize and acknowledge that he or she is a substance abuser? (Would you say it is not at all important, a little important, somewhat important, very important, or extremely important to the effectiveness of treatment?)</u>

1. NOT AT ALL IMPORTANT
2. A LITTLE IMPORTANT
3. SOMEWHAT IMPORTANT
4. VERY IMPORTANT
5. EXTREMELY IMPORTANT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8395   F16b.   <u>...that the client accept personal responsibility for his or her recovery</u>?

1. NOT AT ALL IMPORTANT
2. A LITTLE IMPORTANT
3. SOMEWHAT IMPORTANT
4. VERY IMPORTANT
5. EXTREMELY IMPORTANT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8396   F16c.   <u>...that clients gain insight and understanding of the role that substance abuse plays in their lives?</u>

1. NOT AT ALL IMPORTANT
2. A LITTLE IMPORTANT
3. SOMEWHAT IMPORTANT
4. VERY IMPORTANT
5. EXTREMELY IMPORTANT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8397   F16d.   ...that clients "hit bottom" or experience a major personal crisis related to their substance abuse problem?

1. NOT AT ALL IMPORTANT
2. A LITTLE IMPORTANT
3. SOMEWHAT IMPORTANT
4. VERY IMPORTANT
5. EXTREMELY IMPORTANT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

F17.   We would like to know how important underline{certain goals} for treatment are in your outpatient unit. Please tell me how much you agree or disagree with each of the following statements:

V8398   F17a.   Complete abstinence from alcohol and drugs is an important goal for treatment. Would you say that you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree?

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8399   F17b.   Clients learning how to use alcohol or drugs in a socially responsible way is an important goal for treatment. (Would you say that you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8400   F17c.   Steady employment (is an important goal for treatment).

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8401 F17d. Positive physical health (is an important goal for treatment).

     1. STRONGLY AGREE
     2. SOMEWHAT AGREE
     3. NEITHER AGREE NOR DISAGREE
     4. SOMEWHAT DISAGREE
     5. STRONGLY DISAGREE

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

V8402 F17e. Improved spiritual strength (is an important goal for treatment).

     1. STRONGLY AGREE
     2. SOMEWHAT AGREE
     3. NEITHER AGREE NOR DISAGREE
     4. SOMEWHAT DISAGREE
     5. STRONGLY DISAGREE

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

V8403 F17f. Meeting legally mandated requirements for those with legal problems (is an important goal for treatment).

     1. STRONGLY AGREE
     2. SOMEWHAT AGREE
     3. NEITHER AGREE NOR DISAGREE
     4. SOMEWHAT DISAGREE
     5. STRONGLY DISAGREE

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

V8404 F18. To what extent do outpatient substance abuse clients at your outpatient unit participate in establishing their own treatment goals? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to a <u>very great extent?</u>)

     1. NO EXTENT
     2. A LITTLE EXTENT
     3. SOME EXTENT
     4. A GREAT EXTENT
     5. A VERY GREAT EXTENT

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8405   F19.   To what extent has your outpatient unit <u>adopted</u> complete abstinence from alcohol and drugs as a treatment goal? (Would you say to <u>no extent</u>, <u>a</u> <u>little</u>, <u>some</u>, <u>great</u> or to <u>a very great extent?</u>)

.C in V8406-V8408   1. NO EXTENT

          2. A LITTLE EXTENT
          3. SOME EXTENT
          4. A GREAT EXTENT
          5. A VERY GREAT EXTENT

          .D = DK
          .E = NA
          .F = NO INTVW
          .J = NOT WAVE

V8406   F19a.   To what extent has your outpatient unit adopted complete abstinence from alcohol and drugs as a treatment goal to comply with government agency regulations? (Would you say to <u>no extent</u>, <u>a</u> <u>little</u>, <u>some</u>, <u>great</u>, or to <u>a very great</u> extent?)

          1. NO EXTENT
          2. A LITTLE EXTENT
          3. SOME EXTENT
          4. A GREAT EXTENT
          5. A VERY GREAT EXTENT

          .D = DK
          .E = NA
          .F = NO INTVW
          .J = NOT WAVE
          .C = SKIP Q (when V8405=1)

V8407   F19b.   (To what extent has your outpatient unit adopted complete abstinence from alcohol and drugs as a treatment goal) to enhance the public image, reputation, or acceptance of your outpatient unit? (Would you say to <u>no extent</u>, <u>a little, some, great, or to a very great extent?</u>)

          1. NO EXTENT
          2. A LITTLE EXTENT
          3. SOME EXTENT
          4. A GREAT EXTENT
          5. A VERY GREAT EXTENT

          .D = DK
          .E = NA
          .F = NO INTVW
          .J = NOT WAVE
          .C = SKIP Q (when V8405=1)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8408 F19c. (To what extent has your outpatient unit adopted complete abstinence from alcohol and drugs as a treatment goal) because it is important to keep up with the substance abuse field? (Would you say to <u>no extent</u>, a little, <u>some</u>, <u>great, or to a very great extent?</u>)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8405=1)

V8409 F20. How difficult is it for your outpatient unit's clients to contact a staff member outside of normal operating hours, such as at night, or on weekends, when they are in a crisis situation regarding their abuse problem. Would you say it is <u>very difficult</u>, <u>somewhat difficult</u>, <u>a little</u> <u>difficult,</u> <u>somewhat easy, or very easy?</u>

1. VERY DIFFICULT
2. SOMEWHAT DIFFICULT
3. A LITTLE DIFFICULT
4. SOMEWHAT EASY
5. VERY EASY

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

F21. We are interested in how client progress is monitored during the course of treatment. For clients presently in outpatient substance abuse treatment, to what extent does your unit monitor treatment using...

V8410 F21a. <u>...client case records or patient charts?</u> (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8411   F21b.   ...client self-reports? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8412   F21c.   ...urine testing?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8413   F21d.   ...reports of significant others?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8414   F21e.   ...a therapist's evaluation?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8415   F21f.   ...a report from the client's employer?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8416   F21g.   ...court probation officer or legal records?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8417   F21h.   ...any methods other than those mentioned? (SPECIFY)

01.   Observe/monitor drug administration (antabuse, naltrexone, etc.)
02.   Other medical records or evaluations; "client's physical condition"
03.   Psychiatric evaluation
04.   Police or court records; arrests
05.   Staff evaluations; case review by staff; quality assurance audits
06.   Peer feedback (in group therapy); peer counseling
07.   Client's behavior; appearance/dress/pay bills/go to work; client in normal routine
       activities/meeting responsibilities

11.   Frequency or regularity of visits to unit; "contacts"
12.   Testing; repeat MMPI
13.   School reports/records (for adolescents); "school"--NFS
14.   AA/NA participation or feedback
15.   (Informal) contacts with family/friends/employers
16.   Reports/feedback from other social or treatment agencies

51.   Records of appointments broken (by the clients)

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8418-V8422   .B = NFM

0 = NONE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8418   F21h.   ...any methods other than those mentioned?

     1. NO EXTENT
     2. A LITTLE EXTENT
     3. SOME EXTENT
     4. A GREAT EXTENT
     5. A VERY GREAT EXTENT

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE
     .B = NFM
     .C = SKIP Q (when V8417=0, NFM)

V8419   F21h.   ...any methods other than those mentioned? (SPECIFY)

     01.   Observe/monitor drug administration (antabuse, naltrexone, etc.)
     02.   Other medical records or evaluations; "client's physical condition"
     03.   Psychiatric evaluation
     04.   Police or court records; arrests
     05.   Staff evaluations; case review by staff; quality assurance audits
     06.   Peer feedback (in group therapy); peer counseling
     07.   Client's behavior; appearance/dress/pay bills/go to work; client in normal routine activities/meeting responsibilities

     11.   Frequency or regularity of visits to unit; "contacts"
     12.   Testing; repeat MMPI
     13.   School reports/records (for adolescents); "school"--NFS
     14.   AA/NA participation or feedback
     15.   (Informal) contacts with family/friends/employers
     16.   Reports/feedback from other social or treatment agencies

     51.   Records of appointments broken (by the clients)

     97.   Other

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

.C in V8420-V8422   .B = NFM

     0 = NONE

V8420   F21h.   ...any methods other than those mentioned?

     1. NO EXTENT
     2. A LITTLE EXTENT
     3. SOME EXTENT
     4. A GREAT EXTENT
     5. A VERY GREAT EXTENT

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE
     .B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C = SKIP Q (when V8417 or V8419=0, NFM)

V8421   F21h.   ...any methods other than those mentioned? (SPECIFY)

    01.   Observe/monitor drug administration (antabuse, naltrexone, etc.)
    02.   Other medical records or evaluations; "client's physical condition"
    03.   Psychiatric evaluation
    04.   Police or court records; arrests
    05.   Staff evaluations; case review by staff; quality assurance audits
    06.   Peer feedback (in group therapy); peer counseling
    07.   Client's behavior; appearance/dress/pay bills/go to work; client in normal routine activities/meeting responsibilities

    11.   Frequency or regularity of visits to unit; "contacts"
    12.   Testing; repeat MMPI
    13.   School reports/records (for adolescents); "school"--NFS
    14.   AA/NA participation or feedback
    15.   (Informal) contacts with family/friends/employers
    16.   Reports/feedback from other social or treatment agencies

    51.   Records of appointments broken (by the clients)

    97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8422   .B = NFM

0 = NONE

V8422   F21h.   ...any methods other than those mentioned?

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .B = NFM
    .C = SKIP Q (when V8417, V8419 or v8421=0, NFM)

V8423   F22.   To what extent are there specific conditions outpatient substance abuse clients must meet in order to remain in therapy at your unit? (Would you say to no extent, a little, some, great, or to a very great extent?)

.C in V8424-V8432   1. NO EXTENT

    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8424   F22a.   To what extent do these conditions include maintaining sobriety? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great, or to a very great extent?</u>)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8423=1)

V8425   F22b.   (To what extent do these conditions involve) compliance with a treatment plan? (Would you say to <u>no extent, a</u> <u>little, some, great, or to a very great extent?</u>)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8423=1)

V8426   F22c.   <u>...compliance with probation conditions established by the courts (for those with legal problems)?</u>

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8423=1)

V8427   F22d.   <u>...any conditions other than those just mentioned? (SPECIFY:)</u>

01.   Attendance--NFS; keeping appointments; "participation"--NFS
02.   Participation in individual therapy or counseling
03.   Participation in group therapy or self-help groups, incl. AA/NA
04.   Participation by <u>family member or friend</u> of the client; family involvement
05.   "Complete assignments"; "do homework"--NFS

61.   Meeting project's/program's entrance requirement; "no longer fit research criteria"

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

62.   Physical exam results; breath and urine tests
63.   Conditional sobriety; attempt to stay sober; be sober for appointments

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8427 F22d. 71. <u>Progress</u>; "if we don't see any improvement, they go"

        81. Proper/appropriate <u>behavior</u> (at the unit); no violence/threats, etc.; appearance; performances of routine chores or activities; comply with program rules
        82. Good <u>attitude</u>; "compliant"; "cooperative"; motivation
        83. <u>Employment</u>
        84. Payment of fees; keeping financial aid; having insurance

        97. Other

        .D = DK
        .E = NA
        .F = NO INTVW
        .J = NOT WAVE
        .C = SKIP Q(when V8423=1)

.C in V8428-V8432   .B = NFM

        0 = NONE

V8428 F22d. ...any conditions other than those just mentioned?

        1. NO EXTENT
        2. A LITTLE EXTENT
        3. SOME EXTENT
        4. A GREAT EXTENT
        5. A VERY GREAT EXTENT

        .D = DK
        .E = NA
        .F = NO INTVW
        .J = NOT WAVE
        .B = NFM
        .C = SKIP Q (when V8423=1; V8427=0, NFM)

V8429 F22d. ...any conditions other than those just mentioned? (SPECIFY:)

        01. Attendance--NFS; keeping appointments; "participation"--NFS
        02. Participation in individual therapy or counseling
        03. Participation in group therapy or self-help groups, incl. AA/NA
        04. Participation by <u>family member or friend</u> of the client; family involvement
        05. "Complete assignments"; "do homework"--NFS

        61. Meeting project's/program's entrance requirement; "no longer fit research criteria"
        62. Physical exam results; breath and urine tests
        63. Conditional sobriety; attempt to stay sober; be sober for appointments

        71. <u>Progress</u>; "if we don't see any improvement, they go"

        81. Proper/appropriate <u>behavior</u> (at the unit); no violence/threats, etc.; appearance; performances of routine chores or activities; comply with program rules
        82. Good <u>attitude</u>; "compliant"; "cooperative"; motivation
        83. <u>Employment</u>
        84. Payment of fees; keeping financial aid; having insurance

VAR NAME
(Continued)

V8429　　　F22d.　　97.　　Other

　　　　　　　　　　　　　.D = DK
　　　　　　　　　　　　　.E = NA
　　　　　　　　　　　　　.F = NO INTVW
　　　　　　　　　　　　　.J = NOT WAVE
　　　　　　　　　　　　　.C = SKIP Q (when V8423=1; V8427=0, NFM)

.C in V8428-V8432　　　.B = NFM

　　　　　　　　　　　　　0 = NONE

V8430　　　F22d.　　...any conditions other than those just mentioned?

　　　　　　　　　　　1. NO EXTENT
　　　　　　　　　　　2. A LITTLE EXTENT
　　　　　　　　　　　3. SOME EXTENT
　　　　　　　　　　　4. A GREAT EXTENT
　　　　　　　　　　　5. A VERY GREAT EXTENT

　　　　　　　　　　　　　.D = DK
　　　　　　　　　　　　　.E = NA
　　　　　　　　　　　　　.F = NO INTVW
　　　　　　　　　　　　　.J = NOT WAVE
　　　　　　　　　　　　　.B = NFM
　　　　　　　　　　　　　.C = SKIP Q (when V8423=1; V8427=0, NFM; V8429=0, NFM)

V8431　　　F22d.　　...any conditions other than those just mentioned? (SPECIFY:)

　　　　　　　　　　　01.　　Attendance--NFS; keeping appointments; "participation"--NFS
　　　　　　　　　　　02.　　Participation in individual therapy or counseling
　　　　　　　　　　　03.　　Participation in group therapy or self-help groups, incl. AA/NA
　　　　　　　　　　　04.　　Participation by <u>family member or friend</u> of the client; family involvement
　　　　　　　　　　　05.　　"Complete assignments"; "do homework"--NFS

　　　　　　　　　　　61.　　Meeting project's/program's entrance requirement; "no longer fit research criteria"
　　　　　　　　　　　62.　　Physical exam results; breath and urine tests
　　　　　　　　　　　63.　　Conditional sobriety; attempt to stay sober; be sober for appointments

　　　　　　　　　　　71.　　<u>Progress</u>; "if we don't see any improvement, they go"

　　　　　　　　　　　81.　　Proper/appropriate <u>behavior</u> (at the unit); no violence/threats, etc.; appearance;
　　　　　　　　　　　　　　performances of routine chores or activities; comply with program rules
　　　　　　　　　　　82.　　Good <u>attitude</u>; "compliant"; "cooperative"; motivation
　　　　　　　　　　　83.　　<u>Employment</u>
　　　　　　　　　　　84.　　Payment of fees; keeping financial aid; having insurance

　　　　　　　　　　　97.　　Other

　　　　　　　　　　　　　.D = DK
　　　　　　　　　　　　　.E = NA
　　　　　　　　　　　　　.F = NO INTVW
　　　　　　　　　　　　　.J = NOT WAVE
　　　　　　　　　　　　　.C = SKIP Q (when V8423=1; V8427=0, NFM; V8429=0, NFM)

.C in V8428-V8432　　.B = NFM

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

0 = NONE; Inap

V8432   F22d.   ...any conditions other than those just mentioned?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8423=1; V8427=0, NFM; V8429=0, NFM; V8431=0,NFM)

V8433   F23.   Does your outpatient unit have a formal written quality assurance plan?

1. YES

.C in V8434 ⌐———— 0. NO

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8434   F23a.   To what extent is it based on Joint Commission on Accreditation of Healthcare Organizations standards? (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or to <u>a very great extent?</u>)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8433=NO, DK or NA)

F24.   To what extent does your outpatient unit <u>review</u> (the following):

V8435   F24a.   ...whether treatment plans address all identified impairments? (Would you say to no extent, a little, some, great, or to a very great extent?)

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.J = NOT WAVE

V8436 F24b. ...whether appropriate referrals to other agencies have been made? (Would you say to no extent, a little, some, great, or to a very great extent?)

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8437 F24c. ...whether changes in the treatment plan have been made when pertinent clinical problems arise?

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8438 F24d. ...whether treatment duration has been altered based on individual client need?

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

V8439 F24e. ...whether there is documentation of treatment complications and their implications?

    1. NO EXTENT
    2. A LITTLE EXTENT
    3. SOME EXTENT
    4. A GREAT EXTENT
    5. A VERY GREAT EXTENT

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8440 F24f. ...whether there is a written discharge plan?

     1. NO EXTENT
     2. A LITTLE EXTENT
     3. SOME EXTENT
     4. A GREAT EXTENT
     5. A VERY GREAT EXTENT

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

V8441 F24g. ...whether patient complaints have been resolved?

     1. NO EXTENT
     2. A LITTLE EXTENT
     3. SOME EXTENT
     4. A GREAT EXTENT
     5. A VERY GREAT EXTENT

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

     F25. Of those outpatient substance abuse clients who <u>ended</u> treatment in the most recent complete fiscal year, what percent ended treatment because they:

V8442 F25a. completed treatment?

     Code PERCENT (000-100)

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

V8443 F25b. failed to comply with the treatment plan?

     Code PERCENT (000-100)

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

V8444 F25c. dropped out of treatment?

     Code PERCENT (000-100)

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE

V8445 F25d. were free from drug or alcohol use?

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8446   F25e.   achieved controlled drug or alcohol use?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8447   F25f.   continued to abuse drugs or alcohol?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8448   F25g.   failed to pay for their treatment?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8449   F25h.   exhausted their insurance coverage?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

V8450   F25i.   transferred to another unit or program?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8451   F25j.   Any other reasons not mentioned? (SPECIFY:)

                       04.   Moved away; relocated

                       11.   Asked to leave by unit--NFS or because of poor behavior or non-compliance with unit rules

                       21.   Incarcerated or institutionalized
                       22.   Died

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE

       .C in V8452-V8456   .B = NFM

                       0 = NONE

V8452   F25j.   Any other reasons not mentioned?--PERCENT

                       Code PERCENT (001-100)

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       .B = NFM
                       .C = SKIP Q (when V8451=0, NFM)

V8453   F25j.   Any other reasons not mentioned? (SPECIFY:)

                       04.   Moved away; relocated

                       11.   Asked to leave by unit--NFS or because of poor behavior or non-compliance with unit rules

                       21.   Incarcerated or institutionalized
                       22.   Died

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       .C = SKIP Q (when V8451=0, NFM)

       .C in V8454-V8456   .B = NFM

                       0 = NONE

V8454   F25j.   Any other reasons not mentioned?--PERCENT

                       Code PERCENT (001-100)

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       .B = NFM
                       .C = SKIP Q (when V8451or V853=0, NFM)

VAR NAME

V8455   F25j.   <u>Any other reasons not mentioned? (SPECIFY:)</u>

             04.   Moved away; relocated

             11.   Asked to leave by unit--NFS or because of poor behavior or non-compliance with unit rules

             21.   Incarcerated or institutionalized
             22.   Died

             .D = DK
             .E = NA
             .F = NO INTVW
             .J = NOT WAVE
             .C = SKIP Q (when V8451or V853=0, NFM)

.C in V8456   .B = NFM

                         0 = NONE

V8456   F25j.   Any other reasons not mentioned?--PERCENT

             Code PERCENT (001-100)

             .D = DK
             .E = NA
             .F = NO INTVW
             .J = NOT WAVE
             .B = NFM
             .C = SKIP Q (when V8451, V8453 or V8455=0, NFM)

V8457   F26.   Of your unit's outpatient substance abuse clients who ended treatment in the most recent
                      complete fiscal year, what percent ended treatment involuntarily?

             Code PERCENT (000-100)

             .D = DK
             .E = NA
             .F = NO INTVW
             .J = NOT WAVE

V8458   F27.   What percent of your unit's outpatient substance abuse clients who ended treatment in the most
                      recent complete fiscal year met the goals set for their treatment?

             Code PERCENT (000-100)

             .D = DK
             .E = NA
             .F = NO INTVW
             .J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

SECTION G

V8459   G1.   Among all the outpatient substance abuse clients treated by your unit in the most recent complete fiscal year, what percent were involuntary clients compelled to come for treatment because of a court order?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8460-8516   0 = NONE

G2.   Among these, what percent had been charged with each of the following kinds of offenses:

V8460   G2a.   Driving while intoxicated (DWI) or under the influence (DUI)?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8461   G2b.   Domestic violence?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8462   G2c.   Drunk and disorderly conduct?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8463   G2d.   Dealing illegal drugs?

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8464   G2e.   Any other offenses? (SPECIFY:)

          01.   Theft: grand theft; shoplifting; minor theft; B&E; auto theft (incl. "receiving stolen property")
          02.   Forged checks; embezzlement; "forgery"--NFS
          03.   Forged (or illegally obtained) prescriptions
          04.   Con games/fraud/swindles (exc. 03); mail fraud; extortion
          05.   Selling/transporting/smuggling/manufacturing drugs
          06.   Sale of other illegal goods; guns
          07.   Assault; murder; child abuse
          08.   Other felony or NFS
          09.   Drug possession
          10.   Probation/parole violations
          11.   Criminal sexual conduct; prostitution

          97.   OTHER

          .D = DK
          .E = NA
          .F = NO INTVW
          .J = NOT WAVE
          .C = SKIP Q (when V8459=0)

.C in V8465-V8469   .B = NFM

          0 = NONE

V8465   G2e.   Any other offenses?--PERCENT

          Code PERCENT (001-100)

          .D = DK
          .E = NA
          .F = NO INTVW
          .J = NOT WAVE
          .B = NFM
          .C = SKIP Q (when V8459=0; V8464=0, NFM)

V8466   G2e.   Any other offenses? (SPECIFY:)

          01.   Theft: grand theft; shoplifting; minor theft; B&E;auto theft (incl. "receiving stolen property")
          02.   Forged checks; embezzlement; "forgery"--NFS
          03.   Forged (or illegally obtained) prescriptions
          04.   Con games/fraud/swindles (exc. 03); mail fraud; extortion
          05.   Selling/transporting/smuggling/manufacturing drugs
          06.   Sale of other illegal goods; guns
          07.   Assault; murder; child abuse
          08.   Other felony or NFS
          09.   Drug possession
          10.   Probation/parole violations
          11.   Criminal sexual conduct; prostitution

          97.   OTHER

          .D = DK
          .E = NA
          .F = NO INTVW
          .J = NOT WAVE
          .C = SKIP Q (when V8459=0; V8464=0, NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C in V8465-V8469 —— .B = NFM

0 = NONE

V8467   G2e.   Any other offenses?--PERCENT

                    Code PERCENT (001-100)

                    .D = DK
                    .E = NA
                    .F = NO INTVW
                    .J = NOT WAVE
                    .B = NFM
                    .C = SKIP Q (when V8459=0; V8464 or V8466=0, NFM)

V8468   G2e.   Any other offenses? (SPECIFY:)

                    01.   Theft: grand theft; shoplifting; minor theft; B&E; auto theft (incl. "receiving stolen property")
                    02.   Forged checks; embezzlement; "forgery"--NFS
                    03.   Forged (or illegally obtained) prescriptions
                    04.   Con games/fraud/swindles (exc. 03); mail fraud; extortion
                    05.   Selling/transporting/smuggling/manufacturing drugs
                    06.   Sale of other illegal goods; guns
                    07.   Assault; murder; child abuse
                    08.   Other felony or NFS
                    09.   Drug possession
                    10.   Probation/parole violations
                    11.   Criminal sexual conduct; prostitution

                    97.   OTHER

                    .D = DK
                    .E = NA
                    .F = NO INTVW
                    .J = NOT WAVE
                    .C = SKIP Q (when V8459=0; V8464 or V8466=0, NFM)

.C in V8465-V8469 —— .B = NFM

0 = NONE

V8469   G2e.   Any other offenses?--PERCENT

                    Code PERCENT (001-100)

                    .D = DK
                    .E = NA
                    .F = NO INTVW
                    .J = NOT WAVE
                    .B = NFM
                    .C = SKIP Q (when V8459=0; V8464, V8466 or V8468=0, NFM)

V8470   G3.   Of the court-ordered clients receiving outpatient treatment services at your unit in the most recent
                    complete fiscal year, what percent had a problem of alcohol abuse?

                    Code PERCENT OF CLIENTS (000-100)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8471   G4.   Of the court-ordered clients receiving outpatient treatment services at your unit in the <u>most recent complete fiscal year</u>, what percent had a problem of drug abuse?

Code PERCENT OF CLIENTS (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

G5.   Of your unit's court-ordered outpatient substance abuse clients who <u>ended</u> treatment during the most recent complete fiscal year, what percent...

V8472   G5a.   <u>... ended treatment because they met the goals set for their treatment?</u>

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8473   G5b.   <u>...were abstinent at the end of treatment?</u>

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8474   G5c.   <u>...were remanded back to the court because of failure to comply with the treatment requirements?</u>

Code PERCENT (000-100)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8475   <u>G6.</u>   <u>INTERVIEWER CHECKPOINT</u>

.C in V8476-V8483   1. ALL CLIENTS ARE COURT-ORDERED (G1 = 100%)

2. ALL OTHERS

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

G7.   Compared to <u>non-court-ordered</u> outpatient substance abuse clients in your unit, would you say your unit's court-ordered outpatient substance abuse clients are <u>much more</u> hostile, <u>somewhat more</u>, <u>about the same</u>, <u>somewhat less</u>, or <u>much less</u> hostile?

V8476   G7a.   <u>HOSTILE?</u>

1. MUCH MORE
2. SOMEWHAT MORE
3. ABOUT THE SAME
4. SOMEWHAT LESS
5. MUCH LESS

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0; V8475=1)

V8477   G7b.   Compliant? (Are your unit's court-ordered outpatient substance abuse clients <u>much more</u> compliant, <u>somewhat more</u>, <u>about the same</u>, <u>somewhat less</u>, or <u>much less</u> compliant than your unit's non-court-ordered outpatient substance abuse clients?)

1. MUCH MORE
2. SOMEWHAT MORE
3. ABOUT THE SAME
4. SOMEWHAT LESS
5. MUCH LESS

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0; V8475=1)

V8478   G7c.   Motivated for treatment?

1. MUCH MORE
2. SOMEWHAT MORE
3. ABOUT THE SAME
4. SOMEWHAT LESS
5. MUCH LESS

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0; V8475=1)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8479   G7d.   Manipulative?

    1. MUCH MORE
    2. SOMEWHAT MORE
    3. ABOUT THE SAME
    4. SOMEWHAT LESS
    5. MUCH LESS

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8459=0; V8475=1)

V8480   G7e.   Suspicious?

    1. MUCH MORE
    2. SOMEWHAT MORE
    3. ABOUT THE SAME
    4. SOMEWHAT LESS
    5. MUCH LESS

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8459=0; V8475=1)

V8481   G7f.   Frightened?

    1. MUCH MORE
    2. SOMEWHAT MORE
    3. ABOUT THE SAME
    4. SOMEWHAT LESS
    5. MUCH LESS

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8459=0; V8475=1)

V8482   G7g.   Secretive?

    1. MUCH MORE
    2. SOMEWHAT MORE
    3. ABOUT THE SAME
    4. SOMEWHAT LESS
    5. MUCH LESS

    .D = DK
    .E = NA
    .F = NO INTVW
    .J = NOT WAVE
    .C = SKIP Q (when V8459=0; V8475=1)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8483　　G7h.　Unhappy to be in treatment?

1. MUCH MORE
2. SOMEWHAT MORE
3. ABOUT THE SAME
4. SOMEWHAT LESS
5. MUCH LESS

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0; V8475=1)

　　　　G8.　Please tell me how much you agree or disagree with each of the following treatment goals for court-ordered outpatient substance abuse clients?

V8484　　G8a.　Complete abstinence from alcohol and drugs is an important goal for court-ordered treatment. (Would you say that you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8485　　G8b.　Clients learning how to use alcohol or drugs in a socially responsible way is an important goal for court-ordered treatment. (Would you say that you strongly agree, somewhat agree, neither agree nor disagree, somewhat disagree, or strongly disagree?)

1. STRONGLY AGREE
2. SOMEWHAT AGREE
3. NEITHER AGREE NOR DISAGREE
4. SOMEWHAT DISAGREE
5. STRONGLY DISAGREE

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8486   G8c.   Reduction in criminal behavior of court-ordered clients (is an important goal for treatment).

     1. STRONGLY AGREE
     2. SOMEWHAT AGREE
     3. NEITHER AGREE NOR DISAGREE
     4. SOMEWHAT DISAGREE
     5. STRONGLY DISAGREE

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE
     .C = SKIP Q (when V8459=0)

V8487   G8d.   Steady employment.

     1. STRONGLY AGREE
     2. SOMEWHAT AGREE
     3. NEITHER AGREE NOR DISAGREE
     4. SOMEWHAT DISAGREE
     5. STRONGLY DISAGREE

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE
     .C = SKIP Q (when V8459=0)

V8488   G8e.   Positive physical health.

     1. STRONGLY AGREE
     2. SOMEWHAT AGREE
     3. NEITHER AGREE NOR DISAGREE
     4. SOMEWHAT DISAGREE
     5. STRONGLY DISAGREE

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE
     .C = SKIP Q (when V8459=0)

V8489   G8f.   Improved spiritual strength.

     1. STRONGLY AGREE
     2. SOMEWHAT AGREE
     3. NEITHER AGREE NOR DISAGREE
     4. SOMEWHAT DISAGREE
     5. STRONGLY DISAGREE

     .D = DK
     .E = NA
     .F = NO INTVW
     .J = NOT WAVE
     .C = SKIP Q (when V8459=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8490 G8g. Meeting legally mandated requirements for treatment.

  1. STRONGLY AGREE
  2. SOMEWHAT AGREE
  3. NEITHER AGREE NOR DISAGREE
  4. SOMEWHAT DISAGREE
  5. STRONGLY DISAGREE

  .D = DK
  .E = NA
  .F = NO INTVW
  .J = NOT WAVE
  .C = SKIP Q (when V8459=0)

  G9. To what extent do your unit's <u>court-ordered</u> outpatient substance abuse clients have control over each of the following:

V8491 G9a. <u>...the particular therapist they have been assigned? (Would you say to no extent, a little, some, a great, or to a very great extent?)</u>

  1. NO EXTENT
  2. A LITTLE EXTENT
  3. SOME EXTENT
  4. A GREAT EXTENT
  5. A VERY GREAT EXTENT
  6. NOT DONE AT ALL

  .D = DK
  .E = NA
  .F = NO INTVW
  .J = NOT WAVE
  .C = SKIP Q (when V8459=0)

V8492 G9b. <u>...whether they are given medication as part of treatment?</u>

  1. NO EXTENT
  2. A LITTLE EXTENT
  3. SOME EXTENT
  4. A GREAT EXTENT
  5. A VERY GREAT EXTENT
  6. NOT DONE AT ALL

  .D = DK
  .E = NA
  .F = NO INTVW
  .J = NOT WAVE
  .C = SKIP Q (when V8459=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8493   G9c.   ...whether they are monitored for abstinence by clinical tests such as urine testing?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT
6. NOT DONE AT ALL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8494   G9d.   ...whether they are monitored for abstinence by obtaining information from an employer?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT
6. NOT DONE AT ALL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8495   G9e.   ...the number of treatment sessions they must attend?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT
6. NOT DONE AT ALL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8496   G9f.   ...the goals of treatment?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT
6. NOT DONE AT ALL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8497   G9g.   ...what information is disclosed to the courts by the treatment unit?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT
6. NOT DONE AT ALL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8498   G9h.   ...whether to remain in treatment or not?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT
6. NOT DONE AT ALL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8499   G9i.   ...whether employers are informed about treatment status?

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT
6. NOT DONE AT ALL

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

G10. To what extent does your unit do each of the following in managing treatment of court-ordered outpatient substance abuse clients?

V8500 G10a. Continuing staff education is provided on the special problems of treating court-ordered clients. (Would you say to <u>no extent</u>, <u>a little</u>, <u>some</u>, <u>great</u>, or <u>a very great</u> <u>extent?)</u>

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8501 G10b. Clinical supervision addresses the problems of treating court-ordered clients.

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8502 G10c. Discussions are held with the client about difficulties in the court-ordered therapeutic relationship.

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8503 G10d. Clinical supervisors can reassign clients to other clinicians if difficulties arise.

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8504   G10e.   Clients are told exactly what information is given to the courts by the treatment unit.

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8505   G10f.   Family members are invited to participate in treatment.

1. NO EXTENT
2. A LITTLE EXTENT
3. SOME EXTENT
4. A GREAT EXTENT
5. A VERY GREAT EXTENT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

            G11.   Do you believe that being in treatment because of a court order helps or hinders each of the
                     following:

V8506   G11a.   Client motivation? Does being in treatment because of a court order help a lot, help some, neither
                     help nor hinder, hinder some, or hinder a lot?

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8507   G11b.   The therapeutic relationship?

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C = SKIP Q (when V8459=0)

V8508   G11c.   Clients remaining in treatment?

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8509   G11d.   Overcoming client denial and resistance?

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8510   G11e.   Clients meeting personal treatment goals?

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8511   G11f.   Maintaining abstinence after treatment?

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8512   G11g.   Counselor effectiveness?

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

G12.   Does having court-ordered outpatient substance abuse clients in your unit help or hinder each of the following aspects of <u>unit operations</u>:

V8513   G12a.   <u>Staff morale? (Does having court-ordered outpatient substance abuse clients help a lot, help some, neither help nor hinder, hinder some, or hinder a lot?)</u>

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8514   G12b.   <u>Maintaining positive staff attitudes toward clients?</u>

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

V8515   G12c.   <u>Counselors feeling they can do a good job?</u>

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8516   G12d.   <u>Staff commitment to the unit?</u>

1. HELPS A LOT
2. HELPS SOME
3. NEITHER HELPS NOR HINDERS
4. HINDERS SOME
5. HINDERS A LOT

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8459=0)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

SECTION H

V8517   H0.   <u>INTERVIEWER CHECKPOINT</u>

.C in V8518-V8543   1. R COMPLETED DEMOGRAPHICS IN DIRECTOR QUESTIONNAIRE

                     2. ALL OTHERS

The following questions concern your own background and training.

V8518   H1.   How many years have you been employed by this treatment unit?--# OF YEARS

                       Code # OF YEARS (01-30)

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       0 = R answers in MONTHS
                       .C = SKIP Q (when V8517=1)

V8519   H1.   <u># OF MONTHS</u>

                       Code # OF MONTHS (01-60)

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       0 = R answers in YEARS
                       .C = SKIP Q (when V8517=1)

V8520   H2.   <u>How many years have you been working in the field of substance abuse treatment or mental health?--# OF YEARS</u>

                       Code # OF YEARS (01-40)

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       0 = R answers in MONTHS
                       . C = SKIP Q (when V8517=1)

V8521   H2.   <u># OF MONTHS</u>

                       Code # OF MONTHS (01-60)

                       .D = DK
                       .E = NA
                       .F = NO INTVW
                       .J = NOT WAVE
                       0 = R answers in YEARS
                       .C = SKIP Q (when V8517=1)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8522   H3.   What is your present position or job title?

ADMINISTRATION

01.   Director; Executive/Administrative Director; Regional/ Division/Center/Agency Director; CEO
02.   Deputy/Assistant/Associate Director
03.   Controller; Finance Director; "Business Administrator" (incl. assoc. or deputy financial officer)
04.   "Administrator" NFS; "planner" NFS
05.   Administrative Assistant; "Assistant to the Director"
06.   Office Manager
07.   Secretary; clerk; receptionist

09.   Public relations; advertising; "community liaison"
10.   Legal services

19.   Other Administration; "program development"

PROGRAM/PROJECT/DEPARTMENT HEAD

21.   Head or Director of any (sub-)unit/operation/service; Program director/manager/coordinator; Outpatient Director
22.   Deputy or Assistant Program/Project/Department head
23.   "Supervisor" or assistant supervisor; clinical supervisor; "team leader"; case manager

OTHER PROFESSIONALS IN THE FIELD

31.   (Sr./Chief) Probation Officer
32.   (Sr./Head) Counselor; group worker; mental health worker; "therapist"; "SA therapist/specialist"; senior therapist; "practitioner"; "clinician"; O.T. (occupational therapist)
34.   Clergy; priest/minister/rabbi; chaplain coordinator
38.   "Advisor" NFS; "consultant" NFS

41.   Physician; psychiatrist
42.   Nurse
43.   Other health care professional; speech/physical therapist
44.   Psychologist
45.   Social worker (include psychiatric)

MISCELLANEOUS OTHER JOBS

71.   Volunteer; VISTA
72.   Student; graduate assistant
73.   Public official; City Clerk
74.   Professor/teacher; assistant professor; "researcher"

97.   Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8517=1)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8523 H3a. How long have you been in this position?--# OF YEARS

         Code # OF YEARS (01-30)

         .D = DK
         .E = NA
         .F = NO INTVW
         .J = NOT WAVE
         0 = R answers in MONTHS
         .C = SKIP Q (when V8517=1)

V8524 H3a. # OF MONTHS

         Code # OF MONTHS (01-60)

         .D = DK
         .E = NA
         .F = NO INTVW
         .J = NOT WAVE
         0 = R answers in YEARS
         .C = SKIP Q (when V8517=1)

V8525 H4. What is your age?

         Code YEARS OLD (18-75)

         .D = DK
         .E = NA
         .F = NO INTVW
         .J = NOT WAVE
         .C = SKIP Q (when V8517=1)

V8526 H5. (Are you male or female?)

         1. MALE
         2. FEMALE

         .E = NA
         .F = NO INTVW
         .J = NOT WAVE
         .C = SKIP Q (when V8517=1)

V8527 H6. Are you white, black, American Indian, Alaskan native, Asian, or Pacific Islander, or what?

         1. WHITE
         2. BLACK
         3. AMERICAN INDIAN OR ALASKAN NATIVE
         4. ASIAN OR PACIFIC ISLANDER
         5. SOMETHING ELSE

         .D = DK
         .E = NA
         .F = NO INTVW
         .J = NOT WAVE
         .C = SKIP Q (when V8517=1)

V8528 H7. Are you of Hispanic origin?

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

1. YES
0. NO

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8517=1)

V8529 H8. Considering all of your job responsibilities, how many hours per week do you typically work for your outpatient substance abuse treatment unit?

Code NUMBER OF HOURS PER WEEK (00-80)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8517=1)

 H9. Of these hours worked, <u>how many</u> are spent in...

V8530 H9a. <u>...providing therapy or counseling directly to clients?</u>

Code number of hours (00-80)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8517=1)

V8531 H9b. <u>...directly supervising the work of staff therapists or counselors?</u>

Code number of hours (00-80)

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8517=1)

V8532 H10. What is the highest grade of school or year of college you completed?

.C in V8534-V8542 00-12.

.C in V8533 13-16.

17 = 17+

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

.C = SKIP Q (when V8517=1)

V8533 H10a. Did you get a high school graduation diploma or pass a high school equivalency test?

.C in V8534-V8542   1. YES

0. NO

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8517=1; V8532=13-17)

V8534 H10b. <u>Do you have a college degree?</u>

1. YES

.C in V8535-V8542   0. NO

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.C = SKIP Q (when V8517=1; V8532= 00-12; V8533=YES, NO, DK or NA)

V8535 H10c. <u>What degree(s) do you have?</u>

1. A.A.; "2 yr. degree"; Associate Degree

2. R.N.

3. B.A./B.S.; Bachelor's Degree

4. M.A./M.S.; Master's Degree; M.S.W.; "specialist"; A.B.D.

5. M.D.; D.O.; Medical Doctor; Doctor of Osteopathy

6. Ph.D.; Doctorate, except code 5

7. Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8536-8542   .B = NFM
.C = SKIP Q (when V8517=1; V8532= 00-12; V8533=YES, NO, DK or NA; V8534=NO, DK or NA)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8536   H10d.   (What field or fields is that in?)

Mentions here must match degree level coded
in previous variable.

41.   Art; music; drama

01.   "Biological Science" NFS; Biology; Pre Med
02.   Business (administration); MBA; Marketing (except Economics, code 08 and Public
       Administration, code 27); "Management"; Public Relations
03.   Chemistry; Biochemistry

04.   Counseling/Guidance; psychological counseling

05.   Communication Sciences; Media; "Speech"
06.   Criminology; Criminal Justice
07.   Dietetics/Nutrition

08.   Economics; Finance; Banking; Accounting
09.   "Education" (general)--NFS (code Educ. Psych. as 26)
10.   Education Administration; Adult Education
11.   Physical Education
12.   Special Education
13.   Engineering--any
15.   English Language or Literature; Journalism

16.   History; Political Science
17.   "Human Services"; (Public Administration, code 27); "Social Services"; "Rehabilitation"--
       NFS

18.   Language--any foreign language
19.   Law
20.   "Liberal Arts"--NFS; "general studies"

22.   Personnel Administration; Human Resources Admin.
23.   Pharmacy
24.   Philosophy

26.   Psychology (incl. Ed. Psych.--exc. 04)); "Psych"; "Behavioral Science"; Clinical Psychology

27.   Public Administration; Human Services Administration; MPA; Social Work Administration
       (see also 17); "Administration"--NFS
28.   Public Health; Health Service Delivery or Administration

30.   "Science" NFS; any specific natural science (exc. biology and chemistry); physics, geology;
       "BS"--NFS
31.   Social Psychology
32.   "Social Science" NFS; Anthropology

33.   Social Work; BSW/MSW

34.   Sociology
36.   "Substance Abuse (Treatment)"/"Addictions"--NFS

35.   Theology; Religion

43.   Vocational Rehabilitation

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

(Continued)

V8536   H10d.   <u>HEALTH CARE PROFESSIONALS</u>

21.   M.D., Medical Doctor; physician--NFS (exc. psychiatry --code 25)
25.   Psychiatry
51.   General practice; family practice
52.   Pediatrics
53.   Internal Medicine
57.   Other medical specialty
42.   Nursing

97.   Other

.E = NA
.F = NO INTVW
.J = NOT WAVE
.B=NFM
.C = SKIP Q (when V8517=1; V8532= 00-12; V8533=YES, NO, DK or NA; V8534=NO, DK or NA;
        V5835=NFM)

V8537   H10c.   <u>What degree(s) do you have?</u>

1. A.A.; "2 yr. degree"; Associate Degree

2. R.N.

3. B.A./B.S.; Bachelor's Degree

4. M.A./M.S.; Master's Degree; M.S.W.; "specialist"; A.B.D.

5. M.D.; D.O.; Medical Doctor; Doctor of Osteopathy

6. Ph.D.; Doctorate, except code 5

7. Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8538-V8542   .B = NFM
.C = SKIP Q (when V8517=1; V8532= 00-12; V8533=YES, NO, DK or NA; V8534=NO, DK or NA;

      V8535=NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8538   H10d.   (What field or fields is that in?)

Mentions here must match degree level coded
in previous variable.

41.   Art; music; drama

01.   "Biological Science" NFS; Biology; Pre Med
02.   Business (administration); MBA; Marketing (except Economics, code 08 and Public
       Administration, code 27); "Management"; Public Relations
03.   Chemistry; Biochemistry

04.   Counseling/Guidance; psychological counseling

05.   Communication Sciences; Media; "Speech"
06.   Criminology; Criminal Justice
07.   Dietetics/Nutrition

08.   Economics; Finance; Banking; Accounting
09.   "Education" (general)--NFS (code Educ. Psych. as 26)
10.   Education Administration; Adult Education
11.   Physical Education
12.   Special Education
13.   Engineering--any
15.   English Language or Literature; Journalism

16.   History; Political Science
17.   "Human Services"; (Public Administration, code 27); "Social Services"; "Rehabilitation"--
       NFS

18.   Language--any foreign language
19.   Law
20.   "Liberal Arts"--NFS; "general studies"

22.   Personnel Administration; Human Resources Admin.
23.   Pharmacy
24.   Philosophy

26.   Psychology (incl. Ed. Psych.--exc. 04)); "Psych"; "Behavioral Science"; Clinical Psychology

27.   Public Administration; Human Services Administration; MPA; Social Work Administration
       (see also 17); "Administration"--NFS
28.   Public Health; Health Service Delivery or Administration

30.   "Science" NFS; any specific natural science (exc. biology and chemistry); physics, geology;
       "BS"--NFS
31.   Social Psychology
32.   "Social Science" NFS; Anthropology

33.   Social Work; BSW/MSW

34.   Sociology
36.   "Substance Abuse (Treatment)"/"Addictions"--NFS

35.   Theology; Religion

43.   Vocational Rehabilitation

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME
(Continued)

V8538   H10d.   <u>HEALTH CARE PROFESSIONALS</u>

21.   M.D., Medical Doctor; physician--NFS (exc. psychiatry --code 25)
25.   Psychiatry
51.   General practice; family practice
52.   Pediatrics
53.   Internal Medicine
57.   Other medical specialty
42.   Nursing

97.   Other

.E = NA
.F = NO INTVW
.J = NOT WAVE
.B=NFM
.C = SKIP Q (when V8517=1; V8532= 00-12; V8533=YES, NO, DK or NA; V8534=NO, DK or NA;

        V8535=NFM; V8537=NFM)

V8539   H10c.   <u>What degree(s) do you have?</u>

1. A.A.; "2 yr. degree"; Associate Degree

2. R.N.

3. B.A./B.S.; Bachelor's Degree

4. M.A./M.S.; Master's Degree; M.S.W.; "specialist"; A.B.D.

5. M.D.; D.O.; Medical Doctor; Doctor of Osteopathy

6. Ph.D.; Doctorate, except code 5

7. Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8540-V8542 ⎯⎯ .B = NFM
.C = SKIP Q (when V8517=1; V8532= 00-12; V8533=YES, NO, DK or NA; V8534=NO, DK or NA;

        V8535=NFM; V8537=NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8540   H10d.   (What field or fields is that in?)

Mentions here must match degree level coded
in previous variable.

41.   Art; music; drama

01.   "Biological Science" NFS; Biology; Pre Med
02.   Business (administration); MBA; Marketing (except Economics, code 08 and Public
        Administration, code 27); "Management"; Public Relations
03.   Chemistry; Biochemistry

04.   Counseling/Guidance; psychological counseling

05.   Communication Sciences; Media; "Speech"
06.   Criminology; Criminal Justice
07.   Dietetics/Nutrition

08.   Economics; Finance; Banking; Accounting
09.   "Education" (general)--NFS (code Educ. Psych. as 26)
10.   Education Administration; Adult Education
11.   Physical Education
12.   Special Education
13.   Engineering--any
15.   English Language or Literature; Journalism

16.   History; Political Science
17.   "Human Services"; (Public Administration, code 27); "Social Services"; "Rehabilitation"--
        NFS

18.   Language--any foreign language
19.   Law
20.   "Liberal Arts"--NFS; "general studies"

22.   Personnel Administration; Human Resources Admin.
23.   Pharmacy
24.   Philosophy

26.   Psychology (incl. Ed. Psych.--exc. 04)); "Psych"; "Behavioral Science"; Clinical Psychology

27.   Public Administration; Human Services Administration; MPA; Social Work Administration
        (see also 17); "Administration"--NFS
28.   Public Health; Health Service Delivery or Administration

30.   "Science" NFS; any specific natural science (exc. biology and chemistry); physics, geology;
        "BS"--NFS
31.   Social Psychology
32.   "Social Science" NFS; Anthropology

33.   Social Work; BSW/MSW

34.   Sociology
36.   "Substance Abuse (Treatment)"/"Addictions"--NFS

35.   Theology; Religion

43.   Vocational Rehabilitation

VAR NAME
(Continued)

V8540   H10d.   <u>HEALTH CARE PROFESSIONALS</u>

21.   M.D., Medical Doctor; physician--NFS (exc. psychiatry --code 25)
25.   Psychiatry
51.   General practice; family practice
52.   Pediatrics
53.   Internal Medicine
57.   Other medical specialty
42.   Nursing

97.   Other

.E = NA
.F = NO INTVW
.J = NOT WAVE
.B = NFM
.C = SKIP Q (when V8517=1; V8532= 00-12; V8533=YES, NO, DK or NA; V8534=NO, DK or NA;

      V8535=NFM; V8537=NFM; V8539=NFM)

V8541   H10c.   <u>What degree(s) do you have?</u>

1. A.A.; "2 yr. degree"; Associate Degree

2. R.N.

3. B.A./B.S.; Bachelor's Degree

4. M.A./M.S.; Master's Degree; M.S.W.; "specialist"; A.B.D.

5. M.D.; D.O.; Medical Doctor; Doctor of Osteopathy

6. Ph.D.; Doctorate, except code 5

7. Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

.C in V8542 _____   .B = NFM
.C = SKIP Q (when V8517=1; V8532= 00-12; V8533=YES, NO, DK or NA; V8534=NO, DK or NA;
      V8535=NFM; V8537=NFM; V8539=NFM)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

VAR NAME

V8542   H10d.   <u>(What field or fields is that in?)</u>

Mentions here must match degree level coded
in previous variable.

41.   Art; music; drama

01.   "Biological Science" NFS; Biology; Pre Med
02.   Business (administration); MBA; Marketing (except Economics, code 08 and Public Administration, code 27); "Management"; Public Relations
03.   Chemistry; Biochemistry

04.   <u>Counseling/Guidance</u>; psychological counseling

05.   Communication Sciences; Media; "Speech"
06.   Criminology; Criminal Justice
07.   Dietetics/Nutrition

08.   Economics; Finance; Banking; Accounting
09.   "<u>Education</u>" (general)--NFS (code Educ. Psych. as 26)
10.   Education Administration; Adult Education
11.   Physical Education
12.   Special Education
13.   Engineering--any
15.   English Language or Literature; Journalism

16.   History; Political Science
17.   "<u>Human Services</u>"; (Public Administration, code 27); "Social Services"; "<u>Rehabilitation</u>"--NFS

18.   Language--any foreign language
19.   Law
20.   "Liberal Arts"--NFS; "general studies"

22.   Personnel Administration; Human Resources Admin.
23.   <u>Pharmacy</u>
24.   Philosophy

26.   <u>Psychology</u> (incl. Ed. Psych.--exc. 04)); "Psych"; "Behavioral Science"; Clinical Psychology

27.   Public Administration; Human Services Administration; MPA; Social Work Administration (see also 17); "Administration"--NFS
28.   Public Health; Health Service Delivery or Administration

30.   "Science" NFS; any specific natural science (exc. biology and chemistry); physics, geology; "BS"--NFS
31.   Social Psychology
32.   "Social Science" NFS; Anthropology

33.   <u>Social Work</u>; BSW/MSW

34.   Sociology
36.   "Substance Abuse (Treatment)"/"Addictions"--NFS

35.   Theology; Religion

43.   Vocational Rehabilitation

UNIVERSITY OF MICHIGAN   *NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS*
INSTITUTE FOR SOCIAL RESEARCH   *WAVE 3 (1990), SUPERVISOR INTERVIEW*
SURVEY RESEARCH CENTER   *Fall 1990 (Reprinted 3/96)*

VAR NAME
(Continued)

V8542   H10d. <u>HEALTH CARE PROFESSIONALS</u>

       21. M.D., Medical Doctor; physician--NFS (exc. psychiatry --code 25)
       25. Psychiatry
       51. General practice; family practice
       52. Pediatrics
       53. Internal Medicine
       57. Other medical specialty
       42. Nursing

       97. Other

       .E = NA
       .F = NO INTVW
       .J = NOT WAVE
       .B = NFM
       .C = SKIP Q (when V8517=1; V8532= 00-12; V8533=YES, NO, DK or NA; V8534=NO, DK or NA;
          V8535=NFM; V8537=NFM; V8539=NFM; V8541=NFM)

V8543   H11. Do you have a license or certification as a substance abuse counselor?

       1. YES
       0. NO

       .D = DK
       .E = NA
       .F = NO INTVW
       .J = NOT WAVE
       .C = SKIP Q (when V8517=1)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

AGENCY AND ORGANIZATION MASTER CODE

For use with Supervisor Q's B23a, B26a, D12a

Health Care Payers

01.   Medicaid; MediCal; "Title 19"
02.   Medicare; "Title 18"
03.   "Medical assistance"; "welfare"
04.   Champus

10.   Blue Cross/Blue Shield; Blue Care HMO
11.   HMO: any except 10
12.   Other specified insurance carrier: Aetna, Connecticut General, Travelers, Metropolitan, etc.

15.   Multiple insurance companies in a single mention: "many," "various companies," "all lumped together"; "3rd party payers"--NFS

16.   Company or group of workers listed as insurers (B18a-f) (may include union plans); "postal servers"; "oil field employees" [NOTE: these could include companies reimbursed by insurance cariers/unions/HMO's which are not identified]

17.   Other health care payers

Federal Agencies

21.   Federal Court/parole/probation system; Federal Bureau of Prisons
22.   American Indian affairs--any federal agency
23.   NIDA--National Institute on Drug Abuse
24.   NIAAA--National Institute on Alcoholism and Alcohol Abuse
25.   NIMH--National Institute for Mental Health
26.   FDA--Food and Drug Administration
27.   DEA--Drug Enforcement Agency
28.   VA--Veteran's Administration
29.   Food Stamp Program
30.   HHS--Health & Human Services; Social Security; Education; "Human Affairs"
31.   ADAMHA--Alcohol, Drug Abuse, and Mental Health Administration; OSAP (Office of Substance Abuse Prevention)
32.   Federal Register
33.   CDC--Center for Disease Control

37.   Other Federal agencies

38.   Any references to "Title 20" funds not codeable elsewhere
39.   Other Federal listings where an agency is not specified; "Alcoholism Block Grants"

State Agencies

40.   State Board of Pharmacy
41.   State Court or parole/probation/prison system

42.   Dept. of Health/Public Health/Mental Health/Health and Rehabilitative Services/Mental Health and Mental Retardation/Health and Human Services; Dept. of Public Institutions

43.   Dept. of Social Services/Human Resources/Social and Rehabilitative Services/Welfare Services; Dept. of Education

44.   Alcohol/Drug Abuse/Substance Abuse--any unit (div./dept./ office/commission, etc.) (CADA) (ADAS)

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

(Continued)

46.　(State) 508 or 509 Funds (Use in Section B funding questions only)

47.　Other State Agencies

48.　Dept. of Licensing/Certification/Regulations
49.　State level--NA agency

Local Agencies (except United Way, code 72)

Courts:
51.　County Court
52.　City or municipal court
53.　"Courts" NA city or county

All other local references (incl. schools):
55.　"County" or specified county name; "county council"
56.　"City" or specified city name; "city office of A+DA services"
57.　"Regional" programs/agencies
58.　Local--NA level; "community SA services"; "schools/ university"--NFS

61.　Other Governmental programs--NA level; include here references to "taxes" as funding source where the gov't level is not specified; "mini bottle tax plan"

71.　Business or industry donations or grants; include foundations; EAP (Employee Assistance Program)
72.　United Way
73.　JCAHO--Joint Commission on Accreditation of Healthcare Organizations; Com. of Accreditation of Rehab Services
74.　Hospitals--NFS
75.　CODAP--Client Outpatient Drug Abuse Profile
76.　Community organizations (i.e., Kiwanis Club, YMCA); incl. churches; AA
77.　Professional organizations (i.e., American Association of Nurses); Family Services Assoc. of America

Unit's Own Efforts

81.　Interest (income on savings or assets)
82.　Sales of goods or services; book sales; consulting fees; students on field placements; training (other people's staff) to deal with SA
83.　Fund raising activities (for donations); "membership drives"; campaign for funds; "gifts"/"donations"

97.　Other funding source/agency/organization

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE

UNIVERSITY OF MICHIGAN
INSTITUTE FOR SOCIAL RESEARCH
SURVEY RESEARCH CENTER

NATIONAL SURVEY OF DRUG ABUSE TREATMENT CENTERS
WAVE 3 (1990), SUPERVISOR INTERVIEW
Fall 1990 (Reprinted 3/96)

OTHER TREATMENT/SERVICES MASTER CODE**

NOTE: Ignore use of the adjective "intensive" with programs or services
(e.g., "intensive group therapy" = 93), except code 94. Ignore references
to day, evening, weekend, etc. in program descriptions except where
indicating partial hospitalization, code 95.

COMMUNITY SERVICES

01.   Education/Prevention; outreach to community groups/schools (exc. 02); "education"--NFS
02.   AIDS education/information (any other AIDS mentions, code 61)
03.   Crisis intervention; Hot Line; emergency (medical) services

CLIENT SERVICES

11.   Evaluation/assessment--NFS or to assess treatment needs; "diagnostic assessment";
        psychiatric exam; "screening"; "consultation"--NFS
12.   Referral service: help client make other contacts for help; case management; resource
        networking
13.   Aftercare; treatment follow-up services; "extended care"; "relapse treatment"
14.   Rehabilitation program/services--NFS

21.   Job or vocational services: Employee Assistance Program (EAP);
        training/development/placement; vocational counseling; occupational therapy (OT)
22.   Educational assessment or placement; GED; Basic Education courses
23.   Family involvement/intervention; support for families of persons with alcohol/drug problems;
        parent groups; family education/program/therapy/counseling (also see code 34)

31.   Basic needs assistance: housing, food, clothing; include shelter for the homeless or abused;
        "social services"--NFS
32.   Daycare (for children, seniors, or as supervision for any adult)
33.   Independent Living program; halfway house; transition program from institution to living on one's
        own; group home
34.   Parenting/childcare education; "pregnancy and childbirth classes"; "Parents Anonymous"
35.   Exercise; nutrition info or counseling; weight loss; smoke stoppers; social events; arts & crafts
36.   Treatment accessibility; open/maintain other treatment locations; satellite offices; easier
        transportation; more convenient hours
37.   Spiritual/religious counseling

(OTHER) TYPES OF THERAPY

41.   AA (Alcoholics Anonymous) or NA (Narcotics Anonymous); "self help groups"--NFS
42.   Co-dependency treatment program
43.   Dual-diagnosis treatment program (drug and mental illness)
44.   General mental health counseling or therapy; marital counseling; "counseling for all/any kinds of
        problems"; "psychiatric"--NFS; grief or loss counseling; domestic violence program; sexual
        abuse; gambling

MEDICAL INTERVENTIONS

51.   Medical services/exams; "physicals"; urine analysis; physician services; dental; chronic pain
        group
52.   Detox; methadone detox
53.   Methadone; methadone maintenance
54.   Antabuse
55.   Naltrexone; Trexan
56.   Symmetrel
57.   Acupuncture

59.   Other medication treatment

(Continued)

TREATMENT/PROGRAMS FOR PEOPLE WITH SPECIFIED DRUG/PROBLEM AREA

61.　　AIDS (any mention except 02); HIV testing
62.　　DWI/DUI
63.　　Alcohol
64.　　Cocaine
65.　　Eating disorders; bulemia; anorexia
66.　　Multi-drug use or addiction
67.　　Prisoners/parolees/probationers/court generated clients (except 62)

69.　　Other specified drug/problem area

TREATMENT/PROGRAMS FOR TARGET POPULATIONS NOT CODEABLE ABOVE

70.　　Men
71.　　Women (include pregnancy problems)
72.　　Adolescents/teens; juvenile delinquents; runaways; children
73.　　Elderly/older adults; seniors
74.　　Minorities (including Native Americans)
75.　　Gays and/or lesbians
76.　　Veterans
77.　　Low income/poor; "people who can't pay for services"
78.　　Handicapped; wheelchair bound; hearing impaired

79.　　Other target population

SERVICES SPECIFIED AS INPATIENT/RESIDENTIAL

81.　　"Inpatient services or treatment"--NFS
82.　　Inpatient alcohol treatment
83.　　Inpatient detox
84.　　Inpatient methadone maintenance
85.　　Inpatient general mental health treatment

89.　　Other inpatient services; school/classes for inpatients; inpatient vocational training/counseling

MISCELLANEOUS

91.　　"Therapy"/"counseling"/"treatment"--NFS; "intervention"--NFS
92.　　Individual therapy/counseling--NFS
93.　　Group therapy--NFS
94.　　Intensive (outpatient) program--NFS
95.　　"Partial hospitalization" program; "4 hr. per day program"
97.　Other

.D = DK
.E = NA
.F = NO INTVW
.J = NOT WAVE
.B=NFM

** For use with Director I'w #s B2a, E15, E16a, E17a, E19a, and for Supervisor I'w # F6a.