

# SAMHDA

SUBSTANCE ABUSE & MENTAL HEALTH DATA ARCHIVE

## National Household Survey on Drug Abuse, 1985

*United States Department of Health and  
Human Services. National Institutes of  
Health. National Institute on Drug Abuse*

Codebook

**SAMHDA**

is sponsored by



**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**

Substance Abuse and Mental Health Services Administration

[www.samhsa.gov](http://www.samhsa.gov)



# Terms of Use

These data are distributed under the following terms of use. By continuing past this page, you signify your agreement to comply with the requirements as stated below:

## Privacy of Research Subjects

Any intentional identification of a research subject (whether an individual or an organization) or unauthorized disclosure of his or her confidential information violates the promise of confidentiality given to the providers of the information. Disclosure of confidential information may also be punishable under federal law. Therefore, users of data agree:

- To use these datasets solely for research or statistical purposes and not for re-identification of specific research subjects.
- To make no use of the identity of any research subject discovered inadvertently and to report any such discovery to CBHSQ and SAMHDA ([samhda-support@samhsa.hhs.gov](mailto:samhda-support@samhsa.hhs.gov))

## Citing Data

You agree to reference the recommended bibliographic citation in any of your publications that use SAMHDA data. Authors of publications that use SAMHDA data are required to send citations of their published works for inclusion in a database of related publications.

## Disclaimer

You acknowledge that SAMHSA will bear no responsibility for your use of the data or for your interpretations or inferences based upon such uses.

## Violations

If CBHSQ determines that this terms of use agreement has been violated, then possible sanctions could include:

- Report of the violation to the Research Integrity Officer, Institutional Review Board, or Human Subjects Review Committee of the user's institution. A range of sanctions are available to institutions including revocation of tenure and termination.
- If the confidentiality of human subjects has been violated, then report of the violation may be made to the Federal Office for Human Research Protections. This may result in an investigation of the user's institution, which can result in institution-wide sanctions including the suspension of all research grants.
- Report of the violation of federal law to the United States Attorney General for possible prosecution.
- Court awarded payments of damages to any individual(s)/organization(s) harmed by the breach of confidential data.

## Definitions

### CBHSQ

Center for Behavioral Health Statistics and Quality

### Promise of confidentiality

A promise to a respondent or research participant that the information the respondent provides will not be disseminated in identifiable form without the permission of the respondent; that the fact that the respondent participated in the study will not be disclosed; and that disseminated information will include no linkages to the identity of the respondent. Such a promise encompasses traditional notions of both confidentiality and anonymity. In most cases, federal law protects the confidentiality of the respondent's identity as referenced in the Promise of Confidentiality. Under this condition, names and other identifying information regarding respondents would be confidential.

### Research subject

A person or organization that participates in a research study. A research subject may also be called a respondent. A respondent is generally a survey respondent or informant, experimental or observational subject, focus group participant, or any other person providing information to a study.

### SAMHDA

Substance Abuse and Mental Health Data Archive

### SAMHSA

Substance Abuse and Mental Health Services Administration

## **Information about Copyrighted Content**

Some instruments administered as part of this study may contain in whole or substantially in part contents from copyrighted instruments. Reproductions of the instruments are provided as documentation for the analysis of the data associated with this collection. Restrictions on "fair use" apply to all copyrighted content. More information about the reproduction of copyrighted works by educators and librarians is available from the United States Copyright Office.

### **NOTICE WARNING CONCERNING COPYRIGHT RESTRICTIONS**

The copyright law of the United States (Title 17, United States Code) governs the making of photocopies or other reproductions of copyrighted material. Under certain conditions specified in the law, libraries and archives are authorized to furnish a photocopy or other reproduction. One of these specified conditions is that the photocopy or reproduction is not to be "used for any purpose other than private study, scholarship, or research." If a user makes a request for, or later uses, a photocopy or reproduction for purposes in excess of "fair use," that user may be liable for copyright infringement.



**NATIONAL HOUSEHOLD  
SURVEY ON DRUG ABUSE**

**1985 PUBLIC  
RELEASE CODEBOOK**





**Substance Abuse and Mental Health  
Services Administration**

---

# **National Household Survey on Drug Abuse:**

---

## **Public Release Codebook 1985**

---

**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES  
Office of Applied Studies**

**July 1994**



**NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE:  
PUBLIC RELEASE CODEBOOK 1985**

**Substance Abuse and Mental Health Services Administration  
Office of Applied Studies  
Parklawn Building, Room 16C-06  
5600 Fishers Lane  
Rockville, Maryland 20857**

**U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES**

**This codebook was developed for the Substance Abuse and Mental Health Services Administration, Office of Applied Studies, by the Research Triangle Institute, Research Triangle Park, North Carolina, under Contract No. 271-92-5405.**

**Public Domain Notice**

**All material appearing in this volume is in the public domain and may be reproduced or copied without permission from the Substance Abuse and Mental Health Services Administration. Citation of the source is appreciated.**

## TABLE OF CONTENTS

	Page
INTRODUCTION AND RATIONALE FOR REVISED 1985 NHSDA	
PUBLIC USE FILE .....	1
DESCRIPTION OF THE NHSDA .....	2
Overview of the NHSDA .....	2
Strengths and Limitations of the NHSDA .....	3
SURVEY METHODOLOGY OF THE 1985 NHSDA .....	4
Sample Design .....	4
Selection of Primary Sampling Units .....	5
Selection of the 100 PSU National Sample .....	5
Selection of the 12 Supplemental PSUs .....	5
Selection of the Second-Stage Sample .....	5
Selection of the Third-Stage Sample .....	6
Sampling Within Housing Units .....	7
Data Collection .....	7
Variance Estimation .....	8
Statistical Significance of Differences .....	10
Sample Design Effects .....	12
EDITING AND IMPUTATIONS .....	14
Logical Imputation .....	16
Statistical Imputation .....	16
WEIGHTING PROCEDURES .....	20
CONTENTS AND ORGANIZATION OF THE 1985 NHSDA PUBLIC	
USE FILE .....	22
Data File Description .....	22
Variable Naming Conventions .....	22
Standard Code Conventions .....	22
Contact Person .....	23
REFERENCES .....	24
IDENTIFICATION .....	1
CIGARETTES AND SMOKELESS TOBACCO .....	2
ADDICTIVE DRUGS .....	5
ALCOHOL-ANSWER SHEET #1 .....	7
SEDATIVES-ANSWER SHEET #2 .....	12
TRANQUILIZERS-ANSWER SHEET #3 .....	19
STIMULANTS-ANSWER SHEET #4 .....	25
ANALGESICS-ANSWER SHEET #5 .....	32
MARIJUANA AND HASHISH-ANSWER SHEET #6 .....	38
INHALANTS-ANSWER SHEET #7 .....	43
COCAINE-ANSWER SHEET #8 .....	49
HALLUCINOGENS-ANSWER SHEET #9 .....	55
HEROIN-ANSWER SHEET #10 .....	60
HEALTH CONDITIONS .....	62
DRUGS-ANSWER SHEET #11 .....	70
DRINKING EXPERIENCES-ANSWER SHEET #12 .....	79
DRUG PROBLEMS-ANSWER SHEET #13 .....	83
TREATMENT-ANSWER SHEET #14 .....	107
RISK-ANSWER SHEET #15 .....	111
DEMOGRAPHICS .....	115
INTERVIEW INFORMATION .....	129

## TABLE OF CONTENTS (continued)

	<b>Page</b>
GEOGRAPHIC .....	132
IMPUTED DEMOGRAPHICS .....	133
IMPUTED DRUG USE .....	136
RECODED DEMOGRAPHICS .....	140
RECODED DRUG USE .....	141
DESIGN AND ESTIMATION VARIABLES .....	147
ALPHABETICAL INDEX OF VARIABLES .....	148
POSITIONAL INDEX OF VARIABLES .....	163

### Appendix

A	CENSUS REGIONS/DIVISIONS/STATES .....	A-1
B	DRUG CODES FOR OPEN-ENDED QUESTIONS (1985-1992 NHSDAs) .....	B-1
C	SUDAAN EXAMPLE PROGRAM AND OUTPUT .....	C-1
D	DATA COLLECTION INSTRUMENTS .....	D-1

## LIST OF TABLES

### Number

1	Average Design Effects, by Sex, Age Group, and Race/ Ethnicity: 1985 NHSDA .....	15
2	Weighted Recencies and Frequencies of Use (%), by Revisions to 1985 Main Findings File Made to Produce 1985 Public Use File ..	18

# **INTRODUCTION AND RATIONALE FOR REVISED 1985 NHSDA PUBLIC USE FILE**

**This codebook provides documentation for the 1985 National Household Survey on Drug Abuse (NHSDA) public use file. The file and codebook have been prepared for use by the general public. The codebook documents the file contents by providing variable names and characteristics, interview instrumentation sources, and value codes and their meanings. Most of the variables originate as questionnaire or answer sheet items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, identification, sampling, and data collection variables are included on the file and documented in this codebook. First, however, important information is presented about the 1985 NHSDA and about why and how this revised file was developed.**

**In order to make the data file for the 1985 NHSDA most useful when it became publicly available, it was necessary that it be as comparable as possible with the files for the 1988 NHSDA and later NHSDAs. In the 1988 and subsequent NHSDAs, imputation procedures have been implemented to change response data or missing data for selected key variables to reflect either any or more recent use or to replace missing data with nonmissing values. The two different types of imputation procedures used are discussed in greater detail below in a section about editing and imputations. In addition, standard codes have been assigned to missing data in the 1988 and later NHSDA files to document the reasons for the missing data and thereby to provide users with information that may be useful for the treatment of missing data during analyses.**

**These revisions to the original 1985 NHSDA data file have resulted in several significant differences between the original data used to generate estimates for the 1985 NHSDA Main Findings report (National Institute on Drug Abuse [NIDA], 1988) and the data in this revised file. The most important differences are the following:**

- During the process of assigning standard codes to designate reasons for missing data, most of the inconsistencies and discrepancies in the original data were resolved in favor of retaining the most original data. This editing had virtually no effect on prevalence rates.**
- Seventeen 11-year-olds' records had been retained on the original file but were deleted from this revised file. By itself, deleting these records increased prevalence rates.**
- Sampling weights were recalculated to adjust for the 11-year-olds who were deleted (17 in all) and to make the sum of the person-level weights equal the July 1, 1985, Current Population Survey (CPS) estimate for the civilian, noninstitutionalized population. The 1985 CPS total is different from the original sum of weights on the original NHSDA file used to generate estimates for the 1985 NHSDA Main Findings report. Prevalence rates increased as a result of the adjustment for deleting the 11-year-olds and decreased as a result of the post-stratification to overall and subgroup totals from the mid-1985 CPS.**

- Recency-of-use variables were edited to reflect more recent use than originally recorded or use when nonuse or unknown use had been originally recorded. The effect of this revision was to increase prevalence rates (of use).
- Missing data for edited recency-of-use and key demographic variables were replaced with nonmissing values by statistical imputation. Prevalence rates decreased very slightly as a result of this activity.
- Finally, variables similar but not identical to variables on the 1988 NHSDA and later files were distinguished, with no direct effect on the 1985 prevalence rates.

Differences between most of the estimates published previously and equivalent estimates generated from the data on this revised file are generally quite small. Nevertheless, estimates published in the 1985 NHSDA Main Findings report cannot be generated exactly using the data and sampling weights available on this revised 1985 NHSDA data file. More important, the data and sampling weights now available on this revised file should be more comparable to the data from the 1988 NHSDA and subsequent NHSDAs.

The remainder of this introductory section of the codebook provides a general description of the NHSDA series, as well as a discussion of the strengths and limitations of the data from the NHSDAs. Then the survey methodology for the 1985 NHSDA is presented, with discussions of the sample design, data collection experience, and statistical considerations, such as variance estimation, arising as a result of the complex sample design implemented for the 1985 NHSDA. Next, data editing and imputation procedures are described and their effects discussed, followed by a detailed description of the weighting procedures carried out originally and as a result of this revision (with some discussion of the effects of all the revisions on estimated rates of use). Finally, information about the contents and organization of the data file and the remainder of this codebook is presented, followed by the detailed documentation of the variables on the data file.

## **DESCRIPTION OF THE NHSDA**

### **Overview of the NHSDA**

The 1985 NHSDA was the eighth in a series of surveys, the primary purpose of which has been to measure the prevalence and correlates of drug use in the United States. This survey provided information about the use of illicit drugs, alcohol, and tobacco among civilian members of the U.S. household population aged 12 and older in 1985.

Surveys in the NHSDA series have been conducted periodically since 1971, with the most recent ones in 1992 and 1993. The National Commission on Marihuana and Drug Abuse sponsored the first two studies conducted in 1971 and 1972. NIDA sponsored the NHSDA from 1974 to 1991. In October 1992, responsibility for conducting the NHSDA and preparing reports was moved to the Office of Applied Studies (OAS) within the newly created Substance



Abuse and Mental Health Services Administration (SAMHSA). Production of this 1985 NHSDA public release file and codebook was sponsored by SAMHSA.

Although the design of the NHSDA has preserved continuity in assessing drug use throughout the survey series, it has been sufficiently flexible to permit examination of special procedures and topics. In 1979, respondents from rural areas were oversampled, and since 1985, blacks and Hispanics have been oversampled to increase the reliability of estimates of drug use for these important groups. In 1982, considerable attention was devoted to medical as well as nonmedical use of psychotherapeutic drugs (i.e., stimulants, sedatives, tranquilizers, and analgesics). In the 1979 and 1982 surveys, the nominative technique was used to elicit supplementary information about the prevalence of heroin use. Beginning with the 1985 survey, additional questions about cigarettes and other tobacco products, such as smokeless tobacco, were included, as were questions about the ways cocaine was used. Also in 1985, the consequences of use of various drugs were given considerable attention. (Other reports in the NHSDA series provide further information on later questionnaire changes.)

A description of the 1985 survey, including more detailed information on sampling issues, is found in two other volumes from the study:

- The National Household Survey on Drug Abuse: Main Findings 1985. This report provides additional information on the prevalence of use and information on demographic correlates of use, frequency of use, patterns of use, problems from use, and perceptions of risk of use of illicit drugs, alcohol, and tobacco (NIDA, 1988).
- The National Household Survey on Drug Abuse: Population Estimates 1985. This report provides estimates of the percentages and numbers of people in the U.S. household population who have ever used illicit drugs, alcohol, and tobacco, as well as estimates of use in the past year and past month (NIDA, 1987).

### **Strengths and Limitations of the NHSDA**

The 1985 NHSDA was the only study at that time that produced estimates of drug use among members of the household population in the coterminous United States. The survey was an appropriate technique for estimating prevalence rates for different drugs because much drug use would not ordinarily come to the attention of administrative, medical, law enforcement, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seemed to be the best way to estimate drug use for virtually the entire population of the United States.

Although the 1985 NHSDA is useful now for many purposes, it has certain limitations. First, its data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-report data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some under- and overreporting may have taken place.

Second, the 1985 survey was cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews. The survey therefore provides an overview of the prevalence of drug use in 1985 rather than a view of how drug use changes over time for specific individuals.

Third, because the target population of the 1985 survey was defined as the civilian, household population of the coterminous United States, a small proportion (less than 2%) of the total population was excluded. The subpopulations excluded were those in noninstitutional group quarters (e.g., military installations, college dormitories, group homes), those in institutional group quarters (e.g., prisons, nursing homes, treatment centers), and those who had no permanent residence (the homeless population and residents of single rooms in hotels). If the drug use of these groups differed from that of the household population, the 1985 NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates of use of drugs used by only a few people, such as heroin. (Note that later NHSDAs employ slightly different definitions of the target population [OAS, 1993].)

## **SURVEY METHODOLOGY OF THE 1985 NHSDA**

### **Sample Design**

The target population for the 1985 NHSDA, as for previous surveys, was the household population aged 12 and older of the coterminous United States (i.e., Alaska and Hawaii were excluded). The sample design used to survey this population was a multistage area probability sample. Three racial/ethnic groups (whites/others, blacks, and Hispanics) and four age groups (12 to 17, 18 to 25, 26 to 34, and 35 and older) comprised the major sampling domains. Blacks, Hispanics, and the three younger age groups were oversampled. The basic design plan involved several selection stages. These were the selection of Primary Sampling Units (PSUs, e.g., counties), area segments (e.g., blocks or enumeration districts) within these PSUs, listing units within area segments, sample households within listing units, and one eligible resident (if any) within sample households.

During the first stage of sample selection, 112 PSUs were selected in such a way as to ensure that the Nation's total population was represented and that areas with high concentrations of blacks and Hispanics were included. These PSUs were defined in terms of Standard Metropolitan Statistical Areas (SMSAs), counties, groups of counties and independent cities, or parts of counties. A total of 100 of the PSUs were nationally representative, 6 had a high concentration of blacks, and 6 had a high concentration of Hispanics.

The second stage involved selection of 1,600 area segments within the sample PSUs. These area segments were defined using aggregations of blocks and enumeration districts that had at least 44 occupied housing units according to the 1980 Census.

In the third stage, one tertiary unit was selected from within each area segment. Listing segments were formed, and a total of 6,400 listing segments (each containing four or five households) were selected. Then one or more households were selected from each listing segment.

Finally, one eligible individual was selected to be interviewed from within each sample household. This differed from previous NHSDAs in that more than one member of a household could be selected for surveys prior to 1985.

**Selection of Primary Sampling Units.** As previously stated, the first-stage sample consisted of 112 PSUs formed by counties or groups of counties. These consisted of a national sample of 100 PSUs, 6 additional PSUs with a high concentration of blacks, and 6 additional PSUs with a high concentration of Hispanics. The 100 PSU national sample was supplemented with these additional PSUs to reduce the average cluster sizes of those PSUs with significant minority populations.

**Selection of the 100 PSU National Sample.** The coterminous United States was first divided into PSUs of approximately the same population size. The units were usually a county or group of counties with a minimum population of 150,000. The PSUs were of two general types—metropolitan and nonmetropolitan. Metropolitan PSUs were generally SMSAs or Standard Consolidated Areas (SCAs). Nonmetropolitan PSUs consisted of one or more counties with a minimum projected population of 150,000.

When defining PSUs, counties were first subdivided into two groups: those that would be included as "self-representing" areas, then the rest of the county. When an SMSA or an SCA contained sufficient numbers of people to constitute at least 1% of the projected national population for 1985, it was designated as self-representing. There were 18 self-representing areas, representing an estimated 36% of the national total. These 18 self-representing PSUs contained 36 PSU equivalents in the 100 PSU national sample.

For the remainder of the country, the PSUs were grouped into 32 strata, each containing 2 or more PSUs. Stratification was based on geographic region of residence, metropolitan status, urbanicity, economic growth rates, racial and Spanish origin composition, percentage of manufacturing jobs, per capita income, proximity to large SMSAs, and geographic location within a region. From each of the 32 strata, 2 PSUs were selected with replacement and with probability proportionate to size (PPS) where the size measure was based on 1985 population projections. The measure of size (MOS) used was

$$\text{MOS} = 1980 \text{ population} + \frac{1}{2}(1980 \text{ population} - 1970 \text{ population}) .$$

**Selection of the 12 Supplemental PSUs.** The 100 PSU national sample was supplemented with 12 additional PSUs in order to reduce the average cluster sizes of those

PSUs with significant minority populations. The self-representing PSUs in the 100 PSU national sample contained about 45% of the total black population in 1980. Because roughly three-quarters of the remaining black population resided in the South, black supplemental PSUs were confined to the southern States. Three of the southern non-self-representing strata were constructed on the basis of high black population density (25% or more). In addition to the two PSUs already selected from these strata into the 100 PSU national sample, two selections were drawn PPS from each, yielding 6 supplemental PSUs.

About 88% of the Spanish origin population resided in SMSAs in 1980, and supplementation was thus restricted to metropolitan areas. All SCAs and SMSAs were ranked according to the 1980 Spanish origin population, and those with Spanish origin population exceeding 150,000 were designated as self-representing. All SCAs and two SMSAs were already self-representing, three SMSAs had previously been selected into the 100 PSU national sample as non-self-representing, and six previously unselected PSUs were added to the sample as self-representing Hispanic supplements. The national sample was then altered to reflect the fact that non-self-representing PSUs were now self-representing. In total, the self-representing areas in the sample contained roughly two-thirds of the people in the United States of Spanish origin.

**Selection of the Second-Stage Sample.** Block groups or enumeration districts were combined as necessary with neighboring units to create nonoverlapping area segments, each of which contained a minimum of 44 housing units in 1980. Within each PSU, the area segments were assembled into three strata:

- Hispanic stratum, consisting of all area segments with 15% or more Spanish origin population in 1980;
- black stratum, composed of all non-Hispanic area segments with 10% or more black population; and
- balance stratum, consisting of all remaining area segments.

A total of 1,600 area segments were selected, of which 500 were Hispanic, 500 were black, and 600 were from the balance stratum. Relative to the balance stratum, Hispanic area segments were oversampled by a factor of 8.70 and black area segments were oversampled by a factor of 3.68.

**Selection of the Third-Stage Sample.** In the third stage of selection, a single sampling unit (called a listing area) was selected from the second-stage area segments. The selection was made with PPS using 1980 Census data and the second-stage selection probability. The resulting sample of listing areas comprised an equal probability sample within the black, Hispanic, and balance strata.

After the listing areas were selected, trained field staff were sent to the field and prelisted or enumerated households. From the listings, segments were formed and sample households were selected. A total of 6,400 segments consisting of about four or five households were sampled.

Probability procedures used for the selection of sample areas, interviewing locations, segments, and housing units were such that white households in the coterminous United States had an equal overall probability of selection. Black households had an equal chance of selection in the black and Hispanic second-stage strata, but they were undersampled in the balance stratum. Hispanic households had three separate selection rates, depending on their second-stage stratum membership.

**Sampling Within Housing Units.** A combined Screening/Call Report Form for each sample housing unit provided the interviewer with a prescribed series of steps for obtaining a listing of residents of the household and for selecting respondents within eligible age/ethnicity ranges.

Minorities and younger household members were oversampled by restricting the eligibility of potential respondents to specific age groups and races/ethnicities. Nine versions of the Screening Form were employed, combining three age group eligibility rules (12 to 17, 12 to 34, 12 and older) with three race/ethnicity rules (Hispanic only, black and Hispanic only, no racial/ethnic restriction). The Screening Forms were allocated randomly to households in prespecified proportions.

If only one person in the age/ethnicity group designated on the Screening Form resided in the household, that person was the designated respondent. If there were two or more household members in the designated age/ethnicity group, one was randomly chosen using selection tables developed by Kish (1949). Selection tables were set up so that respondents were selected half of the time when there were two eligible members in a household, a third of the time when there were three eligible persons, and so forth.

Probabilities of selection thus varied with the composition of the household for different age/ethnicity groups and with the number of residents within the selected age group.

## **Data Collection**

The fieldwork for the 1985 NHSDA was directed by Temple University's Institute for Survey Research. Interviewing was conducted during the period from June through December 1985. A total of 8,038 completed interviews were obtained, including 17 respondents under age 12, resulting in 8,021 interviews with eligible individuals.

A total of 23,633 households out of 25,968 sampled were successfully screened, and 8,038 interviews were completed out of 9,630 sample individuals. The completed interviews

represented a 91% completion rate for screening sample households and 83.5% for interviewing sample individuals. The response rates for the three racial/ethnic groups (based on race of household head) were 82% for whites (i.e., non-Hispanic, nonblacks), 85% for blacks (i.e., non-Hispanic), and 85.3% for Hispanics. Of the 8,021 completed interviews, 3,960 were with whites, 1,950 were with blacks, 2,003 were with Hispanics, and 108 were with persons of other races/ethnicities.

The importance of confidentiality was stressed to the interviewers. Throughout the course of the study, the respondent's anonymity and the privacy of his or her responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest confidence in accordance with Federal law. The questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Show cards were displayed when questions concerning illicit drug use were asked, and respondents were asked to mark answer sheets to record their responses to questions read aloud by an interviewer. Interviewers did not see the completed answer sheets.

### **Variance Estimation**

In the 1985 NHSDA, sampling error due to the random process used to subsample the total population of inferential interest (i.e., the household population aged 12 and older in the coterminous United States) can be quantified using 95% confidence intervals. Because one is often dealing with small percentages in the 1985 NHSDA, asymmetrical confidence intervals for estimated percentages and corresponding population sizes can be calculated using methods based on logit transformations. Logit techniques provide a direct and efficient method for computing confidence intervals (bounded by 0% and 100%) based on complex survey data, in that design-based variance for each estimated proportion may be directly used.

Let the proportion  $P$  represent the true prevalence rate for a particular characteristic (e.g., the proportion of males who have smoked marijuana in the past month). Then, the logit transformation of  $P$ , commonly referred to as the "log odds," is defined as follows:

$$L = \ln[P/(1-P)] ,$$

where "ln" denotes the natural logarithm, and the ratio " $[P/(1-P)]$ " represents the prevalence odds for a particular characteristic. The true prevalence rate can then be estimated by  $p$ , the proportion derived from the sample.

Using  $\hat{L} = \ln[p/(1-p)]$  as the estimate for the log odds, the approximate low and upper limits of  $L$  are defined as follows:

$$A = \hat{L} - K \left( \frac{\sqrt{\text{Var}(p)}}{p(1-p)} \right)$$

$$B = \hat{L} + K \left( \frac{\sqrt{\text{Var}(p)}}{p(1-p)} \right) ,$$

where  $\text{Var}(p)$  is the design-based estimate of the variance of  $p$ , and  $K$  is the constant chosen to yield the proper level of confidence (e.g.,  $K = 1.96$  for 95% confidence limits). For the 1985 NHSDA, the variance of  $p$  can be estimated using either a Taylor series linearization approach (Cox & Cohen, 1985, Chapter 12), or by applying published design effects (DEFFs) to the simple random sample (SRS) variance estimate.

Note that design-based variance estimates were not published for the 1985 survey. Instead, approximate variance estimates are obtained as the product of the estimated design effect (provided for a given set of domains) and the SRS variance estimate. DEFFs are calculated to measure the increase in sampling error due to the complex sampling design over that obtained through an SRS. For a given survey estimate, the DEFF is defined as the ratio for the variance of the estimate based on the actual sample design to that obtained under an SRS design of the same sample size.

Applying the inverse logit transformation to  $A$  and  $B$  above yields an approximate confidence interval for  $P$  as follows:

$$P_{\text{lower}} = \frac{1}{1 + \exp(-A)}$$

$$P_{\text{upper}} = \frac{1}{1 + \exp(-B)} ,$$

where "exp" denotes the inverse log transformation. The upper and lower limits of the percentage estimate are obtained by multiplying the upper and lower limits of  $p$  by 100.

An estimate of the number of individuals in the population with a particular characteristic,  $\hat{N}(c)$ , can be obtained as follows:

$$\hat{N}(c) = \hat{N}(+) * p ,$$

where

$\hat{N}(+)$  = estimated population total for the subgroup under investigation; and

$p$  = estimated prevalence rate of the particular characteristic.

To obtain an approximate confidence interval of such a population total (e.g., the number of white males who smoked marijuana in the past month), one can use the above procedure, then multiply the lower and upper limits of the confidence interval for the estimated proportion by the estimated population total for the subgroup under investigation (e.g., total number of white males).

In addition, the standard error (SE) for the estimate of the number of individuals in the population with a particular characteristic,  $\hat{N}(c)$ , can be approximated as follows:

$$\overline{SE}(\hat{N}(c)) = \hat{N}(+) * \overline{SE}(p) ,$$

where

$SE(p)$  = design-based SE estimate for the estimated proportion; and

$SE(\hat{N}(c))$  = design-based SE estimate for  $\hat{N}(c)$ .

Confidence limits presented in the 1985 NHSDA's Population Estimates report (NIDA, 1987) used a different approach to calculate asymmetric confidence limits; this approach is also presented by Fleiss (1981). To illustrate the formulas used to calculate asymmetric confidence intervals, let  $p$  be the proportion and let  $q = 1 - p$ . The lower and upper limits of  $p$  are defined as follows:

$$\text{Lower limit } (p) = \frac{(2n^* p + K^2 - 1) - K\sqrt{K^2 - (2 + 1/n^*) + 4p(n^*q + 1)}}{2(n^* + K^2)}$$

$$\text{Upper limit } (p) = \frac{(2n^* p + K^2 + 1) + K\sqrt{K^2 + (2 - 1/n^*) + 4p(n^*q - 1)}}{2(n^* + K^2)}$$

The  $K$  is the constant chosen to yield the proper level of confidence (e.g.,  $K = 1.96$  for 95% confidence limits). The  $n^*$  denotes the effective sample size, which is the actual sample size divided by the survey DEFF for the group.

### Statistical Significance of Differences

This section describes methods used to compare prevalence estimates. Note that the following method assumes statistical independence between the prevalence estimates, which holds for comparisons across surveys (e.g., 1985 vs. 1988), but not for comparisons of prevalence rates within the same survey. Nevertheless, consequences associated with application of the following method for nonindependent proportions are discussed.



In comparing prevalence estimates, each of which is based on a sample or sample subgroup, it must be remembered that both are subject to sampling fluctuations. It is possible to construct a confidence interval around the observed difference between two percentage estimates. Customarily, however, the observed difference between estimates is evaluated in terms of its statistical significance. "Statistical significance" refers to the probability that a difference as large as that observed would occur by chance if there were no difference in prevalence rates for the population groups from which the samples were drawn. In trend tables already published in the NHSDA series, and in explicit comparisons of subgroup differences made in the text of these reports, the significance of observed differences is reported at the .05, .01, and .001 levels. However, the reader may also wish to compare prevalence estimates from two groups for which the significance of the difference is not reported.

To compare the prevalence of drug use for 1985 versus 1988, one can test the hypothesis of no difference in prevalence rates using the standard difference in proportions test (Fleiss, 1981), expressed as follows:

$$Z = \frac{|p1 - p2|}{\sqrt{\text{Var}(p1) + \text{Var}(p2)}} ,$$

where

$p1$  = 1985 estimated drug prevalence rate;

$\text{Var}(p1)$  = 1985 variance estimate for  $p1$ , which can be obtained using design-based survey methodology or alternatively, approximated as:

$$\text{DEFF}_{\text{med}} [p1(1-p1)/n] ,$$

where  $n$  = 1985 sample size for subgroup under investigation;  
and

$\text{DEFF}_{\text{med}}$  = 1985 median design effect for the subgroup under investigation;

$p2$  = 1988 estimated drug prevalence rate; and

$\text{Var}(p2)$  = 1988 variance estimate of  $p2$ .

Under the null hypothesis of no difference in prevalence rates,  $Z$  is asymptotically distributed as a normal random variable; calculated values of  $Z$  can, therefore, be referred to the unit normal distribution to determine the corresponding probability level (i.e., p-value). Note that two-sided or one-sided p-values can be computed.

For comparing prevalence rates within the same survey (e.g., 1985 prevalence of cocaine use among whites vs. blacks), the above test for differences in proportions can also

be used to perform tests of significance. In this situation, the tests will usually yield conservative (i.e., less significant) p-values because the covariance between the two non-independent prevalence estimates is expected to be slightly positive.

### Sample Design Effects

This section describes the formation and usage of DEFFs in estimating approximate sampling variability.

For the 1985 NHSDA, specialized software (RTI, 1991) can be used to properly estimate variances for proportions arising from complex survey data, using the Taylor series linearization approach (see Appendix C for an example). Whenever possible, these Taylor series variance estimates should be used to compute confidence intervals and perform comparative analyses, using the methods described in previous sections. However, the goal here is to provide future users of the 1985 NHSDA database with readily available approximate variance estimates for situations in which design-based variance estimates are not available.

DEFFs are calculated to measure the increase in sampling error over that obtained through an SRS. For a given survey estimate, the DEFF is defined as the ratio of the variance of the estimate based on the actual sample design to that obtained under an SRS design of the same sample size:

$$\text{DEFF} = V(\text{actual}) / V(\text{SRS}) .$$

Therefore, the design effect summarizes the effects of stratification, clustering, and unequal weighting on the variance of a complex sample design. For instance, a DEFF of 1.80 represents an 80% increase in variance. To calculate a 95% confidence interval where the DEFF is 1.80, the square root of the DEFF, 1.34, would be multiplied by the upper and lower limits in the expression for the confidence limits from an SRS,  $\hat{p} \pm 1.96 \sqrt{p(1-p)/n}$ . This widens the confidence limits to  $\pm (2.62) \sqrt{p(1-p)/n}$  rather than  $\pm (1.96) \sqrt{p(1-p)/n}$ . Alternatively, one can achieve the same result by substituting the effective sample size  $n^* = (n/\text{DEFF})$  for  $n$  in the expression  $\pm 1.96 \sqrt{p(1-p)/n}$  .

For the 1985 NHSDA, DEFFs were calculated for percentage prevalence estimates of drug use during three time periods: drug use in the respondent's lifetime, in the past year, and in the past month. Sixteen specific drugs and drug patterns were used:

Cigarettes; Alcohol; Marijuana only; Marijuana; Hallucinogens; Phencyclidine (PCP); nonmedical use of Psychotherapeutics only; nonmedical use of Stimulants; nonmedical use of Sedatives; nonmedical use of Tranquilizers; nonmedical use of Analgesics; Cocaine; Inhalants; Heroin; Any drug except marijuana; Any illicit drug.

Thus, DEFFs were calculated for 48 percentage estimates (3x16). This was done separately for each cell (including marginal groups) in a 60-cell cross-classification of sex, age group, and race/ethnicity.

For each specified domain, a median design effect was calculated from the above estimates as opposed to calculating an average design effect. Because extreme values of some design effects would have distorted the associated averages, medians were chosen to provide a better measure of the central value.

Because clustering and unequal weighting are expected to increase the variance, the design effect should virtually always be greater than one. However, for prevalence rates near zero, the variance inflating effects of unequal weighting and clustering were sometimes underestimated resulting in design effects less than one. Because the corresponding variances estimates were considered anomalously small, another design effect estimate based only on stratification and unequal weighting effects was substituted if it was greater than the total design effect. Moreover, if both design effect estimates were less than one, a value of one was substituted.

Design effects associated with percentage estimates exhibiting low precision were not included in the calculations of the median. Specifically, design effects for percentages were not included in the calculation of the median if

$$\text{RSE} [-\ln(p)] > 0.175 \text{ when } p \leq 0.05, \text{ or}$$

$$\text{RSE} [-\ln(1-p)] > 0.175 \text{ when } p > 0.5.$$

For computational purposes, this is equivalent to

$$\frac{\text{SE}(p)/p}{-\ln(p)} > 0.175 \text{ when } p \leq 0.05, \text{ or}$$

$$\frac{\text{SE}(p)/(1-p)}{-\ln(1-p)} > 0.175 \text{ when } p > 0.5,$$

where SE(p) equals the standard error estimate of p. The log transformation of p is used to provide a more balanced treatment of measuring the quality of small, large, and intermediate p values. The switch to (1-p) for p greater than 0.5 provides a symmetric rule across the range of possible p values.

The user may now calculate approximate variance and SE estimates for 1985 NHSDA prevalence rates as follows:

$$\text{Var}(p)_{\text{appx}} = \text{DEFF}_{\text{med}} [p(1-p)/n] ,$$

where

p = 1985 estimated drug prevalence rate;

n = 1985 number of respondents for the subgroup under investigation;

DEFF<sub>med</sub> = 1985 median DEFF for the subgroup under investigation; and

Var(p)<sub>appx</sub> = 1985 approximate variance estimate for p.

The approximate SE estimate for p, SE(p)<sub>appx</sub>, is the square root of Var(p)<sub>appx</sub>. In situations in which Taylor series variance estimates are not available, the application of the formula for Var(p)<sub>appx</sub> to the domain-specific DEFFs that appear in Table 1 can be used to compute approximate SE estimates.

## EDITING AND IMPUTATIONS

Originally, the 1985 NHSDA data were edited manually before being keyed into machine-readable records. The primary purpose of the manual editing was to change recency-of-use response data to reflect use or more recent use or to replace missing data with nonmissing values, based on any indication the editors could discover elsewhere in the interview instrumentation. After completion of the manual editing and keying of the manually edited data, the hard-copy household Screening Forms used to select sample members for interview and interview data collection forms that contained raw source data were discarded. Some additional editing using computer programs was then done to improve consistency within the machine-readable records. The manual and machine editing produced variables and records whose data were mostly consistent and complete. Those records constituted the file used to generate estimates of drug use for the 1985 Main Findings report (NIDA, 1988). That file was also used as the source of data for the revisions that have resulted in this 1985 NHSDA public release file.

Two different imputation procedures have been used to change response data to reflect more recent use or to replace missing data with nonmissing values. The procedure used not only during the earliest manual editing, but also for this revision (in which response data are changed based on some indication elsewhere in the record) is called logical imputation. A second procedure, described below, is a form of statistical imputation and was implemented only for this revision. The results of the two imputation procedures are distinguished in this codebook by the code-value descriptive phrases "...LOGICALLY IMPUTED" and "...imputed" for the logical procedure or by the designation "IMPUTATION-REVISED" in the variable label when statistical imputation was also performed.

**Table 1. Median Design Effects, by Sex, Age Group, and Race/Ethnicity:  
1985 NHSDA**

<b>Sex/Age</b>	<b>Race/Ethnicity</b>			<b>Total</b>
	<b>White</b>	<b>Black</b>	<b>Hispanic</b>	
<b>Male</b>				
12-17	2.573	1.278	1.203	2.205
18-25	1.220	1.169	1.495	1.912
26-34	1.174	1.165	1.110	1.606
≥35	1.182	1.137	1.075	1.462
All males	1.660	1.543	2.207	2.138
<b>Female</b>				
12-17	1.255	1.213	1.223	2.004
18-25	1.143	1.110	1.376	1.778
26-34	1.136	1.186	1.256	1.623
≥35	1.243	1.284	1.198	1.594
All females	1.232	1.653	1.558	1.830
<b>Total</b>				
12-17	3.413	1.249	1.216	3.540
18-25	1.186	1.204	1.573	1.915
26-34	1.178	1.272	1.323	1.685
≥35	1.235	1.290	1.182	1.523
<b>Total</b>	<b>1.398</b>	<b>1.612</b>	<b>2.611</b>	<b>1.871</b>

Note: For groups not shown, a design effect (DEFF) of 1.871 should be used. If the analysis concerns a subgroup of one of the groups shown (e.g., 12- to 13-year-olds), one can take the unweighted sample size and divide by the DEFF shown for the group to calculate the appropriate effective sample size (in this example, 686/3.540 yields an effective sample size of approximately 194).

Source: NIDA, National Household Survey on Drug Abuse, 1985.

## **Logical Imputation**

Logical imputation was carried out manually in the earliest stage of editing for the original recency-of-use variables. During production of this public release file, similar procedures were carried out on those manually edited recency-of-use variables as source data using program code adapted from that used for editing the 1988 NHSDA. The overall approach in both instances involved checking, for each recency-of-use variable, other variables in a record that could yield evidence of use of that specific drug or class of drugs. Then the most recent indication supplied by the respondent of use of that drug replaced missing data in the subject drug's recency-of-use variable or was used to change a nonuse or less recent response value to a value reflecting the indication elsewhere of use or more recent use.

Unique code values (7, 8, or 9) were assigned to the recency-of-use variable when such logical imputation occurred. These code values are readily identifiable by the phrases "...LOGICALLY IMPUTED" or "... imputed" in the code-value descriptions. For recency-of-use variables with missing data and for which no indication of use of the drug could be found after examining all relevant variables in the record, a code value of 91 (never used) was assigned if there were one or more indications of such nonuse in the set of relevant variables. The drug use variables for which logical imputation was implemented are CIGREC, ALCREC, SEDREC, TRANREC, STIMREC, ANALREC, MJREC, INHREC, COCREC, HALLREC, PCPREC, and HERREC.

At this point in the editing process, a determination was made as to whether each record in the database contained enough information to be considered complete. To be classified as a minimally complete case, and thus to be retained in the database, data on the recency of use of alcohol, marijuana, and cocaine had to have been provided by the respondent or logically imputed from other answers supplied by the respondent.

Some additional editing was carried out in the production of this public release file. Using the logically imputed recency-of-use variables on this file as criterion variables, rigorous logical consistency was imposed within each record across all drug use variables. The procedure implemented most often as a result of this consistency editing was the assignment of the "never used" code value (91) to all variables associated with a drug or drug class when the logically imputed recency-of-use value reflected no use. In addition, standard code values were assigned for missing data to distinguish the reasons for the missing data. This latter editing step was carried out for both drug use and all other variables, such as demographic variables. The code values used to differentiate missing data are described below in the section on standard code conventions.

## **Statistical Imputation**

Following logical imputation, any remaining missing data were imputed by using a technique known as hot-deck imputation for recency-of-use variables (other than ALCREC, MJREC, and COCREC); for the alcohol, marijuana, and cocaine frequency-of-use-in-past-12-

months variables; and for age, race, Hispanic-origin, work status, educational level, and marital status variables.

The first step in the hot-deck imputation procedure involved sorting the data file with a progressive series of subsorts based on recency of use of alcohol, marijuana, and cocaine, and then age, sex, Hispanic origin, and race. This sorting produced an ordered data file in which adjacent data records represent individuals with similar characteristics.

A missing value for each variable being imputed was then replaced by the nonmissing response for the same variable in the last encountered record in the sorted database. Variables in this public release data file for which the hot-deck imputation procedure was implemented are identified by the phrase "IMPUTATION-REVISED" in the variable label, and their variable names begin with the letters IR.

In addition, for each hot-deck imputation-revised variable, there is an "IMPUTATION INDICATOR" variable whose values distinguish whether the imputed variable's value originated from interview responses or were imputed by the hot-deck technique. The imputation-revised and resulting recoded variables are documented at the end of the codebook.

For tabular summaries and other descriptive analyses, analysts should use the imputation-revised variables. For analyses of relationships in which multiple data items are involved (e.g., multiple regression), use of these imputation-revised variables may not be appropriate. Usually, these analyses span data items that were not jointly used in defining the imputation procedure (either as the output variable or as a classing or sorting variable). In this situation, use of nonimputed data items may be best.

Table 2 presents information, using recoded drug use variables, about the combined effects on estimates of use of the logical and statistical imputations carried out during preparation of this 1985 NHSDA public release file. Estimates of use generated for the 1985 Main Findings report appear in the first column of percentages (except for the estimates of use of any psychotherapeutic drug and of use of marijuana only whose source variables on the original file were apparently not constructed in accordance with the documentation provided in the original file's codebook).

By comparing any estimate in one of the three columns of the original 1985 drug variables with its counterpart in a column of the imputation-revised drug variables, the effect of the latest editing and imputation revisions on any specific estimate of drug use can be assessed. For example, 86.07% of the total population were estimated in the 1985 Main Findings report to have used alcohol at least once in their lifetime; after the latest logical and statistical imputations (and without any other revisions to the file), 86.11% of the population would have been estimated to have used alcohol at least once. Alternatively, taking all

**Table 2. Weighted Recencies and Frequencies of Use (%), by Revisions to 1985 Main Findings File Made to Produce 1985 Public Use File**

Drug	Time Period	Variable Used	Original 1985 Drug Variables			Imputation-Revised Drug Variables			1988 NHSDA
			11-Year-Olds		ANALWT	11-Year-Olds		ANALWT	
			Included	Deleted		Included	Deleted		
MFFWGT	MFFWGT	MFFWGT	MFFWGT	MFFWGT	MFFWGT	MFFWGT			
Alcohol	Lifetime	ALCFLAG	86.07	86.12	85.80	86.11	86.17	85.85	84.95
	Past Year	ALCYR	73.45	73.51	72.93	73.41	73.47	72.89	68.10
	Past Month	ALCMON	59.11	59.16	58.59	58.87	58.91	58.34	53.36
Marijuana	Lifetime	MRJFLAG	32.43	32.45	31.59	32.45	32.47	31.61	33.15
	Past Year	MRJYR	15.33	15.34	14.86	15.32	15.33	14.84	10.64
	Past Month	MRJMON	9.44	9.45	9.17	9.53	9.54	9.26	5.86
Cocaine	Lifetime	COCFLAG	11.64	11.65	11.12	11.75	11.76	11.22	10.67
	Past Year	COCYR	6.26	6.27	5.88	6.24	6.25	5.86	4.14
	Past Month	COCMON	2.90	2.91	2.73	2.92	2.92	2.75	1.47
Cigarettes	Lifetime	CIGFLAG	75.66	75.70	75.54	75.88	75.92	75.75	75.12
	Past Year	CIGYR	36.23	36.24	36.10	36.06	36.07	35.92	34.20
	Past Month	CIGMON	31.49	31.51	31.51	31.34	31.36	31.35	28.80
Stimulants	Lifetime	STMFLAG	9.22	9.23	8.93	9.49	9.50	9.19	7.09
	Past Year	STMYR	4.04	4.05	3.93	4.04	4.04	3.92	2.50
	Past Month	STMMON	1.31	1.31	1.29	1.33	1.33	1.30	0.88
Sedatives	Lifetime	SEDFLAG	6.05	6.05	5.86	6.61	6.62	6.44	3.52
	Past Year	SEDYR	2.61	2.61	2.57	2.62	2.62	2.58	1.56
	Past Month	SEDMON	0.85	0.85	0.84	0.85	0.84	0.84	0.40
Tranquilizers	Lifetime	TRQFLAG	7.72	7.73	7.57	8.41	8.41	8.24	4.78
	Past Year	TRQYR	3.47	3.47	3.42	3.48	3.48	3.43	2.22
	Past Month	TRQMON	1.07	1.07	1.03	1.08	1.08	1.04	0.59
Analgesics	Lifetime	ANLFLAG	6.60	6.61	6.49	6.94	6.95	6.83	5.17
	Past Year	ANLYR	3.62	3.62	3.58	3.65	3.65	3.60	2.69
	Past Month	ANLMON	1.12	1.12	1.14	1.16	1.16	1.17	0.58
Inhalants	Lifetime	INHFLAG	6.77	6.77	6.60	7.22	7.22	7.01	5.68
	Past Year	INHYR	1.48	1.48	1.43	1.54	1.54	1.49	1.33
	Past Month	INHMON	0.90	0.90	0.87	0.94	0.94	0.91	0.62

See notes at end of table.

(continued)



Table 2 (continued)

Drug	Time Period	Variable Used	Original 1985 Drug Variables			Imputation-Revised Drug Variables			1988 NHSDA
			11-Year-Olds		11-Year-Olds	11-Year-Olds		11-Year-Olds	
			Included	Deleted	Included	Deleted	Deleted		
			MFFWGT	MFFWGT	ANALWT	MFFWGT	MFFWGT	ANALWT	
Hallucinogens	Lifetime	HALFLAG	6.73	6.74	6.51	6.84	6.85	6.61	7.36
	Past Year	HALYR	1.67	1.67	1.59	1.68	1.68	1.60	1.56
	Past Month	HALMON	0.77	0.77	0.73	0.76	0.76	0.73	0.39
Phencyclidine	Lifetime	PCPFLAG	2.78	2.78	2.71	2.97	2.97	2.93	3.09
	Past Year	PCPYR	0.56	0.56	0.54	0.56	0.56	0.53	0.19
	Past Month	PCPMON	0.37	0.37	0.35	0.37	0.37	0.35	0.04
Heroin	Lifetime	HERFLAG	1.01	1.01	1.00	1.05	1.05	1.03	0.96
	Past Year	HERYR	0.18	0.18	0.16	0.20	0.20	0.19	0.27
	Past Month	HERMON	0.08	0.08	0.08	0.08	0.08	0.08	0.05
Any Psychotherapeutics	Lifetime	PSYFLAG2	3.21	3.22	3.26	16.52	16.53	16.13	11.86
	Past Year	PSYYR2	1.22	1.22	1.24	7.92	7.93	7.75	5.75
	Past Month	PSYMON2	0.71	0.71	0.71	3.20	3.20	3.16	1.71
Any Illicit Drug	Lifetime	SUMFLAG	36.85	36.88	36.05	37.49	37.51	36.69	36.55
	Past Year	SUMYR	19.28	19.30	18.72	19.12	19.13	18.55	14.10
	Past Month	SUMMON	12.04	12.05	11.70	11.91	11.92	11.56	7.30
Marijuana Only	Lifetime	MJOFLAG	14.18	14.19	13.96	13.85	13.86	13.66	16.69
	Past Year	MJOYR2	4.62	4.63	4.52	7.41	7.42	7.25	5.38
	Past Month	MJOMON2	2.25	2.25	2.23	5.87	5.87	5.72	4.06
Alcohol Frequency	Yearly	ALCYRF	73.45	73.51	72.93	73.41	73.47	72.89	68.10
	Monthly	ALCMONF	49.00	49.04	48.23	48.65	48.69	47.93	44.32
	Weekly	ALCWKF	28.46	28.48	27.89	28.36	28.38	27.83	23.86
Marijuana Frequency	Yearly	MRJYRF	15.33	15.34	14.86	15.32	15.33	14.84	10.64
	Monthly	MRJMONF	7.71	7.72	7.52	7.93	7.93	7.74	5.57
	Weekly	MRJWKF	4.61	4.62	4.52	4.68	4.68	4.60	3.34
Cocaine Frequency	Yearly	COCYRF	6.26	6.27	5.88	6.24	6.25	5.86	4.14
	Monthly	COCMONF	1.68	1.68	1.59	1.75	1.75	1.66	1.21
	Weekly	COCWKF	0.30	0.30	0.30	0.31	0.31	0.31	0.43

ANALWT = Revised sample weight for 1985 NHSDA Public Release File.

MFFWGT = Original sample weight for 1985 Main Findings File.

Source: NIDA, National Household Surveys on Drug Abuse, 1985 and 1988.

changes made to produce this public release file into account, the combined effect of only the logical and statistical imputation has been to change the estimate of lifetime alcohol use from 85.80% to 85.85%.

In general, the two imputation procedures (primarily the logic-based one) resulted in some increase in virtually all estimates of use. Such a result was to be expected because the editing specification followed is biased in favor of replacing original values with values that indicate use or more recent use. Generally, the statistical imputation simply assigned values (almost exclusively nonmissing for missing values) without changing any existing bias in the logically imputed source variables.

## **WEIGHTING PROCEDURES**

At the conclusion of data collection for the study, sample weights were constructed to reflect the various stages of sampling described above. These sample weights were then adjusted to account for sample households and persons who could not be found at home or who refused to participate. Finally, two post-stratification adjustments were performed on the weights using approximate July 1, 1985, CPS population estimates. The resulting adjusted weight was the sampling weight used to generate estimates for the 1985 Main Findings report.

The calculation of sampling weights was based on the stratified, four-stage design of the study. Specifically, the household sampling weight is the product of the four stagewise sampling weights, each of which is equal to the inverse of the selection probability for that stage.

The final weight also incorporates two adjustment factors. The first factor compensates for differential response rates across demographic subgroups. These weights were created by calculating response rates separately within cells of a classification of the following demographic variables: race/ethnicity, geographic region of residence, and population density. The adjustment was equal to the inverse of the response rate in a given cell, which was then allocated to respondents in their respective cells.

A second adjustment factor compensated for residual deviation of selected demographic characteristics of the sample from parameter data, based on the 1980 census. This post-stratification adjustment was designed to make the survey data approximately match 1985 CPS total and subgroup population distributions. Population controls were created using a 32-cell cross-tabulation of sex (two groups) by race/ethnicity (four groups) by age groups (four groups). In addition, regional controls were also imposed. The sum of these post-stratified weights used for estimates in the 1985 Main Findings report was 190,791,990.

For purposes of preparing this 1985 NHSDA public release file, the records of the seventeen ineligible 11-year-olds had to be deleted. Then the sampling weights had to be adjusted to compensate. Since the household sampling weight and the nonresponse adjustment factor discussed above were given on the original file, only the post-stratification adjustment to compensate for sample subgroup deviation from subgroup parameters could be manipulated to compensate for the deletion of these 11-year-olds. Fortunately, all remaining cases on the file could be unambiguously assigned to one of the 32 subgroups defined by age, race, and sex because statistical imputations had been performed on these variables. Finally, in order to improve comparability with later NHSDAs, the same subgroup and total population definitions used for the 1988 and 1990 NHSDAs was adopted to specify the counts to be matched by the post-stratification adjustment.

The 1985 NHSDA weights were therefore post-stratified to Census projections of 192,604,773 for the civilian, noninstitutionalized population aged 12 and older of the United States (U.S. Bureau of the Census, 1985a, 1985b). The 1985 NHSDA target population did not include civilians living in housing units located on military compounds or residents of noninstitutional group quarters, such as dormitories. The Census projections, however, included these residents. In addition, the 1985 NHSDA target population did not include residents of Alaska and Hawaii, although Bureau of the Census projections did. Prior to 1991, the NHSDA has post-stratified to the Census counts for the entire United States and ignored these differences in target population definitions.

The post-stratification was performed by creating counts to post-stratify to the July 1, 1985, CPS total and subgroup population estimates. Because counts were not available for the full 32-cell cross-classification of age, sex, and race/ethnicity groups, raking or iterative proportional fitting was used to adjust the weights to marginal counts, thus constructing the post-stratified weights (Bishop, Fienberg, & Holland, 1975, pp. 83-102). The result of this process was a post-stratification adjustment applied to each person-level weight. This adjusted weight is the analysis weight for use in estimation.

Overall, post-stratification of the weights to compensate for the deletion of the ineligible 11-year-olds and to match slightly different subgroup and total population counts has small but not insignificant effects on rates of drug use. In Table 2, the effects attributable only to deleting the 11-year-olds may be assessed by comparing equivalent rates in the two columns in either of the two sets of adjacent columns labeled MFFWGT; any such effects that appear are always very small increases in the rates. On the other hand, comparing any rate in either of the columns labeled ANALWT with the equivalent rate in the column labeled MFFWGT immediately to the left provides evidence that post-stratification of the weights to match different population counts has consistently resulted in rate decreases of substantial magnitude. More important, for some of the 32 subgroups defined by age, race, and sex (e.g., white males aged 18 to 25), the effects on estimated rates of drug

use may be quite large as a consequence of having post-stratified the sampling weights to match different population counts.

## **CONTENTS AND ORGANIZATION OF THE 1985 NHSDA PUBLIC USE FILE**

### **Data File Description**

The file described here has been prepared for use with SAS (version 6) as a SAS dataset. The variable names shown in this codebook are the SAS variable names that appear in the dataset. The file is recorded on a non-labeled nine-track tape with density of 6250 BPI.

The overall organization of the file is shown in the Table of Contents. Edited data from the questionnaire and drug answer sheets make up the first portion of the file and are documented in pp. 2-114 of this codebook. These variables contain missing data; see the section below on "Standard Code Conventions" for a description of the code values given to different types of missing data. The number of observations for which data are missing for any given variable is shown in the codebook entry for that variable.

Imputation-revised demographic and drug use variables and recoded versions of these imputation-revised variables are documented in the next four sections of the file (pp. 115-146 of this codebook). These variables include indicators for lifetime, past year, and past month use of substances, as well as imputation-revised demographic variables, such as age and race/ethnicity. Missing values for these variables have been imputed using the statistical imputation procedures described earlier. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. Sample weights and other design and estimation variables are documented on p. 147 of this codebook.

### **Variable Naming Conventions**

Variable names are mnemonics related to the meaning of each variable. Insofar as possible, variables identical to those in other NHSDA analytical files have also been named identically. However, the user should refer to the questionnaires for the different survey years to verify that the data are exactly comparable.

### **Standard Code Conventions**

Generally, the following codes have the same (or consistent) meanings across all variables (exceptions are noted in the documentation for individual variables):

- 91 or 991 or 9991, etc. = Never used the substance,
- 92 or 992 or 9992, etc. = Response illegible,

- 93 or 993 or 9993, etc. = Did not use drug under conditions in the question (e.g., during time period),
- 94 or 994 or 9994, etc. = Don't know,
- 95 or 995 or 9995, etc. = Bad data (usually, inconsistent with other data),
- 96 or 996 or 9996, etc. = Multiple response,
- 97 or 997 or 9997, etc. = Refusal,
- 98 or 998 or 9998, etc. = Blank (not answered), and
- 99 or 999 or 9999, etc. = Legitimate skip.

### **Contact Person**

For additional information about the file documented in this codebook, the following individual may be contacted:

Janet Greenblatt, Ph.D.  
Office of Applied Studies  
Substance Abuse and Mental Health  
Services Administration  
Parklawn Building, Room 16C-06  
5600 Fishers Lane  
Rockville, MD 20857  
(301) 443-7981

## REFERENCES

- Bishop, Y.M.M., Fienberg, S.E., & Holland, P.W. (1975). Discrete multivariate analysis: Theory and practice. Cambridge, MA: The MIT Press.
- Cox, B.G., & Cohen, S.B. (1985). Methodological issues for health care surveys. New York and Basel: Marcel Dekker, Inc.
- Fleiss, J.L. (1981). Statistical methods for rates and proportions (2nd ed.). New York: John Wiley and Sons.
- Kish, L. (1949). A procedure for objective selection within the household. Journal of the American Statistical Association, 44, 380-387.
- National Institute on Drug Abuse. (1987). National Household Survey on Drug Abuse: Population estimates 1985. Rockville, MD: Author.
- National Institute on Drug Abuse. (1988). National Household Survey on Drug Abuse: Main findings 1985 (DHHS Publication No. ADM 88-1586). Rockville, MD: Author
- National Institute on Drug Abuse. (1990). National Household Survey on Drug Abuse: Main findings 1988 (DHHS Publication No. ADM 90-1682). Rockville, MD: Author.
- Office of Applied Studies. (1993). National Household Survey on Drug Abuse: Main findings 1991 (DHHS Publication No. SMA 93-1980). Rockville, MD: Substance Abuse and Mental Health Services Administration.
- Research Triangle Institute. (1991). SUDAAN user's manual: Professional software for survey data analysis in multistage sample designs. Research Triangle Park, NC: Author.
- U.S. Bureau of the Census. (1985a). Estimates of the civilian non-institutional population of the United States by age, color and sex, as of July 1, 1985 (prepared for the Current Population Survey). Washington, DC: U.S. Government Printing Office.
- U.S. Bureau of the Census. (1985b). Estimates of Hispanic origin by age and sex, as of July 1, 1985 (prepared for the Current Population Survey). Washington, DC: U.S. Government Printing Office.

IDENTIFICATION

LABEL    LEN    DESCRIPTION  
-----

IDENTIFICATION  
-----

RESPID    6    RESPONDENT IDENTIFICATION NUMBER

ENCPSU    3    PRIMARY SAMPLING UNIT (PSU)

CIGARETTES & SMOKELESS TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

CIGARETTES & SMOKELESS TOBACCO

C-1. About how old were you when you first tried a cigarette?

CIGTRY	3	AGE WHEN FIRST TRIED A CIGARETTE		
	RANGE = 2 - 78	.....	5094	63.51
	91 = NEVER USED CIGARETTES	.....	2889	36.02
	94 = DON'T KNOW	.....	7	0.09
	95 = BAD DATA	.....	31	0.39

C-2. Have you smoked as many as five packs of cigarettes, that is, at least 100 cigarettes, in your life?

CIG5PK	2	SMOKED 5 OR MORE PACKS OF CIGARETTES IN LIFETIME		
	1 = Yes	.....	3013	37.56
	2 = No	.....	2057	25.65
	91 = NEVER USED CIGARETTES	.....	2889	36.02
	94 = DON'T KNOW	.....	29	0.36
	95 = BAD DATA	.....	29	0.36
	98 = BLANK (NO ANSWER)	.....	4	0.05

C-3. When was the most recent time you had a cigarette?

CIGREC	2	MOST RECENT TIME SMOKED A CIGARETTE		
	1 = Within the past month (30 days)	.....	2328	29.02
	2 = More than 1 month ago but less than 6 months ago	..	286	3.57
	3 = 6 or more months ago but less than 1 year ago	....	194	2.42
	4 = 1 or more years ago but less than 3 years ago	....	306	3.81
	5 = 3 or more years ago	.....	1341	16.72
	9 = Use in lifetime LOGICALLY IMPUTED	.....	677	8.44
	91 = NEVER USED CIGARETTES	.....	2889	36.02

C-4. How many cigarettes have you smoked, on the average, during the past 30 days? Give me the average number per day.

AVCIG	2	# CIGARETTES SMOKED PER DAY LAST 30 DAYS		
	1 = Less than one cigarette a day	.....	265	3.30
	2 = One to five cigarettes a day	.....	433	5.40
	3 = About 1/2 pack a day(6-15 cigarettes)	.....	611	7.62
	4 = About a pack a day(16-25 cigarettes)	.....	689	8.59
	5 = About 1 1/2 packs a day(26-35 cigarettes)	.....	178	2.22
	6 = About 2 packs or more a day(over 35 cigarettes)	..	143	1.78
	91 = NEVER USED CIGARETTES	.....	2889	36.02
	93 = HAS NOT SMOKED IN THE PAST 30 DAYS	.....	2804	34.96
	94 = DON'T KNOW	.....	9	0.11



CIGARETTES & SMOKELESS TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	
-------	-----	-------------	------	--

C-5. For about how many years have you smoked (ANSWER FROM Q. C-4)?

LABEL	LEN	DESCRIPTION	FREQ	
CIGINT	2	TYPE OF TIME REPORTED IN CIGTIME		
		1 = Years	2108	26.28
		2 = Months	124	1.55
		3 = Weeks	25	0.31
		91 = NEVER USED CIGARETTES	2889	36.02
		93 = HAS NOT SMOKED CIGARETTES IN THE PAST 30 DAYS	2804	34.96
		94 = DON'T KNOW	60	0.75
		98 = BLANK (NO ANSWER)	11	0.14

LABEL	LEN	DESCRIPTION	FREQ	
CIGTIME	4	NUMBER OF INTERVALS (CIGINT) R HAS SMOKED		
		RANGE = 1 - 66	2256	28.13
		91 = NEVER USED CIGARETTES	2889	36.02
		93 = HAS NOT SMOKED CIGARETTES IN THE PAST 30 DAYS	2804	34.96
		94 = DON'T KNOW	60	0.75
		98 = BLANK (NO ANSWER)	12	0.15

C-6. About how old were you when you first started smoking daily?

LABEL	LEN	DESCRIPTION	FREQ	
CIGAGE	2	AGE WHEN FIRST STARTED SMOKING DAILY		
		RANGE = 3 - 78	2827	35.24
		91 = NEVER USED CIGARETTES	2889	36.02
		93 = NEVER SMOKED CIGARETTES DAILY	2253	28.09
		94 = DON'T KNOW	5	0.06
		95 = BAD DATA	32	0.40
		98 = BLANK (NO ANSWER)	15	0.19

C-7. For how many years did you smoke daily?

LABEL	LEN	DESCRIPTION	FREQ	
CIGYRS	3	# YEARS SMOKED DAILY		
		RANGE = 1 - 66	2705	33.72
		0 = Less than one year	96	1.20
		91 = NEVER USED CIGARETTES	2889	36.02
		94 = DON'T KNOW	2	0.02
		95 = BAD DATA	46	0.57
		98 = BLANK (NO ANSWER)	30	0.37
		99 = LEGITIMATE SKIP (CIGAGE = 93)	2253	28.09

CIGARETTES & SMOKELESS TOBACCO

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

C-8. On the average, during most of this period when you smoked daily, about how many cigarettes did you smoke a day?

PACKS	2	# CIGARETTES SMOKED DAILY		
		1 = One to five cigarettes a day .....	572	7.13
		2 = About 1/2 pack a day(6-15 cigarettes) .....	917	11.43
		3 = About a pack a day(16-25 cigarettes) .....	956	11.92
		4 = About 1 1/2 packs a day(26-35 cigarettes) .....	195	2.43
		5 = About 2 packs or more a day(over 35 cigarettes) ..	189	2.36
		6 = Smokes cigars only .....	3	0.04
		91 = NEVER USED CIGARETTES .....	2889	36.02
		94 = DON'T KNOW .....	1	0.01
		95 = BAD DATA .....	29	0.36
		98 = BLANK (NO ANSWER) .....	17	0.21
		99 = LEGITIMATE SKIP (CIGAGE = 93) .....	2253	28.09

C-9. On the average, in the past 12 months, how often, if ever, have you used chewing tobacco or snuff or other smokeless tobacco?

OTHTOB	2	# TIMES USED SMOKELESS TOBACCO PAST 12 MONTHS		
		1 = Daily .....	142	1.77
		2 = Almost daily (3-6 days a week) .....	46	0.57
		3 = 1 or 2 days a week .....	40	0.50
		4 = Several times a month (25-51 days a year) .....	26	0.32
		5 = 1 or 2 times a month (12-24 days a year) .....	38	0.47
		6 = Every other month or so (6-11 days a year) .....	19	0.24
		7 = 3-5 days this past year .....	45	0.56
		8 = 1 or 2 days this past year .....	112	1.40
		91 = NEVER USED SMOKELESS TOBACCO IN LIFETIME .....	7213	89.93
		93 = DID NOT USE SMOKELESS TOBACCO IN THE PAST YEAR ...	304	3.79
		98 = BLANK (NO ANSWER) .....	36	0.45

LABEL LEN DESCRIPTION  
-----

DRUGS  
-----

Please read this list and tell me which things you think are addictive. That is, anybody who uses it regularly becomes physically and/or psychologically dependent on it and can't get along without it. Just answer for those you have heard of. You can just give me the number.

ADDALC	2	R THINKS ALCOHOL ADDICTIVE		
		1 = Response circled .....	7211	89.90
		2 = Response not circled .....	781	9.74
		94 = DON'T KNOW .....	19	0.24
		98 = BLANK (NO ANSWER) .....	10	0.12
ADDMJ	2	R THINKS MARIJUANA ADDICTIVE		
		1 = Response circled .....	6413	79.95
		2 = Response not circled .....	1572	19.60
		94 = DON'T KNOW .....	26	0.32
		98 = BLANK (NO ANSWER) .....	10	0.12
ADDSED	2	R THINKS SEDATIVES ADDICTIVE		
		1 = Response circled .....	5287	65.91
		2 = Response not circled .....	2693	33.57
		94 = DON'T KNOW .....	31	0.39
		98 = BLANK (NO ANSWER) .....	10	0.12
ADDTRAN	2	R THINKS TRANQUILIZERS ADDICTIVE		
		1 = Response circled .....	5825	72.62
		2 = Response not circled .....	2157	26.89
		94 = DON'T KNOW .....	29	0.36
		98 = BLANK (NO ANSWER) .....	10	0.12
ADDAMP	2	R THINKS AMPHETAMINES ADDICTIVE		
		1 = Response circled .....	5385	67.14
		2 = Response not circled .....	2596	32.37
		94 = DON'T KNOW .....	30	0.37
		98 = BLANK (NO ANSWER) .....	10	0.12
ADDCOC	2	R THINKS COCAINE ADDICTIVE		
		1 = Response circled .....	7033	87.68
		2 = Response not circled .....	953	11.88
		94 = DON'T KNOW .....	25	0.31
		98 = BLANK (NO ANSWER) .....	10	0.12
ADDLSD	2	R THINKS LSD ADDICTIVE		
		1 = Response circled .....	5875	73.25
		2 = Response not circled .....	2107	26.27
		94 = DON'T KNOW .....	29	0.36
		98 = BLANK (NO ANSWER) .....	10	0.12

DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	-
ADDHER	2	R THINKS HEROIN ADDICTIVE		
		1 = Response circled .....	6654	82.96
		2 = Response not circled .....	1330	16.58
		94 = DON'T KNOW .....	27	0.34
		98 = BLANK (NO ANSWER) .....	10	0.12
ADDICIG	2	R THINKS CIGARETTES ADDICTIVE		
		1 = Response circled .....	7105	88.58
		2 = Response not circled .....	888	11.07
		94 = DON'T KNOW .....	18	0.22
		98 = BLANK (NO ANSWER) .....	10	0.12
ADDNONE	2	R THINKS NONE OF THESE ARE ADDICTIVE		
		1 = Response circled .....	155	1.93
		2 = Response not circled .....	7843	97.78
		94 = DON'T KNOW .....	13	0.16
		98 = BLANK (NO ANSWER) .....	10	0.12
ADDALL	2	R THINKS ALL OF THESE ARE ADDICTIVE		
		1 = Response circled .....	4367	54.44
		2 = Response not circled .....	3628	45.23
		94 = DON'T KNOW .....	16	0.20
		98 = BLANK (NO ANSWER) .....	10	0.12

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-

## ALCOHOL -- ANSWER SHEET #1

A-1. About how old were you the first time you had a glass of beer or wine or a drink of liquor, such as whiskey, gin scotch, etc.? Do not include childhood sips that you might have had from an older person's drink.

ALCTRY	3	AGE WHEN HAD FIRST DRINK OF ALCOHOL		
	RANGE =	2 - 67	6028	75.15
	91 =	NEVER HAD A DRINK OF BEER, WINE OR LIQUOR	1896	23.64
	94 =	DON'T KNOW	8	0.10
	95 =	BAD DATA	20	0.25
	98 =	BLANK (NO ANSWER)	69	0.86

A-2. When was the most recent time that you had an alcohol drink, that is, of beer, wine, or liquor or mixed alcoholic drinks?

ALCREC	2	MOST RECENT ALCOHOL DRINK		
	1 =	Within the past month (30 days)	4129	51.48
	2 =	More than 1 month ago but less than 6 months ago	593	7.39
	3 =	6 or more months ago but less than 1 year ago	600	7.48
	4 =	1 or more years ago but less than 3 years ago	248	3.09
	5 =	3 or more years ago	489	6.10
	7 =	Use in past month LOGICALLY IMPUTED	6	0.07
	8 =	Use in past year LOGICALLY IMPUTED	33	0.41
	9 =	Use in lifetime LOGICALLY IMPUTED	27	0.34
	91 =	NEVER HAD A DRINK OF BEER, WINE OR LIQUOR	1896	23.64

A-3. On those occasions when you drink alcohol, is it usually beer, wine, or liquor?

ALCPREF	2	USUAL ALCOHOL BEVERAGE		
	1 =	Beer	2870	35.78
	2 =	Wine	1217	15.17
	3 =	Liquor	927	11.56
	4 =	It varies	990	12.34
	91 =	NEVER HAD A DRINK OF BEER, WINE OR LIQUOR	1896	23.64
	95 =	BAD DATA	5	0.06
	98 =	BLANK (NO ANSWER)	116	1.45

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		A-4. If you used alcohol during the past 30 days, on how many different days did you have one or more drinks?		
ALCDAYS	2	# OF DAYS DRANK ALCOHOL PAST 30 DAYS		
		RANGE = 1 - 30 .....	3910	48.75
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	1990	24.81
		94 = DON'T KNOW .....	54	0.67
		95 = BAD DATA .....	2	0.02
		98 = BLANK (NO ANSWER) .....	169	2.11
		A-5. On the days that you drank during the past 30 days, about how many drinks did you usually have a day?		
NODR30A	2	USUAL # DRINKS PER DAY PAST 30 DAYS		
		RANGE = 1 - 45 .....	4045	50.43
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	1990	24.81
		94 = DON'T KNOW .....	18	0.22
		95 = BAD DATA .....	2	0.02
		98 = BLANK (NO ANSWER) .....	70	0.87
		A-6. During the past 30 days, what is the most you had to drink on any one day?		
MODR30A	2	MOST # DRINKS ON ONE DAY IN PAST 30 DAYS		
		RANGE = 1 - 64 .....	3938	49.10
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	1990	24.81
		94 = DON'T KNOW .....	26	0.32
		95 = BAD DATA .....	2	0.02
		98 = BLANK (NO ANSWER) .....	169	2.11
		A-7. On how many days in the past 30 days did you have this number of drinks? (The amount you wrote in question A-6).		
MODR30DY	2	# DAYS DRANK AMOUNT IN A-6 PAST 30 DAYS		
		RANGE = 1 - 30 .....	3922	48.90
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS .....	1990	24.81
		94 = DON'T KNOW .....	33	0.41
		95 = BAD DATA .....	2	0.02
		98 = BLANK (NO ANSWER) .....	178	2.22

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

A-8. During the past 30 days, about how many days did you have five or more drinks on the same occasion? By occasion we mean at the same time or within a couple of hours of each other.

LABEL	LEN	DESCRIPTION	FREQ	%
DR5DAY	2	# DAYS DRANK 5 OR MORE DRINKS PAST 30 DAYS		
		RANGE = 0 - 30	4033	50.28
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 30 DAYS	1990	24.81
		94 = DON'T KNOW	12	0.15
		98 = BLANK (NO ANSWER)	90	1.12

A-9. About how old were you when you first began to use alcohol once a month or more?

LABEL	LEN	DESCRIPTION	FREQ	%
ALCAGE	3	AGE BEGAN DRINKING ALCOHOL MONTHLY OR MORE OFTEN		
		RANGE = 2 - 74	4101	51.13
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR	1896	23.64
		93 = NEVER USED ALCOHOL ONCE A MONTH OR MORE	1849	23.05
		94 = DON'T KNOW	6	0.07
		95 = BAD DATA	19	0.24
		98 = BLANK (NO ANSWER)	150	1.87

A-10. On the average, how often in the last 12 months have you had any alcoholic beverage, that is, beer, wine, or liquor?

LABEL	LEN	DESCRIPTION	FREQ	%
ALCPAT	2	FREQUENCY ALCOHOL CONSUMPTION PAST 12 MONTHS		
		1 = Daily	202	2.52
		2 = Almost daily or 3 to 6 days a week	465	5.80
		3 = About 1 or 2 days a week	1145	14.28
		4 = Several times a month (about 25-51 days a year)	542	6.76
		5 = 1 to 2 times a month (12 to 24 days a year)	924	11.52
		6 = Every other month or so (6 to 11 days a year)	548	6.83
		7 = 3 to 5 days in the past 12 months	555	6.92
		8 = 1 or 2 days in the past 12 months	756	9.43
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS	764	9.52
		94 = DON'T KNOW	204	2.54
		95 = BAD DATA	20	0.25

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		A-11. How many times in the past 12 months have you gotten very high or drunk on alcohol?		
DRUNKYR	2	# TIMES DRUNK ON ALCOHOL PAST 12 MONTHS		
		1 = Daily .....	24	0.30
		2 = Almost daily or 3 to 6 days a week .....	70	0.87
		3 = About 1 or 2 days a week .....	261	3.25
		4 = Several times a month (about 25-51 days a year) ..	208	2.59
		5 = 1 to 2 times a month (12 to 24 days a year) .....	399	4.97
		6 = Every other month or so (6 to 11 days a year) ....	297	3.70
		7 = 3 to 5 days in the past 12 months .....	383	4.77
		8 = 1 or 2 days in the past 12 months .....	863	10.76
		9 = DID NOT GET DRUNK IN THE PAST 12 MONTHS .....	2826	35.23
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		94 = DON'T KNOW .....	28	0.35
		95 = BAD DATA .....	2	0.02
		A-12. In the past 12 months, did you ever drink beer, wine, or liquor and also use some other drug on the same occasion, that is, at the same time or within a couple of hours of using alcohol? (CIRCLE THE NUMBER OF EACH OF THOSE DRUGS THAT YOU HAVE USED ON THE SAME OCCASION AS ALCOHOL.)		
ALCSED	2	SEDATIVES USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled .....	43	0.54
		2 = Response not circled .....	5213	64.99
		3 = Response circled LOGICALLY IMPUTED .....	86	1.07
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		98 = BLANK (NO ANSWER) .....	19	0.24
ALCTAN	2	TRANQUILIZERS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled .....	40	0.50
		2 = Response not circled .....	5196	64.78
		3 = Response circled LOGICALLY IMPUTED .....	106	1.32
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		98 = BLANK (NO ANSWER) .....	19	0.24
ALCSTM	2	STIMULANTS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled .....	87	1.08
		2 = Response not circled .....	5123	63.87
		3 = Response circle LOGICALLY IMPUTED .....	132	1.65
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		98 = BLANK (NO ANSWER) .....	19	0.24



LABEL	LEN	DESCRIPTION	FREQ	%
ALCANAL	2	ANALGESICS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled .....	46	0.57
		2 = Response not circled .....	5208	64.93
		3 = Response circled LOGICALLY IMPUTED .....	88	1.10
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		98 = BLANK (NO ANSWER) .....	19	0.24
ALCMJ	2	MARIJUANA USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled .....	748	9.33
		2 = Response not circled .....	4274	53.29
		3 = Response circled LOGICALLY IMPUTED .....	320	3.99
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		98 = BLANK (NO ANSWER) .....	19	0.24
ALCINH	2	INHALANTS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	5334	66.50
		91 = NEVER USED HAD A DRINK OF BEER, WINE OR LIQUOR ...	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		98 = BLANK (NO ANSWER) .....	19	0.24
ALCCOC	2	COCAINE USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled .....	203	2.53
		2 = Response not circled .....	4911	61.23
		3 = Response circled LOGICALLY IMPUTED .....	228	2.84
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		98 = BLANK (NO ANSWER) .....	19	0.24
ALCHAL	2	HALLUCINOGENS USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled .....	33	0.41
		2 = Response not circled .....	5309	66.19
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		98 = BLANK (NO ANSWER) .....	19	0.24
ALCOPT	2	OPIATES USED W/ALCOHOL PAST 12 MONTHS		
		1 = Response circled .....	3	0.04
		2 = Response not circled .....	5339	66.56
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		98 = BLANK (NO ANSWER) .....	19	0.24
ALCNONE	2	NONE OF LISTED DRUGS USED W/ALCOHOL IN PAST 12 MOS		
		1 = Response circled .....	4141	51.63
		2 = Response not circled .....	1201	14.97
		91 = NEVER HAD A DRINK OF BEER, WINE OR LIQUOR .....	1896	23.64
		93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS .....	764	9.52
		98 = BLANK (NO ANSWER) .....	19	0.24

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
<p>SEDATIVES -- ANSWER SHEET #2</p> <p>-----</p> <p>If you never took any sedative for nonmedical reasons, circle the X here and tell the interviewer that you are finished. Otherwise, answer every question.</p>				
NOSEDAT	2	HAS NEVER TAKEN SEDATIVES FOR NONMEDICAL REASONS		
		1 = Response circled .....	7502	93.53
		2 = Response not circled .....	519	6.47
<p>S-1. Circle the number next to each sedative you ever took for nonmedical reasons--on your own, either without a doctor's prescription or in greater amounts or more often or for a reason other than a doctor said you should take them.</p>				
BUTISOL	2	BUTISOL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	5	0.06
		2 = Response not circled .....	473	5.90
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
BUTICAPS	2	BUTICAPS EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	3	0.04
		2 = Response not circled .....	475	5.92
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
AMYTAL	2	AMYTAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	6	0.07
		2 = Response not circled .....	472	5.88
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
ESKABARB	2	ESKABARB EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	470	5.86
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
LUMINAL	2	LUMINAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	2	0.02
		2 = Response not circled .....	476	5.93
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
MEBARAL	2	MEBARAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	7	0.09
		2 = Response not circled .....	471	5.87
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
AMOBARB	2	AMOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	4	0.05
		2 = Response not circled .....	474	5.91
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
PHENOBAR	2	PHENOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	44	0.55
		2 = Response not circled .....	434	5.41
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
ALURATE	2	ALURATE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	1	0.01
		2 = Response not circled .....	477	5.95
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
PLACIDYL	2	PLACIDYL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	58	0.72
		2 = Response not circled .....	420	5.24
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
DORIDEN	2	DORIDEN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	10	0.12
		2 = Response not circled .....	468	5.83
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
NOLUDAR	2	NOLUDAR EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	5	0.06
		2 = Response not circled .....	473	5.90
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
SOPOR	2	SOPOR EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	25	0.31
		2 = Response not circled .....	453	5.65
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
QUAALUDE	2	QUAALUDE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	241	3.00
		2 = Response not circled .....	237	2.95
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
PAREST	2	PAREST EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	6	0.07
		2 = Response not circled .....	472	5.88
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
NOCTEC	2	NOCTEC EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	470	5.86
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
METHAQ	2	METHAQUALONE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	27	0.34
		2 = Response not circled .....	451	5.62
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
CHHYD	2	CHLORAL HYDRATE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	9	0.11
		2 = Response not circled .....	469	5.85
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
NEMBUTAL	2	NEMBUTAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	36	0.45
		2 = Response not circled .....	442	5.51
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
CARB TAL	2	CARBITROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	9	0.11
		2 = Response not circled .....	469	5.85
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
SECONAL	2	SECONAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	73	0.91
		2 = Response not circled .....	405	5.05
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
TUINAL	2	TUINAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	50	0.62
		2 = Response not circled .....	428	5.34
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
PENTOB	2	PENTOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	19	0.24
		2 = Response not circled .....	459	5.72
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
SECOB	2	SECOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	15	0.19
		2 = Response not circled .....	463	5.77
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
DALMANE	2	DALMANE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	32	0.40
		2 = Response not circled .....	446	5.56
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
SEDDKNAM	2	NOT SURE/DON'T KNOW		
		1 = Response circled .....	132	1.65
		2 = Response not circled .....	346	4.31
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
SEDOTH	2	OTHER SEDATIVE (1ST RESPONSE)		
		1 = Response circled .....	14	0.17
		2 = Response not circled .....	464	5.78
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	41	0.51
SEDNEWA	3	OTHER SEDATIVE EVER USED (FIRST MENTION)		
		112 = Restoril .....	1	0.01
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	4	0.05
		123 = Unisom <OTC> .....	4	0.05
		124 = Yellow jackets .....	1	0.01
		128 = Nervine <OTC> .....	1	0.01
		155 = Pasatorim .....	1	0.01
		156 = Sodium barbitol .....	1	0.01
		991 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	505	6.30
SEDNEWB	3	OTHER SEDATIVE EVER USED (SECOND MENTION)		
		991 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		998 = BLANK (NO ANSWER) .....	519	6.47
SEDNEWC	3	OTHER SEDATIVE EVER USED (THIRD MENTION)		
		991 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		998 = BLANK (NO ANSWER) .....	519	6.47
S-2. About how old were you the first time you took a sedative for any nonmedical reason?				
SEDAGE	3	AGE FIRST TOOK SEDATIVE FOR NONMEDICAL REASONS		
		RANGE = 3 - 60 .....	435	5.42
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		94 = DON'T KNOW .....	2	0.02
		95 = BAD DATA .....	33	0.41
		98 = BLANK (NO ANSWER) .....	49	0.61

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		S-3. Altogether, about how many times in your life have you taken sedatives for any nonmedical reason?		
SEDTOT	2	# TIMES EVER TOOK SEDATIVE FOR NONMEDICAL REASONS		
		1 = 1 or 2 times .....	156	1.94
		2 = 3 to 5 times .....	81	1.01
		3 = 6 to 10 times .....	72	0.90
		4 = 11 to 49 times .....	68	0.85
		5 = 50 to 99 times .....	35	0.44
		6 = 100 to 199 times .....	20	0.25
		7 = 200 or more times .....	22	0.27
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		95 = BAD DATA .....	32	0.40
		98 = BLANK (NO ANSWER) .....	33	0.41

S-4. When was the most recent time you took any sedative for nonmedical reasons?

SEDREC	2	MOST RECENT TIME USED SEDATIVE FOR NONMEDICAL REAS		
		1 = Within the past month (30 days) .....	72	0.90
		2 = More than 1 month ago but less than 6 months ago .	49	0.61
		3 = 6 or more months ago but less than 1 year ago ....	98	1.22
		4 = 1 or more years ago but less than 3 years ago ....	54	0.67
		5 = 3 or more years ago .....	173	2.16
		8 = Use in past year LOGICALLY IMPUTED .....	4	0.05
		9 = Use in lifetime LOGICALLY IMPUTED .....	69	0.86
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53

S-5. In the past 12 months, which of the substances listed, if any, did you use on the same occasion as a sedative, that is, at the same time or within a couple of hours? (CIRCLE THE NUMBER OF EACH OF THOSE SUBSTANCES)

SEDALC	2	ALCOHOL USED WITH SEDATIVES PAST 12 MONTHS		
		1 = Response circled .....	120	1.50
		2 = Response not circled .....	96	1.20
		3 = Response not circled LOGICALLY IMPUTED .....	4	0.05
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS .....	296	3.69
		98 = BLANK (NO ANSWER) .....	3	0.04

SEDTR	2	TRANQUILIZERS USED WITH SEDATIVES PAST 12 MONTHS		
		1 = Response circled .....	26	0.32
		2 = Response not circled .....	187	2.33
		3 = Response circled LOGICALLY IMPUTED .....	7	0.09
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS .....	296	3.69
		98 = BLANK (NO ANSWER) .....	3	0.04

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
SEDST	2	STIMULANTS USED WITH SEDATIVES PAST 12 MONTHS		
		1 = Response circled	22	0.27
		2 = Response not circled	194	2.42
		3 = Response circled LOGICALLY IMPUTED	4	0.05
		91 = NEVER TOOK ANY SEDATIVE	7502	93.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	296	3.69
		98 = BLANK (NO ANSWER)	3	0.04
SEDAN	2	ANALGESICS USED WITH SEDATIVES PAST 12 MONTHS		
		1 = Response circled	19	0.24
		2 = Response not circled	193	2.41
		3 = Response circled LOGICALLY IMPUTED	8	0.10
		91 = NEVER TOOK ANY SEDATIVE	7502	93.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	296	3.69
		98 = BLANK (NO ANSWER)	3	0.04
SEDMJ	2	MARIJUANA USED WITH SEDATIVES PAST 12 MONTHS		
		1 = Response circled	97	1.21
		2 = Response not circled	119	1.48
		3 = Response circled Logically Imputed	4	0.05
		91 = NEVER TOOK ANY SEDATIVE	7502	93.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	296	3.69
		98 = BLANK (NO ANSWER)	3	0.04
SEDINH	2	INHALANTS USED WITH SEDATIVES PAST 12 MONTHS		
		1 = Response circled	3	0.04
		2 = Response not circled	217	2.71
		91 = NEVER TOOK ANY SEDATIVE	7502	93.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	296	3.69
		98 = BLANK (NO ANSWER)	3	0.04
SEDCOC	2	COCAINE USED WITH SEDATIVES PAST 12 MONTHS		
		1 = Response circled	29	0.36
		2 = Response not circled	188	2.34
		3 = Response circled LOGICALLY IMPUTED	3	0.04
		91 = NEVER TOOK ANY SEDATIVE	7502	93.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	296	3.69
		98 = BLANK (NO ANSWER)	3	0.04
SEDHAL	2	HALLUCINOGENS USED WITH SEDATIVES PAST 12 MONTHS		
		1 = Response circled	6	0.07
		2 = Response not circled	214	2.67
		91 = NEVER TOOK ANY SEDATIVE	7502	93.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	296	3.69
		98 = BLANK (NO ANSWER)	3	0.04
SEDOPT	2	OPIATES USED WITH SEDATIVES PAST 12 MONTHS		
		1 = Response circled	3	0.04
		2 = Response not circled	217	2.71
		91 = NEVER TOOK ANY SEDATIVE	7502	93.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS	296	3.69
		98 = BLANK (NO ANSWER)	3	0.04

SEDATIVES

LABEL	LEN	DESCRIPTION	FREQ	%
SEDNONE	2	NONE OF THESE USED WITH SEDATIVES PAST 12 MONTHS		
		1 = Response circled .....	51	0.64
		2 = Response not circled .....	169	2.11
		91 = NEVER TOOK ANY SEDATIVE .....	7502	93.53
		93 = DID NOT USE SEDATIVES IN THE PAST 12 MONTHS .....	296	3.69
		98 = BLANK (NO ANSWER) .....	3	0.04



TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

TRANQUILIZERS -- ANSWER SHEET #3

T-0. You may complete this on your own, or if you prefer, I'll read the questions. Which way would you prefer to do it?

AS3READ	2	TRANQUILIZERS - READING PREFERENCE		
		1 = Wants interviewer to continue reading .....	1856	23.14
		2 = Wants to do it himself/herself .....	5838	72.78
		98 = BLANK (NO ANSWER) .....	327	4.08

If you never took any tranquilizer for nonmedical reasons, circle the X here and tell the interviewer you are finished. Otherwise, answer every question.

NOTRANQ	2	HAS NEVER TAKEN TRANQUILIZER FOR NONMED REASONS		
		1 = Response circled .....	7407	92.35
		2 = Response not circled .....	614	7.65

T-1. Circle the number next to each tranquilizer you ever took for nonmedical reasons--on your own, either without a doctor's prescription or in greater amounts or more often or for a reason other than a doctor said you should take them.

VALIUM	2	VALIUM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	421	5.25
		2 = Response not circled .....	170	2.12
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29

LIBRIUM	2	LIBRIUM EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	99	1.23
		2 = Response not circled .....	492	6.13
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29

LIBTAB	2	LIBRITABS EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	2	0.02
		2 = Response not circled .....	589	7.34
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
SKLY	2	SK-LYGEN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	583	7.27
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
SERAX	2	SERAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	583	7.27
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
TRANXENE	2	TRANXENE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	29	0.36
		2 = Response not circled .....	562	7.01
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
ATIVAN	2	ATIVAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	26	0.32
		2 = Response not circled .....	565	7.04
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
VERSTRAN	2	VERSTRAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	4	0.05
		2 = Response not circled .....	587	7.32
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
MEPRSPAN	2	MEPROSPAN EVER TAKEN FOR NONMEDICAL REASONS		
		2 = Response not circled .....	591	7.37
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
MILTOWN	2	MILTOWN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	18	0.22
		2 = Response not circled .....	573	7.14
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
EQUANIL	2	EQUANIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	9	0.11
		2 = Response not circled .....	582	7.26
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
MEPROB	2	MEPROBAMATE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	583	7.27
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
VISTAR	2	VISTARIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	9	0.11
		2 = Response not circled .....	582	7.26
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
ATARAX	2	ATARAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	15	0.19
		2 = Response not circled .....	576	7.18
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
BENADRYL	2	BENADRYL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	105	1.31
		2 = Response not circled .....	486	6.06
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
XANAX	2	XANAX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	7	0.09
		2 = Response not circled .....	584	7.28
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
TRDKNAM	2	NOT SURE		
		1 = Response circled .....	64	0.80
		2 = Response not circled .....	527	6.57
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
TROTH	2	OTHER TRANQUILIZER SPECIFIED		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	583	7.27
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		98 = BLANK (NO ANSWER) .....	23	0.29
TRNEWA	3	OTHER TRANQUILIZER EVER USED (FIRST MENTION)		
		224 = Triavil .....	1	0.01
		228 = Amitriptyline [see also 239] .....	1	0.01
		239 = Elavil [see also 228] .....	1	0.01
		263 = Vivactil .....	1	0.01
		264 = Anxidel [sic] .....	1	0.01
		265 = Black Caddy .....	1	0.01
		302 = Dexamyl .....	1	0.01
		991 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	606	7.56
TRNEWB	3	OTHER TRANQUILIZER EVER USED (SECOND MENTION)		
		991 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		998 = BLANK (NO ANSWER) .....	614	7.65

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
TRNEWC	3	OTHER TRANQUILIZER EVER USED (THIRD MENTION)		
		991 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		998 = BLANK (NO ANSWER) .....	614	7.65

T-2. About how old were you the first time you took a tranquilizer for any nonmedical reason?

TRANAGE	3	AGE FIRST TOOK TRANQUILIZER FOR NONMEDICAL REASONS		
		RANGE = 5 - 56 .....	530	6.61
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		94 = DON'T KNOW .....	2	0.02
		95 = BAD DATA .....	40	0.50
		98 = BLANK (NO ANSWER) .....	42	0.52

T-3. Altogether, about how many times in your life have you taken tranquilizers for any nonmedical reason?

TRANTOT	2	# TIMES EVER TOOK TRANQUILIZER NONMEDICAL REASONS		
		1 = 1 or 2 times .....	192	2.39
		2 = 3 to 5 times .....	111	1.38
		3 = 6 to 10 times .....	90	1.12
		4 = 11 to 49 times .....	89	1.11
		5 = 50 to 99 times .....	33	0.41
		6 = 100 to 199 times .....	11	0.14
		7 = 200 or more times .....	22	0.27
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		95 = BAD DATA .....	37	0.46
		98 = BLANK (NO ANSWER) .....	29	0.36

T-4. When was the most recent time you took any tranquilizer for nonmedical reasons?

TRANREC	2	MOST RECENT TIME USED TRANQUILIZER NONMEDICAL REAS		
		1 = Within the past month (30 days) .....	76	0.95
		2 = More than 1 month ago but less than 6 months ago .	80	1.00
		3 = 6 or more months ago but less than 1 year ago ....	122	1.52
		4 = 1 or more years ago but less than 3 years ago ....	69	0.86
		5 = 3 or more years ago .....	176	2.19
		8 = Use in past year LOGICALLY IMPUTED .....	10	0.12
		9 = Use in lifetime LOGICALLY IMPUTED .....	81	1.01
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		T-5. In the past 12 months, which of the substances listed, if any, did you use on the same occasion as a tranquilizer, that is, at the same time or within a couple of hours? (CIRCLE THE NUMBER OF EACH OF THOSE SUBSTANCES.)		
TRALC	2	ALCOHOL USED WITH TRANQUILIZERS PAST 12 MONTHS		
		1 = Response circled .....	139	1.73
		2 = Response not circled .....	138	1.72
		3 = Response circled LOGICALLY IMPUTED .....	4	0.05
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	326	4.06
		98 = BLANK (NO ANSWER) .....	7	0.09
TRSED	2	SEDATIVES USED WITH TRANQUILIZERS PAST 12 MONTHS		
		1 = Response circled .....	15	0.19
		2 = Response not circled .....	249	3.10
		3 = Response circled LOGICALLY IMPUTED .....	17	0.21
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	326	4.06
		98 = BLANK (NO ANSWER) .....	7	0.09
TRSTM	2	STIMULANTS USED WITH TRANQUILIZERS PAST 12 MONTHS		
		1 = Response circled .....	9	0.11
		2 = Response not circled .....	267	3.33
		3 = Response circled LOGICALLY IMPUTED .....	5	0.06
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	326	4.06
		98 = BLANK (NO ANSWER) .....	7	0.09
TRANAL	2	ANALGESICS USED WITH TRANQUILIZERS PAST 12 MONTHS		
		1 = Response circled .....	11	0.14
		2 = Response not circled .....	259	3.23
		3 = Response circled LOGICALLY IMPUTED .....	11	0.14
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	326	4.06
		98 = BLANK (NO ANSWER) .....	7	0.09
TRMJ	2	MARIJUANA USED WITH TRANQUILIZERS PAST 12 MONTHS		
		1 = Response circled .....	111	1.38
		2 = Response not circled .....	163	2.03
		3 = Response circled LOGICALLY IMPUTED .....	7	0.09
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	326	4.06
		98 = BLANK (NO ANSWER) .....	7	0.09
TRINH	2	INHALANTS USED WITH TRANQUILIZERS PAST 12 MONTHS		
		1 = Response circled .....	5	0.06
		2 = Response not circled .....	276	3.44
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	326	4.06
		98 = BLANK (NO ANSWER) .....	7	0.09

TRANQUILIZERS

LABEL	LEN	DESCRIPTION	FREQ	%
TRCOC	2	COCAINE USED WITH TRANQUILIZERS PAST 12 MONTHS		
		1 = Response circled .....	32	0.40
		2 = Response not circled .....	246	3.07
		3 = Response circled LOGICALLY IMPUTED .....	3	0.04
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	326	4.06
		98 = BLANK (NO ANSWER) .....	7	0.09
TRHAL	2	HALLUCINOGENS USED WITH TRANQUILIZERS PAST 12 MONT		
		1 = Response circled .....	7	0.09
		2 = Response not circled .....	274	3.42
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	326	4.06
		98 = BLANK (NO ANSWER) .....	7	0.09
TROPT	2	OPIATES USED WITH TRANQUILIZERS PAST 12 MONTHS		
		1 = Response circled .....	1	0.01
		2 = Response not circled .....	280	3.49
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	326	4.06
		98 = BLANK (NO ANSWER) .....	7	0.09
TRNONE	2	NONE OF THESE USED WITH TRANQUILIZERS PST 12 MONTH		
		1 = Response circled .....	90	1.12
		2 = Response not circled .....	191	2.38
		91 = NEVER TOOK ANY TRANQUILIZER .....	7407	92.35
		93 = DID NOT USE TRANQUILIZERS IN THE PAST 12 MONTHS ..	326	4.06
		98 = BLANK (NO ANSWER) .....	7	0.09

STIMULANTS

LABEL      LEN      DESCRIPTION  
-----

STIMULANTS -- ANSWER SHEET #4  
-----

ST-0. You may complete this on your own, or if you prefer, I'll read the questions. Which way do you want to do it?

AS4READ	2	STIMULANTS - READING PREFERENCE		
		1 = Wants interviewer to continue reading .....	1575	19.64
		2 = Wants to do it himself/herself .....	6135	76.49
		98 = BLANK (NO ANSWER) .....	311	3.88

If you never took any stimulant for nonmedical reasons, circle the X here and tell the interviewer you are finished. Otherwise, answer every question.

NOSTIMS	2	HAS NEVER TAKEN STIMULANT FOR NONMEDICAL REASONS		
		1 = Response circled .....	7294	90.94
		2 = Response not circled .....	727	9.06

ST-1. Circle the number next to each stimulant you ever took for nonmedical reasons--on your own, either without a doctor's prescription or in greater amounts or more often or for a reason other than a doctor said you should take them.

DEXED	2	DEXEDRINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	189	2.36
		2 = Response not circled .....	506	6.31
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40

DEXAMYL	2	DEXAMYL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	67	0.84
		2 = Response not circled .....	628	7.83
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40

ESKAT	2	ESKATROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	19	0.24
		2 = Response not circled .....	676	8.43
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40

## STIMULANTS

PAGE: 26

LABEL	LEN	DESCRIPTION	FREQ	%
BENZ	2	BENZEDRINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	157	1.96
		2 = Response not circled .....	538	6.71
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
BIPHET	2	BIPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	106	1.32
		2 = Response not circled .....	589	7.34
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
DESOXYN	2	DESOXYN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	52	0.65
		2 = Response not circled .....	643	8.02
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
DETAMP	2	DEXTROAMPHETAMINE EVER TAKEN FOR NONMED REASONS		
		1 = Response circled .....	20	0.25
		2 = Response not circled .....	675	8.42
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
METHI	2	METHEDRINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	55	0.69
		2 = Response not circled .....	640	7.98
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
OBLA	2	OBEDRIN-L.A. EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	6	0.07
		2 = Response not circled .....	689	8.59
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
TENUATE	2	TENUATE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	30	0.37
		2 = Response not circled .....	665	8.29
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
TEPANIL	2	TEPANIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	687	8.57
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
DIDREX	2	DIDREX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	11	0.14
		2 = Response not circled .....	684	8.53
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40



## STIMULANTS

PAGE: 27

LABEL	LEN	DESCRIPTION	FREQ	%
PLEGINE	2	PLEGINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	4	0.05
		2 = Response not circled .....	691	8.61
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
PRELUDIN	2	PRELUDIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	59	0.74
		2 = Response not circled .....	636	7.93
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
PRESATE	2	PRE-SATE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	2	0.02
		2 = Response not circled .....	693	8.64
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
IONAMIN	2	IONAMIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	55	0.69
		2 = Response not circled .....	640	7.98
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
PONDIMIN	2	PONDIMIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	4	0.05
		2 = Response not circled .....	691	8.61
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
VORANIL	2	VORANIL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	11	0.14
		2 = Response not circled .....	684	8.53
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
SANOREX	2	SANOREX EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	17	0.21
		2 = Response not circled .....	678	8.45
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
RITALIN	2	RITALIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	30	0.37
		2 = Response not circled .....	665	8.29
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
CYLERT	2	CYLERT EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	9	0.11
		2 = Response not circled .....	686	8.55
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40

STIMULANTS

LABEL	LEN	DESCRIPTION	FREQ	%
STMDKNAM	2	NOT SURE		
		1 = Response circled .....	181	2.26
		2 = Response not circled .....	514	6.41
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		98 = BLANK (NO ANSWER) .....	32	0.40
STIMOR	2	OTHER STIMULANT SPECIFIED		
		1 = Response circled .....	79	0.98
		2 = Response not circled .....	615	7.67
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		94 = DON'T KNOW .....	1	0.01
		98 = BLANK (NO ANSWER) .....	32	0.40
STIMNEWA	3	OTHER STIMULANT EVER USED (FIRST MENTION)		
		138 = Mandrax [sic] .....	1	0.01
		311 = Preludin .....	1	0.01
		339 = Amphetamines (speed generically) .....	63	0.79
		346 = Ephedrine sulfate, Marax [see also 332] .....	1	0.01
		381 = P.O.T.C. ....	9	0.11
		382 = Purple footballs .....	1	0.01
		648 = Designer Drugs .....	3	0.04
		991 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		998 = BLANK (NO ANSWER) .....	648	8.08
STIMNEWB	3	OTHER STIMULANT EVER USED (SECOND MENTION)		
		124 = Yellow jackets .....	1	0.01
		339 = Amphetamines (speed generically) .....	1	0.01
		381 = P.O.T.C. ....	3	0.04
		991 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		998 = BLANK (NO ANSWER) .....	722	9.00
STIMNEWC	3	OTHER STIMULANT EVER USED (THIRD MENTION)		
		991 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		998 = BLANK (NO ANSWER) .....	727	9.06
ST-2. About how old were you the first time you took amphetamines or other stimulants for any nonmedical reason?				
STIMAGE	3	AGE FIRST TOOK STIMULANT FOR NONMEDICAL REASONS		
		RANGE = 9 - 55 .....	668	8.33
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		94 = DON'T KNOW .....	2	0.02
		95 = BAD DATA .....	2	0.02
		98 = BLANK (NO ANSWER) .....	55	0.69

STIMULANTS

LABEL LEN DESCRIPTION  
-----

ST-3. Altogether, about how many times in your life have you taken amphetamines or other stimulants for any nonmedical reason?

LABEL	LEN	DESCRIPTION	FREQ	%
STIMTOT	2	# TIMES EVER TOOK STIMULANT FOR NONMEDICAL REASONS		
		1 = 1 or 2 times	171	2.13
		2 = 3 to 5 times	103	1.28
		3 = 6 to 10 times	131	1.63
		4 = 11 to 49 times	113	1.41
		5 = 50 to 99 times	68	0.85
		6 = 100 to 199 times	34	0.42
		7 = 200 or more times	67	0.84
		8 = Don't know/Not Sure	1	0.01
		91 = NEVER TOOK ANY STIMULANT	7294	90.94
		98 = BLANK (NO ANSWER)	39	0.49

ST-4. When was the most recent time you took any amphetamine or other stimulant for nonmedical reasons?

LABEL	LEN	DESCRIPTION	FREQ	%
STIMREC	2	MOST RECENT TIME USED STIMULANT FOR NONMEDICAL REA		
		1 = Within the past month (30 days)	114	1.42
		2 = More than 1 month ago but less than 6 months ago	67	0.84
		3 = 6 or more months ago but less than 1 year ago	157	1.96
		4 = 1 or more years ago but less than 3 years ago	93	1.16
		5 = 3 or more years ago	227	2.83
		8 = Use in past year LOGICALLY IMPUTED	9	0.11
		9 = Use in lifetime LOGICALLY IMPUTED	60	0.75
		91 = NEVER TOOK ANY STIMULANT	7294	90.94

ST-5. In the past 12 months, which of the substances listed, if any, did you use on the same occasion as a stimulant, that is, at the same time or within a couple of hours? (CIRCLE THE NUMBER OF EACH OF THOSE SUBSTANCES.)

LABEL	LEN	DESCRIPTION	FREQ	%
STALC	2	ALCOHOL USED WITH STIMULANTS PAST 12 MONTHS		
		1 = Response circled	202	2.52
		2 = Response not circled	130	1.62
		3 = Response circled LOGICALLY IMPUTED	12	0.15
		91 = NEVER TOOK ANY STIMULANT	7294	90.94
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS	380	4.74
		98 = BLANK (NO ANSWER)	3	0.04

## STIMULANTS

PAGE: 30

LABEL	LEN	DESCRIPTION	FREQ	%
STSED	2	SEDATIVES USED WITH STIMULANTS PAST 12 MONTHS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	318	3.96
		3 = Response circled LOGICALLY IMPUTED .....	18	0.22
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS .....	380	4.74
		98 = BLANK (NO ANSWER) .....	3	0.04
STTRAN	2	TRANQUILIZERS USED WITH STIMULANTS PAST 12 MONTHS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	331	4.13
		3 = Response circled LOGICALLY IMPUTED .....	5	0.06
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS .....	380	4.74
		98 = BLANK (NO ANSWER) .....	3	0.04
STANAL	2	ANALGESICS USED WITH STIMULANTS PAST 12 MONTHS		
		1 = Response circled .....	10	0.12
		2 = Response not circled .....	321	4.00
		3 = Response circled LOGICALLY IMPUTED .....	13	0.16
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS .....	380	4.74
		98 = BLANK (NO ANSWER) .....	3	0.04
STMJ	2	MARIJUANA USED WITH STIMULANTS PAST 12 MONTHS		
		1 = Response circled .....	145	1.81
		2 = Response not circled .....	180	2.24
		3 = Response circled LOGICALLY IMPUTED .....	19	0.24
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS .....	380	4.74
		98 = BLANK (NO ANSWER) .....	3	0.04
STINH	2	INHALANTS USED WITH STIMULANTS PAST 12 MONTHS		
		1 = Response circled .....	5	0.06
		2 = Response not circled .....	339	4.23
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS .....	380	4.74
		98 = BLANK (NO ANSWER) .....	3	0.04
STCOC	2	COCAINE USED WITH STIMULANTS PAST 12 MONTHS		
		1 = Response circled .....	42	0.52
		2 = Response not circled .....	295	3.68
		3 = Response circled LOGICALLY IMPUTED .....	7	0.09
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS .....	380	4.74
		98 = BLANK (NO ANSWER) .....	3	0.04
STHAL	2	HALLUCINOGENS USED WITH STIMULANTS PAST 12 MONTHS		
		1 = Response circled .....	11	0.14
		2 = Response not circled .....	333	4.15
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS .....	380	4.74
		98 = BLANK (NO ANSWER) .....	3	0.04

## STIMULANTS

PAGE: 31

LABEL	LEN	DESCRIPTION	FREQ	%
STOPT	2	OPIATES USED WITH STIMULANTS PAST 12 MONTHS		
		1 = Response circled .....	1	0.01
		2 = Response not circled .....	343	4.28
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS .....	380	4.74
		98 = BLANK (NO ANSWER) .....	3	0.04
STNONE	2	NONE OF THESE USED WITH STIMULANTS PAST 12 MONTHS		
		2 = Response not circled .....	347	4.33
		91 = NEVER TOOK ANY STIMULANT .....	7294	90.94
		93 = DID NOT USE STIMULANTS IN THE PAST 12 MONTHS .....	380	4.74

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
		ANALGESICS -- ANSWER SHEET #5		
		AN-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?		
ASSREAD	2	ANALGESICS - READING PREFERENCE		
		1 = Wants interviewer to read questions .....	1444	18.00
		2 = Wants to do it himself/herself .....	6324	78.84
		98 = BLANK (NO ANSWER) .....	253	3.15
		If you never took any analgesic for nonmedical reasons, circle the X here and tell the interviewer that you are finished. Otherwise, answer every question.		
ANALNONE	2	HAS NEVER TAKEN ANALGESICS FOR NONMEDICAL REASONS		
		1 = Response circled .....	7391	92.15
		2 = Response not circled .....	628	7.83
		98 = BLANK (NO ANSWER) .....	2	0.02
		AN-1. Circle the number next to each analgesic you ever took for non-medical reasons--on your own, either without a doctor's prescription or in greater amounts or more often or for a reason other than a doctor said you should take them.		
DARVON	2	DARVON EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	186	2.32
		2 = Response not circled .....	430	5.36
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
DOLENE	2	DOLENE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	608	7.58
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
SK65A	2	SK-65 EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	9	0.11
		2 = Response not circled .....	607	7.57
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17

## ANALGESICS

PAGE: 33

LABEL	LEN	DESCRIPTION	FREQ	%
PROPOXY	2	PROPOXYPHENE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	6	0.07
		2 = Response not circled .....	610	7.61
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
LERITINE	2	LERITINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	608	7.58
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
LEVODRO	2	LEVO-DROMORAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	5	0.06
		2 = Response not circled .....	611	7.62
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
PERCODAN	2	PERCODAN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	97	1.21
		2 = Response not circled .....	519	6.47
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
DEMEROL	2	DEMEROL EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	76	0.95
		2 = Response not circled .....	540	6.73
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
DILAUD	2	DILAUDID EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	31	0.39
		2 = Response not circled .....	585	7.29
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
TYLCOD	2	TYLENOL W/CODEINE EVER TAKEN FOR NONMEDICAL REAS		
		1 = Response circled .....	401	5.00
		2 = Response not circled .....	215	2.68
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
CODEINE	2	CODEINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	120	1.50
		2 = Response not circled .....	496	6.18
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
DOLOP	2	DOLOPHINE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	18	0.22
		2 = Response not circled .....	598	7.46
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
WESTOD	2	WESTODONE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	6	0.07
		2 = Response not circled .....	610	7.61
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
METHDON	2	METHADONE EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	24	0.30
		2 = Response not circled .....	592	7.38
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
TALWIN	2	TALWIN EVER TAKEN FOR NONMEDICAL REASONS		
		1 = Response circled .....	36	0.45
		2 = Response not circled .....	580	7.23
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
ANLDKNAM	2	NOT SURE		
		1 = Response circled .....	34	0.42
		2 = Response not circled .....	582	7.26
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
ANALOTH	2	OTHER RESPONSE SPECIFIED		
		1 = Response circled .....	12	0.15
		2 = Response not circled .....	604	7.53
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		98 = BLANK (NO ANSWER) .....	14	0.17
ANALNEWA	3	OTHER ANALGESIC EVER USED (FIRST MENTION)		
		423 = Percocet .....	3	0.04
		427 = Darvocet .....	3	0.04
		431 = Tylox .....	1	0.01
		437 = Parafon Forte .....	2	0.02
		438 = Anaprox, Naprosyn .....	1	0.01
		444 = Aspirin with Codeine, Empirin 3 .....	1	0.01
		840 = Cough medicine (contents not specified) <OTC> ....	1	0.01
		991 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		998 = BLANK (NO ANSWER) .....	618	7.70
ANALNEWB	3	OTHER ANALGESIC EVER USED (SECOND MENTION)		
		427 = Darvocet .....	1	0.01
		991 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		998 = BLANK (NO ANSWER) .....	629	7.84
ANALNEWC	3	OTHER ANALGESIC EVER USED (THIRD MENTION)		
		991 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		998 = BLANK (NO ANSWER) .....	630	7.85



## ANALGESICS

PAGE: 35

LABEL	LEN	DESCRIPTION	FREQ	%
		AN-2. About how old were you the first time you took an analgesic for any nonmedical reason?		
ANALAGE	3	AGE FIRST TOOK ANALGESIC FOR NONMEDICAL REASONS		
		RANGE = 3 - 62	512	6.38
		91 = NEVER TOOK ANY ANALGESIC	7391	92.15
		94 = DON'T KNOW	2	0.02
		95 = BAD DATA	107	1.33
		98 = BLANK (NO ANSWER)	9	0.11
		AN-3. Altogether, about how many times in your life have you taken analgesics for any nonmedical reason?		
ANALTOT	2	# TIMES EVER TOOK ANALGESIC FOR NONMEDICAL REASONS		
		1 = 1 or 2 times	158	1.97
		2 = 3 to 5 times	103	1.28
		3 = 6 to 10 times	85	1.06
		4 = 11 to 49 times	91	1.13
		5 = 50 to 99 times	34	0.42
		6 = 100 to 199 times	23	0.29
		7 = 200 or more times	28	0.35
		91 = NEVER TOOK ANY ANALGESIC	7391	92.15
		95 = BAD DATA	105	1.31
		98 = BLANK (NO ANSWER)	3	0.04
		AN-4. When was the most recent time you took any analgesic for nonmedical reasons?		
ANALREC	2	MOST RECENT TIME USED ANALGESIC NONMEDICAL REASON		
		1 = Within the past month (30 days)	133	1.66
		2 = More than 1 month ago but less than 6 months ago	83	1.03
		3 = 6 or more months ago but less than 1 year ago	137	1.71
		4 = 1 or more years ago but less than 3 years ago	62	0.77
		5 = 3 or more years ago	108	1.35
		8 = Use in past year LOGICALLY IMPUTED	13	0.16
		9 = Use in lifetime LOGICALLY IMPUTED	92	1.15
		91 = NEVER TOOK ANY ANALGESIC	7391	92.15
		98 = BLANK (NO ANSWER)	2	0.02

ANALGESICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		AN-5. In the past 12 months, which of the substances listed, if any, did you use on the same occasion as an analgesic, that is, at the same time or within a couple of hours? (CIRCLE THE NUMBER OF EACH OF THOSE SUBSTANCES.)		
ANLALC	2	ALCOHOL USED WITH ANALGESICS PAST 12 MONTHS		
		1 = Response circled .....	123	1.53
		2 = Response not circled .....	229	2.86
		3 = Response circled LOGICALLY IMPUTED .....	7	0.09
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS .....	262	3.27
		98 = BLANK (NO ANSWER) .....	9	0.11
ANLSED	2	SEDATIVES USED WITH ANALGESICS PAST 12 MONTHS		
		1 = Response circled .....	13	0.16
		2 = Response not circled .....	332	4.14
		3 = Response circled LOGICALLY IMPUTED .....	14	0.17
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS .....	262	3.27
		98 = BLANK (NO ANSWER) .....	9	0.11
ANLTRAN	2	TRANQUILIZERS USED WITH ANALGESICS PAST 12 MONTHS		
		1 = Response circled .....	19	0.24
		2 = Response not circled .....	335	4.18
		3 = Response circled LOGICALLY IMPUTED .....	5	0.06
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS .....	262	3.27
		98 = BLANK (NO ANSWER) .....	9	0.11
ANLSTM	2	STIMULANTS USED WITH ANALGESICS PAST 12 MONTHS		
		1 = Response circled .....	18	0.22
		2 = Response not circled .....	336	4.19
		3 = Response circled LOGICALLY IMPUTED .....	5	0.06
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS .....	262	3.27
		98 = BLANK (NO ANSWER) .....	9	0.11
ANLMJ	2	MARIJUANA USED WITH ANALGESICS PAST 12 MONTHS		
		1 = Response circled .....	97	1.21
		2 = Response not circled .....	254	3.17
		3 = Response circled LOGICALLY IMPUTED .....	8	0.10
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS .....	262	3.27
		98 = BLANK (NO ANSWER) .....	9	0.11
ANLINH	2	INHALANTS USED WITH ANALGESICS PAST 12 MONTHS		
		1 = Response circled .....	1	0.01
		2 = Response not circled .....	358	4.46
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS .....	262	3.27
		98 = BLANK (NO ANSWER) .....	9	0.11

## ANALGESICS

PAGE: 37

LABEL	LEN	DESCRIPTION	FREQ	%
ANLCOC	2	COCAINE USED WITH ANALGESICS PAST 12 MONTHS		
		1 = Response circled .....	21	0.26
		2 = Response not circled .....	331	4.13
		3 = Response circled LOGICALLY IMPUTED .....	7	0.09
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS .....	262	3.27
		98 = BLANK (NO ANSWER) .....	9	0.11
ANLHAL	2	HALLUCINOGENS USED WITH ANALGESICS PAST 12 MONTHS		
		1 = Response circled .....	4	0.05
		2 = Response not circled .....	355	4.43
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS .....	262	3.27
		98 = BLANK (NO ANSWER) .....	9	0.11
ANLOPT	2	OPIATES USED WITH ANALGESICS PAST 12 MONTHS		
		2 = Response not circled .....	359	4.48
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS .....	262	3.27
		98 = BLANK (NO ANSWER) .....	9	0.11
ANLNONE	2	NONE OF THESE USED WITH ANALGESICS PAST 12 MONTHS		
		1 = Response circled .....	184	2.29
		2 = Response not circled .....	175	2.18
		91 = NEVER TOOK ANY ANALGESIC .....	7391	92.15
		93 = DID NOT USE ANALGESICS IN THE PAST 12 MONTHS .....	262	3.27
		98 = BLANK (NO ANSWER) .....	9	0.11

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

MARIJUANA AND HASHISH -- ANSWER SHEET #6

M-1. About how old were you when you first had a chance to try marijuana or hash if you wanted to?

MJOPP	3	AGE AT FIRST CHANCE TO TRY MARIJUANA/HASH		
	RANGE = 2 - 74	.....	4223	52.65
	91 = NEVER HAD A CHANCE TO TRY MARIJUANA OR HASHISH	...	3783	47.16
	95 = BAD DATA	.....	2	0.02
	98 = BLANK (NO ANSWER)	.....	13	0.16

M-2. About how old were you the first time you actually used marijuana or hash?

MJAGE	3	AGE WHEN FIRST USED MARIJUANA/HASH		
	RANGE = 2 - 72	.....	2804	34.96
	91 = NEVER USED MARIJUANA OR HASHISH	.....	5173	64.49
	95 = BAD DATA	.....	8	0.10
	98 = BLANK (NO ANSWER)	.....	36	0.45

M-3. About how many times in your life have you used marijuana or hash?

MJTOT	2	# TIMES USED MARIJUANA/HASH IN LIFE		
	1 = 1 or 2 times	.....	678	8.45
	2 = 3 to 5 times	.....	410	5.11
	3 = 6 to 10 times	.....	362	4.51
	4 = 11 to 49 times	.....	420	5.24
	5 = 50 to 99 times	.....	222	2.77
	6 = 100 to 199 times	.....	186	2.32
	7 = 200 or more times	.....	546	6.81
	91 = NEVER USED MARIJUANA OR HASHISH	.....	5173	64.49
	95 = BAD DATA	.....	4	0.05
	98 = BLANK (NO ANSWER)	.....	20	0.25

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-

M-4. When was the most recent time that you used marijuana or hash?

MJREC	LEN	DESCRIPTION	FREQ	%
	2	MOST RECENT TIME USED MARIJUANA/HASH		
		1 = Within the past week .....	530	6.61
		2 = More than 1 week ago but less than 1 month ago ...	453	5.65
		3 = More than 1 month ago but less than 6 months ago .	206	2.57
		4 = More than 6 months ago but less than 1 year ago ..	329	4.10
		5 = More than 1 year ago but less than 3 years ago ...	307	3.83
		6 = More than 3 years ago .....	968	12.07
		7 = Use in past month LOGICALLY IMPUTED .....	16	0.20
		8 = Use in past year LOGICALLY IMPUTED .....	21	0.26
		9 = Use in lifetime LOGICALLY IMPUTED .....	18	0.22
		91 = NEVER USED MARIJUANA OR HASHISH .....	5173	64.49

M-5. On about how many different days did you use marijuana or hash during the past 30 days?

MJDAY30A	LEN	DESCRIPTION	FREQ	%
	2	# DAYS USED MARIJUANA/HASH IN PAST 30 DAYS		
		RANGE = 1 - 30 .....	887	11.06
		91 = NEVER USED MARIJUANA OR HASHISH .....	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS .....	1849	23.05
		94 = DON'T KNOW .....	26	0.32
		95 = BAD DATA .....	15	0.19
		98 = BLANK (NO ANSWER) .....	71	0.89

M-6. About how many marijuana cigarettes, joints or reefers did you smoke per day on the average during the past 30 days?

MJAV30A	LEN	DESCRIPTION	FREQ	%
	2	# JOINTS SMOKED PER DAY IN PAST 30 DAYS		
		RANGE = 1 - 50 .....	863	10.76
		91 = NEVER USED MARIJUANA OR HASHISH .....	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS .....	1849	23.05
		94 = DON'T KNOW .....	22	0.27
		95 = BAD DATA .....	15	0.19
		98 = BLANK (NO ANSWER) .....	99	1.23

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

M-7. What is the total amount of marijuana that you used during the past 30 days?

MJAMT30A	2	TOTAL AMOUNT MARIJUANA USED PAST 30 DAYS		
		1 = Less than 10 joints in the past 30 days	502	6.26
		2 = 10 to 20 joints in the past 30 days	161	2.01
		3 = About 1 ounce in the past 30 days	129	1.61
		4 = About 2 ounces in the past 30 days	52	0.65
		5 = 3 to 4 ounces in the past 30 days	32	0.40
		6 = 5 to 6 ounces in the past 30 days	12	0.15
		7 = Unspecified but > 6 ounces in the past 30 days	14	0.17
		91 = NEVER USED MARIJUANA OR HASHISH	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	1849	23.05
		94 = DON'T KNOW	17	0.21
		95 = BAD DATA	15	0.19
		98 = BLANK (NO ANSWER)	65	0.81

M-8. About how much money in all did the marijuana you used in the past 30 days cost you? Do not include any which you sold or gave away.

MJDOL	4	COST OF MARIJUANA USED IN PAST 30 DAYS		
		RANGE = 1 - 300	419	5.22
		0 = No money spent on marijuana in past 30 days	534	6.66
		9991 = NEVER USED MARIJUANA OR HASHISH	5173	64.49
		9993 = DID NOT USE MARIJUANA OR HASHISH IN PAST 30 DAYS	1849	23.05
		9994 = DON'T KNOW	11	0.14
		9998 = BLANK (NO ANSWER)	35	0.44

M-9. During the past 30 days, when you have used marijuana, how often did you also drink alcohol on the same occasion, that is, at the same time or within a couple of hours of each other?

MJALC30A	2	HOW OFTEN DRANK ALCOHOL WHEN USED MRJ PAST 30 DAYS		
		1 = Always drank alcohol with marijuana	137	1.71
		2 = More than half the times	124	1.55
		3 = About half the times	99	1.23
		4 = Less than half the times	124	1.55
		5 = One or two times	257	3.20
		6 = NEVER DRANK ALCOHOL W/MARIJUANA IN PAST 30 DAYS	203	2.53
		91 = NEVER USED MARIJUANA OR HASHISH	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 30 DAYS	1849	23.05
		94 = DON'T KNOW	10	0.12
		98 = BLANK (NO ANSWER)	45	0.56

LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	---
		M-10. On the average, how often in the last 12 months have you used marijuana?		
MJYRFREQ	2	FREQUENCY USED MARIJUANA PAST 12 MONTHS		
		1 = Several times a day .....	61	0.76
		2 = Daily .....	73	0.91
		3 = Almost daily (3 to 6 days a week) .....	168	2.09
		4 = 1 or 2 days a week .....	187	2.33
		5 = Several times a month (about 25 to 51 days a year) .....	133	1.66
		6 = 1 to 2 times a month (12 to 24 days a year) .....	169	2.11
		7 = Every other month or so (6 to 11 days a year) .....	138	1.72
		8 = 3 to 5 days in the past 12 months .....	171	2.13
		9 = 1 or 2 days in the past 12 months .....	341	4.25
		91 = NEVER USED MARIJUANA OR HASHISH .....	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS .....	1293	16.12
		94 = DON'T KNOW .....	15	0.19
		95 = BAD DATA .....	6	0.07
		98 = BLANK (NO ANSWER) .....	93	1.16

M-11. In the past 12 months, which of the substances listed, if any, did you use with marijuana on the same occasion, that is, at the same time or within a couple of hours? (CIRCLE THE NUMBER OF EACH OF THOSE SUBSTANCES.)

MJALC	2	ALCOHOL USED WITH MARIJUANA PAST 12 MONTHS		
		1 = Response circled .....	939	11.71
		2 = Response not circled .....	460	5.73
		3 = Response circled LOGICALLY IMPUTED .....	129	1.61
		91 = NEVER USED MARIJUANA OR HASHISH .....	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS .....	1293	16.12
		98 = BLANK (NO ANSWER) .....	27	0.34

MJSED	2	SEDATIVES USED WITH MARIJUANA PAST 12 MONTHS		
		1 = Response circled .....	38	0.47
		2 = Response not circled .....	1423	17.74
		3 = Response circled LOGICALLY IMPUTED .....	67	0.84
		91 = NEVER USED MARIJUANA OR HASHISH .....	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS .....	1293	16.12
		98 = BLANK (NO ANSWER) .....	27	0.34

MJTRAN	2	TRANQUILIZERS USED WITH MARIJUANA PAST 12 MONTHS		
		1 = Response circled .....	54	0.67
		2 = Response not circled .....	1409	17.57
		3 = Response circled LOGICALLY IMPUTED .....	65	0.81
		91 = NEVER USED MARIJUANA OR HASHISH .....	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS .....	1293	16.12
		98 = BLANK (NO ANSWER) .....	27	0.34

MARIJUANA AND HASHISH

LABEL	LEN	DESCRIPTION	FREQ	%
MJSTM	2	STIMULANTS USED WITH MARIJUANA PAST 12 MONTHS		
		1 = Response circled	97	1.21
		2 = Response not circled	1357	16.92
		3 = Response circled LOGICALLY IMPUTED	74	0.92
		91 = NEVER USED MARIJUANA OR HASHISH	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	1293	16.12
		98 = BLANK (NO ANSWER)	27	0.34
MJANAL	2	ANALGESICS USED WITH MARIJUANA PAST 12 MONTHS		
		1 = Response circled	49	0.61
		2 = Response not circled	1420	17.70
		3 = Response circled LOGICALLY IMPUTED	59	0.74
		91 = NEVER USED MARIJUANA OR HASHISH	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	1293	16.12
		98 = BLANK (NO ANSWER)	27	0.34
MJINH	2	INHALANTS USED WITH MARIJUANA PAST 12 MONTHS		
		1 = Response circled	14	0.17
		2 = Response not circled	1514	18.88
		91 = NEVER USED MARIJUANA OR HASHISH	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	1293	16.12
		98 = BLANK (NO ANSWER)	27	0.34
MJCOC	2	COCAINE USED WITH MARIJUANA PAST 12 MONTHS		
		1 = Response circled	188	2.34
		2 = Response not circled	1236	15.41
		3 = Response circled LOGICALLY IMPUTED	104	1.30
		91 = NEVER USED MARIJUANA OR HASH	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	1293	16.12
		98 = BLANK (NO ANSWER)	27	0.34
MJHAL	2	HALLUCINOGENS USED WITH MARIJUANA PAST 12 MONTHS		
		1 = Response circled	35	0.44
		2 = Response not circled	1493	18.61
		91 = NEVER USED MARIJUANA OR HASHISH	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	1293	16.12
		98 = BLANK (NO ANSWER)	27	0.34
MJOPT	2	OPIATES USED WITH MARIJUANA PAST 12 MONTHS		
		1 = Response circled	3	0.04
		2 = Response not circled	1525	19.01
		91 = NEVER USED MARIJUANA OR HASHISH	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	1293	16.12
		98 = BLANK (NO ANSWER)	27	0.34
MJNONE	2	NONE OF THESE USED WITH MARIJUANA PAST 12 MONTHS		
		1 = Response circled	427	5.32
		2 = Response not circled	1101	13.73
		91 = NEVER USED MARIJUANA OR HASHISH	5173	64.49
		93 = DID NOT USE MARIJUANA IN THE PAST 12 MONTHS	1293	16.12
		98 = BLANK (NO ANSWER)	27	0.34



INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

INHALANTS -- ANSWER SHEET #7

IN-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?

AS7READ	2	INHALANTS - READING PREFERENCE		
		1 = Wants interviewer to read questions .....	970	12.09
		2 = Wants to do it himself/herself .....	4689	58.46
		98 = BLANK (NO ANSWER) .....	132	1.65
		99 = LEGITIMATE SKIP (IRAGE < 18) .....	2230	27.80

IN-1. About how old were you the first time you sniffed or inhaled or huffed one of these inhalants, even once, for kicks or to get high?

INHNONE	2	AGE WHEN FIRST USED AN INHALANT		
		RANGE = 5 - 54 .....	531	6.62
		91 = NEVER USED AN INHALANT .....	7405	92.32
		95 = BAD DATA .....	31	0.39
		98 = BLANK (NO ANSWER) .....	54	0.67

IN-2. Circle the number next to each substance that you have ever sniffed or inhaled for kicks or to get high.

GAS	2	EVER INHALED GASOLINE OR LIGHTER FLUIDS		
		1 = Response circled .....	135	1.68
		2 = Response not circled .....	448	5.59
		91 = NEVER USED AN INHALANT .....	7405	92.32
		98 = BLANK (NO ANSWER) .....	33	0.41

SPPAINT	2	EVER INHALED SPRAY PAINTS		
		1 = Response circled .....	83	1.03
		2 = Response not circled .....	500	6.23
		91 = NEVER USED AN INHALANT .....	7405	92.32
		98 = BLANK (NO ANSWER) .....	33	0.41

AEROS	2	EVER INHALED OTHER AEROSOL SPRAYS		
		1 = Response circled .....	44	0.55
		2 = Response not circled .....	539	6.72
		91 = NEVER USED AN INHALANT .....	7405	92.32
		98 = BLANK (NO ANSWER) .....	33	0.41

GLUE	2	EVER INHALED SHOE SHINE LIQUID/GLUE/TOLUENE		
		1 = Response circled .....	116	1.45
		2 = Response not circled .....	467	5.82
		91 = NEVER USED AN INHALANT .....	7405	92.32
		98 = BLANK (NO ANSWER) .....	33	0.41

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
SOLVENT	2	EVER INHALED LACQUER THINNER/PAINT SOLVENTS		
		1 = Response circled	45	0.56
		2 = Response not circled	538	6.71
		91 = NEVER USED AN INHALANT	7405	92.32
		98 = BLANK (NO ANSWER)	33	0.41
AMYLNIT	2	EVER INHALED AMYL NITRITE/LOCKER RM ODORIZER/RUSH		
		1 = Response circled	228	2.84
		2 = Response not circled	355	4.43
		91 = NEVER USED AN INHALANT	7405	92.32
		98 = BLANK (NO ANSWER)	33	0.41
ETHER	2	EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS		
		1 = Response circled	12	0.15
		2 = Response not circled	571	7.12
		91 = NEVER USED AN INHALANT	7405	92.32
		98 = BLANK (NO ANSWER)	33	0.41
NITOXID	2	EVER INHALED NITROUS OXIDE/WHIPPETS		
		1 = Response circled	91	1.13
		2 = Response not circled	492	6.13
		91 = NEVER USED AN INHALANT	7405	92.32
		98 = BLANK (NO ANSWER)	33	0.41
CLEFLU	2	EVER INHALED CORRECTION FLD/DEGREASER/CLEANING FLD		
		1 = Response circled	23	0.29
		2 = Response not circled	560	6.98
		91 = NEVER USED AN INHALANT	7405	92.32
		98 = BLANK (NO ANSWER)	33	0.41
OTHINHL	2	OTHER RESPONSE SPECIFIED		
		1 = Response circled	35	0.44
		2 = Response not circled	546	6.81
		91 = NEVER USED AN INHALANT	7405	92.32
		94 = DON'T KNOW	2	0.02
		98 = BLANK (NO ANSWER)	33	0.41
INHNEWA	3	OTHER SUBSTANCE EVER INHALED		
		504 = Shoeshine liq, glue, toluene, Super Glue, rubber cem	1	0.01
		509 = Corr flds, degreasers, cleaning flds, Liquid Paper	5	0.06
		511 = Markers, felt-tip pens, ink pens	4	0.05
		515 = Vicks	1	0.01
		516 = Freon	2	0.02
		519 = Helium	2	0.02
		526 = Nail polish	1	0.01
		528 = Whipped-cream can	2	0.02
		530 = Asthma inhaler, asthma med., bronchial dilators	1	0.01
		540 = PAM	2	0.02
		991 = NEVER USED AN INHALANT	7405	92.32
		998 = BLANK (NO ANSWER)	595	7.42

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		IN-3. Circle the number next to each substance that you have sniffed or inhaled for kicks or to get high during the past 30 days.		
GAS30A	2	INHALED GASOLINE OR LIGHTER FLUIDS PAST 30 DAYS		
		1 = Response circled .....	15	0.19
		2 = Response not circled .....	59	0.74
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	523	6.52
		94 = DON'T KNOW .....	2	0.02
		98 = BLANK (NO ANSWER) .....	17	0.21
SPPAN30A	2	INHALED SPRAY PAINTS PAST 30 DAYS		
		1 = Response circled .....	7	0.09
		2 = Response not circled .....	67	0.84
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	523	6.52
		94 = DON'T KNOW .....	2	0.02
		98 = BLANK (NO ANSWER) .....	17	0.21
AEROS30A	2	INHALED OTHER AEROSOL SPRAYS PAST 30 DAYS		
		1 = Response circled .....	4	0.05
		2 = Response not circled .....	70	0.87
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	523	6.52
		94 = DON'T KNOW .....	2	0.02
		98 = BLANK (NO ANSWER) .....	17	0.21
GLUE30A	2	INHALED SHOE SHINE LIQUID/GLUE/TOLUENE PAST 30 DAY		
		1 = Response circled .....	9	0.11
		2 = Response not circled .....	65	0.81
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	523	6.52
		94 = DON'T KNOW .....	2	0.02
		98 = BLANK (NO ANSWER) .....	17	0.21
SOLVN30A	2	INHALED LACQUER THINNER/PAINT SOLVENTS PAST 30 DAY		
		1 = Response circled .....	4	0.05
		2 = Response not circled .....	70	0.87
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	523	6.52
		94 = DON'T KNOW .....	2	0.02
		98 = BLANK (NO ANSWER) .....	17	0.21
AMLNT30A	2	INHALED AMYL NITRITE/LOCKER RM ODORIZER PST 30 DYS		
		1 = Response circled .....	26	0.32
		2 = Response not circled .....	48	0.60
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	523	6.52
		94 = DON'T KNOW .....	2	0.02
		98 = BLANK (NO ANSWER) .....	17	0.21

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
ETHER30A	2	INHALED HALOTHANE/ETHER/OTH ANESTHETICS PST 30 DYS		
		1 = Response circled .....	2	0.02
		2 = Response not circled .....	72	0.90
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	523	6.52
		94 = DON'T KNOW .....	2	0.02
		98 = BLANK (NO ANSWER) .....	17	0.21
NOX30A	2	INHALED NITROUS OXIDE/WHIPPETS PAST 30 DAYS		
		1 = Response circled .....	7	0.09
		2 = Response not circled .....	67	0.84
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	523	6.52
		94 = DON'T KNOW .....	2	0.02
		98 = BLANK (NO ANSWER) .....	17	0.21
CLFL30A	2	INHALED CORRECTION FLD/DEGREASER/CLN FLD PST 30 DY		
		1 = Response circled .....	4	0.05
		2 = Response not circled .....	70	0.87
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	523	6.52
		94 = DON'T KNOW .....	2	0.02
		98 = BLANK (NO ANSWER) .....	17	0.21
INHOT30A	2	OTHER INHALANT SPECIFIED - 1ST MENTION		
		1 = Response circled .....	6	0.07
		2 = Response not circled .....	67	0.84
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	523	6.52
		94 = DON'T KNOW .....	3	0.04
		98 = BLANK (NO ANSWER) .....	17	0.21
INH30NO	2	DID NOT USE ANY INHALANT PAST 30 DAYS		
		1 = Response circled .....	523	6.52
		2 = Response not circled .....	72	0.90
		91 = NEVER USED AN INHALANT .....	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS .....	2	0.02
		94 = DON'T KNOW .....	2	0.02
		98 = BLANK (NO ANSWER) .....	17	0.21

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

IN-4. About how many times in your life have you used an inhalant to get high or for kicks?

LABEL	LEN	DESCRIPTION	FREQ	%
INHTOT	2	# TIMES USED INHALANT IN LIFETIME		
		1 = 1 or 2 times	222	2.77
		2 = 3 to 5 times	99	1.23
		3 = 6 to 10 times	78	0.97
		4 = 11 to 49 times	49	0.61
		5 = 50 to 99 times	23	0.29
		6 = 100 to 199 times	11	0.14
		7 = 200 or more times	6	0.07
		91 = NEVER USED AN INHALANT	7405	92.32
		94 = DON'T KNOW	1	0.01
		95 = BAD DATA	31	0.39
		98 = BLANK (NO ANSWER)	96	1.20

IN-5. When was the most recent time that you used an inhalant, that is, sniffed or inhaled something to get high or for kicks?

LABEL	LEN	DESCRIPTION	FREQ	%
INHREC	2	MOST RECENT TIME USED INHALANT		
		1 = Within the past week	20	0.25
		2 = More than 1 week ago but less than 1 month ago	61	0.76
		3 = more than 1 month ago but less than 6 months ago	22	0.27
		4 = 6 or more months ago but less than 1 year ago	49	0.61
		5 = 1 or more years ago but less than 3 years ago	80	1.00
		6 = 3 or more years ago	254	3.17
		7 = Use in past 30 days LOGICALLY IMPUTED	7	0.09
		8 = Use in past 12 months LOGICALLY IMPUTED	3	0.04
		9 = Use in lifetime LOGICALLY IMPUTED	115	1.43
		91 = NEVER USED AN INHALANT	7405	92.32
		98 = BLANK (NO ANSWER)	5	0.06

IN-6. During the past 30 days, on about how many different days did you use an inhalant for kicks or to get high?

LABEL	LEN	DESCRIPTION	FREQ	%
INHDI30A	2	# DAYS USED AN INHALANT IN PAST 30 DAYS		
		RANGE = 1 - 30	69	0.86
		91 = NEVER USED AN INHALANT	7405	92.32
		93 = DID NOT USE INHALANTS IN THE PAST 30 DAYS	523	6.52
		95 = BAD DATA	4	0.05
		98 = BLANK (NO ANSWER)	20	0.25

INHALANTS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		IN-7. Thinking of all the times you used any of these inhalants, how much did you usually use?		
INHEFF	2	USUAL AMOUNT (EFFECTS) OF INHALANTS USED		
		1 = Enough to feel it a little .....	241	3.00
		2 = Enough to feel it a lot .....	107	1.33
		3 = Enough to get high .....	117	1.46
		4 = Enough until you staggered or dropped things .....	17	0.21
		5 = Enough to feel you were going to pass out .....	18	0.22
		6 = Something else (NOT SPECIFIED) .....	4	0.05
		91 = NEVER USED AN INHALANT .....	7405	92.32
		94 = DON'T KNOW .....	3	0.04
		98 = BLANK (NO ANSWER) .....	109	1.36

IN-8. Have you ever passed out from using any of these inhalants for kicks or to get high?

INHPO	2	EVER PASSED OUT FROM USING INHALANTS		
		1 = Yes .....	35	0.44
		2 = No .....	478	5.96
		91 = NEVER USED AN INHALANT .....	7405	92.32
		98 = BLANK (NO ANSWER) .....	103	1.28

Please tell me which questions, if any, were not clear to you.

INHQNC	2	WHICH QUESTIONS WERE NOT CLEAR		
		1 = All clear .....	1736	21.64
		2 = R recorded question numbers (NOT SPECIFIED) .....	7	0.09
		98 = BLANK (NO ANSWER) .....	487	6.07
		99 = LEGITIMATE SKIP (IRAGE > 17) .....	5791	72.20

Have you marked an answer for each question?

INHANSY	2	ANSWER MARKED FOR EACH QUESTION		
		1 = Yes .....	1680	20.95
		2 = No .....	26	0.32
		98 = BLANK (NO ANSWER) .....	524	6.53
		99 = LEGITIMATE SKIP (IRAGE > 17) .....	5791	72.20

LABEL	LEN	DESCRIPTION	FREQ	
		COCAINE -- ANSWER SHEET # 8		
		CN-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?		
AS8READ	2	ANSWER SHEET #8 - READING PREFERENCE		
		1 = Wants interviewer to read questions .....	1370	17.08
		2 = Wants to do it himself/herself .....	6428	80.14
		98 = BLANK (NO ANSWER) .....	223	2.78
		CN-1. About how old were you when you first had a chance to try cocaine if you wanted to?		
COCOPP	3	AGE AT FIRST CHANCE TO TRY COCAINE		
		RANGE = 6 - 64 .....	1669	20.81
		91 = NEVER HAD A CHANCE TO TRY COCAINE .....	6326	78.87
		98 = BLANK (NO ANSWER) .....	26	0.32
		CN-2. About how old were you the first time you actually used cocaine?		
COCAGE	3	AGE WHEN FIRST USED COCAINE		
		RANGE = 10 - 53 .....	944	11.77
		91 = NEVER USED COCAINE .....	7033	87.68
		95 = BAD DATA .....	8	0.10
		98 = BLANK (NO ANSWER) .....	36	0.45
		CN-3. About how many times in your life have you used cocaine?		
COCTOT	2	# TIMES USED COCAINE IN LIFE		
		1 = 1 or 2 times .....	303	3.78
		2 = 3 to 5 times .....	192	2.39
		3 = 6 to 10 times .....	145	1.81
		4 = 11 to 49 times .....	180	2.24
		5 = 50 to 99 times .....	63	0.79
		6 = 100 to 199 times .....	35	0.44
		7 = 200 or more times .....	46	0.57
		91 = NEVER USED COCAINE .....	7033	87.68
		95 = BAD DATA .....	7	0.09
		98 = BLANK (NO ANSWER) .....	17	0.21

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		CN-4. When was the most recent time that you used cocaine?		
COCREC	2	MOST RECENT TIME USED COCAINE (IN ANY FORM)		
		1 = Within the past month (30 days) .....	282	3.52
		2 = More than 1 month ago but less than 6 months ago .	147	1.83
		3 = 6 or more months ago but less than 1 year ago ....	150	1.87
		4 = 1 or more years ago but less than 3 years ago ....	132	1.65
		5 = 3 or more years ago .....	230	2.87
		7 = Use in past 30 days LOGICALLY IMPUTED .....	5	0.06
		8 = Use in past year LOGICALLY IMPUTED .....	13	0.16
		9 = Use in lifetime LOGICALLY IMPUTED .....	29	0.36
		91 = NEVER USED COCAINE .....	7033	87.68

CN-5. During the past 30 days, on about how many different days did you use cocaine?

COCUS30A	2	# DAYS USED COCAINE PAST 30 DAYS		
		RANGE = 1 - 30 .....	252	3.14
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS .....	701	8.74
		94 = DON'T KNOW .....	2	0.02
		95 = BAD DATA .....	4	0.05
		98 = BLANK (NO ANSWER) .....	29	0.36

CN-6. How many grams of cocaine in all have you used in the past 30 days regardless of how it was consumed?

COCAM30A	2	# OF GRAMS OF COCAINE USED IN PAST 30 DAYS		
		1 = Less than 1/4 gram--about 4 big lines pst 30 days	123	1.53
		2 = 1/4 to 1/2 gram in past 30 days .....	43	0.54
		3 = About 1/2 to 1 gram in past 30 days .....	47	0.59
		4 = More than 1 gram (amt unspecified) in past 30 days	25	0.31
		5 = Less than 4 lines .....	5	0.06
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS .....	701	8.74
		94 = DON'T KNOW .....	4	0.05
		95 = BAD DATA .....	4	0.05
		98 = BLANK (NO ANSWER) .....	36	0.45



LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

CN-7. About how much money in all did the cocaine you used in the past 30 days cost you? Do not include any which you sold or gave away.

LABEL	LEN	DESCRIPTION	FREQ	%
COCBUCK	4	\$ AMOUNT SPENT ON COCAINE USED IN PAST 30 DAYS		
		RANGE = 5 - 1000	112	1.40
		0 = No money spent on cocaine in past 30 days	162	2.02
		9991 = NEVER USED COCAINE	7033	87.68
		9993 = DID NOT USE COCAINE IN THE PAST 30 DAYS	701	8.74
		9995 = BAD DATA	5	0.06
		9998 = BLANK (NO ANSWER)	8	0.10

CN-8. During the past 30 days, when you have used cocaine, how often did you also drink alcohol on the same occasion, that is, at the same time or within a couple of hours of each other?

LABEL	LEN	DESCRIPTION	FREQ	%
COC30ALC	2	HOW OFTEN USED ALCOHOL WITH COCAINE PAST 30 DAYS		
		1 = Always drank alcohol with cocaine	96	1.20
		2 = More than half the times	39	0.49
		3 = About half the times	22	0.27
		4 = Less than half the times	10	0.12
		5 = One or two times	62	0.77
		6 = Never drank alcohol w/cocaine in past 30 days	51	0.64
		91 = NEVER USED COCAINE	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 30 DAYS	701	8.74
		94 = DON'T KNOW	1	0.01
		98 = BLANK (NO ANSWER)	6	0.07

CN-9. On the average, how often in the last 12 months have you used cocaine?

LABEL	LEN	DESCRIPTION	FREQ	%
COCYRFRQ	2	FREQUENCY USED COCAINE PAST 12 MONTHS		
		1 = Daily	6	0.07
		2 = Almost daily (3 to 6 days a week)	10	0.12
		3 = 1 or 2 days a week	24	0.30
		4 = Several times a month (about 25 to 51 days a year)	51	0.64
		5 = 1 to 2 times a month (12 to 24 days a year)	66	0.82
		6 = Every other month or so (6 to 11 days a year)	80	1.00
		7 = 3 to 5 days in the past 12 months	106	1.32
		8 = 1 or 2 days in the past 12 months	182	2.27
		91 = NEVER USED COCAINE	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS	391	4.87
		95 = BAD DATA	5	0.06
		98 = BLANK (NO ANSWER)	67	0.84

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	-----	---
		CN-10. In the past 12 months, which of the substances listed, if any, did you use on the same occasion as cocaine, that is, at the same time or within a couple of hours? (CIRCLE THE NUMBER OF EACH OF THOSE SUBSTANCES.)		
COCALC	2	ALCOHOL USED WITH COCAINE PAST 12 MONTHS		
		1 = Response Circled .....	392	4.89
		2 = Response not circled .....	154	1.92
		3 = Response Circled LOGICALLY IMPUTED .....	39	0.49
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	391	4.87
		98 = BLANK (NO ANSWER) .....	12	0.15
COCSDD	2	SEDATIVES USED WITH COCAINE PAST 12 MONTHS		
		1 = Response circled .....	10	0.12
		2 = Response not circled .....	545	6.79
		3 = Response circled LOGICALLY IMPUTED .....	22	0.27
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	391	4.87
		98 = BLANK (NO ANSWER) .....	20	0.25
COCTRAN	2	TRANQUILIZERS USED WITH COCAINE PAST 12 MONTHS		
		1 = Response circled .....	12	0.15
		2 = Response not circled .....	542	6.76
		3 = Response circled LOGICALLY IMPUTED .....	23	0.29
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	391	4.87
		98 = BLANK (NO ANSWER) .....	20	0.25
COCSTM	2	STIMULANTS USED WITH COCAINE PAST 12 MONTHS		
		1 = Response circled .....	23	0.29
		2 = Response not circled .....	528	6.58
		3 = Response circled LOGICALLY IMPUTED .....	26	0.32
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	391	4.87
		98 = BLANK (NO ANSWER) .....	20	0.25
COCANAL	2	ANALGESICS USED WITH COCAINE PAST 12 MONTHS		
		1 = Response circled .....	10	0.12
		2 = Response not circled .....	548	6.83
		3 = Response circled LOGICALLY IMPUTED .....	19	0.24
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	391	4.87
		98 = BLANK (NO ANSWER) .....	20	0.25
COCMJ	2	MARIJUANA USED WITH COCAINE PAST 12 MONTHS		
		1 = Response circled .....	265	3.30
		2 = Response not circled .....	286	3.57
		3 = Response circled LOGICALLY IMPUTED .....	27	0.34
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	391	4.87
		98 = BLANK (NO ANSWER) .....	19	0.24

LABEL	LEN	DESCRIPTION	FREQ	%
COCINH	2	INHALANTS USED WITH COCAINE PAST 12 MONTHS		
		1 = Response circled .....	2	0.02
		2 = Response not circled .....	574	7.16
		3 = Response circled LOGICALLY IMPUTED .....	1	0.01
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	391	4.87
		98 = BLANK (NO ANSWER) .....	20	0.25
COCHAL	2	HALLUCINOGENS USED WITH COCAINE PAST 12 MONTHS		
		1 = Response circled .....	10	0.12
		2 = Response not circled .....	567	7.07
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	391	4.87
		98 = BLANK (NO ANSWER) .....	20	0.25
COCOPT	2	OPIATES USED WITH COCAINE PAST 12 MONTHS		
		1 = Response circled .....	4	0.05
		2 = Response not circled .....	573	7.14
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	391	4.87
		98 = BLANK (NO ANSWER) .....	20	0.25
COCNONE	2	NONE OF THESE USED WITH COCAINE PAST 12 MONTHS		
		1 = Response circled .....	99	1.23
		2 = Response not circled .....	478	5.96
		91 = NEVER USED COCAINE .....	7033	87.68
		93 = DID NOT USE COCAINE IN THE PAST 12 MONTHS .....	391	4.87
		98 = BLANK (NO ANSWER) .....	20	0.25
CN-11. Circle the numbers of all the ways you have ever used cocaine.				
COCSNIFX	2	SMIELLED/SNORTED COCAINE THRU NOSE		
		1 = Response circled .....	844	10.52
		2 = Response not circled .....	65	0.81
		91 = NEVER USED COCAINE .....	7033	87.68
		98 = BLANK (NO ANSWER) .....	79	0.98
COCSWALX	2	SWALLOWED/DRANK COCAINE		
		1 = Response circled .....	122	1.52
		2 = Response not circled .....	787	9.81
		91 = NEVER USED COCAINE .....	7033	87.68
		98 = BLANK (NO ANSWER) .....	79	0.98
COCIVX	2	INJECTED COCAINE WITH A NEEDLE		
		1 = Response circled .....	52	0.65
		2 = Response not circled .....	857	10.68
		91 = NEVER USED COCAINE .....	7033	87.68
		98 = BLANK (NO ANSWER) .....	79	0.98

## COCAINE

PAGE: 54

LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
FREEBASX	2	SMOKED/FREE-BASED COCAINE		
		1 = Response circled .....	219	2.73
		2 = Response not circled .....	690	8.60
		91 = NEVER USED COCAINE .....	7033	87.68
		98 = BLANK (NO ANSWER) .....	79	0.98
COCOTHX	2	OTHER METHOD SPECIFIED		
		1 = Response circled .....	7	0.09
		2 = Response not circled .....	902	11.25
		91 = NEVER USED COCAINE .....	7033	87.68
		98 = BLANK (NO ANSWER) .....	79	0.98

HALLUCINOGENS

LABEL    LEN    DESCRIPTION  
-----

HALLUCINOGENS -- ANSWER SHEET #9  
-----

L-0. Shall I read these questions to you, or do you prefer to do it on your own?

AS9READ	2	HALLUCINOGENS - READING PREFERENCE		
		1 = Wants interviewer to continue reading .....	1272	15.86
		2 = Wants to do it himself/herself .....	6536	81.49
		98 = BLANK (NO ANSWER) .....	213	2.66

L-00. Did you understand the last three questions?

HALLQCL	2	DID YOU UNDERSTAND THE LAST THREE QUESTIONS?		
		1 = Yes .....	5972	74.45
		2 = No/Not Sure .....	136	1.70
		98 = BLANK (NO ANSWER) .....	1913	23.85

L-1. About how old were you when you first had a chance to try LSD or another hallucinogen, if you wanted to?

HALLOPP	3	AGE AT FIRST CHANCE TO TRY HALLUCINOGEN		
		RANGE = 7 - 60 .....	1028	12.82
		91 = NEVER HAD A CHANCE TO TRY HALLUCINOGENS .....	6962	86.80
		98 = BLANK (NO ANSWER) .....	31	0.39

L-2. About how old were you the first time you actually used LSD or another hallucinogen?

HALLAGE	3	AGE WHEN FIRST USED LSD/PCP/OTHER HALLUCINOGEN		
		RANGE = 7 - 52 .....	484	6.03
		91 = NEVER USED A HALLUCINOGEN .....	7502	93.53
		95 = BAD DATA .....	8	0.10
		98 = BLANK (NO ANSWER) .....	27	0.34

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-

L-3. About how many times in your life have you used LSD or another hallucinogen?

HALLTOT	LEN	DESCRIPTION	FREQ	%
	2	# TIMES USED LSD/PCP/OTHER HALLUCINOGEN IN LIFE		
		1 = 1 or 2 times	160	1.99
		2 = 3 to 5 times	130	1.62
		3 = 6 to 10 times	81	1.01
		4 = 11 to 49 times	73	0.91
		5 = 50 to 99 times	27	0.34
		6 = 100 to 199 times	13	0.16
		7 = 200 or more times	12	0.15
		91 = NEVER USED A HALLUCINOGEN	7502	93.53
		95 = BAD DATA	7	0.09
		98 = BLANK (NO ANSWER)	16	0.20

L-4. When was the most recent time that you used LSD or another hallucinogen?

HALLREC	LEN	DESCRIPTION	FREQ	%
	2	MOST RECENT TIME USED HALLUCINOGEN		
		1 = Within the past month (30 days)	47	0.59
		2 = More than 1 month ago but less than 6 months ago	37	0.46
		3 = 6 or more months ago but less than 1 year ago	36	0.45
		4 = 1 or more years ago but less than 3 years ago	69	0.86
		5 = 3 or more years ago	269	3.35
		7 = Use in past month LOGICALLY IMPUTED	18	0.22
		8 = Use in past year LOGICALLY IMPUTED	9	0.11
		9 = Use in lifetime LOGICALLY IMPUTED	30	0.37
		91 = NEVER USED A HALLUCINOGEN	7502	93.53
		98 = BLANK (NO ANSWER)	4	0.05

L-5. During the past 30 days, on about how many different days did you use LSD or another hallucinogen?

HAL30USE	LEN	DESCRIPTION	FREQ	%
	2	# DAYS USED HALLUCINOGEN PAST 30 DAYS		
		RANGE = 1 - 12	44	0.55
		91 = NEVER USED A HALLUCINOGEN	7502	93.53
		93 = DID NOT USE HALLUCINOGENS IN THE PAST 30 DAYS	450	5.61
		95 = BAD DATA	20	0.25
		98 = BLANK (NO ANSWER)	5	0.06

## HALLUCINOGENS

PAGE: 57

LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	-----	-
		L-6. Which of the following hallucinogens have you ever tried? (CIRCLE THE NUMBER OF EACH HALLUCINOGEN YOU HAVE EVER TRIED)		
LSD	2	EVER USED LSD		
		1 = Response circled .....	334	4.16
		2 = Response not circled .....	149	1.86
		91 = NEVER USED A HALLUCINOGEN .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	36	0.45
PEYOTE	2	EVER USED PEYOTE		
		1 = Response circled .....	114	1.42
		2 = Response not circled .....	369	4.60
		91 = NEVER USED A HALLUCINOGEN .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	36	0.45
MESC	2	EVER USED Mescaline		
		1 = Response circled .....	219	2.73
		2 = Response not circled .....	264	3.29
		91 = NEVER USED A HALLUCINOGEN .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	36	0.45
PSILCY	2	EVER USED PSILOCYBIN (MUSHROOMS)		
		1 = Response circled .....	190	2.37
		2 = Response not circled .....	293	3.65
		91 = NEVER USED A HALLUCINOGEN .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	36	0.45
PCP	2	EVER USED PCP (ANGEL DUST)		
		1 = Response circled .....	224	2.79
		2 = Response not circled .....	259	3.23
		91 = NEVER USED A HALLUCINOGEN .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	36	0.45
HALLOTH	2	OTHER HALLUCINOGEN SPECIFIED		
		1 = Response circled .....	13	0.16
		2 = Response not circled .....	469	5.85
		91 = NEVER USED A HALLUCINOGEN .....	7502	93.53
		98 = BLANK (NO ANSWER) .....	37	0.46
HALNEWA	3	OTHER HALLUCINOGEN EVER USED (1ST MENTION)		
		267 = Marazine .....	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	3	0.04
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic] .....	1	0.01
		614 = MDA .....	2	0.02
		624 = Orange sunshine, sunshine, yellow sunshine .....	1	0.01
		644 = San Pedro [Spanish] .....	1	0.01
		649 = Tea .....	2	0.02
		650 = Daytura .....	1	0.01
		651 = Mellow Yellow .....	1	0.01
		991 = NEVER USED A HALLUCINOGEN .....	7502	93.53
		998 = BLANK (NO ANSWER) .....	506	6.31

HALLUCINOGENS

LABEL	LEN	DESCRIPTION	FREQ	%
HALNEWB	3	OTHER HALLUCINOGEN EVER USED (2ND MENTION)		
		618 = Acid paper, blotter (acid) [see also 601] .....	1	0.01
		991 = NEVER USED A HALLUCINOGEN .....	7502	93.53
		998 = BLANK (NO ANSWER) .....	518	6.46

L-7. When was the most recent time that you used PCP?

PCPPREC	2	MOST RECENT TIME USED PCP		
		1 = Within the past month (30 days) .....	27	0.34
		2 = More than 1 month ago but less than 6 months ago .	13	0.16
		3 = 6 or more months ago but less than 1 year ago ....	12	0.15
		4 = 1 or more years ago but less than 3 years ago ....	38	0.47
		5 = 3 or more years ago .....	127	1.58
		9 = Use in lifetime LOGICALLY IMPUTED .....	7	0.09
		91 = NEVER USED PCP .....	7761	96.76
		98 = BLANK (NO ANSWER) .....	36	0.45

L-8. Circle the number of each reaction you ever had, or were ever told you had, when you used PCP.

PCPFLASH	2	HAD FLASHBACKS FROM USING PCP		
		1 = Response circled .....	58	0.72
		2 = Response not circled .....	101	1.26
		6 = Never had any reaction .....	59	0.74
		91 = NEVER USED PCP .....	7761	96.76
		98 = BLANK (NO ANSWER) .....	42	0.52

PCPSENSE	2	HAD TROUBLE SEEING OR HEARING ON PCP		
		1 = Response circled .....	68	0.85
		2 = Response not circled .....	91	1.13
		6 = Never had any reaction .....	59	0.74
		91 = NEVER USED PCP .....	7761	96.76
		98 = BLANK (NO ANSWER) .....	42	0.52

PCPFEELV	2	FELT VIOLENT ON PCP		
		1 = Response circled .....	36	0.45
		2 = Response not circled .....	123	1.53
		6 = Never had any reaction .....	59	0.74
		91 = NEVER USED PCP .....	7761	96.76
		98 = BLANK (NO ANSWER) .....	42	0.52

PCPACTV	2	DID SOMETHING VIOLENT OR AGGRESSIVE ON PCP		
		1 = Response circled .....	30	0.37
		2 = Response not circled .....	129	1.61
		6 = Never had any reaction .....	59	0.74
		91 = NEVER USED PCP .....	7761	96.76
		98 = BLANK (NO ANSWER) .....	42	0.52



## HALLUCINOGENS

PAGE: 59

LABEL	LEN	DESCRIPTION	FREQ	%
PCPOTH	2	OTHER REACTION TO PCP SPECIFIED		
		1 = Response circled .....	60	0.75
		2 = Response not circled .....	99	1.23
		6 = Never had any reaction .....	59	0.74
		91 = NEVER USED PCP .....	7761	96.76
		98 = BLANK (NO ANSWER) .....	42	0.52
PCPNORCT	2	HAD NO/NONE OF THESE REACTIONS TO PCP		
		1 = Response circled .....	60	0.75
		2 = Response not circled .....	158	1.97
		91 = NEVER USED PCP .....	7761	96.76
		98 = BLANK (NO ANSWER) .....	42	0.52
PCPNEWA	2	OTHER PCP REACTION SPECIFIED - 1ST MENTION		
		1 = High, R just felt high .....	4	0.05
		2 = Happy, energetic, just felt good, did fun things .	7	0.09
		3 = Hallucinated, saw things .....	6	0.07
		4 = Numb .....	6	0.07
		5 = Disoriented, memory loss, in a trance .....	6	0.07
		6 = Lifeless, could hardly move, slow motion .....	4	0.05
		7 = Paranoid .....	2	0.02
		8 = Felt sick .....	2	0.02
		10 = Scared .....	2	0.02
		11 = Light, could float on air, free to fly .....	4	0.05
		12 = Weird .....	2	0.02
		13 = Withdrawn, introverted, confined to self .....	2	0.02
		15 = Restless .....	3	0.04
		16 = Laid back, relaxed .....	1	0.01
		17 = In deep thought, appreciation of life .....	1	0.01
		18 = Convulsions, hot & cold sweats .....	1	0.01
		19 = Highly sexual .....	1	0.01
		20 = Prickly sensation all over .....	1	0.01
		21 = Passed out .....	1	0.01
		22 = Tracers .....	1	0.01
		91 = NEVER USED PCP .....	7761	96.76
		98 = BLANK (NO ANSWER) .....	203	2.53
PCPNEWB	2	OTHER PCP REACTION SPECIFIED - 2ND MENTION		
		5 = Disoriented, memory loss, in a trance .....	2	0.02
		6 = Lifeless, could hardly move, slow motion .....	1	0.01
		13 = Withdrawn, introverted, confined to myself .....	1	0.01
		91 = NEVER USED PCP .....	7761	96.76
		98 = BLANK (NO ANSWER) .....	256	3.19

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-

HEROIN -- ANSWER SHEET #10  
-----

H-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?

AS10READ	2	HEROIN - READING PREFERENCE		
		1 = Wants interviewer to continue reading .....	1203	15.00
		2 = Wants to do it himself/herself .....	6578	82.01
		98 = BLANK (NO ANSWER) .....	240	2.99

H-1. About how old were you when you first had a chance to try heroin, if you wanted to?

HEROPP	3	AGE AT FIRST CHANCE TO TRY HEROIN		
		RANGE = 9 - 60 .....	466	5.81
		91 = NEVER HAD A CHANCE TO TRY HEROIN .....	7527	93.84
		98 = BLANK (NO ANSWER) .....	28	0.35

H-2. About how old were you the first time you actually used heroin?

HERAGE	3	AGE WHEN FIRST USED HEROIN		
		RANGE = 9 - 30 .....	84	1.05
		91 = NEVER USED HEROIN .....	7919	98.73
		95 = BAD DATA .....	7	0.09
		98 = BLANK (NO ANSWER) .....	11	0.14

H-3. About how many times in your life have you used heroin?

HERTOT	2	# TIMES USED HEROIN IN LIFE		
		1 = 1 or 2 times .....	34	0.42
		2 = 3 to 5 times .....	12	0.15
		3 = 6 to 10 times .....	9	0.11
		4 = 11 to 49 times .....	11	0.14
		5 = 50 to 99 times .....	5	0.06
		6 = 100 to 199 times .....	4	0.05
		7 = 200 or more times .....	10	0.12
		91 = NEVER USED HEROIN .....	7919	98.73
		95 = BAD DATA .....	6	0.07
		98 = BLANK (NO ANSWER) .....	11	0.14

## HEROIN

PAGE: 61

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		H-4. When was the most recent time that you used heroin?		
HERREC	2	MOST RECENT TIME USED HEROIN		
		1 = Within the past month (30 days) .....	12	0.15
		2 = More than 1 month ago but less than 6 months ago .	2	0.02
		3 = 6 or more months ago but less than 1 year ago ....	10	0.12
		4 = 1 or more years ago but less than 3 years ago ....	8	0.10
		5 = 3 or more years ago .....	52	0.65
		8 = Use in past 12 months LOGICALLY IMPUTED .....	4	0.05
		9 = Use in lifetime LOGICALLY IMPUTED .....	8	0.10
		91 = NEVER USED HEROIN .....	7919	98.73
		98 = BLANK (NO ANSWER) .....	6	0.07
		H-5. During the past 30 days, on about how many different days did you use heroin?		
HER30USE	2	# DAYS USED HEROIN PAST 30 DAYS		
		RANGE = 1 - 30 .....	11	0.14
		91 = NEVER USED HEROIN .....	7919	98.73
		93 = DID NOT USE HEROIN IN THE PAST 30 DAYS .....	84	1.05
		98 = BLANK (NO ANSWER) .....	7	0.09
		H-6. Have you ever used heroin with a needle?		
HERNEEDL	2	EVER USED HEROIN WITH A NEEDLE		
		1 = Yes .....	45	0.56
		2 = No .....	35	0.44
		91 = NEVER USED HEROIN .....	7919	98.73
		95 = BAD DATA .....	6	0.07
		98 = BLANK (NO ANSWER) .....	16	0.20

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

HEALTH CONDITIONS

H-1. Now we have some questions concerning your health. These are the kinds of questions a physician might ask you during a general check-up.

a. Have you ever been told by a doctor or nurse that you had high blood pressure or hypertension?

LABEL	LEN	DESCRIPTION	FREQ	%
HIGHBP	2	EVER DIAGNOSED AS HAVING HIGH BLOOD PRESSURE		
		1 = Yes	1410	17.58
		2 = No	6602	82.31
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	7	0.09

b. Has a doctor ever prescribed medicine for your high blood pressure or hypertension?

LABEL	LEN	DESCRIPTION	FREQ	%
BPMED	2	MEDICATION EVER PRESCRIBED FOR HIGH BLOOD PRESSURE		
		1 = Yes	810	10.10
		2 = No	590	7.36
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	17	0.21
		99 = LEGITIMATE SKIP (HIGHBP = 2)	6602	82.31

c. Have you ever had trouble with pain, discomfort or pressure in your chest when you walked fast or uphill?

LABEL	LEN	DESCRIPTION	FREQ	%
WALKPAIN	2	EVER HAD PAIN IN CHEST FROM EXERTION		
		1 = Yes	1216	15.16
		2 = No	6793	84.69
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	11	0.14

d. Have you ever had severe pain across the front of your chest lasting for a half hour or more?

LABEL	LEN	DESCRIPTION	FREQ	%
TIMEPAIN	2	EVER HAD SEVERE CHEST PAIN LASTING 1/2 HR OR MORE		
		1 = Yes	527	6.57
		2 = No	7479	93.24
		97 = REFUSED	1	0.01
		98 = BLANK (NO ANSWER)	14	0.17

## HEALTH CONDITIONS

PAGE: 63

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		e. Have you ever had shortness of breath either when hurrying on level ground or walking up a slight hill?		
UPSHOR	2	EVER HAD SHORTNESS OF BREATH FROM EXERTION		
		1 = Yes .....	2177	27.14
		2 = No .....	5833	72.72
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	10	0.12
		f. Have you ever been told by a doctor that you had a lung or chest condition such as emphysema, asthma, chronic bronchitis, pneumonia, pleurisy or TB?		
ASTHMA	2	EVER DIAGNOSED AS HAVING LUNG/CHEST CONDITION		
		1 = Yes .....	1222	15.24
		2 = No .....	6788	84.63
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	9	0.11
		g. Have you ever been treated for psychological or emotional difficulties?		
TRPSYCH	2	EVER TREATED FOR PSYCHOLOGICAL/EMOTIONAL CONDITION		
		1 = Yes .....	545	6.79
		2 = No .....	7462	93.03
		94 = DON'T KNOW .....	3	0.04
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	10	0.12
		h. Have you ever been told by a doctor that you had a heart condition or heart problem?		
HEART	2	EVER DIAGNOSED AS HAVING HEART CONDITION/PROBLEM		
		1 = Yes .....	631	7.87
		2 = No .....	7375	91.95
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	2	0.02
		98 = BLANK (NO ANSWER) .....	12	0.15

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		i. Do you seem to get a bad cold or the flu every year?		
FLU	2	GET BAD COLD OR FLU EVERY YEAR		
		1 = Yes .....	3102	38.67
		2 = No .....	4901	61.10
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	2	0.02
		98 = BLANK (NO ANSWER) .....	15	0.19
		j. Do you have hay fever?		
ALLERG	2	HAS HAY FEVER		
		1 = Yes .....	1554	19.37
		2 = No .....	6447	80.38
		94 = DON'T KNOW .....	4	0.05
		97 = REFUSED .....	2	0.02
		98 = BLANK (NO ANSWER) .....	14	0.17
		H-2. Now, thinking only of the past 12 months:		
		a. Have you been hospitalized overnight because of injury or illness in the past 12 months?		
HOSPYR	2	HOSPITALIZED OVERNIGHT FOR INJURY/ILLNESS PAST YR		
		1 = Yes .....	730	9.10
		2 = No .....	7278	90.74
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	2	0.02
		98 = BLANK (NO ANSWER) .....	10	0.12
		b. Have you had a sore throat lasting three days or more in the past 12 months?		
SOREYR	2	HAD SORE THROAT LASTING 3 OR MORE DAYS IN PAST YR		
		1 = Yes .....	2734	34.09
		2 = No .....	5271	65.71
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	2	0.02
		98 = BLANK (NO ANSWER) .....	13	0.16

HEALTH CONDITIONS

LABEL	LEN	DESCRIPTION	FREQ	%
		c. Have you had a runny nose lasting three days or more in the past 12 months?		
RUNNYR	2	HAD RUNNY NOSE LASTING 3 OR MORE DAYS IN PAST YEAR		
		1 = Yes .....	3592	44.78
		2 = No .....	4412	55.01
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	2	0.02
		98 = BLANK (NO ANSWER) .....	14	0.17
		d. Have you had a cough lasting almost a week three or more times in the past 12 months?		
COUGHYR	2	HAD COUGH LASTING ABOUT A WK 3/MORE TIMES PAST YR		
		1 = Yes .....	1327	16.54
		2 = No .....	6679	83.27
		97 = REFUSED .....	2	0.02
		98 = BLANK (NO ANSWER) .....	13	0.16
		e. Have you had a period of cough with phlegm lasting for three weeks or more in the past 12 months?		
PHLEGMYR	2	HAD COUGH W/PHLEGM LASTING 3 OR MORE WEEKS PAST YR		
		1 = Yes .....	566	7.06
		2 = No .....	7432	92.66
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	2	0.02
		98 = BLANK (NO ANSWER) .....	20	0.25
		f. Would you describe your health for the past 12 months as excellent, very good, good, fair, or poor?		
HEALTHYR	2	HEALTH FOR PAST 12 MONTHS		
		1 = Excellent .....	2107	26.27
		2 = Very good .....	2957	36.87
		3 = Good .....	1999	24.92
		4 = Fair .....	846	10.55
		5 = Poor .....	100	1.25
		98 = BLANK (NO ANSWER) .....	12	0.15

LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	-
		H-4. I'm going to read a list of ways you may have felt. Please tell me how often you felt this way during the past week--rarely or none of the time, some or a little of the time, occasionally or a moderate amount of the time, or most or all of the time. Just tell me the number from this card.		
		a. I felt that I was just as good as other people.		
FELTGOOD	2	I FELT I WAS AS GOOD AS OTHER PEOPLE		
		1 = Rarely or none of the time (less than a day) .....	470	5.86
		2 = Some or a little of the time (1-2 days) .....	624	7.78
		3 = Occasionally/moderate amnt of time (3-4 days) ....	989	12.33
		4 = Most or all of the time (5-7 days) .....	5912	73.71
		94 = DON'T KNOW .....	3	0.04
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	14	0.17
		b. I had trouble keeping my mind on what I was doing.		
FELTMIND	2	I HAD TROUBLE KEEPING MY MIND ON WHAT I WAS DOING		
		1 = Rarely or none of the time (less than a day) .....	4649	57.96
		2 = Some or a little of the time (1-2 days) .....	1701	21.21
		3 = Occasionally/moderate amnt of time (3-4 days) ....	1149	14.32
		4 = Most or all of the time (5-7 days) .....	499	6.22
		94 = DON'T KNOW .....	2	0.02
		97 = REFUSED .....	8	0.10
		98 = BLANK (NO ANSWER) .....	13	0.16
		c. I felt depressed.		
FELTDEP	2	I FELT DEPRESSED		
		1 = Rarely or none of the time (less than a day) .....	5143	64.12
		2 = Some or a little of the time (1-2 days) .....	1799	22.43
		3 = Occasionally/moderate amnt of time (3-4 days) ....	730	9.10
		4 = Most or all of the time (5-7 days) .....	318	3.96
		94 = DON'T KNOW .....	2	0.02
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	20	0.25



## HEALTH CONDITIONS

PAGE: 67

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		d. I felt that everything I did was an effort.		
FELTEFF	2	I FELT EVERYTHING WAS AN EFFORT		
		1 = Rarely or none of the time (less than a day) .....	4069	50.73
		2 = Some or a little of the time (1-2 days) .....	1651	20.58
		3 = Occasionally/moderate amnt of time (3-4 days) ....	1003	12.50
		4 = Most or all of the time (5-7 days) .....	1265	15.77
		94 = DON'T KNOW .....	2	0.02
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	22	0.27
		e. I felt hopeful about the future.		
FELTHOPE	2	I FELT HOPEFUL ABOUT THE FUTURE		
		1 = Rarely or none of the time (less than a day) .....	608	7.58
		2 = Some or a little of the time (1-2 days) .....	747	9.31
		3 = Occasionally/moderate amnt of time (3-4 days) ....	1494	18.63
		4 = Most or all of the time (5-7 days) .....	5120	63.83
		94 = DON'T KNOW .....	6	0.07
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	37	0.46
		f. My sleep was restless.		
FELTSLEP	2	MY SLEEP WAS RESTLESS		
		1 = Rarely or none of the time (less than a day) .....	4766	59.42
		2 = Some or a little of the time (1-2 days) .....	1694	21.12
		3 = Occasionally/moderate amnt of time (3-4 days) ....	923	11.51
		4 = Most or all of the time (5-7 days) .....	600	7.48
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	28	0.35
		g. I was happy.		
FELTHAP	2	I FELT HAPPY		
		1 = Rarely or none of the time (less than a day) .....	302	3.77
		2 = Some or a little of the time (1-2 days) .....	585	7.29
		3 = Occasionally/moderate amnt of time (3-4 days) ....	1569	19.56
		4 = Most or all of the time (5-7 days) .....	5536	69.02
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	10	0.12
		98 = BLANK (NO ANSWER) .....	18	0.22

## HEALTH CONDITIONS

PAGE: 68

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		h. People were unfriendly.		
FELTUNF	2	PEOPLE WERE UNFRIENDLY		
		1 = Rarely or none of the time (less than a day) .....	5554	69.24
		2 = Some or a little of the time (1-2 days) .....	1497	18.66
		3 = Occasionally/moderate amnt of time (3-4 days) ....	555	6.92
		4 = Most or all of the time (5-7 days) .....	370	4.61
		94 = DON'T KNOW .....	2	0.02
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	34	0.42
		i. I enjoyed life.		
FELTENJ	2	I ENJOYED LIFE		
		1 = Rarely or none of the time (less than a day) .....	284	3.54
		2 = Some or a little of the time (1-2 days) .....	382	4.76
		3 = Occasionally/moderate amnt of time (3-4 days) ....	1043	13.00
		4 = Most or all of the time (5-7 days) .....	6281	78.31
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	21	0.26
		j. I had crying spells.		
FELTCRY	2	I HAD CRYING SPELLS		
		1 = Rarely or none of the time (less than a day) .....	6932	86.42
		2 = Some or a little of the time (1-2 days) .....	655	8.17
		3 = Occasionally/moderate amnt of time (3-4 days) ....	266	3.32
		4 = Most or all of the time (5-7 days) .....	131	1.63
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	27	0.34
		k. I felt that people disliked me.		
FELTDISL	2	I FELT THAT PEOPLE DISLIKED ME		
		1 = Rarely or none of the time (less than a day) .....	6351	79.18
		2 = Some or a little of the time (1-2 days) .....	1125	14.03
		3 = Occasionally/moderate amnt of time (3-4 days) ....	307	3.83
		4 = Most or all of the time (5-7 days) .....	204	2.54
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	24	0.30

## HEALTH CONDITIONS

PAGE: 69

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		1. I could not get "going."		
FELTNOGO	2	I COULD NOT GET "GOING"		
		1 = Rarely or none of the time (less than a day) .....	5126	63.91
		2 = Some or a little of the time (1-2 days) .....	1929	24.05
		3 = Occasionally/moderate amnt of time (3-4 days) ....	618	7.70
		4 = Most or all of the time (5-7 days) .....	314	3.91
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	24	0.30

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

DRUGS -- ANSWER SHEET #11

DR-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?

AS11READ	2	DRUGS - READING PREFERENCE		
		1 = Wants interviewer to continue reading .....	1652	20.60
		2 = Wants to do it himself/herself .....	6116	76.25
		98 = BLANK (NO ANSWER) .....	253	3.15

If you never used cigarettes, alcohol, or any of these other drugs, circle the X here and tell the interviewer that you are finished. Otherwise, answer every question.

NODRUGS	2	NEVER USED CIGARETTES, ALCOHOL OR ANY OF THESE		
		1 = Response circled .....	1427	17.79
		2 = Response not circled .....	5084	63.38
		95 = BAD DATA .....	1506	18.78
		98 = BLANK (NO ANSWER) .....	4	0.05

DR-1. Have you ever tried to cut down on your use of any of these drugs?  
(CIRCLE THE NUMBER OF EACH OF THOSE DRUGS)

CDCIGX	2	TRIED TO CUT DOWN ON USE OF CIGARETTES		
		1 = Response circled .....	2493	31.08
		2 = Response not circled .....	2357	29.39
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

CDALCX	2	TRIED TO CUT DOWN ON USE OF ALCOHOL		
		1 = Response circled .....	1452	18.10
		2 = Response not circled .....	3398	42.36
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

CDSIDX	2	TRIED TO CUT DOWN ON USE OF SEDATIVES		
		1 = Response circled .....	68	0.85
		2 = Response not circled .....	4782	59.62
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

LABEL	LEN	DESCRIPTION	FREQ	%
----	----	-----	----	----
CDTRANX	2	TRIED TO CUT DOWN ON USE OF TRANQUILIZERS		
		1 = Response circled .....	77	0.96
		2 = Response not circled .....	4773	59.51
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
CDSTMX	2	TRIED TO CUT DOWN ON USE OF STIMULANTS		
		1 = Response circled .....	95	1.18
		2 = Response not circled .....	4755	59.28
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
CDANALX	2	TRIED TO CUT DOWN ON USE OF ANALGESICS		
		1 = Response circled .....	45	0.56
		2 = Response not circled .....	4805	59.91
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
CDMJX	2	TRIED TO CUT DOWN ON USE OF MARIJUANA		
		1 = Response circled .....	676	8.43
		2 = Response not circled .....	4174	52.04
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
CDINHX	2	TRIED TO CUT DOWN ON USE OF INHALANTS		
		1 = Response circled .....	71	0.89
		2 = Response not circled .....	4779	59.58
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
CDCOCK	2	TRIED TO CUT DOWN ON USE OF COCAINE		
		1 = Response circled .....	184	2.29
		2 = Response not circled .....	4666	58.17
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
CDHALLX	2	TRIED TO CUT DOWN ON USE OF HALLUCINOGENS		
		1 = Response circled .....	59	0.74
		2 = Response not circled .....	4791	59.73
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
CDHERX	2	TRIED TO CUT DOWN ON USE OF HEROIN		
		1 = Response circled .....	27	0.34
		2 = Response not circled .....	4823	60.13
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
CDOTHOPX	2	TRIED TO CUT DOWN ON USE OF OTHER OPIATES		
		1 = Response circled .....	36	0.45
		2 = Response not circled .....	4814	60.02
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

LABEL	LEN	DESCRIPTION	FREQ	%
CDNONEX	2	DID NOT TRY TO CUT DOWN ON ANY DRUG USED		
		1 = Response circled .....	1566	19.52
		2 = Response not circled .....	3284	40.94
		98 = BLANK (NO ANSWER) .....	1744	21.74
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

DR-2. Circle the number next to each drug for which you have needed larger amounts to get the same effect or that you could no longer get high on the amount you used to use.

EFFCIGX	2	NEEDED MORE CIGARETTES TO GET SAME EFFECT		
		1 = Response circled .....	591	7.37
		2 = Response not circled .....	4382	54.63
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

EFFALCX	2	NEEDED MORE ALCOHOL TO GET SAME EFFECT		
		1 = Response circled .....	580	7.23
		2 = Response not circled .....	4393	54.77
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

EFFSEDX	2	NEEDED MORE SEDATIVES TO GET SAME EFFECT		
		1 = Response circled .....	25	0.31
		2 = Response not circled .....	4948	61.69
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

EFFTRANX	2	NEEDED MORE TRANQ. TO GET SAME EFFECT		
		1 = Response circled .....	31	0.39
		2 = Response not circled .....	4942	61.61
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

EFFSTMX	2	NEEDED MORE STIMULANTS TO GET SAME EFFECT		
		1 = Response circled .....	60	0.75
		2 = Response not circled .....	4913	61.25
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

EFFANALX	2	NEEDED MORE ANALGESICS TO GET SAME EFFECT		
		1 = Response circled .....	21	0.26
		2 = Response not circled .....	4952	61.74
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

EFFMJX	2	NEEDED MORE MARIJUANA TO GET SAME EFFECT		
		1 = Response circled .....	275	3.43
		2 = Response not circled .....	4698	58.57
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

LABEL	LEN	DESCRIPTION	FREQ	%
EFFFINHX	2	NEEDED MORE INHALANTS TO GET SAME EFFECT		
		1 = Response circled .....	19	0.24
		2 = Response not circled .....	4954	61.76
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
EFFCOCKX	2	NEEDED MORE COCAINE TO GET SAME EFFECT		
		1 = Response circled .....	94	1.17
		2 = Response not circled .....	4879	60.83
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
EFFHALLX	2	NEEDED MORE HALLUCIN. TO GET SAME EFFECT		
		1 = Response circled .....	25	0.31
		2 = Response not circled .....	4948	61.69
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
EFFHERX	2	NEEDED MORE HEROIN TO GET SAME EFFECT		
		1 = Response circled .....	14	0.17
		2 = Response not circled .....	4959	61.83
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
EFFOTHOX	2	NEEDED MORE OTHER OPIATES TO GET SAME EFFECT		
		1 = Response circled .....	16	0.20
		2 = Response not circled .....	4957	61.80
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
EFFNONEX	2	DID NOT NEED MORE OF ANY DRUG FOR SAME EFFECT		
		1 = Response circled .....	3789	47.24
		2 = Response not circled .....	1184	14.76
		98 = BLANK (NO ANSWER) .....	1621	20.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
<p>DR-3. Circle the number next to each drug you have ever used every day or almost daily for two or more weeks in a row.</p>				
UDAYCIGX	2	USED CIGARETTES DAILY FOR 2+ WEEKS		
		1 = Response circled .....	2256	28.13
		2 = Response not circled .....	2761	34.42
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
UDAYALCX	2	USED ALCOHOL DAILY FOR 2+ WEEKS		
		1 = Response circled .....	782	9.75
		2 = Response not circled .....	4235	52.80
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
UDAYSEDX	2	USED SEDATIVES DAILY FOR 2+ WEEKS		
		1 = Response circled .....	29	0.36
		2 = Response not circled .....	4988	62.19
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
UDAYTRAX	2	USED TRANQUILIZERS DAILY FOR 2+ WEEKS		
		1 = Response circled .....	51	0.64
		2 = Response not circled .....	4966	61.91
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
UDAYSTMX	2	USED STIMULANTS DAILY FOR 2+ WEEKS		
		1 = Response circled .....	63	0.79
		2 = Response not circled .....	4954	61.76
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
UDAYANAX	2	USED ANALGESICS DAILY FOR 2+ WEEKS		
		1 = Response circled .....	31	0.39
		2 = Response not circled .....	4986	62.16
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
UDAYMJX	2	USED MARIJUANA DAILY FOR 2+ WEEKS		
		1 = Response circled .....	510	6.36
		2 = Response not circled .....	4507	56.19
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
UDAYINHX	2	USED INHALANTS DAILY FOR 2+ WEEKS		
		1 = Response circled .....	27	0.34
		2 = Response not circled .....	4990	62.21
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
UDAYCOCX	2	USED COCAINE DAILY FOR 2+ WEEKS		
		1 = Response circled .....	73	0.91
		2 = Response not circled .....	4944	61.64
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
UDAYHALX	2	USED HALLUCINOGENS DAILY FOR 2+ WEEKS		
		1 = Response circled .....	21	0.26
		2 = Response not circled .....	4996	62.29
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
UDAYHERX	2	USED HEROIN DAILY FOR 2+ WEEKS		
		1 = Response circled .....	16	0.20
		2 = Response not circled .....	5001	62.35
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79



LABEL	LEN	DESCRIPTION	FREQ	%
UDAYOTHX	2	USED OTHER OPIATES DAILY FOR 2+ WEEKS		
		1 = Response circled .....	22	0.27
		2 = Response not circled .....	4995	62.27
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
UDAYNONX	2	DID NOT USE ANY DRUG DAILY FOR 2+ WEEKS		
		1 = Response circled .....	2312	28.82
		2 = Response not circled .....	2705	33.72
		98 = BLANK (NO ANSWER) .....	1577	19.66
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DR-4. Circle the number of each drug you felt you needed or were dependent on.				
DEPCIGX	2	FELT DEPENDENT ON CIGARETTES		
		1 = Response circled .....	1601	19.96
		2 = Response not circled .....	3334	41.57
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPALCX	2	FELT DEPENDENT ON ALCOHOL		
		1 = Response circled .....	317	3.95
		2 = Response not circled .....	4618	57.57
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPSEDX	2	FELT DEPENDENT ON SEDATIVES		
		1 = Response circled .....	15	0.19
		2 = Response not circled .....	4920	61.34
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPTRANX	2	FELT DEPENDENT ON TRANQUILIZERS		
		1 = Response circled .....	41	0.51
		2 = Response not circled .....	4894	61.01
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPSTMX	2	FELT DEPENDENT ON STIMULANTS		
		1 = Response circled .....	40	0.50
		2 = Response not circled .....	4895	61.03
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPANALX	2	FELT DEPENDENT ON ANALGESICS		
		1 = Response circled .....	21	0.26
		2 = Response not circled .....	4914	61.26
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

LABEL	LEN	DESCRIPTION	FREQ	%
DEPMJX	2	FELT DEPENDENT ON MARIJUANA		
		1 = Response circled .....	201	2.51
		2 = Response not circled .....	4734	59.02
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPINHX	2	FELT DEPENDENT ON INHALANTS		
		1 = Response circled .....	15	0.19
		2 = Response not circled .....	4920	61.34
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPCOCK	2	FELT DEPENDENT ON COCAINE		
		1 = Response circled .....	42	0.52
		2 = Response not circled .....	4893	61.00
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPHALLX	2	FELT DEPENDENT ON HALLUCINOGENS		
		1 = Response circled .....	11	0.14
		2 = Response not circled .....	4924	61.39
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPHERX	2	FELT DEPENDENT ON HEROIN		
		1 = Response circled .....	14	0.17
		2 = Response not circled .....	4921	61.35
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPOTHOX	2	FELT DEPENDENT ON OTHER OPIATES		
		1 = Response circled .....	30	0.37
		2 = Response not circled .....	4905	61.15
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
DEPNONEX	2	DID NOT FEEL DEPENDENT ON ANY DRUG USED		
		1 = Response circled .....	3036	37.85
		2 = Response not circled .....	1899	23.68
		98 = BLANK (NO ANSWER) .....	1659	20.68
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

DR-5. Circle the number next to each drug for which you've had withdrawal symptoms, that is, you felt sick because you stopped or cut down on your use of it.

WSCIGX	2	FELT SICK WHEN CUT DOWN ON CIGARETTES		
		1 = Response circled .....	679	8.47
		2 = Response not circled .....	4214	52.54
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

LABEL	LEN	DESCRIPTION	FREQ	%
WSALCX	2	FELT SICK WHEN CUT DOWN ON ALCOHOL		
		1 = Response circled .....	181	2.26
		2 = Response not circled .....	4712	58.75
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
WSSEDX	2	FELT SICK WHEN CUT DOWN ON SEDATIVES		
		1 = Response circled .....	8	0.10
		2 = Response not circled .....	4885	60.90
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
WSTRANX	2	FELT SICK WHEN CUT DOWN ON TRANQUILIZERS		
		1 = Response circled .....	23	0.29
		2 = Response not circled .....	4870	60.72
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
WSSTMX	2	FELT SICK WHEN CUT DOWN ON STIMULANTS		
		1 = Response circled .....	30	0.37
		2 = Response not circled .....	4863	60.63
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
WSANALX	2	FELT SICK WHEN CUT DOWN ON ANALGESICS		
		1 = Response circled .....	12	0.15
		2 = Response not circled .....	4881	60.85
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
WSMJX	2	FELT SICK WHEN CUT DOWN ON MARIJUANA		
		1 = Response circled .....	83	1.03
		2 = Response not circled .....	4810	59.97
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
WSINHX	2	FELT SICK WHEN CUT DOWN ON INHALANTS		
		1 = Response circled .....	11	0.14
		2 = Response not circled .....	4882	60.87
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
WSCOCX	2	FELT SICK WHEN CUT DOWN ON COCAINE		
		1 = Response circled .....	35	0.44
		2 = Response not circled .....	4858	60.57
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
WSHALLX	2	FELT SICK WHEN CUT DOWN ON HALLUCINOGENS		
		1 = Response circled .....	10	0.12
		2 = Response not circled .....	4883	60.88
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

DRUGS

LABEL	LEN	DESCRIPTION	FREQ	%
WSHERX	2	FELT SICK WHEN CUT DOWN ON HEROIN		
		1 = Response circled .....	11	0.14
		2 = Response not circled .....	4882	60.87
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
WSOTHOPX	2	FELT SICK WHEN CUT DOWN ON OTHER OPIATES		
		1 = Response circled .....	21	0.26
		2 = Response not circled .....	4872	60.74
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79
WSNONEX	2	DID NOT HAVE WITHDRAWAL SYMPTOMS		
		1 = Response circled .....	3965	49.43
		2 = Response not circled .....	928	11.57
		98 = BLANK (NO ANSWER) .....	1701	21.21
		99 = LEGITIMATE SKIP (NODRUGS = 1) .....	1427	17.79

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

DRINKING EXPERIENCES -- ANSWER SHEET #12

If you never had a drink of beer, wine, or liquor in the past 12 months, circle the X here and tell the interviewer that you are finished. Otherwise, answer every statement.

NOBOOZYR	2	DID NOT USE BEER, WINE, OR LIQUOR IN PAST YEAR		
		1 = Response circled .....	2660	33.16
		2 = Response not circled .....	4960	61.84
		95 = BAD DATA .....	401	5.00

DE-1. For each statement, circle the 1 if you have had this experience in the past 12 months, or circle the 2 if you have not had this experience in the past 12 months.

a. I felt aggressive or cross while drinking.

ALCAGGR	2	FLT AGGRESSIVE OR CROSS WHILE DRINKING PAST YEAR		
		1 = Yes, had experience in past 12 months .....	939	11.71
		2 = No, had not had experience in past 12 months .....	4007	49.96
		98 = BLANK (NO ANSWER) .....	415	5.17
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16

b. I got into a heated argument while drinking.

ALCARGUM	2	GOT INTO HEATED ARGUMENT WHILE DRINKING PAST YEAR		
		1 = Yes, had experience in past 12 months .....	600	7.48
		2 = No, had not had experience in past 12 months .....	4341	54.12
		98 = BLANK (NO ANSWER) .....	420	5.24
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16

c. I stayed away from work or school because of a hangover.

ALCABSNT	2	STAYED OUT OF WORK/SCHOOL DUE TO HANGOVER PAST YR		
		1 = Yes, had experience in past 12 months .....	300	3.74
		2 = No, had not had experience in past 12 months .....	4636	57.80
		98 = BLANK (NO ANSWER) .....	425	5.30
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		d. I was high or tight when on the job or at school.		
ALCHIGH	2	HIGH OR LITTLE DRUNK ON JOB OR AT SCHOOL PAST YEAR		
		1 = Yes, had experience in past 12 months .....	275	3.43
		2 = No, had not had experience in past 12 months .....	4658	58.07
		98 = BLANK (NO ANSWER) .....	428	5.34
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		e. I lost a job, or nearly lost one, because of drinking.		
ALCJOB	2	LOST/NEARLY LOST JOB DUE TO DRINKING PAST YEAR		
		1 = Yes, had experience in past 12 months .....	72	0.90
		2 = No, had not had experience in past 12 months .....	4856	60.54
		98 = BLANK (NO ANSWER) .....	433	5.40
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		f. My wife/husband or girl/boyfriend told me that I should cut down on drinking.		
ALCMATCD	2	TOLD BY SPOUSE/DATE TO CUT DOWN DRINKING PAST YEAR		
		1 = Yes, had experience in past 12 months .....	522	6.51
		2 = No, had not had experience in past 12 months .....	4410	54.98
		98 = BLANK (NO ANSWER) .....	429	5.35
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		g. A relative (other than my wife/husband) told me that I should cut down on drinking.		
ALCRELCD	2	TOLD BY RELATIVE TO CUT DOWN DRINKING PAST YEAR		
		1 = Yes, had experience in past 12 months .....	380	4.74
		2 = No, had not had experience in past 12 months .....	4552	56.75
		98 = BLANK (NO ANSWER) .....	429	5.35
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		h. Friends told me that I should cut down on drinking.		
ALCFRDCD	2	TOLD BY FRIENDS TO CUT DOWN DRINKING PAST YEAR		
		1 = Yes, had experience in past 12 months .....	274	3.42
		2 = No, had not had experience in past 12 months .....	4661	58.11
		98 = BLANK (NO ANSWER) .....	426	5.31
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		i. I tossed down several drinks pretty fast to get a quicker effect.		
ALCTOSS	2	TOSSED DOWN DRINKS FAST TO GET QUICKER EFF PAST YR		
		1 = Yes, had experience in past 12 months .....	734	9.15
		2 = No, had not had experience in past 12 months .....	4199	52.35
		98 = BLANK (NO ANSWER) .....	428	5.34
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		j. I was afraid I might be an alcoholic or that I might become one.		
ALCHOLIC	2	WAS AFRAID MIGHT BE/BECOME AN ALCOHOLIC PAST YEAR		
		1 = Yes, had experience in past 12 months .....	463	5.77
		2 = No, had not had experience in past 12 months .....	4466	55.68
		98 = BLANK (NO ANSWER) .....	432	5.39
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		k. I stayed drunk for more than one day at a time.		
ALCDRUNK	2	STAYED DRUNK MORE THAN 1 DAY AT A TIME PAST YEAR		
		1 = Yes, had experience in past 12 months .....	222	2.77
		2 = No, had not had experience in past 12 months .....	4707	58.68
		98 = BLANK (NO ANSWER) .....	432	5.39
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		l. Once I started drinking, it was difficult for me to stop before I became completely intoxicated.		
ALCINTOX	2	COULDN'T STOP DRINKING TILL COMPLETELY INTOXICATED		
		1 = Yes, had experience in past 12 months .....	372	4.64
		2 = No, had not had experience in past 12 months .....	4559	56.84
		98 = BLANK (NO ANSWER) .....	430	5.36
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		m. I have awakened unable to remember some of the things I had done while drinking the day before.		
ALCREM	2	COULDN'T REMEM. THINGS DONE WHILE DRINKING PAST YR		
		1 = Yes, had experience in past 12 months .....	802	10.00
		2 = No, had not had experience in past 12 months .....	4132	51.51
		98 = BLANK (NO ANSWER) .....	427	5.32
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16

DRINKING EXPERIENCES

LABEL	LEN	DESCRIPTION	FREQ	
-----	---	-----	----	-
		n. I had a quick drink or so when no one was looking.		
ALCQUICK	2	HAD QUICK DRINK WHEN NO ONE WAS LOOKING PAST YEAR		
		1 = Yes, had experience in past 12 months .....	320	3.99
		2 = No, had not had experience in past 12 months .....	4611	57.49
		98 = BLANK (NO ANSWER) .....	430	5.36
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		o. I often took a drink the first thing when I got up in the morning.		
ALCMORN	2	OFTEN HAD A DRINK FIRST THING IN MORNING PAST YEAR		
		1 = Yes, had experience in past 12 months .....	99	1.23
		2 = No, had not had experience in past 12 months .....	4830	60.22
		98 = BLANK (NO ANSWER) .....	432	5.39
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		p. My hands shook a lot after drinking the day before.		
ALCSHOOK	2	HANDS SHOOK AFTER DRINKING DAY BEFORE IN PAST YEAR		
		1 = Yes, had experience in past 12 months .....	215	2.68
		2 = No, had not had experience in past 12 months .....	4709	58.71
		98 = BLANK (NO ANSWER) .....	437	5.45
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		q. Sometimes I got high or tight when drinking by myself.		
ALCALONE	2	SOMETIMES GOT HIGH/DRUNK WHILE DRINKING ALONE		
		1 = Yes, had experience in past 12 months .....	480	5.98
		2 = No, had not had experience in past 12 months .....	4450	55.48
		98 = BLANK (NO ANSWER) .....	431	5.37
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16
		r. Sometimes I kept on drinking after promising myself not to.		
ALCBRKPM	2	KEPT ON DRINKING AFTER PROMISING MYSELF TO STOP		
		1 = Yes, had experience in past 12 months .....	396	4.94
		2 = No, had not had experience in past 12 months .....	4536	56.55
		98 = BLANK (NO ANSWER) .....	429	5.35
		99 = LEGITIMATE SKIP (NOBOOZYR = 1) .....	2660	33.16



LABEL      LEN      DESCRIPTION  
 -----      ---      -----

FREQ      %  
 -----      -

DRUG PROBLEMS -- ANSWER SHEET #13  
 -----

If you never used any of these substances, circle the X here and tell the interviewer you are finished. Otherwise, answer every statement.

AS13NONE	2	NEVER USED CIGARETTES, ALCOHOL OR DRUGS IN LIFE		
		1 = Response circled .....	3673	45.79
		2 = Response not circled .....	4343	54.15
		98 = BLANK (NO ANSWER) .....	5	0.06

DP-1. Have you had any of these problems in the past 12 months from your use of any of the substances on this card? If yes, circle 1 and write in which substances you think probably caused the problem. If you did not have the problem in the past 12 months, circle the 2. If you never used any substance on this card, circle the X at the top of the page. Otherwise, please answer every statement.

a. Became depressed or lost interest in things.

DRDEPRSS	2	BECAME DEPRESSED/LOST INTEREST DUE TO DRUG USE		
		1 = Yes .....	482	6.01
		2 = NO .....	3859	48.11
		98 = BLANK (NO ANSWER) .....	7	0.09
		99 = LEGITIMATE SKIP (AS13NONE = 1) .....	3673	45.79

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
DEPDRG1A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	2	0.02
		201 = Valium .....	2	0.02
		207 = Ativan .....	2	0.02
		221 = OTHER Tranquilizer, NOT SPECIFIED .....	5	0.06
		312 = Ionamin .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	5	0.06
		339 = Amphetamines (speed generically) .....	3	0.04
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	1	0.01
		415 = Codeine .....	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED .....	2	0.02
		605 = PCP ("angel dust," phencyclidine) .....	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED .....	1	0.01
		702 = Heroin .....	1	0.01
		705 = Speedball (Heroin + Cocaine) .....	2	0.02
		803 = Marijuana, MarrJane [sic], weed .....	91	1.13
		805 = Cocaine, coke .....	21	0.26
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	265	3.30
		813 = Cigarettes, smoking (subst spec), tobacco not spec .....	37	0.46
		816 = Smokeless tobacco, snuff, chewing tobacco .....	1	0.01
		998 = BLANK (NO ANSWER) .....	45	0.56
		999 = LEGITIMATE SKIP (DRDEPRSS = 2 OR 99) .....	7532	93.90
DEPDRG2A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	1	0.01
		157 = Barbiturates .....	1	0.01
		201 = Valium .....	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	4	0.05
		339 = Amphetamines (speed generically) .....	2	0.02
		607 = OTHER Hallucinogen, NOT SPECIFIED .....	1	0.01
		701 = OTHER Opiates, NOT SPECIFIED .....	1	0.01
		705 = Speedball (Heroin + Cocaine) .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	16	0.20
		805 = Cocaine, coke .....	6	0.07
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	19	0.24
		813 = Cigarettes, smoking (subst spec), tobacco not spec .....	3	0.04
		998 = BLANK (NO ANSWER) .....	432	5.39
		999 = LEGITIMATE SKIP (DRDEPRSS = 2 OR 99) .....	7532	93.90
DEPDRG3A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-3RD MENTION		
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	2	0.02
		420 = OTHER Analgesic, NOT SPECIFIED .....	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] .....	2	0.02
		803 = Marijuana, MarrJane [sic], weed .....	1	0.01
		805 = Cocaine, coke .....	3	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	3	0.04
		998 = BLANK (NO ANSWER) .....	477	5.95
		999 = LEGITIMATE SKIP (DRDEPRSS = 2 OR 99) .....	7532	93.90

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
DEPDRG4A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-4TH MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.01
		805 = Cocaine, coke	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		998 = BLANK (NO ANSWER)	485	6.05
		999 = LEGITIMATE SKIP (DRDEPRSS = 2 OR 99)	7532	93.90
DEPDRG5A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-5TH MENTION		
		803 = Marijuana, MarrJane [sic], weed	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.02
		998 = BLANK (NO ANSWER)	486	6.06
		999 = LEGITIMATE SKIP (DRDEPRSS = 2 OR 99)	7532	93.90
DEPDRG6A	3	DRUG CAUSING DEPRESSION/LOST INTEREST-6TH MENTION		
		805 = Cocaine, coke	1	0.01
		998 = BLANK (NO ANSWER)	488	6.08
		999 = LEGITIMATE SKIP (DRDEPRSS = 2 OR 99)	7532	93.90
		b. Had arguments and fights with family or friends.		
DRARGUM	2	HAD ARGUMNTS W/FAMILY/FRNDS PST YR DUE TO DRUG USE		
		1 = Yes	524	6.53
		2 = No	3815	47.56
		98 = BLANK (NO ANSWER)	9	0.11
		99 = LEGITIMATE SKIP (AS13NONE = 1)	3673	45.79
ARGDRG1A	3	DRUG CAUSING ARGUMENTS/FIGHTS-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	2	0.02
		201 = Valium	2	0.02
		221 = OTHER Tranquilizer, NOT SPECIFIED	3	0.04
		312 = Ionamin	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	4	0.05
		339 = Amphetamines (speed generically)	3	0.04
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	2	0.02
		415 = Codeine	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.01
		702 = Heroin	1	0.01
		705 = Speedball (Heroin + Cocaine)	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.01
		803 = Marijuana, MarrJane [sic], weed	56	0.70
		805 = Cocaine, coke	14	0.17
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	328	4.09
		813 = Cigarettes, smoking (subst spec), tobacco not spec	49	0.61
		998 = BLANK (NO ANSWER)	63	0.79
		999 = LEGITIMATE SKIP (DRARGUM = 2 OR 99)	7488	93.35

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	---
ARGDRG2A	3	DRUG CAUSING ARGUMENTS/FIGHTS-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	2	0.02
		157 = Barbiturates .....	1	0.01
		201 = Valium .....	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	3	0.04
		339 = Amphetamines (speed generically) .....	2	0.02
		705 = Speedball (Heroin + Cocaine) .....	2	0.02
		803 = Marijuana, MarrJane [sic], weed .....	20	0.25
		805 = Cocaine, coke .....	8	0.10
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	25	0.31
		813 = Cigarettes, smoking (subst spec), tobacco not spec .....	2	0.02
		998 = BLANK (NO ANSWER) .....	466	5.81
		999 = LEGITIMATE SKIP (DRARGUM = 2 OR 99) .....	7488	93.35
ARGDRG3A	3	DRUG CAUSING ARGUMENTS/FIGHTS-3RD MENTION		
		221 = OTHER Tranquilizer, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	3	0.04
		339 = Amphetamines (speed generically) .....	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED .....	1	0.01
		805 = Cocaine, coke .....	3	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	3	0.04
		998 = BLANK (NO ANSWER) .....	521	6.50
		999 = LEGITIMATE SKIP (DRARGUM = 2 OR 99) .....	7488	93.35
ARGDRG4A	3	DRUG CAUSING ARGUMENTS/FIGHTS-4TH MENTION		
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.01
		998 = BLANK (NO ANSWER) .....	531	6.62
		999 = LEGITIMATE SKIP (DRARGUM = 2 OR 99) .....	7488	93.35
ARGDRG5A	3	DRUG CAUSING ARGUMENTS/FIGHTS-5TH MENTION		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.01
		998 = BLANK (NO ANSWER) .....	532	6.63
		999 = LEGITIMATE SKIP (DRARGUM = 2 OR 99) .....	7488	93.35
ARGDRG6A	3	DRUG CAUSING ARGUMENTS/FIGHTS-6TH MENTION		
		998 = BLANK (NO ANSWER) .....	533	6.65
		999 = LEGITIMATE SKIP (DRARGUM = 2 OR 99) .....	7488	93.35
		c. Had trouble at school or on the job.		
DRTRBLE	2	HAD TROUBLE AT SCHOOL OR ON THE JOB		
		1 = Yes .....	183	2.28
		2 = No .....	4156	51.81
		98 = BLANK (NO ANSWER) .....	9	0.11
		99 = LEGITIMATE SKIP (AS13NONE = 1) .....	3673	45.79

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
TRBDRG1A	3	1ST DRUG CAUSING TROUBLE AT SCHOOL OR WORK		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	3	0.04
		201 = Valium	1	0.01
		207 = Ativan	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	3	0.04
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	4	0.05
		339 = Amphetamines (speed generically)	2	0.02
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.01
		415 = Codeine	1	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.01
		803 = Marijuana, MarrJane [sic], weed	47	0.59
		805 = Cocaine, coke	3	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	77	0.96
		813 = Cigarettes, smoking (subst spec), tobacco not spec	14	0.17
		998 = BLANK (NO ANSWER)	34	0.42
		999 = LEGITIMATE SKIP (DRTRBLE = 2 OR 99)	7829	97.61
TRBDRG2A	3	2ND DRUG CAUSING TROUBLE AT SCHOOL OR WORK		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		201 = Valium	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.02
		339 = Amphetamines (speed generically)	1	0.01
		803 = Marijuana, MarrJane [sic], weed	6	0.07
		805 = Cocaine, coke	3	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	10	0.12
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		998 = BLANK (NO ANSWER)	166	2.07
		999 = LEGITIMATE SKIP (DRTRBLE = 2 OR 99)	7829	97.61
TRBDRG3A	3	3RD DRUG CAUSING TROUBLE AT SCHOOL OR WORK		
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.02
		339 = Amphetamines (speed generically)	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01
		805 = Cocaine, coke	3	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.02
		998 = BLANK (NO ANSWER)	183	2.28
		999 = LEGITIMATE SKIP (DRTRBLE = 2 OR 99)	7829	97.61
TRBDRG4A	3	4TH DRUG CAUSING TROUBLE AT SCHOOL OR WORK		
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		998 = BLANK (NO ANSWER)	189	2.36
		999 = LEGITIMATE SKIP (DRTRBLE = 2 OR 99)	7829	97.61
TRBDRG5A	3	5TH DRUG CAUSING TROUBLE AT SCHOOL OR WORK		
		415 = Codeine	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		998 = BLANK (NO ANSWER)	190	2.37
		999 = LEGITIMATE SKIP (DRTRBLE = 2 OR 99)	7829	97.61

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
TRBDRG6A	3	6TH DRUG CAUSING TROUBLE AT SCHOOL OR WORK		
		998 = BLANK (NO ANSWER)	192	2.39
		999 = LEGITIMATE SKIP (DRTRBLE = 2 OR 99)	7829	97.61
		d. Drove unsafely.		
DRDRIVE	2	DROVE UNSAFELY		
		1 = Yes	523	6.52
		2 = No	3817	47.59
		98 = BLANK (NO ANSWER)	8	0.10
		99 = LEGITIMATE SKIP (AS13NONE = 1)	3673	45.79
DRVDRG1A	2	1ST DRUG MENTIONED CAUSING UNSAFE DRIVING		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		201 = Valium	1	0.01
		339 = Amphetamines (speed generically)	1	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.01
		702 = Heroin	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.01
		803 = Marijuana, MarrJane [sic], weed	28	0.35
		805 = Cocaine, coke	6	0.07
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	435	5.42
		813 = Cigarettes, smoking (subst spec), tobacco not spec	4	0.05
		998 = BLANK (NO ANSWER)	50	0.62
		999 = LEGITIMATE SKIP (DRDRIVE = 2 OR 99)	7490	93.38
DRVDRG2A	2	2ND DRUG MENTIONED CAUSING UNSAFE DRIVING		
		157 = Barbiturates	1	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	2	0.02
		803 = Marijuana, MarrJane [sic], weed	17	0.21
		805 = Cocaine, coke	3	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	17	0.21
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		998 = BLANK (NO ANSWER)	489	6.10
		999 = LEGITIMATE SKIP (DRDRIVE = 2 OR 99)	7490	93.38
DRVDRG3A	2	3RD DRUG MENTIONED CAUSING UNSAFE DRIVING		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		339 = Amphetamines (speed generically)	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.02
		803 = Marijuana, MarrJane [sic], weed	1	0.01
		805 = Cocaine, coke	3	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		998 = BLANK (NO ANSWER)	522	6.51
		999 = LEGITIMATE SKIP (DRDRIVE = 2 OR 99)	7490	93.38
DRVDRG4A	2	4TH DRUG MENTIONED CAUSING UNSAFE DRIVING		
		362 = Benadryl	1	0.01
		998 = BLANK (NO ANSWER)	530	6.61
		999 = LEGITIMATE SKIP (DRDRIVE = 2 OR 99)	7490	93.38

LABEL	LEN	DESCRIPTION	FREQ	%
DRVDRG5A	2	5TH DRUG MENTIONED CAUSING UNSAFE DRIVING		
		998 = BLANK (NO ANSWER) .....	531	6.62
		999 = LEGITIMATE SKIP (DRDRIVE = 2 OR 99) .....	7490	93.38
DRVDRG6A	2	6TH DRUG MENTIONED CAUSING UNSAFE DRIVING		
		998 = BLANK (NO ANSWER) .....	531	6.62
		999 = LEGITIMATE SKIP (DRDRIVE = 2 OR 99) .....	7490	93.38
		e. At times, I could not remember what happened to me.		
DRNTRMB	2	COULD NOT REMEMBER		
		1 = Yes .....	483	6.02
		2 = No .....	3855	48.06
		98 = BLANK (NO ANSWER) .....	10	0.12
		99 = LEGITIMATE SKIP (AS13NONE = 1) .....	3673	45.79
NRMDRG1A	3	1ST DRUG CAUSING MEMORY LAPSES		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	3	0.04
		201 = Valium .....	1	0.01
		207 = Ativan .....	1	0.01
		311 = Preludin .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	2	0.02
		339 = Amphetamines (speed generically) .....	2	0.02
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		605 = PCP ("angel dust," phencyclidine) .....	3	0.04
		607 = OTHER Hallucinogen, NOT SPECIFIED .....	1	0.01
		702 = Heroin .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	46	0.57
		805 = Cocaine, coke .....	3	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	361	4.50
		813 = Cigarettes, smoking (subst spec), tobacco not spec	3	0.04
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	63	0.79
		999 = LEGITIMATE SKIP (DRNTRMB = 2 OR 99) .....	7528	93.85
NRMDRG2A	3	2ND DRUG CAUSING MEMORY LAPSES		
		116 = Methaqualone, Quaalude, Sopor .....	1	0.01
		157 = Barbiturates .....	1	0.01
		201 = Valium .....	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED .....	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED .....	2	0.02
		803 = Marijuana, MarrJane [sic], weed .....	12	0.15
		805 = Cocaine, coke .....	8	0.10
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	25	0.31
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	439	5.47
		999 = LEGITIMATE SKIP (DRNTRMB = 2 OR 99) .....	7528	93.85

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
NRMDRG3A	3	3RD DRUG CAUSING MEMORY LAPSES		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	3	0.04
		805 = Cocaine, coke .....	2	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	3	0.04
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	481	6.00
		999 = LEGITIMATE SKIP (DRNTRMB = 2 OR 99) .....	7528	93.85
NRMDRG4A	3	4TH DRUG CAUSING MEMORY LAPSES		
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	492	6.13
		999 = LEGITIMATE SKIP (DRNTRMB = 2 OR 99) .....	7528	93.85
NRMDRG5A	3	5TH DRUG CAUSING MEMORY LAPSES		
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	492	6.13
		999 = LEGITIMATE SKIP (DRNTRMB = 2 OR 99) .....	7528	93.85
NRMDRG6A	3	6TH DRUG CAUSING MEMORY LAPSES		
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	492	6.13
		999 = LEGITIMATE SKIP (DRNTRMB = 2 OR 99) .....	7528	93.85
		f. Felt completely alone and isolated.		
DRALONE	2	FELT ALONE/ISOLATED PAST YEAR DUE TO DRUG USE		
		1 = Yes .....	270	3.37
		2 = No .....	4069	50.73
		98 = BLANK (NO ANSWER) .....	9	0.11
		99 = LEGITIMATE SKIP (AS13NONE = 1) .....	3673	45.79



LABEL	LEN	DESCRIPTION	FREQ	%
ALNDRG1A	3	DRUG CAUSING FEELING ALONE/ISOLATED-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	3	0.04
		201 = Valium	3	0.04
		207 = Ativan	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	4	0.05
		339 = Amphetamines (speed generically)	2	0.02
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.02
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.02
		603 = Mescaline	1	0.01
		604 = Psilocybin (mushrooms)	1	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.01
		801 = OTHER Drugs, NOT SPECIFIED	1	0.01
		803 = Marijuana, MarrJane [sic], weed	48	0.60
		805 = Cocaine, coke	12	0.15
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	139	1.73
		813 = Cigarettes, smoking (subst spec), tobacco not spec	8	0.10
		998 = BLANK (NO ANSWER)	49	0.61
		999 = LEGITIMATE SKIP (DRALONE = 2 OR 99)	7742	96.52
ALNDRG2A	3	DRUG CAUSING FEELING ALONE/ISOLATED-2ND MENTION		
		157 = Barbiturates	1	0.01
		201 = Valium	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.01
		362 = Benadryl	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.02
		803 = Marijuana, MarrJane [sic], weed	11	0.14
		805 = Cocaine, coke	2	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	11	0.14
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		998 = BLANK (NO ANSWER)	248	3.09
		999 = LEGITIMATE SKIP (DRALONE = 2 OR 99)	7742	96.52
ALNDRG3A	3	DRUG CAUSING FEELING ALONE/ISOLATED-3RD MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.01
		339 = Amphetamines (speed generically)	1	0.01
		803 = Marijuana, MarrJane [sic], weed	1	0.01
		805 = Cocaine, coke	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		998 = BLANK (NO ANSWER)	273	3.40
		999 = LEGITIMATE SKIP (DRALONE = 2 OR 99)	7742	96.52
ALNDRG4A	3	DRUG CAUSING FEELING ALONE/ISOLATED-4TH MENTION		
		998 = BLANK (NO ANSWER)	279	3.48
		999 = LEGITIMATE SKIP (DRALONE = 2 OR 99)	7742	96.52
ALNDRG5A	3	DRUG CAUSING FEELING ALONE/ISOLATED-5TH MENTION		
		998 = BLANK (NO ANSWER)	279	3.48
		999 = LEGITIMATE SKIP (DRALONE = 2 OR 99)	7742	96.52

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	
ALNDRG6A	3	DRUG CAUSING FEELING ALONE/ISOLATED-6TH MENTION		
		998 = BLANK (NO ANSWER)	279	3.48
		999 = LEGITIMATE SKIP (DRALONE = 2 OR 99)	7742	96.52

g. Felt very nervous and anxious.

DRANX	2	FELT NERVOUS/ANXIOUS PAST YEAR DUE TO DRUG USE		
		1 = Yes	496	6.18
		2 = No	3844	47.92
		98 = BLANK (NO ANSWER)	8	0.10
		99 = LEGITIMATE SKIP (AS13NONE = 1)	3673	45.79

ANXDRG1A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-1ST MENTION		
		109 = Seconal	1	0.01
		120 = Downers; OTHER Sedative, NOT SPECIFIED	5	0.06
		201 = Valium	1	0.01
		207 = Ativan	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	3	0.04
		301 = Dexedrine	1	0.01
		312 = Ionamin	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	18	0.22
		336 = Diet pills	1	0.01
		339 = Amphetamines (speed generically)	16	0.20
		362 = Benadryl	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	5	0.06
		603 = Mescaline	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED	3	0.04
		702 = Heroin	2	0.02
		803 = Marijuana, MarrJane [sic], weed	82	1.02
		805 = Cocaine, coke	55	0.69
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	138	1.72
		813 = Cigarettes, smoking (subst spec), tobacco not spec	80	1.00
		816 = Smokeless tobacco, snuff, chewing tobacco	1	0.01
		998 = BLANK (NO ANSWER)	87	1.08
		999 = LEGITIMATE SKIP (DRANX = 2 OR 99)	7517	93.72

LABEL	LEN	DESCRIPTION	FREQ	%
ANXDRG2A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-2ND MENTION		
		157 = Barbiturates .....	1	0.01
		201 = Valium .....	2	0.02
		221 = OTHER Tranquilizer, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	3	0.04
		339 = Amphetamines (speed generically) .....	5	0.06
		420 = OTHER Analgesic, NOT SPECIFIED .....	2	0.02
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		605 = PCP ("angel dust," phencyclidine) .....	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED .....	1	0.01
		705 = Speedball (Heroin + Cocaine) .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	16	0.20
		805 = Cocaine, coke .....	5	0.06
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	17	0.21
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.02
		998 = BLANK (NO ANSWER) .....	446	5.56
		999 = LEGITIMATE SKIP (DRANX = 2 OR 99) .....	7517	93.72
ANXDRG3A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-3RD MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	1	0.01
		339 = Amphetamines (speed generically) .....	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED .....	1	0.01
		607 = OTHER Hallucinogen, NOT SPECIFIED .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	2	0.02
		805 = Cocaine, coke .....	1	0.01
		998 = BLANK (NO ANSWER) .....	495	6.17
		999 = LEGITIMATE SKIP (DRANX = 2 OR 99) .....	7517	93.72
ANXDRG4A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-4TH MENTION		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.01
		998 = BLANK (NO ANSWER) .....	503	6.27
		999 = LEGITIMATE SKIP (DRANX = 2 OR 99) .....	7517	93.72
ANXDRG5A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-5TH MENTION		
		998 = BLANK (NO ANSWER) .....	504	6.28
		999 = LEGITIMATE SKIP (DRANX = 2 OR 99) .....	7517	93.72
ANXDRG6A	3	DRUG CAUSING FEELING NERVOUS/ANXIOUS-6TH MENTION		
		998 = BLANK (NO ANSWER) .....	504	6.28
		999 = LEGITIMATE SKIP (DRANX = 2 OR 99) .....	7517	93.72
		h. Had health problems.		
DRHEALTH	2	HAD HEALTH PROBLEMS PAST YEAR DUE TO DRUG USE		
		1 = Yes .....	218	2.72
		2 = No .....	4119	51.35
		98 = BLANK (NO ANSWER) .....	11	0.14
		99 = LEGITIMATE SKIP (AS13NONE = 1) .....	3673	45.79

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
HLTDRG1A	3	DRUG CAUSING HEALTH PROBLEMS-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	2	0.02
		221 = OTHER Tranquilizer, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	3	0.04
		407 = Demerol .....	1	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	1	0.01
		605 = PCP ("angel dust," phencyclidine) .....	2	0.02
		702 = Heroin .....	2	0.02
		803 = Marijuana, MarrJane [sic], weed .....	18	0.22
		805 = Cocaine, coke .....	6	0.07
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	68	0.85
		813 = Cigarettes, smoking (subst spec), tobacco not spec .....	69	0.86
		998 = BLANK (NO ANSWER) .....	56	0.70
		999 = LEGITIMATE SKIP (DRHEALTH = 2 OR 99) .....	7792	97.14
HLTDRG2A	3	DRUG CAUSING HEALTH PROBLEMS-2ND MENTION		
		201 = Valium .....	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED .....	2	0.02
		702 = Heroin .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	6	0.07
		805 = Cocaine, coke .....	4	0.05
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	3	0.04
		813 = Cigarettes, smoking (subst spec), tobacco not spec .....	4	0.05
		998 = BLANK (NO ANSWER) .....	206	2.57
		999 = LEGITIMATE SKIP (DRHEALTH = 2 OR 99) .....	7792	97.14
HLTDRG3A	3	DRUG CAUSING HEALTH PROBLEMS-3RD MENTION		
		339 = Amphetamines (speed generically) .....	1	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED .....	1	0.01
		605 = PCP ("angel dust," phencyclidine) .....	1	0.01
		998 = BLANK (NO ANSWER) .....	225	2.81
		999 = LEGITIMATE SKIP (DRHEALTH = 2 OR 99) .....	7792	97.14
HLTDRG4A	3	DRUG CAUSING HEALTH PROBLEMS-4TH MENTION		
		607 = OTHER Hallucinogen, NOT SPECIFIED .....	1	0.01
		998 = BLANK (NO ANSWER) .....	228	2.84
		999 = LEGITIMATE SKIP (DRHEALTH = 2 OR 99) .....	7792	97.14
HLTDRG5A	3	DRUG CAUSING HEALTH PROBLEMS-5TH MENTION		
		998 = BLANK (NO ANSWER) .....	229	2.86
		999 = LEGITIMATE SKIP (DRHEALTH = 2 OR 99) .....	7792	97.14
HLTDRG6A	3	DRUG CAUSING HEALTH PROBLEMS-6TH MENTION		
		998 = BLANK (NO ANSWER) .....	229	2.86
		999 = LEGITIMATE SKIP (DRHEALTH = 2 OR 99) .....	7792	97.14

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
		i. Found it difficult to think clearly.		
DRNTHINK	2	HAD DIFFCLTY THNKNG CLEARLY PST YR DUE TO DRUG USE		
		1 = Yes .....	625	7.79
		2 = No .....	3714	46.30
		98 = BLANK (NO ANSWER) .....	9	0.11
		99 = LEGITIMATE SKIP (AS13NONE = 1) .....	3673	45.79
NTKDRG1A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	2	0.02
		239 = Elavil [see also 228] .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	4	0.05
		339 = Amphetamines (speed generically) .....	3	0.04
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	4	0.05
		503 = Other aerosol sprays .....	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	3	0.04
		603 = Mescaline .....	1	0.01
		605 = PCP ("angel dust," phencyclidine) .....	3	0.04
		607 = OTHER Hallucinogen, NOT SPECIFIED .....	3	0.04
		702 = Heroin .....	1	0.01
		705 = Speedball (Heroin + Cocaine) .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	125	1.56
		805 = Cocaine, coke .....	9	0.11
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	385	4.80
		813 = Cigarettes, smoking (subst spec), tobacco not spec	10	0.12
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	77	0.96
		999 = LEGITIMATE SKIP (DRTHINK = 2 OR 99) .....	7387	92.10
NTKDRG2A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-2ND MENTION		
		157 = Barbiturates .....	1	0.01
		201 = Valium .....	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED .....	1	0.01
		339 = Amphetamines (speed generically) .....	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED .....	2	0.02
		508 = Nitrous oxide, "whippets," dentist gas .....	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	6	0.07
		607 = OTHER Hallucinogen, NOT SPECIFIED .....	1	0.01
		705 = Speedball (Heroin + Cocaine) .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	43	0.54
		805 = Cocaine, coke .....	7	0.09
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	33	0.41
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.02
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	533	6.65
		999 = LEGITIMATE SKIP (DRTHINK = 2 OR 99) .....	7387	92.10

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
NTKDRG3A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-3RD MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.02
		339 = Amphetamines (speed generically)	2	0.02
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.01
		604 = Psilocybin (mushrooms)	2	0.02
		803 = Marijuana, MarrJane [sic], weed	1	0.01
		805 = Cocaine, coke	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	6	0.07
		994 = DON'T KNOW	1	0.01
		998 = BLANK (NO ANSWER)	615	7.67
		999 = LEGITIMATE SKIP (DRTHINK = 2 OR 99)	7387	92.10
NTKDRG4A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-4TH MENTION		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		994 = DON'T KNOW	1	0.01
		998 = BLANK (NO ANSWER)	632	7.88
		999 = LEGITIMATE SKIP (DRTHINK = 2 OR 99)	7387	92.10
NTKDRG5A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-5TH MENTION		
		994 = DON'T KNOW	1	0.01
		998 = BLANK (NO ANSWER)	633	7.89
		999 = LEGITIMATE SKIP (DRTHINK = 2 OR 99)	7387	92.10
NTKDRG6A	3	DRUG CAUSING DIFFICULTY THINKING CLEAR-6TH MENTION		
		994 = DON'T KNOW	1	0.01
		998 = BLANK (NO ANSWER)	633	7.89
		999 = LEGITIMATE SKIP (DRTHINK = 2 OR 99)	7387	92.10
		j. Had serious money problems.		
DRMNYPRB	2	HAD SERIOUS MONEY PROBLEMS		
		1 = Yes	200	2.49
		2 = No	4138	51.59
		98 = BLANK (NO ANSWER)	10	0.12
		99 = LEGITIMATE SKIP (AS13NONE = 1)	3673	45.79
MNYDRG1A	3	1ST DRUG CAUSING SERIOUS MONEY PROBLEMS		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.01
		339 = Amphetamines (speed generically)	1	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.01
		702 = Heroin	1	0.01
		705 = Speedball (Heroin + Cocaine)	2	0.02
		803 = Marijuana, MarrJane [sic], weed	27	0.34
		805 = Cocaine, coke	23	0.29
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	68	0.85
		813 = Cigarettes, smoking (subst spec), tobacco not spec	18	0.22
		998 = BLANK (NO ANSWER)	67	0.84
		999 = LEGITIMATE SKIP (DRMNYPRB = 2 OR 99)	7811	97.38

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
MNYDRG2A	3	2ND DRUG CAUSING SERIOUS MONEY PROBLEMS		
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	6	0.07
		805 = Cocaine, coke .....	4	0.05
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	7	0.09
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.02
		998 = BLANK (NO ANSWER) .....	189	2.36
		999 = LEGITIMATE SKIP (DRMNYPRB = 2 OR 99) .....	7811	97.38
MNYDRG3A	3	3RD DRUG CAUSING SERIOUS MONEY PROBLEMS		
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	1	0.01
		339 = Amphetamines (speed generically) .....	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.02
		998 = BLANK (NO ANSWER) .....	205	2.56
		999 = LEGITIMATE SKIP (DRMNYPRB = 2 OR 99) .....	7811	97.38
MNYDRG4A	3	4TH DRUG CAUSING SERIOUS MONEY PROBLEMS		
		998 = BLANK (NO ANSWER) .....	210	2.62
		999 = LEGITIMATE SKIP (DRMNYPRB = 2 OR 99) .....	7811	97.38
MNYDRG5A	3	5TH DRUG CAUSING SERIOUS MONEY PROBLEMS		
		998 = BLANK (NO ANSWER) .....	210	2.62
		999 = LEGITIMATE SKIP (DRMNYPRB = 2 OR 99) .....	7811	97.38
MNYDRG6A	3	6TH DRUG CAUSING SERIOUS MONEY PROBLEMS		
		998 = BLANK (NO ANSWER) .....	210	2.62
		999 = LEGITIMATE SKIP (DRMNYPRB = 2 OR 99) .....	7811	97.38

k. Felt irritable and upset.

DRUPSET	2	FELT IRRITABLE/UPSET PAST YEAR DUE TO DRUG USE		
		1 = Yes .....	417	5.20
		2 = No .....	3922	48.90
		98 = BLANK (NO ANSWER) .....	9	0.11
		99 = LEGITIMATE SKIP (AS13NONE = 1) .....	3673	45.79

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
UPSDRGLA	3	DRUG CAUSING FEELING IRRITABLE/UPSET-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.02
		312 = Ionamin	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	7	0.09
		339 = Amphetamines (speed generically)	3	0.04
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	3	0.04
		603 = Mescaline	1	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.01
		701 = OTHER Opiates, NOT SPECIFIED	1	0.01
		702 = Heroin	1	0.01
		705 = Speedball (Heroin + Cocaine)	1	0.01
		803 = Marijuana, MarrJane [sic], weed	37	0.46
		805 = Cocaine, coke	22	0.27
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	216	2.69
		813 = Cigarettes, smoking (subst spec), tobacco not spec	42	0.52
		816 = Smokeless tobacco, snuff, chewing tobacco	2	0.02
		994 = DON'T KNOW	3	0.04
		998 = BLANK (NO ANSWER)	81	1.01
		999 = LEGITIMATE SKIP (DRUPSET = 2 OR 99)	7595	94.69
UPSDRG2A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		157 = Barbiturates	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.02
		339 = Amphetamines (speed generically)	3	0.04
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.01
		803 = Marijuana, MarrJane [sic], weed	13	0.16
		805 = Cocaine, coke	6	0.07
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	14	0.17
		813 = Cigarettes, smoking (subst spec), tobacco not spec	4	0.05
		994 = DON'T KNOW	3	0.04
		998 = BLANK (NO ANSWER)	376	4.69
		999 = LEGITIMATE SKIP (DRUPSET = 2 OR 99)	7595	94.69
UPSDRG3A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-3RD MENTION		
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	2	0.02
		339 = Amphetamines (speed generically)	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	2	0.02
		601 = LSD ("acid," "white lightning") [see also 618]	1	0.01
		805 = Cocaine, coke	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		994 = DON'T KNOW	3	0.04
		998 = BLANK (NO ANSWER)	415	5.17
		999 = LEGITIMATE SKIP (DRUPSET = 2 OR 99)	7595	94.69
UPSDRG4A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-4TH MENTION		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		994 = DON'T KNOW	3	0.04
		998 = BLANK (NO ANSWER)	422	5.26
		999 = LEGITIMATE SKIP (DRUPSET = 2 OR 99)	7595	94.69



DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
UPSDRG5A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-5TH MENTION		
		994 = DON'T KNOW	3	0.04
		998 = BLANK (NO ANSWER)	423	5.27
		999 = LEGITIMATE SKIP (DRUPSET = 2 OR 99)	7595	94.69
UPSDRG6A	3	DRUG CAUSING FEELING IRRITABLE/UPSET-6TH MENTION		
		994 = DON'T KNOW	3	0.04
		998 = BLANK (NO ANSWER)	423	5.27
		999 = LEGITIMATE SKIP (DRUPSET = 2 OR 99)	7595	94.69
		1. Got less work done than usual at school or on the job.		
DRLSWORK	2	GOT LESS WRK DONE @ SCH/JOB PST YR DUE TO DRUG USE		
		1 = Yes	302	3.77
		2 = No	4036	50.32
		98 = BLANK (NO ANSWER)	10	0.12
		99 = LEGITIMATE SKIP (AS13NONE = 1)	3673	45.79
LSWDRG1A	3	DRUG CAUSING LESS WORK GETTING DONE-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	2	0.02
		221 = OTHER Tranquilizer, NOT SPECIFIED	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	4	0.05
		339 = Amphetamines (speed generically)	1	0.01
		406 = Oxycodone, Percodan, Roxicet	1	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	2	0.02
		415 = Codeine	2	0.02
		803 = Marijuana, MarrJane [sic], weed	83	1.03
		805 = Cocaine, coke	7	0.09
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	138	1.72
		813 = Cigarettes, smoking (subst spec), tobacco not spec	12	0.15
		994 = DON'T KNOW	1	0.01
		998 = BLANK (NO ANSWER)	58	0.72
		999 = LEGITIMATE SKIP (DRLSWORK = 2 OR 99)	7709	96.11
LSWDRG2A	3	DRUG CAUSING LESS WORK GETTING DONE-2ND MENTION		
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.02
		803 = Marijuana, MarrJane [sic], weed	12	0.15
		805 = Cocaine, coke	2	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	11	0.14
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		994 = DON'T KNOW	1	0.01
		998 = BLANK (NO ANSWER)	279	3.48
		999 = LEGITIMATE SKIP (DRLSWORK = 2 OR 99)	7709	96.11

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
LSWDRG3A	3	DRUG CAUSING LESS WORK GETTING DONE-3RD MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	1	0.01
		339 = Amphetamines (speed generically) .....	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED .....	2	0.02
		510 = OTHER Inhalant, NOT SPECIFIED .....	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		805 = Cocaine, coke .....	2	0.02
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	303	3.78
		999 = LEGITIMATE SKIP (DRLSWORK = 2 OR 99) .....	7709	96.11
LSWDRG4A	3	DRUG CAUSING LESS WORK GETTING DONE-4TH MENTION		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.01
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	310	3.86
		999 = LEGITIMATE SKIP (DRLSWORK = 2 OR 99) .....	7709	96.11
LSWDRG5A	3	DRUG CAUSING LESS WORK GETTING DONE-5TH MENTION		
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	311	3.88
		999 = LEGITIMATE SKIP (DRLSWORK = 2 OR 99) .....	7709	96.11
LSWDRG6A	3	DRUG CAUSING LESS WORK GETTING DONE-6TH MENTION		
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	311	3.88
		999 = LEGITIMATE SKIP (DRLSWORK = 2 OR 99) .....	7709	96.11
m. Felt suspicious and distrustful of people.				
DRSUSPIC	2	FELT DISTRUSTFUL/SUSPICIOUS PST YR DUE TO DRUG USE		
		1 = Yes .....	217	2.71
		2 = No .....	4120	51.37
		98 = BLANK (NO ANSWER) .....	11	0.14
		99 = LEGITIMATE SKIP (AS13NONE = 1) .....	3673	45.79
SSPDRG1A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	5	0.06
		339 = Amphetamines (speed generically) .....	2	0.02
		362 = Benadryl .....	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		603 = Mescaline .....	1	0.01
		605 = PCP ("angel dust," phencyclidine) .....	2	0.02
		702 = Heroin .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	54	0.67
		805 = Cocaine, coke .....	14	0.17
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	83	1.03
		813 = Cigarettes, smoking (subst spec), tobacco not spec	8	0.10
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	54	0.67
		999 = LEGITIMATE SKIP (DRSUSPIC = 2 OR 99) .....	7793	97.16

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
SSPDRG2A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-2ND MENTION		
		157 = Barbiturates .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	2	0.02
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	12	0.15
		805 = Cocaine, coke .....	2	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	9	0.11
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	199	2.48
		999 = LEGITIMATE SKIP (DRSUSPIC = 2 OR 99) .....	7793	97.16
SSPDRG3A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-3RD MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	2	0.02
		339 = Amphetamines (speed generically) .....	2	0.02
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		805 = Cocaine, coke .....	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.01
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	219	2.73
		999 = LEGITIMATE SKIP (DRSUSPIC = 2 OR 99) .....	7793	97.16
SSPDRG4A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-4TH MENTION		
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	227	2.83
		999 = LEGITIMATE SKIP (DRSUSPIC = 2 OR 99) .....	7793	97.16
SSPDRG5A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-5TH MENTION		
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	227	2.83
		999 = LEGITIMATE SKIP (DRSUSPIC = 2 OR 99) .....	7793	97.16
SSPDRG6A	3	DRUG CAUSING FEELING SUSPIC./DISTRUST-6TH MENTION		
		994 = DON'T KNOW .....	1	0.01
		998 = BLANK (NO ANSWER) .....	227	2.83
		999 = LEGITIMATE SKIP (DRSUSPIC = 2 OR 99) .....	7793	97.16
		n. Had trouble with the police.		
DRTRBLAW	2	HAD TROUBLE WITH THE POLICE		
		1 = Yes .....	183	2.28
		2 = No .....	4154	51.79
		98 = BLANK (NO ANSWER) .....	11	0.14
		99 = LEGITIMATE SKIP (AS13NONE = 1) .....	3673	45.79

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
LAWDRG1A	3	1ST DRUG CAUSING TROUBLE WITH THE POLICE		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.01
		605 = PCP ("angel dust," phencyclidine)	1	0.01
		702 = Heroin	1	0.01
		705 = Speedball (Heroin + Cocaine)	1	0.01
		803 = Marijuana, MarrJane [sic], weed	20	0.25
		805 = Cocaine, coke	6	0.07
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	114	1.42
		813 = Cigarettes, smoking (subst spec), tobacco not spec	2	0.02
		998 = BLANK (NO ANSWER)	47	0.59
		999 = LEGITIMATE SKIP (DRTRBLAW = 2 OR 99)	7827	97.58
LAWDRG2A	3	2ND DRUG CAUSING TROUBLE WITH THE POLICE		
		601 = LSD ("acid," "white lightning") [see also 618]	3	0.04
		803 = Marijuana, MarrJane [sic], weed	3	0.04
		805 = Cocaine, coke	2	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	8	0.10
		998 = BLANK (NO ANSWER)	178	2.22
		999 = LEGITIMATE SKIP (DRTRBLAW = 2 OR 99)	7827	97.58
LAWDRG3A	3	3RD DRUG CAUSING TROUBLE WITH THE POLICE		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		339 = Amphetamines (speed generically)	1	0.01
		803 = Marijuana, MarrJane [sic], weed	1	0.01
		805 = Cocaine, coke	2	0.02
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		998 = BLANK (NO ANSWER)	188	2.34
		999 = LEGITIMATE SKIP (DRTRBLAW = 2 OR 99)	7827	97.58
LAWDRG4A	3	4TH DRUG CAUSING TROUBLE WITH THE POLICE		
		998 = BLANK (NO ANSWER)	194	2.42
		999 = LEGITIMATE SKIP (DRTRBLAW = 2 OR 99)	7827	97.58
LAWDRG5A	3	5TH DRUG CAUSING TROUBLE WITH THE POLICE		
		998 = BLANK (NO ANSWER)	194	2.42
		999 = LEGITIMATE SKIP (DRTRBLAW = 2 OR 99)	7827	97.58
LAWDRG6A	3	6TH DRUG CAUSING TROUBLE WITH THE POLICE		
		998 = BLANK (NO ANSWER)	194	2.42
		999 = LEGITIMATE SKIP (DRTRBLAW = 2 OR 99)	7827	97.58
		o. Skipped four or more regular meals in a row.		
DRNOTEAT	2	SKIPPED FOUR OR MORE REGULAR MEALS IN A ROW		
		1 = Yes	230	2.87
		2 = No	4108	51.22
		98 = BLANK (NO ANSWER)	10	0.12
		99 = LEGITIMATE SKIP (AS13NONE = 1)	3673	45.79

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	¢
----	---	-----	----	-
NETDRG1A	3	1ST DRUG CAUSED SKIPPING 4+ REGULAR MEALS IN A ROW		
		201 = Valium .....	1	0.01
		221 = OTHER Tranquilizer, NOT SPECIFIED .....	1	0.01
		301 = Dexedrine .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	13	0.16
		339 = Amphetamines (speed generically) .....	13	0.16
		407 = Demerol .....	1	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED .....	1	0.01
		604 = Psilocybin (mushrooms) .....	1	0.01
		605 = PCP ("angel dust," phencyclidine) .....	3	0.04
		702 = Heroin .....	1	0.01
		705 = Speedball (Heroin + Cocaine) .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	14	0.17
		805 = Cocaine, coke .....	23	0.29
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	83	1.03
		813 = Cigarettes, smoking (subst spec), tobacco not spec .....	21	0.26
		998 = BLANK (NO ANSWER) .....	61	0.76
		999 = LEGITIMATE SKIP (DRNOTEAT = 2 OR 99) .....	7781	97.01
NETDRG2A	3	2ND DRUG CAUSED SKIPPING 4+ REGULAR MEALS IN A ROW		
		201 = Valium .....	1	0.01
		312 = Ionamin .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	5	0.06
		339 = Amphetamines (speed generically) .....	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618] ...	1	0.01
		705 = Speedball (Heroin + Cocaine) .....	1	0.01
		803 = Marijuana, MarrJane [sic], weed .....	5	0.06
		805 = Cocaine, coke .....	5	0.06
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	7	0.09
		813 = Cigarettes, smoking (subst spec), tobacco not spec .....	1	0.01
		998 = BLANK (NO ANSWER) .....	212	2.64
		999 = LEGITIMATE SKIP (DRNOTEAT = 2 OR 99) .....	7781	97.01
NETDRG3A	3	3RD DRUG CAUSED SKIPPING 4+ REGULAR MEALS IN A ROW		
		120 = Downers; OTHER Sedative, NOT SPECIFIED .....	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED .....	1	0.01
		339 = Amphetamines (speed generically) .....	1	0.01
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4 .....	1	0.01
		420 = OTHER Analgesic, NOT SPECIFIED .....	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.01
		998 = BLANK (NO ANSWER) .....	234	2.92
		999 = LEGITIMATE SKIP (DRNOTEAT = 2 OR 99) .....	7781	97.01
NETDRG4A	3	4TH DRUG CAUSED SKIPPING 4+ REGULAR MEALS IN A ROW		
		807 = Alcohol, beer, ethanol, EtOH, pink champagne .....	1	0.01
		998 = BLANK (NO ANSWER) .....	239	2.98
		999 = LEGITIMATE SKIP (DRNOTEAT = 2 OR 99) .....	7781	97.01
NETDRG5A	3	5TH DRUG CAUSED SKIPPING 4+ REGULAR MEALS IN A ROW		
		998 = BLANK (NO ANSWER) .....	240	2.99
		999 = LEGITIMATE SKIP (DRNOTEAT = 2 OR 99) .....	7781	97.01

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
NETDRG6A	3	6TH DRUG CAUSED SKIPPING 4+ REGULAR MEALS IN A ROW		
		998 = BLANK (NO ANSWER)	240	2.99
		999 = LEGITIMATE SKIP (DRNOTEAT = 2 OR 99)	7781	97.01
		p. Found it harder to handle my problems.		
DRCOPE	2	PROBLEMS HARDER TO HANDLE PAST YR DUE TO DRUG USE		
		1 = Yes	218	2.72
		2 = No	4119	51.35
		98 = BLANK (NO ANSWER)	11	0.14
		99 = LEGITIMATE SKIP (AS13NONE = 1)	3673	45.79
CPEDRG1A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-1ST MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	3	0.04
		201 = Valium	2	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	5	0.06
		339 = Amphetamines (speed generically)	2	0.02
		409 = Tylenol with Codeine, Tylenol 3, Tylenol 4	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED	2	0.02
		605 = PCP ("angel dust," phencyclidine)	1	0.01
		606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]	1	0.01
		702 = Heroin	1	0.01
		705 = Speedball (Heroin + Cocaine)	1	0.01
		803 = Marijuana, MarrJane [sic], weed	35	0.44
		805 = Cocaine, coke	7	0.09
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	104	1.30
		813 = Cigarettes, smoking (subst spec), tobacco not spec	11	0.14
		998 = BLANK (NO ANSWER)	53	0.66
		999 = LEGITIMATE SKIP (DRCOPE = 2 OR 99)	7792	97.14
CPEDRG2A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-2ND MENTION		
		120 = Downers; OTHER Sedative, NOT SPECIFIED	1	0.01
		157 = Barbiturates	1	0.01
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	3	0.04
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01
		601 = LSD ("acid," "white lightning") [see also 618]	2	0.02
		705 = Speedball (Heroin + Cocaine)	1	0.01
		803 = Marijuana, MarrJane [sic], weed	8	0.10
		805 = Cocaine, coke	5	0.06
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	11	0.14
		813 = Cigarettes, smoking (subst spec), tobacco not spec	1	0.01
		998 = BLANK (NO ANSWER)	195	2.43
		999 = LEGITIMATE SKIP (DRCOPE = 2 OR 99)	7792	97.14

LABEL	LEN	DESCRIPTION	FREQ	%
CPEDRG3A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-3RD MENTION		
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.01
		339 = Amphetamines (speed generically)	1	0.01
		510 = OTHER Inhalant, NOT SPECIFIED	1	0.01
		803 = Marijuana, MarrJane [sic], weed	2	0.02
		805 = Cocaine, coke	3	0.04
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	1	0.01
		998 = BLANK (NO ANSWER)	220	2.74
		999 = LEGITIMATE SKIP (DRCOPE = 2 OR 99)	7792	97.14
CPEDRG4A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-4TH MENTION		
		607 = OTHER Hallucinogen, NOT SPECIFIED	1	0.01
		805 = Cocaine, coke	1	0.01
		998 = BLANK (NO ANSWER)	227	2.83
		999 = LEGITIMATE SKIP (DRCOPE = 2 OR 99)	7792	97.14
CPEDRG5A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-5TH MENTION		
		803 = Marijuana, MarrJane [sic], weed	1	0.01
		998 = BLANK (NO ANSWER)	228	2.84
		999 = LEGITIMATE SKIP (DRCOPE = 2 OR 99)	7792	97.14
CPEDRG6A	3	DRUG MAKING PROBLEMS HARDER TO HANDLE-6TH MENTION		
		420 = OTHER Analgesic, NOT SPECIFIED	1	0.01
		998 = BLANK (NO ANSWER)	228	2.84
		999 = LEGITIMATE SKIP (DRCOPE = 2 OR 99)	7792	97.14
q. Had to get emergency medical help.				
DREMGMED	2	HAD TO GET EMERG MED HELP PST YR DUE TO DRUG USE		
		1 = Yes	68	0.85
		2 = No	4270	53.24
		98 = BLANK (NO ANSWER)	10	0.12
		99 = LEGITIMATE SKIP (AS13NONE = 1)	3673	45.79
EMDRG1A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-1ST MENTION		
		221 = OTHER Tranquilizer, NOT SPECIFIED	2	0.02
		324 = Uppers; OTHER Stimulant, NOT SPECIFIED	1	0.01
		407 = Demerol	1	0.01
		702 = Heroin	1	0.01
		803 = Marijuana, MarrJane [sic], weed	4	0.05
		805 = Cocaine, coke	4	0.05
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	31	0.39
		813 = Cigarettes, smoking (subst spec), tobacco not spec	3	0.04
		998 = BLANK (NO ANSWER)	31	0.39
		999 = LEGITIMATE SKIP (DREMGMED = 2 OR 99)	7943	99.03
EMDRG2A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-2ND MENTION		
		803 = Marijuana, MarrJane [sic], weed	2	0.02
		805 = Cocaine, coke	1	0.01
		807 = Alcohol, beer, ethanol, EtOH, pink champagne	2	0.02
		998 = BLANK (NO ANSWER)	73	0.91
		999 = LEGITIMATE SKIP (DREMGMED = 2 OR 99)	7943	99.03

DRUG PROBLEMS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
EMDRG3A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-3RD MENTION		
		339 = Amphetamines (speed generically) .....	1	0.01
		805 = Cocaine, coke .....	1	0.01
		998 = BLANK (NO ANSWER) .....	76	0.95
		999 = LEGITIMATE SKIP (DREMGMED = 2 OR 99) .....	7943	99.03
EMDRG4A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-4TH MENTION		
		998 = BLANK (NO ANSWER) .....	78	0.97
		999 = LEGITIMATE SKIP (DREMGMED = 2 OR 99) .....	7943	99.03
EMDRG5A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-5TH MENTION		
		998 = BLANK (NO ANSWER) .....	78	0.97
		999 = LEGITIMATE SKIP (DREMGMED = 2 OR 99) .....	7943	99.03
EMDRG6A	3	DRUG CAUSING NEED FOR EMER. MED. HELP-6TH MENTION		
		998 = BLANK (NO ANSWER) .....	78	0.97
		999 = LEGITIMATE SKIP (DREMGMED = 2 OR 99) .....	7943	99.03



LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

TREATMENT -- ANSWER SHEET #14

TR-0. You may complete this on your own,  
or if you prefer, I'll read the  
questions. Which do you prefer?

AS14READ	2	ANSWER SHEET #14 - READING PREFERENCE		
		1 = Wants interviewer to continue reading .....	1420	17.70
		2 = Wants to do it himself/herself .....	6367	79.38
		98 = BLANK (NO ANSWER) .....	234	2.92

TR-1. Have you ever gone to a clinic,  
self-help group, counselor, doctor or  
other professional to get help to stop  
smoking?

HLPQTCIG	2	EVER BEEN TO CLINIC, DOCTOR, ETC. TO QUIT SMOKING		
		1 = Yes .....	133	1.66
		2 = No .....	7845	97.81
		98 = BLANK (NO ANSWER) .....	43	0.54

TR-2. Have you ever gotten any treatment  
for your drinking--such as from a  
clinic, self-help group, counselor,  
doctor or other professional?

HLPALCHO	2	EVER BEEN TO CLINIC, DOCTOR, ETC. TO QUIT DRINKING		
		1 = Yes .....	117	1.46
		2 = No .....	7836	97.69
		98 = BLANK (NO ANSWER) .....	68	0.85

Now we are interested in treatment  
you may have gotten for your other drug  
use, that is, other than cigarettes or  
alcohol.

TR-3. Have you ever gotten treatment  
for your other drug use, not counting  
cigarettes or alcohol?

HLPDRUSE	2	EVER SOUGHT HELP FOR NON-CIG/ALC DRUG USE		
		1 = Yes .....	134	1.67
		2 = No .....	7856	97.94
		98 = BLANK (NO ANSWER) .....	31	0.39

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
		TR-4. In which of the places listed have you ever received treatment for your other drug use? (CIRCLE THE NUMBER OF EACH OF THOSE PLACES)		
TRTER	2	EVER REC'D TREATMT FOR DRUG USE IN EMERGENCY ROOM		
		1 = Response circled .....	41	0.51
		2 = Response not circled .....	7943	99.03
		98 = BLANK (NO ANSWER) .....	37	0.46
TRTHOSP	2	EVER REC'D TREATMT FOR DRUG USE IN HOSPITAL		
		1 = Response circled .....	41	0.51
		2 = Response not circled .....	7943	99.03
		98 = BLANK (NO ANSWER) .....	37	0.46
TRTPDOC	2	EVER REC'D TREATMT FOR DRUG USE IN DR.'S OFFICE		
		1 = Response circled .....	20	0.25
		2 = Response not circled .....	7964	99.29
		98 = BLANK (NO ANSWER) .....	37	0.46
TRTREH	2	EVER REC'D TREATMT FOR DRUG USE IN REHAB FACIL		
		1 = Response circled .....	43	0.54
		2 = Response not circled .....	7941	99.00
		98 = BLANK (NO ANSWER) .....	37	0.46
TRTMHF	2	EVER REC'D TREATMT FOR DRUGS IN MENTAL HLTH FACIL		
		1 = Response circled .....	33	0.41
		2 = Response not circled .....	7951	99.13
		98 = BLANK (NO ANSWER) .....	37	0.46
TRTSHELP	2	EVER REC'D TREATMT FOR DRUGS IN SELF-HELP GROUP		
		1 = Response circled .....	28	0.35
		2 = Response not circled .....	7956	99.19
		98 = BLANK (NO ANSWER) .....	37	0.46
TRTOTHER	2	OTHER TREATMENT RESPONSE SPECIFIED		
		1 = Response circled .....	22	0.27
		2 = Response not circled .....	7962	99.26
		98 = BLANK (NO ANSWER) .....	37	0.46
TRTNONE	2	NEVER RECEIVED TREATMENT FOR NON CIG/ALC DRUG USE		
		1 = Response circled .....	7856	97.94
		2 = Response not circled .....	128	1.60
		98 = BLANK (NO ANSWER) .....	37	0.46

LABEL	LEN	DESCRIPTION	FREQ	%
TRTNEWA	2	OTHER TREATMENT SPECIFIED - 1ST MENTION		
		1 = Church, religious figure .....	5	0.06
		2 = Friend or relative .....	5	0.06
		3 = Psychiatrist/Psychologist .....	2	0.02
		4 = Sociologist .....	1	0.01
		5 = School counselor .....	1	0.01
		6 = Crisis center .....	1	0.01
		7 = Hypnotist .....	1	0.01
		8 = Training room .....	1	0.01
		9 = Transcendental meditation .....	1	0.01
		98 = BLANK (NO ANSWER) .....	4	0.05
		99 = LEGITIMATE SKIP (TRTOTHER = 2 OR 98) .....	7999	99.73

TRTNEWB	2	OTHER TREATMENT SPECIFIED - 2ND MENTION		
		98 = BLANK (NO ANSWER) .....	22	0.27
		99 = LEGITIMATE SKIP (TRTOTHER = 2 OR 98) .....	7999	99.73

TR-5. Have you ever called a drug treatment program, crisis center, telephone hotline or other information service for your own or someone else's drug use?

TRTCALL	2	EVER CALLED DRUG TRMT PROGRAM FOR SELF OR OTHER		
		1 = Yes .....	166	2.07
		2 = No .....	7388	92.11
		98 = BLANK (NO ANSWER) .....	467	5.82

TR-6. Now for your own drug use, did you call a drug telephone hotline for information or help in the past 12 months? If you never used any drugs, circle 2.

TRTCALLO	2	EVER CALLED DRUG TRMT PROGRAM FOR SELF		
		1 = Yes .....	34	0.42
		2 = No .....	7512	93.65
		98 = BLANK (NO ANSWER) .....	475	5.92

TR-7. Have you received treatment in the past 12 months for your drug use (not counting cigarettes or alcohol)?

TRTDRGYR	2	RECEIVED TREATMT FOR NON-ALC/CIG DRUGS PAST 12 MOS		
		1 = Yes .....	24	0.30
		2 = No .....	7512	93.65
		98 = BLANK (NO ANSWER) .....	485	6.05

TREATMENT

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		TR-8. In the past 12 months, have you received medical treatment for any illness, injury, or other problem that you think happened because of your use of drugs? Do not include alcohol or cigarettes.		
TRTPRBYR	2	REC'D TRMT FOR ANY DRUG-RELATED ILLNESS PST 12 MOS		
		1 = Yes .....	24	0.30
		2 = No .....	7531	93.89
		98 = BLANK (NO ANSWER) .....	466	5.81

LABEL	LEN	DESCRIPTION	FREQ	
-----	----	-----	----	---

## RISK -- ANSWER SHEET #15

R-1. How much do you think people risk harming themselves physically and in other ways if they do the following? If you're not sure, circle the number that comes closest to what you think might be the amount of risk.

a. Smoke one or more packs of cigarettes per day?

RSKPKCIG	2	RISK IF SMOKE 1 OR MORE PACKS CIGARETTES PER DAY		
		1 = No risk .....	269	3.35
		2 = Slight risk .....	885	11.03
		3 = Moderate risk .....	2457	30.63
		4 = Great risk .....	4360	54.36
		94 = DON'T KNOW .....	4	0.05
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	45	0.56

b. Smoke marijuana occasionally?

RSKMJOCC	2	RISK IF SMOKE MARIJUANA OCCASIONALLY		
		1 = No risk .....	578	7.21
		2 = Slight risk .....	1741	21.71
		3 = Moderate risk .....	2428	30.27
		4 = Great risk .....	3178	39.62
		94 = DON'T KNOW .....	12	0.15
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	83	1.03

c. Smoke marijuana regularly?

RSKMJREG	2	RISK IF SMOKE MARIJUANA REGULARLY		
		1 = No risk .....	225	2.81
		2 = Slight risk .....	503	6.27
		3 = Moderate risk .....	1535	19.14
		4 = Great risk .....	5603	69.85
		94 = DON'T KNOW .....	13	0.16
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	141	1.76

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
		d. Try PCP once or twice?		
RKTRYP	2	RISK IF TRY PCP ONCE OR TWICE		
		1 = No risk .....	304	3.79
		2 = Slight risk .....	1130	14.09
		3 = Moderate risk .....	1668	20.80
		4 = Great risk .....	4744	59.14
		94 = DON'T KNOW .....	43	0.54
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	131	1.63
		e. Use PCP regularly?		
RKPCPREG	2	RISK IF USE PCP REGULARLY		
		1 = No risk .....	183	2.28
		2 = Slight risk .....	118	1.47
		3 = Moderate risk .....	461	5.75
		4 = Great risk .....	7066	88.09
		94 = DON'T KNOW .....	41	0.51
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	151	1.88
		f. Try heroin once or twice?		
RKTRYHER	2	RISK IF TRY HEROIN ONCE OR TWICE		
		1 = No risk .....	275	3.43
		2 = Slight risk .....	983	12.26
		3 = Moderate risk .....	1827	22.78
		4 = Great risk .....	4797	59.81
		94 = DON'T KNOW .....	21	0.26
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	117	1.46
		g. Use heroin regularly?		
RKHERREG	2	RISK IF USE HEROIN REGULARLY		
		1 = No risk .....	171	2.13
		2 = Slight risk .....	87	1.08
		3 = Moderate risk .....	341	4.25
		4 = Great risk .....	7294	90.94
		94 = DON'T KNOW .....	21	0.26
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	106	1.32

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		h. Try cocaine once or twice?		
RKTRYCOC	2	RISK IF TRY COCAINE ONCE OR TWICE		
		1 = No risk .....	473	5.90
		2 = Slight risk .....	1483	18.49
		3 = Moderate risk .....	2051	25.57
		4 = Great risk .....	3899	48.61
		94 = DON'T KNOW .....	18	0.22
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	96	1.20
		i. Use cocaine occasionally?		
RKCOCOCC	2	RISK IF USE COCAINE OCCASIONALLY		
		1 = No risk .....	199	2.48
		2 = Slight risk .....	475	5.92
		3 = Moderate risk .....	1634	20.37
		4 = Great risk .....	5583	69.60
		94 = DON'T KNOW .....	19	0.24
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	110	1.37
		j. Use cocaine regularly?		
RKCOCREG	2	RISK IF USE COCAINE REGULARLY		
		1 = No risk .....	161	2.01
		2 = Slight risk .....	110	1.37
		3 = Moderate risk .....	459	5.72
		4 = Great risk .....	7095	88.46
		94 = DON'T KNOW .....	19	0.24
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	176	2.19
		k. Take one or two drinks nearly every day?		
RK2DRINK	2	RISK IF TAKE 1 OR 2 DRINKS NEARLY EVERY DAY		
		1 = No risk .....	696	8.68
		2 = Slight risk .....	1893	23.60
		3 = Moderate risk .....	2642	32.94
		4 = Great risk .....	2703	33.70
		94 = DON'T KNOW .....	8	0.10
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	78	0.97

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		1. Take four or five drinks nearly every day?		
RK5DRINK	2	RISK IF TAKE 4 OR 5 DRINKS NEARLY EVERY DAY		
		1 = No risk .....	206	2.57
		2 = Slight risk .....	420	5.24
		3 = Moderate risk .....	1635	20.38
		4 = Great risk .....	5662	70.59
		94 = DON'T KNOW .....	9	0.11
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	88	1.10
		m. Have five or more drinks once or twice a week?		
RSKBINGE	2	RISK IF HAVE 5 OR MORE DRINKS ONCE OR TWICE A WEEK		
		1 = No risk .....	355	4.43
		2 = Slight risk .....	804	10.02
		3 = Moderate risk .....	1998	24.91
		4 = Great risk .....	4790	59.72
		94 = DON'T KNOW .....	8	0.10
		97 = REFUSED .....	1	0.01
		98 = BLANK (NO ANSWER) .....	65	0.81



DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-

DEMOGRAPHICS

1. Record respondent's sex.

SEX	1	SEX OF RESPONDENT		
		1 = Male .....	3516	43.83
		2 = Female .....	4505	56.17

2. In what month and year were you born?

BIRMON	2	EDITED BIRTH MONTH		
		1 = January .....	679	8.47
		2 = February .....	624	7.78
		3 = March .....	732	9.13
		4 = April .....	608	7.58
		5 = May .....	630	7.85
		6 = June .....	670	8.35
		7 = July .....	766	9.55
		8 = August .....	712	8.88
		9 = September .....	699	8.71
		10 = October .....	656	8.18
		11 = November .....	607	7.57
		12 = December .....	638	7.95

BIRYEAR	4	EDITED BIRTH YEAR		
		RANGE = 1901 - 1973 .....	8021	100.00

3. Which of the following best describes your current status? Are you:

MARITAL	2	MARITAL STATUS		
		1 = Married .....	2777	34.62
		2 = Widowed .....	361	4.50
		3 = Divorced or separated .....	748	9.33
		4 = Has never married .....	2954	36.83
		5 = Living as a couple .....	50	0.62
		97 = REFUSED .....	7	0.09
		98 = BLANK (NO ANSWER) .....	13	0.16
		99 = LEGITIMATE SKIP (IRAGE < 15) .....	1111	13.85

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-
		4. How many times have you been married?		
NOMARR	2	# TIMES MARRIED		
		1 = One .....	3189	39.76
		2 = Two .....	586	7.31
		3 = Three .....	77	0.96
		4 = Four .....	9	0.11
		5 = Five .....	1	0.01
		6 = Six or more .....	3	0.04
		97 = REFUSED .....	11	0.14
		98 = BLANK (NO ANSWER) .....	93	1.16
		99 = LEGITIMATE SKIP (MARITAL = 4 OR 99) .....	4052	50.52
		5. Please look at this card and tell me which of the statements describes your present work situation. (CIRCLE LOWEST CODE THAT APPLIES)		
WORKSTAT	2	PRESENT WORK SITUATION		
		1 = Working full-time, 35 hours or more a week .....	3080	38.40
		2 = Working part-time, less than 35 hours a week .....	1122	13.99
		3 = Have job but out: illness/leave/furlough/strike ..	74	0.92
		4 = Unemployed or laid off and looking for work .....	435	5.42
		5 = Unemployed and not looking for work .....	176	2.19
		6 = Full-time homemaker only .....	775	9.66
		7 = In school only .....	1724	21.49
		8 = Retired .....	426	5.31
		9 = Disabled, not able to work .....	159	1.98
		10 = Something else (NOT SPECIFIED) .....	43	0.54
		97 = REFUSED .....	4	0.05
		98 = BLANK (NO ANSWER) .....	3	0.04
		6. In what month and year did you last work for pay?		
PAYYR	2	YEAR (19__) LAST WORKED FOR PAY		
		RANGE = 11 - 85 .....	2282	28.45
		91 = NEVER WORKED .....	1406	17.53
		94 = DON'T KNOW .....	19	0.24
		97 = REFUSED .....	4	0.05
		98 = BLANK (NO ANSWER) .....	34	0.42
		99 = LEGITIMATE SKIP (WORKSTAT<4) .....	4276	53.31

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	‡
PAYMO	2	MONTH LAST WORKED FOR PAY		
		1 = January	117	1.46
		2 = February	98	1.22
		3 = March	126	1.57
		4 = April	137	1.71
		5 = May	213	2.66
		6 = June	373	4.65
		7 = July	261	3.25
		8 = August	288	3.59
		9 = September	177	2.21
		10 = October	124	1.55
		11 = November	88	1.10
		12 = December	150	1.87
		91 = NEVER WORKED FOR PAY	1406	17.53
		94 = DON'T KNOW	130	1.62
		97 = REFUSED	4	0.05
		98 = BLANK (NO ANSWER)	53	0.66
		99 = LEGITIMATE SKIP (WORKSTAT < 4)	4276	53.31

7. What kind of work (are/were) you (last) doing? What (is/was) your job title?

8. What (are/were) your most important activities or duties in your job?

ROCCUP1	3	KIND OF WORK OF RESPONDENT	FREQ	‡
		1 = Managerial/Professional Specialties	964	12.02
		2 = Technical, Sales and Administrative Support	3348	41.74
		3 = Farming, Forestry and Fishing	382	4.76
		4 = Precision Production and Skilled Labor	583	7.27
		5 = Operators, Fabricators and Laborers	861	10.73
		6 = Unskilled Laborers, Handlers, Helpers	419	5.22
		97 = REFUSED	4	0.05
		98 = BLANK (NO ANSWER)	54	0.67
		99 = LEGITIMATE SKIP (PAYR = 91)	1406	17.53

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		9. What kind of business or industry (is/was) this?		
BUSINES1	2	BUSINESS OR INDUSTRY OF RESPONDENT		
		1 = Agriculture, Forestry, Fishery .....	321	4.00
		2 = Mining .....	57	0.71
		3 = Construction .....	369	4.60
		4 = Manufacturing .....	1174	14.64
		5 = Transportation, Communication, Public Util. ....	352	4.39
		6 = Whole Trade .....	222	2.77
		7 = Retail Trade .....	1330	16.58
		8 = Finance, Insurance and Real Estate .....	288	3.59
		9 = Business and Repair Services .....	310	3.86
		10 = Personal Services .....	571	7.12
		11 = Entertainment and Recreational Services .....	117	1.46
		12 = Professional and Related Services .....	1122	13.99
		13 = Public Administration .....	310	3.86
		97 = REFUSED .....	4	0.05
		98 = BLANK (NO ANSWER) .....	68	0.85
		99 = LEGITIMATE SKIP (PAYR = 91) .....	1406	17.53
		10. How many different jobs have you had in the past five years?		
NOSJOB	2	# OF JOBS LAST 5 YEARS		
		RANGE = 1 - 30 .....	5807	72.40
		0 = No jobs in past 5 years .....	728	9.08
		94 = DON'T KNOW .....	3	0.04
		95 = BAD DATA .....	6	0.07
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	62	0.77
		99 = LEGITIMATE SKIP (PAYR = 91) .....	1406	17.53
		11. Who is considered to be the chief wage earner or source of income in this household?		
CWE	2	CHIEF WAGE EARNER IN HOUSEHOLD (RELATION TO RESP)		
		1 = Respondent .....	2062	25.71
		2 = Someone else (SPECIFY) .....	819	10.21
		3 = No one .....	162	2.02
		4 = Co-wage earner .....	20	0.25
		5 = Spouse (husband/wife), live-in partner .....	1217	15.17
		6 = Parent (father, mother, step-parent, etc.) .....	2363	29.46
		7 = Grandparent or other relative .....	233	2.90
		8 = Friend .....	51	0.64
		98 = BLANK (NO ANSWER) .....	27	0.34
		99 = LEGITIMATE SKIP (RESP IS ONLY ADULT 18 OR OLDER) .	1067	13.30

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		12. Does (he/she) work:		
FULLPART	2	WORK STATUS OF CHIEF WAGE EARNER		
		1 = Full-time .....	3712	46.28
		2 = Part-time .....	215	2.68
		3 = Chief source of income does not work .....	717	8.94
		94 = DON'T KNOW .....	3	0.04
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	54	0.67
		99 = LEGITIMATE SKIP (CWE = 1, 3, 4, OR 99) .....	3311	41.28
		13. What kind of work is (he/she) doing? What is (his/her) job title?		
		14. What are (his/her) most important activities or duties in the job?		
CWEOCC1	3	KIND OF WORK OF CHIEF WAGE EARNER		
		1 = Management/Professional Specialties .....	806	10.05
		2 = Technical, Sales and administrative support .....	1224	15.26
		3 = Farming, Forestry and Fishing .....	165	2.06
		4 = Precision Production and Skilled Labor .....	744	9.28
		5 = Operators, Fabricators and Laborers .....	704	8.78
		6 = Unskilled Laborers, Handlers, Helpers .....	222	2.77
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	118	1.47
		99 = LEGITIMATE SKIP (CWE= 1,3,4 OR 99 OR FULLPART= 3)	4028	50.22
		15. What kind of business or industry is that?		
CWBUS1	2	BUSINESS OR INDUSTRY OF CHIEF WAGE EARNER		
		1 = Agriculture, Forestry, Fishery .....	175	2.18
		2 = Mining .....	61	0.76
		3 = Construction .....	377	4.70
		4 = Manufacturing .....	994	12.39
		5 = Transportation, Communication and Public Util. ...	390	4.86
		6 = Whole Trade .....	182	2.27
		7 = Retail Trade .....	393	4.90
		8 = Finance, Insurance and Real Estate .....	173	2.16
		9 = Business and Repair Services .....	233	2.90
		10 = Personal Services .....	129	1.61
		11 = Entertainment and Recreational Services .....	30	0.37
		12 = Professional and Related Services .....	519	6.47
		13 = Public Administration .....	234	2.92
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	9	0.11
		98 = BLANK (NO ANSWER) .....	93	1.16
		99 = LEGITIMATE SKIP (CWE= 1,3,4 OR 99 OR FULLPART= 3)	4028	50.22

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	----
		16. What is the last grade that you completed in school?		
EDUC	2	LAST GRADE COMPLETED IN SCHOOL		
		0 = No schooling .....	28	0.35
		1 = First Grade .....	17	0.21
		2 = Second grade .....	26	0.32
		3 = Third grade .....	42	0.52
		4 = Fourth grade .....	76	0.95
		5 = Fifth grade .....	122	1.52
		6 = Sixth grade .....	433	5.40
		7 = Seventh Grade .....	442	5.51
		8 = Eighth grade .....	671	8.37
		9 = Ninth grade .....	613	7.64
		10 = Tenth grade .....	689	8.59
		11 = Eleventh grade .....	673	8.39
		12 = Twelfth grade .....	2200	27.43
		13 = One year college .....	396	4.94
		14 = 2 years college .....	509	6.35
		15 = 3 years college .....	200	2.49
		16 = 4 years college .....	523	6.52
		17 = Graduate/professional school .....	339	4.23
		94 = DON'T KNOW .....	1	0.01
		97 = REFUSED .....	10	0.12
		98 = BLANK (NO ANSWER) .....	11	0.14

17. Which of the following best describes your student status now?  
Are you:

STUDENT	2	STUDENT STATUS NOW		
		1 = A full-time student .....	2510	31.29
		2 = A part-time student .....	370	4.61
		3 = Dropped out of school .....	1493	18.61
		4 = Completed schooling .....	3576	44.58
		5 = Starting school in the fall .....	25	0.31
		97 = REFUSED .....	7	0.09
		98 = BLANK (NO ANSWER) .....	12	0.15
		99 = LEGITIMATE SKIP (EDUC = 0) .....	28	0.35

18. During the last month of school, how many whole days did you miss because you were sick or injured?

SCHDAYS	2	# OF DAYS MISSED SCHOOL DUE TO ILL/INJURY LAST MO.		
		RANGE = 1 - 30 .....	915	11.41
		0 = None .....	1950	24.31
		94 = DON'T KNOW .....	4	0.05
		95 = BAD DATA .....	2	0.02
		97 = REFUSED .....	7	0.09
		98 = BLANK (NO ANSWER) .....	21	0.26
		99 = LEGITIMATE SKIP (STUDENT = 3, 4, 5, OR 99) .....	5122	63.86

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		19. During the last month of school, how many whole days did you miss because you skipped or "cut" or just didn't want to be there?		
SKIPPED	2	# DAYS SKIPPED SCHOOL LAST MONTH		
		RANGE = 1 - 30 .....	582	7.26
		0 = Never skipped school in last month .....	2286	28.50
		94 = DON'T KNOW .....	3	0.04
		95 = BAD DATA .....	1	0.01
		97 = REFUSED .....	7	0.09
		98 = BLANK (NO ANSWER) .....	20	0.25
		99 = LEGITIMATE SKIP (STUDENT = 3, 4, 5, OR 99) .....	5122	63.86
		20. During the last 30 days, how many whole days did you miss of work because you were sick or injured?		
WORKDAYS	2	# DAYS MISSED WORK DUE TO ILL/INJURY LAST 30 DAYS		
		RANGE = 1 - 30 .....	679	8.47
		0 = None .....	3522	43.91
		94 = DON'T KNOW .....	1	0.01
		95 = BAD DATA .....	26	0.32
		97 = REFUSED .....	5	0.06
		98 = BLANK (NO ANSWER) .....	50	0.62
		99 = LEGITIMATE SKIP (WORKSTAT = 4 - 10) .....	3738	46.60
		21. During the last 30 days, how many whole days did you miss of work because you just didn't want to be there?		
WORKBLAH	2	# DAYS SKIPPED WORK LAST 30 DAYS		
		RANGE = 1 - 30 .....	357	4.45
		0 = None .....	3847	47.96
		94 = DON'T KNOW .....	1	0.01
		95 = BAD DATA .....	25	0.31
		97 = REFUSED .....	5	0.06
		98 = BLANK (NO ANSWER) .....	48	0.60
		99 = LEGITIMATE SKIP (WORKSTAT = 4 - 10) .....	3738	46.60

LABEL	LEN	DESCRIPTION	FREQ	%
-------	-----	-------------	------	---

22. During a typical week, how many total miles would you estimate you usually drive in any motor vehicle-- car, truck, or motorcycle?

MILES	5 # MILES RESPONDENT DRIVES IN A TYPICAL WEEK		
	RANGE = 0 - 1000	5441	67.83
	99991 = HAS NEVER DRIVEN A MOTOR VEHICLE	1407	17.54
	99994 = DON'T KNOW	22	0.27
	99997 = REFUSED	6	0.07
	99998 = BLANK (NO ANSWER)	34	0.42
	99999 = LEGITIMATE SKIP (IRAGE < 15)	1111	13.85

23. During the past 12 months, have you had an accident while you were driving a motor vehicle, whether or not you were responsible?

ACCID	2 HAD MOTOR VEHICLE ACCIDENT IN PAST 12 MONTHS		
	1 = Yes	538	6.71
	2 = No	4793	59.76
	3 = Did not drive in past 12 months	131	1.63
	97 = REFUSED	5	0.06
	98 = BLANK (NO ANSWER)	36	0.45
	99 = LEGITIMATE SKIP (IRAGE < 15 OR MILES = 99991)	2518	31.39

24. How many children do you have? For this question, do not include any stepchildren or foster children.

NOCHILD	2 # OF BIOLOGICAL CHILDREN		
	RANGE = 1 - 14	3665	45.69
	0 = No children	3222	40.17
	94 = DON'T KNOW	1	0.01
	97 = REFUSED	5	0.06
	98 = BLANK (NO ANSWER)	17	0.21
	99 = LEGITIMATE SKIP (IRAGE < 15)	1111	13.85

25. What is the age and sex of each child, from oldest to youngest?

The following ten variables, CHAGE1-CHAGE10, are the collapsed versions of the ages of children in the household as prepared for public release.

CHAGE1	2 NUMBER OF CHILDREN AGES 0 TO 2		
	RANGE = 0 - 3	8021	100.00

CHAGE2	2 NUMBER OF CHILDREN AGES 3 TO 5		
	RANGE = 0 - 3	8021	100.00



DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
CHAGE3	2	NUMBER OF CHILDREN AGES 6 TO 8 RANGE = 0 - 4	8021	100.00
CHAGE4	2	NUMBER OF CHILDREN AGES 9 TO 11 RANGE = 0 - 3	8021	100.00
CHAGE5	2	NUMBER OF CHILDREN AGES 12 TO 14 RANGE = 0 - 3	8021	100.00
CHAGE6	2	NUMBER OF CHILDREN AGES 15 TO 17 RANGE = 0 - 3	8021	100.00
CHAGE7	2	NUMBER OF CHILDREN AGES 18 TO 24 RANGE = 0 - 5	8021	100.00
CHAGE8	2	NUMBER OF CHILDREN AGES 25 TO 34 RANGE = 0 - 8	8021	100.00
CHAGE9	2	NUMBER OF CHILDREN AGES 35+ RANGE = 0 - 12	8021	100.00
CHAGE10	2	NUMBER OF CHILDREN W/AGES UNKNOWN OR UNSPECIFIED RANGE = 0 - 12	8021	100.00

26. Altogether, how many people live here, including yourself?

TOTPEOP	2	# OF RESIDENTS IN HOUSEHOLD RANGE = 2 - 18	7134	88.94
		1 = R lives alone	885	11.03
		97 = REFUSED	2	0.02

27a. How are the people who live here related to you?

27b. How many (RELATIONSHIP) live here with you?

MOTHER	2	MOTHER OF RESPONDENT MEMBER OF HOUSEHOLD 0 = Not present and/or inapplicable	4940	61.59
		1 = Present in household	3075	38.34
		97 = REFUSED	2	0.02
		98 = BLANK (NO ANSWER)	4	0.05
FATHER	2	FATHER OF RESPONDENT MEMBER OF HOUSEHOLD 0 = Not present and/or inapplicable	5826	72.63
		1 = Present	2189	27.29
		97 = REFUSED	2	0.02
		98 = BLANK (NO ANSWER)	4	0.05

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
SPOUSE	2	SPOUSE/LIVE-IN PARTNER OF RESP MEMBER OF HOUSEHOLD		
		0 = Not present and/or inapplicable	5191	64.72
		1 = Present	2824	35.21
		97 = REFUSED	2	0.02
		98 = BLANK (NO ANSWER)	4	0.05
INLAW	2	# PARENT(S)-IN-LAW OF RESP LIVING IN HOUSEHOLD		
		0 = Neither present and/or inapplicable	7936	98.94
		1 = One present	55	0.69
		2 = Two present	24	0.30
		97 = REFUSED	2	0.02
		98 = BLANK (NO ANSWER)	4	0.05
OWNCHILD	2	# BIOLOGICAL CHILDREN OF RESP LIVING IN HOUSEHOLD		
		RANGE = 1 - 9	2622	32.69
		0 = None present and/or inapplicable	5377	67.04
		95 = BAD DATA	16	0.20
		97 = REFUSED	2	0.02
		98 = BLANK (NO ANSWER)	4	0.05
STEPCHLD	2	# ADOPTED/STEPCHILDREN OF RESP LIVING IN HOUSEHOLD		
		RANGE = 1 - 6	110	1.37
		0 = None present and/or inapplicable	7901	98.50
		95 = BAD DATA	4	0.05
		97 = REFUSED	2	0.02
		98 = BLANK (NO ANSWER)	4	0.05
BROSIS	2	# BROTHERS/SISTERS OF RESP LIVING IN HOUSEHOLD		
		RANGE = 1 - 11	2431	30.31
		0 = None present and/or inapplicable	5568	69.42
		93 = RELATION INDICATED, NO COUNT RECORDED	1	0.01
		95 = BAD DATA	15	0.19
		97 = REFUSED	2	0.02
		98 = BLANK (NO ANSWER)	4	0.05
OTHREL	2	# OTHER RELATIVES OF RESP LIVING IN HOUSEHOLD		
		RANGE = 1 - 8	777	9.69
		0 = None present and/or inapplicable	7230	90.14
		93 = RELATION INDICATED, NO COUNT RECORDED	1	0.01
		95 = BAD DATA	7	0.09
		97 = REFUSED	2	0.02
		98 = BLANK (NO ANSWER)	4	0.05
FRIENDS	2	# FRIENDS/ROOMMATES OF RESP LIVING IN HOUSEHOLD		
		RANGE = 1 - 7	271	3.38
		0 = None present and/or inapplicable	7738	96.47
		95 = BAD DATA	6	0.07
		97 = REFUSED	2	0.02
		98 = BLANK (NO ANSWER)	4	0.05

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
OTHERNON	2	# OTHER PEOPLE UNRELATD TO RESP LIVING IN HOUSEHLD		
		RANGE = 1 - 9	145	1.81
		0 = None present and/or inapplicable	7867	98.08
		95 = BAD DATA	3	0.04
		97 = REFUSED	2	0.02
		98 = BLANK (NO ANSWER)	4	0.05
		28. Have you ever been in the armed forces?		
SERVICE	2	EVER SERVED IN ARMED FORCES		
		1 = Yes	643	8.02
		2 = No	5394	67.25
		97 = REFUSED	5	0.06
		98 = BLANK (NO ANSWER)	98	1.22
		99 = LEGITIMATE SKIP (IRAGE < 17)	1881	23.45
		29. Are you:		
MILSTAT	2	CURRENT MILITARY STATUS		
		1 = On extended active duty in the armed forces	24	0.30
		2 = In a reserves component	58	0.72
		3 = Separated/retired from reserves or active duty	561	6.99
		97 = REFUSED	5	0.06
		98 = BLANK (NO ANSWER)	98	1.22
		99 = LEGITIMATE SKIP (IRAGE < 17 OR SERVICE = 2)	7275	90.70
		30. During what years did you serve in the armed forces?		
MILYR1A	2	1ST PERIOD OF MILITARY SERVICE-BEGINNING YEAR		
		RANGE = 17 - 85	556	6.93
		94 = DON'T KNOW	4	0.05
		97 = REFUSED	5	0.06
		98 = BLANK (NO ANSWER)	99	1.23
		99 = LEGITIMATE SKIP (MILSTAT = 1, 2, OR 99)	7357	91.72
MILYR2A	2	1ST PERIOD OF MILITARY SERVICE-ENDING YEAR		
		RANGE = 18 - 85	556	6.93
		94 = DON'T KNOW	4	0.05
		97 = REFUSED	5	0.06
		98 = BLANK (NO ANSWER)	99	1.23
		99 = LEGITIMATE SKIP (MILSTAT = 1, 2, OR 99)	7357	91.72
MILYR3A	2	2ND PERIOD OF MILITARY SERVICE-BEGINNING YEAR		
		1 = Mention of second service	9	0.11
		97 = REFUSED	5	0.06
		98 = BLANK (NO ANSWER)	650	8.10
		99 = LEGITIMATE SKIP (MILSTAT = 1, 2, OR 99)	7357	91.72

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
MILYR4A	2	2ND PERIOD OF MILITARY SERVICE-ENDING YEAR		
		1 = Mention of second service .....	9	0.11
		97 = REFUSED .....	5	0.06
		98 = BLANK (NO ANSWER) .....	650	8.10
		99 = LEGITIMATE SKIP (MILSTAT = 1, 2, OR 99) .....	7357	91.72
MILYR5A	2	3RD PERIOD OF MILITARY SERVICE-BEGINNING YEAR		
		97 = REFUSED .....	5	0.06
		98 = BLANK (NO ANSWER) .....	659	8.22
		99 = LEGITIMATE SKIP (MILSTAT = 1, 2, OR 99) .....	7357	91.72
MILYR6A	2	3RD PERIOD OF MILITARY SERVICE-ENDING YEAR		
		97 = REFUSED .....	5	0.06
		98 = BLANK (NO ANSWER) .....	659	8.22
		99 = LEGITIMATE SKIP (MILSTAT = 1, 2, OR 99) .....	7357	91.72

31. When did you enter the service?

YRENTS	2	WHEN DID YOU LAST ENTER THE SERVICE (YEAR)		
		RANGE = 18 - 85 .....	80	1.00
		97 = REFUSED .....	5	0.06
		98 = BLANK (NO ANSWER) .....	100	1.25
		99 = LEGITIMATE SKIP (MILSTAT = 3 OR 99) .....	7836	97.69

32. Did you serve in Vietnam?

VIETNAM	2	DID YOU SERVE IN VIETNAM?		
		1 = Yes .....	89	1.11
		2 = No .....	548	6.83
		97 = REFUSED .....	5	0.06
		98 = BLANK (NO ANSWER) .....	104	1.30
		99 = LEGITIMATE SKIP (IRAGE < 17 OR SERVICE = 2) .....	7275	90.70

33. How many people who used to live here with you six months or more in the past year are now living in a:

a. College dormitory, sorority or fraternity house?

DORM	2	# OF FORMER RESIDENTS NOW LIVING AT COLLEGE		
		RANGE = 1 - 3 .....	158	1.97
		0 = None .....	7800	97.24
		97 = REFUSED .....	5	0.06
		98 = BLANK (NO ANSWER) .....	58	0.72

DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
		b. Military base?		
MILBASE	2	# OF FORMER RESIDENTS NOW LIVING ON MILITARY BASE		
		RANGE = 1 - 2	86	1.07
		0 = None	7868	98.09
		97 = REFUSED	5	0.06
		98 = BLANK (NO ANSWER)	62	0.77
		c. Hospital, jail or other institution?		
HOSP	2	# OF FORMR RESDNTS NOW LVNG IN JAIL,HOSP,OTHR INST		
		RANGE = 1 - 2	44	0.55
		0 = None	7909	98.60
		97 = REFUSED	5	0.06
		98 = BLANK (NO ANSWER)	63	0.79
		34. How many different telephone numbers do you have in this household? Don't count extensions with the same number.		
TELNO	2	# OF PHONE NUMBERS IN HOUSEHOLD		
		RANGE = 1 - 4	6905	86.09
		0 = None - no phone	1098	13.69
		97 = REFUSED	9	0.11
		98 = BLANK (NO ANSWER)	9	0.11
		35. How many times in the past five years have you moved?		
MOVES	2	# OF TIMES MOVED PAST 5 YEARS		
		RANGE = 1 - 50	4066	50.69
		0 = None	3932	49.02
		94 = DON'T KNOW	1	0.01
		97 = REFUSED	6	0.07
		98 = BLANK (NO ANSWER)	16	0.20

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
		38. Finally, for statistical purposes, please tell me which of the groups on this card includes your total personal earnings before deductions during the past year. Include your earnings from wages, salaries, commissions and tips from all jobs you had in the last year. Just give me the letter.		
INCOME	2	PERSONAL EARNINGS FROM EMPLOYMENT FOR PAST YEAR		
		1 = No personal earnings .....	1315	16.39
		2 = Yearly.. under \$5,000 .....	1400	17.45
		3 = Yearly.. \$5,000 to \$6,999 .....	534	6.66
		4 = Yearly.. \$7,000 to \$8,999 .....	460	5.73
		5 = Yearly.. \$9,000 to \$11,999 .....	527	6.57
		6 = Yearly.. \$12,000 to \$14,999 .....	563	7.02
		7 = Yearly.. \$15,000 to \$19,999 .....	556	6.93
		8 = Yearly.. \$20,000 to \$24,999 .....	424	5.29
		9 = Yearly.. \$25,000 to \$29,999 .....	297	3.70
		10 = Yearly.. \$30,000 to \$39,999 .....	260	3.24
		11 = Yearly.. \$40,000 to \$50,000 .....	99	1.23
		12 = Yearly.. More than \$50,000 .....	108	1.35
		94 = DON'T KNOW .....	18	0.22
		95 = BAD DATA .....	167	2.08
		97 = REFUSED .....	96	1.20
		98 = BLANK (NO ANSWER) .....	86	1.07
		99 = LEGITIMATE SKIP (IRAGE < 15) .....	1111	13.85

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		INTERVIEW INFORMATION		
		-----		
		INTDATE is stored as a SAS DATE with a format of DATE7. to allow for easy manipulation. DAY, MONTH, and YEAR functions return such to the user.		
INTDATE	7	EDITED INTERVIEW DATE		
EIIDATE	1	EDIT INDICATOR FOR INTERVIEW DATE		
		1 = Interview date established from questionnaire ....	7979	99.48
		3 = Interview date Statistically Imputed .....	42	0.52
INTMONTH	2	INTERVIEW MONTH		
		1 = January .....	5	0.06
		6 = June .....	1026	12.79
		7 = July .....	2402	29.95
		8 = August .....	1762	21.97
		9 = September .....	1027	12.80
		10 = October .....	1160	14.46
		11 = November .....	446	5.56
		12 = December .....	193	2.41
PARQ	2	PARENT TOOK QUESTIONNAIRE FROM INTERVIEWER		
		1 = Yes .....	1075	13.40
		2 = No .....	918	11.44
		98 = BLANK (NO ANSWER) .....	236	2.94
		99 = LEGITIMATE SKIP .....	5792	72.21
		1. Estimate the respondent's understanding of the interview.		
UNDINT	2	ESTIMATE RESPONDENT'S UNDERSTANDING OF INTERVIEW		
		1 = No difficulty-no language or reading problem .....	6341	79.05
		2 = Just a little difficulty-almost no lang/readg prob	1093	13.63
		3 = Fair amount of difficulty-some lang/reading prob .	306	3.81
		4 = A lot of difficulty-considerable lang/reading prob	153	1.91
		98 = BLANK (NO ANSWER) .....	128	1.60
		2. How cooperative is the respondent?		
COOPINT	2	COOPERATION OF RESPONDENT		
		1 = Very cooperative .....	7118	88.74
		2 = Fairly cooperative .....	627	7.82
		3 = Not very cooperative .....	104	1.30
		4 = Openly hostile .....	17	0.21
		98 = BLANK (NO ANSWER) .....	155	1.93

## INTERVIEW INFORMATION

PAGE: 130

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		3. Indicate on this scale of 01 through 10 how private the interview was.		
PRIVACY	2	SCALE FOR PRIVACY DURING INTERVIEW		
		1 = Completely private-no one present/able to overhear	4925	61.40
		2 = .....	564	7.03
		3 = Minor distractions .....	1287	16.05
		4 = .....	107	1.33
		5 = Person(s) in room or listening 1/3 of the time ...	554	6.91
		6 = .....	28	0.35
		7 = Serious interruptions more than half the time ....	46	0.57
		8 = .....	13	0.16
		9 = Constant presence of other person(s) .....	387	4.82
		94 = DON'T KNOW .....	18	0.22
		98 = BLANK (NO ANSWER) .....	92	1.15
		4. Others present or listening to the interview were:		
PPRES	2	PARENT(S) PRESENT OR LISTENING TO INTERVIEW		
		1 = Response circled .....	729	9.09
		98 = BLANK (NO ANSWER) .....	2367	29.51
		99 = LEGITIMATE SKIP (PRIVACY=1) .....	4925	61.40
SPRES	2	SPOUSE PRESENT OR LISTENING TO INTERVIEW		
		2 = Response circled .....	618	7.70
		98 = BLANK (NO ANSWER) .....	2478	30.89
		99 = LEGITIMATE SKIP (PRIVACY=1) .....	4925	61.40
PARPRES	2	LIVE-IN PARTNR/DATE PRSNT OR LISTENNG TO INTERVIEW		
		3 = Response circled .....	65	0.81
		98 = BLANK (NO ANSWER) .....	3031	37.79
		99 = LEGITIMATE SKIP (PRIVACY = 1) .....	4925	61.40
OAPRES	2	OTHER ADULT RELATIVE(S) PRES/LSTENING TO INTERVIEW		
		4 = Response circled .....	299	3.73
		98 = BLANK (NO ANSWER) .....	2797	34.87
		99 = LEGITIMATE SKIP (PRIVACY = 1) .....	4925	61.40
OAPRES	2	OTHER ADULT(S) PRESENT OR LISTENING TO INTERVIEW		
		5 = Response circled .....	276	3.44
		98 = BLANK (NO ANSWER) .....	2820	35.16
		99 = LEGITIMATE SKIP (PRIVACY = 1) .....	4925	61.40
CPRES	2	CHILD(REN) UNDER 15 PRESENT/LISTENING TO INTERVIEW		
		6 = Response circled .....	1072	13.36
		98 = BLANK (NO ANSWER) .....	2024	25.23
		99 = LEGITIMATE SKIP (PRIVACY=1) .....	4925	61.40



INTERVIEW INFORMATION

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
OPRES	2	OTHER PERSON(S) PRESENT/LISTENING (NOT SPECIFIED)		
		7 = Response circled .....	53	0.66
		98 = BLANK (NO ANSWER) .....	3043	37.94
		99 = LEGITIMATE SKIP (PRIVACY = 1) .....	4925	61.40

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		GEOGRAPHIC		
		-----		
POPDEN	1	POPULATION DENSITY		
		1 = PSU in a SMSA with 1 million or more persons .....	3960	49.37
		2 = PSU in a SMSA with fewer than 1 million .....	2450	30.54
		3 = PSU not in a SMSA .....	1611	20.08
REGION	1	CENSUS REGION		
		1 = Northeast .....	1507	18.79
		2 = North Central .....	1687	21.03
		3 = South .....	3086	38.47
		4 = West .....	1741	21.71
NOTE: The following variable, DIVISION,				
is based on the location of PSUs, not				
segments (as is true for later NHSDA				
public use files). A few PSUs are lo-				
cated in two divisions; in such cases,				
the PSU has been assigned to the divi-				
sion where most of the PSU's population				
was located.				
DIVISION	1	CENSUS DIVISION CODE		
		1 = New England .....	290	3.62
		2 = Middle Atlantic .....	1217	15.17
		3 = East North Central .....	1295	16.15
		4 = West North Central .....	392	4.89
		5 = South Atlantic .....	1459	18.19
		6 = East South Central .....	344	4.29
		7 = West South Central .....	1283	16.00
		8 = Mountain .....	400	4.99
		9 = Pacific .....	1341	16.72

LABEL	LEN	DESCRIPTION	FREQ	%
<p>IMPUTED DEMOGRAPHICS</p> <p>-----</p> <p>BRTHDATE is stored as a SAS DATE with a format of DATE7. to allow for easy manipulation. DAY, MONTH, and YEAR functions return such to the user.</p>				
BRTHDATE	7	EDITED BIRTHDATE		
EIBDATE	1	EDIT INDICATOR FOR BIRTHDATE		
		1 = Birthdate established form questionnaire .....	7689	95.86
		2 = Portions of birthdate logically imputed .....	42	0.52
		4 = Birthdate exists and IRAGE differs by 1+ years ...	290	3.62
IRAGE	3	IMPUTATION-REVISED AGE OF RESPONDENT		
		RANGE = 12 - 84 .....	8021	100.00
IIAGE	1	IMPUTATION INDICATOR FOR AGE		
		1 = Age from birthdate .....	7731	96.38
		2 = Final Age as Reported on Original File .....	290	3.62
IRSEX	1	SEX - IMPUTATION REVISED		
		1 = Male .....	3516	43.83
		2 = Female .....	4505	56.17
IISEX	1	SEX - IMPUTATION INDICATOR		
		1 = Sex from questionnaire .....	8021	100.00
IRRACE	1	IMPUTATION-REVISED RACE OF RESPONDENT		
		1 = American indian/Alaskan native .....	41	0.51
		2 = Asian or Pacific islander .....	67	0.84
		3 = Black .....	1950	24.31
		4 = White .....	3960	49.37
		9 = Hispanic .....	2003	24.97
IIRACE	1	IMPUTATION INDICATOR FOR RACE		
		1 = Race from questionnaire .....	7979	99.48
		2 = Race Logically Imputed from Hispanicity .....	14	0.17
		4 = Race Statis imputed using race - "Other" on quest	28	0.35
IRHOIND	1	IMPUTATION-REVISED HISPANIC ORIGIN		
		1 = Hispanic .....	2003	24.97
		2 = Nonhispanic .....	6018	75.03
IIHOIND	1	IMPUTATION INDICATOR FOR HISPANIC ORIGIN		
		1 = Hispanicity derived from questionnaire .....	1967	24.52
		3 = Hispanicity statistically imputed .....	64	0.80
		9 = Questionnaire Response Indicates Resp not Hispanic	5990	74.68

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
----	---	-----	----	-
IRHOGRP	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP		
		1 = Puerto Rican .....	330	4.11
		2 = Mexican .....	1247	15.55
		3 = Cuban .....	125	1.56
		4 = Other .....	301	3.75
		99 = LEGITIMATE SKIP (IRHOIND = 2) .....	6018	75.03
IIHOGRP	1	IMPUTATION INDICATOR FOR HISPANIC-ORIGIN GROUP		
		1 = Hispanic-Origin Group taken from questionnaire ...	1967	24.52
		3 = Statistically imputed data .....	64	0.80
		9 = Questionnaire Response Indicates Resp not Hispanic	5990	74.68
IRHOGRP2	2	IMPUTATION-REVISED HISPANIC-ORIGIN GROUP, VERSION2		
		1 = Puerto Rican .....	330	4.11
		2 = Mexican .....	1247	15.55
		3 = Cuban .....	125	1.56
		4 = Other .....	92	1.15
		5 = Central American/Caribbean .....	149	1.86
		6 = South American .....	60	0.75
		99 = LEGITIMATE SKIP (IRHOIND = 2) .....	6018	75.03
IIHOGRP2	1	IMPUTATION INDICATOR FOR HISPANIC GROUP VERSION2		
		1 = Puerto Rican .....	1967	24.52
		3 = Statistically imputed data .....	64	0.80
		9 = Questionnaire Response Indicates Resp not Hispanic	5990	74.68
IRMARIT	2	MARITAL STATUS - IMPUTATION REVISED		
		1 = Married .....	2781	34.67
		2 = Widowed .....	363	4.53
		3 = Divorced or Separated .....	766	9.55
		4 = Never Married .....	3000	37.40
		99 = LEGITIMATE SKIP (IRAGE < 15 ) .....	1111	13.85
IIMARIT	1	MARITAL STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	6840	85.28
		3 = Statistically imputed data .....	70	0.87
		9 = LEGITIMATE SKIP (IRAGE < 15) .....	1111	13.85

IMPUTED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IREDUC	2	EDUCATION - IMPUTATION REVISED		
		0 = No schooling .....	28	0.35
		1 = First grade .....	17	0.21
		2 = Second grade .....	26	0.32
		3 = Third grade .....	42	0.52
		4 = Fourth grade .....	76	0.95
		5 = Fifth grade .....	123	1.53
		6 = Sixth grade .....	433	5.40
		7 = Seventh grade .....	448	5.59
		8 = Eighth grade .....	674	8.40
		9 = Ninth grade .....	618	7.70
		10 = Tenth grade .....	696	8.68
		11 = Eleventh grade .....	673	8.39
		12 = Twelfth grade .....	2197	27.39
		13 = One year of college .....	398	4.96
		14 = Two years of college .....	510	6.36
		15 = Three years of college .....	200	2.49
		16 = Four years of college .....	522	6.51
		17 = Graduate/professional school .....	340	4.24
IIEDUC	1	EDUCATION - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7987	99.58
		3 = Statistically imputed data .....	34	0.42
IRWORKST	2	WORK STATUS - IMPUTATION REVISED		
		1 = Working full-time, 35 hours or more a week .....	3083	38.44
		2 = Working part-time, less than 35 hours a week .....	1123	14.00
		3 = Have job but out: illness/leave/furlough/strike ..	74	0.92
		4 = Unemployed or laid off and looking for work .....	436	5.44
		5 = Unemployed and not looking for work .....	176	2.19
		6 = Full-time homemaker only .....	775	9.66
		7 = In school only .....	1726	21.52
		8 = Retired .....	426	5.31
		9 = Disabled, not able to work .....	159	1.98
		12 = Other .....	43	0.54
IIWORKST	1	WORK STATUS - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	8014	99.91
		3 = Statistically imputed data .....	7	0.09

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		IMPUTED DRUG USE		
		-----		
IRALCRC	1	ALCOHOL REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days) .....	4135	51.55
		2 = More than 1 month ago but less than 6 months ago .	610	7.61
		3 = 6 or more months ago but less than 1 year ago ....	616	7.68
		4 = 1 or more years ago but less than 3 years ago ....	260	3.24
		5 = 3 or more years ago .....	504	6.28
		9 = Never used alcohol .....	1896	23.64
IILCRC	1	ALCOHOL REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7955	99.18
		2 = Imputed data .....	6	0.07
		3 = Statistically imputed data .....	60	0.75
IRMJRC	1	MARIJUANA REGENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days) .....	541	6.74
		2 = More than 1 week ago but less than 1 month ago ...	458	5.71
		3 = 1 or more months ago but less than 6 months ago ..	211	2.63
		4 = 6 or more months ago but less than 1 year ago ....	345	4.30
		5 = 1 or more years ago but less than 3 years ago ....	312	3.89
		6 = 3 or more years ago .....	981	12.23
		9 = Never used marijuana .....	5173	64.49
IIMJRC	1	MARIJUANA REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7966	99.31
		3 = Statistically imputed data .....	55	0.69
IRCOCRC	1	COCAINE REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days) .....	287	3.58
		2 = More than 1 month ago but less than 6 months ago .	155	1.93
		3 = 6 or more months ago but less than 1 year ago ....	155	1.93
		4 = 1 or more years ago but less than 3 years ago ....	147	1.83
		5 = 3 or more years ago .....	244	3.04
		9 = Never used cocaine .....	7033	87.68
IICOCRC	1	COCAINE REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7974	99.41
		2 = Imputed data .....	5	0.06
		3 = Statistically imputed data .....	42	0.52
IRSEDRC	1	SEDATIVES REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days) .....	72	0.90
		2 = More than 1 month ago but less than 6 months ago .	50	0.62
		3 = 6 or more months ago but less than 1 year ago ....	101	1.26
		4 = 1 or more years ago but less than 3 years ago ....	72	0.90
		5 = 3 or more years ago .....	224	2.79
		9 = Never used sedatives .....	7502	93.53
IISEDRC	1	SEDATIVES REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7948	99.09
		3 = Statistically imputed data .....	73	0.91

IMPUTED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	-
IRTRNRC	1	TRANQUILIZERS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days) .....	79	0.98
		2 = More than 1 month ago but less than 6 months ago .	83	1.03
		3 = 6 or more months ago but less than 1 year ago ....	126	1.57
		4 = 1 or more years ago but less than 3 years ago ....	101	1.26
		5 = 3 or more years ago .....	225	2.81
		9 = Never used tranquilizers .....	7407	92.35
IIITRNRC	1	TRANQUILIZERS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7930	98.87
		3 = Statistically imputed data .....	91	1.13
IRSTMRC	1	STIMULANTS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days) .....	118	1.47
		2 = More than 1 month ago but less than 6 months ago .	69	0.86
		3 = 6 or more months ago but less than 1 year ago ....	160	1.99
		4 = 1 or more years ago but less than 3 years ago ....	117	1.46
		5 = 3 or more years ago .....	263	3.28
		9 = Never used stimulants .....	7294	90.94
IIISTMRC	1	STIMULANTS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7952	99.14
		3 = Statistically imputed data .....	69	0.86
IRANLRC	1	ANALGESICS RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days) .....	139	1.73
		2 = More than 1 month ago but less than 6 months ago .	87	1.08
		3 = 6 or more months ago but less than 1 year ago ....	141	1.76
		4 = 1 or more years ago but less than 3 years ago ....	101	1.26
		5 = 3 or more years ago .....	162	2.02
		9 = Never used analgesics .....	7391	92.15
IIANLRC	1	ANALGESICS RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7914	98.67
		3 = Statistically imputed data .....	107	1.33
IRCIGRC	1	CIGARETTES RECENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days) .....	2328	29.02
		2 = More than 1 month ago but less than 6 months ago .	286	3.57
		3 = 6 or more months ago but less than 1 year ago ....	194	2.42
		4 = 1 or more years ago but less than 3 years ago ....	395	4.92
		5 = 3 or more years ago .....	1929	24.05
		9 = Never smoked cigarettes .....	2889	36.02
IICIGRC	1	CIGARETTES RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7344	91.56
		3 = Statistically imputed data .....	677	8.44

IMPUTED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
IRINHRC	1	INHALANTS REGENCY - IMPUTATION REVISED		
		1 = Within the past week (7 days) .....	21	0.26
		2 = More than 1 week ago but less than 1 month ago ...	67	0.84
		3 = 1 or more months ago but less than 6 months ago ..	23	0.29
		4 = 6 or more months ago but less than 1 year ago ....	52	0.65
		5 = 1 or more years ago but less than 3 years ago ....	97	1.21
		6 = 3 or more years ago .....	354	4.41
		9 = Never used inhalants .....	7407	92.35
IIINHRC	1	INHALANTS REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7891	98.38
		3 = Statistically imputed data .....	130	1.62
IRHALRC	1	HALLUCINOGENS REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days) .....	65	0.81
		2 = More than 1 month ago but less than 6 months ago .	43	0.54
		3 = 6 or more months ago but less than 1 year ago ....	39	0.49
		4 = 1 or more years ago but less than 3 years ago ....	77	0.96
		5 = 3 or more years ago .....	292	3.64
		9 = Never used hallucinogens .....	7505	93.57
IIHALRC	1	HALLUCINOGENS REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7960	99.24
		2 = Imputed data .....	21	0.26
		3 = Statistically imputed data .....	40	0.50
IRHERRC	1	HEROIN REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days) .....	12	0.15
		2 = More than 1 month ago but less than 6 months ago .	2	0.02
		3 = 6 or more months ago but less than 1 year ago ....	14	0.17
		4 = 1 or more years ago but less than 3 years ago ....	8	0.10
		5 = 3 or more years ago .....	60	0.75
		9 = Never used heroin .....	7925	98.80
IIHERRC	1	HEROIN REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	8003	99.78
		3 = Statistically imputed data .....	18	0.22
IRPCPRC	1	PCP REGENCY - IMPUTATION REVISED		
		1 = Within the past month (30 days) .....	27	0.34
		2 = More than 1 month ago but less than 6 months ago .	13	0.16
		3 = 6 or more months ago but less than 1 year ago ....	12	0.15
		4 = 1 or more years ago but less than 3 years ago ....	46	0.57
		5 = 3 or more years ago .....	135	1.68
		9 = Never used PCP .....	7788	97.10
IIPCPRC	1	PCP REGENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	7978	99.46
		3 = Statistically imputed data .....	43	0.54



LABEL	LEN	DESCRIPTION	FREQ	%
IRALCFQ	1	ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used daily in past year .....	206	2.57
		2 = Used almost daily in past year .....	471	5.87
		3 = Used 1-2 days per week in past year .....	1168	14.56
		4 = Used several times a month in past year .....	555	6.92
		5 = Used 1-2 times per month in past year .....	956	11.92
		6 = Used every other month in past year .....	572	7.13
		7 = Used 3-5 times in past year .....	595	7.42
		8 = Used 1-2 times in past year .....	838	10.45
		9 = Never used or did not use in the past year .....	2660	33.16
IIALCFQ	1	ALCOHOL FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	5137	64.04
		2 = Imputed data .....	2660	33.16
		3 = Statistically imputed data .....	224	2.79
IRMJFQ	2	MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used several times per day in past year .....	64	0.80
		2 = Used daily in past year .....	74	0.92
		3 = Used almost daily in past year .....	174	2.17
		4 = Used 1-2 days per week in past year .....	199	2.48
		5 = Used several times per month in past year .....	137	1.71
		6 = Used 1-2 times per month in past year .....	192	2.39
		7 = Used every other month in past year .....	145	1.81
		8 = Used 3-5 times in past year .....	185	2.31
		9 = Used 1-2 times in past year .....	385	4.80
		10 = Never used or did not use in the past year .....	6466	80.61
IIMJFQ	1	MARIJUANA FREQUENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	1441	17.97
		2 = Imputed data .....	6466	80.61
		3 = Statistically imputed data .....	114	1.42
IRCOCFQ	1	COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED		
		1 = Used daily in past year .....	7	0.09
		2 = Used almost daily in past year .....	11	0.14
		3 = Used 1-2 days per week in past year .....	27	0.34
		4 = Used several times per month in past year .....	56	0.70
		5 = Used 1-2 times per month in past year .....	75	0.94
		6 = Used every other month in past year .....	89	1.11
		7 = Used 3-5 times in past year .....	120	1.50
		8 = Used 1-2 times in past year .....	212	2.64
		9 = Never used or did not use in the past year .....	7424	92.56
IICOCFQ	1	COCAINE RECENCY - IMPUTATION INDICATOR		
		1 = Questionnaire data .....	525	6.55
		2 = Imputed data .....	7424	92.56
		3 = Statistically imputed data .....	72	0.90

RECODED DEMOGRAPHICS

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
RECODED DEMOGRAPHICS				
-----				
CATAGE	1	AGE CATEGORY		
		1 = 12-17 years (IRAGE = 12-17) .....	2230	27.80
		2 = 18-25 years (IRAGE = 18-25) .....	1812	22.59
		3 = 26-34 years (IRAGE = 26-34) .....	2166	27.00
		4 = 35+ years (IRAGE > 34) .....	1813	22.60
CATAG2	1	AGE CATEGORY RECODE (3 LEVELS)		
		1 = 12-17 years (CATAGE = 1) .....	2230	27.80
		2 = 18-25 years (CATAGE = 2) .....	1812	22.59
		3 = 26+ years (CATAGE = 3-4) .....	3979	49.61
RACE	1	RACE/HISPANIC-ORIGIN RECODE		
		1 = White (IRRACE = 4 and IRHOIND = 2) .....	3960	49.37
		2 = Black (IRRACE = 3 and IRHOIND = 2) .....	1950	24.31
		3 = Hispanic (IRHOIND = 1) .....	2003	24.97
		4 = Other (IRRACE = 1-2 and IRHOIND = 2) .....	108	1.35
EDUCCAT2	1	EDUCATION RECODE		
		1 = Less than high school (IREduc=0-11 and IRAGE=> 18)	1684	20.99
		2 = High school graduate (IREduc = 12 and IRAGE=> 18)	2140	26.68
		3 = Some college (IREduc = 13-15 and IRAGE => 18) ....	1105	13.78
		4 = College graduate (IREduc = 16-17 and IRAGE => 18)	862	10.75
		5 = 12-17 year olds (IRAGE = 12-17) .....	2230	27.80
EMPSTAT2	1	EMPLOYMENT STATUS RECODE		
		1 = Full-time (IRWORKST =1,3 and IRAGE => 18) .....	3038	37.88
		2 = Part-time (IRWORKST = 2 and IRAGE => 18) .....	649	8.09
		3 = Unemployed (IRWORKST = 4,5,10 and IRAGE => 18) ...	523	6.52
		4 = Other (IRWORKST = 6-9, 12 and IRAGE >= 18) .....	1581	19.71
		5 = 12-17 year olds (IRAGE = 12-17) .....	2230	27.80

## RECODED DRUG USE

PAGE: 141

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	----	----
		RECODED DRUG USE		
		-----		
CIGFLAG	1	CIGARETTES - EVER USED		
		0 = Never used (IRCIGRC = 9) .....	2889	36.02
		1 = Ever used (IRCIGRC = 1-5) .....	5132	63.98
CIGYR	1	CIGARETTES - PAST YEAR USE		
		0 = Did not use in the past year (IRCIGRC = 4-5,9) ...	5213	64.99
		1 = Used within the past year (IRCIGRC = 1-3) .....	2808	35.01
CIGMON	1	CIGARETTES - PAST MONTH USE		
		0 = Did not use in the past month (IRCIGRC = 2-5,9) ..	5693	70.98
		1 = Used within the past month (IRCIGRC = 1) .....	2328	29.02
ALCFLAG	1	ALCOHOL - EVER USED		
		0 = Never used (IRALCRC = 9) .....	1896	23.64
		1 = Ever used (IRALCRC = 1-5) .....	6125	76.36
ALCYR	1	ALCOHOL - PAST YEAR USE		
		0 = Did not use in the past year (IRALCRC = 4-5,9) ...	2660	33.16
		1 = Used within the past year (IRALCRC = 1-3) .....	5361	66.84
ALCMON	1	ALCOHOL - PAST MONTH USE		
		0 = Did not use in the past month (IRALCRC = 2-5,9) ..	3886	48.45
		1 = Used within the past month (IRALCRC = 1) .....	4135	51.55
SEDFLAG	1	SEDATIVES - EVER USED		
		0 = Never used (IRSEDRC = 9) .....	7502	93.53
		1 = Ever used (IRSEDRC = 1-5) .....	519	6.47
SEDYR	1	SEDATIVES - PAST YEAR USE		
		0 = Did not use in the past year (IRSEDRC = 4-5,9) ...	7798	97.22
		1 = Used within the past year (IRSEDRC = 1-3) .....	223	2.78
SEDMON	1	SEDATIVES - PAST MONTH USE		
		0 = Did not use in the past month (IRSEDRC = 2-5,9) ..	7949	99.10
		1 = Used within the past month (IRSEDRC = 1) .....	72	0.90
TRQFLAG	1	TRANQUILIZERS - EVER USED		
		0 = Never used (IRTRNRC = 9) .....	7407	92.35
		1 = Ever used (IRTRNRC = 1-5) .....	614	7.65
TRQYR	1	TRANQUILIZERS - PAST YEAR USE		
		0 = Did not use in the past year (IRTRNRC = 4-5,9) ...	7733	96.41
		1 = Used within the past year (IRTRNRC = 1-3) .....	288	3.59
TRQMON	1	TRANQUILIZERS - PAST MONTH USE		
		0 = Did not use in the past month (IRTRNRC = 2-5,9) ..	7942	99.02
		1 = Used within the past month (IRTRNRC = 1) .....	79	0.98

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
STMFLAG	1	STIMULANTS - EVER USED		
		0 = Never used (IRSTMRC = 9) .....	7294	90.94
		1 = Ever used (IRSTMRC = 1-5) .....	727	9.06
STMYR	1	STIMULANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRSTMRC = 4-5,9) ...	7674	95.67
		1 = Used within the past year (IRSTMRC = 1-3) .....	347	4.33
STMMON	1	STIMULANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRSTMRC = 2-5,9) ..	7903	98.53
		1 = Used within the past month (IRSTMRC = 1) .....	118	1.47
ANLFLAG	1	ANALGESICS - EVER USED		
		0 = Never used (IRANLRC = 9) .....	7391	92.15
		1 = Ever used (IRANLRC = 1-5) .....	630	7.85
ANLYR	1	ANALGESICS - PAST YEAR USE		
		0 = Did not use in the past year (IRANLRC = 4-5,9) ...	7654	95.42
		1 = Used within the past year (IRANLRC = 1-3) .....	367	4.58
ANLMON	1	ANALGESICS - PAST MONTH USE		
		0 = Did not use in the past month (IRANLRC = 2-5,9) ..	7882	98.27
		1 = Used within the past month (IRANLRC = 1) .....	139	1.73
MRJFLAG	1	MARIJUANA - EVER USED		
		0 = Never used (IRMJRC = 9) .....	5173	64.49
		1 = Ever used (IRMJRC = 1 - 6) .....	2848	35.51
MRJYR	1	MARIJUANA - PAST YEAR USE		
		0 = Did not use in the past year (IRMJRC = 5-6,9) ....	6466	80.61
		1 = Used within the past year (IRMJRC = 1-4) .....	1555	19.39
MRJMON	1	MARIJUANA - PAST MONTH USE		
		0 = Did not use in the past month (IRMJRC = 3-6,9) ...	7022	87.55
		1 = Used within the past month (IRMJRC = 1-2) .....	999	12.45
INHFLAG	1	INHALANTS - EVER USED		
		0 = Never used (IRINHRC = 9) .....	7407	92.35
		1 = Ever used (IRINHRC = 1-6) .....	614	7.65
INHYR	1	INHALANTS - PAST YEAR USE		
		0 = Did not use in the past year (IRINHRC = 5-6,9) ...	7858	97.97
		1 = Used within the past year (IRINHRC = 1-4) .....	163	2.03
INHMON	1	INHALANTS - PAST MONTH USE		
		0 = Did not use in the past month (IRINHRC = 3-6,9) ..	7933	98.90
		1 = Used within the past month (IRINHRC = 1-2) .....	88	1.10
COCFLAG	1	COCAINE - EVER USED		
		0 = Never used (IRCOCRC = 9) .....	7033	87.68
		1 = Ever used (IRCOCRC = 1-5) .....	988	12.32

RECODED DRUG USE

LABEL	LEN	DESCRIPTION	FREQ	%
COCYR	1	COCAINE - PAST YEAR USE		
		0 = Did not use in the past year (IRCOCRC = 4-5,9) ...	7424	92.56
		1 = Used within the past year (IRCOCRC = 1-3) .....	597	7.44
COCMON	1	COCAINE - PAST MONTH USE		
		0 = Did not use in the past month (IRCOCRC = 2-5,9) ..	7734	96.42
		1 = Used within the past month (IRCOCRC = 1) .....	287	3.58
HALFLAG	1	HALLUCINOGENS - EVER USED		
		0 = Never used (IRHALRC = 9) .....	7505	93.57
		1 = Ever used (IRHALRC = 1-5) .....	516	6.43
HALYR	1	HALLUCINOGENS - PAST YEAR USE		
		0 = Did not use in the past year (IRHALRC = 4-5,9) ...	7874	98.17
		1 = Used within the past year (IRHALRC = 1-3) .....	147	1.83
HALMON	1	HALLUCINOGENS - PAST MONTH USE		
		0 = Did not use in the past month (IRHALRC = 2-5,9) ..	7956	99.19
		1 = Used within the past month (IRHALRC = 1) .....	65	0.81
PCPFLAG	1	PCP - EVER USED		
		0 = Never used (IRPCPRC = 9) .....	7788	97.10
		1 = Ever used (IRPCPRC = 1-5) .....	233	2.90
PCPYR	1	PCP - PAST YEAR USE		
		0 = Did not use in the past year (IRPCPRC = 4-5,9) ...	7969	99.35
		1 = Used within the past year (IRPCPRC = 1-3) .....	52	0.65
PCPMON	1	PCP - PAST MONTH USE		
		0 = Did not use in the past month (IRPCPRC = 2-5,9) ..	7994	99.66
		1 = Used within the past month (IRPCPRC = 1) .....	27	0.34
HERFLAG	1	HEROIN - EVER USED		
		0 = Never used (IRHERRC = 9) .....	7925	98.80
		1 = Ever used (IRHERRC = 1-5) .....	96	1.20
HERYR	1	HEROIN - PAST YEAR USE		
		0 = Did not use in the past year (IRHERRC = 4-5,9) ...	7993	99.65
		1 = Used within the past year (IRHERRC = 1-3) .....	28	0.35
HERMON	1	HEROIN - PAST MONTH USE		
		0 = Did not use in the past month (IRHERRC = 2-5,9) ..	8009	99.85
		1 = Used within the past month (IRHERRC = 1) .....	12	0.15
<p>The following three variables were                      created by examination of IRSEDRC(Q.S-4)                      ITRNRC(Q.T-4),IRSTMRC(Q.ST-4), and                      IRANLRC(Q.AN-4).</p>				
PSYFLAG2	1	ANY PSYCHOTHERAPEUTICS - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 9) .....	6699	83.52
		1 = Ever used (ANY SOURCE VARIABLE < 9) .....	1322	16.48

LABEL	LEN	DESCRIPTION	FREQ	%
PSYYR2	1	ANY PSYCHOTHERAPEUTICS - PAST YEAR USE		
		0 = Did not use within past year (ALL SOURCE VARS > 3)	7308	91.11
		1 = Used in past year (ANY SOURCE VARIABLE < 4) .....	713	8.89
PSYMON2	1	ANY PSYCHOTHERAPEUTICS - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS > 1) ..	7725	96.31
		1 = Used in past month (ANY SOURCE VARIABLE = 1) .....	296	3.69

The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG.

SUMFLAG	1	ANY ILLICIT DRUG - EVER USED		
		0 = Never used (ALL SOURCE VARIABLES = 0) .....	4752	59.24
		1 = Ever used (ANY SOURCE VARIABLE = 1) .....	3269	40.76

The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYR.

SUMYR	1	ANY ILLICIT DRUG - PAST YEAR USE		
		0 = Did not use in past year (ALL SOURCE VARS = 0) ...	6098	76.03
		1 = Used in past year (ANY SOURCE VARIABLE = 1) .....	1923	23.97

The following variable, SUMMON, was created by examination of HALMON, HERMON, MRJMON, COCMON, INHMON, and PSYMON.

SUMMON	1	ANY ILLICIT DRUG - PAST MONTH USE		
		0 = Did not use in past month (ALL SOURCE VARS = 0) ..	6796	84.73
		1 = Used in past month (ANY SOURCE VARIABLE = 1) .....	1225	15.27

The following variable, MJOFLAG, was created by examination of MRJFLAG and then HALFLAG, HERFLAG, COCFLAG, INHFLAG, and PSYFLAG2.

MJOFLAG	1	MARIJUANA ONLY - EVER USED		
		0 = Never used MJ/has used both MJ & another illct drug	6711	83.67
		1 = Marijuana is only (illicit) drug ever used .....	1310	16.33

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
		The following variable, MJOYR2, was created by examination of MRJYR and then HALYR, HERYR, COCYR, INHYR, and PSYR2.		
MJOYR2	1	MARIJUANA ONLY - PAST YEAR USE		
		0 = MJ not used past yr/Used MJ & othr drug past yr ..	7223	90.05
		1 = Marijuana is only (illicit) drug in past year ....	798	9.95
		The following variable, MJOMON2, was created by examination of MRJMON and then HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
MJOMON2	1	MARIJUANA ONLY - PAST MONTH USE		
		0 = MJ not used past mnth/Used MJ & othr drug past mo	7374	91.93
		1 = Marijuana only (illicit) drug in past month .....	647	8.07
		The following variable, IEMFLAG, was created by examination of HALFLAG, HERFLAG, COCFLAG, INHFLAG and PSYFLAG2.		
IEMFLAG	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - EVER USED		
		0 = Never used drug/used only marijuana .....	6062	75.58
		1 = Illicit drug except for marijuana are ever used ..	1959	24.42
		The following variable, IEMYR, was created by examination of HALYR, HERYR, COCYR, INHYR and PSYR2.		
IEMYR	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PAST YEAR USED		
		0 = Never used drug/used only marijuana past year ....	6896	85.97
		1 = Illicit drug except for marijuana used past year .	1125	14.03
		The following variable, IEMMON, was created by examination of HALMON, HERMON, COCMON, INHMON, and PSYMON2.		
IEMMON	1	ILLICIT DRUG EXCEPT FOR MARIJUANA - PST MONTH USED		
		0 = Never used drug/used only marijuana past month ...	7443	92.79
		1 = Illicit drug except for marijuana used past month	578	7.21
ALCDLYF	1	ALCOHOL DAILY/ALMOST FLAG		
		0 = Did not use daily/almost daily pst yr (IRALCFQ=3-9)	7344	91.56
		1 = Used daily/almost daily in past year (IRALCFQ=1-2)	677	8.44
ALCWKF	1	ALCOHOL - WEEKLY OR MORE FREQUENT USE PAST YEAR		
		0 = Did not use weekly or more past yr (IRALCFQ = 4-9)	6176	77.00
		1 = Used weekly or more in past year (IRALCFQ = 1-3) .	1845	23.00

## RECODED DRUG USE

PAGE: 146

LABEL	LEN	DESCRIPTION	FREQ	%
-----	---	-----	----	-
ALCMONF	1	ALCOHOL - MONTHLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use monthly/more past year (IRALCFQ = 6-9) 1 = Used monthly or more often past yr (IRALCFQ = 1-5)	4665 3356	58.16 41.84
ALCOCCF	1	ALCOHOL OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRALCFQ=1-5,9) 1 = Used past year but less than monthly (IRALCFQ=6-8)	6016 2005	75.00 25.00
ALCYRF	1	ALCOHOL - ANY USE PAST YEAR 0 = Never used or not used in past year (IRALCFQ = 9) 1 = Any use within the past year (IRALCFQ = 1-8) .....	2660 5361	33.16 66.84
MRJDLYF	1	MARIJUANA DAILY/ALMOST FLAG 0 = Did not use daily/almost daily pst yr (IRMJFQ=4-10) 1 = Used daily/almost daily in past year (IRMJFQ=1-3)	7709 312	96.11 3.89
MRJWKF	1	MARIJUANA - WEEKLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use weekly/more past year (IRMJFQ = 5-10) 1 = Used weekly or more in past year (IRMJFQ = 1-4) ..	7510 511	93.63 6.37
MRJMONF	1	MARIJUANA - MONTHLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use monthly/more past year (IRMJFQ = 7-10) 1 = Used monthly or more in past year (IRMJFQ = 1-6) .	7181 840	89.53 10.47
MRJOCFF	1	MARIJUANA OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRMJFQ=1-6,10) 1 = Used past year but less than monthly (IRMJFQ=7-9)	7306 715	91.09 8.91
MRJYRF	1	MARIJUANA - ANY USE PAST YEAR 0 = Never used or did not use in past yr (IRMJFQ = 10) 1 = Any use within the past year (IRMJFQ = 1-9) .....	6466 1555	80.61 19.39
COCDLYF	1	COCAINE DAILY/ALMOST FLAG 0 = Did not use daily/almost daily pst yr (IRCOCFQ=3-9) 1 = Used daily/almost daily in past year (IRCOCFQ=1-2)	8003 18	99.78 0.22
COCWKF	1	COCAINE - WEEKLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use weekly or more past yr (IRCOCFQ = 4-9) 1 = Used weekly or more often past yr (IRCOCFQ = 1-3)	7976 45	99.44 0.56
COCMONF	1	COCAINE - MONTHLY OR MORE FREQUENT USE PAST YEAR 0 = Did not use monthly/more past year (IRCOCFQ = 6-9) 1 = Used monthly or more often past yr (IRCOCFQ = 1-5)	7845 176	97.81 2.19
COCOCCF	1	COCAINE OCCASIONAL FLAG 0 = Used monthly/more or none in pst yr (IRCOCFQ=1-5,9) 1 = Used past year but less than monthly (IRCOCFQ=6-8)	7600 421	94.75 5.25
COCYRF	1	COCAINE - ANY USE PAST YEAR 0 = Never used or did not use in past yr (IRCOCFQ = 9) 1 = Any use within the past year (IRCOCFQ = 1-8) .....	7424 597	92.56 7.44



DESIGN AND ESTIMATION VARIABLES

LABEL	LEN	DESCRIPTION	FREQ	%
-----	----	-----	-----	-----
DESIGN AND ESTIMATION VARIABLES				
-----				
ANALWT	8	REVISED 1985 ANALYSIS WEIGHT		
VEREP	1	REPLICATE WITHIN ANALYSIS STRATUM		
		RANGE = 1 - 2 .....	8021	100.00
VESTR	4	STRATUM TO BE USED IN ANALYSIS		
		RANGE = 8501 - 8546 .....	8021	100.00

LABEL	PAGE
-----	-----
ACCID .....	122
ADDALC .....	5
ADDALL .....	6
ADDAMP .....	5
ADDCIG .....	6
ADDCOC .....	5
ADDSER .....	6
ADDLSD .....	5
ADDMJ .....	5
ADDNONE .....	6
ADDSER .....	5
ADDTRAN .....	5
AEROS .....	43
AEROS30A .....	45
ALCABSNT .....	79
ALCAGE .....	9
ALCAGGR .....	79
ALCALONE .....	82
ALCANAL .....	11
ALCARGUM .....	79
ALCBRKPM .....	82
ALCCOC .....	11
ALCDAYS .....	8
ALCDLYF .....	145
ALCDRUNK .....	81
ALCFLAG .....	141
ALCFRDCD .....	80
ALCHAL .....	11
ALCHIGH .....	80
ALCHOLIC .....	81
ALCINH .....	11
ALCINTOX .....	81
ALCJOB .....	80
ALCMATCD .....	80
ALCMJ .....	11
ALCMON .....	141
ALCMONF .....	146
ALCMORN .....	82
ALCONE .....	11
ALCOCCF .....	146
ALCOPT .....	11
ALCPAT .....	9
ALCPREF .....	7
ALCQUICK .....	82
ALCREC .....	7
ALCRELCD .....	80
ALCREM .....	81
ALCSED .....	10
ALCSHOOK .....	82
ALCSTM .....	10
ALCTOSS .....	81
ALCTRAN .....	10
ALCTRY .....	7
ALCWKF .....	145

LABEL	PAGE
-----	----
ALCYR .....	141
ALCYRF .....	146
ALLERG .....	64
ALNDRG1A .....	91
ALNDRG2A .....	91
ALNDRG3A .....	91
ALNDRG4A .....	91
ALNDRG5A .....	91
ALNDRG6A .....	92
ALURATE .....	13
AMLNT30A .....	45
AMOBARB .....	13
AMYLNIT .....	44
AMYTAL .....	12
ANALAGE .....	35
ANALNEWA .....	34
ANALNEWB .....	34
ANALNEWC .....	34
ANALNONE .....	32
ANALOTH .....	34
ANALREC .....	35
ANALTOT .....	35
ANALWT .....	147
ANLALC .....	36
ANLCOC .....	37
ANLDKNAM .....	34
ANLFLAG .....	142
ANLHAL .....	37
ANLINH .....	36
ANLMJ .....	36
ANLMON .....	142
ANLNONE .....	37
ANLOPT .....	37
ANLSED .....	36
ANLSTM .....	36
ANLTRAN .....	36
ANLYR .....	142
ANXDRG1A .....	92
ANXDRG2A .....	93
ANXDRG3A .....	93
ANXDRG4A .....	93
ANXDRG5A .....	93
ANXDRG6A .....	93
ARGDRG1A .....	85
ARGDRG2A .....	86
ARGDRG3A .....	86
ARGDRG4A .....	86
ARGDRG5A .....	86
ARGDRG6A .....	86
AS10READ .....	60
AS11READ .....	70
AS13NONE .....	83
AS14READ .....	107
AS3READ .....	19

LABEL	PAGE
-----	-----
AS4READ .....	25
AS5READ .....	32
AS7READ .....	43
AS8READ .....	49
AS9READ .....	55
ASTHMA .....	63
ATARAX .....	21
ATIVAN .....	20
AVCIG .....	2
BENADRYL .....	21
BENZ .....	26
BIPHET .....	26
BIRMON .....	115
BIRYEAR .....	115
BPMED .....	62
BROSIS .....	124
BRTHDATE .....	133
BUSINES1 .....	118
BUTICAPS .....	12
BUTISOL .....	12
CARBAL .....	14
CATAG2 .....	140
CATAGE .....	140
CDALCX .....	70
CDANALX .....	71
CDGIGX .....	70
CDCOCK .....	71
CDHALLX .....	71
CDHERX .....	71
CDINHX .....	71
CDMJX .....	71
CDNONEX .....	72
CDOTHOPX .....	71
CDSEDX .....	70
CDSTMX .....	71
CDTRANX .....	71
CHAGE1 .....	122
CHAGE10 .....	123
CHAGE2 .....	122
CHAGE3 .....	123
CHAGE4 .....	123
CHAGE5 .....	123
CHAGE6 .....	123
CHAGE7 .....	123
CHAGE8 .....	123
CHAGE9 .....	123
CHHYD .....	14
CIG5PK .....	2
CIGAGE .....	3
CIGFLAG .....	141
CIGINT .....	3
CIGMON .....	141
CIGREC .....	2
CIGTIME .....	3

LABEL	PAGE
-----	-----
CIGTRY .....	2
CIGYR .....	141
CIGYRS .....	3
CLEFLU .....	44
CLFL30A .....	46
COC30ALC .....	51
COCAGE .....	49
COCALC .....	52
COCAM30A .....	50
COCANAL .....	52
COCBUCK .....	51
COCDLYF .....	146
COCFLAG .....	142
COCHAL .....	53
COCINH .....	53
COCIVX .....	53
COCMJ .....	52
COCMON .....	143
COCMONF .....	146
COCNONE .....	53
COCOCCF .....	146
COCOPP .....	49
COCOPT .....	53
COCOTHX .....	54
COCREC .....	50
COCSER .....	52
COCSNIFX .....	53
COCSTM .....	52
COCSWALK .....	53
COCTOT .....	49
COCTRAN .....	52
COCUS30A .....	50
COCWKF .....	146
COCYR .....	143
COCYRF .....	146
COCYRFRQ .....	51
CODEINE .....	33
COOPINT .....	129
COUGHYR .....	65
CPEDRG1A .....	104
CPEDRG2A .....	104
CPEDRG3A .....	105
CPEDRG4A .....	105
CPEDRG5A .....	105
CPEDRG6A .....	105
CPRES .....	130
CWE .....	118
CWEBUS1 .....	119
CWEOCC1 .....	119
CYLERT .....	27
DALMANE .....	15
DARVON .....	32
DEMEROL .....	33
DEPALCX .....	75

LABEL	PAGE
-----	----
DEPANALX .....	75
DEPCIGX .....	75
DEPCOCX .....	76
DEPDRG1A .....	84
DEPDRG2A .....	84
DEPDRG3A .....	84
DEPDRG4A .....	85
DEPDRG5A .....	85
DEPDRG6A .....	85
DEPHALLX .....	76
DEPHERX .....	76
DEPINHX .....	76
DEPMJX .....	76
DEPNONEX .....	76
DEPOTHOX .....	76
DEPSEDX .....	75
DEPSTMX .....	75
DEPTRANX .....	75
DESOXYN .....	26
DETAMP .....	26
DEXAMYL .....	25
DEXED .....	25
DIDREX .....	26
DILAUD .....	33
DIVISION .....	132
DOLENE .....	32
DOLOP .....	33
DORIDEN .....	13
DORM .....	126
DR5DAY .....	9
DRALONE .....	90
DRANX .....	92
DRARGUM .....	85
DRCOPE .....	104
DRDEPRSS .....	83
DRDRIVE .....	88
DREMGMED .....	105
DRHEALTH .....	93
DRLSWORK .....	99
DRMNYPRB .....	96
DRNOTEAT .....	102
DRNTHINK .....	95
DRNTRMB .....	89
DRSUSPIC .....	100
DRTRBLAW .....	101
DRTRBLE .....	86
DRUNKYR .....	10
DRUPSET .....	97
DRVDRG1A .....	88
DRVDRG2A .....	88
DRVDRG3A .....	88
DRVDRG4A .....	88
DRVDRG5A .....	89
DRVDRG6A .....	89

LABEL	PAGE
-----	-----
EDUC .....	120
EDUCCAT2 .....	140
EFFALCX .....	72
EFFANALX .....	72
EFFCIGX .....	72
EFFCOCX .....	73
EFFHALLX .....	73
EFFHERX .....	73
EFFINHX .....	73
EFFMJX .....	72
EFFNONEX .....	73
EFFOTHOX .....	73
EFFSEDX .....	72
EFFSTMX .....	72
EFFTRANX .....	72
EIBDATE .....	133
EIIDATE .....	129
EMDRG1A .....	105
EMDRG2A .....	105
EMDRG3A .....	106
EMDRG4A .....	106
EMDRG5A .....	106
EMDRG6A .....	106
EMPSTAT2 .....	140
ENCPSU .....	1
EQUANIL .....	20
ESKABARB .....	12
ESKAT .....	25
ETHER .....	44
ETHER30A .....	46
FATHER .....	123
FELTCRY .....	68
FELTDEP .....	66
FELTDISL .....	68
FELTEFF .....	67
FELTENJ .....	68
FELTGOOD .....	66
FELTHAP .....	67
FELTHOPE .....	67
FELTMIND .....	66
FELTNOGO .....	69
FELTSLEP .....	67
FELTUNF .....	68
FLU .....	64
FREEBASX .....	54
FRIENDS .....	124
FULLPART .....	119
GAS .....	43
GAS30A .....	45
GLUE .....	43
GLUE30A .....	45
HAL3OUSE .....	56
HALFLAG .....	143
HALLAGE .....	55

LABEL	PAGE
-----	-----
HALLOPP .....	55
HALLOTH .....	57
HALLOCL .....	55
HALLREC .....	56
HALLTOT .....	56
HALMON .....	143
HALNEWA .....	57
HALNEWB .....	58
HALYR .....	143
HEALTHYR .....	65
HEART .....	63
HER3OUSE .....	61
HERAGE .....	60
HERFLAG .....	143
HERMON .....	143
HERNEEDL .....	61
HEROPP .....	60
HERREC .....	61
HERTOT .....	60
HERYR .....	143
HIGHBP .....	62
HLPALCHO .....	107
HLPDRUSE .....	107
HLPQTCIG .....	107
HLTDRG1A .....	94
HLTDRG2A .....	94
HLTDRG3A .....	94
HLTDRG4A .....	94
HLTDRG5A .....	94
HLTDRG6A .....	94
HOSP .....	127
HOSPYR .....	64
IEMFLAG .....	145
IEMMON .....	145
IEMYR .....	145
IIAGE .....	133
IIALCFQ .....	139
IIALCRC .....	136
IIANLRC .....	137
IICIGRC .....	137
IICOCFQ .....	139
IICOCRC .....	136
IIEDUC .....	135
IIHALRC .....	138
IIHERRC .....	138
IIHGRP .....	134
IIHGRP2 .....	134
IIHOIND .....	133
IIINHRC .....	138
IIMARIT .....	134
IIMJFQ .....	139
IIMJRC .....	136
IIPCPRC .....	138
IIRACE .....	133



LABEL	PAGE
-----	-----
IISEDRC	136
IISEX	133
IISTMRC	137
IITRNRC	137
IIWORKST	135
INCOME	128
INH30NO	46
INHANSY	48
INHDI30A	47
INHEFF	48
INHFLAG	142
INHMON	142
INHNEWA	44
INHNONE	43
INHOT30A	46
INHPO	48
INHQNC	48
INHREC	47
INHTOT	47
INHYR	142
INLAW	124
INTDATE	129
INTMONTH	129
IONAMIN	27
IRAGE	133
IRALCFQ	139
IRALCRC	136
IRANLRC	137
IRCIGRC	137
IRCOCFQ	139
IRCOCRC	136
IREduc	135
IRHALRC	138
IRHERRC	138
IRHOGRP	134
IRHOGRP2	134
IRHOIND	133
IRINHRC	138
IRMARIT	134
IRMJFQ	139
IRMJRC	136
IRPCPRC	138
IRRACE	133
IRSEDRC	136
IRSEX	133
IRSTMRC	137
IRTRNRC	137
IRWORKST	135
LAWDRG1A	102
LAWDRG2A	102
LAWDRG3A	102
LAWDRG4A	102
LAWDRG5A	102
LAWDRG6A	102

LABEL	PAGE
-----	-----
LERITINE	33
LEVODRO	33
LIBRIUM	19
LIBTAB	19
LSD	57
LSWDRG1A	99
LSWDRG2A	99
LSWDRG3A	100
LSWDRG4A	100
LSWDRG5A	100
LSWDRG6A	100
LUMINAL	12
MARITAL	115
MEBARAL	13
MEPROB	20
MEPRSPAN	20
MESC	57
METHAQ	14
METHDON	34
METHI	26
MILBASE	127
MILES	122
MILSTAT	125
MILTOWN	20
MILYR1A	125
MILYR2A	125
MILYR3A	125
MILYR4A	126
MILYR5A	126
MILYR6A	126
MJAGE	38
MJALC	41
MJALC30A	40
MJAMT30A	40
MJANAL	42
MJAV30A	39
MJCOC	42
MJDAY30A	39
MJDOL	40
MJHAL	42
MJINH	42
MJNONE	42
MJOFLAG	144
MJOMON2	145
MJOPP	38
MJOPT	42
MJOYR2	145
MJREC	39
MJSED	41
MJSTM	42
MJTOT	38
MJTRAN	41
MJYRFREQ	41
MNYDRG1A	96

LABEL	PAGE
-----	-----
MNYDRG2A .....	97
MNYDRG3A .....	97
MNYDRG4A .....	97
MNYDRG5A .....	97
MNYDRG6A .....	97
MODR30A .....	8
MODR30DY .....	8
MOTHER .....	123
MOVES .....	127
MRJDLYF .....	146
MRJFLAG .....	142
MRJMON .....	142
MRJMONF .....	146
MRJOCCF .....	146
MRJWKF .....	146
MRJYR .....	142
MRJYRF .....	146
NEMBUTAL .....	14
NETDRG1A .....	103
NETDRG2A .....	103
NETDRG3A .....	103
NETDRG4A .....	103
NETDRG5A .....	103
NETDRG6A .....	104
NITOXID .....	44
NO5JOB .....	118
NOBOOZYR .....	79
NOCHILD .....	122
NOCTEC .....	14
NODR30A .....	8
NODRUGS .....	70
NOLUDAR .....	13
NOMARR .....	116
NOSEDAT .....	12
NOSTIMS .....	25
NOTRANQ .....	19
NOX30A .....	46
NRMDRG1A .....	89
NRMDRG2A .....	89
NRMDRG3A .....	90
NRMDRG4A .....	90
NRMDRG5A .....	90
NRMDRG6A .....	90
NTKDRG1A .....	95
NTKDRG2A .....	95
NTKDRG3A .....	96
NTKDRG4A .....	96
NTKDRG5A .....	96
NTKDRG6A .....	96
OAPRES .....	130
OARPRES .....	130
OBLA .....	26
OPRES .....	131
OTHERNON .....	125

LABEL	PAGE
-----	-----
OTHINHL .....	44
OTHREL .....	124
OTHTOB .....	4
OWNCHILD .....	124
PACKS .....	4
PAREST .....	14
PARPRES .....	130
PARQ .....	129
PAYMO .....	117
PAYYR .....	116
PCP .....	57
PCPACTV .....	58
PCPFEELV .....	58
PCPFLAG .....	143
PCPFLASH .....	58
PCPMON .....	143
PCPNEWA .....	59
PCPNEWB .....	59
PCPNORCT .....	59
PCPOTH .....	59
PCPREC .....	58
PCPSENSE .....	58
PCPYR .....	143
PENTOB .....	14
PERCODAN .....	33
PEYOTE .....	57
PHENOBAR .....	13
PHLEGMYR .....	65
PLACIDYL .....	13
PLEGINE .....	27
PONDIMIN .....	27
POPDEN .....	132
PPRES .....	130
PRELUDIN .....	27
PRESATE .....	27
PRIVACY .....	130
PROPOXY .....	33
PSILCY .....	57
PSYFLAG2 .....	143
PSYMON2 .....	144
PSYYR2 .....	144
QUAALUDE .....	13
RACE .....	140
REGION .....	132
RESPID .....	1
RITALIN .....	27
RK2DRINK .....	113
RK5DRINK .....	114
RKCOCOC .....	113
RKCOCREG .....	113
RKHERREG .....	112
RKPCPREG .....	112
RKTRYCOC .....	113
RKTRYHER .....	112

LABEL	PAGE
-----	----
RKTRYP	112
ROCCUP1	117
RSKBINGE	114
RSKMJOCC	111
RSKMJREG	111
RSKPKCIG	111
RUNNYR	65
SANOREX	27
SCHDAYS	120
SECOB	15
SECONAL	14
SEDAGE	15
SEDALC	16
SEDAN	17
SEDCOC	17
SEDDKNAM	15
SEDFLAG	141
SEDHAL	17
SEDINH	17
SEDMJ	17
SEDMON	141
SEDNEWA	15
SEDNEWB	15
SEDNEWC	15
SEDNONE	18
SEDOPT	17
SEDOTH	15
SEDREC	16
SEDST	17
SEDTOT	16
SEDTR	16
SEDYR	141
SERAX	20
SERVICE	125
SEX	115
SK65A	32
SKIPPED	121
SKLY	20
SOLVENT	44
SOLVN30A	45
SOPOR	13
SOREYR	64
SPOUSE	124
SPPAINT	43
SPPAN30A	45
SPRES	130
SSPDRG1A	100
SSPDRG2A	101
SSPDRG3A	101
SSPDRG4A	101
SSPDRG5A	101
SSPDRG6A	101
STALC	29
STANAL	30

LABEL	PAGE
-----	-----
STCOC .....	30
STEPCHLD .....	124
STHAL .....	30
STIMAGE .....	28
STIMNEWA .....	28
STIMNEWB .....	28
STIMNEWC .....	28
STIMOR .....	28
STIMREC .....	29
STIMTOT .....	29
STINH .....	30
STMDKNAM .....	28
STMFLAG .....	142
STMJ .....	30
STMMON .....	142
STMYR .....	142
STNONE .....	31
STOPT .....	31
STSED .....	30
STTRAN .....	30
STUDENT .....	120
SUMFLAG .....	144
SUMMON .....	144
SUMYR .....	144
TALWIN .....	34
TELNO .....	127
TENUATE .....	26
TEPANIL .....	26
TIMEPAIN .....	62
TOTPEOP .....	123
TRALC .....	23
TRANAGE .....	22
TRANAL .....	23
TRANREC .....	22
TRANTOT .....	22
TRANXENE .....	20
TRBDRG1A .....	87
TRBDRG2A .....	87
TRBDRG3A .....	87
TRBDRG4A .....	87
TRBDRG5A .....	87
TRBDRG6A .....	88
TRCOC .....	24
TRDKNAM .....	21
TRHAL .....	24
TRINH .....	23
TRMJ .....	23
TRNEWA .....	21
TRNEWB .....	21
TRNEWC .....	22
TRNONE .....	24
TROPT .....	24
TROTH .....	21
TRPSYCH .....	63

LABEL	PAGE
-----	-----
TRQFLAG	141
TROMON	141
TRQYR	141
TRSED	23
TRSTM	23
TRTCALL	109
TRTCALLO	109
TRTDRGYR	109
TRTER	108
TRTHOSP	108
TRTMHF	108
TRTNEWA	109
TRTNEWB	109
TRTNONE	108
TRTOTHER	108
TRTPDOC	108
TRTPRBYR	110
TRTREH	108
TRTSHELP	108
TUINAL	14
TYLCOD	33
UDAYALCX	73
UDAYANAX	74
UDAYCIGX	73
UDAYCOCX	74
UDAYHALX	74
UDAYHERX	74
UDAYINHX	74
UDAYMJX	74
UDAYNONX	75
UDAYOTHX	75
UDAYSEDX	74
UDAYSTMX	74
UDAYTRAX	74
UNDINT	129
UPSDRG1A	98
UPSDRG2A	98
UPSDRG3A	98
UPSDRG4A	98
UPSDRG5A	99
UPSDRG6A	99
UPSHOR	63
VALIUM	19
VEREP	147
VERSTRAN	20
VESTR	147
VIETNAM	126
VISTAR	21
VORANIL	27
WALKPAIN	62
WESTOD	34
WORKBLAH	121
WORKDAYS	121
WORKSTAT	116

## ALPHA INDEX OF LABELS

PAGE: 162

LABEL	PAGE
-----	-----
WSALCX .....	77
WSANALX .....	77
WSCIGX .....	76
WSCOCX .....	77
WSHALLX .....	77
WSHERX .....	78
WSINHX .....	77
WSMJX .....	77
WSNONEX .....	78
WSOTHOPX .....	78
WSSEDX .....	77
WSSTMX .....	77
WSTRANX .....	77
XANAX .....	21
YRENTS .....	126



LABEL	PAGE
-----	-----
RESPID .....	1
ENCPSU .....	1
CIGTRY .....	2
CIG5PK .....	2
CIGREC .....	2
AVCIG .....	2
CIGINT .....	3
CIGTIME .....	3
CIGAGE .....	3
CIGYRS .....	3
PACKS .....	4
OTHTOB .....	4
ADDALC .....	5
ADDMJ .....	5
ADDSER .....	5
ADDTRAN .....	5
ADDAMP .....	5
ADDCOC .....	5
ADDLSD .....	5
ADDSER .....	6
ADDCIG .....	6
ADDNONE .....	6
ADDALL .....	6
ALCTRY .....	7
ALCREC .....	7
ALCPREF .....	7
ALCDAYS .....	8
NODR30A .....	8
MODR30A .....	8
MODR30DY .....	8
DR5DAY .....	9
ALCAGE .....	9
ALCPAT .....	9
DRUNKYR .....	10
ALCSED .....	10
ALCTRAN .....	10
ALCSTM .....	10
ALCANAL .....	11
ALCMJ .....	11
ALCINH .....	11
ALCCOC .....	11
ALCHAL .....	11
ALCOPT .....	11
ALCNONE .....	11
NOSEDAT .....	12
BUTISOL .....	12
BUTICAPS .....	12
AMYTAL .....	12
ESKABARB .....	12
LUMINAL .....	12
MEBARAL .....	13
AMOBARB .....	13
PHENOBAR .....	13
ALURATE .....	13

LABEL	PAGE
-----	-----
PLACIDYL .....	13
DORIDEN .....	13
NOLUDAR .....	13
SOPOR .....	13
QUAALUDE .....	13
PAREST .....	14
NOCTEC .....	14
METHAQ .....	14
CHYD .....	14
NEMBUTAL .....	14
CARBAL .....	14
SECONAL .....	14
TUINAL .....	14
PENTOB .....	14
SECOB .....	15
DALMANE .....	15
SEDDKNAM .....	15
SEDOTH .....	15
SEDNEWA .....	15
SEDNEWB .....	15
SEDNEWC .....	15
SEDAGE .....	15
SEDTOT .....	16
SEDREC .....	16
SEDALC .....	16
SEDTR .....	16
SEDST .....	17
SEDAN .....	17
SEDMJ .....	17
SEDINH .....	17
SEDCOC .....	17
SEDHAL .....	17
SEDOPT .....	17
SEDNONE .....	18
AS3READ .....	19
NOTRANQ .....	19
VALIUM .....	19
LIBRIUM .....	19
LIBTAB .....	19
SKLY .....	20
SERAX .....	20
TRANXENE .....	20
ATIVAN .....	20
VERSTRAN .....	20
MEPRSPAN .....	20
MILTOWN .....	20
EQUANIL .....	20
MEPROB .....	20
VISTAR .....	21
ATARAX .....	21
BENADRYL .....	21
XANAX .....	21
TRDKNAM .....	21
TROTH .....	21

LABEL	PAGE
-----	-----
TRNEWA	21
TRNEWB	21
TRNEWC	22
TRANAGE	22
TRANTOT	22
TRANREC	22
TRALC	23
TRSED	23
TRSTM	23
TRANAL	23
TRMJ	23
TRINH	23
TRCOC	24
TRHAL	24
TROPT	24
TRNONE	24
AS4READ	25
NOSTIMS	25
DEXED	25
DEXAMYL	25
ESKAT	25
BENZ	26
BIPHET	26
DESOXYN	26
DETAMP	26
METHI	26
OBLA	26
TENUATE	26
TEPANIL	26
DIDREX	26
PLEGINE	27
PRELUDIN	27
PRESATE	27
IONAMIN	27
PONDIMIN	27
VORANIL	27
SANOREX	27
RITALIN	27
CYLERT	27
STMDKNAM	28
STIMOR	28
STIMNEWA	28
STIMNEWB	28
STIMNEWC	28
STIMAGE	28
STIMTOT	29
STIMREC	29
STALC	29
STSED	30
STTRAN	30
STANAL	30
STMJ	30
STINH	30
STCOC	30

LABEL	PAGE
-----	-----
STHAL .....	30
STOPT .....	31
STNONE .....	31
AS5READ .....	32
ANALNONE .....	32
DARVON .....	32
DOLENE .....	32
SK65A .....	32
PROPOXY .....	33
LERITINE .....	33
LEVODRO .....	33
PERCODAN .....	33
DEMEROL .....	33
DILAUD .....	33
TYLCOD .....	33
CODEINE .....	33
DOLOP .....	33
WESTOD .....	34
METHDON .....	34
TALWIN .....	34
ANLCKNAM .....	34
ANALOTH .....	34
ANALNEWA .....	34
ANALNEWB .....	34
ANALNEWC .....	34
ANALAGE .....	35
ANALTOT .....	35
ANALREC .....	35
ANLALC .....	36
ANLSED .....	36
ANLTRAN .....	36
ANLSTM .....	36
ANLMJ .....	36
ANLINH .....	36
ANLCOC .....	37
ANLHAL .....	37
ANLOPT .....	37
ANLNONE .....	37
MJOPP .....	38
MJAGE .....	38
MJTOT .....	38
MJREC .....	39
MJDAY30A .....	39
MJAV30A .....	39
MJAMT30A .....	40
MJDOL .....	40
MJALC30A .....	40
MJYRFREQ .....	41
MJALC .....	41
MJSED .....	41
MJTRAN .....	41
MJSTM .....	42
MJANAL .....	42
MJINH .....	42

LABEL	PAGE
-----	-----
MJCOC .....	42
MJHAL .....	42
MJOPT .....	42
MJNONE .....	42
AS7READ .....	43
INHNONE .....	43
GAS .....	43
SPPAINT .....	43
AEROS .....	43
GLUE .....	43
SOLVENT .....	44
AMYLNIT .....	44
ETHER .....	44
NITOXID .....	44
CLEFLU .....	44
OTHINHL .....	44
INHNEWA .....	44
GAS30A .....	45
SPPAN30A .....	45
AEROS30A .....	45
GLUE30A .....	45
SOLVN30A .....	45
AMLNT30A .....	45
ETHER30A .....	46
NOX30A .....	46
CLFL30A .....	46
INHOT30A .....	46
INH30NO .....	46
INHTOT .....	47
INHREC .....	47
INHDI30A .....	47
INHEFF .....	48
INHPO .....	48
INHQNC .....	48
INHANSY .....	48
AS8READ .....	49
COCOPP .....	49
COCAGE .....	49
COCTOT .....	49
COCREC .....	50
COCUS30A .....	50
COCAM30A .....	50
COCBUCK .....	51
COC30ALC .....	51
COCYRFRQ .....	51
COCALC .....	52
COCSER .....	52
COCTAN .....	52
COCSTM .....	52
COCANAL .....	52
COCMJ .....	52
COCINH .....	53
COCHAL .....	53
COCOFT .....	53

LABEL	PAGE
-----	-----
COCNONE .....	53
COCSNIFX .....	53
COCSWALX .....	53
COCIVX .....	53
FREEBASX .....	54
COCOTHX .....	54
AS9READ .....	55
HALLQCL .....	55
HALLOPP .....	55
HALLAGE .....	55
HALLTOT .....	56
HALLREC .....	56
HAL3OUSE .....	56
LSD .....	57
PEYOTE .....	57
MESC .....	57
PSILCY .....	57
PCP .....	57
HALLOTH .....	57
HALNEWA .....	57
HALNEWB .....	58
PCPREC .....	58
PCPFLASH .....	58
PCPSENSE .....	58
PCPFEELV .....	58
PCPACTV .....	58
PCPOTH .....	59
PCPNORCT .....	59
PCPNEWA .....	59
PCPNEWB .....	59
AS10READ .....	60
HEROPP .....	60
HERAGE .....	60
HERTOT .....	60
HERREC .....	61
HER3OUSE .....	61
HERNEEDL .....	61
HIGHBP .....	62
BPMED .....	62
WALKPAIN .....	62
TIMEPAIN .....	62
UPSHOR .....	63
ASTHMA .....	63
TRPSYCH .....	63
HEART .....	63
FLU .....	64
ALLERG .....	64
HOSPYR .....	64
SOREYR .....	64
RUNNYR .....	65
COUGHYR .....	65
PHLEGMYR .....	65
HEALTHYR .....	65
FELTGOOD .....	66

LABEL	PAGE
-----	-----
FELTMIND .....	66
FELTDEP .....	66
FELTEFF .....	67
FELTHOPE .....	67
FELTSLEP .....	67
FELTHAP .....	67
FELTUNF .....	68
FELTENJ .....	68
FELTCRY .....	68
FELTDISL .....	68
FELTNOGO .....	69
AS11READ .....	70
NODRUGS .....	70
CDCIGX .....	70
CDALCX .....	70
CSEDX .....	70
CDTRANX .....	71
CDSTMX .....	71
CDANALX .....	71
CDMJX .....	71
CDINHX .....	71
CDCOCK .....	71
CDHALLX .....	71
CDHERX .....	71
CDOTHOPX .....	71
CDNONEX .....	72
EFFCIGX .....	72
EFFALCX .....	72
EFFSEDX .....	72
EFFTRANX .....	72
EFFSTMX .....	72
EFFANALX .....	72
EFFMJX .....	72
EFFINHX .....	73
EFFCOCK .....	73
EFFHALLX .....	73
EFFHERX .....	73
EFFOTHOX .....	73
EFFNONEX .....	73
UDAYCIGX .....	73
UDAYALCX .....	73
UDAYSEDX .....	74
UDAYTRAX .....	74
UDAYSTMX .....	74
UDAYANAX .....	74
UDAYMJX .....	74
UDAYINHX .....	74
UDAYCOCK .....	74
UDAYHALX .....	74
UDAYHERX .....	74
UDAYOTHX .....	75
UDAYNONX .....	75
DEPCIGX .....	75
DEPALCX .....	75

LABEL	PAGE
-----	-----
DEPSEDX .....	75
DEPTRANX .....	75
DEPSTMX .....	75
DEPANALX .....	75
DEPMJX .....	76
DEPINHX .....	76
DEPCOCX .....	76
DEPHALLX .....	76
DEPHERX .....	76
DEPOTHOX .....	76
DEPNONEX .....	76
WSCIGX .....	76
WSALCX .....	77
WSSEDX .....	77
WSTRANX .....	77
WSSTMX .....	77
WSANALX .....	77
WSMJX .....	77
WSINHX .....	77
WSCOCX .....	77
WSHALLX .....	77
WSHERX .....	78
WSOTHOPX .....	78
WSNONEX .....	78
NOBOOZYR .....	79
ALCAGGR .....	79
ALCARGUM .....	79
ALCABSNT .....	79
ALCHIGH .....	80
ALCJOB .....	80
ALCMATCD .....	80
ALCRELCD .....	80
ALCFRDCD .....	80
ALCTOSS .....	81
ALCHOLIC .....	81
ALCDRUNK .....	81
ALCINTOX .....	81
ALCREM .....	81
ALCQUICK .....	82
ALCMORN .....	82
ALCSHOOK .....	82
ALCALONE .....	82
ALCBKPM .....	82
AS13NONE .....	83
DRDEPRSS .....	83
DEPDRG1A .....	84
DEPDRG2A .....	84
DEPDRG3A .....	84
DEPDRG4A .....	85
DEPDRG5A .....	85
DEPDRG6A .....	85
DRARGUM .....	85
ARGDRG1A .....	85
ARGDRG2A .....	86



LABEL	PAGE
-----	-----
ARGDRG3A .....	86
ARGDRG4A .....	86
ARGDRG5A .....	86
ARGDRG6A .....	86
DRTRBLE .....	86
TRBDRG1A .....	87
TRBDRG2A .....	87
TRBDRG3A .....	87
TRBDRG4A .....	87
TRBDRG5A .....	87
TRBDRG6A .....	88
DRDRIVE .....	88
DRVDRG1A .....	88
DRVDRG2A .....	88
DRVDRG3A .....	88
DRVDRG4A .....	88
DRVDRG5A .....	89
DRVDRG6A .....	89
DRNTRMB .....	89
NRMDRG1A .....	89
NRMDRG2A .....	89
NRMDRG3A .....	90
NRMDRG4A .....	90
NRMDRG5A .....	90
NRMDRG6A .....	90
DRALONE .....	90
ALNDRG1A .....	91
ALNDRG2A .....	91
ALNDRG3A .....	91
ALNDRG4A .....	91
ALNDRG5A .....	91
ALNDRG6A .....	92
DRANK .....	92
ANXDRG1A .....	92
ANXDRG2A .....	93
ANXDRG3A .....	93
ANXDRG4A .....	93
ANXDRG5A .....	93
ANXDRG6A .....	93
DRHEALTH .....	93
HLTDRG1A .....	94
HLTDRG2A .....	94
HLTDRG3A .....	94
HLTDRG4A .....	94
HLTDRG5A .....	94
HLTDRG6A .....	94
DRNTHINK .....	95
NTKDRG1A .....	95
NTKDRG2A .....	95
NTKDRG3A .....	96
NTKDRG4A .....	96
NTKDRG5A .....	96
NTKDRG6A .....	96
DRMNYPRB .....	96

LABEL	PAGE
-----	----
MNYDRG1A .....	96
MNYDRG2A .....	97
MNYDRG3A .....	97
MNYDRG4A .....	97
MNYDRG5A .....	97
MNYDRG6A .....	97
DRUPSET .....	97
UPSDRG1A .....	98
UPSDRG2A .....	98
UPSDRG3A .....	98
UPSDRG4A .....	98
UPSDRG5A .....	99
UPSDRG6A .....	99
DRLSWORK .....	99
LSWDRG1A .....	99
LSWDRG2A .....	99
LSWDRG3A .....	100
LSWDRG4A .....	100
LSWDRG5A .....	100
LSWDRG6A .....	100
DRSUSPIC .....	100
SSPDRG1A .....	100
SSPDRG2A .....	101
SSPDRG3A .....	101
SSPDRG4A .....	101
SSPDRG5A .....	101
SSPDRG6A .....	101
DRTRBLAW .....	101
LAWDRG1A .....	102
LAWDRG2A .....	102
LAWDRG3A .....	102
LAWDRG4A .....	102
LAWDRG5A .....	102
LAWDRG6A .....	102
DRNOTEAT .....	102
NETDRG1A .....	103
NETDRG2A .....	103
NETDRG3A .....	103
NETDRG4A .....	103
NETDRG5A .....	103
NETDRG6A .....	104
DRCOPE .....	104
CPEDRG1A .....	104
CPEDRG2A .....	104
CPEDRG3A .....	105
CPEDRG4A .....	105
CPEDRG5A .....	105
CPEDRG6A .....	105
DREMGMED .....	105
EMDRG1A .....	105
EMDRG2A .....	105
EMDRG3A .....	106
EMDRG4A .....	106
EMDRG5A .....	106

LABEL	PAGE
EMDRG6A	106
AS14READ	107
HLPQTCIG	107
HLPALCHO	107
HLPDRUSE	107
TRTER	108
TRTHOSP	108
TRTPDOC	108
TRTREH	108
TRTMHF	108
TRTSHELP	108
TRTOTHER	108
TRTNONE	108
TRTNEWA	109
TRTNEWB	109
TRTCALL	109
TRTCALLO	109
TRTDGRYR	109
TRTPRBYR	110
RSKPKCIG	111
RSKMJOCC	111
RSKMJREG	111
RKTRYPCP	112
RKPCPREG	112
RKTRYHER	112
RKHERREG	112
RKTRYCOC	113
RKCOCOCC	113
RKCOCREG	113
RK2DRINK	113
RK5DRINK	114
RSKBINGE	114
SEX	115
BIRMON	115
BIRYEAR	115
MARITAL	115
NOMARR	116
WORKSTAT	116
PAYYR	116
PAYMO	117
ROCCUP1	117
BUSINES1	118
NO5JOB	118
CWE	118
FULLPART	119
CWEOCC1	119
CWEBUS1	119
EDUC	120
STUDENT	120
SCHDAYS	120
SKIPPED	121
WORKDAYS	121
WORKBLAH	121
MILES	122

LABEL	PAGE
-----	-----
ACCID .....	122
NOCHILD .....	122
CHAGE1 .....	122
CHAGE2 .....	122
CHAGE3 .....	123
CHAGE4 .....	123
CHAGE5 .....	123
CHAGE6 .....	123
CHAGE7 .....	123
CHAGE8 .....	123
CHAGE9 .....	123
CHAGE10 .....	123
TOTPEOP .....	123
MOTHER .....	123
FATHER .....	123
SPOUSE .....	124
INLAW .....	124
OWNCHILD .....	124
STEPCHLD .....	124
BROSIS .....	124
OTHREL .....	124
FRIENDS .....	124
OTHERNON .....	125
SERVICE .....	125
MILSTAT .....	125
MILYR1A .....	125
MILYR2A .....	125
MILYR3A .....	125
MILYR4A .....	126
MILYR5A .....	126
MILYR6A .....	126
YRENTS .....	126
VIETNAM .....	126
DORM .....	126
MILBASE .....	127
HOSP .....	127
TELNO .....	127
MOVES .....	127
INCOME .....	128
INTDATE .....	129
EIIDATE .....	129
INTMONTH .....	129
PARQ .....	129
UNDINT .....	129
COOPINT .....	129
PRIVACY .....	130
PPRES .....	130
SPRES .....	130
PARPRES .....	130
OAPRES .....	130
CPRES .....	130
OPRES .....	131
POPDEN .....	132

LABEL	PAGE
-----	-----
REGION .....	132
DIVISION .....	132
BRTHDATE .....	133
EIBDATE .....	133
IRAGE .....	133
IIAGE .....	133
IRSEX .....	133
IISEX .....	133
IRRACE .....	133
IIRACE .....	133
IRHOIND .....	133
IIRHOIND .....	133
IRHOGRP .....	134
IIRHOGRP .....	134
IRHOGRP2 .....	134
IIRHOGRP2 .....	134
IRMARIT .....	134
IIMARIT .....	134
IREduc .....	135
IIEduc .....	135
IRWORKST .....	135
IIRWORKST .....	135
IRALCRC .....	136
IIALCRC .....	136
IRMJRC .....	136
IIMJRC .....	136
IRCOCRC .....	136
IICOCRC .....	136
IRSEDRC .....	136
IISEDRC .....	136
IRTRNRC .....	137
IITRNRC .....	137
IRSTMRC .....	137
IISTMRC .....	137
IRANLRC .....	137
IIANLRC .....	137
IRCIGRC .....	137
IICIGRC .....	137
IRINHRC .....	138
IIINHRC .....	138
IRHALRC .....	138
IIRHALRC .....	138
IRHERRC .....	138
IIRHERRC .....	138
IRPCPRC .....	138
IIPCPRC .....	138
IRALCFQ .....	139
IIALCFQ .....	139
IRMJFQ .....	139
IIMJFQ .....	139
IRCOCFQ .....	139
IICOCFQ .....	139
CATAGE .....	140
CATAG2 .....	140

LABEL	PAGE
-----	-----
RACE .....	140
EDUCCAT2 .....	140
EMPSTAT2 .....	140
CIGFLAG .....	141
CIGYR .....	141
CIGMON .....	141
ALCFLAG .....	141
ALCYR .....	141
ALCMON .....	141
SEDFLAG .....	141
SEDYR .....	141
SEDMON .....	141
TROFLAG .....	141
TROYR .....	141
TROMON .....	141
STMFLAG .....	142
STMYR .....	142
STMMON .....	142
ANLFLAG .....	142
ANLYR .....	142
ANLMON .....	142
MRJFLAG .....	142
MRJYR .....	142
MRJMON .....	142
INHFLAG .....	142
INHYR .....	142
INHMON .....	142
COCFLAG .....	142
COCYR .....	143
COCMON .....	143
HALFLAG .....	143
HALYR .....	143
HALMON .....	143
PCPFLAG .....	143
PCPYR .....	143
PCPMON .....	143
HERFLAG .....	143
HERYR .....	143
HERMON .....	143
PSYFLAG2 .....	143
PSYR2 .....	144
PSYMON2 .....	144
SUMFLAG .....	144
SUMYR .....	144
SUMMON .....	144
MJOFLAG .....	144
MJOYR2 .....	145
MJOMON2 .....	145
IEMFLAG .....	145
IEMYR .....	145
IEMMON .....	145
ALCDLYF .....	145
ALCWKF .....	145
ALCMONF .....	146

INDEX OF LABELS

LABEL	PAGE
-----	-----
ALCOCCF .....	146
ALCYRF .....	146
MRJDLYF .....	146
MRJWKF .....	146
MRJMONF .....	146
MRJOCFF .....	146
MRJYRF .....	146
COCDLYF .....	146
COCWKF .....	146
COCMONF .....	146
COCOCCF .....	146
COCYRF .....	146
ANALWT .....	147
VEREP .....	147
VESTR .....	147






**APPENDIX A**  
**CENSUS REGIONS/DIVISIONS/STATES**



**APPENDIX A  
CENSUS REGIONS/DIVISIONS/STATES**

<b>CENSUS REGION</b>	<b>CENSUS DIVISION</b>	<b>STATE NAME</b>	<b>STATE ABBREVIATION</b>
NORTHEAST	NEW ENGLAND	CONNECTICUT	CT
NORTHEAST	NEW ENGLAND	MAINE	ME
NORTHEAST	NEW ENGLAND	MASSACHUSETTS	MA
NORTHEAST	NEW ENGLAND	NEW HAMPSHIRE	NH
NORTHEAST	NEW ENGLAND	RHODE ISLAND	RI
NORTHEAST	NEW ENGLAND	VERMONT	VT
NORTHEAST	MIDDLE ATLANTIC	NEW JERSEY	NJ
NORTHEAST	MIDDLE ATLANTIC	NEW YORK	NY
NORTHEAST	MIDDLE ATLANTIC	PENNSYLVANIA	PA
NORTH CENTRAL	EAST NORTH CENTRAL	ILLINOIS	IL
NORTH CENTRAL	EAST NORTH CENTRAL	INDIANA	IN
NORTH CENTRAL	EAST NORTH CENTRAL	MICHIGAN	MI
NORTH CENTRAL	EAST NORTH CENTRAL	OHIO	OH
NORTH CENTRAL	EAST NORTH CENTRAL	WISCONSIN	WI
NORTH CENTRAL	WEST NORTH CENTRAL	IOWA	IA
NORTH CENTRAL	WEST NORTH CENTRAL	KANSAS	KS
NORTH CENTRAL	WEST NORTH CENTRAL	MINNESOTA	MN
NORTH CENTRAL	WEST NORTH CENTRAL	MISSOURI	MO
NORTH CENTRAL	WEST NORTH CENTRAL	NEBRASKA	NE
NORTH CENTRAL	WEST NORTH CENTRAL	NORTH DAKOTA	ND
NORTH CENTRAL	WEST NORTH CENTRAL	SOUTH DAKOTA	SD
SOUTH	SOUTH ATLANTIC	DELAWARE	DE
SOUTH	SOUTH ATLANTIC	DISTRICT OF COLUMBIA	DC
SOUTH	SOUTH ATLANTIC	FLORIDA	FL
SOUTH	SOUTH ATLANTIC	GEORGIA	GA
SOUTH	SOUTH ATLANTIC	MARYLAND	MD
SOUTH	SOUTH ATLANTIC	NORTH CAROLINA	NC
SOUTH	SOUTH ATLANTIC	SOUTH CAROLINA	SC
SOUTH	SOUTH ATLANTIC	VIRGINIA	VA
SOUTH	SOUTH ATLANTIC	WEST VIRGINIA	WV
SOUTH	EAST SOUTH CENTRAL	ALABAMA	AL
SOUTH	EAST SOUTH CENTRAL	KENTUCKY	KY
SOUTH	EAST SOUTH CENTRAL	MISSISSIPPI	MS
SOUTH	EAST SOUTH CENTRAL	TENNESSEE	TN
SOUTH	WEST SOUTH CENTRAL	ARKANSAS	AR
SOUTH	WEST SOUTH CENTRAL	LOUISIANA	LA
SOUTH	WEST SOUTH CENTRAL	OKLAHOMA	OK
SOUTH	WEST SOUTH CENTRAL	TEXAS	TX
WEST	MOUNTAIN	ARIZONA	AZ
WEST	MOUNTAIN	COLORADO	CO
WEST	MOUNTAIN	IDAHO	ID
WEST	MOUNTAIN	MONTANA	MT
WEST	MOUNTAIN	NEVADA	NV
WEST	MOUNTAIN	NEW MEXICO	NM
WEST	MOUNTAIN	UTAH	UT
WEST	MOUNTAIN	WYOMING	WY
WEST	PACIFIC	ALASKA	AK
WEST	PACIFIC	CALIFORNIA	CA
WEST	PACIFIC	HAWAII	HI
WEST	PACIFIC	OREGON	OR
WEST	PACIFIC	WASHINGTON	WA

**Exhibit 1. Census Regions of the United States**



**APPENDIX B**  
**DRUG CODES FOR OPEN-ENDED QUESTIONS**  
**(1985 - 1992 NHSDAs)**



## APPENDIX B

### Drug Codes for Open-Ended Questions (1985 - 1992 NHSDAs)

#### Numerical Listing

101 = Butisol	148 = Actifed (OTC)
102 = Buticaps	149 = Ekilid [sic] 50
103 = Amytal	150 = Weed.Cote [sic]
104 = Mebaral	151 = VOEOBO [sic]
105 = Placidyl	152 = Eskabarb
106 = Doriden	153 = Luminal
107 = Noludar	154 = Alurate
108 = Carbrital, Nembutal	155 = Pasatorim [sic]
109 = Seconal	156 = Sodium barbital
110 = Tuinal	157 = Barbiturates
111 = Dalmane	
112 = Restoril	201 = Valium
113 = Halcion	202 = Librium
114 = Amobarbital	203 = Libritabs, Limbitrol
115 = Phenobarbital	204 = Menrium
116 = Methaqualone, Parest, Quaalude, Sopor	205 = Serax
117 = Chloral hydrate, Noctec	206 = Tranxene
118 = Pentobarbital, Pentothal, Sodium pentothal	207 = Ativan
119 = Secobarbital	208 = Centrax
120 = Downers; OTHER Sedative, NOT SPECIFIED	209 = Xanax
121 = USED SEDATIVE, DON'T KNOW NAME	210 = Paxipam
122 = Sleep Aid <OTC>	211 = Buspar
123 = Unisom <OTC>	212 = Miltown
124 = Yellow jackets	213 = Equanil
125 = Qulande [sic]	214 = Deprol
126 = Somenex [sic] <OTC>	215 = Vistaril
127 = Nytol <OTC>	216 = Atarax
128 = Nervine <OTC>	217 = Durrax
129 = Reds	218 = Diazepam
130 = Phenergan	219 = SK-Lygen
131 = Haldol, Haloperidol	220 = Meprobamate, Meprospan
132 = Sleepettes [sic] (OTC)	221 = OTHER Tranquilizer, NOT SPECIFIED
133 = Ryoxine [sic]	222 = USED TRANQUILIZER, DON'T KNOW NAME
134 = Diasetan [sic]	223 = Robaxin
135 = Mini Thins	224 = Triavil
136 = Dimetapp	225 = Desyrel, Trazodone
137 = 7-14	226 = Stelazine, Trifluoperazine HCl
138 = Mandrax [sic]	227 = Thorazine
139 = Black widows	228 = Amitriptyline [see also 239]
140 = Seldane	229 = Librax
141 = Dilantin	230 = Compazine
142 = Belladona	231 = MS [sic]
143 = Sedoxen [sic]	232 = Mellaril
144 = Reynolds [sic]	233 = Trilafon
145 = Red devil(s)	234 = Cyclobenzaprine, Flexeril
146 = Bentyl, Dicyclomine	235 = Imipramine
147 = Nicol [sic]	236 = Avatir [sic]
	237 = Versed
	238 = Dafernil [sic]

- 239 = Elavil [see also 228]  
 240 = Lithium carbonate  
 241 = Prozac  
 242 = Equagesic  
 243 = Etrafon  
 244 = Roche 2 (Mexican) [sic]  
 245 = Tryptophan  
 246 = Clonopin, Klonopin  
 247 = Adapin, Doxepin, Sinequan  
 248 = Sooper Cool [sic]  
 249 = Asendin  
 250 = Nortriptyline  
 251 = CIBA;S [sic]  
 252 = Strawberry whip cream  
 253 = Urbadan [sic]  
 254 = Vilonopin [sic]  
 255 = Assival [sic]  
 256 = Tripjone [sic]  
 257 = Zestril  
 258 = Hoses [sic]  
 259 = Desipramine, Norpramin, Pertofrane  
 260 = PCB  
 261 = Roperals [sic]  
 262 = Prolixin  
 263 = Vivactil  
 264 = Anxidel [sic]  
 265 = Black Caddy  
 266 = Verstran  
 267 = Marazine  
  
 301 = Dexedrine  
 302 = Dexamyl  
 303 = Eskatrol  
 304 = Benzedrine  
 305 = Biphetamine  
 306 = Desoxyn  
 307 = Tenuate, Diethylpropion  
 308 = Tepanil, Diethylpropion  
 309 = Didrex  
 310 = Plegine  
 311 = Preludin  
 312 = Ionamin  
 313 = Fastin, Phentermine  
 314 = Pondimin  
 315 = Voranil  
 316 = Sanorex  
 317 = Mazanor  
 318 = Ritalin, Methylphenidate  
 319 = Cylert  
 320 = Dextroamphetamine  
 321 = Methedrine  
 322 = Methamphetamine ("speed" or "ice" or "crank")  
 323 = Obedrin-L.A.  
 324 = Uppers; OTHER Stimulant, NOT SPECIFIED  
 325 = USED STIMULANT, DON'T KNOW NAME  
 326 = White cross  
 327 = Black beauties, Black Beauty  
  
 328 = Pink hearts  
 329 = Robin's eggs, speckled eggs  
 330 = Blue birds, blue jays, blue robins  
 331 = Whites  
 332 = Ephedrine (HCl) [see also 346]  
 333 = 357 Magnum, Magnum 44  
 334 = Crossroads, cross tops  
 335 = Dexatrim <OTC> [see also 347, 378]  
 336 = Diet pills  
 337 = White Molly  
 338 = Antiadiposium X112 [sic]  
 339 = Amphetamines (speed generically)  
 340 = Tiamina 250 [sic]  
 341 = Pink roses  
 342 = Purple hearts  
 343 = Nitroglycerine  
 344 = Bennies  
 345 = Black Molly  
 346 = Ephedrine sulfate, Marax [see also 332]  
 347 = Phenylpropanolamine <OTC> [see also 335, 378]  
 348 = Crystal  
 349 = Phentametraine [sic]  
 350 = Betin SS [sic]  
 351 = Q'at  
 352 = Lemons  
 353 = No-Doz <OTC>  
 354 = Vivarin <OTC>  
 355 = Crystal meth  
 356 = Dexies  
 357 = Heart-shaped black pills  
 358 = 20/20  
 359 = Criss cross  
 360 = Rainbow speed  
 361 = Isutrars [sic], Isyfiars [sic]  
 362 = Benadryl  
 363 = Bam(s)  
 364 = Sinutab, Sudafed (OTC)  
 365 = Desecon [sic]  
 366 = Duromine [sic]  
 367 = Slender Rite [sic]  
 368 = Peanut butter crank  
 369 = Artane  
 370 = Mess tab [sic]  
 371 = Cogentin  
 372 = Mejoral [Spanish: aspirin & caffeine]  
 373 = Captagon [sic]  
 374 = Christmas tree(s)  
 375 = Coco puffs [sic]  
 376 = TAC [sic]  
 377 = Ventolin  
 378 = Control <OTC> [see also 335, 347]  
 379 = Hearts  
 380 = Pink ladies  
 381 = P.O.T.C.  
 382 = Purple footballs  
 383 = Pre-Sate  
  
 401 = Darvon



- 402 = Dolene  
 403 = SK-65  
 404 = Wygesic  
 405 = Levo-Dromoran  
 406 = Oxycodone, Percodan, Roxicet  
 407 = Demerol  
 408 = Dilaudid  
 409 = Tylenol with Codeine, Tylenol 3,  
 Tylenol 4  
 410 = Phenaphen with Codeine,  
 Phenaphen 3  
 411 = Talwin  
 412 = Talwin NX  
 413 = Talacen  
 414 = Propoxyphene  
 415 = Codeine  
 416 = Anileridine  
 417 = Morphine  
 418 = Dolophine, Methadone, Westodone  
 419 = Stadol  
 420 = OTHER Analgesic, NOT SPECIFIED  
 421 = USED ANALGESIC, DON'T KNOW  
 NAME  
 422 = Motrin  
 423 = Percocet  
 424 = Fioricet  
 425 = Advil  
 426 = Butalbital, Fiorinal, Phrenilin Forte  
 427 = Darvocet  
 428 = Execl [sic]  
 429 = Frost 222  
 430 = Aspirin, Ecotrin, Empirin <OTC>  
 431 = Tylox  
 432 = Rufen  
 433 = Paregoric  
 434 = Co-Gesic, Hydrocodone, Tussionex,  
 Vicodin [see also 456]  
 435 = Tylenol, Tylenol Extra-Strength  
 <OTC>  
 436 = Bufferin <OTC>  
 437 = Parafon Forte  
 438 = Anaprox, Naprosyn  
 439 = 222, Canadian 222  
 440 = Soma  
 441 = Luitab [sic]  
 442 = Ibuprofen  
 443 = Dolobid  
 444 = Aspirin with Codeine, Empirin 3  
 445 = Norgesic Forte  
 446 = Orvais [sic]  
 447 = Synalgos  
 448 = Tobutrol [sic]  
 449 = Xycodone [sic]  
 450 = Acetaminophen <OTC>  
 451 = Ansaïd [sic]  
 452 = Becadan [sic]  
 453 = Organidin with Codeine  
 454 = Novocain, Procaine  
 455 = Fiorinal with Codeine  
 456 = Lorcet HD, Lorcet Plus [see also 434]  
 457 = T's and blues  
 458 = Mepergan, Mepergan Fortis  
 459 = Ketamine  
 460 = Magnopyrol [sic]  
 461 = Daopar [sic]  
 462 = Norflex  
 463 = Lisalgil [sic]  
 464 = Oratab [sic]  
 465 = Fentanyl  
 466 = Midol <OTC>  
 467 = Tolectin  
 468 = Excedrin <OTC>  
 469 = Leritine  
 501 = Gasoline or lighter fluids  
 502 = Spray paints  
 503 = Other aerosol sprays  
 504 = Shoeshine liquid, glue, or toluene;  
 Super Glue; rubber cement; airplane  
 or model glue; chemical glue  
 505 = Lacquer thinner or other paint  
 solvents  
 506 = Amyl nitrite, "poppers," locker room  
 odorizer, "rush"  
 507 = Halothane, ether, or other  
 anesthetics; chloroform  
 508 = Nitrous oxide, "whippets," dentist gas  
 509 = Correction fluids, degreasers, cleaning  
 fluids, Liquid Paper [see also 524],  
 K2R Spot Remover  
 510 = OTHER Inhalant, NOT SPECIFIED  
 511 = Markers, felt-tip pens, ink pens  
 512 = Incense  
 513 = Tulio [sic]  
 514 = Carbona [sic], carbone [sic]  
 515 = Vicks  
 516 = Freon  
 517 = Tolyol [sic]  
 518 = Acetone, nail polish remover  
 519 = Helium  
 520 = Old paint  
 521 = Propane [see also 525, 544]  
 522 = Liquid TV (MTV), TV tuner  
 523 = Matches  
 524 = White-Out [see also 509]  
 525 = Butane [see also 521, 544]  
 526 = Nail polish  
 527 = Phenyl nitrate  
 528 = Whipped-cream can  
 529 = Moth balls  
 530 = Asthma inhaler, asthma medication,  
 bronchial dilators  
 531 = Candy, powdered candy  
 532 = PRW [sic]  
 533 = Window sealant  
 534 = Deodorant [see also 827]  
 535 = Rexo [sic] copies  
 536 = Fire Halt  
 537 = Boat horn  
 538 = Condensed horn

- 539 = ScotchGard  
540 = PAM  
541 = Binaca  
542 = Spirits of ammonia  
543 = Liquid oxygen  
544 = Lighter gases, not specified [see also 521, 525]  
545 = Car tailpipe exhaust fumes, CO2  
546 = Leather protector  
547 = Propel [sic]  
548 = Cologne, rubbing alcohol  
549 = Smarties [sic]  
550 = Methyl chloride  
551 = Spam [sic], oven cleaner (Spam [sic])  
552 = Valo [sic]  
553 = Pixie sticks  
554 = Raid
- 601 = LSD ("acid," "white lightning") [see also 618]  
602 = Peyote  
603 = Mescaline  
604 = Psilocybin (mushrooms)  
605 = PCP ("angel dust," phencyclidine)  
606 = "Ecstasy" (MDMA), X-TC, Extasi [sic]  
607 = OTHER Hallucinogen, NOT SPECIFIED  
608 = Organes-25 [sic]  
609 = Jimson [sic] weed  
610 = Crystal T  
611 = Greens  
612 = Happy stick, sherm, shermstick  
613 = Duckweed  
614 = MDA  
615 = Homemade drugs  
616 = DMT  
617 = Morning glory seeds  
618 = Acid paper, blotter (acid) [see also 601]  
619 = TIC [sic]  
620 = Blue dragon  
621 = Red dragon  
622 = Microdot(s), purple microdot  
623 = Mickey Mouse club, Mickey Mousers  
624 = Orange sunshine, sunshine, yellow sunshine  
625 = Window pane  
626 = Jet Fuel  
627 = Hawaiian Woodrow seeds  
628 = Hawaiian rosebud seed tea  
629 = Rocket Fuel  
630 = Black Owsley  
631 = Purple Owsley  
632 = Folifundia [sic]  
633 = Mr. Natural  
634 = Unicorn  
635 = Ginseng seeds  
636 = STP  
637 = Purple haze  
638 = Lovlez [sic]
- 639 = Nutmeg  
640 = Purple pyramid  
641 = Maze [sic]  
642 = Pink Floyd  
643 = Queen  
644 = San Pedro [Spanish]  
645 = Thai stick  
646 = Poppy [sic]  
647 = Macullen [sic]  
648 = Designer drugs  
649 = Tea  
650 = Daytura  
651 = Mellow Yellow
- 701 = OTHER Opiates, NOT SPECIFIED  
702 = Heroin  
703 = Opium  
704 = Dope  
705 = Speedball (heroin + cocaine)
- 801 = OTHER Drugs, NOT SPECIFIED  
802 = THC, cannabinal  
803 = Marijuana, MarrJane [sic], weed  
804 = Hashish  
805 = Cocaine, coke  
806 = Crack, rock  
807 = Alcohol, beer, ethanol, EtOH, pink champagne  
808 = All of the ones I've tried  
809 = Pills  
810 =  
811 = Muscle relaxers  
812 = Cigars  
813 = Cigarettes, smoking (substance not specified), tobacco not specified  
814 = Caffeine  
815 = Coffee  
816 = Smokeless tobacco, snuff, chewing tobacco  
817 = Hard stuff  
818 = Nicotine  
819 = Inderal  
820 = Penicillin  
821 = Amoxicillin, Ampicillin  
822 = Rabbit tobacco  
823 = Blast(KJ) [sic]  
824 = Steroids  
825 = Theo-Dur  
826 = Alupent  
827 = Aluminum chloride [see also 534]  
828 = Tetracycline  
829 = Robitussin DM  
830 = Mad bull  
831 = Honey oil  
832 = Primo  
833 = Bone  
834 = Loveboat  
835 = Rotan [sic]  
836 = Antabuse  
837 = Paris 400

- 838 = Obainedin [sic] (called the "dog")
- 839 = Siloquan [sic]
- 840 = Cough medicine (contents not specified) <OTC>
- 841 = Allerest <OTC>
- 842 = Callipress [sic]
- 843 = Antihistamine, cold tablets <OTC>
- 844 = Blood pressure medication
- 845 = ECT [sic]
- 846 = Erythromycin
- 847 = GHB [sic]
- 848 = Liquid vitamin <OTC>
- 849 = Monosodium glutamate (MSG)
- 850 = Slack
- 851 = Thyrolar-3 [sic]
- 852 = Formaldehyde, wak [sic], whack (embalming fluid)
- 853 = Funti [sic] leaf
- 854 = Juice
- 855 = Oanol [sic]
- 856 = Roofe [sic]
- 857 = Wicky [sic] stick
- 858 = Antibiotic
- 859 = Aside [sic]
- 860 = Bees [sic]
- 861 = Doen [sic], doer [sic]
- 862 = Thornapple [sic] leaves
- 863 = Beetlenut
  
- 900 = Non-Drug reason given for Drug Problem

## Alphabetical Listing

- |                                            |                                 |
|--------------------------------------------|---------------------------------|
| 244 = 2, Roche (Mexican), [sic]            | 249 = Asendin                   |
| 358 = 20/20                                | 859 = Aside [sic]               |
| 439 = 222                                  | 430 = Aspirin                   |
| 439 = 222, Canadian                        | 444 = Aspirin with Codeine      |
| 429 = 222, Frost                           | 255 = Assival [sic]             |
| 340 = 250, Tiamina [sic]                   | 530 = Asthma inhaler            |
| 444 = 3, Empirin                           | 530 = Asthma medication         |
| 410 = 3, Phenaphen                         | 216 = Atarax                    |
| 851 = 3, Thyrolar- [sic]                   | 207 = Ativan                    |
| 409 = 3, Tylenol                           | 236 = Avatir [sic]              |
| 333 = 357 Magnum                           |                                 |
| 409 = 4, Tylenol                           | 529 = Balls, Moth               |
| 837 = 400, Paris                           | 363 = Bam(s)                    |
| 333 = 44, Magnum                           | 156 = Barbitol, Sodium          |
| 149 = 50, Ekilid [sic]                     | 157 = Barbiturates              |
| 137 = 7-14                                 | 327 = Beauties, Black           |
|                                            | 327 = Beauty, Black             |
| 450 = Acetaminophen                        | 452 = Becadan [sic]             |
| 518 = Acetone                              | 807 = Beer                      |
| 601 = Acid                                 | 860 = Bees [sic]                |
| 618 = (Acid), Blotter                      | 863 = Beetlenut                 |
| 618 = Acid paper                           | 142 = Belladona                 |
| 148 = Actifed                              | 362 = Benadryl                  |
| 247 = Adapin                               | 344 = Bennies                   |
| 313 = Adipex                               | 146 = Bentyl                    |
| 425 = Advil                                | 304 = Benzedrine                |
| 503 = Aerosol sprays other than spray      | 350 = Betin SS [sic]            |
| paints                                     | 541 = Binaca                    |
| 122 = Aid, Sleep                           | 305 = Biphedamine               |
| 504 = Airplane glue                        | 330 = Birds, Blue               |
| 807 = Alcohol                              | 327 = Black beauties            |
| 548 = Alcohol, Rubbing                     | 327 = Black Beauty              |
| 808 = All of the ones I've tried           | 265 = Black Caddy               |
| 841 = Allerest                             | 345 = Black Molly               |
| 827 = Aluminum chloride                    | 630 = Black Owsley              |
| 826 = Alupent                              | 357 = Black pills, Heart-shaped |
| 154 = Alurate                              | 139 = Black widows              |
| 228 = Amitriptyline                        | 823 = Blast(KJ) [sic]           |
| 542 = Ammonia, Spirits of                  | 844 = Blood pressure medication |
| 114 = Amobarbital                          | 618 = Blotter (acid)            |
| 821 = Amoxicillin                          | 330 = Blue birds                |
| 339 = Amphetamines (speed generically)     | 620 = Blue dragon               |
| 821 = Ampicillin                           | 330 = Blue jays                 |
| 506 = Amyl nitrite                         | 330 = Blue robins               |
| 103 = Amytal                               | 457 = Blues, T's and            |
| 438 = Anaprox                              | 537 = Boat horn                 |
| 507 = Anesthetics other than halothane and | 833 = Bone                      |
| ether                                      | 530 = Bronchial dilators        |
| 605 = Angel dust                           | 436 = Bufferin                  |
| 416 = Anileridine                          | 830 = Bull, Mad                 |
| 451 = Ansaid [sic]                         | 211 = Buspar                    |
| 836 = Antabuse                             | 426 = Butalbital                |
| 338 = Antiadiposium X112 [sic]             | 525 = Butane                    |
| 858 = Antibiotic                           | 102 = Buticaps                  |
| 843 = Antihistamine                        | 101 = Butisol                   |
| 264 = Anxidel [sic]                        | 368 = Butter crank, Peanut      |
| 369 = Artane                               |                                 |

265 = Caddy, Black  
 814 = Caffeine  
 842 = Callipress [sic]  
 528 = Can, Whipped-cream  
 439 = Canadian 222  
 531 = Candy  
 531 = Candy, Powdered  
 802 = Cannabinol  
 373 = Captagon [sic]  
 545 = Car tailpipe exhaust fumes  
 514 = Carbona [sic]  
 240 = Carbonate, Lithium  
 514 = Carbone [sic]  
 108 = Carbrital  
 504 = Cement, Rubber  
 208 = Centrax  
 807 = Champagne, Pink  
 504 = Chemical glue  
 816 = Chewing tobacco  
 117 = Chloral hydrate  
 827 = Chloride, Aluminum  
 550 = Chloride, Methyl  
 507 = Chloroform  
 374 = Christmas tree(s)  
 251 = CIBA;S [sic]  
 813 = Cigarettes  
 812 = Cigars  
 551 = Cleaner (Spam [sic]), Oven  
 509 = Cleaning fluids  
 246 = Clonopin  
 623 = Club, Mickey Mouse  
 545 = CO2  
 805 = Cocaine  
 375 = Coco puffs [sic]  
 415 = Codeine  
 444 = Codeine, Aspirin with  
 455 = Codeine, Fiorinal with  
 453 = Codeine, Organidin with  
 410 = Codeine, Phenaphen with  
 409 = Codeine, Tylenol with  
 815 = Coffee  
 371 = Cogentin  
 434 = Co-Gesic  
 805 = Coke  
 843 = Cold tablets  
 548 = Cologne  
 230 = Compazine  
 538 = Condensed horn  
 378 = Control  
 248 = Cool, Sooper [sic]  
 535 = Copies, Rexo [sic]  
 509 = Correction fluids  
 840 = Cough medicine (contents not specified)  
 434 = Co-Gesic  
 806 = Crack  
 322 = Crank  
 368 = Crank, Peanut butter  
 252 = Cream, Strawberry whip  
 359 = Criss Cross  
 359 = Cross, Criss  
 326 = Cross, White  
 334 = Crossroads  
 334 = Cross tops  
 348 = Crystal  
 355 = Crystal meth  
 610 = Crystal T  
 234 = Cyclobenzaprine  
 319 = Cylert  
 238 = Dafernil [sic]  
 111 = Dalmane  
 461 = Daopar [sic]  
 427 = Darvocet  
 401 = Darvon  
 650 = Daytura  
 509 = Degreasers  
 407 = Demerol  
 508 = Dentist gas  
 534 = Deodorant  
 214 = Deprol  
 365 = Desecon [sic]  
 648 = Designer drugs  
 259 = Desipramine  
 306 = Desoxyn  
 225 = Desyrel  
 145 = Devil(s), Red  
 302 = Dexamyl  
 335 = Dexatrim  
 301 = Dexedrine  
 356 = Dexies  
 320 = Dextroamphetamine  
 134 = Diasetan [sic]  
 218 = Diazepam  
 146 = Dicyclomine  
 309 = Didrex  
 336 = Diet pills  
 307 = Diethylpropion (Tenuate)  
 308 = Diethylpropion (Tepanil)  
 336 = Diet pills  
 141 = Dilantin  
 530 = Dilators, Bronchial  
 408 = Dilaudid  
 136 = Dimetapp  
 616 = DMT  
 861 = Doen [sic]  
 861 = Doer [sic]  
 402 = Dolene  
 443 = Dolobid  
 418 = Dolophine  
 704 = Dope  
 106 = Doriden  
 120 = Downers  
 247 = Doxepin  
 620 = Dragon, Blue  
 621 = Dragon, Red  
 648 = Drugs, Designer  
 615 = Drugs, Homemade  
 613 = Duckweed  
 366 = Duromine [sic]

217 = Durrax  
 605 = Dust, Angel  
  
 430 = Ecotrin  
 606 = Ecstasy  
 845 = ECT [sic]  
 329 = Eggs, Robin's  
 329 = Eggs, Speckled  
 149 = Ekilid [sic] 50  
 239 = Elavil  
 852 = (Embalming fluid), Whack  
 430 = Empirin  
 444 = Empirin 3  
 332 = Ephedrine  
 332 = Ephedrine (HCl)  
 346 = Ephedrine sulfate  
 242 = Equagesic  
 213 = Equanil  
 846 = Erythromycin  
 152 = Eskabarb  
 303 = Eskatrol  
 807 = Ethanol  
 507 = Ether  
 807 = EtOH  
 243 = Etrafon  
 468 = Excedrin  
 428 = Execl [sic]  
 545 = Exhaust fumes, Car tailpipe  
 606 = Extasi [sic]  
 435 = Extra-Strength, Tylenol  
  
 313 = Fastin  
 511 = Felt-tip pens  
 465 = Fentanyl  
 424 = Fioricet  
 426 = Fiorinal  
 455 = Fiorinal with Codeine  
 536 = Fire Halt  
 234 = Flexeril  
 642 = Floyd, Pink  
 852 = Fluid), Whack (embalming  
 509 = Fluids, Cleaning  
 509 = Fluids, Correction  
 501 = Fluids, Lighter  
 632 = Folifundia [sic]  
 382 = Footballs, Purple  
 852 = Formaldehyde  
 445 = Forte, Norgesic  
 437 = Forte, Parafon  
 426 = Forte, Phrenilin  
 458 = Fortis, Mepergan  
 516 = Freon  
 429 = Frost 222  
 626 = Fuel, Jet  
 629 = Fuel, Rocket  
 545 = Fumes, Car tailpipe exhaust  
 853 = Funti [sic] leaf  
  
 508 = Gas, Dentist  
 544 = Gases, Lighter, not specified  
  
 501 = Gasoline  
 847 = GHB [sic]  
 635 = Ginseng seeds  
 617 = Glory seeds, Morning  
 504 = Glue  
 504 = Glue, Airplane  
 504 = Glue, Chemical  
 504 = Glue, Model  
 504 = Glue, Super  
 849 = Glutamate (MSG), Monosodium  
 611 = Greens  
  
 113 = Halcion  
 131 = Haldol  
 131 = Haloperidol  
 507 = Halothane  
 536 = Halt, Fire  
 612 = Happy stick  
 817 = Hard stuff  
 804 = Hashish  
 628 = Hawaiian rosebud seed tea  
 627 = Hawaiian Woodrow seeds  
 637 = Haze, Purple  
 456 = HD, Lorcet  
 379 = Hearts  
 328 = Hearts, Pink  
 342 = Hearts, Purple  
 357 = Heart-shaped black pills  
 519 = Helium  
 702 = Heroin  
 615 = Homemade drugs  
 831 = Honey oil  
 537 = Horn, Boat  
 538 = Horn, Condensed  
 258 = Hoses [sic]  
 117 = Hydrate, Chloral  
 434 = Hydrocodone  
  
 442 = Ibuprofen  
 322 = Ice  
 235 = Imipramine  
 512 = Incense  
 819 = Inderal  
 530 = Inhaler, Asthma  
 511 = Ink pens  
 312 = Ionamin  
 361 = Isutrars [sic]  
 361 = Isyfiars [sic]  
  
 124 = Jackets, Yellow  
 330 = Jays, Blue  
 626 = Jet Fuel  
 609 = Jimson [sic] weed  
 854 = Juice  
  
 509 = K2R Spot Remover  
 459 = Ketamine  
 246 = Klonopin  
  
 505 = Lacquer thinner

380 = Ladies, Pink  
 853 = Leaf, Funti [sic]  
 546 = Leather protector  
 862 = Leaves, Thornapple [sic]  
 352 = Lemons  
 469 = Leritine  
 405 = Levo-Dromoran  
 229 = Librax  
 203 = Libritabs  
 202 = Librium  
 501 = Lighter fluids  
 544 = Lighter gases, not specified  
 601 = Lightning, White  
 203 = Limbitrol  
 504 = Liquid, Shoeshine  
 543 = Liquid oxygen  
 509 = Liquid Paper  
 522 = Liquid TV (MTV)  
 848 = Liquid vitamin  
 463 = Lisalgil [sic]  
 240 = Lithium carbonate  
 506 = Locker room odorizer  
 456 = Lorcet HD  
 456 = Lorcet Plus  
 834 = Loveboat  
 638 = Loviez [sic]  
 601 = LSD  
 441 = Luitab [sic]  
 153 = Luminal  
  
 647 = Macullen [sic]  
 830 = Mad Bull  
 460 = Magnopyrol [sic]  
 333 = Magnum, 357  
 333 = Magnum 44  
 138 = Mandrax [sic]  
 346 = Marax  
 267 = Marazine  
 803 = Marijuana  
 511 = Markers  
 803 = MarrJane [sic]  
 523 = Matches  
 317 = Mazanor  
 641 = Maze [sic]  
 614 = MDA  
 606 = MDMA  
 104 = Mebaral  
 530 = Medication, Asthma  
 844 = Medication, Blood pressure  
 840 = Medicine, Cough (contents not specified)  
 372 = Mejoral [Spanish]  
 232 = Mellaril  
 651 = Mellow Yellow  
 204 = Menrium  
 458 = Mepergan  
 458 = Mepergan Fortis  
 220 = Meproamate  
 220 = Meprospan  
 603 = Mescaline  
  
 370 = Mess Tab [sic]  
 355 = Meth, Crystal  
 418 = Methadone  
 322 = Methamphetamine  
 116 = Methaqualone  
 355 = Meth, Crystal  
 321 = Methedrine  
 550 = Methyl chloride  
 318 = Methylphenidate  
 623 = Mickey Mouse club  
 623 = Mickey Mousers  
 622 = Microdot, Purple  
 622 = Microdot(s)  
 466 = Midol  
 212 = Miltown  
 135 = Mini Thins  
 633 = Mr. Natural  
 504 = Model glue  
 345 = Molly, Black  
 337 = Molly, White  
 849 = Monosodium glutamate (MSG)  
 617 = Morning glory seeds  
 417 = Morphine  
 529 = Moth balls  
 422 = Motrin  
 623 = Mouse club, Mickey  
 623 = Mousers, Mickey  
 633 = Mr. Natural  
 231 = MS [sic]  
 849 = (MSG), Monosodium glutamate  
 522 = (MTV), Liquid TV  
 811 = Muscle relaxers  
 604 = Mushrooms  
  
 526 = Nail polish  
 518 = Nail polish remover  
 438 = Naprosyn  
 633 = Natural, Mr.  
 108 = Nembutal  
 128 = Nervine  
 147 = Nicol [sic]  
 818 = Nicotine  
 527 = Nitrate, Phenyl  
 506 = Nitrite, Amyl  
 343 = Nitroglycerine  
 508 = Nitrous oxide  
 117 = Noctec  
 353 = No-Doz  
 107 = Noludar  
 462 = Norflex  
 445 = Norgestic Forte  
 259 = Norpramin  
 250 = Nortriptyline  
 454 = Novocain  
 353 = No-Doz  
 639 = Nutmeg  
 127 = Nytol  
  
 855 = Oanol [sic]  
 838 = Obainedin [sic]

323 = Obedrin-L.A.  
 506 = Odorizer, Locker room  
 831 = Oil, Honey  
 520 = Old paint  
 703 = Opium  
 624 = Orange sunshine  
 464 = Oratab [sic]  
 608 = Organes-25 [sic]  
 453 = Organidin with Codeine  
 446 = Orvais [sic]  
 503 = Other aerosol sprays besides spray  
 paints  
 507 = Other anesthetics besides halothane  
 and ether  
 505 = Other paint solvents besides lacquer  
 thinner  
 551 = Oven cleaner (Spam [sic])  
 630 = Owsley, Black  
 631 = Owsley, Purple  
 508 = Oxide, Nitrous  
 406 = Oxycodone  
 543 = Oxygen, Liquid  
  
 520 = Paint, Old  
 505 = Paint solvents other than lacquer  
 thinner  
 502 = Paints, Spray  
 540 = PAM  
 625 = Pane, Window  
 618 = Paper, Acid  
 509 = Paper, Liquid  
 437 = Parafon Forte  
 433 = Paregoric  
 116 = Parest  
 837 = Paris 400  
 155 = Pasatorim [sic]  
 210 = Paxipam  
 260 = PCB  
 605 = PCP  
 368 = Peanut butter crank  
 644 = Pedro, San [Spanish]  
 820 = Penicillin  
 511 = Pens, Felt-tip  
 511 = Pens, Ink  
 118 = Pentobarbital  
 118 = Pentothal  
 118 = Pentothal, Sodium  
 423 = Percocet  
 406 = Percodan  
 259 = Pertofrane  
 602 = Peyote  
 410 = Phenaphen 3  
 410 = Phenaphen with Codeine  
 605 = Phencyclidine  
 130 = Phenergan  
 115 = Phenobarbital  
 349 = Phentametrizine [sic]  
 313 = Phentermine  
 527 = Phenyl nitrate  
 347 = Phenylpropanolamine  
  
 426 = Phrenilin Forte  
 809 = Pills  
 336 = Pills, Diet  
 357 = Pills, Heart-shaped black  
 807 = Pink champagne  
 642 = Pink Floyd  
 328 = Pink hearts  
 380 = Pink ladies  
 341 = Pink roses  
 553 = Pixie sticks  
 105 = Placidyl  
 310 = Plegine  
 456 = Plus, Lorcet  
 526 = Polish, Nail  
 518 = Polish remover, Nail  
 314 = Pondimin  
 506 = Poppers  
 646 = Poppy  
 381 = P.O.T.C.  
 531 = Powdered candy  
 311 = Preludin  
 383 = Pre-Sate  
 844 = Pressure medication, Blood  
 832 = Primo  
 454 = Procaine  
 262 = Prolixin  
 521 = Propane  
 547 = Propel [sic]  
 414 = Propoxyphene  
 546 = Protector, Leather  
 241 = Prozac  
 532 = PRW [sic]  
 604 = Psilocybin  
 375 = Puffs, Coco [sic]  
 382 = Purple footballs  
 637 = Purple haze  
 342 = Purple hearts  
 622 = Purple microdot  
 631 = Purple Owsley  
 640 = Purple pyramid  
 640 = Pyramid, Purple  
  
 351 = Q'at  
 116 = Quaalude  
 643 = Queen  
 125 = Qulande [sic]  
 351 = Q'at  
  
 822 = Rabbit tobacco  
 554 = Raid  
 360 = Rainbow speed  
 145 = Red devil(s)  
 621 = Red dragon  
 129 = Reds  
 811 = Relaxers, Muscle  
 518 = Remover, Nail polish  
 509 = Remover, K2R Spot  
 112 = Restoril  
 535 = Rexo [sic] copies  
 144 = Reynolds [sic]



318 = Ritalin  
 367 = Rite, Slender [sic]  
 223 = Robaxin  
 330 = Robins, Blue  
 329 = Robin's eggs  
 829 = Robitussin DM  
 244 = Roche 2 (Mexican) [sic]  
 806 = Rock  
 629 = Rocket fuel  
 856 = Roofe [sic]  
 506 = Room odorizer, Locker  
 261 = Roperais [sic]  
 628 = Rosebud seed tea, Hawaiian  
 341 = Roses, Pink  
 835 = Rotan [sic]  
 406 = Roxicet  
 504 = Rubber cement  
 548 = Rubbing alcohol  
 432 = Rufen  
 506 = Rush  
 133 = Ryoxine [sic]

316 = Sanorex  
 644 = San Pedro [Spanish]  
 539 = ScotchGard  
 533 = Sealant, Window  
 119 = Secobarbital  
 109 = Seconal  
 143 = Sedoxen [sic]  
 628 = Seed tea, Hawaiian rosebud  
 635 = Seeds, Ginseng  
 627 = Seeds, Hawaiian Woodrow  
 617 = Seeds, Morning glory  
 628 = Seed tea, Hawaiian rosebud  
 140 = Seldane  
 205 = Serax  
 612 = Sherm [sic]  
 612 = Shermstick  
 504 = Shoeshine liquid  
 839 = Siloquan [sic]  
 247 = Sinequan  
 364 = Sinutab  
 403 = SK-65  
 219 = SK-Lygen  
 850 = Slack  
 122 = Sleep Aid  
 132 = Sleepettes [sic]  
 367 = Slender Rite [sic]  
 549 = Smarties [sic]  
 816 = Smokeless tobacco  
 813 = Smoking (substance not specified)  
 816 = Snuff  
 156 = Sodium barbital  
 118 = Sodium pentothal  
 505 = Solvents, Paint, other than lacquer thinner  
 440 = Soma  
 126 = Somenex [sic]  
 248 = Sooper Cool [sic]  
 116 = Sopor

551 = Spam [sic]  
 551 = (Spam [sic]), Oven cleaner  
 329 = Speckled eggs  
 339 = Speed (amphetamines generically)  
 322 = Speed (methamphetamine)  
 360 = Speed, Rainbow  
 705 = Speedball (heroin + cocaine)  
 542 = Spirits of ammonia  
 509 = Spot Remover, K2R  
 502 = Spray paints  
 503 = Sprays, Aerosol, other than spray paints  
 419 = Stadol  
 226 = Stelazine  
 824 = Steroids  
 612 = Stick, Happy  
 645 = Stick, Thai  
 857 = Stick, Wicky [sic]  
 553 = Sticks, Pixie  
 636 = STP  
 252 = Strawberry whip cream  
 817 = Stuff, Hard  
 364 = Sudafed  
 346 = Sulfate, Ephedrine  
 624 = Sunshine  
 624 = Sunshine, Orange  
 624 = Sunshine, Yellow  
 504 = Super Glue  
 447 = Synalgos

843 = Tablets, Cold  
 370 = Tab, Mess [sic]  
 376 = TAC  
 545 = Tailpipe exhaust fumes, Car  
 413 = Talacen  
 411 = Talwin  
 412 = Talwin NX  
 649 = Tea  
 628 = Tea, Hawaiian rosebud seed  
 307 = Tenuate  
 308 = Tepanil  
 828 = Tetracycline  
 645 = Thai stick  
 802 = THC  
 825 = Theo-Dur  
 505 = Thinner, Lacquer  
 135 = Thins, Mini  
 227 = Thorazine  
 862 = Thornapple [sic] leaves  
 851 = Thyrolar-3 [sic]  
 340 = Tiamina 250 [sic]  
 619 = TIC [sic]  
 816 = Tobacco, Chewing  
 822 = Tobacco, Rabbit  
 816 = Tobacco, Smokeless  
 813 = Tobacco not specified  
 448 = Tobutrol [sic]  
 467 = Tolectin  
 504 = Toluene  
 517 = Tolyol [sic]

334 = Tops, Cross  
 206 = Tranxene  
 225 = Trazodone  
 374 = Tree(s), Christmas  
 224 = Triavil  
 226 = Trifluoperazine HCl  
 233 = Trilafon  
 256 = Tripjone [sic]  
 245 = Tryptophan  
 457 = T's and Blues  
 110 = Tuinal  
 513 = Tulio [sic]  
 522 = Tuner, TV  
 434 = Tussionex  
 522 = TV (MTV), Liquid  
 522 = TV Tuner  
 435 = Tylenol  
 409 = Tylenol 3  
 409 = Tylenol 4  
 435 = Tylenol Extra-Strength  
 409 = Tylenol with Codeine  
 431 = Tylox  
 457 = T's and Blues  
  
 634 = Unicorn  
 123 = Unisom  
 324 = Uppers  
 253 = Urbadan [sic]  
  
 201 = Valium  
 552 = Valo [sic]  
 377 = Ventolin  
 237 = Versed  
 266 = Verstran  
 515 = Vicks  
 434 = Vicodin  
 254 = Vilonopin [sic]  
 215 = Vistaril  
 848 = Vitamin, Liquid  
 263 = Vivactil  
 354 = Vivarin  
 151 = VOEOBO [sic]  
 315 = Voranil  
  
 852 = Wak [sic]  
 803 = Weed  
 150 = Weed.Cote [sic]  
 609 = Weed, Jimson [sic]  
 418 = Westodone  
 852 = Whack  
 252 = Whip cream, Strawberry  
 528 = Whipped-cream can  
 508 = Whippets  
 326 = White cross  
 601 = White lightning  
 337 = White Molly  
 524 = White-Out  
 331 = Whites  
 857 = Wicky [sic] stick  
 139 = Widows, Black  
  
 625 = Window pane  
 533 = Window sealant  
 627 = Woodrow seeds, Hawaiian  
 404 = Wygesic  
  
 338 = X112, Antiadiposium [sic]  
 209 = Xanax  
 606 = X-TC  
 449 = Xycodone [sic]  
  
 124 = Yellow jackets  
 651 = Yellow, Mellow  
 624 = Yellow sunshine  
  
 257 = Zestril

**APPENDIX C**  
**SUDAAN EXAMPLE PROGRAM AND OUTPUT**



## APPENDIX C

### SUDAAN Example Program and Output

As noted by Cohen, Xanthopoulos, and Jones (1986), national surveys conducted by government organizations, industry, political organizations, and market research firms need to provide the greatest precision in estimates from sample data for fixed cost and time constraints. Consequently, many national surveys are characterized by design components that include stratification, clustering, and disproportionate sampling. Such design features complicate the data analysis while reducing the cost of data collection. Data from complex surveys designs of this type deviate from the assumption of simple random sampling and thus require special consideration with regard to variance estimation and analysis.

Statistical software packages are currently available that accommodate these complex survey designs and allow for the generation of variance estimates of statistics expressed in terms of means, totals, ratios, and multivariate regression coefficients. The procedures vary, however, in terms of program capabilities, computational efficiency, and user facilities. See Wolter (1985) for an overview of various computer software packages available and a discussion of criteria important to selecting appropriate software for various situations. Three widely used and available software packages are the SUDAAN procedure developed by the Research Triangle Institute (1991), the WESVAR procedure developed by Westat (Flyer & Mohadjer, 1988), and the PC-CARP procedure developed by staff at the Statistical Laboratory at Iowa State University (Fuller, 1986).

The 1985 NHSDA is a national survey of complex design, as described in the survey methodology section of this document. Thus, it would be appropriate to use the SUDAAN software package to generate statistics and variance estimations.

The following example SUDAAN program generates estimates for the proportion reporting lifetime marijuana use by age group and demographic characteristics and the corresponding standard errors. This example includes a listing of the contents of the SAS file used to generate this example, the SUDAAN program, and the SUDAAN output. The SUDAAN program is briefly described below. This example and description are not intended as a guide to using SUDAAN, but rather as an example of its use with NHSDA data.

The SUDAAN program reads data from the SAS file, which has been sorted by the sampling levels used in the NHSDA sampling design, VESTR and VEREP, listed on the NEST statement. The default sampling design, with replacement sampling at the first stage, is used here. The data have been weighted using the analysis weight, ANALWT, listed on the WEIGHT statement. The only estimate option requested is MEANS, which requests the computation of weighted means and their standard errors (SEs) for all variables on the VAR statement. The TABLES statement specifies the cross-tabulations for which estimates are

to be calculated. The variables on the TABLES statement must be listed in the SUBGROUP statement and their number of levels provided on the LEVELS statement. The estimates are printed by specified instructions using the SETENV and PRINT options. The data are also output to an ASCII file using the OUTPUT option.

## REFERENCES

- Cohen, S.B., Xanthopoulos, J.H., & Jones, G.K. (1986). An evaluation of available software for the analysis of complex survey data. In Proceedings of the Section on Survey Research Methods. Alexandria, VA: American Statistical Association.
- Flyer, P., & Mohadjer, L. (1988). The WESVAR procedure. Rockville, MD: Westat, Inc.
- Fuller, W.A. (1986). PC CARP. Ames, IA: Statistical Laboratory, Iowa State University.
- Research Triangle Institute. (1991). SUDAAN user's manual, Release 5.50. Research Triangle Park, NC: Author.
- Wolter, K.M. (1985). Introduction to variance estimation. New York: Springer-Verlag.

## CONTENTS PROCEDURE

Data Set Name:	OUT.SUDAAANEX	Observations:	8021
Member Type:	DATA	Variables:	12
Engine:	V5	Indexes:	0
Created:	12:55 Friday, October 1, 1993	Observation Length:	31
Last Modified:	12:55 Friday, October 1, 1993	Deleted Observations:	0
Protection:		Compressed:	NO
Data Set Type:		Sorted:	NO
Label:			

-----Engine/Host Dependent Information-----

Filename: \$2\$DUA50:[MBHD85.LEP]SUDAAANEX.SSD  
 Disk Blocks Allocated: 498

-----Alphabetic List of Variables and Attributes-----

#	Variable	Type	Len	Pos	Label
10	ANALWT	Num	8	19	REVISED 1985 ANALYSIS WEIGHT
5	CATAGE	Num	2	9	AGE CATEGORY
7	EDUCAT2	Num	2	13	EDUCATION RECODE
8	EMPSTAT2	Num	2	15	EMPLOYMENT STATUS RECODE
4	IRSEX	Num	2	7	SEX - IMPUTATION REVISED
9	MRJFLAG	Num	2	17	MARIJUANA - EVER USED
2	POPDEN	Num	2	3	POPULATION DENSITY (BASED ON 1980 CENSUS
6	RACE	Num	2	11	RACE/HISPANIC-ORIGIN RECODE
3	REGION	Num	2	5	CENSUS REGION
1	RESPID	Num	3	0	RESPONDENT IDENTIFICATION NUMBER
11	VEREP	Num	2	27	REPLICATE WITHIN ANALYSIS STRATUM
12	VESTR	Num	2	29	STRATUM TO BE USED IN ANALYSIS

```
1 PROC DESCRIPT DATA="[MBND85.LEP]SUDAANEX" FILETYPE=SAS DESIGN=NR MEANS;  
2 NEST VESTR VEREP;  
3 WEIGHT ANALWT;  
4 VAR MRJFLAG;  
5 SUBGROUP CATAGE IRSEX RACE POPDEN REGION EDUCCAT2 EMPSTAT2;  
6 LEVELS 4 2 4 3 4 4 4;  
7 TABLES CATAGE (IRSEX RACE POPDEN REGION EDUCCAT2 EMPSTAT2)*CATAGE;  
8 SETENV LINESIZE=132 PAGESIZE=60 DECWIDTH=5 COLWIDTH=15;  
9 PRINT NSUM MEAN SEMEAN;  
10 OUTPUT MEAN SEMEAN NSUM/ FILETYPE=ASCII REPLACE  
    FILENAME="[MBND85.LEP]TABLE" MEANFMT=F15.5 SEMEANFMT=F15.5  
    NSUMFMT=F8.0;  
11 TITLE "MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS";
```

```
Number of observations read : 8021 Weighted count:192604773  
Denominator degrees of freedom : 2
```



MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS  
 by: Variable, AGE CATEGORY.

Variable	AGE CATEGORY					
	Total	1	2	3	4	
MARIJUANA -	Sample Size	8021.00000	2230.00000	1812.00000	2166.00000	1813.00000
EVER USED	Mean	0.31611	0.23242	0.59393	0.58003	0.15487
	SE Mean	0.00521	0.02572	0.01074	0.00934	0.01453

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS  
 by: Variable, SEX - IMPUTATION REVISED, AGE CATEGORY.  
 for: Variable = MARIJUANA - EVER USED.

SEX - IMPUTATION REVISED		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	8021.00000	2230.00000	1812.00000	2166.00000	1813.00000
	Mean	0.31611	0.23242	0.59393	0.58003	0.15487
	SE Mean	0.00521	0.02572	0.01074	0.00934	0.01453
1	Sample Size	3516.00000	1120.00000	799.00000	870.00000	727.00000
	Mean	0.37492	0.25153	0.62283	0.66698	0.21385
	SE Mean	0.01614	0.02340	0.00430	0.03175	0.01322
2	Sample Size	4505.00000	1110.00000	1013.00000	1296.00000	1086.00000
	Mean	0.26251	0.21248	0.56644	0.49698	0.10418
	SE Mean	0.02284	0.02999	0.02715	0.01407	0.02558

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS  
 by: Variable, RACE/HISPANIC-ORIGIN RECODE, AGE CATEGORY.

for: Variable = MARIJUANA - EVER USED.

RACE/HISPANIC-ORIGIN RECODE		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	8021.00000	2230.00000	1812.00000	2166.00000	1813.00000
	Mean	0.31811	0.23242	0.59393	0.58003	0.15487
	SE Mean	0.00521	0.02572	0.01074	0.00934	0.01453
1	Sample Size	3980.00000	988.00000	802.00000	1087.00000	1083.00000
	Mean	0.32564	0.24447	0.63762	0.62606	0.15499
	SE Mean	0.00537	0.04316	0.00882	0.01177	0.01817
2	Sample Size	1950.00000	589.00000	460.00000	501.00000	400.00000
	Mean	0.32911	0.20286	0.49783	0.53867	0.20585
	SE Mean	0.01854	0.01865	0.02020	0.01858	0.00903
3	Sample Size	2003.00000	625.00000	533.00000	537.00000	308.00000
	Mean	0.23649	0.19122	0.41978	0.30467	0.11481
	SE Mean	0.00248	0.02274	0.00738	0.01996	0.01161
4	Sample Size	108.00000	28.00000	17.00000	41.00000	22.00000
	Mean	0.13338	0.19494	0.35042	0.24267	0.00000
	SE Mean	0.02477	0.10266	0.08985	0.05543	0.00000

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, POPULATION DENSITY (BASED ON 1980 CENSUS, AGE CATEGORY.

for: Variable = MARIJUANA - EVER USED.

POPULATION DENSITY (BASED ON 1980 CENSUS)		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	8021.00000	2230.00000	1812.00000	2166.00000	1813.00000
	Mean	0.31611	0.23242	0.59393	0.58003	0.15487
	SE Mean	0.00521	0.02572	0.01074	0.00934	0.01453
1	Sample Size	3960.00000	1060.00000	948.00000	1116.00000	836.00000
	Mean	0.35850	0.26876	0.61703	0.60775	0.19609
	SE Mean	0.00512	0.00261	0.01328	0.02779	0.01243
2	Sample Size	2450.00000	734.00000	545.00000	635.00000	536.00000
	Mean	0.31412	0.24448	0.61589	0.58728	0.14137
	SE Mean	0.01137	0.04624	0.01556	0.02095	0.01427
3	Sample Size	1611.00000	436.00000	319.00000	415.00000	441.00000
	Mean	0.24126	0.14589	0.50994	0.51561	0.10268
	SE Mean	0.01973	0.03338	0.01135	0.02426	0.01778

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS  
 by: Variable, CENSUS REGION, AGE CATEGORY.

for: Variable = MARIJUANA - EVER USED.

CENSUS REGION		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	8021.00000	2230.00000	1812.00000	2166.00000	1813.00000
	Mean	0.31611	0.23242	0.59393	0.58003	0.15487
	SE Mean	0.00521	0.02572	0.01074	0.00934	0.01453
1	Sample Size	1507.00000	428.00000	327.00000	407.00000	345.00000
	Mean	0.34928	0.28359	0.64612	0.58918	0.18840
	SE Mean	0.01785	0.01066	0.01924	0.02402	0.02181
2	Sample Size	1687.00000	448.00000	373.00000	473.00000	393.00000
	Mean	0.32854	0.21043	0.62467	0.62778	0.14674
	SE Mean	0.01275	0.02420	0.03296	0.01157	0.02334
3	Sample Size	3086.00000	895.00000	667.00000	796.00000	728.00000
	Mean	0.26102	0.18447	0.54343	0.51553	0.11205
	SE Mean	0.00086	0.06078	0.03681	0.01864	0.00624
4	Sample Size	1741.00000	459.00000	445.00000	490.00000	347.00000
	Mean	0.36579	0.29732	0.58128	0.61879	0.21341
	SE Mean	0.03064	0.00885	0.01753	0.03322	0.06617

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS  
 by: Variable, EDUCATION RECODE, AGE CATEGORY.

for: Variable = MARIJUANA - EVER USED.

EDUCATION RECODE		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	5791.00000	0.00000	1812.00000	2166.00000	1813.00000
	Mean	0.32665	.	0.59393	0.58003	0.15487
	SE Mean	0.00827	.	0.01074	0.00934	0.01453
1	Sample Size	1684.00000	0.00000	474.00000	460.00000	750.00000
	Mean	0.20130	.	0.61131	0.48962	0.07278
	SE Mean	0.01781	.	0.02088	0.05397	0.00453
2	Sample Size	2140.00000	0.00000	804.00000	798.00000	538.00000
	Mean	0.33248	.	0.60444	0.56411	0.13603
	SE Mean	0.00288	.	0.03665	0.03325	0.00180
3	Sample Size	1105.00000	0.00000	392.00000	459.00000	254.00000
	Mean	0.37315	.	0.54661	0.58689	0.18935
	SE Mean	0.02420	.	0.01376	0.03469	0.03660
4	Sample Size	862.00000	0.00000	142.00000	449.00000	271.00000
	Mean	0.43275	.	0.62529	0.64659	0.29277
	SE Mean	0.00852	.	0.05841	0.00528	0.03461

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS  
 by: Variable, EMPLOYMENT STATUS RECODE, AGE CATEGORY.

for: Variable = MARIJUANA - EVER USED.

EMPLOYMENT STATUS RECODE		AGE CATEGORY				
		Total	1	2	3	4
Total	Sample Size	5791.00000	0.00000	1812.00000	2166.00000	1813.00000
	Mean	0.32665	.	0.59393	0.58003	0.15487
	SE Mean	0.00827	.	0.01074	0.00934	0.01453
1	Sample Size	3038.00000	0.00000	896.00000	1365.00000	777.00000
	Mean	0.41874	.	0.61951	0.62107	0.24711
	SE Mean	0.00501	.	0.02268	0.03060	0.01684
2	Sample Size	649.00000	0.00000	291.00000	198.00000	160.00000
	Mean	0.33274	.	0.47507	0.55233	0.15606
	SE Mean	0.00527	.	0.01828	0.05723	0.01436
3	Sample Size	523.00000	0.00000	271.00000	176.00000	76.00000
	Mean	0.46300	.	0.69034	0.58588	0.16100
	SE Mean	0.04809	.	0.01466	0.01906	0.07087
4	Sample Size	1581.00000	0.00000	354.00000	427.00000	800.00000
	Mean	0.13737	.	0.56577	0.43088	0.04247
	SE Mean	0.00997	.	0.02212	0.04202	0.00897

