

**National Household Survey on
Drug Abuse, 1988**

*United States Department of Health and
Human Services. National Institute on
Drug Abuse*

Codebook

Terms of Use

The terms of use for this study can be found at:

<http://datafiles.samhsa.gov/terms-use-nid3422>

National Institute on Drug Abuse

NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE:
Public Release Codebook 1988

U.S. Department of Health and Human Services
Public Health Service
Alcohol, Drug Abuse, and Mental Health Administration

January 1991

TABLE OF CONTENTS

| | |
|---|--------|
| LIST OF TABLES..... | iv |
| INTRODUCTION AND DESCRIPTION OF THE 1988 NHSDA..... | v |
| OVERVIEW OF NHSDA..... | v |
| STRENGTHS AND LIMITATIONS OF THE NHSDA..... | vi |
| SURVEY METHODOLOGY..... | vii |
| SAMPLE DESIGN..... | vii |
| SELECTION OF PRIMARY SAMPLING UNITS..... | vii |
| SELECTION OF THE SECOND-STAGE SAMPLE..... | ix |
| SELECTION OF THE THIRD-STAGE SAMPLE..... | ix |
| WITHIN-HOUSEHOLD SAMPLING..... | x |
| DATA COLLECTION..... | xi |
| VARIANCE ESTIMATION..... | xi |
| STATISTICAL SIGNIFICANCE OF DIFFERENCES..... | xiii |
| SAMPLE DESIGN EFFECTS AND GENERALIZED STANDARD ERRORS.... | xv |
| IMPUTATION..... | xxiv |
| LOGICAL IMPUTATION..... | xxiv |
| STATISTICAL IMPUTATION..... | xxv |
| WEIGHTING PROCEDURES..... | xxv |
| CONTENTS AND ORGANIZATION OF THE 1988 NHSDA | |
| PUBLIC RELEASE FILE..... | xxvi |
| DATA FILE DESCRIPTION..... | xxvi |
| VARIABLE NAMING CONVENTIONS..... | xxvii |
| STANDARD CODE CONVENTIONS..... | xxvii |
| CONTACT PERSON..... | xxviii |
| REFERENCES..... | xxviii |
| IDENTIFICATION..... | 1 |
| CIGARETTES AND SMOKELESS TOBACCO..... | 1 |
| ALCOHOL ANSWER SHEET #1..... | 4 |
| SEDATIVES ANSWER SHEET #2..... | 8 |
| TRANQUILIZERS ANSWER SHEET #3..... | 13 |
| STIMULANTS ANSWER SHEET #4..... | 18 |
| ANALGESICS ANSWER SHEET #5..... | 24 |
| MARIJUANA AND HASHISH ANSWER SHEET #6..... | 29 |
| INHALANTS ANSWER SHEET #7..... | 33 |
| COCAINE ANSWER SHEET #8..... | 39 |
| HALLUCINOGENS ANSWER SHEET #9..... | 45 |
| HEROIN ANSWER SHEET #10..... | 50 |
| DRUGS ANSWER SHEET #11..... | 52 |
| DRINKING EXPERIENCES ANSWER SHEET #12..... | 62 |
| DRUG PROBLEMS ANSWER SHEET #13..... | 65 |
| RISK ANSWER SHEET #14..... | 77 |
| HEALTH CONDITIONS..... | 80 |
| DEMOGRAPHICS..... | 83 |
| INTERVIEW INFORMATION..... | 93 |
| GEOGRAPHIC..... | 95 |
| IMPUTED DEMOGRAPHICS..... | 96 |
| IMPUTED DRUG USE..... | 97 |

| | |
|---|-----|
| RECODED DEMOGRAPHICS..... | 101 |
| RECODED DRUG USE..... | 101 |
| DESIGN AND ESTIMATION VARIABLES..... | 106 |
| MAIN FINDING VARIABLES..... | 107 |
| GENERAL VARIABLES RECODED..... | 107 |
| DRUG PROBLEMS - ANSWER SHEET #13 - LOGICALLY IMPUTED..... | 111 |
| DRUG PROBLEMS - RECODED..... | 124 |
| DRUGS - ANSWER SHEET #11 - LOGICALLY IMPUTED..... | 128 |
| DRINKING - ANSWER SHEET #12 - LOGICALLY IMPUTED..... | 132 |
| RECODED DRUG USE VARIABLES - RECODED..... | 134 |
| ALPHA INDEX OF VARIABLES..... | 141 |
| INDEX OF VARIABLES..... | 159 |

APPENDICES

| | |
|---|-----|
| APPENDIX A - CENSUS REGION/DIVISION/STATE TABLE..... | 177 |
| APPENDIX B - OCCUPATION CODES..... | 179 |
| APPENDIX C - INDUSTRY CODES..... | 180 |
| APPENDIX D - DRUG CODES FOR OPEN-ENDED QUESTIONS..... | 181 |
| APPENDIX E - SUDAAN EXAMPLE PROGRAM AND OUTPUT..... | 186 |
| APPENDIX F - SESUDAAN EXAMPLE PROGRAM AND OUTPUT..... | 197 |
| APPENDIX G - DATA COLLECTION INSTRUMENTS..... | 207 |

LIST OF TABLES

| | |
|--|-------|
| 1 AVERAGE DESIGN EFFECTS BY SEX AND RACE/ETHNICITY BY AGE: 1988 NHSDA | xvii |
| 2 AVERAGE DESIGN EFFECTS BY RACE/ETHNICITY BY SEX: 1988 NHSDA | xviii |
| 3 GENERALIZED STANDARD ERRORS FOR ESTIMATED PERCENTAGES: 1988 NHSDA | xxii |

INTRODUCTION AND DESCRIPTION OF THE
1988 NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE

INTRODUCTION

This codebook provides documentation for the 1988 National Household Survey on Drug Abuse (NHSDA) public use file. This codebook provides variable names and characteristics, interview instrumentation source, and value codes and their meanings. Most of the variables originate as questionnaire or answer sheet items. For created variables, the source variables and recoding specifications are provided, if space allows. In addition, identification, sampling, and data collection variables are included on the file and documented in this codebook.

Overview of NHSDA

The 1988 National Household Survey is the ninth in a series, the primary purpose of which is to measure the prevalence and correlates of drug use in the United States. This survey provides information about the use of illicit drugs, alcohol, and tobacco among members of the U.S. household population aged 12 and older. Surveys have been conducted periodically since 1971, with the most recent ones in 1979, 1982, 1985, and 1988.

Although the design of the NHSDA has preserved continuity in assessing drug use throughout the survey series, it has been sufficiently flexible to permit examination of special procedures and topics. In 1979, respondents from rural areas were oversampled, and in 1985 and 1988, blacks and Hispanics were oversampled to increase the reliability of estimates of drug use of these important groups. In 1982, considerable attention was devoted to medical as well as nonmedical use of stimulants, sedatives, tranquilizers, and analgesics. In the 1979 and 1982 surveys, the nominative technique was used to elicit supplementary information about the prevalence of heroin. In the 1985 and 1988 surveys, additional questions about cigarettes and other tobacco products, such as smokeless tobacco, were included, as were questions about the ways cocaine was used. In 1988, additional information was also gathered about the form of cocaine known as "crack" as well as information about sharing needles for injection of drugs. Also, in 1985 and 1988, the consequences of use of various drugs were given considerable attention.

A description of the 1988 survey, including more detailed information on sampling issues, is found in two other volumes from the study.

THE NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE: MAIN FINDINGS 1988. This report provides additional information on the prevalence of use and information on demographic correlates of use, frequency of

use, patterns of use, problems from use, and perceptions of risk of use of illicit drugs, alcohol, and tobacco.

THE NATIONAL HOUSEHOLD SURVEY ON DRUG ABUSE: POPULATION ESTIMATES 1988. This report provides estimates of the percentages and numbers of people in the U.S. household population who have ever used illicit drugs, alcohol, and tobacco as well as estimates of use in the past year and past month.

Strengths and Limitations of the NHSDA

The NHSDA is the only study that produces estimates of drug use among members of the household population in the continental United States. The survey is an appropriate technique for estimating prevalence rates for different drugs, since much drug use would not ordinarily come to the attention of administrative, medical, or correctional authorities and therefore would not be included in official statistics. In-person interviews with a large national probability sample seem to be the best way to estimate drug use in virtually the entire population of the United States.

Although the NHSDA is useful for many purposes, it has certain limitations. First, the data are self-reports of drug use, and their value depends on respondents' truthfulness and memory. Although some experimental studies have established the validity of self-report data in similar contexts and the NHSDA procedures were designed to encourage honesty and recall, some under- and over-reporting may have taken place. Second, the survey is cross-sectional rather than longitudinal. That is, individuals were interviewed only once and were not followed for additional interviews. The surveys therefore provide an overview of the prevalence of drug use at specific points in time rather than a view of how drug use changes over time for groups of individuals. Third, because the target population of the survey is defined as the household population of the continental United States, a small proportion (less than 2%) of the population is excluded. The subpopulations excluded are those in noninstitutional group quarters (e.g., military installations, college dormitories, group homes), those in institutional group quarters (e.g., prisons, nursing homes, treatment centers), and those who had no permanent residence (the homeless and residents of single rooms in hotels). If the drug use of these groups differs from that of the household population, the NHSDA may provide slightly inaccurate estimates of drug use in the total population. This may be particularly true for prevalence estimates of rarely used drugs such as heroin.

SURVEY METHODOLOGY

Sample Design

The target population for the 1988 NHSDA, as for previous surveys, was the household population aged 12 and older of the coterminous United States. The sample design used to survey this population was a multi-stage area probability sample. The 1988 sample design used a composite size measure methodology and a specially designed within-household selection procedure to meet specified precision constraints for subgroups defined by age and minority group membership. Differential sampling rates were used based on race/ethnicity and age groups. To reduce survey costs, the design sampled Hispanics at higher rates in geographic areas where they were most concentrated. Additionally, persons aged 12-17 were sampled at higher rates than persons in other age groups. The basic design plan involved several selection stages. These were the selection of: Primary Sampling Units (e.g., counties), area segments (e.g., blocks or enumeration districts) within these Primary Sampling Units, sample households within area segments, and one or two eligible residents (if any) within sample households.

During the first stage of sample selection, 100 Primary Sampling Units (PSUs) were selected in such a way as to ensure that the Nation's total population was represented and that areas with high concentrations of Hispanics were included. These PSUs were defined in terms of Standard Metropolitan Statistical Areas (SMSAs), counties, groups of counties and independent cities, or parts of counties.

The second stage involved selection of 1,600 area segments within the sample PSUs. These area segments were defined using aggregation of blocks and enumeration districts that had at least 40 occupied housing units according to the 1980 Census.

In the third stage, approximately 40,000 household listings were selected from within these segments in an attempt to complete approximately 33,000 screenings. The households were classified as to race/ethnicity and age composition.

Finally, individuals within households were selected to be interviewed. Generally, one interview was conducted per household. To reduce the number of required screenings, however, two interviews were conducted in some Hispanic and non-Hispanic black households that had 12-to-17-year-olds.

Selection of Primary Sampling Units. A first-stage sampling frame partitioning the entire land area of the coterminous United States into nonoverlapping PSUs was constructed according to standard practice and based on 1980 Census definitions. A total of 100 PSUs were selected; 50 PSUs with relatively high concentrations of Hispanics were selected with certainty (referred to here as the "high concentration Hispanic" PSUs) and 50 PSUs were selected from the remainder of the Nation with probability proportional to size

and with minimum replacement.

To begin, SMSAs with high percentages of Hispanic population in 1980 were identified. Fifty PSUs were then constructed from among such SMSAs (or adjoining SMSAs) that were of sufficient size, in expectation, to merit having at least 20 sample selections. Area segments comprised of the Census blocks that formed these 50 high concentration Hispanic PSUs were partitioned into three strata based on concentration of Hispanics:

- STRATUM 1: Highest Concentration Hispanic Area Segments. These segments had 50 percent or more Hispanic households in 1980.
- STRATUM 2: Moderate Concentration Hispanic Area Segments. These segments had between 10 percent and 50 percent Hispanic households in 1980.
- STRATUM 3: Low Concentration Hispanic Area Segments. These segments had less than 10 percent Hispanic households in 1980.

Finally, a fourth stratum was created for the residual portion of the coterminous United States that was defined as:

- STRATUM 4: Area Segments Outside the 50 High Concentration Hispanic PSUs.

It was from this final stratum that the remaining 50 PSUs were selected. This selection process was performed with probability proportional to a composite size measure, which is, in essence, a weighted average of the population counts of race/ethnicity groups, weighted by the race/ethnicity-specific sampling rates. Use of such a selection scheme allows for targeting of particular race/ethnicity subpopulation sample sizes. Chromy's probability-minimum-replacement sequential-sampling scheme (Chromy, 1979) was used to select these 50 PSUs with probability proportional to this composite size measure.

The 50 high concentration Hispanic PSUs contained 75 percent of the Hispanic population from the coterminous United States. These 50 PSUs also contain about 50 percent of the non-Hispanic blacks and 40 percent of the non-Hispanic non-Blacks from the coterminous United States. The blocks constituting Stratum 1 average 71.77 percent Hispanic households and contain 28.71 percent of the Hispanic population from the coterminous United States. The blocks constituting Stratum 2 average 21.78 percent Hispanic households and contain 31.88 percent of the Hispanic population from the coterminous United States.

An optimal allocation procedure was used to allocate the total sample size of 8,000 interviews to the four strata listed above. (After sample segments were selected, funds were made available for augmenting the sample for 12-to-17-year-olds resulting in a larger

total sample size but no additional sample segments.) The results of the allocation suggested that total survey costs would be minimized for fixed precision when Hispanics were oversampled in the strata in which they were concentrated. The number of screening interviews required to yield a sufficient number of Hispanic households would also yield a more than sufficient number of non-Hispanic black and non-Hispanic non-Black households for interview. Hence, the sample of non-Hispanic black and non-Hispanic non-Black households could be proportionally allocated to strata.

Selection of the Second-Stage Sample. Within each of the first three strata listed above, blocks were grouped within each of the 50 high concentration Hispanic PSUs by combining adjacent blocks to create nonoverlapping area segments that each contained at least 40 occupied housing units according to the 1980 Census data. A similar approach was used to create area segments within Stratum 4; adjacent blocks were combined as needed within each of the remaining 50 PSUs.

The allocated number of area segments were selected from each metropolitan stratum with probability proportional to that stratum's composite size measure. Chromy's sequential selection procedure was used to select these sample area segments. A variable number of segments was selected from each metropolitan PSU based on PSU size.

From each of the selected nonmetropolitan PSUs, Chromy's sequential selection procedure was again used to select 16 area segments with probability proportional to composite size. The segments were selected in such a way as to control the distribution of sample segments with respect to geographic and demographic characteristics of the target population.

Selection of the Third-Stage Sample. Screenings were completed with 33,369 households to identify a sufficient number of households to yield the desired number of Hispanic and non-Hispanic black age-domain sample sizes. Factoring in the 93.26 percent screening completion rate and 89.44 percent listing eligibility rate resulted in a total of 40,006 listings selected. (A listing was eligible for the study if it was an occupied, primary-residence housing unit.)

The results of our optimal allocation suggested that these 40,006 listings should be allocated to strata as follows:

- STRATUM 1: 14 listings per segment
- STRATUM 2: 26 listings per segment
- STRATUM 3: 26 listings per segment
- STRATUM 4: 26 listings per segment.

Note that the segment listing size varied by stratum. These sample sizes were set so that, on average, five interviews would be completed per segment.

The selection of individual listings was performed via systematic sampling with a fractional interval. The sampled listings were then sent to the field for screening. Having first determined that a listing was eligible for the study, the interviewer completed a household roster listing all residents aged 12 and up with their age, race, and ethnicity. This roster formed the basis for subsequent selection activities.

Within-Household Sampling. In selecting the third-stage sample, the interviewer screened each selected housing unit within a sample segment. Following screening, the household was classified as to its race/ethnicity based upon the race/ethnicity of the household head. The interviewer next determined the age group composition of the household. More than one age domain of interest was likely to be represented in the screened housing units, so the interviewer had a mechanism for selecting one or two (if any) age group domains and, subsequently, one person from that domain to interview. This mechanism yielded, in expectation, the desired number of interviews in each age-group by race/ethnicity domain.

The selection procedure was initially based upon an assumption that 8,000 completed interviews would be conducted with only one person selected per household. Two events changed this assumption. First, our modeling activity indicated that achieving the required precision for Hispanic and non-Hispanic black domain estimates would require a larger than expected screening sample size to minimize the deleterious effect of unequal weighting associated with differing household age group compositions. Second, supplementary funds were made available to augment the sample of 12-to-17-year-olds. As a result, decisions were made to (1) always select a 12-to-17-year-old in Hispanic and non-Hispanic black households and then to allow for the possible selection of an adult and (2) increase the sample size of non-Hispanic non-Black 12-to-17-year-olds while retaining the restriction of only one interview per household.

Monitoring of early sample results indicated that the within-household selection process was yielding more than the desired numbers of Hispanics and non-Hispanic blacks, but fewer than the desired number of non-Hispanic non-Blacks and, hence, fewer than the expected number of completed interviews. A decision was made to supplement the sample in an attempt to increase the total number of completed interviews to the target sample size. Since a sufficiently large number of Hispanics and non-Hispanic blacks were originally sampled, the supplement was restricted to screened households with a non-Hispanic non-Black head. All screened non-Hispanic non-Black households with no selections made from them were given a second opportunity of selection.

Data Collection

The field work for the 1988 NHSDA was directed by senior staff members at Research Triangle Institute. A total of 8,814 completed interviews were obtained between September 13, 1988, and February 28, 1989. Eighty-seven percent of the interviews were conducted by December 31, 1988, and the median completion date for the survey was November 5, 1988. A completed interview had to contain, at a minimum, data on use of marijuana, cocaine, alcohol, and cigarettes in the respondent's lifetime.

Strategies for ensuring high rates of participation resulted in a response rate of 77% and a total of 8,243 completed interviews for the original selection of cases. In an attempt to increase the count of non-Hispanic, non-Black interviews to the target sample size, 1,104 cases that were originally screened out were refiled, resulting in 571 additional completed interviews. Of the 8,814 completed interviews, 4,551 were with whites (i.e., non-Hispanic, non-Blacks), 1,888 were with (non-Hispanic) blacks, and 2,193 were with Hispanics. About 5% (413) of the interviews were conducted using the Spanish version of the questionnaire. The completed interviews represented a 93.3% completion rate for screening sample households and 74.3% for interviewing sample individuals. With the original and refiled samples combined, the response rates for these three racial/ethnic groups were 73% for whites, 75% for blacks, and 78% for Hispanics.

The importance of confidentiality was stressed to the interviewers. Throughout the course of the study, the respondent's anonymity and the privacy of his or her responses were protected by separating identifying information from survey responses. Respondents were assured that their identities and responses would be handled in the strictest confidence in accordance with Federal law. The questionnaire itself and the interviewing procedures were designed to enhance the privacy of responses, especially during segments of the interview in which questions of a sensitive nature were posed. Show cards were displayed when questions concerning illicit drug use were asked, and respondents were asked to mark answer sheets to record their responses to questions read aloud by the interviewer. The interviewer did not see the completed answer sheets.

Variance Estimation

In the 1988 National Household Survey on Drug Abuse (NHSDA), sampling error due to the random process used to subsample the total population of inferential interest (i.e., the household population age 12 and older of the coterminous United States), was quantified using 95 percent confidence intervals. Because one is often dealing with small percentages in the 1988 NHSDA, asymmetrical confidence intervals for estimated percentages and corresponding population sizes were calculated using methods based

on logit transformations. Logit techniques provide a direct and efficient method for computing confidence intervals (bounded by 0 and 100 percent) based on complex survey data, in that the design-based variance for each estimated proportion may be utilized directly.

Let the proportion P represent the true prevalence rate for a particular characteristic (e.g., the proportion of males who have smoked marijuana in the past month). Then, the logit transformation of P , commonly referred to as the "log odds," is defined as follows:

$$L = \ln \frac{P}{(1-P)},$$

where "ln" denotes the natural logarithm, and the ratio " $\frac{P}{(1-P)}$ " represents the prevalence odds for a particular characteristic. The true prevalence rate can then be estimated by p , the proportion derived from the sample.

Using $L = \ln \frac{p}{(1-p)}$ as our estimate for the log odds, the approximate lower and upper limits of L are defined as follows:

$$A = L - K \frac{\sqrt{\text{Var}(p)}}{p(1-p)}$$

$$B = L + K \frac{\sqrt{\text{Var}(p)}}{p(1-p)}$$

where $\text{Var}(p)$ is the design-based estimate of the variance of p , and K is the constant chosen to yield the proper level of confidence (e.g., $K = 1.96$ for 95 percent confidence limits). For the 1988 NHSDA; we estimated the variance of p using a Taylor series linearization approach (Cox and Cohen, 1985, Chapter 12).

Applying the inverse logit transformation to A and B above yields an approximate confidence interval for P as follows:

$$p_{\text{lower}} = \frac{1}{1 + \exp(-A)}$$

$$p_{\text{upper}} = \frac{1}{1 + \exp(-B)}$$

where "exp" denotes the inverse log transformation. The upper and lower limits of the percentage estimate are obtained by simply multiplying the upper and lower limits of p by 100.

An estimate of the number of individuals in the population with a particular characteristic,

$N(c)$, can be obtained as follows:

$$N(c) = N(+) * p,$$

where $N(+)$ = the estimated population total for the subgroup under investigation; and

p = the estimated prevalence rate of the particular characteristic.

To obtain an approximate confidence interval of such a population TOTAL (e.g., the number of white males who have smoked marijuana in the past month), one can simply use the above procedure and then multiply the lower and upper limits of the confidence interval for the estimated proportion by the estimated population total for the subgroup under investigation (e.g., total number of white males).

In addition, the standard error for the estimate of the number of individuals in the population with a particular characteristic, $N(c)$, can be approximated as follows:

$$SE(N(c)) = N(+) * SE(p),$$

where $SE(p)$ = the design-based standard error estimate for the estimated proportion; and

$SE(N(c))$ = the design-based standard error estimate for $N(c)$.

Statistical Significance of Differences

This section describes methods used to compare prevalence estimates. Note that the following method assumes statistical independence between the prevalence estimates, which holds for comparisons across surveys (e.g., 1985 vs. 1988), but not for

comparisons of prevalence rates within the same survey. Nevertheless, consequences associated with application of the following method for nonindependent proportions will be discussed.

In comparing prevalence estimates, each of which is based on a sample or sample subgroup, it must be remembered that both are subject to sampling fluctuations. The fluctuations are quantified in terms of sampling errors, which were computed using published design effects for the 1985 NHSDA. They were estimated directly using a Taylor series linearization approach for the 1988 NHSDA.

It is possible to construct a confidence interval around the observed difference between two percentage estimates. Customarily, however, the observed difference between estimates is evaluated in terms of its statistical significance. "Statistical significance" refers to the probability that a difference as large as that observed would occur by chance if there were no difference in prevalence rates for the population groups from which the samples were drawn. In trend tables already published in the 1988 NHSDA series, and in explicit comparisons of subgroup differences made in the text of these reports, the significance of observed differences is reported at the .05, .01, and .001 levels. However, the reader may also wish to compare prevalence estimates from two groups for which the significance of the difference is not reported; a companion document is available from NIDA in which standard errors for all estimates in the 1988 MAIN FINDINGS report can be found.

To compare the prevalence of drug use for 1985 vs. 1988, one can test the hypothesis of no difference in prevalence rates using the standard difference in proportions test (Fleiss, 1981), expressed as follows:

$$Z = \frac{p_1 - p_2}{\sqrt{\text{Var}(p_1) + \text{Var}(p_2)}}$$

where p_1 = 1985 estimated drug prevalence rate;

$\text{Var}(p_1)$ = 1985 APPROXIMATE variance estimate for p_1 , obtained as:

$$\frac{\text{DEFF}}{\text{ave}} * p_1(1-p_1)/n$$

where n = 1985 sample size for subgroup under investigation; and

$$\frac{\text{DEFF}}{\text{ave}} = 1985 \text{ average design effect for the subgroup under investigation;}$$

2

p = 1988 estimated drug prevalence rate; and

$\text{Var}(p_2)$ = 1988 variance estimate of p_2 (using design-based survey methodology).

Note that design-based variance estimates are not published for the 1985 survey. Instead, approximate variance estimates are obtained as the product of the estimated design effect (provided for a given set of domains) and the simple random sample variance estimate. Design effects (DEFFs) are calculated to measure the increase in sampling error due to the complex sampling design over that obtained through a simple random sample. For a given survey estimate, the design effect is defined as the ratio of the variance of the estimate based on the actual sample design to that obtained under a simple random sample design of the same sample size.

Under the null hypothesis of no difference in prevalence rates, Z is asymptotically distributed as a normal random variable; calculated values of Z can, therefore, be referred to the unit normal distribution to determine the corresponding probability level (i.e., p-value). Note that two-sided or one-sided p-values can be computed.

For comparing prevalence rates within the same survey (for example, 1988 prevalence of cocaine use among whites vs. blacks), the above test for differences in proportions can also be used to perform tests of significance. In this situation, the tests will usually yield conservative (i.e., less significant) p-values because the covariance between the two non-independent prevalent estimates is expected to be slightly positive.

Sample Design Effects and Generalized Standard Errors

This section describes the formation and recommended usage of design effects and generalized standard errors in estimating approximate sampling variability.

For the 1988 NHSDA, specialized software (RTI, 1989) was used to properly estimate variances for proportions arising from complex survey data, using the Taylor series linearization approach. Consequently, estimated standard errors have been computed for all parameter estimates appearing in the 1988 NHSDA series of reports, and the full set of standard errors is available from NIDA upon request. Whenever possible, these Taylor series variance estimates should be used to compute confidence intervals and perform comparative analyses, using the methods described in previous sections. However, it is our goal here to provide future users of the 1988 NHSDA data base with readily available approximate variance estimates for situations in which design-based variance estimates are not available.

Two solutions to this problem are presented here. The first of these involves the usage of domain-specific average design effects, such as those presented in Tables 1 and 2. For subgroups not specifically listed in Table 1 or Table 2, a third approach to variance estimation, based on a prediction equation obtained from regression modeling, is recommended. These alternatives to Taylor series variance estimation are described in detail below.

As discussed in previous sections, the design effect associated with a probability sample is the ratio of the design-based variance of an estimate to the variance estimate that would have been attained from a simple random sample of the same number of elements. Therefore, the design effect summarizes the effects (due to stratification, clustering, and weighting) on the variance of a complex sample design.

The calculation of average design effects for specific domains or for the total population requires parameter estimates and standard errors for a subset of survey statistics (e.g., prevalence rate estimates of drug use for specific drugs and drug patterns). To compute domain-specific average design effects for the current survey, all estimates of drug prevalence (expressed as proportions) contained in the 1988 POPULATION ESTIMATES report were considered. These estimates consisted of 17 drug categories:

- Any illicit drug use; marijuana; inhalants, hallucinogens; PCP; cocaine; crack; heroin; needle use; nonmedical use of any psychotherapeutics; nonmedical use of stimulants; nonmedical use of sedatives; nonmedical use of tranquilizers; nonmedical use of analgesics; cigarettes; alcohol; and smokeless tobacco;

3 recency-of-use categories:

- ever used; used in past year; used in past month; and

3 past year frequency-of-use categories (alcohol, marijuana, and cocaine only):

- used at least once; used 12 or more times; and used once a week or more.

Specialized software was used to obtain complex sample design-based estimates of sampling errors and individual design effects for each of the above estimated proportions within cross-classifications of age, race and sex. However, individual prevalence estimates for which the

TABLE 1: AVERAGE DESIGN EFFECTS BY SEX AND RACE/ETHNICITY BY AGE:
1988 NHSDA

| DEMOGRAPHIC CHARACTERISTIC | AGE GROUP (YEARS) | | | | Total |
|-------------------------------|-------------------|-------|-------|------|-------|
| | 12-17 | 18-25 | 26-34 | >_35 | |
| TOTAL | 1.87 | 1.91 | 1.84 | 1.67 | 2.06 |
| SEX | | | | | |
| Male | 1.44 | 1.68 | 1.65 | 1.52 | 1.98 |
| Female | 1.83 | 1.80 | 1.64 | 1.89 | 2.07 |
| RACE/ETHNICITY (1) | | | | | |
| White | 1.51 | 1.43 | 1.54 | 1.33 | 1.82 |
| Black | 1.32 | 1.50 | 1.64 | 1.28 | 1.83 |
| Hispanic | 1.47 | 1.61 | 1.88 | 1.68 | 1.96 |

(1) The category "Other" for Race/Ethnicity is not included.

Source: NIDA, National Household Survey on Drug Abuse, 1988.

TABLE 2: AVERAGE DESIGN EFFECTS BY RACE/ETHNICITY BY SEX: 1988 NHSDA

| RACE/ETHNICITY (1) | SEX | | Total |
|--------------------|------|--------|-------|
| | MALE | FEMALE | |
| White | 1.64 | 1.75 | 1.82 |
| Black | 1.69 | 1.66 | 1.83 |
| Hispanic | 1.69 | 2.07 | 1.96 |
| Total | 1.98 | 2.07 | 2.06 |

(1) The category "Other" for Race/Ethnicity is not included

Source: NIDA, National Household Survey on Drug Abuse, 1988.

design effect was outside the range of 1-3, or for which the relative standard error (RSE, the ratio of the standard error of the estimated proportion vs. the estimated proportion itself) was greater than 50 percent, were removed prior to the modeling process. Such extreme values for design effects and RSEs may reflect instability in the Taylor series estimate of the design-based variance (resulting, in many cases, from small sample sizes). These variance estimates were regarded as spurious and, therefore, were not included in the modeling process. Age, race, and sex-specific average design effects appear in Tables 1 and 2. As with 1985 published design effects, the user may now calculate approximate variance and standard error estimates for 1988 NHSDA prevalence rates as follows:

$$\text{Var}(p)_{\text{appx}} = \text{DEFF}_{\text{ave}} * \Gamma p(1-p)/n\pi, \quad (1)$$

where p = 1988 estimated drug prevalence rate;

n = 1988 number of respondents for the subgroup under investigation;

DEFF_{ave} = 1988 AVERAGE design effect for the subgroup under investigation; and

$\text{Var}(p)_{\text{appx}}$ = 1988 approximate variance estimate for p .

The approximate standard error estimate for p , $\text{SE}(p)_{\text{appx}}$ is simply the square root of $\text{Var}(p)_{\text{appx}}$. In situations in which Taylor series variance estimates are not available, the application of formula (1) to the domain-specific design effects appearing in Table 1 and 2 should be used to compute approximate standard error estimates.

However, when an average design effect for the subgroup under investigation is not listed in either Table 1 or Table 2, an alternative variance estimation procedure is recommended. This procedure employs regression modeling to yield a prediction equation for generalized variances and standard errors. The following relation for an individual design effect estimate serves as an inspiration for the theoretical model:

$$\text{DEFF} = \text{Var}(p) / \Gamma p(1-p) / n\pi,$$

where p = estimated prevalence rate;

n = number of respondents for subgroup under investigation;

$\text{Var}(p)$ = design-based variance estimate for p ; and

$\Gamma p(1-p)/n\pi$ = simple random sample variance estimate for p.

Taking the log (base 10) of both sides of the above relation leads to a parsimonious model for the estimated variance or standard error of a drug prevalence proportion, and can be expressed in terms of the following log-linear model:

$$\log(\text{SE}(p)) = B_0 + B_1 \log(p) + B_2 \log(1-p) + B_3 \log(n),$$

where p = estimated proportion of individuals reporting drug use;

SE(p) = estimated standard error of the proportion, p;

n = number of respondents in the subgroup under investigation; and

B_0, B_1, B_2, B_3 = regression coefficients for the intercept, $\log(p)$, $\log(1-p)$, and $\log(n)$, respectively.

Other more complicated versions of the log-linear model, such as those containing domain and recency-of-use effects, were investigated. While some of these effects were statistically significant, only modest gains in the amount of additional variation explained by them were obtained. The above specification of the log-linear model represents a concise, easy-to-use, yet relatively accurate, summary of the variation in standard error estimates.

The model was fit to the same set of estimates used in calculating the average design effects. Specifying the log-linear model as above, the parameter estimates for $B_0, B_1, B_2,$ and B_3 , are as follows:

$$b_0 = 0.0528; b_1 = 0.5310; b_2 = 0.5545; \text{ and } b_3 = -0.4666.$$

Using these regression coefficients, the user can substitute NEW values of p, (1-p), and n into the fitted model to obtain the predicted, or approximate, standard error of the prevalence rate via the following formula:

$$\text{SE}(p) \text{ appx} = \frac{1.1293 * p^{(0.5310)} * (1-p)^{(0.5545)}}{n^{(0.4666)}} \quad (2)$$

where p = 1988 estimated proportion of drug users for the subgroup;

n = 1988 number of respondents for the subgroup under investigation;

$1.1293 = 10^{(0.0528)}$; and

$SE(p)$ = 1988 predicted (or approximate) standard error estimate of p .

The predicted variance estimate of the proportion, $Var(p)$, is simply the square of the approximated standard error. Note that the model does not produce estimates which are symmetric about 0.50, or 50 percent, due to the specification of both p and $(1-p)$, and the resulting difference in their regression coefficients.

In addition to the above formula, Table 3 contains generalized standard errors for various percentages (from 1 to 99 percent) and sample sizes (from 50 to 9,000), predicted from the log-linear model formula in (2). The generalized standard errors above the dashed line in Table 3 correspond to estimated proportions which would not meet the precision constraint used to determine suppression of estimates in the 1988 NHSDA report series. Specifically, when the RSE, or the ratio of the variability of the estimate vs. the estimate itself, was equal to or larger than 0.50, estimated percentages were considered to have low precision and were suppressed.

In summary, the user may obtain 1988 NHSDA variance estimates from the following sources, and in the following recommended order

- 1) Published variances from this or other reports in the 1988 NHSDA series (obtainable upon request from NIDA); otherwise,
- 2) Average design effects for subgroups appearing in Tables 1 and 2 of this report and application of formula (1); otherwise,
- 3) Model-based prediction, using formula (2) or Table 3 of this report.

Once variance estimates have been obtained using the three-tiered approach presented above, the user may apply the methods discussed in previous sections to compute confidence intervals based on logit techniques, or for making statistical comparisons among any two prevalence rates.

TABLE 3: GENERALIZED STANDARD ERRORS* FOR ESTIMATED
PERCENTAGES: 1988 NHSDA

SAMPLE SIZE FOR ESTIMATED PERCENT (PROPORTION, P, MULTIPLIED BY 100)
BASE OF PERCENTAGE

| n | 1 | 2 | 3 | 5 | 10 | 20 | 30 | 40 |
|------|------|------|------|------|------|------|------|------|
| 50 | 1.57 | 2.25 | 2.78 | 3.6 | 5.05 | 6.84 | 7.88 | 8.43 |
| 100 | 1.14 | 1.63 | 2.01 | 2.61 | 3.66 | 4.95 | 5.7 | 6.1 |
| 300 | 0.68 | 0.98 | 1.21 | 1.56 | 2.19 | 2.97 | 3.42 | 3.65 |
| 500 | 0.54 | 0.77 | 0.95 | 1.23 | 1.73 | 2.34 | 2.69 | 2.88 |
| 700 | 0.46 | 0.66 | 0.81 | 1.05 | 1.48 | 2 | 2.3 | 2.46 |
| 900 | 0.41 | 0.59 | 0.72 | 0.94 | 1.31 | 1.78 | 2.05 | 2.19 |
| 1000 | 0.39 | 0.56 | 0.69 | 0.89 | 1.25 | 1.69 | 1.95 | 2.08 |
| 1250 | 0.35 | 0.5 | 0.62 | 0.8 | 1.13 | 1.52 | 1.75 | 1.88 |
| 1500 | 0.32 | 0.46 | 0.57 | 0.74 | 1.03 | 1.4 | 1.61 | 1.72 |
| 1750 | 0.3 | 0.43 | 0.53 | 0.69 | 0.96 | 1.3 | 1.5 | 1.6 |
| 2000 | 0.28 | 0.4 | 0.5 | 0.64 | 0.9 | 1.22 | 1.41 | 1.51 |
| 2500 | 0.25 | 0.36 | 0.45 | 0.58 | 0.81 | 1.1 | 1.27 | 1.36 |
| 3000 | 0.23 | 0.33 | 0.41 | 0.53 | 0.75 | 1.01 | 1.17 | 1.25 |
| 4000 | 0.2 | 0.29 | 0.36 | 0.47 | 0.65 | 0.89 | 1.02 | 1.09 |
| 5000 | 0.18 | 0.26 | 0.32 | 0.42 | 0.59 | 0.8 | 0.92 | 0.98 |
| 9000 | 0.14 | 0.2 | 0.25 | 0.32 | 0.45 | 0.61 | 0.7 | 0.75 |

| SAMPLE SIZE FOR BASE OF PERCENTAGE n | ESTIMATED PERCENT (PROPORTION, P, MULTIPLIED BY 100) | | | | | | | | |
|--|--|------|------|------|------|------|------|------|------|
| | 50 | 60 | 70 | 80 | 90 | 95 | 97 | 98 | 99 |
| 50 | 8.58 | 8.35 | 7.72 | 6.62 | 4.8 | 3.36 | 2.56 | 2.06 | 1.41 |
| 100 | 6.21 | 6.04 | 5.59 | 4.79 | 3.47 | 2.43 | 1.85 | 1.49 | 1.02 |
| 300 | 3.72 | 3.62 | 3.35 | 2.87 | 2.08 | 1.46 | 1.11 | 0.89 | 0.61 |
| 500 | 2.93 | 2.85 | 2.64 | 2.26 | 1.64 | 1.15 | 0.87 | 0.7 | 0.48 |
| 700 | 2.5 | 2.44 | 2.25 | 1.93 | 1.4 | 0.98 | 0.75 | 0.6 | 0.41 |
| 900 | 2.23 | 2.17 | 2.01 | 1.72 | 1.25 | 0.87 | 0.67 | 0.53 | 0.37 |
| 1000 | 2.12 | 2.06 | 1.91 | 1.64 | 1.19 | 0.83 | 0.63 | 0.51 | 0.35 |
| 1250 | 1.19 | 1.86 | 1.72 | 1.47 | 1.07 | 0.75 | 0.57 | 0.46 | 0.31 |
| 1500 | 1.75 | 1.71 | 1.58 | 1.35 | 0.98 | 0.69 | 0.52 | 0.42 | 0.29 |
| 1750 | 1.63 | 1.59 | 1.47 | 1.26 | 0.91 | 0.64 | 0.49 | 0.39 | 0.27 |
| 2000 | 1.53 | 1.49 | 1.38 | 1.18 | 0.86 | 0.6 | 0.46 | 0.37 | 0.25 |
| 2500 | 1.38 | 1.35 | 1.24 | 1.07 | 0.77 | 0.54 | 0.41 | 0.33 | 0.23 |
| 3000 | 1.27 | 1.24 | 1.14 | 0.98 | 0.71 | 0.5 | 0.38 | 0.3 | 0.21 |
| 4000 | 1.11 | 1.08 | 1 | 0.86 | 0.62 | 0.44 | 0.33 | 0.27 | 0.18 |
| 5000 | 1 | 0.97 | 0.9 | 0.77 | 0.56 | 0.39 | 0.3 | 0.24 | 0.16 |
| 9000 | 0.76 | 0.74 | 0.68 | 0.59 | 0.43 | 0.3 | 0.23 | 0.18 | 0.12 |

*Predicted from the following fitted model:

$$SE = 1.1293 * p \quad (0.5310) \quad * (1-p) \quad (0.5545) \quad (0.4666) /n$$

Note: Generalized standard errors above the dashed line correspond to estimated proportions which do not meet the precision constraint $RSE < .50$, where $RSE = SE/p$.

Source: NIDA, National Household Survey on Drug Abuse, 1988.

IMPUTATION

For selected key variables, response data were changed to reflect more recent use or missing data were replaced with non-missing values. The two different imputation procedures used are distinguished in this codebook by the code-value descriptive phrases "... LOGICALLY IMPUTED" and "... imputed" or by the designation "IMPUTATION-REVISED" in the variable label.

Logical Imputation

Logical imputation was carried out in the earliest stage of editing for the original recency-of-use variables. This procedure involved checking, for each recency-of-use variable, other variables in a record that could yield evidence of use of that specific subject drug or class of drugs. Then the most recent indication supplied by the respondent of use of that drug replaced missing data in the subject drug recency-of-use variable or was used to change a less recent response value to a value reflecting the indication elsewhere of more recent use. Unique code values (7, 8, or 9) were assigned to the recency-of-use variable when such logical imputation occurred; these code values are readily identifiable by the phrase "... LOGICALLY IMPUTED" in the code-value descriptions. For those recency-of-use variables with missing data for which no indication of use of the drug could be found by examination of all relevant variables in the record, a code value of 91 (Never used) was assigned if there were one or more indications of such non-use in the set of relevant variables. The variables for which logical imputation was implemented are CIGREC, ALCREC, SEDREC, TRANREC, STIMREC, ANALREC, MJREC, INHREC, COCREC, CRAKREC, HALLREC, PCPREC, HERREC, SNUFREC, and NEEDLREC.

At this point in the editing process, a determination was made as to whether each record in the data base contained enough information to be considered complete. To be classified as a minimally complete case, and thus to be retained in the data base, data on the recency of use of alcohol, marijuana, and cocaine had to have been provided by the respondent or logically imputed from other answers supplied by the respondent.

Statistical Imputation

Following logical imputation, any remaining missing data for recency-of-use variables (other than ALCREC, MJREC, and COCREC), for the frequency-of-use-in-past-12-months variables, and for age, race, and Hispanic-origin variables, were imputed by using a technique known as hot-deck imputation. The first step in the hot-deck imputation procedure involved sorting the data file with a progressive series of subsorts based on recency-of-use of alcohol, marijuana, and cocaine, and then age, sex, Hispanic-origin, and race. This sorting produced an ordered data file in which adjacent data records represent individuals with similar characteristics. A missing value for each particular variable was then replaced by the non-missing response for the same variable in the last encountered record in the sorted data base. Variables in this database for which the hot-deck imputation procedure was implemented may be identified by the designation "IMPUTATION-REVISED" in the variable label and their variable names begin with the letters IR. In addition, for each hot-deck imputation-revised variable, there is an "IMPUTATION INDICATOR" variable whose values distinguish whether the imputed variable's value originated from interview responses or were imputed by the hot-deck technique. The imputation-revised and resultant recode variables used in that document are documented at the end of the codebook.

In general, analysts are advised to use the imputation-revised variables for tabular summaries and other descriptive analyses. For analyses of relationships where multiple data items are involved, use of these imputation-revised variables may not be appropriate. Usually these analyses span data items that were not jointly used in defining the imputation procedure (either as the output variable or as a classing or sorting variable). In this situation, use of nonimputed data items may be best.

WEIGHTING PROCEDURES

At the conclusion of data collection for the study, sample weights were constructed that reflect the various stages of sampling described above. These sample weights were then adjusted to account for sample households and persons who could not be found at home or who refused to participate. Finally, a post-stratification adjustment was performed on the weights using November 1, 1988, Census population estimates. This adjusted weight is the analysis weight for use in estimation.

The calculation of sampling weights was based on the stratified, three-stage design of the study. Specifically, the household sampling weight is the product of the three stagewise sampling weights, each of which is equal to the inverse of the selection probability for that stage.

Failure to complete the within-household roster constituted the first type of nonresponse encountered in the study. To account for the loss of whole households, a weighting class adjustment procedure was used in which the classes were created by aggregating area segments. A weighting class adjustment factor was also calculated to account for person-level nonresponse within responding households. For this procedure, seventy-two weighting classes were defined based upon metropolitan status, ethnicity, age group, and sex. Nonresponding and ineligible persons were assigned an adjusted weight of zero. (Ineligible persons were rare; they were usually 11-year-olds who were inaccurately listed as 12 in rostering.)

The NHSDA weights were next post-stratified adjusted to Census projections for the civilian household population of the United States (U.S. Bureau of the Census, 1988a, 1988b). The NHSDA does not include civilian housing units within military compounds. The Census estimates, however, do include these residents. In addition, the NHSDA does not include Alaska and Hawaii although Census Bureau estimates do. Historically, NHSDA has post-stratified to the Census counts for the entire United States and ignored these differences in target population definitions.

The post-stratification was performed by creating counts to post-stratify to the November 1 Census population estimates (the mid-point of our data collection period). Because counts were not available for the full cross-classification of age, sex, and race/ethnicity groups, we used raking, or iterative proportional fitting (Bishop, Fienberg and Holland, 1975, pp. 83-102) to adjust the weights to marginal counts, thus constructing the post-stratified weights. The result of this process was a post-stratification adjustment applied to each person-level weight.

CONTENTS AND ORGANIZATION OF THE 1988 NHSDA PUBLIC USE FILE

Data File Description

The file described here has been prepared for use with SAS (ver. 5.18) as a SAS dataset. The variable names shown in this codebook are the SAS variable names that appear in the dataset. The file is recorded on a non-labelled nine-track tape with density of 6250 BPI.

The overall organization of the file is shown in the Table of Contents of this codebook. Raw data from the questionnaire and drug answer sheets make up the first portion of the file and are documented in pp. 1-82 of this codebook. These variables contain missing data; see the section on "Standard Code Conventions," below, for a description of the codes given to different types of missing data. The number of observations for which data are missing for any given variable is shown in the codebook entry for

that variable.

Imputation-revised demographic and drug use variables and recoded versions of these imputation-revised variables are given in the next four sections of the file (pp. 80-105 of this codebook). These variables include indicators for lifetime, past year, and past month use of substances, as well as imputation-revised demographic variables such as age and race/ethnicity. Missing values for these variables have been imputed using the statistical imputation procedures described earlier. Imputation indicators are provided for each variable so that users may easily determine whether an observation contains data from the questionnaire or an imputed value. Users who wish to replicate results published in the National Household Survey on Drug Abuse: Main Findings 1988 or other NIDA reports should use these imputation-revised variables rather than raw data from the questionnaire or drug sheets.

Sample weights and other design and estimation variables are documented on p. 106 of this codebook. The remaining variables in the file are recoded or logically imputed variables created for the National Household Survey on Drug Abuse: Main Findings 1988. These variables include recodes of earlier drug use variables (pp. 107-111), and logically imputed variables pertaining to drug use problems (111-123), symptoms of dependency (123-128), and negative drinking experiences (171-181). These variables contain missing values for some observations. The number of observations for which data are missing for each variable is given in the codebook entry for that variable.

Variable Naming Conventions

Variable names are mnemonics related to the meaning of each variable. Insofar as possible, variables identical to those in the 1985 NHSDA analytical file have also been named identically. However, the user should refer to the questionnaires to verify that the data are exactly comparable.

Standard Code Conventions

Generally, the following codes have the same (or consistent) meanings across all variables (exceptions are noted in the documentation for individual variables).

- 91 or 991 or 9991, etc. = Never used the substance
- 92 or 992 or 9992, etc. = Response illegible
- 93 or 993 or 9993, etc. = Did not use drug under conditions
in the question (e.g., during time
period)
- 94 or 994 or 9994, etc. = Don't know

- 95 or 995 or 9995, etc. = Bad data (usually, inconsistent with other data)
- 96 or 996 or 9996, etc. = Multiple response
- 97 or 997 or 9997, etc. = Refusal
- 98 or 998 or 9998, etc. = Blank (not answered)
- 99 or 999 or 9999, etc. = Legitimate skip.

Contact Person

For additional information about the file documented in this codebook, the following individual may be contacted.

Mr. Joseph C. Gfroerer
National Institute on Drug Abuse
5600 Fishers Lane, Room 11A-55
Rockville, MD 20857
(301) 443-6637

REFERENCES

- Bishop, Y.M.M., S.E. Fienberg, and P. W. Holland (1975). DISCRETE MULTIVARIATE ANALYSIS: THEORY AND PRACTICE. Cambridge, Massachusetts: The MIT Press.
- Chromy, J.R. (1979). Sequential sample selection methods. PROCEEDINGS OF THE AMERICAN STATISTICAL ASSOCIATION, Survey Research Methods Section: 401-406.
- Cox, B.G. and S.B. Cohen (1985), METHODOLOGICAL ISSUES FOR HEALTH CARE SURVEYS. New York and Basel: Marcel Dekker, Inc.
- Fleiss, J.L. (1981), STATISTICAL METHODS FOR RATES AND PROPORTIONS, New York: John Wiley and Sons, 2nd ed.
- Research Triangle Institute (1989), SUDAAN: PROCEDURES FOR DESCRIPTIVE STATISTICS USER'S GUIDE, Research Triangle Park, NC.
- U.S. Bureau of the Census (1988a). ESTIMATES OF THE CIVILIAN NON-INSTITUTIONAL POPULATION OF THE UNITED STATES BY AGE, COLOR AND SEX, AS OF NOVEMBER 1, 1988. (Document prepared for the Current Population Survey.) Washington, DC: U.S. Government Printing Office.
- U.S. Bureau of the Census (1988b). ESTIMATES OF HISPANIC ORIGIN BY AGE AND SEX; AS OF NOVEMBER 1, 1988. (Document prepared for

the Current Population Survey.) Washington, DC: U.S. Government Printing Office.

IDENTIFICATION

| N | LABEL | LEN | DESCRIPTION | FREQ | % |
|---|-------|-----|-------------|-------|---|
| - | ----- | --- | ----- | ----- | - |

IDENTIFICATION

| | | |
|---------|---|---|
| RESPID | 5 | RESPONDENT IDENTIFICATION NUMBER |
| ENCPSU | 3 | PRIMARY SAMPLING UNIT (ENCRYPTED) |
| ENCSEG | 4 | SEGMENT IDENTIFICATION NUMBER (ENCRYPTED) |
| ENCCASE | 4 | HOUSEHOLD LEVEL IDENTIFICATION NUMBER (ENCRYPTED) |

CIGARETTES & SMOKELESS TOBACCO

C-1. About how old were you when you first tried a cigarette?

CIGTRY 2 AGE WHEN FIRST TRIED A CIGARETTE
RANGE = 2 - 58

| | | |
|----------------------------------|------|-------|
| 91 = NEVER USED CIGARETTES | 3381 | 38.36 |
| 94 = DON'T KNOW | 4 | 0.05 |
| 95 = BAD DATA | 31 | 0.35 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 20 | 0.23 |

C-2. Have you smoked as many as five packs of cigarettes, that is, at least 100 cigarettes, in your life?

CIG5PK 2 SMOKED 5 OR MORE PACKS OF CIGARETTES IN LIFETIME

| | | |
|----------------------------------|------|-------|
| 1 = Yes | 3039 | 34.48 |
| 2 = No | 2309 | 26.20 |
| 91 = NEVER USED CIGARETTES | 3381 | 38.36 |
| 94 = DON'T KNOW | 29 | 0.33 |
| 98 = BLANK | 56 | 0.64 |

CIGARETTES

C-3. When was the most recent time you smoked a cigarette?

CIGREC 2 MOST RECENT TIME SMOKED A CIGARETTE

| | | |
|--|------|-------|
| 1 = Within the past month(30 days) | 2155 | 24.45 |
| 2 = More than 1 month ago but less than 6 months ago | 289 | 3.28 |
| 3 = 6 or more months ago but less than 1 year ago | 203 | 2.30 |
| 4 = 1 or more years ago but less than 3 years ago | 448 | 5.08 |
| 5 = 3 or more years ago | 2109 | 23.93 |

| | | |
|---|------|-------|
| 7 = Use in past 30 days LOGICALLY IMPUTED | 5 | 0.06 |
| 8 = Use in past year LOGICALLY IMPUTED | 137 | 1.55 |
| 9 = Use in lifetime LOGICALLY IMPUTED | 70 | 0.79 |
| 91 = NEVER USED CIGARETTES | 3381 | 38.36 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 98 = BLANK | 16 | 0.18 |

C-4. How many cigarettes have you smoked per day, on the average, during the past 30 days? Give me the average number per day.

| AVCIG | 2 | # CIGARETTES SMOKED PER DAY LAST 30 DAYS | | |
|---|---|--|------|-------|
| 1 = Less than one cigarette a day | | | 212 | 2.41 |
| 2 = One to five cigarettes a day | | | 398 | 4.52 |
| 3 = About 1/2 pack a day(6-15 cigarettes) | | | 589 | 6.68 |
| 4 = About a pack a day(16-25 cigarettes) | | | 604 | 6.85 |
| 5 = About 1 1/2 packs a day(26-35 cigarettes) | | | 177 | 2.01 |
| 6 = About 2 packs or more a day(over 35 cigarettes) . | | | 132 | 1.50 |
| 91 = NEVER USED CIGARETTES | | | 3381 | 38.36 |
| 94 = DON'T KNOW | | | 6 | 0.07 |
| 98 = BLANK | | | 58 | 0.66 |
| 99 = LEGITIMATE SKIP (CIGREC = 2-5,8-9,94) | | | 3257 | 36.95 |

C-5. For about how long have you smoked?

| CIGTIME | 2 | LENGTH OF TIME SMOKED # CIGARETTES/DAY IN AVCIG | | |
|--|---|---|------|-------|
| RANGE = 1 - 70 | | | | |
| 91 = NEVER USED CIGARETTES | | | 3381 | 38.36 |
| 94 = DON'T KNOW | | | 41 | 0.47 |
| 95 = BAD DATA | | | 5 | 0.06 |
| 98 = BLANK (NO ANSWER) | | | 47 | 0.53 |
| 99 = LEGITIMATE SKIP (CIGREC = 2-5,8-9,94) | | | 3257 | 36.95 |
| CIGINT | 2 | UNIT FOR LENGTH OF TIME | | |
| 1 = Years | | | 1824 | 20.69 |
| 2 = Months | | | 214 | 2.43 |
| 3 = Weeks | | | 34 | 0.39 |
| 91 = NEVER USED CIGARETTES | | | 3381 | 38.36 |
| 94 = DON'T KNOW | | | 41 | 0.47 |
| 98 = BLANK | | | 63 | 0.71 |
| 99 = LEGITIMATE SKIP (CIGREC = 2-5,8-9,94) | | | 3257 | 36.95 |

C-6. About how old were you when you first started smoking daily?

| CIGAGE | 2 | AGE WHEN FIRST STARTED SMOKING DAILY | | |
|----------------------------------|---|--------------------------------------|------|-------|
| RANGE = 2 - 62 | | | | |
| 91 = NEVER USED CIGARETTES | | | 3381 | 38.36 |
| 93 = NEVER SMOKED DAILY | | | 2394 | 27.16 |
| 94 = DON'T KNOW | | | 10 | 0.11 |
| 95 = BAD DATA | | | 7 | 0.08 |

98 = BLANK (NO ANSWER) 270 3.06

C-7. For how many years did you smoke daily?

CIGYRS 2 # YEARS SMOKED DAILY
RANGE = 0 - 75

| | | |
|--|------|-------|
| 91 = NEVER USED CIGARETTES | 3381 | 38.36 |
| 94 = DON'T KNOW | 44 | 0.50 |
| 95 = BAD DATA | 11 | 0.12 |
| 98 = BLANK (NO ANSWER) | 370 | 4.20 |
| 99 = LEGITIMATE SKIP (CIGAGE=93) | 2394 | 27.16 |

C-8. On the average, during most of this period when you smoked daily, about how many cigarettes did you smoke per day?

PACKS 2 # CIGARETTES SMOKED DAILY

| | | |
|---|------|-------|
| 1 = One to five cigarettes a day | 495 | 5.62 |
| 2 = About 1/2 pack a day(6-15 cigarettes) | 905 | 10.27 |
| 3 = About a pack a day(16-25 cigarettes) | 895 | 10.15 |
| 4 = About 1 1/2 packs a day(26-35 cigarettes) | 230 | 2.61 |
| 5 = About 2 packs or more a day(over 35 cigarettes) . | 174 | 1.97 |
| 91 = NEVER USED CIGARETTES | 381 | 38.36 |
| 94 = DON'T KNOW | 26 | 0.29 |
| 98 = BLANK | 314 | 3.56 |
| 99 = LEGITIMATE SKIP (CIGAGE = 93) | 2394 | 27.16 |

C-9. When was the most recent time you used chewing tobacco or snuff or other smokeless tobacco?

SNUFREC 2 MOST RECENT TIME USED SMOKELESS TOBACCO

| | | |
|--|------|-------|
| 1 = Within the past month(30 days) | 238 | 2.70 |
| 2 = More than 1 month ago but less than 6 months ago . | 87 | 0.99 |
| 3 = 6 or more months ago but less than 1 year ago . | 54 | 0.61 |
| 4 = 1 or more years ago but less than 3 years ago . | 154 | 1.75 |
| 5 = 3 or more years ago | 520 | 5.90 |
| 8 = Use in past year LOGICALLY IMPUTED | 1 | 0.01 |
| 91 = NEVER USED SMOKELESS TOBACCO | 7597 | 86.19 |
| 94 = DON'T KNOW | 82 | 0.93 |
| 98 = BLANK | 81 | 0.92 |

SNUFFREQ 2 # TIMES USED SMOKELESS TOBACCO PAST 12 MONTHS

| | | |
|---|------|-------|
| 1 = Daily | 132 | 1.50 |
| 2 = Almost daily (3-6 days a week) | 30 | 0.34 |
| 3 = 1 or 2 days a week | 31 | 0.35 |
| 4 = Several times a month(25-31 days a year) | 13 | 0.15 |
| 5 = 1 or 2 times a month (12-24 days a year) | 32 | 0.36 |
| 6 = Every other month or so (6-11 days a year) | 22 | 0.25 |
| 7 = 3-5 days this past year | 23 | 0.26 |
| 8 = 1 or 2 days this past year | 67 | 0.76 |
| 91 = NEVER USED SMOKELESS TOBACCO | 7597 | 86.19 |

| | | |
|--|-------|------|
| 93 = DID NOT USE SMOKELESS TOBACCO IN PAST 12 MONTHS | . 674 | 7.65 |
| 95 = BAD DATA | 8 | 0.09 |
| 98 = BLANK | 103 | 1.17 |
| 99 = LEGITIMATE SKIP (SNUFREC=94) | 82 | 0.93 |

ALCOHOL

ALCOHOL -- ANSWER SHEET #1

A-1. About how old were you the first time you had a glass of beer or wine or a drink of liquor, such as whiskey, gin scotch, etc.? Do not include childhood sips that you might have had from an older person's drink.

ALCTRY 2 AGE WHEN HAD FIRST DRINK OF ALCOHOL

RANGE = 2 - 74

| | | |
|-------------------------|------|-------|
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 94 = DON'T KNOW | 5 | 0.06 |
| 95 = BAD DATA | 85 | 0.96 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |

A-2. When was the most recent time that you had an alcohol drink, that is, of beer, wine, or liquor or a mixed alcoholic drink?

ALCREC 2 MOST RECENT ALCOHOL DRINK

| | | |
|--|------|-------|
| 1 = Within the past month(30 days) | 3396 | 38.53 |
| 2 = More than 1 month ago but less than 6 months ago | 720 | 8.17 |
| 3 = 6 or more months ago but less than 1 year ago | 462 | 5.24 |
| 4 = 1 or more years ago but less than 3 years ago | 319 | 3.62 |
| 5 = 3 or more years ago | 713 | 8.09 |
| 7 = Use in past 30 days LOGICALLY IMPUTED | 523 | 5.93 |
| 8 = Use in past year LOGICALLY IMPUTED | 225 | 2.55 |
| 9 = Use in lifetime LOGICALLY IMPUTED | 67 | 0.76 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |

A-3. On those occasions when you drink alcohol, is it usually beer, wine, or liquor?

ALCPREF 2 USUAL ALCOHOL BEVERAGE

| | | |
|-------------------------|------|-------|
| 1 = Beer | 2986 | 33.88 |
| 2 = Wine | 1368 | 15.52 |
| 3 = Liquor | 912 | 10.35 |
| 4 = It varies | 958 | 10.87 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 95 = BAD DATA | 148 | 1.68 |
| 96 = MULTIPLE RESPONSE | 18 | 0.20 |

| | | |
|------------------------------|----|------|
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 34 | 0.39 |

A-4. During the past 30 days, on about how many different days did you have one or more drinks? (IF NONE IN THE PAST 30 DAYS, WRITE ZERO.)

ALCDAYS 2 # OF DAYS DRANK ALCOHOL PAST 30 DAYS
RANGE = 0 - 30

| | | |
|-------------------------------|------|-------|
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 94 = DON'T KNOW | 3 | 0.03 |
| 95 = BAD DATA | 425 | 4.82 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 9 | 0.10 |

A-5. On the days that you drank during the past 30 days, about how many drinks did you usually have in a day? (IF NONE IN THE PAST 30 DAYS, WRITE ZERO.)

NODR30A 2 USUAL # DRINKS PER DAY PAST 30 DAYS
RANGE = 0 - 81

| | | |
|---|------|-------|
| 90 = 90 or more drinks per day past 30 days | 1 | 0.01 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 94 = DON'T KNOW | 3 | 0.03 |
| 95 = BAD DATA | 146 | 1.66 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |

A-6. During the past 30 days, what is the most you had to drink on any one day? (IF NONE IN THE PAST 30 DAYS, WRITE ZERO.)

MODR30A 2 MOST # DRINKS ON ONE DAY IN PAST 30 DAYS
RANGE = 0 - 81

| | | |
|--|------|-------|
| 90 = 90 or more drinks in one day in past 30 days .. | 1 | 0.01 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 94 = DON'T KNOW | 4 | 0.05 |
| 95 = BAD DATA | 224 | 2.54 |
| 98 = BLANK (NO ANSWER) | 9 | 0.10 |

A-7. On how many days in the past 30 days did you have this number of drinks? (Answer for the amount you recorded in question A-6 above.)

MODR30DY 2 # DAYS DRANK AMOUNT IN A-6 PAST 30 DAYS
RANGE = 0 - 30

| | | |
|-------------------------------|------|-------|
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 94 = DON'T KNOW | 5 | 0.06 |

| | | |
|------------------------------|-----|------|
| 95 = BAD DATA | 418 | 4.74 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 12 | 0.14 |

A-8. During the past 30 days, about how many days did you have five or more drinks on the same occasion? By occasion we mean at the same time or within a couple of hours of each other. (IF NONE IN THE PAST 30 DAYS, WRITE ZERO.)

DR5DAY 2 # DAYS DRANK 5 OR MORE DRINKS PAST 30 DAYS
RANGE = 0 - 30

| | | |
|-------------------------------|------|-------|
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 94 = DON'T KNOW | 3 | 0.03 |
| 95 = BAD DATA | 34 | 0.39 |
| 98 = BLANK (NO ANSWER) | 9 | 0.10 |

A-9. About how old were you when you first began to drink alcoholic beverages once a month or more often?

ALCAGE 2 AGE BEGAN DRINKING ALCOHOL MONTHLY OR MORE OFTEN
RANGE = 2 - 86

| | | |
|---|------|-------|
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 92 = ILLEGIBLE | 1 | 0.01 |
| 93 = NEVER USED ALCOHOL MONTHLY OR MORE OFTEN | 1966 | 22.31 |
| 94 = DON'T KNOW | 8 | 0.09 |
| 95 = BAD DATA | 204 | 2.31 |
| 96 = MULTIPLE RESPONSE | 2 | 0.02 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 160 | 1.82 |

A-10. On the average, how often in the last 12 months have you had any alcoholic beverage, that is, beer, wine, or liquor?

ALCPAT 2 FREQUENCY ALCOHOL CONSUMPTION PAST 12 MONTHS

| | | |
|---|------|-------|
| 1 = Daily | 232 | 2.63 |
| 2 = Almost daily or 3 to 6 days a week | 356 | 4.04 |
| 3 = About 1 or 2 days a week | 903 | 10.25 |
| 4 = Several times a month (about 25-51 days a year) . | 546 | 6.19 |
| 5 = 1 to 2 times a month (12 to 24 days a year) ... | 1000 | 11.35 |
| 6 = Every other month or so (6 to 11 days a year) . | 628 | 7.13 |
| 7 = 3 to 5 days in the past 12 months | 591 | 6.71 |
| 8 = 1 or 2 days in the past 12 months | 772 | 8.76 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS | 1099 | 12.47 |

| | | |
|------------------------------|-----|------|
| 95 = BAD DATA | 276 | 3.13 |
| 96 = MULTIPLE RESPONSE | 3 | 0.03 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |

A-11. How many times in the past 12 months have you gotten very high or drunk on alcohol?

| | | | | |
|---|------|---|-------|--|
| DRUNKYR | 2 | # TIMES DRUNK ON ALCOHOL PAST 12 MONTHS | | |
| 1 = Daily | 30 | | 0.34 | |
| 2 = Almost daily or 3 to 6 days a week | 72 | | 0.82 | |
| 3 = About 1 or 2 days a week | 194 | | 2.20 | |
| 4 = Several times a month (about 25-51 days a year) . | 174 | | 1.97 | |
| 5 = 1 to 2 times a month (12 to 24 days a year) ... | 356 | | 4.04 | |
| 6 = Every other month or so (6 to 11 days a year) . | 260 | | 2.95 | |
| 7 = 3 to 5 days in the past 12 months | 353 | | 4.00 | |
| 8 = 1 or 2 days in the past 12 months | 806 | | 9.14 | |
| 9 = Never got very high or drunk in past 12 months . | 2834 | | 32.15 | |
| 91 = NEVER USED ALCOHOL | 2389 | | 27.10 | |
| 93 = DID NOT USE ALCOHOL IN THE PAST 12 MONTHS | 1099 | | 12.47 | |
| 94 = DON'T KNOW | 1 | | 0.01 | |
| 95 = BAD DATA | 198 | | 2.25 | |
| 97 = REFUSED | 2 | | 0.02 | |
| 98 = BLANK (NO ANSWER) | 46 | | 0.52 | |

A-12. In the past 12 months, what drugs listed below did you use at the same time or within a couple of hours of when you drank beer, wine, or liquor? (PLEASE CIRCLE ALL THAT APPLY.)

| | | | | |
|--|------|---|-------|--|
| ALCSED | 2 | SEDATIVES USED W/ALCOHOL PAST 12 MONTHS | | |
| 1 = Response circled | 44 | | 0.50 | |
| 2 = Response not circled | 5231 | | 59.35 | |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 51 | | 0.58 | |
| 91 = NEVER USED ALCOHOL | 2389 | | 27.10 | |
| 93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS | 1099 | | 12.47 | |
| ALCTRAN | 2 | TRANQUILIZERS USED W/ALCOHOL PAST 12 MONTHS | | |
| 1 = Response circled | 37 | | 0.42 | |
| 2 = Response not circled | 5224 | | 59.27 | |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 65 | | 0.74 | |
| 91 = NEVER USED ALCOHOL | 2389 | | 27.10 | |
| 93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS | 1099 | | 12.47 | |
| ALCSTM | 2 | STIMULANTS USED W/ALCOHOL PAST 12 MONTHS | | |
| 1 = Response circled | 84 | | 0.95 | |
| 2 = Response not circled | 5149 | | 58.42 | |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 93 | | 1.06 | |
| 91 = NEVER USED ALCOHOL | 2389 | | 27.10 | |
| 93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS | 1099 | | 12.47 | |
| ALCANAL | 2 | ANALGESICS USED W/ALCOHOL PAST 12 MONTHS | | |
| 1 = Response circled | 99 | | 1.12 | |
| 2 = Response not circled | 5157 | | 58.51 | |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 70 | | 0.79 | |
| 91 = NEVER USED ALCOHOL | 2389 | | 27.10 | |

| | | |
|--|------|-------|
| 93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS | 1099 | 12.47 |
| ALCMJ 2 MARIJUANA USED W/ALCOHOL PAST 12 MONTHS | | |
| 1 = Response circled | 505 | 5.73 |
| 2 = Response not circled | 4553 | 51.66 |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 268 | 3.04 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS | 1099 | 12.47 |
| ALCINH 2 INHALANTS USED W/ALCOHOL PAST 12 MONTHS | | |
| 1 = Response circled | 13 | 0.15 |
| 2 = Response not circled | 5313 | 60.28 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS | 1099 | 12.47 |
| ALCCOC 2 COCAINE USED W/ALCOHOL PAST 12 MONTHS | | |
| 1 = Response circled | 129 | 1.46 |
| 2 = Response not circled | 5024 | 57.00 |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 173 | 1.96 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS | 1099 | 12.47 |
| ALCHAL 2 HALLUCINOGENS USED W/ALCOHOL PAST 12 MONTHS | | |
| 1 = Response circled | 38 | 0.43 |
| 2 = Response not circled | 5288 | 60.00 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS | 1099 | 12.47 |
| ALCOPT 2 HEROIN USED W/ALCOHOL PAST 12 MONTHS | | |
| 1 = Response circled | 12 | 0.14 |
| 2 = Response not circled | 5314 | 60.29 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS | 1099 | 12.47 |
| ALCNONE 2 NONE OF LISTED DRUGS USED W/ALCOHOL IN PAST 12 MOS | | |
| 1 = Response circled | 4379 | 49.68 |
| 2 = Response not circled | 947 | 10.74 |
| 91 = NEVER USED ALCOHOL | 2389 | 27.10 |
| 93 = DID NOT USE ALCOHOL IN PAST 12 MONTHS | 1099 | 12.47 |

SEDATIVES

SEDATIVES -- ANSWER SHEET #2

IF YOU HAVE NEVER TAKEN ANY SEDATIVE FOR
NONMEDICAL REASONS, CIRCLE THE 91 IN THE
BOX TO THE RIGHT. -----> * 91 *
THEN TELL THE INTERVIEWER THAT YOU ARE
FINISHED.

| | | |
|--|------|-------|
| NOSEDAT 2 HAS NEVER TAKEN SEDATIVES FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 8514 | 96.60 |
| 2 = Response not circled | 287 | 3.26 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |

S-1. Circle the number next to each
sedative you have ever taken for
nonmedical reasons--on your own, either
without a doctor's prescription or in
greater amounts or more often than

prescribed or for a reason other than a
doctor said you should take them.

| | | | | |
|---------------------------|---|--|------|-------|
| BUTISOL | 2 | BUTISOL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 8 | 0.09 |
| 2 = Response not circled | | | 279 | 3.17 |
| 91 = NEVER USED SEDATIVES | | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | | 13 | 0.15 |
| BUTICAPS | 2 | BUTICAPS EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 7 | 0.08 |
| 2 = Response not circled | | | 280 | 3.18 |
| 91 = NEVER USED SEDATIVES | | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | | 13 | 0.15 |
| AMYTAL | 2 | AMYTAL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 10 | 0.11 |
| 2 = Response not circled | | | 277 | 3.14 |
| 91 = NEVER USED SEDATIVES | | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | | 13 | 0.15 |
| MEBARAL | 2 | MEBARAL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 7 | 0.08 |
| 2 = Response not circled | | | 280 | 3.18 |
| 91 = NEVER USED SEDATIVES | | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | | 13 | 0.15 |
| PLACIDYL | 2 | PLACIDYL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 28 | 0.32 |
| 2 = Response not circled | | | 259 | 2.94 |
| 91 = NEVER USED SEDATIVES | | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | | 13 | 0.15 |
| DORIDEN | 2 | DORIDEN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 9 | 0.10 |
| 2 = Response not circled | | | 278 | 3.15 |
| 91 = NEVER USED SEDATIVES | | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | | 13 | 0.15 |
| NOLUDAR | 2 | NOLUDAR EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 4 | 0.05 |
| 2 = Response not circled | | | 283 | 3.21 |
| 91 = NEVER USED SEDATIVES | | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | | 13 | 0.15 |
| NEMBUTAL | 2 | NEMBUTAL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 21 | 0.24 |
| 2 = Response not circled | | | 266 | 3.02 |
| 91 = NEVER USED SEDATIVES | | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | | 13 | 0.15 |
| SECONAL | 2 | SECONAL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 59 | 0.67 |
| 2 = Response not circled | | | 228 | 2.59 |
| 91 = NEVER USED SEDATIVES | | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | | 13 | 0.15 |
| TUINAL | 2 | TUINAL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 28 | 0.32 |
| 2 = Response not circled | | | 259 | 2.94 |
| 91 = NEVER USED SEDATIVES | | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | | 13 | 0.15 |
| DALMANE | 2 | DALMANE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 18 | 0.20 |

| | | |
|--|------|-------|
| 2 = Response not circled | 269 | 3.05 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |
| RESTORIL 2 RESTORIL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 10 | 0.11 |
| 2 = Response not circled | 277 | 3.14 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |
| HALCION 2 HALCION EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 23 | 0.26 |
| 2 = Response not circled | 264 | 3.00 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |
| AMOBARB 2 AMOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 1 | 0.01 |
| 2 = Response not circled | 286 | 3.24 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |
| PHENOBAR 2 PHENOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 29 | 0.33 |
| 2 = Response not circled | 258 | 2.93 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |
| METHAQ 2 METHAQUALONE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 90 | 1.02 |
| 2 = Response not circled | 197 | 2.24 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |
| CHHYD 2 CHLORAL HYDRATE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 4 | 0.05 |
| 2 = Response not circled | 283 | 3.21 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |
| PENTOB 2 PENTOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 11 | 0.12 |
| 2 = Response not circled | 276 | 3.13 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |
| SECOB 2 SECOBARBITAL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 10 | 0.11 |
| 2 = Response not circled | 277 | 3.14 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |
| SEDNEWA 3 OTHER SEDATIVE EVER USED (FIRST MENTION) | | |
| 122 = Sleep Aid | 1 | 0.01 |
| 123 = Unisom | 1 | 0.01 |
| 124 = Yellow jackets | 1 | 0.01 |
| 127 = Nytol | 1 | 0.01 |
| 134 = Diasetan | 1 | 0.01 |
| 136 = Dimetapp | 1 | 0.01 |
| 137 = 7-14 | 1 | 0.01 |
| 201 = Valium | 2 | 0.02 |
| 228 = Amitriptyline | 1 | 0.01 |
| 326 = White cross | 1 | 0.01 |

| | | |
|---|------|-------|
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 401 = Darvon | 1 | 0.01 |
| 406 = Percodan | 1 | 0.01 |
| 407 = Demerol | 2 | 0.02 |
| 426 = Fiorinal | 2 | 0.02 |
| 427 = Darvocet | 1 | 0.01 |
| 435 = Tylenol | 3 | 0.03 |
| 991 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 995 = BAD DATA | 1 | 0.01 |
| 997 = REFUSED | 0 | 0.00 |
| 998 = BLANK (NO ANSWER) | 277 | 3.14 |
| SEDNEWB 3 OTHER SEDATIVE EVER USED (SECOND MENTION) | | |
| 123 = Unisom | 1 | 0.01 |
| 327 = Black Beauty, Black beauties | 1 | 0.01 |
| 991 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 997 = REFUSED | 0 | 0.00 |
| 998 = BLANK (NO ANSWER) | 298 | 3.38 |
| SEDNOSP 2 OTHER SEDATIVE EVER USED (NOT SPECIFIED) | | |
| 1 = Response circled | 37 | 0.42 |
| 2 = Response not circled | 250 | 2.84 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |
| SEDDKNAM 2 USED SEDATIVE, DON'T KNOW NAME | | |
| 1 = Response circled | 83 | 0.94 |
| 2 = Response not circled | 204 | 2.31 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 13 | 0.15 |

S-2. About how old were you the first time you took a sedative for any nonmedical reason?

SEDAGE 2 AGE FIRST TOOK SEDATIVE FOR NONMEDICAL REASONS
RANGE = 7 - 50

| | | |
|---------------------------------|------|-------|
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 55 | 0.62 |

S-3. Altogether, about how many times in your life have you taken sedatives for any nonmedical reason?

SEDTOT 2 # TIMES EVER TOOK SEDATIVE FOR NONMEDICAL REASONS

| | | |
|---------------------------------|------|-------|
| 1 = 1 or 2 times | 77 | 0.87 |
| 2 = 3 to 5 times | 34 | 0.39 |
| 3 = 6 to 10 times | 39 | 0.44 |
| 4 = 11 to 49 times | 43 | 0.49 |
| 5 = 50 to 99 times | 24 | 0.27 |
| 6 = 100 to 199 times | 11 | 0.12 |
| 7 = 200 or more times | 27 | 0.31 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | 45 | 0.51 |

S-4. When was the most recent time you took any sedative for nonmedical reasons?

| SEDREC | 2 MOST RECENT TIME USED SEDATIVE FOR NONMEDICAL REAS | | |
|--|--|------|-------|
| 1 = Within the past month(30 days) | | 39 | 0.44 |
| 2 = More than 1 month ago but less than 6 months ago . | | 28 | 0.32 |
| 3 = 6 or more months ago but less than 1 year ago . | | 28 | 0.32 |
| 4 = 1 or more years ago but less than 3 years ago . | | 15 | 0.17 |
| 5 = 3 or more years ago | | 118 | 1.34 |
| 8 = Use in past year LOGICALLY IMPUTED | | 44 | 0.50 |
| 9 = Use in lifetime LOGICALLY IMPUTED | | 15 | 0.17 |
| 91 = NEVER USED SEDATIVES | | 8514 | 96.60 |
| 98 = BLANK (NO ANSWER) | | 13 | 0.15 |

S-5. In the past 12 months, which of the substances listed below, if any, did you use on the same occasion when you had also used a sedative; that is, at the same time or within a couple of hours? (PLEASE CIRCLE ALL THAT APPLY.)

| | | | |
|---|--|------|-------|
| SEDALC | 2 ALCOHOL USED W/SEDATIVE PAST 12 MONTHS | | |
| 1 = Response circled | | 72 | 0.82 |
| 2 = Response not circled | | 67 | 0.76 |
| 91 = NEVER USED SEDATIVES | | 8514 | 96.60 |
| 93 = DID NOT USE SEDATIVE IN PAST 12 MONTHS | | 149 | 1.69 |
| 98 = BLANK (NO ANSWER) | | 12 | 0.14 |
| SEDTR | 2 TRANQUILIZERS USED W/SEDATIVE PAST 12 MONTHS | | |
| 1 = Response circled | | 13 | 0.15 |
| 2 = Response not circled | | 126 | 1.43 |
| 91 = NEVER USED SEDATIVES | | 8514 | 96.60 |
| 93 = DID NOT USE SEDATIVE IN PAST 12 MONTHS | | 149 | 1.69 |
| 98 = BLANK (NO ANSWER) | | 12 | 0.14 |
| SEDST | 2 STIMULANTS USED W/SEDATIVE PAST 12 MONTHS | | |
| 1 = Response circled | | 18 | 0.20 |
| 2 = Response not circled | | 121 | 1.37 |
| 91 = NEVER USED SEDATIVES | | 8514 | 96.60 |
| 93 = DID NOT USE SEDATIVE IN PAST 12 MONTHS | | 149 | 1.69 |
| 98 = BLANK (NO ANSWER) | | 12 | 0.14 |
| SEDAN | 2 ANALGESICS USED W/SEDATIVE PAST 12 MONTHS | | |
| 1 = Response circled | | 18 | 0.20 |
| 2 = Response not circled | | 121 | 1.37 |
| 91 = NEVER USED SEDATIVES | | 8514 | 96.60 |
| 93 = DID NOT USE SEDATIVE IN PAST 12 MONTHS | | 149 | 1.69 |
| 98 = BLANK (NO ANSWER) | | 12 | 0.14 |
| SEDMJ | 2 MARIJUANA USED W/SEDATIVE PAST 12 MONTHS | | |
| 1 = Response circled | | 51 | 0.58 |
| 2 = Response not circled | | 88 | 1.00 |
| 91 = NEVER USED SEDATIVES | | 8514 | 96.60 |
| 93 = DID NOT USE SEDATIVE IN PAST 12 MONTHS | | 149 | 1.69 |
| 98 = BLANK (NO ANSWER) | | 12 | 0.14 |
| SEDINH | 2 INHALANTS USED W/SEDATIVE PAST 12 MONTHS | | |
| 1 = Response circled | | 5 | 0.06 |
| 2 = Response not circled | | 134 | 1.52 |
| 91 = NEVER USED SEDATIVES | | 8514 | 96.60 |

| | | |
|--|------|-------|
| 93 = DID NOT USE SEDATIVE IN PAST 12 MONTHS | 149 | 1.69 |
| 98 = BLANK (NO ANSWER) | 12 | 0.14 |
| SEDCOC 2 COCAINE USED W/SEDATIVE PAST 12 MONTHS | | |
| 1 = Response circled | 17 | 0.19 |
| 2 = Response not circled | 122 | 1.38 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 93 = DID NOT USE SEDATIVE IN PAST 12 MONTHS | 149 | 1.69 |
| 98 = BLANK (NO ANSWER) | 12 | 0.14 |
| SEDHAL 2 HALLUCINOGENS USED W/SEDATIVE PAST 12 MONTHS | | |
| 1 = Response circled | 7 | 0.08 |
| 2 = Response not circled | 132 | 1.50 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 93 = DID NOT USE SEDATIVE IN PAST 12 MONTHS | 149 | 1.69 |
| 98 = BLANK (NO ANSWER) | 12 | 0.14 |
| SEDOPT 2 HEROIN USED W/SEDATIVE PAST 12 MONTHS | | |
| 1 = Response circled | 1 | 0.01 |
| 2 = Response not circled | 138 | 1.57 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 93 = DID NOT USE SEDATIVE IN PAST 12 MONTHS | 149 | 1.69 |
| 98 = BLANK (NO ANSWER) | 12 | 0.14 |
| SEDNONE 2 NONE OF LISTED DRUGS USED W/SEDATIVE PAST 12 MOS | | |
| 1 = Response circled | 47 | 0.53 |
| 2 = Response not circled | 92 | 1.04 |
| 91 = NEVER USED SEDATIVES | 8514 | 96.60 |
| 93 = DID NOT USE SEDATIVE IN PAST 12 MONTHS | 149 | 1.69 |
| 98 = BLANK (NO ANSWER) | 12 | 0.14 |

TRANQUILIZERS

TRANQUILIZERS -- ANSWER SHEET #3

T-0. You may complete this on your own, or if you prefer, I'll read the questions. Which way would you prefer to do it?

| | | |
|---|------|-------|
| AS3READ 2 TRANQUILIZERS - READING PREFERENCE | | |
| 1 = Wants interviewer to continue reading | 2136 | 24.23 |
| 2 = Wants to do it himself/herself | 6167 | 69.97 |
| 98 = BLANK | 511 | 5.80 |

IF YOU HAVE NEVER TAKEN ANY TRANQUILIZER FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT. -----> * 91 * THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED.

| | | |
|---|------|-------|
| NOTRANQ 2 HAS NEVER TAKEN TRANQUILIZER FOR NONMED REASONS | | |
| 1 = Response circled | 8426 | 95.60 |
| 2 = Response not circled | 370 | 4.20 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |

T-1. Circle the number next to each

tranquilizer you have ever taken for nonmedical reasons--on your own, either without a doctor's prescription, or in greater amounts or more often than prescribed, or for any reason other than a doctor said you should take them.

| | | | | |
|-------------------------------|---|---|------|-------|
| VALIUM | 2 | VALIUM EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 292 | 3.31 |
| 2 = Response not circled | | | 78 | 0.88 |
| 91 = NEVER USED TRANQUILIZERS | | | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | | | 18 | 0.20 |
| LIBRIUM | 2 | LIBRIUM EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 46 | 0.52 |
| 2 = Response not circled | | | 324 | 3.68 |
| 91 = NEVER USED TRANQUILIZERS | | | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | | | 18 | 0.20 |
| LIMBITROL | 2 | LIMBITROL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 4 | 0.05 |
| 2 = Response not circled | | | 366 | 4.15 |
| 91 = NEVER USED TRANQUILIZERS | | | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | | | 18 | 0.20 |
| MENRIUM | 2 | MENRIUM EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 6 | 0.07 |
| 2 = Response not circled | | | 364 | 4.13 |
| 91 = NEVER USED TRANQUILIZERS | | | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | | | 18 | 0.20 |
| SERAX | 2 | SERAX EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 10 | 0.11 |
| 2 = Response not circled | | | 360 | 4.08 |
| 91 = NEVER USED TRANQUILIZERS | | | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | | | 18 | 0.20 |
| TRANXENE | 2 | TRANXENE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 22 | 0.25 |
| 2 = Response not circled | | | 348 | 3.95 |
| 91 = NEVER USED TRANQUILIZERS | | | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | | | 18 | 0.20 |
| ATIVAN | 2 | ATIVAN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 20 | 0.23 |
| 2 = Response not circled | | | 350 | 3.97 |
| 91 = NEVER USED TRANQUILIZERS | | | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | | | 18 | 0.20 |
| CENTRAX | 2 | CENTRAX EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 12 | 0.14 |
| 2 = Response not circled | | | 358 | 4.06 |
| 91 = NEVER USED TRANQUILIZERS | | | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | | | 18 | 0.20 |
| XANAX | 2 | XANAX EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 45 | 0.51 |
| 2 = Response not circled | | | 325 | 3.69 |
| 91 = NEVER USED TRANQUILIZERS | | | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | | | 18 | 0.20 |
| PAXIPAM | 2 | PAXIPAM EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 6 | 0.07 |
| 2 = Response not circled | | | 364 | 4.13 |

| | | |
|--|------|-------|
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| BUSPAR 2 BUSPAR EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 4 | 0.05 |
| 2 = Response not circled | 366 | 4.15 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| MILTOWN 2 MILTOWN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 10 | 0.11 |
| 2 = Response not circled | 360 | 4.08 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| EQUANIL 2 EQUANIL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 8 | 0.09 |
| 2 = Response not circled | 362 | 4.11 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| DEPROL 2 DEPROL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 4 | 0.05 |
| 2 = Response not circled | 366 | 4.15 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| VISTAR 2 VISTARIL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 11 | 0.12 |
| 2 = Response not circled | 359 | 4.07 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| ATARAX 2 ATARAX EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 9 | 0.10 |
| 2 = Response not circled | 361 | 4.10 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| DURRAX 2 DURRAX EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 11 | 0.12 |
| 2 = Response not circled | 359 | 4.07 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| DIAZEPAM 2 DIAZEPAM EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 9 | 0.10 |
| 2 = Response not circled | 361 | 4.10 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| SKLY 2 SK-LYGEN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 1 | 0.01 |
| 2 = Response not circled | 369 | 4.19 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| MEPROB 2 MEPROBAMATE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 4 | 0.05 |
| 2 = Response not circled | 366 | 4.15 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| TRNEWA 3 OTHER TRANQUILIZER EVER USED (ONLY MENTION) | | |
| 116 = Methaqualone (including Sopor, Quaalude) | 2 | 0.02 |

| | | |
|---|------|-------|
| 224 = Triavil | 1 | 0.01 |
| 225 = Desyrel | 1 | 0.01 |
| 227 = Thorazine | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 991 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 998 = BLANK (NO ANSWER) | 382 | 4.33 |
| TRNOSP 2 OTHER TRANQUILIZER EVER USED (NOT SPECIFIED) | | |
| 1 = Response circled | 22 | 0.25 |
| 2 = Response not circled | 348 | 3.95 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |
| TRDKNAM 2 USED TRANQUILIZER, DON'T KNOW NAME | | |
| 1 = Response circled | 36 | 0.41 |
| 2 = Response not circled | 334 | 3.79 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |

T-2. About how old were you the first time you took a tranquilizer for any nonmedical reason?

TRANAGE 2 AGE FIRST TOOK TRANQUILIZER FOR NONMEDICAL REASONS
RANGE = 8 - 65

| | | |
|-------------------------------------|------|-------|
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 48 | 0.54 |

T-3. Altogether, about how many times in your life have you taken tranquilizers for any nonmedical reasons?

TRANTOT 2 # TIMES EVER TOOK TRANQUILIZER NONMEDICAL REASONS

| | | |
|-------------------------------------|------|-------|
| 1 = 1 or 2 times | 104 | 1.18 |
| 2 = 3 to 5 times | 64 | 0.73 |
| 3 = 6 to 10 times | 51 | 0.58 |
| 4 = 11 to 49 times | 61 | 0.69 |
| 5 = 50 to 99 times | 28 | 0.32 |
| 6 = 100 to 199 times | 9 | 0.10 |
| 7 = 200 or more times | 28 | 0.32 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |

T-4. When was the most recent time you took any tranquilizer for nonmedical reasons?

TRANREC 2 MOST RECENT TIME USED TRANQUILIZER NONMEDICAL REAS

| | | |
|--|-----|------|
| 1 = Within the past month(30 days) | 46 | 0.52 |
| 2 = More than 1 month ago but less than 6 months ago . | 44 | 0.50 |
| 3 = 6 or more months ago but less than 1 year ago . | 45 | 0.51 |
| 4 = 1 or more years ago but less than 3 years ago . | 38 | 0.43 |
| 5 = 3 or more years ago | 134 | 1.52 |

| | | |
|--|------|-------|
| 8 = Use in past year LOGICALLY IMPUTED | 53 | 0.60 |
| 9 = Use in lifetime LOGICALLY IMPUTED | 10 | 0.11 |
| 91 = NEVER USED TRANQUILIZERS | 8426 | 95.60 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |

T-5. In the past 12 months, which of the substances listed below, if any, did you use on the same occasion when you had also used a tranquilizer; that is, at the same time or within a couple of hours? (PLEASE CIRCLE ALL THAT APPLY.)

| | | | | |
|--|---|---|------|-------|
| TRALC | 2 | ALCOHOL USED W/TRANQUILIZER PAST 12 MONTHS | | |
| 1 = Response circled | | | 84 | 0.95 |
| 2 = Response not circled | | | 104 | 1.18 |
| 91 = NEVER USED TRANQUILIZERS | | | 8425 | 95.59 |
| 93 = DID NOT USE TRANQUILIZER IN PAST 12 MONTHS | | | 186 | 2.11 |
| 98 = BLANK (NO ANSWER) | | | 15 | 0.17 |
| TRSED | 2 | SEDATIVES USED W/TRANQUILIZER PAST 12 MONTHS | | |
| 1 = Response circled | | | 12 | 0.14 |
| 2 = Response not circled | | | 176 | 2.00 |
| 91 = NEVER USED TRANQUILIZERS | | | 8425 | 95.59 |
| 93 = DID NOT USE TRANQUILIZER IN PAST 12 MONTHS | | | 186 | 2.11 |
| 98 = BLANK (NO ANSWER) | | | 15 | 0.17 |
| TRSTM | 2 | STIMULANTS USED W/TRANQUILIZER PAST 12 MONTHS | | |
| 1 = Response circled | | | 14 | 0.16 |
| 2 = Response not circled | | | 174 | 1.97 |
| 91 = NEVER USED TRANQUILIZERS | | | 8425 | 95.59 |
| 93 = DID NOT USE TRANQUILIZER IN PAST 12 MONTHS | | | 186 | 2.11 |
| 98 = BLANK (NO ANSWER) | | | 15 | 0.17 |
| TRANAL | 2 | ANALGESICS USED W/TRANQUILIZER PAST 12 MONTHS | | |
| 1 = Response circled | | | 17 | 0.19 |
| 2 = Response not circled | | | 171 | 1.94 |
| 91 = NEVER USED TRANQUILIZERS | | | 8425 | 95.59 |
| 93 = DID NOT USE TRANQUILIZER IN PAST 12 MONTHS | | | 186 | 2.11 |
| 98 = BLANK (NO ANSWER) | | | 15 | 0.17 |
| TRMJ | 2 | MARIJUANA USED W/TRANQUILIZER PAST 12 MONTHS | | |
| 1 = Response circled | | | 62 | 0.70 |
| 2 = Response not circled | | | 126 | 1.43 |
| 91 = NEVER USED TRANQUILIZERS | | | 8425 | 95.59 |
| 93 = DID NOT USE TRANQUILIZER IN PAST 12 MONTHS | | | 186 | 2.11 |
| 98 = BLANK (NO ANSWER) | | | 15 | 0.17 |
| TRINH | 2 | INHALANTS USED W/TRANQUILIZER PAST 12 MONTHS | | |
| 1 = Response circled | | | 4 | 0.05 |
| 2 = Response not circled | | | 184 | 2.09 |
| 91 = NEVER USED TRANQUILIZERS | | | 8425 | 95.59 |
| 93 = DID NOT USE TRANQUILIZER IN PAST 12 MONTHS | | | 186 | 2.11 |
| 98 = BLANK (NO ANSWER) | | | 15 | 0.17 |
| TRCOC | 2 | COCAINE USED W/TRANQUILIZER PAST 12 MONTHS | | |
| 1 = Response circled | | | 19 | 0.22 |
| 2 = Response not circled | | | 169 | 1.92 |
| 91 = NEVER USED TRANQUILIZERS | | | 8425 | 95.59 |
| 93 = DID NOT USE TRANQUILIZER IN PAST 12 MONTHS | | | 186 | 2.11 |
| 98 = BLANK (NO ANSWER) | | | 15 | 0.17 |

| | | | | |
|---|---|--|------|-------|
| TRHAL | 2 | HALLUCINOGENS USED W/TRANQUILIZER PAST 12 MONTHS | | |
| 1 = Response circled | | | 4 | 0.05 |
| 2 = Response not circled | | | 184 | 2.09 |
| 91 = NEVER USED TRANQUILIZERS | | | 8425 | 95.59 |
| 93 = DID NOT USE TRANQUILIZER IN PAST 12 MONTHS | | | 186 | 2.11 |
| 98 = BLANK (NO ANSWER) | | | 15 | 0.17 |
| TROPT | 2 | HEROIN USED W/TRANQUILIZER PAST 12 MONTHS | | |
| 1 = Response circled | | | 6 | 0.07 |
| 2 = Response not circled | | | 182 | 2.06 |
| 91 = NEVER USED TRANQUILIZERS | | | 8425 | 95.59 |
| 93 = DID NOT USE TRANQUILIZER IN PAST 12 MONTHS | | | 186 | 2.11 |
| 98 = BLANK (NO ANSWER) | | | 15 | 0.17 |
| TRNONE | 2 | NONE OF LISTED DRUGS USED W/TRANQUILIZER PAST 12 M | | |
| 1 = Response circled | | | 73 | 0.83 |
| 2 = Response not circled | | | 115 | 1.30 |
| 91 = NEVER USED TRANQUILIZERS | | | 8425 | 95.59 |
| 93 = DID NOT USE TRANQUILIZER IN PAST 12 MONTHS | | | 186 | 2.11 |
| 98 = BLANK (NO ANSWER) | | | 15 | 0.17 |

STIMULANTS

STIMULANTS -- ANSWER SHEET #4

ST-0. You may complete this on your own, or if you prefer, I'll read the questions. Which way do you want to do it?

| | | | | |
|---|---|---------------------------------|------|-------|
| AS4READ | 2 | STIMULANTS - READING PREFERENCE | | |
| 1 = Wants interviewer to continue reading | | | 1993 | 22.61 |
| 2 = Wants to do it himself/herself | | | 6360 | 72.16 |
| 98 = BLANK | | | 461 | 5.23 |

IF YOU HAVE NEVER TAKEN ANY STIMULANT FOR NONMEDICAL REASONS, CIRCLE THE 91 IN THE BOX TO THE RIGHT. -----> * 91 * THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED.

| | | | | |
|--------------------------|---|--|------|-------|
| NOSTIMS | 2 | HAS NEVER TAKEN STIMULANT FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 8217 | 93.23 |
| 2 = Response not circled | | | 564 | 6.40 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |

ST-1. Circle the number next to each stimulant you ever took for nonmedical reasons--on your own, either without a doctor's prescription or in greater amounts or more often than prescribed or for a reason other than a doctor said you should take them.

DEXED 2 DEXEDRINE EVER TAKEN FOR NONMEDICAL REASONS

| | | |
|--|------|-------|
| 1 = Response circled | 90 | 1.02 |
| 2 = Response not circled | 474 | 5.38 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| DEXAMYL 2 DEXAMYL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 33 | 0.37 |
| 2 = Response not circled | 531 | 6.02 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| ESKAT 2 ESKATROL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 4 | 0.05 |
| 2 = Response not circled | 560 | 6.35 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| BENZ 2 BENZEDRINE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 40 | 0.45 |
| 2 = Response not circled | 524 | 5.95 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| BIPHET 2 BIPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 62 | 0.70 |
| 2 = Response not circled | 502 | 5.70 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| DESOXYN 2 DESOXYN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 17 | 0.19 |
| 2 = Response not circled | 547 | 6.21 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| TENUATE 2 TENUATE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 12 | 0.14 |
| 2 = Response not circled | 552 | 6.26 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| TEPANIL 2 TEPANIL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 5 | 0.06 |
| 2 = Response not circled | 559 | 6.34 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| DIDREX 2 DIDREX EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 13 | 0.15 |
| 2 = Response not circled | 551 | 6.25 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| PLEGINE 2 PLEGINE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 7 | 0.08 |
| 2 = Response not circled | 557 | 6.32 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| PRELUDIN 2 PRELUDIN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 36 | 0.41 |
| 2 = Response not circled | 528 | 5.99 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |

| | | | | |
|----------------------------|---|--|------|-------|
| IONAMIN | 2 | IONAMIN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 26 | 0.29 |
| 2 = Response not circled | | | 538 | 6.10 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |
| FASTIN | 2 | FASTIN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 47 | 0.53 |
| 2 = Response not circled | | | 517 | 5.87 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |
| PONDIMIN | 2 | PONDIMIN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 9 | 0.10 |
| 2 = Response not circled | | | 555 | 6.30 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |
| VORANIL | 2 | VORANIL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 13 | 0.15 |
| 2 = Response not circled | | | 551 | 6.25 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |
| SANOREX | 2 | SANOREX EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 7 | 0.08 |
| 2 = Response not circled | | | 557 | 6.32 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |
| MAZANOR | 2 | MAZANOR EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 15 | 0.17 |
| 2 = Response not circled | | | 549 | 6.23 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |
| RITALIN | 2 | RITALIN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 20 | 0.23 |
| 2 = Response not circled | | | 544 | 6.17 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |
| CYLERT | 2 | CYLERT EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 10 | 0.11 |
| 2 = Response not circled | | | 554 | 6.29 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |
| DETAMP | 2 | DEXTROAMPHETAMINE EVER TAKEN FOR NONMEDICAL REASON | | |
| 1 = Response circled | | | 17 | 0.19 |
| 2 = Response not circled | | | 547 | 6.21 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |
| METHI | 2 | METHEDRINE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 26 | 0.29 |
| 2 = Response not circled | | | 538 | 6.10 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | | | 33 | 0.37 |
| METHAMP | 2 | METHAMPHETAMINE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 208 | 2.36 |
| 2 = Response not circled | | | 356 | 4.04 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |

| | | |
|---|------|-------|
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| OBLA 2 OBEDRIN-LA EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 1 | 0.01 |
| 2 = Response not circled | 563 | 6.39 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| STIMNEWA 3 OTHER STIMULANT EVER USED (FIRST MENTION) | | |
| 326 = White cross | 12 | 0.14 |
| 327 = Black Beauty, Black beauties | 2 | 0.02 |
| 328 = Pink hearts | 3 | 0.03 |
| 330 = Blue Birds, Blue Jays | 1 | 0.01 |
| 331 = Whites | 4 | 0.05 |
| 332 = Ephedrine, Caffeine, No-Doz, Vivarin | 18 | 0.20 |
| 333 = 357 Magnum, Magnum 44 | 4 | 0.05 |
| 334 = Cross tops, Crossroads | 11 | 0.12 |
| 335 = Dexatrim | 5 | 0.06 |
| 336 = Diet pills | 3 | 0.03 |
| 337 = White Molly | 1 | 0.01 |
| 338 = Antiadipositum | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 340 = Tiamina 250 | 1 | 0.01 |
| 343 = Nitroglycerine | 1 | 0.01 |
| 344 = Bennies | 2 | 0.02 |
| 345 = Black Molly | 1 | 0.01 |
| 346 = Ephedrine Sulfate | 1 | 0.01 |
| 348 = Crystal | 2 | 0.02 |
| 349 = Phentametrizine | 1 | 0.01 |
| 350 = Betin SS | 1 | 0.01 |
| 351 = Q'at | 1 | 0.01 |
| 352 = Lemons | 1 | 0.01 |
| 991 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 995 = BAD DATA | 1 | 0.01 |
| 998 = BLANK (NO ANSWER) | 518 | 5.88 |
| STIMNEWB 3 OTHER STIMULANT EVER USED (SECOND MENTION) | | |
| 327 = Black Beauty, Black beauties | 2 | 0.02 |
| 332 = Ephedrine, Caffeine, No-Doz, Vivarin | 2 | 0.02 |
| 337 = White Molly | 1 | 0.01 |
| 341 = Pink roses | 1 | 0.01 |
| 347 = Phenylpropanolamine | 1 | 0.01 |
| 991 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 998 = BLANK (NO ANSWER) | 590 | 6.69 |
| STIMNEWC 3 OTHER STIMULANT EVER USED (THIRD MENTION) | | |
| 328 = Pink hearts | 1 | 0.01 |
| 329 = Speckled Eggs, Robin's Eggs | 1 | 0.01 |
| 342 = Purple hearts | 1 | 0.01 |
| 991 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 998 = BLANK (NO ANSWER) | 594 | 6.74 |
| STIMNEWD 3 OTHER STIMULANT EVER USED (FOURTH MENTION) | | |
| 329 = Speckled Eggs, Robin's Eggs | 1 | 0.01 |
| 991 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 998 = BLANK (NO ANSWER) | 596 | 6.76 |
| STIMNOSP 2 OTHER STIMULANT EVER USED (NOT SPECIFIED) | | |
| 1 = Response circled | 34 | 0.39 |
| 2 = Response not circled | 530 | 6.01 |

| | | |
|--|------|-------|
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |
| STMDKNAM 2 USED STIMULANT, DON'T KNOW NAME | | |
| 1 = Response circled | 96 | 1.09 |
| 2 = Response not circled | 468 | 5.31 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |

ST-2. About how old were you the first time you took amphetamines or other stimulants for any nonmedical reason?

STIMAGE 2 AGE FIRST TOOK STIMULANT FOR NONMEDICAL REASONS
RANGE = 9 - 47

| | | |
|----------------------------------|------|-------|
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 94 = DON'T KNOW | 2 | 0.02 |
| 95 = BAD DATA | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 66 | 0.75 |

ST-3. Altogether, about how many times in your life have you taken amphetamines or other stimulants for any nonmedical reason?

STIMTOT 2 # TIMES EVER TOOK STIMULANT FOR NONMEDICAL REASONS

| | | |
|----------------------------------|------|-------|
| 1 = 1 or 2 times | 128 | 1.45 |
| 2 = 3 to 5 times | 86 | 0.98 |
| 3 = 6 to 10 times | 69 | 0.78 |
| 4 = 11 to 49 times | 111 | 1.26 |
| 5 = 50 to 99 times | 68 | 0.77 |
| 6 = 100 to 199 times | 23 | 0.26 |
| 7 = 200 or more times | 60 | 0.68 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 51 | 0.58 |

ST-4. When was the most recent time you took any amphetamine or other stimulant for nonmedical reasons?

STIMREC 2 MOST RECENT TIME USED STIMULANT FOR NONMEDICAL REA

| | | |
|--|------|-------|
| 1 = Within the past month (30 days) | 77 | 0.87 |
| 2 = More than 1 month ago but less than 6 months ago . | 55 | 0.62 |
| 3 = 6 or more months ago but less than 1 year ago . | 46 | 0.52 |
| 4 = 1 or more years ago but less than 3 years ago . | 54 | 0.61 |
| 5 = 3 or more years ago | 238 | 2.70 |
| 8 = Use in past year LOGICALLY IMPUTED | 73 | 0.83 |
| 9 = Use in lifetime LOGICALLY IMPUTED | 21 | 0.24 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 33 | 0.37 |

ST-5. In the past 12 months, which of

the substances listed below, if any, did you use on the same occasion when you also used a stimulant; that is, at the same time or within a couple of hours? (PLEASE CIRCLE ALL THAT APPLY.)

| | | | | |
|--|---|---|------|-------|
| STALC | 2 | ALCOHOL USED W/STIMULANT PAST 12 MONTHS | | |
| 1 = Response circled | | | 148 | 1.68 |
| 2 = Response not circled | | | 103 | 1.17 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 93 = DID NOT USE STIMULANT IN PAST 12 MONTHS | | | 320 | 3.63 |
| 98 = BLANK (NO ANSWER) | | | 26 | 0.29 |
| STSED | 2 | SEDATIVES USED W/STIMULANT PAST 12 MONTHS | | |
| 1 = Response circled | | | 9 | 0.10 |
| 2 = Response not circled | | | 242 | 2.75 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 93 = DID NOT USE STIMULANT IN PAST 12 MONTHS | | | 320 | 3.63 |
| 98 = BLANK (NO ANSWER) | | | 26 | 0.29 |
| STTRAN | 2 | TRANQUILIZERS USED W/STIMULANT PAST 12 MONTHS | | |
| 1 = Response circled | | | 13 | 0.15 |
| 2 = Response not circled | | | 238 | 2.70 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 93 = DID NOT USE STIMULANT IN PAST 12 MONTHS | | | 320 | 3.63 |
| 98 = BLANK (NO ANSWER) | | | 26 | 0.29 |
| STANAL | 2 | ANALGESICS USED W/STIMULANT PAST 12 MONTHS | | |
| 1 = Response circled | | | 12 | 0.14 |
| 2 = Response not circled | | | 239 | 2.71 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 93 = DID NOT USE STIMULANT IN PAST 12 MONTHS | | | 320 | 3.63 |
| 98 = BLANK (NO ANSWER) | | | 26 | 0.29 |
| STMJ | 2 | MARIJUANA USED W/STIMULANT PAST 12 MONTHS | | |
| 1 = Response circled | | | 96 | 1.09 |
| 2 = Response not circled | | | 155 | 1.76 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 93 = DID NOT USE STIMULANT IN PAST 12 MONTHS | | | 320 | 3.63 |
| 98 = BLANK (NO ANSWER) | | | 26 | 0.29 |
| STINH | 2 | INHALANTS USED W/STIMULANT PAST 12 MONTHS | | |
| 1 = Response circled | | | 4 | 0.05 |
| 2 = Response not circled | | | 247 | 2.80 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 93 = DID NOT USE STIMULANT IN PAST 12 MONTHS | | | 320 | 3.63 |
| 98 = BLANK (NO ANSWER) | | | 26 | 0.29 |
| STCOC | 2 | COCAINE USED W/STIMULANT PAST 12 MONTHS | | |
| 1 = Response circled | | | 36 | 0.41 |
| 2 = Response not circled | | | 215 | 2.44 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 93 = DID NOT USE STIMULANT IN PAST 12 MONTHS | | | 320 | 3.63 |
| 98 = BLANK (NO ANSWER) | | | 26 | 0.29 |
| STHAL | 2 | HALLUCINOGENS USED W/STIMULANT PAST 12 MONTHS | | |
| 1 = Response circled | | | 12 | 0.14 |
| 2 = Response not circled | | | 239 | 2.71 |
| 91 = NEVER USED STIMULANTS | | | 8217 | 93.23 |
| 93 = DID NOT USE STIMULANT IN PAST 12 MONTHS | | | 320 | 3.63 |
| 98 = BLANK (NO ANSWER) | | | 26 | 0.29 |
| STOPT | 2 | HEROIN USED W/STIMULANT PAST 12 MONTHS | | |

| | | |
|--|------|-------|
| 1 = Response circled | 6 | 0.07 |
| 2 = Response not circled | 245 | 2.78 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 93 = DID NOT USE STIMULANTS IN PAST 12 MONTHS | 320 | 3.63 |
| 98 = BLANK (NO ANSWER) | 26 | 0.29 |
| STNONE 2 NONE OF LISTED DRUGS USED W/STIMULANT PAST 12 MOS | | |
| 1 = Response circled | 77 | 0.87 |
| 2 = Response not circled | 175 | 1.99 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 93 = DID NOT USE STIMULANT IN PAST 12 MONTHS | 319 | 3.62 |
| 98 = BLANK (NO ANSWER) | 26 | 0.29 |

ST-6. Have you ever used amphetamines
with a needle?

| | | |
|---|------|-------|
| STNEEDLE 2 EVER USED AMPHETAMINES WITH A NEEDLE | | |
| 1 = Yes | 51 | 0.58 |
| 2 = No | 498 | 5.65 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 98 = BLANK (NO ANSWER) | 48 | 0.54 |

ST-7. When was the most recent time you
used amphetamines with a needle?

| | | |
|---|------|-------|
| STNDLREC 2 MOST RECENT TIME USED AMPHETAMINES WITH A NEEDLE | | |
| 1 = Within the past month(30 days) | 6 | 0.07 |
| 2 = More than 1 month ago but less than 6 months ago . | 5 | 0.06 |
| 3 = 6 or more months ago but less than 1 year ago . | 6 | 0.07 |
| 4 = 1 or more years ago but less than 3 years ago . | 10 | 0.11 |
| 5 = 3 or more years ago but less than 10 years ago . | 15 | 0.17 |
| 6 = 10 or more years ago | 9 | 0.10 |
| 91 = NEVER USED STIMULANTS | 8217 | 93.23 |
| 93 = NEVER USED AMPHETAMINES WITH A NEEDLE | 498 | 5.65 |
| 98 = BLANK (NO ANSWER) | 48 | 0.54 |

ANALGESICS

ANALGESICS -- ANSWER SHEET #5

AN-0. You may complete this on your
own, or if you prefer, I'll read the
questions. Which do you prefer?

| | | |
|---|------|-------|
| AS5READ 2 ANALGESICS - READING PREFERENCE | | |
| 1 = Wants interviewer to read questions | 1933 | 21.93 |
| 2 = Wants to do it himself/herself | 6420 | 72.84 |
| 98 = BLANK | 461 | 5.23 |

IF YOU HAVE NEVER TAKEN ANY ANALGESIC
FOR NONMEDICAL REASONS, CIRCLE THE 91 IN

THE BOX TO THE RIGHT. -----> * 91 *
 THEN TELL THE INTERVIEWER THAT YOU ARE
 FINISHED.

| | | | | |
|--------------------------|---|---|------|-------|
| ANALNONE | 2 | HAS NEVER TAKEN ANALGESICS FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 8300 | 94.17 |
| 2 = Response not circled | | | 471 | 5.34 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |

AN-1. Circle the number next to each
 analgesic you have ever taken for non-
 medical reasons--on your own, either
 without a doctor's prescription, or in
 greater amounts or more often than
 prescribed or for a reason other than a
 doctor said you should take them.

| | | | | |
|----------------------------|---|---|------|-------|
| DARVON | 2 | DARVON EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 108 | 1.23 |
| 2 = Response not circled | | | 363 | 4.12 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| DOLENE | 2 | DOLENE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 7 | 0.08 |
| 2 = Response not circled | | | 464 | 5.26 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| SK65A | 2 | SK-65 EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 7 | 0.08 |
| 2 = Response not circled | | | 464 | 5.26 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| WYGESIC | 2 | WYGESIC EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 7 | 0.08 |
| 2 = Response not circled | | | 464 | 5.26 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| LEVODRO | 2 | LEVO-DROMORAN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 6 | 0.07 |
| 2 = Response not circled | | | 465 | 5.28 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| PERCODAN | 2 | PERCODAN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 69 | 0.78 |
| 2 = Response not circled | | | 402 | 4.56 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| DEMEROL | 2 | DEMEROL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 66 | 0.75 |
| 2 = Response not circled | | | 405 | 4.59 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| DILAUD | 2 | DILAUDID EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | | | 15 | 0.17 |
| 2 = Response not circled | | | 456 | 5.17 |

| | | |
|--|------|-------|
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| TYLCO2 2 TYLENOL W/CODEINE EVER TAKEN FOR NONMEDICAL REASON | | |
| 1 = Response circled | 303 | 3.44 |
| 2 = Response not circled | 168 | 1.91 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| PHENCO2 2 PHENAPHEN W/CODEINE EVER TAKEN FOR NONMEDICAL REAS | | |
| 1 = Response circled | 25 | 0.28 |
| 2 = Response not circled | 446 | 5.06 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| TALWIN2 2 TALWIN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 23 | 0.26 |
| 2 = Response not circled | 448 | 5.08 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| TALWINN2 2 TALWIN NX EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 4 | 0.05 |
| 2 = Response not circled | 467 | 5.30 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| TALACEN2 2 TALACEN EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 3 | 0.03 |
| 2 = Response not circled | 468 | 5.31 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| PROPOXY2 2 PROPOXYPHENE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 4 | 0.05 |
| 2 = Response not circled | 467 | 5.30 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| CODEINE2 2 CODEINE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 89 | 1.01 |
| 2 = Response not circled | 382 | 4.33 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| ANILERID2 2 ANILERIDINE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 1 | 0.01 |
| 2 = Response not circled | 470 | 5.33 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| MORPHINE2 2 MORPHINE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 23 | 0.26 |
| 2 = Response not circled | 448 | 5.08 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| METHDON2 2 METHADONE EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 17 | 0.19 |
| 2 = Response not circled | 454 | 5.15 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| STADOL2 2 STADOL EVER TAKEN FOR NONMEDICAL REASONS | | |
| 1 = Response circled | 3 | 0.03 |

| | | |
|---|------|-------|
| 2 = Response not circled | 468 | 5.31 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| ANALNEWA 3 OTHER ANALGESIC EVER USED (FIRST MENTION) | | |
| 229 = Librax | 1 | 0.01 |
| 326 = White cross | 1 | 0.01 |
| 422 = Motrin | 6 | 0.07 |
| 423 = Percocet | 3 | 0.03 |
| 424 = Fioricet | 1 | 0.01 |
| 427 = Darvocet | 4 | 0.05 |
| 428 = Execl | 1 | 0.01 |
| 429 = Frost | 1 | 0.01 |
| 433 = Paregoric | 1 | 0.01 |
| 434 = Vicodin | 1 | 0.01 |
| 991 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 998 = BLANK (NO ANSWER) | 494 | 5.60 |
| ANALNEWB 3 OTHER ANALGESIC EVER USED (SECOND MENTION) | | |
| 424 = Fioricet | 1 | 0.01 |
| 991 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 998 = BLANK (NO ANSWER) | 513 | 5.82 |
| ANLNOSP 2 OTHER ANALGESIC EVER USED (NOT SPECIFIED) | | |
| 1 = Response circled | 29 | 0.33 |
| 2 = Response not circled | 442 | 5.01 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |
| ANLDKNAM 2 USED ANALGESIC, DON'T KNOW NAME | | |
| 1 = Response circled | 36 | 0.41 |
| 2 = Response not circled | 435 | 4.94 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 98 = BLANK (NO ANSWER) | 43 | 0.49 |

AN-2. About how old were you the first time you took an analgesic for any nonmedical reason?

ANALAGE 2 AGE FIRST TOOK ANALGESIC FOR NONMEDICAL REASONS
RANGE = 2 - 82

| | | |
|----------------------------------|------|-------|
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 94 = DON'T KNOW | 3 | 0.03 |
| 95 = BAD DATA | 5 | 0.06 |
| 98 = BLANK (NO ANSWER) | 67 | 0.76 |

AN-3. Altogether, about how many times in your life have you taken analgesics for any nonmedical reasons?

ANALTOT 2 # TIMES EVER TOOK ANALGESIC FOR NONMEDICAL REASONS

| | | |
|----------------------------|-----|------|
| 1 = 1 or 2 times | 136 | 1.54 |
| 2 = 3 to 5 times | 112 | 1.27 |
| 3 = 6 to 10 times | 60 | 0.68 |
| 4 = 11 to 49 times | 69 | 0.78 |
| 5 = 50 to 99 times | 26 | 0.29 |
| 6 = 100 to 199 times | 13 | 0.15 |

| | | |
|----------------------------------|------|-------|
| 7 = 200 or more times | 28 | 0.32 |
| 91 = NEVER USED ANALGESICS | 8300 | 94.17 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 95 = BAD DATA | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 68 | 0.77 |

AN-4. When was the most recent time you took any analgesic for nonmedical reasons?

| ANALREC | 2 | MOST RECENT TIME USED ANALGESIC | NONMEDICAL REASON | | |
|--|---|---------------------------------|-------------------|------|-------|
| 1 = Within past month (30 days) | | | | 65 | 0.74 |
| 2 = More than 1 month ago but less than 6 months ago . | | | | 95 | 1.08 |
| 3 = 6 or more months ago but less than 1 year ago . | | | | 60 | 0.68 |
| 4 = 1 or more years ago but less than 3 years ago . | | | | 71 | 0.81 |
| 5 = 3 or more years ago | | | | 96 | 1.09 |
| 8 = Use in past year LOGICALLY IMPUTED | | | | 50 | 0.57 |
| 9 = Use in lifetime LOGICALLY IMPUTED | | | | 34 | 0.39 |
| 91 = NEVER USED ANALGESICS | | | | 8300 | 94.17 |
| 95 = BAD DATA | | | | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | | | | 42 | 0.48 |

AN-5. In the past 12 months, which of the substances listed below, if any, did you use on the same occasion when you also used an analgesic; that is, at the same time or within a couple of hours? (PLEASE CIRCLE ALL THAT APPLY.)

| | | | | | |
|--|---|---|--|------|-------|
| ANLALC | 2 | ALCOHOL USED W/ANALGESIC PAST 12 MONTHS | | | |
| 1 = Response circled | | | | 96 | 1.09 |
| 2 = Response not circled | | | | 174 | 1.97 |
| 91 = NEVER USED ANALGESICS | | | | 8300 | 94.17 |
| 93 = DID NOT USE ANALGESIC IN PAST 12 MONTHS | | | | 201 | 2.28 |
| 95 = BAD DATA | | | | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | | | | 42 | 0.48 |
| ANLSED | 2 | SEDATIVES USED W/ANALGESIC PAST 12 MONTHS | | | |
| 1 = Response circled | | | | 9 | 0.10 |
| 2 = Response not circled | | | | 261 | 2.96 |
| 91 = NEVER USED ANALGESICS | | | | 8300 | 94.17 |
| 93 = DID NOT USE ANALGESIC IN PAST 12 MONTHS | | | | 201 | 2.28 |
| 98 = BLANK (NO ANSWER) | | | | 43 | 0.49 |
| ANLTRAN | 2 | TRANQUILIZERS USED W/ANALGESIC PAST 12 MONTHS | | | |
| 1 = Response circled | | | | 12 | 0.14 |
| 2 = Response not circled | | | | 258 | 2.93 |
| 91 = NEVER USED ANALGESICS | | | | 8300 | 94.17 |
| 93 = DID NOT USE ANALGESIC IN PAST 12 MONTHS | | | | 201 | 2.28 |
| 98 = BLANK (NO ANSWER) | | | | 43 | 0.49 |
| ANLSTM | 2 | STIMULANTS USED W/ANALGESIC PAST 12 MONTHS | | | |
| 1 = Response circled | | | | 17 | 0.19 |
| 2 = Response not circled | | | | 253 | 2.87 |
| 91 = NEVER USED ANALGESICS | | | | 8300 | 94.17 |
| 93 = DID NOT USE ANALGESIC IN PAST 12 MONTHS | | | | 201 | 2.28 |
| 98 = BLANK (NO ANSWER) | | | | 43 | 0.49 |

| | | | | |
|--|---|---|------|-------|
| ANLMJ | 2 | MARIJUANA USED W/ANALGESIC PAST 12 MONTHS | | |
| 1 = Response circled | | | 55 | 0.62 |
| 2 = Response not circled | | | 215 | 2.44 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 93 = DID NOT USE ANALGESIC IN PAST 12 MONTHS | | | 201 | 2.28 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| ANLINH | 2 | INHALANTS USED W/ANALGESIC PAST 12 MONTHS | | |
| 1 = Response circled | | | 3 | 0.03 |
| 2 = Response not circled | | | 267 | 3.03 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 93 = DID NOT USE ANALGESIC IN PAST 12 MONTHS | | | 201 | 2.28 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| ANLCOC | 2 | COCAINE USED W/ANALGESIC PAST 12 MONTHS | | |
| 1 = Response circled | | | 14 | 0.16 |
| 2 = Response not circled | | | 256 | 2.90 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 93 = DID NOT USE ANALGESIC IN PAST 12 MONTHS | | | 201 | 2.28 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| ANLHAL | 2 | HALLUCINOGENS USED W/ANALGESIC PAST 12 MONTHS | | |
| 1 = Response circled | | | 8 | 0.09 |
| 2 = Response not circled | | | 262 | 2.97 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 93 = DID NOT USE ANALGESIC IN PAST 12 MONTHS | | | 201 | 2.28 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| ANLOPT | 2 | HEROIN USED W/ANALGESIC PAST 12 MONTHS | | |
| 1 = Response circled | | | 3 | 0.03 |
| 2 = Response not circled | | | 267 | 3.03 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 93 = DID NOT USE ANALGESIC IN PAST 12 MONTHS | | | 201 | 2.28 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |
| ANLNONE | 2 | NONE OF LISTED DRUGS USED W/ANALGESIC PAST 12 MOS | | |
| 1 = Response circled | | | 155 | 1.76 |
| 2 = Response not circled | | | 115 | 1.30 |
| 91 = NEVER USED ANALGESICS | | | 8300 | 94.17 |
| 93 = DID NOT USE ANALGESIC IN PAST 12 MONTHS | | | 201 | 2.28 |
| 98 = BLANK (NO ANSWER) | | | 43 | 0.49 |

MARIJUANA AND HASHISH

MARIJUANA AND HASHISH -- ANSWER SHEET #6

M-1. About how old were you when you first had a chance to try marijuana or hash if you had wanted to?

MJOPP 2 AGE AT FIRST CHANCE TO TRY MARIJUANA/HASH
RANGE = 1 - 75

| | | | |
|--|-------|------|-------|
| 91 = NEVER HAD CHANCE TO TRY MARIJUANA | | 4257 | 48.30 |
| 95 = BAD DATA | | 11 | 0.12 |
| 98 = BLANK (NO ANSWER) | | 30 | 0.34 |

M-2. About how old were you the first time you actually tried marijuana or hash?

MJAGE 2 AGE WHEN FIRST USED MARIJUANA/HASH
RANGE = 4 - 75

| | | |
|---------------------------------|------|-------|
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 95 = BAD DATA | 14 | 0.16 |
| 98 = BLANK (NO ANSWER) | 6 | 0.07 |

M-3. About how many times in your life have you used marijuana or hash?

MJTOT 2 # TIMES USED MARIJUANA/HASH IN LIFE

| | | |
|---------------------------------|------|-------|
| 1 = 1 or 2 times | 836 | 9.48 |
| 2 = 3 to 5 times | 432 | 4.90 |
| 3 = 6 to 10 times | 342 | 3.88 |
| 4 = 11 to 49 times | 380 | 4.31 |
| 5 = 50 to 99 times | 189 | 2.14 |
| 6 = 100 to 199 times | 154 | 1.75 |
| 7 = 200 or more times | 469 | 5.32 |
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 95 = BAD DATA | 28 | 0.32 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 5 | 0.06 |

MARIJUANA AND HASHISH

M-4. When was the most recent time that you used marijuana or hash?

MJREC 2 MOST RECENT TIME USED MARIJUANA/HASH

| | | |
|---|------|-------|
| 1 = Within the past week (7 days) | 315 | 3.57 |
| 2 = More than 1 week ago but less than 1 month ago . | 175 | 1.99 |
| 3 = 1 or more months ago but less than 6 months ago . | 159 | 1.80 |
| 4 = 6 or more months ago but less than 1 year ago . | 203 | 2.30 |
| 5 = 1 or more years ago but less than 3 years ago . | 275 | 3.12 |
| 6 = 3 or more years ago | 1341 | 15.21 |
| 7 = Use in past 30 days LOGICALLY IMPUTED | 163 | 1.85 |
| 8 = Use in past year LOGICALLY IMPUTED | 158 | 1.79 |
| 9 = Use in lifetime LOGICALLY IMPUTED | 47 | 0.53 |
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |

M-5. On about how many different days did you use marijuana or hash during the past 30 days? (IF NONE IN THE PAST 30 DAYS, WRITE ZERO.)

MJDAY30A 2 # DAYS USED MARIJUANA/HASH IN PAST 30 DAYS
RANGE = 0 - 30

| | | |
|---------------------------------|------|-------|
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 95 = BAD DATA | 86 | 0.98 |
| 98 = BLANK (NO ANSWER) | 5 | 0.06 |

M-6. About how many marijuana cigarettes or joints did you smoke each day on the average during the past 30 days?

MJAV30A 2 # JOINTS SMOKED PER DAY IN PAST 30 DAYS
RANGE = 0 - 71

| | | |
|---------------------------------|------|-------|
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 95 = BAD DATA | 96 | 1.09 |
| 98 = BLANK (NO ANSWER) | 10 | 0.11 |

M-7. What is the total amount of marijuana that you used, in all, during the past 30 days?

MJAMT30A 2 TOTAL AMOUNT MARIJUANA USED PAST 30 DAYS

| | | |
|--|------|-------|
| 1 = Less than 10 joints in the past 30 days | 392 | 4.45 |
| 2 = 10 to 20 joints in the past 30 days | 117 | 1.33 |
| 3 = About 1 ounce in the past 30 days | 59 | 0.67 |
| 4 = About 2 ounces in the past 30 days | 19 | 0.22 |
| 5 = 3 to 4 ounces in the past 30 days | 8 | 0.09 |
| 6 = 5 to 6 ounces in the past 30 days | 9 | 0.10 |
| 7 = Unspecified but > 6 ounces in the past 30 days . | 7 | 0.08 |
| 8 = 7 ounces | 1 | 0.01 |
| 10 = 10 ounces | 1 | 0.01 |
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 = DID NOT USE MARIJUANA IN PAST 30 DAYS | 2183 | 24.77 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 95 = BAD DATA | 37 | 0.42 |
| 98 = BLANK (NO ANSWER) | 2 | 0.02 |

M-8. During the past 30 days, when you have used marijuana, how often did you also drink alcohol on the same occasion, that is, at the same time or within a couple of hours of each other?

MJALC30A 2 FREQ USED MARIJUANA/ALCOHOL TOGETHER PAST 30 DAYS

| | | |
|---|------|-------|
| 1 = Always drank alcohol when used marijuana | 120 | 1.36 |
| 2 = More than half the time | 81 | 0.92 |
| 3 = About half thentime | 62 | 0.70 |
| 4 = Less than half the time | 79 | 0.90 |
| 5 = One or two times | 104 | 1.18 |
| 6 = NEVER DRANK ALCOHOL W/MARIJUANA IN PAST 30 DAYS . | 161 | 1.83 |
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 = DID NOT USE MARIJUANA IN PAST 30 DAYS | 2183 | 24.77 |
| 95 = BAD DATA | 42 | 0.48 |
| 98 = BLANK (NO ANSWER) | 4 | 0.05 |

M-9. On the average, how often in the past 12 months have you used marijuana?

| MJYRFREQ | 2 | FREQUENCY USED MARIJUANA PAST 12 MONTHS | | |
|----------|---|--|------|-------|
| 1 | = | Several times a day | 45 | 0.51 |
| 2 | = | Daily | 48 | 0.54 |
| 3 | = | Almost daily (3 to 6 days a week) | 107 | 1.21 |
| 4 | = | 1 or 2 days a week | 136 | 1.54 |
| 5 | = | Several times a month (about 25 to 51 days a year) | 107 | 1.21 |
| 6 | = | 1 to 2 times a month (12 to 24 days a year) ... | 113 | 1.28 |
| 7 | = | Every other month or so (6 to 11 days a year) . | 109 | 1.24 |
| 8 | = | 3 to 5 days in the past 12 months | 140 | 1.59 |
| 9 | = | 1 or 2 days in the past 12 months | 219 | 2.48 |
| 91 | = | NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 | = | DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |
| 95 | = | BAD DATA | 143 | 1.62 |
| 98 | = | BLANK (NO ANSWER) | 6 | 0.07 |

M-10. In the past 12 months, which of the substances listed below, if any, did you use at the same time with marijuana or within a couple of hours of using marijuana? (PLEASE CIRCLE ALL THAT APPLY.)

| | | | | |
|--------|---|--|------|-------|
| MJALC | 2 | ALCOHOL USED W/MARIJUANA PAST 12 MONTHS | | |
| 1 | = | Response circled | 697 | 7.91 |
| 2 | = | Response not circled | 400 | 4.54 |
| 3 | = | Joint use of these two drugs LOGICALLY IMPUTED . | 76 | 0.86 |
| 91 | = | NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 | = | DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |
| MJSED | 2 | SEDATIVES USED W/MARIJUANA PAST 12 MONTHS | | |
| 1 | = | Response circled | 21 | 0.24 |
| 2 | = | Response not circled | 1115 | 12.65 |
| 3 | = | Joint use of these two drugs LOGICALLY IMPUTED . | 37 | 0.42 |
| 91 | = | NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 | = | DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |
| MJTRAN | 2 | TRANQUILIZERS USED W/MARIJUANA PAST 12 MONTHS | | |
| 1 | = | Response circled | 27 | 0.31 |
| 2 | = | Response not circled | 1104 | 12.53 |
| 3 | = | Joint use of these two drugs LOGICALLY IMPUTED . | 42 | 0.48 |
| 91 | = | NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 | = | DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |
| MJSTM | 2 | STIMULANTS USED W/MARIJUANA PAST 12 MONTHS | | |
| 1 | = | Response circled | 63 | 0.71 |
| 2 | = | Response not circled | 1054 | 11.96 |
| 3 | = | Joint use of these two drugs LOGICALLY IMPUTED . | 56 | 0.64 |
| 91 | = | NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 | = | DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |
| MJANAL | 2 | ANALGESICS USED W/MARIJUANA PAST 12 MONTHS | | |
| 1 | = | Response circled | 25 | 0.28 |
| 2 | = | Response not circled | 1112 | 12.62 |

| | | |
|--|------|-------|
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 36 | 0.41 |
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |
| MJINH 2 INHALANTS USED W/MARIJUANA PAST 12 MONTHS | | |
| 1 = Response circled | 8 | 0.09 |
| 2 = Response not circled | 1165 | 13.22 |
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |
| MJCOC 2 COCAINE USED W/MARIJUANA PAST 12 MONTHS | | |
| 1 = Response circled | 115 | 1.30 |
| 2 = Response not circled | 1001 | 11.36 |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 57 | 0.65 |
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |
| MJHAL 2 HALLUCINOGENS USED W/MARIJUANA PAST 12 MONTHS | | |
| 1 = Response circled | 36 | 0.41 |
| 2 = Response not circled | 1137 | 12.90 |
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |
| MJOPT 2 HEROIN USED W/MARIJUANA PAST 12 MONTHS | | |
| 1 = Response circled | 8 | 0.09 |
| 2 = Response not circled | 1165 | 13.22 |
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |
| MJNONE 2 NONE OF LISTED DRUGS USED W/MARIJUANA PAST 12 MOS | | |
| 1 = Response circled | 362 | 4.11 |
| 2 = Response not circled | 811 | 9.20 |
| 91 = NEVER USED MARIJUANA | 5978 | 67.82 |
| 93 = DID NOT USE MARIJUANA IN PAST 12 MONTHS | 1663 | 18.87 |

INHALANTS

INHALANTS -- ANSWER SHEET #7

IN-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?

AS7READ 2 INHALANTS - READING PREFERENCE

| | | |
|---|------|-------|
| 1 = Wants interviewer to read questions | 2041 | 23.16 |
| 2 = Wants to do it himself/herself | 5350 | 60.70 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 98 = BLANK | 1422 | 16.13 |

IN-1. About how old were you the first time you sniffed or inhaled or "huffed" one of these inhalants, even once, for kicks or to get high?

INHAGE 2 AGE WHEN FIRST SNIFFED ONE OF THESE INHALANTS RANGE = 0 - 53

| | | |
|---------------------------------|------|-------|
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
|---------------------------------|------|-------|

| | | |
|------------------------------|----|------|
| 94 = DON'T KNOW | 1 | 0.01 |
| 95 = BAD DATA | 51 | 0.58 |
| 98 = BLANK (NO ANSWER) | 18 | 0.20 |

IN-2. Circle the number to the right of each substance that you have ever sniffed or inhaled for kicks or to get high. (PLEASE CIRCLE ALL THAT APPLY.)

| | | |
|---|------|-------|
| GAS 2 EVER INHALED GASOLINE OR LIGHTER FLUIDS | | |
| 1 = Response circled | 163 | 1.85 |
| 2 = Response not circled | 392 | 4.45 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 95 = BAD DATA | 46 | 0.52 |
| SPPAINT 2 EVER INHALED SPRAY PAINTS | | |
| 1 = Response circled | 84 | 0.95 |
| 2 = Response not circled | 470 | 5.33 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 95 = BAD DATA | 47 | 0.53 |
| AEROS 2 EVER INHALED OTHER AEROSOL SPRAYS | | |
| 1 = Response circled | 48 | 0.54 |
| 2 = Response not circled | 506 | 5.74 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 95 = BAD DATA | 47 | 0.53 |

INHALANTS

| | | |
|---|------|-------|
| GLUE 2 EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE | | |
| 1 = Response circled | 146 | 1.66 |
| 2 = Response not circled | 408 | 4.63 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 95 = BAD DATA | 47 | 0.53 |
| SOLVENT 2 EVER INHALED LACQUER THINNER/PAINT SOLVENTS | | |
| 1 = Response circled | 63 | 0.71 |
| 2 = Response not circled | 491 | 5.57 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 95 = BAD DATA | 47 | 0.53 |
| AMYL NIT 2 EVER INHALED AMYL NITRITE/LOCKER RM ODORIZER/RUSH | | |
| 1 = Response circled | 193 | 2.19 |
| 2 = Response not circled | 361 | 4.10 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 95 = BAD DATA | 47 | 0.53 |
| ETHER 2 EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS | | |
| 1 = Response circled | 9 | 0.10 |
| 2 = Response not circled | 545 | 6.18 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 95 = BAD DATA | 47 | 0.53 |
| NITOXID 2 EVER INHALED NITROUS OXIDE/WHIPPETS | | |
| 1 = Response circled | 89 | 1.01 |
| 2 = Response not circled | 465 | 5.28 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 95 = BAD DATA | 47 | 0.53 |

| | | | | |
|-------------------------------|---|--|------|-------|
| CLEFLU | 2 | EVER INHALED CORRECTION FLD/DEGREASER/CLEANING | FLD | |
| 1 = Response circled | | | 70 | 0.79 |
| 2 = Response not circled | | | 485 | 5.50 |
| 91 = NEVER USED INHALANTS | | | 8213 | 93.18 |
| 95 = BAD DATA | | | 46 | 0.52 |
| INHNEWA | 3 | OTHER SUBSTANCE EVER INHALED (FIRST MENTION) | | |
| 339 = Amphetamines (speed) | | | 1 | 0.01 |
| 511 = Marker's, Felt-tip pens | | | 3 | 0.03 |
| 512 = Rush, Incense | | | 4 | 0.05 |
| 513 = Tulio | | | 1 | 0.01 |
| 515 = Vicks | | | 1 | 0.01 |
| 516 = Freon | | | 2 | 0.02 |
| 518 = Nail Polish | | | 1 | 0.01 |
| 519 = Helium | | | 1 | 0.01 |
| 805 = Cocaine, Coke | | | 3 | 0.03 |
| 991 = NEVER USED INHALANTS | | | 8213 | 93.18 |
| 995 = BAD DATA | | | 49 | 0.56 |
| 998 = BLANK | | | 535 | 6.07 |
| INHNEWB | 3 | OTHER SUBSTANCE EVER INHALED (SECOND MENTION) | | |
| 511 = Marker's, Felt-tip pens | | | 1 | 0.01 |
| 991 = NEVER USED INHALANTS | | | 8213 | 93.18 |
| 995 = BAD DATA | | | 47 | 0.53 |
| 998 = BLANK | | | 553 | 6.27 |
| INHNOSE | 2 | EVER INHALED OTHER SUBSTANCES (NOT SPECIFIED) | | |
| 1 = Response circled | | | 69 | 0.78 |
| 2 = Response not circled | | | 530 | 6.01 |
| 91 = NEVER USED INHALANTS | | | 8213 | 93.18 |
| 95 = BAD DATA | | | 2 | 0.02 |

IN-3. About how many times in your life have you used an inhalant to get high or for kicks?

| | | | | |
|---------------------------|---|-----------------------------------|------|-------|
| INHTOT | 2 | # TIMES USED INHALANT IN LIFETIME | | |
| 1 = 1 or 2 times | | | 246 | 2.79 |
| 2 = 3 to 5 times | | | 114 | 1.29 |
| 3 = 6 to 10 times | | | 89 | 1.01 |
| 4 = 11 to 49 times | | | 52 | 0.59 |
| 5 = 50 to 99 times | | | 12 | 0.14 |
| 6 = 100 to 199 times | | | 8 | 0.09 |
| 7 = 200 or more times | | | 6 | 0.07 |
| 91 = NEVER USED INHALANTS | | | 8213 | 93.18 |
| 95 = BAD DATA | | | 68 | 0.77 |
| 98 = BLANK (NO ANSWER) | | | 6 | 0.07 |

IN-4. Circle the number for each substance that you have sniffed or inhaled for kicks or to get high during the past 30 days. (PLEASE CIRCLE ALL THAT APPLY.)

| | | | | |
|--------------------------|---|--|----|------|
| GAS30A | 2 | INHALED GASOLINE OR LIGHTER FLUID PAST 30 DAYS | | |
| 1 = Response circled | | | 27 | 0.31 |
| 2 = Response not circled | | | 58 | 0.66 |

| | | |
|---|------|-------|
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 93 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 95 = BAD DATA | 4 | 0.05 |
| SPPAN30A 2 INHALED SPRAY PAINTS PAST 30 DAYS | | |
| 1 = Response circled | 7 | 0.08 |
| 2 = Response not circled | 78 | 0.88 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 93 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 95 = BAD DATA | 4 | 0.05 |
| AEROS30A 2 INHALED OTHER AEROSOL SPRAYS PAST 30 DAYS | | |
| 1 = Response circled | 5 | 0.06 |
| 2 = Response not circled | 80 | 0.91 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 93 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 95 = BAD DATA | 4 | 0.05 |
| GLUE30A 2 INHALED SHOESHINE LIQUID/GLUE/TOLUENE PAST 30 DAYS | | |
| 1 = Response circled | 8 | 0.09 |
| 2 = Response not circled | 77 | 0.87 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 93 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 95 = BAD DATA | 4 | 0.05 |
| SOLVN30A 2 INHALED LACQUER THINNER/PAINT SOLVENTS PAST 30 DAY | | |
| 1 = Response circled | 5 | 0.06 |
| 2 = Response not circled | 80 | 0.91 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 93 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 95 = BAD DATA | 4 | 0.05 |
| AMLNT30A 2 INHALED AMYL NITRITE/LOCKER RM ODORIZER PST 30 DYS | | |
| 1 = Response circled | 18 | 0.20 |
| 2 = Response not circled | 67 | 0.76 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 93 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 95 = BAD DATA | 4 | 0.05 |
| ETHER30A 2 INHALED HALOTHANE/ETHER/OTH ANESTHETICS PST 30 DYS | | |
| 1 = Response circled | 1 | 0.01 |
| 2 = Response not circled | 84 | 0.95 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 93 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 95 = BAD DATA | 4 | 0.05 |
| NOX30A 2 INHALED NITROUS OXIDE PAST 30 DAYS | | |
| 1 = Response circled | 14 | 0.16 |
| 2 = Response not circled | 71 | 0.81 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 93 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 95 = BAD DATA | 4 | 0.05 |
| CLFL30A 2 INHALED CORRECTION FLD/DEGREASER/CLN FLD PST 30 DY | | |
| 1 = Response circled | 10 | 0.11 |
| 2 = Response not circled | 75 | 0.85 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 93 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 95 = BAD DATA | 4 | 0.05 |
| INNEW30A 3 OTHER INHALANT USED PAST 30 DAYS (FIRST MENTION) | | |
| 511 = Marker's, Felt-tip pens | 2 | 0.02 |
| 512 = Rush, Incense | 1 | 0.01 |

| | | |
|--|------|-------|
| 516 = Freon | 1 | 0.01 |
| 519 = Helium | 1 | 0.01 |
| 805 = Cocaine, Coke | 2 | 0.02 |
| 991 = NEVER USED INHALANTS | 8213 | 93.18 |
| 993 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 995 = BAD DATA | 5 | 0.06 |
| 998 = BLANK | 77 | 0.87 |
| INNEW30B 3 OTHER INHALANT USED PAST 30 DAYS (SECOND MENTION) | | |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 991 = NEVER USED INHALANTS | 8213 | 93.18 |
| 993 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| 995 = BAD DATA | 4 | 0.05 |
| 998 = BLANK | 84 | 0.95 |
| IN30NOSP 2 OTHER INHALANT USED PAST 30 DAYS (NOT SPECIFIED) | | |
| 1 = Response circled | 7 | 0.08 |
| 2 = Response not circled | 82 | 0.93 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 93 = DID NOT USE INHALANT IN PAST 30 DAYS | 512 | 5.81 |
| INH30NO 2 DID NOT USE ANY INHALANT PAST 30 DAYS | | |
| 1 = Response circled | 512 | 5.81 |
| 2 = Response not circled | 89 | 1.01 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |

IN-5. During the past 30 days, on about how many different days did you use an inhalant for kicks or to get high? (IF NONE IN THE PAST 30 DAYS, WRITE ZERO.)

INH30A 2 # DAYS USED AN INHALANT IN PAST 30 DAYS
RANGE = 0 - 20

| | | |
|---------------------------------|------|-------|
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 95 = BAD DATA | 38 | 0.43 |
| 98 = BLANK (NO ANSWER) | 25 | 0.28 |

IN-6. When was the most recent time that you used an inhalant; that is, sniffed or inhaled something to get high or for kicks?

INHREC 2 MOST RECENT TIME USED INHALANT

| | | |
|---|------|-------|
| 1 = Within the past week (7 days) | 15 | 0.17 |
| 2 = More than 1 week ago but less than 1 month ago .. | 23 | 0.26 |
| 3 = 1 or more months ago but less than 6 months ago . | 35 | 0.40 |
| 4 = 6 or more months ago but less than 1 year ago ... | 29 | 0.33 |
| 5 = 1 or more years ago but less than 3 years ago ... | 75 | 0.85 |
| 6 = 3 or more years ago | 274 | 3.11 |
| 7 = Use in past 30 days LOGICALLY IMPUTED | 47 | 0.53 |
| 8 = Use in past year LOGICALLY IMPUTED | 24 | 0.27 |
| 9 = Use in lifetime LOGICALLY IMPUTED | 75 | 0.85 |
| 91 = NEVER USED INHALANTS | 8213 | 93.18 |
| 98 = BLANK (NO ANSWER) | 4 | 0.05 |

IN-7. Thinking of all the times you
have used any of these inhalants, how
much did you usually use?

| INHEFF | 2 | USUAL AMOUNT (EFFECTS) OF INHALANTS USED | | |
|--------|---|--|------|-------|
| 1 | = | Enough to feel it a little | 278 | 3.15 |
| 2 | = | Enough to feel it a lot | 64 | 0.73 |
| 3 | = | Enough to get high | 96 | 1.09 |
| 4 | = | Enough so that you staggered or dropped things . | 14 | 0.16 |
| 5 | = | Enough to feel you were going to pass out | 23 | 0.26 |
| 6 | = | Something else - unspecified | 18 | 0.20 |
| 7 | = | Didn't feel it, didn't use much | 6 | 0.07 |
| 8 | = | Sniffed out of curiosity once | 3 | 0.03 |
| 9 | = | Enough to make eyes water | 1 | 0.01 |
| 10 | = | Enough for a headrush | 2 | 0.02 |
| 11 | = | Just enough to say I did it - no feelings | 2 | 0.02 |
| 12 | = | Didn't feel it just like the smell | 1 | 0.01 |
| 91 | = | NEVER USED INHALANTS | 8213 | 93.18 |
| 94 | = | DON'T KNOW | 1 | 0.01 |
| 95 | = | BAD DATA | 82 | 0.93 |
| 96 | = | MULTIPLE RESPONSE | 1 | 0.01 |
| 98 | = | BLANK (NO ANSWER) | 9 | 0.10 |

IN-8. Have you ever passed out from
using any of these inhalants for kicks
or to get high?

| INHPO | 2 | EVER PASSED OUT FROM USING INHALANTS | | |
|-------|---|--------------------------------------|------|-------|
| 1 | = | Yes | 38 | 0.43 |
| 2 | = | No | 476 | 5.40 |
| 91 | = | NEVER USED INHALANTS | 8213 | 93.18 |
| 95 | = | BAD DATA | 78 | 0.88 |
| 96 | = | MULTIPLE RESPONSE | 1 | 0.01 |
| 98 | = | BLANK (NO ANSWER) | 8 | 0.09 |

IN-9. Please tell me which questions,
if any, were not clear.

| INHQNC1 | 2 | | | |
|---------|---|----------------------------|------|--------|
| 1 | = | QUESTION 1 NOT CLEAR | 4 | 0.05 |
| 98 | = | BLANK (NO ANSWER) | 8810 | 99.95 |
| INHQNC2 | 2 | | | |
| 2 | = | QUESTION 2 NOT CLEAR | 6 | 0.07 |
| 98 | = | BLANK (NO ANSWER) | 8808 | 99.93 |
| INHQNC3 | 2 | | | |
| 3 | = | QUESTION 3 NOT CLEAR | 5 | 0.06 |
| 98 | = | BLANK (NO ANSWER) | 8809 | 99.94 |
| INHQNC4 | 2 | | | |
| 4 | = | QUESTION 4 NOT CLEAR | 4 | 0.05 |
| 98 | = | BLANK (NO ANSWER) | 8810 | 99.95 |
| INHQNC5 | 2 | | | |
| 5 | = | QUESTION 5 NOT CLEAR | 0 | 0.00 |
| 98 | = | BLANK (NO ANSWER) | 8814 | 100.00 |
| INHQNC6 | 2 | | | |
| 6 | = | QUESTION 6 NOT CLEAR | 1 | 0.01 |
| 98 | = | BLANK (NO ANSWER) | 8813 | 99.99 |

| | | | |
|--------------------------|-------|---------------------|-------|
| INHQNC7 | 2 | | |
| 7 = QUESTION 7 NOT CLEAR | | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | | 8813 | 99.99 |
| INHQNC8 | 2 | | |
| 8 = QUESTION 8 NOT CLEAR | | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | | 8812 | 99.98 |
| INHQNC9 | 2 | ALL QUESTIONS CLEAR | |
| 9 = RESPONSE CIRCLED | | 6606 | 74.95 |
| 98 = BLANK (NO ANSWER) | | 2208 | 25.05 |

IN-10. Have you marked an answer for each question?

| | | | |
|------------|-------|---------------------------------|-------|
| INHANSY | 2 | ANSWER MARKED FOR EACH QUESTION | |
| 1 = Yes | | 6579 | 74.64 |
| 2 = No | | 211 | 2.39 |
| 98 = BLANK | | 2024 | 22.96 |

COCAINE

COCAINE -- ANSWER SHEET #8

 THE FIRST FEW QUESTIONS ARE ABOUT COCAINE IN ANY FORM, SUCH AS POWDER, "CRACK," FREE BASE, AND COCA PASTE.

CN-1. About how old were you when you first had a chance to try cocaine if you had wanted to?

| | | | |
|--|-------|------------------------------------|-------|
| COCOPP | 2 | AGE AT FIRST CHANCE TO TRY COCAINE | |
| | | RANGE = 6 - 65 | |
| 91 = NEVER HAD A CHANCE TO TRY COCAINE | | 6627 | 75.19 |
| 95 = BAD DATA | | 23 | 0.26 |
| 96 = MULTIPLE RESPONSE | | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | | 64 | 0.73 |

CN-2. About how old were you the first time you actually tried cocaine?

| | | | |
|-------------------------|-------|-----------------------------|-------|
| COCAGE | 2 | AGE WHEN FIRST USED COCAINE | |
| | | RANGE = 8 - 50 | |
| 91 = NEVER USED COCAINE | | 7869 | 89.28 |
| 95 = BAD DATA | | 15 | 0.17 |
| 98 = BLANK (NO ANSWER) | | 6 | 0.07 |

CN-3. About how many times in your life have you used cocaine?

| | | | |
|------------------|-------|------------------------------|------|
| COCTOT | 2 | # TIMES USED COCAINE IN LIFE | |
| 1 = 1 or 2 times | | 281 | 3.19 |

| | | |
|-------------------------------|------|-------|
| 2 = 3 to 5 times | 147 | 1.67 |
| 3 = 6 to 10 times | 141 | 1.60 |
| 4 = 11 to 49 times | 164 | 1.86 |
| 5 = 50 to 99 times | 86 | 0.98 |
| 6 = 100 to 199 times | 32 | 0.36 |
| 7 = 200 or more times | 69 | 0.78 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 95 = BAD DATA | 23 | 0.26 |
| 98 = BLANK (NO ANSWER) | 2 | 0.02 |

CN-4. When was the most recent time
that you used cocaine?

| | | | | |
|--|------|---|--|--|
| COCREC | 2 | MOST RECENT TIME USED COCAINE (IN ANY FORM) | | |
| 1 = Within the past week (7 days) | 55 | 0.62 | | |
| 2 = More than 1 week ago but less than 1 month ago .. | 49 | 0.56 | | |
| 3 = 1 or more months ago but less than 6 months ago .. | 72 | 0.82 | | |
| 4 = 6 or more months ago but less than 1 year ago .. | 101 | 1.15 | | |
| 5 = 1 or more years ago but less than 3 years ago .. | 122 | 1.38 | | |
| 6 = 3 or more years ago | 343 | 3.89 | | |
| 7 = Use in past 30 days LOGICALLY IMPUTED | 64 | 0.73 | | |
| 8 = Use in past year LOGICALLY IMPUTED | 111 | 1.26 | | |
| 9 = Use in lifetime LOGICALLY IMPUTED | 28 | 0.32 | | |
| 91 = NEVER USED COCAINE | 7869 | 89.28 | | |

CN-5. During the past 30 days, on about
how many different days did you use
cocaine? (IF NONE IN THE PAST 30 DAYS,
WRITE ZERO.)

| | | | | |
|-------------------------------|------|----------------------------------|--|--|
| COCUS30A | 2 | # DAYS USED COCAINE PAST 30 DAYS | | |
| | | RANGE = 0 - 30 | | |
| 91 = NEVER USED COCAINE | 7869 | 89.28 | | |
| 95 = BAD DATA | 33 | 0.37 | | |
| 98 = BLANK (NO ANSWER) | 5 | 0.06 | | |

CN-6. During the past 30 days, when you
have used cocaine, how often did you
also drink alcohol on the same occasion
(within a couple of hours of each
other)?

| | | | | |
|--|------|--|--|--|
| COC30ALC | 2 | FREQ. USED COCAINE/ALCOHOL TOGETHER PAST 30 DAYS | | |
| 1 = Always drank alcohol when used cocaine | 57 | 0.65 | | |
| 2 = More than half the time | 23 | 0.26 | | |
| 3 = About half the time | 10 | 0.11 | | |
| 4 = Less than half the time | 10 | 0.11 | | |
| 5 = One or two times | 19 | 0.22 | | |
| 6 = Never drank alcohol w/cocaine in past 30 days .. | 28 | 0.32 | | |
| 91 = NEVER USED COCAINE | 7869 | 89.28 | | |
| 93 = DID NOT USE COCAINE IN PAST 30 DAYS | 777 | 8.82 | | |
| 95 = BAD DATA | 21 | 0.24 | | |

CN-7. On the average, how often in the last 12 months have you used cocaine?

| COCYFRQ 2 FREQUENCY USED COCAINE PAST 12 MONTHS | | |
|--|------|-------|
| 1 = Daily | 9 | 0.10 |
| 2 = Almost daily (3 to 6 days a week) | 17 | 0.19 |
| 3 = 1 or 2 days a week | 27 | 0.31 |
| 4 = Several times a month (about 25 to 51 days a year) | 42 | 0.48 |
| 5 = 1 to 2 times a month (12 to 24 days a year) | 39 | 0.44 |
| 6 = Every other month or so (6 to 11 days a year) .. | 48 | 0.54 |
| 7 = 3 to 5 days in the past 12 months | 64 | 0.73 |
| 8 = 1 or 2 days in the past 12 months | 113 | 1.28 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 493 | 5.59 |
| 95 = BAD DATA | 92 | 1.04 |
| 98 = BLANK (NO ANSWER) | 1 | 0.01 |

CN-8. In the past 12 months, which of the substances listed below, if any, did you use at the same time with cocaine or within a couple of hours of using cocaine? (PLEASE CIRCLE ALL THAT APPLY).

| COCALC 2 ALCOHOL USED W/COCAINE PAST 12 MONTHS | | |
|--|------|-------|
| 1 = Response circled | 286 | 3.24 |
| 2 = Response not circled | 150 | 1.70 |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 16 | 0.18 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |
| COCSGD 2 SEDATIVES USED W/COCAINE PAST 12 MONTHS | | |
| 1 = Response circled | 8 | 0.09 |
| 2 = Response not circled | 430 | 4.88 |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 14 | 0.16 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |
| COCTAN 2 TRANQUILIZERS USED W/COCAINE PAST 12 MONTHS | | |
| 1 = Response circled | 12 | 0.14 |
| 2 = Response not circled | 427 | 4.84 |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 13 | 0.15 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |
| COCSTM 2 STIMULANTS USED W/COCAINE PAST 12 MONTHS | | |
| 1 = Response circled | 14 | 0.16 |
| 2 = Response not circled | 412 | 4.67 |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 26 | 0.29 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |
| COCANAL 2 ANALGESICS USED W/COCAINE PAST 12 MONTHS | | |
| 1 = Response circled | 3 | 0.03 |

| | | |
|--|------|-------|
| 2 = Response not circled | 436 | 4.95 |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 13 | 0.15 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |
| COCINH 2 INHALANTS USED W/COCAINE PAST 12 MONTHS | | |
| 1 = Response circled | 3 | 0.03 |
| 2 = Response not circled | 449 | 5.09 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |
| COCMJ 2 MARIJUANA USED W/COCAINE PAST 12 MONTHS | | |
| 1 = Response circled | 155 | 1.76 |
| 2 = Response not circled | 280 | 3.18 |
| 3 = Joint use of these two drugs LOGICALLY IMPUTED . | 17 | 0.19 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |
| COCHAL 2 HALLUCINOGENS USED W/COCAINE PAST 12 MONTHS | | |
| 1 = Response circled | 18 | 0.20 |
| 2 = Response not circled | 434 | 4.92 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |
| COCOPT 2 HEROIN USED W/COCAINE PAST 12 MONTHS | | |
| 1 = Response circled | 10 | 0.11 |
| 2 = Response not circled | 442 | 5.01 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |
| COCNONE 2 NONE OF LISTED DRUGS USED W/COCAINE PAST 12 MONTHS | | |
| 1 = Response circled | 117 | 1.33 |
| 2 = Response not circled | 335 | 3.80 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 98 = BLANK (NO ANSWER) | 3 | 0.03 |

CN-9. Circle the numbers of all the ways you have used cocaine in the past 12 months. (PLEASE CIRCLE ALL THAT APPLY.)

| | | |
|--|------|-------|
| COCSNIFF 2 SNIFFED/SNORTED COCAINE THRU NOSE IN PAST 12 MOS. | | |
| 1 = Response circled | 341 | 3.87 |
| 2 = Response not circled | 48 | 0.54 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 493 | 5.59 |
| 95 = BAD DATA | 63 | 0.71 |
| COCSWAL 2 SWALLOWED/DRANK COCAINE IN PAST 12 MONTHS | | |
| 1 = Response circled | 39 | 0.44 |
| 2 = Response not circled | 350 | 3.97 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 493 | 5.59 |
| 95 = BAD DATA | 63 | 0.71 |

| | | |
|--|------|-------|
| COCIV 2 INJECTED COCAINE WITH A NEEDLE IN PAST 12 MONTHS | | |
| 1 = Response circled | 23 | 0.26 |
| 2 = Response not circled | 429 | 4.87 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 493 | 5.59 |
| FREEBASE 2 SMOKED/FREE-BASED COCAINE IN PAST 12 MONTHS | | |
| 1 = Response circled | 143 | 1.62 |
| 2 = Response not circled | 255 | 2.89 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 493 | 5.59 |
| 95 = BAD DATA | 54 | 0.61 |
| COCNEWA 2 OTHER WAY COCAINE USED PAST 12 MOS. (ONLY MENTION) | | |
| 6 = Lasing joints and bongs | 6 | 0.07 |
| 7 = On my gums | 1 | 0.01 |
| 8 = "Freeze," put on tongue, etc..... | 1 | 0.01 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 490 | 5.56 |
| 95 = BAD DATA | 63 | 0.71 |
| 98 = BLANK (NO ANSWER) | 384 | 4.36 |
| COCNOSP 2 OTHER WAY COCAINE USED PAST 12 MOS (NOT SPECIFIED) | | |
| 1 = Response circled | 3 | 0.03 |
| 2 = Response not circled | 386 | 4.38 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = DID NOT USE COCAINE IN PAST 12 MONTHS | 493 | 5.59 |
| 95 = BAD DATA | 63 | 0.71 |

CN-10. When was the most recent time you used cocaine with a needle?

| | | |
|---|------|-------|
| CONDLREC 2 MOST RECENT TIME USED COCAINE WITH A NEEDLE | | |
| 1 = Within past month (30 days) | 8 | 0.09 |
| 2 = More than 1 month ago but less than 6 months ago . | 7 | 0.08 |
| 3 = 6 or more months ago but less than 1 year ago .. | 9 | 0.10 |
| 4 = 1 or more years ago but less than 3 years ago .. | 11 | 0.12 |
| 5 = 3 or more years ago but less than 10 years ago . | 30 | 0.34 |
| 6 = 10 or more years ago | 9 | 0.10 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |
| 93 = NEVER USED COCAINE WITH A NEEDLE | 862 | 9.78 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 8 | 0.09 |

THE NEXT THREE QUESTIONS REFER JUST TO "CRACK" (COCAINE IN ROCK OR CHUNK FORM) AND NOT THE OTHER FORMS OF COCAINE.

CN-11. When was the most recent time you used the form of cocaine known as "crack?"

| | | |
|---|----|------|
| CRACKREC 2 MOST RECENT TIME USED "CRACK" | | |
| 1 = Within the past week (7 days) | 16 | 0.18 |
| 2 = More than 1 week ago but less than 1 month ago . | 6 | 0.07 |
| 3 = 1 or more months ago but less than 6 months ago . | 16 | 0.18 |
| 4 = 6 or more months ago but less than 1 year ago .. | 21 | 0.24 |

| | | |
|--|------|-------|
| 5 = 1 or more years ago but less than 3 years ago. . | 38 | 0.43 |
| 6 = 3 or more years ago | 26 | 0.29 |
| 7 = Use in past 30 days LOGICALLY IMPUTED | 14 | 0.16 |
| 91 = NEVER USED "CRACK" | 8668 | 98.34 |
| 98 = BLANK (NO ANSWER) | 9 | 0.10 |

CN-12. How many vials or small containers of "crack" have you used in the past 30 days?

CRKAM30A 3 # OF VIALS OF "CRACK" USED IN PAST 30 DAYS
RANGE = 1 - 300

| | | |
|---|------|-------|
| 993 = DID NOT USE "CRACK" IN PAST 30 DAYS | 8770 | 99.50 |
| 995 = BAD DATA | 3 | 0.03 |
| 998 = BLANK (NO ANSWER) | 12 | 0.14 |

CN-13. About how much money did the "crack" you used in the past 30 days cost you? (Do not include any "crack" you sold or gave away, or any money you spent for other forms of cocaine besides "crack.")

CRAKBUCK 4 \$ AMOUNT SPENT ON "CRACK" USED IN PAST 30 DAYS
RANGE = 0 - 4000

| | | |
|--|------|-------|
| 9993 = DID NOT USE "CRACK" IN PAST 30 DAYS | 8770 | 99.50 |
| 9994 = DON'T KNOW | 1 | 0.01 |
| 9995 = BAD DATA | 2 | 0.02 |
| 9998 = BLANK (NO ANSWER) | 9 | 0.10 |

THE LAST TWO QUESTIONS REFER ONLY TO FORMS OF COCAINE OTHER THAN "CRACK."

CN-14. How many grams of cocaine, not counting "crack," have you used in the past 30 days?

COCAM30A 2 # OF GRAMS OF COCAINE USED IN PAST 30 DAYS

| | | |
|--|------|-------|
| 1 = Less than 1/4 gram (about 4 big lines) past 30 dys | 53 | 0.60 |
| 2 = About 1/4 gram in the past 30 days | 14 | 0.16 |
| 3 = About 1/2 gram in the past 30 days | 14 | 0.16 |
| 4 = About 1 gram in the past 30 days | 16 | 0.18 |
| 5 = About 2 grams in the past 30 days | 11 | 0.12 |
| 6 = About 3 grams in the past 30 days | 9 | 0.10 |
| 7 = Unspecified but >3 grams in past 30 days | 3 | 0.03 |
| 8 = 4 grams in the past 30 days | 1 | 0.01 |
| 9 = 5 grams in the past 30 days | 1 | 0.01 |
| 10 = 7 grams in the past 30 days | 2 | 0.02 |
| 11 = 8 grams in the past 30 days | 1 | 0.01 |
| 12 = 14 grams in the past 30 days | 1 | 0.01 |
| 13 = 28 grams in the past 30 days | 1 | 0.01 |
| 91 = NEVER USED COCAINE | 7869 | 89.28 |

| | | |
|--|-----|------|
| 93 = DID NOT USE COCAINE IN PAST 30 DAYS | 777 | 8.82 |
| 94 = DON'T KNOW | 4 | 0.05 |
| 95 = BAD DATA | 32 | 0.36 |
| 98 = BLANK (NO ANSWER) | 5 | 0.06 |

CN-15. Not counting "crack," about how much money did the other cocaine you used in the past 30 days cost you? (Do not include any which you sold or gave away or any money you spent on "crack.")

COBUCK 4 \$ AMOUNT SPENT ON COCAINE USED IN PAST 30 DAYS
RANGE = 0 - 2000

| | | |
|--|------|-------|
| 9991 = NEVER USED COCAINE | 7869 | 89.28 |
| 9993 = DID NOT USE COCAINE IN PAST 30 DAYS | 777 | 8.82 |
| 9994 = DON'T KNOW | 2 | 0.02 |
| 9995 = BAD DATA | 20 | 0.23 |
| 9998 = BLANK (NO ANSWER) | 6 | 0.07 |

HALLUCINOGENS

HALLUCINOGENS -- ANSWER SHEET #9

L-0. Shall I read these questions to you, or do you prefer to complete the answer sheet on your own?

AS9READ 2 HALLUCINOGENS - READING PREFERENCE

| | | |
|---|------|-------|
| 1 = Wants interviewer to continue reading | 1845 | 20.93 |
| 2 = Wants to do it himself/herself | 6544 | 74.25 |
| 98 = BLANK | 425 | 4.82 |

L-1. Which of the following hallucinogens have you ever tried? (PLEASE CIRCLE THE NUMBERS OF ALL YOU HAVE EVER TRIED.)

LSD 2 EVER USED LSD ("ACID," "WHITE LIGHTNING")

| | | |
|-------------------------------------|------|-------|
| 1 = Response circled | 440 | 4.99 |
| 2 = Response not circled | 145 | 1.65 |
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 95 = BAD DATA | 21 | 0.24 |
| 98 = BLANK (NO ANSWER) | 7 | 0.08 |

PEYOTE 2 EVER USED PEYOTE

| | | |
|-------------------------------------|------|-------|
| 1 = Response circled | 89 | 1.01 |
| 2 = Response not circled | 496 | 5.63 |
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 95 = BAD DATA | 21 | 0.24 |
| 98 = BLANK (NO ANSWER) | 7 | 0.08 |

MESC 2 EVER USED Mescaline

| | | |
|-------------------------------------|------|-------|
| 1 = Response circled | 190 | 2.16 |
| 2 = Response not circled | 395 | 4.48 |
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |

| | | |
|--|------|-------|
| 95 = BAD DATA | 21 | 0.24 |
| 98 = BLANK (NO ANSWER) | 7 | 0.08 |
| PSILCY 2 EVER USED PSILOCYBIN (MUSHROOMS) | | |
| 1 = Response circled | 188 | 2.13 |
| 2 = Response not circled | 397 | 4.50 |
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 95 = BAD DATA | 21 | 0.24 |
| 98 = BLANK (NO ANSWER) | 7 | 0.08 |
| PCP 2 EVER USED PCP ("ANGEL DUST," PHENCYCLIDINE) | | |
| 1 = Response circled | 259 | 2.94 |
| 2 = Response not circled | 347 | 3.94 |
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 98 = BLANK (NO ANSWER) | 7 | 0.08 |
| ECSTASY 2 EVER USED "ECSTASY" (MDMA) | | |
| 1 = Response circled | 45 | 0.51 |
| 2 = Response not circled | 540 | 6.13 |
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 95 = BAD DATA | 21 | 0.24 |
| 98 = BLANK (NO ANSWER) | 7 | 0.08 |
| HALNEWA 3 OTHER HALLUCINOGEN EVER USED (ONLY MENTION) | | |
| 609 = Jimson Weed | 1 | 0.01 |
| 610 = Crystal T | 1 | 0.01 |
| 612 = Happy Stick, Shermstick | 1 | 0.01 |
| 613 = Duckweed | 1 | 0.01 |
| 614 = MDA | 2 | 0.02 |
| 615 = Homemade drugs | 1 | 0.01 |
| 616 = DMT | 1 | 0.01 |
| 617 = Morning glory seeds | 1 | 0.01 |
| 703 = Opium | 1 | 0.01 |
| 802 = THC, Cannabinol | 2 | 0.02 |
| 991 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 995 = BAD DATA | 21 | 0.24 |
| 998 = BLANK | 580 | 6.58 |
| HALNOSP 2 OTHER HALLUCINOGEN EVER USED (NOT SPECIFIED) | | |
| 1 = Response circled | 8 | 0.09 |
| 2 = Response not circled | 583 | 6.61 |
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 95 = BAD DATA | 15 | 0.17 |
| 98 = BLANK (NO ANSWER) | 7 | 0.08 |

L-2. About how old were you when you first had a chance to try LSD or PCP or another hallucinogen, if you had wanted to?

HALLOPP 2 AGE AT FIRST CHANCE TO TRY HALLUCINOGEN
RANGE = 3 - 61

| | | |
|--|------|-------|
| 91 = NEVER HAD A CHANCE TO TRY HALLUCINOGENS | 7740 | 87.81 |
| 95 = BAD DATA | 23 | 0.26 |
| 98 = BLANK (NO ANSWER) | 113 | 1.28 |

L-3. About how old were you the first

time you actually tried LSD or PCP or
another hallucinogen?

HALLAGE 2 AGE WHEN FIRST USED LSD/PCP/OTHER HALLUCINOGEN
RANGE = 7 - 46

| | | |
|-------------------------------------|------|-------|
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 95 = BAD DATA | 28 | 0.32 |
| 98 = BLANK (NO ANSWER) | 9 | 0.10 |

L-4. About how many times in your life
have you used LSD or PCP or another
hallucinogen?

HALLTOT 2 # TIMES USED LSD/PCP/OTHER HALLUCINOGEN IN LIFE

| | | |
|-------------------------------------|------|-------|
| 1 = 1 or 2 times | 202 | 2.29 |
| 2 = 3 to 5 times | 121 | 1.37 |
| 3 = 6 to 10 times | 104 | 1.18 |
| 4 = 11 to 49 times | 95 | 1.08 |
| 5 = 50 to 99 times | 29 | 0.33 |
| 6 = 100 to 199 times | 16 | 0.18 |
| 7 = 200 or more times | 13 | 0.15 |
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 95 = BAD DATA | 25 | 0.28 |
| 98 = BLANK (NO ANSWER) | 8 | 0.09 |

L-5. When was the most recent time
that you used LSD or PCP or another
hallucinogen?

HALLREC 2 MOST RECENT TIME USED HALLUCINOGEN

| | | |
|---|------|-------|
| 1 = Within the past month (30 days) | 34 | 0.39 |
| 2 = More than 1 month ago but less than 6 months ago .. | 52 | 0.59 |
| 3 = 6 or more months ago but less than 1 year ago .. | 42 | 0.48 |
| 4 = 1 or more years ago but less than 3 years ago .. | 58 | 0.66 |
| 5 = 3 or more years ago | 357 | 4.05 |
| 7 = Use in past 30 days LOGICALLY IMPUTED | 14 | 0.16 |
| 8 = Use in past year LOGICALLY IMPUTED | 25 | 0.28 |
| 9 = Use in lifetime LOGICALLY IMPUTED | 24 | 0.27 |
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 98 = BLANK (NO ANSWER) | 7 | 0.08 |

L-6. During the past 30 days, on about
how many different days did you use LSD
or PCP or another hallucinogen? (IF
NONE IN THE PAST 30 DAYS, WRITE ZERO.)

HAL30USE 2 # DAYS USED HALLUCINOGEN PAST 30 DAYS
RANGE = 0 - 30

| | | |
|-------------------------------------|------|-------|
| 91 = NEVER USED HALLUCINOGENS | 8201 | 93.05 |
| 95 = BAD DATA | 3 | 0.03 |
| 98 = BLANK (NO ANSWER) | 9 | 0.10 |

THE NEXT TWO QUESTIONS REFER TO PCP ONLY

L-7. When was the most recent time
that you used PCP?

| PCPREC | 2 | MOST RECENT TIME USED PCP | | |
|--------|---|--|------|-------|
| 1 | = | Within the past month (30 days) | 8 | 0.09 |
| 2 | = | More than 1 month ago but less than 6 months ago . | 13 | 0.15 |
| 3 | = | 6 or more months ago but less than 1 year ago .. | 10 | 0.11 |
| 4 | = | 1 or more years ago but less than 3 years ago .. | 20 | 0.23 |
| 5 | = | 3 or more years ago | 177 | 2.01 |
| 9 | = | Use in lifetime LOGICALLY IMPUTED | 31 | 0.35 |
| 91 | = | NEVER USED PCP | 8541 | 96.90 |
| 98 | = | BLANK (NO ANSWER) | 14 | 0.16 |

L-8. Circle the number of each
reaction you ever had, or were ever told
you had, when you used PCP. (PLEASE
CIRCLE ALL THAT APPLY.)

| PCPFLASH | 2 | EVER HAD FLASHBACKS WHEN USED PCP | | |
|----------|---|--|------|-------|
| 1 | = | Response circled | 40 | 0.45 |
| 2 | = | Response not circled | 147 | 1.67 |
| 6 | = | Never had any reaction when used PCP | 61 | 0.69 |
| 91 | = | NEVER USED PCP | 8541 | 96.90 |
| 95 | = | BAD DATA | 18 | 0.20 |
| 98 | = | BLANK (NO ANSWER) | 7 | 0.08 |
| PCPSENSE | 2 | EVER HAD TROUBLE SEEING/HEARING WHEN USED PCP | | |
| 1 | = | Response circled | 84 | 0.95 |
| 2 | = | Response not circled | 103 | 1.17 |
| 6 | = | Never had any reaction when used PCP | 61 | 0.69 |
| 91 | = | NEVER USED PCP | 8541 | 96.90 |
| 95 | = | BAD DATA | 18 | 0.20 |
| 98 | = | BLANK (NO ANSWER) | 7 | 0.08 |
| PCPFEELV | 2 | EVER FELT VIOLENT WHEN USED PCP | | |
| 1 | = | Response circled | 31 | 0.35 |
| 2 | = | Response not circled | 156 | 1.77 |
| 6 | = | Never had any reaction when used PCP | 61 | 0.69 |
| 91 | = | NEVER USED PCP | 8541 | 96.90 |
| 95 | = | BAD DATA | 18 | 0.20 |
| 98 | = | BLANK (NO ANSWER) | 7 | 0.08 |
| PCPACTV | 2 | EVER ACTED VIOLENT OR AGGRESSIVE WHEN USED PCP | | |
| 1 | = | Response circled | 49 | 0.56 |
| 2 | = | Response not circled | 138 | 1.57 |
| 6 | = | Never had any reaction when used PCP | 61 | 0.69 |
| 91 | = | NEVER USED PCP | 8541 | 96.90 |
| 95 | = | BAD DATA | 18 | 0.20 |
| 98 | = | BLANK (NO ANSWER) | 7 | 0.08 |
| PCPNEWA | 2 | OTHER REACTION EVER HAD TO PCP (FIRST MENTION) | | |
| 6 | = | Never had any reaction when used PCP | 61 | 0.69 |
| 7 | = | Paranoid | 3 | 0.03 |
| 8 | = | Numbness | 4 | 0.05 |
| 9 | = | Like an acid high | 1 | 0.01 |
| 10 | = | Trouble walking | 4 | 0.05 |
| 11 | = | Felt weak, full of laughter | 1 | 0.01 |

| | | |
|---|------|-------|
| 12 = Sat in a chair and looked like a zombie | 1 | 0.01 |
| 13 = Knocked out, passed out | 4 | 0.05 |
| 14 = Energetic | 4 | 0.05 |
| 16 = Things were moving | 2 | 0.02 |
| 17 = Felt really funny, weird | 2 | 0.02 |
| 18 = Didn't want to drive | 1 | 0.01 |
| 19 = Talking and speeding | 2 | 0.02 |
| 20 = Hallucination | 4 | 0.05 |
| 21 = Felt sick - headache | 2 | 0.02 |
| 23 = Day after effects - lasted too long | 1 | 0.01 |
| 24 = Memory loss | 1 | 0.01 |
| 25 = Panic | 1 | 0.01 |
| 27 = Heightened awareness | 1 | 0.01 |
| 28 = In a dream world | 2 | 0.02 |
| 30 = Felt like you were dying | 1 | 0.01 |
| 31 = Enjoyed the trip | 1 | 0.01 |
| 32 = Got sick | 1 | 0.01 |
| 33 = A foot above the ground | 2 | 0.02 |
| 91 = NEVER USED PCP | 8541 | 96.90 |
| 95 = BAD DATA | 19 | 0.22 |
| 98 = BLANK (NO ANSWER) | 147 | 1.67 |
| PCPNEWB 2 OTHER REACTION EVER HAD TO PCP (SECOND MENTION) | | |
| 6 = Never had a reaction when used PCP | 61 | 0.69 |
| 21 = Felt sick - headache | 1 | 0.01 |
| 22 = Alive | 1 | 0.01 |
| 25 = Panic | 1 | 0.01 |
| 27 = Heightened awareness | 1 | 0.01 |
| 29 = Crying spells | 1 | 0.01 |
| 34 = High on life | 1 | 0.01 |
| 35 = Things slowed down | 1 | 0.01 |
| 36 = Relaxed and happy | 1 | 0.01 |
| 91 = NEVER USED PCP | 8541 | 96.90 |
| 95 = BAD DATA | 18 | 0.20 |
| 98 = BLANK (NO ANSWER) | 186 | 2.11 |
| PCPNEWC 2 OTHER REACTION EVER HAD TO PCP (THIRD MENTION) | | |
| 6 = Never had any reaction to PCP | 61 | 0.69 |
| 13 = Knocked out, passed out | 1 | 0.01 |
| 26 = Dizziness | 1 | 0.01 |
| 91 = NEVER USED PCP | 8541 | 96.90 |
| 95 = BAD DATA | 18 | 0.20 |
| 98 = BLANK (NO ANSWER) | 192 | 2.18 |
| PCPNOSP 2 OTHER REACTIONS EVER HAD TO PCP (NOT SPECIFIED) | | |
| 1 = Response circled | 39 | 0.44 |
| 2 = Response not circled | 166 | 1.88 |
| 6 = Never had any reaction when used PCP | 61 | 0.69 |
| 91 = NEVER USED PCP | 8541 | 96.90 |
| 98 = BLANK (NO ANSWER) | 7 | 0.08 |
| PCPNORCT 2 NEVER HAD ANY REACTION WHEN USED PCP | | |
| 1 = Response circled | 61 | 0.69 |
| 2 = Response not circled | 187 | 2.12 |
| 91 = NEVER USED PCP | 8541 | 96.90 |
| 95 = BAD DATA | 18 | 0.20 |
| 98 = BLANK (NO ANSWER) | 7 | 0.08 |

L-00. Did you understand the last three questions?

| | | | | |
|-----------------|---|---------------------------------|------|-------|
| HALLQCL | 2 | UNDERSTOOD THE LAST 3 QUESTIONS | | |
| 1 = Yes | | | 6771 | 76.82 |
| 2 = No/Not Sure | | | 283 | 3.21 |
| 98 = BLANK | | | 1760 | 19.97 |

HEROIN

HEROIN -- ANSWER SHEET #10

H-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?

| | | | | |
|---|---|-----------------------------|------|-------|
| AS10READ | 2 | HEROIN - READING PREFERENCE | | |
| 1 = Wants interviewer to continue reading | | | 1826 | 20.72 |
| 2 = Wants to do it himself/herself | | | 6599 | 74.87 |
| 98 = BLANK | | | 389 | 4.41 |

H-1. About how old were you when you first had a chance to try heroin if you had wanted to?

| | | | | |
|--------|---|-----------------------------------|--|--|
| HEROPP | 2 | AGE AT FIRST CHANCE TO TRY HEROIN | | |
| | | RANGE = 8 - 63 | | |

| | | | |
|---------------------------------------|-------|------|-------|
| 91 = NEVER HAD A CHANCE TO TRY HEROIN | | 8251 | 93.61 |
| 95 = BAD DATA | | 13 | 0.15 |
| 98 = BLANK (NO ANSWER) | | 118 | 1.34 |

H-2. About how old were you the first time you actually tried heroin?

| | | | | |
|--------|---|----------------------------|--|--|
| HERAGE | 2 | AGE WHEN FIRST USED HEROIN | | |
| | | RANGE = 8 - 30 | | |

| | | | |
|------------------------|-------|------|-------|
| 91 = NEVER USED HEROIN | | 8709 | 98.81 |
| 95 = BAD DATA | | 14 | 0.16 |
| 98 = BLANK (NO ANSWER) | | 13 | 0.15 |

H-3. About how many times in your life have you used heroin?

| | | | | |
|-----------------------|---|-----------------------------|----|------|
| HERTOT | 2 | # TIMES USED HEROIN IN LIFE | | |
| 1 = 1 or 2 times | | | 38 | 0.43 |
| 2 = 3 to 5 times | | | 5 | 0.06 |
| 3 = 6 to 10 times | | | 7 | 0.08 |
| 4 = 11 to 49 times | | | 7 | 0.08 |
| 5 = 50 to 99 times | | | 5 | 0.06 |
| 6 = 100 to 199 times | | | 2 | 0.02 |
| 7 = 200 or more times | | | 16 | 0.18 |

| | | |
|------------------------------|------|-------|
| 91 = NEVER USED HEROIN | 8709 | 98.81 |
| 95 = BAD DATA | 13 | 0.15 |
| 98 = BLANK (NO ANSWER) | 12 | 0.14 |

H-4. When was the most recent time
that you used heroin?

| | | | | |
|--|------|------------------------------|--|--|
| HERREC | 2 | MOST RECENT TIME USED HEROIN | | |
| 1 = Within the past month (30 days) | 8 | 0.09 | | |
| 2 = More than 1 month ago but less than 6 months ago . | 4 | 0.05 | | |
| 3 = 6 or more months ago but less than 1 year ago .. | 4 | 0.05 | | |
| 4 = 1 or more years ago but less than 3 years ago .. | 6 | 0.07 | | |
| 5 = 3 or more years ago | 50 | 0.57 | | |
| 7 = Use in past 30 days LOGICALLY IMPUTED | 1 | 0.01 | | |
| 8 = Use in past year LOGICALLY IMPUTED | 18 | 0.20 | | |
| 9 = Use in lifetime LOGICALLY IMPUTED | 2 | 0.02 | | |
| 91 = NEVER USED HEROIN | 8709 | 98.81 | | |
| 98 = BLANK (NO ANSWER) | 12 | 0.14 | | |

H-5. During the past 30 days, on about
how many different days did you use
heroin? (IF NONE IN THE PAST 30 DAYS,
WRITE ZERO.)

| | | | | |
|------------------------------|------|---------------------------------|--|--|
| HER30USE | 2 | # DAYS USED HEROIN PAST 30 DAYS | | |
| | | RANGE = 0 - 30 | | |
| 91 = NEVER USED HEROIN | 8709 | 98.81 | | |
| 95 = BAD DATA | 1 | 0.01 | | |
| 98 = BLANK (NO ANSWER) | 12 | 0.14 | | |

H-6. Have you ever used heroin with a
needle?

| | | | | |
|--|------|--------------------------------|--|--|
| HERNEEDL | 2 | EVER USED HEROIN WITH A NEEDLE | | |
| 1 = Yes, have used heroin with a needle | 46 | 0.52 | | |
| 2 = No, have used heroin, but not with a needle | 45 | 0.51 | | |
| 91 = NEVER USED HEROIN | 8709 | 98.81 | | |
| 98 = BLANK (NO ANSWER) | 14 | 0.16 | | |

H-7. When was the most recent time you
used heroin with a needle?

| | | | | |
|--|------|--|--|--|
| HRNDLREC | 2 | MOST RECENT TIME USED HEROIN WITH A NEEDLE | | |
| 1 = Within the past month (30 days) | 5 | 0.06 | | |
| 2 = More than 1 month ago but less than 6 months ago . | 1 | 0.01 | | |
| 3 = 6 or more months ago but less than 1 year ago .. | 3 | 0.03 | | |
| 4 = 1 or more years ago but less than 3 years ago .. | 7 | 0.08 | | |
| 5 = 3 or more years ago but less than 10 years ago . | 15 | 0.17 | | |
| 6 = 10 or more years ago | 15 | 0.17 | | |
| 91 = NEVER USED HEROIN | 8709 | 98.81 | | |
| 93 = NEVER USED HEROIN WITH A NEEDLE (HERNEEDL=2) .. | 45 | 0.51 | | |
| 98 = BLANK (NO ANSWER) | 14 | 0.16 | | |

DRUGS

DRUGS -- ANSWER SHEET #11

DR-0. You may complete this on your own, or if you prefer, I'll read the questions. Which do you prefer?

| AS11READ 2 DRUGS - READING PREFERENCE | | | |
|---|------|--|-------|
| 1 = Wants interviewer to continue reading | 1951 | | 22.14 |
| 2 = Wants to do it himself/herself | 6069 | | 68.86 |
| 98 = BLANK | 794 | | 9.01 |

IF YOU DID NOT USE CIGARETTES, ALCOHOL, OR ANY OF THE OTHER DRUGS LISTED ABOVE IN THE PAST YEAR, CIRCLE THE 93 IN THE BOX TO THE RIGHT.-----> * 93 *
THEN TELL THE INTERVIEWER THAT YOU ARE FINISHED.

| NODRUGS 2 DID NOT USE CIGARETTES/ALCOHOL/OTHR DRUGS PAST YR | | | |
|---|------|--|-------|
| 1 = Response circled | 2787 | | 31.62 |
| 2 = Response not circled | 4988 | | 56.59 |
| 95 = BAD DATA (Past year drug use recorded elsewhere) | 1039 | | 11.79 |

DR-1. In the past year, have you ever tried to cut down on your use of any of these drugs? (PLEASE CIRCLE ALL THAT APPLY.)

| CDCIG 2 TRIED TO CUT DOWN ON USE OF CIGARETTES PAST YEAR | | | |
|---|------|--|-------|
| 1 = Response circled | 1829 | | 20.75 |
| 2 = Response not circled | 1158 | | 13.14 |
| 13 = Did not try to cut down on any drug in past year | 2000 | | 22.69 |
| 95 = BAD DATA | 1 | | 0.01 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | | 31.62 |
| CDALC 2 TRIED TO CUT DOWN ON USE OF ALCOHOL PAST YEAR | | | |
| 1 = Response circled | 1511 | | 17.14 |
| 2 = Response not circled | 1477 | | 16.76 |
| 13 = Did not try to cut down on any drug in past year | 2000 | | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | | 31.62 |
| CDSED 2 TRIED TO CUT DOWN ON USE OF SEDATIVES PAST YEAR | | | |
| 1 = Response circled | 25 | | 0.28 |
| 2 = Response not circled | 2963 | | 33.62 |
| 13 = Did not try to cut down on any drug in past year | 2000 | | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | | 31.62 |

| | | | | |
|-------------------------------------|---|---|------|-------|
| CDTRAN | 2 | TRIED TO CUT DOWN ON USE OF TRANQUILIZERS PAST YR | | |
| 1 = Response circled | | | 39 | 0.44 |
| 2 = Response not circled | | | 2949 | 33.46 |
| 13 = Did not try to cut down | | | | |
| | | on any drug in past year | 2000 | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| CDSTM | 2 | TRIED TO CUT DOWN ON USE OF STIMULANTS PAST YEAR | | |
| 1 = Response circled | | | 62 | 0.70 |
| 2 = Response not circled | | | 2926 | 33.20 |
| 13 = Did not try to cut down | | | | |
| | | on any drug in past year | 2000 | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| CDANAL | 2 | TRIED TO CUT DOWN ON USE OF ANALGESICS PAST YEAR | | |
| 1 = Response circled | | | 29 | 0.33 |
| 2 = Response not circled | | | 2959 | 33.57 |
| 13 = Did not try to cut down | | | | |
| | | on any drug in past year | 2000 | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| CDMJ | 2 | TRIED TO CUT DOWN ON USE OF MARIJUANA PAST YEAR | | |
| 1 = Response circled | | | 404 | 4.58 |
| 2 = Response not circled | | | 2584 | 29.32 |
| 13 = Did not try to cut down | | | | |
| | | on any drug in past year | 2000 | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| CDINH | 2 | TRIED TO CUT DOWN ON USE OF INHALANTS PAST YEAR | | |
| 1 = Response circled | | | 30 | 0.34 |
| 2 = Response not circled | | | 2958 | 33.56 |
| 13 = Did not try to cut down | | | | |
| | | on any drug in past year | 2000 | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| CDCOC | 2 | TRIED TO CUT DOWN ON USE OF COCAINE PAST YEAR | | |
| 1 = Response circled | | | 137 | 1.55 |
| 2 = Response not circled | | | 2851 | 32.35 |
| 13 = Did not try to cut down | | | | |
| | | on any drug in past year | 2000 | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| CDHALL | 2 | TRIED TO CUT DOWN ON USE OF HALLUCINOGENS PAST YR | | |
| 1 = Response circled | | | 42 | 0.48 |
| 2 = Response not circled | | | 2946 | 33.42 |
| 13 = Did not try to cut down | | | | |
| | | on any drug in past year | 2000 | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| CDHER | 2 | TRIED TO CUT DOWN ON USE OF HEROIN PAST YEAR | | |
| 1 = Response circled | | | 10 | 0.11 |
| 2 = Response not circled | | | 2978 | 33.79 |
| 13 = Did not try to cut down | | | | |

| | | |
|---|------|-------|
| on any drug in past year | 2000 | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| CDOTHOP 2 TRIED TO CUT DOWN ON USE OF OTHER OPIATES PAST YR | | |
| 1 = Response circled | 18 | 0.20 |
| 2 = Response not circled | 2970 | 33.70 |
| 13 = Did not try to cut down | | |
| on any drug in past year | 2000 | 22.69 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| CDNONE 2 DID NOT TRY TO CUT DOWN ON ANY DRUG USED PAST YR | | |
| 1 = Response circled | 2000 | 22.69 |
| 2 = Response not circled | 2988 | 33.90 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |

DR-2. Circle the number next to each drug for which, in the past year, you have needed larger amounts to get the same effect or that you could no longer get high on the amount you used to use. (PLEASE CIRCLE ALL THAT APPLY.)

| | | |
|---|------|-------|
| EFFCIG 2 NEEDED MORE CIGARETTES TO GET SAME EFFECT PAST YR | | |
| 1 = Response circled | 444 | 5.04 |
| 2 = Response not circled | 585 | 6.64 |
| 13 = Did not need more of any | | |
| drug used for same effect | 3959 | 44.92 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| EFFALC 2 NEEDED MORE ALCOHOL TO GET SAME EFFECT PAST YEAR | | |
| 1 = Response circled | 410 | 4.65 |
| 2 = Response not circled | 619 | 7.02 |
| 13 = Did not need more of any | | |
| drug used for same effect | 3959 | 44.92 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| EFFSED 2 NEEDED MORE SEDATIVES TO GET SAME EFFECT PAST YEAR | | |
| 1 = Response circled | 10 | 0.11 |
| 2 = Response not circled | 1019 | 11.56 |
| 13 = Did not need more of any | | |
| drug used for same effect | 3959 | 44.92 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| EFFTRAN 2 NEEDED MORE TRANQ. TO GET SAME EFFECT PAST YEAR | | |
| 1 = Response circled | 16 | 0.18 |
| 2 = Response not circled | 1013 | 11.49 |
| 13 = Did not need more of any | | |
| drug used for same effect | 3959 | 44.92 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| EFFSTM 2 NEEDED MORE STIMULANTS TO GET SAME EFFECT PAST YR | | |
| 1 = Response circled | 25 | 0.28 |
| 2 = Response not circled | 1004 | 11.39 |

| | | | |
|--|------|-------|--|
| 13 = Did not need more of any | | | |
| drug used for same effect | 3959 | 44.92 | |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 | |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 | |
| EFFANAL 2 NEEDED MORE ANALGESICS TO GET SAME EFFECT PAST YR | | | |
| 1 = Response circled | 13 | 0.15 | |
| 2 = Response not circled | 1016 | 11.53 | |
| 13 = Did not need more of any | | | |
| drug used for same effect | 3959 | 44.92 | |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 | |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 | |
| EFFMJ 2 NEEDED MORE MARIJUANA TO GET SAME EFFECT PAST YEAR | | | |
| 1 = Response circled | 154 | 1.75 | |
| 2 = Response not circled | 875 | 9.93 | |
| 13 = Did not need more of any | | | |
| drug used for same effect | 3959 | 44.92 | |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 | |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 | |
| EFFINH 2 NEEDED MORE INHALANTS TO GET SAME EFFECT PAST YEAR | | | |
| 1 = Response circled | 5 | 0.06 | |
| 2 = Response not circled | 1024 | 11.62 | |
| 13 = Did not need more of any | | | |
| drug used for same effect | 3959 | 44.92 | |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 | |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 | |
| EFFCOC 2 NEEDED MORE COCAINE TO GET SAME EFFECT PAST YEAR | | | |
| 1 = Response circled | 62 | 0.70 | |
| 2 = Response not circled | 967 | 10.97 | |
| 13 = Did not need more of any | | | |
| drug used for same effect | 3959 | 44.92 | |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 | |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 | |
| EFFHALL 2 NEEDED MORE HALLUCIN. TO GET SAME EFFECT PAST YEAR | | | |
| 1 = Response circled | 12 | 0.14 | |
| 2 = Response not circled | 1017 | 11.54 | |
| 13 = Did not need more of any | | | |
| drug used for same effect | 3959 | 44.92 | |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 | |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 | |
| EFFHER 2 NEEDED MORE HEROIN TO GET SAME EFFECT PAST YEAR | | | |
| 1 = Response circled | 6 | 0.07 | |
| 2 = Response not circled | 1023 | 11.61 | |
| 13 = Did not need more of any | | | |
| drug used for same effect | 3959 | 44.92 | |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 | |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 | |
| EFFTHOP 2 NEEDED MORE OTHER OPIATES TO GET SAME EFF PAST YR | | | |
| 1 = Response circled | 5 | 0.06 | |
| 2 = Response not circled | 1024 | 11.62 | |
| 13 = Did not need more of any | | | |
| drug used for same effect | 3959 | 44.92 | |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 | |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 | |
| EFFNONE 2 DID NOT NEED MORE OF ANY DRUG FOR SAME EFF PAST YR | | | |
| 1 = Response circled | 3959 | 44.92 | |

| | | |
|---|------|-------|
| 2 = Response not circled | 1029 | 11.67 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |

DRUGS

DR-3. Circle the number to the right of each drug you have used every day or almost daily for two or more weeks in a row in the past year. (PLEASE CIRCLE ALL THAT APPLY.)

| | | | | |
|--|---|--|------|-------|
| UDAYCIG | 2 | USED CIGARETTES DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | | | 1830 | 20.76 |
| 2 = Response not circled | | | 461 | 5.23 |
| 13 = Did not use any drug daily in past year | | | 2696 | 30.59 |
| 95 = BAD DATA | | | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| UDAYALC | 2 | USED ALCOHOL DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | | | 582 | 6.60 |
| 2 = Response not circled | | | 1710 | 19.40 |
| 13 = Did not use any drug daily in past year | | | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| UDAYSED | 2 | USED SEDATIVES DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | | | 9 | 0.10 |
| 2 = Response not circled | | | 2283 | 25.90 |
| 13 = Did not use any drug daily in past year | | | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| UDAYTRAN | 2 | USED TRANQUILIZERS DAILY FOR 2+ WKS IN PAST YEAR | | |
| 1 = Response circled | | | 17 | 0.19 |
| 2 = Response not circled | | | 2275 | 25.81 |
| 13 = Did not use any drug daily in past year | | | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| UDAYSTM | 2 | USED STIMULANTS DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | | | 28 | 0.32 |
| 2 = Response not circled | | | 2264 | 25.69 |
| 13 = Did not use any drug daily in past year | | | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| UDAYANAL | 2 | USED ANALGESICS DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | | | 16 | 0.18 |
| 2 = Response not circled | | | 2276 | 25.82 |
| 13 = Did not use any drug daily in past year | | | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| UDAYMJ | 2 | USED MARIJUANA DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | | | 242 | 2.75 |
| 2 = Response not circled | | | 2050 | 23.26 |
| 13 = Did not use any drug daily in past year | | | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |

| | | |
|---|------|-------|
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| UDAYINH 2 USED INHALANTS DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | 5 | 0.06 |
| 2 = Response not circled | 2287 | 25.95 |
| 13 = Did not use any drug daily in past year | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| UDAYCOC 2 USED COCAINE DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | 48 | 0.54 |
| 2 = Response not circled | 2244 | 25.46 |
| 13 = Did not use any drug daily in past year | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| UDAYHALL 2 USED HALLUCINOGENS DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | 11 | 0.12 |
| 2 = Response not circled | 2281 | 25.88 |
| 13 = Did not use any drug daily in past year | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| UDAYHER 2 USED HEROIN DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | 5 | 0.06 |
| 2 = Response not circled | 2287 | 25.95 |
| 13 = Did not use any drug daily in past year | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| UDAYOTH 2 USED OTHER OPIATES DAILY FOR 2+ WEEKS IN PAST YEAR | | |
| 1 = Response circled | 4 | 0.05 |
| 2 = Response not circled | 2288 | 25.96 |
| 13 = Did not use any drug daily in past year | 2696 | 30.59 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| UDAYNONE 2 DID NOT USE ANY DRUG DAILY FOR 2+ WEEKS IN PAST YR | | |
| 1 = Response circled | 2696 | 30.59 |
| 2 = Response not circled | 2292 | 26.00 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |

DRUGS

DR-4. Circle the number of each drug you felt that you needed or were dependent on in the past year. (PLEASE CIRCLE ALL THAT APPLY.)

| | | |
|---|------|-------|
| DEPCIG 2 FELT DEPENDENT ON CIGARETTES PAST YEAR | | |
| 1 = Response circled | 1480 | 16.79 |
| 2 = Response not circled | 316 | 3.59 |
| 13 = Did not feel like had to have any drug used pastyr | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| DEPALC 2 FELT DEPENDENT ON ALCOHOL PAST YEAR | | |
| 1 = Response circled | 278 | 3.15 |

| | | |
|--|------|-------|
| 2 = Response not circled | 1518 | 17.22 |
| 13 = Did not feel like had to have any drug used pastyr | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| DEPSED 2 FELT DEPENDENT ON SEDATIVES PAST YEAR | | |
| 1 = Response circled | 4 | 0.05 |
| 2 = Response not circled | 1792 | 20.33 |
| 13 = Did not feel like had to have any drug used pastyr | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| DEPTRAN 2 FELT DEPENDENT ON TRANQUILIZERS PAST YEAR | | |
| 1 = Response circled | 14 | 0.16 |
| 2 = Response not circled | 1782 | 20.22 |
| 13 = Did not feel like had to have any drug used pastyr | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| DEPSTM 2 FELT DEPENDENT ON STIMULANTS PAST YEAR | | |
| 1 = Response circled | 17 | 0.19 |
| 2 = Response not circled | 1779 | 20.18 |
| 13 = Did not feel like had to have any drug used pastyr | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| DEPANAL 2 FELT DEPENDENT ON ANALGESICS PAST YEAR | | |
| 1 = Response circled | 12 | 0.14 |
| 2 = Response not circled | 1784 | 20.24 |
| 13 = Did not feel like had to have any drug used pastyr | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| DEPMJ 2 FELT DEPENDENT ON MARIJUANA PAST YEAR | | |
| 1 = Response circled | 119 | 1.35 |
| 2 = Response not circled | 1677 | 19.03 |
| 13 = Did not feel like had to have any drug used pastyr | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| DEPINH 2 FELT DEPENDENT ON INHALANTS PAST YEAR | | |
| 1 = Response circled | 4 | 0.05 |
| 2 = Response not circled | 1792 | 20.33 |
| 13 = Did not feel like had to have any drug used pastyr | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| DEPCOC 2 FELT DEPENDENT ON COCAINE PAST YEAR | | |
| 1 = Response circled | 38 | 0.43 |
| 2 = Response not circled | 1758 | 19.95 |
| 13 = Did not feel like had to have any drug used pastyr | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |

| | | | | |
|-------------------------------------|---|---|------|-------|
| DEPHALL | 2 | FELT DEPENDENT ON HALLUCINOGENS PAST YEAR | | |
| 1 = Response circled | | | 6 | 0.07 |
| 2 = Response not circled | | | 1790 | 20.31 |
| 13 = Did not feel like had to | | | | |
| have any drug used pastyr | | | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| DEPHER | 2 | FELT DEPENDENT ON HEROIN PAST YEAR | | |
| 1 = Response circled | | | 5 | 0.06 |
| 2 = Response not circled | | | 1791 | 20.32 |
| 13 = Did not feel like had to | | | | |
| have any drug used pastyr | | | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| DEPOTHOP | 2 | FELT DEPENDENT ON OTHER OPIATES PAST YEAR | | |
| 1 = Response circled | | | 4 | 0.05 |
| 2 = Response not circled | | | 1792 | 20.33 |
| 13 = Did not feel like had to | | | | |
| have any drug used pastyr | | | 3192 | 36.22 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| DEPNONE | 2 | DID NOT FEEL DEPENDENT ON ANY DRUG USED PAST YEAR | | |
| 1 = Response circled | | | 3192 | 36.22 |
| 2 = Response not circled | | | 1796 | 20.38 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |

DR-5. Circle the number next to each drug for which you've had withdrawal symptoms; that is, you felt sick because you stopped or cut down on your use of it in the past year. (PLEASE CIRCLE ALL THAT APPLY.)

| | | | | |
|--|---|--|------|-------|
| WSCIG | 2 | FELT SICK WHEN CUT DOWN ON CIGARETTES PAST YEAR | | |
| 1 = Response circled | | | 583 | 6.61 |
| 2 = Response not circled | | | 321 | 3.64 |
| 13 = Did not have withdrawal symptoms in past year | | . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| WSALC | 2 | FELT SICK WHEN CUT DOWN ON ALCOHOL PAST YEAR | | |
| 1 = Response circled | | | 157 | 1.78 |
| 2 = Response not circled | | | 747 | 8.48 |
| 13 = Did not have withdrawal symptoms in past year | | . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| WSSSED | 2 | FELT SICK WHEN CUT DOWN ON SEDATIVES PAST YEAR | | |
| 1 = Response circled | | | 4 | 0.05 |
| 2 = Response not circled | | | 900 | 10.21 |
| 13 = Did not have withdrawal symptoms in past year | | . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | | | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | | | 2787 | 31.62 |
| WSTRAN | 2 | FELT SICK WHEN CUT DOWN ON TRANQUILIZERS PAST YEAR | | |
| 1 = Response circled | | | 6 | 0.07 |

| | | |
|--|------|-------|
| 2 = Response not circled | 898 | 10.19 |
| 13 = Did not have withdrawal symptoms in past year . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| WSSTM 2 FELT SICK WHEN CUT DOWN ON STIMULANTS PAST YEAR | | |
| 1 = Response circled | 11 | 0.12 |
| 2 = Response not circled | 893 | 10.13 |
| 13 = Did not have withdrawal symptoms in past year . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| WSANAL 2 FELT SICK WHEN CUT DOWN ON ANALGESICS PAST YEAR | | |
| 1 = Response circled | 2 | 0.02 |
| 2 = Response not circled | 902 | 10.23 |
| 13 = Did not have withdrawal symptoms in past year . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| WSMJ 2 FELT SICK WHEN CUT DOWN ON MARIJUANA PAST YEAR | | |
| 1 = Response circled | 53 | 0.60 |
| 2 = Response not circled | 851 | 9.66 |
| 13 = Did not have withdrawal symptoms in past year . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| WSINH 2 FELT SICK WHEN CUT DOWN ON INHALANTS PAST YEAR | | |
| 1 = Response circled | 2 | 0.02 |
| 2 = Response not circled | 902 | 10.23 |
| 13 = Did not have withdrawal symptoms in past year . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| WSCOC 2 FELT SICK WHEN CUT DOWN ON COCAINE PAST YEAR | | |
| 1 = Response circled | 34 | 0.39 |
| 2 = Response not circled | 870 | 9.87 |
| 13 = Did not have withdrawal symptoms in past year . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| WSHALL 2 FELT SICK WHEN CUT DOWN ON HALLUCINOGENS PAST YEAR | | |
| 1 = Response circled | 1 | 0.01 |
| 2 = Response not circled | 903 | 10.25 |
| 13 = Did not have withdrawal symptoms in past year . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| WSHER 2 FELT SICK WHEN CUT DOWN ON HEROIN PAST YEAR | | |
| 1 = Response circled | 9 | 0.10 |
| 2 = Response not circled | 895 | 10.15 |
| 13 = Did not have withdrawal symptoms in past year . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| WSOTHOP 2 FELT SICK WHEN CUT DOWN ON OTHER OPIATES PAST YEAR | | |
| 1 = Response circled | 2 | 0.02 |
| 2 = Response not circled | 902 | 10.23 |
| 13 = Did not have withdrawal symptoms in past year . | 4084 | 46.34 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |
| WSNONE 2 DID NOT HAVE WITHDRAWAL SYMPTOMS PAST YEAR | | |
| 1 = Response circled | 4084 | 46.34 |

| | | |
|---|------|-------|
| 2 = Response not circled | 904 | 10.26 |
| 98 = BLANK (NO ANSWER) (NODRUGS=95) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |

DR-6. During the past 30 days, did you ever share a needle?

| | | |
|--|------|-------|
| SHRNDLMO 2 EVER SHARE A NEEDLE DURING PAST 30 DAYS | | |
| 1 = Yes | 10 | 0.11 |
| 2 = No | 4737 | 53.74 |
| 98 = BLANK (NO ANSWER) | 1280 | 14.52 |
| 99 = LEGITIMATE SKIP (NODRUGS=1) | 2787 | 31.62 |

DR-7. With how many different individuals did you share a needle during the past 30 days? Include people that may have shared your works and people who have shared their works with you.

| | | |
|---|------|-------|
| NRSHRNDL 2 # PERSONS SHARED NEEDLE WITH IN PAST 30 DAYS | | |
| RANGE = 0 - 30 | | |
| 98 = BLANK (NO ANSWER) | 1284 | 14.57 |
| 99 = LEGITIMATE SKIP (SHRNDLMO = 2,99) | 7524 | 85.36 |

DR-8. How did you usually (most often) clean your works during the past 30 days? (PLEASE CIRCLE ONLY ONE ANSWER).

| | | |
|---|------|-------|
| CLEANNDL 2 USUAL WAY CLEANED WORKS PAST 30 DAYS | | |
| 1 = Threw away needle and syringe after use | 0 | 0.00 |
| 2 = Boiled works after use | 0 | 0.00 |
| 3 = Disinfected works with bleach | 1 | 0.01 |
| 4 = Disinfected works with alcohol | 0 | 0.00 |
| 5 = Washed works with water(fresh from tap) | 1 | 0.01 |
| 6 = Rinsed works with water other users did not use . | 0 | 0.00 |
| 7 = Rinsed works with water | | |
| other users may have used | 0 | 0.00 |
| 8 = Some other method - NOT SPECIFIED | 1 | 0.01 |
| 9 = Did not clean works, but did reuse them | 4 | 0.05 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 1282 | 14.55 |
| 99 = LEGITIMATE SKIP (SHRNDLMO=2,99) | 7524 | 85.36 |

DR-9. Thinking about the last time you shared a needle, please describe the person who went after you. Was that person ... (PLEASE CIRCLE ALL THAT APPLY)

| | | |
|--|------|-------|
| SHRWMALE 2 LAST PERSON SHARED NEEDLE WITH WAS MALE | | |
| 1 = Response circled | 3 | 0.03 |
| 2 = Response not circled | 248 | 2.81 |
| 98 = BLANK (NO ANSWER) | 1039 | 11.79 |

| | | |
|--|------|-------|
| 99 = LEGITIMATE SKIP (SHRNDLMO=2,99) | 7524 | 85.36 |
| SHRWSEX 2 LAST PERSON SHARED NEEDLE WITH WAS SEX PARTNER | | |
| 1 = Response circled | 1 | 0.01 |
| 2 = Response not circled | 250 | 2.84 |
| 98 = BLANK (NO ANSWER) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (SHRNDLMO=2,99) | 7524 | 85.36 |
| SHWRACE 2 LAST PERSON SHARED NEEDLE WITH WAS SAME RACE | | |
| 1 = Response circled | 2 | 0.02 |
| 2 = Response not circled | 249 | 2.83 |
| 98 = BLANK (NO ANSWER) | 1039 | 11.79 |
| 99 = LEGITIMATE SKIP (SHRNDLMO=2,99) | 7524 | 85.36 |

IF YOU SHARED NEEDLES IN THE PAST 30
DAYS, SKIP QUESTION DR-10 AND TELL THE
INTERVIEWER THAT YOU ARE FINISHED.

DR-10. What was the main reason you
didn't share needles in the past 30
days? (PLEASE CIRCLE ONLY ONE ANSWER.)

| | | |
|--|------|-------|
| RSNNOSHR 2 MAIN REASON DID NOT SHARE NEEDLE IN PAST 30 DAYS | | |
| 1 = Concern about hepatitis | 1 | 0.01 |
| 2 = Concern about AIDS | 61 | 0.69 |
| 3 = Concern about infections | 5 | 0.06 |
| 4 = Own needle works better or is in better condition | 1 | 0.01 |
| 5 = Nobody you use with shares | 0 | 0.00 |
| 6 = Somebody else would break or abuse your needle . | 2 | 0.02 |
| 7 = You've just never shared needles | 219 | 2.48 |
| 8 = Some other method - NOT SPECIFIED | 42 | 0.48 |
| 9 = Do not like needles, don't like to stick myself . | 8 | 0.09 |
| 10 = Didn't want to | 4 | 0.05 |
| 11 = It is stupid, horrifying, screws up life | 7 | 0.08 |
| 12 = Reformed drug user | 1 | 0.01 |
| 13 = Alone | 1 | 0.01 |
| 14 = Know what needle can do, could never do that .. | 2 | 0.02 |
| 15 = Never had a needle | 1 | 0.01 |
| 91 = DID NOT USE DRUGS IN PAST 30 DAYS | 2743 | 31.12 |
| 92 = ILLEGIBLE | 1 | 0.01 |
| 93 = DID NOT USE NEEDLES IN PAST 30 DAYS | 1150 | 13.05 |
| 95 = BAD DATA | 1 | 0.01 |
| 96 = MULTIPLE RESPONSE | 61 | 0.69 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 1705 | 19.34 |
| 99 = LEGITIMATE SKIP (SHRNDLMO=1,99) | 2797 | 31.73 |

DRINKING

DRINKING EXPERIENCES -- ANSWER SHEET #12

IF YOU DID NOT DRINK ANY BEER, WINE, OR

LIQUOR IN THE PAST 12 MONTHS, CIRCLE THE
93 IN THE BOX TO THE RIGHT.----->* 93 *
THEN TELL THE INTERVIEWER THAT YOU ARE
FINISHED.

| | | | | |
|---|---|---|------|-------|
| NOBOOZYR | 2 | DID NOT DRINK ANY BEER/WINE/LIQUOR PAST 12 MONTHS | | |
| 1 = Response circled | | | 3376 | 38.30 |
| 2 = Response not circled | | | 4915 | 55.76 |
| 95 = BAD DATA (Past yr alcohol use recorded elsewhere) | | | 523 | 5.93 |

DE-1. For each statement, circle the 01
if you had this experience in the past
12 months, or circle the 02 if you did
not have the experience in the past 12
months.

| | | | | |
|-----------------------------------|---|--|------|-------|
| ALCAGGR | 2 | FELT AGGRESSIVE OR CROSS WHILE DRINKING PAST YEAR | | |
| 1 = Yes | | | 817 | 9.27 |
| 2 = No | | | 4059 | 46.05 |
| 94 = DON'T KNOW | | | 1 | 0.01 |
| 95 = BAD DATA | | | 1 | 0.01 |
| 97 = REFUSED | | | 3 | 0.03 |
| 98 = BLANK (NO ANSWER) | | | 557 | 6.32 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | | | 3376 | 38.30 |
| ALCARGUM | 2 | GOT INTO HEATED ARGUMENT WHILE DRINKING PAST YEAR | | |
| 1 = Yes | | | 585 | 6.64 |
| 2 = No | | | 4279 | 48.55 |
| 94 = DON'T KNOW | | | 1 | 0.01 |
| 97 = REFUSED | | | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | | | 572 | 6.49 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | | | 3376 | 38.30 |
| ALCABSNT | 2 | STAYED OUT OF WORK/SCHOOL DUE TO HANGOVER PAST YR | | |
| 1 = Yes | | | 284 | 3.22 |
| 2 = No | | | 4579 | 51.95 |
| 97 = REFUSED | | | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | | | 574 | 6.51 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | | | 3376 | 38.30 |
| ALCHIGH | 2 | HIGH OR LITTLE DRUNK ON JOB OR AT SCHOOL PAST YEAR | | |
| 1 = Yes | | | 351 | 3.98 |
| 2 = No | | | 4510 | 51.17 |
| 97 = REFUSED | | | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | | | 576 | 6.54 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | | | 3376 | 38.30 |
| ALCJOB | 2 | LOST/NEARLY LOST JOB DUE TO DRINKING PAST YEAR | | |
| 1 = Yes | | | 63 | 0.71 |
| 2 = No | | | 4792 | 54.37 |
| 97 = REFUSED | | | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | | | 582 | 6.60 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | | | 3376 | 38.30 |
| ALCMATCD | 2 | TOLD BY SPOUSE/DATE TO CUT DOWN DRINKING PAST YEAR | | |
| 1 = Yes | | | 543 | 6.16 |
| 2 = No | | | 4311 | 48.91 |
| 95 = BAD DATA | | | 1 | 0.01 |
| 97 = REFUSED | | | 1 | 0.01 |

| | | |
|---|------|-------|
| 98 = BLANK (NO ANSWER) | 582 | 6.60 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCRELCD 2 TOLD BY RELATIVE TO CUT DOWN DRINKING PAST YEAR | | |
| 1 = Yes | 398 | 4.52 |
| 2 = No | 4456 | 50.56 |
| 95 = BAD DATA | 1 | 0.01 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 581 | 6.59 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCFRDCD 2 TOLD BY FRIENDS TO CUT DOWN DRINKING PAST YEAR | | |
| 1 = Yes | 300 | 3.40 |
| 2 = No | 4557 | 51.70 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 579 | 6.57 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCTOSS 2 TOSSED DOWN DRINKS FAST TO GET QUICKER EFF PAST YR | | |
| 1 = Yes | 745 | 8.45 |
| 2 = No | 4114 | 46.68 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 577 | 6.55 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCHOLIC 2 WAS AFRAID MIGHT BE/BECOME AN ALCOHOLIC PAST YEAR | | |
| 1 = Yes | 523 | 5.93 |
| 2 = No | 4331 | 49.14 |
| 95 = BAD DATA | 2 | 0.02 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 581 | 6.59 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCDRUNK 2 STAYED DRUNK MORE THAN 1 DAY AT A TIME PAST YEAR | | |
| 1 = Yes | 203 | 2.30 |
| 2 = No | 4653 | 52.79 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 580 | 6.58 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCINTOX 2 COULDN'T STOP DRINKING TILL COMPLETELY INTOXICATED | | |
| 1 = Yes | 357 | 4.05 |
| 2 = No | 4405 | 49.98 |
| 96 = MULTIPLE RESPONSE | 2 | 0.02 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 673 | 7.64 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCREM 2 COULDN'T REMEM. THINGS DONE WHILE DRINKING PAST YR | | |
| 1 = Yes | 780 | 8.85 |
| 2 = No | 3986 | 45.22 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 670 | 7.60 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCQUICK 2 HAD QUICK DRINK WHEN NO ONE WAS LOOKING PAST YEAR | | |
| 1 = Yes | 361 | 4.10 |

| | | |
|---|------|-------|
| 2 = No | 4390 | 49.81 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 685 | 7.77 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCMORN 2 OFTEN HAD A DRINK FIRST THING IN MORNING PAST YEAR | | |
| 1 = Yes | 109 | 1.24 |
| 2 = No | 4649 | 52.75 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 678 | 7.69 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCSHOOK 2 HANDS SHOOK AFTER DRINKING DAY BEFORE IN PAST YEAR | | |
| 1 = Yes | 194 | 2.20 |
| 2 = No | 4567 | 51.82 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 675 | 7.66 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCALONE 2 SOMETIMES GOT HIGH/DRUNK WHILE DRINKING ALONE | | |
| 1 = Yes | 729 | 8.27 |
| 2 = No | 4035 | 45.78 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 673 | 7.64 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |
| ALCBRKPM 2 KEPT ON DRINKING AFTER PROMISING MYSELF TO STOP | | |
| 1 = Yes | 410 | 4.65 |
| 2 = No | 4355 | 49.41 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 672 | 7.62 |
| 99 = LEGITIMATE SKIP (NOBOOZYR=1) | 3376 | 38.30 |

DRUG PROBLEMS

DRUG PROBLEMS -- ANSWER SHEET #13

IF YOU HAVE NEVER USED ANY OF THE
SUBSTANCES LISTED ON THE CARD, CIRCLE
THE 91 IN THE BOX TO THE RIGHT.---->*91*
THEN TELL THE INTERVIEWER THAT YOU ARE
FINISHED.

| | | |
|--|------|-------|
| AS13NONE 2 NEVER USED ANY OF THE SUBSTANCES LISTED | | |
| 1 = Response circled | 1778 | 20.17 |
| 2 = Response not circled | 4404 | 49.97 |
| 95 = BAD DATA (Drug use indicated elsewhere) | 2632 | 29.86 |

DP-1. Have you had any of these
problems in the past 12 months from your
use of any of the substances listed on
the card? If you had the problem,
circle the 1 for "yes" and write in the
names of the substances you think

probably caused the problem. If you did not have the problem in the past 12 months, circle the 2.

| | | | | |
|--|-------|---|-------|--|
| DRDEPRSS | 2 | BECAME DEPRESSED/LOST INTEREST DUE TO DRUG USE | | |
| 1 = Yes | | 416 | 4.72 | |
| 2 = No | | 3934 | 44.63 | |
| 97 = REFUSED | | 1 | 0.01 | |
| 98 = BLANK (NO ANSWER) | | 2685 | 30.46 | |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | | 1778 | 20.17 | |
| DEPDRG1A | 3 | DRUG CAUSING DEPRESSION/LOST INTEREST-1ST MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | | 2 | 0.02 | |
| 208 = Centrax | | 1 | 0.01 | |
| 209 = Xanax | | 2 | 0.02 | |
| 322 = Methamphetamine ("speed" or "crank") | | 1 | 0.01 | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | | 2 | 0.02 | |
| 339 = Amphetamines (speed) | | 3 | 0.03 | |
| 401 = Darvon | | 1 | 0.01 | |
| 409 = Tylenol with Codeine | | 1 | 0.01 | |
| 601 = LSD ("acid," "white lightning") | | 4 | 0.05 | |
| 605 = PCP ("angel dust," phencyclidine) | | 2 | 0.02 | |
| 702 = Heroin | | 3 | 0.03 | |
| 803 = Marijuana | | 58 | 0.66 | |
| 805 = Cocaine, Coke | | 26 | 0.29 | |
| 806 = Crack | | 2 | 0.02 | |
| 807 = Alcohol | | 218 | 2.47 | |
| 813 = Cigarettes, Tobacco | | 41 | 0.47 | |
| 995 = BAD DATA | | 22 | 0.25 | |
| 998 = BLANK | | 2713 | 30.78 | |
| 999 = LEGITIMATE SKIP (DRDEPRSS=2,99) | | 5712 | 64.81 | |
| DEPDRG2A | 3 | DRUG CAUSING DEPRESSION/LOST INTEREST-2ND MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | | 1 | 0.01 | |
| 322 = Methamphetamine ("speed" or "crank") | | 1 | 0.01 | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | | 1 | 0.01 | |
| 339 = Amphetamines (speed) | | 1 | 0.01 | |
| 418 = Methadone | | 1 | 0.01 | |
| 702 = Heroin | | 1 | 0.01 | |
| 803 = Marijuana | | 21 | 0.24 | |
| 805 = Cocaine, Coke | | 8 | 0.09 | |
| 807 = Alcohol | | 16 | 0.18 | |
| 813 = Cigarettes, Tobacco | | 4 | 0.05 | |
| 815 = Coffee | | 1 | 0.01 | |
| 995 = BAD DATA | | 2 | 0.02 | |
| 998 = BLANK | | 3044 | 34.54 | |
| 999 = LEGITIMATE SKIP (DRDEPRSS=2,99) | | 5712 | 64.81 | |
| DEPDRG3A | 3 | DRUG CAUSING DEPRESSION/LOST INTEREST-3RD MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | | 1 | 0.01 | |
| 201 = Valium | | 1 | 0.01 | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | | 1 | 0.01 | |
| 702 = Heroin | | 1 | 0.01 | |
| 803 = Marijuana | | 4 | 0.05 | |
| 805 = Cocaine, Coke | | 5 | 0.06 | |
| 807 = Alcohol | | 2 | 0.02 | |
| 809 = Pills | | 1 | 0.01 | |
| 998 = BLANK | | 3086 | 35.01 | |

| | | |
|--|------|-------|
| 999 = LEGITIMATE SKIP (DRDEPRSS=2,99) | 5712 | 64.81 |
| DEPDRG4A 3 DRUG CAUSING DEPRESSION/LOST INTEREST-4TH MENTION | | |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 2 | 0.02 |
| 807 = Alcohol | 1 | 0.01 |
| 998 = BLANK | 3097 | 35.14 |
| 999 = LEGITIMATE SKIP (DRDEPRSS=2,99) | 5712 | 64.81 |
| DEPDRG5A 3 DRUG CAUSING DEPRESSION/LOST INTEREST-5TH MENTION | | |
| 702 = Heroin | 1 | 0.01 |
| 998 = BLANK | 3101 | 35.18 |
| 999 = LEGITIMATE SKIP (DRDEPRSS=2,99) | 5712 | 64.81 |
| DRARGUM 2 HAD ARGUMNTS W/FAMILY/FRNDS PST YR DUE TO DRUG USE | | |
| 1 = Yes | 480 | 5.45 |
| 2 = No | 3865 | 43.85 |
| 95 = BAD DATA | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 2690 | 30.52 |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | 1778 | 20.17 |
| ARGDRG1A 3 DRUG CAUSING ARGUMENTS/FIGHTS-1ST MENTION | | |
| 113 = Halcion | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 3 | 0.03 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 1 | 0.01 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 28 | 0.32 |
| 805 = Cocaine, Coke | 20 | 0.23 |
| 806 = Crack | 2 | 0.02 |
| 807 = Alcohol | 312 | 3.54 |
| 813 = Cigarettes, Tobacco | 57 | 0.65 |
| 995 = BAD DATA | 15 | 0.17 |
| 998 = BLANK | 2729 | 30.96 |
| 999 = LEGITIMATE SKIP (DRARGUM=2,99) | 5643 | 64.02 |
| ARGDRG2A 3 DRUG CAUSING ARGUMENTS/FIGHTS-2ND MENTION | | |
| 322 = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 702 = Heroin | 2 | 0.02 |
| 803 = Marijuana | 17 | 0.19 |
| 805 = Cocaine, Coke | 9 | 0.10 |
| 807 = Alcohol | 12 | 0.14 |
| 813 = Cigarettes, Tobacco | 4 | 0.05 |
| 815 = Coffee | 1 | 0.01 |
| 995 = BAD DATA | 2 | 0.02 |
| 998 = BLANK | 3120 | 35.40 |
| 999 = LEGITIMATE SKIP (DRARGUM=2,99) | 5643 | 64.02 |
| ARGDRG3A 3 DRUG CAUSING ARGUMENTS/FIGHTS-3RD MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 201 = Valium | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 805 = Cocaine, Coke | 5 | 0.06 |
| 809 = Pills | 1 | 0.01 |
| 998 = BLANK | 3162 | 35.87 |

| | | |
|--|------|-------|
| 999 = LEGITIMATE SKIP (DRARGUM=2,99) | 5643 | 64.02 |
| ARGDRG4A 3 DRUG CAUSING ARGUMENTS/FIGHTS-4TH MENTION | | |
| 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | 0.01 |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 803 = Marijuana | 2 | 0.02 |
| 807 = Alcohol | 1 | 0.01 |
| 998 = BLANK | 3165 | 35.91 |
| 999 = LEGITIMATE SKIP (DRARGUM=2,99) | 5643 | 64.02 |
| ARGDRG5A 3 DRUG CAUSING ARGUMENTS/FIGHTS-5TH MENTION | | |
| 702 = Heroin | 2 | 0.02 |
| 998 = BLANK | 3169 | 35.95 |
| 999 = LEGITIMATE SKIP (DRARGUM=2,99) | 5643 | 64.02 |
| DRALONE 2 FELT ALONE/ISOLATED PAST YEAR DUE TO DRUG USE | | |
| 1 = Yes | 249 | 2.83 |
| 2 = No | 4094 | 46.45 |
| 98 = BLANK (NO ANSWER) | 2693 | 30.55 |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | 1778 | 20.17 |
| ALNDRG1A 3 DRUG CAUSING FEELING ALONE/ISOLATED-1ST MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 2 | 0.02 |
| 201 = Valium | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 2 | 0.02 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 339 = Amphetamines (speed) | 4 | 0.05 |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 3 | 0.03 |
| 604 = Psilocybin (mushrooms) | 1 | 0.01 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 2 | 0.02 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 29 | 0.33 |
| 805 = Cocaine, Coke | 22 | 0.25 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 121 | 1.37 |
| 813 = Cigarettes, Tobacco | 20 | 0.23 |
| 995 = BAD DATA | 11 | 0.12 |
| 998 = BLANK | 2719 | 30.85 |
| 999 = LEGITIMATE SKIP (DRALONE=2,99) | 5872 | 66.62 |
| ALNDRG2A 3 DRUG CAUSING FEELING ALONE/ISOLATED-2ND MENTION | | |
| 201 = Valium | 1 | 0.01 |
| 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 702 = Heroin | 3 | 0.03 |
| 803 = Marijuana | 7 | 0.08 |
| 805 = Cocaine, Coke | 5 | 0.06 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 8 | 0.09 |
| 813 = Cigarettes, Tobacco | 2 | 0.02 |
| 815 = Coffee | 1 | 0.01 |
| 998 = BLANK | 2911 | 33.03 |
| 999 = LEGITIMATE SKIP (DRALONE=2,99) | 5872 | 66.62 |
| ALNDRG3A 3 DRUG CAUSING FEELING ALONE/ISOLATED-3RD MENTION | | |
| 702 = Heroin | 1 | 0.01 |

| | | |
|---|------|-------|
| 805 = Cocaine, Coke | 4 | 0.05 |
| 807 = Alcohol | 1 | 0.01 |
| 809 = Pills | 1 | 0.01 |
| 998 = BLANK | 2935 | 33.30 |
| 999 = LEGITIMATE SKIP (DRALONE=2,99) | 5872 | 66.62 |
| ALNDRG4A 3 DRUG CAUSING FEELING ALONE/ISOLATED-4TH MENTION | | |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 807 = Alcohol | 2 | 0.02 |
| 998 = BLANK | 2938 | 33.33 |
| 999 = LEGITIMATE SKIP (DRALONE=2,99) | 5872 | 66.62 |
| ALNDRG5A 3 DRUG CAUSING FEELING ALONE/ISOLATED-5TH MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 998 = BLANK | 2940 | 33.36 |
| 999 = LEGITIMATE SKIP (DRALONE=2,99) | 5872 | 66.62 |
| DRANX 2 FELT NERVOUS/ANXIOUS PAST YEAR DUE TO DRUG USE | | |
| 1 = Yes | 460 | 5.22 |
| 2 = No | 3888 | 44.11 |
| 98 = BLANK (NO ANSWER) | 2688 | 30.50 |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | 1778 | 20.17 |
| ANXDRG1A 3 DRUG CAUSING FEELING NERVOUS/ANXIOUS-1ST MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 201 = Valium | 2 | 0.02 |
| 208 = Centrax | 1 | 0.01 |
| 309 = Didrex | 1 | 0.01 |
| 313 = Fastin | 1 | 0.01 |
| 315 = Voranil | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 3 | 0.03 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 7 | 0.08 |
| 332 = Ephedrine, Caffeine, No-Doz, Vivarin | 1 | 0.01 |
| 339 = Amphetamines (speed) | 10 | 0.11 |
| 401 = Darvon | 1 | 0.01 |
| 409 = Tylenol with Codeine | 1 | 0.01 |
| 415 = Codeine | 1 | 0.01 |
| 509 = Correction fluids, degreasers, cleaning fluids | 1 | 0.01 |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 6 | 0.07 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 618 = Acid paper | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 48 | 0.54 |
| 805 = Cocaine, Coke | 52 | 0.59 |
| 806 = Crack | 4 | 0.05 |
| 807 = Alcohol | 126 | 1.43 |
| 812 = Cigars | 1 | 0.01 |
| 813 = Cigarettes, Tobacco | 122 | 1.38 |
| 994 = DON'T KNOW | 1 | 0.01 |
| 995 = BAD DATA | 18 | 0.20 |
| 998 = BLANK | 2734 | 31.02 |
| 999 = LEGITIMATE SKIP (DRANX=2,99) | 5666 | 64.28 |
| ANXDRG2A 3 DRUG CAUSING FEELING NERVOUS/ANXIOUS-2ND MENTION | | |
| 201 = Valium | 1 | 0.01 |
| 312 = Ionamin | 1 | 0.01 |

| | | |
|---|------|-------|
| 313 = Fastin | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 4 | 0.05 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 348 = Crystal | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 2 | 0.02 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 14 | 0.16 |
| 805 = Cocaine, Coke | 7 | 0.08 |
| 807 = Alcohol | 8 | 0.09 |
| 813 = Cigarettes, Tobacco | 7 | 0.08 |
| 815 = Coffee | 1 | 0.01 |
| 998 = BLANK | 3096 | 35.13 |
| 999 = LEGITIMATE SKIP (DRANX=2,99) | 5666 | 64.28 |
| ANXDRG3A 3 DRUG CAUSING FEELING NERVOUS/ANXIOUS-3RD MENTION | | |
| 209 = Xanax | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 805 = Cocaine, Coke | 4 | 0.05 |
| 807 = Alcohol | 3 | 0.03 |
| 809 = Pills | 1 | 0.01 |
| 998 = BLANK | 3135 | 35.57 |
| 999 = LEGITIMATE SKIP (DRANX=2,99) | 5666 | 64.28 |
| ANXDRG4A 3 DRUG CAUSING FEELING NERVOUS/ANXIOUS-4TH MENTION | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 807 = Alcohol | 1 | 0.01 |
| 998 = BLANK | 3143 | 35.66 |
| 999 = LEGITIMATE SKIP (DRANX=2,99) | 5666 | 64.28 |
| ANXDRG5A 3 DRUG CAUSING FEELING NERVOUS/ANXIOUS-5TH MENTION | | |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 998 = BLANK | 3146 | 35.69 |
| 999 = LEGITIMATE SKIP (DRANX=2,99) | 5666 | 64.28 |
| DRHEALTH 2 HAD HEALTH PROBLEMS PAST YEAR DUE TO DRUG USE | | |
| 1 = Yes | 259 | 2.94 |
| 2 = No | 4083 | 46.32 |
| 98 = BLANK (NO ANSWER) | 2694 | 30.57 |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | 1778 | 20.17 |
| HLTDRG1A 3 DRUG CAUSING HEALTH PROBLEMS-1ST MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| 339 = Amphetamine (speed) | 1 | 0.01 |
| 420 = OTHER Analgesic, NOT SPECIFIED | 1 | 0.01 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 803 = Marijuana | 12 | 0.14 |
| 805 = Cocaine, Coke | 13 | 0.15 |
| 806 = Crack | 2 | 0.02 |

| | | |
|---|------|-------|
| 807 = Alcohol | 65 | 0.74 |
| 811 = Muscle relaxers | 1 | 0.01 |
| 813 = Cigarettes, Tobacco | 109 | 1.24 |
| 814 = Caffeine | 1 | 0.01 |
| 995 = BAD DATA | 21 | 0.24 |
| 998 = BLANK | 2724 | 30.91 |
| 999 = LEGITIMATE SKIP (DRHEALTH=2,99) | 5861 | 66.50 |
| HLTDRG2A 3 DRUG CAUSING HEALTH PROBLEMS-2ND MENTION | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 7 | 0.08 |
| 805 = Cocaine, Coke | 3 | 0.03 |
| 807 = Alcohol | 7 | 0.08 |
| 813 = Cigarettes, Tobacco | 7 | 0.08 |
| 815 = Coffee | 1 | 0.01 |
| 995 = BAD DATA | 3 | 0.03 |
| 998 = BLANK | 2921 | 33.14 |
| 999 = LEGITIMATE SKIP (DRHEALTH=2,99) | 5861 | 66.50 |
| HLTDRG3A 3 DRUG CAUSING HEALTH PROBLEMS-3RD MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 2 | 0.02 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 2 | 0.02 |
| 805 = Cocaine, Coke | 4 | 0.05 |
| 807 = Alcohol | 2 | 0.02 |
| 809 = Pills | 1 | 0.01 |
| 813 = Cigarettes, Tobacco | 1 | 0.01 |
| 998 = BLANK | 2939 | 33.34 |
| 999 = LEGITIMATE SKIP (DRHEALTH=2,99) | 5861 | 66.50 |
| HLTDRG4A 3 DRUG CAUSING HEALTH PROBLEMS-4TH MENTION | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 807 = Alcohol | 1 | 0.01 |
| 998 = BLANK | 2948 | 33.45 |
| 999 = LEGITIMATE SKIP (DRHEALTH=2,99) | 5861 | 66.50 |
| HLTDRG5A 3 DRUG CAUSING HEALTH PROBLEMS-5TH MENTION | | |
| 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 998 = BLANK | 2950 | 33.47 |
| 999 = LEGITIMATE SKIP (DRHEALTH=2,99) | 5861 | 66.50 |
| DRNTHINK 2 HAD DIFFCLTY THNKNG CLEARLY PST YR DUE TO DRUG USE | | |
| 1 = Yes | 494 | 5.60 |
| 2 = No | 3792 | 43.02 |
| 98 = BLANK (NO ANSWER) | 2750 | 31.20 |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | 1778 | 20.17 |
| NTKDRG1A 3 DRUG CAUSING DIFFICULTY THINKING CLEAR-1ST MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 208 = Centrax | 1 | 0.01 |
| 209 = Xanax | 1 | 0.01 |

| | | |
|---|------|-------|
| 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 2 | 0.02 |
| 339 = Amphetamines (speed) | 3 | 0.03 |
| 409 = Tylenol with Codeine | 1 | 0.01 |
| 420 = OTHER Analgesic, NOT SPECIFIED | 1 | 0.01 |
| 509 = Correction fluids, degreasers, cleaning fluids . | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 6 | 0.07 |
| 603 = Mescaline | 1 | 0.01 |
| 604 = Psilocybin (mushrooms) | 1 | 0.01 |
| 605 = PCP ("angel dust," phencyclidine) | 2 | 0.02 |
| 702 = Heroin | 2 | 0.02 |
| 803 = Marijuana | 79 | 0.90 |
| 805 = Cocaine, Coke | 15 | 0.17 |
| 806 = Crack | 2 | 0.02 |
| 807 = Alcohol | 288 | 3.27 |
| 813 = Cigarettes, Tobacco | 22 | 0.25 |
| 995 = BAD DATA | 11 | 0.12 |
| 998 = BLANK | 2803 | 31.80 |
| 999 = LEGITIMATE SKIP (DRNTHINK=2,99) | 5570 | 63.19 |
| NTKDRG2A 3 DRUG CAUSING DIFFICULTY THINKING CLEAR-2ND MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 348 = Crystal | 2 | 0.02 |
| 415 = Codeine | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 803 = Marijuana | 31 | 0.35 |
| 804 = Hashish | 1 | 0.01 |
| 805 = Cocaine, Coke | 6 | 0.07 |
| 807 = Alcohol | 14 | 0.16 |
| 813 = Cigarettes, Tobacco | 3 | 0.03 |
| 995 = BAD DATA | 1 | 0.01 |
| 998 = BLANK | 3180 | 36.08 |
| 999 = LEGITIMATE SKIP (DRNTHINK=2,99) | 5570 | 63.19 |
| NTKDRG3A 3 DRUG CAUSING DIFFICULTY THINKING CLEAR-3RD MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 2 | 0.02 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 2 | 0.02 |
| 607 = OTHER Hallucinogen NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 4 | 0.05 |
| 805 = Cocaine, Coke | 3 | 0.03 |
| 807 = Alcohol | 4 | 0.05 |
| 998 = BLANK | 3226 | 36.60 |
| 999 = LEGITIMATE SKIP (DRNTHINK=2,99) | 5570 | 63.19 |
| NTKDRG4A 3 DRUG CAUSING DIFFICULTY THINKING CLEAR-4TH MENTION | | |
| 221 = OTHER Tranquilizer, NOT SPECIFID | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 2 | 0.02 |
| 807 = Alcohol | 1 | 0.01 |
| 998 = BLANK | 3237 | 36.73 |

| | | |
|---|------|-------|
| 999 = LEGITIMATE SKIP (DRNTHINK=2,99) | 5570 | 63.19 |
| NTKDRG5A 3 DRUG CAUSING DIFFICULTY THINKING CLEAR-5TH MENTION | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 2 | 0.02 |
| 998 = BLANK | 3242 | 36.78 |
| 999 = LEGITIMATE SKIP (DRNTHINK=2,99) | 5570 | 63.19 |
| DRUPSET 2 FELT IRRITABLE/UPSET PAST YEAR DUE TO DRUG USE | | |
| 1 = Yes | 406 | 4.61 |
| 2 = No | 3883 | 44.05 |
| 98 = BLANK (NO ANSWER) | 2747 | 31.17 |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | 1778 | 20.17 |
| UPSDRG1A 3 DRUG CAUSING FEELING IRRITABLE/UPSET-1ST MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 208 = Centrax | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 2 | 0.02 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 4 | 0.05 |
| 332 = Ephedrine, Caffeine, No-Doz, Vivarin | 2 | 0.02 |
| 339 = Amphetamines (speed) | 4 | 0.05 |
| 418 = Methadone | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 1 | 0.01 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 702 = Heroin | 2 | 0.02 |
| 803 = Marijuana | 22 | 0.25 |
| 805 = Cocaine, Coke | 25 | 0.28 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 205 | 2.33 |
| 811 = Muscle relaxers | 1 | 0.01 |
| 813 = Cigarettes, Tobacco | 62 | 0.70 |
| 815 = Coffee | 1 | 0.01 |
| 995 = BAD DATA | 16 | 0.18 |
| 998 = BLANK | 2801 | 31.78 |
| 999 = LEGITIMATE SKIP (DRUPSET=2,99) | 5661 | 64.23 |
| UPSDRG2A 3 DRUG CAUSING FEELING IRRITABLE/UPSET-2ND MENTION | | |
| 201 = Valium | 1 | 0.01 |
| 312 = Ionamin | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 803 = Marijuana | 8 | 0.09 |
| 805 = Cocaine, Coke | 9 | 0.10 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 4 | 0.05 |
| 813 = Cigarettes, Tobacco | 4 | 0.05 |
| 995 = BAD DATA | 1 | 0.01 |
| 998 = BLANK | 3123 | 35.43 |
| 999 = LEGITIMATE SKIP (DRUPSET=2,99) | 5661 | 64.23 |
| UPSDRG3A 3 DRUG CAUSING FEELING IRRITABLE/UPSET-3RD MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 315 = Voranil | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 805 = Cocaine, Coke | 1 | 0.01 |
| 807 = Alcohol | 1 | 0.01 |
| 998 = BLANK | 3147 | 35.70 |
| 999 = LEGITIMATE SKIP (DRUPSET=2,99) | 5661 | 64.23 |
| UPSDRG4A 3 DRUG CAUSING FEELING IRRITABLE/UPSET-4TH MENTION | | |
| 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | 0.01 |

| | | |
|---|------|-------|
| 702 = Heroin | 1 | 0.01 |
| 807 = Alcohol | 1 | 0.01 |
| 998 = BLANK | 3150 | 35.74 |
| 999 = LEGITIMATE SKIP (DRUPSET=2,99) | 5661 | 64.23 |
| UPSDRG5A 3 DRUG CAUSING FEELING IRRITABLE/UPSET-5TH MENTION | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 998 = BLANK | 3152 | 35.76 |
| 999 = LEGITIMATE SKIP (DRUPSET=2,99) | 5661 | 64.23 |
| DRLSWORK 2 GOT LESS WRK DONE @ SCH/JOB PST YR DUE TO DRUG USE | | |
| 1 = Yes | 258 | 2.93 |
| 2 = No | 4028 | 45.70 |
| 98 = BLANK (NO ANSWER) | 2750 | 31.20 |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | 1778 | 20.17 |
| LSWDRG1A 3 DRUG CAUSING LESS WORK GETTING DONE-1ST MENTION | | |
| 201 = Valium | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| 348 = Crystal | 1 | 0.01 |
| 420 = OTHER Analgesic, NOT SPECIFIED | 1 | 0.01 |
| 425 = Advil | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 2 | 0.02 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 613 = Duckweed | 1 | 0.01 |
| 803 = Marijuana | 50 | 0.57 |
| 805 = Cocaine, Coke | 10 | 0.11 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 127 | 1.44 |
| 812 = Cigars | 1 | 0.01 |
| 813 = Cigarettes, Tobacco | 24 | 0.27 |
| 995 = BAD DATA | 5 | 0.06 |
| 998 = BLANK | 2781 | 31.55 |
| 999 = LEGITIMATE SKIP (DRLSWORK=2,99) | 5806 | 65.87 |
| LSWDRG2A 3 DRUG CAUSING LESS WORK GETTING DONE-2ND MENTION | | |
| 418 = Methadone | 1 | 0.01 |
| 803 = Marijuana | 11 | 0.12 |
| 805 = Cocaine, Coke | 3 | 0.03 |
| 807 = Alcohol | 5 | 0.06 |
| 813 = Cigarettes, Tobacco | 1 | 0.01 |
| 995 = BAD DATA | 2 | 0.02 |
| 998 = BLANK | 2985 | 33.87 |
| 999 = LEGITIMATE SKIP (DRLSWORK=2,99) | 5806 | 65.87 |
| LSWDRG3A 3 DRUG CAUSING LESS WORK GETTING DONE-3RD MENTION | | |
| 339 = Amphetamines (speed) | 2 | 0.02 |
| 805 = Cocaine, Coke | 2 | 0.02 |
| 998 = BLANK | 3004 | 34.08 |
| 999 = LEGITIMATE SKIP (DRLSWORK=2,99) | 5806 | 65.87 |
| LSWDRG4A 3 DRUG CAUSING LESS WORK GETTING DONE-4TH MENTION | | |
| 601 = LSD ("acid," "white lightning") | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 807 = Alcohol | 1 | 0.01 |
| 998 = BLANK | 3005 | 34.09 |
| 999 = LEGITIMATE SKIP (DRLSWORK=2,99) | 5806 | 65.87 |
| LSWDRG5A 3 DRUG CAUSING LESS WORK GETTING DONE-5TH MENTION | | |
| 998 = BLANK | 3008 | 34.13 |
| 999 = LEGITIMATE SKIP (DRLSWORK=2,99) | 5806 | 65.87 |

| | | | | |
|--|-------|--|------|-------|
| DRSUSPIC | 2 | FELT DISTRUSTFUL/SUSPICIOUS PST YR DUE TO DRUG USE | | |
| 1 = Yes | | | 219 | 2.48 |
| 2 = No | | | 4066 | 46.13 |
| 98 = BLANK (NO ANSWER) | | | 2751 | 31.21 |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | | | 1778 | 20.17 |
| SSPDRG1A | 3 | DRUG CAUSING FEELING SUSPIC./DISTRUST-1ST MENTION | | |
| 201 = Valium | | | 1 | 0.01 |
| 307 = Tenuate | | | 1 | 0.01 |
| 318 = Ritalin | | | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | | | 3 | 0.03 |
| 510 = OTHER Inhalant, NOT SPECIFIED | | | 1 | 0.01 |
| 604 = Psilocybin (mushrooms) | | | 1 | 0.01 |
| 605 = PCP ("angel dust," phencyclidine) | | | 1 | 0.01 |
| 803 = Marijuana | | | 34 | 0.39 |
| 805 = Cocaine, Coke | | | 29 | 0.33 |
| 806 = Crack | | | 1 | 0.01 |
| 807 = Alcohol | | | 101 | 1.15 |
| 813 = Cigarettes, Tobacco | | | 5 | 0.06 |
| 994 = DON'T KNOW | | | 1 | 0.01 |
| 995 = BAD DATA | | | 13 | 0.15 |
| 998 = BLANK | | | 2777 | 31.51 |
| 999 = LEGITIMATE SKIP (DRSUSPIC=2,99) | | | 5844 | 66.30 |
| SSPDRG2A | 3 | DRUG CAUSING FEELING SUSPIC./DISTRUST-2ND MENTION | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | | | 1 | 0.01 |
| 418 = Methadone | | | 1 | 0.01 |
| 510 = OTHER Inhalant, NOT SPECIFIED | | | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | | | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | | | 2 | 0.02 |
| 803 = Marijuana | | | 9 | 0.10 |
| 805 = Cocaine, Coke | | | 3 | 0.03 |
| 806 = Crack | | | 1 | 0.01 |
| 807 = Alcohol | | | 6 | 0.07 |
| 813 = Cigarettes, Tobacco | | | 1 | 0.01 |
| 998 = BLANK | | | 2944 | 33.40 |
| 999 = LEGITIMATE SKIP (DRSUSPIC=2,99) | | | 5844 | 66.30 |
| SSPDRG3A | 3 | DRUG CAUSING FEELING SUSPIC./DISTRUST-3RD MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | | | 1 | 0.01 |
| 339 = Amphetamines (speed) | | | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | | | 1 | 0.01 |
| 702 = Heroin | | | 2 | 0.02 |
| 803 = Marijuana | | | 1 | 0.01 |
| 805 = Cocaine, Coke | | | 1 | 0.01 |
| 807 = Alcohol | | | 1 | 0.01 |
| 998 = BLANK | | | 2962 | 33.61 |
| 999 = LEGITIMATE SKIP (DRSUSPIC=2,99) | | | 5844 | 66.30 |
| SSPDRG4A | 3 | DRUG CAUSING FEELING SUSPIC./DISTRUST-4TH MENTION | | |
| 221 = OTHER Tranquilizer, NOT SPECIFIED | | | 1 | 0.01 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | | | 1 | 0.01 |
| 803 = Marijuana | | | 1 | 0.01 |
| 807 = Alcohol | | | 1 | 0.01 |
| 998 = BLANK | | | 2966 | 33.65 |
| 999 = LEGITIMATE SKIP (DRSUSPIC=2,99) | | | 5844 | 66.30 |
| SSPDRG5A | 3 | DRUG CAUSING FEELING SUSPIC./DISTRUST-5TH MENTION | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | | | 1 | 0.01 |

| | | |
|--|------|-------|
| 998 = BLANK | 2969 | 33.69 |
| 999 = LEGITIMATE SKIP (DRSUSPIC=2,99) | 5844 | 66.30 |
| DRCOPE 2 PROBLEMS HARDER TO HANDLE PAST YR DUE TO DRUG USE | | |
| 1 = Yes | 221 | 2.51 |
| 2 = No | 4065 | 46.12 |
| 98 = BLANK (NO ANSWER) | 2750 | 31.20 |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | 1778 | 20.17 |
| CPEDRG1A 3 DRUG MAKING PROBLEMS HARDER TO HANDLE-1ST MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 201 = Valium | 1 | 0.01 |
| 312 = Ionamin | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 2 | 0.02 |
| 339 = Amphetamines (speed) | 2 | 0.02 |
| 605 = PCP ("angel dust," phencyclidine) | 2 | 0.02 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 21 | 0.24 |
| 805 = Cocaine, Coke | 15 | 0.17 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 112 | 1.27 |
| 808 = All of the ones I've tried | 2 | 0.02 |
| 813 = Cigarettes, Tobacco | 21 | 0.24 |
| 995 = BAD DATA | 14 | 0.16 |
| 998 = BLANK | 2774 | 31.47 |
| 999 = LEGITIMATE SKIP (DRCOPE=2,99) | 5843 | 66.29 |
| CPEDRG2A 3 DRUG MAKING PROBLEMS HARDER TO HANDLE-2ND MENTION | | |
| 315 = Voranil | 1 | 0.01 |
| 348 = Crystal | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 1 | 0.01 |
| 803 = Marijuana | 9 | 0.10 |
| 805 = Cocaine, Coke | 4 | 0.05 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 7 | 0.08 |
| 813 = Cigarettes, Tobacco | 2 | 0.02 |
| 998 = BLANK | 2945 | 33.41 |
| 999 = LEGITIMATE SKIP (DRCOPE=2,99) | 5843 | 66.29 |
| CPEDRG3A 3 DRUG MAKING PROBLEMS HARDER TO HANDLE-3RD MENTION | | |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 604 = Psilocybin (mushrooms) | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 805 = Cocaine, Coke | 2 | 0.02 |
| 998 = BLANK | 2966 | 33.65 |
| 999 = LEGITIMATE SKIP (DRCOPE=2,99) | 5843 | 66.29 |
| CPEDRG4A 3 DRUG MAKING PROBLEMS HARDER TO HANDLE-4TH MENTION | | |
| 702 = Heroin | 1 | 0.01 |
| 807 = Alcohol | 1 | 0.01 |
| 998 = BLANK | 2969 | 33.69 |
| 999 = LEGITIMATE SKIP (DRCOPE=2,99) | 5843 | 66.29 |
| CPEDRG5A 3 DRUG MAKING PROBLEMS HARDER TO HANDLE-5TH MENTION | | |
| 998 = BLANK | 2971 | 33.71 |
| 999 = LEGITIMATE SKIP (DRCOPE=2,99) | 5843 | 66.29 |
| DREMGMED 2 HAD TO GET EMERG MED HELP PST YR DUE TO DRUG USE | | |
| 1 = Yes | 39 | 0.44 |
| 2 = No | 4245 | 48.16 |

| | | |
|---|------|-------|
| 98 = BLANK (NO ANSWER) | 2752 | 31.22 |
| 99 = LEGITIMATE SKIP (AS13NONE=1) | 1778 | 20.17 |
| EMDRG1A 3 DRUG CAUSING NEED FOR EMER. MED. HELP-1ST MENTION | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 805 = Cocaine, Coke | 2 | 0.02 |
| 806 = Crack | 2 | 0.02 |
| 807 = Alcohol | 20 | 0.23 |
| 813 = Cigarettes, Tobacco | 5 | 0.06 |
| 995 = BAD DATA | 1 | 0.01 |
| 998 = BLANK | 2759 | 31.30 |
| 999 = LEGITIMATE SKIP (DREMGMED=2,99) | 6023 | 68.33 |
| EMDRG2A 3 DRUG CAUSING NEED FOR EMER. MED. HELP-2ND MENTION | | |
| 803 = Marijuana | 1 | 0.01 |
| 805 = Cocaine, Coke | 2 | 0.02 |
| 998 = BLANK | 2788 | 31.63 |
| 999 = LEGITIMATE SKIP (DREMGMED=2,99) | 6023 | 68.33 |
| EMDRG3A 3 DRUG CAUSING NEED FOR EMER. MED. HELP-3RD MENTION | | |
| 702 = Heroin | 1 | 0.01 |
| 805 = Cocaine, Coke | 1 | 0.01 |
| 998 = BLANK | 2789 | 31.64 |
| 999 = LEGITIMATE SKIP (DREMGMED=2,99) | 6023 | 68.33 |
| EMDRG4A 3 DRUG CAUSING NEED FOR EMER. MED. HELP-4TH MENTION | | |
| 998 = BLANK | 2791 | 31.67 |
| 999 = LEGITIMATE SKIP (DREMGMED=2,99) | 6023 | 68.33 |
| EMDRG5A 3 DRUG CAUSING NEED FOR EMER. MED. HELP-5TH MENTION | | |
| 998 = BLANK | 2791 | 31.67 |
| 999 = LEGITIMATE SKIP (DREMGMED=2,99) | 6023 | 68.33 |

RISK

RISK -- ANSWER SHEET #14

R-1. How much do you think people risk harming themselves physically and in other ways when they do each of the following activities? (If you're not sure, circle the number for the amount of risk that comes closest to what you think might be true for that activity. Circle one number for each activity.)

| | | |
|---|------|-------|
| RSKPKCIG 2 RISK IF SMOKE 1 OR MORE PACKS CIGARETTES PER DAY | | |
| 1 = No risk | 247 | 2.80 |
| 2 = Slight risk | 852 | 9.67 |
| 3 = Moderate risk | 2548 | 28.91 |
| 4 = Great risk | 5129 | 58.19 |
| 94 = DON'T KNOW | 6 | 0.07 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 30 | 0.34 |
| RSKMJOCC 2 RISK IF SMOKE MARIJUANA OCCASIONALLY | | |
| 1 = No risk | 485 | 5.50 |
| 2 = Slight risk | 1451 | 16.46 |

| | | |
|--|------|-------|
| 3 = Moderate risk | 2613 | 29.65 |
| 4 = Great risk | 4189 | 47.53 |
| 94 = DON'T KNOW | 22 | 0.25 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 51 | 0.58 |
| RSKMJREG 2 RISK IF SMOKE MARIJUANA REGULARLY | | |
| 1 = No risk | 210 | 2.38 |
| 2 = Slight risk | 387 | 4.39 |
| 3 = Moderate risk | 1323 | 15.01 |
| 4 = Great risk | 6779 | 76.91 |
| 94 = DON'T KNOW | 20 | 0.23 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 93 | 1.06 |
| RKTRYPCCP 2 RISK IF TRY PCP ONCE OR TWICE | | |
| 1 = No risk | 287 | 3.26 |
| 2 = Slight risk | 960 | 10.89 |
| 3 = Moderate risk | 1667 | 18.91 |
| 4 = Great risk | 5767 | 65.43 |
| 94 = DON'T KNOW | 59 | 0.67 |
| 95 = BAD DATA | 1 | 0.01 |
| 96 = MULTIPLE RESPONSE | 4 | 0.05 |
| 97 = REFUSED | 2 | 0.02 |
| RKPCPREG 2 RISK IF USE PCP REGULARLY | | |
| 1 = No risk | 176 | 2.00 |
| 2 = Slight risk | 79 | 0.90 |
| 3 = Moderate risk | 398 | 4.52 |
| 4 = Great risk | 8042 | 91.24 |
| 94 = DON'T KNOW | 56 | 0.64 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 60 | 0.68 |
| RKTRYHER 2 RISK IF TRY HEROIN ONCE OR TWICE | | |
| 1 = No risk | 251 | 2.85 |
| 2 = Slight risk | 772 | 8.76 |
| 3 = Moderate risk | 1754 | 19.90 |
| 4 = Great risk | 5947 | 67.47 |
| 94 = DON'T KNOW | 33 | 0.37 |
| 96 = MULTIPLE RESPONSE | 3 | 0.03 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 52 | 0.59 |
| RKHERREG 2 RISK IF USE HEROIN REGULARLY | | |
| 1 = No risk | 162 | 1.84 |
| 2 = Slight risk | 79 | 0.90 |
| 3 = Moderate risk | 272 | 3.09 |
| 4 = Great risk | 8209 | 93.14 |
| 94 = DON'T KNOW | 29 | 0.33 |
| 96 = MULTIPLE RESPONSE | 2 | 0.02 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 59 | 0.67 |
| RKTRYCOC 2 RISK IF TRY COCAINE ONCE OR TWICE | | |
| 1 = No risk | 306 | 3.47 |
| 2 = Slight risk | 971 | 11.02 |
| 3 = Moderate risk | 1833 | 20.80 |

| | | |
|--|------|-------|
| 4 = Great risk | 5621 | 63.77 |
| 94 = DON'T KNOW | 23 | 0.26 |
| 95 = BAD DATA | 1 | 0.01 |
| 96 = MULTIPLE RESPONSE | 7 | 0.08 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 50 | 0.57 |
| RKCOCOCC 2 RISK IF USE COCAINE OCCASIONALLY | | |
| 1 = No risk | 173 | 1.96 |
| 2 = Slight risk | 264 | 3.00 |
| 3 = Moderate risk | 1177 | 13.35 |
| 4 = Great risk | 7128 | 80.87 |
| 94 = DON'T KNOW | 20 | 0.23 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 49 | 0.56 |
| RKCOCREG 2 RISK IF USE COCAINE REGULARLY | | |
| 1 = No risk | 158 | 1.79 |
| 2 = Slight risk | 59 | 0.67 |
| 3 = Moderate risk | 271 | 3.07 |
| 4 = Great risk | 8255 | 93.66 |
| 94 = DON'T KNOW | 20 | 0.23 |
| 95 = BAD DATA | 1 | 0.01 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 47 | 0.53 |
| RKCRKOCC 2 RISK IF USE "CRACK" OCCASIONALLY | | |
| 1 = No risk | 176 | 2.00 |
| 2 = Slight risk | 161 | 1.83 |
| 3 = Moderate risk | 861 | 9.77 |
| 4 = Great risk | 7539 | 85.53 |
| 94 = DON'T KNOW | 30 | 0.34 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 44 | 0.50 |
| RK2DRINK 2 RISK IF TAKE 1 OR 2 DRINKS NEARLY EVERY DAY | | |
| 1 = No risk | 694 | 7.87 |
| 2 = Slight risk | 2064 | 23.42 |
| 3 = Moderate risk | 3028 | 34.35 |
| 4 = Great risk | 2701 | 30.64 |
| 94 = DON'T KNOW | 9 | 0.10 |
| 95 = BAD DATA | 1 | 0.01 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 314 | 3.56 |
| RK5DRINK 2 RISK IF TAKE 4 OR 5 DRINKS NEARLY EVERY DAY | | |
| 1 = No risk | 174 | 1.97 |
| 2 = Slight risk | 470 | 5.33 |
| 3 = Moderate risk | 1841 | 20.89 |
| 4 = Great risk | 5993 | 67.99 |
| 94 = DON'T KNOW | 4 | 0.05 |
| 95 = BAD DATA | 1 | 0.01 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 328 | 3.72 |

| RSKBINGE | 2 | RISK IF HAVE 5 OR MORE DRINKS ONCE OR TWICE A WEEK | | |
|------------------------|-------|--|------|-------|
| 1 = No risk | | | 388 | 4.40 |
| 2 = Slight risk | | | 957 | 10.86 |
| 3 = Moderate risk | | | 2284 | 25.91 |
| 4 = Great risk | | | 4854 | 55.07 |
| 94 = DON'T KNOW | | | 7 | 0.08 |
| 95 = BAD DATA | | | 1 | 0.01 |
| 97 = REFUSED | | | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | | | 321 | 3.64 |

HEALTH CONDITIONS

HEALTH CONDITIONS

HE-1. Have you ever been told by a doctor or nurse that you had high blood pressure or hypertension?

| HIGHBP | 2 | EVER DIAGNOSED AS HAVING HIGH BLOOD PRESSURE | | |
|-----------------|-------|--|------|-------|
| 1 = Yes | | | 1433 | 16.26 |
| 2 = No | | | 7363 | 83.54 |
| 94 = DON'T KNOW | | | 1 | 0.01 |
| 97 = REFUSED | | | 2 | 0.02 |
| 98 = BLANK | | | 15 | 0.17 |

HE-2. Has a doctor ever prescribed medicine for your high blood pressure or hypertension?

| BP MED | 2 | MEDICATION EVER PRESCRIBED FOR HIGH BLOOD PRESSURE | | |
|---------------------------------|-------|--|------|-------|
| 1 = Yes | | | 786 | 8.92 |
| 2 = No | | | 618 | 7.01 |
| 94 = DON'T KNOW | | | 1 | 0.01 |
| 98 = BLANK | | | 46 | 0.52 |
| 99 = LEGITIMATE SKIP (HIGHBP=2) | | | 7363 | 83.54 |

HE-3. Have you ever had trouble with pain, discomfort or pressure in your chest when you walked fast or uphill?

| WALKPAIN | 2 | EVER HAD PAIN IN CHEST FROM EXERTION | | |
|-----------------|-------|--------------------------------------|------|-------|
| 1 = Yes | | | 1323 | 15.01 |
| 2 = No | | | 7451 | 84.54 |
| 94 = DON'T KNOW | | | 1 | 0.01 |
| 97 = REFUSED | | | 2 | 0.02 |
| 98 = BLANK | | | 37 | 0.42 |

HE-4. Have you ever had severe pain across the front of your chest that lasted for a half hour or more?

| TIMEPAIN | 2 | EVER HAD SEVERE CHEST PAIN LASTING 1/2 HR OR MORE | | |
|----------|-------|---|-----|------|
| 1 = Yes | | | 506 | 5.74 |

| | | |
|-----------------------|------|-------|
| 2 = No | 8268 | 93.81 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK | 37 | 0.42 |

HE-5. Have you ever had shortness of breath either when hurrying on level ground or walking up a slight hill?

| | | | | |
|--------------------|------|--|-------|--|
| UPSHOR | 2 | EVER HAD SHORTNESS OF BREATH FROM EXERTION | | |
| 1 = Yes | 2274 | | 25.80 | |
| 2 = No | 6499 | | 73.73 | |
| 97 = REFUSED | 2 | | 0.02 | |
| 98 = BLANK | 39 | | 0.44 | |

HE-6. Have you ever been told by a doctor that you had a lung or chest condition such as emphysema, asthma, chronic bronchitis, pneumonia, pleurisy or TB?

| | | | | |
|-----------------------|------|---|-------|--|
| ASTHMA | 2 | EVER DIAGNOSED AS HAVING LUNG/CHEST CONDITION | | |
| 1 = Yes | 1335 | | 15.15 | |
| 2 = No | 7450 | | 84.52 | |
| 94 = DON'T KNOW | 1 | | 0.01 | |
| 95 = BAD DATA | 1 | | 0.01 | |
| 97 = REFUSED | 2 | | 0.02 | |
| 98 = BLANK | 25 | | 0.28 | |

HE-7. Have you ever been treated for psychological or emotional difficulties?

| | | | | |
|-----------------------|------|--|-------|--|
| TRPSYCH | 2 | EVER TREATED FOR PSYCHOLOGICAL/EMOTIONAL CONDITION | | |
| 1 = Yes | 571 | | 6.48 | |
| 2 = No | 8202 | | 93.06 | |
| 94 = DON'T KNOW | 1 | | 0.01 | |
| 97 = REFUSED | 2 | | 0.02 | |
| 98 = BLANK | 38 | | 0.43 | |

HE-8. Have you ever been told by a doctor that you had a heart condition or heart problem?

| | | | | |
|--------------------|------|--|-------|--|
| HEART | 2 | EVER DIAGNOSED AS HAVING HEART CONDITION/PROBLEM | | |
| 1 = Yes | 709 | | 8.04 | |
| 2 = No | 8075 | | 91.62 | |
| 97 = REFUSED | 2 | | 0.02 | |
| 98 = BLANK | 28 | | 0.32 | |

HE-9. Do you seem to get a bad cold or the flu every year?

| | | | | |
|---------------|------|--------------------------------|-------|--|
| FLU | 2 | GET BAD COLD OR FLU EVERY YEAR | | |
| 1 = Yes | 3719 | | 42.19 | |

| | | |
|------------------------------|------|-------|
| 2 = No | 5076 | 57.59 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 3 | 0.03 |
| 98 = BLANK | 15 | 0.17 |

HE-10. Do you have hay fever?

ALLERG 2 HAS HAY FEVER

| | | |
|-----------------------|------|-------|
| 1 = Yes | 1837 | 20.84 |
| 2 = No | 6936 | 78.69 |
| 94 = DON'T KNOW | 8 | 0.09 |
| 97 = REFUSED | 3 | 0.03 |
| 98 = BLANK | 30 | 0.34 |

HE-11. Have you been hospitalized overnight because of injury or illness in the past 12 months?

HOSPYR 2 HOSPITALIZED OVERNIGHT FOR INJURY/ILLNESS PAST YR

| | | |
|--------------------|------|-------|
| 1 = Yes | 773 | 8.77 |
| 2 = No | 8020 | 90.99 |
| 97 = REFUSED | 3 | 0.03 |
| 98 = BLANK | 18 | 0.20 |

HE-12. Have you had a sore throat lasting three days or more in the past 12 months?

SOREYR 2 HAD SORE THROAT LASTING 3 OR MORE DAYS IN PAST YR

| | | |
|-----------------------|------|-------|
| 1 = Yes | 3208 | 36.40 |
| 2 = No | 5571 | 63.21 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 3 | 0.03 |
| 98 = BLANK | 30 | 0.34 |

HE-13. Have you had a runny nose lasting three days or more in the past 12 months?

RUNNYR 2 HAD RUNNY NOSE LASTING 3 OR MORE DAYS IN PAST YEAR

| | | |
|-----------------------|------|-------|
| 1 = Yes | 4337 | 49.21 |
| 2 = No | 4434 | 50.31 |
| 94 = DON'T KNOW | 2 | 0.02 |
| 97 = REFUSED | 3 | 0.03 |
| 98 = BLANK | 38 | 0.43 |

HE-14. Have you had a cough lasting almost a week, three or more times in the past 12 months?

COUGHYR 2 HAD COUGH LASTING ABOUT A WK 3/MORE TIMES PAST YR

| | | |
|---------------|------|-------|
| 1 = Yes | 1468 | 16.66 |
| 2 = No | 7315 | 82.99 |

| | | |
|-----------------------|----|------|
| 94 = DON'T KNOW | 1 | 0.01 |
| 97 = REFUSED | 3 | 0.03 |
| 98 = BLANK | 27 | 0.31 |

HE-15. Have you had a period of cough with phlegm, lasting for three weeks or more, in the past 12 months?

| | | |
|---|------|-------|
| PHLEGMYR 2 HAD COUGH W/PHLEGM LASTING 3 OR MORE WEEKS PAST YR | | |
| 1 = Yes | 602 | 6.83 |
| 2 = No | 8160 | 92.58 |
| 97 = REFUSED | 3 | 0.03 |
| 98 = BLANK | 49 | 0.56 |

HE-16. Would you describe your health for the past 12 months as ...

| | | |
|--------------------------------------|------|-------|
| HEALTHYR 2 HEALTH FOR PAST 12 MONTHS | | |
| 1 = Excellent | 2237 | 25.38 |
| 2 = Very good | 3212 | 36.44 |
| 3 = Good | 2272 | 25.78 |
| 4 = Fair | 902 | 10.23 |
| 5 = Poor | 169 | 1.92 |
| 94 = DON'T KNOW | 2 | 0.02 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK | 17 | 0.19 |

DEMOGRAPHICS

DEMOGRAPHICS

3. Which of the following best describes your current marital status.
Are you ...

| | | |
|---------------------------------------|------|-------|
| MARITAL 2 MARITAL STATUS | | |
| 1 = Married | 2873 | 32.60 |
| 2 = Widowed | 374 | 4.24 |
| 3 = Divorced or separated | 774 | 8.78 |
| 4 = Has never married | 3256 | 36.94 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK | 97 | 1.10 |
| 99 = LEGITIMATE SKIP (IRAGE<15) | 1439 | 16.33 |

4. How many times have you been married?

| | | |
|--|------|-------|
| NOMARR 2 # TIMES MARRIED | | |
| RANGE = 1 - 7 | | |
| 95 = BAD DATA | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 452 | 5.13 |
| 99 = LEGITIMATE SKIP (IRAGE<15 or MARITAL=4) | 4695 | 53.27 |

5. Please look at this card and tell me which of the statements describes your present work situation.

| WORKSTAT 2 PRESENT WORK SITUATION | | |
|---|------|-------|
| 1 = Working full-time, 35 hours or more a week | 3019 | 34.25 |
| 2 = Working part-time, less than 35 hours a week ... | 1100 | 12.48 |
| 3 = Have job but out: illness/leave/furlough/strike . | 63 | 0.71 |
| 4 = Unemployed or laid off and looking for work | 297 | 3.37 |
| 5 = Unemployed and not looking for work | 151 | 1.71 |
| 6 = Full-time homemaker only | 777 | 8.82 |
| 7 = In school only | 2713 | 30.78 |
| 8 = Retired | 472 | 5.36 |
| 9 = Disabled, not able to work | 171 | 1.94 |
| 10 = Something else (NOT SPECIFIED) | 8 | 0.09 |
| 11 = Unable to work - taking care of ill relative .. | 2 | 0.02 |
| 12 = About to start work | 3 | 0.03 |
| 13 = Contracts for work (eg.sician) | 2 | 0.02 |
| 14 = Welfare (AFDC) | 5 | 0.06 |
| 15 = Out of work - Termination - Injury | 2 | 0.02 |
| 16 = Just got out of school | 1 | 0.01 |
| 17 = Just returned to United States | 1 | 0.01 |
| 95 = BAD DATA | 1 | 0.01 |
| 96 = MULTIPLE RESPONSE | 3 | 0.03 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK | 21 | 0.24 |

6. In what month and year did you last work for pay?

| PAYMO 2 MONTH LAST WORKED FOR PAY | | |
|---|------|-------|
| RANGE = 1 - 12 | | |
| 91 = NEVER WORKED FOR PAY | 1907 | 21.64 |
| 94 = DON'T KNOW | 189 | 2.14 |
| 95 = BAD DATA | 11 | 0.12 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 190 | 2.16 |
| 99 = LEGITIMATE SKIP (WORKSTAT<4) | 4182 | 47.45 |
| PAYYR 2 YEAR (19__) LAST WORKED FOR PAY | | |
| RANGE = 23 - 89 | | |
| 91 = NEVER WORKED FOR PAY | 1907 | 21.64 |
| 94 = DON'T KNOW | 20 | 0.23 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK (NO ANSWER) | 121 | 1.37 |
| 99 = LEGITIMATE SKIP (WORKSTAT<4) | 4182 | 47.45 |

7. What kind of work (are/were) you (last) doing? What (is/was) your job title?

8. What (are/were) your most important activities or duties in your job?

ROCCUP2 3 KIND OF WORK OF RESPONDENT
RANGE = 1 - 16

| | | |
|--|------|-------|
| 990 = OCCUPATION NOT REPORTED | 12 | 0.14 |
| 997 = REFUSED | 15 | 0.17 |
| 998 = BLANK (NO ANSWER) | 103 | 1.17 |
| 999 = LEGITIMATE SKIP (PAYMO/PAYYR=91) | 1907 | 21.64 |

9. What kind of business or industry (is/was) this?

BUSINES2 3 BUSINESS OR INDUSTRY OF RESPONDENT
RANGE = 1 - 16

| | | |
|--|------|-------|
| 990 = INDUSTRY NOT REPORTED | 49 | 0.56 |
| 994 = DON'T KNOW | 1 | 0.01 |
| 997 = REFUSED | 15 | 0.17 |
| 998 = BLANK (NO ANSWER) | 104 | 1.18 |
| 999 = LEGITIMATE SKIP (PAYMO/PAYYR=91) | 1907 | 21.64 |

10. How many different jobs have you had in the past 5 years?

NO5JOB 2 # OF JOBS LAST 5 YEARS
RANGE = 0 - 60

| | | |
|---|------|-------|
| 92 = ILLEGIBLE | 1 | 0.01 |
| 94 = DON'T KNOW | 7 | 0.08 |
| 95 = BAD DATA | 3 | 0.03 |
| 97 = REFUSED | 6 | 0.07 |
| 98 = BLANK (NO ANSWER) | 306 | 3.47 |
| 99 = LEGITIMATE SKIP (PAYMO/PAYYR=91) | 1907 | 21.64 |

11. During the last 30 days, how many whole days of work did you miss because you were sick or injured?

WORKDAYS 2 # DAYS MISSED WORK DUE TO ILL/INJURY LAST 30 DAYS

| | | |
|--|------|-------|
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 3 | 0.03 |
| 98 = BLANK (NO ANSWER) | 159 | 1.80 |
| 99 = LEGITIMATE SKIP (WORKSTAT >3) | 4605 | 52.25 |

12. During the last 30 days, how many whole days of work did you miss because you just didn't want to be there?

WORKBLAH 2 # DAYS SKIPPED WORK LAST 30 DAYS
RANGE = 0 - 30

| | | |
|--------------------|---|------|
| 97 = REFUSED | 3 | 0.03 |
|--------------------|---|------|

| | | |
|--|------|-------|
| 98 = BLANK (NO ANSWER) | 168 | 1.91 |
| 99 = LEGITIMATE SKIP (WORKSTAT >3) | 4605 | 52.25 |

13. Who is considered to be the chief wage earner or source of income in this household?

| CWE | 2 CHIEF WAGE EARNER IN HOUSEHOLD (RELATION TO RESP) | |
|---|---|-------|
| 1 = Respondent | 1861 | 21.11 |
| 2 = Someone else (NOT SPECIFIED) | 545 | 6.18 |
| 3 = No one | 274 | 3.11 |
| 4 = Spouse | 1225 | 13.90 |
| 5 = Live-in partner, fiance | 32 | 0.36 |
| 6 = Mother | 981 | 11.13 |
| 7 = Father | 2081 | 23.61 |
| 8 = Daughter | 11 | 0.12 |
| 9 = Son | 15 | 0.17 |
| 10 = Sister | 27 | 0.31 |
| 11 = Brother | 36 | 0.41 |
| 12 = Grandmother | 36 | 0.41 |
| 13 = Grandfather | 49 | 0.56 |
| 14 = Other female blood relative | 19 | 0.22 |
| 15 = Other male blood relative | 34 | 0.39 |
| 16 = Mother-in-law | 1 | 0.01 |
| 17 = Father-in-law | 9 | 0.10 |
| 18 = Other female in-law | 4 | 0.05 |
| 19 = Other male in-law | 18 | 0.20 |
| 20 = Close female friend | 3 | 0.03 |
| 21 = Close male friend | 14 | 0.16 |
| 22 = Other female acquaintance | 3 | 0.03 |
| 23 = Other male acquaintance, ex-husband | 12 | 0.14 |
| 24 = Step-mother | 2 | 0.02 |
| 25 = Step-father | 97 | 1.10 |
| 28 = Friend (sex unspecified) | 18 | 0.20 |
| 29 = Foster son | 1 | 0.01 |
| 31 = Parents (unspecified) | 25 | 0.28 |
| 32 = Foster mother, female guardian | 2 | 0.02 |
| 33 = Foster father, male guardian | 1 | 0.01 |
| 34 = Guardian (sex unspecified) | 2 | 0.02 |
| 35 = Grandparents | 1 | 0.01 |
| 94 = DON'T KNOW | 5 | 0.06 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK | 174 | 1.97 |
| 99 = LEGITIMATE SKIP (RESP IS ONLY ADULT 18 OR OLDER) | 193 | 13.54 |

14. Does (he/she) work ...

| FULLPART | 2 WORK STATUS OF CHIEF WAGE EARNER | |
|--|------------------------------------|-------|
| 1 = Full-time | 4298 | 48.76 |
| 2 = Part-time | 239 | 2.71 |
| 3 = Chief source of income does not work | 671 | 7.61 |
| 94 = DON'T KNOW | 2 | 0.02 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |

| | | |
|---|------|-------|
| 97 = REFUSED | 4 | 0.05 |
| 98 = BLANK | 271 | 3.07 |
| 99 = LEGITIMATE SKIP (CWE=1,3,99) | 3328 | 37.76 |

15. What kind of work is (he/she) doing?

What is (his/her) job title?

16. What are (his/her) most important activities or duties in the job?

CWEOCC2 3 KIND OF WORK OF CHIEF WAGE EARNER
RANGE = 1 - 16

| | | |
|--|------|-------|
| 990 = OCCUPATION NOT REPORTED | 26 | 0.29 |
| 994 = DON'T KNOW | 99 | 1.12 |
| 995 = BAD DATA | 1 | 0.01 |
| 997 = REFUSED | 27 | 0.31 |
| 998 = BLANK (NO ANSWER) | 218 | 2.47 |
| 999 = LEGITIMATE SKIP (CWE=1,3,99 or FULLPART=3) ... | 3999 | 45.37 |

17. What kind of business or industry is that?

CWBUS2 3 BUSINESS OR INDUSTRY OF CHIEF WAGE EARNER
RANGE = 1 - 16

| | | |
|--|------|-------|
| 990 = INDUSTRY NOT REPORTED | 88 | 1.00 |
| 994 = DON'T KNOW | 78 | 0.88 |
| 995 = BAD DATA | 2 | 0.02 |
| 997 = REFUSED | 28 | 0.32 |
| 998 = BLANK (NO ANSWER) | 218 | 2.47 |
| 999 = LEGITIMATE SKIP (CWE=1,3,99 or FULLPART=3) ... | 3999 | 45.37 |

18. What is the last grade that you completed in school?

EDUC 2 LAST GRADE COMPLETED IN SCHOOL

| | | |
|---|------|-------|
| 0 = No schooling | 32 | 0.36 |
| 1 = First Grade | 18 | 0.20 |
| 2 = Second grade | 26 | 0.29 |
| 3 = Third grade | 69 | 0.78 |
| 4 = Fourth grade | 77 | 0.87 |
| 5 = Fifth grade | 190 | 2.16 |
| 6 = Sixth grade | 554 | 6.29 |
| 7 = Seventh Grade | 615 | 6.98 |
| 8 = Eighth grade | 798 | 9.05 |
| 9 = Ninth grade | 731 | 8.29 |
| 10 = Tenth grade | 840 | 9.53 |
| 11 = Eleventh grade | 795 | 9.02 |
| 12 = Twelfth grade | 2161 | 24.52 |
| 13 = One year college | 346 | 3.93 |
| 14 = 2 years college | 518 | 5.88 |
| 15 = 3 years college | 206 | 2.34 |
| 16 = 4 years college | 508 | 5.76 |
| 17 = Graduate/professional school | 279 | 3.17 |

| | | |
|------------------------------|----|------|
| 94 = DON'T KNOW | 3 | 0.03 |
| 96 = MULTIPLE RESPONSE | 9 | 0.10 |
| 97 = REFUSED | 7 | 0.08 |
| 98 = BLANK | 32 | 0.36 |

19. Are you now enrolled in any kind of school?

| | | | | |
|--------------------|------|----------------------------|--|--|
| ENROLLD | 2 | NOW ENROLLED IN ANY SCHOOL | | |
| 1 = Yes | 3828 | 43.43 | | |
| 2 = No | 4956 | 56.23 | | |
| 97 = REFUSED | 2 | 0.02 | | |
| 98 = BLANK | 28 | 0.32 | | |

20. Do you have plans to enroll in any kind of school in the future, or have you completed all the schooling you expect to get?

| | | | | |
|---|------|----------------------------|--|--|
| SCHPLANS | 2 | PLANS FOR FUTURE SCHOOLING | | |
| 1 = Has plans to enroll in a school in future | 403 | 4.57 | | |
| 2 = Has completed all schooling | 168 | 1.91 | | |
| 94 = DON'T KNOW | 6 | 0.07 | | |
| 97 = REFUSED | 1 | 0.01 | | |
| 98 = BLANK | 96 | 1.09 | | |
| 99 = LEGITIMATE SKIP (ENROLLD=1 or IRAGE>22) | 8140 | 92.35 | | |

21. Which of the following best describes your student status now?

Are you ...

| | | | | |
|--|------|--------------------|--|--|
| STUDENT | 2 | STUDENT STATUS NOW | | |
| 1 = A full-time student | 3284 | 37.26 | | |
| 2 = A part-time student | 426 | 4.83 | | |
| 97 = REFUSED | 2 | 0.02 | | |
| 98 = BLANK | 133 | 1.51 | | |
| 99 = LEGITIMATE SKIP (ENROLLD=2) | 4969 | 56.38 | | |

22. During the last month of school, how many whole days did you miss because you were sick or injured?

| | | | | |
|---------|---|--|--|--|
| SCHDAYS | 2 | # OF DAYS MISSED SCHOOL DUE TO ILL/INJURY LAST MO. | | |
| | | RANGE = 0 - 30 | | |

| | | |
|--|------|-------|
| 95 = BAD DATA | 3 | 0.03 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 210 | 2.38 |
| 99 = LEGITIMATE SKIP (ENROLLD=2) | 4969 | 56.38 |

23. During the last month of school, how many whole days did you miss because you skipped or "cut" or just didn't

want to be there?

SKIPPED 2 # DAYS SKIPPED SCHOOL LAST MONTH
RANGE = 0 - 30

| | | |
|--|------|-------|
| 95 = BAD DATA | 2 | 0.02 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 210 | 2.38 |
| 99 = LEGITIMATE SKIP (ENROLLD=2) | 4969 | 56.38 |

24. During a typical week, how many total miles would you estimate you usually drive a motor vehicle--car, truck, or motorcycle?

MILES 5 # MILES RESPONDENT DRIVES IN A TYPICAL WEEK
RANGE = 0 - 10000

| | | |
|--|------|-------|
| 99991 = HAS NEVER DRIVEN A MOTOR VEHICLE | 1453 | 16.49 |
| 99994 = DON'T KNOW | 19 | 0.22 |
| 99995 = BAD DATA | 5 | 0.06 |
| 99996 = MULTIPLE RESPONSE | 1 | 0.01 |
| 99997 = REFUSED | 2 | 0.02 |
| 99998 = BLANK (NO ANSWER) | 153 | 1.74 |
| 99999 = LEGITIMATE SKIP (IRAGE<15) | 1439 | 16.33 |

25. During the past 12 months, have you had an accident while you were driving a motor vehicle, whether or not you were responsible?

ACCID 2 HAD MOTOR VEHICLE ACCIDENT IN PAST 12 MONTHS

| | | |
|--|------|-------|
| 1 = Yes | 568 | 6.44 |
| 2 = No | 4988 | 56.59 |
| 3 = Did not drive in past 12 months | 184 | 2.09 |
| 95 = BAD DATA | 1 | 0.01 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK | 179 | 2.03 |
| 99 = LEGITIMATE SKIP (IRAGE<15 or MILES=99991) | 2892 | 32.81 |

26. How many biological children do you have? For this question, do not include any adopted, step, or foster children.

NOCHILD 2 # OF BIOLOGICAL CHILDREN
RANGE = 0 - 17

| | | |
|---------------------------------------|------|-------|
| 97 = REFUSED | 5 | 0.06 |
| 98 = BLANK (NO ANSWER) | 178 | 2.02 |
| 99 = LEGITIMATE SKIP (IRAGE<15) | 1439 | 16.33 |

27. What is the age and sex of each of these children, from oldest to

youngest?

| | | | | |
|---------|---|---|--|--|
| CHAGE1 | 1 | NUMBER OF CHILDREN AGES 0 TO 2 | | |
| | | RANGE = 0 - 3 | | |
| CHAGE2 | 1 | NUMBER OF CHILDREN AGES 3 TO 5 | | |
| | | RANGE = 0 - 3 | | |
| CHAGE3 | 1 | NUMBER OF CHILDREN AGES 6 TO 8 | | |
| | | RANGE = 0 - 3 | | |
| CHAGE4 | 1 | NUMBER OF CHILDREN AGES 9 TO 11 | | |
| | | RANGE = 0 - 3 | | |
| CHAGE5 | 1 | NUMBER OF CHILDREN AGES 12 TO 14 | | |
| | | RANGE = 0 - 3 | | |
| CHAGE6 | 1 | NUMBER OF CHILDREN AGES 15 TO 17 | | |
| | | RANGE = 0 - 3 | | |
| CHAGE7 | 1 | NUMBER OF CHILDREN AGES 18 TO 24 | | |
| | | RANGE = 0 - 5 | | |
| CHAGE8 | 1 | NUMBER OF CHILDREN AGES 25 TO 34 | | |
| | | RANGE = 0 - 8 | | |
| CHAGE9 | 2 | NUMBER OF CHILDREN AGES 35+ | | |
| | | RANGE = 0 - 10 | | |
| CHAGE10 | 2 | NUMBER OF CHILDREN WITH AGES UNKNOWN OR UNSPECIFIED | | |
| | | RANGE = 0 - 12 | | |

28. Altogether, how many people live here, including yourself?

| | | | | |
|---------|---|-----------------------------|--|--|
| TOTPEOP | 2 | # OF RESIDENTS IN HOUSEHOLD | | |
| | | RANGE = 1 - 13 | | |

29. How are the people who live here related to you?

30. How many (EACH RELATIONSHIP IN Q.29) live here with you?

| | | | | |
|--------------|---|--|------|-------|
| MOTHER | 2 | MOTHER OF RESPONDENT MEMBER OF HOUSEHOLD | | |
| 0 = No | | | 5031 | 57.08 |
| 1 = Yes | | | 3782 | 42.91 |
| 97 = REFUSED | | | 1 | 0.01 |
| STEPMOM | 2 | STEPMOTHER OF RESPONDENT MEMBER OF HOUSEHOLD | | |
| 0 = No | | | 8729 | 99.04 |
| 1 = Yes | | | 84 | 0.95 |
| 97 = REFUSED | | | 1 | 0.01 |
| FATHER | 2 | FATHER OF RESPONDENT MEMBER OF HOUSEHOLD | | |
| 0 = No | | | 6276 | 71.20 |
| 1 = Yes | | | 2537 | 28.78 |
| 97 = REFUSED | | | 1 | 0.01 |

| | | | | |
|--------------|---|--|------|-------|
| STEPDAD | 2 | STEPFATHER OF RESPONDENT MEMBER OF HOUSEHOLD | | |
| 0 = No | | | 8551 | 97.02 |
| 1 = Yes | | | 262 | 2.97 |
| 97 = REFUSED | | | 1 | 0.01 |
| SPOUSE | 2 | SPOUSE/LIVE-IN PARTNER OF RESP MEMBER OF HOUSEHOLD | | |
| 0 = No | | | 5883 | 66.75 |
| 1 = Yes | | | 2930 | 33.24 |
| 97 = REFUSED | | | 1 | 0.01 |
| INLAW | 2 | # PARENT(S)-IN-LAW OF RESP LIVING IN HOUSEHOLD | | |
| | | RANGE = 0 - 4 | | |
| | | 93 = RELATION INDICATED, NO COUNT RECORDED | 1 | 0.01 |
| | | 97 = REFUSED | 1 | 0.01 |
| OWNCHILD | 2 | # BIOLOGICAL CHILDREN OF RESP LIVING IN HOUSEHOLD | | |
| | | RANGE = 0 - 10 | | |
| | | 93 = RELATION INDICATED, NO COUNT RECORDED | 2 | 0.02 |
| | | 97 = REFUSED | 1 | 0.01 |
| STEPCHLD | 2 | # ADOPTED/STEPCHILDREN OF RESP LIVING IN HOUSEHOLD | | |
| | | RANGE = 0 - 7 | | |
| | | 97 = REFUSED | 1 | 0.01 |
| BROSIS | 2 | # BROTHERS/SISTERS OF RESP LIVING IN HOUSEHOLD | | |
| | | RANGE = 0 - 9 | | |
| | | 93 = RELATION INDICATED, NO COUNT RECORDED | 4 | 0.05 |
| | | 97 = REFUSED | 1 | 0.01 |
| OTHREL | 2 | # OTHER RELATIVES OF RESP LIVING IN HOUSEHOLD | | |
| | | RANGE = 0 - 9 | | |
| | | 93 = RELATION INDICATED, NO COUNT RECORDED | 5 | 0.06 |
| | | 97 = REFUSED | 1 | 0.01 |
| FRIENDS | 2 | # FRIENDS/ROOMMATES OF RESP LIVING IN HOUSEHOLD | | |
| | | RANGE = 0 - 7 | | |
| | | 97 = REFUSED | 1 | 0.01 |
| OTHERNON | 2 | # OTHER PEOPLE UNRELATD TO RESP LIVING IN HOUSEHLD | | |
| | | RANGE = 0 - 7 | | |
| | | 97 = REFUSED | 1 | 0.01 |

31. Have you ever been in the armed forces?

| | | | | |
|---------------------------------|---|-----------------------------|------|-------|
| SERVICE | 2 | EVER SERVED IN ARMED FORCES | | |
| 1 = Yes | | | 683 | 7.75 |
| 2 = No | | | 5513 | 62.55 |
| 97 = REFUSED | | | 1 | 0.01 |
| 98 = BLANK | | | 98 | 1.11 |
| 99 = LEGITIMATE SKIP (IRAGE<17) | | | 2519 | 28.58 |

32. Are you ...

| | | | | |
|---------|---|-------------------------|--|--|
| MILSTAT | 2 | CURRENT MILITARY STATUS | | |
|---------|---|-------------------------|--|--|

| | | |
|--|------|-------|
| 1 = On extended active duty in the Armed Forces | 53 | 0.60 |
| 2 = In a Reserves component | 60 | 0.68 |
| 3 = Separated/retired from Reserves or active duty . | 557 | 6.32 |
| 95 = BAD DATA | 1 | 0.01 |
| 96 = MULTIPLE RESPONSE | 1 | 0.01 |
| 97 = REFUSED | 1 | 0.01 |
| 98 = BLANK | 109 | 1.24 |
| 99 = LEGITIMATE SKIP (IRAGE<17 or SERVICE=2) | 8032 | 91.13 |

33. Is there anybody who lived here for six months or more in the past year, who is now living somewhere else?

| | | |
|---|------|-------|
| MOVDAWAY 2 ANY RESIDENT FOR 6 MONTHS IN PAST YEAR NOW MOVED | | |
| 1 = Yes | 1048 | 11.89 |
| 2 = No | 7650 | 86.79 |
| 94 = DON'T KNOW | 1 | 0.01 |
| 97 = REFUSED | 3 | 0.03 |
| 98 = BLANK | 112 | 1.27 |

34. How many of these persons who used to live here (for most of the past year) are now living in a ...

| | | |
|---|------|-------|
| DORM 2 # OF FORMER RESIDENTS NOW LIVING AT COLLEGE | | |
| RANGE = 0 - 3 | | |
| 94 = DON'T KNOW | 3 | 0.03 |
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 169 | 1.92 |
| 99 = LEGITIMATE SKIP (MOVDAWAY=2) | 7650 | 86.79 |
| MILBASE 2 # OF FORMER RESIDENTS NOW LIVING ON MILITARY BASE | | |
| RANGE = 0 - 3 | | |
| 94 = DON'T KNOW | 3 | 0.03 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 189 | 2.14 |
| 99 = LEGITIMATE SKIP (MOVDAWAY=2) | 7650 | 86.79 |
| HOSP 2 # OF FORMR RESDNTS NOW LVNG IN JAIL,HOSP,OTHR INST | | |
| RANGE = 0 - 2 | | |
| 94 = DON'T KNOW | 3 | 0.03 |
| 97 = REFUSED | 2 | 0.02 |
| 98 = BLANK (NO ANSWER) | 190 | 2.16 |
| 99 = LEGITIMATE SKIP (MOVDAWAY=2) | 7650 | 86.79 |

35. How many different, non-business, telephone numbers do you have in this household? Don't count extensions with the same number.

| | | |
|--|--|--|
| TELNO 2 # OF NON-BUSINESS PHONE NUMBERS IN HOUSEHOLD | | |
| RANGE = 0 - 4 | | |

| | | |
|------------------------------|----|------|
| 95 = BAD DATA | 1 | 0.01 |
| 97 = REFUSED | 4 | 0.05 |
| 98 = BLANK (NO ANSWER) | 64 | 0.73 |

36. How many times in the past five years have you moved?

MOVES 2 # OF TIMES MOVED PAST 5 YEARS
RANGE = 0 - 30

| | | |
|------------------------------|-----|------|
| 94 = DON'T KNOW | 6 | 0.07 |
| 95 = BAD DATA | 3 | 0.03 |
| 97 = REFUSED | 4 | 0.05 |
| 98 = BLANK (NO ANSWER) | 161 | 1.83 |

40. Finally for statistical purposes, please tell me which of the groups on this card includes your total personal earnings before deductions during the past year. Include your earnings from wages, salaries, commissions, and tips from all jobs you had in the last year. Just give me the letter.

INCOME 2 PERSONAL EARNINGS FROM EMPLOYMENT FOR PAST YEAR

| | | |
|--|------|-------|
| 1 = No personal earnings | 1600 | 18.15 |
| 2 = Yearly under \$5,000 | 1468 | 16.66 |
| 3 = Yearly \$5,000 to \$6,999 | 466 | 5.29 |
| 4 = Yearly \$7,000 to \$8,999 | 427 | 4.84 |
| 5 = Yearly \$9,000 to \$11,999 | 513 | 5.82 |
| 6 = Yearly \$12,000 to \$14,999 | 457 | 5.18 |
| 7 = Yearly \$15,000 to \$19,999 | 561 | 6.36 |
| 8 = Yearly \$20,000 to \$24,999 | 450 | 5.11 |
| 9 = Yearly \$25,000 to \$29,999 | 336 | 3.81 |
| 10 = Yearly \$30,000 to \$39,999 | 332 | 3.77 |
| 11 = Yearly \$40,000 to \$50,000 | 182 | 2.06 |
| 12 = Yearly more than \$50,000 | 171 | 1.94 |
| 94 = DON'T KNOW | 70 | 0.79 |
| 95 = BAD DATA | 12 | 0.14 |
| 96 = MULTIPLE RESPONSE | 3 | 0.03 |
| 97 = REFUSED | 146 | 1.66 |
| 98 = BLANK | 181 | 2.05 |
| 99 = LEGITIMATE SKIP (IRAGE<15) | 1439 | 16.33 |

INTERVIEW INFORMATION

INTERVIEW INFORMATION

BTIME 4 BEGINNING TIME OF INTERVIEW
RANGE = 100 - 1259

| | | | | |
|-----|---|---|------|-------|
| BAP | 1 | BEGINNING TIME OF INTERVIEW - AM/PM INDICATOR | | |
| . | = | BLANK (NO ANSWER) | 35 | 0.40 |
| 1 | = | AM | 1348 | 15.29 |
| 2 | = | PM | 7432 | 84.32 |

| | | | | |
|-------|---|--------------------------|--|--|
| ETIME | 4 | ENDING TIME OF INTERVIEW | | |
| | | RANGE = 100 - 1259 | | |

| | | | | |
|-----|---|--|------|-------|
| EAP | 1 | ENDING TIME OF INTERVIEW - AM/PM INDICATOR | | |
| . | = | BLANK (NO ANSWER) | 110 | 1.25 |
| 1 | = | AM | 897 | 10.18 |
| 2 | = | PM | 7808 | 88.55 |

| | | | | |
|---------|---|------------------|------|-------|
| LANGVER | 1 | LANGUAGE VERSION | | |
| 1 | = | English | 8401 | 95.31 |
| 2 | = | Spanish | 413 | 4.69 |

FI-1. Estimate the respondent's understanding of the interview.

| | | | | |
|--------|---|--|------|-------|
| UNDINT | 2 | ESTIMATE RESPONDENT'S UNDERSTANDING OF INTERVIEW | | |
| 1 | = | No difficulty-no language or reading problem ... | 7003 | 79.45 |
| 2 | = | Just a little difficulty-almost no lang/readg prob | 1107 | 12.56 |
| 3 | = | Fair amount of difficulty-some lang/reading prob | 414 | 4.70 |
| 4 | = | A lot of difficulty-considerable lang/reading prob | 221 | 2.51 |
| 94 | = | DON'T KNOW | 1 | 0.01 |
| 98 | = | BLANK (NO ANSWER) | 68 | 0.77 |

FI-2. How cooperative has the respondent been?

| | | | | |
|---------|---|---------------------------|------|-------|
| COOPINT | 2 | COOPERATION OF RESPONDENT | | |
| 1 | = | Very cooperative | 7745 | 87.87 |
| 2 | = | Fairly cooperative | 785 | 8.91 |
| 3 | = | Not very cooperative | 135 | 1.53 |
| 4 | = | Openly hostile | 32 | 0.36 |
| 96 | = | MULTIPLE RESPONSE | 1 | 0.01 |
| 98 | = | BLANK (NO ANSWER) | 116 | 1.32 |

FI-3. Indicate on this scale of 01 through 09 how private the interview was.

| | | | | |
|---------|---|--|------|-------|
| PRIVACY | 2 | SCALE FOR PRIVACY DURING INTERVIEW | | |
| 1 | = | Completely private-no one present/able to overhear | 4762 | 54.03 |
| 2 | = | | 269 | 3.05 |
| 3 | = | Minor distractions | 1776 | 20.15 |
| 4 | = | | 52 | 0.59 |
| 5 | = | Person(s) in room or listening 1/3 of the time | 668 | 7.58 |
| 6 | = | | 20 | 0.23 |
| 7 | = | Serious interruptions more than half the time | 113 | 1.28 |
| 8 | = | | 7 | 0.08 |
| 9 | = | Constant presence of other person(s) | 1019 | 11.56 |
| 94 | = | DON'T KNOW | 18 | 0.20 |

| | | |
|------------------------------|----|------|
| 96 = MULTIPLE RESPONSE | 20 | 0.23 |
| 98 = BLANK (NO ANSWER) | 90 | 1.02 |

FI-4. Others present or listening to the interview were ...

| | | | | |
|--|------|--|-------|--|
| PPRES | 2 | PARENT(S) PRESENT OR LISTENING TO INTERVIEW | | |
| 1 = Response circled | 1156 | | 13.12 | |
| 98 = BLANK (NO ANSWER) | 2896 | | 32.86 | |
| 99 = LEGITIMATE SKIP (PRIVACY=1) | 4762 | | 54.03 | |
| SPRES | 2 | SPOUSE PRESENT OR LISTENING TO INTERVIEW | | |
| 2 = Response Circled | 669 | | 7.59 | |
| 98 = BLANK (NO ANSWER) | 3383 | | 38.38 | |
| 99 = LEGITIMATE SKIP (PRIVACY=1) | 4762 | | 54.03 | |
| PARPRES | 2 | LIVE-IN PARTNR/DATE PRSNT OR LISTENNG TO INTERVIEW | | |
| 3 = Response Circled | 99 | | 1.12 | |
| 98 = BLANK (NO ANSWER) | 3953 | | 44.85 | |
| 99 = LEGITIMATE SKIP (PRIVACY=1) | 4762 | | 54.03 | |
| OAPRES | 2 | ADULT RELATIVE(S) PRESENT/LISTENING TO INTERVIEW | | |
| 4 = Response Circled | 479 | | 5.43 | |
| 98 = BLANK (NO ANSWER) | 3573 | | 40.54 | |
| 99 = LEGITIMATE SKIP (PRIVACY=1) | 4762 | | 54.03 | |
| OAPRES | 2 | OTHER ADULT(S) PRESENT OR LISTENING TO INTERVIEW | | |
| 5 = Response Circled | 337 | | 3.82 | |
| 98 = BLANK (NO ANSWER) | 3715 | | 42.15 | |
| 99 = LEGITIMATE SKIP (PRIVACY=1) | 4762 | | 54.03 | |
| CPRES | 2 | CHILD(REN) UNDER 15 PRESENT/LISTENING TO INTERVIEW | | |
| 6 = Response Circled | 1289 | | 14.62 | |
| 98 = BLANK (NO ANSWER) | 2763 | | 31.35 | |
| 99 = LEGITIMATE SKIP (PRIVACY=1) | 4762 | | 54.03 | |

GEOGRAPHIC

| | | | | |
|--|------|--|-------|--|
| OPRESSPA | 2 | OTHER PERSON(S) PRESENT/LISTENING (FIRST MENTION) | | |
| 8 = Friend (unspecified sex or age) | 48 | | 0.54 | |
| 9 = Female friend (age unspecified) | 2 | | 0.02 | |
| 10 = Male friend (age unspecified) | 4 | | 0.05 | |
| 11 = Female relative (age unspecified) | 15 | | 0.17 | |
| 12 = Male relative (age unspecified) | 5 | | 0.06 | |
| 95 = BAD DATA | 1 | | 0.01 | |
| 98 = BLANK (NO ANSWER) | 3977 | | 45.12 | |
| 99 = LEGITIMATE SKIP (PRIVACY=1) | 4762 | | 54.03 | |
| OPRESSPB | 2 | OTHER PERSON(S) PRESENT/LISTENING (SECOND MENTION) | | |
| 9 = Female friend (age unspecified) | 2 | | 0.02 | |
| 12 = Male relative (age unspecified) | 1 | | 0.01 | |
| 98 = BLANK (NO ANSWER) | 4049 | | 45.94 | |
| 99 = LEGITIMATE SKIP (PRIVACY=1) | 4762 | | 54.03 | |
| OPRESNSP | 2 | OTHER PERSON(S) PRESENT/LISTENING (NOT SPECIFIED) | | |
| 7 = Response circled | 48 | | 0.54 | |
| 98 = BLANK (NO ANSWER) | 4004 | | 45.43 | |
| 99 = LEGITIMATE SKIP (PRIVACY=1) | 4762 | | 54.03 | |

GEOGRAPHIC

 Population density is based on 1980
 Population Census and SMSA definitions
 at that time.

| | | | | |
|----------|---|--|------|-------|
| POPDEN | 1 | POPULATION DENSITY | | |
| | | 1 = 1,000,000 or more in metropolitan area | 4280 | 48.56 |
| | | 2 = 50,000 to 999,999 in metropolitan area | 2592 | 29.41 |
| | | 3 = Not a metropolitan area | 1942 | 22.03 |
| REGION | 1 | CENSUS REGION | | |
| | | 1 = Northeast | 1687 | 19.14 |
| | | 2 = North Central | 1766 | 20.04 |
| | | 3 = South | 3356 | 38.08 |
| | | 4 = West | 2005 | 22.75 |
| DIVISION | 1 | CENSUS DIVISION CODE | | |
| | | 1 = New England | 386 | 4.38 |
| | | 2 = Middle Atlantic | 1301 | 14.76 |
| | | 3 = East North Central | 1430 | 16.22 |
| | | 4 = West North Central | 336 | 3.81 |
| | | 5 = South Atlantic | 1280 | 14.52 |
| | | 6 = East South Central | 562 | 6.38 |
| | | 7 = West South Central | 1514 | 17.18 |
| | | 8 = Mountain | 387 | 4.39 |
| | | 9 = Pacific | 1618 | 18.36 |

IMPUTED DEMOGRAPHICS

IMPUTED DEMOGRAPHICS

| | | | | |
|---------|---|---|------|-------|
| IRAGE | 2 | IMPUTATION-REVISED AGE OF RESPONDENT RANGE = 12 - 90 | | |
| IIAGE | 1 | IMPUTATION INDICATOR FOR AGE | | |
| | | 1 = Age calculated from questionnaire | 8746 | 99.23 |
| | | 2 = Age taken from screener | 64 | 0.73 |
| | | 3 = Age imputed | 4 | 0.05 |
| AGEGR | 1 | AGE GROUP | | |
| | | 1 = 12-17 years | 3095 | 35.11 |
| | | 2 = 18-25 years | 1505 | 17.08 |
| | | 3 = 26-34 years | 1987 | 22.54 |
| | | 4 = 35+ years | 2227 | 25.27 |
| ORAGEGR | 1 | ORIGIN OF AGE GROUP VARIABLE | | |
| | | 1 = Age Group taken from questionnaire | 8746 | 99.23 |
| | | 2 = Age Group taken from screener | 68 | 0.77 |
| SEX | 1 | SEX OF RESPONDENT | | |
| | | 1 = Male | 3938 | 44.68 |
| | | 2 = Female | 4876 | 55.32 |
| ORSEX | 1 | ORIGIN OF SEX VARIABLE | | |
| | | 1 = Sex taken from questionnaire | 8747 | 99.24 |
| | | 2 = Sex taken from screener | 67 | 0.76 |
| IRRACE | 1 | IMPUTATION-REVISED RACE OF RESPONDENT | | |

| | | |
|--|------|-------|
| 1 = American Indian or Alaskan Native | 389 | 4.41 |
| 2 = Asian or Pacific Islander | 143 | 1.62 |
| 3 = Black | 1977 | 22.43 |
| 4 = White | 6305 | 71.53 |
| IIRACE 1 IMPUTATION INDICATOR FOR RACE | | |
| 1 = Race taken from questionnaire | 8410 | 95.42 |
| 2 = Race imputed | 404 | 4.58 |
| IRHOIND 1 IMPUTATION-REVISED HISPANIC ORIGIN | | |
| 1 = Hispanic | 2193 | 24.88 |
| 2 = Not Hispanic | 6621 | 75.12 |
| IIHOIND 1 IMPUTATION INDICATOR FOR HISPANIC ORIGIN | | |
| 1 = Hispanic Origin taken from questionnaire | 8790 | 99.73 |
| 2 = Hispanic Origin imputed | 24 | 0.27 |
| IRHOGRP 1 IMPUTATION-REVISED HISPANIC-ORIGIN GROUP | | |
| 1 = Puerto Rican | 325 | 3.69 |
| 2 = Mexican | 1439 | 16.33 |
| 3 = Cuban | 117 | 1.33 |
| 4 = Other | 312 | 3.54 |
| 9 = Non-Hispanic | 6621 | 75.12 |
| IIHOGRP 1 IMPUTATION INDICATOR FOR HISPANIC-ORIGIN GROUP | | |
| 1 = Hispanic-Origin Group taken from questionnaire . | 8750 | 99.27 |
| 2 = Hispanic-Origin Group imputed | 64 | 0.73 |

IMPUTED DRUG USE

IMPUTED DRUG USE

| | | |
|--|------|-------|
| IRALCRC 1 ALCOHOL RECENCY - IMPUTATION REVISED | | |
| 1 = Within the past month (30 days) | 3919 | 44.46 |
| 2 = More than 1 month ago but less than 6 months ago . | 846 | 9.60 |
| 3 = 6 or more months ago but less than 1 year ago . | 561 | 6.36 |
| 4 = 1 or more years ago but less than 3 years ago . | 345 | 3.91 |
| 5 = 3 or more years ago | 754 | 8.55 |
| 9 = Never used alcohol | 2389 | 27.10 |
| IIALCRC 1 ALCOHOL RECENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 7999 | 90.75 |
| 2 = Imputed data | 815 | 9.25 |
| IRMJRC 1 MARIJUANA RECENCY - IMPUTATION REVISED | | |
| 1 = Within the past week (7 days) | 420 | 4.77 |
| 2 = More than 1 week ago but less than 1 month ago . | 233 | 2.64 |
| 3 = 1 or more months ago but less than 6 months ago . | 202 | 2.29 |
| 4 = 6 or more months ago but less than 1 year ago . | 318 | 3.61 |
| 5 = 1 or more years ago but less than 3 years ago . | 283 | 3.21 |
| 6 = 3 or more years ago | 1380 | 15.66 |
| 9 = Never used marijuana | 5978 | 67.82 |
| IIMJRC 1 MARIJUANA RECENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 8446 | 95.82 |
| 2 = Imputed data | 368 | 4.18 |
| IRCOCRC 1 COCAINE RECENCY - IMPUTATION REVISED | | |
| 1 = Within the past week (7 days) | 97 | 1.10 |
| 2 = More than 1 week ago but less than 1 month ago . | 71 | 0.81 |
| 3 = 1 or more months ago but less than 6 months ago . | 113 | 1.28 |

| | | |
|--|------|-------|
| 4 = 6 or more months ago but less than 1 year ago . | 171 | 1.94 |
| 5 = 1 or more years ago but less than 3 years ago . | 133 | 1.51 |
| 6 = 3 or more years ago | 360 | 4.08 |
| 9 = Never used cocaine | 7869 | 89.28 |
| IICOCRC 1 COCAINE RECENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 8611 | 97.70 |
| 2 = Imputed data | 203 | 2.30 |
| IRSEDRC 1 SEDATIVES RECENCY - IMPUTATION REVISED | | |
| 1 = Within the past month (30 days) | 40 | 0.45 |
| 2 = More than 1 month ago but less than 6 months ago . | 42 | 0.48 |
| 3 = 6 or more months ago but less than 1 year ago . | 58 | 0.66 |
| 4 = 1 or more years ago but less than 3 years ago . | 20 | 0.23 |
| 5 = 3 or more years ago | 128 | 1.45 |
| 9 = Never used sedatives | 8526 | 96.73 |
| IISEDRC 1 SEDATIVES RECENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 8742 | 99.18 |
| 2 = Imputed data | 72 | 0.82 |
| IRTRNRC 1 TRANQUILIZERS RECENCY - IMPUTATION REVISED | | |
| 1 = Within the past month (30 days) | 47 | 0.53 |
| 2 = More than 1 month ago but less than 6 months ago . | 72 | 0.82 |
| 3 = 6 or more months ago but less than 1 year ago . | 70 | 0.79 |
| 4 = 1 or more years ago but less than 3 years ago . | 43 | 0.49 |
| 5 = 3 or more years ago | 139 | 1.58 |
| 9 = Never used tranquilizers | 8443 | 95.79 |
| IITRNRC 1 TRANQUILIZERS RECENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 8733 | 99.08 |
| 2 = Imputed data | 81 | 0.92 |
| IRSTMRC 1 STIMULANTS RECENCY - IMPUTATION REVISED | | |
| 1 = Within the past month (30 days) | 78 | 0.88 |
| 2 = More than 1 month ago but less than 6 months ago . | 91 | 1.03 |
| 3 = 6 or more months ago but less than 1 year ago . | 83 | 0.94 |
| 4 = 1 or more years ago but less than 3 years ago . | 58 | 0.66 |
| 5 = 3 or more years ago | 257 | 2.92 |
| 9 = Never used stimulants | 8247 | 93.57 |
| IISTMRC 1 STIMULANTS RECENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 8687 | 98.56 |
| 2 = Imputed data | 127 | 1.44 |
| IRANLRC 1 ANALGESICS RECENCY - IMPUTATION REVISED | | |
| 1 = Within the past month (30 days) | 66 | 0.75 |
| 2 = More than 1 month ago but less than 6 months ago . | 128 | 1.45 |
| 3 = 6 or more months ago but less than 1 year ago . | 78 | 0.88 |
| 4 = 1 or more years ago but less than 3 years ago . | 88 | 1.00 |
| 5 = 3 or more years ago | 114 | 1.29 |
| 9 = Never used analgesics | 8340 | 94.62 |
| IIANLRC 1 ANALGESICS RECENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 8687 | 98.56 |
| 2 = Imputed data | 127 | 1.44 |
| IRCIGRC 1 CIGARETTES RECENCY - IMPUTATION REVISED | | |
| 1 = Within the past month (30 days) | 2163 | 24.54 |
| 2 = More than 1 month ago but less than 6 months ago . | 368 | 4.18 |
| 3 = 6 or more months ago but less than 1 year ago . | 262 | 2.97 |
| 4 = 1 or more years ago but less than 3 years ago . | 468 | 5.31 |
| 5 = 3 or more years ago | 2161 | 24.52 |
| 9 = Never smoked cigarettes | 3392 | 38.48 |

| | | | | |
|---------|---|--|------|-------|
| IICIGRC | 1 | CIGARETTES RECENCY - IMPUTATION INDICATOR | | |
| | 1 | = Questionnaire data | 8585 | 97.40 |
| | 2 | = Imputed data | 229 | 2.60 |
| IROTBRC | 1 | SMOKELESS TOBACCO RECENCY - IMPUTATION REVISED | | |
| | 1 | = Within the past month (30 days) | 243 | 2.76 |
| | 2 | = More than 1 month ago but less than 6 months ago | 89 | 1.01 |
| | 3 | = 6 or more months ago but less than 1 year ago | 54 | 0.61 |
| | 4 | = 1 or more years ago but less than 3 years ago | 156 | 1.77 |
| | 5 | = 3 or more years ago | 525 | 5.96 |
| | 9 | = Never used smokeless tobacco | 7747 | 87.89 |
| IIOTBRC | 1 | SMOKELESS TOBACCO RECENCY - IMPUTATION INDICATOR | | |
| | 1 | = Questionnaire data | 8650 | 98.14 |
| | 2 | = Imputed data | 164 | 1.86 |
| IRINHRC | 1 | INHALANTS RECENCY - IMPUTATION REVISED | | |
| | 1 | = Within the past week (7 days) | 30 | 0.34 |
| | 2 | = More than 1 week ago but less than 1 month ago | 55 | 0.62 |
| | 3 | = 1 or more months ago but less than 6 months ago | 49 | 0.56 |
| | 4 | = 6 or more months ago but less than 1 year ago | 39 | 0.44 |
| | 5 | = 1 or more years ago but less than 3 years ago | 102 | 1.16 |
| | 6 | = 3 or more years ago | 322 | 3.65 |
| | 9 | = Never used inhalants | 8217 | 93.23 |
| IIINHRC | 1 | INHALANTS RECENCY - IMPUTATION INDICATOR | | |
| | 1 | = Questionnaire data | 8664 | 98.30 |
| | 2 | = Imputed data | 150 | 1.70 |
| IRCRKRC | 1 | CRACK RECENCY - IMPUTATION REVISED | | |
| | 1 | = Within the past week (7 days) | 25 | 0.28 |
| | 2 | = More than 1 week ago but less than 1 month ago | 11 | 0.12 |
| | 3 | = 1 or more months ago but less than 6 months ago | 16 | 0.18 |
| | 4 | = 6 or more months ago but less than 1 year ago | 21 | 0.24 |
| | 5 | = 1 or more years ago but less than 3 years ago | 39 | 0.44 |
| | 6 | = 3 or more years ago | 26 | 0.29 |
| | 9 | = Never used crack | 8676 | 98.43 |
| IICRKRC | 1 | CRACK RECENCY - IMPUTATION INDICATOR | | |
| | 1 | = Questionnaire data | 8791 | 99.74 |
| | 2 | = Imputed data | 23 | 0.26 |
| IRHALRC | 1 | HALLUCINOGENS RECENCY - IMPUTATION REVISED | | |
| | 1 | = Within the past month (30 days) | 48 | 0.54 |
| | 2 | = More than 1 month ago but less than 6 months ago | 68 | 0.77 |
| | 3 | = 6 or more months ago but less than 1 year ago | 51 | 0.58 |
| | 4 | = 1 or more years ago but less than 3 years ago | 62 | 0.70 |
| | 5 | = 3 or more years ago | 377 | 4.28 |
| | 9 | = Never used hallucinogens | 8208 | 93.12 |
| IIHALRC | 1 | HALLUCINOGENS RECENCY - IMPUTATION INDICATOR | | |
| | 1 | = Questionnaire data | 8744 | 99.21 |
| | 2 | = Imputed data | 70 | 0.79 |
| IRHERRC | 1 | HEROIN RECENCY - IMPUTATION REVISED | | |
| | 1 | = Within the past month (30 days) | 9 | 0.10 |
| | 2 | = More than 1 month ago but less than 6 months ago | 13 | 0.15 |
| | 3 | = 6 or more months ago but less than 1 year ago | 13 | 0.15 |
| | 4 | = 1 or more years ago but less than 3 years ago | 6 | 0.07 |
| | 5 | = 3 or more years ago | 52 | 0.59 |
| | 9 | = Never used heroin | 8721 | 98.94 |
| IIHERRC | 1 | HEROIN RECENCY - IMPUTATION INDICATOR | | |
| | 1 | = Questionnaire data | 8781 | 99.63 |

| | | |
|---|------|-------|
| 2 = Imputed data | 33 | 0.37 |
| IRPCPRC 1 PCP RECENCY - IMPUTATION REVISED | | |
| 1 = Within the past month (30 days) | 8 | 0.09 |
| 2 = More than 1 month ago but less than 6 months ago . | 15 | 0.17 |
| 3 = 6 or more months ago but less than 1 year ago . | 13 | 0.15 |
| 4 = 1 or more years ago but less than 3 years ago . | 24 | 0.27 |
| 5 = 3 or more years ago | 201 | 2.28 |
| 9 = Never used PCP | 8553 | 97.04 |
| IIPCPRC 1 PCP RECENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 8769 | 99.49 |
| 2 = Imputed data | 45 | 0.51 |
| IRALCFQ 1 ALCOHOL FREQUENCY PAST YEAR - IMPUTATION REVISED | | |
| 1 = Used daily in past year | 241 | 2.73 |
| 2 = Used almost daily in past year | 364 | 4.13 |
| 3 = Used 1-2 days per week in past year | 926 | 10.51 |
| 4 = Used several times a month in past year | 568 | 6.44 |
| 5 = Used 1-2 times per month in past year | 1046 | 11.87 |
| 6 = Used every other month in past year | 673 | 7.64 |
| 7 = Used 3-5 times in past year | 644 | 7.31 |
| 8 = Used 1-2 times in past year | 864 | 9.80 |
| 9 = Never used or did not use in the past year | 3488 | 39.57 |
| IIALCFQ 1 ALCOHOL FREQUENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 8516 | 96.62 |
| 2 = Imputed data | 298 | 3.38 |
| IRMJFQ 2 MARIJUANA FREQUENCY PAST YEAR - IMPUTATION REVISED | | |
| 1 = Used several times per day in past year | 47 | 0.53 |
| 2 = Used daily in past year | 55 | 0.62 |
| 3 = Used almost daily in past year | 116 | 1.32 |
| 4 = Used 1-2 days per week in past year | 149 | 1.69 |
| 5 = Used several times per month in past year | 115 | 1.30 |
| 6 = Used 1-2 times per month in past year | 130 | 1.47 |
| 7 = Used every other month in past year | 128 | 1.45 |
| 8 = Used 3-5 times in past year | 163 | 1.85 |
| 9 = Used 1-2 times in past year | 270 | 3.06 |
| 10 = Never used or did not use in the past year ... | 7641 | 86.69 |
| IIMJFQ 1 MARIJUANA FREQUENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 8665 | 98.31 |
| 2 = Imputed data | 149 | 1.69 |
| IRCOCFQ 1 COCAINE FREQUENCY PAST YEAR - IMPUTATION REVISED | | |
| 1 = Used daily in past year | 10 | 0.11 |
| 2 = Used almost daily in past year | 20 | 0.23 |
| 3 = Used 1-2 days per week in past year | 35 | 0.40 |
| 4 = Used several times per month in past year | 53 | 0.60 |
| 5 = Used 1-2 times per month in past year | 44 | 0.50 |
| 6 = Used every other month in past year | 52 | 0.59 |
| 7 = Used 3-5 times in past year | 86 | 0.98 |
| 8 = Used 1-2 times in past year | 152 | 1.72 |
| 9 = Never used or did not use in the past year | 8362 | 94.87 |
| IICOCFQ 1 COCAINE RECENCY - IMPUTATION INDICATOR | | |
| 1 = Questionnaire data | 8721 | 98.94 |
| 2 = Imputed data | 93 | 1.06 |

RECODED DEMOGRAPHICS

RECODED DEMOGRAPHICS

| ----- | | | |
|--|---|-----------------------------|------------|
| CATAGE | 1 | AGE CATEGORY | |
| 1 = 12-17 years (IRAGE = 12-17) | | | 3095 35.11 |
| 2 = 18-25 years (IRAGE = 18-25) | | | 1505 17.08 |
| 3 = 26-34 years (IRAGE = 26-34) | | | 1987 22.54 |
| 4 = 35+ years (IRAGE > 34) | | | 2227 25.27 |
| CATAG2 | 1 | AGE CATEGORY RECODE | |
| 1 = 12-17 years (CATAGE = 1) | | | 3095 35.11 |
| 2 = 18-25 years (CATAGE = 2) | | | 1505 17.08 |
| 3 = 26+ years (CATAGE = 3,4) | | | 4214 47.81 |
| RACE | 1 | RACE/HISPANIC-ORIGIN RECODE | |
| 1 = White (IRRACE = 4 and IRHOIND = 2) | | | 4551 51.63 |
| 2 = Black (IRRACE = 3 and IRHOIND = 2) | | | 1888 21.42 |
| 3 = Hispanic (IRHOIND = 1) | | | 2193 24.88 |
| 4 = Other (IRRACE = 1-2 and IRHOIND = 2) | | | 182 2.06 |
| EDUCCAT | 1 | EDUCATION RECODE | |
| 1 = Less than high school (EDUC = 0-11) | | | 4745 53.83 |
| 2 = High school graduate (EDUC = 12) | | | 2161 24.52 |
| 3 = Some college (EDUC = 13-15) | | | 1070 12.14 |
| 4 = College graduate (EDUC = 16-17) | | | 787 8.93 |
| . = Unknown | | | 51 0.58 |
| EMPSTAT | 1 | EMPLOYMENT STATUS RECODE | |
| 1 = Full-time (WORKSTAT = 1,3,12) | | | 3085 35.00 |
| 2 = Part-time (WORKSTAT = 2,13) | | | 1102 12.50 |
| 3 = Unemployed (WORKSTAT = 4-5,14,16-17) | | | 455 5.16 |
| 4 = Other (WORKSTAT = 6-11,15) | | | 4145 47.03 |
| . = Unknown | | | 27 0.31 |

RECODED DRUG USE

RECODED DRUG USE

| ----- | | | |
|--|---|---|------------|
| SMOKCOK | 1 | SMOKED COCAINE IN PAST YEAR | |
| 0 = No (FREEBASE = 2,91,93) | | | 8617 97.76 |
| 1 = Yes (FREEBASE = 1) | | | 143 1.62 |
| . = REFUSED (FREEBASE = 97) | | | 54 0.61 |
| CONDLRC2 | 1 | RECENCY OF COCAINE USE W/NEEDLE (CONDLREC Recode) | |
| 1 = Within past month (30 days) | | | 8 0.09 |
| 2 = More than 1 month ago but less than 6 months ago | | | 7 0.08 |
| 3 = 6 or more months ago but less than 1 year ago | | | 9 0.10 |
| 4 = 1 or more years ago but less than 3 years ago | | | 11 0.12 |
| 5 = 3 or more years ago but less than 10 years ago | | | 30 0.34 |
| 6 = 10 or more years ago | | | 9 0.10 |
| 7 = Never used cocaine with a needle | | | 862 9.78 |
| . = Never/unknown use of cocaine | | | 7878 89.38 |
| HALFLAG | 1 | HALLUCINOGENS - EVER USED | |
| 0 = Never used (IRHALRC = 9) | | | 8208 93.12 |
| 1 = Ever used (IRHALRC = 1-5) | | | 606 6.88 |
| HALYR | 1 | HALLUCINOGENS - PAST YEAR USE | |

| | | |
|---|--------|-------|
| 0 = Did not use in the past year (IRHALRC = 4-5,9) | . 8647 | 98.11 |
| 1 = Used within the past year (IRHALRC = 1-3) | 167 | 1.89 |
| HALMON 1 HALLUCINOGENS - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRHALRC = 2-5,9) | .8766 | 99.46 |
| 1 = Used within the past month (IRHALRC = 1) | 48 | 0.54 |
| PCPFLAG 1 PCP - EVER USED | | |
| 0 = Never used (IRPCPRC = 9) | 8553 | 97.04 |
| 1 = Ever used (IRPCPRC = 1,5) | 261 | 2.96 |
| PCPYR 1 PCP - PAST YEAR USE | | |
| 0 = Did not use in the past year (IRPCPRC = 4-5,9) | . 8778 | 99.59 |
| 1 = Used within the past year (IRPCPRC = 1-3) | 36 | 0.41 |
| PCPMON 1 PCP - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRPCPRC = 2-5,9) | .8806 | 99.91 |
| 1 = Used within the past month (IRPCPRC = 1) | 8 | 0.09 |
| STMFLAG 1 STIMULANTS - EVER USED | | |
| 0 = Never used (IRSTMRC = 9) | 8247 | 93.57 |
| 1 = Ever used (IRSTMRC = 1-5) | 567 | 6.43 |
| STMYR 1 STIMULANTS - PAST YEAR USE | | |
| 0 = Did not use in the past year (IRSTMRC = 4-5,9) | . 8562 | 97.14 |
| 1 = Used within the past year (IRSTMRC = 1-3) | 252 | 2.86 |
| STMMON 1 STIMULANTS - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRSTMRC = 2-5,9) | .8736 | 99.12 |
| 1 = Used within the past month (IRSTMRC = 1) | 78 | 0.88 |
| SEDFLAG 1 SEDATIVES - EVER USED | | |
| 0 = Never used (IRSEDRC = 9) | 8526 | 96.73 |
| 1 = Ever used (IRSEDRC = 1-5) | 288 | 3.27 |
| SEDYR 1 SEDATIVES - PAST YEAR USE | | |
| 0 = Did not use in the past year (IRSEDRC = 4-5,9) | . 8674 | 98.41 |
| 1 = Used within the past year (IRSEDRC = 1-3) | 140 | 1.59 |
| SEDMON 1 SEDATIVES - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRSEDRC = 2-5,9) | .8774 | 99.55 |
| 1 = Used within the past month (IRSEDRC = 1) | 40 | 0.45 |
| TRQFLAG 1 TRANQUILIZERS - EVER USED | | |
| 0 = Never used (IRTRNRC = 9) | 8443 | 95.79 |
| 1 = Ever used (IRTRNRC = 1-5) | 371 | 4.21 |
| TRQYR 1 TRANQUILIZERS - PAST YEAR USE | | |
| 0 = Did not use in the past year (IRTRNRC = 4-5,9) | . 8625 | 97.86 |
| 1 = Used within the past year (IRTRNRC = 1-3) | 189 | 2.14 |
| TRQMON 1 TRANQUILIZERS - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRTRNRC = 2-5,9) | .8767 | 99.47 |
| 1 = Used within the past month (IRTRNRC = 1) | 47 | 0.53 |
| ANLFLAG 1 ANALGESICS - EVER USED | | |
| 0 = Never used (IRANLRC = 9) | 8340 | 94.62 |
| 1 = Ever used (IRANLRC = 1-5) | 474 | 5.38 |
| ANLYR 1 ANALGESICS - PAST YEAR USE | | |
| 0 = Did not use in the past year (IRANLRC = 4-5,9) | . 8542 | 96.91 |
| 1 = Used within the past year (IRANLRC = 1-3) | 272 | 3.09 |
| ANLMON 1 ANALGESICS - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRANLRC = 2-5,9) | .8748 | 99.25 |
| 1 = Used within the past month (IRANLRC = 1) | 66 | 0.75 |
| ALCFLAG 1 ALCOHOL - EVER USED | | |
| 0 = Never used (IRALCRC = 9) | 2389 | 27.10 |
| 1 = Ever used (IRALCRC = 1-5) | 6425 | 72.90 |
| ALCYR 1 ALCOHOL - PAST YEAR USE | | |

| | | |
|--|--------|-------|
| 0 = Did not use in the past year (IRALCRC = 4-5,9) | . 3488 | 39.57 |
| 1 = Used within the past year (IRALCRC = 1-3) | 5326 | 60.43 |
| ALCMON 1 ALCOHOL - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRALCRC = 2-5,9) | .4895 | 55.54 |
| 1 = Used within the past month (IRALCRC = 1) | 3919 | 44.46 |
| CIGFLAG 1 CIGARETTES - EVER USED | | |
| 0 = Never used (IRCIGRC = 9) | 3392 | 38.48 |
| 1 = Ever used (IRCIGRC = 1-5) | 5422 | 61.52 |
| CIGYR 1 CIGARETTES - PAST YEAR USE | | |
| 0 = Did not use in the past year (IRCIGRC = 4-5,9) | . 6021 | 68.31 |
| 1 = Used within the past year (IRCIGRC = 1-3) | 2793 | 31.69 |
| CIGMON 1 CIGARETTES - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRCIGRC = 2-5,9) | .6651 | 75.46 |
| 1 = Used within the past month (IRCIGRC = 1) | 2163 | 24.54 |
| SMKFLAG 1 SMOKELESS TOBACCO - EVER USED | | |
| 0 = Never used (IROTBRRC = 9) | 7747 | 87.89 |
| 1 = Ever used (IROTBRRC = 1-5) | 1067 | 12.11 |
| SMKYR 1 SMOKELESS TOBACCO - PAST YEAR USE | | |
| 0 = Did not use in the past year (IROTBRRC = 4-5,9) | . 8428 | 95.62 |
| 1 = Used within the past year (IROTBRRC = 1-3) | 386 | 4.38 |
| SMKMON 1 SMOKELESS TOBACCO - PAST MONTH USE | | |
| 0 = Did not use in the past month (IROTBRRC = 2-5,9) | .8571 | 97.24 |
| 1 = Used within the past month (IROTBRRC = 1) | 243 | 2.76 |
| HERFLAG 1 HEROIN - EVER USED | | |
| 0 = Never used (IRHERRC = 9) | 8721 | 98.94 |
| 1 = Ever used (IRHERRC = 1-5) | 93 | 1.06 |
| HERYR 1 HEROIN - PAST YEAR USE | | |
| 0 = Did not use in the past year (IRHERRC = 4-5,9) | . 8779 | 99.60 |
| 1 = Used within the past year (IRHERRC = 1-3) | 35 | 0.40 |
| HERMON 1 HEROIN - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRHERRC = 2-5,9) | .8805 | 99.90 |
| 1 = Used within the past month (IRHERRC = 1) | 9 | 0.10 |
| MRJFLAG 1 MARIJUANA - EVER USED | | |
| 0 = Never used (IRMJRC = 9) | 5978 | 67.82 |
| 1 = Ever used (IRMJRC = 1-6) | 2836 | 32.18 |
| MRJYR 1 MARIJUANA - PAST YEAR USE | | |
| 0 = Did not use in the past year (IRMJRC = 5-6,9) | . 7641 | 86.69 |
| 1 = Used within the past year (IRMJRC = 1-4) | 1173 | 13.31 |
| MRJMON 1 MARIJUANA - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRMJRC = 3-6,9) | . 8161 | 92.59 |
| 1 = Used within the past month (IRMJRC = 1-2) | 653 | 7.41 |
| COCFLAG 1 COCAINE - EVER USED | | |
| 0 = Never used (IRCOCRC = 9) | 7869 | 89.28 |
| 1 = Ever used (IRCOCRC = 1-6) | 945 | 10.72 |
| COCYR 1 COCAINE - PAST YEAR USE | | |
| 0 = Did not use in the past year (IRCOCRC = 5-6,9) | . 8362 | 94.87 |
| 1 = Used within the past year (IRCOCRC = 1-4) | 452 | 5.13 |
| COCMON 1 COCAINE - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRCOCRC = 3-6,9) | .8646 | 98.09 |
| 1 = Used within the past month (IRCOCRC = 1-2) | 168 | 1.91 |
| CRKFLAG 1 CRACK - EVER USED | | |
| 0 = Never used (IRCRKRC = 9) | 8676 | 98.43 |
| 1 = Ever used (IRCRKRC = 1-6) | 138 | 1.57 |
| CRKYR 1 CRACK - PAST YEAR USE | | |

| | | |
|---|------|-------|
| 0 = Did not use in the past year (IRCRKCR= 5-6,9) ... | 8741 | 99.17 |
| 1 = Used within the past year (IRCRKRC = 1-4) | 73 | 0.83 |
| CRKMON 1 CRACK - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRCRKRC = 3-6,9) . | 8778 | 99.59 |
| 1 = Used within the past month (IRCRKRC = 1-2) | 36 | 0.41 |
| INHFLAG 1 INHALANTS - EVER USED | | |
| 0 = Never used (IRINHRC = 9) | 8217 | 93.23 |
| 1 = Ever used (IRINHRC = 1-6) | 597 | 6.77 |
| INHYR 1 INHALANTS - PAST YEAR USE | | |
| 0 = Did not use in the past year (IRINHRC = 5-6,9) .. | 8641 | 98.04 |
| 1 = Used within the past year (IRINHRC = 1-4) | 173 | 1.96 |
| INHMON 1 INHALANTS - PAST MONTH USE | | |
| 0 = Did not use in the past month (IRINHRC = 3-6,9) . | 8729 | 99.04 |
| 1 = Used within the past month (IRINHRC = 1-2) | 85 | 0.96 |

The following variable, NEEDLREC, was created by examination of STNEEDLE (Q.ST-6), STNDLREC(Q.ST-7), COCIV (Q.CN-9), CONDLREC(Q.CN-10), HERNEEDL (Q.H-6), and HRNDLREC(Q.H-7).

| | | |
|--|------|-------|
| NEEDLREC 2 MOST RECENT TIME USED A NEEDLE TO INJECT ANY DRUG | | |
| 1 = Within the past month (30 days) | 15 | 0.17 |
| 2 = More than 1 month ago but less than 6 months ago . | 8 | 0.09 |
| 3 = 6 or more months ago but less than 1 year ago ... | 8 | 0.09 |
| 4 = 1 or more years ago but less than 3 years ago ... | 15 | 0.17 |
| 5 = 3 or more years ago but less than 10 years ago .. | 43 | 0.49 |
| 6 = 10 or more years ago | 20 | 0.23 |
| 8 = Use in past year LOGICALLY IMPUTED | 1 | 0.01 |
| 91 = NEVER USED A NEEDLE TO INJECT ANY DRUG | 8463 | 96.02 |
| 98 = NEEDLE USE NOT INDICATED BUT 1+ SOURCE VAR BLANK. | 241 | 2.73 |
| NEDFLAG 1 NEEDLE USE (ANY DRUG) - EVER | | |
| 0 = Never used (NEEDLREC = 91,98) | 8704 | 98.75 |
| 1 = Ever used (NEEDLREC = 1-8) | 110 | 1.25 |
| NEDYR 1 NEEDLE USE (ANY DRUG) - PAST YEAR | | |
| 0 = Did not use in the past year (NEEDLREC=4-6,91,98) | 8782 | 99.64 |
| 1 = Used within the past year (NEEDLREC = 1-3,8) | 32 | 0.36 |
| COCYRF 1 COCAINE - ANY USE PAST YEAR | | |
| 0 = Never used or did not use in past year (IRCOCFQ=9) | 8362 | 94.87 |
| 1 = Any use within the past year (IRCOCFQ = 1-8) | 452 | 5.13 |
| COCMONF 1 COCAINE - MONTHLY OR MORE FREQUENT USE PAST YEAR | | |
| 0 = Did not use monthly/more past year (IRCOCFQ=6-9) . | 8652 | 98.16 |
| 1 = Used monthly or more often past year (IRCOCFQ=1-5) | 162 | 1.84 |
| COCWKF 1 COCAINE - WEEKLY OR MORE FREQUENT USE PAST YEAR | | |
| 0 = Did not use weekly or more past year (IRCOCFQ=4-9) | 8749 | 99.26 |
| 1 = Used weekly or more often past year (IRCOCFQ=1-3). | 65 | 0.74 |
| ALCYRF 1 ALCOHOL - ANY USE PAST YEAR | | |
| 0 = Never used or not used in past year (IRALCFQ=9) . | 3488 | 39.57 |
| 1 = Any use within the past year (IRALCFQ=1-8) | 5326 | 60.43 |
| ALCMONF 1 ALCOHOL - MONTHLY OR MORE FREQUENT USE PAST YEAR | | |

| | | |
|---|------|-------|
| 0 = Did not use monthly/more past year (IRALCFQ=6-9) | 5669 | 64.32 |
| 1 = Used monthly or more often past year (IRALCFQ=1-5) | 3145 | 35.68 |
| ALCWKF 1 ALCOHOL - WEEKLY OR MORE FREQUENT USE PAST YEAR | | |
| 0 = Did not use weekly or more past year (IRALCFQ=4-9) | 7283 | 82.63 |
| 1 = Used weekly or more in past year (IRALCFQ=1-3) . | 1531 | 17.37 |
| MRJYRF 1 MARIJUANA - ANY USE PAST YEAR | | |
| 0 = Never used or did not use in past year (IRMJFQ=10) | 7641 | 86.69 |
| 1 = Any use within the past year (IRMJFQ=1-9) | 1173 | 13.31 |
| MRJMONF 1 MARIJUANA - MONTHLY OR MORE FREQUENT USE PAST YEAR | | |
| 0 = Did not use monthly/more past year (IRMJFQ=7-10) | 8202 | 93.06 |
| 1 = Used monthly or more in past year (IRMJFQ=1-6) . | 612 | 6.94 |
| MRJWKF 1 MARIJUANA - WEEKLY OR MORE FREQUENT USE PAST YEAR | | |
| 0 = Did not use weekly/more past year (IRMJFQ=5-10) . | 8447 | 95.84 |
| 1 = Used weekly or more in past year (IRMJFQ=1-4) . | 367 | 4.16 |

The following three variables were created by examination of IRSEDRC(Q.S-4) ITRNRC(Q.T-4), IRSTMRC(Q.ST-4), and IRANLRC(Q.AN-4).

| | | |
|---|------|-------|
| PSYFLAG2 1 ANY PSYCHOTHERAPEUTICS - EVER USED | | |
| 0 = Never used (ALL SOURCE VARIABLES = 9) | 7839 | 88.94 |
| 1 = Ever used (ANY SOURCE VARIABLE < 9) | 975 | 11.06 |
| PSYYR2 1 ANY PSYCHOTHERAPEUTICS - PAST YEAR USE | | |
| 0 = Did not use within past year (ALL SOURCE VARS > 3) | 8271 | 93.84 |
| 1 = Used in past year (ANY SOURCE VARIABLE < 4) | 543 | 6.16 |
| PSYMON2 1 ANY PSYCHOTHERAPEUTICS - PAST MONTH USE | | |
| 0 = Did not use in past month (ALL SOURCE VARS > 1) . | 8640 | 98.03 |
| 1 = Used in past month (ANY SOURCE VARIABLE = 1) ... | 174 | 1.97 |

The following variable, SUMFLAG, was created by examination of HALFLAG, HERFLAG, MRJFLAG, COCFLAG, INHFLAG, and PSYFLAG2.

| | | |
|---|------|-------|
| SUMFLAG 1 ANY ILLICIT DRUG - EVER USED | | |
| 0 = Never used (ALL SOURCE VARIABLES = 0) | 5600 | 63.54 |
| 1 = Ever used (ANY SOURCE VARIABLE = 1) | 3214 | 36.46 |

The following variable, SUMYR, was created by examination of HALYR, HERYR, MRJYR, COCYR, INHYR, and PSYYR2.

| | | |
|---|------|-------|
| SUMYR 1 ANY ILLICIT DRUG - PAST YEAR USE | | |
| 0 = Did not use in past year (ALL SOURCE VARS = 0) .. | 7299 | 82.81 |
| 1 = Used in past year (ANY SOURCE VARIABLE = 1) | 1515 | 17.19 |

The following variable, SUMMON, was

created by examination of HALMON,
HERMON, MRJMON, COCMON, INHMON, and
PSYMON2.

| | | | | |
|--------|---|---|---------|-------|
| SUMMON | 1 | ANY ILLICIT DRUG - PAST MONTH USE | | |
| 0 | = | Did not use in past month (ALL SOURCE VARS = 0) | . 7987 | 90.62 |
| 1 | = | Used in past month (ANY SOURCE VARIABLE = 1) | ... 827 | 9.38 |

The following variable, MJOFLAG, was
created by examination of MRJFLAG and
then HALFLAG, HERFLAG, COCFLAG, INHFLAG,
and PSYFLAG2.

| | | | | |
|---------|---|--|------------|-------|
| MJOFLAG | 1 | MARIJUANA ONLY - EVER USED | | |
| 0 | = | Never used MJ/has used | | |
| | | both MJ & anothr illct drug | 7422 | 84.21 |
| 1 | = | Marijuana is only (illicit) drug ever used | 1392 | 15.79 |

The following variable, MJOYR2, was
created by examination of MRJYR and
then HALYR, HERYR, COCYR, INHYR, and
PSYR2.

| | | | | |
|--------|---|---|--------|-------|
| MJOYR2 | 1 | MARIJUANA ONLY - PAST YEAR USE | | |
| 0 | = | MJ not used past yr/Used MJ & othr drug past yr | . 8228 | 93.35 |
| 1 | = | Marijuana is only (illicit) drug in past year | . 586 | 6.65 |

The following variable, MJOMON2, was
created by examination of MRJMON and
then HALMON, HERMON, COCMON, INHMON, and
PSYMON2.

| | | | | |
|---------|---|---|------------|-------|
| MJOMON2 | 1 | MARIJUANA ONLY - PAST MONTH USE | | |
| 0 | = | MJ not used past mnth/Used | | |
| | | MJ & othr drug past mo | 8368 | 94.94 |
| 1 | = | Marijuana only (illicit) drug in past month | 446 | 5.06 |

DESIGN AND ESTIMATION VARIABLES

DESIGN AND ESTIMATION VARIABLES

| | | | | |
|---------|----|---|--|--|
| VESTR | 2 | STRATUM TO BE USED IN ANALYSIS | | |
| | | RANGE = 1 - 48 | | |
| VEREP | 1 | REPLICATE WITHIN ANALYSIS STRATUM | | |
| | | RANGE = 1 - 2 | | |
| ANALWT | 12 | ANALYSIS WEIGHT | | |
| | | RANGE = 456.931 - 163423 | | |
| ANALWT2 | 12 | ANALYSIS WEIGHT IN THOUSANDS OF PERSONS | | |

MAIN FINDINGS 1988 REPORT - VARIABLE CREATION

The following variables were created for the National Household Survey on Drug Abuse: Main Findings 1988 report. These variables consist of recodes and logical imputations of previous codebook variables.

There are 2 sections of recoded variables: general, and recoded drug use variables. For the most part, the recoded variables in the general section are simply a reformatting of the levels of the source variable, and thus have the same label as the source variable. However, for some of the variables in the general section, and for all the variables in the recoded drug use section, the source variables are recoded to define a new variable, and in these incidences the recoded variables are given a label which describes the new variable definition. In both cases, the source variables and recode information are given either in parentheses after the variable level definition, or in a comment directly above the variable. The comments directly above the variable are used when there are multiple source variables which cannot all be included in the allotted space for the variable level definition.

There are 3 sections of logical imputations: logically imputed variables concerning problems attributed to past year alcohol or drug use (from Answer Sheet #13), logically imputed variables concerning negative drinking experiences (from Answer Sheet #12), and logically imputed variables concerning components of dependence on drugs or alcohol (from Answer Sheet #11). Each of these 3 sections are preceded by text which describes the data structure of the answer sheet in question, and the method of logical imputation. The logically imputed variables in each of these sections are assigned a label which includes as much of the original variable label as permitted in the allotted space for the label, and in parentheses have L.I. and the original variable name to indicate logically imputed variables. In addition, there has been some recoding of the logically imputed data. The recodes of logically imputed data have been given labels which describe the new variable definition. Unlike the previous recoded variables they do not have the source variables and recoding information in parentheses after the associated variable levels, but rather are preceded by text which explain in detail the type of recoding implemented.

GENERAL VARIABLES - RECODED

| | | | | |
|----------|---|---|------|-------|
| AEROS2 | 1 | EVER INHALED OTHER AEROSOL SPRAYS | | |
| | 0 | = Never inhaled (AEROS = 2,91) | 8719 | 98.92 |
| | 1 | = Ever inhaled (AEROS = 1) | 48 | 0.54 |
| | . | Unknown (AEROS = 95) | 47 | 0.53 |
| ALCDAYS2 | 1 | # DAYS DRANK ALCOHOL IN PAST 30 DAYS | | |
| | 1 | = None or never used alcohol (ALCDAYS = 0,91) ... | 4895 | 55.54 |
| | 2 | = 1-2 days (ALCDAYS = 1-2) | 1345 | 15.26 |

| | | |
|--|------|-------|
| 3 = 3-4 days (ALCDAYS = 3-4) | 769 | 8.72 |
| 4 = 5-19 days (ALCDAYS = 5-19) | 1016 | 11.53 |
| 5 = 20-30 days (ALCDAYS = 20-30) | 351 | 3.98 |
| . = Unknown (ALCDAYS = 94,95,96,98) | 438 | 4.97 |
| ALCDAYS3 1 # DAYS DRANK ALCOHOL IN PAST 30 DAYS | | |
| 1 = None or never used alcohol (ALCDAYS2 = 1) | 4895 | 55.54 |
| 2 = 1-4 days (ALCDAYS2 = 2-3) | 2114 | 23.98 |
| 3 = 5-19 days (ALCDAYS2 = 4) | 1016 | 11.53 |
| 4 = 20-30 days (ALCDAYS2 = 5) | 351 | 3.98 |
| . = Unknown (ALCDAYS2 = | 438 | 4.97 |
| ALCMON2 1 ALCOHOL - PAST MONTH USE | | |
| 1 = Did not use in the past month (ALCMON = 0) | 4895 | 55.54 |
| 2 = Used within the past month (ALCMON = 1) | 3919 | 44.46 |
| AMYLNIT2 1 EVER INHALED AMYL NITRITE/LOCKER RM ODORIZER/RUSH | | |
| 0 = Never inhaled (AMYLNIT = 2,91) | 8574 | 97.28 |
| 1 = Ever inhaled (AMYLNIT = 1) | 193 | 2.19 |
| . = Unknown (AMYLNIT = 95) | 47 | 0.53 |
| AVCIG2 1 # CIG. SMOKED PER DAY LAST 30 | | |
| 1 = None or never smoked cigarettes (AVCIG=91,99) . | 6638 | 75.31 |
| 2 = Currently smoke < a pack per day (AVCIG = 1-3) . | 1199 | 13.60 |
| 3 = Currently smoke a pack | | |
| or more per day (AVCIG=4-6) | 913 | 10.36 |
| . = Unknown (AVCIG = 94,98) | 64 | 0.73 |
| AVCIG3 1 # CIG.OKED PER DAY LAST 30 | | |
| 0 = None, never, < pack a | | |
| day (AVCIG=1-3,91,94,98,99) | 7901 | 89.64 |
| 1 = Currently smoke a pack | | |
| or more per day (AVCIG=4-6) | 913 | 10.36 |
| CIGMON2 1 CIGARETTES - PAST MONTH USE | | |
| 1 = Did not use in past month (CIGMON = 0) | 6651 | 75.46 |
| 2 = Used within past month (CIGMON = 1) | 2163 | 24.54 |
| CLEFLU2 1 EVER INHALED CORR. FLD/DEGREASER/CLEAN. FLD | | |
| 0 = Never inhaled (CLEFLU = 2,91) | 8698 | 98.68 |
| 1 = Ever inhaled (CLEFLU = 1) | 70 | 0.79 |
| . = Unknown (CLEFLU = 95) | 46 | 0.52 |
| COCIV2 1 INJECTED COCAINE WITH NEEDLE PAST 12 MONTHS | | |
| 0 = Never/no use in past 12 months (COCIV=2,91,93) . | 8791 | 99.74 |
| 1 = Injected in the past 12 months (COCIV = 1) | 23 | 0.26 |
| COCNEWA2 1 OTHER WAY COCAINE USED PAST 12 MONTHS | | |
| 0 = Never/no use in past | | |
| 12 months (COCNEWA=91,93,98) | 8743 | 99.19 |
| 1 = Used other ways past 12 months (COCNEWA = 6,7,8) . | 8 | 0.09 |
| . = Unknown (COCNEWA = 95) | 63 | 0.71 |
| COCSNIF2 1 SNIFFED/SNORTED COC. THRU NOSE PAST 12 MONTH | | |
| 0 = Never/no use in past 12 | | |
| months (COCSNIFF=2,91,93) | 8410 | 95.42 |
| 1 = Sniffed/snorted in past 12 months (COCSNIFF = 1) . | 341 | 3.87 |
| . = Unknown (COCSNIFF = 95) | 63 | 0.71 |
| COCSWAL2 1 SWALLOWED/DRANK COCAINE PAST 12 MONTHS | | |
| 0 = Never/no use in past 12 months (COCSWAL=2,91,91) | 8712 | 98.84 |
| 1 = Swallowed/drank in past 12 months (COCSWAL = 1) . | 39 | 0.44 |
| . = Unknown (COCSWAL = 95) | 63 | 0.71 |
| COCTOT2 1 # TIMES USED COCAINE IN LIFE | | |
| 1 = Never used cocaine (COCTOT = 91) | 7869 | 89.28 |

| | | |
|---|------|-------|
| 2 = 1-2 times (COCTOT = 1) | 281 | 3.19 |
| 3 = 3-10 times (COCTOT = 2,3) | 288 | 3.27 |
| 4 = 11-99 times (COCTOT = 4,5) | 250 | 2.84 |
| 5 = 100 or more times (COCTOT = 6,7) | 101 | 1.15 |
| 6 = Unknown (COCTOT = 95,98) | 25 | 0.28 |
| COCTOT3 1 # TIMES USED COCAINE IN LIFE | | |
| 1 = 1-2 times (COCTOT2 = 2) | 281 | 3.19 |
| 2 = 3-10 times (COCTOT2 = 3) | 288 | 3.27 |
| 3 = 11-99 times (COCTOT2 = 4) | 250 | 2.84 |
| 4 = 100 or more times (COCTOT2 = 5) | 101 | 1.15 |
| 5 = Never used cocaine (COCTOT2 = 1) | 7869 | 89.28 |
| . = Unknown (COCTOT2 = 6) | 25 | 0.28 |
| DRINKER 1 DRANK ALCOHOL - PAST 30 DAYS | | |
| 0 = Never/no use alcohol in past 30 days(ALCDAYS=0,91) | 4895 | 55.54 |
| 1 = Used alcohol in past 30 days (ALCDAYS = 1-30) ... | 3481 | 39.49 |
| . = Unknown (ALCDAYS = 94,95,96,98) | 438 | 4.97 |
| DRUNKYR2 1 # TIMES DRUNK ON ALC PAST 12 MONTH | | |
| 0 = Unknown (DRUNKYR = 94,95,97,98) | 247 | 2.80 |
| 1 = Drunk more than twice a month (DRUNKYR = 1-4) ... | 470 | 5.33 |
| 2 = Drunk twice a month or less (DRUNKYR = 5-8) | 1775 | 20.14 |
| 3 = Never drunk in past year (DRUNKYR = 9) | 2834 | 32.15 |
| . = Never used alc or not in past yr (DRUNKYR = 91,93) | 3488 | 39.57 |
| EDUCCAT2 1 EDUCATION | | |
| 1 = Less than high school (CATAGE > 1 and EDUCCAT = 1) | 1732 | 19.65 |
| 2 = High school graduate (CATAGE > 1 and EDUCCAT = 2) | 2115 | 24.00 |
| 3 = Some college (CATAGE > 1 and EDUCCAT = 3) | 1059 | 12.01 |
| 4 = College graduate (CATAGE > 1 and EDUCCAT = 4) ... | 784 | 8.89 |
| . = Unknown or 12-17 year olds (CATAGE=1 or EDUCCAT=.) | 3124 | 35.44 |
| EMPSTAT2 1 EMPLOYMENT STATUS | | |
| 1 = Full-time (CATAGE > 1 and EMPSTAT = 1) | 3037 | 34.46 |
| 2 = Part-time (CATAGE > 1 and EMPSTAT = 2) | 661 | 7.50 |
| 3 = Unemployed (CATAGE > 1 and EMPSTAT = 3) | 390 | 4.42 |
| 4 = Other (CATAGE > 1 and EMPSTAT = 4) | 1617 | 18.35 |
| . = Unknown or 12-17 year olds (CATAGE=1 or EMPSTAT=.) | 3109 | 35.27 |
| ETHER2 1 EVER INHALED HALOTHANE/ETHER/OTHER ANESTHETICS | | |
| 0 = Never inhaled (ETHER = 2,91) | 8758 | 99.36 |
| 1 = Ever inhaled (ETHER = 1) | 9 | 0.10 |
| . = Unknown (ETHER = 95) | 47 | 0.53 |
| FREEBAS2 1 SMOKED/FREE-BASED COCAINE PAST 12 MONTHS | | |
| 0 = Never/no use past 12 months (FREEBASE=2,91,93).. | 8617 | 97.76 |
| 1 = Freebased in past 12 months (FREEBASE = 1) | 143 | 1.62 |
| . = Unknown (FREEBASE = 95) | 54 | 0.61 |
| GAS2 1 EVER INHALED GASOLINE OR LIGHTER FLUID | | |
| 0 = Never inhaled (GAS = 2,91) | 8605 | 97.63 |
| 1 = Ever inhaled (GAS = 1) | 163 | 1.85 |
| . = Unknown (GAS = 95) | 46 | 0.52 |
| GLUE2 1 EVER INHALED SHOESHINE LIQUID/GLUE/TOLUENE | | |
| 0 = Never inhaled (GLUE = 2,91) | 8621 | 97.81 |
| 1 = Ever inhaled (GLUE = 1) | 146 | 1.66 |
| . = Unknown (GLUE = 95) | 47 | 0.53 |

| | | | | |
|----------|---|---|------|-------|
| HVYDRK | 1 | DRANK ALCOHOL HEAVILY - PAST 30 DAYS | | |
| 0 | = | Never/no hvy use(ALCDAYS=0-4,19 or NODR30A=0-4,91) | 8245 | 93.54 |
| 1 | = | Heavy alcohol use(ALCDAYS = 5-30 and NODR30A=5-90) | 410 | 4.65 |
| . | = | Unknown | 159 | 1.80 |
| LSD2 | 1 | EVER USED LSD | | |
| 0 | = | Never used hallucinogens (LSD = 2,91,98) | 8353 | 94.77 |
| 1 | = | Ever used LSD (LSD = 1) | 440 | 4.99 |
| . | = | Unknown (LSD = 95) | 21 | 0.24 |
| MESC2 | 1 | EVER USED MESCALINE | | |
| 0 | = | Never used hallucinogens (MESC = 2,91,98) | 8603 | 97.61 |
| 1 | = | Ever used Mescaline (MESC = 1) | 190 | 2.16 |
| . | = | Unknown (MESC = 95) | 21 | 0.24 |
| MJDY30A2 | 1 | # DAYS USED MARIJUANA IN PAST 30 DAYS | | |
| 1 | = | None or never used marijuana (MJDY30A = 0,91) | 8161 | 92.59 |
| 2 | = | 1-2 days (MJDY30A = 1-2) | 202 | 2.29 |
| 3 | = | 3-4 days (MJDY30A = 3-4) | 101 | 1.15 |
| 4 | = | 5-19 days (MJDY30A = 5-19) | 153 | 1.74 |
| 5 | = | 20-30 days (MJDY30A = 20-30) | 106 | 1.20 |
| 6 | = | Unknown (MJDY30A = 95,98) | 91 | 1.03 |
| MJDY30A3 | 1 | # DAYS USED MARIJUANA IN PAST 30 | | |
| 1 | = | 1-2 days (MJDY30A2 = 2) | 202 | 2.29 |
| 2 | = | 3-4 days (MJDY30A2 = 3) | 101 | 1.15 |
| 3 | = | 5-19 days (MJDY30A2 = 4) | 153 | 1.74 |
| 4 | = | 20-30 days (MJDY30A2 = 5) | 106 | 1.20 |
| 5 | = | None or never used marijuana (MJDY30A2 = 1) .. | 8161 | 92.59 |
| . | = | Unknown (MJDY30A2 = 6) | 91 | 1.03 |
| MJTOT2 | 1 | # TIMES USED MARIJUANA IN LIFE | | |
| 1 | = | Never used marijuana (MJTOT = 91) | 5978 | 67.82 |
| 2 | = | 1-2 times (MJTOT = 1) | 836 | 9.48 |
| 3 | = | 3-10 times (MJTOT = 2,3) | 774 | 8.78 |
| 4 | = | 11-99 times (MJTOT = 4,5) | 569 | 6.46 |
| 5 | = | 100 or more times (MJTOT = 6,7) | 623 | 7.07 |
| 6 | = | Unknown (MJTOT = 95,96,98) | 34 | 0.39 |
| MJTOT3 | 1 | # TIMES USED MARIJUANA IN LIFE | | |
| 1 | = | 1-2 times (MJTOT2 = 2) | 836 | 9.48 |
| 2 | = | 3-10 times (MJTOT2 = 3) | 774 | 8.78 |
| 3 | = | 11-99 times (MJTOT2 = 4) | 569 | 6.46 |
| 4 | = | 100 or more times (MJTOT2 = 5) | 623 | 7.07 |
| 5 | = | Never used marijuana (MJTOT2 = 1) | 5978 | 67.82 |
| . | = | Unknown (MJTOT2 = 6) | 34 | 0.39 |
| MRJMON2 | 1 | MARIJUANA - PAST MONTH USE | | |
| 1 | = | Did not use in past month (MRJMON = 0) | 8161 | 92.59 |
| 2 | = | Used within the past month (MRJMON = 1) | 653 | 7.41 |
| NITOXID2 | 1 | EVER INHALED NITROUS OXIDE/WHIPPETS RECODE | | |
| 0 | = | Never inhaled (NITOXID = 2,91) | 8678 | 98.46 |
| 1 | = | Ever inhaled (NITOXID = 1) | 89 | 1.01 |
| . | = | Unknown (NITOXID = 95) | 47 | 0.53 |

The following variable, NOTMARJ, was created by examination of COCMON, INHMON HERMON, and PSYMON2. Note: This variable

is created such that all past month users of illicit drugs other than marijuana alone are in the positive response category.

| | | | | |
|----------|---|---|------|-------|
| NOTMARJ | 1 | DRUG USE OTHER THAN MARIJUANA - PAST MONTH | | |
| | 0 | = No (ALL SOURCE VARIABLES = 0) | 8433 | 95.68 |
| | 1 | = Yes (ANY SOURCE VARIABLES = 1) | 381 | 4.32 |
| PEYOTE2 | 1 | EVER USED PEYOTE | | |
| | 0 | = Never used hallucinogens (PEYOTE = 2,91,98) ... | 8704 | 98.75 |
| | 1 | = Ever used Peyote (PEYOTE = 1) | 89 | 1.01 |
| | . | = Unknown (PEYOTE = 95) | 21 | 0.24 |
| PSILCY2 | 1 | EVER USED PSILOCYBIN (MUSHROOMS) | | |
| | 0 | = Never used hallucinogens (PSILCY = 2,91,98) ... | 8605 | 97.63 |
| | 1 | = Ever used Psilocybin (PSILCY = 1) | 188 | 2.13 |
| | . | = Unknown (PSILCY = 95) | 21 | 0.24 |
| RACESEX | 1 | RACE AND SEX COMBINED | | |
| | 1 | = White male (SEX = 1 and RACE = 1) | 2080 | 23.60 |
| | 2 | = Black male (SEX = 1 and Race = 2) | 786 | 8.92 |
| | 3 | = Hispanic male (SEX = 1 and Race = 3) | 992 | 11.25 |
| | 4 | = White female (SEX = 2 and Race = 1) | 2471 | 28.03 |
| | 5 | = Black female (SEX = 2 and Race = 2) | 1102 | 12.50 |
| | 6 | = Hispanic female (SEX = 2 and Race = 3) | 1201 | 13.63 |
| | . | = Other males and females (SEX=1 or 2 and RACE=4) | 182 | 2.06 |
| SOLVENT2 | 1 | EVER INHALED SOLVENTS | | |
| | 0 | = Never inhaled (SOLVENT = 2,91) | 8704 | 98.75 |
| | 1 | = Ever inhaled (SOLVENT = 1) | 63 | 0.71 |
| | . | = Unknown (SOLVENT = 95) | 47 | 0.53 |
| SPPAINT2 | 1 | EVER INHALED SPRAY PAINTS | | |
| | 0 | = Never inhaled (SPPAINT = 2,91) | 8683 | 98.51 |
| | 1 | = Ever inhaled (SPPAINT = 1) | 84 | 0.95 |
| | . | = Unknown (SPPAINT = 95) | 47 | 0.53 |

DRUG PROBLEMS -- ANSWER SHEET #13 -- LOGICALLY IMPUTED (L.I.)

The data for the drug problems, answer sheet #13, is structured with a lead-in question, 11 gate questions, and 1 subquestion per gate question. The lead-in question (AS13NONE) asks if any of the substances listed on a showcard had been used. (Note: Smokeless tobacco was not listed on the showcard for "if you ever used one of these substances".) The 11 gate questions (DRDEPRSS, DRARGUM, DRALONE, DRANX, DRHEALTH, DRNTHINK, DRUPSET, DRLSWORK, DRSUSPIC, DRCOPE, and DREMGMED), ask whether each of 11 problems had been experienced in the past year, and the 1 subquestion per gate question asks for each problem experienced that the substances suspected of causing the problem be listed. The substances suspected of causing each individual problem are recorded in a series of 5 variables per gate question (DEPDRG1A-DEPDRG5A, ARGDRG1A-ARGDRG5A, ALNDRG1A-ALNDRG5A, ANXDRG1A-ANXDRG5A, HLTDRG1A-HLTDRG5A, NTKDRG1A-NTKDRG5A, UPSDRG1A-UPSDRG5A, LSWDRG1A-LSWDRG5A, SSPDRG1A-SSPDRG5A, CPEDRG1A-CPEDRG5A, and EMDRG1A-EMDRG5A).

The above data was logically imputed as follows:

If no use of the substances listed on the showcard were indicated by the recoded lifetime drug use variables (CIGFLAG, ALCFLAG, MRJFLAG, COCFLAG, CRKFLAG, INHFLAG, HERFLAG, HALFLAG, PCPFLAG, SEDFLAG, TRQFLAG, STMFLAG, ANLFLAG, and PSYFLAG2), or if only use of smokeless tobacco was indicated (SMKFLAG) then the lead-in question was logically revised to indicate that no listed substance had ever been used (IRAS13=1). Subsequently, the 11 gate questions were logically revised to the legitimate skip code (IRDEP, IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE, AND IREMG=99). In addition the 55 variables representing the data reported for the one subquestion per gate question, were logically revised to the legitimate skip code (IRDEP1-IRDEP5, IRARG1-IRARG5, IRALN1-IRALN5, IRANX1-IRANX5, IRHLT1-IRHLT5, IRNTK1-IRNTK5, IRUPS1-IRUPS5, IRLSW1-IRLSW5, IRSSP1-IRSSP5, IRCPE1-IRCPE5, and IREMG1-IREMG5=999).

If use of one or more of the listed substances was indicated by the recoded lifetime use variables then the lead-in question was revised to indicate that a listed substance had been used (IRASA13=2). Subsequently, each gate question was individually examined. Positive responses to the gate questions were left as is with the respective data for the subquestion logically revised to fit the intended questionnaire pattern. Thus all valid drug mentions for a given gate question were first listed consecutively in the logically revised 5 variable sequence per gate question, and the subsequent variables in the 5 variable sequence were set to the legitimate skip code (999). If there were no valid drug mentions in any of the 5 variables for a given gate question, then the first revised variable in the 5 variable sequence was set to a blank code (998) and the subsequent variables in the sequence set to the legitimate skip code (999). Negative responses to the gate questions were also left as is, and bad data (95), refused (97), or blank data (98) responses to the gate questions were logically imputed to negative responses. The respective 5 variables per gate question were then logically revised to the legitimate skip code (999) in both situations.

DRUG PROBLEMS - LOGICALLY IMPUTED

| | | | | |
|--------|-----|---|------|-------|
| IRAS13 | 1 | NEVER USED ANY LISTED SUBSTANCES (L.I. AS13NONE) | | |
| | 1 | = Never used any of the substances listed | 1815 | 20.59 |
| | 2 | = Used one or more of the listed substances | 6999 | 79.41 |
| IRDEP | 2 | DEPRESSION PST YR DUE TO DRUGS (L.I. DRDEPRSS) | | |
| | 1 | = Yes | 416 | 4.72 |
| | 2 | = No | 6583 | 74.69 |
| | 99 | = LEGITIMATE SKIP (IRAS13 = 1) | 1815 | 20.59 |
| IRDEP1 | 3 | 1ST DRUG CAUSING DEPRESSION (L.I. DEPDRG1A) | | |
| | 120 | = OTHER Sedative, NOT SPECIFIED, "Downers" | 2 | 0.02 |
| | 208 | = Centrax | 1 | 0.01 |
| | 209 | = Xanax | 2 | 0.02 |
| | 322 | = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| | 324 | = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 2 | 0.02 |

| | | |
|---|------|-------|
| 339 = Amphetamines (speed) | 3 | 0.03 |
| 401 = Darvon | 1 | 0.01 |
| 409 = Tylenol with Codeine | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 4 | 0.05 |
| 605 = PCP ("angel dust," phencyclidine) | 2 | 0.02 |
| 702 = Heroin | 3 | 0.03 |
| 803 = Marijuana | 58 | 0.66 |
| 805 = Cocaine, Coke | 26 | 0.29 |
| 806 = Crack | 2 | 0.02 |
| 807 = Alcohol | 218 | 2.47 |
| 813 = Cigarettes, Tobacco | 41 | 0.47 |
| 998 = BLANK | 49 | 0.56 |
| 999 = LEGITIMATE SKIP | 8398 | 95.28 |
| IRDEP2 3 2ND DRUG CAUSING DEPRESSION (L.I. DEPDRG2A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 21 | 0.24 |
| 805 = Cocaine, Coke | 8 | 0.09 |
| 807 = Alcohol | 16 | 0.18 |
| 813 = Cigarettes, Tobacco | 4 | 0.05 |
| 815 = Coffee | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8758 | 99.36 |
| IRDEP3 3 3RD DRUG CAUSING DEPRESSION (L.I. DEPDRG3A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 201 = Valium | 1 | 0.01 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 4 | 0.05 |
| 805 = Cocaine, Coke | 5 | 0.06 |
| 807 = Alcohol | 2 | 0.02 |
| 809 = Pills | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8798 | 99.82 |
| IRDEP4 3 4TH DRUG CAUSING DEPRESSION (L.I. DEPDRG4A) | | |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 2 | 0.02 |
| 807 = Alcohol | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8809 | 99.94 |
| IRDEP5 3 5TH DRUG CAUSING DEPRESSION (L.I. DEPDRG5A) | | |
| 702 = Heroin | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8813 | 99.99 |
| IRARG 2 ARGUMENTS PST YR DUE TO DRUGS (L.I. DRARGUM) | | |
| 1 = Yes | 479 | 5.43 |
| 2 = No | 6520 | 73.97 |
| 99 = LEGITIMATE SKIP (IRAS13 = 1) | 1815 | 20.59 |
| IRARG1 3 1ST DRUG CAUSING ARGUMENTS (L.I. ARGDRG1A) | | |
| 113 = Halcion | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 3 | 0.03 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 1 | 0.01 |

| | | |
|--|------|-------|
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 28 | 0.32 |
| 805 = Cocaine, Coke | 20 | 0.23 |
| 806 = Crack | 2 | 0.02 |
| 807 = Alcohol | 312 | 3.54 |
| 813 = Cigarettes, Tobacco | 57 | 0.65 |
| 998 = BLANK | 52 | 0.59 |
| 999 = LEGITIMATE SKIP | 8335 | 94.57 |
| IRARG2 3 2ND DRUG CAUSING ARGUMENTS (L.I. ARGDRG2A) | | |
| 322 = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 702 = Heroin | 2 | 0.02 |
| 803 = Marijuana | 17 | 0.19 |
| 805 = Cocaine, Coke | 9 | 0.10 |
| 807 = Alcohol | 12 | 0.14 |
| 813 = Cigarettes, Tobacco | 4 | 0.05 |
| 815 = Coffee | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8765 | 99.44 |
| IRARG3 3 3RD DRUG CAUSING ARGUMENTS (L.I. ARGDRG3A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 201 = Valium | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 805 = Cocaine, Coke | 5 | 0.06 |
| 809 = Pills | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8805 | 99.90 |
| IRARG4 3 4TH DRUG CAUSING ARGUMENTS (L.I. ARGDRG4A) | | |
| 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | 0.01 |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 803 = Marijuana | 2 | 0.02 |
| 807 = Alcohol | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8808 | 99.93 |
| IRARG5 3 5TH DRUG CAUSING ARGUMENTS (L.I. ARGDRG5A) | | |
| 702 = Heroin | 2 | 0.02 |
| 999 = LEGITIMATE SKIP | 8812 | 99.98 |
| IRALN 2 FELT ALONE PST YR DUE TO DRUGS (L.I. DRALONE) | | |
| 1 = Yes | 249 | 2.83 |
| 2 = No | 6750 | 76.58 |
| 99 = LEGITIMATE SKIP (IRAS13 = 1) | 1815 | 20.59 |
| IRALN1 3 LOGICALLY IMPUTED ALNDRG1A | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 2 | 0.02 |
| 201 = Valium | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 2 | 0.02 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 339 = Amphetamines (speed) | 4 | 0.05 |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 3 | 0.03 |
| 604 = Psilocybin (mushrooms) | 1 | 0.01 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 2 | 0.02 |
| 702 = Heroin | 1 | 0.01 |

| | | |
|---|------|-------|
| 803 = Marijuana | 29 | 0.33 |
| 805 = Cocaine, Coke | 22 | 0.25 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 121 | 1.37 |
| 813 = Cigarettes, Tobacco | 20 | 0.23 |
| 998 = BLANK | 37 | 0.42 |
| 999 = LEGITIMATE SKIP | 8565 | 97.17 |
| IRALN2 3 2ND DRUG CAUSING FEELING ALONE (L.I. ALNDRG2A) | | |
| 201 = Valium | 1 | 0.01 |
| 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 702 = Heroin | 3 | 0.03 |
| 803 = Marijuana | 7 | 0.08 |
| 805 = Cocaine, Coke | 5 | 0.06 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 8 | 0.09 |
| 813 = Cigarettes, Tobacco | 2 | 0.02 |
| 815 = Coffee | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8783 | 99.65 |
| IRALN3 3 3RD DRUG CAUSING FEELING ALONE (L.I. ALNDRG3A) | | |
| 702 = Heroin | 1 | 0.01 |
| 805 = Cocaine, Coke | 4 | 0.05 |
| 807 = Alcohol | 1 | 0.01 |
| 809 = Pills | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8807 | 99.92 |
| IRALN4 3 4TH DRUG CAUSING FEELING ALONE (L.I. ALNDRG4A) | | |
| 510 = OTHER INHALANT, NOT SPECIFIED | 1 | 0.01 |
| 803 = MARIJUANA | 1 | 0.01 |
| 807 = ALCOHOL | 2 | 0.02 |
| 999 = LEGITIMATE SKIP | 8810 | 99.95 |
| IRALN5 3 5TH DRUG CAUSING FEELING ALONE (L.I. ALNDRG5A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 702 = HEROIN | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8812 | 99.98 |
| IRANX 2 FELT ANXIOUS PST YR DUE TO DRUGS (L.I. DRANX) | | |
| 1 = Yes | 460 | 5.22 |
| 2 = No | 6539 | 74.19 |
| 99 = LEGITIMATE SKIP (IRAS13 = 1) | 1815 | 20.59 |
| IRANX1 3 1ST DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG1A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 201 = Valium | 2 | 0.02 |
| 208 = Centrax | 1 | 0.01 |
| 309 = Didrex | 1 | 0.01 |
| 313 = Fastin | 1 | 0.01 |
| 315 = Voranil | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 3 | 0.03 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 7 | 0.08 |
| 332 = Ephedrine, Caffeine, No-Doz, Vivarin | 1 | 0.01 |
| 339 = Amphetamines (speed) | 10 | 0.11 |
| 401 = Darvon | 1 | 0.01 |
| 409 = Tylenol with Codeine | 1 | 0.01 |
| 415 = Codeine | 1 | 0.01 |
| 509 = Correction fluids, degreasers, cleaning fluids | 1 | 0.01 |

| | | |
|---|------|-------|
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 6 | 0.07 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 618 = Acid paper | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 48 | 0.54 |
| 805 = Cocaine, Coke | 52 | 0.59 |
| 806 = Crack | 4 | 0.05 |
| 807 = Alcohol | 126 | 1.43 |
| 812 = Cigars | 1 | 0.01 |
| 813 = Cigarettes, Tobacco | 122 | 1.38 |
| 998 = BLANK | 65 | 0.74 |
| 999 = LEGITIMATE SKIP | 8354 | 94.78 |
| IRANX2 3 2ND DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG2A) | | |
| 201 = Valium | 1 | 0.01 |
| 312 = Ionamin | 1 | 0.01 |
| 313 = Fastin | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 4 | 0.05 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 348 = Crystal | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 2 | 0.02 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 14 | 0.16 |
| 805 = Cocaine, Coke | 7 | 0.08 |
| 807 = Alcohol | 8 | 0.09 |
| 813 = Cigarettes, Tobacco | 7 | 0.08 |
| 815 = Coffee | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8762 | 99.41 |
| IRANX3 3 3RD DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG3A) | | |
| 209 = Xanax | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 805 = Cocaine, Coke | 4 | 0.05 |
| 807 = Alcohol | 3 | 0.03 |
| 809 = Pills | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8801 | 99.85 |
| IRANX4 3 4TH DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG4A) | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 807 = Alcohol | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8809 | 99.94 |
| IRANX5 3 5TH DRUG CAUSING FEELING ANXIOUS (L.I. ANXDRG5A) | | |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8812 | 99.98 |
| IRHLT 2 HEALTH PROBS PST YR DUE TO DRUGS (L.I. DRHEALTH) | | |
| 1 = Yes | 259 | 2.94 |

| | | |
|---|------|-------|
| 2 = No | 6740 | 76.47 |
| 99 = LEGITIMATE SKIP (IRAS13 = 1) | 1815 | 20.59 |
| IRHLT1 3 1ST DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG1A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 1 | 0.01 |
| 339 = Amphetamine (speed) | 1 | 0.01 |
| 420 = OTHER Analgesic, NOT SPECIFIED | 1 | 0.01 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 803 = Marijuana | 12 | 0.14 |
| 805 = Cocaine, Coke | 13 | 0.15 |
| 806 = Crack | 2 | 0.02 |
| 807 = Alcohol | 65 | 0.74 |
| 811 = Muscle relaxers | 1 | 0.01 |
| 813 = Cigarettes, Tobacco | 110 | 1.25 |
| 814 = Caffeine | 1 | 0.01 |
| 998 = BLANK | 50 | 0.57 |
| 999 = LEGITIMATE SKIP | 8555 | 97.06 |
| IRHLT2 3 2ND DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG2A) | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 7 | 0.08 |
| 805 = Cocaine, Coke | 3 | 0.03 |
| 807 = Alcohol | 7 | 0.08 |
| 813 = Cigarettes, Tobacco | 6 | 0.07 |
| 815 = Coffee | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8786 | 99.68 |
| IRHLT3 3 3RD DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG3A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 2 | 0.02 |
| 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 2 | 0.02 |
| 805 = Cocaine, Coke | 4 | 0.05 |
| 807 = Alcohol | 2 | 0.02 |
| 809 = Pills | 1 | 0.01 |
| 813 = Cigarettes, Tobacco | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8800 | 99.84 |
| IRHLT4 3 4TH DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG4A) | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 807 = Alcohol | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8809 | 99.94 |
| IRHLT5 3 5TH DRUG CAUSING HEALTH PROBLEMS (L.I. HLTDRG5A) | | |
| 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8811 | 99.97 |
| IRNTK 2 DFF THNKNNG CLR PST YR DUE TO DRUGS (L.I. DRNTHINK) | | |
| 1 = Yes | 494 | 5.60 |
| 2 = No | 6505 | 73.80 |
| 99 = LEGITIMATE SKIP (IRAS13 = 1) | 1815 | 20.59 |

| | | | | |
|--|------|--|-------|--|
| IRNTK1 | 3 | 1ST DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG1A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | | 0.01 | |
| 208 = Centrax | 1 | | 0.01 | |
| 209 = Xanax | 1 | | 0.01 | |
| 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | | 0.01 | |
| 322 = Methamphetamine ("speed" or "crank") | 2 | | 0.02 | |
| 339 = Amphetamines (speed) | 3 | | 0.03 | |
| 409 = Tylenol with Codeine | 1 | | 0.01 | |
| 420 = OTHER Analgesic, NOT SPECIFIED | 1 | | 0.01 | |
| 509 = Correction fluids, degreasers, cleaning fluids | 1 | | 0.01 | |
| 601 = LSD ("acid," "white lightning") | 6 | | 0.07 | |
| 603 = Mescaline | 1 | | 0.01 | |
| 604 = Psilocybin (mushrooms) | 1 | | 0.01 | |
| 605 = PCP ("angel dust," phencyclidine) | 2 | | 0.02 | |
| 702 = Heroin | 2 | | 0.02 | |
| 803 = Marijuana | 79 | | 0.90 | |
| 805 = Cocaine, Coke | 15 | | 0.17 | |
| 806 = Crack | 2 | | 0.02 | |
| 807 = Alcohol | 289 | | 3.28 | |
| 813 = Cigarettes, Tobacco | 22 | | 0.25 | |
| 998 = BLANK | 63 | | 0.71 | |
| 999 = LEGITIMATE SKIP | 8320 | | 94.40 | |
| IRNTK2 | 3 | 2ND DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG2A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | | 0.01 | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | | 0.01 | |
| 339 = Amphetamines (speed) | 1 | | 0.01 | |
| 348 = Crystal | 2 | | 0.02 | |
| 415 = Codeine | 1 | | 0.01 | |
| 418 = Methadone | 1 | | 0.01 | |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | | 0.01 | |
| 803 = Marijuana | 31 | | 0.35 | |
| 804 = Hashish | 1 | | 0.01 | |
| 805 = Cocaine, Coke | 6 | | 0.07 | |
| 807 = Alcohol | 13 | | 0.15 | |
| 813 = Cigarettes, Tobacco | 3 | | 0.03 | |
| 999 = LEGITIMATE SKIP | 8752 | | 99.30 | |
| IRNTK3 | 3 | 3RD DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG3A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 2 | | 0.02 | |
| 339 = Amphetamines (speed) | 1 | | 0.01 | |
| 601 = LSD ("acid," "white lightning") | 2 | | 0.02 | |
| 607 = OTHER Hallucinogen NOT SPECIFIED | 1 | | 0.01 | |
| 702 = Heroin | 1 | | 0.01 | |
| 803 = Marijuana | 4 | | 0.05 | |
| 805 = Cocaine, Coke | 3 | | 0.03 | |
| 807 = Alcohol | 4 | | 0.05 | |
| 999 = LEGITIMATE SKIP | 8796 | | 99.80 | |
| IRNTK4 | 3 | 4TH DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG4A) | | |
| 221 = OTHER Tranquilizer, NOT SPECIFID | 1 | | 0.01 | |
| 601 = LSD ("acid," "white lightning") | 1 | | 0.01 | |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | | 0.01 | |
| 702 = Heroin | 1 | | 0.01 | |
| 803 = Marijuana | 2 | | 0.02 | |
| 807 = Alcohol | 1 | | 0.01 | |
| 999 = LEGITIMATE SKIP | 8807 | | 99.92 | |

| | | | | |
|--------|---|--|------|-------|
| IRNTK5 | 3 | 5TH DRUG CAUSNG DFFCLTY THNKNG CLR (L.I. NTKDRG5A) | | |
| | | 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 2 | 0.02 |
| | | 999 = LEGITIMATE SKIP | 8812 | 99.98 |
| IRUPS | 2 | FELT UPSET PST YR DUE TO DRUGS (L.I. DRUPSET) | | |
| | | 1 = Yes | 406 | 4.61 |
| | | 2 = No | 6593 | 74.80 |
| | | 99 = LEGITIMATE SKIP (IRAS13 = 1) | 1815 | 20.59 |
| IRUPS1 | 3 | 1ST DRUG CAUSING FEELING UPSET (L.I. UPSDRG1A) | | |
| | | 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| | | 208 = Centrax | 1 | 0.01 |
| | | 322 = Methamphetamine ("speed" or "crank") | 2 | 0.02 |
| | | 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 4 | 0.05 |
| | | 332 = Ephedrine, Caffeine, No-Doz, Vivarin | 2 | 0.02 |
| | | 339 = Amphetamines (speed) | 4 | 0.05 |
| | | 418 = Methadone | 1 | 0.01 |
| | | 601 = LSD ("acid," "white lightning") | 1 | 0.01 |
| | | 605 = PCP ("angel dust," phencyclidine) | 1 | 0.01 |
| | | 702 = Heroin | 2 | 0.02 |
| | | 803 = Marijuana | 22 | 0.25 |
| | | 805 = Cocaine, Coke | 25 | 0.28 |
| | | 806 = Crack | 1 | 0.01 |
| | | 807 = Alcohol | 205 | 2.33 |
| | | 811 = Muscle relaxers | 1 | 0.01 |
| | | 813 = Cigarettes, Tobacco | 62 | 0.70 |
| | | 815 = Coffee | 1 | 0.01 |
| | | 998 = BLANK | 70 | 0.79 |
| | | 999 = LEGITIMATE SKIP | 8408 | 95.39 |
| IRUPS2 | 3 | 2ND DRUG CAUSING FEELING UPSET (L.I. UPSDRG2A) | | |
| | | 201 = Valium | 1 | 0.01 |
| | | 312 = Ionamin | 1 | 0.01 |
| | | 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| | | 803 = Marijuana | 8 | 0.09 |
| | | 805 = Cocaine, Coke | 9 | 0.10 |
| | | 806 = Crack | 1 | 0.01 |
| | | 807 = Alcohol | 4 | 0.05 |
| | | 813 = Cigarettes, Tobacco | 4 | 0.05 |
| | | 999 = LEGITIMATE SKIP | 8785 | 99.67 |
| IRUPS3 | 3 | 3RD DRUG CAUSING FEELING UPSET (L.I. UPSDRG3A) | | |
| | | 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| | | 315 = Voranil | 1 | 0.01 |
| | | 339 = Amphetamines (speed) | 1 | 0.01 |
| | | 702 = Heroin | 1 | 0.01 |
| | | 805 = Cocaine, Coke | 1 | 0.01 |
| | | 807 = Alcohol | 1 | 0.01 |
| | | 999 = LEGITIMATE SKIP | 8808 | 99.93 |
| IRUPS4 | 3 | 4TH DRUG CAUSING FEELING UPSET (L.I. UPSDRG4A) | | |
| | | 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | 0.01 |
| | | 702 = Heroin | 1 | 0.01 |
| | | 807 = Alcohol | 1 | 0.01 |
| | | 999 = LEGITIMATE SKIP | 8811 | 99.97 |
| IRUPS5 | 3 | 5TH DRUG CAUSING FEELING UPSET (L.I. UPSDRG5A) | | |
| | | 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| | | 999 = LEGITIMATE SKIP | 8813 | 99.99 |
| IRLSW | 2 | DID LESS WORK PST YR DUE TO DRUGS (L.I. DRLSWORK) | | |

| | | |
|---------------|------|-------|
| 1 = Yes | 258 | 2.93 |
| 2 = No | 6741 | 76.48 |

| | | |
|--|------|-------|
| 9 = LEGITIMATE SKIP (IRAS13 = 1) | 1815 | 20.59 |
|--|------|-------|

| | | | | |
|--|------|--|--------|--|
| IRLSW1 | 3 | 1ST DRUG CAUSING LESS WORK DONE (L.I. LSWDRG1A) | | |
| 201 = Valium | 1 | | 0.01 | |
| 322 = Methamphetamine ("speed" or "crank") | 1 | | 0.01 | |
| 348 = Crystal | 1 | | 0.01 | |
| 420 = OTHER Analgesic, NOT SPECIFIED | 1 | | 0.01 | |
| 425 = Advil | 1 | | 0.01 | |
| 601 = LSD ("acid," "white lightning") | 2 | | 0.02 | |
| 605 = PCP ("angel dust," phencyclidine) | 1 | | 0.01 | |
| 613 = Duckweed | 1 | | 0.01 | |
| 803 = Marijuana | 50 | | 0.57 | |
| 805 = Cocaine, Coke | 10 | | 0.11 | |
| 806 = Crack | 1 | | 0.01 | |
| 807 = Alcohol | 127 | | 1.44 | |
| 812 = Cigars | 1 | | 0.01 | |
| 813 = Cigarettes, Tobacco | 24 | | 0.27 | |
| 998 = BLANK | 36 | | 0.41 | |
| 999 = LEGITIMATE SKIP | 8556 | | 97.07 | |
| IRLSW2 | 3 | 2ND DRUG CAUSING LESS WORK DONE (L.I. LSWDRG2A) | | |
| 418 = Methadone | 1 | | 0.01 | |
| 803 = Marijuana | 11 | | 0.12 | |
| 805 = Cocaine, Coke | 3 | | 0.03 | |
| 807 = Alcohol | 5 | | 0.06 | |
| 813 = Cigarettes, Tobacco | 1 | | 0.01 | |
| 999 = LEGITIMATE SKIP | 8793 | | 99.76 | |
| IRLSW3 | 3 | 3RD DRUG CAUSING LESS WORK DONE (L.I. LSWDRG3A) | | |
| 339 = Amphetamines (speed) | 2 | | 0.02 | |
| 805 = Cocaine, Coke | 2 | | 0.02 | |
| 999 = LEGITIMATE SKIP | 8810 | | 99.95 | |
| IRLSW4 | 3 | 4TH DRUG CAUSING LESS WORK DONE (L.I. LSWDRG4A) | | |
| 601 = LSD ("acid," "white lightning") | 1 | | 0.01 | |
| 803 = Marijuana | 1 | | 0.01 | |
| 807 = Alcohol | 1 | | 0.01 | |
| 999 = LEGITIMATE SKIP | 8811 | | 99.97 | |
| IRLSW5 | 3 | 5TH DRUG CAUSING LESS WORK DONE (L.I. LSWDRG5A) | | |
| 999 = LEGITIMATE SKIP | 8814 | | 100.00 | |
| IRSSP | 2 | FLT SUSPICIOUS PST YR DUE TO DRUGS (L.I. DRSUSPIC) | | |
| 1 = Yes | 219 | | 2.48 | |
| 2 = No | 6780 | | 76.92 | |
| 99 = LEGITIMATE SKIP (IRAS13 = 1) | 1815 | | 20.59 | |
| IRSSP1 | 3 | 1ST DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG1A) | | |
| 201 = Valium | 1 | | 0.01 | |
| 307 = Tenuate | 1 | | 0.01 | |
| 318 = Ritalin | 1 | | 0.01 | |
| 322 = Methamphetamine ("speed" or "crank") | 3 | | 0.03 | |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | | 0.01 | |
| 604 = Psilocybin (mushrooms) | 1 | | 0.01 | |
| 605 = PCP ("angel dust," phencyclidine) | 1 | | 0.01 | |
| 803 = Marijuana | 34 | | 0.39 | |
| 805 = Cocaine, Coke | 29 | | 0.33 | |
| 806 = Crack | 1 | | 0.01 | |
| 807 = Alcohol | 101 | | 1.15 | |

| | | |
|---|------|-------|
| 813 = Cigarettes, Tobacco | 5 | 0.06 |
| 998 = BLANK | 40 | 0.45 |
| 999 = LEGITIMATE SKIP | 8595 | 97.52 |
| IRSSP2 3 2ND DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG2A) | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 418 = Methadone | 1 | 0.01 |
| 510 = OTHER Inhalant, NOT SPECIFIED | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 2 | 0.02 |
| 803 = Marijuana | 9 | 0.10 |
| 805 = Cocaine, Coke | 3 | 0.03 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 6 | 0.07 |
| 813 = Cigarettes, Tobacco | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8788 | 99.71 |
| IRSSP3 3 3RD DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG3A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 339 = Amphetamines (speed) | 1 | 0.01 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 2 | 0.02 |
| 803 = Marijuana | 1 | 0.01 |
| 805 = Cocaine, Coke | 1 | 0.01 |
| 807 = Alcohol | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8806 | 99.91 |
| IRSSP4 3 4TH DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG4A) | | |
| 221 = OTHER Tranquilizer, NOT SPECIFIED | 1 | 0.01 |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 803 = Marijuana | 1 | 0.01 |
| 807 = Alcohol | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8810 | 99.95 |
| IRSSP5 3 5TH DRUG CAUSING FEELNG SUSPICIOUS (L.I. SSPDRG5A) | | |
| 324 = OTHER Stimulant, NOT SPECIFIED, "Uppers" | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | 8813 | 99.99 |
| IRCPE 2 PRB HARD TO HNDL PST YR DUE TO DRUGS (L.I. DRCOPE) | | |
| 1 = Yes | 221 | 2.51 |
| 2 = No | 6778 | 76.90 |
| 99 = LEGITIMATE SKIP (IRAS13 = 1) | 1815 | 20.59 |
| IRCPE1 3 1ST DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG1A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | 1 | 0.01 |
| 201 = Valium | 1 | 0.01 |
| 312 = Ionamin | 1 | 0.01 |
| 322 = Methamphetamine ("speed" or "crank") | 2 | 0.02 |
| 339 = Amphetamines (speed) | 2 | 0.02 |
| 605 = PCP ("angel dust," phencyclidine) | 2 | 0.02 |
| 607 = OTHER Hallucinogen, NOT SPECIFIED | 1 | 0.01 |
| 702 = Heroin | 1 | 0.01 |
| 803 = Marijuana | 21 | 0.24 |
| 805 = Cocaine, Coke | 15 | 0.17 |
| 806 = Crack | 1 | 0.01 |
| 807 = Alcohol | 112 | 1.27 |
| 808 = All of the ones I've tried | 2 | 0.02 |
| 813 = Cigarettes, Tobacco | 21 | 0.24 |
| 998 = BLANK | 38 | 0.43 |
| 999 = LEGITIMATE SKIP | 8593 | 97.49 |

| | | | | |
|--|---|--|------|--------|
| IRCPE2 | 3 | 2ND DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG2A) | | |
| 315 = Voranil | | | 1 | 0.01 |
| 348 = Crystal | | | 1 | 0.01 |
| 601 = LSD ("acid," "white lightning") | | | 1 | 0.01 |
| 803 = Marijuana | | | 9 | 0.10 |
| 805 = Cocaine, Coke | | | 4 | 0.05 |
| 806 = Crack | | | 1 | 0.01 |
| 807 = Alcohol | | | 7 | 0.08 |
| 813 = Cigarettes, Tobacco | | | 2 | 0.02 |
| 999 = LEGITIMATE SKIP | | | 8788 | 99.71 |
| IRCPE3 | 3 | 3RD DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG3A) | | |
| 339 = Amphetamines (speed) | | | 1 | 0.01 |
| 604 = Psilocybin (mushrooms) | | | 1 | 0.01 |
| 702 = Heroin | | | 1 | 0.01 |
| 805 = Cocaine, Coke | | | 2 | 0.02 |
| 999 = LEGITIMATE SKIP | | | 8809 | 99.94 |
| IRCPE4 | 3 | 4TH DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG4A) | | |
| 702 = Heroin | | | 1 | 0.01 |
| 807 = Alcohol | | | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | | | 8812 | 99.98 |
| IRCPE5 | 3 | 5TH DRUG CAUSING PRB HARDER HANDLE (L.I. CPEDRG5A) | | |
| 999 = LEGITIMATE SKIP | | | 8814 | 100.00 |
| IEMG | 2 | EMERG MED HELP PST YR DUE TO DRUGS (L.I. DREMGMED) | | |
| 1 = Yes | | | 39 | 0.44 |
| 2 = No | | | 6960 | 78.97 |
| 99 = LEGITIMATE SKIP (IRAS13 = 1) | | | 1815 | 20.59 |
| IEMG1 | 3 | 1ST DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG1A) | | |
| 120 = OTHER Sedative, NOT SPECIFIED, "Downers" | | | 1 | 0.01 |
| 339 = Amphetamines (speed) | | | 1 | 0.01 |
| 805 = Cocaine, Coke | | | 2 | 0.02 |
| 806 = Crack | | | 2 | 0.02 |
| 807 = Alcohol | | | 20 | 0.23 |
| 813 = Cigarettes, Tobacco | | | 5 | 0.06 |
| 998 = BLANK | | | 8 | 0.09 |
| 999 = LEGITIMATE SKIP | | | 8775 | 99.56 |
| IEMG2 | 3 | 2ND DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG2A) | | |
| 803 = Marijuana | | | 1 | 0.01 |
| 805 = Cocaine, Coke | | | 2 | 0.02 |
| 999 = LEGITIMATE SKIP | | | 8811 | 99.97 |
| IEMG3 | 3 | 3RD DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG3A) | | |
| 702 = Heroin | | | 1 | 0.01 |
| 805 = Cocaine, Coke | | | 1 | 0.01 |
| 999 = LEGITIMATE SKIP | | | 8812 | 99.98 |
| IEMG4 | 3 | 4TH DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG4A) | | |
| 999 = LEGITIMATE SKIP | | | 8814 | 100.00 |
| IEMG5 | 3 | 5TH DRUG CAUSING NEED OF EMG MD HLP (L.I. EMDRG5A) | | |
| 999 = LEGITIMATE SKIP | | | 8814 | 100.00 |

The logically imputed gate questions (IRDEP, IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE, and IEMG) for the drug problems, answer sheet #13, were used to obtain a count of the number of problems experienced. Indicator variables were then created which indicated whether the

respondent had experienced any of the 11 problems (ANYPROB), two or more of the 11 problems (TWOPROB, and three or more of the 11 problems (THREPROB). For a discussion of the structure and logical imputation of the data for answer sheet #13, refer to Drug Problems - Answer Sheet #13 - Logically Imputed (L.I.).

| | | | | |
|----------|---|---|------|-------|
| ANYPROB | 1 | ANY OF THE 11 PROBS ON DRUG SHEET #13 | | |
| 0 = No | | | 7618 | 86.43 |
| 1 = Yes | | | 1196 | 13.57 |
| TWOPROB | 1 | TWO OR MORE OF THE 11 PROBS ON DRUG SHEET #13 | | |
| 0 = No | | | 8082 | 91.70 |
| 1 = Yes | | | 732 | 8.30 |
| THREPROB | 1 | THREE OR MORE OF THE 11 PROBS ON DRUG SHEET #13 | | |
| 0 = No | | | 8336 | 94.58 |
| 1 = Yes | | | 478 | 5.42 |

DRUG PROBLEMS -- ANSWER SHEET #13 -- RECODED

The logically imputed gate questions (IRDEP, IRARG, IRALN, IRANX, IRHLT, IRNTK, IRUPS, IRLSW, IRSSP, IRCPE, AND IREMG), and subquestion (IRDEP1-IRDEP5, IRARG1-IRARG5, IRALN1-IRALN5, IRANX1-IRANX5, IRHLT1-IRHLT5, IRNTK1-IRNTK5, IRUPS1-IRUPS5, IRLSW1-IRLSW5, IRSSP1-IRSSP5, IRCPE1-IRCPE5, and IREMG1-IREMG5) for the drug problems, answer sheet #13, were recoded to create variables which indicated past year problems associated with cigarette use (DEPCIG2, ARGCIG2, ALNCIG2, ANXCIG2, HLTCIG2, NTKCIG2, UPSCIG2, LSWCIG2, SSPCIG2, CPECIG2, AND EMCIG2), alcohol use (DEPALC2, ARGALC2, ALNALC2, ANXALC2, HLTALC2, NTKALC2, UPSALC2, LSWALC2, SSPALC2, CPEALC2, AND EMALC2), marijuana use (DEPMRJ2, ARGMRJ2, ALNMRJ2, ANXMRJ2, HLTMRJ2, NTKMRJ2, UPSMRJ2, LSWMRJ2, SSPMRJ2, CPEMRJ2, AND EMMRJ2), and cocaine use (DEPCOC2, ARGCO2, ALNCO2, ANXCOC2, HLTCO2, NTKCO2, UPSCOC2, LSWCOC2, SSPCOC2, CPECOC2, AND EMCOC2) in the past year. The procedure was as follows for cigarette use: Past year users of cigarettes who indicated having the problem, and who attributed the problem to past year use of cigarettes (response=813) were given a positive response to the recoded variable. Past year users of cigarettes who indicated having the problem, but attributed the problem to a substance other than cigarettes, or who indicated not having the problem were given a negative response to the recoded variable. The recoded variable was coded to the SAS missing code (.) for non-users in the past year of cigarettes. For cigarettes, this procedure is repeated for each problem. In addition, this entire process is repeated for alcohol (response=807), marijuana (response=803), and cocaine (response=805 or 806) respectively. For a discussion of the structure and logical imputation of the data for answer sheet #13, refer to Drug Problems - Answer Sheet #13 - Logically Imputed (L.I.).

DRUG PROBLEMS - RECODED

| | | | | |
|---------|---|--|------|-------|
| ALNALC2 | 1 | FELT ALONE/ISOLATED PAST YEAR DUE TO ALC USE | | |
| 0 = No | | | 5194 | 58.93 |
| 1 = Yes | | | 132 | 1.50 |
| . | | = Did not use alcohol in the past year | 3488 | 39.6 |
| ALNCIG2 | 1 | FELT ALONE/ISOLATED PAST YEAR DUE TO CIG USE | | |
| 0 = No | | | 2771 | 31.44 |
| 1 = Yes | | | 22 | 0.25 |
| . | | = Did not use cigarettes in the past year | 6021 | 68.3 |
| ALNCOC2 | 1 | FELT ALONE/ISOLATED PAST YEAR DUE TO COC USE | | |
| 0 = No | | | 420 | 4.77 |
| 1 = Yes | | | 32 | 0.36 |
| . | | = Did not use cocaine in the past year | 8362 | 94.9 |
| ALNMRJ2 | 1 | FELT ALONE/ISOLATED PAST YEAR DUE TO MRJ USE | | |
| 0 = No | | | 1136 | 12.89 |
| 1 = Yes | | | 37 | 0.42 |
| . | | = Did not use marijuana in the past year | 7641 | 86.7 |
| ANXALC2 | 1 | FELT NERVOUS/ANXIOUS PAST YEAR DUE TO ALC USE | | |
| 0 = No | | | 5188 | 58.86 |
| 1 = Yes | | | 138 | 1.57 |
| . | | = Did not use alcohol in the past year | 3488 | 39.6 |
| ANXCIG2 | 1 | FELT NERVOUS/ANXIOUS PAST YEAR DUE TO CIG USE | | |
| 0 = No | | | 2665 | 30.24 |
| 1 = Yes | | | 128 | 1.45 |
| . | | = Did not use cigarettes in the past year | 6021 | 68.3 |
| ANXCOC2 | 1 | FELT NERVOUS/ANXIOUS PAST YEAR DUE TO COC USE | | |
| 0 = No | | | 387 | 4.39 |
| 1 = Yes | | | 65 | 0.74 |
| . | | = Did not use cocaine in the past year | 8362 | 94.9 |
| ANXMRJ2 | 1 | FELT NERVOUS/ANXIOUS PAST YEAR DUE TO MRJ USE | | |
| 0 = No | | | 1109 | 12.58 |
| 1 = Yes | | | 64 | 0.73 |
| . | | = Did not use marijuana in the past year | 7641 | 86.7 |
| ARGALC2 | 1 | HAD ARGUMNTS W/FAMILY/FRNDS PST YR DUE TO ALC USE | | |
| 0 = No | | | 5001 | 56.74 |
| 1 = Yes | | | 325 | 3.69 |
| . | | = Did not use alcohol in the past year | 3488 | 39.6 |
| ARGCIG2 | 1 | HAD ARGUMNTS W/FAMILY/FRNDS PST YR DUE TO CIG USE | | |
| 0 = No | | | 2732 | 31.00 |
| 1 = Yes | | | 61 | 0.69 |
| . | | = Did not use cigarettes in the past year | 6021 | 68.3 |
| ARGCOC2 | 1 | HAD ARGUMNTS W/FAMILY/FRNDS PST YR DUE TO COC USE | | |
| 0 = No | | | 416 | 4.72 |
| 1 = Yes | | | 36 | 0.41 |
| . | | = Did not use cocaine in the past year | 8362 | 94.9 |
| ARGMRJ2 | 1 | HAD ARGUMNTS W/FAMILY/FRNDS PST YR DUE TO MRJ USE | | |
| 0 = No | | | 1128 | 12.80 |
| 1 = Yes | | | 45 | 0.51 |
| . | | = Did not use marijuana in the past year | 7641 | 86.7 |
| CPEALC2 | 1 | PROBLEMS HARDER TO HANDLE PAST YEAR DUE TO ALC USE | | |
| 0 = No | | | 5206 | 59.07 |
| 1 = Yes | | | 120 | 1.36 |
| . | | = Did not use alcohol in the past year | 3488 | 39.6 |
| CPECIG2 | 1 | PROBLEMS HARDER TO HANDLE PAST YEAR DUE TO CIG USE | | |

| | | |
|--|------|-------|
| 0 = No | 2770 | 31.43 |
| 1 = Yes | 23 | 0.26 |
| . = Did not use cigarettes in the past year | 6021 | 68.3 |
| CPECOC2 1 PROBLEMS HARDER TO HANDLE PAST YEAR DUE TO COC USE | | |
| 0 = No | 430 | 4.88 |
| 1 = Yes | 22 | 0.25 |
| . = Did not use cocaine in the past year | 8362 | 94.9 |
| CPEMRJ2 1 PROBLEMS HARDER TO HANDLE PAST YEAR DUE TO MRJ USE | | |
| 0 = No | 1143 | 12.97 |
| 1 = Yes | 30 | 0.34 |
| . = Did not use marijuana in the past year | 7641 | 86.7 |
| DEPALC2 1 BECAME DEPRESSED PAST YEAR DUE TO ALC USE | | |
| 0 = No | 5089 | 57.74 |
| 1 = Yes | 237 | 2.69 |
| . = Did not use alcohol in the past year | 3488 | 39.6 |
| DEPCIG2 1 BECAME DEPRESSED PAST YEAR DUE TO CIG USE | | |
| 0 = No | 2748 | 31.18 |
| 1 = Yes | 45 | 0.51 |
| . = Did not use cigarettes in the past year | 6021 | 68.3 |
| DEPCOC2 1 BECAME DEPRESSED PAST YEAR DUE TO COC USE | | |
| 0 = No | 411 | 4.66 |
| 1 = Yes | 41 | 0.47 |
| . = Did not use cocaine in the past year | 8362 | 94.9 |
| DEPMRJ2 1 BECAME DEPRESSED PAST YEAR DUE TO MRJ USE | | |
| 0 = No | 1090 | 12.37 |
| 1 = Yes | 83 | 0.94 |
| . = Did not use marijuana in the past year | 7641 | 86.7 |
| EMALC2 1 HAD TO GET EMERG MED HELP PST YR DUE TO ALC USE | | |
| 0 = No | 5306 | 60.20 |
| 1 = Yes | 20 | 0.23 |
| . = Did not use alcohol in the past year | 3488 | 39.6 |
| EMCIG2 1 HAD TO GET EMERG MED HELP PST YR DUE TO CIG USE | | |
| 0 = No | 2788 | 31.63 |
| 1 = Yes | 5 | 0.06 |
| . = Did not use cigarettes in the past year | 6021 | 68.3 |
| EMCOC2 1 HAD TO GET EMERG MED HELP PST YR DUE TO COC USE | | |
| 0 = No | 445 | 5.05 |
| 1 = Yes | 7 | 0.08 |
| . = Did not use cocaine in the past year | 8362 | 94.9 |
| EMMRJ2 1 HAD TO GET EMERG MED HELP PST YR DUE TO MRJ USE | | |
| 0 = No | 1172 | 13.30 |
| 1 = Yes | 1 | 0.01 |
| . = Did not use marijuana in the past year | 7641 | 86.7 |
| HLTALC2 1 HAD HEALTH PROBS PAST YEAR DUE TO ALC USE | | |
| 0 = No | 5251 | 59.58 |
| 1 = Yes | 75 | 0.85 |
| . = Did not use alcohol in the past year | 3488 | 39.6 |
| HLTCIG2 1 HAD HEALTH PROBS PAST YEAR DUE TO CIG USE | | |
| 0 = No | 2679 | 30.39 |
| 1 = Yes | 114 | 1.29 |
| . = Did not use cigarettes in the past year | 6021 | 68.3 |
| HLTCOC2 1 HAD HEALTH PROBS PAST YEAR DUE TO COC USE | | |
| 0 = No | 431 | 4.89 |
| 1 = Yes | 21 | 0.24 |

| | | | |
|---------|--|------|-------|
| . | = Did not use cocaine in the past year | 8362 | 94.9 |
| HLTMRJ2 | 1 HAD HEALTH PROBS PAST YEAR DUE TO MRJ USE | | |
| 0 | = No | 1151 | 13.06 |
| 1 | = Yes | 22 | 0.25 |
| . | = Did not use marijuana in the past year | 7641 | 86.7 |
| LSWALC2 | 1 GOT LESS WRK DONE AT SCH/JOB PST YR DUE TO ALC USE | | |
| 0 | = No | 5193 | 58.92 |
| 1 | = Yes | 133 | 1.51 |
| . | = Did not use alcohol in the past year | 3488 | 39.6 |
| LSWCIG2 | 1 GOT LESS WRK DONE AT SCH/JOB PST YR DUE TO CIG USE | | |
| 0 | = No | 2768 | 31.40 |
| 1 | = Yes | 25 | 0.28 |
| . | = Did not use cigarettes in the past year | 6021 | 68.3 |
| LSWCOC2 | 1 GOT LESS WRK DONE AT SCH/JOB PST YR DUE TO COC USE | | |
| 0 | = No | 437 | 4.96 |
| 1 | = Yes | 15 | 0.17 |
| . | = Did not use cocaine in the past year | 8362 | 94.9 |
| LSWMRJ2 | 1 GOT LESS WRK DONE AT SCH/JOB PST YR DUE TO MRJ USE | | |
| 0 | = No | 1112 | 12.62 |
| 1 | = Yes | 61 | 0.69 |
| . | = Did not use marijuana in the past year | 7641 | 86.7 |
| NTKALC2 | 1 HAD DIFFCULTY THNKNG CLEARLY PST YR DUE TO ALC USE | | |
| 0 | = No | 5021 | 56.97 |
| 1 | = Yes | 305 | 3.46 |
| . | = Did not use alcohol in the past year | 3488 | 39.6 |
| NTKCIG2 | 1 HAD DIFFCULTY THNKNG CLEARLY PST YR DUE TO CIG USE | | |
| 0 | = No | 2769 | 31.42 |
| 1 | = Yes | 24 | 0.27 |
| . | = Did not use cigarettes in the past year | 6021 | 68.3 |
| NTKCOC2 | 1 HAD DIFFCULTY THNKNG CLEARLY PST YR DUE TO COC USE | | |
| 0 | = No | 427 | 4.84 |
| 1 | = Yes | 25 | 0.28 |
| . | = Did not use cocaine in the past year | 8362 | 94.9 |
| NTKMRJ2 | 1 HAD DIFFCULTY THNKNG CLEARLY PST YR DUE TO MRJ USE | | |
| 0 | = No | 1059 | 12.01 |
| 1 | = Yes | 114 | 1.29 |
| . | = Did not use marijuana in the past year | 7641 | 86.7 |
| SSPALC2 | 1 FELT DISTRUSTFUL/SUSPICIOUS PST YR DUE TO ALC USE | | |
| 0 | = No | 5217 | 59.19 |
| 1 | = Yes | 109 | 1.24 |
| . | = Did not use alcohol in the past year | 3488 | 39.57 |
| SSPCIG2 | 1 FELT DISTRUSTFUL/SUSPICIOUS PST YR DUE TO CIG USE | | |
| 0 | = No | 2787 | 31.62 |
| 1 | = Yes | 6 | 0.07 |
| . | = Did not use cigarettes in the past year | 6021 | 68.31 |
| SSPCOC2 | 1 FELT DISTRUSTFUL/SUSPICIOUS PST YR DUE TO COC USE | | |
| 0 | = No | 418 | 4.74 |
| 1 | = Yes | 34 | 0.39 |
| . | = Did not use cocaine in the past year | 8362 | 94.87 |
| SSPMRJ2 | 1 FELT DISTRUSTFUL/SUSPICIOUS PST YR DUE TO MRJ USE | | |
| 0 | = No | 1128 | 12.80 |
| 1 | = Yes | 45 | 0.51 |
| . | = Did not use marijuana in the past year | 7641 | 86.69 |
| UPSALC2 | 1 FELT IRRITABLE/UPSET PAST YEAR DUE TO ALC USE | | |

| | | |
|---|------|-------|
| 0 = No | 5115 | 58.03 |
| 1 = Yes | 211 | 2.39 |
| . = Did not use alcohol in the past year | 3488 | 39.57 |
| UPSCIG2 1 FELT IRRITABLE/UPSET PAST YEAR DUE TO CIG USE | | |
| 0 = No | 2727 | 30.94 |
| 1 = Yes | 66 | 0.75 |
| . = Did not use cigarettes in the past year | 6021 | 68.31 |
| UPSCOC2 1 FELT IRRITABLE/UPSET PAST YEAR DUE TO COC USE | | |
| 0 = No | 417 | 4.73 |
| 1 = Yes | 35 | 0.40 |
| . = Did not use cocaine in the past year | 8362 | 94.87 |
| UPSMRJ2 1 FELT IRRITABLE/UPSET PAST YEAR DUE TO MRJ USE | | |
| 0 = No | 1144 | 12.98 |
| 1 = Yes | 29 | 0.33 |
| . = Did not use marijuana in the past year | 7641 | 86.69 |

The logically imputed recoded data for the drug problems, answer sheet #13, which indicate past year problems associated with cigarette use (DEPCIG2, ARGCIG2, ALNCIG2, ANXCIG2, HLTICIG2, NTKCIG2, UPSCIG2, LSWCIG2, SSPCIG2, CPECIG2, AND EMCIG2), alcohol use (DEPALC2, ARGALC2, ALNALC2, ANXALC2, HLTALC2, NTKALC2, UPSALC2, LSWALC2, SSPALC2, CPEALC2, AND EMALC2), marijuana use (DEPMRJ2, ARGMRJ2, ALNMRJ2, ANXMRJ2, HLTMRJ2, NTKMRJ2, UPSMRJ2, LSWMRJ2, SSPMRJ2, CPEMRJ2, AND EMMRJ2), and cocaine use (DEPCOC2, ARGCO2, ALNCO2, ANXCO2, HLTCO2, NTKCO2, UPSCOC2, LSWCOC2, SSPCOC2, CPECOC2, AND EMCOC2) in the past year were used to obtain counts of the problems attributed to each of the 4 substances respectively (COUNTALC, COUNTCIG, COUNTMRJ, and COUNTCOC). Indicator variables were then created for past year users of cigarettes, alcohol, marijuana, and cocaine respectively, which indicated that any of the problems experienced were attributed to the substance in question (PRB1CIG, PRB1ALC, PRB1MRJ, and, PRB1COC) that two or more of the problems indicated were attributed to the substance in question (PRB2CIG, PRB2ALC, PRB2MRJ, and PRB1COC), and that three or more of the problems indicated were attributed to the substance in question (PRB3CIG, PRB3ALC, PRB3MRJ, and, PRB3COC). For a discussion of the development of the variables indicating past year problems associated with cigarettes, alcohol, marijuana, and cocaine use in the past year respectively, refer to Drug Problems - Answer Sheet #13 - Recoded.

| | | |
|--|------|-------|
| PRB1ALC 1 ALC USER WITH 1 OR MORE PROBS DUE TO ALC | | |
| 0 = No | 4645 | 52.70 |
| 1 = Yes | 681 | 7.73 |
| . = Did not use alcohol in the past year | 3488 | 39.57 |
| PRB1CIG 1 CIG USER WITH 1 OR MORE PROBS DUE TO CIG | | |
| 0 = No | 2526 | 28.66 |
| 1 = Yes | 267 | 3.03 |
| . = Did not use cigarettes in the past year | 6021 | 68.31 |
| PRB1COC 1 COC USER WITH 1 OR MORE PROBS DUE TO COC | | |
| 0 = No | 368 | 4.18 |
| 1 = Yes | 84 | 0.95 |

| | | |
|--|------|-------|
| . = Did not use cocaine in the past year | 8362 | 94.87 |
| PRB1MRJ 1 MRJ USER WITH 1 OR MORE PROBS DUE TO MRJ | | |
| 0 = No | 961 | 10.90 |
| 1 = Yes | 212 | 2.41 |
| . = Did not use marijuana in the past year | 7641 | 86.69 |
| PRB2ALC 1 ALC USER WITH 2 OR MORE PROBS DUE TO ALC | | |
| 0 = No | 4946 | 56.12 |
| 1 = Yes | 380 | 4.31 |
| . = Did not use alcohol in the past year | 3488 | 39.57 |
| PRB2CIG 1 CIG USER WITH 2 OR MORE PROBS DUE TO CIG | | |
| 0 = No | 2684 | 30.45 |
| 1 = Yes | 109 | 1.24 |
| . = Did not use cigarettes in the past year | 6021 | 68.31 |
| PRB2COC 1 COC USER WITH 2 OR MORE PROBS DUE TO COC | | |
| 0 = No | 392 | 4.45 |
| 1 = Yes | 60 | 0.68 |
| . = Did not use cocaine in the past year | 8362 | 94.87 |
| PRB2MRJ 1 MRJ USER WITH 2 OR MORE PROBS DUE TO MRJ | | |
| 0 = No | 1044 | 11.84 |
| 1 = Yes | 129 | 1.46 |
| . = Did not use marijuana in the past year | 7641 | 86.69 |
| PRB3ALC 1 ALC USER WITH 3 OR MORE PROBS DUE TO ALC | | |
| 0 = No | 5078 | 57.61 |
| 1 = Yes | 248 | 2.81 |
| . = Did not use alcohol in the past year | 3488 | 39.57 |
| PRB3CIG 1 CIG USER WITH 3 OR MORE PROBS DUE TO CIG | | |
| 0 = No | 2740 | 31.09 |
| 1 = Yes | 53 | 0.60 |
| . = Did not use cigarettes in the past year | 6021 | 68.31 |
| PRB3COC 1 COC USER WITH 3 OR MORE PROBS DUE TO COC | | |
| 0 = No | 405 | 4.59 |
| 1 = Yes | 47 | 0.53 |
| . = Did not use cocaine in the past year | 8362 | 94.87 |
| PRB3MRJ 1 MRJ USER WITH 3 OR MORE PROBS DUE TO MRJ | | |
| 0 = No | 1094 | 12.41 |
| 1 = Yes | 79 | 0.90 |
| . = Did not use marijuana in the past year | 7641 | 86.69 |

DRUGS -- ANSWER SHEET #11 -- LOGICALLY IMPUTED (L.I.)

The data for drugs, answer sheet #11, is structured with a lead-in question, and 5 subquestions. The lead-in question (NODRUGS) asks if cigarettes, alcohol, or other listed drugs had been used in the past year. (Note: Smokeless tobacco was not listed.) The subquestions ask whether each of 5 specific problems had been experienced in the past year for any of 13 choices: 12 specific substances or no substance. All applicable responses were to be indicated. This data was then coded to appear as 65 variables which indicate for each of the 13 choices whether each of the 5 specific problems had been experienced. Of these 65 variables, 20 were of current analytical interest.

These 20 variables indicate whether each of the 5 specific problems had been experienced in the past year for alcohol, cigarettes, cocaine, and marijuana (CDALC, CDCIG, CDCOC, CDMJ, EFFALC, EFFCIG, EFFCOC, EFFMJ, UDAYALC, UDAYCIG, UDAYCOC, UDAYMJ, DEPALC, DEPCIG, DEPCOC, DEPMJ, WSALC, WSCIG, WSCOC, and WSMJ).

The data of current analytical interest was logically imputed as follows:

If no use of cigarettes, alcohol, or drugs was indicated by the recoded past year drug use variables (CIGYR, ALCYR, MRJYR, COCYR, INHYR, HERYR, HALYR, SEDYR, TRQYR, STMYR, and ANLYR), or if only use of smokeless tobacco was indicated (SMKYR) then the lead-in question was logically revised to indicate that no listed substance had been used in the past year (IRNODRUG=1). Subsequently, the 20 variables were logically revised to the legitimate skip code (IRCDALC, IRCDALC, IRCDALC, IRCDMJ, IRDPALC, IRDPCIG, IRDPCOC, IRDPMJ, IREFALC, IREFCIG, IREFCOC, IREFMJ, IRUDALC, IRUDCIG, IRUDCOC, IRUDMJ, IRWSALC, IRWSCIG, IRWSCOC, and IRWSMJ=99).

If use of cigarettes, alcohol, or other drugs was indicated by the recoded past year variables then the lead-in question was logically revised to indicate that a listed substance had been used in the past year (IRNODRUG=2). Subsequently, each of the 20 variables were examined. Positive and negative responses were left as is. The bad data (95) and blank data (98) responses were logically imputed to the negative response, did not try to cut down on any drug in the past year.

DRUGS - LOGICALLY IMPUTED

| | | | | |
|----------|----|--|------|-------|
| IRNODRUG | 1 | NO USE OF CIG/ALC/OTHR DRUGS PST YR (L.I. NODRUGS) | | |
| | 1 | = No use of cig/alc/other drugs past year | 2970 | 33.7 |
| | 2 | = Use of cig/alc/other drugs past year | 5844 | 66.3 |
| IRCDALC | 2 | TRIED TO CUT DOWN ALC USE PT YR (L.I. CDALC) | | |
| | 1 | = Yes | 1511 | 17.14 |
| | 2 | = No | 1389 | 15.76 |
| | 13 | = Did not try to cut down on any drug in past year | 2944 | 33.40 |
| | 99 | = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRDCIG | 2 | TRIED TO CUT DOWN CIG USE PT YR (L.I. CDCIG) | | |
| | 1 | = Yes | 1829 | 20.75 |
| | 2 | = No | 1070 | 12.14 |
| | 13 | = Did not try to cut down on any drug in past year | 2945 | 33.41 |
| | 99 | = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRDCOC | 2 | TRIED TO CUT DOWN COC USE PT YR (L.I. CDCOC) | | |
| | 1 | = Yes | 137 | 1.55 |
| | 2 | = No | 2763 | 31.35 |
| | 13 | = Did not try to cut down on any drug in past year | 2944 | 33.40 |
| | 99 | = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRCDMJ | 2 | TRIED TO CUT DOWN MRJ USE PT YR (L.I. CDMJ) | | |
| | 1 | = Yes | 404 | 4.58 |

| | | |
|--|------|-------|
| 2 = No | 2496 | 28.32 |
| 13 = Did not try to cut down on any drug in past year | 2944 | 33.40 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IREFALC 2 NEEDED MORE ALC FOR SAME EFFCT PST YR (L.I. EFALC) | | |
| 1 = Yes | 410 | 4.65 |
| 2 = No | 533 | 6.05 |
| 13 = Did not need more of any drug used for same effect | 4901 | 55.60 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IREFCIG 2 NEEDED MORE CIG FOR SAME EFFCT PST YR (L.I. EFCIG) | | |
| 1 = Yes | 444 | 5.04 |
| 2 = No | 499 | 5.66 |
| 13 = Did not need more of any drug used for same effect | 4901 | 55.60 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IREFCOC 2 NEEDED MORE COC FOR SAME EFFCT PST YR (L.I. EFCOC) | | |
| 1 = Yes | 62 | 0.70 |
| 2 = No | 881 | 10.00 |
| 13 = Did not need more of any drug used for same effect | 4901 | 55.60 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IREFMJ 2 NEEDED MORE MRJ FOR SAME EFFCT PST YR (L.I. EFMJ) | | |
| 1 = Yes | 154 | 1.75 |
| 2 = No | 789 | 8.95 |
| 13 = Did not need more of any drug used for same effect | 4901 | 55.60 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRUDALC 2 USED ALC DAILY 2+ WEEKS PST YR (L.I. UDALC) | | |
| 1 = Yes | 582 | 6.60 |
| 2 = No | 1654 | 18.77 |
| 13 = Did not use any drug daily in the past year ... | 3608 | 40.93 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRUDCIG 2 USED CIG DAILY 2+ WEEKS PST YR (L.I. UDCIG) | | |
| 1 = Yes | 1830 | 20.76 |
| 2 = No | 405 | 4.59 |
| 13 = Did not use any drug daily in the past year ... | 3609 | 40.95 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRUDCOC 2 USED COC DAILY 2+ WEEKS PST YR (L.I. UDCOC) | | |
| 1 = Yes | 48 | 0.54 |
| 2 = No | 2188 | 24.82 |
| 13 = Did not use any drug daily in the past year ... | 3608 | 40.93 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRUDMJ 2 USED MRJ DAILY 2+ WEEKS PST YR (L.I. UDMJ) | | |
| 1 = Yes | 242 | 2.75 |
| 2 = No | 1994 | 22.62 |
| 13 = Did not use any drug daily in the past year ... | 3608 | 40.93 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRDPALC 2 FELT DEPENDENT ON ALC PST YR (L.I. DPALC) | | |
| 1 = Yes | 278 | 3.15 |
| 2 = No | 1458 | 16.54 |
| 13 = Did not feel like had to have any drug used past yr..... | 4108 | 46.61 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRDPCIG 2 FELT DEPENDENT ON CIG PST YR (L.I. DPCIG) | | |
| 1 = Yes | 1480 | 16.79 |

| | | |
|---|------|-------|
| 2 = No | 256 | 2.90 |
| 13 = Did not feel like had to have any drug used past yr | 4108 | 46.61 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRDPCOC 2 FELT DEPENDENT ON COC PST YR (L.I. DPCOC) | | |
| 1 = Yes | 38 | 0.43 |
| 2 = No | 1698 | 19.26 |
| 13 = Did not feel like had to have any drug used past yr | 4108 | 46.61 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRDPMJ 2 FELT DEPENDENT ON MRJ PST YR (L.I. DPMJ) | | |
| 1 = Yes | 119 | 1.35 |
| 2 = No | 1617 | 18.35 |
| 13 = Did not feel like had to have any drug used past yr | 4108 | 46.61 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRWSALC 2 FELT SICK WHEN CUT DOWN ON ALC PST YR (L.I. WSALC) | | |
| 1 = Yes | 157 | 1.78 |
| 2 = No | 686 | 7.78 |
| 13 = Did not have withdrawal symptoms in the past year | 5001 | 56.74 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRWSCIG 2 FELT SICK WHEN CUT DOWN ON CIG PST YR (L.I. WSCIG) | | |
| 1 = Yes | 583 | 6.61 |
| 2 = No | 260 | 2.95 |
| 13 = Did not have withdrawal symptoms in the past year | 5001 | 56.74 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRWSCOC 2 FELT SICK WHEN CUT DOWN ON COC PST YR (L.I. WSCOC) | | |
| 1 = Yes | 34 | 0.39 |
| 2 = No | 809 | 9.18 |
| 13 = Did not have withdrawal symptoms in the past year | 5001 | 56.74 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |
| IRWSMJ 2 FELT SICK WHEN CUT DOWN ON MRJ PST YR (L.I. WSMJ) | | |
| 1 = Yes | 53 | 0.60 |
| 2 = No | 790 | 8.96 |
| 13 = Did not have withdrawal symptoms in the past year | 5001 | 56.74 |
| 99 = LEGITIMATE SKIP (IRNODRUG = 1) | 2970 | 33.7 |

The logically imputed variables for drugs, answer sheet #11, which indicate past year problems with alcohol (IRCDALC, IRDPALC, IREFALC, IRUDALC, and IRWSALC), cigarettes (IRDCIG, IRDPCIG, IREFCIG, IRUDCIG, and IRWSCIG), cocaine (IRDCOC, IRDPCOC, IREFCOC, IRUDCOC, and IRWSCOC), and marijuana (IRCDMJ, IRDPMJ, IREFMJ, IRUDMJ, and IRWSMJ) were used to obtain counts of the problems associated with each of the 4 substances respectively. Indicator variables were then created for alcohol, cigarettes, cocaine, and marijuana respectively, which indicated whether any of the problems had been experienced for the substance in question (ALCPROBS, CIGPROBS, COCPROBS, and MJPROBS). For a

discussion of the structure and logical imputation of the data for answer sheet #11, refer to Drugs - Answer Sheet #11 - Logically Imputed (L.I.).

| | | | | |
|----------|-------|-----------------------------|------|-------|
| ALCPROBS | 1 | ANY PROBS DUE TO ALCOHOL | | |
| 0 = No | | | 6981 | 79.20 |
| 1 = Yes | | | 1833 | 20.80 |
| CIGPROBS | 1 | ANY PROBS DUE TO CIGARETTES | | |
| 0 = No | | | 6597 | 74.85 |
| 1 = Yes | | | 2217 | 25.15 |
| COCPROBS | 1 | ANY PROBS DUE TO COCAINE | | |
| 0 = No | | | 8647 | 98.11 |
| 1 = Yes | | | 167 | 1.89 |
| MJPROBS | 1 | ANY PROBS DUE TO MARIJUANA | | |
| 0 = No | | | 8280 | 93.94 |
| 1 = Yes | | | 534 | 6.06 |

DRINKING -- ANSWER SHEET #12 -- LOGICALLY IMPUTED (L.I.)

The data for drinking, answer sheet #12, is structured with a lead-in question, and 18 subquestions. The lead-in question (NOBOOZYR) asks if beer, wine, or liquor had been used in the past year. The 18 subquestions (ALCAGGR, ALCARGUM, ALCABSNT, ALCHIGH, ALCJOB, ALCMATCD, ALCRELCD, ALCFRFCD, ALCTOSS, ALCHOLIC, ALCDRUNK, ALCINTOX, ALCREM, ALCQUICK, ALCMORN, ALCSHOOK, ALCALONE, and ALCBRKPM) ask whether each of 18 problems associated with drinking had been experienced in the past year.

The above data was logically imputed as follows:

If no use of alcohol was indicated by the recoded past year variable (ALCYR) then the lead-in question was logically revised to indicate that no alcohol had been used in the past year (IRNOBOOZ=1). Subsequently, the 18 subquestions were logically revised to the legitimate skip code (IRALCABS, IRALCAGG, IRALCALO, IRALCARG, IRALCBRK, IRALCDRU, IRALCFRD, IRALCHIG, IRALCHOL, IRALCINT, IRALCJOB, IRALCMAT, IRALCMOR, IRALCQUI, IRALCREL, IRALCREM, IRALCSHO, and IRALCTOS=99).

If use of alcohol was indicated by the recoded past year variable then the lead-in question was logically revised to indicate that alcohol had been used in the past year (IRNOBOOZ=2). Subsequently, each subquestion was examined. Positive and negative responses were left as is. The don't know (94), bad data (95), multiple response (96), refused (97), and blank (98) responses were logically imputed to negative responses.

| | | | | |
|--|-------|--|------|------|
| IRNOBOOZ | 1 | NO USE OF BEER/WINE/LIQUOR PST YR (L.I. NOBOOZYR) | | |
| 1 = No use of alcohol in the past year | | | 3488 | 39.6 |
| 2 = Used alcohol in the past year | | | 5326 | 60.4 |
| IRALCABS | 2 | ABSNT WRK/SCH FROM HANGOVER PST YR (L.I. ALCABSNT) | | |
| 1 = Yes | | | 284 | 3.22 |

| | | |
|---|------|-------|
| 2 = No | 5042 | 57.20 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCAGG 2 FELT AGGRESSIVE WHILE DRNKNG PST YR (L.I. ALCAGGR) | | |
| 1 = Yes | 817 | 9.27 |
| 2 = No | 4509 | 51.16 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCALO 2 GOT DRUNK WHLE DRNKNG ALONE PST YR (L.I. ALCALONE) | | |
| 1 = Yes | 729 | 8.27 |
| 2 = No | 4597 | 52.16 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCARG 2 HEATED ARGUMNTS WHLE DRNKNG PST YR (L.I. ALCARGUM) | | |
| 1 = Yes | 585 | 6.64 |
| 2 = No | 4741 | 53.79 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCBRK 2 KPT DRNKNG AFT PROMISNG STP PST YR (L.I. ALCBRKPM) | | |
| 1 = Yes | 410 | 4.65 |
| 2 = No | 4916 | 55.77 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCDRU 2 STAYD DRUNK >1DAY AT A TIME PST YR (L.I. ALCDRUNK) | | |
| 1 = Yes | 203 | 2.30 |
| 2 = No | 5123 | 58.12 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCFRD 2 FRNDS SAID CUT DOWN DRINKNG PST YR (L.I. ALCFRDCD) | | |
| 1 = Yes | 300 | 3.40 |
| 2 = No | 5026 | 57.02 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCHIG 2 HIGH/LITTLE DRUNK AT WRK/SCH PST YR (L.I. ALCHIGH) | | |
| 1 = Yes | 351 | 3.98 |
| 2 = No | 4975 | 56.44 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCHOL 2 AFRAID MGHT BE/BECME ALCHLC PST YR (L.I. ALCHOLIC) | | |
| 1 = Yes | 522 | 5.92 |
| 2 = No | 4804 | 54.50 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCINT 2 NOT STP DRNKNG TILL INTXCTD PST YR (L.I. ALCINTOX) | | |
| 1 = Yes | 357 | 4.05 |
| 2 = No | 4969 | 56.38 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCJOB 2 LOST/NRLY LOST JOB FRM DRNKNG PST YR (L.I. ALCJOB) | | |
| 1 = Yes | 63 | 0.71 |
| 2 = No | 5263 | 59.71 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCMAT 2 SPOUS/DATE SAY CUT DWN DRNK PST YR (L.I. ALCMATCD) | | |
| 1 = Yes | 543 | 6.16 |
| 2 = No | 4783 | 54.27 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCMOR 2 OFTEN DRINK 1ST THNG MORNING PST YR (L.I. ALCMORN) | | |
| 1 = Yes | 109 | 1.24 |
| 2 = No | 5217 | 59.19 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |
| IRALCQUI 2 QUICK DRINKS NO ONE LOOKING PST YR (L.I. ALCQUICK) | | |
| 1 = Yes | 361 | 4.10 |
| 2 = No | 4965 | 56.33 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | 3488 | 39.57 |

| | | | | |
|-------------------------------------|---|--|------|-------|
| IRALCREL | 2 | RELATIVE SAY CUT DWN DRNKNG PST YR (L.I. ALCRELCD) | | |
| 1 = Yes | | | 398 | 4.52 |
| 2 = No | | | 4928 | 55.91 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | | | 3488 | 39.57 |
| IRALCREM | 2 | NOT REMEMBR THNGS WHLE DRNKNG PST YR (L.I. ALCREM) | | |
| 1 = Yes | | | 780 | 8.85 |
| 2 = No | | | 4546 | 51.58 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | | | 3488 | 39.57 |
| IRALCSHO | 2 | HNDS SHK AFT DRNK DAY BEFOR PST YR (L.I. ALCSHOOK) | | |
| 1 = Yes | | | 194 | 2.20 |
| 2 = No | | | 5132 | 58.23 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | | | 3488 | 39.57 |
| IRALCTOS | 2 | DRNK FAST FOR QUICKER EFFECT PST YR (L.I. ALCTOSS) | | |
| 1 = Yes | | | 745 | 8.45 |
| 2 = No | | | 4581 | 51.97 |
| 99 = LEGITIMATE SKIP (IRNOBOOZ = 1) | | | 3488 | 39.57 |

The logically imputed subquestions (IRALCABS, IRALCAGG, IRALCALO, IRALCARG, IRALCBRK, IRALCDRU, IRALCFRD, IRALCHIG, IRALCHOL, IRALCINT, IRALCJOB, IRALCMAT, IRALCMOR, IRALCQUI, IRALCREL, IRALCREM, IRALCSHO, and IRALCTOS) for drinking, answer sheet #12 were used to obtain a count of the number of problems associated with drinking. Indicator variables were then created which indicated whether any of the 18 problems (ANYALC), and three or more of the 18 problems (THREALC) had been experienced. For a discussion of the structure and logical imputation of the data for answer sheet #12, refer to Drinking - Answer Sheet #12 - Logically Imputed (L.I.).

| | | | | |
|---------|---|------------------------------|------|-------|
| ANYALC | 1 | ANY PROBS W/ALCOHOL PAST YR | | |
| 0 = No | | | 6735 | 76.41 |
| 1 = Yes | | | 2079 | 23.59 |
| THREALC | 1 | GE 3 PROBS W/ALCOHOL PAST YR | | |
| 0 = No | | | 7740 | 87.81 |
| 1 = Yes | | | 1074 | 12.19 |

RECODED DRUG USE VARIABLES - RECODED

The following variables were created from the recoded drug use variables. The values of the source variables which define the yes response are given, and all other combinations of the source variables define the no response.

| | | | | |
|-----------------------------------|---|------------------------------|------|-------|
| ALCONLYL | 1 | ONLY ALCOHOL - EVER USED | | |
| 0 = No | | | 5457 | 61.91 |
| 1 = Yes (ALCFLAG=1 AND SUMFLAG=0) | | | 3357 | 38.09 |
| ALCONLYY | 1 | ONLY ALCOHOL - PAST YEAR USE | | |
| 0 = No | | | 4899 | 55.58 |
| 1 = Yes (ALCYR=1 AND SUMYR=0) | | | 3915 | 44.42 |

| | | | | |
|-----------------------------------|---|-------------------------------------|------|-------|
| ALCONLYM | 1 | ONLY ALCOHOL - PAST MONTH USE | | |
| 0 = No | | | 5592 | 63.44 |
| 1 = Yes (ALCMON=1 AND SUMMON=0) | | | 3222 | 36.56 |
| ILLONLYL | 1 | ONLY ILLICIT DRUGS - EVER USED | | |
| 0 = No | | | 8668 | 98.34 |
| 1 = Yes (SUMFLAG=1 AND ALCFLAG=0) | | | 146 | 1.66 |
| ILLONLYY | 1 | ONLY ILLICIT DRUGS - PAST YEAR USE | | |
| 0 = No | | | 8710 | 98.82 |
| 1 = Yes (SUMYR=1 AND ALCYR=0) | | | 104 | 1.18 |
| ILLONLYM | 1 | ONLY ILLICIT DRUGS - PAST MONTH USE | | |
| 0 = No | | | 8684 | 98.53 |
| 1 = Yes (SUMMON=1 AND ALCMON=0) | | | 130 | 1.47 |
| MRJONLYL | 1 | ONLY MARIJUANA - EVER USED | | |
| 0 = No | | | 8771 | 99.51 |
| 1 = Yes (MJOFLAG=1 AND ALCFLAG=0) | | | 43 | 0.49 |
| MRJONLYY | 1 | ONLY MARIJUANA - PAST YEAR USE | | |
| 0 = No | | | 8784 | 99.66 |
| 1 = Yes (MJOYR2=1 AND ALCYR=0) | | | 30 | 0.34 |
| MRJONLYM | 1 | ONLY MARIJUANA - PAST MONTH USE | | |
| 0 = No | | | 8756 | 99.34 |
| 1 = Yes (MJOMON2=1 AND ALCMON=0) | | | 58 | 0.66 |

RECODED DRUG USE VARIABLES - RECODED

The following variable, PSYONLYL, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG and ALCFLAG.

| | | | | |
|--|---|-------------------------------------|------|-------|
| PSYONLYL | 1 | ONLY PSYCHOTHERAPEUTICS - EVER USED | | |
| 0 = No | | | 8778 | 99.59 |
| 1 = Yes (PSYFLAG2=1 AND ALL OTHER SOURCE VARS=0) | | .. | 36 | 0.41 |

The following variable, PSYONLYY, was created by examination of PSYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, and ALCYR.

| | | | | |
|---|---|---|------|-------|
| PSYONLYY | 1 | ONLY PSYCHOTHERAPEUTICS - PAST YEAR USE | | |
| 0 = No | | | 8773 | 99.53 |
| 1 = Yes (PSYR2=1 AND ALL OTHER SOURCE VARS=0) | | | 41 | 0.47 |

The following variable, PSYONLYM, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.

| | | | | |
|---|---|--|------|-------|
| PSYONLYM | 1 | ONLY PSYCHOTHERAPEUTICS - PAST MONTH USE | | |
| 0 = No | | | 8777 | 99.58 |
| 1 = Yes (PSYMON2=1 AND ALL OTHER SOURCE VARS=0) | | ... | 37 | 0.42 |

The following variable, OTHONLYL, was created by examination of ALCFLAG,

MRJONLYL, PSYONLYL, PSYFLAG2, MRJFLAG,
COCFLAG, INHFLAG, HALFLAG, and HERFLAG.

| | | | | |
|---|---|---|------|-------|
| OTHONLYL | 1 | ONLY OTHER DRUGS AND DRUG COMB. - EVER USED | | |
| 0 = No | | | 8748 | 99.25 |
| 1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1) | | | 66 | 0.75 |

RECODED DRUG USE VARIABLES - RECODED

The following variable, OTHONLYY, was
created by examination of ALCYR,
MRJONLYY, PSYONLYY, PSYYR2, MRJYR,
COCYR, INHYR, HALYR, and HERYR.

| | | | | |
|---|---|---|------|-------|
| OTHONLYY | 1 | ONLY OTHER DRUGS AND DRUG COMB. - PAST YEAR USE | | |
| 0 = No | | | 8781 | 99.63 |
| 1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1) | | | 33 | 0.37 |

The following variable, OTHONLYM, was
created by examination of ALCMON,
MRJONLYM, PSYONLYM, PSYMON2, MRJMON,
COCMON, INHMON, HALMON, and HERMON.

| | | | | |
|---|---|--|------|-------|
| OTHONLYM | 1 | ONLY OTHER DRUGS AND DRUG COMB. - PAST MONTH USE | | |
| 0 = No | | | 8779 | 99.60 |
| 1 = Yes (FIRST 3 SOURCE VAR=0 & ANY OTHR SOURCE VAR=1) | | | 35 | 0.40 |

| | | | | |
|-----------------------------------|---|--|------|-------|
| ALCILLL | 1 | ALCOHOL & ILLICIT DRUGS - EVER USED | | |
| 0 = No | | | 5746 | 65.19 |
| 1 = Yes (ALCFLAG=1 AND SUMFLAG=1) | | | 3068 | 34.81 |
| ALCILLY | 1 | ALCOHOL & ILLICIT DRUGS - PAST YEAR USE | | |
| 0 = No | | | 7403 | 83.99 |
| 1 = Yes (ALCYR=1 AND SUMYR=1) | | | 1411 | 16.01 |
| ALCILLM | 1 | ALCOHOL & ILLICIT DRUGS - PAST MONTH USE | | |
| 0 = No | | | 8117 | 92.09 |
| 1 = Yes (ALCMON=1 AND SUMMON=1) | | | 697 | 7.91 |

The following variable, ALCMRJL, was
created by examination of ALCFLAG,
MRJFLAG, COCFLAG, INHFLAG, HALFLAG,
HERFLAG, and PSYFLAG2.

| | | | | |
|---|---|---------------------------------|------|-------|
| ALCMRJL | 1 | ALCOHOL & MARIJUANA - EVER USED | | |
| 0 = No | | | 7465 | 84.69 |
| 1 = Yes (ALCFLAG,MRJFLAG=1 AND ALL OTHER SOURCE VAR=0) | | | 1349 | 15.31 |

RECODED DRUG USE VARIABLES - RECODED

The following variable, ALCMRJY, was
created by examination of ALCYR, MRJYR,
COCYR, INHYR, HALYR, HERYR, and PSYYR2.

| | | | | |
|--------------------------------|---|-------------------------------------|------|-------|
| ALCMRJY | 1 | ALCOHOL & MARIJUANA - PAST YEAR USE | | |
| 0 = No | | | 8258 | 93.69 |
| 1 = Yes (ALCYR AND MRJYR=1 AND | | ALL OTHER SOURCE VAR=0) | 556 | 6.31 |

The following variable, ALCMRJM, was created by examination of ALCMON, MRJMON, COCMON, INHMON, HALMON, HERMON, and PSYMON2.

| | | | | |
|--------------------------------|---|--------------------------------------|------|-------|
| ALCMRJM | 1 | ALCOHOL & MARIJUANA - PAST MONTH USE | | |
| 0 = No | | | 8426 | 95.60 |
| 1 = Yes (ALCMON & MRJMON=1 AND | | ALL OTHER SOURCE VAR=0) | 388 | 4.40 |

The following variable, ALCPSYL, was created by examination of ALCFLAG, PSYFLAG2, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and MRJFLAG.

| | | | | |
|--------------------------------|---|--|------|-------|
| ALCPSYL | 1 | ALCOHOL & PSYCHOTHERAPEUTICS - EVER USED | | |
| 0 = No | | | 8667 | 98.33 |
| 1 = Yes (ALCFLAG, PSYFLAG2=1 & | | ALL OTHER SOURCE VAR=0) | 147 | 1.67 |

The following variable, ALCPSYY, was created by examination of ALCYR, PSYYR2, COCYR, INHYR, HALYR, HERYR, and MRJYR.

| | | | | |
|-------------------------------|---|--|------|-------|
| ALCPSYY | 1 | ALCOHOL & PSYCHOTHERAPEUTICS - PAST YEAR USE | | |
| 0 = No | | | 8648 | 98.12 |
| 1 = Yes (ALCYR & PSYYR2=1 AND | | ALL OTHER SOURCE VAR=0) | 166 | 1.88 |

The following variable, ALCPSYM, was created by examination of ALCMON, PSYMON2, COCMON, INHMON, HALMON, HERMON, and MRJMON.

| | | | | |
|-------------------------------|---|---|------|-------|
| ALCPSYM | 1 | ALCOHOL & PSYCHOTHERAPEUTICS - PAST MONTH USE | | |
| 0 = No | | | 8766 | 99.46 |
| 1 = Yes (ALCMON & PSYMON2=1 & | | ALL OTHER SOURCE VAR=0) | 48 | 0.54 |

The following variable, ALCOTHL, was created by examination of ALCFLAG, ALCMRJL, ALCPSYL, COCFLAG, INHFLAG, HALFLAG, HERFLAG, MRJFLAG, and PSYFLAG2.

| | | | | |
|-----------------------------------|---|---|------|-------|
| ALCOTHL | 1 | ALCOHOL & OTHER DRUGS & DRUG COMB.- EVER USED | | |
| 0 = No | | | 7242 | 82.16 |
| 1 = Yes (ALCFLAG=1 & NEXT 2 VAR=0 | | & ANY OTHER VAR=1) | 1572 | 17.84 |

The following variable, ALCOTHY, was created by examination of ALCYR, ALCMRJY, ALCPSYY, COCYR, INHYR, HALYR, HERYR, MRJYR, and PSYYR2.

| | | | | |
|--|---|---|------|-------|
| ALCOTHY | 1 | ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST YEAR USE | | |
| 0 = No | | | 8125 | 92.18 |
| 1 = Yes (ALCYR=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1) | | | 689 | 7.82 |

The following variable, ALCOTHM, was created by examination of ALCMON, ALCMRJM,ALCPSYM, COCMON, INHMON, HALMON, HERMON, MRJMON, and PSYMON2.

| | | | | |
|---|---|--|------|-------|
| ALCOTHM | 1 | ALCOHOL & OTHER DRUGS & DRUG COMB.- PAST MONTH USE | | |
| 0 = No | | | 8553 | 97.04 |
| 1 = Yes (ALCMON=1 & NEXT 2 VAR=0 & ANY OTHER VAR=1) | | | 261 | 2.96 |

The following variable, SUB1LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.

| | | | | |
|---|---|------------------------------|------|-------|
| SUB1LIF | 1 | USED ONLY 1 SUBSTANCE - EVER | | |
| 0 = No | | | 5330 | 60.47 |
| 1 = Yes (ONLY ONE OF THE SOURCE VARS=1) | | | 3484 | 39.53 |

The following variable, SUB1YR, was created by examination of PSYYR2, MRJYR, COCYR, INHYR, HALYR, HERYR, AND ALCYR.

| | | | | |
|---|---|-----------------------------------|------|-------|
| SUB1YR | 1 | USED ONLY 1 SUBSTANCE - PAST YEAR | | |
| 0 = No | | | 4809 | 54.56 |
| 1 = Yes (ONLY ONE OF THE SOURCE VARS=1) | | | 4005 | 45.44 |

The following variable, SUB1MON, was created by examination of PSYMON2, MRJMON, COCMON, INHMON, HALMON, HERMON, and ALCMON.

| | | | | |
|---|---|------------------------------------|------|-------|
| SUB1MON | 1 | USED ONLY 1 SUBSTANCE - PAST MONTH | | |
| 0 = No | | | 5477 | 62.14 |
| 1 = Yes (ONLY ONE OF THE SOURCE VARS=1) | | | 3337 | 37.86 |

The following variable, SUB2LIF, was created by examination of PSYFLAG2, MRJFLAG, COCFLAG, INHFLAG, HALFLAG, HERFLAG, and ALCFLAG.

| | | | | |
|---|---|-------------------------------|------|-------|
| SUB2LIF | 1 | USED ONLY 2 SUBSTANCES - EVER | | |
| 0 = No | | | 7193 | 81.61 |
| 1 = Yes (ONLY TWO OF THE SOURCE VARS=1) | | | 1621 | 18.39 |

The following variable, SUB2YR, was

created by examination of PSYR2, MRJYR,
COCYR, INHYR, HALYR, HERYR, AND ALCYR.

| | | | | |
|---|-------|------------------------------------|------|-------|
| SUB2YR | 1 | USED ONLY 2 SUBSTANCES - PAST YEAR | | |
| 0 = No | | | 7998 | 90.74 |
| 1 = Yes (ONLY TWO OF THE SOURCE VARS=1) | | | 816 | 9.26 |

The following variable, SUB2MON, was
created by examination of PSYMON2,
MRJMON, COCMON, INHMON, HALMON, HERMON,
and ALCMON.

| | | | | |
|---|-------|-------------------------------------|------|-------|
| SUB2MON | 1 | USED ONLY 2 SUBSTANCES - PAST MONTH | | |
| 0 = No | | | 8308 | 94.26 |
| 1 = Yes (ONLY TWO OF THE SOURCE VARS=1) | | | 506 | 5.74 |

The following variable, SUB3LIF, was
created by examination of PSYFLAG2,
MRJFLAG, COCFLAG, INHFLAG, HALFLAG,
HERFLAG, and ALCFLAG.

| | | | | |
|--|-------|----------------------------------|------|-------|
| SUB3LIF | 1 | USED 3 OR MORE SUBSTANCES - EVER | | |
| 0 = No | | | 7349 | 83.38 |
| 1 = Yes (THREE OR MORE OF THE SOURCE VARS=1) | | | 1465 | 16.62 |

The following variable, SUB3YR, was
created by examination of PSYR2, MRJYR,
COCYR, INHYR, HALYR, HERYR, and ALCYR.

| | | | | |
|--|-------|---------------------------------------|------|-------|
| SUB3YR | 1 | USED 3 OR MORE SUBSTANCES - PAST YEAR | | |
| 0 = No | | | 8205 | 93.09 |
| 1 = Yes (THREE OR MORE OF THE SOURCE VARS=1) | | | 609 | 6.91 |

The following variable, SUB3MON, was
created by examination of PSYMON2,
MRJMON, COCMON, INHMON, HALMON, HERMON,
and ALCMON.

| | | | | |
|--|-------|--|------|-------|
| SUB3MON | 1 | USED 3 OR MORE SUBSTANCES - PAST MONTH | | |
| 0 = No | | | 8608 | 97.66 |
| 1 = Yes (THREE OR MORE OF THE SOURCE VARS=1) | | | 206 | 2.34 |

ALPHA INDEX OF VARIABLES

| VARIABLE | PAGE |
|----------|------|
| ----- | ---- |
| ACCID | 89 |
| AEROS | 34 |
| AEROS2 | 107 |
| AEROS30A | 36 |
| AGEGR | 96 |
| ALCABSNT | 63 |
| ALCAGE | 6 |
| ALCAGGR | 63 |
| ALCALONE | 65 |
| ALCANAL | 7 |
| ALCARGUM | 63 |
| ALCBRKPM | 65 |
| ALCCOC | 8 |
| ALCDAYS | 5 |
| ALCDAYS2 | 107 |
| ALCDAYS3 | 108 |
| ALCDRUNK | 64 |
| ALCFLAG | 102 |
| ALCFRDCD | 64 |
| ALCHAL | 8 |
| ALCHIGH | 63 |
| ALCHOLIC | 64 |
| ALCILLL | 136 |
| ALCILLM | 136 |
| ALCILLY | 136 |
| ALCINH | 8 |
| ALCINTOX | 64 |
| ALCJOB | 63 |
| ALCMATCD | 63 |
| ALCMJ | 8 |
| ALCMON | 103 |
| ALCMON2 | 108 |
| ALCMONF | 104 |
| ALCMORN | 65 |
| ALCMRJL | 136 |
| ALCMRJM | 137 |
| ALCMRJY | 137 |
| ALCNONE | 8 |
| ALCONLYL | 134 |
| ALCONLYM | 135 |
| ALCONLYY | 134 |
| ALCOPT | 8 |
| ALCOTHL | 137 |
| ALCOTHM | 138 |
| ALCOTHY | 138 |
| ALCPAT | 6 |
| ALCPREF | 4 |

| | |
|----------|-----|
| ALCPROBS | 132 |
| ALCPSYL | 137 |
| ALCPSYM | 137 |
| ALCPSYY | 137 |
| ALCQUICK | 64 |
| ALCREC | 4 |
| ALCRELCD | 64 |
| ALCREM | 64 |
| ALCSED | 7 |
| ALCSHOOK | 65 |
| ALCSTM | 7 |
| ALCTOSS | 64 |
| ALCTRAN | 7 |
| ALCTRY | 4 |
| ALCWKF | 105 |
| ALCYR | 102 |
| ALCYRF | 104 |
| ALLERG | 82 |
| ALNALC2 | 124 |
| ALNCIG2 | 124 |
| ALNCOC2 | 124 |
| ALNDRG1A | 68 |
| ALNDRG2A | 68 |
| ALNDRG3A | 68 |
| ALNDRG4A | 69 |
| ALNDRG5A | 69 |
| ALNMRJ2 | 124 |
| AMLNT30A | 36 |
| AMOBARB | 10 |
| AMYLNIT | 34 |
| AMYLNIT2 | 108 |
| AMYTAL | 9 |
| ANALAGE | 27 |
| ANALNEWA | 27 |
| ANALNEWB | 27 |
| ANALNONE | 25 |
| ANALREC | 28 |
| ANALTOT | 27 |
| ANALWT | 106 |
| ANALWT2 | 106 |
| ANILERID | 26 |
| ANLALC | 28 |
| ANLCOC | 29 |
| ANLDKNAM | 27 |
| ANLFLAG | 102 |
| ANLHAL | 29 |
| ANLINH | 29 |
| ANLMJ | 29 |
| ANLMON | 102 |
| ANLNONE | 29 |
| ANLNOSP | 27 |
| ANLOPT | 29 |
| ANLSED | 28 |
| ANLSTM | 28 |

| | |
|----------|-----|
| ANLTRAN | 28 |
| ANLYR | 102 |
| ANXALC2 | 124 |
| ANXCIG2 | 124 |
| ANXCOC2 | 124 |
| ANXDRG1A | 69 |
| ANXDRG2A | 69 |
| ANXDRG3A | 70 |
| ANXDRG4A | 70 |
| ANXDRG5A | 70 |
| ANXMRJ2 | 124 |
| ANYALC | 134 |
| ANYPROB | 123 |
| ARGALC2 | 124 |
| ARGCIG2 | 124 |
| ARGCOC2 | 124 |
| ARGDRG1A | 67 |
| ARGDRG2A | 67 |
| ARGDRG3A | 67 |
| ARGDRG4A | 68 |
| ARGDRG5A | 68 |
| ARGMRJ2 | 124 |
| AS10READ | 50 |
| AS11READ | 52 |
| AS13NONE | 65 |
| AS3READ | 13 |
| AS4READ | 18 |
| AS5READ | 24 |
| AS7READ | 33 |
| AS9READ | 45 |
| ASTHMA | 81 |
| ATARAX | 15 |
| ATIVAN | 14 |
| AVCIG | 2 |
| AVCIG2 | 108 |
| AVCIG3 | 108 |
| BAP | 94 |
| BENZ | 19 |
| BIPHET | 19 |
| BPMED | 80 |
| BROSIS | 91 |
| BTIME | 93 |
| BUSINES2 | 85 |
| BUSPAR | 15 |
| BUTICAPS | 9 |
| BUTISOL | 9 |
| CATAG2 | 101 |
| CATAGE | 101 |
| CDALC | 52 |
| CDANAL | 53 |
| CDCIG | 52 |
| CDCOC | 53 |
| CDHALL | 53 |
| CDHER | 53 |

| | |
|----------|-----|
| CDINH | 53 |
| CDMJ | 53 |
| CDNONE | 54 |
| CDOTHOP | 54 |
| CDSER | 52 |
| CDSTM | 53 |
| CDTRAN | 53 |
| CENTRAX | 14 |
| CHAGE1 | 90 |
| CHAGE10 | 90 |
| CHAGE2 | 90 |
| CHAGE3 | 90 |
| CHAGE4 | 90 |
| CHAGE5 | 90 |
| CHAGE6 | 90 |
| CHAGE7 | 90 |
| CHAGE8 | 90 |
| CHAGE9 | 90 |
| CHHYD | 10 |
| CIG5PK | 1 |
| CIGAGE | 2 |
| CIGFLAG | 103 |
| CIGINT | 2 |
| CIGMON | 103 |
| CIGMON2 | 108 |
| CIGPROBS | 132 |
| CIGREC | 1 |
| CIGTIME | 2 |
| CIGTRY | 1 |
| CIGYR | 103 |
| CIGYRS | 3 |
| CLEANNDL | 61 |
| CLEFLU | 35 |
| CLEFLU2 | 108 |
| CLFL30A | 36 |
| COC30ALC | 40 |
| COCAGE | 39 |
| COCALC | 41 |
| COCAM30A | 44 |
| COCANAL | 41 |
| COCBUCK | 45 |
| COCFLAG | 103 |
| COCHAL | 42 |
| COCINH | 42 |
| COCIV | 43 |
| COCIV2 | 108 |
| COCMJ | 42 |
| COCMON | 103 |
| COCMONF | 104 |
| COCNEWA | 43 |
| COCNEWA2 | 108 |
| COCNONE | 42 |
| COCNOSP | 43 |
| COCOPP | 39 |

| | |
|----------|-----|
| COCOPT | 42 |
| COCPROBS | 132 |
| COCREC | 40 |
| COCS | 41 |
| COCSNIF2 | 108 |
| COCSNIFF | 42 |
| COCSTM | 41 |
| COCSWAL | 42 |
| COCSWAL2 | 108 |
| COCTOT | 39 |
| COCTOT2 | 108 |
| COCTOT3 | 109 |
| COCTRAN | 41 |
| COCUS30A | 40 |
| COCWKF | 104 |
| COCYR | 103 |
| COCYRF | 104 |
| COCYRFRQ | 41 |
| CODEINE | 26 |
| CONDLRC2 | 101 |
| CONDLREC | 43 |
| COOPINT | 94 |
| COUGHYR | 82 |
| CPEALC2 | 124 |
| CPECIG2 | 124 |
| CPECOC2 | 125 |
| CPEDRG1A | 76 |
| CPEDRG2A | 76 |
| CPEDRG3A | 76 |
| CPEDRG4A | 76 |
| CPEDRG5A | 76 |
| CPEMRJ2 | 125 |
| CPRES | 95 |
| CRAKBUCK | 44 |
| CRAKREC | 43 |
| CRKAM30A | 44 |
| CRKFLAG | 103 |
| CRKMON | 104 |
| CRKYR | 103 |
| CWE | 86 |
| CWEBUS2 | 87 |
| CWEOCC2 | 87 |
| CYLERT | 20 |
| DALMANE | 9 |
| DARVON | 25 |
| DEMEROL | 25 |
| DEPALC | 57 |
| DEPALC2 | 125 |
| DEPANAL | 58 |
| DEPCIG | 57 |
| DEPCIG2 | 125 |
| DEPCOC | 58 |
| DEPCOC2 | 125 |
| DEPDRG1A | 66 |

| | |
|----------|-----|
| DEPDRG2A | 66 |
| DEPDRG3A | 66 |
| DEPDRG4A | 67 |
| DEPDRG5A | 67 |
| DEPHALL | 59 |
| DEPHER | 59 |
| DEPINH | 58 |
| DEPMJ | 58 |
| DEPMRJ2 | 125 |
| DEPNONE | 59 |
| DEPOTHOP | 59 |
| DEPROL | 15 |
| DEPSED | 58 |
| DEPSTM | 58 |
| DEPTRAN | 58 |
| DESOXYN | 19 |
| DETAMP | 20 |
| DEXAMYL | 19 |
| DEXED | 18 |
| DIAZEPAM | 15 |
| DIDREX | 19 |
| DILAUD | 25 |
| DIVISION | 96 |
| DOLENE | 25 |
| DORIDEN | 9 |
| DORM | 92 |
| DR5DAY | 6 |
| DRALONE | 68 |
| DRANX | 69 |
| DRARGUM | 67 |
| DRCOPE | 76 |
| DRDEPRSS | 66 |
| DREMGMED | 76 |
| DRHEALTH | 70 |
| DRINKER | 109 |
| DRLSWORK | 74 |
| DRNTHINK | 71 |
| DRSUSPIC | 75 |
| DRUNKYR | 7 |
| DRUNKYR2 | 109 |
| DRUPSET | 73 |
| DURRAX | 15 |
| EAP | 94 |
| ECSTASY | 46 |
| EDUC | 87 |
| EDUCCAT | 101 |
| EDUCCAT2 | 109 |
| EFFALC | 54 |
| EFFANAL | 55 |
| EFFCIG | 54 |
| EFFCOC | 55 |
| EFFHALL | 55 |
| EFFHER | 55 |
| EFFINH | 55 |

| | |
|----------|-----|
| EFFMJ | 55 |
| EFFNONE | 55 |
| EFFOTHOP | 55 |
| EFFSED | 54 |
| EFFSTM | 54 |
| EFFTRAN | 54 |
| EMALC2 | 125 |
| EMCIG2 | 125 |
| EMCOC2 | 125 |
| EMDRG1A | 77 |
| EMDRG2A | 77 |
| EMDRG3A | 77 |
| EMDRG4A | 77 |
| EMDRG5A | 77 |
| EMMRJ2 | 125 |
| EMPSTAT | 101 |
| EMPSTAT2 | 109 |
| ENCCASE | 1 |
| ENCPSU | 1 |
| ENCSEG | 1 |
| ENROLLD | 88 |
| EQUANIL | 15 |
| ESKAT | 19 |
| ETHER | 34 |
| ETHER2 | 109 |
| ETHER30A | 36 |
| ETIME | 94 |
| FASTIN | 20 |
| FATHER | 90 |
| FLU | 81 |
| FREEBAS2 | 109 |
| FREEBASE | 43 |
| FRIENDS | 91 |
| FULLPART | 86 |
| GAS | 34 |
| GAS2 | 109 |
| GAS30A | 35 |
| GLUE | 34 |
| GLUE2 | 109 |
| GLUE30A | 36 |
| HAL30USE | 47 |
| HALCION | 10 |
| HALFLAG | 101 |
| HALLAGE | 47 |
| HALLOPP | 46 |
| HALLQCL | 50 |
| HALLREC | 47 |
| HALLTOT | 47 |
| HALMON | 102 |
| HALNEWA | 46 |
| HALNOSP | 46 |
| HALYR | 101 |
| HEALTHYR | 83 |
| HEART | 81 |

| | |
|----------|-----|
| HER30USE | 51 |
| HERAGE | 50 |
| HERFLAG | 103 |
| HERMON | 103 |
| HERNEEDL | 51 |
| HEROPP | 50 |
| HERREC | 51 |
| HERTOT | 50 |
| HERYR | 103 |
| HIGHBP | 80 |
| HLTALC2 | 125 |
| HLTCIG2 | 125 |
| HLTCOC2 | 125 |
| HLTDRG1A | 70 |
| HLTDRG2A | 71 |
| HLTDRG3A | 71 |
| HLTDRG4A | 71 |
| HLTDRG5A | 71 |
| HLTMRJ2 | 126 |
| HOSP | 92 |
| HOSPYR | 82 |
| HRNDLREC | 51 |
| HVYDRK | 110 |
| IIAGE | 96 |
| IIALCFQ | 100 |
| IIALCRC | 97 |
| IIANLRC | 98 |
| IICIGRC | 99 |
| IICOCFQ | 100 |
| IICOCRC | 98 |
| IICRKRC | 99 |
| IIHALRC | 99 |
| IIHERRC | 99 |
| IIHOGRP | 97 |
| IIHOIND | 97 |
| IIINHRC | 99 |
| IIMJFQ | 100 |
| IIMJRC | 97 |
| IIOTBRC | 99 |
| IIPCPRC | 100 |
| IIRACE | 97 |
| IISEDRC | 98 |
| IISTMRC | 98 |
| IITRNRC | 98 |
| ILLONLYL | 135 |
| ILLONLYM | 135 |
| ILLONLYY | 135 |
| IN30NOSP | 37 |
| INCOME | 93 |
| INH30NO | 37 |
| INHAGE | 33 |
| INHANSY | 39 |
| INHDY30A | 37 |
| INHEFF | 38 |

| | |
|----------|-----|
| INHFLAG | 104 |
| INHMON | 104 |
| INHNEWA | 35 |
| INHNEWB | 35 |
| INHNO SP | 35 |
| INHPO | 38 |
| INHQNC1 | 38 |
| INHQNC2 | 38 |
| INHQNC3 | 38 |
| INHQNC4 | 38 |
| INHQNC5 | 38 |
| INHQNC6 | 38 |
| INHQNC7 | 39 |
| INHQNC8 | 39 |
| INHQNC9 | 39 |
| INHREC | 37 |
| INHTOT | 35 |
| INHYR | 104 |
| INLAW | 91 |
| INNEW30A | 36 |
| INNEW30B | 37 |
| IONAMIN | 20 |
| IRAGE | 96 |
| IRALCABS | 132 |
| IRALCAGG | 133 |
| IRALCALO | 133 |
| IRALCARG | 133 |
| IRALCBRK | 133 |
| IRALCDRU | 133 |
| IRALCFQ | 100 |
| IRALCFRD | 133 |
| IRALCHIG | 133 |
| IRALCHOL | 133 |
| IRALCINT | 133 |
| IRALCJOB | 133 |
| IRALCMAT | 133 |
| IRALCMOR | 133 |
| IRALCQUI | 133 |
| IRALCRC | 97 |
| IRALCREL | 134 |
| IRALCREM | 134 |
| IRALCSHO | 134 |
| IRALCTOS | 134 |
| IRALN | 114 |
| IRALN1 | 114 |
| IRALN2 | 115 |
| IRALN3 | 115 |
| IRALN4 | 115 |
| IRALN5 | 115 |
| IRANLRC | 98 |
| IRANX | 115 |
| IRANX1 | 115 |
| IRANX2 | 116 |
| IRANX3 | 116 |

| | |
|---------|-----|
| IRANX4 | 116 |
| IRANX5 | 116 |
| IRARG | 113 |
| IRARG1 | 113 |
| IRARG2 | 114 |
| IRARG3 | 114 |
| IRARG4 | 114 |
| IRARG5 | 114 |
| IRAS13 | 112 |
| IRCDALC | 129 |
| IRCDCIG | 129 |
| IRCDCOC | 129 |
| IRCDMJ | 129 |
| IRCIERC | 98 |
| IRCOFQ | 100 |
| IRCOERC | 97 |
| IRCE | 121 |
| IRCE1 | 121 |
| IRCE2 | 122 |
| IRCE3 | 122 |
| IRCE4 | 122 |
| IRCE5 | 122 |
| IRCRKRC | 99 |
| IRDEP | 112 |
| IRDEP1 | 112 |
| IRDEP2 | 113 |
| IRDEP3 | 113 |
| IRDEP4 | 113 |
| IRDEP5 | 113 |
| IRDPALC | 130 |
| IRDPCIG | 130 |
| IRDPCOC | 131 |
| IRDPMJ | 131 |
| IREFALC | 130 |
| IREFCIG | 130 |
| IREFCOC | 130 |
| IREFMJ | 130 |
| IREMG | 122 |
| IREMG1 | 122 |
| IREMG2 | 122 |
| IREMG3 | 122 |
| IREMG4 | 122 |
| IREMG5 | 122 |
| IRHALRC | 99 |
| IRHERRC | 99 |
| IRHLT | 116 |
| IRHLT1 | 117 |
| IRHLT2 | 117 |
| IRHLT3 | 117 |
| IRHLT4 | 117 |
| IRHLT5 | 117 |
| IRHGRP | 97 |
| IRHOIND | 97 |
| IRINHRC | 99 |

| | |
|----------|-----|
| IRLSW | 119 |
| IRLSW1 | 120 |
| IRLSW2 | 120 |
| IRLSW3 | 120 |
| IRLSW4 | 120 |
| IRLSW5 | 120 |
| IRMJFQ | 100 |
| IRMJRC | 97 |
| IRNOBOOZ | 132 |
| IRNODRUG | 129 |
| IRNTK | 117 |
| IRNTK1 | 118 |
| IRNTK2 | 118 |
| IRNTK3 | 118 |
| IRNTK4 | 118 |
| IRNTK5 | 119 |
| IROTBRG | 99 |
| IRPCPRC | 100 |
| IRRACE | 96 |
| IRSEDRG | 98 |
| IRSSP | 120 |
| IRSSP1 | 120 |
| IRSSP2 | 121 |
| IRSSP3 | 121 |
| IRSSP4 | 121 |
| IRSSP5 | 121 |
| IRSTMRC | 98 |
| IRTRNRC | 98 |
| IRUDALC | 130 |
| IRUDCIG | 130 |
| IRUDCOC | 130 |
| IRUDMJ | 130 |
| IRUPS | 119 |
| IRUPS1 | 119 |
| IRUPS2 | 119 |
| IRUPS3 | 119 |
| IRUPS4 | 119 |
| IRUPS5 | 119 |
| IRWSALC | 131 |
| IRWSCIG | 131 |
| IRWSCOC | 131 |
| IRWSMJ | 131 |
| LANGVER | 94 |
| LEVODRO | 25 |
| LIBRIUM | 14 |
| LIMBTROL | 14 |
| LSD | 45 |
| LSD2 | 110 |
| LSWALC2 | 126 |
| LSWCIG2 | 126 |
| LSWCOC2 | 126 |
| LSWDRG1A | 74 |
| LSWDRG2A | 74 |
| LSWDRG3A | 74 |

| | |
|----------|-----|
| LSWDRG4A | 74 |
| LSWDRG5A | 74 |
| LSWMRJ2 | 126 |
| MARITAL | 83 |
| MAZANOR | 20 |
| MEBARAL | 9 |
| MENRIUM | 14 |
| MEPROB | 15 |
| MESC | 45 |
| MESC2 | 110 |
| METHAMP | 20 |
| METHAQ | 10 |
| METHDON | 26 |
| METHI | 20 |
| MILBASE | 92 |
| MILES | 89 |
| MILSTAT | 91 |
| MILTOWN | 15 |
| MJAGE | 30 |
| MJALC | 32 |
| MJALC30A | 31 |
| MJAMT30A | 31 |
| MJANAL | 32 |
| MJAV30A | 31 |
| MJCOC | 33 |
| MJDAY30A | 30 |
| MJDY30A2 | 110 |
| MJDY30A3 | 110 |
| MJHAL | 33 |
| MJINH | 33 |
| MJNONE | 33 |
| MJOFLAG | 106 |
| MJOMON2 | 106 |
| MJOPP | 29 |
| MJOPT | 33 |
| MJOYR2 | 106 |
| MJPROBS | 132 |
| MJREC | 30 |
| MJSED | 32 |
| MJSTM | 32 |
| MJTOT | 30 |
| MJTOT2 | 110 |
| MJTOT3 | 110 |
| MJTRAN | 32 |
| MJYRFREQ | 32 |
| MODR30A | 5 |
| MODR30DY | 5 |
| MORPHINE | 26 |
| MOTHER | 90 |
| MOVDAWAY | 92 |
| MOVES | 93 |
| MRJFLAG | 103 |
| MRJMON | 103 |
| MRJMON2 | 110 |

| | |
|----------|-----|
| MRJMONF | 105 |
| MRJONLYL | 135 |
| MRJONLYM | 135 |
| MRJONLYY | 135 |
| MRJWKF | 105 |
| MRJYR | 103 |
| MRJYRF | 105 |
| NEDFLAG | 104 |
| NEDYR | 104 |
| NEEDLREC | 104 |
| NEMBUTAL | 9 |
| NITOXID | 34 |
| NITOXID2 | 110 |
| NO5JOB | 85 |
| NOBOOZYR | 63 |
| NOCHILD | 89 |
| NODR30A | 5 |
| NODRUGS | 52 |
| NOLUDAR | 9 |
| NOMARR | 83 |
| NOSEDAT | 8 |
| NOSTIMS | 18 |
| NOTMARJ | 111 |
| NOTRANQ | 13 |
| NOX30A | 36 |
| NRSHRNDL | 61 |
| NTKALC2 | 126 |
| NTKCIG2 | 126 |
| NTKCOC2 | 126 |
| NTKDRG1A | 71 |
| NTKDRG2A | 72 |
| NTKDRG3A | 72 |
| NTKDRG4A | 72 |
| NTKDRG5A | 73 |
| NTKMRJ2 | 126 |
| OAPRES | 95 |
| OARPRES | 95 |
| OBLA | 21 |
| OPRESNSP | 95 |
| OPRESSPA | 95 |
| OPRESSPB | 95 |
| ORAGEGR | 96 |
| ORSEX | 96 |
| OTHERNON | 91 |
| OTHONLYL | 136 |
| OTHONLYM | 136 |
| OTHONLYY | 136 |
| OTHREL | 91 |
| OWNCHILD | 91 |
| PACKS | 3 |
| PARPRES | 95 |
| PAXIPAM | 14 |
| PAYMO | 84 |
| PAYYR | 84 |

| | |
|----------|-----|
| PCP | 46 |
| PCPACTV | 48 |
| PCPFEELV | 48 |
| PCPFLAG | 102 |
| PCPFLASH | 48 |
| PCPMON | 102 |
| PCPNEWA | 48 |
| PCPNEWB | 49 |
| PCPNEWC | 49 |
| PCPNORCT | 49 |
| PCPNOSP | 49 |
| PCPREC | 48 |
| PCPSENSE | 48 |
| PCPYR | 102 |
| PENTOB | 10 |
| PERCODAN | 25 |
| PEYOTE | 45 |
| PEYOTE2 | 111 |
| PHENCOD | 26 |
| PHENOBAR | 10 |
| PHLEGMYR | 83 |
| PLACIDYL | 9 |
| PLEGINE | 19 |
| PONDIMIN | 20 |
| POPDEN | 96 |
| PPRES | 95 |
| PRB1ALC | 127 |
| PRB1CIG | 127 |
| PRB1COC | 127 |
| PRB1MRJ | 128 |
| PRB2ALC | 128 |
| PRB2CIG | 128 |
| PRB2COC | 128 |
| PRB2MRJ | 128 |
| PRB3ALC | 128 |
| PRB3CIG | 128 |
| PRB3COC | 128 |
| PRB3MRJ | 128 |
| PRELUDIN | 19 |
| PRIVACY | 94 |
| PROPOXY | 26 |
| PSILCY | 46 |
| PSILCY2 | 111 |
| PSYFLAG2 | 105 |
| PSYMON2 | 105 |
| PSYONLYL | 135 |
| PSYONLYM | 135 |
| PSYONLYY | 135 |
| PSYYR2 | 105 |
| RACE | 101 |
| RACESEX | 111 |
| REGION | 96 |
| RESPID | 1 |
| RESTORIL | 10 |

| | |
|-----------|-----|
| RITALIN | 20 |
| RK2DRINK | 79 |
| RK5DRINK | 79 |
| RKCOCOCC | 79 |
| RKCOCREG | 79 |
| RKCRKOCC | 79 |
| RKHERRREG | 78 |
| RKPCPREG | 78 |
| RKTRYCOC | 78 |
| RKTRYHER | 78 |
| RKTRYPCCP | 78 |
| ROCCUP2 | 85 |
| RSKBINGE | 80 |
| RSKMJOCC | 77 |
| RSKMJREG | 78 |
| RSKPKCIG | 77 |
| RSNNOSHR | 62 |
| RUNNYR | 82 |
| SANOREX | 20 |
| SCHDAYS | 88 |
| SCHPLANS | 88 |
| SECOB | 10 |
| SECONAL | 9 |
| SEDAGE | 11 |
| SEDALC | 12 |
| SEDAN | 12 |
| SEDCOC | 13 |
| SEDDKNAM | 11 |
| SEDFLAG | 102 |
| SEDHAL | 13 |
| SEDINH | 12 |
| SEDMJ | 12 |
| SEDMON | 102 |
| SEDNEWA | 10 |
| SEDNEWB | 11 |
| SEDNONE | 13 |
| SEDNOSP | 11 |
| SEDOPT | 13 |
| SEDREC | 12 |
| SEDST | 12 |
| SEDTOT | 11 |
| SEDTR | 12 |
| SEDYR | 102 |
| SERAX | 14 |
| SERVICE | 91 |
| SEX | 96 |
| SHRNDLMO | 61 |
| SHRWMALE | 61 |
| SHWRACE | 62 |
| SHRWSEXP | 62 |
| SK65A | 25 |
| SKIPPED | 89 |
| SKLY | 15 |
| SMKFLAG | 103 |

| | |
|----------|-----|
| SMKMON | 103 |
| SMKYR | 103 |
| SMOKCOK | 101 |
| SNUFFREQ | 3 |
| SNUFREC | 3 |
| SOLVENT | 34 |
| SOLVENT2 | 111 |
| SOLVN30A | 36 |
| SOREYR | 82 |
| SPOUSE | 91 |
| SPPAINT | 34 |
| SPPAINT2 | 111 |
| SPPAN30A | 36 |
| SPRES | 95 |
| SSPALC2 | 126 |
| SSPCIG2 | 126 |
| SSPCOC2 | 126 |
| SSPDRG1A | 75 |
| SSPDRG2A | 75 |
| SSPDRG3A | 75 |
| SSPDRG4A | 75 |
| SSPDRG5A | 75 |
| SSPMRJ2 | 126 |
| STADOL | 26 |
| STALC | 23 |
| STANAL | 23 |
| STCOC | 23 |
| STEPCHLD | 91 |
| STEPDAD | 91 |
| STEPMOM | 90 |
| STHAL | 23 |
| STIMAGE | 22 |
| STIMNEWA | 21 |
| STIMNEWB | 21 |
| STIMNEWC | 21 |
| STIMNEWD | 21 |
| STIMNOSP | 21 |
| STIMREC | 22 |
| STIMTOT | 22 |
| STINH | 23 |
| STMDKNAM | 22 |
| STMFLAG | 102 |
| STMJ | 23 |
| STMMON | 102 |
| STMYR | 102 |
| STNDLREC | 24 |
| STNEEDLE | 24 |
| STNONE | 24 |
| STOPT | 23 |
| STSED | 23 |
| STTRAN | 23 |
| STUDENT | 88 |
| SUB1LIF | 138 |
| SUB1MON | 138 |

| | |
|----------|-----|
| SUB1YR | 138 |
| SUB2LIF | 138 |
| SUB2MON | 139 |
| SUB2YR | 139 |
| SUB3LIF | 139 |
| SUB3MON | 139 |
| SUB3YR | 139 |
| SUMFLAG | 105 |
| SUMMON | 106 |
| SUMYR | 105 |
| TALACEN | 26 |
| TALWIN | 26 |
| TALWINNX | 26 |
| TELNO | 92 |
| TENUATE | 19 |
| TEPANIL | 19 |
| THREALC | 134 |
| THREPROB | 123 |
| TIMEPAIN | 80 |
| TOTPEOP | 90 |
| TRALC | 17 |
| TRANAGE | 16 |
| TRANAL | 17 |
| TRANREC | 16 |
| TRANTOT | 16 |
| TRANXENE | 14 |
| TRCOC | 17 |
| TRDKNAM | 16 |
| TRHAL | 18 |
| TRINH | 17 |
| TRMJ | 17 |
| TRNEWA | 15 |
| TRNONE | 18 |
| TRNOSP | 16 |
| TROPT | 18 |
| TRPSYCH | 81 |
| TRQFLAG | 102 |
| TRQMON | 102 |
| TRQYR | 102 |
| TRSED | 17 |
| TRSTM | 17 |
| TUINAL | 9 |
| TWOPROB | 123 |
| TYLCOD | 26 |
| UDAYALC | 56 |
| UDAYANAL | 56 |
| UDAYCIG | 56 |
| UDAYCOC | 57 |
| UDAYHALL | 57 |
| UDAYHER | 57 |
| UDAYINH | 57 |
| UDAYMJ | 56 |
| UDAYNONE | 57 |
| UDAYOTH | 57 |

| | |
|----------|-----|
| UDAYSED | 56 |
| UDAYSTM | 56 |
| UDAYTRAN | 56 |
| UNDINT | 94 |
| UPSALC2 | 126 |
| UPSCIG2 | 127 |
| UPSCOC2 | 127 |
| UPSDRG1A | 73 |
| UPSDRG2A | 73 |
| UPSDRG3A | 73 |
| UPSDRG4A | 73 |
| UPSDRG5A | 74 |
| UPSHOR | 81 |
| UPSMRJ2 | 127 |
| VALIUM | 14 |
| VEREP | 106 |
| VESTR | 106 |
| VISTAR | 15 |
| VORANIL | 20 |
| WALKPAIN | 80 |
| WORKBLAH | 85 |
| WORKDAYS | 85 |
| WORKSTAT | 84 |
| WSALC | 59 |
| WSANAL | 60 |
| WSCIG | 59 |
| WSCOC | 60 |
| WSHALL | 60 |
| WSHER | 60 |
| WSINH | 60 |
| WSMJ | 60 |
| WSNONE | 60 |
| WSOTHOP | 60 |
| WSSD | 59 |
| WSSTM | 60 |
| WSTRAN | 59 |
| WYGESIC | 25 |
| XANAX | 14 |

| LABEL | BEG | - | END |
|----------|------|---|------|
| ----- | ---- | | ---- |
| RESPID | 1 | | 5 |
| ENCPSU | 6 | | 8 |
| ENCSEG | 9 | | 12 |
| ENCCASE | 13 | | 16 |
| CIGTRY | 17 | | 18 |
| CIG5PK | 19 | | 20 |
| CIGREC | 21 | | 22 |
| AVCIG | 23 | | 24 |
| CIGTIME | 25 | | 26 |
| CIGINT | 27 | | 28 |
| CIGAGE | 29 | | 30 |
| CIGYRS | 31 | | 32 |
| PACKS | 33 | | 34 |
| SNUFREC | 35 | | 36 |
| SNUFFREQ | 37 | | 38 |
| ALCTRY | 39 | | 40 |
| ALCREC | 41 | | 42 |
| ALCPREF | 43 | | 44 |
| ALCDAYS | 45 | | 46 |
| NODR30A | 47 | | 48 |
| MODR30A | 49 | | 50 |
| MODR30DY | 51 | | 52 |
| DR5DAY | 53 | | 54 |
| ALCAGE | 55 | | 56 |
| ALCPAT | 57 | | 58 |
| DRUNKYR | 59 | | 60 |
| ALCSED | 61 | | 62 |
| ALCTRAN | 63 | | 64 |
| ALCSTM | 65 | | 66 |
| ALCANAL | 67 | | 68 |
| ALCMJ | 69 | | 70 |
| ALCINH | 71 | | 72 |
| ALCCOC | 73 | | 74 |
| ALCHAL | 75 | | 76 |
| ALCOPT | 77 | | 78 |
| ALCNONE | 79 | | 80 |
| NOSEDAT | 81 | | 82 |
| BUTISOL | 83 | | 84 |
| BUTICAPS | 85 | | 86 |
| AMYTAL | 87 | | 88 |
| MEBARAL | 89 | | 90 |
| PLACIDYL | 91 | | 92 |
| DORIDEN | 93 | | 94 |
| NOLUDAR | 95 | | 96 |
| NEMBUTAL | 97 | | 98 |
| SECONAL | 99 | | 100 |
| TUINAL | 101 | | 102 |
| DALMANE | 103 | | 104 |
| RESTORIL | 105 | | 106 |

| | | |
|----------|-----|-----|
| HALCION | 107 | 108 |
| AMOBARB | 109 | 110 |
| PHENOBAR | 111 | 112 |
| METHAQ | 113 | 114 |
| CHHYD | 115 | 116 |
| PENTOB | 117 | 118 |
| SECOB | 119 | 120 |
| SEDNEWA | 121 | 123 |
| SEDNEWB | 124 | 126 |
| SEDNOSP | 127 | 128 |
| SEDDKNAM | 129 | 130 |
| SEDAGE | 131 | 132 |
| SEDTOT | 133 | 134 |
| SEDREC | 135 | 136 |
| SEDALC | 137 | 138 |
| SEDTR | 139 | 140 |
| SEDST | 141 | 142 |
| SEDAN | 143 | 144 |
| SEDMJ | 145 | 146 |
| SEDINH | 147 | 148 |
| SEDCOC | 149 | 150 |
| SEDHAL | 151 | 152 |
| SEDOPT | 153 | 154 |
| SEDNONE | 155 | 156 |
| AS3READ | 157 | 158 |
| NOTRANQ | 159 | 160 |
| VALIUM | 161 | 162 |
| LIBRIUM | 163 | 164 |
| LIMBTROL | 165 | 166 |
| MENRIUM | 167 | 168 |
| SERAX | 169 | 170 |
| TRANXENE | 171 | 172 |
| ATIVAN | 173 | 174 |
| CENTRAX | 175 | 176 |
| XANAX | 177 | 178 |
| PAXIPAM | 179 | 180 |
| BUSPAR | 181 | 182 |
| MILTOWN | 183 | 184 |
| EQUANIL | 185 | 186 |
| DEPROL | 187 | 188 |
| VISTAR | 189 | 190 |
| ATARAX | 191 | 192 |
| DURRAX | 193 | 194 |
| DIAZEPAM | 195 | 196 |
| SKLY | 197 | 198 |
| MEPROB | 199 | 200 |
| TRNEWA | 201 | 203 |
| TRNOSP | 204 | 205 |
| TRDKNAM | 206 | 207 |
| TRANAGE | 208 | 209 |
| TRANTOT | 210 | 211 |
| TRANREC | 212 | 213 |
| TRALC | 214 | 215 |
| TRSED | 216 | 217 |

| | | |
|----------|-----|-----|
| TRSTM | 218 | 219 |
| TRANAL | 220 | 221 |
| TRMJ | 222 | 223 |
| TRINH | 224 | 225 |
| TRCOC | 226 | 227 |
| TRHAL | 228 | 229 |
| TROPT | 230 | 231 |
| TRNONE | 232 | 233 |
| AS4READ | 234 | 235 |
| NOSTIMS | 236 | 237 |
| DEXED | 238 | 239 |
| DEXAMYL | 240 | 241 |
| ESKAT | 242 | 243 |
| BENZ | 244 | 245 |
| BIPHET | 246 | 247 |
| DESOXYN | 248 | 249 |
| TENUATE | 250 | 251 |
| TEPANIL | 252 | 253 |
| DIDREX | 254 | 255 |
| PLEGINE | 256 | 257 |
| PRELUDIN | 258 | 259 |
| IONAMIN | 260 | 261 |
| FASTIN | 262 | 263 |
| PONDIMIN | 264 | 265 |
| VORANIL | 266 | 267 |
| SANOREX | 268 | 269 |
| MAZANOR | 270 | 271 |
| RITALIN | 272 | 273 |
| CYLERT | 274 | 275 |
| DETAMP | 276 | 277 |
| METHI | 278 | 279 |
| METHAMP | 280 | 281 |
| OBLA | 282 | 283 |
| STIMNEWA | 284 | 286 |
| STIMNEWB | 287 | 289 |
| STIMNEWC | 290 | 292 |
| STIMNEWD | 293 | 295 |
| STIMNOSP | 296 | 297 |
| STMDKNAM | 298 | 299 |
| STIMAGE | 300 | 301 |
| STIMTOT | 302 | 303 |
| STIMREC | 304 | 305 |
| STALC | 306 | 307 |
| STSED | 308 | 309 |
| STTRAN | 310 | 311 |
| STANAL | 312 | 313 |
| STMJ | 314 | 315 |
| STINH | 316 | 317 |
| STCOC | 318 | 319 |
| STHAL | 320 | 321 |
| STOPT | 322 | 323 |
| STNONE | 324 | 325 |
| STNEEDLE | 326 | 327 |
| STNDLREC | 328 | 329 |

| | | |
|----------|-----|-----|
| AS5READ | 330 | 331 |
| ANALNONE | 332 | 333 |
| DARVON | 334 | 335 |
| DOLENE | 336 | 337 |
| SK65A | 338 | 339 |
| WYGESIC | 340 | 341 |
| LEVODRO | 342 | 343 |
| PERCODAN | 344 | 345 |
| DEMEROL | 346 | 347 |
| DILAUD | 348 | 349 |
| TYLCOD | 350 | 351 |
| PHENCOD | 352 | 353 |
| TALWIN | 354 | 355 |
| TALWINNX | 356 | 357 |
| TALACEN | 358 | 359 |
| PROPOXY | 360 | 361 |
| CODEINE | 362 | 363 |
| ANILERID | 364 | 365 |
| MORPHINE | 366 | 367 |
| METHDON | 368 | 369 |
| STADOL | 370 | 371 |
| ANALNEWA | 372 | 374 |
| ANALNEWB | 375 | 377 |
| ANLNOSP | 378 | 379 |
| ANLDKNAM | 380 | 381 |
| ANALAGE | 382 | 383 |
| ANALTOT | 384 | 385 |
| ANALREC | 386 | 387 |
| ANLALC | 388 | 389 |
| ANLSED | 390 | 391 |
| ANLTRAN | 392 | 393 |
| ANLSTM | 394 | 395 |
| ANLMJ | 396 | 397 |
| ANLINH | 398 | 399 |
| ANLCOC | 400 | 401 |
| ANLHAL | 402 | 403 |
| ANLOPT | 404 | 405 |
| ANLNONE | 406 | 407 |
| MJOPP | 408 | 409 |
| MJAGE | 410 | 411 |
| MJTOT | 412 | 413 |
| MJREC | 414 | 415 |
| MJDAY30A | 416 | 417 |
| MJAV30A | 418 | 419 |
| MJAMT30A | 420 | 421 |
| MJALC30A | 422 | 423 |
| MJYRFREQ | 424 | 425 |
| MJALC | 426 | 427 |
| MJSED | 428 | 429 |
| MJTRAN | 430 | 431 |
| MJSTM | 432 | 433 |
| MJANAL | 434 | 435 |
| MJINH | 436 | 437 |
| MJCOC | 438 | 439 |

| | | |
|----------|-----|-----|
| MJHAL | 440 | 441 |
| MJOPT | 442 | 443 |
| MJNONE | 444 | 445 |
| AS7READ | 446 | 447 |
| INHAGE | 448 | 449 |
| GAS | 450 | 451 |
| SPPAINT | 452 | 453 |
| AEROS | 454 | 455 |
| GLUE | 456 | 457 |
| SOLVENT | 458 | 459 |
| AMYLNIT | 460 | 461 |
| ETHER | 462 | 463 |
| NITOXID | 464 | 465 |
| CLEFLU | 466 | 467 |
| INHNEWA | 468 | 470 |
| INHNEWB | 471 | 473 |
| INHNOSE | 474 | 475 |
| INHNOT | 476 | 477 |
| GAS30A | 478 | 479 |
| SPPAN30A | 480 | 481 |
| AEROS30A | 482 | 483 |
| GLUE30A | 484 | 485 |
| SOLVN30A | 486 | 487 |
| AMLNT30A | 488 | 489 |
| ETHER30A | 490 | 491 |
| NOX30A | 492 | 493 |
| CLFL30A | 494 | 495 |
| INNEW30A | 496 | 498 |
| INNEW30B | 499 | 501 |
| IN30NOSP | 502 | 503 |
| INH30NO | 504 | 505 |
| INHDI30A | 506 | 507 |
| INHREC | 508 | 509 |
| INHEFF | 510 | 511 |
| INHPO | 512 | 513 |
| INHQNC1 | 514 | 515 |
| INHQNC2 | 516 | 517 |
| INHQNC3 | 518 | 519 |
| INHQNC4 | 520 | 521 |
| INHQNC5 | 522 | 523 |
| INHQNC6 | 524 | 525 |
| INHQNC7 | 526 | 527 |
| INHQNC8 | 528 | 529 |
| INHQNC9 | 530 | 531 |
| INHANSY | 532 | 533 |
| COCOPP | 534 | 535 |
| COCAGE | 536 | 537 |
| COCTOT | 538 | 539 |
| COCREC | 540 | 541 |
| COCUS30A | 542 | 543 |
| COC30ALC | 544 | 545 |
| COCYRFRQ | 546 | 547 |
| COCALC | 548 | 549 |
| COCSER | 550 | 551 |

| | | |
|----------|-----|-----|
| COCTRAN | 552 | 553 |
| COCSTM | 554 | 555 |
| COCANAL | 556 | 557 |
| COCINH | 558 | 559 |
| COCMJ | 560 | 561 |
| COCHAL | 562 | 563 |
| COCOPT | 564 | 565 |
| COCNONE | 566 | 567 |
| COCSNIFF | 568 | 569 |
| COCSWAL | 570 | 571 |
| COCIV | 572 | 573 |
| FREEBASE | 574 | 575 |
| COCNEWA | 576 | 577 |
| COCNOSP | 578 | 579 |
| CONDLREC | 580 | 581 |
| CRAKREC | 582 | 583 |
| CRKAM30A | 584 | 586 |
| CRAKBUCK | 587 | 590 |
| COCAM30A | 591 | 592 |
| COCBUCK | 593 | 596 |
| AS9READ | 597 | 598 |
| LSD | 599 | 600 |
| PEYOTE | 601 | 602 |
| MESC | 603 | 604 |
| PSILCY | 605 | 606 |
| PCP | 607 | 608 |
| ECSTASY | 609 | 610 |
| HALNEWA | 611 | 613 |
| HALNOSP | 614 | 615 |
| HALLOPP | 616 | 617 |
| HALLAGE | 618 | 619 |
| HALLTOT | 620 | 621 |
| HALLREC | 622 | 623 |
| HAL30USE | 624 | 625 |
| PCPPREC | 626 | 627 |
| PCPFLASH | 628 | 629 |
| PCPSENSE | 630 | 631 |
| PCPFEELV | 632 | 633 |
| PCPACTV | 634 | 635 |
| PCPNEWA | 636 | 637 |
| PCPNEWB | 638 | 639 |
| PCPNEWC | 640 | 641 |
| PCPNOSP | 642 | 643 |
| PCPNORCT | 644 | 645 |
| HALLQCL | 646 | 647 |
| AS10READ | 648 | 649 |
| HEROPP | 650 | 651 |
| HERAGE | 652 | 653 |
| HERTOT | 654 | 655 |
| HERREC | 656 | 657 |
| HER30USE | 658 | 659 |
| HERNEEDL | 660 | 661 |
| HRNDLREC | 662 | 663 |
| AS11READ | 664 | 665 |

| | | |
|----------|-----|-----|
| NODRUGS | 666 | 667 |
| CDCIG | 668 | 669 |
| CDALC | 670 | 671 |
| CDSER | 672 | 673 |
| CDTRAN | 674 | 675 |
| CDSTM | 676 | 677 |
| CDANAL | 678 | 679 |
| CDMJ | 680 | 681 |
| CDINH | 682 | 683 |
| CDCOC | 684 | 685 |
| CDHALL | 686 | 687 |
| CDHER | 688 | 689 |
| CDOTHOP | 690 | 691 |
| CDNONE | 692 | 693 |
| EFFCIG | 694 | 695 |
| EFFALC | 696 | 697 |
| EFFSER | 698 | 699 |
| EFFTRAN | 700 | 701 |
| EFFSTM | 702 | 703 |
| EFFANAL | 704 | 705 |
| EFFMJ | 706 | 707 |
| EFFINH | 708 | 709 |
| EFFCOC | 710 | 711 |
| EFFHALL | 712 | 713 |
| EFFHER | 714 | 715 |
| EFFOTHOP | 716 | 717 |
| EFFNONE | 718 | 719 |
| UDAYCIG | 720 | 721 |
| UDAYALC | 722 | 723 |
| UDAYSER | 724 | 725 |
| UDAYTRAN | 726 | 727 |
| UDAYSTM | 728 | 729 |
| UDAYANAL | 730 | 731 |
| UDAYMJ | 732 | 733 |
| UDAYINH | 734 | 735 |
| UDAYCOC | 736 | 737 |
| UDAYHALL | 738 | 739 |
| UDAYHER | 740 | 741 |
| UDAYOTH | 742 | 743 |
| UDAYNONE | 744 | 745 |
| DEPCIG | 746 | 747 |
| DEPALC | 748 | 749 |
| DEPSER | 750 | 751 |
| DEPTRAN | 752 | 753 |
| DEPSTM | 754 | 755 |
| DEPANAL | 756 | 757 |
| DEPMJ | 758 | 759 |
| DEPINH | 760 | 761 |
| DEPCOC | 762 | 763 |
| DEPHALL | 764 | 765 |
| DEPHER | 766 | 767 |
| DEPOTHOP | 768 | 769 |
| DEPNONE | 770 | 771 |
| WSCIG | 772 | 773 |

| | | |
|----------|-----|-----|
| WSALC | 774 | 775 |
| WSSD | 776 | 777 |
| WSTRAN | 778 | 779 |
| WSSTM | 780 | 781 |
| WSANAL | 782 | 783 |
| WSMJ | 784 | 785 |
| WSINH | 786 | 787 |
| WSCOC | 788 | 789 |
| WSHALL | 790 | 791 |
| WSHER | 792 | 793 |
| WSOTHOP | 794 | 795 |
| WSNONE | 796 | 797 |
| SHRNDLMO | 798 | 799 |
| NRSHRNDL | 800 | 801 |
| CLEANNDL | 802 | 803 |
| SHRWMALE | 804 | 805 |
| SHRWSEXP | 806 | 807 |
| SHRWACE | 808 | 809 |
| RSNNOSHR | 810 | 811 |
| NOBOOZYR | 812 | 813 |
| ALCAGGR | 814 | 815 |
| ALCARGUM | 816 | 817 |
| ALCABSNT | 818 | 819 |
| ALCHIGH | 820 | 821 |
| ALCJOB | 822 | 823 |
| ALCMATCD | 824 | 825 |
| ALCRELCD | 826 | 827 |
| ALCFRD | 828 | 829 |
| ALCTOSS | 830 | 831 |
| ALCHOLIC | 832 | 833 |
| ALCDRUNK | 834 | 835 |
| ALCINTOX | 836 | 837 |
| ALCREM | 838 | 839 |
| ALCQUICK | 840 | 841 |
| ALCMORN | 842 | 843 |
| ALCSHOOK | 844 | 845 |
| ALCALONE | 846 | 847 |
| ALCBRKPM | 848 | 849 |
| AS13NONE | 850 | 851 |
| DRDEPRSS | 852 | 853 |
| DEPDRG1A | 854 | 856 |
| DEPDRG2A | 857 | 859 |
| DEPDRG3A | 860 | 862 |
| DEPDRG4A | 863 | 865 |
| DEPDRG5A | 866 | 868 |
| DRARGUM | 869 | 870 |
| ARGDRG1A | 871 | 873 |
| ARGDRG2A | 874 | 876 |
| ARGDRG3A | 877 | 879 |
| ARGDRG4A | 880 | 882 |
| ARGDRG5A | 883 | 885 |
| DRALONE | 886 | 887 |
| ALNDRG1A | 888 | 890 |
| ALNDRG2A | 891 | 893 |

| | | |
|----------|------|------|
| ALNDRG3A | 894 | 896 |
| ALNDRG4A | 897 | 899 |
| ALNDRG5A | 900 | 902 |
| DRANX | 903 | 904 |
| ANXDRG1A | 905 | 907 |
| ANXDRG2A | 908 | 910 |
| ANXDRG3A | 911 | 913 |
| ANXDRG4A | 914 | 916 |
| ANXDRG5A | 917 | 919 |
| DRHEALTH | 920 | 921 |
| HLTDRG1A | 922 | 924 |
| HLTDRG2A | 925 | 927 |
| HLTDRG3A | 928 | 930 |
| HLTDRG4A | 931 | 933 |
| HLTDRG5A | 934 | 936 |
| DRNTHINK | 937 | 938 |
| NTKDRG1A | 939 | 941 |
| NTKDRG2A | 942 | 944 |
| NTKDRG3A | 945 | 947 |
| NTKDRG4A | 948 | 950 |
| NTKDRG5A | 951 | 953 |
| DRUPSET | 954 | 955 |
| UPSDRG1A | 956 | 958 |
| UPSDRG2A | 959 | 961 |
| UPSDRG3A | 962 | 964 |
| UPSDRG4A | 965 | 967 |
| UPSDRG5A | 968 | 970 |
| DRLSWORK | 971 | 972 |
| LSWDRG1A | 973 | 975 |
| LSWDRG2A | 976 | 978 |
| LSWDRG3A | 979 | 981 |
| LSWDRG4A | 982 | 984 |
| LSWDRG5A | 985 | 987 |
| DRSUSPIC | 988 | 989 |
| SSPDRG1A | 990 | 992 |
| SSPDRG2A | 993 | 995 |
| SSPDRG3A | 996 | 998 |
| SSPDRG4A | 999 | 1001 |
| SSPDRG5A | 1002 | 1004 |
| DRCOPE | 1005 | 1006 |
| CPEDRG1A | 1007 | 1009 |
| CPEDRG2A | 1010 | 1012 |
| CPEDRG3A | 1013 | 1015 |
| CPEDRG4A | 1016 | 1018 |
| CPEDRG5A | 1019 | 1021 |
| DREMGMED | 1022 | 1023 |
| EMDRG1A | 1024 | 1026 |
| EMDRG2A | 1027 | 1029 |
| EMDRG3A | 1030 | 1032 |
| EMDRG4A | 1033 | 1035 |
| EMDRG5A | 1036 | 1038 |
| RSKPKCIG | 1039 | 1040 |
| RSKMJOCC | 1041 | 1042 |
| RSKMJREG | 1043 | 1044 |

| | | |
|----------|------|------|
| RKTRYP | 1045 | 1046 |
| RKPCPREG | 1047 | 1048 |
| RKTRYHER | 1049 | 1050 |
| RKHERREG | 1051 | 1052 |
| RKTRYCOC | 1053 | 1054 |
| RKCOCOC | 1055 | 1056 |
| RKCOCREG | 1057 | 1058 |
| RKCRKOC | 1059 | 1060 |
| RK2DRINK | 1061 | 1062 |
| RK5DRINK | 1063 | 1064 |
| RSKBINGE | 1065 | 1066 |
| HIGHBP | 1067 | 1068 |
| BP | 1069 | 1070 |
| WALKPAIN | 1071 | 1072 |
| TIMEPAIN | 1073 | 1074 |
| UPSHOR | 1075 | 1076 |
| ASTHMA | 1077 | 1078 |
| TRPSYCH | 1079 | 1080 |
| HEART | 1081 | 1082 |
| FLU | 1083 | 1084 |
| ALLERG | 1085 | 1086 |
| HOSPYR | 1087 | 1088 |
| SOREYR | 1089 | 1090 |
| RUNNYR | 1091 | 1092 |
| COUGHYR | 1093 | 1094 |
| PHLEGMYR | 1095 | 1096 |
| HEALTHYR | 1097 | 1098 |
| MARITAL | 1099 | 1100 |
| NOMARR | 1101 | 1102 |
| WORKSTAT | 1103 | 1104 |
| PAYMO | 1105 | 1106 |
| PAYYR | 1107 | 1108 |
| NO5JOB | 1109 | 1110 |
| WORKDAYS | 1111 | 1112 |
| WORKBLAH | 1113 | 1114 |
| CWE | 1115 | 1116 |
| FULLPART | 1117 | 1118 |
| EDUC | 1119 | 1120 |
| ENROLLD | 1121 | 1122 |
| SCHPLANS | 1123 | 1124 |
| STUDENT | 1125 | 1126 |
| SCHDAYS | 1127 | 1128 |
| SKIPPED | 1129 | 1130 |
| MILES | 1131 | 1135 |
| ACCID | 1136 | 1137 |
| NOCHILD | 1138 | 1139 |
| TOTPEOP | 1140 | 1141 |
| MOTHER | 1142 | 1143 |
| STEPMOM | 1144 | 1145 |
| FATHER | 1146 | 1147 |
| STEPPAD | 1148 | 1149 |
| SPOUSE | 1150 | 1151 |
| INLAW | 1152 | 1153 |
| OWNCHILD | 1154 | 1155 |

| | | |
|----------|------|------|
| STEPCHLD | 1156 | 1157 |
| BROSIS | 1158 | 1159 |
| OTHREL | 1160 | 1161 |
| FRIENDS | 1162 | 1163 |
| OTHERNON | 1164 | 1165 |
| SERVICE | 1166 | 1167 |
| MILSTAT | 1168 | 1169 |
| MOVDAWAY | 1170 | 1171 |
| DORM | 1172 | 1173 |
| MILBASE | 1174 | 1175 |
| HOSP | 1176 | 1177 |
| TELNO | 1178 | 1179 |
| MOVES | 1180 | 1181 |
| INCOME | 1182 | 1183 |
| BTIME | 1184 | 1187 |
| BAP | 1188 | 1188 |
| ETIME | 1189 | 1192 |
| EAP | 1193 | 1193 |
| LANGVER | 1194 | 1194 |
| UNDINT | 1195 | 1196 |
| COOPINT | 1197 | 1198 |
| PRIVACY | 1199 | 1200 |
| PPRES | 1201 | 1202 |
| SPRES | 1203 | 1204 |
| PARPRES | 1205 | 1206 |
| OARPRES | 1207 | 1208 |
| OAPRES | 1209 | 1210 |
| CPRES | 1211 | 1212 |
| OPRESSPA | 1213 | 1214 |
| OPRESSPB | 1215 | 1216 |
| OPRESNSP | 1217 | 1218 |
| REGION | 1219 | 1219 |
| DIVISION | 1220 | 1220 |
| IRAGE | 1221 | 1222 |
| IIAGE | 1223 | 1223 |
| AGEGR | 1224 | 1224 |
| ORAGEGR | 1225 | 1225 |
| SEX | 1226 | 1226 |
| ORSEX | 1227 | 1227 |
| IRRACE | 1228 | 1228 |
| IIRACE | 1229 | 1229 |
| IRHOIND | 1230 | 1230 |
| IIHOIND | 1231 | 1231 |
| IRHGRP | 1232 | 1232 |
| IIHGRP | 1233 | 1233 |
| IRALCRC | 1234 | 1234 |
| IIALCRC | 1235 | 1235 |
| IRMJRC | 1236 | 1236 |
| IIMJRC | 1237 | 1237 |
| IRCOCRC | 1238 | 1238 |
| IICOCRC | 1239 | 1239 |
| IRSEDRC | 1240 | 1240 |
| IISEDRC | 1241 | 1241 |
| IRTRNRC | 1242 | 1242 |

| | | |
|----------|------|------|
| IITRNRC | 1243 | 1243 |
| IRSTMRC | 1244 | 1244 |
| IISTMRC | 1245 | 1245 |
| IRANLRC | 1246 | 1246 |
| IIANLRC | 1247 | 1247 |
| IRCIIRC | 1248 | 1248 |
| IICIIRC | 1249 | 1249 |
| IROTBR | 1250 | 1250 |
| IITOTBR | 1251 | 1251 |
| IRINHRC | 1252 | 1252 |
| IIINHRC | 1253 | 1253 |
| IRCRKRC | 1254 | 1254 |
| IICRKRC | 1255 | 1255 |
| IRHALRC | 1256 | 1256 |
| IIHALRC | 1257 | 1257 |
| IRHERRC | 1258 | 1258 |
| IIHERRC | 1259 | 1259 |
| IRPCPRC | 1260 | 1260 |
| IIPCPRC | 1261 | 1261 |
| IRALCFQ | 1262 | 1262 |
| IIALCFQ | 1263 | 1263 |
| IRMJFQ | 1264 | 1265 |
| IIMJFQ | 1266 | 1266 |
| IRCOCFQ | 1267 | 1267 |
| IICOCFQ | 1268 | 1268 |
| CATAGE | 1269 | 1269 |
| CATAG2 | 1270 | 1270 |
| RACE | 1271 | 1271 |
| EDUCCAT | 1272 | 1272 |
| EMPSTAT | 1273 | 1273 |
| SMOKCOK | 1274 | 1274 |
| CONDLRC2 | 1275 | 1275 |
| HALFLAG | 1276 | 1276 |
| HALYR | 1277 | 1277 |
| HALMON | 1278 | 1278 |
| PCPFLAG | 1279 | 1279 |
| PCPYR | 1280 | 1280 |
| PCPMON | 1281 | 1281 |
| STMFLAG | 1282 | 1282 |
| STMYP | 1283 | 1283 |
| STMMON | 1284 | 1284 |
| SEDFLAG | 1285 | 1285 |
| SEDYR | 1286 | 1286 |
| SEDMON | 1287 | 1287 |
| TRQFLAG | 1288 | 1288 |
| TRQYR | 1289 | 1289 |
| TRQMON | 1290 | 1290 |
| ANLFLAG | 1291 | 1291 |
| ANLYR | 1292 | 1292 |
| ANLMON | 1293 | 1293 |
| ALCFLAG | 1294 | 1294 |
| ALCYR | 1295 | 1295 |
| ALCMON | 1296 | 1296 |
| CIGFLAG | 1297 | 1297 |

| | | |
|----------|------|------|
| CIGYR | 1298 | 1298 |
| CIGMON | 1299 | 1299 |
| SMKFLAG | 1300 | 1300 |
| SMKYR | 1301 | 1301 |
| SMKMON | 1302 | 1302 |
| HERFLAG | 1303 | 1303 |
| HERYR | 1304 | 1304 |
| HERMON | 1305 | 1305 |
| MRJFLAG | 1306 | 1306 |
| MRJYR | 1307 | 1307 |
| MRJMON | 1308 | 1308 |
| COCFLAG | 1309 | 1309 |
| COCYR | 1310 | 1310 |
| COCMON | 1311 | 1311 |
| CRKFLAG | 1312 | 1312 |
| CRKYR | 1313 | 1313 |
| CRKMON | 1314 | 1314 |
| INHFLAG | 1315 | 1315 |
| INHYR | 1316 | 1316 |
| INHMON | 1317 | 1317 |
| NEEDLREC | 1318 | 1319 |
| NEDFLAG | 1320 | 1320 |
| NEDYR | 1321 | 1321 |
| COCYRF | 1322 | 1322 |
| COCMONF | 1323 | 1323 |
| COCWKF | 1324 | 1324 |
| ALCYRF | 1325 | 1325 |
| ALCMONF | 1326 | 1326 |
| ALCWKF | 1327 | 1327 |
| MRJYRF | 1328 | 1328 |
| MRJMONF | 1329 | 1329 |
| MRJWKF | 1330 | 1330 |
| PSYFLAG2 | 1331 | 1331 |
| PSYR2 | 1332 | 1332 |
| PSYMON2 | 1333 | 1333 |
| SUMFLAG | 1334 | 1334 |
| SUMYR | 1335 | 1335 |
| SUMMON | 1336 | 1336 |
| MJOFLAG | 1337 | 1337 |
| MJOYR2 | 1338 | 1338 |
| MJOMON2 | 1339 | 1339 |
| VESTR | 1340 | 1341 |
| VEREP | 1342 | 1342 |
| ANALWT | 1343 | 1354 |
| ANALWT2 | 1355 | 1366 |
| CHAGE1 | 1367 | 1367 |
| CHAGE2 | 1368 | 1368 |
| CHAGE3 | 1369 | 1369 |
| CHAGE4 | 1370 | 1370 |
| CHAGE5 | 1371 | 1371 |
| CHAGE6 | 1372 | 1372 |
| CHAGE7 | 1373 | 1373 |
| CHAGE8 | 1374 | 1374 |
| CHAGE9 | 1375 | 1376 |

| | | |
|----------|------|------|
| CHAGE10 | 1377 | 1378 |
| CWEOCC2 | 1379 | 1381 |
| ROCCUP2 | 1382 | 1384 |
| BUSINES2 | 1385 | 1387 |
| CWEBUS2 | 1388 | 1390 |
| POPDEN | 1391 | 1391 |
| MRJMON2 | 1392 | 1392 |
| ALCMON2 | 1393 | 1393 |
| CIGMON2 | 1394 | 1394 |
| LSD2 | 1395 | 1395 |
| PEYOTE2 | 1396 | 1396 |
| MESC2 | 1397 | 1397 |
| PSILCY2 | 1398 | 1398 |
| GAS2 | 1399 | 1399 |
| SPPAINT2 | 1400 | 1400 |
| AEROS2 | 1401 | 1401 |
| GLUE2 | 1402 | 1402 |
| SOLVENT2 | 1403 | 1403 |
| AMYLNIT2 | 1404 | 1404 |
| ETHER2 | 1405 | 1405 |
| NITOXID2 | 1406 | 1406 |
| CLEFLU2 | 1407 | 1407 |
| COCSNIF2 | 1408 | 1408 |
| FREEBAS2 | 1409 | 1409 |
| COCSWAL2 | 1410 | 1410 |
| COCIV2 | 1411 | 1411 |
| COCNEWA2 | 1412 | 1412 |
| MJTOT2 | 1413 | 1413 |
| COCTOT2 | 1414 | 1414 |
| MJTOT3 | 1415 | 1415 |
| COCTOT3 | 1416 | 1416 |
| MJDY30A2 | 1417 | 1417 |
| ALCDAYS2 | 1418 | 1418 |
| RACESEX | 1419 | 1419 |
| NOTMARJ | 1420 | 1420 |
| EDUCCAT2 | 1421 | 1421 |
| EMPSTAT2 | 1422 | 1422 |
| MJDY30A3 | 1423 | 1423 |
| ALCDAYS3 | 1424 | 1424 |
| DRINKER | 1425 | 1425 |
| HVYDRK | 1426 | 1426 |
| AVCIG2 | 1427 | 1427 |
| IRDEP | 1428 | 1429 |
| IRARG | 1430 | 1431 |
| IRALN | 1432 | 1433 |
| IRANX | 1434 | 1435 |
| IRHLT | 1436 | 1437 |
| IRNTK | 1438 | 1439 |
| IRUPS | 1440 | 1441 |
| IRLSW | 1442 | 1443 |
| IRSSP | 1444 | 1445 |
| IRCPE | 1446 | 1447 |
| IREMG | 1448 | 1449 |
| IRDEP1 | 1450 | 1452 |

| | | |
|--------|------|------|
| IRDEP2 | 1453 | 1455 |
| IRDEP3 | 1456 | 1458 |
| IRDEP4 | 1459 | 1461 |
| IRDEP5 | 1462 | 1464 |
| IRARG1 | 1465 | 1467 |
| IRARG2 | 1468 | 1470 |
| IRARG3 | 1471 | 1473 |
| IRARG4 | 1474 | 1476 |
| IRARG5 | 1477 | 1479 |
| IRALN1 | 1480 | 1482 |
| IRALN2 | 1483 | 1485 |
| IRALN3 | 1486 | 1488 |
| IRALN4 | 1489 | 1491 |
| IRALN5 | 1492 | 1494 |
| IRANX1 | 1495 | 1497 |
| IRANX2 | 1498 | 1500 |
| IRANX3 | 1501 | 1503 |
| IRANX4 | 1504 | 1506 |
| IRANX5 | 1507 | 1509 |
| IRHLT1 | 1510 | 1512 |
| IRHLT2 | 1513 | 1515 |
| IRHLT3 | 1516 | 1518 |
| IRHLT4 | 1519 | 1521 |
| IRHLT5 | 1522 | 1524 |
| IRNTK1 | 1525 | 1527 |
| IRNTK2 | 1528 | 1530 |
| IRNTK3 | 1531 | 1533 |
| IRNTK4 | 1534 | 1536 |
| IRNTK5 | 1537 | 1539 |
| IRUPS1 | 1540 | 1542 |
| IRUPS2 | 1543 | 1545 |
| IRUPS3 | 1546 | 1548 |
| IRUPS4 | 1549 | 1551 |
| IRUPS5 | 1552 | 1554 |
| IRLSW1 | 1555 | 1557 |
| IRLSW2 | 1558 | 1560 |
| IRLSW3 | 1561 | 1563 |
| IRLSW4 | 1564 | 1566 |
| IRLSW5 | 1567 | 1569 |
| IRSSP1 | 1570 | 1572 |
| IRSSP2 | 1573 | 1575 |
| IRSSP3 | 1576 | 1578 |
| IRSSP4 | 1579 | 1581 |
| IRSSP5 | 1582 | 1584 |
| IRCPE1 | 1585 | 1587 |
| IRCPE2 | 1588 | 1590 |
| IRCPE3 | 1591 | 1593 |
| IRCPE4 | 1594 | 1596 |
| IRCPE5 | 1597 | 1599 |
| IREMG1 | 1600 | 1602 |
| IREMG2 | 1603 | 1605 |
| IREMG3 | 1606 | 1608 |
| IREMG4 | 1609 | 1611 |
| IREMG5 | 1612 | 1614 |

| | | |
|----------|------|------|
| ANYPROB | 1615 | 1615 |
| TWOPROB | 1616 | 1616 |
| THREPROB | 1617 | 1617 |
| DEPCIG2 | 1618 | 1618 |
| DEPALC2 | 1619 | 1619 |
| DEPMRJ2 | 1620 | 1620 |
| DEPCOC2 | 1621 | 1621 |
| ARGCIG2 | 1622 | 1622 |
| ARGALC2 | 1623 | 1623 |
| ARGMRJ2 | 1624 | 1624 |
| ARGCOC2 | 1625 | 1625 |
| ALNCIG2 | 1626 | 1626 |
| ALNALC2 | 1627 | 1627 |
| ALNMRJ2 | 1628 | 1628 |
| ALNCOC2 | 1629 | 1629 |
| ANXCIG2 | 1630 | 1630 |
| ANXALC2 | 1631 | 1631 |
| ANXMRJ2 | 1632 | 1632 |
| ANXCOC2 | 1633 | 1633 |
| HLTCIG2 | 1634 | 1634 |
| HLTALC2 | 1635 | 1635 |
| HLTMRJ2 | 1636 | 1636 |
| HLTCOC2 | 1637 | 1637 |
| NTKCIG2 | 1638 | 1638 |
| NTKALC2 | 1639 | 1639 |
| NTKMRJ2 | 1640 | 1640 |
| NTKCOC2 | 1641 | 1641 |
| UPSCIG2 | 1642 | 1642 |
| UPSALC2 | 1643 | 1643 |
| UPSMRJ2 | 1644 | 1644 |
| UPSCOC2 | 1645 | 1645 |
| LSWCIG2 | 1646 | 1646 |
| LSWALC2 | 1647 | 1647 |
| LSWMRJ2 | 1648 | 1648 |
| LSWCOC2 | 1649 | 1649 |
| SSPCIG2 | 1650 | 1650 |
| SSPALC2 | 1651 | 1651 |
| SSPMRJ2 | 1652 | 1652 |
| SSPCOC2 | 1653 | 1653 |
| CPECIG2 | 1654 | 1654 |
| CPEALC2 | 1655 | 1655 |
| CPEMRJ2 | 1656 | 1656 |
| CPECOC2 | 1657 | 1657 |
| EMCIG2 | 1658 | 1658 |
| EMALC2 | 1659 | 1659 |
| EMMRJ2 | 1660 | 1660 |
| EMCOC2 | 1661 | 1661 |
| PRB1CIG | 1662 | 1662 |
| PRB1ALC | 1663 | 1663 |
| PRB1MRJ | 1664 | 1664 |
| PRB1COC | 1665 | 1665 |
| PRB2CIG | 1666 | 1666 |
| PRB2ALC | 1667 | 1667 |
| PRB2MRJ | 1668 | 1668 |

| | | |
|----------|------|------|
| PRB2COC | 1669 | 1669 |
| PRB3CIG | 1670 | 1670 |
| PRB3ALC | 1671 | 1671 |
| PRB3MRJ | 1672 | 1672 |
| PRB3COC | 1673 | 1673 |
| IRDCDIG | 1674 | 1675 |
| IRCDALC | 1676 | 1677 |
| IRCDMJ | 1678 | 1679 |
| IRDCCOC | 1680 | 1681 |
| IREFCIG | 1682 | 1683 |
| IREFALC | 1684 | 1685 |
| IREFMJ | 1686 | 1687 |
| IREFCOC | 1688 | 1689 |
| IRUDCIG | 1690 | 1691 |
| IRUDALC | 1692 | 1693 |
| IRUDMJ | 1694 | 1695 |
| IRUDCOC | 1696 | 1697 |
| IRDPCIG | 1698 | 1699 |
| IRDPALC | 1700 | 1701 |
| IRDPMJ | 1702 | 1703 |
| IRDPCOC | 1704 | 1705 |
| IRWSCIG | 1706 | 1707 |
| IRWSALC | 1708 | 1709 |
| IRWSMJ | 1710 | 1711 |
| IRWSCOC | 1712 | 1713 |
| ALCPROBS | 1714 | 1714 |
| MJPROBS | 1715 | 1715 |
| COCPROBS | 1716 | 1716 |
| CIGPROBS | 1717 | 1717 |
| IRALCAGG | 1718 | 1719 |
| IRALCARG | 1720 | 1721 |
| IRALCABS | 1722 | 1723 |
| IRALCHIG | 1724 | 1725 |
| IRALCJOB | 1726 | 1727 |
| IRALCMAT | 1728 | 1729 |
| IRALCREL | 1730 | 1731 |
| IRALCFRD | 1732 | 1733 |
| IRALCTOS | 1734 | 1735 |
| IRALCHOL | 1736 | 1737 |
| IRALCDRU | 1738 | 1739 |
| IRALCINT | 1740 | 1741 |
| IRALCREM | 1742 | 1743 |
| IRALCQUI | 1744 | 1745 |
| IRALCMOR | 1746 | 1747 |
| IRALCSHO | 1748 | 1749 |
| IRALCALO | 1750 | 1751 |
| IRALCBRK | 1752 | 1753 |
| IRNOBOOZ | 1754 | 1754 |
| ANYALC | 1755 | 1755 |
| THREALC | 1756 | 1756 |
| DRUNKYR2 | 1757 | 1757 |
| IRAS13 | 1758 | 1758 |
| AVCIG3 | 1759 | 1759 |
| IRNODRUG | 1760 | 1760 |

| | | |
|----------|------|------|
| ALCONLYL | 1761 | 1761 |
| ALCONLYY | 1762 | 1762 |
| ALCONLYM | 1763 | 1763 |
| ILLONLYL | 1764 | 1764 |
| ILLONLYY | 1765 | 1765 |
| ILLONLYM | 1766 | 1766 |
| MRJONLYL | 1767 | 1767 |
| MRJONLYY | 1768 | 1768 |
| MRJONLYM | 1769 | 1769 |
| PSYONLYL | 1770 | 1770 |
| PSYONLYY | 1771 | 1771 |
| PSYONLYM | 1772 | 1772 |
| OTHONLYL | 1773 | 1773 |
| OTHONLYY | 1774 | 1774 |
| OTHONLYM | 1775 | 1775 |
| ALCILLL | 1776 | 1776 |
| ALCILLY | 1777 | 1777 |
| ALCILLM | 1778 | 1778 |
| ALCMRJL | 1779 | 1779 |
| ALCMRJY | 1780 | 1780 |
| ALCMRJM | 1781 | 1781 |
| ALCPSYL | 1782 | 1782 |
| ALCPSYY | 1783 | 1783 |
| ALCPSYM | 1784 | 1784 |
| ALCOTHL | 1785 | 1785 |
| ALCOTHY | 1786 | 1786 |
| ALCOTHM | 1787 | 1787 |
| SUB1LIF | 1788 | 1788 |
| SUB2LIF | 1789 | 1789 |
| SUB3LIF | 1790 | 1790 |
| SUB1YR | 1791 | 1791 |
| SUB2YR | 1792 | 1792 |
| SUB3YR | 1793 | 1793 |
| SUB1MON | 1794 | 1794 |
| SUB2MON | 1795 | 1795 |
| SUB3MON | 1796 | 1796 |

APPENDIX A
CENSUS REGION/DIVISION/STATE TABLE

| CENSUS REGION | CENSUS DIVISION | STATE NAME | STATE ABBREVIATION |
|---------------|--------------------|----------------------|--------------------|
| NORTHEAST | NEW ENGLAND | CONNECTICUT | CT |
| NORTHEAST | NEW ENGLAND | MAINE | ME |
| NORTHEAST | NEW ENGLAND | MASSACHUSETTS | MA |
| NORTHEAST | NEW ENGLAND | NEW HAMPSHIRE | NH |
| NORTHEAST | NEW ENGLAND | RHODE ISLAND | RI |
| NORTHEAST | NEW ENGLAND | VERMONT | VT |
| NORTHEAST | MIDDLE ATLANTIC | NEW JERSEY | NJ |
| NORTHEAST | MIDDLE ATLANTIC | NEW YORK | NY |
| NORTHEAST | MIDDLE ATLANTIC | PENNSYLVANIA | PA |
| NORTH CENTRAL | EAST NORTH CENTRAL | ILLINOIS | IL |
| NORTH CENTRAL | EAST NORTH CENTRAL | INDIANA | IN |
| NORTH CENTRAL | EAST NORTH CENTRAL | MICHIGAN | MI |
| NORTH CENTRAL | EAST NORTH CENTRAL | OHIO | OH |
| NORTH CENTRAL | EAST NORTH CENTRAL | WISCONSIN | WI |
| NORTH CENTRAL | WEST NORTH CENTRAL | IOWA | IA |
| NORTH CENTRAL | WEST NORTH CENTRAL | KANSAS | KS |
| NORTH CENTRAL | WEST NORTH CENTRAL | MINNESOTA | MN |
| NORTH CENTRAL | WEST NORTH CENTRAL | MISSOURI | MO |
| NORTH CENTRAL | WEST NORTH CENTRAL | NEBRASKA | NE |
| NORTH CENTRAL | WEST NORTH CENTRAL | NORTH DAKOTA | ND |
| NORTH CENTRAL | WEST NORTH CENTRAL | SOUTH DAKOTA | SD |
| SOUTH | SOUTH ATLANTIC | DELAWARE | DE |
| SOUTH | SOUTH ATLANTIC | DISTRICT OF COLUMBIA | DC |
| SOUTH | SOUTH ATLANTIC | FLORIDA | FL |
| SOUTH | SOUTH ATLANTIC | GEORGIA | GA |
| SOUTH | SOUTH ATLANTIC | MARYLAND | MD |
| SOUTH | SOUTH ATLANTIC | NORTH CAROLINA | NC |
| SOUTH | SOUTH ATLANTIC | SOUTH CAROLINA | SC |
| SOUTH | SOUTH ATLANTIC | VIRGINIA | VA |
| SOUTH | SOUTH ATLANTIC | WEST VIRGINIA | WV |
| SOUTH | EAST SOUTH CENTRAL | ALABAMA | AL |
| SOUTH | EAST SOUTH CENTRAL | KENTUCKY | KY |
| SOUTH | EAST SOUTH CENTRAL | MISSISSIPPI | MS |
| SOUTH | EAST SOUTH CENTRAL | TENNESSEE | TN |
| SOUTH | WEST SOUTH CENTRAL | ARKANSAS | AR |
| SOUTH | WEST SOUTH CENTRAL | LOUISIANA | LA |
| SOUTH | WEST SOUTH CENTRAL | OKLAHOMA | OK |
| SOUTH | WEST SOUTH CENTRAL | TEXAS | TX |
| WEST | MOUNTAIN | ARIZONA | AZ |
| WEST | MOUNTAIN | COLORADO | CO |
| WEST | MOUNTAIN | IDAHO | ID |
| WEST | MOUNTAIN | MONTANA | MT |
| WEST | MOUNTAIN | NEVADA | NV |

| | | | |
|------|----------|------------|----|
| WEST | MOUNTAIN | NEW MEXICO | NM |
| WEST | MOUNTAIN | UTAH | UT |
| WEST | MOUNTAIN | WYOMING | WY |
| WEST | PACIFIC | ALASKA | AK |
| WEST | PACIFIC | CALIFORNIA | CA |
| WEST | PACIFIC | HAWAII | HI |
| WEST | PACIFIC | OREGON | OR |
| WEST | PACIFIC | WASHINGTON | WA |

APPENDIX B
OCCUPATION CODES

AVAILABLE UPON REQUEST ONLY IN PRINTED FORM

APPENDIX C
INDUSTRIAL CLASSIFICATION SYSTEM

AVAILABLE UPON REQUEST ONLY IN PRINTED FORM

APPENDIX D

CODE VALUES FOR DRUGS IN THE OPEN-ENDED QUESTIONS

Appendix D - Code Values for Drugs in the Open-ended Questions

101 = Butisol
102 = Buticaps
103 = Amytal
104 = Mebaral
105 = Placidyl
106 = Doriden
107 = Noludar
108 = Nembutal
109 = Seconal
110 = Tuinal
111 = Dalmane
112 = Restoril
113 = Halcion
114 = Amobarbital
115 = Phenobarbital
116 = Methaqualone (including Sopor. Quaalude)
117 = Chloral Hydrate
118 = Pentobarbital
119 = Secobarbital
120 = OTHER Sedative, NOT SPECIFIED. 'Downers'
121 = USED SEDATIVE. DON'T KNOW NAME
122 = Sleep Aid
123 = Unisom
124 = Yellow jackets
127 = Nytol
128 = Nervine
131 = Haldol
134 = Diasetan (sic)
136 = Dimetapp
137 = 7-14
201 = Valium
202 = Librium
203 = Limbitrol
204 = Menrium
205 = Serax
206 = Tranxene
207 = Ativan
208 = Centrax
209 = Xanax
210 = Paxipam
211 = Buspar
212 = Miltown
213 = Equanil
214 = Deprol
215 = Vistaril

216 = Atarax
217 = Durrax
218 = Diazepam
219 = SK-Lygen
220 = Heprobamate
221 = OTHER Tranquilizer, NOT SPECIFIED
222 = USED TRANQUILIZER, DON'T KNOW NAME
224 = Triavil
225 = Desyrel
227 = Thorazine
228 = Amitriptyline
229 = Librax
301 = Dexedrine
302 = Dexamyl
303 = Eskatrol
304 = Benzedrine
305 = Biphetamine
306 = Desoxyn
307 = Tenuate
308 = Tepanil
309 = Didrex
310 = Plegine
311 = Preludin
312 = Ionamin
313 = Fastin
314 = Pondimin
315 = Voranil
316 = Sanorex
317 = Hazanor
318 = Ritalin
319 = Cylert
320 = Dextroamphetamine
321 = Hethedrine
322 = Methamphetamine ("speed" or "crank")
323 = Obedrin-L.A.
324 = OTHER Stimulant, NOT SPECIFIED, "Uppers"
325 = USED STIMULANT. DON'T KNOW NAME
326 = White cross
327 = Black Beauty, Black beauties
328 = Pink Hearts
329 = Speckled Eggs, Robin's Eggs
330 = Blue Birds, Blue Jays
331 = Whites
332 = Ephedrine. Caffeine. No-Doz, Vivarin
333 = 357 Magnum, Magnum 44
334 = Cross tops, Crossroads
335 = Dexatrim
336 = Diet pills
337 = White Holly
338 = Antiadiposium X112 (sic)
339 = Amphetamines (speed)
340 = Tiamina 250 (sic)
341 = Pink roses
342 = Purple hearts

343 = Nitroglycerine
344 = Bennies
345 = Black Molly
346 = Ephedrine Sulfate
347 = Phenylpropanolamine
348 = Crystal
349 = Phentametrizine (sic)
350 = Betin SS (sic)
351 = Q'at
352 = Lemons
401 = Darvon
402 = Dolene
403 = SK-65
404 = Wygesic
405 = Levo-Dromoran
406 = Percodan
407 = Demerol
408 = Dilaudid
409 = Tylenol with Codeine
410 = Phenaphen with Codeine
411 = Talwin
412 = Talwin NX
413 = Talacen
414 = Propoxyphene
415 = Codeine
416 = Anileridine
417 = Morphine
418 = Methadone
419 = Stadol
420 = OTHER Analgesic, NOT SPECIFIED
421 = USED ANALGESIC, DON'T KNOW NAME
422 = Motrin
423 = Percocet
424 = Fioricet
425 = Advil
426 = Fiorinal
427 = Darvocet
428 = Execl (sic)
429 = Frost 222
432 = Rufen
433 = Paregoric
434 = Vicodin
435 = Tylenol
501 = Gasoline or lighter fluids
502 = Spray paints
503 = Other aerosol sprays
504 = Shoeshine liquid, glue, or toluene
505 = Lacquer thinner or other paint solvents
506 = Amyl nitrite, "poppers," locker room odorizer, "rush"
507 = Halothane, ether, or other anesthetics
508 = Nitrous oxide, "whippets"
509 = Correction fluids, degreasers, cleaning fluids
510 = OTHER Inhalant, NOT SPECIFIED
511 = Markers, Felt-tip pens

512 = Rush, Incense
513 = Tulio (sic)
515 = Vicks
516 = Freon
518 = Nail polish
519 = Helium
601 = LSD ("acid," "white lightning")
602 = Peyote
603 = Mescaline
604 = Psilocybin (mushrooms)
605 = PCP ("angel dust," phencyclidine)
606 = "Ecstasy" (MDMA)
607 = OTHER Hallucinogen, NOT SPECIFIED
609 = Jimson ("sic") Weed
610 = Crystal T
612 = Happy Stick, Shermstick
613 = Duckweed
614 = MDA
615 = Homemade drugs
616 = DMT
617 = Morning glory seeds
618 = Acid paper
701 = OTHER Opiates, NOT SPECIFIED
702 = Heroin
703 = Opium
801 = OTHER Drugs, NOT SPECIFIED
802 = THC, Cannabinol
803 = Marijuana
804 = Hashish
805 = Cocaine, Coke
806 = Crack
807 = Alcohol
808 = All of the ones I've tried
809 = Pills
811 = Muscle relaxers
812 = Cigars
813 = Cigarettes, Tobacco
814 = Caffeine
815 = Coffee
991 = NEVER USED Sedatives
or NEVER USED Tranquilizers
or NEVER USED Stimulants
or NEVER USED Analgesics
or NEVER USED Inhalants
or NEVER USED Cocaine
or NEVER USED Hallucinogens
or NEVER USED PCP
992 = ILLEGIBLE
993 = DID NOT USE Inhalants IN PAST 30 DAYS
= or DID NOT USE Cocaine IN PAST YEAR
994 = DON'T KNOW
995 = BAD DATA
996 = MULTIPLE RESPONSE
997 = REFUSED

998 = BLANK
999 = LEGITIMATE SKIP

APPENDIX E

Sudaan Example

APPENDIX E

SUDAAN Example Program and Output

As noted by Cohen et al. (1986), national surveys conducted by government organizations, industry, political organizations, and market research firms, need to provide the greatest precision in estimates from sample data for fixed cost and time constraints. Consequently, many national surveys are characterized by design components which include stratification, clustering, and disproportionate sampling. Such design features complicate the data analysis while reducing the cost of data collection. Data from complex survey designs of this type deviate from the assumption of simple random sampling, and thus require special consideration with regard to variance estimation and analysis. Statistical software packages are currently available which accommodate these complex survey designs, and allow for the generation of variance estimates of statistics expressed in terms of means, totals, ratios, and multivariate regression coefficients. The procedures vary, however, in terms of program capabilities, computational efficiency, and user facilities. For an overview of various computer software packages available and a discussion of criteria important to selecting appropriate software for various situations see Wolter (1985). Three widely used and available software packages are: the SUDAAN procedure developed by the Research Triangle Institute (Shah, et al., 1989), the WESVAR procedure developed by Westat (Flyer, and Mohadjer, 1988), and the PC-CARP procedure developed by the Statistical Laboratory at Iowa State University (Fuller, 1986).

The 1988 NHSDA is a national survey of complex design as described in the survey methodology section of this document. Thus, the SUDAAN software package has been used to generate statistics and variance estimations for the 1988 Main Findings report. The following is an example of a SUDAAN program used to generate the estimates in Table 3.1 of the NHSDA 1988 Main Findings report, and the corresponding standard errors available upon request from NIDA. This example includes the final tables, a listing of the contents of the SAS file used to generate this example, the SUDAAN program, and the SUDAAN output. The final tables are reproduced here to add completeness to this example. The SUDAAN program is briefly described below. This example and description are not intended as a guide to using SUDAAN, but rather as an example of its use with NHSDA data.

The SUDAAN program reads data from the SAS file which has been sorted by the sampling levels used in the NHSDA sampling design, VESTR and VEREP, listed on the NEST statement. The default

sampling design, with replacement sampling at the first stage is used here. The data has been weighted using the analysis weight, ANALWT, listed on the WEIGHT statement. The only estimate option requested is MEANS, which requests the computation of weighted means and their standard errors for all variables on the VAR statement. The tables statement specifies the cross tabulations for which estimates are to be calculated. The estimates are printed by specified instructions using the SETENV, and PRINT options. The data is also output to an ASCII file using the output statement.

REFERENCES

- Cohen, S.B., J.H. Xanthopoulos and G.K. Jones (1986).
"An Evaluation of Available Software for the Analysis of
Complex Survey Data," PROCEEDINGS OF THE SECTION ON SURVEY
RESEARCH METHODS, American Statistical Association, Washington, D.C.
- Flyer, P. and L. Mohadjer (1988). THE WESVAR PROCEDURE, Westat
Inc., Rockville, MD.
- Fuller, W.A. (1986). PC CARP, Statistical Laboratory,
Iowa State University, Ames, IA.
- Shah, B.V., et al. (1989).
SUDAAN: PROCEDURES FOR DESCRIPTIVE STATISTICS, Research
Triangle Institute, Research Triangle Park, NC.
- Wolter, K.M. (1985). INTRODUCTION TO VARIANCE ESTIMATION,
Springer-Verlag, New York, NY.

TABLE 3.1.S: STANDARD ERROR OF PERCENTAGE REPORTING MARIJUANA
USE IN LIFETIME BY AGE GROUP AND DEMOGRAPHIC
CHARACTERISTICS: 1988

| DEMOGRAPHIC CHARACTERISTIC | AGE GROUP (YEARS) | | | | Total |
|-------------------------------|-------------------|-------|-------|-------|-------|
| | 12-17 | 18-25 | 26-34 | >_ 35 | |
| TOTAL | 1.1 | 1.5 | 1.5 | 1.1 | 0.8 |
| SEX | | | | | |
| Male | 1.3 | 2.4 | 2.0 | 1.7 | 1.2 |
| Female | 1.4 | 2.1 | 2.1 | 1.5 | 1.0 |
| RACE/ETHNICITY | | | | | |
| White | 1.4 | 1.9 | 1.7 | 1.4 | 1.0 |
| Black | 1.3 | 3.4 | 3.6 | 2.1 | 1.5 |
| Hispanic | 1.3 | 2.6 | 1.9 | 1.8 | 1.1 |
| POPULATION DENSITY | | | | | |
| Large metro | 1.3 | 2.2 | 1.9 | 2.0 | 1.4 |
| Small metro | 2.6 | 2.7 | 2.9 | 1.7 | 1.6 |
| Nonmetro | 1.3 | 4.0 | 2.6 | 2.3 | 1.5 |
| REGION | | | | | |
| Northeast | 2.5 | 3.9 | 4.3 | 3.5 | 2.8 |
| North Central | 2.0 | 2.5 | 2.1 | 1.9 | 1.2 |
| South | 1.7 | 2.2 | 2.6 | 1.9 | 1.1 |
| West | 2.4 | 3.7 | 2.4 | 1.7 | 1.8 |
| ADULT EDUCATION | | | | | |
| Less than high school | N/A | 3.7 | 3.0 | 1.9 | 1.5 |
| High school graduate | N/A | 2.3 | 1.9 | 1.7 | 1.4 |
| Some college | N/A | 3.3 | 2.9 | 2.8 | 2.1 |
| College graduate | N/A | 5.2 | 3.2 | 3.6 | 2.6 |
| CURRENT EMPLOYMENT | | | | | |
| Full-time | N/A | 2.1 | 1.5 | 2.1 | 1.5 |
| Part-time | N/A | 3.5 | 5.2 | 4.3 | 2.7 |
| Unemployed | N/A | 5.3 | 5.2 | 5.7 | 3.9 |
| Other | N/A | 3.6 | 3.6 | 1.3 | 1.3 |

Source: NIDA, National Household Survey on Drug Abuse, 1988.

TABLE 3.1: PERCENTAGE REPORTING MARIJUANA USE IN LIFETIME BY AGE GROUP AND DEMOGRAPHIC CHARACTERISTICS: 1988

| DEMOGRAPHIC CHARACTERISTIC | AGE GROUP (YEARS) | | | | Total |
|----------------------------|-------------------|-------|-------|-------|-------|
| | 12-17 | 18-25 | 26-34 | >_ 35 | |
| TOTAL | 17.4 | 56.4 | 62.1 | 19.6 | 33.1 |
| SEX | | | | | |
| Male | 16.8 | 56.4 | 68.1 | 23.8 | 36.9 |
| Female | 17.9 | 56.4 | 56.2 | 16.0 | 29.7 |
| RACE/ETHNICITY (1) | | | | | |
| White | 18.2 | 60.4 | 65.6 | 19.3 | 33.7 |
| Black | 13.5 | 45.3 | 56.0 | 24.4 | 33.3 |
| Hispanic | 16.9 | 42.0 | 46.5 | 14.3 | 27.9 |
| POPULATION DENSITY | | | | | |
| Large metro | 18.5 | 57.3 | 64.6 | 24.7 | 36.8 |
| Small metro | 17.7 | 57.1 | 62.6 | 16.5 | 32.4 |
| Nonmetro | 15.3 | 53.7 | 56.7 | 14.9 | 27.9 |
| REGION | | | | | |
| Northeast | 17.3 | 54.5 | 65.9 | 21.2 | 33.4 |
| North Central | 14.7 | 65.9 | 66.8 | 18.4 | 34.2 |
| South | 17.2 | 49.2 | 54.8 | 17.1 | 29.5 |
| West | 22.3 | 61.2 | 66.4 | 24.2 | 38.6 |
| ADULT EDUCATION (2) | | | | | |
| Less than high school | N/A | 63.3 | 60.3 | 12.4 | 25.8 |
| High school graduate | N/A | 53.3 | 61.5 | 15.1 | 34.3 |
| Some college | N/A | 54.9 | 62.9 | 29.2 | 41.5 |
| College graduate | N/A | 60.5 | 64.0 | 29.9 | 42.5 |
| CURRENT EMPLOYMENT (3) | | | | | |
| Full-time | N/A | 61.7 | 63.9 | 28.0 | 43.9 |
| Part-time | N/A | 51.6 | 62.4 | 26.4 | 40.2 |
| Unemployed | N/A | 58.8 | 67.1 | 20.0 | 44.6 |
| Other (4) | N/A | 43.5 | 51.7 | 7.9 | 16.2 |

N/A: Not applicable.

(1) The category "Other" for Race/Ethnicity is not included.

(2) Data on adult education are not applicable for 12-to-17-year-olds and are missing for 10 persons 18-25 years old, 6 persons 26-34 years old, and 13 persons 36 or older. Total refers to those 18 and older (unweighted N = 5,690).

(3) Data on current employment are not applicable for 12- to 27-year-olds and are missing for 6 persons 18-25 years old, 3 persons 26-34 years old, and 5 persons 35 or older. Total refers to those 18 and older (unweighted N = 5,705).

(4) Retired, disabled, homemaker, student, or "other."

Source: NIDA, National Household Survey on Drug Abuse, 1988.

SAS

CONTENTS PROCEDURE
CONTENTS OF SAS MEMBER OUT.SUDAANEX

NUMBER OF OBSERVATIONS: 8814 NUMBER OF VARIABLES: 12
MEMTYPE: DATA

----- ALPHABETIC LIST OF VARIABLES AND ATTRIBUTES -----

| # | VARIABLE | TYPE | LENGTH | POSITION | FORMAT | INFORMAT | LABEL |
|----|----------|------|--------|----------|--------|----------|-------------------------------------|
| 6 | ANALWT | NUM | 8 | 12 | | | ANALYSIS WEIGHT |
| 8 | CATAGE | NUM | 2 | 22 | | | AGE CATEGORY |
| 1 | EDUCCAT2 | NUM | 2 | 0 | | | EDUCATION: .12-17 YR OLD N/A |
| 2 | EMPSTAT2 | NUM | 2 | 2 | | | EMPLOYMENT STATUS: 12-17 YR OLD N/A |
| 7 | MRJFLAG | NUM | 2 | 20 | | | MARIJUANA - EVER USED |
| 11 | POPDEN | NUM | 2 | 28 | | | POPULATION DENSITY |
| 10 | RACE | NUM | 2 | 26 | | | RACE/HISPANIC-ORGIN RECODE |
| 12 | REGION | NUM | 2 | 30 | | | CENSUS REGION |
| 3 | RESPID | NUM | 4 | 4 | | | RESPONDENT IDENTIFICATION NUMBER |
| 9 | SEX | NUM | 2 | 24 | | | SEX OF RESPONDENT |
| 5 | VEREP | NUM | 2 | 10 | | | REPLICATE NO. IN ANALYSIS STRATUM |
| 4 | VESTR | NUM | 2 | 8 | | | ANALYSIS STRATUM NUMBER |

SUDAAN Survey Data Analysis Software

Copyright Research Triangle Institute March 1990

Version 5.02

```

1  PROC DESCRIPT DATA="ΓMFLEP.DATAnSUDAANEX" FILETYPE=SAS
   DESIGN=WR MEANS;
2  NEST VESTR VEREP;
3  WEIGHT ANALWT;
4  VAR MRJFLAG;
5  SUBGROUP CATAGE SEX RACE POPDEN REGION EDUCCAT2 EMPSTAT2;
6  LEVELS 4 2 4 3 4 4 4;
7  TABLES CATAGE (SEX RACE POPDEN REGION EDUCCAT2 EMPSTAT2)*CATAGE;
8  SETENV LINESIZE=132 DECWIDTH=5 COLWIDTH=12 ROWWIDTH=18;
9  PRINT NSUM MEAN SEMEAN;
10 OUTPUT MEAN SEMEAN NSUM / FILETYPE=ASCII REPLACE
   FILENAME="ΓMFLEP.DATAnTABLE" MEANFMT=F10.5 SEMEANFMT=F10.5
   NSUMFMT=F10.0;
11 TITLE "MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS";

```

Date: 08-27-90
Time: 17:40:31

Research Triangle Institute

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, CATAGE.

| Variable | AGE CATEGORY | | | | | |
|---------------------|-----------------|------------|------------|------------|-----------|--|
| | Total | 1 | 2 | 3 | 4 | |
| MARIJUANA-EVER USED | NSUM 8814.00000 | 3095.00000 | 1505.00000 | 1987.00000 | 227.00000 | |
| | MEAN 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 | |
| | SEMEAN 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 | |

Date: 08-27-90
Time: 17:40:32

Research Triangle Institute

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHIC

by: Variable, SEX, CATAGE.
for: Variable = MARIJUANA - EVER USED.

| | | SEX OF RESPONDENT | | AGE CATEGORY | | | |
|-------|--------|-------------------|------------|--------------|------------|------------|--|
| | | Total | 1 | 2 | 3 | 4 | |
| Total | NSUM | 8814.00000 | 3095.00000 | 1505.00000 | 1987.00000 | 2227.00000 | |
| | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 | |
| | SEMEAN | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 | |
| 1 | NSUM | 3938.00000 | 1557.00000 | 642.00000 | 844.00000 | 895.00000 | |
| | MEAN | 0.36865 | 0.16821 | 0.56404 | 0.68092 | 0.23776 | |
| | SEMEAN | 0.01177 | 0.01277 | 0.02449 | 0.01999 | 0.01706 | |
| 2 | NSUM | 4876.00000 | 1538.00000 | 863.00000 | 1143.00000 | 1332.00000 | |
| | MEAN | 0.29739 | 0.17930 | 0.56375 | 0.56206 | 0.16020 | |
| | SEMEAN | 0.01036 | 0.01403 | 0.02115 | 0.02102 | 0.01462 | |

Date: 08-27-90
Time: 17:40:32

Research Triangle Institute

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, RACE, CATAGE.
for: Variable = MARIJUANA - EVER USED.

| RACE/HISPANIC- ORGIN RECODE | | AGE CATEGORY Total | 1 | 2 | 3 | 4 |
|--------------------------------|--------|-----------------------|------------|------------|------------|------------|
| Total | NSUM | 8814.00000 | 3095.00000 | 1505.00000 | 1987.00000 | 2227.00000 |
| | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 |
| | SEMEAN | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 |
| 1 | NSUM | 4551.00000 | 1518.00000 | 700.00000 | 1096.00000 | 1237.00000 |
| | MEAN | 0.33650 | 0.18152 | 0.60393 | 0.65581 | 0.19287 |
| | SEMEAN | 0.01009 | 0.01397 | 0.01913 | 0.01709 | 0.01356 |
| 2 | NSUM | 1888.00000 | 747.00000 | 320.00000 | 366.00000 | 455.00000 |
| | MEAN | 0.33254 | 0.13533 | 0.45254 | 0.55970 | 0.24444 |
| | SEMEAN | 0.01483 | 0.01281 | 0.03404 | 0.03580 | 0.02101 |
| 3 | NSUM | 2193.00000 | 763.00000 | 454.60000 | 475.00000 | 501.00000 |
| | MEAN | 0.27889 | 0.16854 | 0.41950 | 0.46526 | 0.14253 |
| | SEMEAN | 0.01099 | 0.01340 | 0.02642 | 0.01866 | 0.01835 |
| 4 | NSUM | 182.00000 | 67.00000 | 31.00000 | 50.00000 | 34.00000 |
| | MEAN | 0.32563 | 0.20362 | 0.54250 | 0.42273 | 0.25474 |
| | SEMEAN | 0.05228 | 0.06851 | 0.11470 | 0.09800 | 0.08173 |

Date: 08-27-90
Time: 17:40:32

Research Triangle Institute

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, POPDEN, CATAGE.
for: Variable = MARIJUANA - EVER USED.

| POPULATION DENSITY | | AGE CATEGORY | 1 | 2 | 3 | 4 |
|--------------------|--------|--------------|------------|------------|------------|------------|
| | | Total | | | | |
| Total | NSUM | 8814.00000 | 3095.00000 | 1505.00000 | 1987.00000 | 2227.00000 |
| | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 |
| | SEMEAN | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 |
| 1 | NSUM | 4280.00000 | 1485.00000 | 759.00000 | 950.00000 | 1086.00000 |
| | MEAN | 0.36840 | 0.18515 | 0.57292 | 0.64578 | 0.24711 |
| | SEMEAN | 0.01384 | 0.01289 | 0.02159 | 0.01917 | 0.01984 |
| 2 | NSUM | 2592.00000 | 899.00000 | 447.00000 | 611.00000 | 635.00000 |
| | MEAN | 0.32357 | 0.17702 | 0.57066 | 0.62589 | 0.16507 |
| | SEMEAN | 0.01607 | 0.02560 | 0.02657 | 0.02908 | 0.01687 |
| 3 | NSUM | 1942.00000 | 711.00000 | 299.00000 | 426.00000 | 506.00000 |
| | MEAN | 0.27943 | 0.15348 | 0.53738 | 0.56736 | 0.14916 |
| | SEMEAN | 0.01500 | 0.01325 | 0.04018 | 0.02565 | 0.02308 |

Date: 08-27-90
Time: 17:40:32

Research Triangle Institute

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, REGION, CATAGE.
for: Variable MARIJUANA - EVER USED.

| CENSUS REGION | | AGE CATEGORY | | | | |
|---------------|--------|--------------|------------|------------|------------|------------|
| | | Total | 1 | 2 | 3 | 4 |
| Total | NSUM | 8814.00000 | 3095.00000 | 1505.00000 | 1987.00000 | 2227.00000 |
| | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 |
| | SEMEAN | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 |
| 1 | NSUM | 1687.00000 | 568.00000 | 272.00000 | 375.00000 | 472.00000 |
| | MEAN | 0.33402 | 0.17298 | 0.54461 | 0.65927 | 0.21246 |
| | SEMEAN | 0.02816 | 0.02470 | 0.03918 | 0.04312 | 0.03521 |
| 2 | NSUM | 1766.00000 | 648.00000 | 276.00000 | 416.00000 | 426.00000 |
| | MEAN | 0.34201 | 0.14682 | 0.65948 | 0.66796 | 0.18387 |
| | SEMEAN | 0.01199 | 0.02041 | 0.02518 | 0.02132 | 0.01949 |
| 3 | NSUM | 3356.00000 | 1214.00000 | 576.60000 | 733.00000 | 833.00000 |
| | MEAN | 0.29508 | 0.17163 | 0.49189 | 0.54817 | 0.17067 |
| | SEMEAN | 0.01141 | 0.01653 | 0.02222 | 0.02631 | 0.01857 |
| 4 | NSUM | 2005.00000 | 665.00000 | 381.00000 | 463.00000 | 496.00000 |
| | MEAN | 0.38588 | 0.22335 | 0.61193 | 0.66423 | 0.24155 |
| | SEMEAN | 0.01753 | 0.02432 | 0.03729 | 0.02445 | 0.01745 |

Date: 08-27-90
Time: 17:40:32

Research Triangle Institute

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

by: Variable, EMPSTAT2, CATAGE.
for: Variable = MARIJUANA - EVER USED.

| ----- | | | | | | | |
|---------------------------------|--------|------------|---------|------------|------------|------------|--|
| EMPLOYMENT STATUS: AGE CATEGORY | | | | | | | |
| 12-17 YR OLD | N/A | Total | 1 | 2 | 3 | 4 | |
| ----- | | | | | | | |
| Total | NSUM | 5705.00000 | 0.00000 | 1499.00000 | 1984.00000 | 2222.00000 | |
| | MEAN | 0.34919 | | 0.56251 | 0.62044 | 0.19630 | |
| | SEMEAN | 0.00953 | | 0.01529 | 0.01458 | 0.01138 | |
| ----- | | | | | | | |
| 1 | NSUM | 3037.00000 | 0.00000 | 731.00000 | 1284.00000 | 1022.00000 | |
| | MEAN | 0.43905 | | 0.61704 | 0.63897 | 0.28037 | |
| | SEMEAN | 0.01541 | | 0.02125 | 0.01543 | 0.02051 | |
| ----- | | | | | | | |
| 2 | NSUM | 661.00000 | 0.00000 | 266.00000 | 195.00000 | 200.00000 | |
| | MEAN | 0.40203 | | 0.51558 | 0.62363 | 0.26364 | |
| | SEMEAN | 0.02685 | | 0.03470 | 0.05197 | 0.04289 | |
| ----- | | | | | | | |
| 3 | NSUM | 390.00000 | 0.00000 | 165.00000 | 135.00000 | 90.00000 | |
| | MEAN | 0.44634 | | 0.58816 | 0.67090 | 0.20014 | |
| | SEMEAN | 0.03902 | | 0.05250 | 0.05226 | 0.05726 | |
| ----- | | | | | | | |
| 4 | NSUM | 1617.00000 | 0.00000 | 337.00000 | 370.00000 | 910.00000 | |
| | MEAN | 0.16208 | | 0.43475 | 0.51693 | 0.07934 | |
| | SEMEAN | 0.01268 | | 0.03616 | 0.03609 | 0.01313 | |
| ----- | | | | | | | |

APPENDIX F

SESUDAAN EXAMPLE

```

SAS(R) LOG      OS SAS 5.18                MVS/XA JOB
MDBEXMPL STEP SAS      8:47 WEDNESDAY. .NOVEMBER 7,
NOTE: COPYRIGHT (C) 1984,1988 SAS INSTITUTE INC., CARY, N.C. 27512, U.S.A.
NOTE: THE JOB MDBEXMPL HAS BEEN RUN UNDER
      RELEASE 5.18 OF SAS AT PARKLAWN COMPUTER CENTER (01233001).
NOTE: CPUID   VERSION = 43 SERIAL = 176019 MODEL = 3090
CPUID   VERSION = 43 SERIAL = 276019 MODEL = 3090
CPUID   VERSION = 43 SERIAL = 376019 MODEL = 3090
CPUID   VERSION = 43 SERIAL = 476019 MODEL = 3090
NOTE: NO OPTIONS SPECIFIED.
      /* SOURCE CODE IS IN $MDB.NIDNDAPD.GFROERER.CNTL(SESEXMPL)*/
      00000120

      * THIS PROGRAM GENERATES TABLE 3.1 OF THE 1988 MAIN FINDINGS
      ;00000120
4      * USING PROCEDURE SESUDAAN.
NOTE: TO RUN THIS PROGRAM ADD THE JOB CONTROL LANGUAGE NEEDED BY YOUR      ;
*      COMPUTER'S OPERATING SYSTEM. THEN CHANGE THE NAME OF THE DATA      ;
*      SET ON THE SET STATEMENT TO THE NAME OF YOUR INPUT DATA FILE.      ;
*      IT IS ALSO IMPORTANT THAT THE MOST RECENT VERSION OF THE POPDEN      ;
*      VARIABLE BE USED. ALSO NOTE THAT EDUCCAT, AND EMPSTAT ARE      ;
*      BEING RECODED TO BE CONSISTENT WITH THE CONVENTION OF THE MAIN      ;
*      FINDINGS 1988 ANALYSIS.      ;

      DATA SESUDNEX;
          00000140
      SET SURVEY88.NHSDA88;

          00000150
      KEEP RESPID VESTR VEREP ANALWT MRJFLAG CATAGE SEX RACE
          POPDEN REGION EDUCCAT2 EMPSTAT2;

      LENGTH EDUCCAT2 EMPSTAT2 2;

      * THE FOLLOWING CODE RECODES THE EDUCATION AND EMPLOYMENT STATUS;
      * VARIABLES TO BE DEFINED FOR ADULTS ONLY.;
* THE 12-17 YEAR OLD AGE GROUP IS NOW MISSING FOR THESE TWO VARIABLES;

      IF CATAGE=1
      THEN DO; EDUCCAT2=.;
          EMPSTAT2=.;
      END;
      ELSE DO; EDUCCAT2=EDUCCAT;
          EMPSTAT2=EMPSTAT;
      END;

      LABEL RESPID='RESPONDENT IDENTIFICATION NUMBER'

```

```

VESTR='ANALYSIS STRATUM NUMBER'
MRJFLAG='MARIJUNAN - EVER USED'
CATAGE='AGE CATEGORY'
RACE='RACE/HISPANIC-ORIGIN RECODE'
POPDEN='POPULATION DENSITY'
REGION='`CENSUS REGION,
EDUCCAT2='EDUCATION: 12-17 YR OLD N/A'
EMPSTAT2='EMPLOYMENT STATUS: 12-17 YR OLD N/A';

```

```

NOTE: DATA SET WORK.SESUDNEX HAS 8814 OBSERVATIONS AND
12 VARIABLES. 1304 OBS/TRK.
NOTE: THE DATA STATEMENT USED 1.42 SECONDS AND 548K.
PROC SORT DATA=SESUDNEX;
BY VESTR VEREP;

```

```

SAS(R) LOG      OS SAS 5.18  MVS/XA JOB MDBEXMPL STEP
SAS            8:47 WEDNESDAY, NOVEMBER 7,

```

```

NOTE: 1 CYLINDER DYNAMICALLY ALLOCATED ON SYSDA FOR
EACH OF 3 SORT WORK DATA SETS.
NOTE: DATA SET WORK.SESUDNEX HAS 8814 OBSERVATIONS AND 12
VARIABLES. 1304 OBS/TRK.
NOTE: THE PROCEDURE SORT USED 0.34 SECONDS AND 448K.

```

```

PROC CONTENTS DATA=SESUDNEX NOSOURCE;
TITLE "1988 NHSDA DATA";

```

```

NOTE: THE PROCEDURE CONTENTS USED 0.05 SECONDS AND 568K AND
PRINTED PAGE 1.

```

```

PROC SESUDAAN DATA=SESUDNEX;
  NEST VESTR VEREP;
  WEIGHT ANALWT;
  ANALYSIS MRJFLAG;
  SUBGROUP CATAGE SEX RACE POPDEN REGION EDUCCAT2 EMPSTAT2;
  LEVELS          4 2 4 3 4 4 4;
  TABLES (SEX RACE POPDEN REGION EDUCCAT2 EMPSTAT2)*CATAGE
CATAGE;

  SETPRINT CWIDTH=12 MEANDEC=5;
  TITLE "MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS";

```

```

NOTE: PROCEDURE SESUDAAN IS COPYRIGHTED BY:
RESEARCH TRIANGLE INSTITUTE
P. O. BOX 12194

```

RESEARCH TRIANGLE PARK, N.C. 27709

NOTE: THE PROCEDURE SESUDAAN USED 2.36 SECONDS AND 538K.

NOTE: SAS USED 568K MEMORY.

NOTE: SAS INSTITUTE INC.

SAS CIRCLE

PO BOX 8000

CARY, N.C. 27512-8000

1988 NHSDA DATA

8:47 WEDNESDAY, NOVEMBER 7, 1990

CONTENTS PROCEDURE

CONTENTS OF SAS MEMBER WORK.SESUDNEX

CREATED BY OS JOB MDBEXMPL ON CPUID 43-3090-176019

AT 8:47 WEDNESDAY, NOVEMBER 7, 1990 BY SAS RELEASE 5.18

DSNAME=SYS90311.TO84719.RAOOO.MDBEXMPL.ROOOOOO1 OBSERVATIONS

PER TRACK =1304 BLKSIZE=23476 LRECL=36 GENERATED BY PROC S

NUMBER OF OBSERVATIONS: 8814 NUMBER OF VARIABLES: 12

MEMTYPE: DATA

----- ALPHABETIC LIST OF VARIABLES AND ATTRIBUTES -----

| #VARIABLE | TYPE | LENGTH | POSITION | FORMAT | INFORMAT | LABEL |
|-----------|----------|--------|----------|--------|----------|-------------------------------------|
| 2 | ANALWT | NUM | 8 | 8 | | ANALYSIS WEIGHT |
| 7 | CATAGE | NUM | 2 | 24 | | AGE CATEGORY |
| 11 | EDUCCAT2 | NUM | 2 | 32 | | EDUCATION: 12-17 YR OLD N/A |
| 12 | EMPSTAT2 | NUM | 2 | 34 | | EMPLOYMENT STATUS: 12-17 YR OLD N/A |
| 10 | MRJFLAG | NUM | 2 | 30 | | MARIJUNAN - EVER USED |
| 6 | POPDEN | NUM | 2 | 22 | | POPULATION DENSITY |
| 8 | RACE | NUM | 2 | 26 | | RACE/HISPANIC-ORIGIN RECODE |
| 5 | REGION | NUM | 2 | 20 | | CENSUS REGION |
| 1 | RESPID | NUM | 4 | 4 | | RESPONDENT IDENTIFICATION NUMBER |
| 9 | SEX | NUM | 2 | 28 | | SEX OF RESPONDENT |
| 3 | VEREP | NUM | 2 | 16 | | REPLICATE NO. IN ANALYSIS STRATUM |
| 4 | VESTR | NUM | 2 | 18 | | ANALYSIS STRATUM NUMBER |

WARNING TYPE 3: NO VARIABLES FOR SAMPLE COUNTS, 1ST LEVEL IS ASSUMED TO BE STRATUM AND 2ND TO BE PRIMARY SAMPLING UNIT

RESEARCH TRIANGLE INSTITUTE PAGE 1 OF TABLE NUMBER 1
 MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

BY: CATAGE SEX VARIABLE

VARIABLE = MRJFLAG

| CATAGE | | 0 | 1 | 2 | 3 | 4 |
|--------|---------|------------|-----------|-----------|-----------|------------|
| ----- | | | | | | |
| SEX | | | | | | |
| 0 | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 |
| | STDE | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 |
| | SAMSIZE | 8814. | 3095. | 1505. | 1987. | 2227. |
| | POPEST | 198346639. | 20250192. | 29687553. | 38569913. | 109838981. |
| ----- | | | | | | |
| 1 | MEAN | 0.36865 | 0.16821 | 0.56404 | 0.68092 | 0.23776 |
| | STDERR | 0.01177 | 0.01277 | 0.02449 | 0.01999 | 0.01706 |
| | SAMSIZE | 3938. | 1557. | 642. | 844. | 895. |
| | POPEST | 194878349. | 10354263. | 14487468. | 18981067. | 51055551. |
| ----- | | | | | | |
| 2 | MEAN | 0.29739 | 0.17930 | 0.56375 | 0.56206 | 0.16020 |
| | STDERR | 0.01036 | 0.01403 | 0.02115 | 0.02102 | 0.01462 |
| | SAMSIZE | 4876. | 1538. | 863. | 1143. | 1332. |
| | POPEST | 103468290. | 9895929. | 15200085. | 19588846. | 58783430. |
| ----- | | | | | | |

RESEARCH TRIANGLE INSTITUTE

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

| BY, CATAGE | | RACE | | VARIABLE | | |
|------------|---------|------------|-----------|-----------|-----------|------------|
| VARIABLE | | MRJFLAG | | | | |
| CATAGE | | 0 | 1 | 2 | 3 | 4 |
| ----- | | | | | | |
| RACE | | | | | | |
| 0 | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 |
| | STDERR | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 |
| | SAMSIZE | 8814. | 3095. | 1505. | 1987. | 2227. |
| | POPEST | 198346639. | 20250192. | 29687553. | 38569913. | 109838981. |
| ----- | | | | | | |
| 1 | MEAN | 0.33650 | 0.18152 | 0.60393 | 0.65581 | 0.19287 |
| | STDERR | 0.01009 | 0.01397 | 0.01913 | 0.01709 | 0.01356 |
| | SAMSIZE | 4551. | 1518. | 700. | 1096. | 1237. |
| | POPEST | 156742210. | 14532568. | 22130733. | 29336255. | 90742654. |
| ----- | | | | | | |
| 2 | MEAN | 0.33254 | 0.13533 | 0.45254 | 0.55970 | 0.24444 |
| | STDERR | 0.01483 | 0.01281 | 0.03404 | 0.03580 | 0.02101 |
| | SAMSIZE | 1888. | 747. | 320. | 366. | 455. |
| | POPEST | 22270756. | 3102048. | 3972895. | 4675016. | 10520797. |
| ----- | | | | | | |
| 3 | MEAN | 0.27889 | 0.16854 | 0.41950 | 0.46526 | 0.14253 |
| | STDERR | 0.01099 | 0.01340 | 0.02642 | 0.01866 | 0.01835 |
| | SAMSIZE | 2193. | 763. | 454. | 475. | 501. |
| | POPEST | 14925357. | 2117561. | 2983749. | 3575038. | 6249009. |
| ----- | | | | | | |
| 4 | MEAN | 0.32563 | 0.20362 | 0.54250 | 0.42273 | 0.25474 |
| | STDERR | 0.05228 | 0.06851 | 0.11470 | 0.09800 | 0.08173 |
| | SAMSIZ | 182. | 67. | 31. | 50. | 34. |
| | POPEST | 4408316. | 498015. | 600176. | 983604. | 2326521. |
| ----- | | | | | | |

RESEARCH TRIANGLE INSTITUTE PAGE 1 OF TABLE NUMBER 3
 MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

BY: CATAGE, POPDEN, VARIABLE

| VARIABLE | MRJFLAG , | | | | | |
|----------|-----------|------------|-----------|-----------|-----------|------------|
| CATAGE | 0 | 1 | 2 | 3 | 4 | |
| ----- | | | | | | |
| POPDEN | | | | | | |
| 0 | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 |
| | STDERR | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 |
| | SAMSIZE | 8814. | 3095. | 1505. | 1987. | 2227. |
| | POPEST | 198346639. | 20250192. | 29687553. | 38569913. | 109838981. |
| ----- | | | | | | |
| 1 | MEAN | 0.36840 | 0.18515 | 0.57292 | 0.64578 | 0.24711 |
| | STDERR | 0.01384 | 0.01289 | 0.02159 | 0.01917 | 0.01984 |
| | SAMSIZE | 4280. | 1485. | 759. | 950. | 1086. |
| | POPEST | 84497686. | 7992579. | 12483257. | 16746664. | 47275186. |
| ----- | | | | | | |
| 2 | MEAN | 0.32357 | 0.17702 | 0.57066 | 0.62589 | 0.16507 |
| | STDERR | 0.01607 | 0.02560 | 0.02657 | 0.02908 | 0.01687 |
| | SAMSIZE | 2592. | 899. | 447. | 611. | 635. |
| | POPEST | 63582331. | 6581406. | 10319522. | 12615516. | 34065887. |
| ----- | | | | | | |
| 3 | MEAN | 0.27943 | 0.15348 | 0.53738 | 0.56736 | 0.14916 |
| | STDERR | 0.01500 | 0.01325 | 0.04018 | 0.02565 | 0.02308 |
| | SAMSIZE | 1942. | 711. | 299. | 426. | 506. |
| | POPEST | 50266621. | 5676207. | 6884774. | 9207732. | 28497908. |
| ----- | | | | | | |

RESEARCH TRIANGLE INSTITUTE PAGE 1 OF TABLE NUMBER 4

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

BY: CATAGE , REGION VARIABLE

VARIABLE MRJFLAG ,

| CATAGE | | 0 | 1 | 2 | 3 | 4 |
|--------|---------|------------|-----------|-----------|-----------|------------|
| ----- | | | | | | |
| REGION | | | | | | |
| 0 | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 |
| | STDERR | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 |
| | SAMSIZE | 8814. | 3095. | 1505. | 1987. | 2227. |
| | POPEST | 198346639. | 20250192. | 29687553. | 38569913. | 109838981. |
| ----- | | | | | | |
| 1 | MEAN | 0.33402 | 0.17298 | 0.54461 | 0.65927 | 0.21246 |
| | STDERR | 0.02816 | 0.02470 | 0.03918 | 0.04312 | 0.03521 |
| | SAMSIZE | 1687. | 568. | 272. | 375. | 472. |
| | POPEST | 39750202. | 3752715. | 5629989. | 6960725. | 23406772. |
| ----- | | | | | | |
| 2 | MEAN | 0.34201 | 0.14682 | 0.65948 | 0.66796 | 0.18387 |
| | STDERR | 0.01199 | 0.02041 | 0.02518 | 0.02132 | 0.01949 |
| | SAMSIZE | 1766. | 648. | 276. | 416. | 426. |
| | POPEST | 46927300. | 5317710. | 6681582. | 9172151. | 25755857. |
| ----- | | | | | | |
| 3 | MEAN | 0.29508 | 0.17163 | 0.49189 | 0.54817 | 0.17067 |
| | STDERR | 0.01141 | 0.01653 | 0.02222 | 0.02631 | 0.01857 |
| | SAMSIZE | 3356. | 1214. | 576. | 733. | 833. |
| | POPEST | 73455638. | 7943155. | 11369787. | 14512177. | 39630519. |
| ----- | | | | | | |
| 4 | MEAN | 0.38588 | 0.22335 | 0.61193 | 0.66423 | 0.24155 |
| | STDERR | 0.01753 | 0.02432 | 0.03729 | 0.02445 | 0.01745 |
| | SAMSIZE | 2005. | 665. | 381. | 463. | 496. |
| | POPEST | 38213500. | 3236612. | 6006195. | 7924860. | 21045833. |
| ----- | | | | | | |

RESEARCH TRIANGLE INSTITUTE

PAGE 1 OF TABLE NUMBER 5

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

CATAGE EDUCCAT2, VARIABLE

VARIABLE = MRJFLAG ,

| CATAGE | | 0 | 1 | 2 | 3 | 4 |
|----------|---------|------------|-----------|-----------|-----------|------------|
| ----- | | | | | | |
| EDUCCAT2 | | | | | | |
| 0 | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 |
| | STDERR | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 |
| | SAMSIZE | 8814. | 3095. | 1505. | 1987. | 2227. |
| | POPEST | 198346639. | 20250192. | 29687553. | 38569913. | 109838981. |
| ----- | | | | | | |
| 1 | MEAN | 0.25807 | 0.0 | 0.63291 | 0.60254 | 0.12401 |
| | STDERR | 0.01521 | 0.0 | 0.03654 | 0.02951 | 0.01930 |
| | SAMSIZE | 1732. | 0. | 419. | 418. | 895. |
| | POPEST | 45361643. | 0. | 6476836. | 5820066. | 33064741. |
| ----- | | | | | | |
| 2 | MEAN | 0.34297 | 0.0 | 0.53275 | 0.61509 | 0.15148 |
| | STDERR | 0.01376 | 0.0 | 0.02330 | 0.01938 | 0.01674 |
| | SAMSIZE | 2115. | 0. | 653. | 791. | 671. |
| | POPEST | 64718975. | 0. | 13202070. | 15874204. | 35642701. |
| ----- | | | | | | |
| 3 | MEAN | 0.41493 | 0.0 | 0.54943 | 0.62920 | 0.29178 |
| | STDERR | 0.02128 | 0.0 | 0.03251 | 0.02931 | 0.02844 |
| | SAMSIZE | 1059. | 0. | 321. | 399. | 339. |
| | POPEST | 35432466. | 0. | 6887628. | 7672840. | 20871999. |
| ----- | | | | | | |
| 4 | MEAN | 0.42477 | 0.0 | 0.60540 | 0.63967 | 0.29861 |
| | STDERR | 0.02614 | 0.0 | 0.05185 | 0.03247 | 0.03640 |
| | SAMSIZE | 784. | 0. | 102. | 373. | 309. |
| | POPEST | 31840428. | 0. | 2955784. | 9118620. | 19766023. |
| ----- | | | | | | |

RESEARCH TRIANGLE INSTITUTE PAGE 1 OF TABLE NUMBER 6

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

BY: CATAGE, EMPSTAT2, VARIABLE

| VARIABLE = MRJFLAG, | | | | | | |
|---------------------|---------|------------|-----------|-----------|-----------|------------|
| CATAGE | | 0 | 1 | 2 | 3 | 4 |
| ----- | | | | | | |
| EMPSTAT2 | | | | | | |
| 0 | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 |
| | STDERR | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 |
| | SAMSIZE | 8814. | 3095. | 1505. | 1987. | 2227. |
| | POPEST | 198346639. | 20250192. | 29687553. | 38569913. | 109838981. |
| ----- | | | | | | |
| 1 | MEAN | 0.43905 | 0.0 | 0.61704 | 0.63897 | 0.28037 |
| | STDERR | 0.01541 | 0.0 | 0.02125 | 0.01543 | 0.02051 |
| | SAMSIZE | 3037. | 0. | 731. | 1284. | 1022. |
| | POPEST | 95178670. | 0. | 16523769. | 26603679. | 52051222. |
| ----- | | | | | | |
| 2 | MEAN | 0.40203 | 0.0 | 0.51558 | 0.62363 | 0.26364 |
| | STDERR | 0.02685 | 0.0 | 0.03470 | 0.05197 | 0.04289 |
| | SAMSIZE | 661. | 0. | 266. | 195. | 200. |
| | POPEST | 19946425. | 0. | 5094124. | 4102827. | 10749474. |
| ----- | | | | | | |
| 3 | MEAN | 0.44634 | 0.0 | 0.58816 | 0.67090 | 0.20014 |
| | STDERR | 0.03902 | 0.0 | 0.05250 | 0.05226 | 0.05726 |
| | SAMSIZE | 390. | 0. | 165. | 135. | 90. |
| | POPEST | 7440505. | 0. | 2328627. | 1971999. | 3139879. |
| ----- | | | | | | |
| 4 | MEAN | 0.16208 | 0.0 | 0.43475 | 0.51693 | 0.07934 |
| | STDERR | 0.01268 | 0.0 | 0.03616 | 0.03609 | 0.01313 |
| | SAMSIZE | 1617. | 0. | 337. | 370. | 910. |
| | POPEST | 55205431. | 0. | 5647505. | 5851655. | 43706271. |
| ----- | | | | | | |

RESEARCH TRIANGLE INSTITUTE

PAGE 1 OF TABLE NUMBER 7

MARIJUANA USE IN LIFETIME BY AGE AND DEMOGRAPHICS

BY: CATAGE, VARIABLE

| CATAGE | | 0 | 1 | 2 | 3 | 4 |
|----------|---------|------------|-----------|-----------|----------|------------|
| ----- | | | | | | |
| VARIABLE | | | | | | |
| MRJFLAG | MEAN | 0.33148 | 0.17363 | 0.56389 | 0.62055 | 0.19625 |
| | STDERR | 0.00841 | 0.01061 | 0.01533 | 0.01453 | 0.01135 |
| | SAMSIZE | 8814. | 3095. | 1505. | 1987. | 2227. |
| | POPEST | 198346639. | 20250192. | 29687553. | 8569913. | 109838981. |
| ----- | | | | | | |

APPENDIX G
DATA COLLECTION INSTRUMENTS

AVAILABLE UPON REQUEST ONLY IN PRINTED FORM